

**UNCLASSIFIED**

**AD 4 2 1 6 8 5**

**DEFENSE DOCUMENTATION CENTER**

**FOR**

**SCIENTIFIC AND TECHNICAL INFORMATION**

**CAMERON STATION, ALEXANDRIA, VIRGINIA**



**UNCLASSIFIED**

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

CATALOGUED BY DDC

AS AD No.

665

# BOEING



DDC  
OCT 30 1963  
TISIA B

**SEATTLE, WASHINGTON**

# DOCUMENT DISTRIBUTION RECORDS

CARD 1 of 1  
 DOC. NO. D2-80085 Vol III

REMARKS:

NEW RELEASE   
 PARTIAL REVISION   
 COMPLETE REVISION   
 REVISION SYMBOL

TITLE: LEADING EDGES DEVELOPMENT - DYNA SOAR  
 MODEL: X-20 CLASSIFICATION: UNCLASSIFIED  
 ORIGINATOR: A.K.HEPLER UNIT: 2-5526 TEL. EXT: 5-1093

QTY.	TYPE	NAME	ADDS DATE	LOCATION OR MAIL STOP	QTY	TYPE	NAME	ADDS DATE	LOCATION OR MAIL STOP
3		ASD (ASZRA) AFSC		25-300334					
10		ARMED SERVICES TECH. INF.		25-300335					
1		AFPR (RARSB)		25-300336					
1		A.K.HEPLER		2-7911 22-90					
1		S.BABER		2-5565 45-69					
1		J.M.LUTHER		2-5743 59-89					
1		BRANCH 1 LIBRARY		2-5000 13-84					
1		AERO SPACE LIBRARY		2-5000 13-84					
6		ORS DS FILES		2-9700 19-40					
2		FILE # 44		2-3785 84-02					
2		FILE # 46		2-3785 87411					
2		FILE # 4		2-5153 19-06					
1		A.M.OLSEN		2-5565 45-69					
1		F.V.McRAE		2-6135 22-85					

**NOTICE:** PLEASE NOTIFY ENGINEERING DOCUMENT DISTRIBUTION RECORDS CLERK, ORGN. \_\_\_\_\_  
 M/S \_\_\_\_\_ WHEN KEEP-UP-TO-DATE OF YOUR COPY(S) ARE NO LONGER REQUIRED.



# THE **BOEING** COMPANY

NUMBER D2-80085

UNCLASSIFIED TITLE Leading Edges Development - Dyna Soar

MODEL NO. X-20A CONTRACT NO. AF33(657)-7132

ISSUE NO. \_\_\_\_\_ ISSUED TO \_\_\_\_\_

CLASSIFIED TITLE \_\_\_\_\_  
(STATE CLASSIFICATION)

See Sub-sections

CHARGE NUMBER



2-5142

DOCUMENT TITLE PAGE U3 4287 9000 REV. 1/61

PREPARED BY D. A. Bowers 6/7/63 Paul H. Esch 6/20/63  
D. A. Bowers P. H. Esch

SUPERVISED BY A. K. Koffler 6/22/63  
A. K. Koffler

APPROVED BY A. K. Koffler 6/24/63  
A. K. Koffler

CLASS. & DISTR. APPROVED BY A. K. Koffler 6/25/63  
A. K. Koffler

RELIABILITY APPROVAL \_\_\_\_\_ (DATE)

VOL.	ITT	NO. D2-80085
SEC.	3	PAGE 1 OF

MODEL X-20

DOCUMENT NUMBER D2-80085

SECTION OR ADDENDUM NO. 3 Vol. III

TITLE

THERMAL GRADIENT AND LOADS TEST DATA

NO. OF PAGES 282

DATE \_\_\_\_\_

PREPARED BY Harold M. Olsen  
Harold M. Olsen

APPROVED BY FRS Frank B. Springood

APPROVED BY Frank B. Springood  
Frank B. Springood

APPROVED BY A. K. Meyler 9/19/63  
A. K. Meyler

WORK ORDER

UNIT NO.

ITEM NO.

Sub-section title page  
Documents

Vol. III
PAGE 3-1

**VOLUME III**  
**TABLE OF CONTENTS**

	Page
<b>Tabulated Temperature Data</b>	
Specimen 25-20341	
Test LT-5617-2-1	3-3
Test LT-5617-2-2	3-69
Specimen 25-20367	
Test LT-5617-2-1	3-140
Test LT-5617-2-2	3-199
Specimen 25-20372	
Test LT-5617-2-1	3-258
Test LT-5617-2-2	3-322

**VOLUME III**

<b>Tabulated Temperature Data</b>	
Specimen 25-20376	
Test LT-5617-2-1	3-3
Test LT-5617-2-2	3-62
Specimen 25-20378	
Test LT-5617-2-1	3-121
Test LT-5617-2-2	3-186
<b>Tabulated Pressure Load vs. Deflection Data</b>	
Specimen 25-20367	3-248
Specimen 25-20372	3-249
Specimen 25-20376	3-250
Specimen 25-20378	3-251
<b>Tabulated Pressure Load vs. Maximum Shear Stress and Principal Stress Data</b>	
Rosette Nomenclature	3-252
Specimen 25-20367	3-253
Specimen 25-20372	3-257
Specimen 25-20376	3-261
Specimen 25-20378	3-265
<b>Rapid Load vs. Time Curves</b>	
Specimen 25-20341	3-269
Specimen 25-20376	3-270
<b>Tabulated Rapid Load vs. Deflection Data</b>	
Specimen 25-20341	3-271
Specimen 25-20376	3-278
<b>Tabulated Slow Load vs. Deflection Data</b>	
Specimen 25-20341	3-279

U3 4288 2000 REV. 8/62

2-5142-2

REV SYM \_\_\_\_\_

4      9/3/63

**BOEING**

NO. D2-80085

SECT. 3

PAGE

3-2

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-20, T-21, & T-22, & T-23. =  $\pm 45^{\circ}\text{F}$ .

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^{\circ}\text{F}$ .

THERMOCOUPLE NO.

PAGE

T-10, T-11, C-4M, T-12, T-13, T-14, T-15

3-4 - 3-7

C-3M, C-5M, T-16, T-24

3-8 - 3-11

T-17, T-18, T-19, T-20, T-21, T-22, T-23

3-12 - 3-15

CALC	Reynolds	8/31/61	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01	Vol. III
CHECK	<i>Stapp</i>	7/5/61				
APPD						102-5-115
APPD					BOEING AIRPLANE COMPANY	PAGE 3-37

BAC 973 D-R3

5

9/3/63

7 3000

TIME SEC.	3-2 T-10	7-2 T-11	7-6 C-4M	3-3 T-12	7-3 T-13	3-4 T-14	7-4 T-15
-----DEGREES FAHRENHEIT-----							
99.99-	357.6	374.7	380.2	392.6	398.0	345.1	386.6
95.07-	357.6	363.1	380.2	380.9	392.1	303.3	357.5
70.14-	380.9	386.3	397.7	415.9	421.3	324.2	375.0
55.23-	386.7	403.8	415.1	421.7	438.7	363.4	398.3
40.29-	380.9	392.1	415.1	415.9	438.7	331.2	386.6
25.38-	415.9	421.3	426.7	439.2	456.2	369.2	415.8
10.46-	421.7	444.5	455.8	468.4	491.1	386.7	444.9
4.47	439.2	450.3	467.4	480.1	496.9	357.6	421.6
19.38	450.9	473.6	473.2	485.9	514.4	380.9	439.1
34.32	445.1	456.2	473.2	485.9	508.6	369.2	421.6
49.23	450.9	456.2	473.2	480.1	502.7	386.7	444.9
64.15	445.1	444.5	461.6	462.6	496.9	392.6	450.8
79.08	480.1	496.9	502.3	520.9	555.1	392.6	444.9
93.99	430.2	438.7	461.6	462.6	502.7	392.6	439.1
108.93	456.7	462.0	479.1	485.9	520.2	415.9	474.1
123.84	462.6	467.8	490.7	497.6	520.2	415.9	474.1
138.76	468.4	473.6	490.7	497.6	531.8	398.4	456.6
150.70	526.7	543.5	554.6	555.9	595.8	421.7	474.1
156.67	720.7	776.4	729.0	777.5	802.7	520.9	590.7
162.63	745.7	817.8	775.7	844.2	827.9	612.9	718.9
168.60	829.1	903.3	872.3	929.8	933.4	703.2	823.7
174.57	955.0	1037.	992.8	1078.	1042.	834.1	939.5
180.54	1024.	1110.	1094.	1173.	1119.	914.7	1014.
186.51	1102.	1194.	1174.	1266.	1199.	934.9	1053.
192.48	1205.	1305.	1295.	1388.	1305.	975.2	1101.
198.45	1280.	1382.	1385.	1481.	1395.	1049.	1167.
204.42	1393.	1501.	1508.	1597.	1510.	1159.	1265.
210.39	1472.	1594.	1606.	1695.	1599.	1248.	1365.
225.31	1712.	1834.	1881.	1969.	1854.	1464.	1584.
240.24	1938.	2076.	2136.	2224.	2087.	1699.	1828.
255.15	2161.	2302.	2389.	2478.	2341.	1825.	2027.
270.08	2364.	2509.	2627.	2674.	2532.	1977.	2230.
285.00	2403.	2556.	2674.	2725.	2607.	1973.	2309.
299.92	2439.	2587.	2702.	2756.	2650.	1969.	2359.
314.85	2427.	2567.	2682.	2749.	2646.	1894.	2336.
329.76	2411.	2548.	2631.	2725.	2614.	1841.	2312.
344.69	2333.	2462.	2541.	2650.	2532.	1758.	2246.
359.61	2263.	2396.	2448.	2575.	2450.	1699.	2172.
389.46	2110.	2232.	2237.	2423.	2310.	1576.	2027.
419.30	1969.	2083.	2039.	2259.	2161.	1477.	1885.

Continous Interfold © Moore Business Forms, Inc. ®

6	CALC <u>MR/2571</u> CHECK <u>REYNOLDS 7/5/61</u> APR APR CONTRACT NO.	REVISED DATE LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 COND. NO. 02 THE BOEING COMPANY 9/3/63	DATE SPEC. 0376 RUN 01 PAGE <u>3-4</u>
---	---	--	--

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
	-----DEGREES FAHRENHEIT-----						
449.14	1833.	1931.	1865.	2114.	2033.	1357.	1732.
478.98	1712.	1822.	1741.	1973.	1903.	1275.	1639.
508.83	1614.	1713.	1623.	1878.	1806.	1215.	1541.
538.68	1529.	1628.	1563.	1784.	1692.	1182.	1485.
568.52	1508.	1603.	1542.	1758.	1671.	1159.	1436.
598.36	1508.	1603.	1551.	1767.	1667.	1182.	1454.
628.20	1554.	1667.	1644.	1817.	1830.	1257.	1511.
658.05	1720.	1850.	1861.	1989.	2021.	1410.	1647.
687.90	1808.	1943.	1964.	2087.	2111.	1503.	1741.
717.74	1857.	2021.	2019.	2137.	2150.	1499.	1783.
747.58	1874.	1986.	2023.	2153.	2165.	1490.	1787.
777.42	1853.	1970.	2003.	2141.	2154.	1512.	1783.
807.27	1865.	1994.	2019.	2157.	2181.	1503.	1770.
810.25	1865.	1994.	2019.	2157.	2181.	1503.	1766.
816.22	1865.	1990.	2015.	2153.	2181.	1508.	1766.
822.19	1853.	1990.	2019.	2153.	2169.	1499.	1770.
828.16	1837.	1974.	1998.	2126.	2150.	1459.	1745.
834.12	1792.	1923.	1941.	2075.	2107.	1330.	1622.
836.12	1771.	1903.	1917.	2059.	2099.	1316.	1588.
838.11	1771.	1919.	1926.	2063.	2099.	1312.	1558.
840.09	1788.	1923.	1937.	2063.	2103.	1298.	1537.
842.09	1796.	1931.	1949.	2087.	2115.	1293.	1524.
844.08	1788.	1927.	1949.	2075.	2111.	1307.	1528.
846.06	1784.	1915.	1941.	2067.	2103.	1316.	1520.
848.06	1784.	1927.	1957.	2075.	2111.	1312.	1520.
850.05	1792.	1927.	1968.	2087.	2107.	1334.	1533.
852.03	1792.	1931.	1957.	2075.	2103.	1343.	1545.
854.03	1800.	1935.	1953.	2087.	2107.	1357.	1545.
856.02	1808.	1955.	1980.	2102.	2126.	1353.	1545.
858.00	1841.	1990.	2019.	2130.	2161.	1370.	1558.
859.99	1914.	2072.	2120.	2208.	2220.	1437.	1613.
861.99	1977.	2146.	2190.	2267.	2275.	1490.	1660.
863.97	2036.	2208.	2272.	2337.	2337.	1542.	1715.
865.96	2094.	2282.	2335.	2396.	2400.	1618.	1796.
867.96	2130.	2306.	2378.	2427.	2439.	1669.	1848.
869.94	2157.	2333.	2393.	2454.	2462.	1699.	1881.
871.93	2180.	2349.	2428.	2478.	2489.	1699.	1877.
873.93	2196.	2372.	2452.	2497.	2505.	1699.	1889.
875.91	2220.	2396.	2479.	2517.	2532.	1733.	1926.
877.90	2255.	2423.	2506.	2544.	2556.	1771.	1961.

CALC	014/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01	Vol. III
CHECK	<i>done</i>				
APR					
APR					
				THE BOEING COMPANY	2.00
CONTRACT NO.					PAGE
					3-5

7

9/3/63

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
879.90	2274.	2439.	2533.	2568.	2571.	1788.	1976.
881.88	2294.	2462.	2557.	2595.	2595.	1796.	2000.
893.86	2313.	2478.	2580.	2611.	2614.	1796.	2015.
885.86	2337.	2509.	2604.	2634.	2638.	1813.	2023.
887.85	2349.	2513.	2616.	2650.	2650.	1788.	2023.
889.83	2349.	2520.	2619.	2650.	2654.	1763.	2012.
891.83	2364.	2528.	2635.	2662.	2669.	1758.	2023.
893.82	2376.	2540.	2647.	2674.	2673.	1767.	2023.
895.80	2380.	2540.	2651.	2674.	2669.	1758.	2027.
897.80	2384.	2540.	2655.	2678.	2677.	1758.	2027.
899.79	2399.	2544.	2667.	2693.	2685.	1767.	2027.
905.76	2427.	2575.	2696.	2713.	2716.	1750.	2027.
911.73	2415.	2556.	2678.	2705.	2709.	1750.	2027.
917.70	2415.	2556.	2667.	2697.	2701.	1724.	2008.
923.67	2399.	2540.	2643.	2690.	2685.	1724.	2000.
929.64	2380.	2520.	2619.	2678.	2673.	1737.	2012.
935.60	2360.	2497.	2598.	2650.	2646.	1724.	2008.
941.57	2364.	2505.	2596.	2662.	2654.	1724.	2008.
947.54	2376.	2513.	2596.	2662.	2665.	1724.	2000.
953.51	2372.	2509.	2590.	2662.	2658.	1720.	1996.
959.47	2360.	2493.	2569.	2654.	2661.	1669.	1961.
965.44	2345.	2466.	2537.	2623.	2630.	1635.	1937.
971.41	2329.	2458.	2526.	2615.	2630.	1627.	1917.
977.38	2310.	2427.	2487.	2599.	2599.	1588.	1901.
983.34	2298.	2403.	2459.	2572.	2583.	1576.	1877.
989.31	2278.	2396.	2432.	2560.	2571.	1576.	1865.
995.28	2270.	2372.	2413.	2552.	2567.	1571.	1852.
1001.25	2274.	2388.	2424.	2564.	2575.	1571.	1832.
1007.22	2263.	2372.	2405.	2548.	2567.	1546.	1824.
1013.19	2267.	2376.	2413.	2552.	2563.	1542.	1820.
1019.16	2255.	2353.	2393.	2532.	2552.	1546.	1812.
1049.01	2224.	2329.	2370.	2501.	2517.	1529.	1779.
1078.86	2184.	2294.	2323.	2478.	2497.	1529.	1766.
1108.69	2180.	2294.	2307.	2462.	2481.	1546.	1766.
1178.53	2162.	2306.	2346.	2478.	2489.	1559.	1783.
1168.38	2227.	2396.	2381.	2505.	2520.	1580.	1824.
1198.23	2294.	2419.	2456.	2572.	2591.	1635.	1873.
1228.08	2341.	2470.	2530.	2631.	2638.	1686.	1957.
1257.91	2364.	2497.	2565.	2650.	2654.	1808.	2066.
1287.75	2415.	2536.	2616.	2697.	2697.	1829.	2101.

CALC	09/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01	Vol. III
CHECK	<i>Revised</i>				Pr-80085
APR					3.00
APR					PAGE
CONTRACT NO.				THE BOEING COMPANY.	3-68

9/3/63

Continous Interfold © Moore Business Forms, Inc. 8

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
1317.60	2431.	2552.	2616.	2713.	2716.	1825.	2101.
1347.45	2431.	2552.	2596.	2709.	2716.	1788.	2090.
1377.30	2439.	2567.	2588.	2717.	2724.	1771.	2086.
1407.13	2435.	2556.	2557.	2713.	2724.	1758.	2062.
1436.97	2435.	2560.	2537.	2717.	2716.	1750.	2066.
1440.96	2423.	2552.	2541.	2717.	2713.	1733.	2066.
1455.87	2478.	2599.	2592.	2776.	2764.	2055.	2371.
1470.81	2470.	2579.	2576.	2772.	2752.	1969.	2355.
1485.72	2466.	2571.	2576.	2760.	2752.	1938.	2359.
1500.65	2478.	2579.	2592.	2768.	2771.	1930.	2359.
1515.57	2482.	2579.	2588.	2764.	2768.	1926.	2359.
1530.48	2493.	2587.	2612.	2768.	2771.	1922.	2359.
1545.42	2493.	2587.	2616.	2776.	2768.	1914.	2363.
1560.33	2478.	2575.	2596.	2764.	2768.	1922.	2355.
1590.18	2485.	2583.	2608.	2772.	2775.	1902.	2359.
1620.03	2466.	2556.	2619.	2760.	2768.	1874.	2336.
1649.87	2442.	2552.	2627.	2752.	2752.	1874.	2312.
1679.70	2454.	2540.	2616.	2741.	2740.	1865.	2297.
1709.55	2435.	2513.	2604.	2717.	2713.	1804.	2250.
1739.40	2388.	2474.	2545.	2670.	2677.	1746.	2199.
1769.25	2306.	2372.	2444.	2595.	2614.	1656.	2086.
1799.09	2231.	2275.	2346.	2509.	2524.	1559.	1996.
1828.92	2130.	2161.	2190.	2403.	2439.	1468.	1885.
1858.77	2024.	2048.	2058.	2302.	2325.	1361.	1770.
1888.62	1906.	1927.	1881.	2169.	2208.	1275.	1634.
1918.47	1754.	1764.	1665.	2016.	2052.	1111.	1490.
1948.31	1614.	1599.	1469.	1878.	1915.	970.1	1306.
1978.14	1450.	1421.	1258.	1699.	1764.	803.9	1092.
2007.99	1182.	1138.	972.7	1410.	1492.	618.2	859.0
2037.84	1000.	973.7	706.9	1248.	1319.	433.4	649.9
2067.69	650.1	612.1	386.1	854.3	953.6	324.2	479.9
2097.53	310.3	268.2	177.8	421.7	555.1	233.6	363.3
2127.36	212.7	177.8	133.4	275.4	386.3	184.8	268.4
2157.21	163.9	150.0	116.8	205.7	303.0	150.0	212.7
2187.06	141.7	125.0	100.2	177.9	247.4	133.3	184.8
2216.91	125.0	116.7	100.2	150.0	219.5	116.6	170.9

CALC	08/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01	Vol. III
CHECK	<i>Revised 12/15/61</i>				
APR					
APR					
				THE BOEING COMPANY	D2-80085
					4.00
					PAGE
CONTRACT NO.					3-7

Continous Interfold, (R) Moore Business Forms, Inc.



TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
-----DEGREES FAHRENHEIT-----				
09.99-	317.3	369.4	416.4	357.4
05.07-	317.3	369.4	433.9	369.0
70.14-	345.2	386.9	445.6	386.5
55.23-	357.7	404.4	474.8	415.6
40.29-	363.5	416.1	480.7	421.4
25.38-	416.0	416.1	499.2	444.7
10.46-	421.9	439.4	515.7	462.2
4.47	427.7	445.3	533.3	485.5
19.38	445.2	451.1	545.0	497.1
34.32	430.4	451.1	556.6	508.8
49.23	456.9	462.8	556.6	526.3
64.15	430.4	462.8	568.3	526.3
79.08	462.7	486.1	580.0	537.9
93.99	451.0	468.6	580.0	555.4
108.93	468.5	480.3	580.0	555.4
123.84	456.9	486.1	597.6	567.0
138.76	474.4	492.0	597.6	567.0
150.70	503.6	509.5	603.1	578.7
156.67	591.1	573.7	624.4	590.3
162.63	703.4	607.9	666.9	628.3
168.60	804.2	666.4	720.1	681.3
174.57	899.9	804.3	815.1	750.3
180.54	1006.	955.6	856.5	823.3
186.51	1097.	1073.	1089.	903.8
192.48	1182.	1178.	1198.	994.3
198.45	1271.	1276.	1309.	1077.
204.42	1393.	1402.	1417.	1171.
210.39	1504.	1513.	1535.	1269.
225.31	1768.	1759.	1803.	1527.
240.24	2033.	2025.	2078.	1773.
255.15	2197.	2276.	2341.	1995.
270.08	2494.	2503.	2548.	2217.
285.00	2565.	2542.	2615.	2335.
299.92	2608.	2597.	2666.	2385.
314.85	2577.	2565.	2659.	2397.
329.76	2545.	2534.	2639.	2377.
344.69	2443.	2444.	2576.	2338.
359.61	2350.	2346.	2513.	2280.
389.46	2162.	2150.	2372.	2135.
419.30	1962.	1967.	2247.	2006.

CALC	08/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01	Vol. III	
CHECK	<i>Raymond #1/2/1</i>					
APR						22-80885
APR					THE BOEING COMPANY	1.01
CONTRACT NO.					PAGE	
					3-8	

UG 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

Continous Interfold © Moore Business Forms, Inc. ©

10

TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
	-----DEGREES FAHRENHEIT-----			
449.14	1772	1772	2094	1868
478.98	1666	1670	2004	1782
508.83	1555	1560	1921	1706
538.68	1500	1487	1852	1659
568.52	1464	1451	1803	1621
598.36	1478	1469	1803	1625
628.20	1564	1560	1828	1600
658.05	1751	1759	1937	1697
687.90	1870	1866	2047	1790
717.74	1923	1891	2074	1827
747.58	1931	1907	2094	1864
777.42	1927	1919	2106	1868
807.27	1943	1919	2109	1872
810.25	1935	1923	2106	1864
816.22	1935	1915	2102	1876
822.19	1939	1915	2106	1888
828.16	1931	1887	2106	1892
834.12	1958	1801	2055	1884
836.12	1966	1785	2043	1880
838.11	1982	1772	2031	1876
840.09	1990	1768	2015	1876
842.09	1990	1772	2008	1876
844.08	1986	1785	2012	1868
846.06	1986	1785	2004	1868
848.06	2009	1789	2000	1864
850.05	2013	1793	2004	1872
852.03	2013	1797	2012	1876
854.03	2017	1801	2012	1880
856.02	2029	1805	2012	1876
858.00	2052	1838	2019	1892
859.99	2115	1915	2035	1896
861.99	2181	1970	2066	1912
863.97	2271	2017	2098	1924
865.96	2346	2064	2129	1967
867.96	2408	2076	2160	1999
869.94	2428	2088	2188	2049
871.93	2443	2107	2215	2085
873.93	2471	2135	2235	2104
875.91	2506	2166	2262	2131
877.90	2533	2174	2286	2163

CALC	08/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01	Vol. III
CHECK	<i>Revised 9/5/61</i>					12-30/65
APPD						2.01 8
APPD						PAGE 3-901
BOEING AIRPLANE COMPANY						

BAC 973 D-R3

2-7008

11

9/3/63

TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
	-----DEGREES FAHRENHEIT-----			
879.90	2557.	2194.	2305.	2182.
881.88	2577.	2209.	2325.	2202.
883.86	2604.	2229.	2341.	2221.
885.86	2636.	2260.	2364.	2249.
887.85	2651.	2248.	2380.	2264.
899.83	2651.	2244.	2388.	2288.
891.83	2655.	2260.	2392.	2295.
893.82	2667.	2260.	2395.	2299.
895.80	2667.	2264.	2407.	2307.
897.80	2667.	2272.	2419.	2323.
899.79	2675.	2280.	2419.	2327.
905.76	2683.	2268.	2419.	2366.
911.73	2671.	2264.	2427.	2366.
917.70	2679.	2260.	2427.	2366.
923.67	2679.	2264.	2427.	2374.
929.64	2671.	2268.	2431.	2374.
935.60	2667.	2252.	2423.	2389.
941.57	2671.	2256.	2407.	2377.
947.54	2671.	2264.	2419.	2374.
953.51	2663.	2260.	2419.	2374.
959.47	2651.	2229.	2403.	2346.
965.44	2612.	2205.	2399.	2342.
971.41	2592.	2201.	2372.	2327.
977.38	2565.	2154.	2364.	2295.
983.34	2557.	2139.	2341.	2303.
989.31	2545.	2115.	2341.	2276.
995.28	2522.	2107.	2329.	2280.
1001.25	2506.	2104.	2329.	2264.
1007.22	2494.	2088.	2317.	2253.
1013.19	2483.	2088.	2305.	2249.
1019.16	2440.	2064.	2301.	2241.
1049.01	2377.	2033.	2270.	2202.
1078.86	2377.	2025.	2254.	2178.
1108.69	2377.	2017.	2251.	2194.
1138.53	2381.	2045.	2262.	2190.
1168.38	2432.	2068.	2278.	2202.
1198.23	2400.	2147.	2333.	2245.
1228.08	2569.	2205.	2394.	2323.
1257.91	2616.	2284.	2427.	2338.
1287.75	2651.	2331.	2458.	2389.

CALC	9/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 COND. NO. 02	SPEC. 0376 RUN 01	Vol. III
CHECK	Revised 15/61					D2-8085
APR				THE BOEING COMPANY		3.01
APR						PAGE
CONTRACT NO.						3-19

Continous Interfold © Moore Business Forms, Inc. 9

12

TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
	-----DEGREES FAHRENHEIT-----			
1317.60	2679.	2338.	2470.	2397.
1347.45	2679.	2319.	2470.	2401.
1377.30	2691.	2334.	2470.	2413.
1407.13	2675.	2331.	2466.	2405.
1436.97	2679.	2311.	2466.	2389.
1440.96	2679.	2315.	2462.	2413.
1455.87	2604.	2601.	2588.	2424.
1470.81	2596.	2605.	2615.	2413.
1485.72	2596.	2585.	2603.	2428.
1500.65	2612.	2597.	2615.	2424.
1515.57	2502.	2605.	2619.	2436.
1530.48	2608.	2593.	2615.	2440.
1545.42	2612.	2601.	2615.	2424.
1560.33	2600.	2597.	2619.	2424.
1590.18	2604.	2585.	2623.	2432.
1620.03	2584.	2573.	2615.	2389.
1649.87	2573.	2546.	2603.	2377.
1679.70	2549.	2534.	2584.	2389.
1709.55	2494.	2487.	2552.	2346.
1739.40	2440.	2409.	2509.	2335.
1769.25	2354.	2323.	2446.	2264.
1799.09	2228.	2213.	2368.	2198.
1828.92	2087.	2072.	2266.	2085.
1858.77	1931.	1931.	2164.	1999.
1888.62	1780.	1785.	2043.	1892.
1918.47	1598.	1589.	1909.	1752.
1948.31	1398.	1384.	1748.	1638.
1978.14	1187.	1178.	1565.	1510.
2007.99	1006.	915.2	1350.	1351.
2037.84	874.7	714.2	1094.	1214.
2067.69	666.3	532.8	870.6	1081.
2097.53	439.4	357.7	613.7	873.6
2127.36	280.4	247.6	480.7	692.0
2157.21	212.8	191.8	398.9	540.6
2187.06	177.9	163.9	338.5	438.9
2216.91	157.0	141.7	296.6	398.1

CALC	8/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01	Vol. III
CHECK	<i>Revised 9/3/61</i>				
APR					
APR					
				THE BOEING COMPANY	4.01
CONTRACT NO.					3-18

9/3/63

13

TIME SEC.	8-4 T-17	4-5 T-18	8-5 T-19	4-6 T-20	8-6 T-21	4-7 T-22	8-7 T-23
-----DEGREES FAHRENHEIT-----							
99.99-	121.1	94.88	150.0	197.0	165.6	176.2	165.7
85.07-	129.0	100.1	165.7	215.3	178.6	194.5	178.8
70.14-	136.8	105.4	181.3	233.6	191.7	212.8	191.8
55.23-	147.4	110.6	191.8	254.5	207.3	228.5	204.9
40.29-	155.2	118.5	204.9	272.7	222.0	246.8	220.6
25.38-	165.7	123.8	215.3	291.5	236.0	265.1	233.7
10.46-	176.1	131.6	229.4	310.5	249.0	280.8	246.7
4.47	186.6	139.5	238.8	326.9	264.6	297.1	259.8
19.38	194.4	147.4	254.5	345.8	275.0	318.9	272.9
34.32	204.9	155.2	264.9	364.8	285.7	335.2	286.2
49.23	215.3	163.0	275.4	383.6	301.9	351.5	299.8
64.15	228.4	170.9	286.1	399.7	315.5	367.9	313.4
79.08	238.9	178.7	299.7	415.8	326.3	381.3	327.0
93.99	249.3	189.1	307.8	426.5	339.8	394.7	337.9
108.93	259.8	197.0	318.7	442.6	350.7	410.9	348.8
123.84	270.2	204.8	326.8	453.4	364.2	427.0	365.1
138.76	280.7	215.2	335.0	466.9	377.7	437.7	373.2
150.70	291.6	217.8	340.4	477.4	385.7	448.5	383.9
156.67	294.3	223.0	345.9	485.3	391.0	453.8	389.3
162.63	297.0	225.6	348.6	501.1	399.1	459.2	394.7
168.60	305.2	228.3	354.0	522.2	399.1	467.3	397.4
174.57	307.9	233.5	356.7	548.6	407.1	475.2	402.7
180.54	318.8	238.7	362.2	584.8	409.9	485.8	408.1
186.51	324.2	238.7	373.0	620.7	420.5	501.6	416.1
182.48	335.1	243.9	378.3	664.3	425.8	517.5	421.5
198.45	346.0	254.3	389.1	715.6	436.5	538.6	429.6
204.42	354.1	254.3	405.2	782.3	449.0	567.5	437.6
210.39	373.1	262.2	423.9	851.6	463.7	598.3	448.4
225.31	429.5	283.2	482.7	1052.	513.3	698.5	483.0
240.24	522.5	318.4	579.8	1316.	586.2	842.4	527.9
255.15	651.9	375.3	723.5	1601.	698.8	1021.	593.0
270.08	829.1	466.4	918.3	1903.	847.2	1220.	680.3
285.00	1035.	594.6	1096.	2159.	1025.	1416.	795.9
299.92	1196.	750.9	1224.	2288.	1195.	1556.	926.6
314.85	1301.	897.0	1296.	2342.	1331.	1648.	1046.
329.76	1362.	1008.	1338.	2351.	1418.	1737.	1138.
344.69	1391.	1087.	1356.	2312.	1468.	1778.	1209.
359.61	1394.	1125.	1353.	2258.	1492.	1790.	1258.
369.46	1357.	1135.	1317.	2117.	1479.	1754.	1302.
419.30	1301.	1112.	1255.	1991.	1429.	1680.	1291.

Continuum Instrument & Machine Adjustment, Inc.

<table border="1"> <tr> <td>CALC</td> <td>0872571</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td>Revised 3/15/61</td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> </tr> </table>	CALC	0872571	REVISED	DATE	CHECK	Revised 3/15/61			APR				APR				LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III 22-8885 1.02 PAGE 3-12
CALC	0872571	REVISED	DATE															
CHECK	Revised 3/15/61																	
APR																		
APR																		
CONTRACT NO.																		

14

9/3/63

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
449.14	1230.	1069.	1188.	1848.	1366.	1601.	1250.
478.98	1166.	1024.	1114.	1762.	1297.	1519.	1199.
508.83	1112.	980.5	1063.	1685.	1246.	1458.	1153.
538.68	1076.	942.6	1015.	1627.	1208.	1410.	1125.
568.52	1056.	917.2	984.2	1590.	1188.	1384.	1109.
598.36	1041.	899.5	963.9	1585.	1170.	1368.	1097.
628.20	1038.	891.8	958.9	1580.	1162.	1358.	1092.
658.05	1053.	894.4	976.6	1656.	1165.	1358.	1086.
687.90	1094.	912.2	1025.	1751.	1195.	1403.	1102.
717.74	1137.	947.6	1073.	1803.	1236.	1447.	1130.
747.58	1173.	983.1	1109.	1828.	1272.	1487.	1156.
777.42	1199.	1008.	1134.	1850.	1297.	1508.	1181.
807.27	1219.	1034.	1150.	1850.	1318.	1527.	1204.
810.25	1219.	1034.	1152.	1853.	1318.	1529.	1207.
816.22	1224.	1039.	1152.	1861.	1324.	1529.	1212.
822.19	1224.	1036.	1155.	1864.	1326.	1532.	1215.
828.16	1230.	1044.	1157.	1859.	1326.	1535.	1217.
834.12	1230.	1044.	1160.	1853.	1331.	1540.	1220.
836.12	1232.	1046.	1157.	1850.	1331.	1540.	1222.
838.11	1235.	1046.	1155.	1848.	1331.	1540.	1225.
840.09	1235.	1046.	1152.	1845.	1334.	1540.	1225.
842.09	1235.	1046.	1150.	1850.	1334.	1540.	1225.
844.08	1235.	1049.	1147.	1848.	1334.	1540.	1227.
846.06	1235.	1049.	1142.	1845.	1334.	1543.	1227.
848.06	1240.	1049.	1137.	1848.	1334.	1543.	1230.
850.05	1235.	1049.	1132.	1850.	1337.	1545.	1230.
852.03	1237.	1046.	1126.	1856.	1339.	1545.	1230.
854.03	1237.	1049.	1124.	1853.	1339.	1545.	1230.
856.02	1240.	1049.	1121.	1856.	1337.	1545.	1235.
858.00	1240.	1049.	1114.	1867.	1339.	1548.	1235.
859.99	1240.	1049.	1111.	1881.	1342.	1550.	1235.
861.99	1240.	1051.	1109.	1906.	1339.	1550.	1235.
863.97	1242.	1051.	1106.	1926.	1339.	1556.	1238.
865.96	1240.	1051.	1103.	1963.	1342.	1561.	1240.
867.96	1250.	1049.	1103.	1988.	1345.	1566.	1240.
869.94	1253.	1049.	1103.	2025.	1345.	1572.	1240.
871.93	1258.	1051.	1106.	2037.	1347.	1579.	1243.
873.93	1266.	1054.	1106.	2062.	1350.	1587.	1245.
875.91	1273.	1054.	1109.	2085.	1350.	1598.	1250.
877.90	1278.	1054.	1111.	2111.	1358.	1609.	1250.

CALC	08/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01	Vol. III
CHECK	R...				DZ-8088
APR					2.02
APR					PAGE
CONTRACT NO.				THE BOEING COMPANY	3-13

9/3/63

15

Continous Interfold © Moore Business Forms, Inc.

TIME SEC.	8-4 T-17	4-5 T-18	8-5 T-19	4-6 T-20	8-6 T-21	4-7 T-22	8-7 T-23
	-----DEGREES FAHRENHEIT-----						
879.90	1286.	1056.	1116.	2141.	1360.	1619.	1250.
881.88	1206.	1059.	1121.	2159.	1366.	1627.	1253.
883.86	1304.	1064.	1121.	2177.	1368.	1638.	1258.
885.86	1315.	1064.	1126.	2204.	1376.	1653.	1261.
887.85	1323.	1069.	1132.	2225.	1384.	1664.	1266.
889.83	1333.	1072.	1137.	2243.	1392.	1677.	1268.
891.83	1344.	1072.	1142.	2252.	1397.	1688.	1276.
893.82	1357.	1077.	1147.	2261.	1402.	1704.	1281.
895.80	1344.	1079.	1152.	2276.	1413.	1715.	1286.
897.80	1373.	1084.	1160.	2297.	1421.	1726.	1291.
899.79	1383.	1089.	1165.	2300.	1429.	1737.	1297.
905.74	1407.	1100.	1178.	2330.	1455.	1776.	1315.
911.73	1433.	1115.	1191.	2342.	1481.	1803.	1333.
917.70	1449.	1130.	1206.	2351.	1505.	1831.	1355.
923.67	1465.	1140.	1216.	2360.	1523.	1853.	1370.
929.64	1478.	1153.	1226.	2366.	1539.	1870.	1386.
935.60	1489.	1163.	1234.	2372.	1555.	1881.	1399.
941.57	1499.	1174.	1242.	2369.	1568.	1895.	1413.
947.54	1507.	1186.	1252.	2372.	1579.	1906.	1426.
953.51	1513.	1194.	1257.	2372.	1589.	1917.	1439.
959.47	1518.	1202.	1262.	2360.	1597.	1920.	1450.
965.44	1521.	1210.	1265.	2351.	1602.	1923.	1460.
971.41	1523.	1215.	1270.	2333.	1605.	1926.	1465.
977.38	1523.	1222.	1273.	2321.	1610.	1923.	1471.
983.34	1521.	1225.	1270.	2312.	1613.	1923.	1476.
989.31	1518.	1227.	1273.	2297.	1610.	1917.	1481.
995.28	1515.	1227.	1270.	2291.	1610.	1914.	1484.
1001.25	1515.	1230.	1270.	2279.	1608.	1906.	1497.
1007.22	1513.	1233.	1270.	2273.	1605.	1900.	1487.
1013.19	1510.	1233.	1267.	2267.	1602.	1897.	1487.
1019.16	1505.	1235.	1267.	2255.	1600.	1892.	1487.
1049.01	1494.	1235.	1260.	2216.	1587.	1864.	1484.
1078.86	1486.	1235.	1257.	2198.	1573.	1853.	1481.
1108.69	1486.	1238.	1260.	2189.	1571.	1845.	1481.
1138.53	1492.	1245.	1267.	2198.	1573.	1848.	1484.
1168.38	1502.	1256.	1278.	2216.	1581.	1864.	1492.
1198.23	1523.	1273.	1301.	2258.	1600.	1881.	1508.
1228.08	1555.	1297.	1330.	2327.	1621.	1912.	1526.
1257.91	1592.	1325.	1361.	2360.	1652.	1954.	1555.
1287.75	1618.	1352.	1388.	2396.	1679.	1991.	1582.

CALC	7/25/61	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01	Vol. III
CHECK	Kennedy 7/5/61				22-80885
APR	V				3.02
APR					PAGE
CONTRACT NO.				THE BOEING COMPANY	3-18

9/3/63

16

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
1317.60	1645.	1378.	1417.	2419.	1702.	2020.	1611.
1347.45	1663.	1404.	1438.	2424.	1722.	2040.	1629.
1377.30	1676.	1420.	1459.	2437.	1736.	2054.	1645.
1407.13	1689.	1439.	1467.	2434.	1747.	2063.	1661.
1436.97	1700.	1454.	1493.	2440.	1758.	2074.	1674.
1440.06	1706.	1457.	1495.	2440.	1758.	2071.	1677.
1445.87	1714.	1468.	1506.	2449.	1763.	2074.	1682.
1470.81	1725.	1486.	1575.	2456.	1769.	2080.	1690.
1485.72	1733.	1510.	1617.	2459.	1777.	2083.	1698.
1500.65	1744.	1528.	1646.	2456.	1785.	2091.	1706.
1515.57	1753.	1544.	1665.	2462.	1791.	2094.	1714.
1530.48	1758.	1560.	1675.	2465.	1799.	2103.	1725.
1545.42	1769.	1565.	1683.	2468.	1804.	2109.	1731.
1560.33	1772.	1573.	1691.	2475.	1810.	2112.	1739.
1590.18	1780.	1589.	1702.	2471.	1818.	2115.	1745.
1620.03	1783.	1594.	1705.	2459.	1821.	2112.	1753.
1649.87	1780.	1599.	1702.	2449.	1818.	2103.	1753.
1679.70	1780.	1597.	1696.	2440.	1813.	2094.	1748.
1709.55	1769.	1591.	1699.	2409.	1804.	2083.	1745.
1739.40	1755.	1584.	1675.	2375.	1791.	2063.	1734.
1769.25	1733.	1568.	1652.	2324.	1777.	2037.	1720.
1799.09	1703.	1547.	1617.	2249.	1749.	1994.	1701.
1828.92	1666.	1520.	1580.	2153.	1719.	1937.	1671.
1858.77	1626.	1489.	1536.	2054.	1676.	1873.	1640.
1888.62	1579.	1454.	1488.	1949.	1639.	1817.	1608.
1918.47	1528.	1412.	1435.	1834.	1592.	1751.	1571.
1948.31	1468.	1370.	1372.	1712.	1539.	1672.	1524.
1978.14	1407.	1315.	1303.	1577.	1476.	1582.	1471.
2007.99	1333.	1263.	1237.	1427.	1408.	1487.	1410.
2037.84	1266.	1202.	1162.	1300.	1337.	1397.	1352.
2067.69	1183.	1130.	1086.	1172.	1262.	1305.	1286.
2097.53	1101.	1059.	1010.	1025.	1177.	1199.	1209.
2127.36	982.2	975.5	915.8	892.7	1078.	1079.	1122.
2157.21	906.1	891.8	818.5	779.8	969.2	959.8	1020.
2187.06	818.9	812.4	733.8	677.2	865.1	842.4	919.0
2216.91	747.0	748.3	654.2	618.1	778.2	757.6	826.8

CALC	08/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01  THE BOEING COMPANY	Vol. III
CHECK	<i>Revised 11/16/61</i>					02-11-16
APR						PAGE 02
APR						3-15
CONTRACT NO.						

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

Continuum Interfield © Moore-Business Press, Inc.



TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-20, T-21, T-22, & T-23  $\pm 45^\circ\text{F}$ .  
 TOLERANCE FOR ALL OTHER THERMOCOUPLES  $\pm 165^\circ\text{F}$ .

<u>THERMOCOUPLE NO.</u>	<u>PAGE</u>
T-10, T-11, C-4M, T-12, T-13, T-14, T-15	3-17 - 3-20
C-3M, C-5M, T-16, T-24	3-21 - 3-24
T-17, T-18, T-19, T-20, T-21, T-22, T-23	3-25 - 3-28

CALC	Reynolds	9/5/61	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02	Vol. III
CHECK	<i>Stapp</i>	9/5/61				PC-91115
APPD					BOEING AIRPLANE COMPANY	PAGE
APPD						3-113

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	T-11	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
99.98-	317.3	362.8	444.4	410.2	386.2	289.6	392.6
85.06-	351.8	391.9	480.1	439.4	421.1	268.6	369.2
70.14-	357.6	403.5	401.8	445.3	438.6	289.6	380.9
55.21-	345.2	380.3	480.1	439.4	426.0	303.5	415.9
40.30-	303.4	337.6	444.4	381.1	392.0	324.5	427.6
25.37-	416.0	497.7	438.2	521.1	508.4	363.7	456.7
10.45-	386.8	439.4	432.4	497.8	490.9	317.5	439.2
4.47	416.0	477.3	451.5	527.0	531.6	357.8	445.1
19.40	416.0	450.0	455.7	527.0	525.8	363.7	462.6
34.31	404.3	455.9	444.0	503.6	502.6	345.4	450.9
49.24	398.5	455.9	440.9	503.6	508.4	352.0	456.7
64.16	416.0	470.1	467.3	521.1	537.5	381.2	474.2
79.08	421.8	484.9	473.1	532.8	537.5	392.9	497.6
94.01	416.0	473.3	473.1	521.1	543.3	369.5	491.7
108.92	416.0	473.3	461.5	503.6	537.5	363.7	474.2
123.85	427.6	479.1	467.3	521.1	537.5	381.2	480.1
138.77	427.6	490.7	473.1	538.6	543.3	381.2	497.6
150.71	521.0	611.7	571.9	645.1	643.7	404.5	509.2
156.68	671.4	731.1	706.6	814.4	791.4	451.3	579.2
162.65	772.4	887.5	821.8	945.4	892.9	624.1	777.5
168.62	829.2	972.9	902.1	1035.	973.7	666.6	844.2
174.59	919.9	1070.	1002.	1135.	1075.	730.4	924.8
180.56	1001.	1147.	1103.	1244.	1222.	829.8	1015.
186.53	1054.	1212.	1193.	1381.	1332.	875.2	1049.
192.50	1121.	1277.	1276.	1393.	1421.	925.7	1102.
198.46	1215.	1380.	1397.	1508.	1534.	1006.	1173.
204.43	1307.	1469.	1503.	1596.	1636.	1117.	1234.
210.40	1389.	1547.	1618.	1700.	1738.	1221.	1397.
225.32	1669.	1784.	1888.	1951.	1989.	1416.	1618.
240.24	1906.	2012.	2138.	2182.	2219.	1620.	1857.
255.17	2142.	2269.	2400.	2428.	2461.	1718.	2075.
270.08	2310.	2460.	2591.	2585.	2629.	1867.	2278.
285.01	2341.	2499.	2630.	2636.	2684.	1908.	2337.
299.93	2365.	2495.	2654.	2664.	2704.	1908.	2384.
314.85	2340.	2475.	2626.	2644.	2680.	1818.	2353.
329.78	2298.	2421.	2571.	2601.	2629.	1764.	2321.
344.69	2224.	2355.	2496.	2526.	2570.	1658.	2224.
359.62	2150.	2273.	2394.	2436.	2488.	1573.	2145.
389.46	1974.	2105.	2174.	2264.	2332.	1398.	1969.
419.30	1817.	1945.	1975.	2096.	2180.	1188.	1788.

CALC	7/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN '02	Vol III P2-80085 PAGE 1.00 3-17
CHECK	Reynolds 1/3/61				
APR					
APR					
CONTRACT NO.				THE BOEING COMPANY	

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	T-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
449.15	1678.	1800.	1705.	1951.	2051.	1006.	1530.
479.00	1606.	1741.	1661.	1875.	1985.	971.1	1516.
508.84	1521.	1661.	1558.	1789.	1902.	880.3	1410.
538.6A	1504.	1652.	1533.	1764.	1886.	870.2	1343.
568.52	1464.	1614.	1486.	1730.	1846.	829.8	1325.
598.37	1473.	1627.	1503.	1742.	1862.	875.2	1348.
628.22	1546.	1707.	1618.	1826.	1931.	945.9	1437.
658.06	1691.	1869.	1832.	1974.	2071.	1132.	1605.
687.90	1742.	1901.	1900.	2037.	2137.	1202.	1699.
717.74	1771.	1941.	1948.	2076.	2176.	1202.	1729.
747.59	1797.	1949.	1968.	2088.	2180.	1093.	1673.
777.44	1793.	1941.	1975.	2076.	2176.	1079.	1669.
807.2A	1784.	1930.	1948.	2072.	2172.	1074.	1656.
810.26	1780.	1937.	1952.	2076.	2176.	1074.	1636.
816.23	1776.	1934.	1956.	2080.	2172.	1074.	1665.
822.20	1784.	1941.	1956.	2076.	2172.	1059.	1665.
828.17	1733.	1885.	1900.	2037.	2141.	976.1	1542.
834.14	1712.	1869.	1872.	2002.	2118.	870.2	1397.
836.12	1690.	1849.	1848.	1986.	2102.	895.4	1406.
838.12	1690.	1861.	1860.	1990.	2114.	981.2	1450.
840.11	1716.	1873.	1876.	1998.	2110.	1016.	1436.
842.09	1712.	1885.	1865.	1998.	2106.	1035.	1503.
844.0A	1720.	1889.	1876.	2006.	2114.	1025.	1490.
846.0B	1733.	1901.	1802.	2010.	2122.	1025.	1436.
848.06	1746.	1914.	1900.	2025.	2126.	1050.	1490.
850.05	1750.	1914.	1909.	2025.	2129.	1074.	1508.
852.05	1746.	1914.	1904.	2017.	2129.	1064.	1512.
854.03	1767.	1941.	1933.	2041.	2145.	1093.	1529.
856.02	1820.	1992.	1999.	2088.	2188.	1122.	1554.
858.02	1906.	2070.	2081.	2154.	2254.	1155.	1597.
860.00	1974.	2152.	2158.	2221.	2317.	1253.	1673.
861.99	2032.	2214.	2229.	2276.	2371.	1354.	1750.
863.99	2087.	2269.	2283.	2338.	2422.	1412.	1813.
865.97	2118.	2292.	2318.	2358.	2449.	1501.	1878.
867.95	2118.	2292.	2338.	2370.	2461.	1501.	1878.
869.95	2146.	2316.	2349.	2393.	2477.	1530.	1906.
871.94	2165.	2335.	2396.	2416.	2504.	1539.	1926.
873.92	2185.	2358.	2416.	2436.	2523.	1539.	1934.
875.92	2220.	2396.	2439.	2456.	2539.	1539.	1946.
877.91	2232.	2397.	2462.	2479.	2558.	1569.	1981.

CALC	02/25/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02 THE BOEING COMPANY	Vol. III
CHECK	Raymiller 3/5/61				02-80085
APR					PAGE 2.00
APR					3-18
CONTRACT NO.					

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
879.89	2247.	2417.	2478.	2499.	2574.	1598.	2012.
881.89	2250.	2425.	2497.	2510.	2590.	1598.	2024.
883.88	2279.	2440.	2513.	2526.	2605.	1615.	2028.
885.86	2290.	2448.	2522.	2538.	2613.	1632.	2032.
887.86	2298.	2452.	2540.	2538.	2613.	1615.	2036.
889.85	2306.	2450.	2552.	2553.	2621.	1607.	2040.
891.83	2306.	2464.	2552.	2557.	2629.	1611.	2036.
893.82	2306.	2464.	2548.	2557.	2629.	1615.	2048.
895.82	2302.	2454.	2552.	2561.	2633.	1607.	2044.
897.80	2298.	2450.	2548.	2561.	2637.	1603.	2044.
899.79	2298.	2464.	2556.	2565.	2633.	1603.	2044.
905.76	2306.	2450.	2556.	2573.	2645.	1598.	2048.
911.73	2306.	2468.	2548.	2581.	2645.	1603.	2051.
917.69	2302.	2452.	2548.	2593.	2645.	1598.	2048.
923.66	2302.	2452.	2536.	2597.	2641.	1573.	2036.
929.63	2306.	2456.	2525.	2605.	2633.	1594.	2048.
935.60	2298.	2452.	2513.	2597.	2645.	1594.	2055.
941.57	2302.	2452.	2509.	2601.	2649.	1577.	2032.
947.54	2298.	2452.	2513.	2601.	2649.	1560.	2024.
953.51	2287.	2433.	2493.	2593.	2645.	1564.	2008.
959.48	2290.	2440.	2486.	2597.	2621.	1573.	2016.
965.45	2275.	2421.	2474.	2573.	2629.	1513.	1958.
971.42	2259.	2409.	2458.	2557.	2617.	1505.	1950.
977.39	2216.	2358.	2470.	2518.	2578.	1470.	1926.
983.36	2193.	2339.	2361.	2495.	2566.	1465.	1922.
989.33	2193.	2343.	2361.	2495.	2555.	1452.	1910.
995.30	2181.	2335.	2349.	2483.	2539.	1443.	1890.
1001.27	2185.	2331.	2353.	2479.	2543.	1425.	1869.
1007.24	2169.	2323.	2345.	2475.	2539.	1407.	1869.
1013.21	2173.	2316.	2330.	2463.	2527.	1407.	1878.
1019.17	2181.	2327.	2330.	2467.	2527.	1385.	1865.
1049.01	2142.	2269.	2291.	2436.	2496.	1367.	1829.
1078.85	2138.	2284.	2291.	2432.	2488.	1363.	1829.
1108.70	2114.	2257.	2252.	2416.	2461.	1389.	1841.
1138.55	2130.	2265.	2271.	2428.	2488.	1394.	1837.
1168.39	2181.	2316.	2330.	2460.	2512.	1425.	1853.
1198.23	2232.	2378.	2400.	2522.	2566.	1492.	1918.
1228.07	2275.	2409.	2447.	2565.	2598.	1573.	1997.
1257.92	2310.	2448.	2486.	2597.	2621.	1658.	2067.
1287.77	2279.	2421.	2447.	2561.	2617.	1713.	2134.

CALC	08/25/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02 THE BOEING COMPANY	Vol. III
CHECK	Proprietary 2/5/11				
APR					
APR					
CONTRACT NO.					02-80085 PAGE 3.00 3-19

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

TIME SEC.	3-2 T-10	7-2 T-11	7-6 C-4M	3-3 T-12	7-3 T-13	3-4 T-14	7-4 T-15
-----DEGREES FAHRENHEIT-----							
1317.61	2337.	2468.	2525.	2620.	2645.	1675.	2094.
1347.45	2337.	2460.	2525.	2624.	2653.	1671.	2087.
1377.29	2330.	2468.	2528.	2624.	2660.	1671.	2098.
1407.14	2330.	2464.	2536.	2616.	2656.	1671.	2098.
1436.99	2337.	2475.	2540.	2616.	2660.	1718.	2145.
1440.96	2330.	2471.	2540.	2612.	2653.	1701.	2173.
1455.89	2302.	2534.	2626.	2707.	2715.	1962.	2380.
1470.90	2431.	2557.	2661.	2734.	2743.	1896.	2368.
1485.74	2427.	2553.	2669.	2734.	2747.	1879.	2364.
1500.65	2410.	2553.	2669.	2734.	2747.	1867.	2364.
1515.57	2439.	2665.	2691.	2734.	2743.	1871.	2356.
1530.50	2416.	2563.	2665.	2723.	2727.	1859.	2356.
1545.41	2400.	2542.	2665.	2723.	2735.	1859.	2360.
1560.35	2416.	2542.	2669.	2715.	2735.	1859.	2353.
1590.18	2404.	2542.	2665.	2715.	2731.	1855.	2353.
1620.02	2360.	2510.	2642.	2679.	2704.	1835.	2337.
1649.87	2353.	2475.	2619.	2652.	2676.	1814.	2310.
1679.72	2306.	2436.	2575.	2624.	2656.	1806.	2290.
1709.57	2267.	2401.	2532.	2585.	2609.	1769.	2259.
1739.40	2224.	2355.	2478.	2534.	2578.	1718.	2208.
1769.24	2150.	2273.	2361.	2444.	2504.	1603.	2114.
1799.09	2067.	2187.	2249.	2354.	2422.	1492.	1969.
1828.94	1966.	2082.	2109.	2244.	2324.	1389.	1853.
1858.79	1866.	1965.	1956.	2123.	2219.	1281.	1741.
1888.62	1750.	1861.	1807.	2025.	2129.	1136.	1580.
1918.46	1614.	1707.	1596.	1862.	1993.	981.2	1410.
1948.31	1455.	1547.	1362.	1583.	1921.	804.6	1215.
1978.16	1307.	1380.	1155.	1521.	1679.	666.6	1039.
2008.01	1078.	1161.	907.1	1321.	1483.	498.0	819.0
2037.84	834.2	897.5	632.5	1054.	1198.	338.4	585.0
2067.68	532.6	554.7	337.4	703.6	972.8	275.6	439.2
2097.53	247.6	254.2	156.9	324.4	502.6	226.7	338.2
2127.38	177.9	177.8	116.8	233.7	368.8	177.9	254.5
2157.23	141.7	141.7	109.5	177.9	275.1	150.0	212.7
2187.06	133.3	133.4	100.2	150.0	233.4	133.3	184.8
2216.90	125.0	133.4	100.2	163.9	219.5	141.6	184.8
2246.75	133.3	133.4	90.96	150.0	205.6	125.0	184.8

Continuous Interfold © Moore Business Forms, Inc.

CALC	08/25/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02 THE BOEING COMPANY	Vol. 111
CHECK	Reynolds				
APR					
APR					
CONTRACT NO.					22-80085 PAGE 4.00 3-228

22

9/3/63

TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
	-----DEGREES FAHRENHEIT-----			
09.98-	317.7	369.2	417.1	261.6
85.76-	339.6	387.9	423.0	289.5
70.14-	358.0	392.6	440.6	310.4
55.21-	345.6	404.2	452.3	331.3
40.30-	387.3	404.2	459.2	345.3
25.37-	422.4	468.4	490.2	363.4
10.45-	404.8	427.6	516.8	392.7
4.47	429.2	462.6	505.1	416.1
19.40	422.4	480.1	500.2	421.9
34.31	416.5	457.9	540.2	439.4
49.24	445.8	462.6	534.4	456.9
64.16	451.6	497.6	557.8	468.6
79.08	445.8	497.6	587.1	492.0
94.01	451.6	491.7	575.4	497.8
108.92	457.4	487.1	563.7	509.5
123.85	463.3	485.9	575.4	521.1
138.77	469.1	497.6	581.3	532.8
150.71	533.5	555.9	593.0	556.1
156.68	635.2	612.9	636.3	562.0
162.65	747.0	687.3	689.7	595.3
168.62	830.6	751.0	775.1	629.2
174.59	931.6	834.1	847.3	671.7
180.56	1036.	990.3	963.8	740.7
186.53	1128.	1102.	1087.	804.3
192.50	1217.	1219.	1196.	879.9
198.46	1296.	1334.	1298.	945.4
204.43	1413.	1450.	1416.	1025.
210.40	1536.	1554.	1518.	1122.
225.32	1800.	1825.	1757.	1367.
240.24	2059.	2087.	1907.	1623.
255.17	2302.	2333.	2232.	1891.
270.08	2506.	2532.	2445.	2143.
285.01	2569.	2583.	2527.	2209.
299.93	2601.	2634.	2570.	2287.
314.85	2581.	2595.	2547.	2287.
329.78	2542.	2548.	2527.	2283.
344.69	2444.	2470.	2464.	2244.
359.62	2357.	2376.	2300.	2174.
389.46	2153.	2173.	2229.	2064.
419.30	1953.	1985.	2063.	1911.

CALC	08/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617      SPEC. 0376 COND. NO. 02      RUN 02  THE BOEING COMPANY	Vol. III
CHECK	Ruppel 11/5/61				
APR					
APR					
CONTRACT NO.					22-80085 PAGE 1 OF 1 3-21

UG 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

23

Continous Interlog © Moore Business Forms, Inc. •



TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
	-----DEGREES FAHRENHEIT-----			
449.15	1745.	1792.	1901.	1751.
479.00	1655.	1673.	1709.	1657.
508.84	1540.	1571.	1706.	1598.
538.68	1480.	1529.	1677.	1585.
568.52	1458.	1472.	1505.	1564.
598.37	1475.	1405.	1509.	1564.
628.22	1557.	1584.	1659.	1611.
658.06	1770.	1792.	1816.	1708.
687.90	1860.	1886.	1974.	1826.
717.74	1910.	1974.	1977.	1858.
747.59	1922.	1938.	1985.	1875.
777.44	1922.	1974.	1985.	1883.
807.28	1910.	1946.	1985.	1883.
810.26	1910.	1946.	1989.	1879.
816.23	1914.	1942.	1989.	1875.
822.20	1922.	1934.	1903.	1875.
828.17	1906.	1894.	1977.	1875.
834.14	1960.	1804.	1926.	1879.
836.12	1981.	1784.	1905.	1879.
838.12	1981.	1788.	1803.	1858.
840.11	1980.	1792.	1880.	1858.
842.09	2001.	1796.	1885.	1850.
844.08	2008.	1796.	1891.	1850.
846.08	2001.	1808.	1885.	1850.
848.06	2012.	1813.	1891.	1850.
850.05	2012.	1825.	1885.	1866.
852.05	2012.	1808.	1885.	1866.
854.03	2020.	1877.	1891.	1858.
856.02	2044.	1849.	1889.	1858.
858.02	2126.	1976.	1905.	1870.
860.00	2200.	1958.	1934.	1895.
861.99	2255.	2001.	1969.	1935.
863.99	2342.	2044.	2004.	1959.
865.97	2386.	2087.	2044.	1994.
867.95	2420.	2094.	2083.	2025.
869.95	2450.	2134.	2115.	2049.
871.94	2470.	2153.	2142.	2092.
873.92	2408.	2173.	2170.	2115.
875.92	2526.	2184.	2189.	2143.
877.91	2561.	2208.	2213.	2154.

CALC	08/25/11		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 CWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02 THE BOEING COMPANY	Vol. III
CHECK	Reynolds 9/3/68					
APR						
APR						
CONTRACT NO.						PAGE 2.01

U6 5553 7450 (WAS BAC 1745 A-R1)

2-5000

9/3/68

24

Continous Interfold © Moore Business Form, Inc. 8

TIME SEC.	3-6	3-7	7-5	7-5
	C-3M	C-5M	T-16	T-24
	-----DEGREES FAHRENHEIT-----			
879.89	2577.	2220.	2229.	2190.
881.89	2604.	2224.	2252.	2205.
883.88	2628.	2259.	2248.	2233.
885.86	2656.	2270.	2290.	2252.
887.86	2656.	2274.	2291.	2272.
889.85	2660.	2286.	2307.	2280.
891.83	2660.	2282.	2311.	2303.
893.82	2668.	2282.	2319.	2323.
895.82	2668.	2286.	2323.	2311.
897.80	2668.	2286.	2327.	2338.
899.79	2672.	2286.	2327.	2338.
905.76	2670.	2290.	2335.	2338.
911.73	2683.	2298.	2335.	2346.
917.69	2683.	2290.	2343.	2346.
923.66	2687.	2282.	2339.	2358.
929.63	2683.	2286.	2339.	2362.
935.60	2695.	2286.	2346.	2381.
941.57	2683.	2282.	2346.	2338.
947.54	2683.	2278.	2339.	2370.
953.51	2648.	2267.	2335.	2358.
959.48	2620.	2263.	2327.	2350.
965.45	2580.	2224.	2303.	2350.
971.42	2560.	2204.	2294.	2323.
977.39	2553.	2177.	2256.	2291.
983.36	2545.	2149.	2252.	2276.
989.33	2545.	2134.	2232.	2272.
995.30	2510.	2130.	2221.	2244.
1001.27	2495.	2130.	2213.	2233.
1007.24	2467.	2118.	2201.	2221.
1013.21	2455.	2102.	2199.	2213.
1019.17	2451.	2102.	2190.	2197.
1049.01	2353.	2048.	2138.	2170.
1078.85	2381.	2051.	2142.	2170.
1108.70	2357.	2055.	2134.	2166.
1138.55	2389.	2063.	2146.	2197.
1168.39	2428.	2091.	2170.	2221.
1198.23	2401.	2169.	2229.	2276.
1228.07	2577.	2243.	2295.	2299.
1257.92	2640.	2302.	2350.	2377.
1287.77	2670.	2180.	2272.	2354.

CALC	08/25/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02 THE BOEING COMPANY	Vol. III
CHECK	Russels 11/5/60				02-88085
APR					
APR					
CONTRACT NO.					PAGE 3.01

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

25



TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
	-----DEGREES FAHRENHEIT-----			
1317.61	2687.	2341.	2308.	2416.
1347.45	2675.	2341.	2304.	2381.
1377.29	2670.	2341.	2304.	2385.
1407.14	2670.	2329.	2306.	2405.
1436.99	2683.	2337.	2300.	2401.
1440.96	2683.	2321.	2304.	2416.
1455.89	2601.	2572.	2504.	2405.
1470.80	2600.	2615.	2602.	2456.
1485.74	2580.	2627.	2602.	2463.
1500.65	2604.	2611.	2606.	2448.
1515.57	2601.	2619.	2602.	2471.
1530.50	2507.	2603.	2606.	2409.
1545.41	2503.	2623.	2614.	2475.
1560.35	2601.	2627.	2610.	2467.
1590.18	2580.	2619.	2610.	2456.
1620.02	2581.	2599.	2504.	2428.
1649.87	2561.	2575.	2574.	2452.
1679.72	2538.	2556.	2547.	2416.
1709.57	2487.	2517.	2519.	2401.
1739.40	2412.	2454.	2472.	2315.
1769.24	2340.	2345.	2308.	2283.
1799.09	2232.	2243.	2307.	2283.
1828.94	2071.	2106.	2189.	2186.
1858.79	1910.	1950.	2071.	2107.
1888.62	1770.	1813.	1946.	1978.
1918.46	1583.	1627.	1701.	1907.
1948.31	1377.	1437.	1612.	1799.
1978.14	1151.	1219.	1420.	1572.
2008.01	926.5	980.2	1224.	1424.
2037.84	704.5	756.3	1019.	1262.
2067.68	533.5	532.5	827.0	1088.
2097.53	369.7	317.2	625.7	925.3
2127.38	303.7	210.7	487.5	703.6
2157.23	226.8	177.9	405.4	556.1
2187.06	198.9	141.7	330.2	445.3
2216.90	177.9	150.0	290.1	369.4
2246.75	177.9	141.7	269.1	351.9

CALC	08/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02 THE BOEING COMPANY	Vol. III
CHECK	<i>Revised 1/15/61</i>				DZ-80085
APR					PAGE 4.01
APR					3-24
CONTRACT NO.					

26

9/3/63

Continous Interfield © Moore Business Form, Inc. 0

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
99.98-	233.7	225.5	212.9	228.4	225.6	186.6	205.0
85.06-	238.9	225.5	223.3	249.3	238.7	202.2	215.5
70.14-	244.2	229.1	231.2	267.6	243.9	217.9	228.6
55.21-	249.4	233.3	241.7	285.1	254.3	233.6	239.0
40.30-	254.6	238.5	254.8	305.1	267.3	254.5	246.9
25.37-	250.8	243.7	265.2	329.6	277.8	264.9	257.4
10.45-	267.7	248.9	273.1	345.9	291.2	280.6	267.8
4.47	272.9	254.2	283.7	362.2	299.4	294.2	278.3
19.40	280.8	259.4	294.6	381.0	312.0	310.5	286.4
34.31	286.2	264.6	300.1	394.5	323.8	326.8	297.3
49.24	294.4	272.4	308.2	410.5	334.6	343.1	310.9
64.16	309.0	280.2	319.1	426.6	345.5	356.7	319.1
79.08	313.5	285.6	330.0	442.7	359.1	373.0	330.0
94.01	321.6	291.0	340.9	453.5	372.6	386.4	343.6
108.92	332.5	299.2	349.1	466.9	383.3	402.5	354.5
123.85	340.7	307.3	357.3	480.1	396.7	418.6	369.1
138.77	349.8	312.7	365.5	495.9	407.4	429.3	379.9
150.71	357.0	318.1	373.6	511.8	415.4	440.0	389.7
156.68	362.4	320.8	373.6	532.9	426.1	442.7	395.0
162.65	365.1	323.5	376.3	550.3	426.1	450.8	400.4
168.62	367.9	326.3	379.0	595.2	428.8	461.5	405.8
174.59	375.9	329.0	384.3	641.4	436.0	469.5	411.2
180.56	381.3	331.7	389.7	695.3	444.9	480.1	416.5
186.53	392.1	337.1	400.5	746.6	450.2	493.3	421.9
192.50	400.1	339.8	405.9	808.2	460.0	509.1	427.3
198.46	410.9	345.2	414.6	869.8	469.0	532.9	438.0
204.43	421.6	350.6	427.4	946.2	482.2	559.2	443.4
210.40	437.7	356.0	443.5	1032.	498.0	584.9	454.2
225.32	491.1	377.6	494.2	1275.	545.4	677.3	483.5
240.24	575.2	409.7	575.8	1538.	617.5	800.5	525.8
255.17	693.4	463.2	696.7	1815.	712.3	961.4	580.8
270.08	855.2	539.5	851.1	2066.	837.8	1150.	655.4
285.01	1021.	645.0	1012.	2202.	997.0	1322.	755.7
299.93	1156.	762.6	1137.	2283.	1127.	1472.	866.3
314.85	1243.	872.6	1219.	2307.	1242.	1580.	973.5
329.78	1297.	958.9	1278.	2304.	1325.	1652.	1057.
344.69	1329.	1017.	1299.	2259.	1372.	1689.	1124.
359.62	1331.	1055.	1306.	2202.	1399.	1696.	1167.
389.46	1307.	1075.	1275.	2077.	1399.	1670.	1208.
419.30	1258.	1057.	1219.	1941.	1359.	1607.	1208.

CALC	08/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 COND. NO. 02	Vol. III
CHECK	<i>Wynolds</i>	<i>Blair</i>				SEC. 0376
APR						RIIN 02
APR						THE BOEING COMPANY
CONTRACT NO.						PAGE 1.02
						3-25

27

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
449.15	1194.	1014.	1150.	1801.	1304.	1517.	1178.
479.00	1135.	969.0	1096.	1713.	1248.	1433.	1131.
508.84	1084.	931.1	1027.	1636.	1196.	1361.	1085.
538.68	1040.	895.7	979.8	1607.	1153.	1309.	1050.
568.52	1036.	875.2	949.3	1580.	1135.	1283.	1037.
598.37	1026.	865.0	930.5	1578.	1127.	1267.	1029.
628.22	1031.	859.9	927.9	1617.	1127.	1275.	1029.
658.06	1056.	872.6	955.9	1707.	1145.	1303.	1040.
687.90	1090.	895.7	1009.	1801.	1176.	1364.	1062.
717.74	1146.	926.0	1052.	1848.	1222.	1422.	1098.
747.59	1170.	961.4	1091.	1873.	1255.	1464.	1131.
777.44	1100.	984.2	1116.	1881.	1278.	1491.	1160.
807.28	1217.	1007.	1132.	1884.	1299.	1504.	1180.
810.26	1217.	1009.	1134.	1879.	1299.	1506.	1183.
816.23	1223.	1012.	1134.	1881.	1301.	1512.	1190.
822.20	1225.	1014.	1137.	1881.	1304.	1514.	1193.
828.17	1228.	1017.	1139.	1873.	1307.	1512.	1196.
834.14	1228.	1017.	1132.	1879.	1309.	1512.	1201.
836.12	1230.	1022.	1132.	1876.	1312.	1514.	1201.
838.12	1230.	1020.	1129.	1870.	1309.	1514.	1201.
840.11	1230.	1020.	1124.	1870.	1312.	1514.	1203.
842.09	1233.	1020.	1124.	1870.	1309.	1517.	1203.
844.08	1233.	1020.	1116.	1870.	1314.	1514.	1203.
846.08	1233.	1020.	1111.	1873.	1312.	1514.	1206.
848.06	1233.	1020.	1108.	1870.	1314.	1514.	1206.
850.05	1233.	1022.	1106.	1876.	1314.	1520.	1206.
852.05	1233.	1020.	1101.	1876.	1314.	1520.	1208.
854.03	1233.	1020.	1098.	1876.	1314.	1522.	1208.
856.02	1235.	1022.	1096.	1887.	1317.	1525.	1208.
858.02	1235.	1022.	1093.	1906.	1314.	1525.	1211.
860.00	1235.	1022.	1098.	1932.	1317.	1530.	1211.
861.99	1238.	1022.	1098.	1961.	1317.	1533.	1211.
863.99	1241.	1025.	1098.	1989.	1317.	1538.	1214.
865.97	1246.	1025.	1099.	2020.	1317.	1546.	1216.
867.95	1251.	1025.	1091.	2040.	1320.	1554.	1216.
869.95	1253.	1032.	1091.	2060.	1322.	1559.	1216.
871.94	1261.	1027.	1093.	2089.	1325.	1567.	1219.
873.92	1269.	1032.	1098.	2106.	1328.	1578.	1224.
875.92	1276.	1035.	1101.	2121.	1330.	1591.	1226.
877.91	1282.	1035.	1103.	2148.	1333.	1596.	1226.

Continuous Interfold © Moore Business Forms, Inc. 9

CALC	08/25/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02 THE BOEING COMPANY	Vol. III
CHECK	<i>Rena L...</i>				PZ-80085
APR					PAGE 2 OF 2
APR					3-216
CONTRACT NO.					

28

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
879.89	1292.	1035.	1108.	2172.	1336.	1607.	1229.
881.89	1297.	1042.	1114.	2193.	1341.	1617.	1231.
883.88	1305.	1042.	1116.	2217.	1346.	1628.	1237.
885.86	1315.	1045.	1124.	2238.	1354.	1644.	1242.
887.86	1323.	1047.	1129.	2250.	1359.	1654.	1244.
889.85	1334.	1052.	1134.	2259.	1364.	1670.	1247.
891.83	1342.	1055.	1139.	2283.	1372.	1681.	1252.
893.82	1350.	1057.	1142.	2292.	1378.	1691.	1257.
895.82	1363.	1065.	1150.	2298.	1383.	1705.	1260.
897.80	1368.	1068.	1155.	2307.	1388.	1716.	1267.
899.79	1376.	1073.	1160.	2310.	1396.	1727.	1273.
905.76	1400.	1085.	1175.	2328.	1417.	1757.	1288.
911.73	1418.	1095.	1186.	2340.	1438.	1785.	1304.
917.69	1434.	1108.	1199.	2349.	1459.	1807.	1322.
923.66	1447.	1118.	1206.	2358.	1478.	1826.	1338.
929.63	1461.	1131.	1216.	2364.	1494.	1843.	1351.
935.60	1471.	1144.	1227.	2376.	1509.	1862.	1367.
941.57	1479.	1151.	1232.	2367.	1520.	1876.	1383.
947.54	1487.	1159.	1242.	2379.	1530.	1890.	1393.
953.51	1495.	1169.	1250.	2367.	1541.	1895.	1404.
959.48	1498.	1177.	1252.	2364.	1551.	1901.	1415.
965.45	1503.	1185.	1257.	2352.	1557.	1906.	1423.
971.42	1506.	1192.	1260.	2340.	1562.	1904.	1430.
977.39	1506.	1197.	1263.	2322.	1567.	1904.	1436.
983.36	1506.	1203.	1260.	2307.	1570.	1898.	1441.
989.33	1503.	1205.	1260.	2304.	1570.	1892.	1444.
995.30	1503.	1205.	1263.	2280.	1570.	1892.	1446.
1001.27	1498.	1210.	1263.	2274.	1567.	1890.	1449.
1007.24	1495.	1210.	1260.	2259.	1565.	1884.	1452.
1013.21	1490.	1213.	1260.	2253.	1565.	1879.	1452.
1019.17	1490.	1213.	1257.	2241.	1562.	1873.	1452.
1049.01	1470.	1213.	1255.	2202.	1551.	1851.	1454.
1078.85	1471.	1215.	1252.	2208.	1538.	1834.	1446.
1108.70	1470.	1223.	1257.	2187.	1544.	1834.	1452.
1138.55	1487.	1231.	1265.	2211.	1546.	1840.	1462.
1168.39	1503.	1243.	1278.	2235.	1557.	1859.	1470.
1198.23	1510.	1259.	1299.	2274.	1570.	1881.	1483.
1228.07	1548.	1279.	1328.	2316.	1594.	1918.	1504.
1257.92	1570.	1313.	1359.	2379.	1623.	1963.	1531.
1287.77	1609.	1336.	1388.	2379.	1652.	1995.	1565.

CALC	08/25/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02 THE BOEING COMPANY	Vol. III
CHECK	<i>Royals</i> 8/25/11				
APR					
APR					
CONTRACT NO.					02-80085 PAGE 3.02 3-276

U6 5553 7450 (WAS BAC 1745 A-R1)

2-5000

9/3/63

29

Continous Interfold © Moore Business Forms, Inc. ®

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
1317.61	1632.	1365.	1415.	2422.	1673.	2023.	1586.
1347.45	1648.	1384.	1431.	2419.	1694.	2037.	1608.
1377.29	1664.	1405.	1447.	2419.	1704.	2049.	1621.
1407.14	1675.	1418.	1463.	2425.	1715.	2054.	1637.
1436.99	1688.	1436.	1476.	2428.	1726.	2060.	1647.
1440.96	1688.	1439.	1481.	2428.	1729.	2060.	1650.
1455.89	1698.	1455.	1537.	2438.	1737.	2066.	1658.
1470.80	1715.	1478.	1590.	2469.	1749.	2074.	1668.
1485.74	1726.	1522.	1624.	2482.	1760.	2080.	1682.
1500.65	1740.	1523.	1648.	2472.	1771.	2091.	1690.
1515.57	1754.	1542.	1666.	2485.	1779.	2097.	1700.
1530.50	1762.	1557.	1682.	2491.	1790.	2106.	1711.
1545.41	1773.	1568.	1690.	2485.	1801.	2112.	1720.
1560.35	1781.	1578.	1698.	2488.	1806.	2118.	1728.
1580.18	1787.	1592.	1706.	2485.	1815.	2121.	1744.
1620.02	1795.	1622.	1720.	2472.	1820.	2124.	1753.
1649.87	1795.	1607.	1723.	2466.	1823.	2121.	1756.
1679.72	1787.	1607.	1714.	2447.	1820.	2109.	1756.
1709.57	1781.	1599.	1706.	2425.	1812.	2097.	1750.
1739.40	1762.	1592.	1690.	2376.	1801.	2074.	1742.
1769.24	1745.	1576.	1664.	2331.	1782.	2049.	1728.
1789.09	1718.	1552.	1632.	2277.	1760.	2012.	1706.
1828.94	1677.	1523.	1597.	2187.	1729.	1966.	1684.
1858.79	1640.	1489.	1542.	2100.	1694.	1912.	1655.
1888.62	1598.	1455.	1492.	1998.	1657.	1848.	1621.
1918.46	1550.	1413.	1436.	1904.	1615.	1785.	1584.
1948.31	1498.	1368.	1370.	1787.	1567.	1721.	1547.
1978.16	1426.	1315.	1304.	1617.	1509.	1625.	1494.
2008.01	1358.	1259.	1232.	1470.	1433.	1520.	1433.
2037.84	1284.	1203.	1160.	1311.	1364.	1412.	1367.
2067.68	1207.	1139.	1086.	1170.	1288.	1301.	1296.
2097.53	1115.	1068.	1004.	1030.	1196.	1193.	1214.
2127.38	1016.	981.6	907.6	895.5	1094.	1063.	1116.
2157.23	910.2	895.7	809.9	780.0	982.8	933.5	1012.
2187.06	839.8	826.6	730.1	672.2	883.0	815.9	909.9
2216.90	780.7	778.0	678.7	595.2	801.0	723.5	822.6
2246.75	731.9	737.1	637.5	535.5	737.9	654.2	755.7

Centrifugal Interfold. © Moore Avionics Corp., Inc.

CALC	28/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02 THE BOEING COMPANY	Vol. III
CHECK	<i>Reynolds 1/5/61</i>				
APR					
APR					
CONTRACT NO.					3-280

30

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-20, T-21, T-22, & T-23 =  $\pm 45^{\circ}\text{F}$ .

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^{\circ}\text{F}$ .

Thermocouple No.

Page

T-10, T-11, C-4M, T-12, T-13, T-14, T-15

3-30 - 3-33

C-3M, C-5M, T-16, T-24

3-34 - 3-37

T-17, T-18, T-19, T-20, T-21, T-22, T-23

3-38 - 3-41

CALC	Reynolds	8/31/61	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617      SPEC. 0376 COND. NO. 02      RUN 03	Vol. III
CHECK	<i>Stapp</i>	9/7/61				
APPD						
APPD						
					BOEING AIRPLANE COMPANY	PAGE 3-29

31

BAC 973 D-R3

9/3/63

2-7000

TIME SEC.	5-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
99.99-	351.7	392.3	374.3	415.8	396.2	289.3	415.7
85.06-	363.4	415.6	380.1	421.6	397.8	338.0	474.0
70.15-	369.2	415.6	391.8	439.1	415.2	331.1	462.4
55.22-	380.9	427.2	415.0	456.6	432.7	351.6	485.7
40.30-	386.7	438.9	415.0	468.2	444.3	351.6	479.8
25.38-	386.7	438.9	415.0	474.1	450.1	345.0	491.5
10.45-	392.6	456.4	432.4	491.5	461.8	380.8	532.3
4.46	415.9	468.0	444.0	509.0	473.4	357.5	503.2
19.39	421.7	485.5	455.7	526.5	496.7	398.3	549.8
34.31	421.7	479.7	455.7	520.7	496.7	345.0	491.5
49.23	427.6	485.5	473.1	532.3	496.7	380.8	543.9
64.16	430.2	497.1	473.1	538.2	514.1	380.8	520.6
79.07	439.2	508.8	478.9	544.0	525.7	404.1	555.6
94.00	445.1	514.6	496.3	561.5	531.5	386.6	532.3
108.92	450.9	508.8	496.3	561.5	531.5	421.6	573.9
123.94	450.9	520.4	496.3	561.5	537.4	363.3	532.3
138.77	456.7	514.6	496.3	561.5	537.4	421.6	596.4
150.71	509.2	578.7	554.4	612.7	595.5	398.3	573.1
156.67	607.6	691.9	648.4	724.1	696.5	538.1	729.4
162.64	703.2	828.3	770.1	864.0	817.4	628.6	843.7
168.61	808.9	954.0	802.1	999.0	927.9	681.6	904.1
174.58	894.5	1023.	897.4	1092.	1018.	777.1	994.8
180.54	965.0	1120.	1089.	1195.	1114.	858.8	1062.
186.51	1049.	1195.	1193.	1274.	1193.	929.3	1135.
192.48	1111.	1246.	1276.	1352.	1277.	994.8	1181.
198.45	1177.	1310.	1362.	1423.	1336.	1053.	1251.
204.41	1266.	1413.	1481.	1520.	1434.	1135.	1338.
210.38	1343.	1489.	1575.	1605.	1530.	1181.	1432.
225.32	1605.	1739.	1864.	1940.	1797.	1383.	1681.
240.23	1817.	1932.	2096.	2051.	1989.	1528.	1885.
255.15	2075.	2206.	2400.	2301.	2254.	1698.	2109.
270.08	2263.	2405.	2626.	2523.	2468.	1868.	2312.
284.99	2290.	2436.	2654.	2578.	2511.	1893.	2379.
299.93	2341.	2483.	2705.	2625.	2554.	1881.	2402.
314.84	2309.	2424.	2661.	2602.	2534.	1816.	2382.
329.76	2286.	2397.	2642.	2570.	2511.	1753.	2351.
344.69	2180.	2295.	2525.	2496.	2410.	1660.	2265.
359.60	2079.	2202.	2419.	2398.	2308.	1558.	217..
389.45	1950.	2061.	2264.	2242.	2148.	1414.	1996.
419.30	1720.	1847.	2018.	2070.	1934.	1233.	1812.

Continous Interfold © Meese Business Forms, Inc. 9

CALC	08/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03	Vol. III
CHECK	<i>Reprints 1/1/61</i>					
APR						
APR						
					THE BOEING COMPANY	<i>Pr-80085</i>
CONTRACT NO.						PAGE 00
						<i>3-30</i>

32

9/3/63

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
449.15	1571.	1697.	1860.	1953.	1780.	1062.	1617.
478.98	1472.	1587.	1745.	1952.	1682.	1009.	1541.
508.82	1379.	1493.	1626.	1758.	1585.	934.4	1427.
538.67	1339.	1449.	1547.	1702.	1538.	914.2	1396.
569.51	1298.	1431.	1529.	1677.	1500.	889.0	1365.
599.36	1307.	1440.	1537.	1668.	1496.	924.3	1374.
629.20	1392.	1527.	1639.	1766.	1593.	999.8	1463.
659.04	1563.	1710.	1848.	1945.	1788.	1167.	1638.
688.88	1597.	1782.	1940.	2031.	1870.	1261.	1740.
718.73	1605.	1823.	1979.	2070.	1902.	1283.	1766.
748.58	1635.	1835.	2003.	2094.	1918.	1181.	1698.
778.42	1627.	1847.	2010.	2101.	1918.	1167.	1695.
808.26	1610.	1827.	1995.	2086.	1906.	1167.	1689.
810.26	1601.	1827.	1991.	2086.	1902.	1167.	1685.
816.23	1614.	1827.	2003.	2086.	1906.	1172.	1635.
822.20	1597.	1807.	1997.	2074.	1906.	1167.	1681.
828.16	1576.	1790.	1964.	2062.	1882.	1101.	1596.
834.13	1516.	1739.	1917.	2011.	1829.	1014.	1463.
836.12	1503.	1735.	1904.	2000.	1817.	999.8	1441.
838.10	1508.	1731.	1904.	1996.	1813.	1058.	1485.
840.10	1512.	1739.	1900.	1996.	1809.	1077.	1485.
842.09	1529.	1765.	1917.	2008.	1821.	1111.	1515.
844.07	1537.	1773.	1929.	2023.	1845.	1139.	1541.
846.07	1542.	1765.	1925.	2023.	1845.	1125.	1537.
848.06	1550.	1773.	1933.	2027.	1845.	1106.	1515.
850.04	1559.	1786.	1944.	2035.	1853.	1082.	1489.
852.03	1576.	1786.	1944.	2039.	1861.	1087.	1485.
854.03	1584.	1798.	1956.	2047.	1865.	1116.	1503.
856.01	1588.	1807.	1960.	2047.	1870.	1153.	1549.
858.00	1639.	1851.	2018.	2086.	1910.	1195.	1600.
860.00	1707.	1928.	2092.	2152.	1985.	1247.	1638.
861.98	1808.	2022.	2170.	2242.	2063.	1338.	1732.
863.97	1896.	2100.	2244.	2308.	2137.	1441.	1824.
865.97	1958.	2174.	2330.	2379.	2207.	1507.	1877.
867.95	1989.	2202.	2357.	2402.	2238.	1528.	1901.
869.94	2020.	2206.	2377.	2422.	2258.	1545.	1921.
871.94	2032.	2217.	2408.	2437.	2277.	1554.	1929.
873.92	2067.	2249.	2427.	2461.	2316.	1592.	1960.
875.90	2090.	2264.	2458.	2477.	2336.	1592.	1972.
877.90	2114.	2295.	2482.	2504.	2359.	1583.	1984.

Continous Interfold © Moore Business Forms, Inc. 8

CALC	08/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617                      SPEC. 0376 COND. NO. 02                      RUN 03  THE BOEING COMPANY	Vol. III
CHECK	<i>Repaired 1/6/61</i>					D2-80085
APR						10.00
APR						3-3k
CONTRACT NO.						

33

9/3/63



TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-44	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
879.89	2130.	2319.	2509.	2531.	2386.	1596.	1996.
881.87	2145.	2338.	2540.	2547.	2414.	1613.	2015.
883.87	2157.	2362.	2564.	2563.	2433.	1626.	2031.
885.86	2190.	2377.	2587.	2574.	2449.	1668.	2066.
887.84	2196.	2405.	2599.	2578.	2472.	1655.	2054.
889.84	2188.	2389.	2603.	2574.	2472.	1643.	2062.
891.83	2204.	2413.	2614.	2570.	2488.	1655.	2066.
893.81	2208.	2413.	2626.	2563.	2492.	1651.	2066.
895.81	2220.	2428.	2638.	2570.	2499.	1634.	2062.
897.80	2235.	2436.	2646.	2570.	2515.	1626.	2058.
899.78	2243.	2432.	2646.	2574.	2519.	1621.	2062.
905.75	2255.	2440.	2658.	2598.	2531.	1626.	2066.
911.72	2255.	2448.	2665.	2602.	2534.	1613.	2054.
917.69	2223.	2409.	2630.	2574.	2507.	1621.	2074.
923.66	2216.	2413.	2626.	2582.	2492.	1600.	2054.
929.63	2188.	2381.	2603.	2570.	2480.	1613.	2062.
935.60	2180.	2354.	2571.	2551.	2449.	1630.	2062.
941.57	2149.	2346.	2556.	2547.	2433.	1630.	2062.
947.54	2153.	2346.	2552.	2551.	2433.	1617.	2062.
953.51	2145.	2338.	2544.	2539.	2433.	1613.	2039.
959.48	2141.	2334.	2536.	2531.	2421.	1588.	2023.
965.45	2130.	2315.	2513.	2520.	2402.	1592.	2015.
971.42	2102.	2288.	2493.	2520.	2379.	1545.	1996.
977.38	2071.	2264.	2470.	2500.	2355.	1520.	1960.
983.35	2036.	2217.	2416.	2453.	2316.	1511.	1945.
989.32	2032.	2209.	2408.	2434.	2293.	1520.	1937.
995.29	2001.	2174.	2380.	2402.	2269.	1494.	1905.
1001.25	2001.	2167.	2377.	2383.	2262.	1489.	1905.
1007.22	2008.	2178.	2373.	2387.	2265.	1485.	1905.
1013.19	1993.	2163.	2365.	2371.	2258.	1445.	1877.
1019.16	1989.	2155.	2361.	2367.	2258.	1476.	1889.
1049.00	1950.	2139.	2330.	2336.	2230.	1432.	1848.
1078.85	1934.	2127.	2314.	2340.	2223.	1441.	1860.
1108.70	1890.	2085.	2275.	2293.	2176.	1454.	1852.
1138.54	1934.	2127.	2314.	2336.	2207.	1463.	1848.
1168.38	1958.	2151.	2353.	2375.	2242.	1489.	1885.
1168.22	2028.	2217.	2416.	2418.	2304.	1575.	1968.
1228.07	2137.	2307.	2505.	2500.	2382.	1621.	2007.
1257.92	2180.	2338.	2552.	2531.	2433.	1719.	2105.
1287.76	2212.	2377.	2591.	2563.	2472.	1766.	2140.

Continuous Interfold © Moore Business Forms, Inc. •

CALC	DR/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03  THE BOEING COMPANY	Vol. III
CHECK	<i>Revised to 2/26/63</i>					02-80085
APR						PAGE 00
APR						3-32
CONTRACT NO.						

34

9/3/63

TIME SEC.	3-6 C-3M	3-7 C-5M	3-5 T-16	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
99.99-	296.5	357.5	404.8	247.6
85.06-	317.5	369.1	416.5	254.6
70.15-	331.4	386.6	439.9	282.4
55.22-	345.4	415.7	457.5	296.4
40.30-	357.8	415.7	475.0	310.3
25.38-	381.2	415.7	486.7	324.3
10.45-	398.7	421.5	492.5	338.2
4.46	416.2	439.0	504.2	357.6
19.39	416.2	456.5	533.5	369.3
34.31	422.1	450.7	539.3	381.0
49.23	427.9	462.3	556.9	392.6
64.16	451.3	462.3	551.0	404.3
79.07	457.1	485.7	574.4	421.8
94.00	457.1	485.7	574.4	427.6
108.92	451.3	497.3	586.1	445.1
123.84	462.9	485.7	586.1	445.1
138.77	468.8	497.3	586.1	462.6
150.71	498.0	509.0	592.0	456.8
156.67	591.4	561.4	614.0	462.6
162.64	698.5	628.5	656.6	480.1
168.61	794.2	708.1	720.4	509.3
174.58	910.5	838.7	805.3	556.0
180.54	996.3	964.5	921.5	607.7
186.51	1093.	1077.	1036.	676.7
192.48	1183.	1181.	1151.	751.1
198.45	1272.	1302.	1264.	839.3
204.41	1389.	1427.	1369.	930.0
210.38	1513.	1520.	1489.	1029.
225.32	1773.	1787.	1736.	1280.
240.23	1987.	2039.	1977.	1572.
255.15	2273.	2300.	2208.	1841.
270.08	2496.	2523.	2432.	2087.
284.99	2551.	2574.	2518.	2243.
299.93	2602.	2617.	2569.	2333.
314.84	2586.	2578.	2541.	2337.
329.76	2551.	2554.	2546.	2322.
344.69	2461.	2457.	2487.	2267.
359.60	2367.	2355.	2416.	2212.
389.45	2089.	2183.	2263.	2107.
419.30	1987.	1972.	2106.	2013.

Continous Interfer 8 Moore Business Form, Inc. 8

CALC	08/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03	Vol. III
CHECK	<i>Parsons</i>				
APR					
APR					
				THE BOEING COMPANY	DZ-80085
CONTRACT NO.					PAGE 9 of 01

35

9/3/63

TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
	-----DEGREES FAHRENHEIT-----			
449.15	1790.	1783.	1950.	1858.
478.98	1688.	1668.	1836.	1733.
508.82	1603.	1558.	1736.	1657.
538.67	1518.	1503.	1660.	1631.
569.51	1505.	1467.	1617.	1601.
509.36	1492.	1472.	1604.	1597.
629.20	1564.	1570.	1664.	1631.
659.04	1773.	1761.	1836.	1729.
688.88	1908.	1872.	1961.	1825.
718.73	1932.	1925.	1997.	1882.
748.58	1940.	1937.	1997.	1927.
778.42	1963.	1929.	1997.	1931.
808.26	1920.	1913.	1993.	1934.
810.26	1912.	1917.	1993.	1931.
816.23	1924.	1925.	1997.	1919.
822.20	1892.	1925.	1997.	1910.
828.16	1944.	1905.	1993.	1910.
834.13	1979.	1816.	1954.	1914.
836.12	1995.	1799.	1942.	1919.
838.10	1999.	1783.	1926.	1919.
840.10	1999.	1766.	1918.	1923.
842.09	2010.	1783.	1906.	1927.
844.07	2006.	1783.	1902.	1919.
846.07	1983.	1774.	1898.	1906.
848.06	1987.	1783.	1898.	1906.
850.04	2010.	1795.	1894.	1914.
852.03	2026.	1807.	1894.	1923.
854.03	2034.	1811.	1898.	1931.
856.01	2018.	1807.	1902.	1927.
858.00	2061.	1864.	1910.	1934.
860.00	2132.	1937.	1930.	1934.
861.98	2222.	1992.	1954.	1946.
863.97	2277.	2015.	1997.	1977.
865.97	2371.	2070.	2036.	1993.
867.95	2410.	2089.	2075.	2032.
869.94	2433.	2117.	2114.	2067.
871.94	2469.	2124.	2146.	2095.
873.92	2496.	2160.	2169.	2130.
875.90	2512.	2164.	2197.	2146.
877.90	2551.	2179.	2220.	2169.

CALC	08/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03  THE BOEING COMPANY	Vol. III
CHECK	<i>Revised 10/6/63</i>					02-88685
APR						PAGE 01
APR						3-3/4
CONTRACT NO.						

UG 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

36

TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
-----DEGREES FAHRENHEIT-----				
449.15	1790.	1783.	1950.	1858.
478.98	1688.	1668.	1836.	1733.
508.82	1603.	1558.	1736.	1657.
538.67	1518.	1503.	1660.	1631.
569.51	1505.	1467.	1617.	1601.
509.36	1492.	1472.	1604.	1597.
629.20	1564.	1570.	1664.	1631.
659.04	1773.	1761.	1836.	1729.
688.98	1908.	1872.	1961.	1825.
718.73	1932.	1925.	1997.	1882.
748.58	1940.	1937.	1997.	1927.
778.42	1963.	1929.	1997.	1931.
808.26	1920.	1913.	1993.	1934.
810.26	1912.	1917.	1993.	1931.
816.23	1924.	1925.	1997.	1919.
822.20	1892.	1925.	1997.	1910.
828.16	1944.	1905.	1993.	1910.
834.13	1979.	1816.	1954.	1914.
836.12	1995.	1799.	1942.	1919.
838.10	1999.	1783.	1926.	1919.
840.10	1999.	1766.	1918.	1923.
842.09	2010.	1783.	1906.	1927.
844.07	2006.	1783.	1902.	1919.
846.07	1983.	1774.	1898.	1906.
848.06	1987.	1783.	1898.	1906.
850.04	2010.	1795.	1894.	1914.
852.03	2026.	1807.	1894.	1923.
854.03	2034.	1811.	1898.	1931.
856.01	2018.	1807.	1902.	1927.
858.00	2061.	1864.	1910.	1934.
860.00	2132.	1937.	1930.	1934.
861.98	2222.	1992.	1954.	1946.
863.97	2277.	2015.	1997.	1977.
865.97	2371.	2070.	2036.	1993.
867.95	2410.	2089.	2075.	2032.
869.94	2433.	2117.	2114.	2067.
871.94	2469.	2124.	2146.	2095.
873.92	2496.	2160.	2169.	2130.
875.90	2512.	2164.	2197.	2146.
877.90	2551.	2179.	2220.	2169.

CALC	08/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol. III
CHECK	<i>Revised 10/16/61</i>					02-8085
APR						PAGE 01
APR						3-34
CONTRACT NO.						

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

36

TIME SEC.	J-6 C-3M	J-7 C-5M	J-5 T-16	J-5 T-24
	-----DEGREES FAHRENHEIT-----			
879.89	2578.	2207.	2240.	2196.
881.87	2598.	2226.	2263.	2224.
883.87	2621.	2242.	2279.	2243.
885.86	2637.	2261.	2303.	2275.
887.84	2665.	2257.	2322.	2290.
889.84	2645.	2261.	2330.	2310.
891.83	2665.	2281.	2346.	2318.
893.81	2669.	2273.	2353.	2341.
895.81	2681.	2273.	2361.	2337.
897.80	2681.	2273.	2365.	2349.
899.78	2685.	2269.	2369.	2353.
905.75	2692.	2281.	2385.	2361.
911.72	2692.	2285.	2389.	2384.
917.69	2681.	2261.	2385.	2392.
923.66	2681.	2265.	2381.	2400.
929.63	2681.	2257.	2381.	2392.
935.60	2688.	2277.	2381.	2415.
941.57	2688.	2273.	2381.	2415.
947.54	2688.	2277.	2381.	2392.
953.51	2692.	2261.	2373.	2400.
959.48	2673.	2246.	2345.	2404.
965.45	2625.	2230.	2346.	2400.
971.42	2606.	2199.	2330.	2392.
977.38	2586.	2156.	2303.	2376.
983.35	2578.	2140.	2279.	2353.
989.32	2559.	2124.	2267.	2341.
995.29	2543.	2113.	2255.	2337.
1001.25	2527.	2101.	2240.	2322.
1007.22	2523.	2093.	2236.	2318.
1013.19	2496.	2085.	2224.	2306.
1019.16	2488.	2085.	2216.	2298.
1049.00	2406.	2039.	2185.	2267.
1078.85	2386.	2031.	2161.	2243.
1108.70	2386.	2035.	2165.	2243.
1138.54	2304.	2046.	2173.	2251.
1168.38	2433.	2085.	2193.	2271.
1198.22	2496.	2140.	2248.	2310.
1228.07	2574.	2230.	2310.	2357.
1257.92	2653.	2285.	2373.	2415.
1287.76	2681.	2335.	2408.	2439.

CALC	08/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol III
CHECK	<i>Boeing 1/6/51</i>				02-80085
APR					PAGE 101
APR					3-35
CONTRACT NO.					

UG 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

Contiguous Interfield © Moore Business Forms, Inc. 8

37

TIME SEC.	3-2 T-10	7-2 T-11	7-6 C-4M	3-3 T-12	7-3 T-13	3-4 T-14	7-4 T-15
-----DEGREES FAHRENHEIT-----							
1317.60	2235.	2401.	2626.	2570.	2496.	1723.	2121.
1347.44	2223.	2389.	2614.	2563.	2496.	1728.	2128.
1377.29	2220.	2389.	2603.	2547.	2488.	1702.	2113.
1407.14	2216.	2370.	2597.	2543.	2476.	1706.	2125.
1436.98	2208.	2373.	2597.	2539.	2472.	1723.	2113.
1440.95	2217.	2358.	2593.	2547.	2468.	1723.	2113.
1455.88	2364.	2479.	2607.	2649.	2570.	2031.	2414.
1470.90	2349.	2475.	2699.	2649.	2554.	1957.	2406.
1485.72	2317.	2455.	2691.	2633.	2554.	1925.	2390.
1500.65	2337.	2471.	2693.	2645.	2566.	1909.	2398.
1515.56	2352.	2475.	2701.	2653.	2573.	1929.	2398.
1540.49	2356.	2483.	2708.	2653.	2573.	1917.	2398.
1545.41	2337.	2491.	2705.	2653.	2581.	1937.	2398.
1560.33	2329.	2475.	2697.	2633.	2577.	1917.	2394.
1500.17	2313.	2467.	2699.	2641.	2566.	1905.	2379.
1620.02	2306.	2448.	2673.	2621.	2550.	1872.	2363.
1649.97	2302.	2436.	2658.	2614.	2534.	1864.	2347.
1679.71	2278.	2401.	2634.	2590.	2511.	1856.	2339.
1709.55	2243.	2358.	2591.	2574.	2476.	1848.	2289.
1739.39	2173.	2299.	2525.	2535.	2410.	1795.	2242.
1769.24	2087.	2202.	2412.	2477.	2312.	1702.	2132.
1649.87	2302.	2436.	2658.	2614.	2534.	1864.	2347.
1679.71	2278.	2401.	2634.	2590.	2511.	1856.	2339.
1709.55	2243.	2358.	2591.	2574.	2476.	1848.	2289.
1739.39	2173.	2299.	2525.	2535.	2410.	1795.	2242.
1769.24	2087.	2202.	2412.	2477.	2312.	1702.	2132.
1709.09	1985.	2100.	2314.	2398.	2207.	1588.	2027.
1828.93	1829.	1936.	2135.	2242.	2051.	1449.	1881.
1858.77	1690.	1807.	1991.	2101.	1898.	1352.	1757.
1808.61	1529.	1650.	1844.	1980.	1780.	1214.	1613.
1918.46	1334.	1471.	1643.	1774.	1585.	1077.	1445.
1948.31	1150.	1287.	1442.	1588.	1412.	879.0	1242.
1978.15	980.2	1101.	1221.	1370.	1212.	803.5	1101.
2007.99	782.8	838.6	982.4	1139.	1008.	612.6	673.9
2037.83	526.7	584.5	680.2	803.5	717.7	415.7	628.6
2067.68	317.2	303.1	380.1	444.9	444.3	289.3	439.0
2067.53	198.8	219.6	254.1	296.3	330.7	219.6	338.0
2127.37	163.9	170.9	199.6	219.6	247.3	177.8	268.4
2157.21	141.7	150.0	163.9	177.8	205.6	141.7	219.6
2187.05	125.0	125.0	133.4	163.9	177.8	125.0	191.8
2216.90	125.0	133.4	150.0	177.8	177.8	141.7	198.7

CALC	08/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03	Vol. III
CHECK	<i>Revised 9/16/63</i>				
APR					
APR					
				THE BOEING COMPANY	D2-80885
					PAGE 12.00
CONTRACT NO.				LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02	3-346

UG 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

Continous Interfold © Moore Business Forms, Inc. ©

39

TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
	-----DEGREES FAHRENHEIT-----			
1317.60	2696.	2339.	2420.	2466.
1347.44	2696.	2335.	2424.	2466.
1377.29	2700.	2320.	2416.	2443.
1407.14	2696.	2324.	2408.	2431.
1436.98	2700.	2308.	2408.	2455.
1440.95	2708.	2312.	2404.	2470.
1445.88	2598.	2586.	2538.	2502.
1470.80	2614.	2617.	2605.	2521.
1485.72	2621.	2586.	2601.	2505.
1500.65	2614.	2593.	2601.	2521.
1515.56	2602.	2593.	2616.	2533.
1540.49	2621.	2597.	2616.	2537.
1545.41	2614.	2597.	2620.	2541.
1560.33	2606.	2593.	2624.	2521.
1590.17	2606.	2593.	2616.	2533.
1620.02	2586.	2546.	2609.	2525.
1649.87	2562.	2539.	2597.	2509.
1679.71	2530.	2531.	2577.	2486.
1709.55	2519.	2492.	2549.	2478.
1739.39	2476.	2425.	2409.	2443.
1769.24	2390.	2320.	2424.	2388.
1799.09	2269.	2203.	2338.	2314.
1828.93	2089.	2050.	2212.	2220.
1858.77	1956.	1925.	2095.	2130.
1888.61	1827.	1774.	1977.	2036.
1918.46	1620.	1592.	1832.	1923.
1948.31	1416.	1396.	1617.	1784.
1978.15	1107.	1153.	1377.	1627.
2007.99	976.1	914.2	1170.	1464.
2037.83	709.1	655.1	891.2	1284.
2067.68	422.1	392.4	635.3	1058.
2097.53	331.4	268.4	469.2	859.4
2127.37	275.6	205.7	375.6	703.3
2157.21	219.8	170.9	317.7	573.4
2187.05	184.9	150.0	261.8	450.9
2216.90	177.9	150.0	240.8	404.3

Continuum Interfold © Moore Business Forms, Inc. 9

CALC	9/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0376 COND. NO. 02 R11N 03  THE BOEING COMPANY	Vol. III
CHECK	<i>Revised 1/1/63</i>					DZ-80885
APR						PAGE 01
APR						3-371
CONTRACT NO.						

9/3/63

39

TIME SEC.	8-4 T-17	4-5 T-18	8-5 T-19	4-6 T-20	8-6 T-21	4-7 T-22	8-7 T-23
-----DEGREES FAHRENHEIT-----							
99.99-	236.3	228.3	229.5	223.1	228.3	178.8	207.5
85.06-	238.9	230.9	238.9	241.4	238.7	189.3	215.3
70.15-	241.5	233.5	244.2	254.5	243.0	202.3	223.2
55.22-	246.7	238.7	254.6	267.6	254.4	212.8	231.0
40.30-	254.5	243.9	265.1	283.4	259.6	225.9	238.9
25.38-	257.2	249.1	272.9	296.0	267.4	239.0	246.7
10.45-	265.0	254.3	283.5	310.5	275.2	249.4	254.5
4.46	267.6	256.9	294.4	324.1	283.2	259.9	259.8
19.39	272.8	262.2	302.6	337.7	291.3	273.0	267.6
34.31	275.5	270.0	313.5	351.3	302.2	283.6	275.5
49.23	283.4	275.2	324.4	364.9	310.3	294.5	283.4
64.16	291.6	287.4	329.8	375.7	318.5	302.6	291.6
79.07	299.7	285.9	340.7	389.1	332.1	319.0	302.5
94.00	307.9	291.3	346.1	402.5	340.2	332.6	313.3
108.92	316.1	299.4	357.0	415.9	353.8	346.2	324.2
123.84	324.2	307.6	365.2	426.6	364.6	357.1	335.1
138.77	332.4	313.0	373.3	437.1	375.4	369.0	346.0
150.71	340.5	318.4	378.7	445.4	383.4	373.4	354.1
156.67	343.2	321.1	381.4	456.1	386.1	378.7	356.8
162.64	346.0	323.9	384.0	480.1	391.5	386.8	362.3
168.61	348.7	326.6	389.4	506.5	394.2	392.2	367.7
174.58	351.4	327.3	394.8	546.1	399.5	400.2	373.1
180.54	356.8	334.7	402.9	595.2	404.9	411.0	375.8
186.51	362.3	337.4	408.2	649.1	407.6	427.1	381.2
192.48	370.4	340.1	419.0	713.3	415.6	443.2	386.5
198.45	375.8	345.6	429.7	780.0	426.3	464.7	391.9
204.41	386.5	351.0	440.5	857.0	431.7	496.5	400.0
210.38	400.0	356.4	453.9	943.7	445.1	528.2	408.0
225.32	442.9	378.0	507.0	1196.	487.6	642.2	437.5
240.23	522.5	415.5	595.8	1470.	550.9	786.2	480.3
255.15	631.4	466.4	716.6	1754.	638.3	965.3	535.7
270.08	790.6	542.9	869.2	2035.	758.7	1169.	610.8
284.99	969.5	640.7	1029.	2190.	809.0	1364.	711.0
299.93	1114.	753.4	1146.	2304.	1064.	1522.	826.5
314.84	1214.	858.5	1228.	2328.	1194.	1678.	944.1
329.76	1276.	942.6	1284.	2337.	1289.	1752.	1046.
344.69	1317.	1006.	1313.	2298.	1355.	1788.	1122.
359.60	1328.	1046.	1318.	2247.	1389.	1799.	1173.
389.45	1309.	1077.	1292.	2124.	1405.	1765.	1230.
419.30	1268.	1059.	1236.	2015.	1371.	1699.	1232.

CALC	DR/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RIIN 03	Vol. III
CHECK	<i>Ruppel's 4/6/63</i>					DR-20015
APR						
APR						
					THE BOEING COMPANY	PAGE 02
CONTRACT NO.						3-38

40

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

Continous Interfield © Moore Business Forms, Inc. 9



TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
449.15	1206.	1021.	1164.	1862.	1323.	1622.	1206.
478.98	1148.	978.0	1007.	1757.	1266.	1548.	1165.
508.82	1099.	942.6	1046.	1678.	1215.	1485.	1124.
538.67	1068.	907.1	999.1	1631.	1179.	1438.	1096.
569.51	1053.	886.7	965.1	1604.	1164.	1419.	1086.
599.36	1040.	873.9	944.8	1594.	1151.	1401.	1076.
629.20	1040.	866.2	939.7	1620.	1146.	1403.	1073.
659.04	1061.	871.3	972.7	1710.	1154.	1438.	1076.
688.88	1100.	902.1	1031.	1807.	1189.	1504.	1104.
718.73	1153.	935.0	1092.	1868.	1230.	1556.	1137.
748.58	1189.	970.4	1110.	1901.	1271.	1593.	1173.
778.42	1217.	995.7	1138.	1918.	1299.	1615.	1201.
808.26	1230.	1019.	1156.	1921.	1318.	1625.	1224.
810.26	1232.	1019.	1153.	1921.	1318.	1625.	1224.
816.23	1232.	1019.	1156.	1915.	1320.	1625.	1227.
822.20	1235.	1021.	1156.	1906.	1323.	1625.	1230.
828.16	1235.	1024.	1156.	1909.	1326.	1628.	1235.
834.13	1240.	1024.	1153.	1906.	1326.	1625.	1235.
836.12	1240.	1026.	1153.	1909.	1326.	1628.	1235.
838.10	1232.	1026.	1151.	1906.	1328.	1628.	1235.
840.10	1240.	1026.	1148.	1909.	1326.	1625.	1235.
842.09	1240.	1026.	1143.	1909.	1326.	1628.	1240.
844.07	1240.	1029.	1138.	1904.	1326.	1628.	1240.
846.07	1240.	1029.	1136.	1898.	1328.	1628.	1240.
848.06	1240.	1029.	1130.	1898.	1328.	1628.	1240.
850.04	1240.	1029.	1125.	1909.	1328.	1630.	1240.
852.03	1240.	1029.	1123.	1918.	1328.	1630.	1242.
854.03	1240.	1029.	1118.	1921.	1328.	1630.	1242.
856.01	1240.	1029.	1118.	1918.	1331.	1633.	1242.
858.00	1242.	1029.	1110.	1926.	1328.	1633.	1242.
860.00	1242.	1029.	1107.	1946.	1331.	1636.	1245.
861.98	1242.	1029.	1107.	1966.	1331.	1641.	1245.
863.97	1245.	1034.	1105.	1992.	1334.	1646.	1245.
865.97	1250.	1034.	1105.	2032.	1334.	1652.	1245.
867.95	1242.	1034.	1110.	2063.	1334.	1662.	1248.
869.94	1258.	1034.	1110.	2086.	1334.	1667.	1250.
871.94	1263.	1034.	1112.	2106.	1336.	1675.	1250.
873.92	1268.	1036.	1115.	2127.	1342.	1686.	1253.
875.90	1276.	1039.	1118.	2148.	1342.	1696.	1253.
877.90	1283.	1041.	1123.	2172.	1344.	1707.	1258.

Continous Interfold © Moore-Business Forms, Inc. 6

CALC	08/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol. III
CHECK	<i>Burrows 9/3/63</i>				02-25585
APR					PAGE 02
APR					3-391
CONTRACT NO.					

41

UG 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

2-5000

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
879.89	1201.	1044.	1125.	2196.	1347.	1716.	1258.
881.87	1301.	1046.	1130.	2223.	1352.	1730.	1265.
883.87	1307.	1046.	1136.	2238.	1355.	1743.	1265.
885.86	1317.	1054.	1141.	2268.	1363.	1754.	1268.
887.84	1328.	1056.	1148.	2280.	1365.	1765.	1271.
889.84	1336.	1059.	1153.	2295.	1373.	1782.	1276.
891.83	1346.	1067.	1161.	2304.	1378.	1788.	1281.
893.81	1357.	1069.	1166.	2328.	1384.	1801.	1236.
895.81	1365.	1074.	1174.	2328.	1392.	1813.	1291.
897.80	1375.	1079.	1177.	2340.	1400.	1826.	1294.
899.78	1383.	1082.	1184.	2343.	1405.	1837.	1301.
905.75	1407.	1094.	1200.	2367.	1423.	1860.	1317.
911.72	1431.	1110.	1215.	2388.	1447.	1884.	1330.
917.69	1449.	1123.	1230.	2388.	1465.	1901.	1349.
923.66	1465.	1138.	1246.	2406.	1486.	1921.	1362.
929.63	1476.	1153.	1256.	2397.	1502.	1935.	1381.
935.60	1489.	1163.	1266.	2416.	1518.	1950.	1391.
941.57	1497.	1176.	1277.	2413.	1534.	1961.	1404.
947.54	1505.	1186.	1294.	2400.	1544.	1970.	1415.
953.51	1513.	1197.	1292.	2406.	1555.	1975.	1425.
959.48	1515.	1207.	1295.	2406.	1566.	1978.	1436.
965.45	1520.	1215.	1297.	2397.	1571.	1984.	1444.
971.42	1523.	1222.	1302.	2394.	1579.	1987.	1452.
977.38	1523.	1222.	1302.	2382.	1581.	1984.	1460.
983.35	1520.	1225.	1300.	2358.	1581.	1978.	1465.
989.32	1518.	1230.	1297.	2349.	1584.	1978.	1470.
995.29	1515.	1233.	1297.	2343.	1584.	1978.	1470.
1001.25	1513.	1233.	1295.	2331.	1584.	1972.	1476.
1007.22	1510.	1233.	1292.	2319.	1581.	1967.	1478.
1013.19	1507.	1230.	1292.	2313.	1579.	1964.	1478.
1019.16	1505.	1233.	1292.	2310.	1579.	1961.	1481.
1049.00	1497.	1233.	1287.	2268.	1568.	1941.	1484.
1078.85	1491.	1235.	1279.	2247.	1563.	1927.	1481.
1108.70	1489.	1238.	1282.	2238.	1560.	1915.	1481.
1138.54	1513.	1248.	1297.	2247.	1563.	1921.	1486.
1168.38	1505.	1258.	1302.	2268.	1568.	1932.	1499.
1198.22	1526.	1273.	1318.	2307.	1584.	1955.	1513.
1228.07	1555.	1294.	1345.	2358.	1608.	1990.	1531.
1257.92	1589.	1325.	1379.	2409.	1634.	2027.	1557.
1287.76	1621.	1354.	1411.	2441.	1663.	2064.	1584.

CALC	8/25/1	REVISED	DATE	LEADING EDGE TFST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03	Vol. III 02-20085 11-02 3-40
CHECK	<i>Wynold</i> 9/6/61				
APR					
APR					
THE BOEING COMPANY					
CONTRACT NO.					

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

Contiguous Interfold (to Moore Business Forms, Inc.)

42

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
1317.60	1647.	1383.	1437.	2472.	1695.	2087.	1608.
1347.44	1671.	1410.	1461.	2466.	1711.	2098.	1631.
1377.29	1681.	1428.	1471.	2453.	1725.	2104.	1645.
1407.14	1692.	1441.	1487.	2444.	1736.	2110.	1658.
1436.08	1705.	1460.	1501.	2463.	1750.	2113.	1671.
1440.95	1705.	1462.	1501.	2472.	1750.	2116.	1671.
1455.88	1717.	1473.	1532.	BDTL	1755.	2128.	1681.
1470.20	1730.	1491.	1500.	BDTL	1766.	2140.	1689.
1485.72	1744.	1512.	1630.	BDTL	1780.	2149.	1700.
1500.65	1755.	1533.	1656.	BDTL	1785.	2152.	1714.
1515.56	1766.	1552.	1675.	BDTL	1794.	2161.	1725.
1530.49	1775.	1565.	1688.	BDTL	1805.	2173.	1730.
1545.41	1783.	1576.	1701.	BDTL	1810.	2182.	1741.
1560.33	1791.	1586.	1707.	BDTL	1821.	2185.	1752.
1590.17	1802.	1602.	1718.	BDTL	1827.	2182.	1761.
1620.02	1808.	1615.	1726.	BDTL	1832.	2188.	1769.
1649.87	1808.	1618.	1729.	BDTL	1835.	2182.	1772.
1679.71	1802.	1618.	1726.	BDTL	1832.	2164.	1769.
1709.55	1797.	1615.	1718.	2485.	1827.	2158.	1766.
1739.39	1780.	1605.	1704.	2450.	1816.	2140.	1761.
1769.24	1730.	1591.	1683.	2394.	1802.	2116.	1750.
1799.09	1733.	1568.	1646.	2325.	1780.	2075.	1730.
1828.93	1697.	1539.	1604.	2229.	1750.	2027.	1705.
1858.77	1652.	1505.	1559.	2127.	1711.	1964.	1676.
1888.61	1608.	1468.	1514.	2035.	1668.	1901.	1645.
1918.46	1557.	1431.	1461.	1918.	1629.	1829.	1608.
1948.31	1499.	1381.	1395.	1787.	1576.	1752.	1565.
1978.15	1433.	1328.	1329.	1644.	1518.	1654.	1510.
2007.99	1365.	1273.	1256.	1493.	1452.	1548.	1449.
2037.83	1286.	1207.	1174.	1335.	1373.	1430.	1381.
2067.68	1199.	1140.	1100.	1173.	1289.	1295.	1301.
2097.53	1104.	1069.	1021.	1030.	1192.	1159.	1209.
2127.37	1002.	985.6	927.0	908.2	1085.	1026.	1109.
2157.21	918.7	909.6	832.2	795.4	978.2	894.1	999.9
2187.05	841.9	840.6	744.9	690.2	886.0	781.0	901.0
2216.90	782.9	789.3	701.2	620.9	807.4	688.5	818.8

CALC	08/25/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03  THE BOEING COMPANY	Vol. III
CHECK	<i>Weyand</i>				82-80085
APR					PAGE
APR					12.02
CONTRACT NO.					3-41

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

Continous Interior & Moore Business Forms, Inc. ©

2.03

43

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-20, T-21, T-22 & T-23 =  $\pm 45^{\circ}\text{F}$ .

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^{\circ}\text{F}$ .

<u>THERMOCOUPLE NO.</u>	<u>PAGE</u>
T-10, T-11, C-4M, T-12, T-12, T-14, T-15	3-43 -- 3-46
C-3M, C-5M, T-16, T-24	3-47 -- 3-50
T-17, T-18, T-19, T-20, T-21, T-22, T-23	3-51 -- 3-54

CALC	Reynolds 9/6/61	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617      SPEC. 0376 COND. NO. 02      RJN 04	Vol. III
CHECK	Atopp 9/7/61				12-80085
APPD					
APPD					
				BOEING AIRPLANE COMPANY	

44

BAC 973 D-R3

9/3/63

2-1000

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
99.99-	324.1	380.6	368.6	457.1	390.1	296.5	386.7
85.07-	324.1	380.6	374.4	457.1	391.8	303.4	393.3
70.14-	331.1	380.6	390.2	462.9	391.8	303.4	393.3
55.23-	345.0	386.5	391.9	480.5	403.4	317.4	393.3
40.29-	363.3	415.6	415.1	503.8	438.2	357.7	450.8
25.38-	380.8	427.2	426.7	533.0	444.0	357.7	462.4
10.46-	384.6	438.9	438.4	538.8	461.5	331.3	427.5
4.47	392.5	450.5	450.0	556.4	467.3	375.2	463.3
19.38	398.3	462.2	455.8	573.9	478.0	381.1	497.4
34.32	398.3	438.9	455.8	573.9	484.7	363.6	474.1
49.23	398.3	444.7	455.8	573.9	484.7	357.7	474.1
64.15	404.1	456.4	461.6	573.9	496.3	369.4	491.6
79.08	427.4	497.1	496.5	618.8	513.8	381.1	509.1
93.99	430.1	508.8	508.1	629.4	531.2	386.9	514.9
108.93	398.3	450.5	467.4	573.9	484.7	375.2	503.2
123.84	415.8	485.5	490.7	602.8	513.8	404.4	532.4
138.76	430.1	508.8	502.3	634.7	531.2	392.7	520.7
150.70	430.1	520.4	513.9	645.3	537.0	386.9	514.9
156.67	590.7	692.0	664.5	804.6	685.4	544.5	697.7
162.63	708.2	833.3	791.5	955.9	821.8	602.6	772.0
168.60	803.6	939.0	887.4	1088.	912.1	735.5	939.6
174.57	870.1	1023.	992.8	1193.	1007.	762.0	939.6
180.54	950.7	1175.	1094.	1276.	1098.	849.7	1029.
186.51	1024.	1171.	1174.	1354.	1179.	955.6	1149.
192.48	1072.	1218.	1258.	1425.	1244.	980.8	1163.
198.45	1167.	1315.	1358.	1513.	1335.	1035.	1214.
204.42	1288.	1422.	1492.	1624.	1446.	1155.	1334.
210.39	1365.	1510.	1580.	1726.	1609.	1248.	1423.
225.31	1592.	1752.	1869.	1983.	1921.	1416.	1626.
240.24	1808.	1967.	2116.	2210.	2135.	1657.	1885.
255.15	2055.	2198.	2378.	2445.	2377.	1801.	2086.
270.08	2273.	2420.	2619.	2665.	2587.	1963.	2235.
285.00	2312.	2448.	2663.	2645.	2614.	1959.	2348.
299.92	2367.	2499.	2710.	2696.	2646.	1923.	2371.
314.85	2328.	2459.	2667.	2669.	2607.	1822.	2348.
329.76	2285.	2413.	2631.	2637.	2575.	1738.	2309.
344.69	2195.	2299.	2526.	2559.	2517.	1640.	2219.
359.61	2105.	2198.	2436.	2480.	2423.	1534.	2133.
389.46	1917.	2014.	2241.	2328.	2236.	1367.	1969.
419.30	1715.	1823.	2023.	2140.	2046.	1183.	1779.

Continous Interfold © Moore Business Forms, Inc. 8

CALC	28/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04 THE BOEING COMPANY	Vol. III
CHECK	<i>Suppl. 1/2/61</i>					02-80085
APR						
APR						
CONTRACT NO.						PAGE 13.00 3-43

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

45

TIME SEC.	5-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
449.14	1528.	1642.	1844.	1960.	1872.	1059.	1613.
478.98	1445.	1557.	1741.	1871.	1791.	975.7	1516.
508.83	1343.	1453.	1614.	1777.	1711.	990.9	1423.
538.68	1302.	1422.	1555.	1722.	1656.	1011.	1361.
568.52	1252.	1409.	1517.	1688.	1622.	1011.	1325.
598.36	1265.	1427.	1538.	1701.	1622.	1025.	1334.
628.20	1361.	1506.	1623.	1777.	1715.	1140.	1410.
658.05	1575.	1684.	1853.	1987.	1900.	1358.	1626.
687.90	1639.	1773.	1941.	2061.	2007.	1389.	1698.
717.74	1681.	1819.	1994.	2104.	2034.	1384.	1711.
747.58	1608.	1831.	1902.	2104.	2018.	1344.	1698.
777.42	1707.	1927.	2007.	2112.	2069.	1353.	1698.
807.27	1707.	1827.	2003.	2112.	2049.	1353.	1698.
810.25	1702.	1827.	2003.	2112.	2061.	1353.	1698.
816.22	1608.	1827.	2007.	2112.	2065.	1362.	1698.
822.19	1702.	1827.	2003.	2104.	2049.	1376.	1698.
828.16	1673.	1811.	1900.	2104.	2042.	1349.	1654.
834.12	1617.	1751.	1929.	2065.	1999.	1215.	1507.
836.12	1600.	1740.	1909.	2038.	1979.	1173.	1463.
838.11	1600.	1752.	1913.	2038.	1979.	1155.	1432.
840.09	1626.	1769.	1929.	2053.	1983.	1150.	1414.
842.09	1626.	1769.	1917.	2050.	1979.	1230.	1441.
844.08	1617.	1765.	1913.	2046.	1971.	1289.	1463.
846.06	1613.	1757.	1909.	2038.	1971.	1308.	1468.
848.06	1622.	1765.	1913.	2046.	1979.	1312.	1463.
850.05	1634.	1782.	1926.	2053.	1991.	1312.	1468.
852.03	1656.	1799.	1941.	2077.	2010.	1312.	1463.
854.03	1656.	1807.	1953.	2073.	2010.	1308.	1459.
856.02	1656.	1807.	1961.	2081.	2018.	1312.	1463.
858.00	1707.	1864.	2007.	2112.	2057.	1389.	1524.
859.99	1787.	1952.	2081.	2187.	2112.	1530.	1643.
861.99	1848.	2010.	2144.	2245.	2174.	1598.	1719.
863.97	1933.	2085.	2229.	2320.	2244.	1666.	1796.
865.96	2023.	2167.	2319.	2402.	2330.	1721.	1869.
867.96	2066.	2217.	2370.	2461.	2365.	1721.	1897.
869.94	2090.	2229.	2397.	2480.	2380.	1734.	1909.
871.93	2101.	2229.	2409.	2488.	2380.	1738.	1918.
873.93	2109.	2241.	2432.	2508.	2408.	1759.	1933.
875.91	2141.	2268.	2459.	2535.	2435.	1789.	1949.
877.90	2164.	2299.	2491.	2555.	2462.	1814.	1976.

Continous Interfold © Moore Business Forms, Inc. ©

CALC	PR/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04 THE BOEING COMPANY	Vol III
CHECK	<i>Approved 1/16/63</i>					82-21125
APR						PAGE 400
APR						3-44
CONTRACT NO.						

46

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-44	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
879.90	2187.	2331.	2514.	2574.	2486.	1818.	1988.
881.88	2203.	2335.	2537.	2590.	2517.	1818.	1998.
883.86	2223.	2356.	2565.	2614.	2548.	1834.	2008.
885.86	2242.	2385.	2590.	2637.	2575.	1850.	2023.
887.85	2250.	2389.	2592.	2645.	2591.	1830.	2008.
889.83	2258.	2401.	2604.	2653.	2595.	1818.	2008.
891.83	2269.	2405.	2616.	2665.	2603.	1830.	2012.
893.82	2281.	2401.	2627.	2673.	2618.	1850.	2023.
895.80	2297.	2424.	2635.	2677.	2638.	1854.	2031.
897.80	2297.	2428.	2643.	2657.	2642.	1830.	2019.
899.79	2305.	2436.	2659.	2641.	2646.	1810.	2012.
905.76	2328.	2452.	2670.	2645.	2658.	1842.	2023.
911.73	2336.	2452.	2670.	2653.	2669.	1842.	2023.
917.70	2301.	2432.	2651.	2649.	2646.	1838.	2023.
923.67	2277.	2409.	2627.	2641.	2626.	1826.	2027.
929.64	2258.	2381.	2588.	2621.	2611.	1834.	2027.
935.60	2227.	2358.	2569.	2614.	2579.	1810.	2000.
941.57	2230.	2366.	2572.	2621.	2575.	1826.	2012.
947.54	2219.	2346.	2553.	2610.	2548.	1830.	2023.
953.51	2207.	2338.	2545.	2606.	2532.	1785.	1992.
959.47	2195.	2323.	2533.	2590.	2528.	1789.	1988.
965.44	2187.	2311.	2526.	2574.	2517.	1772.	1951.
971.41	2160.	2272.	2487.	2547.	2490.	1708.	1937.
977.38	2141.	2268.	2475.	2535.	2486.	1666.	1893.
983.34	2086.	2202.	2413.	2496.	2439.	1674.	1897.
989.31	2070.	2202.	2397.	2488.	2412.	1674.	1877.
995.28	2074.	2194.	2397.	2472.	2396.	1683.	1869.
1001.25	2062.	2182.	2378.	2469.	2408.	1640.	1832.
1007.22	2062.	2186.	2381.	2480.	2392.	1662.	1848.
1013.19	2062.	2178.	2378.	2472.	2392.	1636.	1836.
1019.16	2039.	2163.	2362.	2469.	2377.	1619.	1812.
1049.01	2012.	2116.	2319.	2425.	2345.	1615.	1796.
1078.86	2008.	2155.	2323.	2425.	2365.	1628.	1796.
1108.69	1957.	2073.	2265.	2378.	2303.	1615.	1792.
1138.53	2000.	2120.	2315.	2418.	2361.	1649.	1816.
1168.38	2019.	2147.	2346.	2449.	2369.	1662.	1832.
1198.23	2101.	2229.	2432.	2523.	2447.	1764.	1933.
1228.08	2168.	2280.	2502.	2578.	2528.	1810.	1976.
1257.91	2211.	2335.	2541.	2625.	2548.	1911.	2086.
1287.75	2258.	2377.	2592.	2665.	2607.	1935.	2102.

CALC	08/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04	Vol. III	
CHECK	<i>Purvis 9/6/63</i>						
APR	I						22-80895
APR							PAGE 00
					THE BOEING COMPANY	3-45	
CONTRACT NO.							

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

47

TIME SEC.	3-6 C-3M	3-7 C-5M	3-5 T-16	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
99.99-	358.0	357.7	387.2	289.3
95.07-	352.2	369.4	398.9	303.2
70.14-	363.9	375.2	416.4	324.1
55.23-	375.6	392.7	422.2	338.0
40.29-	393.1	416.0	445.6	357.5
25.38-	416.5	439.4	469.0	363.3
10.46-	416.5	439.4	480.7	380.8
4.47	430.9	445.2	486.5	386.6
19.38	451.6	456.9	498.2	404.1
34.32	445.8	456.9	515.7	415.8
49.23	445.8	456.9	515.7	421.6
64.15	469.2	468.6	521.6	439.1
79.08	480.8	474.4	533.3	439.1
93.99	486.7	497.7	550.8	456.6
108.93	475.0	474.4	550.8	468.2
123.84	498.4	474.4	545.0	468.2
138.76	498.4	487.2	550.8	479.9
150.70	515.9	486.1	545.0	497.4
156.67	614.0	561.9	568.3	497.4
162.63	704.5	634.4	613.7	509.0
168.60	825.5	708.8	672.3	532.3
174.57	911.4	829.4	752.1	567.3
180.54	1026.	960.5	855.5	618.0
186.51	1099.	1073.	971.6	681.7
192.48	1203.	1168.	1079.	756.0
198.45	1300.	1276.	1198.	838.8
204.42	1404.	1406.	1295.	924.4
210.39	1536.	1504.	1372.	1019.
225.31	1787.	1772.	1650.	1320.
240.24	2032.	2045.	1933.	1592.
255.15	2271.	2287.	2172.	1865.
270.08	2526.	2510.	2403.	2125.
285.00	2577.	2557.	2501.	2277.
299.92	2616.	2600.	2552.	2324.
314.85	2609.	2585.	2548.	2344.
329.76	2573.	2541.	2529.	2324.
344.69	2487.	2440.	2470.	2277.
359.61	2381.	2342.	2392.	2215.
389.46	2193.	2166.	2247.	2101.
419.30	1977.	1958.	2090.	1957.

CALC	08/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04  THE BOEING COMPANY	Vol. III
CHECK	<i>Pupold</i>				02-80085
APR					PAGE 13.01
APR					3-47
CONTRACT NO.					

49

Continuous Interfer. Moore-Business Form, Inc. 8



TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	T-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
1317.60	2240.	2381.	2604.	2673.	2614.	1915.	2036.
1347.45	2201.	2389.	2604.	2673.	2591.	1915.	2102.
1357.30	2201.	2401.	2612.	2677.	2599.	1911.	2090.
1407.13	2277.	2395.	2600.	2665.	2591.	1923.	2036.
1416.07	2240.	2381.	2592.	2665.	2591.	1879.	2062.
1440.96	2266.	2377.	2592.	2669.	2603.	1887.	2066.
1455.87	2308.	2405.	2714.	2755.	2720.	2192.	2363.
1470.91	2375.	2475.	2702.	2700.	2693.	2076.	2367.
1485.72	2370.	2475.	2604.	2700.	2681.	2033.	2363.
1500.65	2387.	2479.	2608.	2700.	2701.	2025.	2367.
1515.57	2370.	2471.	2608.	2700.	2693.	2017.	2356.
1530.48	2370.	2475.	2608.	2704.	2697.	1990.	2356.
1545.42	2301.	2483.	2706.	2708.	2720.	2014.	2352.
1560.33	2375.	2483.	2608.	2712.	2685.	1982.	2356.
1580.18	2363.	2487.	2608.	2736.	2701.	2006.	2356.
1620.03	2367.	2459.	2696.	2752.	2689.	1986.	2336.
1649.87	2348.	2389.	2655.	2724.	2677.	1943.	2301.
1659.70	2312.	2401.	2627.	2712.	2654.	1935.	2297.
1709.55	2262.	2342.	2576.	2665.	2575.	1911.	2246.
1739.40	2211.	2319.	2530.	2621.	2540.	1858.	2203.
1769.25	2113.	2217.	2420.	2535.	2462.	1793.	2113.
1789.09	1988.	2085.	2202.	2422.	2345.	1662.	1988.
1828.92	1877.	1983.	2148.	2316.	2236.	1547.	1861.
1858.77	1741.	1827.	1996.	2175.	2081.	1442.	1728.
1888.62	1605.	1706.	1840.	2046.	1960.	1353.	1605.
1918.47	1445.	1523.	1661.	1879.	1811.	1248.	1445.
1948.31	1247.	1338.	1447.	1668.	1639.	1054.	1252.
1958.14	1024.	1125.	1212.	1470.	1437.	844.6	1043.
2007.99	817.6	918.9	972.7	1216.	1211.	591.2	772.0
2037.84	567.3	623.0	685.7	890.4	927.2	386.9	549.9
2067.69	338.1	351.5	391.9	544.7	622.0	261.6	392.5
2097.53	226.6	219.6	254.2	352.0	444.0	205.8	317.2
2127.36	177.9	177.8	198.6	254.7	337.4	177.9	254.5
2157.21	150.0	156.9	163.9	205.8	261.1	150.0	212.7
2187.06	133.3	133.4	141.7	177.9	226.4	141.7	191.8
2216.91	141.7	133.4	141.7	177.0	219.4	133.3	184.8
2246.75	141.7	141.7	141.7	177.9	205.5	133.3	177.9

CALC	08/25/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04 THE BOEING COMPANY	Vol. III 02-80885
CHECK	<i>Revised 11/1/11</i>				
APR					
APR					
CONTRACT NO.					PAGE 16.00 3-46

TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
	-----DEGREES FAHRENHEIT-----			
449.14	1787.	1768.	1929.	1928.
478.98	1685.	1657.	1811.	1728.
508.83	1583.	1555.	1731.	1668.
538.68	1506.	1495.	1629.	1660.
568.52	1480.	1464.	1582.	1639.
598.36	1480.	1455.	1574.	1596.
628.20	1553.	1568.	1621.	1639.
658.05	1775.	1746.	1787.	1732.
687.90	1804.	1858.	1921.	1848.
717.74	1922.	1915.	1972.	1889.
747.58	1961.	1907.	1968.	1917.
777.42	1934.	1919.	1972.	1929.
807.27	1950.	1907.	1961.	1933.
810.25	1942.	1911.	1972.	1933.
816.22	1926.	1931.	1968.	1933.
822.19	1914.	1923.	1968.	1929.
828.16	1977.	1903.	1964.	1929.
834.12	1980.	1785.	1937.	1933.
836.12	1981.	1759.	1921.	1921.
838.11	2012.	1742.	1905.	1929.
840.09	2052.	1746.	1803.	1926.
842.09	2020.	1772.	1890.	1929.
844.08	2012.	1776.	1876.	1929.
846.06	2005.	1768.	1876.	1909.
848.06	2008.	1772.	1876.	1913.
850.05	2012.	1785.	1890.	1917.
852.03	2032.	1793.	1895.	1917.
854.03	2028.	1785.	1890.	1926.
856.02	2028.	1797.	1880.	1929.
858.00	2056.	1915.	1893.	1941.
859.09	2169.	1978.	1913.	1953.
861.09	2208.	1994.	1941.	1965.
863.97	2283.	2048.	1976.	1984.
865.96	2357.	2064.	2015.	2008.
867.96	2424.	2060.	2043.	2039.
869.94	2444.	2095.	2074.	2070.
871.93	2467.	2099.	2106.	2090.
873.93	2491.	2127.	2129.	2125.
875.91	2522.	2158.	2160.	2148.
877.90	2538.	2170.	2184.	2180.

CALC	8/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04  THE BOEING COMPANY	Vol. III
CHECK	<i>Ruppert 10/6/01</i>					22-80085
APR						PAGE 01
APR						3-48
CONTRACT NO.						

50

TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
	-----DEGREES FAHRENHEIT-----			
879.90	2561.	2193.	2207.	2195.
881.88	2589.	2217.	2231.	2211.
883.86	2616.	2236.	2247.	2242.
885.86	2648.	2248.	2270.	2266.
887.85	2660.	2244.	2290.	2285.
889.83	2672.	2252.	2301.	2301.
891.83	2680.	2268.	2309.	2312.
893.82	2676.	2271.	2325.	2328.
895.80	2672.	2271.	2333.	2348.
897.80	2680.	2279.	2341.	2355.
899.79	2687.	2268.	2345.	2355.
905.76	2695.	2283.	2360.	2379.
911.73	2683.	2283.	2360.	2391.
917.70	2695.	2271.	2356.	2398.
923.67	2691.	2244.	2364.	2398.
929.64	2695.	2268.	2356.	2391.
935.60	2695.	2260.	2352.	2398.
941.57	2707.	2260.	2345.	2391.
947.54	2695.	2260.	2352.	2406.
953.51	2699.	2248.	2345.	2402.
959.47	2688.	2244.	2341.	2398.
965.44	2632.	2217.	2321.	2367.
971.41	2609.	2170.	2305.	2336.
977.38	2593.	2166.	2286.	2344.
983.34	2557.	2119.	2270.	2340.
989.31	2561.	2115.	2247.	2332.
995.28	2538.	2107.	2239.	2308.
1001.25	2506.	2095.	2227.	2305.
1007.22	2499.	2103.	2219.	2297.
1013.19	2495.	2072.	2215.	2281.
1019.16	2475.	2064.	2204.	2277.
1049.01	2385.	2025.	2176.	2242.
1078.86	2404.	2025.	2168.	2242.
1108.69	2389.	2021.	2149.	2223.
1138.53	2408.	2052.	2168.	2246.
1168.38	2432.	2064.	2176.	2258.
1198.23	2502.	2135.	2235.	2308.
1228.08	2593.	2197.	2298.	2359.
1257.91	2640.	2275.	2352.	2406.
1287.75	2683.	2326.	2395.	2441.

CALC	08/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04 THE BOEING COMPANY	Vol. III
CHECK	<i>Ruppel</i>				D2-80685
APR					PAGE 15-01
APR					3-49
CONTRACT NO.					

57

9/3/63

TIME SEC.	J-6 C-3M	J-7 C-5M	J-5 T-16	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
1317.60	2695.	2326.	2305.	2453.
1347.45	2683.	2338.	2399.	2461.
1377.30	2707.	2322.	2403.	2469.
1407.13	2697.	2338.	2399.	2465.
1436.97	2707.	2311.	2398.	2457.
1440.96	2723.	2311.	2398.	2469.
1455.87	2632.	2585.	2521.	2496.
1470.81	2601.	2596.	2576.	2516.
1485.72	2612.	2596.	2590.	2516.
1500.65	2605.	2592.	2580.	2512.
1515.57	2616.	2585.	2576.	2512.
1530.48	2601.	2581.	2590.	2516.
1545.42	2597.	2588.	2590.	2520.
1560.33	2624.	2585.	2592.	2531.
1500.18	2616.	2588.	2598.	2523.
1620.03	2507.	2581.	2590.	2516.
1649.87	2577.	2530.	2552.	2504.
1679.70	2553.	2522.	2540.	2453.
1709.55	2518.	2479.	2501.	2461.
1739.40	2467.	2420.	2458.	2426.
1769.25	2381.	2326.	2392.	2379.
1799.09	2263.	2193.	2301.	2308.
1828.92	2110.	2064.	2184.	2211.
1858.77	1977.	1907.	2074.	2125.
1888.62	1812.	1776.	1961.	2039.
1918.47	1621.	1598.	1819.	1929.
1948.31	1404.	1384.	1638.	1800.
1978.14	1194.	1150.	1426.	1660.
2007.99	977.1	915.1	1160.	1490.
2037.84	688.5	634.4	916.1	1316.
2067.69	416.5	386.9	704.2	1106.
2097.53	289.7	268.5	562.5	899.1
2127.36	233.8	212.8	463.1	692.3
2157.21	191.9	177.9	393.0	584.8
2187.06	171.0	150.0	338.5	485.7
2216.91	164.0	150.0	303.6	415.8
2246.75	164.0	150.0	275.7	357.5

CALC	08/25/1		REVISED	DATE	LEADING EDGE TFST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RIN 04 THE BOEING COMPANY	Vol. III
CHECK	<i>Revised 11/6/62</i>					
APR	<i>6</i>					
APR						
CONTRACT NO.						02-80095 PAGE 01 3502

9/3/63

Continous Interfold X Moore Business Forms, Inc. 8

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
99.99-	376.1	369.8	308.4	285.9	335.0	223.2	302.8
85.07-	376.1	367.1	313.8	299.4	337.7	233.6	305.6
70.14-	376.1	367.1	310.3	310.3	343.1	241.5	308.3
55.23-	378.8	369.8	322.0	323.8	345.9	254.5	311.0
40.29-	378.8	372.5	330.2	334.7	351.3	265.0	313.7
25.38-	381.5	372.5	341.1	345.6	354.0	272.8	319.2
10.46-	381.5	372.5	346.6	359.1	359.4	283.4	321.9
4.47	384.1	375.1	354.7	372.7	364.9	291.5	324.6
19.38	384.1	375.1	362.9	380.7	367.6	302.4	327.4
34.32	386.8	377.8	368.4	391.4	373.0	313.3	332.8
49.23	389.5	380.5	376.5	402.1	375.7	326.9	338.3
64.15	389.5	380.5	379.2	407.5	378.3	335.0	341.0
79.08	394.9	385.8	387.2	420.9	389.1	345.9	349.2
93.99	400.3	388.5	395.3	428.9	394.4	351.3	351.9
108.93	403.0	393.9	403.4	439.6	402.5	362.2	362.8
123.84	405.6	399.2	409.8	447.6	405.2	373.0	365.5
138.76	411.0	401.9	419.5	458.4	415.9	378.4	373.6
150.70	416.4	404.6	427.6	469.1	421.3	389.1	379.0
156.67	419.1	407.2	427.6	479.6	426.6	394.5	381.7
162.63	419.1	407.2	433.0	495.4	429.3	399.9	384.4
168.60	424.5	409.9	435.7	524.4	432.0	405.2	389.8
174.57	427.1	415.3	443.8	563.8	437.4	416.0	395.2
180.54	429.8	415.3	449.2	604.8	442.7	426.7	397.9
186.51	435.2	417.9	457.2	656.1	445.4	448.2	400.5
192.48	440.6	420.6	470.7	712.4	453.5	472.3	405.9
198.45	446.0	426.0	481.3	779.1	461.5	498.7	414.0
204.42	454.0	428.7	494.5	853.4	469.5	533.0	419.4
210.39	467.5	434.0	507.7	934.0	480.1	577.3	427.4
225.31	507.1	452.7	563.2	1189.	514.4	713.4	454.3
240.24	572.8	484.6	645.6	1468.	569.5	877.7	494.3
255.15	678.3	534.6	761.5	1738.	651.6	1063.	544.5
270.08	819.7	609.5	913.3	2026.	764.6	1268.	619.6
285.00	995.9	701.7	1061.	2187.	910.7	1454.	720.0
299.92	1139.	801.6	1176.	2294.	1063.	1597.	843.5
314.85	1239.	898.9	1253.	2327.	1191.	1697.	956.1
329.76	1303.	977.3	1305.	2330.	1290.	1763.	1055.
344.69	1337.	1033.	1334.	2300.	1353.	1796.	1132.
359.61	1348.	1068.	1334.	2238.	1393.	1802.	1183.
389.46	1327.	1094.	1305.	2127.	1406.	1769.	1237.
419.30	1277.	1081.	1253.	1992.	1380.	1700.	1242.

CALC	DR/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04	Vol. III
CHECK	<i>Revised 9/16/63</i>					
APR					THE BOEING COMPANY	PAGE 02
APR						
CONTRACT NO.						

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

53

Continued Interfiled Moore Business Forms, Inc.

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
449.14	1226.	1046.	1184.	1854.	1327.	1623.	1214.
478.98	1159.	1000.	1114.	1749.	1267.	1539.	1168.
508.83	1113.	962.1	1061.	1684.	1221.	1478.	1129.
538.68	1085.	934.3	1015.	1644.	1188.	1438.	1101.
568.52	1067.	909.0	979.5	1615.	1170.	1417.	1088.
598.36	1054.	891.2	959.1	1597.	1155.	1399.	1076.
628.20	1049.	883.5	951.5	1615.	1147.	1396.	1068.
658.05	1070.	891.2	976.9	1705.	1155.	1428.	1076.
687.90	1113.	916.6	1033.	1807.	1183.	1486.	1096.
717.74	1156.	952.0	1084.	1854.	1226.	1539.	1127.
747.58	1192.	984.9	1120.	1890.	1262.	1570.	1160.
777.42	1216.	1010.	1143.	1904.	1290.	1594.	1191.
807.27	1231.	1033.	1156.	1906.	1311.	1612.	1217.
810.25	1233.	1033.	1156.	1909.	1309.	1612.	1217.
816.22	1236.	1035.	1158.	1909.	1314.	1618.	1219.
822.19	1241.	1038.	1161.	1909.	1314.	1618.	1224.
828.16	1241.	1043.	1163.	1915.	1319.	1618.	1227.
834.12	1241.	1043.	1163.	1906.	1322.	1620.	1229.
836.12	1244.	1043.	1161.	1898.	1322.	1620.	1229.
838.11	1244.	1043.	1158.	1901.	1322.	1620.	1232.
840.09	1246.	1046.	1156.	1904.	1327.	1623.	1232.
842.09	1249.	1046.	1150.	1909.	1327.	1623.	1235.
844.08	1246.	1046.	1148.	1904.	1327.	1623.	1235.
846.06	1251.	1046.	1143.	1898.	1327.	1626.	1235.
848.06	1249.	1046.	1140.	1898.	1327.	1626.	1237.
850.05	1251.	1046.	1135.	1904.	1330.	1626.	1237.
852.03	1251.	1048.	1132.	1906.	1327.	1626.	1237.
854.03	1251.	1048.	1130.	1915.	1327.	1628.	1237.
856.02	1251.	1048.	1125.	1918.	1330.	1628.	1240.
858.00	1251.	1046.	1122.	1923.	1330.	1628.	1242.
859.99	1254.	1048.	1120.	1946.	1330.	1636.	1242.
861.99	1254.	1048.	1117.	1966.	1332.	1639.	1242.
863.97	1254.	1048.	1117.	1989.	1330.	1644.	1245.
865.96	1257.	1051.	1117.	2017.	1332.	1652.	1245.
867.96	1262.	1051.	1114.	2057.	1332.	1660.	1247.
869.94	1267.	1053.	1117.	2077.	1335.	1670.	1247.
871.93	1272.	1056.	1117.	2091.	1338.	1676.	1250.
873.93	1280.	1056.	1122.	2115.	1338.	1684.	1253.
875.91	1285.	1058.	1125.	2133.	1343.	1697.	1253.
877.90	1293.	1061.	1127.	2160.	1343.	1705.	1255.

CALC	08/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04	Vol. III
CHECK	<i>[Signature]</i>	9/6/62				02-8085
APR						
APR						
THE BOEING COMPANY						PAGE 02
CONTRACT NO.						3-52

54

9/3/63

UG 5553 7450 (WAS BAC 1745 A-R1)

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
879.90	1303.	1063.	1170.	2175.	1348.	1716.	1258.
881.88	1308.	1068.	1135.	2190.	1353.	1727.	1260.
883.86	1319.	1071.	1140.	2217.	1356.	1741.	1263.
885.86	1327.	1073.	1143.	2241.	1359.	1752.	1268.
887.85	1335.	1076.	1150.	2255.	1364.	1763.	1271.
889.83	1345.	1081.	1156.	2264.	1369.	1777.	1273.
891.83	1350.	1083.	1161.	2282.	1375.	1785.	1278.
893.82	1361.	1089.	1168.	2294.	1383.	1796.	1281.
895.80	1372.	1094.	1176.	2312.	1388.	1807.	1286.
897.90	1377.	1096.	1181.	2315.	1396.	1824.	1294.
899.79	1387.	1101.	1186.	2327.	1401.	1829.	1299.
905.76	1411.	1114.	1202.	2354.	1419.	1857.	1312.
911.73	1435.	1129.	1220.	2372.	1438.	1879.	1331.
917.70	1451.	1145.	1233.	2381.	1459.	1898.	1346.
923.67	1464.	1152.	1243.	2381.	1475.	1918.	1362.
929.64	1475.	1165.	1253.	2378.	1491.	1930.	1376.
945.60	1488.	1173.	1261.	2378.	1512.	1944.	1386.
941.57	1496.	1186.	1269.	2393.	1520.	1952.	1402.
947.54	1504.	1196.	1279.	2402.	1536.	1964.	1413.
953.51	1509.	1201.	1284.	2399.	1543.	1967.	1423.
959.47	1514.	1209.	1289.	2390.	1554.	1975.	1434.
965.44	1517.	1214.	1294.	2369.	1559.	1975.	1442.
971.41	1520.	1221.	1297.	2357.	1567.	1975.	1450.
977.38	1522.	1226.	1300.	2354.	1572.	1975.	1458.
983.34	1520.	1229.	1300.	2342.	1575.	1975.	1463.
989.31	1517.	1232.	1300.	2330.	1578.	1970.	1463.
995.28	1517.	1237.	1297.	2312.	1575.	1964.	1466.
1001.25	1514.	1234.	1297.	2306.	1575.	1958.	1471.
1007.22	1514.	1237.	1297.	2300.	1572.	1952.	1473.
1013.19	1509.	1237.	1294.	2282.	1572.	1950.	1473.
1019.16	1506.	1237.	1294.	2279.	1570.	1947.	1473.
1049.01	1496.	1239.	1297.	2249.	1565.	1924.	1476.
1078.86	1493.	1242.	1294.	2235.	1554.	1910.	1473.
1108.69	1496.	1247.	1289.	2217.	1557.	1907.	1479.
1138.53	1501.	1255.	1294.	2238.	1557.	1910.	1481.
1168.38	1514.	1265.	1305.	2252.	1567.	1921.	1495.
1198.23	1533.	1280.	1323.	2303.	1580.	1944.	1505.
1228.08	1567.	1303.	1350.	2351.	1604.	1975.	1526.
1257.91	1596.	1332.	1394.	2393.	1630.	2015.	1553.
1287.75	1625.	1361.	1419.	2434.	1659.	2049.	1579.

CALC	8/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 COND. NO. 02	SPEC. 0376 RUN 04	Vol. III	
CHECK	<i>Revised 1/6/61</i>					02-80085	
APR						THE BOEING COMPANY	15-02
APR							3-53
CONTRACT NO.							

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
	-----DEGREES FAHRENHEIT-----						
1317.60	1652.	1390.	1440.	2446.	1683.	2072.	1603.
1347.45	1673.	1411.	1458.	2456.	1702.	2084.	1624.
1377.30	1683.	1430.	1474.	2459.	1716.	2095.	1640.
1407.13	1699.	1448.	1490.	2459.	1729.	2107.	1656.
1436.97	1710.	1464.	1501.	2449.	1740.	2110.	1667.
1440.96	1710.	1464.	1503.	2465.	1743.	2110.	1672.
1455.87	1721.	1477.	1527.	2493.	1752.	2122.	1677.
1470.81	1738.	1498.	1591.	BDTL	1763.	2137.	1690.
1485.72	1752.	1522.	1631.	BDTL	1776.	2143.	1701.
1500.65	1766.	1543.	1660.	BDTL	1787.	2149.	1712.
1515.57	1774.	1556.	1676.	BDTL	1796.	2152.	1720.
1530.48	1792.	1569.	1691.	BDTL	1807.	2158.	1732.
1545.42	1791.	1580.	1702.	BDTL	1810.	2161.	1740.
1560.33	1796.	1590.	1713.	BDTL	1815.	2167.	1748.
1590.18	1810.	1609.	1724.	BDTL	1829.	2179.	1762.
1620.03	1816.	1616.	1733.	BDTL	1837.	2179.	1773.
1649.97	1813.	1622.	1733.	2500.	1834.	2167.	1773.
1679.70	1804.	1616.	1730.	2478.	1829.	2155.	1765.
1709.55	1799.	1616.	1721.	2462.	1823.	2149.	1762.
1739.40	1785.	1606.	1705.	2424.	1810.	2122.	1756.
1769.25	1766.	1593.	1693.	2381.	1798.	2092.	1740.
1799.09	1738.	1572.	1652.	2312.	1779.	2061.	1729.
1828.92	1702.	1543.	1612.	2202.	1746.	2009.	1704.
1858.77	1660.	1514.	1570.	2103.	1713.	1947.	1669.
1888.62	1620.	1477.	1519.	2088.	1673.	1885.	1635.
1918.47	1570.	1440.	1466.	1983.	1633.	1813.	1598.
1948.31	1514.	1393.	1403.	1906.	1586.	1735.	1558.
1978.14	1451.	1343.	1337.	1812.	1530.	1647.	1505.
2007.99	1382.	1288.	1264.	1735.	1464.	1544.	1447.
2037.84	1311.	1226.	1186.	1686.	1396.	1430.	1384.
2067.69	1226.	1160.	1104.	1793.	1311.	1296.	1307.
2097.53	1131.	1086.	1025.	1832.	1219.	1155.	1214.
2127.36	1039.	1010.	931.1	1710.	1116.	1022.	1116.
2157.21	950.2	934.3	828.5	1655.	1010.	895.6	1012.
2187.06	876.2	868.1	751.2	1610.	915.8	780.1	915.4
2216.91	817.1	814.4	707.5	1578.	833.9	690.3	835.8
2246.75	773.4	778.5	674.0	1539.	769.7	618.4	768.9

CALC	8/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04 THE BOEING COMPANY	Vol. III
CHECK	<i>Revised 9/16/63</i>					
APR						
APR						
CONTRACT NO.						02-80085 PAGE 02 354

576



TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-20, T-21, T-22, & T-23 =  $\pm 45^{\circ}\text{F}$ .

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 65^{\circ}\text{F}$ .

<u>THERMOCOUPLE NO.</u>	<u>PAGE</u>
T-10, T-11, C-4M, T-12, T-13, T-14, T-15	3-56 - 3-57
C-3M, C-5M, T-16, T-24	3-58 - 3-59
T-17, T-18, T-19, *T-20, T-21, T-22, T-23	3-60 - 3-61

\*T-20 Bad thermocouple

CALC	Reynolds	9/6/61	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 05	Vol. III
CHECK	<i>Stapp</i>	9/1/61				
APPD						02-8008
APPD					BOEING AIRPLANE COMPANY	3-55

BAC 973 D-R3

2-7000

57

9/3/63

TIME SEC.      5-2 T-10      7-2 T-11      7-6 C-4M      3-3 T-12      7-5 T-13      5-4 T-14      7-4 T-15

-----DEGREES FAHRENHEIT-----

.02	99.98	100.1	81.51	99.91	90.96	141.6	177.9
5.98	226.7	261.3	253.5	247.7	226.4	177.9	184.9
11.95	363.4	450.4	363.2	462.9	386.0	369.6	416.1
17.92	459.3	537.7	427.3	602.8	449.9	404.7	503.6
23.89	474.2	590.1	485.6	677.2	513.8	428.1	555.2
29.85	579.2	702.3	596.3	799.5	627.3	580.0	724.8
35.82	659.5	776.5	670.9	895.4	701.4	624.4	814.4
41.79	676.7	817.9	759.8	961.0	749.0	651.0	854.7
47.76	751.0	888.3	853.5	1040.	826.9	682.9	885.0
53.72	824.0	963.7	914.0	1122.	912.2	757.4	975.7
59.69	889.6	1038.	984.5	1197.	982.5	840.4	1044.
65.66	965.1	1090.	1053.	1272.	1056.	911.0	1126.
71.63	1029.	1148.	1125.	1340.	1103.	991.8	1187.
77.60	1097.	1213.	1195.	1403.	1174.	1055.	1253.
83.57	1168.	1282.	1269.	1474.	1259.	1108.	1308.
89.54	1205.	1319.	1333.	1530.	1285.	1156.	1367.
95.51	1266.	1364.	1396.	1586.	1355.	1221.	1424.
101.48	1339.	1430.	1471.	1649.	1398.	1300.	1491.
107.45	1384.	1493.	1540.	1709.	1455.	1318.	1530.
113.42	1441.	1539.	1596.	1769.	1504.	1390.	1598.
119.39	1499.	1595.	1655.	1827.	1554.	1448.	1645.
125.36	1614.	1701.	1799.	1948.	1669.	1582.	1768.
131.33	1729.	1822.	1952.	2089.	1820.	1719.	1919.
137.30	1865.	1959.	2101.	2222.	1945.	1880.	2057.
143.27	1969.	2064.	2230.	2331.	2057.	2012.	2166.
149.24	2102.	2181.	2374.	2461.	2206.	2176.	2346.
155.21	2173.	2267.	2464.	2547.	2303.	2223.	2421.
161.18	2243.	2333.	2534.	2606.	2358.	2329.	2503.
167.15	2317.	2412.	2620.	2688.	2408.	2431.	2589.
173.12	2388.	2482.	2687.	2752.	2470.	2482.	2656.
179.09	2466.	2552.	2770.	2822.	2556.	2548.	2731.
185.06	2470.	2552.	2782.	2830.	2556.	2564.	2738.
191.03	2497.	2579.	2797.	2850.	2580.	2588.	2770.
197.00	2544.	2634.	2844.	2889.	2615.	2599.	2798.
202.97	2564.	2658.	2868.	2901.	2634.	2655.	2845.
208.94	2599.	2678.	2898.	2929.	2666.	2694.	2868.
214.91	2587.	2646.	2894.	2929.	2666.	2659.	2849.
220.88	2552.	2634.	2860.	2901.	2646.	2631.	2829.
226.85	2540.	2611.	2837.	2885.	2650.	2568.	2794.
232.82	2493.	2560.	2789.	2850.	2607.	2537.	2770.

CALC	08/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617      SPEC. 0376 COND. NO. 02      RUN 05	Vol. III	
CHECK	<i>Revised 9/3/63</i>				THE BOEING COMPANY	02-80085
APR						PAGE 1 of 00
APR						3-56
CONTRACT NO.						

58

UG 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

2-5000

Continous Interfield © Moore Business Forms, Inc. 8

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
324.32	2466.	2536.	2766.	2822.	2576.	2525.	2738.
330.29	2462.	2505.	2742.	2811.	2529.	2490.	2703.
336.26	2431.	2490.	2711.	2783.	2502.	2474.	2675.
342.23	2400.	2462.	2693.	2759.	2486.	2446.	2652.
348.20	2376.	2419.	2652.	2736.	2447.	2411.	2612.
354.16	2345.	2384.	2620.	2708.	2424.	2395.	2597.
360.13	2317.	2372.	2589.	2681.	2396.	2356.	2557.
375.05	2243.	2263.	2519.	2618.	2322.	2278.	2487.
389.97	2161.	2201.	2437.	2551.	2256.	2207.	2405.
404.90	2036.	2099.	2319.	2445.	2147.	2078.	2276.
419.81	1922.	1951.	2194.	2331.	2034.	1972.	2158.
434.74	1796.	1830.	2058.	2202.	1917.	1840.	2021.
449.66	1665.	1713.	1921.	2077.	1783.	1676.	1862.
464.58	1529.	1573.	1757.	1924.	1635.	1540.	1713.
479.51	1406.	1439.	1596.	1777.	1495.	1381.	1551.
494.42	1266.	1310.	1445.	1624.	1358.	1231.	1402.
509.35	1126.	1166.	1298.	1470.	1216.	1079.	1253.
524.27	955.0	993.9	1115.	1285.	1055.	855.5	1035.
539.19	772.2	797.7	898.9	1064.	857.0	682.9	839.6
554.12	612.9	622.8	713.3	845.0	685.5	521.6	666.4
569.03	445.1	438.8	520.5	602.8	502.2	369.6	486.1
583.96	317.3	289.1	363.2	416.2	368.6	261.7	363.6
598.88	233.6	219.5	261.4	310.5	295.8	205.9	289.5
601.86	226.7	219.5	247.5	289.6	275.0	198.9	275.5

CALC	08/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617                      SPEC. 0376 COND. NO. 02                      RUN 05  THE BOEING COMPANY	Vol. III
CHECK	<i>Quint...</i>					
APR						
APR						
CONTRACT NO.						D2-80085 PAGE 2.00 3-37

5-9

Continuously Interfield @ Moore Business Forms, Inc. \*

TIME SEC.	3-6 C-3M	3-7 C-5M	3-5 T-16	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
.02	99.91	108.3	116.6	157.0
5.98	219.8	212.8	116.6	157.0
11.95	275.6	345.5	164.0	163.9
17.92	375.3	416.1	212.8	177.9
23.89	462.9	497.8	275.6	191.8
29.85	538.8	613.2	357.8	219.6
35.82	613.4	698.3	445.4	247.5
41.79	656.0	772.7	533.0	303.2
47.76	762.5	834.6	619.7	351.7
53.72	854.9	930.4	703.8	404.1
59.69	900.4	995.9	804.6	479.9
65.66	966.0	1073.	895.4	555.7
71.63	1045.	1155.	1011.	633.9
77.60	1122.	1215.	1122.	724.2
83.57	1169.	1294.	1216.	818.7
89.54	1216.	1353.	1308.	909.3
95.51	1295.	1438.	1394.	1005.
101.48	1354.	1513.	1487.	1092.
107.45	1403.	1568.	1556.	1182.
113.42	1461.	1628.	1628.	1270.
119.39	1518.	1687.	1700.	1356.
134.30	1649.	1846.	1863.	1562.
149.24	1790.	1986.	2006.	1719.
164.15	1924.	2139.	2143.	1865.
179.07	2046.	2284.	2269.	2004.
194.00	2167.	2421.	2410.	2137.
208.91	2261.	2518.	2511.	2234.
223.85	2328.	2612.	2582.	2328.
238.76	2402.	2675.	2653.	2414.
253.68	2472.	2742.	2716.	2484.
268.61	2574.	2809.	2763.	2555.
270.59	2570.	2821.	2775.	2570.
276.56	2586.	2833.	2795.	2594.
282.53	2614.	2861.	2818.	2614.
288.50	2641.	2888.	2838.	2637.
294.47	2677.	2916.	2866.	2661.
300.44	2681.	2928.	2874.	2677.
306.41	2641.	2912.	2862.	2673.
312.38	2621.	2896.	2842.	2665.
318.35	2590.	2872.	2818.	2649.

CALC	08/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 05 THE BOEING COMPANY	Vol. III
CHECK	<i>Ruppato</i>	<i>alulal</i>				
APR						
APR						
CONTRACT NO.						22-8085 PAGE 1.01 3-58

9/3/63

60

TIME SEC.	J-6 C-3M	J-7 C-5M	J-5 T-16	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
324.32	2566.	2853.	2803.	2633.
330.29	2539.	2837.	2787.	2618.
336.26	2512.	2802.	2755.	2610.
342.23	2500.	2762.	2728.	2594.
348.20	2449.	2731.	2704.	2582.
354.16	2422.	2699.	2680.	2559.
360.13	2402.	2656.	2653.	2543.
375.05	2335.	2573.	2586.	2500.
389.97	2245.	2499.	2523.	2445.
404.90	2159.	2385.	2429.	2387.
419.81	2026.	2244.	2312.	2301.
434.74	1855.	2107.	2187.	2184.
449.66	1752.	1935.	2049.	2098.
464.58	1649.	1822.	1932.	1992.
479.51	1474.	1662.	1802.	1865.
494.42	1354.	1487.	1658.	1749.
509.35	1216.	1335.	1518.	1630.
524.27	1030.	1126.	1354.	1503.
539.19	850.0	960.6	1183.	1365.
554.12	687.9	756.7	1025.	1242.
569.03	509.6	532.8	844.9	1101.
583.96	416.2	381.1	671.9	959.7
598.88	331.4	289.5	533.0	833.8
601.86	317.5	268.6	515.5	813.6

CALC	08/25/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617                      SPEC. 0370 COND. NO. 02                        RUN 05 THE BOEING COMPANY	Vol. III
CHECK	<i>Regulator 2/10/61</i>					
APR						
APR						
CONTRACT NO.						D2-80085 PAGE 2 OF 1 3-59

6/ 9/3/63  
 UG 5553 7450 (WAS BAC 1745 A-R1)

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
.02	429.9	437.1	330.1	BDCL3	364.6	244.2	346.6
5.98	429.9	437.1	324.7	BDCL3	361.9	239.0	341.1
11.95	427.2	434.4	327.4	BDCL3	359.2	239.0	341.1
17.92	427.2	431.8	327.4	BDCL3	356.5	233.7	338.4
23.89	424.5	429.1	330.1	BDCL3	353.8	231.1	335.7
29.85	424.5	429.1	335.6	BDCL3	353.8	231.1	335.7
35.82	421.8	426.4	341.0	BDCL3	353.8	233.7	332.9
41.79	421.8	426.4	346.5	BDCL3	353.8	239.0	335.7
47.76	419.1	426.4	354.6	BDCL3	356.5	246.8	332.9
53.72	427.2	426.4	365.5	BDCL3	359.2	259.9	335.7
59.69	424.5	426.4	379.0	BDCL3	361.9	280.9	335.7
65.66	427.2	426.4	395.2	BDCL3	372.7	302.7	338.4
71.63	432.6	429.1	411.3	BDCL3	378.1	332.6	346.6
77.60	440.6	434.4	430.2	BDCL3	388.8	368.0	352.0
83.57	454.1	442.5	454.4	BDCL3	402.2	408.3	362.9
89.54	464.8	450.5	475.8	BDCL3	418.3	459.4	373.8
95.51	480.8	455.9	499.6	BDCL3	437.0	509.8	387.3
101.48	499.3	469.3	534.0	BDCL3	458.5	567.7	403.4
107.45	523.1	482.5	565.6	BDCL3	482.4	626.8	425.0
113.42	549.5	498.3	601.6	BDCL3	508.7	688.5	446.5
119.39	578.1	516.7	642.8	BDCL3	540.3	747.7	470.7
134.30	610.7	576.9	756.1	BDCL3	628.0	901.9	542.2
149.24	783.8	653.8	879.6	BDCL3	733.1	1054.	625.1
164.15	907.2	743.5	1010.	BDCL3	853.6	1205.	725.5
179.07	1044.	851.2	1135.	BDCL3	983.3	1345.	833.7
194.00	1175.	968.3	1255.	BDCL3	1110.	1483.	954.1
208.91	1303.	1095.	1381.	BDCL3	1235.	1607.	1076.
223.85	1417.	1205.	1489.	BDCL3	1357.	1716.	1192.
238.76	1515.	1308.	1574.	BDCL3	1468.	1818.	1297.
253.68	1602.	1400.	1648.	BDCL3	1558.	1913.	1400.
268.61	1676.	1482.	1715.	BDCL3	1634.	2004.	1496.
270.59	1686.	1490.	1726.	BDCL3	1645.	2015.	1506.
276.56	1713.	1518.	1751.	BDCL3	1676.	2047.	1543.
282.53	1741.	1545.	1776.	BDCL3	1703.	2081.	1575.
288.50	1766.	1571.	1801.	BDCL3	1728.	2110.	1607.
294.47	1791.	1598.	1829.	BDCL3	1755.	2137.	1636.
300.44	1813.	1621.	1848.	BDCL3	1783.	2167.	1665.
306.41	1838.	1642.	1867.	BDCL3	1805.	2185.	1692.
312.38	1852.	1661.	1881.	BDCL3	1827.	2206.	1716.
318.35	1866.	1677.	1892.	BDCL3	1843.	2215.	1735.

CALC	08/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. U310 COND. NO. 02 RUN 05 THE BOEING COMPANY	Vol. III
CHECK	<i>Revised 9/13/63</i>				
APR					
APR					
CONTRACT NO.					02-80085 PAGE 1 OF 2 3-60

62

9/3/63

TIME SEC.	6-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
324.32	1877.	1692.	1901.	BDCLB	1860.	2221.	1758.
330.29	1882.	1706.	1906.	BDCLB	1868.	2227.	1774.
336.26	1891.	1714.	1909.	BDCLB	1879.	2235.	1788.
342.23	1893.	1725.	1912.	BDCLB	1888.	2236.	1802.
348.20	1896.	1731.	1909.	BDCLB	1890.	2236.	1813.
354.16	1896.	1739.	1909.	BDCLB	1896.	2239.	1821.
360.13	1896.	1742.	1906.	BDCLB	1899.	2235.	1830.
375.05	1893.	1742.	1890.	BDCLB	1896.	2215.	1841.
389.97	1874.	1731.	1870.	BDCLB	1893.	2197.	1841.
404.90	1855.	1714.	1840.	BDCLB	1877.	2164.	1833.
419.81	1819.	1690.	1801.	BDCLB	1854.	2122.	1813.
434.74	1774.	1656.	1751.	BDCLB	1816.	2067.	1785.
449.56	1722.	1613.	1693.	BDCLB	1772.	2007.	1749.
464.58	1665.	1563.	1635.	BDCLB	1725.	1941.	1705.
479.51	1607.	1513.	1577.	BDCLB	1676.	1865.	1660.
494.42	1549.	1463.	1516.	BDCLB	1629.	1795.	1615.
509.35	1488.	1410.	1450.	BDCLB	1573.	1719.	1564.
524.27	1417.	1347.	1370.	BDCLB	1510.	1636.	1506.
539.19	1340.	1289.	1294.	BDCLB	1444.	1546.	1445.
554.12	1267.	1223.	1222.	BDCLB	1376.	1451.	1379.
569.03	1195.	1164.	1145.	BDCLB	1299.	1356.	1313.
585.96	1131.	1105.	1073.	BDCLB	1253.	1259.	1246.
598.88	1070.	1052.	1007.	BDCLB	1164.	1169.	1184.
601.86	1057.	1044.	996.8	BDCLB	1154.	1154.	1171.

CAIC	08/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 COND. NO. 02	SPEC. 0376 RUN 05	Vol. III	
CHECK	<i>Revised 9/3/63</i>						
APP							
APP							
				THE BOEING COMPANY		DZ-80385 PAGE 2-02	
CONTRACT NO.						3-61	

U6 5553 7450 (WAS SAC 1745 A-R1)  
9/3/63

Continous Interfield © Moore Business Forms, Inc. 0

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-20, T-21, T-22, & T-23 =  $\pm 45^\circ\text{F}$ .

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^\circ\text{F}$ .

<u>THERMOCOUPLE NO.</u>	<u>PAGE</u>
T-10, T-11, C-4M, T-12, T-13, T-14, T-15	3-63 - 3-66
C-3M, C-5M, T-16, T-24	3-67 - 3-70
T-17, T-18, T-19, T-20, T-21, T-22, T-23	3-71 - 3-74

CALC Reynolds	9/21/61	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2	Vol. III
CHECK <i>Stapp</i>	9/21/61				
APPD				COND. NO. 02	RUN 01
APPD				BOEING AIRPLANE COMPANY	
					PAGE 3-62

64

BAC 973 D-R3

9/3/63

2-7000



TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
1317.60	2290.	2418.	2651.	2618.	2535.	1928.	2191.
1347.45	2306.	2426.	2662.	2630.	2554.	1920.	2195.
1377.30	2333.	2441.	2682.	2649.	2578.	1924.	2191.
1407.14	2349.	2461.	2694.	2669.	2593.	1912.	2183.
1436.98	2345.	2457.	2694.	2669.	2597.	1912.	2167.
1440.96	2349.	2457.	2690.	2665.	2590.	1912.	2171.
1455.88	2368.	2473.	2713.	2713.	2601.	2179.	2410.
1470.81	2361.	2461.	2710.	2713.	2609.	2156.	2418.
1485.72	2364.	2469.	2713.	2717.	2609.	2156.	2422.
1500.65	2364.	2461.	2710.	2705.	2601.	2164.	2426.
1515.57	2353.	2469.	2706.	2697.	2605.	2172.	2426.
1530.49	2349.	2457.	2713.	2701.	2601.	2172.	2422.
1545.42	2349.	2461.	2710.	2697.	2601.	2172.	2434.
1560.33	2345.	2457.	2710.	2697.	2601.	2168.	2426.
1590.18	2361.	2473.	2717.	2713.	2617.	2172.	2426.
1620.03	2325.	2406.	2682.	2669.	2578.	2164.	2422.
1649.87	2294.	2394.	2651.	2649.	2554.	2140.	2418.
1679.71	2286.	2390.	2643.	2630.	2543.	2117.	2379.
1709.55	2255.	2351.	2595.	2590.	2503.	2093.	2363.
1739.40	2192.	2281.	2533.	2531.	2445.	2038.	2300.
1769.25	2098.	2183.	2423.	2421.	2335.	1948.	2206.
1799.09	1980.	2050.	2290.	2280.	2210.	1843.	2101.
1828.93	1860.	1916.	2146.	2151.	2085.	1730.	1975.
1858.77	1727.	1769.	2009.	2006.	1949.	1640.	1859.
1888.62	1604.	1633.	1866.	1870.	1824.	1499.	1722.
1918.47	1426.	1430.	1661.	1661.	1621.	1348.	1565.
1948.31	1203.	1230.	1459.	1449.	1432.	1218.	1416.
1978.15	1012.	1011.	1229.	1227.	1219.	998.4	1211.
2007.99	805.1	789.0	985.3	987.7	1009.	801.1	1011.
2037.84	591.8	550.6	719.2	726.1	771.8	557.4	741.1
2067.69	416.4	381.2	503.4	516.2	567.2	345.9	498.0
2097.53	317.6	289.6	386.8	405.0	456.5	248.0	375.4
2127.37	254.8	233.7	303.3	317.8	374.9	192.0	296.6
2157.21	205.9	184.9	240.6	254.9	303.2	164.0	247.7
2187.06	198.9	177.9	212.7	226.9	254.5	150.0	226.8
2216.91	191.9	177.9	205.7	219.9	254.5	150.0	226.8
2246.75	184.9	170.9	198.8	205.9	247.5	150.0	212.8

Continuous Interfold © Moore Business Forms, Inc. 8

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 03/0 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III
CHECK	Hipuldo				
APR					
APR					
CONTRACT NO.					D2-80885 PAGE 4.00 3-63

65

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

TIME SEC.      3-6 C-3M      3-7 C-5M      3-5 T-16      7-5 T-24  
 -----DEGREES FAHRENHEIT-----

09.99-	370.1	381.8	434.6	398.7
85.06-	393.6	393.6	452.0	416.3
70.14-	417.0	399.4	460.7	439.6
55.22-	428.7	422.9	403.2	457.1
40.29-	417.0	422.9	500.9	480.5
25.32-	440.4	446.3	522.5	498.0
10.45-	446.3	446.3	540.0	515.5
4.47	458.0	481.5	543.5	533.1
19.39	463.9	481.5	575.2	533.1
34.32	481.5	481.5	581.1	538.9
49.23	458.0	487.3	592.8	544.7
64.16	499.0	475.6	592.6	562.3
79.08	481.5	499.0	592.6	579.8
94.00	481.5	499.0	614.8	573.9
108.93	493.2	499.0	614.8	585.6
123.84	510.8	510.8	625.4	602.9
138.77	510.8	516.6	636.1	613.5
150.71	540.1	569.4	646.8	618.8
156.67	646.8	678.8	672.8	634.8
162.64	742.8	774.8	753.5	677.3
168.61	841.9	872.3	836.8	735.8
174.52	948.2	978.6	963.4	799.6
180.54	1032.	1067.	1062.	865.2
186.51	1144.	1163.	1172.	946.0
192.42	1233.	1252.	1266.	1026.
198.45	1321.	1339.	1353.	1103.
204.42	1429.	1460.	1446.	1183.
210.39	1547.	1564.	1560.	1276.
225.32	1823.	1839.	1823.	1518.
240.24	2082.	2094.	2070.	1773.
255.15	2334.	2322.	2267.	2026.
270.09	2565.	2538.	2467.	2250.
285.00	2633.	2589.	2514.	2379.
299.93	2682.	2633.	2565.	2445.
314.85	2644.	2597.	2546.	2461.
329.76	2613.	2558.	2518.	2445.
344.70	2518.	2463.	2451.	2394.
359.61	2420.	2369.	2369.	2328.
389.46	2228.	2173.	2196.	2183.
419.31	2031.	1992.	2031.	2026.

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617      SPEC. 0376 COND. NO. 02      RUN 01 THE BOEING COMPANY	Vol. III
CHECK	<i>Wepster 2/20/6</i>				
APR					
APR					
CONTRACT NO.					02-80085 PAGE 1.01 3-64

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

66

Continous Interfold © Moore Business Forms, Inc. 9

TIME SEC.	J-6 C-3M	J-7 C-5M	J-5 T-16	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
449.15	1831.	1790.	1856.	1867.
478.98	1713.	1679.	1748.	1748.
508.83	1602.	1581.	1654.	1671.
538.68	1538.	1517.	1581.	1624.
568.53	1517.	1482.	1543.	1582.
598.37	1513.	1496.	1534.	1556.
628.20	1551.	1585.	1594.	1586.
658.05	1790.	1794.	1760.	1739.
687.90	1929.	1901.	1884.	1867.
717.75	1968.	1929.	1921.	1912.
747.59	1976.	1937.	1921.	1940.
777.42	1992.	1941.	1913.	1948.
807.27	1972.	1941.	1901.	1948.
810.26	1968.	1937.	1913.	1944.
816.23	1964.	1941.	1896.	1940.
822.20	1964.	1937.	1896.	1936.
828.16	1960.	1921.	1896.	1936.
834.13	2023.	1847.	1856.	1948.
836.13	2015.	1835.	1843.	1952.
838.11	2023.	1803.	1835.	1960.
840.10	2047.	1782.	1827.	1968.
842.10	2027.	1811.	1819.	1971.
844.08	2004.	1807.	1815.	1968.
846.07	2015.	1811.	1815.	1964.
848.07	2047.	1815.	1819.	1968.
850.05	2051.	1815.	1819.	1971.
852.03	2070.	1819.	1815.	1979.
854.03	2074.	1823.	1815.	1987.
856.02	2074.	1831.	1819.	1991.
858.00	2110.	1880.	1831.	1995.
860.00	2188.	1957.	1856.	2011.
861.99	2255.	1984.	1884.	2038.
863.97	2334.	2031.	1921.	2073.
865.97	2412.	2074.	1960.	2120.
867.96	2463.	2098.	2000.	2159.
869.94	2491.	2125.	2035.	2199.
871.94	2522.	2153.	2066.	2238.
873.93	2542.	2180.	2094.	2265.
875.91	2565.	2196.	2118.	2289.
877.90	2589.	2212.	2141.	2312.

CALC	09/14/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III
CHECK	<i>Page 1 of 2</i>				
APR					
APR					
CONTRACT NO.					PAGE 2 OF 01

U6 5533 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

Continuing Interior © Moore Business Forms, Inc. 8

TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-10	T-24
	-----DEGREES FAHRENHEIT-----			
879.90	2617.	2232.	2157.	2332.
881.88	2648.	2251.	2180.	2355.
883.87	2668.	2263.	2192.	2379.
885.87	2700.	2283.	2212.	2406.
887.85	2716.	2290.	2228.	2430.
889.84	2724.	2290.	2235.	2449.
891.84	2716.	2287.	2243.	2461.
893.82	2727.	2287.	2243.	2473.
895.81	2731.	2290.	2251.	2484.
897.81	2731.	2298.	2251.	2484.
899.79	2727.	2306.	2259.	2488.
905.76	2747.	2314.	2271.	2504.
911.73	2743.	2318.	2279.	2520.
917.70	2735.	2290.	2267.	2520.
923.67	2724.	2271.	2251.	2516.
929.64	2724.	2294.	2267.	2520.
935.61	2727.	2283.	2271.	2520.
941.58	2739.	2290.	2267.	2528.
947.55	2720.	2283.	2267.	2520.
953.51	2716.	2287.	2267.	2520.
959.48	2692.	2279.	2259.	2516.
965.45	2672.	2232.	2239.	2496.
971.42	2637.	2200.	2212.	2484.
977.38	2617.	2177.	2188.	2465.
983.35	2601.	2145.	2165.	2449.
989.32	2581.	2125.	2149.	2434.
995.29	2569.	2133.	2133.	2418.
1001.25	2554.	2114.	2129.	2410.
1007.22	2542.	2110.	2121.	2402.
1013.19	2526.	2098.	2114.	2390.
1019.16	2507.	2098.	2110.	2383.
1049.01	2436.	2047.	2059.	2328.
1078.86	2424.	2051.	2059.	2308.
1108.70	2428.	2047.	2063.	2320.
1138.54	2444.	2067.	2070.	2324.
1168.38	2483.	2094.	2094.	2355.
1198.23	2550.	2165.	2153.	2402.
1228.08	2629.	2243.	2220.	2465.
1257.92	2684.	2306.	2279.	2520.
1287.76	2720.	2345.	2326.	2559.

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0316 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III
CHECK	<i>[Signature]</i>				
APR					02-80885
APR					PAGE 3 OF 1
CONTRACT NO.					3-66

68

9/3/63

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
	-----DEGREES FAHRENHEIT-----						
449.15	1557.	1637.	1866.	1841.	1783.	1432.	1735.
478.08	1448.	1526.	1746.	1724.	1664.	1366.	1658.
508.83	1337.	1425.	1627.	1618.	1562.	1297.	1577.
538.68	1263.	1358.	1572.	1550.	1507.	1256.	1522.
568.53	1254.	1349.	1546.	1528.	1485.	1200.	1452.
598.37	1268.	1372.	1555.	1533.	1489.	1247.	1492.
628.20	1350.	1461.	1644.	1626.	1575.	1297.	1543.
658.05	1508.	1667.	1857.	1841.	1791.	1464.	1709.
687.00	1651.	1773.	1973.	1955.	1897.	1542.	1815.
717.75	1676.	1798.	2001.	1974.	1913.	1542.	1815.
747.59	1685.	1802.	2013.	1994.	1937.	1459.	1748.
777.42	1680.	1810.	2020.	1998.	1929.	1357.	1616.
807.27	1680.	1798.	2009.	1994.	1925.	1338.	1590.
810.26	1680.	1798.	2009.	1990.	1921.	1334.	1590.
816.23	1685.	1794.	2009.	1990.	1925.	1325.	1586.
822.20	1685.	1798.	2005.	1990.	1925.	1325.	1582.
828.16	1676.	1790.	2001.	1982.	1917.	1302.	1565.
834.13	1676.	1786.	2001.	1962.	1917.	1218.	1465.
836.13	1672.	1781.	1993.	1962.	1913.	1279.	1539.
838.11	1650.	1769.	1985.	1951.	1901.	1320.	1590.
840.10	1655.	1769.	1985.	1939.	1901.	1338.	1607.
842.10	1655.	1769.	1977.	1951.	1897.	1366.	1616.
844.08	1625.	1739.	1962.	1923.	1876.	1348.	1603.
846.07	1617.	1726.	1954.	1915.	1864.	1357.	1603.
848.07	1620.	1747.	1966.	1923.	1876.	1374.	1616.
850.05	1621.	1743.	1958.	1915.	1868.	1370.	1616.
852.03	1621.	1735.	1958.	1915.	1872.	1374.	1616.
854.03	1621.	1743.	1962.	1923.	1881.	1379.	1620.
856.02	1620.	1752.	1966.	1923.	1885.	1392.	1633.
858.00	1650.	1794.	2001.	1962.	1913.	1450.	1684.
860.00	1757.	1896.	2087.	2049.	2007.	1525.	1752.
861.99	1852.	1995.	2169.	2135.	2085.	1585.	1815.
863.97	1953.	2097.	2263.	2229.	2183.	1627.	1867.
865.97	2031.	2183.	2349.	2312.	2257.	1679.	1920.
867.96	2007.	2210.	2388.	2351.	2292.	1704.	1952.
869.94	2007.	2210.	2415.	2359.	2300.	1717.	1971.
871.94	2090.	2222.	2435.	2382.	2320.	1743.	1987.
873.93	2110.	2246.	2458.	2406.	2343.	1755.	1999.
875.91	2145.	2269.	2486.	2421.	2363.	1768.	2015.
877.90	2161.	2296.	2509.	2453.	2386.	1794.	2046.

CALC	09/14/71	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 03/0 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III
CHECK	<i>Reynolds</i>				
APP					
APP					
CONTRACT NO.					PAGE 2.00

69

9/3/63

Continuum Interfield, Moore Business Forms, Inc.

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
	-----DEGREES FAHRENHEIT-----						
449.15	1557.	1637.	1866.	1841.	1783.	1432.	1735.
478.98	1448.	1526.	1746.	1724.	1664.	1366.	1658.
508.83	1337.	1425.	1627.	1618.	1562.	1297.	1577.
538.68	1263.	1358.	1572.	1550.	1507.	1256.	1522.
568.53	1254.	1349.	1546.	1528.	1485.	1200.	1452.
598.37	1268.	1372.	1555.	1533.	1489.	1247.	1492.
628.20	1350.	1461.	1644.	1626.	1575.	1297.	1543.
658.05	1548.	1667.	1857.	1841.	1791.	1464.	1709.
687.90	1651.	1773.	1973.	1955.	1897.	1542.	1815.
717.75	1676.	1798.	2001.	1974.	1913.	1542.	1815.
747.59	1685.	1802.	2013.	1994.	1937.	1459.	1748.
777.42	1680.	1810.	2020.	1998.	1929.	1357.	1616.
807.27	1680.	1798.	2009.	1994.	1925.	1338.	1590.
810.26	1680.	1798.	2009.	1990.	1921.	1334.	1590.
816.23	1685.	1794.	2009.	1990.	1925.	1325.	1586.
822.20	1685.	1798.	2005.	1990.	1925.	1325.	1582.
828.16	1676.	1790.	2001.	1982.	1917.	1302.	1565.
834.13	1676.	1786.	2001.	1962.	1917.	1218.	1465.
836.13	1672.	1781.	1993.	1962.	1913.	1279.	1539.
838.11	1650.	1769.	1985.	1951.	1901.	1320.	1590.
840.10	1655.	1769.	1985.	1939.	1901.	1338.	1607.
842.10	1655.	1769.	1977.	1951.	1897.	1366.	1616.
844.08	1625.	1739.	1962.	1923.	1876.	1348.	1603.
846.07	1617.	1726.	1954.	1915.	1864.	1357.	1603.
848.07	1629.	1747.	1966.	1923.	1876.	1374.	1616.
850.05	1621.	1743.	1958.	1915.	1868.	1370.	1616.
852.03	1621.	1735.	1958.	1915.	1872.	1374.	1616.
854.03	1621.	1743.	1962.	1923.	1881.	1379.	1620.
856.02	1620.	1752.	1966.	1923.	1885.	1392.	1633.
858.00	1650.	1794.	2001.	1962.	1913.	1450.	1684.
860.00	1757.	1896.	2087.	2049.	2007.	1525.	1752.
861.99	1852.	1995.	2169.	2135.	2085.	1585.	1815.
863.97	1953.	2097.	2263.	2229.	2183.	1627.	1867.
865.97	2031.	2183.	2349.	2312.	2257.	1674.	1920.
867.96	2067.	2210.	2388.	2351.	2292.	1704.	1952.
869.94	2067.	2210.	2415.	2359.	2300.	1717.	1971.
871.94	2090.	2222.	2435.	2382.	2320.	1745.	1987.
873.93	2110.	2246.	2458.	2406.	2343.	1755.	1999.
875.91	2145.	2269.	2486.	2421.	2363.	1768.	2015.
877.90	2161.	2296.	2509.	2453.	2386.	1794.	2046.

CALC	09/14/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 CCND. NO. 02	SPEC. 03/0 RUN 01	Vol. III		
CHECK	<i>[Signature]</i>							
APR								02-80885
APR								PAGE 2.00
CONTRACT NO.				THE BOEING COMPANY		3-67		

9/3/63

Continues Interfield Moore Business Form, Inc.

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
99.99-	324.6	331.4	380.9	393.3	369.1	317.9	416.3
85.06-	331.6	331.4	386.8	399.1	380.8	324.9	427.9
70.14-	358.0	363.7	415.9	422.5	404.1	331.9	439.6
55.22-	375.5	381.2	439.3	445.9	421.5	358.3	468.8
40.29-	369.7	381.2	430.3	440.1	421.5	352.5	474.7
25.38-	381.3	381.2	439.3	457.6	439.0	364.2	486.3
10.45-	381.3	387.0	445.1	451.8	439.0	381.7	503.9
4.47	398.9	416.2	462.6	486.9	468.2	387.6	521.4
19.39	416.4	416.2	474.3	498.6	474.0	375.9	498.0
34.32	416.4	416.2	485.9	498.6	474.0	381.7	509.7
49.23	398.9	416.2	480.1	486.9	468.2	387.6	521.4
64.16	398.9	404.6	474.3	486.9	468.2	387.6	521.4
79.08	416.4	416.2	485.9	498.6	479.8	399.3	533.1
94.00	422.3	427.9	503.4	510.3	497.3	416.9	562.3
108.93	428.1	433.8	503.4	516.2	503.1	405.2	544.7
123.84	439.8	439.6	520.9	533.7	503.1	428.6	562.3
138.77	439.8	439.6	520.9	533.7	509.0	422.7	568.1
150.71	469.0	474.6	555.9	568.8	543.9	457.9	602.9
156.67	597.6	645.4	676.7	720.8	686.9	534.0	688.0
162.64	704.3	783.6	804.0	876.5	803.4	635.9	804.7
168.61	773.4	855.1	899.7	967.5	884.0	726.5	920.7
174.58	850.5	930.8	1000.	1056.	974.6	790.5	991.4
180.54	911.1	996.4	1082.	1133.	1058.	846.6	1045.
186.51	1007.	1108.	1196.	1246.	1167.	917.4	1127.
192.48	1074.	1179.	1280.	1324.	1247.	978.2	1202.
198.45	1151.	1253.	1379.	1418.	1343.	1047.	1276.
204.42	1245.	1363.	1465.	1524.	1449.	1143.	1367.
210.39	1323.	1447.	1503.	1614.	1549.	1218.	1465.
225.32	1534.	1671.	1857.	1870.	1799.	1441.	1709.
240.24	1753.	1892.	2103.	2096.	2015.	1657.	1924.
255.15	1961.	2124.	2337.	2319.	2226.	1863.	2132.
270.09	2172.	2328.	2568.	2539.	2425.	2050.	2332.
285.00	2298.	2437.	2678.	2653.	2531.	2093.	2379.
299.93	2345.	2480.	2729.	2705.	2582.	2136.	2434.
314.85	2313.	2433.	2690.	2661.	2550.	2093.	2394.
329.76	2286.	2394.	2651.	2626.	2515.	2070.	2379.
344.70	2180.	2285.	2537.	2520.	2418.	1983.	2289.
359.61	2094.	2195.	2447.	2425.	2335.	1912.	2214.
389.46	1917.	2003.	2251.	2233.	2144.	1751.	2065.
419.31	1727.	1802.	2048.	2029.	1956.	1606.	1916.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 COND. NO. 02	Vol. III SPEC. 0376 RUN 01
CHECK	<i>Reynolds</i>	<i>9/2/63</i>				
APR						
APR						
					THE BOEING COMPANY	22-50085 PAGE 1.00
CONTRACT NO.						3-68

70

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

Continous Interfold © Moore Business Forms, Inc.

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
879.90	2180.	2312.	2533.	2476.	2414.	1814.	2073.
881.88	2196.	2332.	2560.	2504.	2441.	1822.	2093.
883.87	2223.	2359.	2584.	2531.	2457.	1830.	2097.
885.87	2259.	2390.	2615.	2563.	2484.	1855.	2120.
887.85	2266.	2402.	2635.	2578.	2500.	1847.	2132.
889.84	2270.	2402.	2635.	2582.	2507.	1834.	2124.
891.84	2278.	2406.	2639.	2590.	2519.	1834.	2124.
893.82	2294.	2418.	2651.	2602.	2531.	1834.	2120.
895.81	2306.	2433.	2662.	2618.	2543.	1834.	2120.
897.81	2310.	2430.	2670.	2626.	2546.	1851.	2128.
899.79	2317.	2441.	2678.	2630.	2554.	1863.	2140.
905.76	2341.	2461.	2702.	2657.	2574.	1855.	2124.
911.73	2329.	2445.	2698.	2657.	2574.	1855.	2124.
917.70	2310.	2422.	2666.	2626.	2550.	1838.	2124.
923.67	2274.	2386.	2635.	2594.	2519.	1830.	2116.
929.64	2247.	2367.	2611.	2567.	2496.	1855.	2128.
935.61	2227.	2343.	2584.	2539.	2468.	1843.	2120.
941.58	2216.	2336.	2584.	2539.	2464.	1838.	2116.
947.55	2223.	2339.	2584.	2539.	2464.	1830.	2105.
953.51	2223.	2347.	2584.	2539.	2464.	1830.	2097.
959.48	2212.	2324.	2568.	2520.	2445.	1822.	2089.
965.45	2184.	2300.	2537.	2492.	2421.	1777.	2054.
971.42	2153.	2261.	2509.	2465.	2398.	1755.	2038.
977.38	2133.	2238.	2478.	2433.	2367.	1747.	2026.
983.35	2090.	2191.	2439.	2386.	2320.	1721.	2003.
989.32	2067.	2175.	2415.	2370.	2304.	1708.	1991.
995.29	2071.	2175.	2419.	2374.	2308.	1717.	1987.
1001.25	2055.	2155.	2400.	2351.	2289.	1713.	1979.
1007.22	2051.	2159.	2400.	2355.	2292.	1696.	1968.
1013.19	2047.	2152.	2384.	2347.	2281.	1696.	1964.
1019.16	2039.	2144.	2384.	2347.	2289.	1679.	1956.
1049.01	2012.	2105.	2345.	2319.	2257.	1644.	1936.
1078.86	2000.	2097.	2325.	2312.	2250.	1662.	1932.
1108.70	1957.	2058.	2298.	2268.	2203.	1662.	1932.
1138.54	1988.	2105.	2329.	2296.	2242.	1666.	1948.
1168.38	2027.	2144.	2368.	2339.	2277.	1687.	1964.
1198.23	2106.	2214.	2451.	2410.	2347.	1747.	2030.
1228.08	2168.	2285.	2521.	2480.	2414.	1826.	2089.
1257.92	2216.	2336.	2572.	2523.	2457.	1883.	2152.
1287.76	2263.	2383.	2611.	2578.	2507.	1924.	2195.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III
CHECK	<i>W. J. ...</i>	<i>2/2/61</i>				
APR						
APR						
CONTRACT NO.						02-80085 PAGE 3 OF 00 3-69

71

Copyright Material - Review Only - Not for Redistribution



TIME SEC.	J-6 C-3M	J-7 C-5M	J-5 T-16	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
1317.60	2747.	2357.	2338.	2582.
1347.45	2743.	2357.	2330.	2582.
1377.30	2743.	2349.	2330.	2590.
1407.14	2739.	2345.	2322.	2594.
1436.98	2739.	2330.	2314.	2594.
1440.96	2743.	2330.	2314.	2598.
1455.88	2660.	2625.	2518.	2582.
1470.81	2656.	2625.	2554.	2571.
1485.72	2660.	2621.	2554.	2563.
1500.65	2660.	2613.	2558.	2571.
1515.57	2664.	2617.	2558.	2578.
1530.49	2660.	2617.	2554.	2575.
1545.42	2664.	2613.	2558.	2578.
1560.33	2660.	2617.	2554.	2582.
1590.18	2660.	2621.	2565.	2575.
1620.03	2644.	2597.	2542.	2563.
1649.87	2605.	2569.	2526.	2539.
1679.71	2585.	2554.	2503.	2520.
1709.55	2558.	2503.	2467.	2496.
1739.40	2495.	2440.	2412.	2445.
1769.25	2400.	2345.	2330.	2379.
1799.09	2294.	2220.	2235.	2300.
1828.93	2133.	2082.	2110.	2187.
1858.77	1992.	1953.	1980.	2069.
1888.62	1831.	1798.	1856.	1956.
1918.47	1637.	1602.	1688.	1819.
1948.31	1438.	1415.	1530.	1662.
1978.15	1205.	1177.	1330.	1496.
2007.99	1004.	933.0	1130.	1340.
2037.84	841.9	689.5	917.8	1197.
2067.69	673.5	463.9	705.4	1045.
2097.53	528.3	339.0	534.2	885.4
2127.37	399.4	255.0	428.7	741.1
2157.21	304.0	206.0	358.4	597.3
2187.06	276.0	192.0	297.0	498.0
2216.91	262.0	185.0	276.0	439.6
2246.75	248.0	185.0	255.0	398.7

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01  THE BOEING COMPANY	Vol. III
CHECK	<i>Supplied 9/2/63</i>				
APR					
APR					
CONTRACT NO.					02-80085 PAGE 4.01 3-70

72

Certifigap Interfield © Moore Business Forms, Inc. 9

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
99.99-	108.0	92.42	97.42	212.6	150.0	228.3	139.5
85.06-	113.2	95.04	107.9	228.3	160.4	244.0	152.6
70.14-	118.5	97.66	113.2	241.3	176.0	257.0	165.7
55.22-	129.0	100.3	121.1	262.2	189.0	275.3	176.1
40.29-	136.9	105.5	129.0	277.9	202.0	291.4	186.6
25.38-	142.1	108.1	136.9	296.8	215.1	307.7	202.3
10.45-	150.0	113.4	144.7	313.1	230.7	326.7	212.8
4.47	160.4	118.6	152.6	334.8	243.7	345.7	228.4
19.39	168.3	123.8	160.4	351.0	259.3	364.8	241.5
34.32	176.1	131.7	169.3	364.6	272.3	375.5	254.6
49.23	186.6	134.3	178.7	375.4	285.5	389.0	267.7
64.16	191.8	139.5	186.6	388.8	299.1	399.7	278.1
79.08	202.2	147.4	194.4	404.9	312.6	415.8	291.6
94.00	212.7	152.6	204.9	421.0	323.4	429.2	305.2
108.93	220.5	160.4	215.3	431.7	337.0	442.6	318.8
123.84	231.0	165.6	225.8	445.1	350.5	453.3	327.0
138.77	238.8	170.8	233.6	458.5	361.3	464.0	340.6
150.71	249.2	178.6	241.4	469.2	372.1	474.7	351.5
156.67	254.5	181.2	246.7	474.5	377.5	482.6	356.9
162.64	257.1	186.4	254.5	482.4	382.8	487.8	362.4
168.61	264.9	189.0	257.1	487.6	388.2	498.4	367.8
174.58	264.9	191.6	259.7	495.5	393.5	508.9	373.2
180.54	270.1	194.2	264.9	503.4	398.9	522.1	378.6
186.51	275.4	199.4	270.2	514.0	404.2	540.6	383.9
192.48	280.6	202.0	275.4	524.5	409.5	561.6	389.3
198.45	288.7	207.2	280.6	540.3	417.6	584.7	400.0
204.42	294.2	212.4	291.5	558.8	425.6	615.5	405.4
210.39	302.3	215.0	296.9	579.3	430.9	651.4	416.2
225.37	326.8	225.4	324.1	643.4	457.6	764.2	440.3
240.24	367.5	241.0	350.4	730.5	489.4	915.4	480.4
255.15	431.9	256.6	415.9	840.8	534.0	1095.	535.9
270.09	522.2	282.7	490.7	988.4	596.1	1290.	600.7
285.00	641.2	317.9	595.2	1156.	675.4	1482.	690.6
299.93	774.7	374.7	721.0	1310.	772.5	1630.	783.1
314.85	897.8	454.8	841.6	1442.	885.0	1745.	883.3
329.76	989.1	557.5	936.1	1534.	998.8	1814.	969.8
344.70	1050.	664.8	1002.	1592.	1100.	1833.	1061.
359.61	1080.	761.9	1048.	1629.	1171.	1828.	1125.
389.46	1096.	887.1	1083.	1655.	1256.	1770.	1199.
419.31	1078.	925.2	1070.	1634.	1281.	1688.	1212.

<table border="1"> <tr><td>CALC</td><td>09/14/1</td><td>REVISED</td><td>DATE</td></tr> <tr><td>CHECK</td><td><i>Remond</i></td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td></tr> </table>	CALC	09/14/1	REVISED	DATE	CHECK	<i>Remond</i>			APR				APR				<p>LEADING EDGE TEST LT-5-617-2-2  EWA NO. 05617                      SPEC. 0376  COND. NO. 02                         RUN 01</p> <p>THE BOEING COMPANY</p>	<p>Vol. III</p> <p>P2-80085</p> <p>PAGE 1.02</p> <p>3-76</p>
CALC	09/14/1	REVISED	DATE															
CHECK	<i>Remond</i>																	
APR																		
APR																		
CONTRACT NO.																		

73

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
449.15	1040.	920.1	1035.	1579.	1266.	1595.	1191.
478.98	994.1	889.7	986.8	1500.	1225.	1490.	1150.
508.83	946.0	856.5	943.7	1426.	1176.	1408.	1102.
538.68	918.1	830.9	905.7	1381.	1146.	1371.	1066.
568.53	902.9	813.0	880.1	1352.	1125.	1342.	1048.
598.37	885.0	792.6	857.0	1315.	1100.	1308.	1028.
628.20	874.7	782.4	849.3	1299.	1085.	1308.	1015.
658.05	872.1	777.3	857.0	1302.	1077.	1342.	1015.
687.90	910.5	790.0	882.6	1344.	1090.	1421.	1028.
717.75	943.4	805.4	915.8	1394.	1113.	1474.	1054.
747.59	976.4	830.9	943.7	1434.	1143.	1516.	1086.
777.42	1002.	856.5	969.0	1471.	1174.	1540.	1115.
807.27	1022.	882.0	986.8	1494.	1202.	1555.	1138.
810.26	1025.	884.6	989.3	1500.	1204.	1556.	1140.
816.23	1027.	889.7	991.9	1500.	1210.	1556.	1143.
822.20	1035.	892.2	994.4	1502.	1212.	1558.	1148.
828.16	1035.	894.8	996.9	1505.	1215.	1558.	1150.
834.13	1035.	897.4	999.5	1510.	1220.	1558.	1153.
836.13	1037.	899.9	999.5	1510.	1222.	1558.	1156.
838.11	1037.	899.9	999.5	1510.	1222.	1558.	1156.
840.10	1037.	902.4	1002.	1510.	1222.	1558.	1158.
842.10	1040.	902.4	1002.	1510.	1225.	1558.	1158.
844.08	1040.	902.4	1002.	1513.	1225.	1558.	1158.
846.07	1040.	905.0	1002.	1513.	1225.	1558.	1161.
848.07	1042.	905.0	999.5	1515.	1227.	1558.	1161.
850.05	1042.	907.5	1002.	1515.	1227.	1558.	1163.
852.03	1045.	907.5	999.5	1518.	1230.	1561.	1163.
854.03	1045.	910.0	999.5	1518.	1230.	1561.	1163.
856.02	1045.	910.0	999.5	1521.	1233.	1564.	1166.
858.00	1045.	912.5	999.5	1521.	1233.	1564.	1166.
860.00	1045.	912.5	999.5	1523.	1235.	1569.	1166.
861.99	1045.	915.1	999.5	1526.	1235.	1577.	1168.
863.97	1047.	915.1	996.9	1526.	1238.	1582.	1168.
865.97	1050.	915.1	996.9	1529.	1238.	1595.	1168.
867.96	1052.	915.1	996.9	1531.	1238.	1605.	1174.
869.94	1052.	915.1	996.9	1537.	1240.	1616.	1174.
871.94	1057.	917.6	996.9	1539.	1245.	1624.	1174.
873.93	1060.	917.6	996.9	1544.	1243.	1635.	1176.
875.91	1060.	920.1	999.5	1552.	1245.	1648.	1176.
877.90	1063.	922.6	1002.	1555.	1245.	1659.	1176.

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III
CHECK	Kupich	Wolfe			
APR					
APR					
CONTRACT NO.					02-8085 PAGE 2 OF 2 3-72

Catholics Int'l. © Moore Business Forms, Inc. 8

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
879.90	1070.	920.1	1002.	1563.	1245.	1669.	1179.
881.88	1070.	922.6	1002.	1566.	1250.	1685.	1181.
883.87	1075.	922.6	1002.	1573.	1250.	1696.	1181.
885.87	1078.	927.7	1005.	1581.	1253.	1712.	1189.
887.85	1083.	930.2	1007.	1589.	1256.	1725.	1189.
889.84	1088.	930.2	1010.	1594.	1258.	1737.	1191.
891.84	1090.	930.2	1012.	1605.	1263.	1751.	1197.
893.82	1098.	932.7	1015.	1616.	1266.	1759.	1199.
895.81	1103.	937.8	1015.	1623.	1271.	1775.	1202.
897.81	1108.	940.3	1020.	1631.	1271.	1786.	1204.
899.79	1113.	940.3	1022.	1642.	1273.	1795.	1207.
905.76	1129.	947.9	1030.	1668.	1286.	1828.	1220.
911.73	1147.	955.4	1037.	1692.	1296.	1850.	1233.
917.70	1159.	965.5	1048.	1716.	1312.	1872.	1245.
923.67	1172.	973.1	1055.	1739.	1325.	1889.	1258.
929.64	1184.	983.2	1063.	1758.	1338.	1900.	1274.
935.61	1200.	993.3	1073.	1777.	1351.	1911.	1284.
941.58	1211.	1003.	1081.	1788.	1365.	1920.	1297.
947.55	1218.	1016.	1091.	1805.	1380.	1925.	1310.
953.51	1226.	1024.	1096.	1816.	1391.	1934.	1320.
959.48	1234.	1034.	1103.	1827.	1404.	1937.	1331.
965.45	1241.	1041.	1109.	1835.	1415.	1934.	1339.
971.42	1247.	1049.	1114.	1841.	1422.	1937.	1349.
977.38	1252.	1059.	1121.	1849.	1433.	1934.	1357.
983.35	1254.	1067.	1124.	1852.	1441.	1928.	1363.
989.32	1257.	1072.	1129.	1854.	1449.	1922.	1370.
995.29	1259.	1077.	1132.	1854.	1457.	1917.	1376.
1001.25	1262.	1082.	1134.	1854.	1462.	1911.	1381.
1007.22	1262.	1087.	1137.	1854.	1467.	1905.	1381.
1013.19	1262.	1092.	1139.	1852.	1470.	1900.	1384.
1019.16	1262.	1092.	1139.	1852.	1475.	1894.	1386.
1049.01	1265.	1110.	1147.	1843.	1485.	1875.	1392.
1078.86	1265.	1117.	1155.	1827.	1483.	1858.	1397.
1108.70	1226.	1125.	1160.	1821.	1485.	1850.	1397.
1138.54	1277.	1135.	1173.	1824.	1491.	1856.	1402.
1168.38	1290.	1145.	1180.	1832.	1499.	1869.	1410.
1198.23	1306.	1158.	1198.	1849.	1509.	1900.	1423.
1228.08	1329.	1183.	1216.	1879.	1528.	1945.	1442.
1257.92	1361.	1204.	1242.	1916.	1554.	1988.	1468.
1287.76	1390.	1232.	1270.	1950.	1580.	2031.	1497.

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III
CHECK	<i>Boeing 9/20/63</i>				
APR					
APR					
CONTRACT NO.					02-8085 PAGE 3 OF 02 3-73

75

9/3/63

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
1317.60	1422.	1263.	1296.	1984.	1609.	2059.	1524.
1347.45	1443.	1291.	1325.	2012.	1633.	2076.	1550.
1377.30	1464.	1317.	1346.	2029.	1654.	2090.	1574.
1407.14	1485.	1340.	1364.	2046.	1669.	2105.	1592.
1436.98	1498.	1361.	1383.	2058.	1683.	2114.	1611.
1440.96	1501.	1361.	1385.	2058.	1688.	2114.	1613.
1455.88	1511.	1374.	1398.	2066.	1693.	2135.	1621.
1470.81	1525.	1388.	1425.	2069.	1698.	2150.	1632.
1485.72	1538.	1403.	1459.	2072.	1704.	2159.	1642.
1500.65	1548.	1419.	1485.	2072.	1707.	2162.	1650.
1515.57	1559.	1437.	1507.	2078.	1715.	2168.	1661.
1530.49	1569.	1453.	1525.	2086.	1720.	2174.	1671.
1545.42	1577.	1469.	1538.	2089.	1726.	2177.	1677.
1560.33	1588.	1479.	1549.	2092.	1734.	2180.	1687.
1590.18	1601.	1498.	1567.	2103.	1745.	2186.	1701.
1620.03	1612.	1511.	1578.	2103.	1753.	2183.	1706.
1649.87	1606.	1516.	1583.	2103.	1756.	2171.	1714.
1679.71	1583.	1514.	1583.	2095.	1753.	2162.	1709.
1709.55	1598.	1508.	1575.	2083.	1745.	2141.	1701.
1739.40	1590.	1503.	1565.	2063.	1734.	2111.	1695.
1769.25	1580.	1493.	1554.	2041.	1729.	2068.	1682.
1799.09	1559.	1479.	1530.	2009.	1712.	2019.	1666.
1828.93	1538.	1458.	1504.	1967.	1690.	1951.	1645.
1858.77	1503.	1432.	1470.	1913.	1664.	1878.	1616.
1888.62	1469.	1401.	1433.	1854.	1630.	1806.	1584.
1918.47	1432.	1369.	1390.	1794.	1593.	1729.	1547.
1948.31	1390.	1332.	1348.	1730.	1559.	1648.	1505.
1978.15	1337.	1288.	1303.	1650.	1507.	1558.	1460.
2007.99	1290.	1245.	1255.	1568.	1454.	1474.	1413.
2037.84	1241.	1201.	1201.	1489.	1401.	1390.	1360.
2067.69	1185.	1145.	1137.	1413.	1344.	1313.	1304.
2097.53	1111.	1077.	1065.	1318.	1271.	1226.	1240.
2127.37	1027.	1001.	991.9	1212.	1189.	1129.	1163.
2157.21	946.0	927.7	910.7	1095.	1097.	1022.	1079.
2187.06	872.1	861.6	841.6	975.7	1001.	917.9	995.1
2216.91	815.7	810.5	785.1	869.0	915.5	828.4	919.0
2246.75	767.0	767.0	738.9	786.9	841.5	754.0	852.5

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III
CHECK	<i>Alvin G. ...</i>				
APR					02-8085
APR					PAGE 4.02
CONTRACT NO.					3-74

Continuum Interfield © Moore - Albest Form, Inc. 8

76

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-20, T-21, T-22, & T-23 =  $\pm 45^{\circ}\text{F}$ .

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^{\circ}\text{F}$ .

THERMOCOUPLE NO.

PAGE

T-10, T-11, C-4M, T-12, T-13, T-14, T-15

3-76 - 3-79

C-3M, C-5M, T-16, T-24

3-80 - 3-83

T-17, T-18, T-19, T-20, T-21, T-22, T-23

3-84 - 3-87

<table border="1"> <tr> <td>CALC</td> <td>Reynolds</td> <td>10/2/61</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td>Stepp</td> <td>10/3/61</td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	CALC	Reynolds	10/2/61	REVISED	DATE	CHECK	Stepp	10/3/61			APPD					APPD					<p>LEADING EDGE TEST LT-5-617-2-2          EWA NO. 05617      SPEC. 0376          COND. NO. 02      RUN 02</p>	<p>Vol. III          02-80085</p>
CALC	Reynolds	10/2/61	REVISED	DATE																		
CHECK	Stepp	10/3/61																				
APPD																						
APPD																						
<p>BOEING AIRPLANE COMPANY</p>		<p>PAGE          3-75</p>																				

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
99.99-	317.9	331.4	380.8	381.6	380.7	345.9	451.4
85.08-	324.9	338.4	386.6	393.3	392.3	370.0	474.8
70.15-	324.9	352.0	386.6	393.3	392.3	345.9	463.1
55.23-	345.9	369.5	415.8	416.7	415.6	393.5	515.7
40.31-	364.2	387.0	433.3	446.0	438.9	399.3	527.4
25.38-	381.7	398.7	450.7	457.7	462.2	416.9	539.1
10.47-	381.7	416.2	462.4	469.4	473.9	416.9	556.6
4.46	370.0	387.0	444.9	451.8	450.6	440.3	580.0
19.38	393.4	416.2	474.1	481.1	473.9	422.7	562.5
34.30	393.4	422.0	491.5	486.9	485.5	440.3	574.2
49.23	381.7	398.7	474.1	469.4	479.7	446.2	603.1
64.14	387.6	416.2	474.1	475.2	485.5	440.3	591.7
79.07	387.6	416.2	468.2	463.5	479.7	434.4	585.9
93.99	399.3	439.6	497.4	498.6	508.8	481.3	619.1
108.91	381.7	404.5	474.1	475.2	479.7	469.6	619.1
123.84	416.9	445.4	503.2	516.2	520.5	475.4	624.4
138.75	416.9	427.9	497.4	498.6	497.2	481.3	635.0
150.69	446.1	498.0	555.7	557.1	555.4	504.7	651.0
156.66	563.3	634.7	681.7	699.5	686.7	603.9	752.1
162.63	678.5	772.9	793.1	826.0	808.2	705.2	875.7
168.60	758.5	855.0	894.2	932.1	908.8	801.1	986.8
174.57	856.7	960.9	1005.	1046.	1009.	866.9	1065.
180.54	907.3	1016.	1092.	1124.	1086.	922.5	1142.
186.51	1018.	1122.	1200.	1232.	1181.	988.3	1212.
192.48	1071.	1178.	1288.	1310.	1260.	1032.	1268.
198.45	1171.	1294.	1387.	1409.	1360.	1086.	1336.
204.42	1256.	1380.	1408.	1507.	1462.	1181.	1430.
210.39	1343.	1469.	1596.	1601.	1544.	1283.	1544.
225.30	1580.	1713.	1869.	1866.	1807.	1473.	1748.
240.23	1781.	1924.	2105.	2080.	2014.	1666.	1957.
255.15	2003.	2143.	2348.	2320.	2241.	1887.	2160.
270.07	2207.	2351.	2570.	2539.	2444.	2066.	2345.
285.00	2317.	2441.	2773.	2646.	2553.	2093.	2403.
299.91	2368.	2488.	2724.	2709.	2608.	2109.	2450.
314.84	2340.	2441.	2680.	2669.	2577.	2113.	2431.
329.76	2281.	2386.	2633.	2622.	2530.	2077.	2395.
344.68	2187.	2284.	2539.	2527.	2436.	2015.	2325.
359.61	2109.	2194.	2434.	2425.	2335.	1920.	2235.
389.45	1928.	2010.	2242.	2233.	2147.	1764.	2090.
419.29	1730.	1814.	2047.	2037.	1971.	1602.	1933.

09/14/1

CALC			REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 COND. NO. 02	SPEC. 0376 RUN 02	Vol. III
CHECK	<i>step</i>	<i>9/3/63</i>					DR-80885
APR							1.00
APR							PAGE
					THE BOEING COMPANY		3-76
CONTRACT NO.							

78

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
449.13	1546.	1620.	1848.	1837.	1774.	1419.	1744.
478.98	1441.	1518.	1732.	1725.	1667.	1338.	1659.
508.83	1329.	1403.	1622.	1605.	1566.	1251.	1574.
538.67	1293.	1376.	1562.	1558.	1527.	1247.	1531.
568.51	1265.	1336.	1532.	1533.	1502.	1209.	1510.
598.35	1282.	1358.	1558.	1550.	1519.	1237.	1514.
628.20	1366.	1452.	1634.	1639.	1604.	1283.	1587.
658.05	1589.	1688.	1873.	1870.	1815.	1432.	1740.
687.89	1679.	1777.	1976.	1970.	1908.	1508.	1811.
717.73	1700.	1798.	2004.	1990.	1932.	1534.	1832.
747.57	1704.	1786.	2008.	2002.	1944.	1446.	1753.
777.42	1721.	1802.	2019.	2013.	1952.	1437.	1731.
807.27	1713.	1802.	2011.	2013.	1956.	1329.	1565.
810.24	1717.	1806.	2015.	2013.	1956.	1338.	1574.
816.21	1721.	1802.	2008.	2013.	1948.	1338.	1578.
822.18	1708.	1798.	2008.	2013.	1944.	1343.	1578.
828.15	1717.	1798.	1996.	1998.	1944.	1283.	1527.
834.12	1636.	1709.	1945.	1915.	1864.	1293.	1523.
836.11	1602.	1675.	1917.	1882.	1835.	1383.	1629.
838.11	1593.	1666.	1913.	1858.	1827.	1383.	1642.
840.09	1636.	1717.	1945.	1903.	1864.	1379.	1642.
842.08	1653.	1734.	1957.	1919.	1880.	1370.	1638.
844.08	1653.	1743.	1953.	1919.	1888.	1361.	1621.
846.06	1653.	1743.	1949.	1919.	1888.	1361.	1616.
848.04	1644.	1730.	1953.	1923.	1880.	1366.	1616.
850.04	1644.	1743.	1953.	1923.	1888.	1374.	1625.
852.03	1653.	1747.	1953.	1923.	1884.	1388.	1638.
854.01	1661.	1747.	1961.	1927.	1892.	1388.	1650.
856.01	1670.	1764.	1976.	1939.	1904.	1401.	1663.
858.00	1738.	1851.	2047.	2013.	1968.	1473.	1731.
859.98	1830.	1940.	2125.	2092.	2053.	1534.	1791.
861.98	1920.	2022.	2223.	2194.	2147.	1589.	1856.
863.97	1987.	2120.	2297.	2265.	2210.	1653.	1933.
865.95	2050.	2171.	2351.	2320.	2256.	1687.	1964.
867.95	2081.	2214.	2387.	2363.	2299.	1696.	1984.
869.94	2093.	2222.	2414.	2371.	2311.	1713.	2000.
871.92	2109.	2230.	2430.	2390.	2339.	1717.	2012.
873.91	2132.	2249.	2477.	2422.	2362.	1747.	2031.
875.91	2160.	2280.	2492.	2449.	2385.	1760.	2039.
877.89	2187.	2300.	2516.	2473.	2413.	1764.	2051.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 COND. NO. 02	SPEC. 0376 RUN 02	Vol. III 02-80085 2.00 PAGE 3-77
CHECK	Step	9/29/11					
APR							
APR							
CONTRACT NO.					THE BOEING COMPANY		

79

9/3/63



TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
879.88	2211.	2324.	2539.	2496.	2436.	1777.	2090.
881.88	2234.	2351.	2570.	2516.	2456.	1794.	2106.
883.86	2250.	2371.	2586.	2539.	2475.	1810.	2121.
885.85	2270.	2378.	2610.	2559.	2495.	1830.	2145.
887.85	2278.	2394.	2621.	2578.	2514.	1830.	2149.
889.83	2289.	2402.	2633.	2586.	2518.	1830.	2145.
891.82	2297.	2410.	2637.	2590.	2530.	1818.	2137.
893.82	2305.	2414.	2649.	2606.	2545.	1814.	2137.
895.80	2317.	2425.	2657.	2618.	2553.	1814.	2137.
897.78	2325.	2421.	2669.	2622.	2557.	1814.	2137.
899.78	2333.	2429.	2665.	2630.	2561.	1814.	2145.
905.75	2329.	2429.	2669.	2634.	2569.	1818.	2145.
911.72	2333.	2433.	2673.	2642.	2569.	1822.	2137.
917.69	2317.	2418.	2649.	2618.	2553.	1818.	2141.
923.65	2297.	2386.	2637.	2602.	2538.	1814.	2137.
929.62	2266.	2359.	2602.	2567.	2518.	1806.	2137.
935.59	2254.	2351.	2586.	2551.	2495.	1822.	2145.
941.56	2250.	2347.	2590.	2547.	2491.	1814.	2153.
947.52	2227.	2324.	2570.	2524.	2463.	1798.	2145.
953.49	2254.	2351.	2598.	2555.	2503.	1826.	2133.
959.46	2238.	2324.	2570.	2539.	2475.	1802.	2133.
965.43	2215.	2296.	2547.	2516.	2456.	1755.	2090.
971.40	2187.	2265.	2520.	2484.	2428.	1738.	2074.
977.37	2152.	2226.	2477.	2437.	2378.	1730.	2051.
983.34	2101.	2183.	2437.	2398.	2350.	1700.	2031.
989.31	2093.	2167.	2414.	2382.	2327.	1713.	2019.
995.28	2081.	2167.	2406.	2371.	2315.	1704.	2004.
1001.25	2081.	2167.	2406.	2371.	2315.	1687.	1992.
1007.22	2073.	2151.	2394.	2359.	2303.	1696.	1988.
1013.19	2073.	2143.	2387.	2355.	2299.	1679.	1988.
1019.16	2073.	2143.	2387.	2347.	2303.	1679.	1980.
1049.00	2050.	2120.	2348.	2320.	2276.	1632.	1937.
1078.84	2030.	2104.	2340.	2308.	2256.	1640.	1949.
1108.68	1999.	2089.	2312.	2280.	2225.	1632.	1949.
1138.53	2015.	2104.	2328.	2292.	2245.	1662.	1968.
1168.38	2069.	2167.	2383.	2351.	2296.	1670.	1968.
1198.22	2136.	2230.	2457.	2422.	2366.	1747.	2043.
1228.06	2187.	2300.	2520.	2473.	2409.	1830.	2106.
1257.90	2238.	2343.	2574.	2535.	2463.	1875.	2168.
1287.75	2305.	2402.	2625.	2594.	2526.	1916.	2204.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02	Vol. III	
CHECK	<i>Stapp</i>	<i>9/14/1</i>				THE BOEING COMPANY	D2-80885
APR							PAGE 3-00
APR							3-78
CONTRACT NO.							

80

9/3/63

Continous Interfolia © Moore Business Forms, Inc. ©

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
1317.60	2325.	2418.	2649.	2610.	2542.	1924.	2223.
1347.44	2333.	2437.	2665.	2642.	2573.	1912.	2207.
1377.24	2352.	2441.	2676.	2650.	2585.	1912.	2211.
1407.12	2352.	2441.	2673.	2650.	2585.	1896.	2204.
1436.97	2356.	2449.	2676.	2657.	2589.	1896.	2207.
1440.96	2352.	2441.	2676.	2657.	2589.	1887.	2207.
1455.87	2384.	2468.	2712.	2713.	2612.	2172.	2458.
1470.79	2384.	2472.	2708.	2709.	2600.	2156.	2439.
1485.72	2387.	2472.	2708.	2705.	2612.	2160.	2443.
1500.63	2384.	2464.	2716.	2709.	2624.	2148.	2443.
1515.57	2384.	2480.	2720.	2709.	2636.	2148.	2450.
1530.48	2387.	2472.	2720.	2705.	2624.	2152.	2446.
1545.40	2387.	2480.	2720.	2713.	2620.	2156.	2458.
1560.33	2387.	2480.	2712.	2709.	2632.	2148.	2450.
1590.18	2387.	2472.	2716.	2717.	2632.	2156.	2458.
1620.01	2364.	2449.	2688.	2685.	2600.	2152.	2435.
1649.85	2344.	2421.	2657.	2661.	2569.	2117.	2407.
1679.70	2325.	2402.	2641.	2642.	2569.	2093.	2403.
1709.55	2274.	2355.	2590.	2598.	2503.	2077.	2380.
1739.40	2219.	2292.	2531.	2539.	2424.	2038.	2333.
1769.23	2117.	2187.	2426.	2425.	2346.	1932.	2231.
1799.07	1999.	2061.	2305.	2304.	2229.	1830.	2133.
1828.92	1871.	1916.	2156.	2155.	2085.	1687.	1992.
1858.77	1738.	1777.	2011.	2013.	1960.	1559.	1885.
1888.62	1589.	1624.	1865.	1866.	1823.	1473.	1761.
1918.45	1401.	1429.	1656.	1656.	1612.	1302.	1574.
1948.29	1247.	1253.	1467.	1472.	1458.	1134.	1412.
1978.14	1032.	1025.	1233.	1246.	1223.	947.8	1221.
2007.99	826.4	804.6	999.9	1008.	1019.	779.8	1031.
2037.84	569.1	527.2	713.5	699.5	739.7	557.4	773.4
2067.67	416.9	369.5	497.4	510.3	561.2	370.0	545.0
2097.51	317.9	275.6	369.1	393.3	438.9	234.0	381.3
2127.36	248.0	212.8	289.3	303.8	357.4	185.0	296.6
2157.21	213.0	177.9	233.6	247.9	289.2	157.0	247.8
2187.06	199.0	177.9	212.7	226.9	247.4	164.0	247.8
2216.89	192.0	177.9	198.7	219.9	247.4	157.0	226.8
2246.73	185.0	164.0	198.7	205.9	233.5	150.0	212.8

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02	Vol. III
CHECK	Step 1 9/29/1					D2-80095
APR						4.00
APR						PAGE
CONTRACT NO.					THE BOEING COMPANY	3-79

81

TIME SEC.	3-6	3-7	3-5	7-5
	C-3P	C-5M	T-16	T-24
	-----DEGREES FAHRENHEIT-----			
449.13	1807.	1779.	1842.	1820.
478.98	1706.	1668.	1733.	1711.
508.83	1595.	1562.	1626.	1634.
538.67	1526.	1498.	1566.	1583.
568.51	1496.	1471.	1536.	1549.
598.35	1518.	1493.	1536.	1545.
628.20	1560.	1566.	1583.	1570.
658.05	1799.	1787.	1754.	1719.
687.89	1926.	1894.	1875.	1845.
717.73	1961.	1922.	1920.	1890.
747.57	1965.	1922.	1916.	1910.
777.42	1977.	1938.	1920.	1926.
807.27	1981.	1942.	1891.	1930.
810.24	1985.	1942.	1891.	1926.
816.21	1981.	1934.	1891.	1934.
822.18	1965.	1950.	1895.	1930.
828.15	1961.	1902.	1883.	1934.
834.12	2008.	1836.	1838.	1934.
836.11	2016.	1808.	1834.	1938.
838.11	2036.	1766.	1821.	1946.
840.09	2048.	1783.	1813.	1958.
842.08	2044.	1787.	1817.	1954.
844.08	2044.	1792.	1809.	1954.
846.06	2044.	1792.	1805.	1958.
848.04	2044.	1812.	1805.	1962.
850.04	2048.	1816.	1809.	1962.
852.03	2048.	1812.	1813.	1966.
854.01	2059.	1812.	1813.	1973.
856.01	2075.	1812.	1813.	1977.
858.00	2150.	1885.	1825.	1989.
859.98	2229.	1934.	1846.	2013.
861.98	2307.	1993.	1879.	2040.
863.97	2370.	2028.	1916.	2079.
865.95	2445.	2071.	1959.	2122.
867.95	2476.	2106.	1995.	2158.
869.94	2504.	2126.	2026.	2193.
871.92	2535.	2146.	2050.	2224.
873.91	2551.	2169.	2077.	2256.
875.91	2567.	2185.	2101.	2283.
877.89	2594.	2201.	2117.	2307.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0316 COND. NO. 02 RUN 02	Vol. III	
CHECK	Staff	9/13/11					
APR							DZ-80085
APR						THE BOEING COMPANY	2.01
CONTRACT NO.						PAGE	
						3-80	

82

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

Continous Interfold © Moore Business Forms, Inc. 9

TIME SEC.	3-6 C-3M	3-7 C-5M	3-5 T-16	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
99.99-	387.8	363.9	394.0	416.6
85.0A-	370.2	393.1	417.4	416.6
70.15-	399.5	393.1	435.1	422.4
55.23-	393.7	422.4	446.8	440.0
40.31-	440.6	434.1	464.4	451.6
25.38-	434.7	463.3	476.2	469.2
10.47-	458.2	463.3	490.6	486.7
4.46	469.9	451.6	490.6	504.3
19.38	434.7	486.7	523.1	516.0
34.30	464.0	492.5	534.9	516.0
49.23	464.0	463.3	534.9	533.5
64.14	481.6	469.2	540.7	539.4
79.07	469.9	463.3	534.9	556.9
93.99	481.6	515.9	558.3	556.9
108.91	464.0	498.4	575.9	556.9
123.84	499.2	498.4	564.2	574.5
138.75	487.5	498.4	575.9	574.5
150.69	546.1	551.0	581.8	586.2
156.66	663.0	683.2	615.5	614.0
162.63	764.4	768.4	658.3	656.6
168.60	857.4	876.1	722.4	709.9
174.57	963.8	956.9	797.2	779.1
180.54	1057.	1041.	878.5	855.9
186.51	1144.	1151.	969.8	931.7
192.48	1248.	1245.	1063.	1017.
198.45	1340.	1323.	1155.	1104.
204.42	1452.	1444.	1254.	1194.
210.39	1560.	1549.	1368.	1291.
225.30	1844.	1816.	1665.	1536.
240.23	2095.	2067.	1936.	1788.
255.15	2350.	2310.	2184.	2032.
270.07	2574.	2518.	2408.	2248.
285.00	2630.	2569.	2483.	2362.
299.91	2673.	2609.	2546.	2428.
314.84	2634.	2589.	2538.	2436.
329.76	2590.	2553.	2510.	2420.
344.68	2504.	2455.	2447.	2366.
359.61	2401.	2357.	2361.	2291.
389.45	2213.	2173.	2191.	2134.
419.29	2016.	1973.	2022.	1977.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 COND. NO. 02	Vol III D2-80085 L.OI PAGE 3-815
CHECK	<i>Stacy</i>	<i>9/29/11</i>				
APR						
APR						
THE BOEING COMPANY						
CONTRACT NO.						

83

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

2-5000

Continous Interfold © Moore Business Forms, Inc. ©

TIME SEC.	3-6 C-3M	3-7 C-5M	3-5 T-16	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
879.88	2622.	2216.	2140.	2326.
881.88	2654.	2236.	2160.	2342.
883.86	2681.	2255.	2180.	2362.
885.85	2705.	2279.	2199.	2381.
887.85	2717.	2287.	2215.	2401.
889.83	2717.	2295.	2231.	2420.
891.82	2725.	2295.	2243.	2428.
893.82	2733.	2303.	2254.	2444.
895.80	2733.	2299.	2254.	2452.
897.78	2733.	2303.	2254.	2460.
899.78	2733.	2295.	2254.	2467.
905.75	2741.	2303.	2258.	2483.
911.72	2733.	2303.	2270.	2491.
917.69	2725.	2287.	2270.	2491.
923.65	2717.	2283.	2270.	2491.
929.62	2721.	2271.	2262.	2491.
935.59	2733.	2283.	2262.	2499.
941.56	2733.	2279.	2262.	2503.
947.52	2705.	2263.	2262.	2499.
953.49	2713.	2287.	2262.	2487.
959.46	2685.	2271.	2262.	2483.
965.43	2646.	2220.	2235.	2460.
971.40	2630.	2189.	2207.	2448.
977.37	2610.	2161.	2184.	2436.
983.34	2582.	2130.	2156.	2424.
989.31	2570.	2126.	2140.	2413.
995.28	2555.	2122.	2144.	2397.
1001.25	2547.	2118.	2128.	2389.
1007.22	2531.	2118.	2125.	2373.
1013.19	2519.	2099.	2117.	2369.
1019.16	2496.	2095.	2105.	2358.
1049.00	2425.	2044.	2058.	2303.
1078.84	2425.	2048.	2050.	2295.
1108.68	2429.	2052.	2054.	2291.
1138.53	2433.	2067.	2062.	2303.
1168.38	2488.	2095.	2085.	2330.
1198.22	2559.	2169.	2144.	2385.
1228.06	2630.	2232.	2215.	2440.
1257.90	2685.	2314.	2278.	2487.
1287.75	2729.	2342.	2313.	2534.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0316 COND. NO. 02 RUN 02 THE BOEING COMPANY	Vol. III
CHECK	<i>Step</i>	<i>9/1/1</i>				02-80085
APR						PAGE 3 of 01
APR						3-82
CONTRACT NO.						

84

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

Continuum Interfolia © Moore Business Forms, Inc. 2

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
99.99-	332.4	336.9	321.4	291.3	291.0	294.2	283.3
85.08-	332.4	336.9	321.4	304.9	301.9	305.0	288.7
70.15-	335.1	334.2	324.1	313.0	310.0	313.2	291.5
55.23-	335.1	336.9	326.8	321.1	318.1	318.6	296.9
40.31-	335.1	334.2	329.6	329.3	320.8	326.8	302.3
25.38-	337.9	336.9	335.0	337.4	326.3	332.2	307.8
10.47-	340.6	336.9	337.7	351.0	331.7	345.8	310.5
4.46	346.0	336.9	340.4	361.8	339.8	356.7	318.6
19.38	346.0	339.6	345.9	375.3	347.9	367.5	324.1
34.30	348.7	339.6	348.6	388.7	356.0	378.3	326.8
49.23	351.5	345.0	351.3	399.4	361.5	389.0	334.9
64.14	356.9	345.0	356.7	410.1	372.3	399.7	340.4
79.07	362.3	347.7	362.2	423.5	380.3	407.8	345.8
93.99	365.1	347.7	364.9	436.9	388.3	421.2	353.9
108.91	370.5	350.4	373.0	447.6	399.0	434.6	362.1
123.84	373.2	355.8	375.7	461.0	409.7	445.3	372.9
138.75	381.2	358.6	378.4	471.7	417.7	456.0	378.3
150.69	383.9	361.3	383.7	479.6	425.7	461.4	386.3
156.66	383.9	361.3	386.4	482.3	428.4	466.8	389.0
162.63	386.6	364.0	389.1	487.5	433.8	472.1	391.7
168.60	389.3	366.7	389.1	490.2	436.4	480.0	394.4
174.57	392.0	366.7	391.8	498.1	439.1	490.5	399.7
180.54	394.7	369.4	394.5	506.0	444.5	506.4	402.4
186.51	400.0	372.1	399.8	513.9	447.1	522.2	405.1
192.48	400.0	372.1	402.5	527.0	452.5	540.6	410.5
198.45	408.1	374.7	407.9	540.2	457.8	566.8	415.8
204.42	410.8	377.4	415.9	558.6	465.8	592.5	418.5
210.39	416.1	380.1	421.3	579.2	471.2	628.4	426.6
225.30	437.6	385.4	442.7	643.2	494.8	738.7	442.6
240.23	472.5	398.8	474.8	732.9	523.8	879.8	469.5
255.15	522.6	409.5	525.0	848.2	565.7	1063.	509.0
270.07	593.0	433.5	595.2	993.2	622.0	1270.	561.7
285.00	682.9	462.9	682.5	1140.	693.6	1453.	636.1
299.91	780.5	507.7	774.8	1276.	780.6	1606.	723.3
314.84	875.5	567.9	862.1	1394.	875.2	1710.	823.4
329.76	951.9	642.0	936.1	1489.	969.0	1773.	923.2
344.68	1008.	721.2	994.4	1560.	1052.	1801.	1009.
359.61	1046.	790.2	1035.	1599.	1118.	1795.	1070.
389.45	1066.	884.8	1070.	1615.	1195.	1734.	1142.
419.29	1053.	922.8	1065.	1578.	1213.	1646.	1154.

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02 THE BOEING COMPANY	Vol. III
CHECK	<i>8/24/11</i>				D2-8285
APR					1.02
APR					PAGE
CONTRACT NO.					3-835

85

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
	-----DEGREES FAHRENHEIT-----			
1317.60	2733.	2353.	2333.	2550.
1347.44	2742.	2353.	2329.	2562.
1377.28	2745.	2342.	2317.	2562.
1407.12	2729.	2326.	2310.	2562.
1436.97	2737.	2326.	2302.	2565.
1440.96	2737.	2318.	2306.	2569.
1455.87	2646.	2616.	2498.	2538.
1470.79	2657.	2616.	2557.	2542.
1485.72	2646.	2616.	2561.	2542.
1500.63	2661.	2609.	2557.	2542.
1515.57	2654.	2620.	2565.	2542.
1530.48	2661.	2609.	2569.	2546.
1545.40	2657.	2609.	2569.	2546.
1560.33	2661.	2616.	2569.	2554.
1590.18	2654.	2620.	2569.	2554.
1620.01	2646.	2601.	2557.	2546.
1649.85	2610.	2569.	2530.	2522.
1679.70	2586.	2538.	2510.	2507.
1709.55	2547.	2502.	2479.	2479.
1739.40	2484.	2444.	2428.	2428.
1769.23	2386.	2350.	2341.	2362.
1799.07	2284.	2224.	2239.	2283.
1828.92	2138.	2075.	2117.	2177.
1858.77	1977.	1942.	1995.	2068.
1888.62	1820.	1792.	1846.	1950.
1918.45	1620.	1600.	1690.	1812.
1948.29	1416.	1400.	1515.	1664.
1978.14	1191.	1180.	1327.	1498.
2007.99	968.8	956.9	1131.	1328.
2037.84	791.1	688.5	929.2	1180.
2067.67	636.3	475.0	722.4	1031.
2097.51	505.1	338.7	540.7	891.3
2127.36	370.2	261.8	423.3	741.8
2157.21	297.1	198.9	352.9	603.4
2187.06	276.1	198.9	318.4	510.1
2216.89	262.1	191.9	276.3	457.5
2246.73	248.1	184.9	262.2	416.6

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02	Vol. III
CHECK	<i>Stop</i>	<i>9/29/1</i>				02-80085
APR						4-01
APR						PAGE
					THE BOEING COMPANY	3-84
CONTRACT NO.						

86

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
449.13	1023.	925.3	1040.	1518.	1197.	1548.	1139.
478.98	982.4	905.1	996.9	1447.	1164.	1459.	1103.
508.83	944.3	879.6	956.4	1389.	1126.	1387.	1068.
578.67	916.4	854.1	920.9	1341.	1098.	1335.	1035.
568.51	893.5	828.5	887.8	1304.	1073.	1300.	1012.
598.35	883.2	813.2	867.2	1284.	1057.	1282.	994.1
628.20	875.5	803.0	857.0	1268.	1045.	1277.	984.0
658.05	888.4	803.0	862.1	1281.	1047.	1324.	986.5
687.89	911.3	808.1	887.8	1325.	1063.	1395.	999.2
717.73	944.3	828.5	920.9	1378.	1093.	1453.	1030.
747.57	979.9	859.2	953.8	1425.	1126.	1495.	1063.
777.42	1010.	889.9	981.7	1460.	1159.	1525.	1096.
807.27	1036.	915.2	1002.	1489.	1187.	1538.	1124.
810.24	1036.	920.3	1005.	1489.	1192.	1540.	1124.
816.21	1038.	920.3	1005.	1494.	1195.	1543.	1131.
822.18	1038.	922.8	1010.	1499.	1200.	1548.	1131.
828.15	1043.	930.4	1012.	1499.	1203.	1546.	1139.
834.12	1043.	932.9	1015.	1504.	1208.	1543.	1142.
836.11	1046.	932.9	1015.	1504.	1208.	1543.	1142.
838.11	1046.	935.4	1015.	1504.	1210.	1540.	1147.
840.09	1046.	935.4	1015.	1507.	1210.	1543.	1147.
842.08	1048.	938.0	1015.	1510.	1213.	1543.	1147.
844.08	1046.	938.0	1015.	1510.	1213.	1543.	1147.
846.06	1048.	935.4	1017.	1510.	1215.	1543.	1147.
848.04	1048.	940.5	1015.	1510.	1215.	1543.	1149.
850.04	1051.	940.5	1017.	1512.	1220.	1546.	1149.
852.03	1051.	943.0	1015.	1512.	1220.	1543.	1152.
854.01	1051.	943.0	1015.	1512.	1220.	1546.	1152.
856.01	1051.	943.0	1015.	1515.	1220.	1548.	1154.
858.00	1053.	945.5	1012.	1518.	1223.	1554.	1154.
859.98	1056.	943.0	1015.	1520.	1226.	1556.	1159.
861.98	1056.	948.1	1015.	1523.	1226.	1567.	1157.
863.97	1064.	948.1	1017.	1526.	1226.	1572.	1159.
865.95	1064.	950.6	1015.	1528.	1228.	1585.	1162.
867.95	1066.	950.6	1017.	1536.	1231.	1596.	1162.
869.94	1064.	950.6	1020.	1536.	1231.	1606.	1162.
871.92	1069.	953.1	1020.	1541.	1233.	1617.	1165.
873.91	1099.	955.6	1020.	1544.	1236.	1625.	1165.
875.91	1076.	955.6	1020.	1552.	1236.	1638.	1167.
877.89	1079.	958.2	1020.	1557.	1238.	1648.	1172.

Continous Interfold - Moore Business Forms, Inc. 8

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 02	Vol. III D2-80085 2.02 PAGE 3-85
CHECK	<i>W</i>	<i>W</i>				
APR						
APR						
THE BOEING COMPANY						
CONTRACT NO.						

87

9/3/63



TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
879.88	1081.	954.2	1022.	1562.	1238.	1659.	1172.
881.88	1084.	954.2	1022.	1570.	1241.	1672.	1172.
883.88	1084.	954.2	1022.	1578.	1246.	1685.	1177.
885.89	1080.	960.7	1025.	1586.	1246.	1696.	1175.
887.89	1097.	963.2	1025.	1591.	1249.	1710.	1177.
889.83	1090.	965.7	1027.	1599.	1249.	1723.	1180.
891.82	1107.	965.7	1030.	1607.	1251.	1734.	1188.
893.82	1107.	965.7	1030.	1615.	1256.	1745.	1188.
895.80	1100.	964.3	1035.	1623.	1256.	1754.	1198.
897.74	1117.	970.8	1037.	1634.	1261.	1768.	1193.
899.74	1122.	973.3	1040.	1641.	1264.	1779.	1198.
901.75	1130.	980.9	1048.	1648.	1274.	1806.	1208.
911.72	1157.	991.0	1058.	1694.	1289.	1834.	1221.
917.69	1164.	996.0	1065.	1716.	1302.	1850.	1234.
923.65	1174.	1006.	1073.	1735.	1315.	1867.	1247.
929.62	1180.	1016.	1083.	1755.	1331.	1878.	1259.
935.59	1202.	1026.	1091.	1771.	1344.	1892.	1275.
941.56	1200.	1035.	1098.	1785.	1357.	1900.	1290.
947.52	1222.	1047.	1109.	1799.	1371.	1906.	1300.
953.49	1227.	1057.	1116.	1812.	1381.	1917.	1308.
959.46	1235.	1067.	1121.	1823.	1394.	1920.	1321.
965.43	1247.	1074.	1129.	1832.	1405.	1917.	1329.
971.40	1245.	1079.	1137.	1840.	1413.	1917.	1337.
977.37	1250.	1089.	1139.	1843.	1421.	1911.	1348.
983.34	1253.	1094.	1147.	1848.	1428.	1906.	1356.
989.31	1261.	1105.	1150.	1851.	1436.	1900.	1358.
995.28	1258.	1107.	1152.	1851.	1444.	1897.	1366.
1001.25	1261.	1115.	1157.	1851.	1447.	1892.	1369.
1007.22	1261.	1117.	1160.	1851.	1455.	1889.	1374.
1013.19	1263.	1120.	1162.	1848.	1455.	1881.	1374.
1019.16	1263.	1123.	1162.	1851.	1460.	1881.	1380.
1029.00	1268.	1135.	1173.	1835.	1463.	1850.	1385.
1078.84	1271.	1145.	1175.	1821.	1465.	1842.	1387.
1108.68	1270.	1158.	1188.	1821.	1468.	1834.	1390.
1138.53	1280.	1163.	1193.	1815.	1473.	1834.	1395.
1148.38	1294.	1171.	1201.	1821.	1478.	1845.	1401.
1108.22	1318.	1189.	1219.	1840.	1492.	1881.	1416.
1228.06	1341.	1212.	1242.	1873.	1513.	1923.	1435.
1257.90	1370.	1235.	1267.	1909.	1536.	1966.	1461.
1207.75	1397.	1263.	1293.	1943.	1560.	2003.	1488.

CALC CHECK APR APR	09/14/1 <i>[Signature]</i> 9/29/11	REVISED    	DATE    	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 COND. NO. 02  SPEC. 0376 RUN 02	Vol. III  3.02 PAGE 3-86
CONTRACT NO.				THE BOEING COMPANY	

88

9/2/13

Continous Interfold by Moore Business Forms, Inc.

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
1317.60	1426.	1291.	1322.	1978.	1589.	2034.	1517.
1347.44	1450.	1314.	1346.	2000.	1615.	2054.	1543.
1377.28	1468.	1341.	1369.	2020.	1634.	2068.	1564.
1407.12	1489.	1362.	1388.	2040.	1655.	2077.	1583.
1436.97	1508.	1383.	1406.	2049.	1668.	2085.	1598.
1440.96	1508.	1385.	1406.	2051.	1670.	2082.	1601.
1455.87	1521.	1396.	1419.	2057.	1681.	2105.	1609.
1470.79	1531.	1406.	1448.	2063.	1686.	2117.	1620.
1485.72	1547.	1427.	1478.	2066.	1694.	2126.	1633.
1500.63	1558.	1443.	1501.	2071.	1702.	2132.	1643.
1515.57	1568.	1459.	1520.	2077.	1710.	2141.	1654.
1530.48	1582.	1472.	1538.	2080.	1719.	2147.	1659.
1545.40	1592.	1485.	1554.	2086.	1724.	2150.	1670.
1560.33	1597.	1496.	1562.	2091.	1732.	2156.	1678.
1590.18	1619.	1517.	1580.	2103.	1746.	2159.	1691.
1620.01	1629.	1538.	1599.	2115.	1763.	2165.	1707.
1649.85	1637.	1548.	1607.	2109.	1768.	2156.	1712.
1679.70	1637.	1548.	1607.	2106.	1768.	2150.	1718.
1709.55	1629.	1545.	1604.	2097.	1765.	2129.	1712.
1739.40	1621.	1538.	1594.	2077.	1754.	2094.	1704.
1769.23	1605.	1524.	1578.	2051.	1741.	2051.	1688.
1799.07	1582.	1509.	1554.	2012.	1719.	2000.	1664.
1828.92	1555.	1485.	1525.	1963.	1694.	1929.	1641.
1858.77	1518.	1456.	1485.	1904.	1665.	1853.	1612.
1888.62	1487.	1427.	1451.	1848.	1639.	1784.	1580.
1918.45	1450.	1393.	1412.	1785.	1602.	1710.	1546.
1948.29	1410.	1359.	1369.	1721.	1565.	1625.	1506.
1978.14	1362.	1317.	1322.	1644.	1515.	1538.	1461.
2007.99	1318.	1276.	1275.	1562.	1465.	1448.	1414.
2037.84	1263.	1230.	1224.	1478.	1413.	1364.	1364.
2067.67	1207.	1174.	1155.	1394.	1350.	1282.	1303.
2097.51	1135.	1105.	1081.	1299.	1279.	1203.	1241.
2127.36	1061.	1036.	1012.	1192.	1197.	1111.	1167.
2157.21	979.9	965.7	943.7	1067.	1103.	1002.	1088.
2187.06	919.0	910.2	882.6	942.5	1012.	897.8	1009.
2216.89	867.8	866.9	836.4	843.1	928.6	815.7	935.8
2246.73	824.2	828.5	795.4	763.7	857.3	746.4	872.1

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 COND. NO. 02	SPEC. 0376 RUN 02	Vol. III
CHECK	<i>Step</i>	<i>9/29/1</i>				02-80085
APR						4.02
APR						PAGE
CONTRACT NO.				THE BOEING COMPANY		3-87

89

9/3/63

Continous Interfold © Moore Business Forms, Inc. 6

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-20, T-21, T-22, & T-23 =  $\pm 45^{\circ}\text{F}$ .

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^{\circ}\text{F}$ .

<u>THERMOCOUPLE NO.</u>	<u>PAGE</u>
T-10, T-11, C-4M, T-12, T-13, T-14, T-15	3-89 - 3-92
C-3M, C-5M, T-16, T-24	3-93 - 3-98
T-17, T-18, T-19, T-20, T-21, T-22, T-23	3-97 - 3-100

*10/2/61*

CALC	Reynolds	10/2/61	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617      SPEC. 0376 COND.NO. 02      RUN 03	Vol. III
CHECK	<i>Step</i>	10/2/61				D2-8085
APPD						
APPD						
BOEING AIRPLANE COMPANY						3-88

90

BAC 973 D-R3

9/3/63

2-7000

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
449.13	1541.	1606.	1855.	1870.	1833.	1373.	1629.
478.98	1454.	1521.	1751.	1763.	1733.	1287.	1535.
508.83	1356.	1424.	1645.	1656.	1627.	1203.	1435.
538.67	1301.	1380.	1578.	1580.	1559.	1170.	1390.
568.51	1265.	1344.	1552.	1550.	1533.	1152.	1368.
598.35	1287.	1353.	1556.	1554.	1542.	1180.	1395.
628.20	1365.	1442.	1637.	1644.	1614.	1282.	1501.
658.05	1563.	1670.	1859.	1858.	1829.	1480.	1684.
687.89	1661.	1772.	1982.	1974.	1938.	1541.	1770.
717.73	1686.	1789.	2010.	2002.	1969.	1545.	1778.
747.57	1716.	1809.	2029.	2029.	1989.	1444.	1659.
777.42	1708.	1809.	2025.	2029.	1993.	1378.	1561.
807.27	1716.	1809.	2029.	2029.	1993.	1382.	1565.
810.24	1716.	1809.	2025.	2029.	1989.	1373.	1565.
816.21	1708.	1801.	2021.	2029.	1989.	1382.	1565.
822.18	1703.	1797.	2017.	2021.	1985.	1382.	1561.
828.15	1686.	1785.	2006.	2006.	1973.	1323.	1493.
834.12	1631.	1721.	1959.	1951.	1926.	1301.	1444.
836.11	1605.	1700.	1947.	1923.	1898.	1346.	1510.
838.11	1601.	1691.	1924.	1903.	1882.	1337.	1501.
840.09	1593.	1683.	1924.	1899.	1878.	1319.	1466.
842.08	1627.	1725.	1943.	1935.	1906.	1342.	1497.
844.08	1635.	1734.	1955.	1951.	1922.	1364.	1514.
846.06	1644.	1742.	1963.	1959.	1934.	1364.	1514.
848.04	1661.	1759.	1970.	1970.	1938.	1360.	1523.
850.04	1660.	1776.	1982.	1970.	1946.	1378.	1535.
852.03	1678.	1785.	1990.	1974.	1954.	1382.	1535.
854.01	1686.	1793.	2002.	1990.	1958.	1409.	1561.
856.01	1703.	1818.	2021.	2002.	1969.	1506.	1659.
858.00	1725.	1850.	2049.	2021.	1989.	1562.	1740.
859.98	1797.	1931.	2119.	2080.	2051.	1617.	1791.
861.98	1887.	2025.	2205.	2170.	2126.	1668.	1844.
863.97	1963.	2107.	2275.	2253.	2200.	1711.	1889.
865.95	2014.	2166.	2341.	2316.	2263.	1737.	1917.
867.95	2040.	2193.	2384.	2351.	2298.	1737.	1921.
869.94	2073.	2209.	2404.	2374.	2317.	1762.	1949.
871.92	2096.	2232.	2431.	2390.	2341.	1771.	1972.
873.91	2100.	2229.	2443.	2410.	2352.	1783.	1976.
875.91	2112.	2244.	2466.	2422.	2376.	1804.	1996.
877.89	2135.	2264.	2490.	2441.	2388.	1841.	2031.

CALC	09/14/63	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol. III
CHECK	Step 10/11				02-80085
APR					PAGE 2.00
APR					3-89
CONTRACT NO.					

9/3/63

Continous Interfold © Moore Business Forms, Inc.

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
99.99-	317.8	331.3	368.9	393.3	386.7	317.7	398.9
85.0A-	317.8	324.3	368.9	393.3	386.7	317.7	387.2
70.15-	364.1	381.1	415.5	440.1	439.2	338.7	404.7
55.23-	381.6	398.6	438.8	463.5	462.6	358.1	439.8
40.31-	387.5	416.1	450.4	475.2	474.2	363.9	445.6
25.3A-	393.3	427.7	467.9	498.6	497.5	381.5	474.8
10.47-	416.7	439.4	479.5	510.3	503.4	375.6	457.3
4.46	399.2	415.1	473.7	498.6	497.5	381.5	474.8
19.3A	387.5	416.1	473.7	498.6	497.5	404.9	498.2
34.30	375.8	392.7	456.2	486.9	485.9	369.8	463.1
49.23	399.2	421.9	479.5	516.2	503.4	381.5	474.8
64.14	434.3	462.8	508.6	557.1	544.2	404.9	498.2
79.07	399.2	427.7	491.1	527.9	520.9	381.5	474.8
93.99	399.2	421.9	491.1	522.0	520.9	440.0	533.3
108.91	399.2	416.1	479.5	504.5	509.2	387.3	486.5
123.84	422.6	445.2	502.8	533.7	538.4	451.6	556.6
138.75	463.6	503.6	555.2	598.1	596.7	445.8	539.1
150.69	457.7	486.1	561.0	586.4	579.2	445.8	539.1
156.66	586.5	645.1	681.1	726.1	708.5	533.5	629.7
162.63	688.9	777.9	802.8	856.3	829.0	646.0	762.7
168.60	790.2	890.0	913.4	977.6	939.9	736.5	880.7
174.57	861.4	975.7	1013.	1075.	1034.	810.5	956.5
180.54	942.3	1044.	1095.	1157.	1121.	891.3	1041.
186.51	998.0	1107.	1180.	1246.	1201.	941.8	1113.
192.48	1076.	1183.	1269.	1333.	1279.	1007.	1160.
198.45	1138.	1262.	1355.	1414.	1361.	1075.	1245.
204.42	1232.	1362.	1475.	1516.	1468.	1152.	1327.
210.39	1310.	1442.	1569.	1601.	1554.	1278.	1461.
225.30	1554.	1687.	1855.	1858.	1812.	1476.	1676.
240.23	1759.	1903.	2099.	2092.	2028.	1677.	1893.
255.15	1963.	2123.	2322.	2300.	2231.	1910.	2137.
270.07	2186.	2338.	2556.	2527.	2454.	2079.	2301.
285.00	2300.	2444.	2674.	2657.	2583.	2107.	2368.
299.91	2371.	2506.	2740.	2728.	2650.	2154.	2411.
314.84	2328.	2456.	2689.	2681.	2611.	2107.	2372.
329.76	2296.	2416.	2658.	2657.	2583.	2095.	2364.
344.68	2210.	2303.	2556.	2563.	2493.	1981.	2247.
359.61	2108.	2209.	2454.	2461.	2399.	1910.	2184.
389.45	1935.	2013.	2263.	2280.	2220.	1732.	2004.
419.29	1738.	1813.	2049.	2061.	2016.	1553.	1828.

Continous Interfold © Moore Business Forms, Inc. 8

CALC	09/14/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol. III
CHECK	<i>Stear</i>				
APR					22-80085
APR					PAGE 1.00
CONTRACT NO.					3-98

92

9/3/63

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
879.88	2175.	2299.	2521.	2484.	2427.	1845.	2043.
881.88	2210.	2338.	2526.	2516.	2462.	1841.	2027.
883.86	2230.	2362.	2523.	2539.	2485.	1861.	2070.
885.85	2240.	2381.	2607.	2567.	2509.	1869.	2070.
887.85	2253.	2385.	2623.	2578.	2521.	1845.	2066.
889.83	2277.	2405.	2630.	2586.	2532.	1857.	2070.
891.82	2288.	2416.	2634.	2602.	2536.	1845.	2066.
893.82	2284.	2409.	2646.	2610.	2548.	1841.	2066.
895.80	2296.	2416.	2654.	2622.	2560.	1853.	2066.
897.78	2304.	2416.	2658.	2630.	2571.	1853.	2066.
899.78	2304.	2420.	2658.	2642.	2564.	1853.	2066.
905.75	2308.	2416.	2666.	2642.	2575.	1841.	2078.
911.72	2332.	2444.	2670.	2650.	2575.	1829.	2055.
917.69	2308.	2420.	2666.	2646.	2579.	1824.	2055.
923.65	2296.	2405.	2646.	2622.	2560.	1812.	2043.
929.62	2260.	2377.	2630.	2602.	2544.	1829.	2047.
935.59	2257.	2358.	2509.	2578.	2517.	1833.	2051.
941.56	2237.	2362.	2601.	2563.	2513.	1845.	2059.
947.52	2226.	2334.	2679.	2563.	2505.	1820.	2035.
953.49	2253.	2362.	2607.	2586.	2524.	1837.	2043.
959.46	2226.	2326.	2572.	2563.	2497.	1816.	2027.
965.43	2214.	2299.	2552.	2543.	2481.	1771.	1980.
971.40	2186.	2272.	2529.	2512.	2458.	1737.	1957.
977.37	2155.	2244.	2490.	2473.	2419.	1711.	1913.
983.34	2120.	2209.	2470.	2445.	2399.	1690.	1901.
989.31	2092.	2170.	2419.	2402.	2360.	1711.	1921.
995.28	2104.	2193.	2427.	2410.	2360.	1690.	1897.
1001.25	2092.	2166.	2412.	2402.	2352.	1677.	1880.
1007.22	2065.	2154.	2396.	2374.	2337.	1664.	1880.
1013.19	2069.	2158.	2388.	2382.	2337.	1664.	1872.
1019.16	2057.	2139.	2380.	2374.	2325.	1643.	1860.
1049.00	2045.	2115.	2361.	2351.	2306.	1622.	1836.
1078.84	2022.	2096.	2333.	2320.	2278.	1626.	1860.
1108.68	1990.	2072.	2298.	2304.	2255.	1622.	1844.
1138.53	2002.	2103.	2322.	2316.	2263.	1643.	1868.
1168.38	2057.	2154.	2380.	2363.	2317.	1685.	1901.
1198.22	2127.	2229.	2428.	2449.	2388.	1758.	1988.
1228.06	2186.	2299.	2529.	2508.	2450.	1853.	2070.
1257.90	2240.	2346.	2583.	2567.	2509.	1906.	2145.
1287.75	2277.	2381.	2619.	2606.	2544.	1922.	2145.

CALC	09/14/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol. III
CHECK	Stopp 10/16/11				D2-80085
APR					PAGE 3.00
APR					3-96
CONTRACT NO.					2-5000

93  
 US 5553 7450 (WAS BAC 1745 F-11)  
 9/3/63

Continous Interim & Master Business Form, Inc.

TIME SEC.	3-6 C-3M	3-7 C-5M	3-5 T-16	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
99.99-	381.8	370.1	350.3	404.8
85.0A-	364.3	381.8	358.6	416.5
70.15-	417.0	417.0	382.1	428.2
55.23-	422.9	417.0	393.8	439.9
40.31-	428.7	428.7	417.3	457.4
25.38-	446.3	440.4	423.2	475.0
10.47-	458.0	446.3	440.8	486.7
4.46	458.0	452.1	452.5	498.4
19.3A	469.7	469.7	470.1	521.8
34.30	440.4	463.9	481.8	521.8
49.23	452.2	487.3	487.7	527.6
64.14	481.5	510.7	490.4	556.8
79.07	487.3	481.4	505.3	562.7
93.99	493.2	487.3	517.1	574.4
108.91	499.0	475.6	517.1	586.1
123.84	499.0	499.0	517.1	597.8
138.75	516.6	528.3	540.5	603.3
150.69	557.6	557.6	540.5	613.9
156.66	678.8	694.8	564.0	624.6
162.63	780.2	796.1	615.3	667.2
168.60	877.4	877.3	668.7	715.1
174.57	968.5	963.4	738.1	779.0
180.54	1062.	1047.	817.3	855.8
186.51	1158.	1139.	898.4	926.5
192.48	1247.	1233.	989.6	1012.
198.45	1344.	1316.	1092.	1089.
204.42	1460.	1455.	1201.	1170.
210.39	1568.	1551.	1317.	1264.
225.30	1856.	1807.	1613.	1511.
240.23	2102.	2070.	1894.	1758.
255.15	2361.	2306.	2155.	1997.
270.07	2581.	2514.	2387.	2212.
285.00	2633.	2585.	2474.	2334.
299.91	2680.	2621.	2529.	2404.
314.84	2652.	2593.	2509.	2420.
329.76	2605.	2558.	2467.	2404.
344.6A	2507.	2451.	2419.	2349.
359.61	2416.	2361.	2340.	2287.
389.45	2224.	2173.	2167.	2150.
419.29	2015.	1972.	1990.	1997.

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol. III
CHECK	Step 10/2/11				D2-80675
APR					PAGE 1 of 01
APR					3-92
CONTRACT NO.					

94

9/3/63

Continues Inward © Moore Business Forms, Inc. 8

TIME SEC.	3-2 T-10	7-2 T-11	7-6 C-4M	3-3 T-12	7-3 T-13	3-4 T-14	7-4 T-15
-----DEGREES FAHRENHEIT-----							
1317.60	2304.	2409.	2446.	2630.	2571.	1930.	2137.
1347.44	2312.	2416.	2448.	2650.	2579.	1914.	2133.
1377.28	2335.	2436.	2481.	2665.	2603.	1910.	2137.
1407.12	2335.	2432.	2474.	2661.	2595.	1902.	2137.
1436.97	2332.	2432.	2466.	2653.	2591.	1926.	2145.
1440.96	2335.	2440.	2474.	2665.	2599.	2013.	2247.
1455.87	2375.	2471.	2701.	2713.	2638.	2154.	2419.
1470.79	2394.	2495.	2725.	2725.	2654.	2162.	2407.
1485.72	2390.	2487.	2733.	2728.	2662.	2169.	2411.
1500.63	2390.	2495.	2729.	2736.	2662.	2162.	2403.
1515.57	2390.	2495.	2733.	2736.	2662.	2166.	2403.
1530.48	2383.	2479.	2725.	2736.	2658.	2154.	2403.
1545.40	2383.	2483.	2729.	2732.	2658.	2169.	2403.
1560.33	2383.	2479.	2725.	2736.	2658.	2154.	2384.
1590.18	2383.	2487.	2725.	2736.	2658.	2162.	2403.
1620.01	2351.	2448.	2649.	2697.	2626.	2134.	2372.
1649.85	2328.	2428.	2670.	2677.	2607.	2118.	2356.
1679.70	2304.	2405.	2654.	2657.	2583.	2091.	2321.
1709.55	2273.	2362.	2607.	2614.	2548.	2040.	2270.
1739.40	2226.	2303.	2548.	2563.	2497.	1989.	2223.
1769.23	2131.	2201.	2443.	2465.	2403.	1886.	2109.
1799.07	2014.	2072.	2310.	2335.	2278.	1749.	1976.
1828.92	1866.	1919.	2162.	2178.	2133.	1639.	1856.
1858.77	1750.	1793.	2025.	2053.	2012.	1515.	1727.
1888.62	1618.	1649.	1801.	1911.	1882.	1378.	1574.
1918.45	1432.	1455.	1444.	1703.	1699.	1199.	1386.
1948.29	1218.	1243.	1466.	1485.	1486.	1056.	1207.
1978.14	1027.	1015.	1246.	1274.	1279.	861.0	1007.
2007.99	836.2	824.4	1013.	1046.	1073.	656.6	805.0
2037.84	568.9	538.6	707.6	752.8	772.2	428.3	556.6
2067.67	405.0	369.4	497.0	522.0	561.7	289.8	404.7
2097.51	296.9	261.6	363.1	393.3	439.2	233.9	331.6
2127.36	226.9	205.8	282.2	303.8	345.1	184.9	275.7
2157.21	233.9	205.8	261.3	275.9	310.3	184.9	261.7
2187.06	226.9	198.8	247.4	261.9	289.4	177.9	247.8
2216.89	212.9	184.9	226.5	240.9	275.4	164.0	226.8
2246.73	198.9	177.9	212.6	219.9	254.5	150.0	212.8

CALC	09/14/61	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol. III
CHECK	Step 10/2/61				D2-80085
APR					
APR					PAGE 4.00
CONTRACT NO.					393

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

95

Continued Interfiled. © Moore Business Forms, Inc. 9



TIME SEC.	3-6 C-3M	3-7 C-5M	3-5 T-16	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
449.13	1823.	1782.	1812.	1853.
478.98	1726.	1666.	1698.	1758.
508.83	1637.	1564.	1601.	1664.
538.67	1577.	1509.	1576.	1591.
568.51	1538.	1473.	1493.	1557.
598.35	1538.	1500.	1501.	1562.
628.20	1590.	1560.	1553.	1583.
658.05	1803.	1798.	1732.	1723.
687.89	1933.	1892.	1857.	1840.
717.73	1976.	1925.	1886.	1902.
747.57	1960.	1937.	1874.	1918.
777.42	1988.	1937.	1866.	1918.
807.27	1992.	1941.	1874.	1922.
810.24	1992.	1937.	1874.	1926.
816.21	1980.	1941.	1866.	1926.
822.18	1984.	1937.	1862.	1926.
828.15	1976.	1901.	1857.	1934.
834.12	2015.	1831.	1812.	1934.
836.11	2023.	1802.	1804.	1934.
838.11	2043.	1773.	1702.	1942.
840.09	2051.	1777.	1784.	1946.
842.08	2055.	1802.	1779.	1950.
844.08	2043.	1815.	1779.	1953.
846.06	2043.	1815.	1775.	1950.
848.04	2043.	1807.	1779.	1953.
850.04	2055.	1811.	1779.	1961.
852.03	2067.	1819.	1775.	1961.
854.01	2067.	1831.	1784.	1965.
856.01	2094.	1856.	1792.	1965.
858.00	2161.	1884.	1808.	1973.
859.98	2255.	1937.	1833.	1997.
861.98	2338.	2000.	1874.	2032.
863.97	2400.	2059.	1915.	2067.
865.95	2455.	2110.	1954.	2110.
867.95	2483.	2133.	1994.	2150.
869.94	2514.	2153.	2021.	2189.
871.92	2542.	2161.	2053.	2224.
873.91	2554.	2180.	2076.	2248.
875.91	2560.	2196.	2096.	2271.
877.89	2605.	2212.	2112.	2295.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol. III
CHECK	Stop	10/2/1				DZ-20885
APR						
APR						
CONTRACT NO.						PAGE 2.01 3-94

96  
9/3/63

TIME SEC.	3-6 C-3M	3-7 C-5M	3-5 T-16	7-5 T-24
	-----DEGREES FARENHEIT-----			
879.88	2637.	2235.	2128.	2322.
881.88	2660.	2251.	2155.	2346.
883.86	2684.	2279.	2175.	2365.
885.85	2708.	2290.	2190.	2381.
887.85	2731.	2298.	2202.	2404.
889.83	2731.	2298.	2214.	2420.
891.82	2731.	2298.	2218.	2432.
893.82	2739.	2294.	2226.	2444.
895.80	2743.	2306.	2230.	2451.
897.78	2735.	2306.	2230.	2463.
899.78	2727.	2306.	2234.	2471.
905.75	2731.	2310.	2234.	2471.
911.72	2747.	2306.	2238.	2483.
917.69	2731.	2294.	2234.	2487.
923.65	2724.	2283.	2230.	2491.
929.62	2727.	2271.	2218.	2483.
935.59	2727.	2267.	2222.	2498.
941.56	2730.	2271.	2222.	2498.
947.52	2716.	2267.	2222.	2498.
953.49	2724.	2286.	2230.	2498.
959.46	2700.	2251.	2230.	2491.
965.43	2660.	2228.	2194.	2471.
971.40	2633.	2204.	2167.	2447.
977.37	2609.	2161.	2151.	2436.
983.34	2593.	2141.	2120.	2412.
989.31	2569.	2118.	2112.	2400.
995.28	2581.	2125.	2096.	2393.
1001.25	2542.	2121.	2096.	2385.
1007.22	2530.	2098.	2076.	2373.
1013.19	2522.	2094.	2068.	2361.
1019.16	2503.	2082.	2061.	2349.
1049.00	2428.	2055.	2021.	2302.
1078.84	2412.	2031.	2013.	2287.
1108.68	2412.	2039.	2013.	2283.
1138.53	2448.	2059.	2025.	2298.
1168.38	2491.	2098.	2045.	2322.
1198.22	2554.	2173.	2116.	2381.
1228.06	2620.	2235.	2190.	2440.
1257.90	2684.	2310.	2257.	2491.
1287.75	2727.	2345.	2289.	2530.

<table border="1"> <tr><td>CALC</td><td>09/14/1</td><td></td><td>REVISED</td><td>DATE</td></tr> <tr><td>CHECK</td><td>Stapp</td><td>10/21</td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td><td></td></tr> </table>	CALC	09/14/1		REVISED	DATE	CHECK	Stapp	10/21			APR					APR					<p>LEADING EDGE TEST LT-5-617-2-2  FWA NO. 05617      SPEC. 0376  COND. NO. 02      RUN 03</p> <p>THE BOEING COMPANY</p>	<p>Vol. III</p> <p>DZ-8085</p> <p>PAGE 3.01</p> <p>3-95</p>
CALC	09/14/1		REVISED	DATE																		
CHECK	Stapp	10/21																				
APR																						
APR																						
CONTRACT NO.																						

97

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
	-----DEGREES FAHRENHEIT-----			
1317.60	2727.	2349.	2305.	2545.
1347.44	2724.	2353.	2297.	2553.
1377.28	2730.	2349.	2293.	2561.
1407.12	2735.	2345.	2295.	2561.
1436.97	2727.	2341.	2281.	2561.
1440.96	2735.	2361.	2301.	2561.
1455.87	2652.	2534.	2438.	2542.
1470.79	2648.	2597.	2533.	2545.
1485.72	2652.	2621.	2544.	2553.
1500.63	2652.	2621.	2548.	2553.
1515.57	2648.	2617.	2552.	2557.
1530.48	2648.	2609.	2548.	2553.
1545.40	2652.	2625.	2552.	2553.
1540.33	2648.	2621.	2548.	2557.
1590.18	2644.	2621.	2548.	2561.
1620.01	2641.	2589.	2529.	2549.
1649.85	2617.	2573.	2517.	2538.
1679.70	2580.	2550.	2489.	2514.
1709.55	2534.	2503.	2450.	2479.
1739.40	2487.	2448.	2399.	2444.
1769.23	2385.	2345.	2316.	2369.
1799.07	2270.	2220.	2206.	2291.
1828.92	2120.	2082.	2080.	2185.
1858.77	1984.	1953.	1954.	2071.
1888.62	1810.	1798.	1808.	1957.
1918.45	1628.	1590.	1442.	1820.
1948.29	1433.	1402.	1475.	1672.
1978.14	1181.	1181.	1281.	1511.
2007.99	983.6	917.8	1082.	1355.
2037.84	796.2	630.1	862.9	1212.
2047.67	641.4	428.7	643.4	1046.
2097.51	499.0	318.0	517.1	881.1
2127.36	364.3	248.0	417.3	731.1
2157.21	346.0	227.0	364.5	619.3
2187.06	318.0	220.0	332.3	556.8
2216.89	290.0	213.0	318.3	492.5
2246.73	262.0	192.0	290.2	445.8

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol. III
CHECK	Stapp	10/2/1				
APR						D2-80085
APR						PAGE 4.01
CONTRACT NO.						3-96

98

9/3/63

Continues Interfold © Moore Business Forms, Inc. 8

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
09.99-	267.7	269.5	284.5	288.6	264.6	277.9	233.6
85.08-	272.9	269.5	257.1	307.6	280.3	294.1	241.5
70.15-	278.1	272.1	265.0	326.6	291.1	307.7	254.5
55.23-	280.8	272.1	265.0	342.8	304.7	318.5	259.7
40.31-	283.5	272.1	270.2	353.7	312.8	329.4	267.6
25.38-	288.9	272.1	275.4	361.8	323.6	337.5	275.4
10.47-	291.6	274.7	280.7	372.7	329.1	340.3	283.4
4.46	294.4	274.7	286.1	378.0	334.5	348.4	291.6
19.38	297.1	277.3	291.6	388.7	342.6	356.5	294.3
34.30	299.8	279.9	297.0	404.8	348.0	367.4	302.4
49.23	305.2	285.2	302.4	420.9	361.6	378.2	307.9
64.14	310.7	287.9	307.9	436.9	372.4	391.6	318.7
79.07	318.8	290.7	319.7	453.0	383.1	407.6	326.9
93.99	327.0	296.1	321.5	471.7	393.8	421.0	337.8
108.91	335.2	301.5	329.6	484.9	407.2	434.4	345.9
123.84	346.0	306.9	337.8	506.0	423.2	450.5	362.2
138.75	354.2	312.3	345.9	516.5	433.9	466.6	373.1
150.69	362.4	317.7	348.6	527.0	444.6	474.6	378.4
156.66	362.4	317.7	354.1	532.3	450.0	479.8	383.8
162.63	365.1	320.4	354.1	532.3	452.7	485.1	386.5
168.60	367.8	323.1	359.5	537.6	455.3	493.0	389.2
174.57	373.2	323.1	362.2	542.8	460.7	503.6	394.5
180.54	373.2	325.8	364.9	550.7	463.4	516.7	399.9
186.51	375.9	325.8	370.4	561.2	468.7	532.6	402.6
192.48	381.2	331.2	373.1	576.6	474.0	553.6	407.9
198.45	383.9	331.2	378.4	594.6	479.2	576.9	410.6
204.42	389.3	333.9	383.8	615.1	481.9	605.1	416.0
210.39	397.4	336.6	391.8	640.7	489.8	638.4	421.4
225.30	416.1	344.7	416.0	720.1	510.8	743.6	437.5
240.23	451.0	358.2	448.2	830.3	542.4	887.2	464.3
255.15	501.5	374.3	501.3	970.4	586.4	1065.	501.3
270.07	572.5	395.7	574.8	1125.	642.7	1266.	554.1
285.00	662.4	427.7	662.1	1276.	711.8	1450.	626.1
299.91	760.0	475.6	754.5	1410.	796.3	1606.	713.4
314.84	852.4	533.3	841.8	1518.	891.0	1706.	811.0
329.76	929.1	608.0	910.9	1599.	982.1	1772.	908.4
344.68	987.5	684.5	969.3	1655.	1063.	1797.	992.1
359.61	1023.	756.0	1007.	1684.	1124.	1792.	1058.
389.45	1051.	858.0	1045.	1694.	1203.	1739.	1132.
419.29	1046.	903.9	1045.	1660.	1231.	1658.	1155.

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol. III
CHECK	Step	10/11			
APR					
APR					
CONTRACT NO.					D2-80085 PAGE 1.02 3-97

99

9/3/63

Continous Interfold © Moore Business Forms, Inc.

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
449.13	1020.	911.5	1020.	1605.	1224.	1566.	1147.
478.9A	987.5	896.3	979.4	1539.	1201.	1484.	1117.
508.83	952.0	875.9	943.9	1483.	1170.	1410.	1086.
538.67	919.0	845.3	905.9	1418.	1134.	1347.	1053.
568.51	891.0	819.7	875.1	1370.	1098.	1300.	1020.
598.35	875.6	801.9	854.6	1341.	1073.	1277.	997.2
628.20	875.6	796.8	849.5	1333.	1068.	1284.	989.6
658.05	880.7	791.7	857.2	1352.	1066.	1326.	987.0
687.89	906.3	801.9	885.4	1402.	1078.	1397.	1002.
717.73	939.3	822.3	918.6	1457.	1106.	1453.	1028.
747.57	972.3	852.9	940.0	1499.	1139.	1487.	1058.
777.42	987.5	870.8	969.3	1515.	1162.	1500.	1083.
807.27	1008.	891.2	987.0	1536.	1185.	1516.	1104.
810.24	1010.	896.3	989.6	1536.	1185.	1516.	1104.
816.21	1013.	898.8	992.1	1539.	1188.	1519.	1109.
822.18	1015.	903.9	994.6	1541.	1190.	1521.	1114.
828.15	1020.	908.9	997.2	1547.	1195.	1521.	1117.
834.12	1023.	914.0	1002.	1552.	1201.	1521.	1122.
836.11	1026.	914.0	999.7	1552.	1203.	1521.	1122.
838.11	1026.	916.5	1002.	1552.	1203.	1521.	1122.
840.09	1028.	916.5	999.7	1552.	1206.	1521.	1124.
842.08	1026.	916.5	999.7	1555.	1206.	1521.	1124.
844.08	1028.	916.5	1002.	1557.	1208.	1521.	1127.
846.06	1031.	919.0	1002.	1557.	1208.	1524.	1124.
848.04	1036.	921.5	1002.	1557.	1211.	1524.	1129.
850.04	1036.	924.1	1002.	1560.	1211.	1526.	1132.
852.03	1036.	924.1	999.7	1557.	1213.	1526.	1132.
854.01	1036.	924.1	999.7	1562.	1213.	1532.	1137.
856.01	1038.	926.6	1002.	1562.	1213.	1532.	1132.
858.00	1038.	929.1	999.7	1565.	1218.	1534.	1137.
859.98	1038.	929.1	999.7	1565.	1216.	1540.	1137.
861.98	1041.	929.1	999.7	1570.	1221.	1553.	1137.
863.97	1041.	929.1	999.7	1573.	1221.	1558.	1140.
865.95	1043.	929.1	999.7	1578.	1221.	1569.	1140.
867.95	1048.	929.1	1002.	1583.	1221.	1577.	1140.
869.94	1048.	931.6	1002.	1589.	1224.	1590.	1142.
871.92	1051.	934.1	1002.	1591.	1224.	1600.	1142.
873.91	1053.	934.1	1002.	1597.	1229.	1611.	1147.
875.91	1056.	939.2	1005.	1607.	1229.	1621.	1147.
877.89	1061.	939.2	1005.	1615.	1234.	1632.	1147.

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol. III
CHECK	Stur	10/21/1			
APR					
APR					
CONTRACT NO.					02-80885 PAGE 2 OF 02 3-98

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
879.88	1064.	939.2	1007.	1623.	1236.	1645.	1152.
881.88	1069.	941.7	1007.	1628.	1236.	1658.	1155.
883.86	1071.	941.7	1010.	1641.	1239.	1669.	1155.
885.85	1074.	944.2	1012.	1647.	1241.	1685.	1158.
887.85	1081.	946.7	1012.	1657.	1247.	1698.	1160.
889.83	1086.	949.3	1015.	1668.	1249.	1709.	1163.
891.82	1092.	951.8	1020.	1673.	1249.	1723.	1165.
893.82	1097.	954.3	1020.	1684.	1254.	1736.	1170.
895.80	1099.	954.3	1020.	1694.	1259.	1747.	1173.
897.78	1104.	956.8	1028.	1699.	1262.	1758.	1175.
899.78	1112.	959.3	1030.	1710.	1267.	1767.	1181.
905.75	1125.	969.4	1038.	1738.	1280.	1797.	1196.
911.72	1143.	979.5	1048.	1763.	1293.	1822.	1206.
917.69	1150.	984.5	1055.	1785.	1308.	1841.	1219.
923.65	1166.	994.6	1063.	1804.	1319.	1858.	1234.
929.62	1176.	1005.	1071.	1821.	1334.	1872.	1245.
935.59	1189.	1015.	1081.	1832.	1350.	1883.	1263.
941.56	1199.	1025.	1088.	1848.	1361.	1891.	1275.
947.52	1207.	1035.	1096.	1862.	1377.	1896.	1291.
953.49	1197.	1045.	1104.	1870.	1384.	1905.	1301.
959.46	1227.	1055.	1111.	1884.	1398.	1911.	1309.
965.43	1235.	1065.	1119.	1890.	1408.	1911.	1320.
971.40	1240.	1070.	1124.	1895.	1416.	1911.	1330.
977.37	1243.	1078.	1129.	1898.	1424.	1905.	1338.
983.34	1204.	1083.	1132.	1898.	1432.	1899.	1343.
989.31	1248.	1090.	1137.	1898.	1437.	1894.	1351.
995.28	1250.	1095.	1137.	1898.	1442.	1888.	1354.
1001.25	1250.	1098.	1140.	1898.	1448.	1883.	1357.
1007.22	1253.	1103.	1145.	1895.	1453.	1880.	1362.
1013.19	1253.	1108.	1147.	1892.	1456.	1872.	1364.
1019.16	1253.	1111.	1147.	1890.	1456.	1869.	1370.
1049.00	1258.	1123.	1152.	1876.	1463.	1849.	1375.
1078.84	1261.	1131.	1158.	1862.	1463.	1830.	1375.
1108.68	1266.	1141.	1163.	1851.	1463.	1822.	1378.
1138.53	1276.	1149.	1173.	1854.	1469.	1825.	1383.
1168.38	1284.	1157.	1188.	1862.	1477.	1838.	1391.
1198.22	1304.	1174.	1199.	1887.	1490.	1872.	1404.
1228.06	1328.	1195.	1224.	1915.	1508.	1916.	1423.
1257.90	1357.	1220.	1252.	1952.	1534.	1962.	1452.
1287.75	1392.	1251.	1281.	1992.	1563.	2002.	1486.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol. III
CHECK	Steele	10/11				
APR						
APR						
CONTRACT NO.						D2-81885 PAGE 3.02 3-99

101

9/3/63

Continous Interfield Co. Moore Business Forms, Inc.

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
1317.60	1418.	1276.	1309.	2023.	1590.	2030.	1510.
1347.44	1442.	1304.	1330.	2046.	1616.	2047.	1539.
1377.28	1463.	1328.	1354.	2063.	1640.	2061.	1557.
1407.12	1470.	1346.	1370.	2074.	1650.	2067.	1576.
1436.97	1495.	1365.	1393.	2086.	1666.	2076.	1589.
1440.96	1495.	1367.	1388.	2086.	1666.	2081.	1591.
1455.27	1505.	1375.	1401.	2091.	1671.	2095.	1597.
1470.79	1518.	1391.	1430.	2094.	1679.	2116.	1607.
1485.72	1537.	1407.	1462.	2103.	1692.	2125.	1618.
1500.63	1550.	1428.	1491.	2106.	1698.	2131.	1634.
1515.57	1564.	1443.	1512.	2115.	1708.	2143.	1644.
1530.48	1574.	1462.	1528.	2121.	1714.	2146.	1652.
1545.40	1584.	1475.	1541.	2124.	1722.	2149.	1663.
1560.33	1592.	1485.	1554.	2127.	1731.	2152.	1671.
1590.18	1608.	1506.	1573.	2139.	1747.	2164.	1686.
1620.01	1616.	1517.	1586.	2145.	1755.	2161.	1697.
1649.85	1621.	1530.	1594.	2139.	1761.	2155.	1702.
1679.70	1621.	1530.	1604.	2133.	1758.	2146.	1700.
1709.55	1613.	1525.	1601.	2118.	1755.	2125.	1697.
1739.40	1608.	1522.	1581.	2103.	1747.	2104.	1689.
1769.25	1592.	1509.	1568.	2074.	1736.	2061.	1681.
1799.07	1574.	1498.	1547.	2037.	1720.	2004.	1665.
1828.92	1547.	1477.	1512.	1989.	1698.	1939.	1644.
1858.77	1513.	1446.	1478.	1932.	1666.	1863.	1613.
1888.62	1470.	1417.	1438.	1870.	1640.	1794.	1581.
1918.45	1444.	1386.	1401.	1807.	1603.	1717.	1547.
1948.29	1402.	1349.	1362.	1738.	1566.	1637.	1510.
1978.14	1357.	1310.	1312.	1657.	1521.	1553.	1462.
2007.99	1315.	1269.	1260.	1573.	1469.	1468.	1417.
2037.84	1263.	1220.	1209.	1486.	1413.	1379.	1364.
2067.67	1197.	1157.	1140.	1386.	1348.	1290.	1301.
2097.51	1120.	1085.	1068.	1281.	1272.	1202.	1234.
2127.36	1046.	1017.	997.2	1166.	1185.	1110.	1158.
2157.21	969.7	951.8	928.7	1039.	1093.	1004.	1078.
2187.06	908.8	901.4	872.6	919.8	997.3	910.1	1005.
2216.89	857.6	855.5	823.8	827.7	918.9	830.7	933.8
2246.73	816.5	814.6	785.3	748.3	847.5	764.1	875.2

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 COND. NO. 02	SPEC. 0376 RUN 03	Vol. III		
CHECK	Step 14:11							
APR								D7-89085
APR						THE BOEING COMPANY		PAGE 4.02
CONTRACT NO.						3-100		

9/3/63

102

Continuum Interfold © Moore Business Forms, Inc. ©

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLE T-17, T-18, T-19, T-20, T-21, T-22, & T-23 =  $\pm 45^\circ\text{F}$ .

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^\circ\text{F}$ .

<u>THERMOCOUPLE NO.</u>	<u>PAGE</u>
T-10, T-11, C-4M, T-12, T-13, T-14, T-15	3-102-3-105
C-3M, C-5M, T-16, T-24	3-106-3-109
T-17, T-18, T-19, T-20, T-21, T-22, T-23	3-110-3-113

CALC	Reynolds	10/2/61	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04	Vol. III
CHECK	Stapp	01/2/61				02-80085
APPD					BOEING AIRPLANE COMPANY	3-106
APPD						

103

9/3/63



TIME SEC.	3-2 T-10	7-2 T-11	7-6 C-4M	3-3 T-12	7-3 T-13	3-4 T-14	7-4 T-15
	-----DEGREES FAHRENHEIT-----						
99.98-	324.4	338.2	380.9	398.9	398.4	324.8	392.9
85.06-	351.9	369.2	415.9	428.1	421.7	317.8	404.5
70.15-	351.9	380.9	421.7	445.6	439.2	324.8	416.2
55.21-	363.6	386.7	439.2	457.3	456.7	352.3	439.6
40.30-	369.4	398.4	450.9	469.0	456.7	381.6	457.1
25.37-	381.1	415.9	456.7	474.8	474.2	381.6	474.6
10.45-	386.9	415.9	468.4	486.5	485.9	381.6	480.5
4.46	386.9	415.9	468.4	498.2	480.1	399.1	498.0
19.40	392.7	427.6	485.9	509.9	503.4	381.6	486.3
34.31	381.1	415.9	474.2	498.2	491.7	381.6	486.3
49.24	398.6	421.7	480.0	504.0	503.4	387.4	474.6
64.16	416.1	433.4	491.7	515.7	509.2	422.5	509.6
79.07	416.1	439.2	497.5	515.7	515.1	399.1	498.0
94.01	404.4	439.2	497.5	515.7	515.1	416.7	515.5
108.92	398.6	421.7	485.9	521.6	509.2	434.3	533.0
123.85	392.7	415.9	480.0	509.9	509.2	440.1	533.0
138.77	439.4	480.1	532.5	568.3	567.5	446.0	533.0
150.71	503.6	550.0	612.9	640.3	628.9	451.8	556.4
156.68	677.0	772.2	782.8	830.3	824.0	545.4	645.3
162.65	724.8	834.1	864.3	921.1	894.6	630.2	762.3
168.62	783.3	889.5	939.9	996.9	960.0	752.8	895.4
174.59	854.7	975.2	1024.	1079.	1053.	810.8	961.0
180.55	905.1	1024.	1102.	1151.	1126.	846.2	1001.
186.52	1020.	1126.	1215.	1263.	1243.	957.4	1122.
192.49	1107.	1229.	1325.	1381.	1343.	987.7	1174.
198.46	1187.	1298.	1406.	1466.	1432.	1071.	1272.
204.42	1289.	1401.	1529.	1574.	1529.	1152.	1345.
210.39	1398.	1508.	1644.	1680.	1639.	1246.	1452.
225.32	1653.	1775.	1946.	1968.	1914.	1463.	1688.
240.23	1850.	1969.	2165.	2184.	2118.	1661.	1892.
255.16	2049.	2180.	2392.	2403.	2325.	1882.	2112.
270.08	2252.	2388.	2615.	2615.	2532.	2072.	2304.
285.00	2354.	2478.	2717.	2718.	2634.	2112.	2371.
299.93	2409.	2525.	2768.	2777.	2686.	2163.	2425.
314.84	2338.	2439.	2701.	2726.	2627.	2115.	2394.
329.77	2323.	2427.	2682.	2718.	2615.	2104.	2386.
344.69	2190.	2298.	2556.	2592.	2509.	2017.	2304.
359.61	2103.	2188.	2446.	2493.	2415.	1931.	2226.
389.45	1939.	2024.	2259.	2309.	2227.	1767.	2046.
419.30	1747.	1813.	2044.	2102.	2028.	1567.	1851.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04 THE BOEING COMPANY	Vol. III
CHECK	Stacy	9/27/1				
APR						
APR						
CONTRACT NO.						02-8085 PAGE 1.00 3-10Z

104

9/3/63

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
1317.61	2299.	2403.	2650.	2670.	2583.	1951.	2147.
1347.44	2338.	2435.	2682.	2698.	2611.	1927.	2128.
1377.29	2346.	2454.	2693.	2718.	2623.	1935.	2132.
1407.14	2342.	2439.	2682.	2714.	2619.	1923.	2128.
1436.99	2350.	2442.	2682.	2710.	2615.	1911.	2116.
1440.96	2342.	2439.	2682.	2714.	2615.	1919.	2120.
1455.89	2405.	2501.	2745.	2793.	2682.	2170.	2406.
1470.80	2362.	2458.	2713.	2761.	2658.	2178.	2386.
1485.73	2358.	2454.	2713.	2757.	2658.	2174.	2390.
1500.65	2370.	2474.	2721.	2765.	2666.	2170.	2386.
1515.57	2362.	2462.	2713.	2765.	2662.	2170.	2386.
1530.50	2366.	2478.	2721.	2765.	2666.	2170.	2390.
1545.41	2373.	2478.	2721.	2773.	2670.	2174.	2394.
1560.34	2366.	2470.	2721.	2773.	2670.	2170.	2390.
1590.18	2366.	2478.	2721.	2761.	2670.	2163.	2382.
1620.02	2350.	2458.	2705.	2753.	2658.	2163.	2378.
1649.87	2307.	2419.	2670.	2714.	2619.	2123.	2351.
1679.72	2287.	2403.	2646.	2694.	2595.	2123.	2347.
1709.56	2248.	2353.	2603.	2655.	2560.	2068.	2300.
1739.40	2205.	2310.	2544.	2603.	2509.	2010.	2245.
1769.24	2092.	2184.	2419.	2497.	2403.	1919.	2144.
1799.09	1970.	2051.	2286.	2364.	2278.	1813.	2022.
1828.94	1866.	1930.	2149.	2247.	2169.	1690.	1900.
1858.78	1755.	1817.	2024.	2117.	2048.	1575.	1777.
1888.62	1606.	1644.	1849.	1949.	1898.	1427.	1615.
1918.46	1460.	1472.	1678.	1765.	1741.	1292.	1465.
1948.31	1253.	1243.	1446.	1493.	1512.	1075.	1202.
1978.16	1006.	1005.	1215.	1231.	1289.	917.0	1074.
2008.00	777.9	756.3	955.0	931.2	1044.	688.9	860.1
2037.84	532.8	485.9	666.0	645.7	772.2	504.5	650.7
2067.68	381.1	345.1	474.2	439.8	573.4	317.8	439.6
2097.53	296.4	261.5	375.1	331.6	456.7	219.9	338.4
2127.38	233.7	212.7	296.3	254.7	369.2	178.0	275.6
2157.22	205.8	184.8	233.6	205.9	317.2	157.0	233.7
2187.06	184.9	163.9	205.7	184.9	275.4	150.0	212.8
2216.90	177.9	157.0	191.8	177.9	247.6	141.6	198.8
2246.75	177.9	150.0	184.8	177.9	247.6	141.6	184.9

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04 THE BOEING COMPANY	Vol. III
CHECK	<i>Steph</i>				
APR					
APR					
CONTRACT NO.					PAGE 4.00

105

9/3/63

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
879.89	2221.	2341.	2571.	2576.	2497.	1805.	2014.
881.88	2260.	2372.	2603.	2607.	2532.	1821.	2034.
883.88	2276.	2403.	2623.	2631.	2552.	1837.	2050.
885.86	2291.	2411.	2650.	2655.	2575.	1842.	2061.
887.85	2311.	2427.	2666.	2666.	2587.	1846.	2065.
889.85	2307.	2423.	2654.	2662.	2583.	1854.	2065.
891.83	2283.	2399.	2650.	2655.	2572.	1842.	2069.
893.82	2287.	2399.	2646.	2655.	2572.	1854.	2069.
895.82	2311.	2427.	2646.	2666.	2587.	1854.	2069.
897.80	2327.	2431.	2670.	2682.	2595.	1854.	2073.
899.78	2323.	2423.	2674.	2686.	2599.	1854.	2089.
905.75	2327.	2435.	2678.	2698.	2611.	1854.	2089.
911.72	2338.	2427.	2682.	2694.	2611.	1854.	2089.
917.69	2319.	2423.	2658.	2682.	2587.	1846.	2073.
923.66	2299.	2403.	2654.	2674.	2587.	1846.	2073.
929.63	2276.	2368.	2623.	2647.	2564.	1833.	2065.
935.60	2244.	2341.	2591.	2615.	2532.	1821.	2057.
941.57	2233.	2337.	2579.	2603.	2517.	1821.	2053.
947.54	2221.	2313.	2560.	2588.	2497.	1805.	2038.
953.51	2260.	2356.	2599.	2627.	2540.	1813.	2042.
959.48	2244.	2333.	2575.	2603.	2525.	1805.	2042.
965.45	2217.	2302.	2548.	2580.	2497.	1771.	1999.
971.42	2182.	2274.	2517.	2548.	2470.	1725.	1956.
977.39	2143.	2235.	2478.	2505.	2423.	1707.	1932.
983.36	2115.	2204.	2446.	2482.	2399.	1712.	1928.
989.33	2088.	2173.	2419.	2450.	2368.	1682.	1888.
995.30	2088.	2180.	2419.	2458.	2380.	1678.	1892.
1001.26	2088.	2169.	2419.	2458.	2376.	1703.	1904.
1007.23	2088.	2169.	2407.	2446.	2372.	1695.	1900.
1013.20	2076.	2169.	2403.	2443.	2368.	1690.	1896.
1019.17	2053.	2141.	2384.	2423.	2353.	1690.	1892.
1049.00	2049.	2130.	2372.	2411.	2337.	1639.	1839.
1078.85	2033.	2122.	2341.	2388.	2306.	1661.	1851.
1108.70	2002.	2087.	2313.	2356.	2286.	1639.	1855.
1138.55	1998.	2087.	2321.	2360.	2290.	1669.	1855.
1168.39	2068.	2165.	2392.	2427.	2353.	1682.	1879.
1198.22	2127.	2220.	2454.	2486.	2415.	1737.	1932.
1228.07	2190.	2298.	2532.	2560.	2478.	1821.	2010.
1257.92	2225.	2337.	2575.	2599.	2509.	1915.	2112.
1287.77	2260.	2360.	2607.	2619.	2540.	1927.	2116.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04 THE BOEING COMPANY	Vol. III
CHECK	Stripp	10/2/1				
APR						
APR						
CONTRACT NO.						DZ-8885 PAGE 00 3-104

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

106

2-5000

Continous Interfold © Moore Business Forms, Inc. e

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
449.15	1555.	1622.	1849.	1917.	1853.	1369.	1641.
478.99	1447.	1512.	1733.	1791.	1729.	1301.	1552.
508.83	1353.	1424.	1635.	1684.	1639.	1199.	1470.
538.67	1294.	1361.	1576.	1625.	1584.	1171.	1425.
568.52	1262.	1325.	1537.	1587.	1542.	1129.	1381.
598.37	1285.	1361.	1571.	1604.	1576.	1161.	1398.
628.21	1371.	1450.	1656.	1693.	1661.	1237.	1465.
658.05	1598.	1695.	1894.	1941.	1886.	1432.	1658.
687.89	1674.	1775.	1985.	2031.	1977.	1507.	1769.
717.74	1700.	1800.	2024.	2062.	2001.	1528.	1777.
747.59	1700.	1796.	2016.	2070.	2012.	1445.	1701.
777.43	1725.	1825.	2036.	2090.	2024.	1356.	1560.
807.27	1708.	1804.	2024.	2078.	2012.	1356.	1573.
810.26	1704.	1808.	2024.	2090.	2016.	1356.	1573.
816.23	1700.	1804.	2024.	2090.	2016.	1360.	1564.
822.20	1708.	1808.	2016.	2082.	2024.	1356.	1577.
828.17	1666.	1767.	1989.	2043.	1985.	1301.	1501.
834.14	1606.	1686.	1934.	1980.	1930.	1278.	1416.
836.12	1640.	1733.	1977.	2004.	1954.	1338.	1478.
838.11	1640.	1746.	1958.	2004.	1954.	1333.	1487.
840.11	1623.	1720.	1946.	1984.	1934.	1338.	1513.
842.09	1615.	1720.	1938.	1980.	1934.	1356.	1530.
844.08	1640.	1771.	1958.	1996.	1946.	1356.	1530.
846.08	1649.	1754.	1961.	2008.	1958.	1351.	1526.
848.06	1657.	1754.	1973.	2012.	1958.	1347.	1522.
850.04	1657.	1763.	1969.	2012.	1962.	1342.	1518.
852.04	1657.	1758.	1977.	2012.	1965.	1342.	1513.
854.03	1662.	1771.	1985.	2023.	1969.	1356.	1518.
856.01	1725.	1825.	2028.	2070.	2016.	1392.	1547.
858.01	1797.	1906.	2102.	2129.	2087.	1454.	1620.
860.00	1883.	2001.	2200.	2215.	2165.	1563.	1735.
861.98	1966.	2091.	2274.	2294.	2235.	1622.	1810.
863.98	2025.	2149.	2341.	2356.	2290.	1673.	1859.
865.97	2072.	2212.	2407.	2419.	2349.	1720.	1900.
867.95	2096.	2227.	2431.	2446.	2372.	1712.	1916.
869.95	2111.	2243.	2462.	2462.	2392.	1729.	1932.
871.94	2127.	2243.	2462.	2474.	2399.	1742.	1948.
873.92	2154.	2270.	2497.	2509.	2427.	1754.	1960.
875.91	2174.	2294.	2524.	2529.	2450.	1771.	1979.
877.91	2193.	2306.	2544.	2548.	2478.	1788.	2003.

<table border="1"> <tr><td>CALC.</td><td>09/14/1</td><td></td><td>REVISED</td><td>DATE</td></tr> <tr><td>CHECK</td><td>Step</td><td>10/3/11</td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td><td></td></tr> </table>	CALC.	09/14/1		REVISED	DATE	CHECK	Step	10/3/11			APR					APR					LEADING EDGE TEST LT-3-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04 THE BOEING COMPANY	Vol. III D2-28885 PAGE 2.00 3-1089
CALC.	09/14/1		REVISED	DATE																		
CHECK	Step	10/3/11																				
APR																						
APR																						
107 CONTRACT NO.																						

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

Continous Interfield © Moore Business Forms, Inc. \*

TIME SEC.	3-6 C-3M	3-7 C-5M	3-5 T-16	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
99.98-	364.1	382.0	352.8	380.9
85.06-	387.6	399.5	370.4	398.4
70.15-	416.8	417.1	382.1	415.9
55.21-	434.4	417.1	399.7	439.2
40.30-	440.2	440.6	417.3	450.9
25.37-	446.1	446.5	429.0	462.6
10.45-	463.7	464.0	440.8	474.2
4.46	446.1	475.8	452.5	485.9
19.40	487.1	475.8	470.1	497.6
34.31	452.0	475.8	470.1	509.2
49.24	487.1	475.8	481.8	515.1
64.16	498.8	487.5	481.8	526.7
79.07	504.7	481.6	493.6	544.2
94.01	504.7	487.5	499.4	555.9
108.92	487.1	499.2	505.3	567.5
123.85	475.4	499.2	517.1	567.5
138.77	510.5	528.5	522.9	567.5
150.71	563.2	575.4	534.6	579.2
156.68	678.4	679.0	558.1	596.7
162.65	774.4	737.8	581.6	628.9
168.62	861.7	827.0	631.3	676.6
174.59	967.9	948.6	690.1	735.1
180.55	1047.	1033.	775.5	803.9
186.52	1157.	1125.	857.9	874.4
192.49	1247.	1229.	944.0	955.0
198.46	1329.	1312.	1043.	1039.
204.42	1455.	1411.	1145.	1135.
210.39	1550.	1535.	1258.	1243.
225.32	1830.	1795.	1566.	1490.
240.23	2093.	2052.	1857.	1741.
255.16	2336.	2291.	2112.	1977.
270.08	2580.	2523.	2367.	2212.
285.00	2631.	2574.	2466.	2341.
299.93	2678.	2626.	2529.	2407.
314.84	2635.	2586.	2521.	2415.
329.77	2603.	2570.	2517.	2407.
344.69	2509.	2476.	2450.	2356.
359.61	2407.	2358.	2356.	2290.
389.45	2218.	2189.	2190.	2141.
419.30	2018.	1977.	2002.	1993.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04 THE BOEING COMPANY	Vol. III
CHECK	Steph	10/1/1				
APR						
APR						
CONTRACT NO.						02-80035 PAGE 1.01 3-106

108

9/3/63

Continous Interfold © Moore Business Forms, Inc.

TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-16	T-24
-----DEGREES FAHRENHEIT-----				
449.15	1822.	1791.	1833.	1841.
478.99	1708.	1663.	1711.	1746.
508.83	1602.	1578.	1608.	1648.
538.67	1538.	1531.	1536.	1584.
568.52	1508.	1492.	1488.	1542.
598.37	1516.	1509.	1484.	1537.
628.21	1567.	1565.	1536.	1576.
658.05	1801.	1795.	1702.	1707.
687.89	1924.	1889.	1825.	1841.
717.74	1967.	1934.	1882.	1898.
747.59	1963.	1926.	1874.	1910.
777.43	1979.	1938.	1857.	1926.
807.27	1963.	1938.	1857.	1930.
810.26	1963.	1938.	1857.	1930.
816.23	1963.	1946.	1857.	1930.
822.20	1955.	1942.	1857.	1926.
828.17	1940.	1914.	1849.	1922.
834.14	1912.	1873.	1817.	1906.
836.12	1975.	1877.	1812.	1906.
838.11	2022.	1848.	1808.	1914.
840.11	2038.	1816.	1804.	1926.
842.09	2038.	1799.	1796.	1934.
844.08	2038.	1803.	1784.	1938.
846.08	2038.	1803.	1775.	1938.
848.06	2046.	1799.	1775.	1946.
850.04	2046.	1799.	1771.	1950.
852.04	2050.	1803.	1766.	1950.
854.03	2061.	1811.	1766.	1950.
856.01	2081.	1848.	1766.	1962.
858.01	2128.	1897.	1792.	1965.
860.00	2222.	1969.	1808.	1985.
861.98	2297.	2028.	1857.	2016.
863.98	2372.	2071.	1894.	2055.
865.97	2430.	2126.	1939.	2094.
867.95	2466.	2142.	1974.	2130.
869.95	2501.	2162.	2009.	2169.
871.94	2529.	2173.	2037.	2204.
873.92	2552.	2189.	2057.	2227.
875.91	2568.	2205.	2076.	2259.
877.91	2599.	2221.	2096.	2278.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04 THE BOEING COMPANY	Vol. III
CHECK	Stey	1/12/11				
APR						
APR						
CONTRACT NO.						D2-88885 PAGE 2.01 3-107

109

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

Continental Interfold, Inc. Moore Business Forms, Inc.

TIME SEC.	3-6 C-3M	3-7 C-5M	3-5 T-16	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
879.89	2627.	2244.	2120.	2302.
881.88	2659.	2268.	2143.	2329.
883.88	2682.	2287.	2163.	2349.
885.86	2702.	2307.	2183.	2368.
887.85	2722.	2307.	2190.	2392.
889.85	2718.	2307.	2206.	2411.
891.83	2714.	2291.	2214.	2419.
893.82	2714.	2291.	2214.	2431.
895.82	2742.	2299.	2214.	2439.
897.80	2745.	2307.	2222.	2450.
899.78	2738.	2307.	2230.	2454.
905.75	2726.	2311.	2234.	2462.
911.72	2734.	2311.	2238.	2474.
917.69	2722.	2295.	2234.	2482.
923.66	2730.	2284.	2230.	2478.
929.63	2718.	2268.	2222.	2478.
935.60	2722.	2240.	2210.	2482.
941.57	2718.	2229.	2198.	2482.
947.54	2710.	2213.	2190.	2478.
953.51	2714.	2240.	2190.	2478.
959.48	2702.	2229.	2194.	2478.
965.45	2659.	2201.	2179.	2458.
971.42	2623.	2177.	2151.	2435.
977.39	2607.	2130.	2128.	2419.
983.36	2599.	2111.	2112.	2403.
989.33	2576.	2083.	2084.	2388.
995.30	2568.	2095.	2072.	2380.
1001.26	2544.	2115.	2080.	2368.
1007.23	2532.	2111.	2080.	2356.
1013.20	2521.	2111.	2080.	2353.
1019.17	2501.	2099.	2072.	2341.
1049.00	2430.	2067.	2025.	2286.
1078.85	2426.	2052.	2009.	2270.
1108.70	2419.	2040.	2006.	2270.
1138.55	2430.	2063.	2025.	2282.
1168.39	2477.	2103.	2049.	2306.
1198.22	2540.	2162.	2108.	2356.
1228.07	2631.	2252.	2175.	2415.
1257.92	2674.	2307.	2238.	2466.
1287.77	2714.	2339.	2289.	2509.

<table border="1"> <tr><td>CALC</td><td>09/14/1</td><td></td><td>REVISED</td><td>DATE</td></tr> <tr><td>CHECK</td><td>Step</td><td>Call</td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td><td></td></tr> </table>	CALC	09/14/1		REVISED	DATE	CHECK	Step	Call			APR					APR					<p>LEADING EDGE TEST LT-5-617-2-2  EWA NO. 05617 SPEC. 0376  COND. NO. 02 RUN 04</p> <p>THE BOEING COMPANY</p>	<p>Vol. III</p> <p>D2-80895</p> <p>PAGE 3.01</p> <p>3-108</p>
CALC	09/14/1		REVISED	DATE																		
CHECK	Step	Call																				
APR																						
APR																						
CONTRACT NO.																						

9/3/63

110

Continental Interfold © Moore Business Forms, Inc. ©

TIME SEC.	3-6 C-3M	3-7 C-5M	3-5 T-16	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
1317.61	2722.	2362.	2305.	2529.
1347.44	2742.	2366.	2301.	2536.
1377.29	2749.	2358.	2305.	2548.
1407.14	2730.	2339.	2293.	2552.
1436.99	2726.	2331.	2281.	2544.
1440.96	2730.	2339.	2281.	2544.
1455.89	2655.	2594.	2450.	2532.
1470.80	2659.	2622.	2533.	2532.
1485.73	2659.	2630.	2544.	2536.
1500.65	2651.	2626.	2544.	2540.
1515.57	2643.	2622.	2544.	2536.
1530.50	2647.	2622.	2544.	2536.
1545.41	2659.	2634.	2552.	2544.
1560.34	2655.	2626.	2548.	2544.
1590.18	2647.	2626.	2548.	2544.
1620.02	2623.	2606.	2544.	2536.
1649.87	2607.	2578.	2513.	2513.
1679.72	2587.	2567.	2505.	2497.
1709.56	2544.	2504.	2454.	2470.
1739.40	2477.	2457.	2411.	2427.
1769.24	2387.	2354.	2316.	2360.
1799.09	2285.	2236.	2222.	2282.
1828.94	2128.	2103.	2100.	2180.
1858.78	1987.	1965.	1966.	2071.
1888.62	1814.	1816.	1833.	1962.
1918.46	1623.	1629.	1672.	1829.
1948.31	1414.	1420.	1497.	1690.
1978.16	1190.	1191.	1317.	1537.
2008.00	957.8	948.6	1116.	1379.
2037.84	737.1	705.7	913.6	1215.
2067.68	598.3	440.6	706.1	1063.
2097.53	475.4	311.1	558.1	924.8
2127.38	364.1	241.1	446.6	788.1
2157.22	282.9	206.0	382.1	666.0
2187.06	247.9	178.0	332.3	567.5
2216.90	227.0	178.0	304.2	503.4
2246.75	213.0	164.0	269.2	445.1

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04 THE BOEING COMPANY	Vol. III
CHECK	Step 10/2/1				
APR					
APR					
CONTRACT NO.					02-80885 PAGE 01 3-109

Continous Interfold © Moore Business Forms, Inc. ©



TIME SEC.	8-4 T-17	4-5 T-18	8-5 T-19	4-6 T-20	8-6 T-21	4-7 T-22	8-7 T-23
-----DEGREES FAHRENHEIT-----							
99.98-	386.8	396.5	372.8	280.4	323.8	299.8	329.5
85.06-	384.1	396.5	372.8	296.7	329.3	310.7	329.5
70.15-	386.8	393.8	372.8	313.0	337.4	321.6	329.5
55.21-	386.8	391.1	372.8	329.3	345.6	332.4	335.0
40.30-	389.5	393.8	375.5	345.6	351.0	340.6	335.0
25.37-	389.5	391.1	375.5	356.4	361.8	351.5	340.4
10.45-	392.2	391.1	378.1	372.7	367.3	362.4	345.9
4.46	392.2	391.1	380.8	380.7	372.7	365.1	345.9
19.40	392.2	393.8	383.5	388.7	378.0	373.2	348.6
34.31	394.9	391.1	386.2	402.1	383.4	378.6	351.3
49.24	400.3	393.8	391.5	412.8	388.7	386.6	356.7
64.16	400.3	393.8	391.5	426.2	396.8	394.7	362.2
79.07	403.0	393.8	394.2	434.3	402.1	402.7	364.9
94.01	403.0	399.1	399.6	447.6	410.1	413.5	370.3
108.92	408.3	399.1	399.6	461.0	415.5	421.5	373.0
123.85	408.3	399.1	404.9	471.7	426.2	429.6	378.3
138.77	416.4	401.8	410.3	482.3	431.6	440.3	383.7
150.71	416.4	401.8	415.6	492.8	439.6	448.4	389.1
156.68	419.1	404.5	415.6	495.4	442.3	453.7	391.8
162.65	419.1	404.5	418.3	500.7	445.0	459.1	394.4
168.62	421.8	407.2	421.0	508.6	447.6	467.2	399.8
174.59	427.1	409.8	426.4	513.9	453.0	477.8	399.8
180.55	427.1	409.8	426.4	524.4	458.4	491.0	402.5
186.52	429.8	412.5	429.0	534.9	461.0	506.8	405.2
192.49	432.5	415.2	434.4	553.4	466.4	527.9	407.9
198.46	435.2	415.2	439.8	574.1	471.7	554.3	415.9
204.42	443.3	415.2	442.4	597.1	479.6	585.3	418.6
210.39	445.9	417.9	450.5	625.3	487.5	618.7	421.3
225.32	472.8	425.9	469.2	717.6	513.9	736.9	442.7
240.23	504.5	436.6	500.9	843.1	553.4	893.6	469.5
255.16	552.0	452.6	548.3	995.7	599.7	1079.	509.1
270.08	629.4	479.2	612.7	1163.	663.7	1292.	569.5
285.00	719.4	510.8	694.8	1331.	745.7	1484.	643.9
299.93	817.1	560.8	789.6	1473.	843.1	1637.	738.9
314.84	907.0	622.2	874.2	1578.	942.5	1734.	841.6
329.77	978.1	691.3	950.5	1655.	1034.	1797.	941.1
344.69	1029.	763.0	1009.	1702.	1107.	1817.	1025.
359.61	1062.	827.0	1049.	1730.	1169.	1811.	1088.
389.45	1082.	913.8	1087.	1721.	1233.	1748.	1155.
419.30	1059.	941.6	1080.	1668.	1240.	1653.	1162.

Continous Interfold, Moore, J. J. Moore, Inc.

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04 THE BOEING COMPANY	Vol. III
CHECK	<i>[Signature]</i>				
APR					
APR					
CONTRACT NO.					02-8885 PAGE 1.02 3-11a

112

9/3/63

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
1317.61	1430.	1298.	1315.	2029.	1599.	2017.	1504.
1347.44	1453.	1324.	1342.	2054.	1623.	2034.	1530.
1377.29	1477.	1350.	1360.	2071.	1644.	2051.	1554.
1407.14	1496.	1371.	1379.	2086.	1660.	2062.	1575.
1436.99	1512.	1392.	1397.	2094.	1676.	2071.	1591.
1440.96	1509.	1390.	1400.	2094.	1678.	2071.	1594.
1455.89	1520.	1403.	1413.	2103.	1684.	2091.	1599.
1470.80	1538.	1416.	1445.	2106.	1694.	2111.	1609.
1485.73	1557.	1434.	1476.	2115.	1702.	2120.	1623.
1500.65	1567.	1455.	1503.	2118.	1713.	2129.	1633.
1515.57	1575.	1471.	1524.	2124.	1721.	2132.	1646.
1530.50	1588.	1482.	1539.	2127.	1727.	2138.	1657.
1545.41	1599.	1498.	1553.	2133.	1738.	2144.	1665.
1560.34	1609.	1508.	1566.	2139.	1743.	2150.	1673.
1590.18	1623.	1527.	1584.	2148.	1757.	2150.	1689.
1620.02	1633.	1542.	1597.	2154.	1771.	2153.	1699.
1649.87	1641.	1553.	1605.	2151.	1777.	2150.	1705.
1679.72	1636.	1553.	1605.	2145.	1771.	2138.	1705.
1709.56	1631.	1550.	1600.	2130.	1766.	2123.	1699.
1739.40	1623.	1545.	1592.	2115.	1760.	2093.	1696.
1769.24	1609.	1534.	1579.	2086.	1749.	2051.	1683.
1799.09	1594.	1521.	1563.	2046.	1730.	2005.	1667.
1828.94	1567.	1500.	1532.	2000.	1710.	1937.	1644.
1858.78	1538.	1474.	1500.	1938.	1681.	1866.	1617.
1888.62	1504.	1445.	1460.	1876.	1649.	1795.	1586.
1918.46	1461.	1408.	1416.	1807.	1615.	1714.	1549.
1948.31	1422.	1377.	1373.	1735.	1573.	1632.	1512.
1978.16	1382.	1334.	1329.	1657.	1531.	1545.	1467.
2008.00	1332.	1290.	1279.	1573.	1483.	1460.	1419.
2037.84	1280.	1244.	1223.	1481.	1423.	1370.	1364.
2067.68	1215.	1185.	1161.	1378.	1352.	1281.	1303.
2097.53	1141.	1116.	1090.	1266.	1273.	1199.	1237.
2127.38	1062.	1043.	1014.	1153.	1186.	1102.	1160.
2157.22	985.7	972.0	942.9	1021.	1092.	997.7	1081.
2187.06	919.7	913.8	881.9	902.0	995.7	901.3	1005.
2216.90	871.1	870.5	833.2	797.0	912.2	819.1	933.5
2246.75	827.4	832.1	792.2	715.0	843.1	749.7	869.8

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04	Vol. III
CHECK	<i>Stacy</i>	<i>10/2/11</i>				
APR						
APR						
					THE BOEING COMPANY	02-70080
CONTRACT NO.						PAGE 1.02

U6 5533 7450 (WAS BAC 1745 A-R1)

2-5000

9/3/63

113

3-111

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
879.89	1110.	992.2	1034.	1655.	1276.	1653.	1180.
881.88	1113.	992.2	1034.	1663.	1279.	1666.	1188.
883.88	1118.	992.2	1034.	1670.	1281.	1679.	1188.
885.86	1121.	994.7	1037.	1681.	1289.	1693.	1188.
887.85	1126.	997.2	1039.	1694.	1289.	1703.	1188.
889.85	1131.	999.8	1042.	1699.	1291.	1717.	1198.
891.83	1136.	1002.	1044.	1710.	1294.	1731.	1198.
893.82	1138.	1002.	1047.	1721.	1299.	1742.	1201.
895.82	1144.	1007.	1049.	1730.	1299.	1753.	1201.
897.80	1149.	1007.	1052.	1741.	1304.	1761.	1208.
899.78	1154.	1010.	1054.	1749.	1310.	1772.	1211.
905.75	1169.	1020.	1062.	1777.	1320.	1800.	1224.
911.72	1180.	1025.	1072.	1801.	1333.	1828.	1234.
917.69	1195.	1038.	1080.	1821.	1349.	1847.	1249.
923.66	1205.	1045.	1090.	1840.	1362.	1864.	1262.
929.63	1218.	1055.	1097.	1859.	1378.	1878.	1275.
935.60	1228.	1066.	1108.	1873.	1386.	1883.	1290.
941.57	1239.	1073.	1115.	1887.	1399.	1891.	1301.
947.54	1246.	1083.	1120.	1895.	1412.	1897.	1314.
953.51	1254.	1091.	1131.	1904.	1423.	1903.	1322.
959.48	1259.	1096.	1136.	1915.	1431.	1911.	1332.
965.45	1267.	1103.	1143.	1918.	1441.	1911.	1343.
971.42	1269.	1111.	1146.	1923.	1449.	1911.	1348.
977.39	1275.	1119.	1151.	1926.	1457.	1905.	1359.
983.36	1277.	1124.	1156.	1929.	1462.	1903.	1367.
989.33	1277.	1129.	1161.	1926.	1470.	1894.	1369.
995.30	1280.	1134.	1161.	1923.	1473.	1891.	1372.
1001.26	1280.	1137.	1161.	1923.	1475.	1883.	1372.
1007.23	1277.	1137.	1161.	1918.	1478.	1880.	1380.
1013.20	1280.	1144.	1167.	1918.	1478.	1872.	1380.
1019.17	1277.	1144.	1167.	1915.	1483.	1869.	1380.
1049.00	1280.	1152.	1172.	1895.	1483.	1842.	1380.
1078.85	1280.	1160.	1174.	1876.	1475.	1825.	1380.
1108.70	1282.	1165.	1179.	1865.	1475.	1811.	1380.
1138.55	1287.	1170.	1187.	1862.	1478.	1811.	1380.
1168.39	1303.	1185.	1197.	1873.	1483.	1825.	1388.
1198.22	1319.	1195.	1210.	1892.	1497.	1853.	1401.
1228.07	1345.	1218.	1233.	1923.	1518.	1891.	1419.
1257.92	1374.	1241.	1259.	1960.	1544.	1940.	1443.
1287.77	1403.	1272.	1289.	2000.	1573.	1979.	1472.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 04 THE BOEING COMPANY	Vol. III
CHECK	Step	12/2/1				
APR						
APR						
CONTRACT NO.						DZ-20085 PAGE 3.02 3-112

114

9/3/63

Copyright Interfold © Moore Business Forms, Inc. 6

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
449.15	1029.	941.6	1052.	1605.	1222.	1558.	1147.
478.99	993.3	921.4	1014.	1531.	1192.	1473.	1114.
508.83	960.3	896.1	970.8	1468.	1158.	1400.	1081.
538.67	929.8	870.5	932.8	1412.	1125.	1334.	1045.
568.52	909.5	847.4	897.3	1370.	1099.	1286.	1015.
598.37	886.5	824.4	874.2	1336.	1077.	1256.	989.3
628.21	886.5	816.7	861.4	1331.	1064.	1253.	976.6
658.05	901.9	821.8	874.2	1352.	1069.	1297.	976.6
687.89	932.4	837.2	902.4	1412.	1089.	1370.	996.9
717.74	970.5	860.2	935.3	1473.	1128.	1434.	1030.
747.59	1003.	890.9	965.7	1518.	1166.	1476.	1065.
777.43	1031.	918.9	993.6	1547.	1197.	1503.	1098.
807.27	1057.	946.7	1011.	1570.	1227.	1529.	1129.
810.26	1059.	946.7	1014.	1573.	1230.	1529.	1132.
816.23	1062.	951.7	1019.	1578.	1238.	1537.	1137.
822.20	1067.	956.8	1021.	1578.	1240.	1539.	1142.
828.17	1072.	961.8	1024.	1589.	1248.	1539.	1147.
834.14	1072.	964.4	1027.	1586.	1248.	1539.	1152.
836.12	1072.	966.9	1029.	1589.	1250.	1539.	1152.
838.11	1075.	966.9	1029.	1589.	1250.	1537.	1155.
840.11	1075.	969.4	1029.	1589.	1253.	1539.	1155.
842.09	1075.	969.4	1029.	1589.	1256.	1534.	1157.
844.08	1075.	969.4	1027.	1589.	1256.	1537.	1160.
846.08	1077.	972.0	1034.	1591.	1256.	1534.	1157.
848.06	1077.	972.0	1029.	1591.	1256.	1534.	1162.
850.04	1077.	974.5	1029.	1591.	1258.	1534.	1162.
852.04	1077.	972.0	1027.	1594.	1258.	1539.	1162.
854.03	1080.	977.0	1029.	1594.	1263.	1539.	1162.
856.01	1072.	977.0	1027.	1597.	1258.	1539.	1165.
858.01	1080.	977.0	1027.	1597.	1263.	1542.	1165.
860.00	1085.	979.5	1027.	1599.	1263.	1550.	1167.
861.98	1087.	982.1	1027.	1605.	1263.	1555.	1167.
863.98	1087.	982.1	1024.	1607.	1266.	1566.	1170.
865.97	1090.	982.1	1027.	1612.	1266.	1579.	1173.
867.95	1092.	984.6	1029.	1618.	1266.	1587.	1173.
869.95	1095.	982.1	1027.	1620.	1268.	1598.	1173.
871.94	1097.	984.6	1029.	1628.	1268.	1608.	1175.
873.92	1100.	987.1	1029.	1634.	1273.	1619.	1175.
875.91	1103.	987.1	1029.	1641.	1276.	1632.	1178.
877.91	1105.	992.2	1034.	1647.	1276.	1645.	1178.

<table border="1"> <tr> <td> <table border="1"> <tr> <td>CALC</td> <td>09/14/1</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>CHECK</td> <td><i>Step</i></td> <td><i>10/11</i></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table> </td> <td> <table border="1"> <tr> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td></td> <td></td> </tr> </table> </td> <td> <table border="1"> <tr> <td colspan="2">LEADING EDGE TEST LT-5-617-2-2</td> </tr> <tr> <td>EWA NO. 05617</td> <td>SPEC. 0376</td> </tr> <tr> <td>COND. NO. 02</td> <td>RUN 04</td> </tr> <tr> <td colspan="2" style="text-align: center;">THE BOEING COMPANY</td> </tr> </table> </td> <td> <table border="1"> <tr> <td>Vol. III</td> </tr> <tr> <td>D2-8085</td> </tr> <tr> <td>PAGE 02</td> </tr> <tr> <td>3-113</td> </tr> </table> </td> </tr> <tr> <td colspan="4">CONTRACT NO.</td> </tr> </table>	<table border="1"> <tr> <td>CALC</td> <td>09/14/1</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>CHECK</td> <td><i>Step</i></td> <td><i>10/11</i></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	CALC	09/14/1					CHECK	<i>Step</i>	<i>10/11</i>				APR						APR						<table border="1"> <tr> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td></td> <td></td> </tr> </table>	REVISED	DATE			<table border="1"> <tr> <td colspan="2">LEADING EDGE TEST LT-5-617-2-2</td> </tr> <tr> <td>EWA NO. 05617</td> <td>SPEC. 0376</td> </tr> <tr> <td>COND. NO. 02</td> <td>RUN 04</td> </tr> <tr> <td colspan="2" style="text-align: center;">THE BOEING COMPANY</td> </tr> </table>	LEADING EDGE TEST LT-5-617-2-2		EWA NO. 05617	SPEC. 0376	COND. NO. 02	RUN 04	THE BOEING COMPANY		<table border="1"> <tr> <td>Vol. III</td> </tr> <tr> <td>D2-8085</td> </tr> <tr> <td>PAGE 02</td> </tr> <tr> <td>3-113</td> </tr> </table>	Vol. III	D2-8085	PAGE 02	3-113	CONTRACT NO.			
<table border="1"> <tr> <td>CALC</td> <td>09/14/1</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>CHECK</td> <td><i>Step</i></td> <td><i>10/11</i></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	CALC	09/14/1					CHECK	<i>Step</i>	<i>10/11</i>				APR						APR						<table border="1"> <tr> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td></td> <td></td> </tr> </table>	REVISED	DATE			<table border="1"> <tr> <td colspan="2">LEADING EDGE TEST LT-5-617-2-2</td> </tr> <tr> <td>EWA NO. 05617</td> <td>SPEC. 0376</td> </tr> <tr> <td>COND. NO. 02</td> <td>RUN 04</td> </tr> <tr> <td colspan="2" style="text-align: center;">THE BOEING COMPANY</td> </tr> </table>	LEADING EDGE TEST LT-5-617-2-2		EWA NO. 05617	SPEC. 0376	COND. NO. 02	RUN 04	THE BOEING COMPANY		<table border="1"> <tr> <td>Vol. III</td> </tr> <tr> <td>D2-8085</td> </tr> <tr> <td>PAGE 02</td> </tr> <tr> <td>3-113</td> </tr> </table>	Vol. III	D2-8085	PAGE 02	3-113					
CALC	09/14/1																																															
CHECK	<i>Step</i>	<i>10/11</i>																																														
APR																																																
APR																																																
REVISED	DATE																																															
LEADING EDGE TEST LT-5-617-2-2																																																
EWA NO. 05617	SPEC. 0376																																															
COND. NO. 02	RUN 04																																															
THE BOEING COMPANY																																																
Vol. III																																																
D2-8085																																																
PAGE 02																																																
3-113																																																
CONTRACT NO.																																																

115

9/3/63

Continous Interfield & Moore Analysis Form, Inc.

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-20, T-21, T-22, & T-23 =  $\pm 45^\circ\text{F}$ .

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^\circ\text{F}$ .

THERMOCOUPLES NO.

PAGE

T-10, T-11, C-4M, T-12, T-13, T-14, T-15

3-115-3-116

C-3M, C-5M, T-16, T-24

13-117-3-118

T-17, T-18, T-19, T-20, T-21, T-22, T-23

3-119-3-120

CALC	Reynolds	10/2/61	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617      SPEC. 0376 COND. NO. 02      RUN 05 BOEING AIRPLANE COMPANY	Vol. III
CHECK						
APPD						02-8145
APPD						PAGE 3-11457

116

BAC 973 D-R3

9/3/63

2-7000

TIME SEC.	3-2	7-2	7-6	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
324.31	2422.	2535.	2792.	2862.	2734.	2590.	2852.
330.28	2398.	2519.	2749.	2842.	2699.	2551.	2816.
336.25	2367.	2484.	2725.	2814.	2683.	2520.	2773.
342.22	2339.	2445.	2686.	2783.	2648.	2484.	2745.
348.19	2304.	2418.	2658.	2755.	2624.	2449.	2722.
354.16	2280.	2394.	2635.	2720.	2593.	2437.	2706.
360.13	2265.	2363.	2603.	2696.	2569.	2406.	2678.
375.04	2198.	2300.	2533.	2625.	2503.	2323.	2604.
389.97	2139.	2245.	2462.	2562.	2448.	2265.	2545.
404.89	2049.	2144.	2368.	2460.	2358.	2174.	2435.
419.81	1915.	2003.	2208.	2303.	2229.	2045.	2309.
434.74	1801.	1884.	2087.	2174.	2103.	1907.	2161.
449.65	1661.	1735.	1934.	2017.	1959.	1763.	2008.
464.58	1511.	1581.	1784.	1853.	1818.	1618.	1852.
474.50	1360.	1434.	1640.	1668.	1662.	1454.	1672.
494.42	1223.	1276.	1473.	1480.	1517.	1301.	1497.
509.35	1075.	1122.	1312.	1291.	1362.	1171.	1368.
524.26	911.9	955.9	1121.	1061.	1197.	1027.	1203.
539.19	790.1	814.7	955.1	876.2	1064.	846.2	981.8
554.11	646.2	650.7	793.5	651.3	890.0	694.2	840.4
569.03	504.5	498.0	644.9	480.9	724.8	516.2	661.7
583.96	416.7	416.2	532.6	381.5	613.2	405.0	539.1
598.87	317.8	303.5	421.8	289.8	497.8	303.8	416.4
601.87	317.8	296.5	415.9	268.8	474.4	289.8	398.9

Continuum Interfold © Moore Business Forms, Inc. 8

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0316 COND. NO. 02 RUN 05  THE BOEING COMPANY	Vol. III
CHECK	<i>[Signature]</i>				02-9085
APR					PAGE 2-00
APR					3-115
CONTRACT NO.					

117

9/3/63

TIME SEC.	3-2 T-10	7-2 T-11	7-6 C-4M	3-3 T-12	7-5 T-13	3-4 T-14	7-4 T-15
	-----DEGREES FAHRENHEIT-----						
.01	116.5	116.6	108.3	116.6	125.0	108.2	116.6
5.98	178.0	198.8	205.7	205.9	205.8	226.9	247.8
11.95	275.9	345.4	303.3	352.2	324.4	331.8	352.1
17.92	405.0	498.0	445.1	516.0	462.8	428.4	457.3
23.89	475.2	591.4	538.4	624.7	573.7	498.6	562.5
29.86	557.1	656.0	623.6	715.2	655.7	557.1	635.1
35.82	614.3	719.8	719.2	810.5	735.4	688.9	762.8
41.79	651.6	762.3	777.6	866.1	804.3	752.8	830.3
47.76	720.8	834.9	859.4	957.1	879.9	784.7	875.7
53.73	774.1	890.4	935.0	1036.	960.6	841.1	941.4
59.69	826.0	955.9	1010.	1104.	1025.	917.0	1031.
65.66	881.6	1006.	1068.	1175.	1093.	997.8	1128.
71.63	917.0	1050.	1140.	1246.	1159.	1056.	1189.
77.60	977.6	1108.	1196.	1310.	1220.	1104.	1250.
83.56	1042.	1174.	1261.	1391.	1308.	1152.	1295.
89.53	1129.	1244.	1334.	1467.	1384.	1225.	1381.
95.50	1218.	1308.	1424.	1549.	1478.	1264.	1430.
101.47	1274.	1389.	1495.	1617.	1542.	1342.	1519.
107.44	1338.	1438.	1559.	1677.	1602.	1387.	1570.
113.41	1383.	1492.	1627.	1737.	1657.	1445.	1621.
119.38	1418.	1530.	1674.	1788.	1700.	1507.	1685.
134.30	1550.	1667.	1813.	1926.	1838.	1626.	1815.
149.23	1695.	1814.	1985.	2079.	1986.	1771.	1969.
164.14	1797.	1912.	2103.	2185.	2088.	1903.	2106.
179.08	1931.	2046.	2243.	2319.	2213.	2045.	2255.
193.99	2053.	2171.	2384.	2460.	2342.	2174.	2392.
208.91	2147.	2265.	2494.	2554.	2440.	2265.	2486.
223.84	2214.	2331.	2556.	2621.	2499.	2320.	2560.
238.75	2276.	2406.	2623.	2696.	2573.	2406.	2639.
253.69	2335.	2480.	2698.	2767.	2640.	2469.	2718.
268.60	2406.	2547.	2772.	2834.	2703.	2539.	2781.
270.59	2398.	2547.	2780.	2846.	2711.	2547.	2797.
276.56	2422.	2570.	2796.	2862.	2738.	2582.	2832.
282.52	2449.	2598.	2832.	2893.	2754.	2594.	2852.
288.49	2473.	2621.	2851.	2921.	2786.	2602.	2868.
294.46	2524.	2661.	2894.	2972.	2829.	2646.	2903.
300.43	2543.	2685.	2910.	2980.	2837.	2661.	2919.
306.40	2504.	2641.	2879.	2952.	2817.	2642.	2903.
312.37	2469.	2606.	2835.	2917.	2786.	2626.	2891.
318.34	2453.	2574.	2816.	2897.	2770.	2618.	2860.

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 COND. NO. 02	SPEC. 03/0 RUN 05	Vol. III
CHECK	<i>Wapp</i>	3/29/1				DZ-85085
APR						1.00
APR						PAGE
				THE BOEING COMPANY		2-116
CONTRACT NO.						

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

118

Continous Interfold, Inc. Moore Business Forms, Inc.

2-5000

TIME SEC.	J-6 C-3M	J-7 C-5M	J-5 T-10	7-5 T-24
	-----DEGREES FAHRENHEIT-----			
.01	99.70	116.5	141.6	150.0
5.98	255.1	205.9	141.6	150.0
11.95	318.1	331.8	178.1	157.0
17.92	417.1	463.5	213.1	177.9
23.89	499.2	522.0	262.3	205.8
29.86	563.7	586.4	318.4	233.7
35.82	657.7	704.8	382.2	289.5
41.79	705.7	764.7	464.5	357.7
47.76	780.5	866.4	540.8	427.8
53.73	857.4	942.2	626.3	486.1
59.69	918.2	1022.	706.4	556.2
65.66	999.2	1090.	802.5	634.5
71.63	1067.	1171.	893.8	719.5
77.60	1125.	1237.	985.1	804.3
83.56	1201.	1315.	1078.	885.0
89.53	1266.	1392.	1160.	975.7
95.50	1321.	1454.	1249.	1064.
101.47	1385.	1520.	1318.	1145.
107.44	1443.	1588.	1395.	1230.
113.41	1509.	1644.	1471.	1308.
119.38	1548.	1707.	1541.	1376.
134.30	1697.	1870.	1716.	1534.
149.23	1840.	2013.	1879.	1683.
164.14	1961.	2151.	2034.	1826.
179.08	2095.	2304.	2196.	1959.
193.99	2229.	2445.	2349.	2088.
208.91	2307.	2547.	2471.	2201.
223.84	2386.	2642.	2554.	2284.
238.75	2457.	2701.	2641.	2358.
253.69	2531.	2776.	2716.	2428.
268.60	2610.	2855.	2799.	2507.
270.59	2626.	2871.	2807.	2511.
276.56	2638.	2886.	2835.	2542.
282.52	2673.	2906.	2855.	2565.
288.49	2701.	2914.	2875.	2589.
294.46	2729.	2950.	2902.	2616.
300.43	2733.	2965.	2942.	2652.
306.40	2709.	2950.	2902.	2636.
312.37	2673.	2922.	2898.	2636.
318.34	2654.	2906.	2871.	2612.

CALC	9/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0310 COND. NO. 02 RUN 05	Vol. III
CHECK	<i>1/11</i>	<i>7/29/11</i>				
APR						
APR						
					THE BOEING COMPANY	<i>02-8085</i>
CONTRACT NO.						PAGE 01

U6 5553 7450 (WAS BAC 1745 A-R1)

*9/3/63*

Continuum Interfold © Moore Business Forms, Inc. 8

C

*119*

*3-1179*



TIME SEC.	3-6	3-7	3-5	7-5
	C-3M	C-5M	T-10	T-24
-----DEGREES FAHRENHEIT-----				
324.31	2622.	2886.	2863.	2593.
330.28	2582.	2863.	2839.	2577.
336.25	2559.	2839.	2811.	2557.
342.22	2523.	2804.	2787.	2542.
348.19	2504.	2764.	2756.	2526.
354.16	2472.	2728.	2724.	2507.
360.13	2445.	2697.	2708.	2487.
375.04	2358.	2618.	2629.	2428.
389.97	2311.	2535.	2558.	2389.
404.89	2193.	2441.	2471.	2315.
419.81	2079.	2284.	2357.	2233.
434.74	1958.	2139.	2239.	2131.
449.65	1791.	1998.	2113.	2025.
464.58	1637.	1854.	1983.	1919.
479.50	1501.	1699.	1842.	1818.
494.42	1340.	1541.	1708.	1700.
509.35	1182.	1360.	1579.	1581.
524.26	1033.	1190.	1449.	1460.
539.19	857.4	1012.	1300.	1331.
554.11	668.4	815.9	1155.	1201.
569.03	528.5	539.6	995.3	1083.
583.96	428.9	364.0	863.4	975.7
598.87	364.4	247.9	722.5	879.9
601.87	358.5	226.9	701.1	864.8

Continous Interfacial & Moore Engine Test, Inc. 8

120	CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 03/6 COND. NO. 02 RUN 05  THE BOEING COMPANY	Vol. III	
	CHECK	<i>klapp</i>	<i>9/25/11</i>					02-88885
	APR							PAGE 01
	APR							3-118
CONTRACT NO.								

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
.01	410.8	425.7	384.1	207.4	312.7	257.2	332.2
5.98	410.8	423.1	384.1	210.0	310.0	257.2	329.5
11.95	408.1	420.4	381.4	207.4	310.0	257.2	332.2
17.92	410.8	420.4	381.4	207.4	307.3	254.6	329.5
23.89	405.4	420.4	381.4	207.4	307.3	257.2	329.5
29.86	408.1	420.4	381.4	212.6	307.3	259.8	329.5
35.82	405.4	420.4	381.4	215.2	307.3	267.6	326.8
41.79	405.4	420.4	381.4	220.4	310.0	275.5	326.8
47.76	408.1	423.1	384.1	236.1	315.4	291.6	329.5
53.73	413.4	425.7	389.4	254.3	318.1	307.9	329.5
59.69	416.1	425.7	392.1	277.8	326.3	329.7	332.2
65.66	418.8	428.4	397.5	304.9	334.4	351.4	334.9
71.63	426.9	431.1	402.9	332.0	345.2	375.8	334.9
77.60	426.9	433.8	408.2	361.8	358.8	402.7	345.8
83.56	437.6	439.1	419.0	394.1	372.3	434.9	348.5
89.53	443.0	444.5	427.1	434.3	388.3	469.8	356.7
95.50	456.4	452.5	440.5	479.6	404.4	509.4	367.5
101.47	469.8	460.5	456.6	524.4	425.7	551.6	378.3
107.44	485.7	471.2	475.3	574.1	452.5	595.5	391.7
113.41	506.8	481.7	496.5	625.3	471.2	641.7	407.8
119.38	525.3	497.5	522.9	676.6	500.1	690.5	426.6
134.30	590.4	536.9	595.8	814.9	573.3	829.2	480.0
149.23	670.0	593.8	683.2	952.7	655.2	969.5	540.7
164.14	765.1	600.3	791.2	1089.	749.9	1122.	620.7
179.08	870.4	739.6	904.2	1222.	849.6	1268.	713.1
193.99	979.9	834.3	1024.	1352.	958.9	1426.	820.8
208.91	1091.	936.2	1133.	1483.	1073.	1573.	943.4
223.84	1189.	1035.	1228.	1597.	1177.	1700.	1060.
238.75	1276.	1129.	1316.	1699.	1277.	1813.	1172.
253.69	1357.	1215.	1398.	1799.	1376.	1910.	1277.
268.60	1428.	1297.	1466.	1887.	1460.	2007.	1374.
270.59	1444.	1310.	1482.	1898.	1476.	2022.	1387.
276.56	1516.	1365.	1546.	1946.	1531.	2084.	1448.
282.52	1550.	1402.	1580.	1980.	1563.	2119.	1488.
288.49	1579.	1431.	1609.	2012.	1589.	2149.	1514.
294.46	1600.	1455.	1625.	2040.	1615.	2180.	1546.
300.43	1634.	1492.	1662.	2077.	1644.	2216.	1583.
306.40	1648.	1507.	1678.	2103.	1665.	2237.	1604.
312.37	1658.	1523.	1691.	2121.	1684.	2243.	1625.
318.34	1671.	1544.	1707.	2139.	1699.	2246.	1643.

CALC	09/14/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 COND. NO. 02	SPEC. 03/0 RUN 05
CHECK	<i>Stapp</i>	9/25/11			
APR					
APR					
				THE BOEING COMPANY	
CONTRACT NO.					

121

9/3/63

Continous Interfield Co. Moore Business Forms, Inc. 8

Vol. III  
D2-8085  
PAGE 02  
3-119

TIME SEC.	8-4	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-20	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----							
324.31	1687.	1560.	1721.	2157.	1719.	2252.	1662.
330.28	1687.	1570.	1726.	2163.	1730.	2249.	1675.
336.25	1687.	1581.	1729.	2172.	1741.	2243.	1685.
342.22	1693.	1589.	1729.	2175.	1754.	2240.	1696.
348.19	1700.	1602.	1743.	2184.	1765.	2234.	1712.
354.16	1706.	1607.	1749.	2181.	1774.	2225.	1721.
360.13	1703.	1615.	1746.	2178.	1779.	2213.	1723.
375.04	1695.	1618.	1732.	2163.	1785.	2177.	1729.
384.97	1679.	1618.	1718.	2145.	1787.	2140.	1726.
404.89	1669.	1615.	1704.	2121.	1785.	2107.	1723.
414.81	1650.	1602.	1683.	2088.	1774.	2056.	1715.
434.74	1621.	1578.	1651.	2049.	1754.	1996.	1696.
449.65	1592.	1552.	1612.	2000.	1727.	1930.	1670.
464.58	1550.	1513.	1567.	1943.	1694.	1863.	1638.
474.50	1505.	1473.	1519.	1879.	1655.	1789.	1598.
494.42	1460.	1431.	1466.	1815.	1613.	1725.	1559.
509.35	1405.	1379.	1413.	1746.	1565.	1647.	1511.
524.26	1344.	1323.	1353.	1670.	1510.	1565.	1459.
539.19	1279.	1261.	1292.	1583.	1452.	1476.	1401.
554.11	1214.	1205.	1225.	1489.	1384.	1389.	1343.
569.03	1156.	1149.	1164.	1394.	1323.	1301.	1282.
583.96	1099.	1098.	1107.	1299.	1256.	1217.	1226.
598.87	1048.	1052.	1054.	1212.	1195.	1142.	1172.
601.87	1038.	1045.	1046.	1197.	1185.	1130.	1162.

CALC	09/14/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0376 COND. NO. 02 RUN 05  THE BOEING COMPANY	Vol. III
CHECK	Stapp	9/29/1				
APR						
APR						
CONTRACT NO.						02-88085 PAGE 02 3-120

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

122

Continued on next page © Moore Business Forms, Inc. 8

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-21, T-22, T-23 =  $\pm 45^\circ \text{ F.}$

TOLERANCE FOR ALL OTHER THERMOCOUPLES

<u>THERMOCOUPLE NO.</u>	<u>PAGE</u>
T-10, T-11, C-4M, T-12, T-13, T-14, T-15	3-122 - 3-124
C-3M, C-5M, T-16, T-20, T-24	3-125 - 3-127
T-17, T-18, T-19, T-21, T-22, T-23	3-128 - 3-130

CALC	Reynolds	7/20/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RU 01 BOEING AIRPLANE COMPANY	Vol. III
CHECK						
APPD						D2-80085
APPD						PAGE 3-121

123

9/3/63

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
238.9A-	72.36	72.70	72.38	81.53	63.79	72.32	81.91
224.07-	72.36	72.70	81.62	63.00	72.96	81.58	72.70
209.14-	150.0	133.4	150.0	150.0	141.7	184.8	198.5
194.22-	233.4	212.3	247.3	191.8	198.3	184.8	184.6
179.31-	323.8	295.4	330.7	268.3	253.5	282.2	295.4
164.37-	309.9	316.2	316.8	261.4	239.7	282.2	274.6
149.46-	351.4	343.9	337.7	275.3	260.4	310.0	288.5
134.53-	368.8	362.3	351.3	296.2	267.3	323.9	295.4
119.61-	374.6	379.7	357.2	296.2	267.3	351.4	309.3
104.70-	386.3	397.0	374.6	310.1	281.1	363.1	323.1
89.76-	392.1	414.4	380.4	317.0	294.9	374.7	337.0
74.85-	409.5	420.2	392.1	324.0	301.8	392.2	350.7
59.92-	432.8	443.4	409.5	337.9	322.5	398.0	350.7
45.00-	450.3	449.2	421.1	351.6	336.3	409.7	362.3
30.09-	456.1	460.8	427.0	363.2	336.3	421.3	373.9
15.15-	467.7	478.2	444.4	369.0	350.1	421.3	379.7
.24-	485.2	489.8	450.2	380.7	367.5	438.8	379.7
14.69	485.2	501.3	461.9	380.7	361.7	444.6	385.4
29.61	491.0	507.1	461.9	386.5	361.7	444.6	391.2
44.52	485.2	512.9	461.9	380.7	367.5	456.2	391.2
59.46	496.8	524.5	467.7	386.5	367.5	456.2	391.2
74.37	502.6	518.7	473.5	392.3	384.8	444.6	385.4
89.30	508.4	530.3	479.3	392.3	379.0	462.0	397.0
104.22	508.4	536.1	479.3	398.2	373.2	467.9	408.6
119.13	514.3	547.7	485.1	398.2	379.0	462.0	397.0
134.07	514.3	530.3	479.3	398.2	373.2	467.9	402.8
148.98	514.3	541.9	485.1	409.8	384.8	485.3	408.6
150.97	537.5	559.3	520.0	427.3	402.1	485.3	426.0
156.94	640.1	636.8	627.8	503.0	506.1	561.0	507.1
162.91	765.6	731.8	744.4	596.2	598.5	612.2	553.5
168.87	847.8	830.4	842.7	665.5	677.5	702.3	657.9
174.84	958.4	935.5	968.3	766.3	772.2	807.9	742.3
180.81	1052.	1039.	1066.	848.5	858.4	898.4	830.4
186.78	1120.	1135.	1152.	924.0	918.3	1013.	935.5
192.75	1203.	1223.	1236.	999.5	988.1	1095.	1005.
198.72	1291.	1314.	1332.	1081.	1060.	1199.	1106.
204.69	1403.	1434.	1443.	1172.	1155.	1296.	1190.
210.66	1500.	1556.	1556.	1283.	1252.	1391.	1278.
225.58	1768.	1828.	1842.	1549.	1501.	1637.	1509.
240.51	2017.	2065.	2098.	1778.	1724.	1863.	1703.

<table border="1"> <tr><td>CALC</td><td>07/03/1</td><td>REVISED</td><td>DATE</td></tr> <tr><td>CHECK</td><td><i>Reynolds</i> 7.20.61</td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td></tr> </table>	CALC	07/03/1	REVISED	DATE	CHECK	<i>Reynolds</i> 7.20.61			APR				APR				LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01  BOEING AIRPLANE COMPANY	Vol. III 02-80085 1.00 PAGE 3-122
CALC	07/03/1	REVISED	DATE															
CHECK	<i>Reynolds</i> 7.20.61																	
APR																		
APR																		
CONTRACT NO.																		

US 5533 7450 (WAS BAC 1745 A-R11)  
 9/3/63

124

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
255.42	2255.	2372.	2340.	2003.	1952.	2076.	1925.
270.35	2496.	2562.	2598.	2245.	2192.	2240.	2057.
285.27	2586.	2656.	2649.	2307.	2257.	2298.	2116.
300.19	2620.	2703.	2696.	2354.	2300.	2314.	2100.
315.12	2622.	2691.	2668.	2331.	2277.	2275.	2069.
330.03	2594.	2676.	2649.	2319.	2261.	2232.	2011.
344.96	2530.	2605.	2574.	2253.	2199.	2134.	1917.
359.88	2426.	2496.	2449.	2139.	2087.	2041.	1808.
389.73	2258.	2302.	2243.	1952.	1912.	1871.	1606.
419.57	2048.	2100.	2055.	1774.	1716.	1675.	1395.
449.41	1858.	1905.	1854.	1570.	1539.	1523.	1200.
479.25	1742.	1792.	1738.	1467.	1427.	1439.	1125.
509.10	1641.	1682.	1628.	1356.	1320.	1323.	1010.
538.95	1560.	1602.	1564.	1297.	1261.	1305.	1010.
539.94	1560.	1598.	1556.	1301.	1252.	1305.	1015.
569.79	1530.	1560.	1530.	1278.	1220.	1264.	975.5
599.63	1510.	1560.	1530.	1278.	1215.	1310.	1039.
629.47	1603.	1648.	1615.	1374.	1311.	1484.	1246.
659.31	1801.	1852.	1834.	1549.	1497.	1637.	1434.
689.16	1923.	1987.	1950.	1659.	1611.	1675.	1457.
719.01	1974.	2030.	1995.	1706.	1649.	1663.	1426.
748.85	1978.	2042.	1993.	1706.	1657.	1616.	1342.
778.69	1978.	2046.	1997.	1714.	1653.	1599.	1337.
808.53	1981.	2034.	1993.	1706.	1653.	1586.	1323.
814.50	1981.	2034.	1993.	1706.	1657.	1590.	1332.
820.47	1978.	2034.	1993.	1702.	1657.	1599.	1323.
826.44	1970.	2018.	1989.	1697.	1649.	1582.	1319.
832.41	1927.	1987.	1942.	1646.	1611.	1493.	1204.
834.40	1923.	1980.	1946.	1646.	1606.	1501.	1232.
836.40	1903.	1960.	1931.	1629.	1598.	1523.	1251.
838.38	1886.	1948.	1915.	1612.	1581.	1535.	1269.
840.36	1890.	1956.	1927.	1629.	1594.	1612.	1359.
842.36	1878.	1937.	1915.	1612.	1581.	1650.	1412.
844.35	1866.	1929.	1907.	1600.	1573.	1692.	1465.
846.33	1866.	1929.	1911.	1608.	1577.	1760.	1560.
848.33	1870.	1929.	1919.	1612.	1585.	1781.	1602.
850.32	1874.	1929.	1915.	1621.	1594.	1822.	1648.
852.30	1870.	1913.	1923.	1621.	1594.	1830.	1661.
854.30	1874.	1937.	1931.	1621.	1598.	1859.	1686.
856.29	1890.	1941.	1946.	1634.	1606.	1879.	1712.

07/03/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01	Vol. III 02-80085 2.00
CHECK <i>Reynolds 7.20.1</i>				
APR			BOEING AIRPLANE COMPANY	PAGE 3-123
APR				
CONTRACT NO.				

28028

125

9/3/63  
U6 5533 7430 (WAS BAC 1745 A R1)

TIME SEC.	J-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
858.27	1930.	1987.	2009.	1689.	1457.	1903.	1741.
860.27	1907.	2034.	2059.	1736.	1707.	1924.	1762.
862.26	2036.	2084.	2122.	1786.	1754.	1939.	1779.
864.24	2000.	2147.	2188.	1839.	1820.	1959.	1792.
866.23	2140.	2209.	2250.	1908.	1880.	1947.	1775.
868.23	2223.	2290.	2332.	1975.	1952.	1986.	1816.
870.21	2227.	2310.	2336.	1983.	1959.	1967.	1792.
872.20	2290.	2364.	2399.	2038.	2013.	1986.	1800.
874.20	2300.	2388.	2410.	2050.	2029.	1990.	1812.
876.18	2325.	2415.	2438.	2065.	2052.	2006.	1820.
878.17	2340.	2430.	2457.	2081.	2068.	1994.	1804.
880.17	2375.	2469.	2488.	2116.	2099.	1990.	1800.
882.15	2411.	2454.	2520.	2143.	2126.	1990.	1796.
884.14	2430.	2512.	2543.	2155.	2145.	1990.	1800.
886.14	2450.	2543.	2570.	2182.	2165.	2002.	1808.
888.12	2403.	2570.	2598.	2214.	2196.	2006.	1816.
890.10	2480.	2570.	2582.	2210.	2192.	2006.	1816.
892.10	2500.	2586.	2606.	2222.	2211.	2002.	1812.
894.09	2508.	2597.	2613.	2225.	2215.	2006.	1812.
896.07	2524.	2613.	2629.	2245.	2234.	2014.	1816.
898.07	2537.	2621.	2653.	2249.	2242.	2014.	1820.
900.06	2539.	2625.	2668.	2261.	2250.	2017.	1816.
901.05	2551.	2640.	2649.	2261.	2246.	2014.	1820.
907.02	2586.	2668.	2680.	2292.	2285.	2006.	1816.
912.99	2563.	2660.	2672.	2280.	2273.	2006.	1812.
918.96	2555.	2640.	2661.	2276.	2261.	2002.	1812.
2065.94	566.6	541.9	495.1	369.0	329.4	549.4	323.1
2095.80	444.4	385.4	351.3	261.4	232.8	427.1	240.0
2125.65	351.4	302.3	289.0	198.7	191.4	368.9	191.5
2155.50	280.0	246.9	233.4	163.9	156.9	303.0	170.8
2185.34	254.3	219.2	199.7	150.0	150.0	268.2	150.0
2215.18	226.5	198.5	177.8	150.0	133.5	233.5	150.0

CALC CHECK APR APR	07/03/1 <i>Supplied 7/26/1</i>	REVISED    	DATE    	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 01	Vol. III 227-80085 3.00 PAGE 3-124
CONTRACT NO.				BOEING AIRPLANE COMPANY		

19882

126

9/3/63

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
238.98-	72.66	72.58	72.09	81.75	81.47
224.07-	72.66	81.81	72.09	81.75	72.19
209.14-	170.8	184.7	81.38	91.00	72.19
194.22-	212.3	170.8	150.0	150.0	90.74
179.31-	274.7	309.5	198.8	191.6	100.0
164.37-	295.5	302.5	261.6	274.9	125.0
149.46-	316.3	323.3	296.5	309.6	150.0
134.53-	316.3	330.3	338.3	351.0	163.9
119.61-	330.1	344.1	363.6	380.1	181.8
104.70-	350.8	362.5	386.9	397.5	212.7
89.76-	362.4	344.1	404.4	414.9	233.6
74.85-	374.0	374.1	422.0	432.3	261.5
59.92-	391.4	379.9	433.6	438.1	282.4
45.00-	403.0	397.3	451.1	455.5	310.2
30.09-	403.0	403.1	462.8	473.0	331.1
15.15-	420.3	408.9	486.2	490.4	351.7
.24-	431.9	426.3	497.8	502.0	363.3
14.69	443.5	426.3	515.3	513.6	386.7
29.61	443.5	432.1	527.0	525.2	398.3
44.52	443.5	432.1	527.0	531.0	410.0
59.46	449.3	443.7	550.4	536.8	415.8
74.37	455.1	443.7	544.5	548.4	439.1
89.30	466.7	449.5	550.4	548.4	450.8
104.22	466.7	455.3	556.2	560.1	462.5
119.13	466.7	455.3	556.2	560.1	479.9
134.07	466.7	455.3	562.0	565.9	479.9
148.98	484.1	467.0	567.9	565.9	485.8
150.97	524.7	478.6	567.9	565.9	497.4
156.94	637.0	542.4	597.1	583.3	491.6
162.91	716.2	600.4	645.2	600.6	509.1
168.87	825.7	674.3	714.2	632.4	538.2
174.84	910.8	821.1	794.0	690.5	549.9
180.81	1011.	941.4	880.0	775.1	579.0
186.78	1092.	1059.	970.8	866.7	618.1
192.75	1186.	1159.	1054.	957.0	665.9
198.72	1279.	1270.	1141.	1064.	713.6
204.69	1378.	1396.	1230.	1160.	777.3
210.66	1470.	1506.	1331.	1271.	843.9
225.58	1750.	1764.	1589.	1537.	1048.
240.51	2027.	2001.	1834.	1790.	1311.

28326

127

CALC		07/03/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01	Vol. III
CHECK		<i>Raymond 7.20.1</i>				
APR						
APR						
					BOEING AIRPLANE COMPANY	22-30085
						1.01
CONTRACT NO.						PAGE
						3-125

9/3/63



TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
	-----DEGREES FAHRENHEIT-----				
255.42	2220.	2250.	2084.	2033.	1575.
270.35	1035.	2479.	2335.	2255.	1845.
285.27	870.8	2538.	2456.	2384.	2070.
300.19	855.7	2573.	2526.	2438.	2192.
315.12	855.7	2546.	2538.	2446.	2242.
330.03	835.7	2507.	2526.	2426.	2246.
344.96	840.7	2421.	2460.	2372.	2211.
359.88	835.7	2308.	2385.	2302.	2168.
389.73	795.4	2122.	2229.	2162.	2031.
419.57	742.6	1931.	2061.	2002.	1901.
449.41	716.2	1739.	1899.	1847.	1762.
479.25	726.8	1646.	1799.	1736.	1652.
509.10	774.3	1527.	1691.	1638.	1562.
538.95	835.7	1467.	1611.	1558.	1490.
539.94	845.7	1467.	1611.	1566.	1499.
569.79	870.8	1445.	1591.	1528.	1454.
599.63	935.9	1458.	1560.	1516.	1428.
629.47	1015.	1561.	1619.	1558.	1445.
659.31	1087.	1760.	1768.	1681.	1533.
689.16	1126.	1850.	1895.	1803.	1635.
719.01	1195.	1874.	1939.	1959.	1711.
748.85	1200.	1903.	1955.	1884.	1741.
778.69	1260.	1899.	1959.	1888.	1762.
808.53	1328.	1895.	1955.	1888.	1771.
814.50	1338.	1903.	1959.	1896.	1775.
820.47	1333.	1903.	1963.	1884.	1775.
826.44	1360.	1874.	1955.	1888.	1775.
832.41	1382.	1790.	1947.	1867.	1779.
834.40	1391.	1794.	1935.	1855.	1771.
836.40	1400.	1768.	1928.	1847.	1775.
838.38	1395.	1768.	1920.	1843.	1779.
840.36	1395.	1810.	1915.	1839.	1775.
842.36	1395.	1810.	1911.	1835.	1779.
844.35	1395.	1794.	1907.	1831.	1779.
846.33	1395.	1794.	1903.	1835.	1783.
848.33	1391.	1781.	1903.	1835.	1783.
850.32	1391.	1785.	1911.	1839.	1788.
852.30	1382.	1781.	1911.	1839.	1788.
854.30	1395.	1785.	1915.	1839.	1796.
856.29	1404.	1790.	1924.	1847.	1796.

07/03/1	REVISD	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 01	Vol. III
CALC					
CHECK	Reynolds/20/61		BOEING AIRPLANE COMPANY		
APR			PAGE		
APR			3-126		
CONTRACT NO.					

28329

128

9/3/63

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
858.27	1400.	1838.	1935.	1851.	1804.
860.27	1404.	1907.	1955.	1863.	1812.
862.26	1400.	1954.	1996.	1880.	1816.
864.24	1422.	1997.	2014.	1904.	1832.
866.23	1426.	2028.	2049.	1924.	1857.
868.23	1430.	2094.	2084.	1955.	1873.
870.21	1435.	2087.	2127.	1979.	1897.
872.20	1448.	2118.	2155.	2006.	1930.
874.20	1444.	2133.	2186.	2029.	1957.
876.18	1457.	2149.	2209.	2053.	1981.
878.17	1475.	2153.	2233.	2068.	2004.
880.17	1470.	2172.	2252.	2095.	2035.
882.15	1488.	2192.	2276.	2111.	2055.
884.14	1475.	2207.	2295.	2134.	2074.
886.14	1492.	2234.	2311.	2146.	2102.
888.12	1497.	2258.	2338.	2169.	2125.
890.10	1505.	2254.	2354.	2185.	2145.
892.10	1510.	2258.	2370.	2197.	2164.
894.09	1518.	2258.	2374.	2216.	2184.
896.07	1510.	2265.	2385.	2220.	2199.
898.07	1510.	2262.	2405.	2232.	2219.
900.06	1518.	2242.	2409.	2239.	2231.
901.05	1514.	2250.	2417.	2247.	2235.
907.02	1518.	2254.	2440.	2267.	2270.
912.99	1514.	2262.	2452.	2275.	2297.
918.96	1522.	2254.	2452.	2282.	2313.
2065.96	1338.	391.5	839.7	876.7	1177.
2095.80	1195.	274.8	677.0	722.2	1034.
2125.65	484.1	212.4	562.0	616.5	919.5
2155.50	240.1	184.7	474.5	536.8	808.7
2185.34	191.6	156.9	398.6	467.2	708.3
2215.18	163.9	150.0	363.6	420.7	618.1

28382

129

CALC	07/03/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01	Vol. III
CHECK	<i>Reynolds 7/20/61</i>					
APR					BOEING AIRPLANE COMPANY	22-800 85
APR						
CONTRACT NO.						3-1270

9/3/63

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
	-----DEGREES FAHRENHEIT-----					
238.98-	79.61	76.70	76.93	79.72	76.73	77.02
224.07-	76.91	76.70	79.63	77.01	76.73	79.72
209.14-	79.61	76.70	79.63	79.72	79.44	79.72
194.22-	79.61	79.42	79.63	79.72	79.44	79.72
179.31-	79.61	79.42	79.63	84.93	79.44	84.94
164.37-	82.24	79.42	82.25	90.14	84.69	95.35
149.46-	84.84	82.05	84.86	100.5	87.30	105.8
134.53-	84.84	82.05	87.46	116.2	92.52	118.8
119.61-	90.05	84.67	92.67	134.4	105.6	134.4
104.70-	97.87	87.28	97.89	150.0	118.6	150.0
89.76-	105.7	92.51	108.3	170.7	131.7	157.8
74.85-	113.5	95.12	113.5	188.8	144.8	173.3
59.92-	126.5	100.3	118.7	209.5	157.8	186.2
45.00-	134.4	105.6	126.5	230.2	175.4	199.1
30.00-	144.8	110.8	137.0	250.9	191.5	214.7
15.15-	150.0	116.0	144.8	269.0	207.1	227.6
.24-	163.0	123.9	150.0	287.4	225.3	240.5
14.69	173.3	131.7	157.8	303.5	240.9	250.9
29.61	186.3	139.5	168.1	322.3	256.4	263.8
44.52	196.6	147.4	178.5	335.8	272.0	271.6
59.46	207.0	150.0	186.2	351.9	285.2	279.3
74.37	219.9	157.8	196.6	368.1	298.7	292.7
89.30	230.3	165.6	209.6	381.4	314.9	300.8
104.22	243.2	173.4	219.9	397.3	328.4	308.9
119.13	253.6	183.8	230.3	410.6	341.9	317.0
134.07	266.6	191.6	240.6	423.9	355.4	327.7
148.98	276.9	199.3	248.4	437.1	368.9	338.5
150.97	279.5	201.9	251.0	437.1	371.6	338.5
156.94	284.9	204.5	253.6	442.5	374.3	343.9
162.91	290.3	209.7	261.3	447.8	379.6	349.2
168.87	293.0	212.3	263.9	453.1	384.9	351.9
174.84	298.3	214.9	269.1	458.4	390.3	354.6
180.81	301.0	220.1	271.7	463.7	392.9	360.0
186.78	306.4	222.7	276.9	471.6	398.3	370.7
192.75	311.8	227.9	282.1	479.5	406.3	378.7
198.72	317.2	233.1	287.5	489.9	411.6	389.3
204.69	322.6	235.7	292.9	500.4	416.9	402.6
210.66	328.0	240.9	298.3	516.0	424.9	418.5
225.58	344.1	256.5	314.5	563.0	443.6	463.7
240.51	365.7	274.7	336.0	631.6	464.9	523.9

07/03/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1	Vol. III
CHECK	<i>Repeats 7/2/61</i>			FWA NO. 05617	
APR				COND. NO. 02	RUN 01
APR				BOEING AIRPLANE COMPANY	
CONTRACT NO.				PAGE	
				3-128	

28.27

130

9/3/63

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
	-----DEGREES			FAHRENHEIT-----		
255.42	392.3	304.2	362.9	725.6	499.1	601.1
270.35	432.2	350.1	405.6	845.0	538.4	690.0
285.27	498.2	425.0	449.4	991.3	590.0	796.7
300.19	589.0	530.6	555.7	1158.	653.8	903.4
315.12	688.2	646.3	652.5	1305.	737.9	1011.
330.03	787.5	750.9	751.7	1422.	827.2	1094.
344.96	868.9	832.5	835.6	1503.	916.3	1168.
359.88	924.6	888.6	894.1	1553.	989.3	1211.
389.73	987.4	934.1	939.5	1597.	1093.	1264.
419.57	994.9	934.1	974.6	1584.	1136.	1241.
449.41	979.9	908.9	909.5	1535.	1136.	1196.
479.25	949.7	875.9	929.4	1469.	1115.	1130.
509.10	917.0	847.8	899.2	1407.	1083.	1067.
538.95	889.2	817.2	868.7	1347.	1050.	1016.
539.94	886.7	817.2	866.2	1347.	1045.	1014.
569.79	861.2	791.7	838.2	1300.	1017.	966.1
599.63	840.9	771.3	817.8	1264.	991.8	941.0
629.47	830.7	761.1	802.6	1239.	974.2	923.5
659.31	828.2	761.1	797.5	1239.	964.1	933.5
689.16	840.9	773.8	807.6	1267.	969.2	958.6
719.01	863.8	799.3	830.5	1315.	986.8	996.2
748.85	894.3	827.4	853.4	1360.	1015.	1026.
778.69	922.0	852.9	878.9	1396.	1045.	1059.
808.53	949.7	873.3	899.2	1425.	1072.	1087.
814.50	954.7	878.4	904.3	1430.	1078.	1089.
820.47	957.2	883.5	909.3	1435.	1085.	1094.
826.44	962.3	883.5	909.3	1441.	1088.	1099.
832.41	967.3	891.2	914.3	1446.	1093.	1099.
834.40	969.8	891.2	914.3	1446.	1095.	1104.
836.40	969.8	891.2	914.3	1448.	1098.	1104.
838.38	972.3	891.2	916.8	1448.	1098.	1107.
840.36	972.3	893.7	919.3	1451.	1100.	1112.
842.34	974.8	893.7	919.3	1451.	1100.	1112.
844.35	974.8	893.7	919.3	1454.	1103.	1112.
846.33	974.8	893.7	919.3	1456.	1105.	1114.
848.33	977.3	898.8	921.9	1456.	1105.	1117.
850.32	979.9	898.8	924.4	1459.	1105.	1117.
852.30	984.9	898.8	921.9	1459.	1110.	1122.
854.30	982.4	898.8	924.4	1462.	1110.	1122.
856.29	982.4	901.4	924.4	1464.	1110.	1125.

CALC	07/03/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 01	Vol. III
CHECK	<i>Revised 7/24/61</i>					2.02
APR				BOEING AIRPLANE COMPANY		PAGE
APR						3-1292
CONTRACT NO.						

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----						
858.27	984.9	903.9	926.9	1464.	1113.	1127.
860.27	987.4	903.9	926.9	1464.	1113.	1132.
862.26	987.4	903.9	924.4	1467.	1115.	1135.
864.24	987.4	903.9	929.4	1472.	1118.	1140.
866.23	989.9	908.9	929.4	1475.	1118.	1145.
868.23	992.4	908.9	929.4	1475.	1118.	1147.
870.21	992.4	908.9	929.4	1477.	1121.	1150.
872.20	994.9	908.9	929.4	1482.	1123.	1155.
874.20	997.4	914.0	931.9	1482.	1126.	1157.
876.18	1000.	914.0	931.9	1488.	1126.	1160.
878.17	1000.	916.5	934.4	1490.	1128.	1168.
880.17	1002.	916.5	936.9	1498.	1131.	1173.
882.15	1005.	921.5	936.9	1503.	1131.	1180.
884.14	1010.	924.1	939.4	1509.	1133.	1193.
886.14	1010.	924.1	939.4	1516.	1136.	1201.
888.12	1013.	929.1	942.0	1524.	1136.	1211.
890.10	1018.	931.6	942.0	1529.	1138.	1221.
892.10	1020.	934.1	944.5	1537.	1141.	1229.
894.00	1023.	936.7	947.0	1550.	1143.	1236.
896.07	1028.	939.2	949.5	1558.	1146.	1244.
898.07	1033.	944.2	952.0	1566.	1149.	1251.
900.06	1035.	946.7	952.0	1576.	1154.	1261.
901.05	1038.	949.3	954.5	1579.	1154.	1267.
907.02	1050.	959.3	962.1	1610.	1164.	1297.
912.99	1063.	969.4	967.1	1639.	1177.	1326.
918.96	1078.	984.5	977.1	1665.	1187.	1354.
2065.96	1210.	1131.	1118.	1459.	1335.	1188.
2095.80	1131.	1060.	1047.	1347.	1253.	1084.
2125.65	1048.	987.1	974.6	1239.	1169.	963.6
2155.50	962.3	903.9	891.6	1119.	1070.	842.4
2185.34	881.6	835.1	820.4	996.3	974.2	733.2
2215.18	815.4	773.8	754.2	885.7	885.8	631.6

CALC	07/03/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01	Vol. III
CHECK	<i>W. J. ...</i>				82-8085
APR				BOEING AIRPLANE COMPANY	PAGE 02
APR					3-138
CONTRACT NO.					

US 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

132

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-21, T-22, & T-23 =  $\pm 45^\circ$  F.

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^\circ$  F.

<u>THERMOCOUPLE NO.</u>	<u>PAGE</u>
T-10, T-11, C-4M, T-12, T-13, T-14, T-15	3-132 - 3-136
C-3M, C-5M, T-16, T-20, T-24	3-137 - 3-141
T-17, T-18, T-19, T-21, T-22, T-23	3-142 - 3-146

CALC	Reynolds	7/26/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 BOEING AIRPLANE COMPANY	Vol. III
CHECK	Stopp	7/26/1				D2-80085
APPD						PAGE
APPD						3-131

133

9/3/63

1  
1  
1

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
239.9A-	90.87	81.85	90.92	81.47	82.11	100.0	81.87
225.07-	81.62	91.08	108.3	90.74	82.11	100.0	91.08
210.15-	212.6	156.9	212.8	177.9	163.8	163.9	150.0
195.22-	363.0	295.5	357.8	296.3	267.4	247.5	205.4
180.31-	733.8	658.2	698.4	692.4	523.6	761.1	637.1
165.37-	432.8	484.2	427.8	351.7	288.1	474.0	350.8
150.46-	330.7	368.2	338.4	254.5	226.0	345.0	247.0
135.54-	296.0	316.3	310.5	212.7	205.2	303.2	212.4
120.61-	386.2	374.0	387.0	275.4	267.4	289.2	212.4
105.70-	403.7	403.0	410.3	310.2	295.0	338.0	260.9
90.76-	409.5	426.2	416.2	324.2	295.0	380.7	295.5
75.85-	344.6	374.0	369.4	254.5	246.7	345.0	260.9
60.93-	427.0	432.0	448.3	331.1	315.7	357.4	274.7
46.00-	427.0	432.0	439.5	324.2	315.7	380.7	295.5
31.09-	427.0	432.0	433.7	317.2	308.8	380.7	295.5
16:15-	432.8	437.8	439.5	331.1	315.7	421.5	323.2
1.24-	438.6	443.6	445.3	331.1	322.6	404.0	295.5
13.6A	450.2	455.2	462.9	351.7	329.6	427.3	330.2
28.61	456.1	461.0	462.9	338.1	336.5	444.8	344.0
43.52	456.1	466.8	468.7	351.7	336.5	427.3	323.2
58.46	444.4	455.2	457.0	338.1	322.6	409.9	302.4
73.37	444.4	455.2	451.2	338.1	322.6	415.7	316.3
88.29	450.2	461.0	457.0	351.7	322.6	439.0	344.0
103.22	461.9	466.8	457.0	351.7	322.6	433.2	330.2
118.13	456.1	466.8	462.9	345.1	329.6	456.5	344.0
133.07	456.1	466.8	462.9	345.1	322.6	462.3	350.8
147.9A	461.9	466.8	468.7	351.7	336.5	468.1	356.6
150.97	467.7	484.2	492.1	363.3	350.2	479.8	368.2
156.94	584.0	582.8	624.0	456.6	442.7	514.7	408.8
162.90	797.3	779.7	814.5	618.1	614.7	555.5	443.6
168.87	963.3	946.0	981.0	761.4	741.0	660.3	547.9
174.84	1051.	1059.	1078.	838.9	828.9	729.3	605.4
180.81	1114.	1149.	1145.	904.4	898.8	813.4	689.9
186.77	1208.	1256.	1253.	995.0	973.6	944.3	805.7
192.74	1286.	1356.	1340.	1072.	1042.	1033.	880.9
198.71	1386.	1457.	1447.	1172.	1132.	1130.	971.0
204.6A	1509.	1586.	1564.	1284.	1244.	1251.	1092.
210.65	1624.	1708.	1696.	1401.	1352.	1320.	1163.
225.5A	1874.	1973.	1959.	1635.	1582.	1583.	1418.
240.50	2130.	2237.	2221.	1885.	1821.	1823.	1649.

280 I

134

CALC	07/03/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 BOEING AIRPLANE COMPANY	Vol. III
CHECK	Step	756/11				P2 80885
APR						PAGE 1-00
APR						3-1375
CONTRACT NO.						

9/3/63

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
255.42	2391.	2506.	2495.	2133.	2076.	2031.	1853.
270.35	2551.	2665.	2656.	2289.	2216.	2226.	2035.
285.26	2594.	2709.	2692.	2332.	2247.	2284.	2086.
300.19	2610.	2720.	2700.	2344.	2259.	2320.	2101.
315.11	2598.	2712.	2692.	2332.	2239.	2288.	2051.
330.03	2530.	2654.	2621.	2266.	2189.	2257.	2023.
344.96	2453.	2560.	2519.	2180.	2096.	2167.	1922.
359.87	2360.	2463.	2413.	2082.	1999.	2081.	1809.
389.72	2238.	2323.	2253.	1934.	1833.	1929.	1611.
419.57	2028.	2105.	2026.	1724.	1633.	1740.	1391.
449.41	1878.	1942.	1859.	1558.	1471.	1558.	1205.
479.25	1734.	1793.	1713.	1414.	1352.	1476.	1163.
509.09	1662.	1704.	1619.	1352.	1271.	1387.	1063.
538.94	1607.	1628.	1577.	1297.	1202.	1356.	1025.
568.79	1500.	1611.	1564.	1284.	1183.	1315.	986.1
598.63	1573.	1594.	1560.	1270.	1160.	1329.	1006.
628.47	1674.	1692.	1662.	1365.	1248.	1409.	1097.
658.31	1878.	1926.	1820.	1592.	1484.	1592.	1306.
688.16	1946.	2012.	1879.	1643.	1540.	1681.	1387.
718.01	1981.	2047.	2014.	1694.	1582.	1710.	1422.
747.85	2005.	2074.	2022.	1720.	1616.	1638.	1347.
777.69	2000.	2070.	2022.	1715.	1624.	1642.	1338.
807.53	2013.	2070.	2006.	1720.	1624.	1642.	1324.
809.52	2000.	2074.	2010.	1711.	1620.	1651.	1324.
815.49	2000.	2074.	2006.	1720.	1616.	1647.	1324.
821.46	1903.	2054.	1987.	1690.	1607.	1638.	1324.
827.43	1946.	2016.	1943.	1643.	1544.	1553.	1224.
833.39	1931.	1996.	1940.	1622.	1527.	1515.	1177.
835.39	1923.	1988.	1943.	1626.	1531.	1587.	1261.
837.38	1910.	1985.	1932.	1613.	1531.	1562.	1224.
839.36	1923.	1992.	1943.	1622.	1531.	1617.	1288.
841.36	1931.	1988.	1951.	1618.	1536.	1625.	1297.
843.35	1902.	1981.	1936.	1609.	1523.	1562.	1228.
845.33	1911.	1981.	1936.	1609.	1527.	1519.	1186.
847.33	1923.	1985.	1943.	1613.	1540.	1515.	1177.
849.32	1950.	2012.	1994.	1652.	1569.	1532.	1200.
851.30	2013.	2058.	2057.	1703.	1637.	1536.	1200.
853.30	2036.	2101.	2100.	1749.	1683.	1566.	1233.
855.29	2098.	2152.	2167.	1804.	1742.	1566.	1233.
857.27	2208.	2264.	2272.	1926.	1837.	1655.	1342.

28014

135

CALC	07/03/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Step 7/26/11</i>				02-80085
APR					PAGE 2.00
APR					3-133
CONTRACT NO.					

UG 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63



TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
859.26	2247.	2311.	2315.	1953.	1885.	1676.	1369.
861.26	2286.	2350.	2362.	2008.	1929.	1749.	1457.
863.24	2293.	2373.	2374.	2012.	1949.	1795.	1523.
865.23	2332.	2416.	2417.	2055.	1987.	1828.	1569.
867.23	2348.	2443.	2425.	2067.	1991.	1864.	1603.
869.21	2375.	2471.	2444.	2098.	2030.	1876.	1624.
871.20	2403.	2502.	2495.	2125.	2057.	1913.	1662.
873.20	2434.	2537.	2527.	2160.	2088.	1933.	1679.
875.18	2465.	2568.	2550.	2192.	2115.	1941.	1696.
877.17	2488.	2591.	2589.	2215.	2138.	1960.	1717.
879.17	2496.	2603.	2597.	2215.	2154.	1976.	1729.
881.15	2496.	2611.	2613.	2215.	2158.	1984.	1742.
883.13	2520.	2634.	2625.	2227.	2177.	2011.	1780.
885.13	2531.	2642.	2633.	2250.	2181.	2011.	1776.
887.12	2547.	2654.	2641.	2258.	2189.	2015.	1772.
889.10	2550.	2665.	2664.	2274.	2212.	2031.	1793.
891.10	2563.	2685.	2684.	2278.	2216.	2034.	1780.
893.09	2582.	2689.	2684.	2297.	2228.	2019.	1763.
895.07	2586.	2701.	2688.	2297.	2228.	2019.	1763.
897.07	2590.	2701.	2696.	2301.	2232.	2034.	1772.
899.06	2599.	2705.	2704.	2309.	2243.	2038.	1784.
905.03	2570.	2689.	2672.	2285.	2212.	2034.	1772.
911.00	2551.	2665.	2652.	2250.	2189.	2038.	1755.
916.97	2547.	2654.	2641.	2238.	2177.	2034.	1751.
922.94	2512.	2626.	2605.	2215.	2146.	2034.	1751.
928.91	2406.	2607.	2601.	2207.	2138.	2034.	1755.
934.87	2402.	2599.	2593.	2192.	2127.	2042.	1751.
940.84	2481.	2591.	2582.	2180.	2115.	2038.	1746.
946.81	2481.	2587.	2578.	2180.	2115.	2034.	1742.
952.78	2481.	2579.	2574.	2188.	2107.	2031.	1725.
958.74	2426.	2544.	2507.	2137.	2065.	2015.	1713.
964.71	2406.	2509.	2492.	2090.	2030.	1999.	1683.
970.68	2383.	2490.	2476.	2074.	2007.	1968.	1653.
976.65	2356.	2459.	2425.	2039.	1980.	1933.	1620.
982.61	2328.	2439.	2413.	2031.	1960.	1929.	1603.
988.58	2317.	2424.	2398.	2027.	1952.	1905.	1577.
994.55	2300.	2412.	2386.	2024.	1952.	1905.	1577.
1000.52	2305.	2404.	2390.	2012.	1945.	1917.	1582.
1006.49	2297.	2401.	2382.	2008.	1941.	1913.	1573.
1012.46	2280.	2397.	2370.	2008.	1933.	1884.	1556.

28017

<table border="1"> <tr> <td>CALL</td> <td>07/03/11</td> <td></td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>Stop</i></td> <td>7/26/11</td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	CALL	07/03/11		REVISED	DATE	CHECK	<i>Stop</i>	7/26/11			APR					APR					<p>LEADING EDGE TEST LT-5-617-2-1  EWA NO. 05617 SPEC. 0378  COND. NO. 02 RUN 02</p> <p>BOEING AIRPLANE COMPANY</p>	<p>Vol III  <i>27-80085</i></p> <p>PAGE 300  <i>3-134</i></p>
CALL	07/03/11		REVISED	DATE																		
CHECK	<i>Stop</i>	7/26/11																				
APR																						
APR																						
CONTRACT NO.																						

136

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
	-----DEGREES FAHRENHEIT-----						
1018.43	2286.	2385.	2366.	1996.	1925.	1884.	1539.
1020.42	2274.	2381.	2358.	1996.	1925.	1884.	1544.
1050.26	2247.	2342.	2319.	1965.	1897.	1828.	1497.
1080.11	2254.	2354.	2331.	1973.	1905.	1852.	1514.
1109.96	2231.	2331.	2292.	1945.	1885.	1844.	1518.
1139.80	2266.	2354.	2331.	1981.	1909.	1856.	1531.
1169.64	2305.	2397.	2390.	2016.	1949.	1884.	1552.
1199.48	2371.	2463.	2468.	2078.	2022.	1948.	1649.
1229.33	2442.	2541.	2535.	2160.	2088.	2034.	1751.
1259.18	2477.	2579.	2578.	2188.	2119.	2120.	1833.
1289.02	2524.	2626.	2629.	2246.	2162.	2163.	1857.
1318.86	2547.	2642.	2637.	2246.	2166.	2156.	1857.
1348.70	2531.	2642.	2633.	2250.	2169.	2140.	1837.
1378.55	2547.	2638.	2633.	2242.	2169.	2136.	1841.
1408.40	2531.	2638.	2629.	2242.	2173.	2132.	1837.
1438.24	2520.	2630.	2621.	2231.	2162.	2109.	1801.
1440.23	2531.	2642.	2645.	2250.	2173.	2128.	1825.
1455.14	2640.	2755.	2708.	2364.	2243.	2386.	2124.
1470.08	2680.	2779.	2731.	2375.	2282.	2370.	2074.
1484.99	2676.	2771.	2735.	2367.	2270.	2382.	2101.
1499.92	2680.	2779.	2735.	2375.	2266.	2374.	2093.
1514.84	2688.	2783.	2735.	2387.	2274.	2382.	2089.
1529.75	2688.	2791.	2739.	2387.	2270.	2382.	2086.
1544.69	2684.	2783.	2747.	2379.	2274.	2378.	2074.
1559.60	2680.	2779.	2747.	2375.	2274.	2382.	2086.
1589.45	2680.	2783.	2735.	2379.	2270.	2390.	2086.
1619.30	2637.	2744.	2712.	2332.	2235.	2366.	2066.
1649.14	2621.	2724.	2676.	2309.	2220.	2355.	2051.
1678.97	2594.	2701.	2668.	2281.	2200.	2335.	2019.
1708.82	2555.	2662.	2613.	2246.	2154.	2288.	1977.
1738.67	2492.	2595.	2546.	2180.	2088.	2230.	1922.
1768.52	2403.	2498.	2433.	2090.	2003.	2132.	1801.
1798.36	2286.	2377.	2315.	1988.	1893.	2027.	1679.
1828.19	2141.	2222.	2151.	1840.	1759.	1909.	1548.
1858.04	2036.	2109.	2037.	1715.	1649.	1770.	1382.
1887.89	1862.	1930.	1855.	1545.	1445.	1634.	1228.
1917.74	1687.	1734.	1653.	1361.	1225.	1471.	1035.
1947.58	1500.	1531.	1447.	1172.	1023.	1292.	885.9
1977.41	1300.	1306.	1230.	990.0	828.9	1106.	705.7
2007.26	1061.	1044.	970.9	761.4	604.1	899.0	547.9

<table border="1"> <tr><td>CALC</td><td>07/03/1</td><td></td><td>REVISED</td><td>DATE</td></tr> <tr><td>CHECK</td><td><i>Steff</i></td><td><i>7/26/1</i></td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td><td></td></tr> </table>	CALC	07/03/1		REVISED	DATE	CHECK	<i>Steff</i>	<i>7/26/1</i>			APR					APR					LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 BOEING AIRPLANE COMPANY	Vol. III 02-35085 PAGE 4.00 3-135
CALC	07/03/1		REVISED	DATE																		
CHECK	<i>Steff</i>	<i>7/26/1</i>																				
APR																						
APR																						

CONTRACT NO. 9/3/63

28620

137

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-44	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
2050.04	654.3	610.7	550.4	410.0	301.9	623.2	337.1
2079.89	456.1	397.2	360.4	247.5	212.2	462.3	233.1
2109.73	351.3	302.4	248.6	170.9	156.9	363.3	170.8
2139.57	268.2	226.2	212.8	150.0	133.5	303.2	150.0
2169.41	226.5	191.6	177.9	133.3	125.2	254.4	141.7
2199.26	198.7	170.8	164.0	125.0	108.7	226.6	125.1
2229.11	177.9	156.9	150.0	116.7	100.4	198.7	116.9
2251.98	170.8	150.0	150.0	108.3	108.7	184.8	116.9

CALC	07/03/11		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Step</i>	<i>7/2/11</i>				22-80085
APR						PAGE 5.00
APR						3-138
CONTRACT NO.						

28623

138

TIME SEC.	7-6 C-3M	7-7 C-5M	3-5 T-16	7-5 T-20	3-6 T-24
	-----DEGREES FAHRENHEIT-----				
239.98-	91.78	81.75	90.62	108.7	108.3
225.07-	91.78	91.00	90.62	108.7	108.3
210.15-	100.5	150.0	108.3	108.7	116.6
195.22-	108.7	385.9	150.0	117.0	108.3
180.31-	315.5	1524.	303.5	191.4	133.3
165.37-	425.1	571.7	486.3	408.1	150.0
150.46-	459.7	302.6	439.6	425.4	170.9
135.54-	287.9	226.3	392.9	408.1	198.8
120.61-	198.3	233.3	392.9	373.4	219.8
105.70-	163.8	330.4	398.7	361.8	254.7
90.76-	156.9	438.1	410.4	367.6	268.6
75.85-	150.0	281.8	416.3	373.4	282.6
60.93-	177.6	344.3	433.8	367.6	303.5
46.00-	212.1	344.3	439.6	373.4	310.5
31.09-	267.3	330.4	445.5	385.0	331.4
16.15-	315.5	374.3	457.1	390.7	345.4
1.24-	336.2	368.4	463.0	396.5	363.7
13.68	361.6	409.1	474.7	408.1	375.4
28.61	378.9	409.1	480.5	408.1	387.0
43.52	378.9	409.1	492.2	425.4	398.7
58.46	384.6	409.1	498.0	437.0	410.4
73.37	396.2	420.7	492.2	442.8	422.1
88.29	436.6	432.3	503.9	442.8	427.9
103.22	453.9	420.7	503.9	454.3	439.6
118.13	477.0	420.7	509.7	460.1	451.3
133.07	494.3	426.5	515.5	460.1	463.0
147.98	505.9	426.5	515.5	465.9	468.8
150.97	511.6	443.9	515.5	465.9	468.8
156.94	529.0	496.2	527.2	471.7	468.8
162.90	529.0	571.7	585.6	483.2	486.3
168.87	534.7	732.8	661.4	494.8	503.8
174.84	557.8	846.6	746.4	523.7	533.0
180.81	580.9	957.0	829.9	569.9	568.1
186.77	614.2	1093.	910.6	635.8	613.5
192.74	656.2	1206.	991.4	714.7	666.7
198.71	687.7	1321.	1074.	798.9	730.5
204.68	703.5	1423.	1174.	913.9	799.6
210.65	719.3	1524.	1276.	1028.	880.3
225.58	729.8	1752.	1535.	1339.	1117.
240.50	735.0	2084.	1802.	1679.	1390.

CALC	07/03/11		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02  BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Steph</i>	<i>7/24/11</i>				22-800 85
APR						PAGE 1 of 1
APR						3-1373
CONTRACT NO.						

28012

139

9/3/63

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
255.42	735.0	2294.	2062.	1953.	1688.
270.35	766.6	2465.	2293.	2189.	1967.
285.24	782.3	2524.	2708.	2313.	2136.
300.19	787.6	2543.	2461.	2387.	2226.
315.11	798.1	2524.	2477.	2402.	2277.
330.03	803.2	2477.	2453.	2391.	2292.
344.96	792.8	2387.	2406.	2340.	2273.
359.87	782.3	2263.	2343.	2271.	2222.
389.72	740.3	2088.	2197.	2065.	2112.
419.57	703.5	1896.	2030.	1897.	1983.
449.41	693.0	1659.	1904.	1746.	1871.
479.25	677.2	1428.	1773.	1612.	1764.
509.09	666.7	1575.	1688.	1527.	1675.
538.94	714.0	1549.	1628.	1489.	1603.
568.79	740.3	1520.	1594.	1445.	1548.
598.63	740.3	1537.	1569.	1427.	1522.
628.47	853.0	1647.	1624.	1458.	1539.
658.31	912.9	1859.	1777.	1599.	1641.
688.16	1017.	1920.	1884.	1725.	1769.
718.01	1069.	1955.	1924.	1772.	1819.
747.85	1168.	1955.	1956.	1797.	1859.
777.69	1178.	1959.	1960.	1797.	1867.
807.53	1210.	1955.	1964.	1801.	1884.
809.52	1215.	1959.	1964.	1801.	1880.
815.49	1220.	1955.	1968.	1801.	1884.
821.46	1247.	1947.	1960.	1801.	1884.
827.43	1220.	1880.	1940.	1784.	1880.
833.39	1220.	1831.	1920.	1763.	1880.
835.39	1247.	1831.	1916.	1755.	1880.
837.38	1242.	1799.	1912.	1751.	1880.
839.34	1247.	1823.	1908.	1742.	1880.
841.34	1238.	1823.	1908.	1734.	1884.
843.35	1238.	1790.	1904.	1730.	1884.
845.33	1238.	1769.	1900.	1730.	1884.
847.33	1220.	1769.	1900.	1725.	1888.
849.32	1238.	1803.	1900.	1721.	1884.
851.30	1265.	1827.	1908.	1717.	1884.
853.30	1265.	1855.	1924.	1717.	1892.
855.29	1265.	1892.	1944.	1730.	1896.
857.27	1274.	1975.	1971.	1734.	1900.

CALC	07/03/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Stapp</i>	<i>12/4/1</i>				22-80085
APR						PAGE 2 of 1
APR						3-138
CONTRACT NO.						

28615

140

9/3/63

TIME SEC.	7-6 C-3M	7-7 C-5M	3-5 T-16	7-5 T-20	3-6 T-24
	-----DEGREES FAHRENHEIT-----				
859.26	1292.	2018.	2003.	1759.	1912.
861.24	1301.	2068.	2026.	1772.	1920.
863.24	1292.	2088.	2058.	1801.	1940.
865.23	1310.	2123.	2081.	1829.	1956.
867.23	1306.	2146.	2105.	1857.	1983.
869.21	1320.	2173.	2124.	1889.	1995.
871.20	1333.	2201.	2148.	1910.	2014.
873.20	1333.	2216.	2163.	1937.	2030.
875.18	1320.	2232.	2191.	1957.	2050.
877.17	1320.	2259.	2214.	1984.	2069.
879.17	1333.	2263.	2238.	2003.	2085.
881.15	1347.	2275.	2250.	2023.	2105.
883.13	1356.	2286.	2265.	2046.	2132.
885.13	1320.	2294.	2281.	2061.	2148.
887.12	1351.	2302.	2300.	2077.	2167.
889.10	1356.	2317.	2308.	2088.	2183.
891.10	1377.	2313.	2316.	2100.	2202.
893.09	1377.	2310.	2328.	2116.	2214.
895.07	1386.	2310.	2340.	2123.	2226.
897.07	1395.	2317.	2343.	2131.	2234.
899.06	1390.	2329.	2351.	2139.	2242.
905.03	1404.	2290.	2363.	2158.	2269.
911.00	1408.	2275.	2359.	2162.	2285.
916.97	1408.	2271.	2359.	2162.	2289.
922.94	1404.	2259.	2355.	2154.	2296.
928.91	1408.	2259.	2347.	2158.	2300.
934.87	1390.	2259.	2340.	2147.	2296.
940.84	1404.	2255.	2340.	2147.	2300.
946.81	1404.	2263.	2332.	2143.	2300.
952.78	1426.	2278.	2336.	2143.	2296.
958.74	1404.	2247.	2336.	2154.	2300.
964.71	1386.	2228.	2308.	2139.	2292.
970.68	1391.	2189.	2293.	2119.	2281.
976.65	1391.	2166.	2281.	2100.	2269.
982.61	1417.	2162.	2265.	2077.	2253.
988.58	1390.	2134.	2250.	2061.	2238.
994.55	1421.	2119.	2238.	2046.	2226.
1000.52	1408.	2130.	2230.	2042.	2218.
1006.49	1404.	2123.	2226.	2034.	2214.
1012.46	1421.	2107.	2218.	2026.	2210.

CALC	07/03/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Step</i>				
APR					
APR					
CONTRACT NO.					PAGE 3-01

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

01009

141

3-139

TIME SEC.	7-6 C-3M	7-7 C-5M	3-5 T-16	7-5 T-20	3-6 T-24
	-----DEGREES FAHRENHEIT-----				
1018.43	1421.	2099.	2214.	2019.	2199.
1020.47	1417.	2099.	2214.	2015.	2199.
1050.26	1424.	2057.	2175.	1976.	2167.
1080.11	1470.	2064.	2171.	1968.	2159.
1109.96	1534.	2050.	2163.	1964.	2159.
1139.80	1543.	2076.	2175.	1972.	2167.
1169.64	1614.	2119.	2191.	1992.	2183.
1199.48	1639.	2189.	2241.	2054.	2226.
1229.33	1600.	2286.	2324.	2119.	2289.
1259.18	1757.	2333.	2363.	2178.	2336.
1289.07	1791.	2372.	2402.	2212.	2367.
1318.86	1870.	2364.	2418.	2240.	2394.
1348.70	1907.	2352.	2422.	2243.	2406.
1378.55	1980.	2352.	2422.	2240.	2414.
1408.40	2044.	2341.	2418.	2236.	2422.
1438.24	2121.	2321.	2414.	2236.	2430.
1440.23	2117.	2345.	2414.	2236.	2433.
1455.14	2144.	2633.	2500.	2352.	2430.
1470.08	2183.	2649.	2500.	2367.	2410.
1484.00	2175.	2653.	2500.	2364.	2418.
1499.02	2218.	2653.	2500.	2371.	2418.
1514.84	2214.	2657.	2504.	2352.	2422.
1529.75	2170.	2653.	2512.	2375.	2433.
1544.69	2170.	2657.	2516.	2356.	2437.
1559.60	2183.	2641.	2508.	2352.	2441.
1589.45	2183.	2641.	2512.	2364.	2437.
1619.30	2191.	2610.	2492.	2348.	2433.
1649.14	2191.	2590.	2469.	2329.	2418.
1678.97	2160.	2570.	2453.	2313.	2406.
1708.82	2163.	2528.	2426.	2278.	2383.
1738.67	2090.	2458.	2371.	2228.	2324.
1768.52	2051.	2348.	2285.	2158.	2261.
1798.36	2036.	2216.	2199.	2065.	2187.
1828.19	1962.	2092.	2085.	1972.	2093.
1858.04	1911.	1936.	1975.	1865.	2014.
1887.89	1851.	1807.	1855.	1751.	1916.
1917.74	1782.	1621.	1696.	1612.	1814.
1947.58	1711.	1415.	1535.	1454.	1671.
1977.41	1652.	1192.	1358.	1298.	1530.
2007.26	1457.	946.9	1165.	1128.	1372.

CALC	07/03/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Step</i>				
APR					
APR					
CONTRACT NO.					PAGE 4.01 3-1540

12982

142

9/3/63

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
2050.04	1097.	548.4	829.9	853.9	1127.
2079.89	942.8	302.6	608.2	656.8	961.1
2109.73	529.0	198.6	468.8	506.3	829.9
2139.57	253.5	170.8	363.7	390.7	703.9
2169.41	191.4	150.0	296.6	322.7	602.9
2199.26	170.7	133.4	254.7	267.4	515.5
2229.11	156.9	116.8	212.8	239.8	445.4
2251.9A	150.0	125.1	198.8	212.2	398.7

28624

143

CALC	07/03/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617                      SPEC. 0378 COND. NO. 02                        RUN 02 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Stepp</i>	<i>2/2/11</i>				92-80085
APR						
APR						
CONTRACT NO.						PAGE 5.01 3-1461

9/3/63



TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
	-----DEGREES			FAHRENHEIT-----		
239.9A-	235.3	230.4	201.8	157.7	201.9	123.8
225.07-	232.7	230.4	201.8	160.3	201.9	123.8
210.15-	230.2	230.4	201.8	160.3	201.9	123.8
195.22-	230.2	230.4	199.2	157.7	201.9	126.5
180.31-	232.7	230.4	199.2	160.3	201.9	129.1
165.37-	230.2	230.4	199.2	162.9	201.9	134.3
150.46-	232.7	233.0	204.4	170.7	204.5	144.8
135.54-	235.3	235.6	207.0	191.0	204.5	150.0
120.61-	237.9	235.6	209.6	196.5	212.3	157.8
105.70-	240.5	238.2	212.2	209.4	220.0	168.2
90.76-	243.1	238.2	214.8	224.9	225.2	176.0
75.85-	245.7	240.8	220.0	235.2	230.4	183.8
60.93-	248.3	243.4	222.6	245.6	238.2	191.6
46.00-	250.8	246.0	227.7	255.9	243.4	196.8
31.09-	256.0	248.6	232.9	266.2	251.2	204.6
16.15-	258.6	251.2	238.1	276.5	256.4	209.8
1.24-	261.2	253.8	243.3	287.1	264.1	220.2
13.6A	266.4	256.3	248.5	300.6	271.9	230.6
28.61	271.5	258.9	253.7	311.3	277.1	235.8
43.52	274.1	261.5	261.4	324.8	285.1	241.0
58.4A	279.3	264.1	266.6	338.2	293.2	248.8
73.37	284.6	266.7	271.8	346.2	304.0	254.0
88.29	292.7	271.9	277.0	359.7	312.1	261.8
103.22	298.1	277.1	282.3	370.4	320.2	267.0
118.13	303.5	279.7	290.3	378.4	328.3	272.2
133.07	311.5	285.1	295.7	391.6	339.1	280.0
147.9A	319.6	290.5	301.1	402.2	349.8	285.4
150.97	319.6	290.5	303.8	402.2	349.8	288.1
156.94	322.3	293.2	306.5	407.5	352.5	290.8
162.90	325.0	295.9	309.2	412.8	357.9	296.2
168.87	330.4	295.9	311.9	415.5	363.3	298.9
174.84	330.4	301.3	314.6	423.5	363.3	304.4
180.81	333.0	304.0	317.3	428.8	368.7	312.5
186.77	338.4	306.7	320.0	436.7	374.1	320.6
192.74	341.1	309.4	322.7	444.7	379.4	328.7
198.71	343.8	312.1	325.4	455.3	384.7	342.2
204.6A	349.2	314.8	330.8	468.5	387.4	353.0
210.65	354.6	317.5	333.5	484.2	395.4	366.6
225.5A	370.7	328.2	347.0	539.0	414.0	414.7
240.50	391.9	347.1	365.8	615.6	438.0	483.8

28613

144

CALC	07/03/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 BOEING AIRPLANE COMPANY	Vol. III
CHECK	Step 9/26/1				22-80885
APR					PAGE 1 of 02
APR					3-173
CONTRACT NO.					

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
	-----DEGREES			FAHRENHEIT-----		
255.42	424.4	376.7	392.5	724.7	472.6	562.5
270.35	474.2	424.7	435.1	864.3	514.5	677.5
285.26	536.8	490.9	495.8	1025.	574.3	807.8
300.19	621.3	576.9	576.5	1181.	645.7	935.1
315.11	710.2	671.1	663.1	1321.	729.8	1059.
330.03	799.1	757.8	754.7	1439.	819.0	1165.
344.96	872.7	826.6	831.1	1522.	905.6	1247.
359.87	930.8	877.5	899.7	1579.	981.1	1308.
389.72	1004.	928.2	945.3	1637.	1082.	1448.
419.57	1021.	930.7	980.3	1637.	1132.	1492.
449.41	1011.	915.6	947.8	1606.	1145.	1482.
479.25	988.5	890.3	942.6	1556.	1135.	1445.
509.09	963.4	862.3	914.9	1504.	1117.	1403.
538.94	935.8	839.3	897.1	1452.	1092.	1356.
568.79	913.2	818.9	861.7	1402.	1062.	1319.
598.63	895.6	803.6	843.8	1368.	1042.	1285.
628.47	885.4	796.0	831.1	1342.	1021.	1265.
658.31	888.0	796.0	829.6	1342.	1016.	1275.
688.16	900.7	808.7	841.3	1386.	1021.	1316.
718.01	928.3	831.7	859.1	1436.	1039.	1369.
747.85	958.4	859.7	887.1	1486.	1074.	1413.
777.69	988.5	885.2	907.4	1519.	1102.	1448.
807.53	1011.	908.0	930.0	1548.	1130.	1466.
809.52	1014.	908.0	930.0	1548.	1130.	1469.
815.49	1016.	913.1	935.1	1551.	1135.	1471.
821.46	1021.	913.1	937.6	1556.	1143.	1479.
827.43	1024.	918.1	940.1	1559.	1148.	1482.
833.39	1031.	923.1	942.6	1561.	1150.	1484.
835.39	1031.	923.1	945.1	1564.	1155.	1487.
837.38	1031.	925.6	947.6	1566.	1155.	1484.
839.36	1034.	925.6	947.6	1569.	1155.	1487.
841.36	1036.	925.6	947.6	1566.	1160.	1487.
843.35	1036.	925.6	947.6	1572.	1163.	1490.
845.33	1036.	928.2	950.2	1572.	1160.	1490.
847.33	1030.	930.7	950.2	1572.	1163.	1490.
849.32	1030.	933.2	950.2	1574.	1163.	1492.
851.30	1044.	933.2	952.7	1574.	1166.	1495.
853.30	1041.	930.7	952.7	1577.	1168.	1495.
855.29	1041.	933.2	955.2	1577.	1168.	1498.
857.27	1044.	935.7	955.2	1579.	1171.	1498.

CALC	07/03/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Hay</i>	7/27/1			P2-80085
APR					PAGE 2-02
APR					3-1343
CONTRACT NO.					

28016

145

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----						
859.26	1040.	935.7	955.2	1579.	1171.	1500.
861.26	1046.	935.7	955.2	1582.	1173.	1503.
863.24	1040.	938.2	957.7	1585.	1176.	1505.
865.23	1051.	940.7	957.7	1587.	1176.	1505.
867.23	1054.	943.3	957.7	1590.	1176.	1508.
869.21	1054.	943.3	957.7	1593.	1178.	1511.
871.20	1054.	943.3	957.7	1595.	1183.	1516.
873.20	1050.	945.8	960.2	1598.	1186.	1519.
875.18	1050.	948.3	962.7	1603.	1186.	1524.
877.17	1064.	950.8	962.7	1606.	1186.	1526.
879.17	1064.	953.3	962.7	1611.	1188.	1534.
881.15	1060.	953.3	962.7	1616.	1191.	1540.
883.13	1060.	955.9	965.3	1621.	1194.	1545.
885.13	1071.	960.9	967.8	1626.	1194.	1550.
887.12	1074.	963.4	967.8	1632.	1194.	1558.
889.10	1081.	965.9	970.3	1637.	1196.	1563.
891.10	1081.	965.9	970.3	1642.	1201.	1571.
893.09	1084.	968.4	972.8	1650.	1201.	1576.
895.07	1080.	973.5	977.8	1655.	1206.	1584.
897.07	1091.	978.5	977.8	1663.	1206.	1592.
899.06	1094.	978.5	977.8	1671.	1209.	1600.
905.03	1107.	991.1	997.9	1692.	1216.	1618.
911.00	1117.	998.6	992.9	1713.	1227.	1642.
916.97	1120.	1009.	997.9	1732.	1237.	1663.
922.94	1142.	1021.	1008.	1751.	1247.	1676.
928.91	1152.	1031.	1018.	1770.	1257.	1694.
934.87	1165.	1041.	1026.	1787.	1270.	1708.
940.84	1172.	1049.	1033.	1800.	1280.	1722.
946.81	1180.	1057.	1041.	1814.	1293.	1733.
952.78	1190.	1064.	1048.	1822.	1303.	1744.
958.74	1198.	1072.	1056.	1836.	1311.	1749.
964.71	1203.	1077.	1063.	1844.	1321.	1760.
970.68	1210.	1084.	1066.	1850.	1329.	1766.
976.65	1216.	1089.	1073.	1858.	1337.	1768.
982.61	1221.	1092.	1078.	1861.	1345.	1771.
988.58	1223.	1097.	1083.	1861.	1350.	1774.
994.55	1224.	1099.	1086.	1863.	1358.	1771.
1000.52	1231.	1102.	1088.	1863.	1366.	1774.
1006.40	1236.	1104.	1091.	1863.	1366.	1771.
1012.46	1236.	1107.	1096.	1863.	1371.	1768.

CALC	07/03/11		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 BOEING AIRPLANE COMPANY	Vol. III
CHECK	Step	7/2/11				D2-80085
APR						PAGE 3-02
APR						3-144
CONTRACT NO.						

9/3/63

146

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----						
1018.43	1241.	1110.	1099.	1863.	1376.	1766.
1020.42	1241.	1112.	1099.	1861.	1376.	1768.
1050.24	1240.	1120.	1106.	1855.	1389.	1763.
1080.11	1250.	1127.	1114.	1847.	1397.	1749.
1109.96	1266.	1135.	1121.	1847.	1405.	1752.
1139.80	1276.	1150.	1132.	1852.	1413.	1752.
1169.64	1280.	1160.	1144.	1861.	1424.	1763.
1199.48	1307.	1178.	1157.	1877.	1437.	1782.
1229.33	1325.	1199.	1177.	1904.	1452.	1807.
1259.18	1346.	1221.	1200.	1938.	1471.	1840.
1289.02	1370.	1244.	1223.	1969.	1494.	1870.
1318.86	1398.	1270.	1246.	1997.	1515.	1898.
1348.70	1422.	1295.	1271.	2020.	1541.	1917.
1378.55	1448.	1316.	1292.	2039.	1568.	1940.
1408.40	1472.	1342.	1315.	2059.	1591.	1949.
1438.24	1408.	1366.	1336.	2079.	1615.	1968.
1440.23	1408.	1368.	1341.	2079.	1617.	1968.
1455.14	1513.	1384.	1354.	2087.	1628.	1977.
1470.08	1520.	1400.	1367.	2093.	1644.	1977.
1484.90	1542.	1416.	1388.	2099.	1657.	1980.
1499.92	1553.	1431.	1412.	2107.	1665.	1983.
1514.84	1567.	1447.	1430.	2113.	1675.	1988.
1529.75	1577.	1457.	1446.	2116.	1683.	1994.
1544.69	1581.	1468.	1459.	2125.	1691.	2002.
1559.60	1586.	1478.	1472.	2134.	1696.	2005.
1589.45	1600.	1494.	1490.	2137.	1707.	2011.
1619.30	1610.	1505.	1506.	2146.	1718.	2014.
1649.14	1613.	1512.	1514.	2143.	1723.	2011.
1678.97	1618.	1515.	1517.	2143.	1726.	2011.
1708.82	1618.	1518.	1517.	2134.	1726.	2000.
1738.67	1613.	1510.	1511.	2119.	1723.	1985.
1768.52	1507.	1497.	1501.	2090.	1710.	1957.
1798.36	1570.	1481.	1485.	2051.	1693.	1912.
1828.19	1560.	1460.	1459.	2009.	1672.	1873.
1858.04	1520.	1434.	1435.	1961.	1651.	1821.
1887.89	1507.	1410.	1407.	1907.	1623.	1768.
1917.74	1460.	1376.	1378.	1850.	1591.	1711.
1947.58	1430.	1340.	1336.	1787.	1557.	1647.
1977.41	1388.	1298.	1294.	1713.	1515.	1568.
2007.26	1341.	1252.	1246.	1632.	1468.	1482.

<table border="1"> <tr> <td> <table border="1"> <tr> <td>CALC</td> <td>07/03/11</td> <td></td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>stepp</i></td> <td>7/27/11</td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> </td> <td> <p>LEADING EDGE TEST LT-5-617-2-1</p> <p>FWA NO. 05617                      SPEC. 0378</p> <p>COND. NO. 02                              RUN 02</p> <p>BOEING AIRPLANE COMPANY</p> </td> <td> <p>Vol. III</p> <p>72-80085</p> <p>PAGE 4.02</p> <p>3-145</p> </td> </tr> <tr> <td colspan="5">CONTRACT NO.</td> </tr> </table>	<table border="1"> <tr> <td>CALC</td> <td>07/03/11</td> <td></td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>stepp</i></td> <td>7/27/11</td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	CALC	07/03/11		REVISED	DATE	CHECK	<i>stepp</i>	7/27/11			APR					APR					<p>LEADING EDGE TEST LT-5-617-2-1</p> <p>FWA NO. 05617                      SPEC. 0378</p> <p>COND. NO. 02                              RUN 02</p> <p>BOEING AIRPLANE COMPANY</p>	<p>Vol. III</p> <p>72-80085</p> <p>PAGE 4.02</p> <p>3-145</p>	CONTRACT NO.				
<table border="1"> <tr> <td>CALC</td> <td>07/03/11</td> <td></td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>stepp</i></td> <td>7/27/11</td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	CALC	07/03/11		REVISED	DATE	CHECK	<i>stepp</i>	7/27/11			APR					APR					<p>LEADING EDGE TEST LT-5-617-2-1</p> <p>FWA NO. 05617                      SPEC. 0378</p> <p>COND. NO. 02                              RUN 02</p> <p>BOEING AIRPLANE COMPANY</p>	<p>Vol. III</p> <p>72-80085</p> <p>PAGE 4.02</p> <p>3-145</p>						
CALC	07/03/11		REVISED	DATE																								
CHECK	<i>stepp</i>	7/27/11																										
APR																												
APR																												
CONTRACT NO.																												

147

9/3/63

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
	-----DEGREES			FAHRENHEIT-----		
2050.04	1247.	1168.	1154.	1488.	1366.	1332.
2079.89	1167.	1099.	1096.	1368.	1285.	1222.
2109.73	1114.	1029.	1016.	1247.	1201.	1109.
2139.57	1000.	950.8	940.1	1126.	1107.	980.5
2169.41	925.8	880.1	866.8	997.5	1006.	874.2
2199.24	860.0	821.5	805.7	882.0	918.2	766.9
2229.11	804.2	773.1	752.2	780.6	839.4	669.8
2251.98	766.1	737.4	716.5	714.6	785.9	611.1

CALC	07/03/1		REVISED	DATE	LEADING EDGE TEST LT-5-417-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Step</i>	<i>7/27/1</i>				22-80055
APR						
APR						
CONTRACT NO.						PAGE 5.02 <i>3-146</i>

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

148

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-21, T-22, & T-23 =  $\pm 45^\circ$  F.

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^\circ$  F.

<u>THERMOCOUPLE NO.</u>	<u>PAGE</u>
T-10, T-11, C-4M, T-12, T-13, T-14, T-15	3-148 - 3-152
C-3M, C-5M, T-16, T-20, T-24	3-153 - 3-157
T-17, T-18, T-19, T-21, T-22, T-23	3-158 - 3-162

CAIC	Reynolds	7/25/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03 BOEING AIRPLANE COMPANY	Vol. III
CHECK	Stopp	7/25/1				D2-80085
APPD						PAGE
APPD						3-147

149

9/3/63

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
239.99-	72.42	72.74	63.06	62.87	63.42	72.42	63.42
225.04-	63.17	72.74	72.32	62.87	63.42	63.17	72.64
236.01-	53.02	63.53	63.06	72.13	81.85	72.42	63.42
221.09-	63.17	72.74	72.32	72.13	63.42	72.42	72.64
206.14-	392.0	368.0	254.3	317.3	116.3	150.0	163.9
191.25-	415.2	414.3	299.1	331.2	330.2	163.9	184.6
176.32-	485.0	501.2	330.9	386.8	395.6	205.6	219.3
161.40-	502.4	524.3	344.8	398.5	395.6	219.5	233.2
146.48-	514.1	541.7	351.5	410.1	397.2	254.2	274.7
131.55-	525.7	559.1	363.1	421.8	408.8	268.1	281.7
116.64-	543.1	575.5	373.1	433.5	420.4	268.1	281.7
101.71-	583.8	615.5	386.4	462.6	455.2	295.9	281.7
86.79-	617.1	636.6	403.9	480.1	478.4	295.9	302.4
71.87-	578.0	610.2	380.6	445.1	437.8	302.8	323.2
56.94-	606.5	636.6	388.0	474.3	466.8	330.6	344.0
42.03-	670.0	699.9	438.8	526.8	519.0	337.6	330.2
27.10-	701.8	726.2	467.9	550.2	548.0	337.6	337.1
12.18-	691.2	731.5	450.4	544.3	542.2	344.5	337.1
2.74	707.1	742.0	462.1	550.2	548.0	362.9	350.8
17.67	728.2	742.0	462.1	561.8	548.0	362.9	344.0
32.58	712.3	742.0	462.1	556.0	553.8	380.3	374.0
47.51	722.9	752.6	456.3	556.0	548.0	368.7	356.6
62.43	701.8	742.0	444.6	538.5	536.4	374.5	350.8
77.35	707.1	742.0	456.3	550.2	542.2	380.3	356.6
92.28	717.6	742.0	456.3	561.8	559.6	380.3	374.0
107.19	733.5	763.1	462.1	573.5	565.4	391.9	374.0
122.12	733.5	768.4	467.9	573.5	565.4	391.9	368.2
137.04	744.1	773.7	467.9	585.2	571.2	386.1	374.0
150.96	754.7	789.5	473.7	585.2	577.0	391.9	374.0
156.93	775.9	810.1	508.6	618.4	610.7	403.6	408.8
162.90	832.4	875.1	578.5	671.5	668.8	432.6	455.2
168.87	1161.	1176.	707.8	980.4	976.1	485.0	495.8
174.84	1207.	1246.	888.4	1030.	1035.	554.7	582.8
180.81	1200.	1346.	900.0	1092.	1111.	638.2	668.8
186.78	1372.	1425.	1091.	1168.	1182.	738.8	763.8
192.75	1451.	1530.	1194.	1262.	1270.	837.3	865.9
198.72	1517.	1606.	1287.	1344.	1324.	952.9	941.0
204.69	1581.	1677.	1373.	1384.	1382.	1104.	1068.
210.66	1674.	1766.	1475.	1477.	1462.	1203.	1149.
225.57	1860.	1987.	1756.	1669.	1658.	1456.	1396.

CALC	0770371	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03	Vol. III
CHECK	Step 11	7/25/11			P2-80085
APR					1.00
APR					PAGE
CONTRACT NO.				BOEING AIRPLANE COMPANY	3-148

9/3/63

150

12 02

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
240.51	2043.	2185.	1998.	1862.	1825.	1699.	1586.
255.42	2261.	2406.	2252.	2079.	2039.	1973.	1829.
270.34	2472.	2635.	2505.	2314.	2253.	2152.	1981.
285.27	2565.	2733.	2595.	2408.	2342.	2218.	2058.
300.1A	2624.	2768.	2650.	2447.	2385.	2261.	2082.
315.12	2632.	2780.	2627.	2463.	2393.	2257.	2070.
320.0A	262A.	2768.	2607.	2447.	2385.	2250.	2054.
349.92	256F.	2686.	2478.	2341.	2288.	2129.	1902.
379.77	244E.	2554.	2279.	2204.	2171.	1957.	1721.
409.62	230P.	2398.	2092.	2044.	2031.	1808.	1539.
439.47	216U.	2251.	1912.	1906.	1894.	1631.	1365.
469.30	2047.	2111.	1760.	1763.	1763.	1487.	1228.
499.14	1940.	2014.	1646.	1665.	1666.	1403.	1172.
528.99	1857.	1912.	1548.	1576.	1573.	1336.	1102.
558.84	1792.	1848.	1475.	1508.	1510.	1304.	1073.
588.60	1771.	1823.	1475.	1495.	1488.	1272.	1054.
618.52	178A.	1844.	1510.	1516.	1510.	1336.	1121.
648.36	1934.	2002.	1701.	1674.	1666.	1487.	1279.
678.21	2000.	2165.	1893.	1841.	1833.	1606.	1431.
708.06	2144.	2220.	1939.	1894.	1878.	1674.	1457.
737.01	2174.	2262.	1971.	1919.	1906.	1653.	1435.
767.74	2170.	2262.	1967.	1911.	1910.	1576.	1351.
797.5A	216F.	2251.	1951.	1906.	1898.	1572.	1342.
809.52	2170.	2262.	1959.	1923.	1910.	1564.	1342.
815.49	2170.	2262.	1955.	1923.	1910.	1576.	1342.
821.44	2170.	2262.	1959.	1927.	1910.	1589.	1351.
827.43	2187.	2262.	1959.	1919.	1910.	1576.	1351.
833.40	214A.	2231.	1912.	1874.	1878.	1478.	1214.
835.39	2152.	2231.	1904.	1870.	1878.	1465.	1191.
837.39	2137.	2212.	1905.	1862.	1866.	1478.	1224.
839.37	2121.	2200.	1897.	1845.	1858.	1521.	1292.
841.35	2105.	2188.	1875.	1821.	1837.	1474.	1261.
843.35	2101.	2181.	1855.	1817.	1825.	1469.	1265.
845.34	2101.	2181.	1867.	1833.	1837.	1509.	1320.
847.32	2100.	2196.	1887.	1850.	1845.	1521.	1320.
849.32	2137.	2204.	1916.	1878.	1866.	1513.	1311.
851.31	2117.	2196.	1899.	1862.	1849.	1509.	1297.
853.29	2100.	2196.	1899.	1854.	1845.	1517.	1301.
855.29	2100.	2192.	1895.	1845.	1845.	1538.	1342.
857.28	2100.	2192.	1895.	1850.	1845.	1555.	1347.

28030

151

CALL	0770371	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03	Boeing Airplane Company	Val. III
CHECK	<i>Step 7/3/63</i>					02-50285
APP						2.00
APP						3-149
CONTRACT NO.						2-5000

UG 5553 7450 (WAS BAC 1745 A-R1)

9/3/63



TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
859.26	2133.	2220.	1872.	1882.	1974.	1606.	1422.
861.24	2183.	2262.	1894.	1942.	1926.	1674.	1501.
863.25	2211.	2289.	2053.	1985.	1969.	1695.	1527.
865.23	2254.	2340.	2111.	2025.	2008.	1754.	1594.
867.27	2281.	2375.	2162.	2068.	2047.	1800.	1641.
869.22	2308.	2406.	2213.	2095.	2074.	1841.	1658.
871.20	2332.	2429.	2256.	2118.	2101.	1845.	1683.
873.19	2370.	2476.	2302.	2154.	2144.	1861.	1670.
875.19	2400.	2515.	2357.	2212.	2183.	1906.	1725.
877.17	2304.	2503.	2338.	2189.	2163.	1910.	1721.
879.14	2413.	2530.	2377.	2204.	2191.	1902.	1751.
881.14	2420.	2554.	2404.	2232.	2210.	1930.	1772.
883.14	2454.	2573.	2423.	2251.	2230.	1942.	1776.
885.13	2474.	2592.	2451.	2275.	2249.	1930.	1789.
887.13	2490.	2612.	2470.	2287.	2261.	1949.	1809.
889.11	2515.	2639.	2505.	2310.	2292.	1949.	1817.
891.09	2530.	2659.	2529.	2330.	2303.	1949.	1793.
893.09	2542.	2674.	2541.	2349.	2323.	1965.	1809.
895.08	2544.	2678.	2544.	2357.	2319.	1957.	1813.
897.06	2550.	2682.	2544.	2353.	2331.	1969.	1829.
899.06	2554.	2682.	2544.	2361.	2335.	1965.	1829.
905.03	2503.	2717.	2603.	2388.	2373.	1984.	1801.
911.00	2620.	2737.	2615.	2416.	2381.	1973.	1821.
916.96	2612.	2733.	2607.	2400.	2381.	1988.	1825.
922.93	2600.	2729.	2607.	2408.	2385.	1981.	1813.
928.90	2612.	2733.	2603.	2404.	2381.	1977.	1821.
934.87	2554.	2678.	2529.	2341.	2327.	1945.	1801.
940.83	2562.	2686.	2529.	2357.	2338.	1969.	1809.
946.80	2550.	2674.	2521.	2337.	2319.	1945.	1797.
952.77	2538.	2667.	2505.	2334.	2315.	1945.	1809.
958.74	2530.	2659.	2482.	2318.	2300.	1906.	1789.
964.71	2503.	2620.	2443.	2283.	2268.	1808.	1746.
970.68	2526.	2647.	2463.	2302.	2292.	1825.	1725.
976.65	2491.	2612.	2404.	2263.	2257.	1837.	1692.
982.62	2476.	2585.	2381.	2247.	2241.	1813.	1675.
988.59	2472.	2585.	2377.	2232.	2237.	1833.	1666.
994.54	2452.	2573.	2353.	2228.	2214.	1837.	1654.
1000.53	2448.	2565.	2357.	2212.	2222.	1853.	1670.
1006.50	2420.	2550.	2330.	2204.	2210.	1833.	1649.
1012.47	2433.	2546.	2326.	2201.	2202.	1825.	1628.

CALC	0770371	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 03	Vol. III
CHECK	<i>Steps</i>	<i>7/24/1</i>				22-8085
APR						3.00
APR						PAGE
CONTRACT NO.				BOEING AIRPLANE COMPANY		3-150

28053

15-2

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
	-----DEGREES FAHRENHEIT-----						
1018.44	242 <sup>F</sup> .	2546.	2 <sup>F</sup> 18.	2197.	2198.	1853.	1654.
1020.42	2421.	2538.	2 <sup>F</sup> 22.	2201.	2191.	1841.	1645.
1050.27	240 <sup>F</sup> .	2507.	2 <sup>F</sup> 27.	2161.	2163.	1813.	1594.
1080.12	240 <sup>F</sup> .	2515.	2 <sup>F</sup> 23.	2173.	2160.	1813.	1620.
1109.94	237 <sup>F</sup> .	2480.	2 <sup>F</sup> 26.	2134.	2132.	1813.	1624.
1139.79	240 <sup>F</sup> .	2499.	2 <sup>F</sup> 27.	2177.	2167.	1813.	1637.
1169.64	2421.	2526.	2 <sup>F</sup> 18.	2201.	2195.	1845.	1654.
1199.49	245 <sup>F</sup> .	2573.	2 <sup>F</sup> 27.	2244.	2230.	1906.	1730.
1229.34	251 <sup>F</sup> .	2632.	2 <sup>F</sup> 51.	2302.	2284.	1938.	1813.
1259.1 <sup>F</sup>	254 <sup>F</sup> .	2651.	2 <sup>F</sup> 08.	2318.	2292.	2055.	1886.
1289.01	254 <sup>F</sup> .	2674.	2 <sup>F</sup> 29.	2334.	2307.	2023.	1898.
1318.86	254 <sup>F</sup> .	2678.	2 <sup>F</sup> 29.	2330.	2303.	2047.	1906.
1348.71	258 <sup>F</sup> .	2725.	2 <sup>F</sup> 76.	2392.	2362.	2004.	1882.
1378.56	256 <sup>F</sup> .	2710.	2 <sup>F</sup> 60.	2377.	2346.	1984.	1898.
1408.40	255 <sup>F</sup> .	2702.	2 <sup>F</sup> 56.	2377.	2350.	2000.	1890.
1438.23	256 <sup>F</sup> .	2706.	2 <sup>F</sup> 48.	2369.	2342.	1981.	1886.
1440.23	256 <sup>F</sup> .	2710.	2 <sup>F</sup> 52.	2384.	2350.	1984.	1926.
1455.15	262 <sup>F</sup> .	2760.	2 <sup>F</sup> 03.	2435.	2397.	2140.	2175.
1470.07	268 <sup>F</sup> .	2827.	2 <sup>F</sup> 50.	2498.	2447.	2094.	2109.
1485.00	269 <sup>F</sup> .	2839.	2 <sup>F</sup> 46.	2494.	2459.	2027.	2101.
1499.91	270 <sup>F</sup> .	2839.	2 <sup>F</sup> 42.	2490.	2451.	1949.	2113.
1514.84	270 <sup>F</sup> .	2839.	2 <sup>F</sup> 50.	2494.	2459.	2062.	2128.
1529.76	269 <sup>F</sup> .	2835.	2 <sup>F</sup> 54.	2502.	2463.	2144.	2113.
1544.6 <sup>F</sup>	269 <sup>F</sup> .	2839.	2 <sup>F</sup> 50.	2513.	2459.	2098.	2124.
1559.61	271 <sup>F</sup> .	2839.	2 <sup>F</sup> 50.	2506.	2463.	1984.	2128.
1589.45	270 <sup>F</sup> .	2839.	2 <sup>F</sup> 42.	2502.	2459.	2296.	2113.
1619.29	269 <sup>F</sup> .	2835.	2 <sup>F</sup> 39.	2486.	2455.	2211.	2036.
1649.13	266 <sup>F</sup> .	2803.	2 <sup>F</sup> 07.	2459.	2428.	2074.	2066.
1678.9 <sup>F</sup>	264 <sup>F</sup> .	2788.	2 <sup>F</sup> 05.	2443.	2408.	1984.	2058.
1708.83	262 <sup>F</sup> .	2749.	2 <sup>F</sup> 41.	2392.	2373.	1910.	2000.
1738.67	259 <sup>F</sup> .	2721.	2494.	2373.	2335.	1712.	1930.
1768.51	253 <sup>F</sup> .	2659.	2423.	2294.	2288.	1657.	1789.
1798.35	243 <sup>F</sup> .	2554.	2291.	2197.	2179.	1555.	1713.
1828.20	232 <sup>F</sup> .	2429.	2139.	2068.	2055.	1403.	1561.
1858.05	225 <sup>F</sup> .	2355.	2049.	1985.	1973.	1322.	1409.
1887.80	2113.	2212.	1993.	1850.	1829.	1272.	1311.
1917.73	1922.	1998.	1650.	1627.	1616.	1109.	1163.
1947.57	1690.	1779.	1408.	1406.	1387.	1070.	1025.
1977.42	1504.	1568.	1208.	1192.	1107.	1017.	875.9
2007.27	1304.	1336.	999.0	985.4	890.9	998.1	700.5

28036

153

CALC	0770371	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03 BOEING AIRPLANE COMPANY	Vol. III 02-80085 4.00 PAGE 3-151
CHECK	<i>Stapp</i>				
APR					
APR					
CONTRACT NO.					

U6 5553 7450 (WAS BAC 1745 A-R1)

2,5000

9/3/63

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
2037.11	1027.	1043.	729.8	724.6	647.7	722.9	490.0
2066.95	670.0	689.3	431.0	392.6	350.8	508.2	337.1
2096.70	490.8	466.4	275.2	247.6	219.3	357.1	247.0
2126.64	397.8	379.5	233.5	205.8	184.6	288.9	198.5
2156.49	344.5	316.1	191.7	170.9	156.9	247.3	177.7
2186.33	289.0	260.7	184.8	150.0	150.0	184.7	150.0
2216.17	247.3	219.2	177.8	141.7	133.4	163.9	150.0
2246.01	226.4	191.5	150.0	125.0	116.8	150.0	133.4
2250.99	212.5	191.5	150.0	133.3	125.1	150.0	133.4

28639

154

<table border="1"> <tr> <td>CALC</td> <td>07/03/1</td> <td></td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>Stapp</i></td> <td><i>11/10/1</i></td> <td></td> <td></td> </tr> <tr> <td>APP</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APP</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	CALC	07/03/1		REVISED	DATE	CHECK	<i>Stapp</i>	<i>11/10/1</i>			APP					APP					<p>LEADING EDGE TEST LT-5-617-2-1          EWA NO. 05617                      SPEC. 0378          COND. NO. 02                        RUN 03</p> <p>BOEING AIRPLANE COMPANY</p>	<p>Vol. III          22-80085          PAGE 5.00          3-152</p>
CALC	07/03/1		REVISED	DATE																		
CHECK	<i>Stapp</i>	<i>11/10/1</i>																				
APP																						
APP																						
CONTRACT NO.																						

U6 5593 7450 (WAS BAC 1745 A-R1)  
 9/3/63

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
239.99-	72.01	63.34	62.81	72.74	72.19
225.06-	72.01	72.58	62.81	81.94	72.19
236.01-	72.01	72.58	62.81	72.74	72.19
221.09-	82.11	72.58	62.81	72.74	72.19
206.14-	205.2	226.3	66.94	81.94	72.19
191.25-	212.2	254.0	150.0	116.9	81.47
176.32-	219.1	302.6	191.8	150.0	108.3
161.40-	260.5	316.4	247.6	177.7	125.0
146.48-	281.2	344.2	303.5	212.3	150.0
131.55-	281.2	350.9	351.9	253.8	163.9
116.64-	295.0	362.5	375.3	281.5	184.8
101.71-	336.5	385.7	404.4	309.2	205.7
86.79-	373.4	403.2	433.6	330.0	226.6
71.87-	315.7	397.3	457.0	356.4	254.5
56.94-	336.5	409.0	468.7	373.8	275.4
42.03-	367.6	438.0	492.0	391.1	289.3
27.10-	396.5	449.6	521.2	408.5	310.2
12.18-	367.6	449.6	538.7	431.7	331.1
2.74	384.9	455.4	562.1	443.3	363.3
17.67	408.0	461.2	573.7	454.9	369.2
32.58	396.5	472.8	585.4	466.4	386.7
47.51	408.0	461.2	597.1	478.0	398.3
62.43	390.7	461.2	602.7	483.8	415.8
77.35	419.6	455.4	602.7	489.6	427.5
92.28	402.3	467.0	613.3	495.4	439.1
107.19	425.4	484.4	618.6	501.2	450.8
122.12	442.7	478.6	634.5	507.0	462.5
137.04	477.4	484.4	634.5	512.8	474.1
150.96	489.0	484.4	645.2	518.6	485.8
156.93	581.4	496.0	655.8	530.1	491.6
162.90	714.6	554.0	661.1	530.1	491.6
168.87	813.9	722.0	693.0	553.3	514.9
174.84	893.8	795.9	740.8	576.5	526.6
180.81	1056.	866.3	804.4	610.2	549.9
186.78	1118.	941.5	869.9	657.7	584.9
192.75	1216.	1035.	940.5	715.7	612.8
198.72	1289.	1196.	1030.	784.3	665.9
204.69	1304.	1334.	1107.	870.1	724.2
210.66	1510.	1432.	1192.	965.2	787.9
225.57	1780.	1667.	1429.	1232.	1000.

820828

153

<table border="1"> <tr><td>CALC</td><td>0770371</td><td>REVISED</td><td>DATE</td></tr> <tr><td>CHECK</td><td><i>Stapp</i></td><td><i>7/4/61</i></td><td></td></tr> <tr><td>APP</td><td></td><td></td><td></td></tr> <tr><td>APP</td><td></td><td></td><td></td></tr> </table>	CALC	0770371	REVISED	DATE	CHECK	<i>Stapp</i>	<i>7/4/61</i>		APP				APP				<p>LEADING EDGE TEST LT-5-617-2-1          EWA NO. 05617          COND. NO. 02</p> <p>SPEC. 0378          RUN 03</p> <p>BOEING AIRPLANE COMPANY</p>	<p>Vol. III</p> <p>02-86095</p> <p>PAGE 1.01</p> <p>3-153</p>
CALC	0770371	REVISED	DATE															
CHECK	<i>Stapp</i>	<i>7/4/61</i>																
APP																		
APP																		
CONTRACT NO.		2.5000																

U6 5553 7450 (WAS BAC 1745 A-R1)  
 9/3/63

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3P	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
240.51	194F.	1943.	1675.	1538.	1275.
255.42	2204.	2172.	1924.	1844.	1558.
270.34	2420.	2398.	2170.	2099.	1845.
285.27	2522.	2484.	2343.	2270.	2070.
300.18	2560.	2534.	2421.	2352.	2184.
315.12	2540.	2523.	2456.	2383.	2242.
320.08	2530.	2484.	2452.	2383.	2250.
349.92	2402.	2347.	2417.	2340.	2238.
379.77	2200.	2168.	2299.	2212.	2141.
409.62	2014.	1997.	2178.	2088.	2027.
439.47	1800.	1781.	2049.	1936.	1897.
469.30	1666.	1659.	1935.	1819.	1779.
499.14	1561.	1532.	1842.	1715.	1694.
528.99	1480.	1432.	1751.	1622.	1613.
558.84	1418.	1383.	1700.	1576.	1562.
588.69	1436.	1392.	1679.	1559.	1537.
618.52	1498.	1449.	1679.	1559.	1528.
648.36	1670.	1616.	1751.	1627.	1579.
678.21	1820.	1810.	1809.	1783.	1703.
708.06	1860.	1822.	1863.	1856.	1788.
737.91	1917.	1842.	2002.	1896.	1836.
767.74	1917.	1846.	2018.	1904.	1861.
797.58	1897.	1834.	2010.	1892.	1857.
809.52	1901.	1854.	2010.	1896.	1865.
815.49	1905.	1846.	2014.	1896.	1865.
821.46	1905.	1854.	2014.	1896.	1869.
827.43	1880.	1863.	2018.	1900.	1873.
833.40	1877.	1743.	2006.	1892.	1869.
835.30	1865.	1726.	1908.	1880.	1869.
837.39	1860.	1739.	1908.	1868.	1861.
839.37	1860.	1731.	1986.	1860.	1861.
841.35	1873.	1692.	1986.	1860.	1861.
843.35	1873.	1684.	1979.	1848.	1857.
845.34	1860.	1701.	1975.	1840.	1853.
847.32	1897.	1714.	1971.	1836.	1853.
849.32	1925.	1718.	1967.	1832.	1853.
851.31	1937.	1701.	1967.	1832.	1857.
853.29	1952.	1697.	1971.	1832.	1857.
855.29	1964.	1705.	1967.	1828.	1857.
857.28	1968.	1714.	1967.	1832.	1861.

1988

156

CALC	0770371	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03	Vol. III
CHECK	<i>Step</i>				
APR					
APR					
CONTRACT NO.				BOEING AIRPLANE COMPANY	PAGE 2.01
					3-154

9/3/63

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
859.26	2007.	1752.	1971.	1928.	1961.
861.24	2030.	1806.	1979.	1936.	1969.
863.25	2092.	1846.	1990.	1944.	1969.
865.23	2158.	1907.	2002.	1964.	1981.
867.22	2224.	1939.	2029.	1880.	1897.
869.22	2284.	1982.	2045.	1904.	1914.
871.20	2352.	1997.	2076.	1924.	1930.
873.19	2387.	2028.	2096.	1952.	1953.
875.19	2414.	2059.	2127.	1971.	1984.
877.17	2441.	2059.	2151.	2002.	2004.
879.16	2480.	2091.	2174.	2022.	2027.
881.16	2495.	2122.	2190.	2041.	2047.
883.14	2511.	2133.	2209.	2060.	2067.
885.13	2540.	2149.	2233.	2084.	2094.
887.13	2565.	2161.	2249.	2107.	2113.
889.11	2580.	2180.	2268.	2123.	2129.
891.09	2592.	2180.	2288.	2138.	2152.
893.09	2600.	2192.	2303.	2154.	2168.
895.08	2604.	2196.	2315.	2165.	2188.
897.06	2594.	2200.	2331.	2177.	2195.
899.06	2604.	2207.	2339.	2185.	2211.
905.03	2627.	2215.	2366.	2212.	2246.
911.00	2627.	2227.	2382.	2231.	2270.
916.96	2611.	2207.	2389.	2243.	2289.
922.93	2611.	2196.	2393.	2243.	2293.
928.90	2611.	2192.	2397.	2251.	2301.
934.87	2608.	2149.	2393.	2247.	2305.
940.83	2596.	2176.	2386.	2243.	2309.
946.80	2600.	2172.	2386.	2243.	2305.
952.77	2604.	2165.	2382.	2243.	2317.
958.74	2560.	2157.	2374.	2239.	2313.
964.71	2540.	2130.	2366.	2231.	2305.
970.68	2534.	2133.	2362.	2224.	2301.
976.65	2472.	2106.	2346.	2212.	2289.
982.62	2441.	2079.	2327.	2192.	2270.
988.59	2404.	2071.	2319.	2181.	2254.
994.56	2394.	2032.	2307.	2161.	2246.
1000.53	2390.	2036.	2299.	2157.	2231.
1006.50	2387.	2017.	2288.	2142.	2223.
1012.47	2370.	2005.	2280.	2138.	2219.

CALC	07/03/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03	Vol. III 02-80885 3.01
CHECK	<i>Stapp</i> 7/26/1				
APR					
APR					
				BOEING AIRPLANE COMPANY	PAGE
CONTRACT NO.					3-155

9/3/63

157

158

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
1018.44	2371.	2013.	2272.	2134.	2215.
1020.42	2350.	2005.	2276.	2130.	2207.
1050.27	2297.	1962.	2249.	2099.	2180.
1080.12	2332.	1970.	2249.	2095.	2176.
1109.96	2317.	1939.	2241.	2091.	2180.
1139.79	2352.	1974.	2237.	2091.	2180.
1169.64	2375.	1993.	2264.	2111.	2207.
1199.49	2433.	2059.	2299.	2150.	2238.
1229.34	2499.	2145.	2354.	2204.	2289.
1259.1A	2557.	2192.	2389.	2255.	2336.
1289.01	258A.	2227.	2421.	2290.	2371.
1318.86	2584.	2254.	2433.	2309.	2387.
1348.71	2600.	2258.	2440.	2328.	2399.
1378.56	2592.	2246.	2452.	2332.	2407.
1408.40	2592.	2242.	2452.	2321.	2414.
1438.23	2502.	2207.	2456.	2328.	2430.
1440.23	2592.	2223.	2460.	2324.	2430.
1455.15	2511.	2410.	2499.	2391.	2442.
1470.07	2487.	2515.	2562.	2472.	2453.
1485.00	2487.	2523.	2573.	2491.	2469.
1499.91	2491.	2526.	2581.	2499.	2469.
1514.84	2487.	2526.	2589.	2499.	2473.
1529.76	2401.	2523.	2589.	2507.	2473.
1544.6A	2401.	2523.	2589.	2503.	2485.
1559.61	2495.	2523.	2593.	2503.	2477.
1589.45	2483.	2519.	2589.	2511.	2481.
1619.29	2487.	2495.	2589.	2499.	2477.
1649.13	2491.	2491.	2581.	2484.	2481.
1678.9A	2495.	2452.	2562.	2465.	2465.
1708.83	2445.	2414.	2534.	2437.	2442.
1738.67	2367.	2355.	2499.	2402.	2399.
1768.51	2250.	2246.	2448.	2348.	2348.
1798.35	2154.	2168.	2366.	2262.	2270.
1828.20	2030.	2028.	2264.	2177.	2184.
1858.05	1913.	1895.	2186.	2084.	2106.
1887.89	1776.	1769.	2069.	1987.	2016.
1917.73	1595.	1540.	1928.	1860.	1910.
1947.57	1374.	1365.	1764.	1715.	1783.
1977.42	1183.	1178.	1602.	1580.	1664.
2007.27	933.7	956.5	1416.	1407.	1528.

CALC	07/05/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 03	Vol. III
CHECK	<i>Stapp</i>	<i>7/26/4</i>				2-80085
APR						4.01
APR						PAGE
CONTRACT NO.				BOEING AIRPLANE COMPANY		3-186

158

158

9/3/63

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
	-----DEGREES FAHRENHEIT-----				
2037.11	698.9	679.7	1197.	1209.	1379.
2066.95	460.0	350.9	925.4	1005.	1224.
2096.79	350.2	212.4	698.3	815.1	1072.
2126.64	281.2	177.7	562.1	684.1	964.8
2156.49	219.1	150.0	468.7	599.7	854.0
2186.33	184.5	141.7	404.4	518.6	761.4
2216.17	156.9	133.4	351.9	454.9	671.2
2246.01	150.0	125.1	296.5	402.7	596.5
2250.99	150.0	116.8	296.5	391.1	584.9

0750

159

CALC	07/03/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Stapp</i>	<i>9/24/1</i>				
APR						02-80085
APR						PAGE 5.01
CONTRACT NO.						3-157

UG 5553 7450 (WAS BAC 1745 A.R.I)

9/3/63

2-5000



TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
	-----DEGREES			FAHRENHEIT-----		
239.99-	76.07	76.91	76.79	74.33	76.70	76.72
225.06-	76.07	76.91	76.79	77.03	76.70	76.72
236.01-	74.27	74.20	74.07	74.33	73.99	74.01
221.09-	74.27	74.20	74.07	74.33	73.99	74.01
206.16-	74.27	74.20	74.07	74.33	73.99	76.72
191.25-	76.07	74.20	76.79	79.74	79.41	87.30
176.32-	87.50	79.61	79.50	92.76	87.28	103.0
161.40-	92.71	82.24	84.74	111.0	95.12	116.0
146.48-	100.5	84.84	89.96	129.2	108.2	129.1
131.55-	108.3	90.05	97.79	144.8	121.3	139.5
116.64-	116.1	95.27	105.6	157.8	134.3	150.0
101.71-	126.6	100.5	110.8	173.3	147.4	157.8
86.79-	134.4	105.7	116.1	188.8	157.8	168.2
71.87-	144.8	108.3	126.5	206.9	170.8	178.6
56.94-	150.0	116.1	136.9	225.0	183.8	186.3
42.03-	157.8	123.9	147.4	240.5	196.7	196.7
27.10-	168.1	129.1	150.0	256.0	209.7	204.5
12.18-	175.9	137.0	157.8	271.5	222.7	212.3
2.74	183.6	144.8	169.2	284.6	233.1	217.5
17.67	191.4	150.0	173.3	298.1	246.1	222.7
32.58	190.2	150.0	183.7	311.5	256.5	230.5
47.51	209.5	155.2	189.9	325.0	266.9	238.3
62.43	217.3	163.0	196.7	335.7	274.7	246.1
77.35	227.6	170.7	204.5	349.2	285.3	251.3
92.28	235.4	178.5	214.9	359.9	298.8	259.0
107.19	245.7	186.3	222.6	373.3	309.6	269.4
122.12	256.1	194.0	230.4	386.6	317.7	279.8
137.04	263.9	201.8	240.8	397.2	328.5	282.5
150.96	271.6	212.2	248.6	407.9	339.3	293.3
156.93	274.2	212.2	253.8	413.2	344.7	296.0
162.90	282.1	217.3	256.4	418.5	347.4	298.7
168.87	282.1	219.9	261.5	423.8	350.1	304.1
174.84	287.4	222.5	264.1	429.1	355.5	309.5
180.81	290.1	225.1	266.7	434.4	360.9	317.6
186.78	295.5	230.3	271.9	442.4	363.6	323.0
192.75	300.9	235.5	274.5	450.3	369.0	328.4
198.72	303.6	238.1	279.7	461.0	374.3	339.2
204.69	309.0	240.7	282.4	471.6	379.7	352.7
210.66	314.4	245.8	287.8	484.6	385.0	366.2
225.57	330.5	258.8	301.3	536.8	403.7	408.9

CALC	0770371	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 03	Vol. III
CHECK	<i>Atapp</i>					22-80095
APR						1.02
APR						PAGE
CONTRACT NO.				BOEING AIRPLANE COMPANY		3-158

62982

160

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
	-----DEGREES			FAHRENHEIT-----		
240.51	352.0	276.9	320.2	603.5	425.0	470.3
255.42	381.5	305.4	344.5	602.4	457.0	556.8
270.34	421.4	349.5	392.1	811.8	406.6	661.4
285.27	482.3	416.3	439.0	953.4	546.4	789.0
300.18	560.6	498.2	511.9	1104.	608.0	928.9
315.12	644.5	594.1	590.8	1238.	694.5	1060.
320.08	675.1	624.6	630.4	1282.	710.1	1098.
349.92	832.7	787.5	796.1	1466.	863.1	1271.
379.77	921.4	874.0	808.0	1553.	997.1	1354.
409.62	959.1	901.9	839.3	1568.	1053.	1364.
439.47	964.1	896.9	843.4	1542.	1078.	1322.
469.30	951.5	879.1	828.3	1495.	1080.	1268.
499.14	928.9	853.6	803.1	1445.	1065.	1215.
528.99	906.3	830.7	877.6	1393.	1045.	1161.
558.84	883.5	812.9	857.3	1351.	1020.	1118.
588.69	868.3	795.1	836.9	1315.	1002.	1085.
618.52	855.6	782.4	819.0	1292.	994.6	1073.
648.36	850.5	774.7	811.4	1287.	979.5	1070.
678.21	860.6	784.9	816.5	1310.	979.5	1088.
708.06	883.5	805.3	831.8	1357.	994.7	1146.
737.91	911.3	833.3	857.3	1404.	1022.	1202.
767.74	944.0	861.2	882.7	1443.	1050.	1225.
797.58	969.1	884.1	909.1	1472.	1080.	1251.
809.52	979.2	894.3	913.2	1479.	1090.	1261.
815.49	984.2	896.9	920.7	1485.	1098.	1266.
821.46	989.2	899.4	920.7	1487.	1101.	1276.
827.43	994.2	904.4	928.3	1492.	1106.	1284.
833.40	999.2	912.0	930.8	1500.	1111.	1296.
835.39	999.2	912.0	933.3	1498.	1113.	1299.
837.39	1002.	909.5	930.8	1500.	1118.	1304.
839.37	1002.	912.0	933.3	1503.	1121.	1304.
841.35	1004.	914.5	935.8	1506.	1118.	1304.
843.35	1007.	917.0	935.8	1506.	1118.	1307.
845.34	1007.	917.0	935.8	1506.	1121.	1312.
847.32	1009.	914.5	935.8	1508.	1126.	1315.
849.32	1007.	917.0	940.8	1511.	1126.	1312.
851.31	1012.	919.5	938.3	1511.	1126.	1312.
853.29	1009.	919.5	938.3	1511.	1129.	1317.
855.29	1014.	919.5	938.3	1511.	1131.	1322.
857.28	1012.	919.5	940.8	1513.	1131.	1322.

28632

CALC	0770371	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03  BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Step 1/20/1</i>				D2-80085
APR					2.02
APR					PAGE
CONTRACT NO.					3-159

161

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----						
859.26	1014.	922.0	940.8	1516.	1134.	1322.
861.26	1017.	924.6	940.8	1516.	1134.	1328.
863.25	1017.	922.0	940.8	1516.	1136.	1330.
865.23	1010.	924.6	943.4	1521.	1139.	1333.
867.22	1022.	927.1	945.9	1524.	1141.	1336.
869.22	1022.	927.1	945.9	1524.	1141.	1341.
871.20	1022.	927.1	943.4	1526.	1146.	1343.
873.19	1027.	929.6	945.9	1529.	1144.	1349.
875.19	1020.	932.1	948.4	1534.	1146.	1349.
877.17	1032.	934.6	948.4	1537.	1146.	1351.
879.16	1034.	937.1	948.4	1539.	1149.	1351.
881.16	1034.	937.1	948.4	1542.	1151.	1359.
883.14	1034.	939.6	950.9	1550.	1154.	1364.
885.13	1030.	942.1	953.4	1555.	1154.	1370.
887.13	1042.	944.7	953.4	1558.	1154.	1372.
889.11	1044.	947.2	953.4	1563.	1157.	1380.
891.09	1047.	947.2	956.0	1573.	1164.	1385.
893.09	1040.	952.2	961.0	1579.	1164.	1393.
895.08	1054.	954.7	961.0	1584.	1164.	1396.
897.06	1057.	957.2	961.0	1592.	1167.	1404.
899.06	1060.	959.7	963.5	1600.	1172.	1414.
905.03	1072.	969.8	971.1	1620.	1177.	1435.
911.00	1082.	982.4	981.1	1644.	1187.	1456.
916.96	1092.	989.9	988.7	1667.	1197.	1480.
922.93	1105.	1000.	993.7	1688.	1210.	1503.
928.90	1120.	1015.	1006.	1707.	1218.	1519.
934.87	1128.	1025.	1016.	1729.	1230.	1540.
940.83	1140.	1033.	1024.	1742.	1243.	1558.
946.80	1153.	1045.	1031.	1756.	1253.	1574.
952.77	1161.	1053.	1042.	1773.	1264.	1590.
958.74	1169.	1060.	1049.	1783.	1276.	1603.
964.71	1176.	1065.	1054.	1794.	1286.	1619.
970.68	1186.	1075.	1064.	1805.	1294.	1627.
976.65	1191.	1078.	1069.	1816.	1304.	1634.
982.62	1190.	1085.	1074.	1819.	1312.	1640.
988.59	1204.	1090.	1082.	1822.	1320.	1640.
994.56	1209.	1095.	1087.	1827.	1328.	1637.
1000.53	1211.	1098.	1089.	1830.	1339.	1634.
1006.50	1216.	1101.	1092.	1830.	1341.	1637.
1012.47	1222.	1106.	1097.	1827.	1344.	1634.

CALC	0770371	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03  BOEING AIRPLANE COMPANY	Vol. III DR-80085 3.02 PAGE 3-160
CHECK	Stepy 7/27/11				
APR					
APR					
CONTRACT NO.					

28-35

162

9/3/63

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----						
1018.44	1224.	1108.	1102.	1830.	1349.	1632.
1020.42	1224.	1108.	1099.	1827.	1352.	1634.
1050.27	1237.	1118.	1112.	1822.	1365.	1629.
1080.12	1244.	1128.	1122.	1819.	1375.	1621.
1109.96	1257.	1139.	1130.	1822.	1383.	1629.
1139.79	1265.	1149.	1140.	1830.	1394.	1637.
1169.64	1277.	1161.	1148.	1838.	1404.	1648.
1199.49	1290.	1172.	1161.	1855.	1417.	1666.
1229.34	1311.	1195.	1179.	1876.	1430.	1679.
1259.18	1332.	1217.	1201.	1910.	1449.	1706.
1289.01	1355.	1240.	1227.	1943.	1472.	1744.
1318.86	1381.	1266.	1250.	1966.	1499.	1777.
1348.71	1410.	1294.	1278.	1994.	1525.	1799.
1378.56	1436.	1320.	1306.	2014.	1548.	1818.
1408.40	1460.	1346.	1329.	2034.	1575.	1829.
1438.23	1488.	1369.	1353.	2053.	1601.	1857.
1440.23	1491.	1372.	1355.	2053.	1601.	1857.
1455.15	1504.	1385.	1366.	2062.	1614.	1873.
1470.07	1520.	1403.	1382.	2073.	1627.	1887.
1485.00	1533.	1422.	1405.	2084.	1640.	1892.
1499.91	1551.	1440.	1421.	2093.	1651.	1903.
1514.84	1562.	1453.	1442.	2101.	1661.	1915.
1529.76	1567.	1463.	1458.	2110.	1669.	1917.
1544.68	1577.	1474.	1471.	2116.	1674.	1923.
1559.61	1585.	1482.	1481.	2122.	1685.	1929.
1589.45	1596.	1500.	1502.	2131.	1693.	1937.
1619.29	1606.	1508.	1515.	2137.	1703.	1949.
1649.13	1614.	1518.	1523.	2140.	1714.	1960.
1678.98	1616.	1521.	1528.	2143.	1714.	1963.
1708.83	1614.	1518.	1523.	2137.	1717.	1957.
1738.67	1611.	1516.	1521.	2125.	1711.	1943.
1768.51	1598.	1505.	1510.	2104.	1703.	1903.
1798.35	1588.	1490.	1494.	2073.	1693.	1884.
1828.20	1567.	1471.	1473.	2034.	1674.	1846.
1858.05	1538.	1445.	1447.	1988.	1653.	1796.
1887.89	1509.	1416.	1416.	1938.	1627.	1747.
1917.73	1481.	1385.	1384.	1885.	1598.	1692.
1947.57	1436.	1343.	1337.	1822.	1561.	1634.
1977.42	1397.	1301.	1293.	1751.	1517.	1569.
2007.27	1345.	1253.	1242.	1683.	1475.	1498.

28038

163

CALC	07/03/11		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Stapp</i>	<i>7/28/11</i>				DZ-80085
APR						PAGE 4.02
APR						3-16F
CONTRACT NO.						

9/3/63

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
	-----DEGREES			FAHRENHEIT-----		
2037.11	1280.	1189.	1176.	1594.	1412.	1398.
2066.95	1206.	1116.	1102.	1490.	1339.	1279.
2096.70	1130.	1045.	1026.	1372.	1258.	1166.
2126.64	1037.	937.1	864.9	1259.	1146.	1042.
2156.40	923.9	823.1	706.9	1132.	1027.	893.6
2186.33	822.5	721.3	584.6	993.5	906.4	755.8
2216.17	733.5	632.2	489.3	867.7	796.8	646.1
2246.01	657.3	563.5	416.7	758.4	705.0	556.8
2250.99	644.5	555.8	403.4	743.2	689.6	543.7

CALC	07/03/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>stapp</i>	7/27/1				22-80175
APR						
APR						
CONTRACT NO.						PAGE 5.02 3-162

164

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-21, T-22, T-23 =  $\pm 45^{\circ}\text{F}$ .

TOLERANCE FOR ALL OTHER THERMOCOUPLES  $\pm 165^{\circ}\text{F}$

THERMOCOUPLE NO.

PAGE

T-10, T-11, C-4M, T-12, T-13, T-14, T-15

3-164-3-168

C-3M, C-5M, T-16, T-20, T-24

3-169-3-173

T-17, T-18, T-19, T-21, T-22, T-23

3-174-3-178

166.8

165

CALC	Reynolds	7/20/71	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04	Vol III
CHECK						
APR						02-8005
APR						
					BOEING AIRPLANE COMPANY	PAGE
CONTRACT NO.						3-163

U6 5553 7450 (WAS BAC 1745 A.R1)

9/3/63

2-5000

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
239.99-	81.57	82.02	81.47	81.57	63.55	72.25	72.42
225.00-	81.57	82.02	72.19	81.57	63.55	81.51	72.42
225.22-	81.57	82.02	72.19	81.57	72.75	81.51	72.42
210.30-	133.4	125.2	116.7	116.7	108.6	116.7	133.4
195.30-	261.3	267.6	282.4	219.6	205.4	198.7	198.6
180.45-	247.4	281.4	268.4	212.6	198.4	261.4	261.2
165.54-	296.1	329.8	324.2	240.4	219.2	310.1	282.0
150.61-	310.0	350.5	324.2	240.4	226.1	317.1	275.1
135.69-	323.9	362.0	317.2	247.4	233.0	351.6	302.8
120.77-	337.8	379.4	351.7	261.3	239.9	369.1	330.6
105.84-	357.3	402.5	357.5	275.2	253.8	374.9	330.6
90.93-	368.9	419.9	386.7	289.1	260.7	386.6	337.6
76.00-	392.2	431.5	392.5	303.1	274.6	392.4	357.1
61.00-	403.9	448.8	421.6	310.0	274.6	398.2	357.1
46.16-	409.7	466.2	410.0	330.9	281.5	404.0	362.9
31.23-	421.3	466.2	433.3	317.0	295.3	409.9	368.7
16.32-	438.8	489.3	439.1	330.9	295.3	444.8	386.1
1.39-	444.6	495.1	450.8	337.8	295.3	444.8	391.9
13.53	462.1	518.3	462.5	351.5	309.2	462.3	397.8
28.45	467.9	524.1	468.3	363.1	309.2	462.3	403.6
43.38	479.6	535.6	474.1	363.1	316.1	462.3	409.4
58.29	491.2	547.2	485.8	380.6	323.0	485.6	421.0
73.22	502.8	564.6	514.9	386.4	336.8	491.4	432.6
88.14	497.0	558.8	491.6	374.8	323.0	474.0	415.2
103.06	485.4	553.0	497.4	368.9	316.1	468.1	421.0
117.99	485.4	547.2	485.8	363.1	309.2	479.8	421.0
132.90	479.6	547.2	485.8	368.9	316.1	468.1	409.4
147.83	497.0	558.8	509.1	374.8	316.1	479.8	426.8
150.81	502.8	570.3	520.8	368.9	323.0	485.6	438.5
156.78	543.6	625.7	618.1	421.3	373.7	508.9	467.5
162.75	644.1	725.8	713.6	502.8	443.2	590.5	554.7
168.72	744.8	849.6	849.0	607.0	535.9	623.2	611.7
174.69	848.2	964.6	969.8	691.8	631.3	692.1	670.0
180.66	938.7	1062.	1063.	771.3	710.3	745.2	733.5
186.63	1033.	1171.	1172.	873.3	784.2	843.6	812.2
192.60	1091.	1231.	1224.	923.6	830.0	914.1	882.6
198.57	1199.	1349.	1325.	1009.	910.0	1053.	978.0
204.54	1282.	1446.	1428.	1091.	1005.	1176.	1066.
210.51	1391.	1554.	1533.	1199.	1101.	1279.	1161.
225.42	1675.	1851.	1812.	1479.	1412.	1498.	1363.

<table border="1"> <tr> <td>CALC</td> <td>07/03/1</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>Reynolds 7/22/61</i></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> </tr> </table>	CALC	07/03/1	REVISED	DATE	CHECK	<i>Reynolds 7/22/61</i>			APR				APR				<p>LEADING EDGE TEST LT-5-617-2-1          EWA NO. 05617      SPEC. 0378          COND. NO. 02      RUN 04</p> <p>BOEING AIRPLANE COMPANY</p>	<p>Vol. III          27-80085          PAGE 1-00          3-164</p>
CALC	07/03/1	REVISED	DATE															
CHECK	<i>Reynolds 7/22/61</i>																	
APR																		
APR																		
CONTRACT NO.																		

28350

166

9/3/63

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
240.34	1920.	2098.	2078.	1726.	1486.	1651.	1568.
255.27	2107.	2311.	2289.	1936.	1984.	1848.	1808.
270.18	2361.	2560.	2539.	2189.	2126.	1856.	1965.
285.12	2451.	2638.	2602.	2264.	2204.	1727.	2008.
300.03	2498.	2688.	2649.	2310.	2246.	1736.	2074.
314.95	2498.	2673.	2638.	2306.	2246.	1600.	2066.
329.88	2490.	2641.	2622.	2283.	2223.	1528.	1984.
344.79	2392.	2552.	2532.	2174.	2122.	1625.	1890.
359.73	2340.	2517.	2489.	2135.	2083.	1541.	1808.
389.56	2080.	2238.	2231.	1863.	1787.	1288.	1606.
419.40	1904.	2055.	2039.	1671.	1584.	1033.	1447.
449.25	1722.	1867.	1857.	1475.	1368.	949.3	1299.
479.10	1591.	1723.	1707.	1355.	1218.	944.3	1235.
508.95	1514.	1630.	1601.	1255.	1120.	1409.	1175.
538.78	1453.	1579.	1541.	1185.	1058.	1329.	1094.
568.62	1431.	1554.	1524.	1171.	1038.	1333.	1080.
598.47	1426.	1550.	1516.	1171.	1043.	1270.	1090.
628.32	1462.	1596.	1575.	1223.	1091.	1320.	1147.
658.17	1684.	1834.	1800.	1462.	1350.	1575.	1367.
688.00	1806.	1966.	1926.	1582.	1491.	1604.	1451.
717.84	1843.	1997.	1957.	1608.	1513.	1706.	1451.
747.69	1847.	1997.	1973.	1620.	1529.	1659.	1443.
777.54	1851.	2001.	1969.	1612.	1525.	1664.	1363.
807.39	1851.	1997.	1957.	1608.	1525.	1693.	1385.
809.37	1851.	1993.	1961.	1612.	1521.	1698.	1381.
815.34	1855.	2001.	1969.	1620.	1525.	1715.	1381.
821.31	1850.	2009.	1965.	1612.	1529.	1702.	1376.
827.28	1826.	1981.	1941.	1586.	1500.	1642.	1318.
833.25	1810.	1962.	1949.	1561.	1487.	1566.	1221.
835.23	1810.	1966.	1941.	1565.	1473.	1570.	1212.
837.22	1802.	1954.	1941.	1552.	1469.	1562.	1198.
839.22	1781.	1943.	1934.	1544.	1460.	1558.	1189.
841.20	1773.	1931.	1918.	1531.	1438.	1545.	1161.
843.19	1760.	1927.	1910.	1523.	1421.	1536.	1156.
845.19	1760.	1915.	1910.	1519.	1412.	1528.	1151.
847.17	1760.	1927.	1918.	1519.	1421.	1536.	1151.
849.16	1760.	1931.	1922.	1531.	1425.	1553.	1184.
851.16	1777.	1935.	1926.	1531.	1425.	1566.	1193.
853.14	1781.	1939.	1930.	1544.	1425.	1575.	1203.
855.13	1802.	1962.	1953.	1569.	1451.	1625.	1249.

CALC	07/03/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Supradak 7/24/61</i>				DZ-80085
APR					PAGE 2.00
APR					3-165
CONTRACT NO.					

28352

167

9/3/63



TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
	-----DEGREES FAHRENHEIT-----						
857.13	1826.	1978.	1961.	1586.	1460.	1659.	1281.
859.11	1847.	2009.	2000.	1616.	1491.	1693.	1340.
861.09	1867.	2040.	2031.	1658.	1521.	1770.	1434.
863.09	1891.	2063.	2070.	1688.	1555.	1811.	1478.
865.08	1924.	2113.	2117.	1735.	1614.	1884.	1585.
867.06	1909.	2175.	2188.	1794.	1681.	1897.	1610.
869.06	2057.	2234.	2235.	1855.	1761.	1905.	1614.
871.05	2123.	2300.	2301.	1932.	1856.	1945.	1648.
873.03	2154.	2331.	2317.	1963.	1900.	1937.	1648.
875.03	2221.	2397.	2387.	2025.	1975.	1952.	1682.
877.02	2236.	2412.	2407.	2049.	2002.	1980.	1708.
879.00	2244.	2420.	2407.	2049.	2006.	1984.	1716.
881.00	2318.	2494.	2465.	2123.	2076.	2007.	1750.
882.99	2353.	2525.	2508.	2150.	2118.	2011.	1763.
884.97	2361.	2532.	2516.	2162.	2107.	1995.	1767.
886.96	2388.	2556.	2543.	2182.	2157.	2011.	1771.
888.96	2408.	2571.	2539.	2201.	2153.	2027.	1784.
890.94	2412.	2575.	2559.	2197.	2165.	2031.	1788.
892.93	2408.	2583.	2567.	2205.	2169.	2027.	1775.
894.93	2420.	2583.	2567.	2213.	2184.	2007.	1750.
896.91	2447.	2610.	2586.	2232.	2200.	2023.	1771.
898.90	2467.	2626.	2610.	2248.	2212.	2027.	1780.
900.90	2478.	2634.	2618.	2264.	2235.	2034.	1792.
906.87	2502.	2665.	2641.	2291.	2254.	1999.	1729.
912.83	2533.	2688.	2657.	2303.	2278.	1984.	1737.
918.80	2498.	2653.	2618.	2271.	2239.	1964.	1716.
924.77	2470.	2626.	2594.	2252.	2215.	1968.	1725.
930.74	2450.	2622.	2594.	2232.	2215.	1972.	1729.
936.70	2392.	2560.	2539.	2166.	2157.	1964.	1720.
942.67	2385.	2544.	2524.	2146.	2130.	1988.	1725.
948.64	2377.	2536.	2512.	2154.	2118.	1984.	1725.
954.61	2361.	2513.	2500.	2135.	2107.	1964.	1703.
960.57	2340.	2505.	2489.	2127.	2095.	1905.	1703.
966.54	2326.	2478.	2469.	2096.	2072.	1799.	1665.
972.51	2322.	2470.	2457.	2092.	2064.	1791.	1640.
978.48	2271.	2424.	2418.	2053.	2025.	1774.	1614.
984.45	2236.	2393.	2391.	2014.	1990.	1799.	1568.
990.42	2205.	2369.	2371.	1975.	1955.	1799.	1555.
996.39	2197.	2354.	2364.	1971.	1944.	1823.	1547.
1002.36	2200.	2354.	2356.	1967.	1940.	1840.	1547.

CALC	07/03/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>[Signature]</i>				02-80025
APR					PAGE 3.00
APR					3-156
CONTRACT NO.					

28356

168

9/3/63

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
1008.33	2193.	2350.	2344.	1967.	1928.	1823.	1551.
1014.30	2189.	2342.	2348.	1963.	1928.	1823.	1551.
1020.27	2197.	2342.	2344.	1967.	1928.	1844.	1547.
1050.12	2185.	2323.	2317.	1932.	1900.	1828.	1504.
1079.96	2143.	2311.	2305.	1920.	1876.	1795.	1496.
1109.79	2154.	2303.	2317.	1924.	1888.	1783.	1500.
1139.64	2123.	2284.	2285.	1904.	1847.	1815.	1542.
1169:49	2135.	2300.	2309.	1924.	1868.	1811.	1547.
1199.34	2248.	2404.	2399.	2033.	1998.	1864.	1653.
1229.18	2287.	2443.	2438.	2072.	2033.	1972.	1737.
1259.01	2381.	2532.	2516.	2162.	2122.	1999.	1796.
1288.86	2404.	2560.	2539.	2189.	2153.	2027.	1825.
1318.71	2430.	2599.	2582.	2236.	2188.	2070.	1853.
1338:60	2430.	2599.	2575.	2228.	2192.	2042.	1808.
1353:53	2427.	2595.	2567.	2236.	2192.	1945.	1833.
1368:45	2424.	2595.	2571.	2228.	2192.	2023.	1817.
1383:36	2435.	2595.	2582.	2228.	2192.	2046.	1813.
1398:30	2435.	2599.	2579.	2232.	2196.	2050.	1813.
1413.21	2435.	2595.	2582.	2240.	2200.	2031.	1833.
1428.14	2435.	2606.	2579.	2240.	2208.	2054.	1825.
1443.06	2450.	2638.	2590.	2271.	2227.	2089.	1853.
1457.97	2502.	2743.	2657.	2400.	2340.	2292.	2062.
1472.91	2584.	2665.	2661.	2388.	2332.	2273.	2051.
1487:82	2588.	2739.	2665.	2392.	2336.	2288.	2043.
1502.75	2588.	2743.	2661.	2388.	2340.	2245.	2047.
1517:67	2584.	2743.	2665.	2392.	2347.	2292.	2027.
1532.58	2580.	2747.	2665.	2388.	2336.	2300.	2031.
1547.52	2584.	2743.	2661.	2381.	2332.	2277.	2023.
1560:45	2580.	2743.	2665.	2377.	2332.	2288.	2020.
1590:29	2580.	2739.	2661.	2381.	2328.	2175.	2035.
1620.13	2592.	2739.	2653.	2381.	2324.	2183.	2020.
1649.97	2568.	2720.	2649.	2361.	2309.	2195.	2000.
1679:82	2500.	2677.	2606.	2303.	2258.	2152.	1977.
1709:67	2502.	2653.	2586.	2299.	2243.	2187.	1945.
1739.51	2424.	2579.	2500.	2209.	2157.	2136.	1881.
1770.35	2360.	2521.	2438.	2146.	2099.	2081.	1800.
1800.19	2232.	2369.	2289.	2006.	1959.	1991.	1674.
1830:03	2088.	2241.	2188.	1855.	1795.	1905.	1559.
1859:88	1887.	2036.	2008.	1650.	1538.	1749.	1429.
1889:73	1786.	1935.	1897.	1527.	1403.	1625.	1313.

CALC	07/03/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04 BOEING AIRPLANE COMPANY	Vol. III 02-90095 PAGE 4.00 3-167
CHECK	<i>Ruppel</i>				
APR					
APR					
CONTRACT NO.					

9/3/63

28359

169

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
1919.57	1667.	1806.	1766.	1395.	1246.	1553.	1179.
1949.41	1504.	1617.	1550.	1223.	1053.	1387.	1032.
1979.25	1328.	1415.	1320.	1047.	875.0	1237.	897.6
2009.10	1110.	1161.	1043.	828.1	673.4	1058.	744.1
2038.95	878.4	894.6	772.0	607.0	460.6	813.4	583.8
2068.79	622.9	625.7	514.9	368.9	274.6	526.4	397.8
2098.63	462.1	443.0	375.0	247.4	198.4	357.4	268.1
2128.47	380.6	362.0	289.3	191.7	150.0	268.4	205.6
2158.32	310.0	295.2	240.6	163.9	150.0	226.6	170.8
2188.17	282.2	253.7	212.7	150.0	125.2	191.8	156.9
2218.01	240.4	219.1	191.8	133.4	116.9	170.9	150.0
2247.85	212.6	198.4	170.9	125.0	108.6	150.0	133.4

25068

170

<table border="1"> <tr> <td> <table border="1"> <tr> <td>CALC</td> <td>07/03/1</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>Reynolds 7/20/63</i></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> </tr> </table> </td> <td colspan="2">           LEADING EDGE TEST LT-5-617-2-1            EWA NO. 05617      SPEC. 0378            COND. NO. 02      RUN 04         </td> <td>           Vol. III            02-80085         </td> </tr> <tr> <td colspan="3">           BOEING AIRPLANE COMPANY         </td> <td>           PAGE 5.00            3-168         </td> </tr> <tr> <td colspan="3">           CONTRACT NO.         </td> <td></td> </tr> </table>	<table border="1"> <tr> <td>CALC</td> <td>07/03/1</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>Reynolds 7/20/63</i></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> </tr> </table>	CALC	07/03/1	REVISED	DATE	CHECK	<i>Reynolds 7/20/63</i>			APR				APR				LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617      SPEC. 0378 COND. NO. 02      RUN 04		Vol. III 02-80085	BOEING AIRPLANE COMPANY			PAGE 5.00 3-168	CONTRACT NO.						
<table border="1"> <tr> <td>CALC</td> <td>07/03/1</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>Reynolds 7/20/63</i></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> </tr> </table>	CALC	07/03/1	REVISED	DATE	CHECK	<i>Reynolds 7/20/63</i>			APR				APR				LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617      SPEC. 0378 COND. NO. 02      RUN 04		Vol. III 02-80085												
CALC	07/03/1	REVISED	DATE																												
CHECK	<i>Reynolds 7/20/63</i>																														
APR																															
APR																															
BOEING AIRPLANE COMPANY			PAGE 5.00 3-168																												
CONTRACT NO.																															

UG 5553 7450 (WAS BAC 1745 A-R1)

2-5000

9/3/63

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
239.99-	156.9	91.00	81.28	108.6	125.0
225.08-	108.6	81.75	90.57	108.6	116.7
225.22-	108.6	81.75	90.57	100.3	116.7
210.30-	116.9	108.5	90.57	100.3	108.3
195.38-	226.1	254.1	150.0	116.9	116.7
180.45-	281.4	295.7	198.9	133.4	108.3
165.54-	316.0	351.0	247.8	163.8	125.0
150.61-	336.8	344.3	296.7	198.4	141.7
135.69-	336.8	362.6	331.6	240.0	150.0
120.77-	362.1	380.1	363.8	274.6	170.9
105.84-	350.5	397.5	387.2	302.3	184.8
90.93-	356.3	391.7	398.9	323.0	212.7
76.00-	391.0	403.3	422.2	350.6	226.6
61.08-	420.0	409.1	445.6	368.0	254.5
46.16-	431.5	409.1	463.2	385.3	275.4
31.23-	425.7	420.7	469.0	402.7	303.3
16.32-	443.1	455.5	486.5	408.5	331.1
1.39-	420.0	467.2	504.1	437.5	345.1
13.53	477.8	473.0	515.8	449.1	363.3
28.45	466.3	490.4	533.3	460.6	375.0
43.38	477.8	484.6	545.0	478.0	392.5
58.29	472.1	525.2	556.7	489.6	404.2
73.22	472.1	542.6	574.2	501.2	427.5
88.14	477.8	502.0	580.1	518.6	439.1
103.06	495.2	496.2	580.1	524.3	450.8
117.99	483.6	478.8	580.1	530.1	468.3
132.90	477.8	467.2	574.2	524.3	474.1
147.83	501.0	478.8	580.1	535.9	479.9
150.81	535.7	478.8	585.9	530.1	491.6
156.78	668.0	502.0	591.7	530.1	491.6
162.75	736.5	642.9	608.4	541.7	503.3
168.72	869.8	695.8	651.0	559.1	509.1
174.60	974.8	806.5	704.2	592.3	532.4
180.66	1043.	886.7	762.8	620.8	561.6
186.63	1166.	1007.	825.3	668.2	596.5
192.60	1241.	1069.	890.9	736.8	639.3
198.57	1327.	1220.	961.6	805.1	687.1
204.54	1420.	1325.	1045.	895.1	745.5
210.51	1533.	1428.	1132.	1000.	823.8
225.42	1710.	1681.	1395.	1300.	1058.

CALC	07/03/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Repulda 7/20/61</i>				02-80085
APR					PAGE 1.01
APR					3-169
CONTRACT NO.					

19882

171

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
240.34	920.8	1920.	1680.	1601.	1339.
255.27	924.8	2134.	1941.	1892.	1664.
270.1A	914.8	2298.	2164.	2119.	1941.
285.12	919.8	2348.	2341.	2293.	2137.
300.03	909.8	2438.	2415.	2367.	2246.
314.95	909.8	2438.	2451.	2410.	2305.
329.8A	914.8	2411.	2454.	2406.	2321.
344.79	860.8	2321.	2411.	2371.	2324.
359.73	830.8	2294.	2376.	2332.	2305.
389.56	789.2	2064.	2223.	2188.	2203.
419.40	736.5	1867.	2078.	2041.	2070.
449.25	710.1	1697.	1921.	1892.	1945.
479.10	710.1	1583.	1791.	1779.	1824.
508.95	783.9	1472.	1702.	1677.	1720.
538.7A	834.8	1401.	1612.	1584.	1647.
568.62	914.8	1388.	1587.	1534.	1601.
598.47	944.8	1406.	1548.	1517.	1579.
628.32	1062.	1459.	1505.	1538.	1584.
658.17	1110.	1697.	1731.	1669.	1677.
688.00	1199.	1799.	1864.	1815.	1820.
717.84	1268.	1823.	1917.	1868.	1881.
747.69	1205.	1827.	1941.	1892.	1910.
777.54	1272.	1803.	1933.	1884.	1922.
807.39	1394.	1831.	1945.	1888.	1930.
809.37	1380.	1823.	1941.	1892.	1934.
815.34	1385.	1831.	1945.	1888.	1934.
821.31	1398.	1819.	1945.	1900.	1938.
827.2A	1407.	1727.	1941.	1884.	1941.
833.25	1407.	1681.	1929.	1864.	1926.
835.23	1411.	1689.	1921.	1864.	1938.
837.22	1425.	1693.	1917.	1856.	1934.
839.22	1428.	1689.	1913.	1844.	1934.
841.20	1420.	1672.	1913.	1840.	1938.
843.19	1420.	1672.	1905.	1836.	1938.
845.19	1442.	1685.	1901.	1827.	1934.
847.17	1451.	1702.	1889.	1827.	1934.
849.16	1420.	1719.	1889.	1823.	1938.
851.16	1420.	1723.	1885.	1819.	1934.
853.14	1420.	1752.	1885.	1815.	1938.
855.13	1433.	1823.	1889.	1823.	1938.

F-GR2

CALC	07/03/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617                      SPEC. 0378 COND. NO. 02                        RUN 04 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Supplied 7/20/11</i>				
APR					02-88055
APR					PAGE 2.01
CONTRACT NO.					3-170

172

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
857.13	1433.	1855.	1893.	1927.	1941.
859.11	1442.	1900.	1905.	1940.	1938.
861.09	1451.	1944.	1917.	1944.	1949.
863.09	1460.	1959.	1925.	1860.	1961.
865.08	1473.	2010.	1941.	1876.	1973.
867.06	1482.	2025.	1969.	1904.	1984.
869.06	1495.	2060.	1992.	1916.	2000.
871.05	1499.	2084.	2023.	1948.	2024.
873.03	1490.	2076.	2059.	1971.	2043.
875.03	1521.	2111.	2086.	1994.	2059.
877.02	1521.	2115.	2117.	2021.	2082.
879.00	1520.	2123.	2149.	2045.	2106.
881.00	1542.	2158.	2172.	2068.	2125.
882.99	1537.	2166.	2200.	2091.	2141.
884.97	1542.	2123.	2223.	2103.	2164.
886.96	1533.	2142.	2247.	2122.	2180.
888.96	1550.	2138.	2266.	2142.	2199.
890.94	1550.	2146.	2282.	2157.	2211.
892.93	1563.	2142.	2298.	2169.	2227.
894.93	1575.	2142.	2306.	2181.	2242.
896.91	1571.	2158.	2313.	2188.	2254.
898.90	1575.	2169.	2329.	2200.	2262.
900.90	1580.	2169.	2329.	2208.	2274.
906.87	1584.	2150.	2364.	2231.	2301.
912.83	1601.	2166.	2388.	2258.	2321.
918.80	1634.	2127.	2388.	2258.	2340.
924.77	1630.	2127.	2384.	2262.	2352.
930.74	1656.	2123.	2380.	2262.	2352.
936.70	1626.	2092.	2368.	2254.	2356.
942.67	1630.	2119.	2353.	2247.	2344.
948.64	1630.	2107.	2353.	2251.	2348.
954.61	1660.	2107.	2345.	2247.	2340.
960.57	1647.	2123.	2341.	2251.	2348.
966.54	1647.	2095.	2333.	2235.	2344.
972.51	1656.	2072.	2321.	2223.	2340.
978.48	1668.	2033.	2309.	2208.	2336.
984.45	1677.	2010.	2286.	2192.	2324.
990.42	1681.	1994.	2266.	2165.	2317.
996.39	1681.	1983.	2255.	2157.	2305.
1002.36	1685.	1986.	2243.	2150.	2301.

CALC	07/03/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Raymond H. [unclear]</i>				02-80085
APR					PAGE 3.01
APR					3-1701
CONTRACT NO.					

10000

173

9/3/63

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
1008:33	1698.	1990.	2235.	2142.	2297.
1014:30	1698.	1975.	2231.	2134.	2289.
1020:27	1723.	1959.	2231.	2130.	2285.
1050:12	1744.	1936.	2204.	2107.	2266.
1079:96	1782.	1912.	2196.	2095.	2266.
1109:79	1803.	1912.	2184.	2080.	2258.
1139:64	1823.	1936.	2168.	2084.	2258.
1169:49	1863.	1955.	2200.	2095.	2270.
1199:34	1887.	2045.	2255.	2146.	2309.
1229:18	1928.	2099.	2302.	2200.	2344.
1259:01	1955.	2169.	2364.	2262.	2383.
1288:86	2040.	2189.	2400.	2293.	2414.
1318:71	2071.	2220.	2431.	2328.	2442.
1338:60	2083.	2220.	2439.	2328.	2450.
1353:53	2098.	2236.	2443.	2332.	2461.
1368:45	2125.	2197.	2439.	2332.	2461.
1383:36	2160.	2201.	2443.	2332.	2465.
1398:30	2180.	2189.	2451.	2332.	2469.
1413:21	2230.	2197.	2454.	2340.	2473.
1428:14	2242.	2201.	2462.	2336.	2485.
1443:06	2261.	2267.	2466.	2348.	2489.
1457:97	2308.	2450.	2537.	2441.	2496.
1472:91	2335.	2454.	2576.	2491.	2520.
1487:82	2362.	2458.	2592.	2495.	2528.
1502:75	2358.	2454.	2592.	2499.	2539.
1517:67	2330.	2442.	2596.	2507.	2539.
1532:58	2343.	2442.	2596.	2519.	2539.
1547:52	2331.	2434.	2596.	2507.	2539.
1560:45	2335.	2438.	2596.	2511.	2543.
1590:29	2327.	2446.	2596.	2511.	2539.
1620:13	2351.	2442.	2596.	2507.	2547.
1649:97	2335.	2411.	2588.	2495.	2536.
1679:82	2335.	2376.	2552.	2472.	2524.
1709:67	2323.	2364.	2541.	2460.	2516.
1739:51	2250.	2290.	2478.	2406.	2453.
1770:35	2226.	2201.	2435.	2355.	2403.
1800:19	2215.	2076.	2329.	2266.	2324.
1830:03	2172.	1916.	2243.	2185.	2285.
1859:88	2133.	1782.	2078.	2049.	2184.
1889:73	2094.	1621.	1976.	1944.	2098.

28006

174

CALC	07/03/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Reynolds 7/24/61</i>				22-80085
APR					PAGE 4 OF 1
APR					3-172
CONTRACT NO.					

U6 5353 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
1919.57	2021.	1459.	1864.	1827.	2008.
1949.41	1935.	1234.	1710.	1686.	1973.
1979.25	1823.	1055.	1544.	1542.	1720.
2009.10	1807.	841.6	1337.	1368.	1537.
2038.95	1592.	583.3	1108.	1185.	1352.
2068.79	1295.	267.9	880.8	980.2	1191.
2098.63	1124.	170.8	682.9	789.5	1039.
2128.47	668.0	150.0	568.4	657.7	914.4
2158.32	322.9	116.8	463.2	570.7	813.7
2188.17	226.1	116.8	387.2	501.2	713.6
2218.01	191.5	116.8	345.5	437.5	639.3
2247.85	170.7	100.2	296.7	396.9	573.2

CALC	07/03/11		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Heppelholz 7/26/11</i>					
APR						D2-83085
APR						PAGE 5.01
CONTRACT NO.						3-173

US 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-9000

3800

175-



TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----						
239.99-	232.8	240.6	214.8	160.3	196.8	118.6
225.08-	232.8	238.0	212.2	157.8	194.2	118.6
225.27-	225.1	230.2	204.5	150.0	189.0	110.8
210.30-	222.5	230.2	204.5	150.0	186.4	110.8
195.38-	222.5	227.6	204.5	150.0	186.4	113.4
180.45-	222.5	227.6	201.9	150.0	183.8	113.4
165.54-	219.9	227.6	201.9	150.0	183.8	118.6
150.61-	219.9	225.0	204.5	157.8	186.4	126.5
135.69-	222.5	227.6	204.5	168.1	189.0	139.5
120.77-	225.1	227.6	200.6	183.6	199.4	150.0
105.84-	230.2	232.8	212.2	204.3	209.8	165.6
90.93-	232.8	230.2	214.8	222.4	222.9	176.0
76.00-	238.0	232.8	220.0	238.0	230.7	186.3
61.08-	240.6	235.4	225.2	248.3	241.1	194.1
46.16-	245.8	238.0	230.4	261.2	251.5	204.5
31.23-	251.0	240.6	233.0	276.8	261.9	217.5
16.32-	258.7	245.7	240.8	295.5	272.3	230.5
1.39-	263.9	245.7	245.9	308.9	282.8	240.9
13.53	269.1	250.9	251.1	322.4	293.6	246.1
28.45	274.3	253.5	256.3	330.5	301.8	251.3
43.38	282.1	258.7	266.7	346.6	312.6	259.0
58.29	290.2	263.9	271.9	357.4	323.4	266.8
73.22	295.6	269.0	279.7	373.5	334.2	272.0
88.14	303.6	274.2	285.0	384.1	342.3	279.8
103.06	309.0	279.4	293.1	400.0	353.2	282.5
117.99	319.8	284.8	301.2	410.7	366.7	296.0
132.90	327.9	290.1	306.6	426.6	377.4	306.8
147.83	336.0	295.5	317.4	439.9	388.1	317.6
150.91	336.0	298.2	317.4	442.6	390.8	317.6
156.78	341.3	300.9	320.1	447.9	393.5	320.3
162.75	344.0	303.6	325.5	450.5	398.8	325.7
168.72	346.7	306.3	328.2	458.5	404.2	325.7
174.69	349.4	306.3	330.9	461.1	406.8	333.8
180.66	354.8	311.7	336.3	469.1	412.2	344.6
186.63	357.5	311.7	339.0	474.4	414.8	350.0
192.60	362.9	317.1	344.4	484.8	420.2	360.8
198.57	365.6	319.7	347.1	497.9	425.5	374.3
204.54	368.3	322.4	352.5	510.9	430.9	392.9
210.51	373.6	325.1	355.2	526.6	436.2	411.6
225.42	389.6	341.3	374.0	580.9	457.6	472.9

25-52

176

CALC	07/03/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Reynolds 7/2/11</i>				22-80085
APR					PAGE 1.02
APR					3-174
CONTRACT NO.					

9/3/63

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
	-----DEGREES FAHRENHEIT-----					
240.34	410.8	357.4	385.3	657.1	484.1	551.5
255.27	440.1	386.8	427.3	763.9	518.2	638.5
270.18	482.4	429.3	469.9	898.6	562.8	755.8
285.12	550.3	495.3	537.9	1049.	619.0	888.5
300.03	624.4	573.4	615.0	1198.	688.1	1020.
314.95	710.8	664.9	704.1	1329.	764.7	1136.
329.88	797.3	751.3	790.8	1438.	844.0	1238.
344.79	868.5	820.0	864.6	1525.	920.4	1322.
359.73	926.7	875.9	920.4	1585.	996.1	1383.
389.56	992.0	931.4	985.9	1647.	1082.	1443.
419.40	1017.	941.5	1006.	1647.	1133.	1433.
449.25	1012.	934.0	995.9	1611.	1148.	1404.
479.10	989.5	908.8	973.3	1559.	1141.	1333.
508.95	964.4	881.0	943.1	1496.	1118.	1266.
538.78	936.7	855.6	915.4	1438.	1087.	1212.
568.62	914.1	832.7	887.6	1391.	1064.	1169.
598.47	896.5	814.9	867.2	1355.	1042.	1123.
628.32	883.8	802.2	854.5	1334.	1029.	1098.
658.17	883.8	802.2	844.8	1337.	1024.	1098.
688.00	899.0	814.9	857.0	1373.	1029.	1144.
717.84	926.7	840.3	882.5	1428.	1052.	1217.
747.69	956.8	868.3	910.4	1480.	1087.	1268.
777.54	984.5	893.7	933.0	1517.	1118.	1315.
807.39	1007.	911.3	948.1	1538.	1143.	1343.
809.37	1010.	913.9	950.6	1543.	1146.	1343.
815.34	1015.	916.4	950.6	1546.	1151.	1351.
821.31	1020.	923.9	953.2	1551.	1153.	1351.
827.28	1022.	926.4	958.2	1556.	1158.	1357.
833.25	1025.	928.9	960.7	1561.	1163.	1359.
835.23	1030.	931.4	960.7	1561.	1163.	1362.
837.22	1030.	931.4	960.7	1561.	1166.	1367.
839.22	1030.	928.9	960.7	1566.	1169.	1367.
841.20	1032.	934.0	963.2	1566.	1169.	1364.
843.19	1032.	934.0	963.2	1566.	1169.	1367.
845.19	1035.	934.0	963.2	1566.	1171.	1372.
847.17	1035.	934.0	965.7	1572.	1174.	1370.
849.16	1037.	936.5	965.7	1569.	1171.	1370.
851.16	1040.	936.5	963.2	1569.	1174.	1375.
853.14	1037.	936.5	963.2	1574.	1176.	1375.
855.13	1040.	939.0	965.7	1577.	1179.	1375.

CALC	07/03/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>By...</i>				D2 80085
APR					PAGE 2.02
APR					3-175
CONTRACT NO.					

2835

177

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----						
857.13	1042.	939.0	045.7	1574.	1176.	1378.
859.11	1042.	939.0	043.2	1574.	1161.	1383.
861.09	1042.	939.0	043.2	1577.	1181.	1383.
863.08	1042.	930.0	048.3	1582.	1181.	1385.
865.08	1042.	941.5	045.7	1580.	1184.	1388.
867.04	1047.	941.5	045.7	1592.	1181.	1391.
869.04	1047.	941.5	047.2	1585.	1185.	1396.
871.05	1047.	944.0	045.7	1590.	1189.	1396.
873.03	1052.	946.5	045.7	1590.	1159.	1398.
875.03	1055.	946.5	045.7	1593.	1192.	1409.
877.02	1052.	946.5	045.7	1600.	1194.	1412.
879.00	1057.	951.5	070.8	1603.	1199.	1414.
881.00	1060.	954.0	048.3	1606.	1194.	1417.
882.00	1062.	954.0	048.3	1611.	1197.	1427.
884.07	1062.	954.0	070.8	1616.	1199.	1430.
886.06	1067.	959.1	073.3	1624.	1199.	1435.
888.06	1070.	964.1	073.3	1629.	1202.	1438.
890.04	1073.	964.1	073.3	1632.	1202.	1448.
892.03	1075.	964.1	075.8	1640.	1207.	1454.
894.03	1077.	969.1	080.3	1647.	1207.	1456.
896.91	1080.	974.1	080.8	1653.	1209.	1464.
898.90	1085.	974.1	080.8	1658.	1215.	1472.
900.90	1092.	979.2	083.4	1668.	1217.	1480.
906.87	1100.	986.7	090.9	1687.	1225.	1498.
912.83	1117.	999.2	098.5	1705.	1232.	1516.
918.80	1127.	1012.	1006.	1724.	1237.	1535.
924.77	1136.	1022.	1014.	1743.	1248.	1556.
930.74	1128.	1032.	1021.	1763.	1260.	1572.
936.70	1156.	1039.	1029.	1782.	1273.	1590.
942.67	1164.	1049.	1076.	1793.	1281.	1606.
948.64	1174.	1060.	1084.	1809.	1291.	1616.
954.61	1184.	1067.	1054.	1820.	1301.	1627.
960.57	1191.	1072.	1061.	1828.	1312.	1632.
966.54	1190.	1080.	1064.	1836.	1322.	1637.
972.51	1207.	1085.	1074.	1845.	1328.	1640.
978.48	1212.	1092.	1082.	1853.	1335.	1645.
984.45	1217.	1095.	1084.	1858.	1346.	1655.
990.42	1224.	1097.	1087.	1864.	1351.	1661.
996.39	1230.	1102.	1092.	1864.	1362.	1666.
1002.36	1235.	1107.	1097.	1869.	1362.	1669.

CALC	07/03/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Ruppel 3/2/12</i>				DR-80085
APR					PAGE 3.02
APR					3-176
CONTRACT NO.					

28303

178

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
-----DEGREES FAHRENHEIT-----						
1008.33	1235.	1112.	1102.	1872.	1370.	1671.
1014.30	1237.	1112.	1102.	1875.	1378.	1676.
1020.27	1245.	1115.	1104.	1875.	1380.	1682.
1050.12	1257.	1125.	1117.	1878.	1396.	1687.
1079.96	1265.	1138.	1127.	1883.	1409.	1684.
1109.79	1277.	1143.	1137.	1886.	1420.	1692.
1139.64	1285.	1156.	1145.	1886.	1427.	1697.
1169.49	1206.	1166.	1155.	1894.	1441.	1711.
1199.34	1314.	1183.	1170.	1908.	1448.	1727.
1229.1A	1320.	1204.	1191.	1933.	1464.	1749.
1259.01	1357.	1227.	1211.	1953.	1483.	1774.
1258.86	1370.	1252.	1239.	1981.	1501.	1793.
1318.71	1400.	1280.	1267.	2012.	1525.	1810.
1338.60	141A.	1295.	1280.	2023.	1538.	1824.
1353.53	1431.	1305.	1292.	2035.	1554.	1829.
1368.45	1442.	1319.	1305.	2049.	1564.	1837.
1383.36	1457.	1332.	1318.	2055.	1575.	1851.
1398.30	1468.	1345.	1329.	2063.	1588.	1865.
1413.21	1484.	1355.	1339.	2071.	1601.	1879.
1428.14	1494.	1368.	1352.	2086.	1614.	1887.
1443.06	1507.	1384.	1366.	2097.	1625.	1895.
1457.97	1527.	1397.	1379.	2103.	1638.	1912.
1472.91	1530.	1415.	1397.	2117.	1651.	1923.
1487.82	1557.	1436.	1418.	2129.	1664.	1934.
1502.75	1570.	1452.	1436.	2141.	1677.	1946.
1517.67	1580.	1465.	1457.	2150.	1685.	1946.
1532.5A	1591.	1475.	1468.	2156.	1695.	1954.
1547.52	1596.	1486.	1483.	2165.	1704.	1960.
1560.45	1601.	1491.	1494.	2168.	1709.	1968.
1590.29	1614.	1507.	1510.	2177.	1720.	1980.
1620.13	1627.	1520.	1525.	2180.	1728.	1991.
1649.97	1633.	1528.	1531.	2183.	1737.	2000.
1679.82	1633.	1530.	1536.	2186.	1739.	2000.
1709.67	1635.	1533.	1536.	2183.	1742.	2000.
1739.51	1630.	1528.	1531.	2171.	1742.	1994.
1770.35	1620.	1517.	1523.	2147.	1728.	1954.
1800.19	1606.	1504.	1512.	2111.	1717.	1923.
1830.03	1583.	1483.	1491.	2077.	1698.	1887.
1859.88	1562.	1460.	1465.	2040.	1680.	1848.
1889.73	1536.	1434.	1436.	1992.	1656.	1804.

CALC	07/03/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Populata 12/26/61</i>					D2-70085
APR						PAGE 4 of 02
APR						3-179
CONTRACT NO.						

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2882

179

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
	-----DEGREES FAHRENHEIT-----					
1919.57	1400.	1400.	1402.	1947.	1630.	1744.
1949.41	1465.	1366.	1366.	1980.	1593.	1682.
1979.25	1426.	1324.	1324.	1806.	1554.	1606.
2009.10	1370.	1280.	1275.	1722.	1514.	1532.
2038.95	1310.	1229.	1219.	1619.	1454.	1427.
2068.79	1242.	1161.	1153.	1501.	1372.	1299.
2098.63	1161.	1087.	1092.	1373.	1283.	1161.
2128.47	1080.	1014.	1003.	1244.	1189.	1032.
2158.32	997.0	941.5	925.5	1120.	1095.	898.7
2188.17	919.1	870.8	857.0	994.0	1001.	799.2
2218.01	858.3	817.4	798.4	880.8	915.4	704.8
2247.85	804.9	769.1	747.5	786.8	838.9	623.2

2870

130

CALC	07/03/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04 BOEING AIRPLANE COMPANY	Vol. III	
CHECK	<i>Revised</i>						
APR							D2-80085
APR							PAGE 5.02
CONTRACT NO.						3-178	

UG 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-21, T-22, T-23 =  $\pm 45^{\circ}\text{F}$

TOLERANCE FOR ALL OTHER THERMOCOUPLES

<u>THERMOCOUPLE NO.</u>	<u>PAGE</u>
T-10, T-11, C-4M, T-12, T-13, T-14, T-15	3-180-3-181
C-3M, C-5M, T-16, T-20,*T-24	3-182-3-183
T-17, T-18, T-19, T-21, T-22, T-23	3-184-3-185

\* Thermocouple No. T-24 went bad.

05191

181

<table border="1"> <tr> <td>CALC</td> <td>Reynolds</td> <td>7/20/7</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APR</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	CALC	Reynolds	7/20/7	REVISED	DATE	CHECK					APR					APR					LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617      SPEC. 0378 COND. NO. 02      RUN 05 BOEING AIRPLANE COMPANY	Vol. III 2-80085 PAGE 3-1779
CALC	Reynolds	7/20/7	REVISED	DATE																		
CHECK																						
APR																						
APR																						
CONTRACT NO.																						

9/3/63

Critz 216

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
001	63.26	63.62	53.87	63.19	63.57	72.49	72.58
5.9A	177.8	156.9	184.8	163.9	170.7	156.9	150.0
11:94	247.2	260.6	302.9	226.4	239.9	316.6	260.9
17:91	274.9	260.6	309.9	233.4	260.7	344.4	302.5
23.8A	420.8	385.2	444.4	357.0	391.1	420.8	385.7
29.85	542.8	500.9	584.1	444.2	495.3	537.0	496.0
35.82	653.7	604.6	696.7	537.3	593.7	577.7	554.0
41.79	743.6	704.7	744.4	606.4	673.3	669.6	647.9
47.76	811.7	778.4	847.8	669.9	741.9	727.8	700.7
53.73	917.1	864.5	943.3	738.7	819.9	801.7	769.4
59.70	987.4	944.5	998.6	812.2	894.9	872.0	836.2
65.67	1046.	1014.	1090.	857.4	944.9	937.2	901.3
71.64	1113.	1076.	1143.	917.6	1010.	1022.	976.5
77.61	1197.	1147.	1208.	972.9	1081.	1084.	1035.
83.5A	1267.	1217.	1309.	1041.	1148.	1141.	1102.
89.55	1353.	1295.	1372.	1109.	1217.	1235.	1182.
95.52	1406.	1354.	1426.	1161.	1268.	1280.	1243.
101:49	1455.	1429.	1505.	1221.	1327.	1344.	1311.
107:46	1490.	1490.	1556.	1272.	1376.	1419.	1370.
113.42	1537.	1554.	1615.	1327.	1434.	1473.	1418.
119.39	1584.	1617.	1683.	1376.	1486.	1546.	1480.
134.31	1757.	1769.	1834.	1496.	1609.	1702.	1625.
149:23	188A.	1911.	1978.	1631.	1736.	1840.	1768.
164.16	2006.	2047.	2110.	1767.	1875.	1995.	1911.
179:07	2127.	2187.	2255.	1881.	1990.	2135.	2032.
194.00	2264.	2327.	2387.	2000.	2126.	2256.	2145.
208.92	2345.	2424.	2477.	2078.	2215.	2369.	2246.
223.84	2427.	2501.	2567.	2128.	2300.	2443.	2312.
238.77	2482.	2575.	2649.	2195.	2370.	2521.	2386.
253.6A	2556.	2645.	2692.	2257.	2432.	2599.	2448.
268.61	2626.	2715.	2771.	2323.	2491.	2665.	2511.
270.60	2642.	2719.	2775.	2335.	2498.	2677.	2518.
276.57	2661.	2747.	2810.	2355.	2518.	2705.	2542.
282.54	2680.	2778.	2833.	2397.	2549.	2740.	2585.
288.51	2704.	2790.	2865.	2409.	2568.	2767.	2604.
294.4A	272A.	2817.	2877.	2440.	2584.	2799.	2628.
300.45	2740.	2829.	2885.	2456.	2611.	2818.	2647.
306.42	271A.	2821.	2892.	2460.	2603.	2783.	2596.
312.3A	2712.	2813.	2861.	2448.	2588.	2756.	2573.
318.35	2697.	2794.	2578.	2440.	2572.	2728.	2518.

28-18

182

CALC	0770371	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA. NO. 05617 COND. NO. 02 SPEC. 0378 RUN 05 BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>Raymond</i>				D2-80085
APR					1.00
APR					PAGE 3-180
CONTRACT NO.					

9/3/63

TIME SEC.	J-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
324.32	2665.	2758.	2814.	2417.	2549.	2697.	2503.
330.29	2630.	2727.	2767.	2366.	2498.	2677.	2472.
336.25	2591.	2688.	2728.	2351.	2471.	2658.	2444.
342.22	2567.	2645.	2696.	2323.	2448.	2618.	2421.
348.19	2575.	2661.	2657.	2335.	2440.	2579.	2390.
354.16	2540.	2641.	2629.	2312.	2429.	2556.	2363.
360.12	2524.	2622.	2473.	2304.	2401.	2536.	2336.
375.06	2447.	2556.	2532.	2249.	2351.	2454.	2250.
389.97	2410.	2493.	2442.	2222.	2300.	2400.	2176.
404.90	2340.	2420.	2360.	2152.	2231.	2299.	2083.
419.82	2221.	2284.	2208.	2019.	2106.	2158.	1943.
434.73	2104.	2156.	2060.	1901.	1990.	2018.	1798.
449.67	1975.	2001.	1907.	1750.	1851.	1876.	1663.
464.58	1840.	1863.	1875.	1623.	1715.	1740.	1536.
479.51	1702.	1722.	1607.	1508.	1588.	1580.	1374.
494.43	1584.	1579.	1443.	1372.	1460.	1397.	1205.
509.34	1450.	1446.	1296.	1245.	1332.	1258.	1088.
524.28	1317.	1286.	1114.	1085.	1185.	1079.	946.4
539.19	1183.	1152.	943.3	947.8	1057.	932.2	816.1
554.12	1002.	974.5	760.3	781.1	879.9	791.2	669.1
569.04	796.5	778.4	578.3	611.7	699.7	632.5	525.0
583.95	542.8	535.6	380.4	397.7	454.7	519.6	426.3
598.89	403.4	385.2	226.5	282.0	329.9	444.0	368.3
601.86	391.8	379.4	226.5	268.1	323.0	444.0	350.9

11882

183

<table border="1"> <tr><td>CALC</td><td>0770371</td><td>REVISED</td><td>DATE</td></tr> <tr><td>CHECK</td><td><i>W. J. ...</i></td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td></tr> </table>	CALC	0770371	REVISED	DATE	CHECK	<i>W. J. ...</i>			APR				APR				LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617      SPEC. 0378 COND. NO. 02      RUN 05  BOEING AIRPLANE COMPANY	Vol. III 22-80885 2.00 PAGE 3-181
CALC	0770371	REVISED	DATE															
CHECK	<i>W. J. ...</i>																	
APR																		
APR																		
CONTRACT NO.																		



J  
J

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
101	35.02	63.49	81.49	81.92	RDCLB
5:9A	198.4	226.2	81.49	81.92	RDCLB
11:94	267.6	466.6	116.7	125.2	RDCLB
17:91	336.8	455.0	157.0	177.7	RDCLB
23:88	489.5	570.9	205.7	226.2	RDCLB
29:85	570.6	615.7	289.3	295.4	RDCLB
35:82	582.0	668.5	375.0	362.2	RDCLB
41:79	662.9	763.4	468.2	426.0	RDCLB
47:76	757.8	835.4	561.5	507.1	RDCLB
53:73	804.9	925.5	655.1	594.0	RDCLB
59:70	880.0	1010.	745.4	684.2	RDCLB
65:67	955.0	1077.	828.7	773.9	RDCLB
71:64	990.0	1148.	909.3	855.3	RDCLB
77:61	1101.	1214.	994.9	935.4	RDCLB
83:58	1130.	1283.	1067.	1020.	RDCLB
89:55	1185.	1373.	1144.	1106.	RDCLB
95:52	1264.	1434.	1224.	1176.	RDCLB
101:49	1350.	1501.	1298.	1255.	RDCLB
107:46	1368.	1589.	1361.	1328.	RDCLB
113:42	1456.	1653.	1427.	1412.	RDCLB
119:39	1517.	1720.	1490.	1474.	RDCLB
134:31	1647.	1865.	1643.	1636.	RDCLB
149:23	1774.	2011.	1795.	1792.	RDCLB
164:16	1904.	2147.	1926.	1933.	RDCLB
179:07	2021.	2294.	2058.	2065.	RDCLB
194:00	2161.	2426.	2191.	2205.	RDCLB
208:92	2130.	2531.	2312.	2325.	RDCLB
223:84	2204.	2617.	2394.	2411.	RDCLB
238:77	2277.	2683.	2473.	2488.	RDCLB
253:68	2343.	2766.	2547.	2558.	RDCLB
268:61	2433.	2848.	2614.	2628.	RDCLB
270:60	2441.	2855.	2625.	2640.	RDCLB
276:57	2479.	2887.	2657.	2668.	RDCLB
282:54	2514.	2926.	2684.	2703.	RDCLB
288:51	2545.	2953.	2720.	2726.	RDCLB
294:48	2580.	2977.	2732.	2750.	RDCLB
300:45	2596.	2992.	2755.	2773.	RDCLB
306:42	2561.	2977.	2763.	2777.	RDCLB
312:38	2518.	2965.	2755.	2769.	RDCLB
318:35	2507.	2926.	2743.	2754.	RDCLB

CALC	0770371	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 05	Vol. III 22-800.85 1.01 PAGE 3-182
CHECK	<i>[Signature]</i> 7/2/61				
APR					
APR.					
				BOEING AIRPLANE COMPANY	
CONTRACT NO.					

28502

184

9/3/63

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
324.32	2472.	2895.	2724.	2734.	RDCLB
330.29	2425.	2879.	2704.	2718.	RDCLB
336.25	2421.	2855.	2680.	2695.	RDCLB
342.22	2402.	2797.	2653.	2668.	RDCLB
348.19	2363.	2781.	2633.	2648.	RDCLB
354.16	2324.	2750.	2621.	2625.	RDCLB
360.12	2297.	2726.	2598.	2605.	RDCLB
375.06	2210.	2605.	2547.	2543.	RDCLB
389.97	2173.	2566.	2490.	2488.	RDCLB
404.90	2072.	2450.	2437.	2438.	RDCLB
419.82	1924.	2279.	2340.	2341.	RDCLB
434.73	1803.	2154.	2238.	2247.	RDCLB
449.67	1685.	2015.	2121.	2135.	RDCLB
464.5A	1513.	1856.	2011.	2018.	RDCLB
479.51	1376.	1707.	1905.	1913.	RDCLB
494.43	1282.	1518.	1800.	1804.	RDCLB
509.34	1120.	1395.	1685.	1669.	RDCLB
524.2A	935.0	1186.	1571.	1534.	RDCLB
539.19	773.6	1010.	1450.	1386.	RDCLB
554.12	662.9	855.4	1320.	1246.	RDCLB
569.04	518.5	679.0	1195.	1116.	RDCLB
583.95	362.1	507.1	1072.	1010.	RDCLB
598.89	323.0	391.2	949.6	905.4	RDCLB
601.86	267.6	379.7	929.4	885.3	RDCLB

21 22

185

CALC	0770371	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 05	Vol. III 2-80085 PAGE 2-01 3-183
CHECK	<i>Revised 2/20/63</i>				
APR					
APR					
				BOEING AIRPLANE COMPANY	
CONTRACT NO.					

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
	-----DEGREES FAHRENHEIT-----					
.01	82.45	79.53	84.96	87.63	84.71	84.92
5:9A	82.45	79.53	82.36	90.23	84.71	84.92
11.94	82.45	79.53	84.96	87.63	84.71	84.92
17.91	82.45	79.53	82.36	87.63	87.32	84.92
23:8A	85.05	82.16	84.96	87.63	87.32	92.73
29.85	87.45	82.16	84.96	92.83	92.54	100.5
35:82	92.84	82.16	84.96	95.43	100.4	113.6
41.79	95.44	84.77	87.56	103.2	105.6	126.6
47:74	100.6	87.38	90.16	113.6	113.4	144.8
53:73	108.4	89.99	95.37	126.6	123.9	165.5
59.70	118.8	95.20	97.97	139.6	134.3	183.6
65:67	129.2	100.4	105.8	157.7	150.0	206.9
71:64	142.2	105.6	113.6	178.4	165.6	232.8
77:61	155.2	116.1	121.4	199.1	183.7	258.7
83:5A	170.7	123.9	131.8	224.9	201.9	287.4
89:55	188.7	137.0	142.2	253.3	222.7	317.0
95:52	212.0	150.0	157.8	284.5	246.0	349.3
101:49	232.6	163.0	173.3	319.4	274.6	384.1
107:46	258.4	178.5	191.4	357.0	301.4	418.6
113:42	281.7	196.7	209.5	399.6	328.4	458.5
119:30	308.6	217.4	230.1	442.0	355.4	497.8
134:31	386.3	279.6	292.7	562.4	438.2	611.3
149:23	478.9	360.6	370.7	696.8	533.0	728.3
164:14	585.1	467.2	468.9	844.0	635.8	855.3
179:07	696.7	592.0	585.7	1000.	745.4	988.9
194:00	813.4	729.6	720.3	1151.	857.6	1122.
208:92	934.7	872.2	862.5	1298.	971.4	1257.
223:84	1047.	1006.	998.5	1436.	1080.	1383.
238:77	1151.	1119.	1124.	1564.	1179.	1506.
253:6A	1230.	1213.	1223.	1673.	1270.	1611.
268:61	1324.	1297.	1312.	1773.	1359.	1702.
270:60	1334.	1308.	1323.	1781.	1369.	1716.
276:57	1368.	1342.	1359.	1817.	1401.	1746.
282:54	1397.	1373.	1391.	1855.	1435.	1784.
288:51	1425.	1402.	1419.	1888.	1464.	1817.
294:4A	1457.	1431.	1448.	1921.	1492.	1847.
300:45	1480.	1454.	1477.	1958.	1524.	1880.
306:42	1506.	1478.	1500.	1989.	1547.	1911.
312:3A	1527.	1502.	1521.	2017.	1568.	1936.
318:35	1545.	1517.	1539.	2045.	1592.	1956.

CALC	0770371	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 05	Vol. III	
CHECK	<i>Reynolds 1/2/61</i>					02-80085	
APR						BOEING AIRPLANE COMPANY	PAGE 1.02
APR							3-184
CONTRACT NO.							

10882

186

9/3/63  
U6 5553 7450 (WAS BAC 1745 A-R1)

TIME SEC.	4-5	8-5	4-6	8-6	4-7	8-7
	T-17	T-18	T-19	T-21	T-22	T-23
	-----DEGREES FAHRENHEIT-----					
324.32	1543.	1533.	1555.	2068.	1613.	1970.
330.29	1570.	1549.	1571.	2087.	1631.	1975.
336.25	1592.	1557.	1584.	2104.	1650.	1981.
342.22	1605.	1567.	1594.	2116.	1665.	1989.
348.19	1616.	1578.	1605.	2128.	1678.	1989.
354.16	1623.	1583.	1612.	2137.	1689.	1995.
360.12	1634.	1588.	1618.	2140.	1699.	1998.
375.06	1642.	1596.	1628.	2149.	1721.	1995.
389.97	1644.	1596.	1631.	2146.	1732.	1984.
404.90	1630.	1593.	1628.	2131.	1732.	1964.
419.82	1624.	1580.	1612.	2110.	1721.	1927.
434.73	1605.	1554.	1589.	2076.	1705.	1877.
449.67	1570.	1525.	1558.	2037.	1684.	1831.
464.58	1545.	1486.	1518.	1989.	1660.	1776.
479.51	1511.	1447.	1477.	1941.	1629.	1719.
494.43	1472.	1405.	1435.	1891.	1595.	1663.
509.34	1428.	1360.	1391.	1836.	1561.	1606.
524.28	1373.	1305.	1336.	1776.	1513.	1540.
539.19	1303.	1241.	1274.	1702.	1453.	1464.
554.12	1234.	1175.	1210.	1616.	1385.	1381.
569.04	1168.	1114.	1150.	1519.	1317.	1290.
583.95	1105.	1054.	1091.	1423.	1253.	1198.
598.80	1050.	1001.	1034.	1332.	1186.	1117.
601.86	1037.	990.8	1024.	1316.	1176.	1104.

20000

187

CALC	0770371		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-1 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 05  BOEING AIRPLANE COMPANY	Vol. III
CHECK	<i>By...</i>					22.80.85
APR						2.02
APR						PAGE
CONTRACT NO.						3-185

9/3/63

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-22, T-23 =  $\pm 45^{\circ}$  F.

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^{\circ}$  F.

THERMOCOUPLE NO.

PAGE

T-10, T-11, C-4M, T-12, T-13, T-14, T-15	3-187 - 3-191
C-3M, C-5M, T-16, T-20, T-24	3-192 - 3-196
T-17, T-18, T-19, T-22, T-23	3-197 - 3-201

CALC	Reynolds	8/9/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01 BOEING AIRPLANE COMPANY	Vol. III
CHECK	Stopp	8/9/1				D2-80085
APPD						PAGE
APPD						3-186

188

9/3/63

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
239.99-	81.42	100.4	108.4	108.4	100.4	108.4	100.4
225.07-	150.0	150.0	150.0	150.0	150.0	141.7	141.7
210.14-	191.7	167.8	184.8	205.7	177.6	150.0	150.0
195.23-	247.3	191.4	240.5	268.3	239.8	150.0	177.6
180.30-	275.1	205.2	282.3	317.1	274.4	170.9	198.3
165.38-	280.0	210.0	317.1	351.6	309.0	275.3	322.7
150.46-	300.9	246.7	351.6	374.9	336.6	254.4	288.1
135.53-	300.9	257.6	369.1	386.5	350.4	254.4	281.2
120.62-	300.9	246.7	351.6	392.4	343.5	261.4	301.9
105.69-	300.9	246.7	357.4	386.5	343.5	261.4	308.9
90.77-	337.7	267.4	380.7	409.8	367.7	268.3	308.9
75.85-	363.0	280.1	400.0	444.8	390.9	282.3	322.7
60.92-	363.0	281.2	421.5	450.6	408.2	310.1	356.0
46.01-	363.0	281.2	421.5	450.6	408.2	310.1	350.3
31.08-	368.8	281.2	427.3	462.3	419.8	324.1	367.6
16.16-	368.8	281.2	433.2	468.1	419.8	344.9	390.7
1.24-	380.4	295.0	433.2	473.9	425.6	351.6	402.3
13.69	384.2	301.9	444.8	485.6	425.6	363.2	419.6
28.60	392.1	301.9	450.6	497.2	427.1	363.2	413.8
43.53	397.9	315.7	456.5	503.1	442.9	369.1	419.6
58.45	392.1	300.8	456.5	497.2	448.7	374.9	431.2
73.37	392.1	301.9	460.1	503.1	454.5	386.5	437.0
88.30	392.1	308.8	468.1	508.9	454.5	386.5	442.8
103.21	392.1	301.9	468.1	508.9	460.3	380.7	437.0
118.14	403.7	301.9	470.8	526.4	466.1	392.4	442.8
133.06	409.5	301.9	485.6	526.4	477.6	386.5	442.8
147.98	427.0	315.7	497.2	543.9	495.0	398.2	454.3
150.97	461.9	343.4	526.4	578.8	512.3	427.3	489.0
156.94	595.7	436.9	660.3	708.0	641.3	503.1	575.7
162.91	730.1	512.1	782.3	858.7	767.7	538.0	635.8
168.88	832.6	597.0	800.9	894.5	884.3	623.2	730.5
174.85	900.0	635.7	1014.	1077.	974.2	692.1	809.0
180.81	1000.	697.6	1170.	1181.	1076.	745.2	878.9
186.78	1104.	772.5	1237.	1292.	1189.	833.5	968.7
192.75	1184.	827.8	1338.	1392.	1290.	898.9	1032.
198.72	1277.	888.7	1431.	1476.	1380.	979.5	1123.
204.68	1386.	978.6	1562.	1604.	1503.	1082.	1230.
210.65	1474.	1032.	1659.	1693.	1600.	1190.	1348.
225.58	1717.	1271.	1973.	1960.	1854.	1436.	1586.
240.49	1942.	1536.	2191.	2210.	2093.	1702.	1829.

Continued Interfold of Moore Business Form, Inc.

CALC	APR/01/71		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01	Vol. III 02-80585 1.00 PAGE 3-187
CHECK	Stapp	3/2/71				
APR						
APR						
					THE BOEING COMPANY	
CONTRACT NO.						

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

189

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	T-11	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
255.42	2104.	1875.	2437.	2468.	2338.	1944.	2077.
270.74	2367.	2076.	2617.	2652.	2508.	2132.	2270.
285.26	2434.	2107.	2693.	2715.	2590.	2175.	2313.
300.19	2438.	2275.	2609.	2723.	2617.	2234.	2363.
315.10	2418.	2275.	2693.	2719.	2621.	2163.	2278.
330.03	2397.	2200.	2644.	2687.	2598.	2101.	2197.
344.05	2262.	2057.	2523.	2562.	2481.	2011.	2104.
359.87	2145.	1925.	2400.	2441.	2361.	1944.	2030.
399.71	1938.	1696.	2108.	2230.	2163.	1791.	1839.
419.56	1755.	1531.	2023.	2062.	2008.	1634.	1730.
449.41	1573.	1379.	1827.	1876.	1842.	1476.	1574.
479.25	1474.	1257.	1723.	1791.	1743.	1374.	1480.
509.09	1391.	1151.	1617.	1689.	1642.	1269.	1397.
538.93	1350.	1104.	1558.	1651.	1604.	1219.	1339.
568.78	1323.	1046.	1532.	1625.	1583.	1181.	1294.
598.63	1376.	1013.	1549.	1647.	1600.	1209.	1330.
628.47	1452.	1151.	1651.	1757.	1697.	1265.	1392.
658.31	1645.	1312.	1869.	1956.	1886.	1471.	1578.
688.15	1742.	1374.	1944.	2042.	1957.	1566.	1679.
718.00	1780.	1427.	1999.	2077.	2004.	1608.	1704.
747.85	1780.	1440.	2011.	2093.	2020.	1528.	1607.
777.69	1768.	1410.	1995.	2069.	2000.	1498.	1582.
807.53	1763.	1401.	1995.	2066.	2000.	1494.	1574.
809.53	1750.	1401.	1995.	2069.	2000.	1494.	1578.
815.50	1776.	1401.	1991.	2069.	1992.	1489.	1582.
821.47	1768.	1401.	1995.	2069.	2000.	1489.	1570.
827.43	1763.	1392.	1997.	2054.	1992.	1458.	1544.
833.40	1717.	1366.	1937.	2003.	1950.	1329.	1410.
835.39	1708.	1357.	1929.	1991.	1938.	1315.	1410.
837.37	1606.	1374.	1917.	1976.	1922.	1347.	1436.
839.37	1601.	1339.	1929.	1972.	1930.	1352.	1445.
841.36	1708.	1361.	1941.	1995.	1946.	1392.	1489.
843.34	1704.	1352.	1925.	1987.	1938.	1338.	1445.
845.34	1704.	1352.	1921.	1984.	1934.	1333.	1436.
847.33	1721.	1366.	1933.	1991.	1942.	1383.	1485.
849.31	1713.	1352.	1937.	1991.	1946.	1369.	1480.
851.30	1721.	1366.	1948.	2003.	1957.	1360.	1467.
853.30	1734.	1366.	1952.	2011.	1961.	1356.	1467.
855.28	1738.	1374.	1948.	2011.	1961.	1369.	1489.
857.27	1751.	1393.	1980.	2027.	1973.	1449.	1553.

CALC	08/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III
CHECK	Stapp	2/8/1				02-80885
APR						PAGE 2000
APR						3-188
CONTRACT NO.						

U6 5553 7450 (WAS BAC 1745 A-R1)

2-5000

190

9/3/63

Continuum Interfold © Moore Business Forms, Inc.

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
859.27	1825.	1454.	2054.	2101.	2047.	1485.	1595.
861.25	1927.	1574.	2140.	2191.	2140.	1498.	1616.
863.24	2017.	1683.	2218.	2273.	2217.	1587.	1700.
865.24	2075.	1763.	2277.	2323.	2272.	1647.	1767.
867.22	2137.	1849.	2347.	2394.	2338.	1693.	1813.
869.21	2114.	1845.	2339.	2374.	2326.	1685.	1805.
871.21	2145.	1977.	2374.	2409.	2357.	1744.	1841.
873.19	2184.	1995.	2405.	2445.	2392.	1761.	1873.
875.17	2211.	1968.	2433.	2464.	2407.	1765.	1893.
877.17	2230.	1999.	2460.	2495.	2442.	1787.	1905.
879.16	2262.	2069.	2491.	2527.	2477.	1807.	1917.
881.14	2280.	2061.	2515.	2554.	2497.	1819.	1929.
883.14	2305.	2080.	2530.	2562.	2508.	1832.	1945.
885.13	2340.	2123.	2562.	2593.	2535.	1864.	1976.
887.11	2348.	2150.	2585.	2613.	2559.	1872.	1991.
889.11	2352.	2142.	2599.	2625.	2570.	1868.	1984.
891.10	2375.	2177.	2605.	2636.	2578.	1888.	2003.
893.08	2387.	2204.	2609.	2644.	2582.	1897.	2003.
895.08	2391.	2212.	2621.	2648.	2594.	1892.	2007.
897.07	2403.	2239.	2636.	2656.	2617.	1901.	2011.
899.05	2404.	2247.	2648.	2668.	2617.	1901.	2011.
905.02	2457.	2305.	2672.	2699.	2656.	1909.	2015.
910.99	2418.	2278.	2656.	2680.	2633.	1905.	2003.
916.96	2390.	2243.	2632.	2652.	2613.	1925.	2011.
922.93	2300.	2235.	2621.	2648.	2605.	1897.	1999.
928.90	2370.	2271.	2617.	2640.	2590.	1909.	2003.
934.87	2334.	2154.	2573.	2589.	2539.	1913.	2015.
940.84	2325.	2127.	2550.	2570.	2528.	1897.	1988.
946.81	2325.	2119.	2554.	2570.	2528.	1897.	1991.
952.78	2325.	2171.	2546.	2558.	2520.	1888.	1984.
958.75	2313.	2119.	2542.	2562.	2520.	1884.	1972.
964.72	2284.	2088.	2519.	2527.	2481.	1856.	1949.
970.69	2250.	2034.	2472.	2480.	2446.	1815.	1913.
976.65	2210.	2003.	2452.	2460.	2434.	1811.	1905.
982.62	2184.	1960.	2405.	2409.	2380.	1791.	1889.
988.59	2160.	1977.	2386.	2394.	2365.	1761.	1849.
994.56	2140.	1913.	2382.	2386.	2353.	1761.	1853.
1000.52	2153.	1909.	2362.	2378.	2349.	1761.	1861.
1006.49	2137.	1885.	2355.	2366.	2338.	1732.	1845.
1012.46	2130.	1869.	2351.	2359.	2330.	1736.	1841.

CALC	08/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01	Vol. III
CHECK	Stamp	8/8/1				02-80085
APR						PAGE 3-00
APR						3-189
CONTRACT NO.					THE BOEING COMPANY	

191

9/3/63

Continous Interfold by Moore Business Forms, Inc.



TIME SEC.	3-2	7-2	3-7	7-3	7-3	3-4	7-4
	T-10	T-11	T-14	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
1018.43	2126.	1869.	2371.	2355.	2310.	1719.	1825.
1020.43	2106.	1849.	2371.	2347.	2307.	1719.	1825.
1050.26	2110.	1865.	2377.	2362.	2314.	1689.	1801.
1080.10	2004.	1837.	2312.	2343.	2299.	1685.	1793.
1109.95	2047.	1776.	2298.	2312.	2275.	1676.	1776.
1139.80	2087.	1706.	2316.	2331.	2283.	1689.	1788.
1169.65	2133.	1873.	2355.	2378.	2326.	1715.	1829.
1199.48	2215.	1972.	2429.	2452.	2407.	1791.	1895.
1229.32	2274.	2061.	2511.	2515.	2469.	1864.	1968.
1259.17	2328.	2127.	2566.	2566.	2524.	1929.	2042.
1289.02	2375.	2107.	2600.	2621.	2578.	1964.	2069.
1318.87	2341.	2162.	2581.	2589.	2551.	1976.	2077.
1348.70	2375.	2169.	2503.	2601.	2555.	1976.	2069.
1378.54	2356.	2175.	2585.	2585.	2551.	1972.	2069.
1408.39	2371.	2131.	2580.	2597.	2555.	1964.	2065.
1438.24	2364.	2131.	2507.	2589.	2555.	1956.	2057.
1440.22	2364.	2127.	2507.	2601.	2559.	1960.	2061.
1455.15	2477.	2262.	2711.	2742.	2676.	2241.	2340.
1470.07	2465.	2220.	2703.	2723.	2652.	2230.	2332.
1484.90	2457.	2204.	2600.	2715.	2644.	2234.	2344.
1499.92	2457.	2103.	2605.	2719.	2648.	2237.	2352.
1514.83	2457.	2173.	2607.	2715.	2640.	2245.	2352.
1529.76	2446.	2166.	2687.	2711.	2640.	2241.	2344.
1544.68	2457.	2169.	2601.	2711.	2648.	2249.	2356.
1559.60	2457.	2185.	2691.	2715.	2648.	2237.	2332.
1589.44	2460.	2177.	2605.	2723.	2656.	2249.	2360.
1619.29	2478.	2076.	2668.	2687.	2621.	2218.	2329.
1649.14	2414.	2049.	2644.	2660.	2598.	2206.	2313.
1678.98	2383.	2026.	2621.	2640.	2582.	2183.	2294.
1708.82	2352.	1980.	2577.	2601.	2539.	2148.	2243.
1738.66	2300.	1941.	2534.	2566.	2508.	2077.	2177.
1768.51	2227.	1837.	2452.	2491.	2431.	2011.	2100.
1798.36	2024.	1540.	2260.	2296.	2233.	1892.	1972.
1828.20	1874.	1352.	2112.	2152.	2101.	1787.	1873.
1858.04	1785.	1275.	1995.	2066.	2012.	1672.	1759.
1887.88	1624.	1009.	1832.	1913.	1862.	1536.	1633.
1917.73	1430.	888.7	1630.	1719.	1688.	1342.	1445.
1947.58	1236.	730.4	1440.	1545.	1515.	1153.	1258.
1977.42	1032.	587.2	1209.	1329.	1322.	954.3	1061.
2007.26	770.8	413.8	049.3	1062.	1066.	745.2	843.9

CALC	08/01/11	REVISED	DATE	LEADING EDGE TEST LT-5-417-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III
CHECK	Step 9/3/11				02-80885
APR					PAGE 4-00
APR					3-198
CONTRACT NO.					

192

9/3/63

Continued Interfield © Moore Business Forms, Inc.

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
2037.10	508.4	267.4	481.5	782.3	804.3	567.2	646.3
2066.95	344.6	184.5	477.9	573.0	609.7	409.8	465.9
2096.80	275.1	167.8	480.7	468.1	500.8	317.1	379.2
2126.44	212.6	150.0	310.1	380.7	425.6	254.4	329.6
2156.48	184.8	150.0	261.4	317.1	367.7	205.7	281.2
2186.72	154.9	141.7	224.6	275.3	215.0	198.7	253.6
2216.17	154.9	133.5	212.7	247.5	274.4	191.8	246.7
2246.02	154.9	150.0	212.7	247.5	267.5	184.8	246.7

Continuous Interfold © Moore Business Forms, Inc. 8

CALC	09/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617                      SPEC. 0378 COND. NO. 02                        RUN 01  THE BOEING COMPANY	Vol. III
CHECK	<i>Staj</i>	<i>2/2/1</i>				02-80085
APR						PAGE 5000
APR						5-191
CONTRACT NO.						

193

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

TIME SEC.	7-6	7-7	7-5	7-5	7-6
	C-34	C-34	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
239.09-	100.4	100.5	09.91	100.6	108.4
225.77-	163.8	150.0	09.91	108.6	116.7
210.14-	232.9	177.8	125.0	150.0	125.0
195.23-	253.6	261.1	150.0	163.8	173.4
180.30-	282.2	300.7	177.9	212.3	150.0
165.38-	302.0	362.8	212.8	253.9	143.9
150.46-	336.5	337.5	254.7	274.7	198.7
135.53-	350.3	337.5	282.6	295.4	233.5
120.62-	354.1	362.8	317.5	330.1	248.3
105.60-	361.8	374.4	339.5	350.7	282.3
90.77-	347.4	380.2	352.0	368.1	324.0
75.85-	354.1	397.6	360.6	385.5	337.0
60.02-	402.3	400.3	387.1	397.1	351.6
46.01-	408.1	400.3	404.6	402.9	369.0
31.08-	425.4	432.5	410.4	420.3	386.5
16.14-	425.4	455.7	433.8	431.9	409.8
1.24-	431.2	461.6	445.5	455.0	427.3
13.60	437.0	467.4	451.3	466.6	444.8
28.60	454.3	470.0	463.0	478.2	462.2
43.53	465.9	477.2	468.9	484.0	473.0
58.45	465.9	484.8	480.5	495.6	491.4
73.37	465.9	490.6	492.2	495.6	503.0
88.30	460.1	496.4	503.9	501.4	514.7
103.21	465.9	502.2	503.9	507.2	526.3
118.14	489.0	502.2	503.9	513.0	538.0
133.06	500.6	508.0	521.4	518.8	543.8
147.98	523.7	510.7	533.1	524.6	561.3
150.97	564.2	587.6	527.3	536.2	567.1
156.04	667.4	696.2	530.0	542.0	578.7
162.01	730.5	754.3	568.2	576.8	594.6
168.88	820.0	852.1	618.9	626.3	617.8
174.85	953.8	960.5	682.7	680.7	639.0
180.81	1020.	1055.	762.5	763.5	681.4
186.78	1118.	1155.	845.1	845.5	729.1
192.75	1216.	1275.	930.9	930.6	776.9
198.72	1303.	1340.	1026.	1029.	833.4
204.68	1405.	1442.	1132.	1121.	888.8
210.65	1511.	1542.	1240.	1218.	959.2
225.58	1772.	1816.	1526.	1501.	1153.
240.49	2026.	2069.	1811.	1763.	1387.

CALC	08/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III D2-80085 PAGE 1.01
CHECK	Stacy	2/5/1				
APR	"					
APR						
CONTRACT NO.					3-192	

194

9/3/63

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREE FAHRENHEIT-----					
255.42	2243.	2315.	2077.	2026.	1629.
270.34	2367.	2510.	2312.	2279.	1876.
285.26	2406.	2560.	2301.	2403.	2038.
300.19	2445.	2501.	2434.	2446.	2143.
315.10	2440.	2556.	2414.	2415.	2198.
330.03	2437.	2521.	2393.	2372.	2233.
344.95	2305.	2424.	2316.	2314.	2237.
359.87	2208.	2338.	2238.	2244.	2222.
389.71	2116.	2147.	2054.	2081.	2124.
419.56	1926.	1956.	1876.	1917.	2015.
449.41	1742.	1742.	1705.	1746.	1888.
479.25	1633.	1665.	1586.	1619.	1786.
509.09	1557.	1559.	1497.	1501.	1693.
538.93	1471.	1495.	1430.	1435.	1617.
568.78	1445.	1455.	1376.	1377.	1557.
598.63	1476.	1499.	1359.	1360.	1523.
628.47	1540.	1500.	1408.	1408.	1523.
658.31	1746.	1791.	1543.	1552.	1583.
688.15	1857.	1897.	1688.	1699.	1672.
718.00	1800.	1913.	1743.	1754.	1757.
747.85	1901.	1913.	1777.	1780.	1803.
777.69	1807.	1921.	1702.	1775.	1823.
807.53	1803.	1909.	1777.	1771.	1835.
809.53	1807.	1921.	1777.	1767.	1835.
815.50	1885.	1925.	1777.	1775.	1839.
821.47	1807.	1921.	1777.	1767.	1843.
827.43	1905.	1809.	1702.	1775.	1839.
833.40	1933.	1804.	1769.	1750.	1847.
835.39	1937.	1703.	1773.	1746.	1847.
837.37	1945.	1766.	1765.	1725.	1852.
839.37	1957.	1758.	1760.	1708.	1852.
841.36	1960.	1779.	1748.	1695.	1856.
843.34	1976.	1741.	1743.	1695.	1856.
845.34	1976.	1745.	1743.	1687.	1856.
847.33	1988.	1783.	1743.	1682.	1860.
849.31	1976.	1783.	1743.	1682.	1864.
851.30	1980.	1800.	1739.	1682.	1868.
853.30	1900.	1800.	1739.	1682.	1868.
855.28	2007.	1804.	1743.	1682.	1868.
857.27	2030.	1856.	1743.	1687.	1868.

CALC	08/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617      SPEC. 0378 COND. NO. 02      RUN 01 THE BOEING COMPANY	Vol. III
CHECK	<i>Stapp</i>	<i>8/8/11</i>				02-80085
APR						PAGE 2 of 01
APR						3-193

195

CONTRACT NO.

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

Continuus Interfold © Moore Business Forms, Inc. 9

TIME SEC.	7-A	7-7	7-5	7-5	7-6
	C-14	C-EM	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
859.27	208F.	1909.	1752.	1691.	1872.
861.25	2117.	1940.	1745.	1704.	1876.
863.24	222F.	2023.	1704.	1733.	1884.
865.24	227F.	2042.	1823.	1758.	1896.
867.22	232F.	2093.	1859.	1788.	1912.
869.21	2340.	2095.	1806.	1820.	1929.
871.21	2367.	2128.	1890.	1849.	1952.
873.19	2397.	2179.	1856.	1877.	1968.
875.17	2404.	2155.	1897.	1909.	1991.
877.17	2424.	2190.	2015.	1937.	2007.
879.14	2437.	2206.	2074.	1960.	2030.
881.14	2440.	2217.	2054.	1988.	2050.
883.14	2444.	2229.	2003.	2015.	2061.
885.13	2480.	2244.	2117.	2034.	2077.
887.11	2492.	2272.	2132.	2056.	2097.
889.11	2400.	2272.	2148.	2081.	2112.
891.10	2507.	2274.	2144.	2096.	2128.
893.08	2507.	2276.	2123.	2116.	2143.
895.08	251F.	2276.	2109.	2128.	2151.
897.07	2510.	2248.	2214.	2131.	2167.
899.05	252F.	2248.	2222.	2143.	2179.
905.02	2542.	2248.	2258.	2166.	2218.
910.00	254F.	2244.	2249.	2178.	2237.
916.04	2542.	2256.	2277.	2182.	2261.
922.03	2570.	2241.	2277.	2182.	2280.
928.00	2574.	2249.	2273.	2178.	2292.
934.97	252F.	2252.	2273.	2182.	2296.
940.84	252F.	2240.	2261.	2182.	2304.
946.81	2530.	2248.	2258.	2178.	2304.
952.78	252F.	2252.	2258.	2178.	2315.
958.75	2574.	2277.	2258.	2170.	2319.
964.72	252F.	2217.	2254.	2170.	2319.
970.60	251F.	2147.	2238.	2151.	2323.
976.45	2507.	2147.	2218.	2124.	2319.
982.62	240F.	2124.	2109.	2108.	2315.
988.50	2400.	2104.	2171.	2085.	2311.
994.56	2440.	2100.	2156.	2069.	2307.
1000.52	2444.	2085.	2152.	2058.	2300.
1006.40	2441.	2073.	2140.	2046.	2300.
1012.46	2414.	2069.	2132.	2038.	2288.

CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III
CHECK	2/11				D2-80085
APR					
APR					
CONTRACT NO.					PAGE 3-01

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

Continous Interfold by Moore Business Forms, Inc.

196

3-194

TIME SEC.	7-6	7-7	3-8	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
1018.43	2402.	2062.	2121.	2034.	2284.
1020.43	2383.	2058.	2121.	2023.	2280.
1050.26	2336.	2011.	2005.	1995.	2241.
1080.10	2325.	2023.	2074.	1984.	2218.
1109.05	2336.	2078.	2058.	1976.	2206.
1139.00	2356.	2058.	2058.	1984.	2214.
1169.65	2387.	2077.	2097.	2011.	2237.
1199.48	2464.	2151.	2167.	2069.	2268.
1229.32	2534.	2221.	2226.	2135.	2335.
1259.17	2588.	2289.	2285.	2194.	2389.
1289.02	2624.	2370.	2332.	2232.	2421.
1318.87	2627.	2319.	2348.	2240.	2452.
1348.70	2643.	2319.	2350.	2240.	2468.
1378.54	2643.	2303.	2344.	2232.	2468.
1408.30	2651.	2319.	2352.	2229.	2479.
1438.20	2670.	2307.	2344.	2225.	2479.
1440.22	2670.	2307.	2348.	2229.	2471.
1455.15	2561.	2607.	2406.	2326.	2471.
1470.07	2557.	2525.	2453.	2403.	2464.
1484.00	2557.	2603.	2457.	2415.	2464.
1499.02	2565.	2603.	2445.	2427.	2471.
1514.83	2561.	2603.	2465.	2419.	2471.
1529.76	2546.	2501.	2457.	2415.	2471.
1544.68	2546.	2505.	2453.	2415.	2468.
1559.60	2561.	2588.	2473.	2423.	2479.
1589.40	2554.	2501.	2473.	2407.	2468.
1619.20	2530.	2552.	2449.	2376.	2464.
1649.14	2530.	2523.	2430.	2341.	2452.
1678.08	2405.	2406.	2414.	2322.	2432.
1708.02	2457.	2443.	2371.	2287.	2413.
1738.66	2402.	2404.	2332.	2252.	2374.
1768.51	2302.	2303.	2269.	2178.	2327.
1798.36	2212.	2178.	2176.	2061.	2264.
1828.20	2054.	2042.	2010.	1957.	2190.
1858.04	1922.	1901.	1888.	1837.	2089.
1887.88	1750.	1762.	1748.	1704.	1991.
1917.73	1565.	1571.	1607.	1556.	1892.
1947.58	1302.	1371.	1448.	1399.	1774.
1977.42	1170.	1169.	1263.	1228.	1663.
2007.26	963.8	922.3	1108.	1063.	1545.

CALC	08/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 COND. NO. 02 SPEC. 0378 RUN 01 THE BOEING COMPANY	Vol. III
CHECK	Stapp	3/8/1				DZ-80085
APR						
APR						
CONTRACT NO.						PAGE 4-01

197

9/3/63

Copyright Intelfield © Moore Business Forms, Inc. 8

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
2037.10	797.7	657.8	630.9	890.6	1427.
2066.95	646.3	444.1	787.7	742.4	1306.
2096.80	527.7	337.5	677.4	636.9	1195.
2126.64	370.2	275.0	585.7	542.0	1081.
2156.48	308.9	237.3	480.5	460.8	864.2
2186.32	260.5	212.5	428.0	408.7	868.6
2216.17	257.6	198.6	392.9	368.1	771.6
2246.02	253.6	198.6	360.6	343.9	707.0

CALC	OP/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III
CHECK	<i>STAP</i>	<i>8/18/1</i>				
APR						<i>22-80885</i>
APR						PAGE 5.01
CONTRACT NO.						<i>3-196</i>

U6 5553 7450 (WAS BAC 1745 A-R)

*9/3/63*

2-5000

198

TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
239.99-	95.73	82.17	87.31	93.40	84.84
225.07-	95.73	82.17	87.31	93.40	84.84
210.14-	95.73	82.17	87.31	91.04	87.44
195.23-	95.73	82.17	89.93	95.75	100.5
180.30-	97.00	84.78	92.54	100.5	118.7
165.38-	102.2	87.39	95.15	109.9	144.8
150.46-	106.6	89.99	103.0	124.1	160.4
135.53-	113.1	92.60	108.2	138.2	183.7
120.62-	110.6	95.21	116.0	150.0	204.4
105.69-	128.3	100.4	121.3	157.0	225.1
90.77-	137.0	105.6	131.7	173.4	245.8
75.85-	145.7	108.3	136.9	189.8	264.0
60.92-	150.0	117.5	144.8	203.9	276.9
46.01-	154.3	118.7	150.0	218.0	290.3
31.08-	162.9	123.9	150.0	229.7	303.7
16.16-	173.7	126.5	155.2	243.7	319.9
1.24-	182.4	131.7	163.0	257.8	338.8
13.69	191.0	137.0	170.8	269.5	352.2
28.60	190.6	144.8	178.6	283.7	365.7
43.53	208.2	150.0	183.7	295.9	381.7
58.45	210.0	150.0	191.5	310.6	395.0
73.37	227.7	152.6	190.3	322.7	408.3
88.30	238.5	163.0	207.1	337.4	419.0
103.21	247.1	165.6	214.9	349.6	429.6
118.14	255.7	175.9	222.7	359.3	437.6
133.06	264.3	181.1	230.5	369.1	446.2
147.98	273.0	188.9	238.3	383.5	458.9
150.97	275.1	191.5	238.3	383.5	461.5
156.04	277.3	194.1	243.4	388.3	464.2
162.91	281.7	199.3	246.0	393.1	472.1
168.88	286.2	201.9	248.6	398.0	480.0
174.85	288.4	204.4	251.2	402.8	487.8
180.81	292.9	207.0	253.8	407.6	500.9
186.78	297.4	212.2	259.0	412.4	514.0
192.75	290.6	214.8	261.6	419.6	532.3
198.72	304.1	217.4	264.2	426.8	553.2
204.68	308.6	222.6	266.8	434.0	576.3
210.65	313.1	225.2	272.0	443.7	601.7
225.58	326.5	238.1	285.2	472.5	683.2
240.49	346.7	256.3	301.4	508.0	787.5

CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III DL-80085 PAGE 1.02 3-197
CHECK	<i>Stacy</i>				
APR					
APR					
CONTRACT NO.					

199

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

Continued Inverted to Mouse Business Form, Inc. 8



TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
255.42	366.9	285.0	323.0	557.7	919.6
270.34	400.2	333.5	355.4	617.6	1073.
285.26	440.1	405.9	398.2	691.3	1233.
300.19	495.0	506.4	462.2	778.8	1364.
315.10	558.2	617.4	538.3	873.2	1458.
330.03	620.2	721.8	628.1	960.0	1526.
344.95	696.0	808.4	722.5	1035.	1571.
359.87	753.2	860.6	809.2	1094.	1592.
389.71	827.4	925.3	938.8	1168.	1581.
419.56	855.0	937.9	1002.	1186.	1518.
449.41	857.1	922.8	1014.	1177.	1435.
479.25	842.3	897.6	1002.	1147.	1354.
509.09	821.1	860.6	976.5	1112.	1289.
538.93	802.0	844.1	948.8	1078.	1235.
568.78	782.9	827.7	926.2	1049.	1190.
598.63	770.2	808.4	908.5	1024.	1159.
628.47	766.0	807.3	905.9	1008.	1151.
658.31	761.7	805.9	903.3	1005.	1169.
688.15	772.3	818.6	903.3	1015.	1223.
718.00	791.4	846.6	908.5	1040.	1276.
747.85	810.5	877.2	936.2	1067.	1322.
777.69	833.8	905.2	964.0	1096.	1356.
807.53	852.8	925.3	989.1	1119.	1367.
809.53	855.0	927.8	991.7	1119.	1369.
815.50	850.2	930.3	994.2	1124.	1372.
821.47	863.4	935.3	999.2	1126.	1372.
827.43	865.6	940.4	1002.	1131.	1377.
833.40	860.8	942.9	1007.	1133.	1377.
835.39	860.8	945.4	1009.	1133.	1382.
837.37	871.9	945.4	1009.	1135.	1382.
839.37	871.9	945.4	1012.	1138.	1382.
841.36	874.0	947.9	1014.	1138.	1382.
843.34	874.0	950.4	1014.	1138.	1382.
845.34	876.2	947.9	1017.	1140.	1385.
847.33	876.2	947.9	1017.	1140.	1388.
849.31	876.2	950.4	1019.	1142.	1388.
851.30	876.2	957.0	1010.	1142.	1388.
853.30	880.4	955.5	1019.	1142.	1390.
855.28	880.4	957.0	1019.	1145.	1393.
857.27	880.4	955.5	1022.	1145.	1396.

CALC	08/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01 THE BOEING COMPANY	Vol. III
CHECK	<i>Stop</i>	<i>8/2/1</i>				<i>P2-90085</i>
APR						PAGE 2 of 2
APR						<i>3-198</i>
CONTRACT NO.						

200

9/3/63

Continous Interfold © Moore Business Forms, Inc. 8

TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
859.27	882.5	952.5	1022.	1147.	1398.
861.25	882.5	952.0	1024.	1149.	1398.
863.24	884.6	952.0	1024.	1147.	1401.
865.24	886.8	952.0	1024.	1149.	1409.
867.22	886.8	952.0	1024.	1154.	1409.
869.21	884.8	960.5	1027.	1154.	1414.
871.21	888.9	963.0	1027.	1154.	1416.
873.19	891.0	965.5	1027.	1156.	1424.
875.17	891.0	965.5	1027.	1156.	1435.
877.17	893.1	965.5	1027.	1158.	1440.
879.14	897.1	970.6	1029.	1158.	1448.
881.14	895.2	973.1	1029.	1161.	1453.
883.14	897.4	973.1	1029.	1163.	1464.
885.13	899.5	973.1	1029.	1165.	1471.
887.11	899.5	972.1	1034.	1168.	1479.
889.11	901.6	980.6	1034.	1170.	1487.
891.10	903.7	983.1	1034.	1172.	1495.
893.08	907.9	982.2	1034.	1175.	1508.
895.08	907.9	990.7	1034.	1177.	1516.
897.07	910.0	993.2	1040.	1181.	1526.
899.05	912.0	992.2	1040.	1181.	1534.
905.02	912.3	1008.	1045.	1191.	1563.
910.00	924.7	1021.	1052.	1202.	1566.
916.06	933.0	1031.	1055.	1214.	1610.
922.03	941.4	1041.	1060.	1225.	1631.
928.90	940.7	1054.	1070.	1234.	1649.
934.87	952.1	1064.	1077.	1246.	1668.
940.84	966.5	1076.	1082.	1255.	1681.
946.81	972.8	1084.	1092.	1266.	1696.
952.78	983.2	1094.	1097.	1276.	1710.
958.75	980.5	1101.	1108.	1285.	1715.
964.72	997.9	1109.	1115.	1294.	1726.
970.69	1004.	1114.	1123.	1301.	1732.
976.65	1008.	1122.	1131.	1310.	1740.
982.62	1019.	1127.	1136.	1318.	1743.
988.59	1023.	1132.	1143.	1322.	1745.
994.56	1027.	1137.	1151.	1332.	1748.
1000.52	1033.	1140.	1153.	1337.	1751.
1006.49	1038.	1142.	1159.	1339.	1751.
1012.46	1042.	1145.	1164.	1346.	1748.

CALC	02/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 01	Vol. III	
CHECK	Stapp	4/1/1				D2-80085	
APR						THE BOEING COMPANY	PAGE 3-02
APR							3-199
CONTRACT NO.							

201

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

Continuum Interiors © Moore Business Forms, Inc. 2

TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
1018.43	1046.	1147.	1166.	1351.	1748.
1020.43	1046.	1147.	1169.	1351.	1745.
1050.26	1057.	1155.	1191.	1363.	1729.
1080.10	1065.	1162.	1197.	1367.	1713.
1109.95	1071.	1168.	1192.	1365.	1707.
1139.80	1080.	1175.	1197.	1370.	1704.
1169.65	1088.	1188.	1202.	1377.	1713.
1199.48	1098.	1201.	1209.	1386.	1737.
1229.32	1111.	1221.	1222.	1403.	1765.
1259.17	1130.	1244.	1237.	1424.	1800.
1289.02	1155.	1272.	1260.	1450.	1836.
1318.87	1170.	1297.	1278.	1474.	1874.
1348.70	1200.	1323.	1301.	1495.	1896.
1378.54	1217.	1344.	1325.	1512.	1907.
1408.39	1236.	1363.	1343.	1521.	1924.
1438.24	1251.	1378.	1361.	1535.	1933.
1440.22	1251.	1381.	1364.	1533.	1933.
1455.15	1259.	1391.	1372.	1540.	1936.
1470.07	1269.	1407.	1382.	1545.	1936.
1484.99	1276.	1425.	1401.	1547.	1936.
1499.92	1297.	1444.	1422.	1554.	1938.
1514.83	1295.	1457.	1448.	1561.	1947.
1529.76	1304.	1470.	1466.	1566.	1955.
1544.68	1312.	1480.	1482.	1576.	1958.
1559.60	1319.	1491.	1495.	1580.	1961.
1589.44	1332.	1507.	1516.	1587.	1964.
1619.29	1336.	1517.	1532.	1590.	1972.
1649.14	1339.	1520.	1542.	1592.	1967.
1678.98	1336.	1522.	1548.	1592.	1961.
1708.82	1332.	1514.	1542.	1585.	1950.
1738.66	1328.	1507.	1534.	1580.	1927.
1768.51	1319.	1493.	1524.	1571.	1902.
1798.36	1310.	1478.	1508.	1557.	1869.
1828.20	1297.	1454.	1487.	1540.	1814.
1858.04	1282.	1433.	1461.	1519.	1756.
1887.88	1261.	1402.	1432.	1493.	1702.
1917.73	1240.	1370.	1401.	1462.	1631.
1947.58	1213.	1336.	1367.	1426.	1555.
1977.42	1185.	1300.	1327.	1389.	1469.
2007.26	1140.	1254.	1281.	1346.	1380.

CALC	08/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 01  THE BOEING COMPANY	Vol. III
CHECK	8/24/1	9/8/1				02-80085
APR						PAGE 4 of 02
APR						3-200
CONTRACT NO.						

302

9/3/63

Copyright Interfold © Moore Business Forms, Inc.

TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
2037.10	1100.	1206.	1227.	1292.	1286.
2066.05	1054.	1142.	1164.	1227.	1184.
2096.00	991.6	1074.	1005.	1154.	1080.
2126.64	920.4	995.7	1019.	1071.	967.4
2156.48	850.7	922.8	047.8	090.4	843.5
2186.32	787.1	850.4	079.0	003.0	731.5
2216.17	734.2	809.4	016.8	015.6	647.6
2246.02	680.7	762.6	765.8	746.6	591.6

CALC	08/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617                      SPEC. 0378 COND. NO. 02                        RUN 01  THE BOEING COMPANY	Vol. III
CHECK	<i>Stapp</i>	<i>8/8/11</i>				02-800 85
APR						PAGE 5 of 02
APR						3-201
CONTRACT NO.						

203

U6 5553 7430 (WAS BAC 1745 A-R1)

9/3/63

2-5000

Continous Interfield © Moore Business Forms, Inc. 0

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-22, T-23 =  $\pm 45^{\circ}\text{F}$ .

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^{\circ}\text{F}$ .

<u>THERMOCOUPLE NO.</u>	<u>PAGE</u>
T-10, T-11, C-4M, T-12, T-13, T-14, T-15	3-203 - 3-206
C-3M, C-5M, T-16, T-20, T-24	3-207 - 3-210
T-17, T-18, T-19, T-22, T-23	3-211 - 3-214

<table border="1"> <tr> <td>CALC</td> <td>Reynolds</td> <td>8/9/61</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td>Stapp</td> <td>8/9/61</td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	CALC	Reynolds	8/9/61	REVISED	DATE	CHECK	Stapp	8/9/61			APPD					APPD					LEADING EDGE TEST LT-5-617-2-2 EWA NO. -5617      SPEC. 0378 COND. NO. 02      RUN 02	Vol. III 12-50-85 PAGE 3-206
CALC	Reynolds	8/9/61	REVISED	DATE																		
CHECK	Stapp	8/9/61																				
APPD																						
APPD																						
BOEING AIRPLANE COMPANY																						

204

BAC 973 D-R3

9/3/63

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
91.08-	282.0	275.0	367.3	374.7	350.1	296.1	323.2
77.07-	374.6	337.5	433.3	467.9	442.5	296.1	323.2
62.15-	386.2	351.2	444.9	485.3	442.5	323.9	350.8
47.22-	323.8	323.6	404.1	421.3	384.8	296.1	323.2
32.31-	351.3	344.5	444.9	467.9	425.2	330.9	362.4
17.37-	368.7	344.5	462.4	485.3	448.3	351.5	374.0
2.44-	374.6	369.6	468.3	497.0	454.1	380.6	408.8
12.46	397.8	380.3	470.9	509.6	459.8	368.9	385.6
27.39	380.4	374.5	491.6	508.6	471.4	374.7	408.8
42.30	384.2	384.1	485.8	502.8	459.8	392.2	432.0
57.24	357.1	362.8	468.3	485.3	454.1	398.0	426.2
72.15	368.7	362.8	456.6	497.0	442.5	386.4	408.8
87.07	357.1	357.0	468.3	485.3	448.3	398.0	443.5
102.00	374.6	369.6	462.4	491.1	454.1	398.0	437.8
116.91	368.7	362.8	479.9	491.1	459.8	415.5	449.3
131.85	386.2	391.9	497.4	520.2	477.2	398.0	432.0
146.76	397.8	403.5	526.6	549.3	506.0	427.1	449.3
150.75	520.0	470.1	612.7	659.9	614.4	427.1	466.7
156.72	654.2	577.9	734.8	802.8	751.1	508.6	542.1
162.68	730.0	675.2	828.8	898.4	838.4	537.8	605.4
168.65	827.5	743.9	930.6	1013.	943.1	617.5	679.3
174.62	923.0	857.3	1043.	1124.	1051.	675.8	742.6
180.59	943.1	907.5	1116.	1171.	1089.	766.0	835.7
186.55	993.3	972.8	1196.	1236.	1136.	818.0	885.8
192.52	1128.	1004.	1320.	1377.	1288.	893.4	971.0
198.49	1236.	1212.	1445.	1497.	1400.	968.9	1035.
204.46	1304.	1295.	1541.	1573.	1470.	1057.	1140.
210.42	1434.	1420.	1686.	1705.	1598.	1185.	1256.
225.36	1672.	1661.	1922.	1920.	1811.	1422.	1510.
240.27	1882.	1933.	2188.	2185.	2068.	1646.	1734.
255.20	2114.	2191.	2446.	2427.	2315.	1883.	1988.
270.12	2277.	2397.	2645.	2615.	2501.	2107.	2198.
285.03	2328.	2452.	2704.	2678.	2563.	2150.	2256.
299.97	2352.	2487.	2724.	2689.	2575.	2193.	2311.
314.88	2305.	2440.	2685.	2646.	2544.	2135.	2241.
329.81	2277.	2413.	2661.	2619.	2528.	2064.	2186.
344.73	2141.	2288.	2524.	2478.	2370.	1986.	2109.
359.64	2047.	2179.	2422.	2388.	2284.	1928.	2039.
389.49	1858.	1976.	2211.	2181.	2083.	1756.	1849.
419.34	1687.	1788.	2023.	2010.	1912.	1633.	1717.

Continuum Interfield © Moore Business Forms, Inc. 8

CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02	Vol. III 1.00
CHECK	<i>Stop</i> 8/8/1				
APR					
APR					
				THE BOEING COMPANY	PAGE
CONTRACT NO.					3-203

205

9/3/63

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
449.19	1406.	1509.	1820.	1802.	1720.	1471.	1556.
479.03	1407.	1487.	1707.	1705.	1419.	1351.	1435.
508.84	1318.	1371.	1592.	1607.	1518.	1278.	1364.
538.71	1205.	1336.	1542.	1582.	1501.	1213.	1301.
568.54	1323.	1358.	1579.	1603.	1526.	1185.	1274.
598.41	1300.	1349.	1502.	1599.	1535.	1194.	1283.
628.25	1372.	1402.	1622.	1650.	1568.	1260.	1351.
658.08	1406.	1506.	1706.	1790.	1699.	1444.	1527.
687.93	1478.	1572.	1824.	1781.	1703.	1544.	1641.
717.78	1641.	1745.	2000.	1967.	1896.	1582.	1670.
747.63	1700.	1704.	2035.	2017.	1944.	1540.	1620.
777.47	1687.	1771.	2012.	2006.	1924.	1518.	1603.
807.30	1670.	1758.	2008.	2006.	1924.	1514.	1577.
810.30	1687.	1771.	2020.	2010.	1932.	1510.	1586.
816.27	1687.	1775.	2027.	2017.	1932.	1527.	1598.
822.24	1674.	1758.	2012.	2002.	1924.	1400.	1462.
828.21	1687.	1767.	2016.	2025.	1940.	1355.	1409.
834.17	1670.	1750.	1992.	1998.	1912.	1305.	1373.
836.16	1600.	1728.	1973.	1970.	1896.	1287.	1360.
838.14	1610.	1609.	1961.	1947.	1876.	1269.	1342.
840.14	1611.	1703.	1953.	1939.	1868.	1314.	1387.
842.13	1602.	1690.	1970.	1920.	1852.	1333.	1413.
844.11	1508.	1686.	1934.	1911.	1844.	1346.	1431.
846.11	1615.	1600.	1949.	1931.	1864.	1373.	1466.
848.10	1627.	1605.	1941.	1943.	1872.	1373.	1466.
850.08	1636.	1712.	1960.	1955.	1880.	1369.	1453.
852.08	1640.	1724.	1973.	1963.	1888.	1386.	1470.
854.07	1653.	1728.	1969.	1959.	1884.	1395.	1484.
856.05	1640.	1724.	1969.	1959.	1884.	1395.	1475.
858.04	1605.	1724.	1977.	1963.	1888.	1404.	1484.
860.04	1657.	1733.	1992.	1982.	1900.	1431.	1506.
862.02	1712.	1775.	2043.	2029.	1944.	1484.	1535.
864.01	1813.	1841.	2133.	2123.	2029.	1540.	1590.
866.01	1892.	1922.	2188.	2170.	2083.	1569.	1636.
867.99	1946.	1984.	2262.	2232.	2145.	1663.	1729.
869.98	2009.	2046.	2340.	2302.	2219.	1684.	1763.
871.99	2051.	2109.	2383.	2353.	2273.	1701.	1780.
873.96	2051.	2121.	2399.	2357.	2277.	1739.	1821.
875.95	2000.	2163.	2438.	2404.	2319.	1735.	1825.
877.95	2008.	2159.	2449.	2412.	2327.	1764.	1845.

CALC	08/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 THE BOEING COMPANY.	Vol. III
CHECK	Stapp	8/18/1				02-80085
APR						PAGE 2.00
APR						3-204
CONTRACT NO.						

206

9/3/63

Continous Interfold (M. Moore Business Forms, Inc.)

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
879.03	2137.	2206.	2441.	2443.	2358.	1790.	1869.
881.01	2140.	2226.	2504.	2462.	2377.	1806.	1890.
883.01	2157.	2241.	2524.	2478.	2401.	1826.	1918.
885.90	2104.	2276.	2563.	2525.	2435.	1835.	1918.
887.88	2210.	2300.	2582.	2544.	2459.	1859.	1953.
889.88	2227.	2311.	2500.	2552.	2470.	1879.	1977.
891.87	2254.	2341.	2610.	2572.	2493.	1851.	1945.
893.85	2200.	2339.	2622.	2575.	2501.	1867.	1965.
895.85	2258.	2347.	2634.	2587.	2521.	1883.	1973.
897.84	2270.	2350.	2641.	2599.	2524.	1867.	1969.
899.82	2285.	2374.	2657.	2619.	2544.	1875.	1965.
905.79	2300.	2389.	2681.	2642.	2563.	1883.	1984.
911.76	2320.	2421.	2695.	2666.	2586.	1879.	1980.
917.73	2281.	2386.	2661.	2623.	2555.	1875.	1973.
923.70	2277.	2370.	2641.	2611.	2536.	1875.	1973.
929.67	2281.	2354.	2626.	2579.	2517.	1891.	1988.
935.64	2227.	2319.	2586.	2544.	2474.	1875.	1973.
941.61	2180.	2280.	2563.	2509.	2447.	1875.	1980.
947.58	2210.	2300.	2567.	2525.	2459.	1867.	1969.
953.55	2207.	2304.	2575.	2536.	2470.	1867.	1949.
959.52	2211.	2286.	2543.	2525.	2459.	1855.	1965.
965.49	2180.	2276.	2547.	2483.	2435.	1843.	1938.
971.46	2157.	2249.	2512.	2470.	2401.	1810.	1922.
977.43	2121.	2222.	2485.	2427.	2373.	1790.	1902.
983.40	2071.	2163.	2438.	2365.	2323.	1781.	1890.
989.36	2047.	2140.	2410.	2345.	2296.	1752.	1845.
995.33	2043.	2128.	2389.	2341.	2284.	1739.	1837.
1001.30	2024.	2113.	2387.	2330.	2273.	1739.	1821.
1007.26	2008.	2089.	2363.	2306.	2250.	1747.	1845.
1013.23	2076.	2109.	2383.	2333.	2277.	1722.	1809.
1019.20	2047.	2121.	2403.	2345.	2292.	1718.	1805.
1049.04	2008.	2078.	2360.	2302.	2253.	1667.	1750.
1078.80	2001.	2078.	2360.	2306.	2257.	1671.	1759.
1108.74	1962.	2046.	2324.	2271.	2222.	1671.	1772.
1138.58	1962.	2039.	2313.	2263.	2207.	1675.	1776.
1168.42	2024.	2101.	2371.	2326.	2265.	1692.	1797.
1198.26	2070.	2159.	2453.	2392.	2339.	1764.	1857.
1228.11	2145.	2226.	2516.	2451.	2389.	1822.	1938.
1257.96	2180.	2249.	2567.	2501.	2443.	1908.	2008.
1287.80	2211.	2304.	2604.	2529.	2474.	1939.	2050.

CALC	08/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02  THE BOEING COMPANY	Vol. III
CHECK	<i>Stapp</i>	<i>8/8/11</i>				02-80085
APR						PAGE 3-00
APR						3-205
CONTRACT NO.						

207

9/3/63

Continous Interfold (M) Moore Business Forms, Inc.



TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	T-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
1317.64	2258.	2339.	2645.	2575.	2521.	1943.	2062.
1347.48	2250.	2335.	2634.	2572.	2521.	1959.	2054.
1377.33	2231.	2323.	2606.	2544.	2490.	1955.	2062.
1407.18	2235.	2311.	2622.	2560.	2509.	1951.	2058.
1437.02	2250.	2327.	2626.	2556.	2505.	1967.	2097.
1440.00	2246.	2331.	2626.	2560.	2513.	1963.	2093.
1454.02	2254.	2343.	2641.	2583.	2513.	2158.	2276.
1469.85	2328.	2417.	2708.	2662.	2583.	2181.	2307.
1484.76	2344.	2421.	2720.	2670.	2590.	2193.	2326.
1499.70	2328.	2413.	2696.	2658.	2563.	2185.	2323.
1514.61	2332.	2413.	2704.	2658.	2567.	2205.	2342.
1529.53	2320.	2389.	2606.	2642.	2563.	2221.	2358.
1544.46	2316.	2397.	2602.	2654.	2555.	2197.	2334.
1559.37	2348.	2421.	2724.	2670.	2590.	2201.	2338.
1589.22	2348.	2421.	2716.	2678.	2594.	2193.	2330.
1619.07	2336.	2421.	2708.	2666.	2583.	2189.	2330.
1648.92	2300.	2389.	2685.	2638.	2563.	2150.	2284.
1678.75	2280.	2370.	2665.	2611.	2540.	2142.	2288.
1708.50	2254.	2335.	2614.	2564.	2490.	2096.	2225.
1738.44	2215.	2284.	2563.	2525.	2439.	2053.	2171.
1768.20	2145.	2226.	2500.	2466.	2389.	1943.	2074.
1798.14	2036.	2105.	2367.	2337.	2261.	1855.	1980.
1827.97	1886.	1953.	2215.	2185.	2106.	1760.	1882.
1857.81	1746.	1804.	2059.	2033.	1967.	1624.	1755.
1887.66	1585.	1640.	1918.	1891.	1832.	1497.	1611.
1917.51	1447.	1482.	1753.	1747.	1686.	1346.	1448.
1947.36	1276.	1267.	1533.	1527.	1479.	1166.	1260.
1977.19	1042.	1056.	1297.	1305.	1275.	983.9	1073.
2007.03	867.7	862.3	1082.	1115.	1098.	792.4	880.8
2036.88	601.3	601.1	798.5	828.0	828.4	584.3	647.6
2066.73	392.0	407.5	567.4	595.9	609.1	421.3	472.5
2096.58	282.0	302.8	415.8	450.4	482.9	323.9	368.2
2126.41	226.4	275.0	331.1	380.5	407.9	254.3	302.4
2156.25	198.6	254.2	261.4	323.9	336.3	212.6	253.9
2186.10	177.8	247.2	226.6	282.2	301.8	191.7	247.0
2220.93	177.8	240.3	212.7	261.3	274.2	191.7	240.1
2250.76	170.8	226.4	212.7	247.4	260.4	184.8	240.1

CALC	08/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 02	Vol. III
CHECK	<i>Stapp</i>	<i>8/8/11</i>					<i>D2-88885</i>
APR							
APR							
THE BOEING COMPANY						PAGE 4.00	3-206
CONTRACT NO.							

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

Copyright Interfield © Moore Business Forms, Inc.

TIME SEC.	7-4	7-7	3-5	7-5	3-6
	C-3V	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
91.9A-	377.1	379.9	41.43	344.1	157.0
77.07-	390.4	391.5	40.98	356.7	194.9
62.15-	378.9	414.7	116.6	385.7	198.8
47.22-	390.4	356.7	133.3	391.5	226.7
32.31-	425.1	408.9	150.0	397.3	240.7
17.37-	430.8	447.7	150.0	408.9	254.6
2.46-	425.1	466.9	157.0	437.9	282.5
12.46	448.1	455.3	157.0	455.3	303.5
27.39	453.9	477.7	170.9	466.9	310.4
42.30	453.9	478.5	184.9	484.3	345.3
57.24	465.5	484.3	177.9	484.3	357.7
72.15	471.2	478.5	184.9	495.9	369.4
87.07	465.5	495.9	184.9	495.9	381.1
102.00	482.8	478.5	184.9	507.5	404.4
116.91	488.6	501.7	191.8	501.7	410.3
131.85	500.1	490.1	198.8	507.5	433.6
146.76	517.4	525.0	198.8	507.5	445.3
150.75	552.0	548.2	205.7	519.1	451.1
156.72	557.8	637.3	226.7	524.9	451.1
162.68	677.2	690.2	240.6	565.5	468.7
168.65	771.8	801.0	268.5	600.3	468.7
174.62	863.0	876.2	303.3	658.4	486.2
180.59	967.7	976.5	351.8	721.8	497.8
186.55	1055.	1083.	380.9	790.5	515.3
192.52	1136.	1197.	433.4	876.2	538.7
198.49	1238.	1275.	468.4	966.4	567.9
204.46	1333.	1365.	532.6	1059.	597.1
210.42	1435.	1493.	590.9	1149.	645.2
225.36	1600.	1747.	756.4	1423.	788.6
240.27	1939.	2005.	919.8	1701.	1006.
255.20	2179.	2230.	1097.	1974.	1276.
270.12	2403.	2479.	1229.	2230.	1577.
285.03	2406.	2545.	1321.	2370.	1838.
299.97	2547.	2596.	1362.	2444.	2014.
314.88	2543.	2565.	1357.	2456.	2119.
329.81	2520.	2538.	1362.	2444.	2170.
344.73	2434.	2464.	1330.	2401.	2190.
359.64	2378.	2370.	1299.	2331.	2170.
389.49	2152.	2172.	1206.	2180.	2100.
419.34	1974.	1966.	1121.	2020.	1994.

209	CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 02	Vol. III		
	CHECK	Stapp 9/2/1							D2-80085
	APR								1.01
	APR						THE BOEING COMPANY		PAGE
	CONTRACT NO.							3-207	

9/3/63

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-34	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
449.19	1784.	1781.	1034.	1970.	1983.
479.03	1665.	1658.	970.2	1756.	1785.
508.86	1550.	1553.	914.8	1658.	1696.
538.71	1517.	1408.	864.4	1574.	1628.
568.56	1443.	1462.	850.4	1548.	1577.
598.41	1443.	1489.	840.3	1527.	1547.
628.25	1513.	1561.	864.4	1570.	1547.
658.08	1715.	1768.	919.8	1696.	1589.
687.93	1851.	1803.	980.3	1806.	1679.
717.78	1800.	1915.	1025.	1874.	1768.
747.63	1890.	1935.	1068.	1903.	1818.
777.47	1800.	1946.	1063.	1911.	1846.
807.30	1801.	1919.	1068.	1903.	1858.
810.30	1895.	1927.	1078.	1903.	1854.
816.27	1801.	1942.	1068.	1911.	1863.
822.24	1803.	1895.	1073.	1911.	1863.
828.21	1805.	1915.	1063.	1909.	1867.
834.17	1915.	1862.	1068.	1886.	1863.
836.16	1910.	1818.	1063.	1878.	1863.
838.14	1927.	1781.	1058.	1862.	1867.
840.14	1951.	1777.	1049.	1842.	1871.
842.13	1951.	1756.	1049.	1830.	1871.
844.11	1951.	1751.	1044.	1822.	1875.
846.11	1958.	1777.	1044.	1814.	1871.
848.10	1962.	1768.	1034.	1806.	1871.
850.08	1974.	1768.	1034.	1814.	1879.
852.08	1982.	1785.	1034.	1810.	1879.
854.07	1982.	1789.	1044.	1814.	1883.
856.05	1982.	1708.	1044.	1814.	1887.
858.04	1982.	1810.	1044.	1818.	1883.
860.04	1993.	1846.	1044.	1826.	1891.
862.02	2024.	1911.	1044.	1834.	1895.
864.01	2000.	1978.	1049.	1858.	1895.
866.01	2171.	2021.	1068.	1878.	1903.
867.09	2245.	2048.	1092.	1907.	1911.
869.98	2307.	2075.	1107.	1931.	1924.
871.98	2357.	2098.	1126.	1958.	1939.
873.96	2380.	2114.	1135.	1985.	1951.
875.95	2411.	2121.	1163.	2012.	1975.
877.05	2423.	2153.	1177.	2036.	1998.

CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 COND. NO. 02	Vol. III 02-80685 PAGE 2 of 1 3-208
CHECK	<i>Stapp</i> 8/8/1				
APR					
APR					
				THE BOEING COMPANY	
CONTRACT NO.					

9/3/63

210

Continous Interfold (M) Moore Business Forms, Inc. 8

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
879.93	2444.	2190.	1196.	2063.	2014.
881.91	2441.	2203.	1215.	2086.	2037.
883.91	2477.	2223.	1220.	2110.	2053.
885.90	2402.	2242.	1234.	2133.	2076.
887.88	2504.	2254.	1238.	2152.	2096.
889.88	2504.	2258.	1257.	2172.	2112.
891.87	2514.	2254.	1266.	2187.	2127.
893.85	2535.	2277.	1290.	2203.	2135.
895.85	2531.	2277.	1294.	2215.	2155.
897.84	2543.	2291.	1293.	2226.	2162.
899.82	2550.	2299.	1298.	2238.	2182.
905.70	2566.	2289.	1330.	2265.	2213.
911.76	2579.	2273.	1325.	2285.	2245.
917.73	2570.	2241.	1344.	2289.	2264.
923.70	2574.	2261.	1334.	2285.	2284.
929.67	2570.	2258.	1330.	2281.	2295.
935.64	2550.	2254.	1316.	2277.	2299.
941.61	2547.	2258.	1312.	2269.	2303.
947.58	2547.	2245.	1312.	2269.	2311.
953.55	2559.	2291.	1312.	2273.	2315.
959.52	2554.	2246.	1316.	2269.	2319.
965.49	2559.	2230.	1312.	2254.	2323.
971.46	2547.	2199.	1307.	2246.	2327.
977.43	2543.	2160.	1293.	2215.	2331.
983.30	2523.	2137.	1289.	2199.	2319.
989.36	2504.	2106.	1261.	2172.	2315.
995.33	2466.	2114.	1261.	2160.	2311.
1001.30	2477.	2118.	1248.	2152.	2303.
1007.26	2459.	2094.	1248.	2141.	2295.
1013.23	2450.	2075.	1234.	2125.	2292.
1019.20	2442.	2093.	1238.	2125.	2280.
1049.04	2353.	2020.	1234.	2090.	2241.
1078.89	2345.	2040.	1215.	2075.	2221.
1108.74	2341.	2032.	1206.	2067.	2209.
1138.59	2353.	2059.	1201.	2071.	2217.
1168.42	2394.	2067.	1220.	2094.	2229.
1198.26	2454.	2153.	1248.	2141.	2264.
1228.11	2571.	2219.	1294.	2207.	2319.
1257.96	2505.	2293.	1303.	2261.	2366.
1287.80	2617.	2332.	1321.	2304.	2417.

CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 THE BOEING COMPANY	Vol. III
CHECK	<i>ETP</i>				02-8085
APR					PAGE 3 of 1
APR					3-209
CONTRACT NO.					2.5000

U6 5553 7450 (WAS BAC 1745 A-R1)  
 9/3/63

211

TIME SEC.	7-6	7-7	7-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
1317.64	2640.	2343.	1344.	2324.	2444.
1347.48	2636.	2328.	1330.	2324.	2460.
1377.33	2636.	2324.	1329.	2320.	2464.
1407.18	2640.	2316.	1330.	2300.	2468.
1437.02	2640.	2316.	1344.	2320.	2483.
1440.00	2652.	2320.	1348.	2320.	2483.
1454.92	2605.	2507.	1344.	2366.	2483.
1469.85	2566.	2620.	1388.	2464.	2472.
1484.76	2562.	2612.	1406.	2487.	2475.
1499.70	2554.	2604.	1410.	2491.	2475.
1514.61	2574.	2608.	1402.	2491.	2479.
1529.53	2550.	2612.	1406.	2495.	2483.
1544.46	2558.	2604.	1406.	2495.	2483.
1559.37	2562.	2620.	1402.	2499.	2491.
1589.22	2554.	2604.	1406.	2495.	2495.
1619.07	2554.	2592.	1406.	2491.	2491.
1648.92	2520.	2542.	1393.	2464.	2479.
1678.75	2504.	2530.	1379.	2444.	2464.
1708.59	2460.	2472.	1362.	2409.	2444.
1738.44	2403.	2425.	1339.	2370.	2409.
1768.29	2326.	2339.	1307.	2304.	2366.
1798.14	2220.	2207.	1266.	2215.	2303.
1827.97	2090.	2075.	1191.	2098.	2221.
1857.81	1943.	1927.	1126.	1981.	2131.
1887.66	1709.	1795.	1058.	1862.	2037.
1917.51	1606.	1620.	985.3	1726.	1939.
1947.36	1430.	1414.	984.6	1565.	1822.
1977.19	1215.	1205.	789.2	1409.	1704.
2007.03	1007.	971.5	687.3	1247.	1585.
2036.88	833.1	716.6	585.1	1069.	1460.
2066.73	645.7	495.9	469.4	901.2	1340.
2096.58	517.4	362.5	375.1	743.0	1220.
2126.41	396.2	274.8	303.3	647.9	1112.
2156.25	322.4	233.2	247.6	571.3	996.0
2186.10	267.3	212.4	198.8	495.9	895.1
2220.93	267.3	198.5	170.9	443.7	799.3
2250.76	253.5	198.5	150.0	408.9	730.2

CALC	08/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 02	Vol. III	
CHECK	<i>Stapp</i>	<i>8/8/1</i>						<i>02-80085</i>
APR								
APR							THE BOEING COMPANY	PAGE 4 of 1
CONTRACT NO.							<i>3-218</i>	

U6 5553 7450 (WAS BAC 1745 A-R1)

2-5000

*9/3/63*

*2/2*

Continous Interfield © Moore Business Forms, Inc. 8

TIME SEC.	4-5	8-5	4-6	4-7		8-7
	T-17	T-18	T-19	T-22	T-23	T-23
-----DEGREES FAHRENHEIT-----						
91.98-	107.1	95.18	118.7	134.3	201.9	
77.07-	110.9	100.4	123.9	150.0	220.1	
62.15-	116.1	107.0	131.7	160.4	240.8	
47.22-	126.5	105.6	139.6	173.4	256.4	
32.31-	134.4	110.8	147.4	188.0	269.4	
17.37-	142.2	117.5	150.0	204.5	285.2	
2.46-	150.0	118.7	155.2	217.5	301.4	
12.46	157.8	123.9	163.0	230.4	314.9	
27.39	165.5	126.5	170.8	243.4	328.4	
42.30	175.9	134.3	178.5	256.4	339.2	
57.24	186.2	136.9	188.9	269.4	352.7	
72.15	196.6	141.8	196.7	282.4	363.5	
87.07	207.0	150.0	201.9	293.2	374.2	
102.00	217.3	150.0	212.3	306.7	387.5	
116.91	227.7	157.8	220.1	320.2	398.2	
131.85	238.0	165.6	227.8	333.7	408.9	
146.76	248.4	173.3	239.2	347.2	422.2	
150.75	251.0	175.9	238.2	349.9	424.8	
156.72	256.2	175.9	247.4	355.3	430.2	
162.68	261.3	170.5	243.4	360.7	435.5	
168.65	263.9	183.7	240.6	366.1	440.8	
174.62	260.1	186.3	251.2	368.0	448.8	
180.59	274.3	180.9	256.4	374.1	456.8	
186.55	270.5	191.5	259.0	379.5	467.5	
192.52	284.8	196.7	261.6	384.8	483.3	
198.49	287.5	199.3	266.8	392.8	501.6	
204.46	295.6	204.5	260.4	400.8	525.2	
210.42	301.0	209.7	277.1	408.8	548.8	
225.36	314.5	220.0	290.5	435.4	625.6	
240.27	338.7	240.8	306.7	470.1	730.1	
255.20	365.6	260.3	331.0	517.2	857.6	
270.12	400.3	314.8	366.1	577.0	999.2	
285.03	448.1	382.1	408.8	653.5	1151.	
299.97	508.6	470.0	470.1	737.6	1288.	
314.88	576.1	566.7	547.4	834.5	1406.	
329.81	652.5	661.0	620.3	931.0	1498.	
344.73	726.2	740.0	701.9	1012.	1558.	
359.64	789.8	801.1	775.9	1080.	1587.	
389.49	883.9	872.5	885.5	1168.	1597.	
419.34	931.9	898.0	943.6	1207.	1561.	

CALC	08/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 THE BOEING COMPANY	Val. III 02-80085 PAGE 1-02 3-211
CHECK	Step	8/8/1				
APR						
APR						
CONTRACT NO.						

U6 5553 7450 (WAS BAC 1743 A-R1)

9/3/63

2-5000

213

TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
449.19	940.5	892.0	061.2	1209.	1506.
479.03	944.4	887.7	052.7	1194.	1443.
508.26	920.4	867.3	046.1	1168.	1380.
538.71	914.3	847.0	022.5	1138.	1325.
568.56	901.7	820.2	010.8	1110.	1286.
598.41	880.0	819.0	002.2	1092.	1258.
628.25	886.5	816.4	000.6	1082.	1248.
658.02	880.0	821.5	002.7	1080.	1255.
687.03	901.7	839.4	002.3	1092.	1299.
717.72	921.8	867.4	033.5	1118.	1354.
747.63	940.5	895.4	052.7	1151.	1401.
777.47	977.1	925.7	082.9	1179.	1430.
807.30	990.7	950.9	101.4	1207.	1451.
810.30	1002.	950.9	101.7	1209.	1451.
816.27	1007.	950.4	102.4	1212.	1453.
822.24	1012.	960.9	102.4	1217.	1458.
828.21	1015.	966.0	103.2	1219.	1458.
834.17	1020.	969.5	103.4	1224.	1464.
836.16	1020.	971.0	103.4	1224.	1464.
838.14	1020.	971.0	103.9	1227.	1464.
840.14	1022.	971.0	103.9	1227.	1464.
842.13	1022.	973.5	103.7	1227.	1466.
844.11	1025.	973.5	103.9	1227.	1466.
846.11	1025.	973.5	103.9	1232.	1466.
848.10	1027.	976.0	104.4	1232.	1466.
850.02	1027.	972.5	104.4	1232.	1469.
852.02	1030.	972.5	104.4	1235.	1469.
854.07	1032.	981.1	104.4	1232.	1471.
856.05	1032.	981.1	104.4	1237.	1474.
858.04	1032.	981.1	104.7	1237.	1474.
860.04	1035.	983.6	104.7	1240.	1474.
862.02	1035.	983.6	104.9	1240.	1477.
864.01	1037.	983.6	104.9	1240.	1477.
866.01	1040.	986.1	104.9	1242.	1479.
867.99	1040.	986.1	104.9	1242.	1482.
869.02	1040.	986.1	104.9	1245.	1485.
871.02	1042.	989.6	105.2	1247.	1490.
873.06	1042.	991.1	105.4	1247.	1492.
875.05	1045.	991.1	105.4	1247.	1498.
877.95	1047.	993.7	105.4	1250.	1503.

CALC	08/01/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02	Vol. III
CHECK	Stapp 9/9/11				
APR					
APR					
				THE BOEING COMPANY	02-80 85
CONTRACT NO.					PAGE 2 of 2

214

9/3/63

Continued Interfield & Moore Business Forms, Inc.

TIME SEC.	4-5	8-2	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
879.03	1047.	996.2	1054.	1252.	1508.
881.01	1050.	996.2	1057.	1255.	1513.
883.01	1050.	998.7	1057.	1255.	1519.
885.90	1053.	1004.	1059.	1257.	1527.
887.88	1052.	1006.	1059.	1260.	1534.
889.88	1050.	1009.	1062.	1260.	1542.
891.87	1060.	1011.	1064.	1265.	1550.
893.85	1063.	1014.	1064.	1270.	1558.
895.85	1063.	1016.	1067.	1270.	1566.
897.84	1065.	1019.	1072.	1273.	1574.
899.82	1070.	1024.	1072.	1273.	1582.
905.79	1078.	1031.	1077.	1285.	1608.
911.76	1088.	1044.	1082.	1293.	1626.
917.73	1085.	1057.	1080.	1306.	1650.
923.70	1103.	1067.	1097.	1316.	1668.
929.67	1113.	1077.	1105.	1330.	1684.
935.64	1123.	1087.	1110.	1340.	1702.
941.61	1131.	1097.	1120.	1351.	1713.
947.58	1141.	1104.	1123.	1364.	1724.
953.55	1140.	1115.	1133.	1374.	1735.
959.52	1150.	1122.	1140.	1382.	1743.
965.49	1160.	1130.	1148.	1392.	1752.
971.46	1174.	1135.	1153.	1400.	1757.
977.43	1182.	1143.	1161.	1411.	1763.
983.39	1180.	1145.	1166.	1419.	1771.
989.36	1194.	1153.	1171.	1427.	1774.
995.33	1202.	1155.	1176.	1434.	1776.
1001.30	1207.	1160.	1179.	1440.	1774.
1007.26	1215.	1163.	1184.	1445.	1779.
1013.23	1217.	1166.	1189.	1450.	1776.
1019.20	1220.	1166.	1191.	1455.	1776.
1049.04	1235.	1173.	1199.	1468.	1771.
1078.89	1242.	1181.	1207.	1471.	1752.
1108.74	1250.	1183.	1207.	1474.	1746.
1138.58	1263.	1191.	1212.	1479.	1743.
1168.42	1275.	1204.	1219.	1487.	1752.
1198.26	1288.	1219.	1232.	1500.	1765.
1228.11	1300.	1237.	1245.	1516.	1798.
1257.96	1330.	1262.	1268.	1539.	1828.
1287.80	1356.	1285.	1283.	1565.	1864.

CALC	08/01/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02	Vol. III D2-80085
CHECK	<i>Stapp</i>				
APR					
APR					
				THE BOEING COMPANY	PAGE 3-02
CONTRACT NO.					3-213

215

9/3/63

Continous Interfield © Moore Avionics Firm, Inc. a



TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
1317.64	1385.	1313.	1300.	1594.	1892.
1347.48	1411.	1340.	1372.	1618.	1914.
1377.33	1434.	1358.	1351.	1639.	1931.
1407.18	1453.	1376.	1369.	1657.	1937.
1437.02	1476.	1307.	1387.	1673.	1951.
1440.00	1470.	1403.	1392.	1673.	1951.
1454.02	1480.	1413.	1408.	1681.	1959.
1469.85	1407.	1426.	1427.	1691.	1965.
1484.76	1510.	1442.	1445.	1699.	1968.
1499.70	1527.	1460.	1443.	1710.	1976.
1514.61	1530.	1476.	1482.	1715.	1979.
1529.53	1540.	1489.	1500.	1729.	1988.
1544.46	1540.	1502.	1513.	1735.	1996.
1559.37	1570.	1513.	1526.	1740.	1999.
1589.22	1581.	1528.	1542.	1754.	2005.
1619.07	1580.	1574.	1555.	1762.	2010.
1648.92	1504.	1579.	1563.	1765.	2005.
1678.75	1501.	1541.	1563.	1762.	2002.
1708.59	1583.	1528.	1550.	1754.	1990.
1738.44	1575.	1515.	1537.	1743.	1973.
1768.29	1565.	1505.	1521.	1732.	1948.
1798.14	1552.	1486.	1500.	1721.	1920.
1827.97	1576.	1443.	1476.	1702.	1878.
1857.81	1515.	1437.	1448.	1675.	1826.
1887.66	1402.	1405.	1416.	1647.	1763.
1917.51	1466.	1376.	1379.	1615.	1702.
1947.36	1432.	1340.	1348.	1581.	1634.
1977.19	1308.	1300.	1301.	1537.	1558.
2007.03	1356.	1252.	1252.	1487.	1474.
2036.88	1304.	1201.	1196.	1429.	1382.
2066.73	1242.	1140.	1133.	1361.	1296.
2096.58	1161.	1064.	1062.	1278.	1194.
2126.41	1073.	991.1	988.9	1184.	1080.
2156.25	992.2	918.1	918.4	1080.	958.9
2186.10	916.8	857.2	854.9	983.9	847.4
2220.93	843.2	794.0	791.1	882.9	745.4
2250.76	780.8	755.3	745.3	811.5	676.6

CALC	08/01/1		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 02 THE BOEING COMPANY	Vol. III
CHECK	<i>Stapp</i>	<i>9/8/11</i>				D2-8085
APR						
APR						
CONTRACT NO.						PAGE 4.02 3-214

216

9/3/63

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-22, T-23 =  $\pm 45^{\circ}\text{F}$ .

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^{\circ}\text{F}$ .

THERMOCOUPLE NO.

PAGE

T-10, T-11, C-4M, T-12, T-13, T-14, T-15

~~3-216~~ - ~~3-219~~

C-3M, C-5M, T-16, T-20, T-24

~~3-220~~ - ~~3-223~~

T-17, T-18, T-19, T-22, T-23

~~3-224~~ - ~~3-227~~

<table border="1"> <tr> <td>CALC</td> <td>Reynolds</td> <td>8/9/61</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>Stapp</i></td> <td>8/9/61</td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	CALC	Reynolds	8/9/61	REVISED	DATE	CHECK	<i>Stapp</i>	8/9/61			APPD					APPD					LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617      SPEC. 0378 COND. NO. 02      RUN 03	Vol. III 12-82115 PAGE 3-2159
CALC	Reynolds	8/9/61	REVISED	DATE																		
CHECK	<i>Stapp</i>	8/9/61																				
APPD																						
APPD																						
BOEING AIRPLANE COMPANY																						

217

BAC 973 D-R3

9/3/63

TIME SEC.	3-2 T-10	7-2 T-11	3-7 C-44	3-3 T-12	7-3 T-13	3-4 T-14	7-4 T-15
-----DEGREES FAHRENHEIT-----							
99.99-	309.5	288.3	360.0	386.2	472.6	261.2	295.3
85.07-	323.4	309.0	392.3	409.4	384.1	282.1	336.8
70.16-	337.3	309.0	415.6	426.9	407.1	309.9	336.8
55.22-	344.2	315.9	421.4	432.7	407.1	316.9	362.1
40.31-	351.0	336.7	427.2	450.2	424.4	323.8	362.1
25.38-	369.4	350.4	450.5	473.4	435.0	323.8	356.3
10.46-	374.2	356.2	468.0	485.0	453.1	351.4	391.1
4.45	369.4	347.6	468.0	490.9	453.1	363.0	396.8
19.39	391.6	367.0	467.2	496.7	453.1	357.2	402.6
34.30	391.6	373.6	485.5	514.1	470.4	374.6	425.8
49.23	391.6	379.4	503.0	519.9	481.9	380.4	420.0
64.15	385.8	367.8	497.1	519.9	481.9	386.3	437.4
79.06	391.6	373.6	491.3	514.1	481.0	415.4	466.3
94.00	397.4	373.6	485.5	514.1	481.9	386.3	431.6
108.91	397.4	379.4	491.3	525.8	487.7	386.3	431.6
123.84	397.4	385.2	503.0	531.6	493.4	397.9	443.2
138.76	397.4	373.6	514.6	543.2	499.2	380.4	414.2
150.70	484.5	447.0	596.2	633.0	585.5	427.0	472.1
156.67	679.8	581.9	734.4	822.4	754.5	479.4	547.4
162.64	743.2	662.5	847.4	927.9	851.3	508.5	564.7
168.61	811.3	741.6	919.9	998.3	915.9	622.6	694.4
174.59	901.6	834.5	1048.	1128.	1039.	686.2	757.7
180.54	986.8	919.5	1129.	1212.	1115.	760.3	834.8
186.51	1075.	989.5	1229.	1291.	1194.	832.7	914.9
192.48	1145.	1105.	1328.	1398.	1299.	913.2	999.9
198.45	1107.	1166.	1413.	1474.	1370.	998.6	1077.
204.41	1311.	1286.	1527.	1602.	1493.	1085.	1162.
210.38	1427.	1398.	1659.	1725.	1606.	1194.	1273.
225.31	1659.	1659.	1920.	1977.	1859.	1452.	1529.
240.22	1805.	1915.	2178.	2219.	2101.	1675.	1770.
255.15	2091.	2148.	2420.	2437.	2325.	1882.	1970.
270.07	2270.	2342.	2616.	2621.	2514.	2087.	2192.
284.99	2332.	2404.	2693.	2672.	2572.	2149.	2254.
299.92	2379.	2455.	2714.	2711.	2610.	2169.	2293.
314.83	2305.	2400.	2671.	2656.	2560.	2114.	2231.
329.76	2247.	2342.	2604.	2589.	2502.	2052.	2184.
344.68	2173.	2249.	2518.	2503.	2417.	1985.	2114.
359.60	2056.	2117.	2401.	2383.	2298.	1895.	2013.
389.44	1870.	1923.	2206.	2195.	2112.	1725.	1835.
419.29	1722.	1765.	2014.	2020.	1939.	1590.	1698.

CALC	09/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol. III
CHECK	<i>Step 3/2/1</i>				D2-80885
APR					PAGE 1.00
APR					3-216
CONTRACT NO.					

9/3/63

218

Continued Interfold by Moore Business Forms, Inc. 9

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
449.14	1545.	1579.	1841.	1853.	1787.	1443.	1550.
478.98	1450.	1477.	1748.	1750.	1694.	1372.	1460.
508.82	1348.	1342.	1617.	1627.	1573.	1273.	1367.
538.66	1307.	1313.	1561.	1577.	1523.	1203.	1295.
568.51	1280.	1286.	1532.	1555.	1493.	1185.	1268.
598.36	1307.	1308.	1557.	1585.	1518.	1194.	1273.
628.20	1432.	1420.	1643.	1699.	1623.	1255.	1341.
658.04	1621.	1626.	1900.	1930.	1843.	1434.	1508.
687.88	1672.	1710.	1971.	1985.	1907.	1539.	1618.
717.73	1718.	1752.	2014.	2024.	1950.	1573.	1651.
747.58	1731.	1769.	2022.	2039.	1966.	1505.	1584.
777.42	1714.	1773.	2018.	2032.	1958.	1501.	1567.
807.26	1607.	1731.	1905.	2004.	1935.	1501.	1576.
810.25	1607.	1744.	1901.	2004.	1935.	1492.	1571.
816.22	1680.	1739.	1995.	2008.	1935.	1505.	1576.
822.19	1680.	1735.	1991.	2008.	1931.	1496.	1554.
828.16	1642.	1706.	1947.	1961.	1903.	1465.	1533.
833.13	1583.	1651.	1929.	1998.	1847.	1377.	1456.
835.12	1600.	1655.	1932.	1914.	1859.	1337.	1416.
837.10	1612.	1663.	1936.	1922.	1871.	1318.	1385.
839.10	1620.	1676.	1936.	1930.	1871.	1350.	1420.
841.09	1620.	1648.	1936.	1926.	1875.	1318.	1398.
843.07	1638.	1680.	1948.	1942.	1887.	1364.	1447.
845.07	1642.	1685.	1960.	1946.	1895.	1364.	1438.
847.06	1646.	1685.	1947.	1950.	1903.	1341.	1411.
849.04	1650.	1701.	1975.	1961.	1911.	1355.	1425.
851.03	1672.	1710.	1970.	1973.	1915.	1364.	1438.
853.03	1705.	1744.	2010.	1997.	1943.	1359.	1442.
855.01	1814.	1814.	2100.	2102.	2039.	1368.	1447.
857.00	1801.	1871.	2167.	2176.	2120.	1399.	1473.
859.00	1908.	1970.	2260.	2273.	2213.	1488.	1546.
860.98	2075.	2047.	2338.	2351.	2282.	1483.	1550.
862.97	2103.	2098.	2370.	2383.	2313.	1526.	1584.
864.97	2000.	2121.	2389.	2379.	2317.	1586.	1656.
866.95	2114.	2140.	2417.	2402.	2340.	1675.	1748.
868.94	2130.	2156.	2440.	2418.	2356.	1704.	1778.
870.94	2142.	2175.	2459.	2445.	2383.	1721.	1803.
872.92	2153.	2191.	2479.	2457.	2398.	1709.	1782.
874.90	2192.	2226.	2518.	2492.	2433.	1738.	1815.
876.90	2208.	2253.	2530.	2519.	2444.	1755.	1827.

CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-417-2-2 FWA NO. 05617 COND. NO. 02 SPEC. 0378 RUN 03 THE BOEING COMPANY	Vol. III 02-1015 2.00 PAGE 3-217
CHECK	Stapp 8/7/1				
APP					
APP					
CONTRACT NO.					

219

9/3/63

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
878.89	2254.	2288.	2569.	2550.	2483.	1781.	1859.
880.87	2254.	2209.	2594.	2558.	2494.	1793.	1875.
882.87	2251.	2307.	2506.	2562.	2498.	1826.	1904.
884.86	2258.	2323.	2612.	2574.	2514.	1842.	1924.
886.84	2270.	2374.	2616.	2585.	2525.	1850.	1936.
898.84	2278.	2350.	2628.	2589.	2521.	1862.	1947.
890.83	2301.	2342.	2643.	2617.	2548.	1854.	1939.
892.81	2305.	2369.	2655.	2625.	2564.	1850.	1932.
894.81	2321.	2381.	2663.	2636.	2575.	1870.	1955.
896.80	2321.	2389.	2679.	2648.	2583.	1870.	1963.
898.78	2332.	2400.	2683.	2660.	2591.	1870.	1963.
900.77	2367.	2420.	2698.	2680.	2610.	1870.	1963.
906.74	2317.	2389.	2679.	2632.	2587.	1886.	1967.
912.71	2317.	2385.	2659.	2629.	2575.	1870.	1970.
918.68	2282.	2354.	2643.	2601.	2560.	1870.	1963.
924.64	2283.	2342.	2647.	2601.	2556.	1862.	1951.
930.61	2188.	2292.	2591.	2511.	2471.	1878.	1974.
936.58	2181.	2272.	2557.	2503.	2456.	1862.	1951.
942.55	2173.	2268.	2553.	2488.	2444.	1866.	1959.
948.52	2208.	2296.	2577.	2523.	2471.	1862.	1951.
954.49	2204.	2284.	2569.	2511.	2464.	1854.	1943.
960.46	2157.	2249.	2530.	2476.	2429.	1850.	1939.
966.43	2130.	2210.	2487.	2437.	2390.	1797.	1887.
972.40	2145.	2214.	2491.	2453.	2410.	1785.	1879.
978.37	2075.	2164.	2424.	2383.	2336.	1759.	1859.
984.34	2064.	2144.	2417.	2371.	2329.	1764.	1851.
990.31	2064.	2173.	2405.	2367.	2313.	1734.	1827.
996.28	2054.	2125.	2405.	2355.	2313.	1717.	1819.
1002.25	2052.	2121.	2393.	2355.	2309.	1704.	1799.
1008.22	2037.	2102.	2377.	2336.	2290.	1704.	1807.
1014.19	2037.	2098.	2370.	2336.	2286.	1696.	1795.
1020.16	2040.	2094.	2366.	2336.	2286.	1709.	1791.
1049.99	2021.	2067.	2350.	2312.	2271.	1649.	1740.
1079.83	2005.	2067.	2335.	2312.	2267.	1645.	1732.
1109.68	1978.	2040.	2307.	2269.	2228.	1649.	1740.
1139.53	1900.	2047.	2323.	2301.	2251.	1670.	1753.
1169.38	2044.	2008.	2377.	2340.	2294.	1683.	1774.
1199.21	2122.	2183.	2456.	2425.	2363.	1772.	1843.
1229.05	2181.	2245.	2518.	2480.	2417.	1834.	1932.
1258.90	2223.	2284.	2561.	2519.	2456.	1915.	2017.

CALC	AP/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03	Vol. III DL-80185 3.00 PAGE 3-218
CHECK	Stapp 8/9/1				
APR					
APR					
				THE BOEING COMPANY	
CONTRACT NO.					

220

U6 5553 7450 (WAS BAC 1748 A-R1)  
9/3/63

2-8000

Continued Infield © Moore Business Forms, Inc. 9

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	T-11	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
1288.75	2270.	2374.	2416.	2578.	2521.	1931.	2029.
1318.40	2267.	2342.	2443.	2597.	2548.	1939.	2044.
1348.43	2260.	2358.	2424.	2585.	2533.	1935.	2033.
1378.27	2247.	2160.	2404.	2558.	2506.	1946.	2048.
1408.12	2247.	2370.	2400.	2559.	2506.	1931.	2025.
1437.07	2247.	2327.	2400.	2554.	2502.	1919.	2029.
1440.05	2251.	2327.	2506.	2554.	2498.	1903.	2001.
1455.22	2327.	2451.	2711.	2703.	2426.	2220.	2312.
1470.70	2370.	2447.	2706.	2699.	2418.	2153.	2262.
1485.72	2371.	2443.	2726.	2695.	2434.	2184.	2297.
1500.64	2327.	2455.	2710.	2695.	2407.	2177.	2293.
1515.56	2371.	2447.	2714.	2687.	2407.	2208.	2304.
1530.49	2370.	2447.	2702.	2691.	2414.	2181.	2304.
1545.40	2356.	2441.	2695.	2683.	2410.	2181.	2300.
1560.33	2367.	2443.	2714.	2691.	2414.	2204.	2312.
1590.17	2367.	2475.	2710.	2695.	2418.	2196.	2304.
1620.01	2360.	2420.	2675.	2672.	2591.	2181.	2300.
1649.26	2325.	2323.	2685.	2640.	2548.	2134.	2258.
1679.71	2207.	2345.	2678.	2621.	2533.	2134.	2246.
1709.55	2254.	2323.	2502.	2562.	2479.	2095.	2203.
1739.20	2216.	2250.	2540.	2531.	2442.	2048.	2153.
1769.27	2122.	2117.	2452.	2433.	2352.	1943.	2048.
1799.09	1911.	1991.	2249.	2230.	2159.	1854.	1951.
1828.93	1794.	1846.	2102.	2090.	2020.	1742.	1835.
1858.77	1642.	1699.	1964.	1938.	1867.	1641.	1732.
1888.61	1480.	1541.	1786.	1788.	1720.	1505.	1588.
1918.45	1261.	1322.	1570.	1555.	1489.	1327.	1398.
1948.30	1003.	1123.	1373.	1372.	1326.	1133.	1217.
1978.15	886.5	914.5	1143.	1152.	1105.	968.4	1029.
2007.09	637.5	672.3	979.6	902.8	866.2	770.9	834.8
2037.23	455.4	466.2	654.8	686.0	696.4	549.2	610.1
2067.67	344.2	347.6	477.8	519.0	573.7	392.1	454.7
2097.52	254.0	257.7	374.8	400.4	430.1	316.9	373.7
2127.37	210.4	210.1	307.1	351.3	361.0	247.3	316.0
2157.21	184.7	184.6	254.4	289.0	328.8	212.6	267.6
2187.05	184.7	191.5	247.4	295.9	308.2	212.6	267.6
2216.89	170.8	177.6	240.5	275.1	294.4	205.6	267.6
2246.74	170.8	177.6	210.6	261.2	280.7	191.7	253.8

CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-417-2-2 FWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 03
CHECK	<i>W. J. ...</i>				
APR					
APR					
				THE BOEING COMPANY	
CONTRACT NO.				PAGE	

Vol. III  
PAGE 3-219

221

UG 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

Continous Interfold © Moore Business Forms, Inc. 9

TIME SEC.	7-6 C-7M	7-7 C-5M	3-5 T-16	7-5 T-20	3-6 T-24
-----DEGREES FAHRENHEIT-----					
99.99-	367.6	350.9	67.79	281.6	191.8
85.07-	384.9	360.3	81.76	302.3	212.6
70.16-	402.2	397.3	90.64	316.2	226.5
55.22-	396.5	426.3	108.3	330.1	233.5
40.31-	400.0	420.5	108.3	356.5	248.3
25.38-	436.9	420.5	125.0	342.3	275.3
10.46-	442.7	455.3	125.0	379.7	289.2
4.45	436.9	478.5	133.3	391.3	296.2
19.30	442.7	464.9	150.0	408.6	310.1
34.30	465.8	472.7	150.0	420.2	331.0
49.23	483.2	470.5	150.0	431.8	344.0
64.15	477.4	470.5	150.0	431.8	351.5
79.06	471.6	495.9	157.0	437.6	369.0
94.00	477.4	484.3	160.0	455.0	380.7
108.91	494.7	478.5	157.0	455.0	392.3
123.80	500.5	484.3	157.0	455.0	409.8
138.74	512.1	478.5	157.0	460.8	421.4
150.70	544.7	565.5	170.9	466.6	427.3
156.67	614.6	674.3	177.9	478.2	438.9
162.60	740.9	747.9	191.9	489.8	433.1
168.61	838.8	851.1	212.8	530.4	450.6
174.58	953.7	944.3	240.7	553.5	450.6
180.54	1041.	1075.	275.6	605.2	468.0
186.51	1137.	1121.	317.4	647.4	479.7
192.48	1230.	1224.	360.4	721.3	508.8
198.45	1312.	1315.	414.1	789.9	526.3
204.41	1427.	1422.	474.5	880.5	567.1
210.38	1571.	1536.	544.6	975.6	601.8
225.31	1800.	1810.	714.3	1255.	734.4
240.22	2015.	2055.	885.2	1564.	934.0
255.15	2274.	2300.	1044.	1865.	1181.
270.07	2487.	2491.	1206.	2127.	1475.
284.99	2557.	2545.	1285.	2263.	1718.
299.92	2596.	2600.	1331.	2345.	1892.
314.83	2572.	2561.	1331.	2349.	1987.
329.76	2518.	2522.	1326.	2341.	2042.
344.68	2441.	2448.	1308.	2302.	2053.
359.60	2348.	2339.	1262.	2236.	2042.
389.44	2146.	2152.	1183.	2092.	1971.
419.29	1952.	1978.	1112.	1949.	1880.

CALC	08/01/11	REVISED	DATE	LEADING EDGE TEST LT-5-417-2-2 FWA NO. 05617 COND. NO. 02	SPEC. 0378 RIJN 03
CHECK	<i>Steph</i>				
APR					
APR					
				THE BOEING COMPANY	
CONTRACT NO.					

2 2 2

9/3/63

Continous Interfold © Moore Business Forms, Inc. 8

Vol. III  
D2-2885  
PAGE 1.01  
3-220

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
449.14	1788.	1748.	1011.	1779.	1769.
478.08	1675.	1679.	850.7	1670.	1676.
508.82	1565.	1586.	805.2	1577.	1600.
538.64	1515.	1522.	840.8	1496.	1532.
568.51	1474.	1471.	830.7	1470.	1489.
598.76	1502.	1493.	824.6	1452.	1462.
628.20	1557.	1548.	840.8	1488.	1462.
658.04	1774.	1793.	930.5	1623.	1502.
687.88	1885.	1886.	1006.	1746.	1604.
717.73	1921.	1927.	1020.	1800.	1672.
747.58	1925.	1919.	1045.	1816.	1714.
777.42	1933.	1931.	1035.	1820.	1735.
807.26	1925.	1931.	1040.	1816.	1752.
810.25	1933.	1927.	1040.	1820.	1757.
816.22	1925.	1927.	1035.	1820.	1752.
822.19	1933.	1927.	1040.	1824.	1761.
828.16	1920.	1809.	1035.	1820.	1757.
833.13	1948.	1814.	1030.	1796.	1761.
835.12	1980.	1789.	1016.	1792.	1761.
837.10	1987.	1748.	1011.	1784.	1765.
839.10	1901.	1744.	1011.	1771.	1765.
841.09	1901.	1747.	1016.	1767.	1774.
843.07	1900.	1777.	1011.	1758.	1769.
845.07	2011.	1772.	1016.	1746.	1769.
847.06	2011.	1772.	1001.	1741.	1778.
849.04	2026.	1785.	1006.	1746.	1782.
851.03	2034.	1793.	1006.	1741.	1782.
853.03	2045.	1810.	1011.	1746.	1791.
855.01	2061.	1850.	1011.	1750.	1786.
857.00	2053.	1874.	1020.	1758.	1791.
859.00	2088.	1927.	1030.	1767.	1795.
860.98	2146.	1946.	1040.	1784.	1803.
862.97	2235.	1989.	1064.	1804.	1811.
864.97	2317.	2024.	1093.	1828.	1811.
866.95	2300.	2075.	1107.	1857.	1823.
868.94	2425.	2102.	1122.	1881.	1839.
870.94	2454.	2125.	1136.	1909.	1860.
872.92	2483.	2133.	1145.	1933.	1884.
874.90	2514.	2156.	1159.	1956.	1900.
876.90	2541.	2172.	1178.	1980.	1928.

CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-417-2-2 EWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03	Vol. III
CHECK	Stapp 3/9/1				
APR					
APR					
				THE BOEING COMPANY	02-50085
CONTRACT NO.					PAGE 2.01
					3-221

223

9/3/63

Continous Interfold © Moore Business Forms, Inc. ©



TIME SEC.	7-6	7-7	7-5	7-5	7-6
	C-34	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
878.89	2557.	2211.	1192.	2007.	1944.
880.87	2572.	2222.	1206.	2030.	1964.
882.87	2604.	2238.	1220.	2054.	1983.
884.86	2631.	2257.	1225.	2073.	2003.
886.84	2644.	2257.	1234.	2092.	2030.
888.84	2644.	2269.	1253.	2116.	2042.
890.83	2654.	2277.	1262.	2131.	2057.
892.81	2650.	2289.	1267.	2143.	2077.
894.81	2654.	2292.	1271.	2151.	2092.
896.80	2658.	2296.	1271.	2162.	2108.
898.78	2670.	2292.	1276.	2174.	2124.
900.77	2670.	2300.	1285.	2190.	2135.
906.74	2666.	2289.	1299.	2209.	2163.
912.71	2670.	2291.	1299.	2217.	2186.
918.68	2666.	2273.	1303.	2217.	2206.
924.64	2717.	2265.	1299.	2217.	2225.
930.61	2717.	2246.	1303.	2213.	2241.
936.58	2717.	2269.	1285.	2213.	2264.
942.55	2717.	2273.	1290.	2213.	2272.
948.52	2732.	2281.	1285.	2213.	2284.
954.49	2724.	2269.	1290.	2221.	2292.
960.46	2674.	2254.	1285.	2205.	2303.
966.43	2608.	2215.	1280.	2197.	2296.
972.40	2584.	2187.	1271.	2178.	2280.
978.37	2561.	2173.	1258.	2155.	2268.
984.34	2540.	2177.	1248.	2131.	2256.
990.31	2530.	2176.	1230.	2116.	2249.
996.28	2518.	2110.	1234.	2100.	2237.
1002.25	2507.	2172.	1220.	2092.	2233.
1008.22	2470.	2098.	1220.	2085.	2217.
1014.19	2474.	2071.	1216.	2073.	2214.
1020.16	2452.	2075.	1216.	2061.	2202.
1049.99	2379.	2024.	1192.	2022.	2163.
1079.83	2387.	2044.	1188.	2019.	2143.
1109.68	2390.	2020.	1169.	1991.	2143.
1139.53	2398.	2063.	1183.	2007.	2143.
1169.38	2441.	2090.	1206.	2034.	2167.
1199.21	2510.	2149.	1234.	2092.	2202.
1229.05	2592.	2222.	1276.	2158.	2256.
1258.90	2646.	2300.	1303.	2221.	2303.

CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 03
CHECK	<i>Step 2/9/1</i>				
APR					
APR					
				THE BOEING COMPANY	
CONTRACT NO.					

Vol. III  
02-80085  
PAGE 3.01  
3-222

9/3/63

224

Continuing Inland © Moore Business Form, Inc.

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-7M	C-6M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
1288.75	2674.	2371.	1313.	2259.	2354.
1318.60	2680.	2339.	1335.	2287.	2381.
1348.43	2603.	2371.	1331.	2291.	2401.
1378.27	2603.	2327.	1326.	2283.	2405.
1408.12	2682.	2324.	1322.	2275.	2413.
1437.97	2685.	2320.	1326.	2279.	2417.
1440.95	2680.	2308.	1322.	2279.	2421.
1455.88	2600.	2604.	1367.	2372.	2413.
1470.70	2588.	2604.	1390.	2450.	2405.
1485.72	2506.	2612.	1304.	2458.	2401.
1500.64	2592.	2608.	1308.	2473.	2409.
1515.56	2502.	2616.	1304.	2469.	2409.
1530.40	2592.	2612.	1402.	2477.	2417.
1545.40	2580.	2608.	1304.	2473.	2413.
1560.33	2502.	2616.	1402.	2481.	2417.
1590.17	2506.	2612.	1308.	2473.	2421.
1620.01	2588.	2592.	1308.	2473.	2421.
1649.86	2565.	2553.	1300.	2446.	2409.
1679.71	2578.	2570.	1376.	2427.	2393.
1709.55	2400.	2479.	1362.	2395.	2370.
1739.39	2448.	2476.	1331.	2349.	2335.
1769.23	2374.	2327.	1308.	2283.	2288.
1799.08	2247.	2109.	1230.	2162.	2225.
1828.93	2002.	2092.	1169.	2057.	2147.
1858.77	1940.	1915.	1098.	1937.	2061.
1888.61	1706.	1772.	1025.	1828.	1968.
1918.45	1500.	1673.	840.6	1678.	1868.
1948.30	1306.	1345.	854.9	1526.	1765.
1978.15	1188.	1197.	746.2	1355.	1646.
2007.99	963.6	931.3	650.5	1161.	1527.
2037.83	704.1	667.7	538.7	1005.	1405.
2067.67	520.4	447.7	451.2	845.5	1274.
2097.52	413.8	337.2	375.3	716.0	1148.
2127.37	322.6	274.8	310.4	626.3	1038.
2157.21	267.4	240.1	254.6	547.7	929.0
2187.05	274.3	226.3	198.8	484.0	843.4
2216.80	253.6	226.3	184.9	443.4	771.5
2246.74	232.9	205.5	164.0	408.6	707.0

CALC	08701/1	REVISED	DATE	LEADING EDGE TEST LT-5-417-2-2 EWA NO. 05617 COND. NO. 02	V01. III SPEC. 0378 RUN 03 02-80085 4.01 PAGE 3-223
CHECK	Step	8/9/11			
APR					
APR					
THE BOEING COMPANY					
CONTRACT NO.					

225

9/3/63

Continous Interhold © Moore Business Forms, Inc.

TIME SEC.	4-5	8-2	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
99.99-	266.5	282.4	281.0	238.2	230.3
85.07-	266.0	285.1	284.6	248.6	245.8
70.14-	271.6	285.1	284.8	259.0	258.8
55.22-	274.2	285.1	281.4	266.8	269.1
40.31-	270.4	287.8	284.0	277.2	279.5
25.38-	284.8	287.8	271.7	285.2	290.2
10.46-	287.4	290.5	274.3	293.3	298.3
4.45	290.1	292.2	279.5	301.4	309.1
19.39	292.8	292.2	282.2	309.5	317.2
34.30	298.2	295.9	287.6	317.6	327.9
49.23	303.6	298.6	292.9	323.0	338.7
64.15	311.7	301.3	299.3	336.5	352.2
79.06	317.1	304.0	303.7	344.6	362.9
94.00	322.4	306.7	309.1	355.4	373.7
108.91	327.8	312.1	317.2	363.5	384.3
123.84	335.9	314.8	322.6	374.2	392.3
138.76	341.3	317.5	328.0	382.2	400.3
150.70	346.7	320.1	333.4	390.2	410.9
156.67	340.4	322.8	336.1	395.5	413.6
162.64	352.0	322.8	338.7	398.2	418.9
168.61	354.7	325.5	341.4	400.0	424.2
174.58	357.4	328.2	346.8	406.2	432.2
180.54	362.8	330.9	346.8	408.8	440.1
186.51	365.5	330.9	340.5	416.8	450.8
192.48	368.2	336.3	354.9	419.5	464.1
198.45	373.5	334.3	357.6	427.5	479.9
204.41	374.2	341.7	363.0	432.8	498.2
210.38	381.5	344.4	365.7	443.5	521.7
225.31	394.8	355.2	370.0	467.5	591.4
240.22	410.7	374.1	395.0	499.0	680.4
255.15	434.7	400.7	414.3	543.5	794.9
270.07	463.9	446.0	448.2	597.5	926.9
284.00	505.8	504.6	487.8	666.4	1068.
299.92	560.6	584.5	540.1	745.4	1197.
314.83	619.1	663.5	609.3	829.5	1309.
329.76	685.2	742.5	690.6	916.0	1398.
344.68	748.8	803.6	754.3	994.1	1460.
359.60	804.7	854.6	818.0	1055.	1494.
389.44	891.2	910.5	914.5	1136.	1513.
419.29	934.0	925.6	962.2	1171.	1489.

CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03 THE BOEING COMPANY	Vol. III
CHECK	Stapp 2/2/1				02-80085
APR					PAGE 1.02
APR					3-224
CONTRACT NO.					

9/3/63

226

Continous Interfold © Moore Business Forms, Inc. 8

TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
449.14	944.5	927.6	979.8	1174.	1432.
478.08	941.5	905.5	974.8	1158.	1366.
508.82	931.4	884.2	959.7	1136.	1311.
538.66	916.4	867.4	949.1	1110.	1260.
568.51	904.3	854.6	924.5	1090.	1225.
598.36	892.8	844.4	914.5	1075.	1199.
628.20	892.8	841.9	906.9	1065.	1192.
658.04	892.8	840.5	906.9	1065.	1202.
687.88	913.9	860.9	919.5	1077.	1245.
717.73	936.5	897.9	942.1	1102.	1291.
747.58	961.6	924.6	960.8	1136.	1332.
777.42	986.7	953.3	997.4	1161.	1356.
807.26	1000.	976.0	1023.	1186.	1377.
810.25	1012.	972.5	1025.	1186.	1377.
816.22	1014.	981.0	1030.	1192.	1379.
822.19	1010.	984.1	1035.	1194.	1382.
828.16	1022.	988.6	1040.	1202.	1387.
833.13	1024.	991.1	1043.	1204.	1387.
835.12	1027.	993.6	1045.	1204.	1390.
837.10	1027.	994.1	1048.	1204.	1390.
839.10	1020.	994.1	1049.	1207.	1392.
841.09	1032.	996.1	1048.	1207.	1392.
843.07	1032.	999.6	1050.	1212.	1395.
845.07	1032.	999.6	1053.	1212.	1395.
847.06	1034.	1001.	1055.	1212.	1395.
849.04	1037.	1001.	1055.	1212.	1398.
851.03	1037.	1001.	1055.	1217.	1400.
853.03	1030.	1004.	1058.	1217.	1400.
855.01	1030.	1004.	1058.	1220.	1403.
857.00	1042.	1006.	1060.	1220.	1403.
859.00	1042.	1006.	1060.	1220.	1406.
860.98	1044.	1009.	1060.	1222.	1408.
862.97	1047.	1009.	1063.	1222.	1411.
864.97	1047.	1009.	1063.	1222.	1411.
866.95	1040.	1011.	1063.	1225.	1416.
868.94	1040.	1011.	1065.	1227.	1416.
870.94	1057.	1014.	1065.	1230.	1421.
872.92	1055.	1019.	1065.	1230.	1424.
874.90	1055.	1019.	1065.	1230.	1429.
876.90	1057.	1021.	1065.	1232.	1437.

CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 03	Vol. III 2-02 3-225
CHECK	Stapp 8/2/1					
APR						
APR						
				THE BOEING COMPANY		PAGE
CONTRACT NO.						

227

9/3/63

Continued Interfold © Moore Business Forms, Inc. 9

TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
878.89	1057.	1074.	1068.	1235.	1442.
880.87	1067.	1074.	1068.	1237.	1450.
882.87	1067.	1076.	1073.	1242.	1455.
884.84	1067.	1071.	1073.	1240.	1460.
886.84	1067.	1074.	1073.	1242.	1471.
888.84	1077.	1074.	1073.	1245.	1479.
890.87	1077.	1079.	1075.	1250.	1489.
892.81	1077.	1081.	1078.	1253.	1494.
894.81	1077.	1044.	1078.	1255.	1502.
896.80	1080.	1049.	1083.	1258.	1513.
898.78	1085.	1052.	1083.	1260.	1521.
900.77	1085.	1057.	1083.	1265.	1531.
906.74	1095.	1067.	1090.	1278.	1557.
912.71	1105.	1077.	1095.	1288.	1581.
918.68	1117.	1099.	1103.	1301.	1602.
924.64	1128.	1099.	1111.	1314.	1617.
930.61	1137.	1110.	1118.	1330.	1638.
936.58	1143.	1120.	1125.	1340.	1651.
942.55	1157.	1127.	1131.	1353.	1670.
948.52	1161.	1137.	1141.	1364.	1683.
954.49	1177.	1143.	1140.	1377.	1696.
960.46	1181.	1150.	1156.	1390.	1709.
966.43	1180.	1140.	1161.	1398.	1720.
972.40	1186.	1163.	1169.	1409.	1726.
978.37	1206.	1148.	1174.	1419.	1731.
984.34	1211.	1173.	1179.	1429.	1734.
990.31	1222.	1181.	1184.	1435.	1734.
996.28	1224.	1183.	1182.	1443.	1734.
1002.25	1229.	1186.	1187.	1445.	1731.
1008.22	1234.	1188.	1200.	1453.	1734.
1014.19	1237.	1191.	1205.	1453.	1728.
1020.16	1237.	1193.	1207.	1458.	1728.
1049.90	1252.	1199.	1217.	1466.	1709.
1079.83	1260.	1206.	1222.	1469.	1693.
1109.68	1270.	1211.	1225.	1471.	1688.
1139.57	1277.	1216.	1230.	1479.	1688.
1169.38	1288.	1227.	1233.	1485.	1698.
1199.21	1300.	1242.	1243.	1498.	1718.
1229.05	1326.	1242.	1258.	1513.	1748.
1258.90	1350.	1288.	1276.	1540.	1786.

Continuous Interfield (M. Moore Business Forms, Inc.)

CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03  THE BOEING COMPANY	Vol. III
CHECK	<i>AKP</i> 8/2/1				D2-8668
APR					3.02
APR					PAGE
CONTRACT NO.					3-286

228

9/3/63

TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
----- FEET ----- FAHRENHEIT -----					
1288.75	1376.	1316.	1296.	1566.	1819.
1318.40	1405.	1340.	1310.	1595.	1849.
1348.43	1431.	1366.	1340.	1618.	1876.
1378.27	1440.	1384.	1350.	1637.	1893.
1408.12	1477.	1402.	1390.	1658.	1907.
1437.07	1491.	1418.	1398.	1673.	1918.
1440.05	1490.	1421.	1398.	1673.	1918.
1455.00	1501.	1429.	1400.	1684.	1924.
1470.70	1515.	1444.	1410.	1689.	1929.
1485.72	1522.	1463.	1427.	1699.	1929.
1500.64	1535.	1476.	1455.	1705.	1938.
1515.56	1546.	1484.	1476.	1710.	1941.
1530.49	1556.	1502.	1489.	1719.	1946.
1545.40	1564.	1512.	1505.	1727.	1949.
1560.33	1572.	1523.	1518.	1735.	1957.
1590.17	1592.	1536.	1539.	1743.	1960.
1620.01	1598.	1547.	1552.	1749.	1966.
1649.84	1596.	1549.	1560.	1752.	1963.
1679.71	1596.	1549.	1563.	1749.	1957.
1709.55	1590.	1544.	1560.	1746.	1949.
1739.30	1580.	1533.	1550.	1738.	1926.
1769.23	1572.	1518.	1534.	1724.	1907.
1799.08	1559.	1502.	1521.	1710.	1871.
1828.93	1543.	1481.	1497.	1692.	1827.
1858.77	1520.	1452.	1474.	1668.	1775.
1888.61	1496.	1423.	1442.	1637.	1723.
1918.45	1467.	1392.	1414.	1608.	1664.
1948.30	1439.	1358.	1377.	1571.	1596.
1978.15	1405.	1321.	1338.	1529.	1523.
2007.09	1358.	1272.	1286.	1479.	1442.
2037.83	1300.	1219.	1227.	1414.	1348.
2067.67	1220.	1150.	1150.	1335.	1245.
2097.52	1145.	1077.	1088.	1245.	1133.
2127.37	1065.	1004.	1012.	1146.	1012.
2157.21	986.7	930.2	944.6	1050.	896.7
2187.05	927.9	882.6	894.1	956.3	800.0
2216.89	865.7	834.8	833.2	878.0	723.7
2246.74	820.0	798.6	787.4	814.2	657.6

Continous Interfold - R. Moore Business Forms, Inc. ©

CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 03  THE BOEING COMPANY	Vol. III  02-8065E 4.02 PAGE 3-227
CHECK	<i>Step 3/1/1</i>				
APR					
APR					
CONTRACT NO.					

229

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-22, T-23 =  $\pm 15^{\circ}\text{F}$ .

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^{\circ}\text{F}$ .

THERMOCOUPLE NO.

PAGE

T-10, T-11, C-4M, T-12, T-13, T-14, T-15

3-229-- 3-232

C-3M, C-5M, T-16, T-20, T-24

3-233-- 3-236

T-17, T-18, T-19, T-22, T-23

3-237-- 3-240

<table border="1"> <tr> <td> <table border="1"> <tr> <td> <table border="1"> <tr> <td>CALC</td> <td>Reynolds</td> <td>8/9/61</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>Stapp</i></td> <td>8/9/61</td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> </td> <td colspan="3">                 LEADING EDGE TEST LT-5-517-2-2                  EWA NO. 05167      SPEC. 0378                  COND. NO. 02      RUN 04             </td> <td>                 Vol. III                  3-228             </td> </tr> <tr> <td colspan="5">BOEING AIRPLANE COMPANY</td> <td>                 PAGE                  3-228             </td> </tr> </table> </td> </tr> </table>	<table border="1"> <tr> <td> <table border="1"> <tr> <td>CALC</td> <td>Reynolds</td> <td>8/9/61</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>Stapp</i></td> <td>8/9/61</td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> </td> <td colspan="3">                 LEADING EDGE TEST LT-5-517-2-2                  EWA NO. 05167      SPEC. 0378                  COND. NO. 02      RUN 04             </td> <td>                 Vol. III                  3-228             </td> </tr> <tr> <td colspan="5">BOEING AIRPLANE COMPANY</td> <td>                 PAGE                  3-228             </td> </tr> </table>	<table border="1"> <tr> <td>CALC</td> <td>Reynolds</td> <td>8/9/61</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>Stapp</i></td> <td>8/9/61</td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	CALC	Reynolds	8/9/61	REVISED	DATE	CHECK	<i>Stapp</i>	8/9/61			APPD					APPD					LEADING EDGE TEST LT-5-517-2-2 EWA NO. 05167      SPEC. 0378 COND. NO. 02      RUN 04			Vol. III 3-228	BOEING AIRPLANE COMPANY					PAGE 3-228
<table border="1"> <tr> <td> <table border="1"> <tr> <td>CALC</td> <td>Reynolds</td> <td>8/9/61</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>Stapp</i></td> <td>8/9/61</td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> </td> <td colspan="3">                 LEADING EDGE TEST LT-5-517-2-2                  EWA NO. 05167      SPEC. 0378                  COND. NO. 02      RUN 04             </td> <td>                 Vol. III                  3-228             </td> </tr> <tr> <td colspan="5">BOEING AIRPLANE COMPANY</td> <td>                 PAGE                  3-228             </td> </tr> </table>	<table border="1"> <tr> <td>CALC</td> <td>Reynolds</td> <td>8/9/61</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>Stapp</i></td> <td>8/9/61</td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	CALC	Reynolds	8/9/61	REVISED	DATE	CHECK	<i>Stapp</i>	8/9/61			APPD					APPD					LEADING EDGE TEST LT-5-517-2-2 EWA NO. 05167      SPEC. 0378 COND. NO. 02      RUN 04			Vol. III 3-228	BOEING AIRPLANE COMPANY					PAGE 3-228	
<table border="1"> <tr> <td>CALC</td> <td>Reynolds</td> <td>8/9/61</td> <td>REVISED</td> <td>DATE</td> </tr> <tr> <td>CHECK</td> <td><i>Stapp</i></td> <td>8/9/61</td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>APPD</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	CALC	Reynolds	8/9/61	REVISED	DATE	CHECK	<i>Stapp</i>	8/9/61			APPD					APPD					LEADING EDGE TEST LT-5-517-2-2 EWA NO. 05167      SPEC. 0378 COND. NO. 02      RUN 04			Vol. III 3-228								
CALC	Reynolds	8/9/61	REVISED	DATE																												
CHECK	<i>Stapp</i>	8/9/61																														
APPD																																
APPD																																
BOEING AIRPLANE COMPANY					PAGE 3-228																											

230

BAC 973 D-R3

9/3/63

2-7000

C

TIME SEC.	3-2 T-10	7-2 T-11	3-7 C-4M	3-3 T-12	7-3 T-13	3-4 T-14	7-4 T-15
	-----DEGREES FAHRENHEIT-----						
99.00-	280.7	322.4	385.9	307.7	329.2	288.9	302.4
70.14-	300.4	343.1	400.1	432.6	361.4	309.8	323.2
40.29-	300.4	350.0	420.7	438.4	361.4	323.7	323.2
10.45-	344.1	373.1	444.0	455.9	394.5	357.0	368.2
19.38	360.3	384.6	461.4	490.7	401.8	391.9	391.4
49.23	397.3	410.2	406.2	525.6	424.0	391.9	391.4
79.08	370.9	395.2	478.8	502.4	413.3	386.1	385.6
108.93	360.3	394.2	484.6	502.4	419.1	391.9	391.4
138.77	397.3	419.2	502.0	543.1	476.4	409.3	403.0
150.70	440.5	471.2	565.9	606.4	482.5	444.2	432.0
156.67	637.3	600.8	600.6	775.8	592.1	484.9	478.3
162.64	704.0	690.2	704.3	882.5	697.8	548.9	542.1
168.60	814.0	799.0	804.8	992.9	802.7	611.7	600.1
174.57	881.2	867.9	1002.	1075.	892.3	696.3	695.1
180.54	961.4	962.6	1093.	1179.	992.0	770.4	759.5
186.51	1040.	1041.	1188.	1272.	1088.	852.3	855.8
192.48	1171.	1171.	1204.	1367.	1191.	897.5	900.8
198.45	1215.	1215.	1303.	1460.	1278.	982.9	976.0
204.42	1325.	1315.	1400.	1559.	1377.	1075.	1073.
210.79	1400.	1417.	1617.	1682.	1495.	1165.	1169.
225.31	1641.	1644.	1876.	1934.	1743.	1447.	1457.
240.24	1870.	1915.	2142.	2187.	2007.	1686.	1696.
255.15	2137.	2156.	2305.	2436.	2266.	1889.	1914.
270.08	2327.	2372.	2606.	2647.	2491.	2062.	2120.
285.00	2370.	2430.	2661.	2694.	2541.	2136.	2210.
299.02	2413.	2469.	2712.	2738.	2595.	2187.	2280.
314.85	2374.	2423.	2665.	2690.	2549.	2144.	2233.
329.76	2370.	2309.	2625.	2647.	2506.	2078.	2148.
344.60	2238.	2201.	2524.	2542.	2413.	2000.	2074.
359.61	2156.	2202.	2423.	2452.	2332.	1922.	1938.
389.44	1946.	2005.	2212.	2234.	2135.	1767.	1813.
419.30	1744.	1819.	2022.	2058.	1969.	1614.	1645.
449.14	1574.	1639.	1879.	1865.	1806.	1478.	1518.
478.98	1480.	1526.	1776.	1767.	1714.	1367.	1413.
508.83	1360.	1426.	1626.	1644.	1605.	1295.	1333.
538.68	1330.	1306.	1571.	1602.	1554.	1244.	1270.
568.52	1207.	1337.	1533.	1559.	1516.	1193.	1228.
598.36	1280.	1328.	1524.	1559.	1512.	1207.	1256.
628.20	1422.	1443.	1647.	1686.	1621.	1286.	1329.
658.05	1603.	1635.	1855.	1877.	1797.	1433.	1470.

08/01/1				REVISD	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 04	Vol. III 12-80585 1.00
CALC								
CHECK	<i>Step</i>	<i>9/1</i>						
APR								
APR						THE BOEING COMPANY		PAGE
CONTRACT NO.								3-229

23/

9/3/63



TIME SEC.	3-2	7-2	7-7	3-3	7-3	3-4	7-4
	T-10	T-11	T-12	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
687.00	1604.	1748.	1859.	1984.	1910.	1551.	1598.
717.74	1734.	1778.	2006.	2023.	1945.	1572.	1603.
747.58	1755.	1799.	2014.	2047.	1957.	1530.	1535.
777.42	1724.	1778.	1998.	2019.	1942.	1521.	1539.
807.27	1751.	1799.	2014.	2047.	1945.	1513.	1527.
810.24	1751.	1790.	2006.	2039.	1942.	1517.	1531.
816.22	1734.	1794.	1998.	2023.	1930.	1521.	1518.
822.19	1747.	1796.	1994.	2027.	1926.	1513.	1522.
828.14	1755.	1803.	2010.	2047.	1934.	1491.	1494.
833.13	1667.	1772.	1948.	1957.	1878.	1398.	1395.
835.13	1644.	1719.	1936.	1937.	1866.	1363.	1356.
837.12	1641.	1706.	1932.	1926.	1866.	1327.	1324.
839.10	1644.	1706.	1920.	1930.	1858.	1371.	1378.
841.00	1644.	1706.	1914.	1922.	1854.	1367.	1373.
843.00	1644.	1698.	1916.	1922.	1854.	1331.	1338.
845.07	1659.	1315.	1936.	1934.	1870.	1336.	1324.
847.06	1675.	1723.	1952.	1953.	1890.	1367.	1351.
849.06	1699.	1772.	1955.	1961.	1894.	1371.	1364.
851.04	1694.	1776.	1952.	1953.	1890.	1367.	1360.
853.03	1670.	1772.	1952.	1949.	1894.	1363.	1351.
855.03	1604.	1744.	1971.	1965.	1906.	1394.	1382.
857.01	1722.	1749.	2019.	1996.	1934.	1433.	1426.
859.00	1830.	1859.	2103.	2093.	2015.	1482.	1475.
861.00	1907.	1975.	2177.	2175.	2088.	1504.	1497.
862.98	1901.	2001.	2240.	2242.	2154.	1525.	1522.
864.04	2050.	2078.	2329.	2319.	2232.	1580.	1573.
866.04	2099.	2121.	2360.	2358.	2270.	1635.	1632.
868.95	2099.	2172.	2398.	2362.	2293.	1674.	1679.
870.93	2120.	2163.	2419.	2401.	2324.	1699.	1717.
872.93	2145.	2183.	2442.	2413.	2344.	1707.	1729.
874.92	2160.	2206.	2462.	2433.	2359.	1754.	1776.
876.90	2172.	2225.	2477.	2448.	2378.	1767.	1793.
878.90	2187.	2241.	2497.	2468.	2398.	1784.	1813.
880.90	2215.	2272.	2528.	2499.	2429.	1816.	1841.
882.87	2246.	2295.	2559.	2530.	2456.	1833.	1865.
884.87	2245.	2314.	2592.	2553.	2483.	1853.	1873.
886.86	2292.	2341.	2594.	2573.	2502.	1853.	1878.
888.84	2301.	2357.	2610.	2589.	2514.	1865.	1890.
890.83	2309.	2364.	2614.	2585.	2525.	1889.	1922.
892.83	2308.	2368.	2622.	2596.	2529.	1914.	1942.

Continuous Interfill by Moore Business Forms, Inc.

08/01/1				REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04	Vol. III	
CALC								22-80085 2.00
CHECK	<i>Step</i>	<i>8/11</i>						
APR								PAGE
APR					THE BOEING COMPANY	3-230		
CONTRACT NO.								

232

9/3/63

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-44	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
894.81	2320.	2390.	2677.	2612.	2545.	1897.	1926.
896.80	2317.	2388.	2640.	2628.	2556.	1889.	1934.
898.80	2310.	2305.	2661.	2643.	2564.	1914.	1945.
900.78	2351.	2413.	2649.	2647.	2576.	1922.	1949.
906.75	2302.	2434.	2704.	2683.	2603.	1881.	1926.
912.72	2355.	2417.	2660.	2647.	2583.	1899.	1922.
918.69	2331.	2390.	2637.	2612.	2552.	1885.	1942.
924.66	2311.	2364.	2622.	2600.	2545.	1889.	1934.
930.63	2277.	2370.	2584.	2553.	2502.	1873.	1918.
936.60	2274.	2299.	2550.	2510.	2471.	1873.	1910.
942.57	2242.	2303.	2567.	2514.	2475.	1865.	1906.
948.54	2242.	2303.	2550.	2507.	2467.	1873.	1906.
954.51	2216.	2303.	2559.	2526.	2475.	1837.	1865.
960.48	2212.	2299.	2547.	2522.	2464.	1837.	1855.
966.44	2207.	2260.	2516.	2487.	2433.	1824.	1878.
972.41	2168.	2273.	2485.	2448.	2406.	1788.	1829.
978.38	2177.	2198.	2446.	2413.	2371.	1758.	1809.
984.35	2068.	2171.	2411.	2382.	2340.	1771.	1797.
990.31	2084.	2144.	2388.	2351.	2309.	1741.	1730.
996.28	2082.	2144.	2392.	2355.	2320.	1733.	1759.
1002.25	2082.	2172.	2384.	2343.	2305.	1720.	1725.
1008.22	2080.	2148.	2384.	2362.	2317.	1720.	1738.
1014.18	2050.	2121.	2344.	2335.	2293.	1737.	1746.
1020.15	2050.	2113.	2345.	2323.	2274.	1703.	1729.
1050.00	2044.	2094.	2329.	2316.	2251.	1669.	1696.
1079.85	2074.	2074.	2314.	2296.	2243.	1682.	1691.
1109.70	1987.	2043.	2270.	2273.	2212.	1682.	1691.
1139.53	2020.	2074.	2310.	2292.	2247.	1690.	1691.
1169.37	2086.	2128.	2380.	2358.	2305.	1699.	1717.
1199.22	2177.	2190.	2450.	2425.	2375.	1784.	1817.
1229.07	2100.	2245.	2504.	2405.	2425.	1841.	1878.
1258.02	2246.	2306.	2559.	2538.	2475.	1922.	1961.
1288.75	2282.	2341.	2606.	2581.	2514.	1945.	1996.
1318.50	2304.	2345.	2618.	2581.	2522.	1949.	2008.
1348.44	2280.	2377.	2602.	2573.	2514.	1957.	2012.
1378.29	2282.	2345.	2602.	2577.	2510.	1934.	1996.
1408.14	2280.	2377.	2606.	2569.	2510.	1930.	1996.
1437.97	2280.	2345.	2606.	2573.	2522.	1930.	1992.
1440.06	2300.	2345.	2588.	2569.	2514.	1922.	1996.
1455.88	2417.	2450.	2712.	2714.	2595.	2226.	2307.

08/01/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 04	Vol. III 02-81085 3.00 PAGE 3-231
CALC					
CHECK	<i>chip</i>	<i>8/2/11</i>			
APR					
APR			THE BOEING COMPANY		
CONTRACT NO.					

233

UG 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

Continous Interfield Moore Business Form, Inc.

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	T-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
1470.81	2307.	2442.	2700.	2694.	2587.	2206.	2291.
1485.72	2304.	2470.	2708.	2698.	2611.	2195.	2276.
1500.65	2307.	2478.	2700.	2698.	2591.	2179.	2284.
1515.57	2304.	2478.	2708.	2694.	2603.	2187.	2288.
1530.40	2304.	2430.	2708.	2690.	2599.	2202.	2291.
1545.42	2307.	2442.	2700.	2690.	2591.	2195.	2299.
1560.33	2302.	2423.	2696.	2687.	2595.	2202.	2288.
1580.18	2307.	2470.	2696.	2687.	2587.	2195.	2299.
1620.03	2304.	2470.	2690.	2675.	2572.	2175.	2276.
1649.87	2305.	2398.	2657.	2636.	2545.	2163.	2253.
1679.71	2347.	2376.	2677.	2624.	2529.	2140.	2241.
1709.55	2300.	2374.	2590.	2581.	2487.	2105.	2202.
1739.40	2260.	2299.	2547.	2542.	2448.	2050.	2159.
1769.25	2207.	2241.	2495.	2503.	2406.	1953.	2062.
1799.09	2001.	2043.	2209.	2308.	2232.	1861.	1945.
1828.03	1858.	1809.	2150.	2160.	2092.	1733.	1829.
1858.77	1705.	1753.	2002.	2004.	1942.	1631.	1725.
1888.62	1506.	1610.	1843.	1865.	1810.	1504.	1586.
1918.47	1307.	1421.	1647.	1674.	1621.	1349.	1417.
1948.31	1101.	1224.	1441.	1478.	1425.	1156.	1214.
1978.15	991.4	1071.	1220.	1263.	1223.	997.9	1044.
2007.90	750.8	807.1	067.1	1012.	096.0	781.0	840.7
2037.84	513.3	528.9	701.1	754.6	739.0	638.1	700.4
2067.60	344.1	361.5	406.2	554.7	557.5	409.3	443.5
2097.53	274.8	281.0	390.1.	444.2	447.9	309.8	356.6
2127.37	210.3	274.1	300.6	362.8	384.5	247.2	281.6
2157.21	191.6	239.6	254.1	309.8	222.7	219.5	253.9
2187.06	167.9	219.0	224.3	261.1	207.8	191.7	226.2

08/01/11

CALC			REVISED	DATE	LEADING EDGE TEST LT-5-417-2-2 FWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 04	Vol. III
CHECK	<i>Steph</i>	<i>8/9/11</i>					
APR							
APR							
					THE BOEING COMPANY		02-81085 4.00
CONTRACT NO.							PAGE 3-232

234

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

Continous Interfield & Moore Business Forms, Inc. 8

TIME SEC.	7-6 C-3M	7-7 C-5M	3-5 T-16	7-5 T-20	3-6 T-24
	-----DEGREES FAHRENHEIT-----				
99.00-	384.5	391.5	53.45	374.0	143.9
70.14-	410.1	408.9	72.02	408.7	198.7
40.20-	430.6	420.5	108.3	426.1	233.5
10.45-	447.9	455.3	124.9	455.1	275.3
19.38	453.7	495.9	141.6	490.9	310.1
49.23	482.5	517.3	150.0	518.9	351.4
79.08	488.3	497.1	157.0	507.3	374.0
108.03	494.0	495.9	157.0	513.1	388.2
138.77	511.3	517.3	170.9	536.3	433.1
150.70	592.1	607.3	177.9	542.1	444.8
156.67	657.9	721.8	191.9	582.7	450.4
162.64	757.5	806.0	198.9	626.5	442.3
168.60	882.4	871.2	233.8	684.5	448.1
174.57	972.0	986.4	254.7	732.0	473.0
180.54	1060.	1064.	296.6	805.6	491.4
186.51	1144.	1173.	339.5	880.8	503.0
192.48	1251.	1233.	381.2	960.9	526.4
198.45	1341.	1352.	437.8	1054.	541.3
204.42	1454.	1458.	492.2	1149.	584.6
210.39	1567.	1574.	544.8	1242.	628.4
225.31	1818.	1850.	730.6	1492.	755.7
240.24	2088.	2075.	800.7	1704.	849.2
255.15	2320.	2316.	1074.	1945.	1195.
270.08	2520.	2526.	1221.	2182.	1480.
285.00	2587.	2576.	1295.	2330.	1723.
299.92	2634.	2616.	1341.	2404.	1888.
314.85	2501.	2557.	1354.	2424.	1895.
329.76	2545.	2570.	1376.	2408.	2042.
344.69	2457.	2444.	1318.	2365.	2054.
359.61	2350.	2362.	1281.	2303.	2038.
389.44	2200.	2160.	1107.	2159.	1987.
419.30	2015.	1946.	1108.	2004.	1905.
449.14	1871.	1785.	1021.	1949.	1803.
478.98	1731.	1671.	846.1	1729.	1714.
508.83	1624.	1578.	890.6	1632.	1642.
538.68	1570.	1573.	850.2	1577.	1574.
568.52	1525.	1502.	875.1	1539.	1532.
598.36	1521.	1498.	830.0	1522.	1506.
628.20	1630.	1578.	850.2	1565.	1506.
658.05	1830.	1799.	930.9	1725.	1553.

08/01/11

CALC			REVISED	DATE	LEADING EDGE TEST LT-5-417-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04	Vol. III D2-80085 1.01
CHECK	Stepp	3/2/11				
APR						
APR						
					THE BOEING COMPANY	PAGE
CONTRACT NO.						3-233

235

U6 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

2-5000

Continuous Interfold by Moore Business Forms, Inc.

TIME SEC.	7-6 C-3M	7-7 C-4M	3-5 T-16	7-5 T-20	3-6 T-24
-----DEGREES FAHRENHEIT-----					
687.00	1957.	1305.	1006.	1833.	1451.
717.74	1902.	1927.	1035.	1886.	1723.
747.58	1904.	1923.	1050.	1906.	1761.
777.42	1904.	1931.	1055.	1914.	1782.
807.27	2003.	1935.	1055.	1910.	1791.
810.24	2000.	1935.	1060.	1914.	1791.
816.22	1988.	1927.	1060.	1910.	1799.
822.19	1902.	1927.	1060.	1914.	1799.
828.14	2007.	1927.	1060.	1910.	1799.
833.13	2023.	1854.	1055.	1894.	1799.
835.13	2027.	1826.	1045.	1881.	1803.
837.12	2038.	1707.	1040.	1865.	1811.
839.10	2044.	1926.	1040.	1857.	1807.
841.09	2054.	1709.	1035.	1845.	1811.
843.09	2044.	1744.	1031.	1837.	1807.
845.07	2045.	1748.	1026.	1821.	1811.
847.04	2077.	1821.	1021.	1817.	1815.
849.06	2081.	1818.	1021.	1825.	1815.
851.04	2081.	1810.	1024.	1829.	1819.
853.03	2081.	1707.	1024.	1825.	1819.
855.03	2004.	1826.	1031.	1825.	1819.
857.01	2110.	1878.	1031.	1829.	1827.
859.00	2105.	1942.	1026.	1845.	1827.
861.00	2243.	1973.	1035.	1865.	1831.
862.98	2324.	2008.	1050.	1890.	1840.
864.94	2413.	2075.	1074.	1918.	1852.
866.04	2464.	2114.	1080.	1949.	1864.
868.05	2487.	2133.	1118.	1976.	1876.
870.03	2514.	2152.	1127.	2004.	1900.
872.93	2541.	2156.	1141.	2031.	1921.
874.92	2564.	2180.	1165.	2050.	1937.
876.00	2583.	2187.	1170.	2070.	1960.
878.90	2603.	2211.	1188.	2097.	1976.
880.80	2622.	2238.	1207.	2109.	1995.
882.87	2650.	2257.	1212.	2128.	2019.
884.87	2673.	2273.	1221.	2144.	2034.
886.84	2682.	2281.	1235.	2163.	2058.
888.84	2700.	2285.	1240.	2182.	2077.
890.83	2704.	2282.	1258.	2194.	2097.
892.83	2712.	2304.	1267.	2210.	2112.

08/01/41

CALC			REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04	Vol. III 2.01
CHECK	<i>Step</i>	<i>8/2/41</i>				
APR						
APR						
					THE BOEING COMPANY	PAGE
CONTRACT NO.						3-234

236

9/3/63

Continous Interfold by Moore Business Forms, Inc.

TIME SEC.	7-6	7-7	7-5	7-5	7-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
894.81	2714.	2308.	1291.	2221.	2128.
896.80	2714.	2316.	1291.	2229.	2140.
898.80	2720.	2327.	1296.	2241.	2159.
900.78	2724.	2331.	1290.	2249.	2167.
906.75	2775.	2324.	1318.	2276.	2198.
912.72	2720.	2296.	1317.	2276.	2222.
918.69	2712.	2277.	1313.	2272.	2237.
924.66	2712.	2249.	1304.	2272.	2249.
930.63	2700.	2246.	1304.	2264.	2261.
936.60	2704.	2230.	1299.	2249.	2265.
942.57	2720.	2276.	1294.	2237.	2276.
948.54	2708.	2272.	1296.	2237.	2284.
954.51	2700.	2215.	1291.	2233.	2288.
960.48	2665.	2215.	1296.	2237.	2292.
966.44	2624.	2109.	1291.	2229.	2280.
972.41	2615.	2148.	1272.	2214.	2276.
978.38	2607.	2149.	1263.	2198.	2269.
984.35	2580.	2125.	1240.	2175.	2265.
990.31	2574.	2110.	1240.	2159.	2257.
996.28	2574.	2102.	1230.	2140.	2253.
1002.25	2540.	2090.	1221.	2132.	2245.
1008.22	2533.	2106.	1221.	2132.	2245.
1014.18	2504.	2106.	1212.	2128.	2230.
1020.15	2408.	2075.	1207.	2120.	2226.
1050.00	2421.	2047.	1202.	2093.	2179.
1079.85	2433.	2044.	1193.	2078.	2167.
1109.70	2402.	2036.	1193.	2070.	2163.
1139.53	2448.	2071.	1193.	2085.	2167.
1169.37	2487.	2004.	1202.	2113.	2183.
1199.22	2552.	2144.	1226.	2155.	2226.
1229.07	2630.	2222.	1258.	2214.	2280.
1258.92	2602.	2300.	1290.	2268.	2327.
1288.75	2700.	2343.	1309.	2315.	2362.
1318.50	2727.	2355.	1327.	2338.	2390.
1348.44	2724.	2347.	1322.	2338.	2409.
1378.29	2724.	2327.	1307.	2330.	2425.
1408.14	2727.	2316.	1322.	2322.	2425.
1437.97	2724.	2324.	1327.	2326.	2433.
1440.96	2720.	2320.	1322.	2326.	2437.
1455.88	2644.	2627.	1359.	2462.	2429.

CALC		REVISED		DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04	Vol. III 27-8-1985 3.01
CHECK	<i>Stapp</i>	8/2/11				
APR						
APR						
					THE BOEING COMPANY	PAGE
CONTRACT NO.						3-235

237

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

Continous Interfield in Moore Business Form, Inc. 8

TIME SEC.	7-6 C-3M	7-7 C-3M	3-5 T-16	7-5 T-20	3-6 T-24
	-----DEGREES FAHRENHEIT-----				
1470.91	2653.	2616.	1300.	2517.	2433.
1485.72	2665.	2608.	1300.	2521.	2440.
1500.65	2657.	2612.	1309.	2532.	2444.
1515.57	2661.	2612.	1304.	2536.	2448.
1530.49	2657.	2616.	1403.	2536.	2456.
1545.42	2653.	2612.	1309.	2540.	2460.
1560.33	2657.	2604.	1304.	2536.	2460.
1590.18	2653.	2616.	1309.	2536.	2452.
1620.03	2544.	2576.	1300.	2521.	2456.
1649.87	2618.	2553.	1376.	2497.	2444.
1679.71	2500.	2526.	1372.	2474.	2425.
1709.55	2544.	2475.	1354.	2443.	2409.
1739.40	2502.	2409.	1341.	2404.	2374.
1769.25	2406.	2327.	1300.	2334.	2335.
1799.09	2305.	2211.	1240.	2229.	2269.
1828.03	2158.	2071.	1103.	2116.	2194.
1858.77	2000.	1927.	1122.	2000.	2105.
1888.62	1878.	1768.	1045.	1861.	2003.
1918.47	1647.	1505.	051.1	1712.	1909.
1948.31	1440.	1361.	060.3	1527.	1803.
1978.15	1244.	1168.	757.2	1351.	1685.
2007.00	992.0	941.3	661.4	1168.	1566.
2037.84	766.0	690.1	550.7	940.9	1440.
2067.69	597.8	470.5	430.7	732.0	1315.
2097.53	465.2	362.5	360.6	594.3	1204.
2127.37	320.2	281.7	310.5	489.9	1091.
2157.21	274.0	240.1	254.7	414.5	079.0
2187.06	230.6	212.4	198.9	368.2	078.8

08/01/1				REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04	Vol. III 4.01
CALC							
CHECK	<i>Hoop</i>	<i>9/3/1</i>					
APR							
APR						THE BOEING COMPANY	PAGE
CONTRACT NO.						3-236	

238

Continous Interfield by Moore Business Forms, Inc.

TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
09.00-	103.2	92.56	113.5	142.2	196.7
70.14-	116.2	107.4	129.1	148.1	233.0
40.20-	134.4	109.2	144.8	156.6	261.5
10.45-	150.0	119.7	157.8	225.2	290.5
19.38	165.5	120.1	173.3	248.5	314.8
49.23	184.2	139.6	191.5	274.4	339.0
79.08	206.9	150.0	200.6	298.4	363.3
108.03	227.6	163.0	220.3	325.4	384.7
138.77	250.9	170.5	240.5	349.6	408.7
150.70	258.6	183.7	256.2	360.4	416.7
156.67	267.8	189.9	258.8	365.8	424.7
162.64	260.0	191.5	264.0	371.2	427.3
168.60	274.1	194.7	260.2	373.9	435.3
174.57	274.7	190.3	271.8	381.8	443.3
180.54	282.0	201.9	277.0	387.2	451.3
186.51	287.4	204.5	270.5	392.5	464.6
192.48	292.7	200.7	281.9	397.8	477.8
198.45	295.4	214.9	280.3	403.1	483.5
204.42	300.8	217.5	285.7	413.8	514.5
210.39	304.2	225.2	301.1	421.8	535.4
225.71	322.3	238.2	317.3	448.4	604.9
240.24	343.9	250.0	330.8	482.7	696.6
255.15	370.8	290.5	360.4	529.8	816.4
270.08	405.3	341.8	387.7	584.1	948.3
285.00	450.4	411.4	445.6	655.4	1092.
299.92	505.6	498.9	506.2	736.9	1219.
314.85	570.6	592.3	573.8	826.0	1334.
329.76	636.7	678.9	650.2	907.4	1421.
344.69	705.3	752.9	726.6	985.7	1476.
359.61	764.2	809.9	792.7	1043.	1510.
389.46	855.2	870.1	882.0	1124.	1526.
419.30	903.4	890.5	942.4	1162.	1505.
449.14	918.5	888.0	960.0	1170.	1458.
478.98	918.5	875.2	955.0	1160.	1392.
508.83	905.9	854.8	942.4	1137.	1332.
538.68	895.8	837.0	922.3	1114.	1288.
568.52	887.1	821.7	907.2	1093.	1252.
598.36	875.5	811.5	892.0	1078.	1227.
628.20	870.4	806.4	884.4	1068.	1216.
658.05	875.5	811.5	881.8	1068.	1232.

08/01/61	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 04	Vol. III 02-80085 1.02
CALC					
CHECK	Stapp	8/2/61			
APR					
APR			THE BOEING COMPANY		PAGE
CONTRACT NO.					3-287

239

U6 5553 7450 (WAS BAC-1745 A-R1)  
9/3/63

Continous Interfold - Moore Business Forms, Inc. 8



TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
687.00	890.7	834.4	804.6	1083.	1275.
717.74	913.4	865.0	810.8	1111.	1324.
747.58	941.1	890.1	840.9	1144.	1366.
777.42	960.7	927.4	877.6	1172.	1392.
807.27	991.3	951.1	1008.	1195.	1413.
810.26	993.8	951.1	1008.	1198.	1416.
816.22	990.8	950.6	1015.	1200.	1418.
822.19	1004.	961.1	1018.	1203.	1421.
828.16	1006.	965.2	1023.	1208.	1423.
833.13	1000.	960.7	1025.	1210.	1426.
835.13	1011.	960.7	1030.	1210.	1426.
837.12	1011.	971.2	1030.	1213.	1429.
839.10	1014.	971.2	1030.	1213.	1431.
841.09	1014.	977.7	1030.	1215.	1431.
843.00	1014.	977.7	1033.	1218.	1434.
845.07	1014.	973.7	1035.	1215.	1434.
847.06	1016.	976.2	1035.	1218.	1434.
849.06	1010.	974.2	1035.	1218.	1434.
851.04	1021.	970.7	1035.	1221.	1437.
853.03	1021.	974.2	1038.	1221.	1439.
855.03	1021.	970.7	1040.	1223.	1439.
857.01	1024.	981.3	1040.	1226.	1442.
859.00	1026.	981.3	1043.	1226.	1442.
861.00	1026.	987.8	1043.	1228.	1444.
862.00	1020.	987.8	1043.	1228.	1447.
864.06	1031.	984.3	1043.	1228.	1450.
866.06	1031.	986.3	1043.	1231.	1452.
868.05	1031.	980.8	1045.	1233.	1455.
870.03	1034.	991.3	1048.	1233.	1460.
872.03	1034.	991.3	1048.	1236.	1463.
874.02	1030.	997.9	1048.	1236.	1468.
876.00	1030.	993.9	1048.	1238.	1476.
878.00	1030.	994.4	1040.	1241.	1481.
880.00	1041.	990.9	1051.	1243.	1486.
882.07	1044.	1001.	1053.	1243.	1492.
884.07	1044.	1004.	1053.	1246.	1499.
886.06	1040.	1006.	1053.	1248.	1507.
888.04	1051.	1009.	1056.	1251.	1515.
890.03	1054.	1014.	1056.	1254.	1523.
892.03	1054.	1014.	1058.	1256.	1531.

08/01/1

CALC		REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 04	Vol. III
CHECK	<i>Stacy</i>	<i>3/2/1</i>				
APR						
APR						
				THE BOEING COMPANY		02-8005 2.02
CONTRACT NO.						PAGE 3-238

9/3/63

240

Continuous Interdial X Moore Business Forms, Inc.

TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
----- DEGREES FAHRENHEIT -----					
894.81	1057.	1017.	1058.	1261.	1539.
896.80	1050.	1022.	1061.	1266.	1547.
898.80	1047.	1027.	1063.	1266.	1552.
900.79	1047.	1029.	1063.	1269.	1562.
906.75	1074.	1079.	1068.	1284.	1586.
912.72	1094.	1049.	1075.	1292.	1609.
918.69	1094.	1059.	1081.	1305.	1630.
924.64	1102.	1049.	1082.	1318.	1649.
930.63	1112.	1082.	1093.	1328.	1664.
936.60	1110.	1090.	1103.	1344.	1678.
942.57	1132.	1097.	1111.	1352.	1688.
948.54	1140.	1105.	1116.	1365.	1701.
954.51	1147.	1115.	1124.	1375.	1712.
960.48	1158.	1120.	1131.	1384.	1723.
966.44	1165.	1125.	1136.	1396.	1731.
972.41	1177.	1135.	1144.	1404.	1734.
978.38	1180.	1138.	1140.	1412.	1742.
984.35	1185.	1143.	1157.	1417.	1742.
990.31	1197.	1148.	1162.	1425.	1745.
996.28	1194.	1151.	1167.	1430.	1745.
1002.25	1201.	1156.	1169.	1434.	1745.
1008.22	1209.	1158.	1175.	1438.	1748.
1014.18	1209.	1161.	1182.	1443.	1745.
1020.15	1216.	1163.	1182.	1446.	1742.
1050.00	1226.	1168.	1192.	1456.	1731.
1079.85	1234.	1173.	1195.	1459.	1720.
1109.70	1244.	1178.	1200.	1462.	1718.
1139.57	1254.	1191.	1205.	1467.	1718.
1169.37	1260.	1201.	1215.	1477.	1726.
1199.22	1284.	1219.	1228.	1490.	1740.
1229.07	1341.	1240.	1241.	1509.	1767.
1258.02	1371.	1265.	1256.	1532.	1800.
1288.75	1360.	1283.	1279.	1561.	1833.
1318.59	1387.	1314.	1289.	1585.	1868.
1348.44	1412.	1343.	1325.	1611.	1893.
1378.29	1437.	1364.	1343.	1629.	1910.
1408.14	1454.	1377.	1359.	1653.	1924.
1437.97	1472.	1385.	1375.	1668.	1933.
1440.96	1477.	1388.	1375.	1666.	1933.
1455.88	1485.	1408.	1388.	1676.	1941.

08/01/11	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617 COND. NO. 02	SPEC. 0378 RUN 04	Vol. III 02-90-85 3.02
CALC					
CHECK	happ	8/2/11			
APR					
APR			THE BOEING COMPANY		PAGE
CONTRACT NO.					3-239

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

Continous Interfold - Moore Business Forms, Inc.

TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
1470.81	1408.	1424.	1398.	1484.	1947.
1485.72	1506.	1442.	1422.	1692.	1952.
1500.65	1510.	1455.	1428.	1700.	1961.
1515.57	1532.	1474.	1450.	1708.	1966.
1530.40	1542.	1484.	1474.	1719.	1975.
1545.42	1553.	1485.	1480.	1724.	1981.
1560.33	1558.	1505.	1506.	1733.	1986.
1590.18	1574.	1521.	1527.	1746.	1995.
1620.23	1587.	1536.	1542.	1755.	1995.
1649.87	1587.	1539.	1550.	1757.	1992.
1679.71	1580.	1536.	1550.	1755.	1989.
1709.55	1584.	1529.	1545.	1746.	1981.
1739.40	1571.	1516.	1532.	1738.	1964.
1769.25	1567.	1505.	1521.	1727.	1941.
1799.00	1548.	1487.	1506.	1713.	1904.
1828.03	1520.	1466.	1487.	1692.	1860.
1858.77	1511.	1437.	1450.	1668.	1808.
1888.62	1485.	1405.	1432.	1640.	1748.
1918.47	1462.	1379.	1401.	1608.	1688.
1948.31	1437.	1345.	1364.	1574.	1620.
2078.15	1301.	1303.	1320.	1532.	1544.
2097.00	1310.	1282.	1266.	1480.	1463.
2037.84	1285.	1186.	1208.	1422.	1374.
2067.69	1224.	1133.	1179.	1346.	1275.
2097.53	1150.	1059.	1063.	1261.	1173.
2127.37	1062.	986.3	880.2	1172.	1062.
2157.21	981.2	915.8	817.3	1068.	940.8
2187.06	905.9	849.7	853.8	967.7	829.1

08/C1/1

CALC			REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 04	Vol. III 02-81.35 4.02
CHECK	<i>Step</i>	<i>3/9/11</i>				
APR						
APR						
					THE BOEING COMPANY	PAGE
CONTRACT NO.						3-240

242

UG 5553 7450 (WAS BAC 1745 A-R1)

9/3/63

TEMPERATURE DATA

TOLERANCE FOR THERMOCOUPLES T-17, T-18, T-19, T-22, T-23 =  $\pm 15^{\circ}\text{F}$ .

TOLERANCE FOR ALL OTHER THERMOCOUPLES =  $\pm 165^{\circ}\text{F}$ .

<u>THERMOCOUPLE NO.</u>	<u>PAGE</u>
T-10, T-11, C-4M, T-12, T-13, T-14, *T-15	3-242 - 3-243
C-3M, C-5M, *T-16, T-20, T-21	3-244 - 3-245
T-17, T-18, T-19, T-22, T-23	3-246 - 3-247

\*Thermocouple T-15 is bad.  
\*Thermocouple T-16 is bad.

CALC	Reynolds	8/2/61	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 EWA NO. 05617      SPEC. 0378 COND. NO. 02      RUN 05	Cal. III
CHECK	Stapp	9/2/61				D2-50085
APPD					BOEING AIRPLANE COMPANY	PAGE
APPD						3-247

243

BAC 973 D-R3

9/3/63

2-7000

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	C-4M	T-12	T-13	T-14	T-15
-----DEGREES FAHRENHEIT-----							
.02	81.77	100.4	109.4	108.5	108.7	108.4	BDTL
5.09	141.7	141.7	141.7	150.0	133.5	177.8	BDTL
11.96	337.3	343.4	344.6	391.9	301.8	254.3	258.1
17.02	397.5	384.9	421.1	479.1	402.1	254.3	431.4
23.09	513.6	489.0	547.3	617.0	529.1	323.8	611.3
29.86	542.6	535.2	604.6	654.0	575.3	380.4	755.4
35.83	627.0	598.8	691.3	744.0	661.6	444.4	992.2
41.79	714.9	683.1	770.8	847.3	746.8	578.2	1286.
47.76	811.4	772.6	852.7	957.8	858.3	627.8	1594.
53.73	871.6	838.9	939.1	1037.	938.1	723.1	1823.
59.70	941.9	913.8	1008.	1118.	1008.	786.7	2085.
65.66	987.0	969.7	1090.	1189.	1084.	832.6	2297.
71.63	1040.	1042.	1156.	1272.	1155.	938.1	2570.
77.60	1127.	1104.	1226.	1336.	1224.	998.4	2814.
83.57	1169.	1170.	1300.	1407.	1284.	1080.	3028.
89.54	1234.	1230.	1391.	1478.	1352.	1152.	BDTL
95.51	1284.	1280.	1470.	1534.	1404.	1208.	BDTL
101.48	1349.	1343.	1500.	1606.	1484.	1304.	BDTL
107.45	1392.	1392.	1556.	1657.	1526.	1363.	BDTL
113.42	1450.	1454.	1619.	1720.	1589.	1408.	BDTL
119.39	1464.	1502.	1674.	1775.	1652.	1452.	BDTL
134.31	1613.	1628.	1829.	1930.	1799.	1607.	BDTL
149.24	1741.	1743.	1966.	2070.	1936.	1742.	BDTL
164.15	1904.	1921.	2106.	2218.	2083.	1894.	BDTL
179.08	2025.	2030.	2246.	2358.	2207.	2024.	BDTL
194.00	2154.	2166.	2379.	2475.	2338.	2149.	BDTL
208.92	2220.	2247.	2445.	2569.	2427.	2254.	BDTL
223.85	2264.	2305.	2543.	2632.	2505.	2321.	BDTL
238.76	2356.	2379.	2617.	2702.	2578.	2406.	BDTL
253.69	2474.	2464.	2692.	2785.	2653.	2457.	BDTL
268.61	2499.	2515.	2742.	2851.	2715.	2523.	BDTL
270.59	2512.	2538.	2770.	2867.	2723.	2539.	BDTL
276.56	2531.	2565.	2794.	2887.	2750.	2578.	BDTL
282.53	2550.	2596.	2821.	2906.	2773.	2594.	BDTL
288.50	2570.	2608.	2837.	2922.	2785.	2613.	BDTL
294.47	2586.	2619.	2860.	2941.	2804.	2656.	BDTL
300.44	2605.	2643.	2856.	2949.	2804.	2645.	BDTL
306.41	2582.	2627.	2841.	2941.	2797.	2637.	BDTL
312.38	2574.	2604.	2821.	2930.	2781.	2605.	BDTL
318.35	2543.	2573.	2786.	2898.	2746.	2582.	BDTL

CALC	AP/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 05	Vol. III
CHECK	Step 9/9/1				
APR					
APR					
				THE BOEING COMPANY	1.00
CONTRACT NO.					PAGE
					3-242

U6 5553 7450 (WAS BAC 1745 A.R1)

2-5000

9/3/63

244

TIME SEC.	3-2	7-2	3-7	3-3	7-3	3-4	7-4
	T-10	T-11	T-14	T-12	T-13	T-14	T-15
	-----DEGREES FAHRENHEIT-----						
324.32	2504.	2542.	2754.	2863.	2719.	2555.	BDTL
330.29	2485.	2515.	2731.	2832.	2695.	2539.	BDTL
336.26	2461.	2483.	2703.	2800.	2660.	2484.	BDTL
342.23	2403.	2433.	2652.	2761.	2610.	2469.	BDTL
348.20	2407.	2406.	2652.	2753.	2598.	2445.	BDTL
354.17	2356.	2375.	2587.	2706.	2559.	2414.	BDTL
360.14	2337.	2359.	2574.	2687.	2532.	2387.	BDTL
375.05	2267.	2255.	2486.	2604.	2455.	2305.	BDTL
389.97	2189.	2158.	2414.	2522.	2377.	2215.	BDTL
404.90	2091.	2042.	2328.	2436.	2300.	2153.	BDTL
419.81	1928.	1897.	2176.	2261.	2137.	2001.	BDTL
434.75	1803.	1767.	2040.	2125.	2013.	1882.	BDTL
449.66	1642.	1620.	1884.	1969.	1868.	1768.	BDTL
464.58	1503.	1493.	1774.	1808.	1716.	1594.	BDTL
479.51	1348.	1352.	1595.	1640.	1568.	1456.	BDTL
494.42	1206.	1216.	1430.	1482.	1418.	1309.	BDTL
509.36	1064.	1080.	1272.	1327.	1275.	1189.	BDTL
524.27	891.7	918.8	1090.	1142.	1084.	1032.	BDTL
539.19	690.5	741.0	892.9	912.6	878.2	877.8	2738.
554.12	554.2	593.0	728.4	744.0	730.0	707.2	2221.
569.03	432.3	460.1	581.0	601.1	603.8	554.9	1709.
583.97	369.4	384.9	488.1	502.4	517.6	461.8	1374.
598.88	300.6	336.5	400.5	432.6	459.8	397.9	1105.
601.87	295.7	315.8	403.7	421.0	448.3	392.0	1086.

Continuous Interfold (M Moore Business Forms, Inc.)

CALC	08/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 05	Vol. III 27.80085 2.00 PAGE 3-243
CHECK	Step 8/2/1				
APR					
APR					
				THE BOEING COMPANY	
CONTRACT NO.					

245

9/3/63

C

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
.02	100.4	108.6	RNTL	116.9	157.0
5.99	114.9	267.8	RNTL	133.5	150.0
11.96	385.0	427.3	RNTL	156.9	143.9
17.92	390.8	397.1	RNTL	191.5	157.0
23.89	500.7	507.3	RNTL	233.0	150.0
29.86	593.2	621.1	RNTL	309.1	157.0
35.83	646.5	689.7	RNTL	385.2	163.9
41.79	704.4	774.2	RNTL	477.8	163.9
47.76	783.4	830.6	53.66	570.4	177.8
53.73	860.2	940.8	81.47	652.1	184.8
59.70	924.2	1020.	141.7	757.5	191.8
65.66	994.1	1082.	170.9	844.6	205.7
71.63	1066.	1172.	226.6	924.6	219.6
77.60	1128.	1273.	296.3	1009.	247.5
83.57	1189.	1319.	345.1	1081.	292.7
89.54	1247.	1395.	410.0	1152.	317.1
95.51	1317.	1448.	469.3	1203.	343.3
101.48	1388.	1526.	532.4	1259.	398.3
107.45	1441.	1590.	596.6	1318.	450.7
113.42	1503.	1649.	655.3	1380.	509.0
119.39	1549.	1708.	703.0	1442.	573.1
134.31	1606.	1873.	829.9	1643.	756.0
149.24	1834.	2007.	929.6	1810.	969.7
164.15	1957.	2159.	1029.	1951.	1181.
179.08	2085.	2303.	1116.	2094.	1387.
194.00	2217.	2454.	1205.	2242.	1583.
208.92	2295.	2567.	1275.	2370.	1753.
223.85	2364.	2641.	1325.	2455.	1893.
238.76	2446.	2720.	1357.	2525.	2011.
253.69	2527.	2792.	1392.	2591.	2113.
268.61	2589.	2856.	1432.	2665.	2207.
270.59	2597.	2872.	1445.	2685.	2219.
276.56	2632.	2907.	1459.	2712.	2258.
282.53	2656.	2927.	1477.	2743.	2285.
288.50	2683.	2946.	1495.	2759.	2328.
294.47	2706.	2978.	1499.	2790.	2355.
300.44	2722.	2982.	1516.	2814.	2387.
306.41	2691.	2966.	1503.	2802.	2418.
312.38	2671.	2950.	1499.	2798.	2422.
318.35	2636.	2911.	1499.	2778.	2434.

<table border="1"> <tr><td>CALC</td><td>0870171</td><td>REVISED</td><td>DATE</td></tr> <tr><td>CHECK</td><td><i>Steph</i></td><td><i>4/15/11</i></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td></tr> </table>	CALC	0870171	REVISED	DATE	CHECK	<i>Steph</i>	<i>4/15/11</i>		APR				APR				LEADING EDGE TEST LT-5-617-2-2. FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 05  THE BOEING COMPANY	Vol. III D2-80085 1.01 PAGE 3-244
CALC	0870171	REVISED	DATE															
CHECK	<i>Steph</i>	<i>4/15/11</i>																
APR																		
APR																		
CONTRACT NO.																		

246

US 8553 7450 (WAS BAC 1745 A-R1)  
 9/3/63

Continous Interfold, W. Moore Equipment Form, Inc. 9

TIME SEC.	7-6	7-7	3-5	7-5	3-6
	C-3M	C-5M	T-16	T-20	T-24
-----DEGREES FAHRENHEIT-----					
324.32	2507.	2892.	1405.	2755.	2430.
330.29	2570.	2872.	1401.	2735.	2426.
336.26	2551.	2829.	1443.	2716.	2418.
342.23	2500.	2782.	1450.	2681.	2410.
348.20	2402.	2770.	1445.	2665.	2387.
354.17	2457.	2739.	1472.	2634.	2359.
360.14	2430.	2700.	1419.	2614.	2344.
375.05	2353.	2630.	1389.	2568.	2316.
389.97	2270.	2528.	1352.	2494.	2293.
404.90	2182.	2450.	1320.	2436.	2254.
419.81	2054.	2287.	1256.	2311.	2195.
434.75	1930.	2159.	1191.	2191.	2121.
449.66	1801.	2011.	1126.	2063.	2054.
464.58	1650.	1849.	1063.	1939.	1984.
479.51	1515.	1670.	990.0	1794.	1901.
494.42	1371.	1497.	919.5	1655.	1824.
509.36	1207.	1364.	849.0	1525.	1732.
524.27	1077.	1177.	772.0	1389.	1630.
539.19	904.2	930.8	692.4	1222.	1524.
554.12	720.2	758.4	622.4	1081.	1427.
569.07	575.9	582.6	548.1	924.6	1334.
583.97	483.4	478.3	480.0	799.6	1247.
598.88	410.7	391.3	427.5	694.2	1172.
601.87	408.2	385.5	415.8	678.4	1153.

CALC	AP/01/1	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 05	Vol. III
CHECK	Stamp 3/1/1				
APR					2.01
APR					PAGE
CONTRACT NO.				THE BOEING COMPANY	3-245

247

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

Continous Interfold (M) Moore Business Forms, Inc. 8



TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
-----DEGREES FAHRENHEIT-----					
.02	270.2	301.3	244.6	222.6	150.0
5.99	270.2	301.3	244.0	222.6	150.0
11.04	270.2	301.3	244.0	220.0	150.0
17.02	274.6	301.3	244.0	217.4	150.0
23.99	274.6	298.6	241.4	220.0	155.2
29.84	270.2	298.6	241.4	217.4	157.8
35.83	274.6	298.6	241.4	220.0	165.5
41.79	276.6	298.6	241.4	222.6	175.9
47.74	274.6	298.6	241.4	220.0	186.2
53.73	274.6	298.6	244.0	225.2	199.2
59.70	270.2	301.3	244.6	232.0	217.3
65.64	284.5	304.0	244.6	240.7	238.0
71.63	284.5	306.7	274.4	251.1	261.3
77.60	292.6	312.1	277.0	241.4	284.8
83.57	298.0	317.5	285.0	274.4	314.5
89.54	304.0	322.9	287.0	283.0	344.1
95.51	310.5	337.7	287.8	311.0	376.3
101.48	332.9	344.5	317.3	333.5	410.9
107.45	340.1	355.3	320.1	357.7	448.1
113.42	370.6	371.5	344.3	391.0	485.1
119.30	391.8	390.1	367.1	411.1	524.3
134.31	455.1	446.1	416.4	490.4	629.6
149.24	541.8	510.8	485.4	591.6	744.0
164.15	634.2	605.0	564.3	686.0	866.1
179.08	737.8	707.0	658.0	705.5	987.2
194.00	846.9	821.7	762.4	814.9	1113.
208.02	957.9	941.0	874.9	1033.	1232.
223.85	1059.	1049.	987.9	1144.	1345.
238.76	1152.	1151.	1096.	1241.	1453.
253.69	1233.	1232.	1190.	1333.	1549.
268.61	1312.	1311.	1274.	1420.	1633.
270.59	1322.	1322.	1284.	1433.	1646.
276.56	1351.	1350.	1318.	1464.	1675.
282.53	1370.	1377.	1346.	1496.	1709.
288.50	1411.	1406.	1378.	1522.	1737.
294.47	1434.	1429.	1407.	1553.	1767.
300.44	1464.	1458.	1435.	1579.	1800.
306.41	1480.	1489.	1469.	1608.	1824.
312.38	1515.	1513.	1501.	1634.	1852.
318.35	1530.	1534.	1527.	1655.	1879.

<table border="1"> <tr><td>CALC</td><td>08/01/71</td><td>REVISED</td><td>DATE</td></tr> <tr><td>CHECK</td><td><i>Slapp</i> 9/1</td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td></tr> <tr><td>APR</td><td></td><td></td><td></td></tr> </table>	CALC	08/01/71	REVISED	DATE	CHECK	<i>Slapp</i> 9/1			APR				APR				LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 05	Vol. III 02-81095 1.02 PAGE 3-246
CALC	08/01/71	REVISED	DATE															
CHECK	<i>Slapp</i> 9/1																	
APR																		
APR																		
THE BOEING COMPANY																		
CONTRACT NO.																		

248

U6 5553 7450 (WAS BAC 1745 A-R1)  
 9/3/63



TIME SEC.	4-5	8-5	4-6	4-7	8-7
	T-17	T-18	T-19	T-22	T-23
----- DEGREES FAHRENHEIT -----					
324.32	1557.	1558.	1553.	1470.	1805.
330.29	1575.	1571.	1572.	1497.	1912.
336.24	1507.	1546.	1500.	1711.	1929.
342.23	1604.	1597.	1606.	1727.	1935.
348.20	1604.	1602.	1616.	1733.	1946.
354.17	1500.	1602.	1624.	1733.	1946.
360.14	1604.	1605.	1674.	1735.	1940.
375.05	1625.	1620.	1655.	1752.	1932.
389.07	1635.	1618.	1655.	1763.	1926.
404.00	1646.	1626.	1663.	1771.	1915.
419.01	1635.	1613.	1653.	1766.	1895.
434.75	1625.	1592.	1674.	1752.	1860.
449.66	1604.	1563.	1609.	1735.	1821.
464.52	1575.	1529.	1577.	1711.	1780.
479.51	1540.	1492.	1540.	1681.	1737.
494.42	1515.	1455.	1501.	1647.	1688.
509.34	1467.	1406.	1456.	1606.	1633.
524.27	1305.	1343.	1401.	1549.	1565.
539.19	1330.	1290.	1341.	1480.	1491.
554.12	1266.	1217.	1294.	1409.	1398.
569.07	1207.	1161.	1226.	1344.	1311.
583.07	1152.	1110.	1172.	1276.	1230.
598.08	1101.	1059.	1121.	1215.	1151.
601.87	1091.	1049.	1111.	1205.	1136.

CALC	8/20/71	REVISED	DATE	LEADING EDGE TEST LT-5-617-2-2 FWA NO. 05617 SPEC. 0378 COND. NO. 02 RUN 05	Vol. III
CHECK	Step 1	8/2/71			
APR					
APR					
THE BOEING COMPANY					2.02
CONTRACT NO.					PAGE
					3-247

249

U6 5553 7450 (WAS BAC 1745 A-R1)  
9/3/63

Continous Interfold © Moore Business Forms, Inc. ©

# 1

LOAD IN LBS.	*	DEFLECTION									
		x-2	x-4	x-6	x-7	x-12	x-15	x-16	x-18	x-20	Y-E
100	V					-0.306	.015	.009		.012	.018
	L					.019	.003	.009		.012	-.013
200	V		.019	.001	.045	-.271	.033	.019		.019	.037
	L		.199	.024	0	.010	.004	.001		.010	.001
300	V		.034	.037	.043	-.255	.046	.033		.028	.054
	L		.196	-.013	0	.025	.030	.009		.019	-.012
400	V		.055	.045	.055	-.231	.051	.031		.028	.057
	L		.193	-.024	-.001	.034	.028	.004		.025	-.003
500	V		.076	.081	.074	-.183	.069	.052		.036	.099
	L		.198	-.054	.007	.022	.030	.007		.027	.003
600	V		.106	.088	.105	-.166	.073	.063		.028	.107
	L		.190	-.019	.016	.028	.045	.007		.019	.007
700	V		.103	.121	.138	-.115	.099	.073		.040	.144
	L		.192	-.045	.012	.031	.058	.019		.040	.003
800	V		.127	.126	.145	-.100	.105	.075		.039	.162
	L		.208	.042	.022	.021	.061	.010		.034	.015
900	V		.142	.162	.166	.061	.111	.088		.054	.180
	L		.205	-.033	.034	.027	.061	.004		.040	.030
1000	V		.130	.187	.180	-.030	.121	.096		.048	.195
	L		.205	-.022	.048	.027	.073	.006		.034	.037
1200	V		.148	.196	.226	.028	.157	.012		.061	.234
	L		.211	-.063	.061	.034	.091	.007		.049	.045
1400	V		.177	.202	.288	.012	.205	.015		.072	.275
	L		.207	-.094	.087	.034	.124	.010		.060	.051
1600	V		.177	.180	.337	.183	.229	.178		.081	.294
	L		.202	-.108	.115	.046	.133	.007		.067	.061
1800	V		.226		.417	.292	.291	.223		.117	.349
	L		.222		.141	.027	.138	-.001		.063	.091
2000	V		.259			.423	.354	.292		.159	.427
	L		.217			.024	.160	.003		.079	.117
2200	V		.306			.615	.435			.211	.507
	L		.213			.046	.207			.099	.135
2400	V		.280			.726	.447			.198	.522
	L		.228			.031	.216			.090	.172
0	V		.180			.276	.237			.096	.274

Calc.	E. H. H. H.		REVISED	DATE	LOAD VS. DEFLECTION DATA SPECIMEN #25-20367 DS-I LEADING EDGE LOAD TESTS	DS-1	*
Trac.						EWA	
Chk.						5593	
Appr.							
Appr.							

THE BOEING COMPANY  
SEATTLE 14, WASHINGTON  
Vol. 171  
D2-80035  
3-248

2520

9/3/63 U3 4011 3000

## LOCATIONS

	Y-11	Y-14	Z-1	Z-3	Z-5	Z-9	Z-10	Z-13	Z-17	Z-19	Z-21
	-.298	.025	.009	.012	.010	.009	-.283	.013		.022	.009
	.057	0	-.007	.018	.010	-.010	-.016	.012		.016	.007
	-.267	.042	.022	.019	.001	.027	-.270	.034		.036	.027
	.057	.007	-.004	.010	0	-.012	-.009	.012		.022	.012
	-.249	.057	.028		.054	.042	-.250	.052		.043	.039
	.069	.027	-.001		-.022	-.015	-.028	.030		.033	.024
	-.226	.067	.030		.063	.057	-.226	.063		.048	.040
	.067	.033	-.015		-.024	-.015	-.037	.031		.034	.031
	-.183	.084	.055		.102	.090	-.186	.081		.066	.052
	.063	.030	0		-.027	-.010	-.036	.034		.045	.028
	-.150	.099	.055		.114	.102	-.160	.096		.066	.057
	.066	.045	-.004		-.039	-.004	-.028	.043		.051	.034
	-.123	.115	.063		.145	.133	-.129	.117		.082	.063
	.076	.058	-.003		-.045	-.010	-.037	.055		.054	.040
	-.097	.115	.072		.157	.151	-.100	.123		.087	.060
	.064	.051	.009		-.051	.002	-.030	.043		.052	.042
	-.066	.138	.079		.177	.169	-.073	.145		.097	.076
	.066	.057	.006		-.051	.002	-.015	.054		.046	.046
	-.031	.151	.076		.187	.186	-.034	.157		.100	.091
	.060	.060	.006		-.039	.018	-.019	-.064		.046	.043
	.027	.183	.091		.210	.225	.016	.199		.129	.096
	.070	.078	.010		-.066	.019	-.024	.072		.061	.055
	.118	.225	.100		.249	.271	.100	.250		.148	.111
	.075	.105	.004		-.103	.024	-.046	.096		.073	.067
	.175	.247	.093		.256	.291	.153	.267		.156	.106
	.081	.120	.012		-.099	.031	-.039	.100		.079	.073
	.277	.307	.121			.357	.255	.316		.184	.136
	.069	.124	.025			.057	-.013	.100		.066	.075
	.406	.360	.138			.427	.381	.384		.220	.159
	.067	.123	.039			.087	-.030	.117		.079	.082
	.597	.456	.162			.523	.564	.465		.261	.193
	.076	.157	.048			.090	-.031	.165		.108	.109
	.696	.472	.135			.550	.756	.487		.253	.177
	.061	.150	.039			.115	-.010	.157		.097	.100
	.262	.217	.058			.287	.222	.211		.112	.066

V = VERTICAL DEFLECTION  
L = LATERAL DEFLECTION

NOTE: This data gives the deflection in inches of the points indicated. Positive vertical deflections are downward; negative, upward. Positive lateral deflections are away from the C.L.; negative, toward it. Missing values are caused by the clips going out of sight, or being dislodged by interference with the structure at high deformations.

# 1

LOAD IN LBS.	*	DEFLECTION L									
		x-2	x-4	x-6	x-7	x-12	x-15	x-16	x-18	x-20	Y-3
100	V	.004	.011	.028	.026	.054	.048	.018	.037	.020	.026
	L	.001	.002	.015	.002	.013	.003	.014	-.003	.006	.005
200	V	.010	.014	.039	.048	.085	.053	.028	.032	0	.039
	L	.003	.010	.020	.005	.010	.013	.020	.007	.010	.015
300	V	.001	.018	.052	.063	.115	.111	.049	.031	-.001	.057
	L	.022	.023	.023	.018	.010	.101	.015	.023	.027	.011
400	V	.011	.037	.070	-	.158	.122	.070	.045	.006	.088
	L	.036	.032	.035	-	.019	.102	.027	.027	.037	.023
500	V	.002	.039	.083	.107	.175	.148	.068	.058	.016	.093
	L	.031	.035	.029	.009	.013	-	.035	.025	.036	.016
600	V	.016	.037	.092	.131	.206	.167	.087	.061	.013	.121
	L	.045	.057	.048	.031	.016	.111	.033	.041	.035	.036
700	V	.018	.046	.107	.137	.236	.184	.106	.083	.024	.134
	L	-	-	.042	.029	.006	.126	.048	.054	.053	.033
800	V	.019	.061	.133	.161	.289	.208	.119	.094	.027	.182
	L	.055	.075	.075	.048	.009	.124	.049	.063	.052	.042
900	V	0	.067	.153	.178	.335	.240	.136	.097	.019	.215
	L	.059	.075	.067	.059	.006	.149	-	.085	.072	.040
1000	V	-.003	.066	.165	.183	.386	.275	.174	.118	.019	.246
	L	.079	.091	.087	.058	-.001	-	-	-	-	.051
1200	V	-.006	.084	.213	.276	.512	.356	.230	.143	.018	.315
	L	.118	.119	.117	.087	0	-	.102	-.002	.122	.059
1400	V	.003	.107	.265		.612	.440	.286	.176	.028	.400
	L	.119	.141	.144		-.006	-	.131	.031	.159	.077
1600	V	.011	.128	.313		.739	.531	.358	.209	.054	
	L	.137	.150	.145		-.032	-	.159	-	.180	
1800	V	.013	.144			.813	.564	.384	.228	.061	
	L	.152	.174			-.022	-		.196	.195	
2000	V	.005	.141			.895	.582	.392	.226	.049	
	L	.192	.185			-.024	-		.201	.196	
0	V	-.045	.044			.464	.295	.176	.091	.001	

Calc.	E. Henry	REVISED	DATE	LOAD VS. DEFLECTION DATA SPECIMEN #25-20372 DS-I LEADING EDGE LOAD TESTS	DS-I	* V
Trac.					EWA	L
Chk.					5593	
Appr.				THE BOEING COMPANY	02-30085	
Appr.				SEATTLE 14, WASHINGTON	3-249	

257  
\* 9/3/63





# 1

LOAD IN LBS.	*	DEFLECTION L									
		x-2	x-4	x-6	x-7	x-12	x-15	x-16	x-18	x-20	Y-8
100	V					.019					
	L					-.007					
200	V					.032					
	L					.007					
300	V					.052					
	L					.014					
400	V					-					
	L					-					
500	V					.091					
	L					.003					
600	V					.097					
	L					.001					
700	V					.101					
	L					.016					
800	V					.127					
	L					.019					
900	V					.148					
	L					.001					
1000	V					.174					
	L					.027					
1200	V					.224					
	L					.001					
1400	V					.330					
	L					.019					
1600	V					.391					
	L					.019					
1800	V					.462					
	L					.006					
2000	V					.527					
	L					.009					

Calc.	<i>E. Remney</i>	REVISED	DATE	LOAD VS. DEFLECTION DATA SPECIMEN #25-20376 DS-I LEADING EDGE LOAD TESTS	DS-1	*V
Trac.					EWA	L
Chk.					5593	**
Appr.					02-80085	
Appr.				THE BOEING COMPANY SEATTLE 14, WASHINGTON	Vol. III 3-250	

25-2

9/3/63





# 1

LOAD IN LBS.	*	DEFLECTION I									
		x-2	x-4	x-6	x-7	x-12	x-15	x-16	x-18	x-20	Y-8
100	V	.029	.020	.032	.036	.037	.014	.019	.016		.044
	L	.022	.022	.015	.009	-.018	-.013	-.028	-.023		.007
200	V	.029	.035	.050	.061	.063	.040	.039	.015		.056
	L	.006	.016	.015	.014	-.023	-.006	-.036	-.010		.005
300	V	.041	.053	.065	.080	.101	.059	.046	.023		.086
	L	.022	.026	.024	.023	-.015	.009	-.032	-.041		.009
400	V	.059	.067	.089	.114	.157	.088	.085	.035		.116
	L	.042	.036	.035	.040	-.018	.018	-.007	-.005		.019
500	V	.055	.081	.114	.139	.209		.115	.054		.155
	L	.052	.033	.042	.040	-.020		0	-.023		.030
600	V	.054	.091	.144	.154	.256		.127	.067		.180
	L	.053	.074	.063	.067	-.026		.009	-.042		.064
700	V	.045	.083	.161	.169	.299		.128	.067		.201
	L	.084	.076	.075	.091	-.024		.010	-.024		.060
800	V	.042	.098	.174	.195	.349		.174	.072		.219
	L	.091	.089	.031	.093	-.022		.014	0		.070
900	V	.052	.101	.200	.224	.419		.205	.085		.273
	L	.111	.111	.097	.107	-.014		.053	.001		.072
1000	V	.102	.105	.224	.243	.471		-	.079		.291
	L	.162	.123	.094	.118	-.005		-	.007		.072
1200	V	.032	.140	.317	.325	.635		.230	.137		.591
	L	.143	.170	.136	.183	-.020		.083	.015		.117
1400	V	.044	.150	.354	.365	.764		.393	.166		.609
	L	.185	.175	.150	.226	-.019		.070	.005		.147
1600	V	.055	.183	.403	.405	.877		.423	.183		.623
	L	.174	.197	.167	.239	-.005		.084	.014		.165
1800	V	.065	.188	.410	.419	.949		.436	.187		.630
	L		.196	.166	.245	0		.091	.016		.176
2000	V	.059	.195	.448	.456	1.115		-	.198		.621
	L		.185	.170	.253	.024		-	.037		.075
2200	V					1.181		.513	.206		
	L					.019		.112	.022		
0	V					.756					

Coll.	<i>E. Henry</i>	REVISED	DATE	LOAD VS. DEFLECTION DATA SPECIMEN #25-20378 DS-I LEADING EDGE LOAD TESTS	DS-I
Trac.					EWA
Chk.					5593
Appr.					D2-50025
Appr.				THE BOEING COMPANY SEATTLE 14, WASHINGTON	Vol. III 3-251

253

1/9/3/63

LOCATIONS

Y-11	Y-14	Z-1	Z-3	Z-5	Z-9	Z-10	Z-13	Z-17	Z-19	Z-21
.035	.026	.026		.028	.040	.037	.015	.014	.028	.025
.011	.026	.009		0	.012	.026	-.012	-.009	-.005	-.009
.061		.028		.058	.057	.071	.035	.035	.018	.026
.019		.015		-.009	.012	.032	-.009	-.005	-.009	-.012
.102		.036		.063	.084	.106	.064	.067	.035	.033
.022		.015		-.009	.014	.036	.002	-.007	-.002	0
.151		.050		.082	.110	.148	.098	.084	.057	.050
.021		.023		-.015	.023	.036	.002	-.016	-.001	-.004
.221	.054	.061		.067	.147	.189	.128	.110	.081	.064
.019	.057	.025		-.032	.018	.046	.012	-.016	0	0
.240	.081	.061			.177	.225	-		.088	.078
.028	.064	.043			.037	.026	-		.009	-.002
.280	.098	.070			.196	.256	.180		.093	.077
.014	.065	.039			.050	.026	.026		.002	.001
.344	.123	.065			.225	.312	.214		.117	.085
.019	.070	.043			.05	.019	.033		.007	.007
.403	.179	.082			.361	.361	.268		.138	.105
.011	.081	.064			.023	.043	.047		.005	.011
.442	.211	.082			-	.421	.309		.154	.103
.012	.091	.072			-	.037	.065		.014	.019
.620	.305	.093			.420	.585	.407		.161	.112
.035	.103	.103			.098	.025	.089		.023	.021
.765	.379	.093			.484	.714	.487		.173	.112
.022	.121	.120			.116	.054	.121		.025	.035
.876		.106			.550	.816	.546		.176	.117
.018		.121			.131	.050	.145		.026	.039
.929		.106			.567	.862	.575		.176	.112
.038		.126			.137	.054	.161		.033	.043
1.092		.106			.662	1.026	.625		.165	.105
-.005		.119			.142	.040	.205		.049	.060
1.156						1.079	.709			
.008						.051	.211			
.777						.716				

2

V= VERTICAL DEFLECTION  
L= LATERAL DEFLECTION

NOTE: This data gives the deflection in inches of the points indicated. Positive vertical deflections are downward; negative upward. Positive lateral deflections are away from the C.L.; negative toward it. Missing values are caused by clips going out of sight, or being dislodged by interference with the structure at high deformations.

DATA SHEET

The tabulated result sheets obtained from the 1103A computer have the following from left to right:

1. EWA - EWA Number
2. TEST - Test Number
3. LOAD - Load - Pounds      NOTE: All loads include 40 pounds dead weight applied by loading head
4. GADE - Rosette Number
5. SA }  
6. SB } - Test readings of respective gage elements A, B, and C in Speedomax Divisions  
7. SC }      1 Speedomax Division = 94.9  $\mu$ in./in.
8. T Max - Maximum Shear Stress - Thousands of psi
9. F Max - Maximum Principal Stress - Thousands of psi
10. F Min - Minimum Principal Stress - Thousands of psi
11. THETA - Angle between F Max and Gage B - degrees
12. FA - Stress Component in Gage A direction - Thousands of psi
13. FC - Stress Component in Gage C direction - Thousands of psi
14. TC - Shear Stress Component in Gage C direction - Thousands of psi

NOTE: Rosette gages A, B, and C must read clockwise on layout.

See Drawing No. 25-20376 for gage locations on Panel No. 25-20376  
 See Drawing No. 25-20367 for gage locations on Panel No. 25-20367  
 See Drawing No. 25-20378 for gage locations on Panel No. 25-20378  
 See Drawing No. 25-20372 for gage locations on Panel No. 25-20372

2 Strain Gage Data beyond proportional limit. No stress data available

CALC	E. GIBSON	2/26/62	REVISED	DATE	ROSETTE NOMENCLATURE DS LEADING EDGE PANELS NO. 25-20376, 25-3067, 25-20378, 25-23072	DS
CHECK	CRAM	3-6-62				EWA 5617
APPD	Choban	3/7/62			BOEING AIRPLANE COMPANY D2-80085	PAGE 3-252
APPD	VPR	3/9/62				30

254

# 1

ENA	TEST	LCAD	GAGE	SA	SB	SC	T. MAX	F. MAX	F
5617	2	40	1	.0	.0	.0	.0	.0	.0
5617	2	100	1	.1-	.0	.0	.2	.0	.0
5617	2	200	1	.0	.6-	.0	1.6	1.6	
5617	2	300	1	.0	1.0-	.1	2.9	3.1	
5617	2	400	1	.0	1.0-	.2	3.0	3.5	
5617	2	500	1	.0	1.2-	.2	3.6	4.1	
5617	2	600	1	.0	1.5-	.2	4.4	4.9	
5617	2	700	1	.0	1.6-	.2	4.7	5.2	
5617	2	800	1	.0	1.9-	.2	5.5	6.0	
5617	2	900	1	.0	2.0-	.1	5.6	5.9	
5617	2	1000	1	.0	2.3-	.0	6.3	6.3	
5617	2	1200	1	.1	2.5-	.1-	6.8	6.8	
5617	2	1400	1	.4	2.7-	.5-	7.4	7.1	
5617	2	1500	1	.4	2.7-	.7-	7.1	6.4	
5617	2	2000	1	.1-	2.0-	2.0-	3.7	1.7-	
5617	2	40	2	.0	.0	.0	.0	.0	.0
5617	2	100	2	.1-	.0	.1-	.3	.2-	
5617	2	200	2	.3-	.2-	.1-	.3	.7-	
5617	2	300	2	.5-	.5-	.1-	.8	.8-	
5617	2	400	2	.9-	.6-	.1-	1.1	1.4-	
5617	2	500	2	1.1-	.8-	.1-	1.5	1.6-	
5617	2	600	2	1.5-	1.1-	.2-	1.9	2.4-	
5617	2	700	2	1.9-	1.4-	.2-	2.5	2.8-	
5617	2	800	2	2.0-	1.6-	.3-	2.6	3.2-	
5617	2	900	2	2.3-	1.9-	.3-	3.2	3.4-	
5617	2	1000	2	2.5-	2.1-	.4-	3.4	4.0-	
5617	2	1200	2	3.7-	3.0-	.3-	5.4	4.8-	
5617	2	1400	2	5.0-	4.0-	.2-	7.6	5.6-	
5617	2	1500	2	5.5-	4.3-	.1-	8.5	5.8-	
5617	2	2000	2	7.4-	5.3-	.3-	10.5	9.1-	
5617	2	40	4	.0	.0	.0	.0	.0	.0
5617	2	100	4	.0	.1	.0	.3	.3	
5617	2	200	4	1.1-	.0	.1	2.1	.4-	
5617	2	300	4	2.1-	.2-	.0	3.7	1.6-	
5617	2	400	4	3.5-	.6-	.0	5.7	3.2-	
5617	2	500	4	5.0-	1.3-	.1-	7.5	5.4-	
5617	2	600	4	6.6-	1.9-	.3-	9.6	7.9-	
5617	2	700	4	8.3-	2.5-	.4-	11.9	10.2-	
5617	2	800	4	10.0-	3.0-	.5-	14.4	12.3-	
5617	2	900	4	12.0-	3.7-	.5-	17.2	14.5-	
5617	2	1000	4	13.8-	4.3-	.5-	19.8	16.5-	
5617	2	1200	4	17.6-	5.6-	.5-	25.3	20.8-	
5617	2	1400	4	22.3-	8.0-	.1-	31.6	25.3-	
5617	2	1500	4	24.3-	9.0-	.1-	34.3	27.8-	
5617	2	2000	4	53.0-	21.9-	.1	73.8	60.7-	

NOTE: GAGES ZEROED WITH 40 LB DEAD WEIGHT APPLIED BY LOADING HEAD

FOR INFORMATION ON COLUMN HEADINGS SEE PAGE 3-252

255-

9/3/63

E-1210000 2/26/63  
 CONTINUED -  
 CRYM 3-5-62  
 Cloten 3/6/63  
 VAP 3/9/63

DOOR LOCK 99

T. MAX	F. MAX	F. MIN	THETA
.0	.0	.0	.0
.2	.0	.4-	22.5
1.6	1.6	1.6-	90.0
2.9	3.1	2.6-	88.6
3.0	3.5	2.5-	87.4
3.6	4.1	3.0-	87.8
4.4	4.9	3.9-	88.2
4.7	5.2	4.1-	88.3
5.5	6.0	5.0-	88.6
5.6	5.9	5.4-	89.3
6.3	6.3	6.3-	90.0
6.8	6.8	6.8-	88.8-
7.4	7.1	7.6-	85.2-
7.1	6.4	7.9-	83.9-
3.7	1.7-	9.0-	67.5-


FA	FC	IC
.0	.0	.0
.4-	.1-	.1
.0	.0	1.0-
.1	.4	2.4-
.2	.8	3.0-
.2	.8	3.5-
.2	.8	4.4-
.2	.8	4.6-
.2	.8	5.5-
.1	.4	5.6-
.0	.0	6.3-
.3	.3-	6.8-
1.0	1.5-	7.5-
.7	2.3-	7.0-
2.7-	7.9-	2.6-

.0	.0	.0	.0
.3	.2-	.8-	.0
.3	.7-	1.3-	45.0
.8	.8-	2.3-	67.5
1.1	1.4-	3.7-	52.0
1.5	1.6-	4.5-	55.9
1.9	2.4-	6.2-	55.5
2.5	2.8-	7.8-	56.2
2.6	3.2-	8.5-	58.9
3.2	3.4-	9.8-	60.5
3.4	4.0-	10.8-	60.9
3.4	4.8-	15.6-	60.2
7.6	5.6-	20.8-	60.1
9.5	5.8-	22.7-	59.5
10.5	9.1-	30.1-	56.1

.0	.0	.0
.5-	.5-	.5
1.3-	.7-	.0
2.1-	1.0-	.5-
3.6-	1.4-	.5-
4.4-	1.7-	.5-
6.1-	2.5-	.7-
7.7-	3.0-	1.0-
8.2-	3.5-	1.2-
9.3-	3.9-	1.6-
10.2-	4.5-	1.8-
14.8-	5.5-	2.7-
19.8-	6.6-	3.8-
21.6-	6.8-	4.1-
29.3-	9.8-	4.0-

.0	.0	.0	.0
.3	.3	.3-	.0
2.1	.4-	4.7-	25.1
3.7	1.6-	9.0-	25.5
5.7	3.2-	14.6-	28.3
7.5	5.4-	20.5-	31.5
9.6	7.9-	27.2-	31.9
11.9	10.2-	34.1-	32.4
14.4	12.3-	41.1-	32.3
17.2	14.5-	49.0-	33.0
19.8	16.5-	56.2-	33.4
25.3	20.8-	71.3-	34.0
31.6	25.3-	88.6-	37.0
34.3	27.8-	96.3-	37.6
33.8	40.7-	205.7-	40.1

.0	.0	.0
.0	.0	.5
4.2-	.9-	1.4
8.2-	2.5-	2.5
13.7-	4.1-	3.1
19.7-	6.3-	3.4
26.2-	8.9-	4.2
32.9-	11.3-	5.1
39.7-	13.7-	6.2
47.5-	16.0-	7.0
54.6-	18.1-	7.8
69.4-	22.6-	9.4
87.3-	26.5-	11.8
95.2-	28.9-	11.8
207.7-	61.8-	12.9

SEE  PG 3-252

CONTROLLED  
 CRP 3-3-61  
 Clon 3/6/72  
 VAP 3/8/72

MAXIMUM SHEAR STRESS	DS
PRINCIPAL STRESSES	EWA
DS LEADING EDGE PANELS	
PANEL NO. 25-20367	DZ-80085 5617
BOEING AIRPLANE COMPANY	Vol. III
SEATTLE, WASHINGTON	3-253

30-50

# 1

EWA	TEST	LCAD	GAGE	SA	SB	SC	T MAX	F MAX	F MIN
5617	2	40	4	.0	.0	.0	.0	.0	.0
5617	2	100	4	.0	.1-	.1-	.2	.0	.4-
5617	2	200	4	.5	.1-	.2-	1.2	1.9	.4-
5617	2	300	4	1.1	.0	.5-	2.3	3.9	.8-
5617	2	400	4	2.3	.2	.7-	4.4	6.5	.3-
5617	2	500	4	3.6	.6	1.1-	6.7	13.0	.3-
5617	2	600	4	4.9	1.0	1.5-	9.0	17.6	.3-
5617	2	700	4	6.3	1.4	2.0-	11.5	22.5	.6-
5617	2	800	4	7.7	1.9	2.4-	14.0	27.5	.8-
5617	2	900	4	9.4	2.5	2.9-	17.0	33.5	.4-
5617	2	1000	4	10.8	3.0	3.3-	19.4	38.5	.3-
5617	2	1200	4	13.4	3.9	4.1-	24.0	47.7	.4-
5617	2	1400	4	14.7	5.1	4.9-	26.8	51.8	1.9-
5617	2	1500	4	17.0	5.8	5.0-	30.1	60.6	.4
5617	2	2000	4	33.5	15.0	7.0-	55.7	123.	11.7

5617	2	40	5	.0	.0	.0	.0	.0	.0
5617	2	100	5	.0	.0	.0	.0	.0	.0
5617	2	200	5	.0	.0	.1-	.2	.0	.4-
5617	2	300	5	1.0	.1	.5-	2.1	3.4	.8-
5617	2	400	5	2.2	.6	.7-	4.0	7.8	.2-
5617	2	500	5	3.7	1.2	1.0-	6.4	13.3	.4
5617	2	600	5	5.4	1.7	1.4-	9.3	19.5	.8
5617	2	700	5	7.1	2.4	1.8-	12.2	25.7	1.3
5617	2	800	5	9.0	3.0	2.5-	15.8	32.3	.8
5617	2	900	5	11.0	3.7	2.9-	19.0	39.6	1.5
5617	2	1000	5	13.2	4.6	3.5-	22.9	47.5	1.8
5617	2	1200	5	20.3	7.3	5.0-	34.7	71.6	4.2
5617	2	1400	5	31.0	11.5	7.5-	52.7	112.	7.0
5617	2	1500	5	35.5	13.3	8.6-	65.4	129.	8.0
5617	2	2000	5	80.0	31.5	19.0-	136.	291.	19.5

5617	2	40	6	.0	.0	.0	.0	.0	.0
5617	2	100	6	.0	.0	.0	.0	.0	.0
5617	2	200	6	.0	.0	.0	.0	.0	.0
5617	2	300	6	.1	.1	.0	.2	.4	.0
5617	2	400	6	1.0	.6	.0	1.4	3.9	1.1
5617	2	500	6	1.9	1.0	.1-	2.8	7.3	1.8
5617	2	600	6	2.6	1.4	.3-	4.0	9.9	1.8
5617	2	700	6	3.6	1.8	.3-	5.3	13.7	3.0
5617	2	800	6	4.5	2.5	.0	6.2	17.6	5.2
5617	2	900	6	5.7	3.1	.0	7.8	22.3	6.7
5617	2	1000	6	6.9	3.7	.0	9.5	27.0	8.1
5617	2	1200	6	11.0	5.5	.4-	15.6	42.6	11.3
5617	2	1400	6	18.0	8.7	.8-	25.7	69.5	18.0
5617	2	1500	6	21.0	10.0	1.1-	30.3	80.9	20.3
5617	2	2000	6	44.8	19.0	6.3-	76.0	168.	27.9

FOR INFORMATION ON COLUMN HEADINGS  
SEE PAGE 3-252

FIGURES - 2/26/62  
 CONTINUED - 2/26/62  
 CHECK CRAM 3-5-62  
 APPR *Ch...* 3/6/62  
 ATFR *V...* 3/9/62

US 8801 8000

256

9/3/63,



T MAX	F MAX	F MIN	THETA		FA	FC	IC
.0	.0	.0	.0	0	.0	.0	.0
.2	.0	.4-	67.5-	000	.1-	.4-	.1-
1.2	1.9	.4-	62.8-	000	1.7	.2-	.7-
2.3	3.9	.8-	55.3-	000	3.7	.7-	.8-
4.4	6.5	.3-	55.9-	000	8.2	.0	1.0-
6.7	13.0	.3-	52.7-	000	12.8	.1-	1.8-
9.0	17.6	.3-	51.2-	000	17.4	.1-	1.4-
11.5	22.5	.6-	50.1-	000	22.3	.4-	2.0-
14.0	27.5	.8-	49.2-	000	27.3	.3-	2.0-
17.0	33.5	.4-	48.5-	000	33.4	.3-	2.0-
19.4	38.5	.3-	48.0-	000	38.4	.2-	2.0-
24.0	47.7	.4-	47.4-	000	47.6	.3-	2.0-
26.8	51.8	1.9-	44.4-	000	51.8	1.9-	.5-
30.1	60.6	.4	45.5-	000	60.6	.4	.5-
55.7	123.	11.7	42.5-	0	123.	11.9	4.8

SEE 2  
PG 3-252

.0	.0	.0	.0	0	.0	.0	.0
.0	.0	.0	.0	000	.0	.0	.0
.2	.0	.2-	22.5-	000	.1-	.4-	.1-
2.1	3.4	.8-	50.6-	000	3.3	.8-	.4-
4.0	7.8	.2-	48.0-	000	7.8	.2-	.4-
6.4	13.3	.4	46.8-	000	13.3	.4	.4-
9.3	19.5	.8	47.5-	000	19.5	.9	.8-
12.2	25.7	1.3	46.6-	000	25.7	1.3	.7-
15.8	32.3	.8	46.2-	000	32.3	.6	.7-
19.0	39.6	1.8	46.4-	000	39.6	1.5	1.0-
22.9	47.5	1.8	45.8-	000	47.5	1.8	.7-
27.7	56.6	2.2	45.8-	000	56.6	2.2	1.0-
32.7	66.1	2.0	45.0-	000	66.1	2.0	.7-
38.1	76.9	2.0	45.2-	000	76.9	2.0	.4-
43.6	89.1	19.5	44.4-	0	89.1	19.5	4.7

SEE 2  
PG 3-252

.0	.0	.0	.0	0	.0	.0	.0
.0	.0	.0	.0	000	.0	.0	.0
.0	.0	.0	.0	000	.0	.0	.0
.2	.4	.0	22.5-	000	.4	.1	.1
1.4	3.9	1.1	39.3-	000	3.9	1.2	.3
2.8	7.3	1.8	42.1-	000	7.3	1.8	.3
4.0	9.9	1.8	40.1-	000	9.8	1.9	.7
5.3	13.7	3.0	42.8-	000	13.7	3.0	.4
6.2	17.6	5.2	41.8-	000	17.6	5.3	.7
7.8	22.3	6.7	42.5-	000	22.3	6.7	.7
9.5	27.0	8.1	42.9-	000	27.0	8.1	.7
15.6	42.6	11.3	44.0-	000	42.6	11.3	.3
25.7	64.5	18.0	44.7-	000	64.5	18.0	.3
30.3	80.9	20.3	44.5-	000	80.9	20.3	.1
36.0	108.	27.9	45.3-	0	108.	27.9	.7

SEE 2  
PG 3-252

FIGURE NO.	CONTINUED - 2/26/62	REVISED	DATE	MAXIMUM SHEAR STRESS & PRINCIPAL STRESSES	DS
CHECK	CRAM 3-9-62			DS LEADING EDGE PANELS	EWA
APPR	Cholera 3/6/62			PANEL NO. 25-20367	5-617
AFFR	VPR 3/9/62			BOEING AIRPLANE COMPANY	3-254
				22-80085	
				Vol: III	




# 1

ENA	TEST	LCAD	GAGE	SA	SB	SC	T MAX	F MAX	F MIN
5617	2	40	7	.0	.0	.0	.0	.0	.0
5617	2	100	7	1.1-	.6-	.0	1.5	1.3-	4.3-
5617	2	200	7	3.0-	1.3-	.1-	4.0	3.8-	11.9-
5617	2	300	7	5.3-	2.4-	.3-	6.9	7.3-	21.2-
5617	2	400	7	8.2-	4.0-	.6-	10.5	11.9-	32.8-
5617	2	500	7	11.4-	5.7-	.8-	14.5	16.5-	45.6-
5617	2	600	7	14.7-	7.8-	1.1-	18.6	21.5-	58.8-
5617	2	700	7	17.1-	9.5-	1.5-	21.4	25.9-	66.7-
5617	2	800	7	19.2-	10.8-	1.6-	24.1	28.8-	77.0-
5617	2	900	7	21.6-	12.2-	1.8-	27.1	32.3-	86.6-
5617	2	1000	7	23.0-	13.2-	2.0-	29.8	34.7-	92.4-
5617	2	1200	7	27.5-	16.1-	1.9-	34.3	39.5-	110.
5617	2	1400	7	31.7-	18.1-	1.3-	41.8	44.0-	124.
5617	2	1500	7	31.8-	18.7-	1.0-	43.6	40.8-	126.
5617	2	2000	7	32.0-	19.3-	.1	44.9	38.2-	126.

5617	2	40	8	.0	.0	.0	.0	.0	.0
5617	2	100	8	1.0	.5	.0	1.4	3.9	1.2
5617	2	200	8	2.6	1.1	.0	3.6	10.2	3.0
5617	2	300	8	5.1	2.4	.3	6.6	20.3	7.1
5617	2	400	8	8.0	4.0	.7	10.0	32.2	12.1
5617	2	500	8	11.2	6.1	1.3	13.6	45.3	18.2
5617	2	600	8	15.0	8.2	1.9	17.9	60.9	25.0
5617	2	700	8	17.8	10.0	2.5	21.0	72.6	30.7
5617	2	800	8	20.5	11.7	3.1	23.8	83.8	36.2
5617	2	900	8	23.4	13.6	3.6	27.1	95.8	41.5
5617	2	1000	8	25.5	15.0	4.3	29.0	105.	46.7
5617	2	1200	8	32.3	19.2	5.2	37.1	132.	56.2
5617	2	1400	8	37.5	22.4	5.6	43.7	153.	65.8
5617	2	1500	8	39.5	23.5	5.7	44.3	161.	66.6
5617	2	2000	8	42.0	24.0	4.6	51.3	176.	67.2

5617	2	40	9	.0	.0	.0	.0	.0	.0
5617	2	100	9	.5	.2	.0	.7	2.0	.6
5617	2	200	9	1.0	.3	.0	1.5	4.0	1.1
5617	2	300	9	.4	.3	.0	.6	1.6	.4
5617	2	400	9	.7-	1.2-	.1-	2.3	.3	4.4-
5617	2	500	9	2.6-	2.5-	.1-	4.6	2.2-	11.5-
5617	2	600	9	5.0-	3.9-	.0	7.8	4.9-	20.5-
5617	2	700	9	7.2-	5.0-	.0	10.6	7.7-	28.9-
5617	2	800	9	9.5-	6.0-	.4	14.1	9.0-	37.3-
5617	2	900	9	12.0	7.1-	.6	39.9	71.9	7.8-
5617	2	1000	9	15.0-	8.4-	1.0	22.2	13.3-	57.8-
5617	2	1200	9	22.6-	12.5	2.0	34.2	18.2-	86.6-
5617	2	1400	9	32.0-	17.4	27.0-	33.8	116.	184.
5617	2	1500	9	36.1-	19.9-	28.8	99.4	60.8	118.
5617	2	2000	9	37.0-	48.0-	OPEN			

5617	2	40	10	.0	.0	.0	.0	.0	.0
------	---	----	----	----	----	----	----	----	----

257  READING IS ERRATIC DATA AFTER THIS POINT IS NOT VALID.  
 FOR INFORMATION ON COLUMN HEADINGS SEE PAGE 3-252

9/3/63

CONTINUED -

LAB E.G. BROWN 2/26/62

CHD GRAM 3-5-62

ADL Cloture 3/16/62

ADL VRL 3/19/62

T MAX	F MAX	F MIN	T META		FA	FC	IC
.0	.0	.0	.0	0	.0	.0	.0
1.5	1.3-	4.3-	47.6	0	4.3-	1.3-	.1-
4.0	3.8-	11.9-	40.1	0	11.8-	3.9-	.7
6.9	7.3-	21.2-	40.5	0	21.1-	7.4-	1.1
10.5	11.9-	32.8-	42.0	0	32.8-	12.0-	1.1
14.5	16.5-	45.6-	42.8	0	45.5-	16.5-	1.1
18.6	21.5-	58.8-	44.6	0	58.8-	21.5-	.3
21.4	25.9-	68.7-	45.7	0	68.7-	25.9-	.3-
24.1	26.8-	77.0-	46.3	0	77.0-	26.8-	1.1-
27.1	32.3-	86.6-	46.4	0	86.6-	32.4-	1.4-
28.8	34.7-	92.4-	46.9	0	92.3-	34.8-	1.4-
31.3	39.5-	110.	48.1	0	110.	39.7-	3.8-
41.8	44.0-	125.	48.0	0	126.	42.3-	4.4-
42.6	40.8-	126.	49.2	0	126.	41.2-	6.3-
44.9	36.2-	126.	50.9	0	125.	37.2-	4.6-

SEE  $\triangleright$   
PG 3-252

.0	.0	.0	.0	0	.0	.0	.0
1.4	3.9	1.2	45.0-	0	3.9	1.2	.0
3.6	10.2	3.0	49.4-	0	10.2	3.0	.5-
6.6	20.3	7.1	48.6-	0	20.3	7.2	.8-
10.0	32.2	12.1	47.7-	0	32.1	12.1	1.0-
13.6	45.3	18.2	45.9-	0	45.3	18.2	.4-
17.9	60.9	25.0	46.1-	0	60.9	25.0	.7-
21.0	72.6	30.7	45.5-	0	72.6	30.7	.4-
23.8	83.8	36.2	45.3-	0	83.8	36.2	.3-
27.1	95.8	41.5	44.7-	0	95.8	41.5	.3
29.0	105.	46.7	44.7-	0	105.	46.7	.3
32.1	132.	58.2	44.0-	0	132.	58.2	1.8
43.7	153.	65.8	43.5-	0	153.	65.9	2.3
44.3	151.	68.6	43.5-	0	151.	68.6	2.3
51.3	170.	67.2	43.9-	0	170.	67.3	1.9

SEE  $\triangleright$   
PG 3-252

.0	.0	.0	.0	0	.0	.0	.0
.7	4.0	.6	50.6-	0	2.0	.6	.1-
1.5	4.0	1.1	55.9-	0	3.9	1.2	.3-
.6	1.6	.4	31.7-	0	1.6	.5	.3
2.3	.3	4.4-	79.7	0	2.8-	1.2-	4.2-
4.6	2.2-	11.5-	66.3	0	10.3-	3.4-	3.1-
7.8	4.9-	20.5-	59.6	0	19.5-	5.9-	3.8-
10.6	7.7-	28.9-	55.6	0	28.2-	8.4-	3.8-
14.1	9.0-	37.3-	53.2	0	36.7-	9.6-	4.6-
39.9	11.9	7.8-	78.5-	0	47.6	16.4	36.7-
22.2	13.3-	57.8-	50.0	0	57.5-	13.7-	3.0-
34.2	18.2-	86.6-	50.1	0	66.1-	18.7-	6.0-
37.8	114.	184.	5.8	0	157.	143.	31.1
99.4	60.8	118.	56.3	0	107.	70.3	44.0-

SEE  $\triangleright$   
PG 3-252

CONTINUED		REMOVED	DATE	MAXIMUM SHEAR STRESS & PRINCIPLE STRESSES DS LEADING EDGE PANELS PANEL NO. 25-20367	DS
CALL	E. GIBSON				EWA 5-617
CHG	CRAM	3-5-62		BOEING AIRPLANE COMPANY SEATTLE, WASH. 98108	PAGE
APPR	VRB	3/9/62			3-255

Vol. III

# 1

ENA	TEST	LCAD	GAGE	SA	SB	SC	T MAX	F MAX	F MIN
5617	2	100	1C	.5-	.4-	.1-	.6	.9-	2.1-
5617	2	200	1C	1.1-	.7-	.3-	1.1	4.5-	4.6-
5617	2	300	1C	.3-	.0	.3-	.8	.7-	2.3-
5617	2	400	1C	.6	.5	.5-	1.9	2.2	1.7-
5617	2	500	1C	2.5	1.9	.5-	4.8	4.9	.3
5617	2	600	1C	4.3	3.0	.8-	7.9	17.3	1.5
5617	2	700	1C	6.5	3.9	1.0-	10.7	24.7	3.2
5617	2	800	1C	8.3	4.7	1.2-	13.4	31.4	4.7
5617	2	900	1C	10.4	5.7	1.6-	16.8	39.2	5.6
5617	2	1000	1C	13.1	7.0	2.0-	21.0	49.3	7.2
5617	2	1200	1C	19.8	10.3	2.8-	31.3	74.6	11.9
5617	2	1400	1C	28.5	14.8	3.1-	43.6	108	20.9
5617	2	1500	1C	32.5	17.0	3.1-	46.1	124	25.6
5617	2	2000	1C	44.0	44.0	3.5-	120	225	84.4

5617	2	40	11	.0	.0	.0	.0	.0	.0
5617	2	100	11	.0	.2-	.0	.5	.5	.5-
5617	2	200	11	.3-	.4-	.0	.8	.0	1.5-
5617	2	300	11	.1-	.2-	.0	.4	.2	.7-
5617	2	400	11	.1	.0	.5	1.0	2.5	.5
5617	2	500	11	.8	.7	1.0	.6	5.2	4.0
5617	2	600	11	1.9	1.4	1.5	1.0	9.6	7.7
5617	2	700	11	3.0	2.2	2.0	1.6	14.3	11.1
5617	2	800	11	4.3	3.2	2.6	2.4	20.0	15.1
5617	2	900	11	5.5	4.0	3.0	3.5	25.1	18.1
5617	2	1000	11	7.0	5.0	3.6	4.7	31.7	22.2
5617	2	1200	11	10.0	7.2	5.0	6.9	45.0	31.2
5617	2	1400	11	13.5	9.8	6.7	9.3	60.7	42.0
5617	2	2000	11	37.3	24.5	13.6	12.5	162	96.9

5617	2	40	12	.0	.0	.0	.0	.0	.0
5617	2	100	12	.0	.0	.0	.0	.0	.0
5617	2	200	12	.1-	.0	.0	.2	.0	.4-
5617	2	300	12	.2-	.0	.1-	.4	.3-	1.2-
5617	2	400	12	.1-	.4-	.4-	1.1	1.4-	3.7-
5617	2	500	12	.0	.6-	1.5-	2.1	1.7-	5.9-
5617	2	600	12	.2	1.0-	2.5-	3.7	2.1-	9.6-
5617	2	700	12	.6	1.3-	3.5-	5.6	1.7-	13.0-
5617	2	800	12	1.0	1.5-	4.5-	7.6	1.3-	16.5-
5617	2	900	12	1.4	1.9-	5.4-	9.3	.8-	19.5-
5617	2	1000	12	1.9	2.1-	6.4-	11.4	.1-	22.8-
5617	2	1200	12	3.0	2.8-	8.9-	16.3	1.3	31.3-
5617	2	1400	12	4.5	3.5-	11.5-	21.9	4.1	39.7-
5617	2	1500	12	5.1	3.9-	13.0-	24.8	4.7	44.9-
5617	2	2000	12	13.4	6.5-	25.4-	53.1	22.6	83.7-

▷ STRAIN GAGE ACTS AS IF YIELD POINT HAS BEEN REACHED

FOR INFORMATION ON COLUMN HEADINGS  
SEE PAGE 3-252

US 5501 5000

258

9/3/63

ENR	E. EIBSON	2/26/62
CHECK	CRAM	3-5-62
APPR	Chiles	3/6/62
APPR	VRK	3/5/62

LS-4001-100 (REV. 5-4-57)

SC	T MAX	F PAX	F MIN	THETA	FA	FC	IC	
.1-	.6	.9-	2.1-	58.3	0	2.1-	1.0-	.3-
.3-	1.1	4.5-	4.6-	45.0	0	4.6-	2.5-	.0
.3-	.8	.7-	2.3-	.0	0	1.5-	1.5-	.8
.5-	1.9	4.2	1.7-	25.3-	0	1.8	1.3-	1.2
.5-	4.8	4.9	.3	24.5-	0	9.2	1.0	2.5
.8-	7.9	17.3	1.5	33.3-	0	16.7	2.1	3.1
1.0-	10.7	24.7	3.2	36.5-	0	24.3	3.7	3.1
1.2-	13.4	31.4	4.7	38.2-	0	31.1	5.0	3.1
1.6-	16.8	39.2	5.6	38.9-	0	38.8	5.9	3.5
2.0-	21.0	49.3	7.2	39.6-	0	48.9	7.5	4.0
2.8-	31.3	74.6	11.9	40.5-	0	74.2	12.3	4.4
3.1-	42.4	108.	10.9	41.2-	0	108.	21.3	5.0
3.1-	40.1	124.	15.6	41.3-	0	124.	26.0	6.3
3.5-	120.	325.	24.4	42.5-	0	325.	84.9	10.3

SEE 2  
PG 3-252

.0	.0	.0	.0	.0	0	.0	.0	.0
.0	.5	.5	.5-	90.0	0	.0	.0	.3-
.0	.8	.0	1.5-	74.5	0	1.2-	.3-	.7-
.0	.4	.2	.7-	80.8	0	.4-	.1-	.4-
.5	1.0	4.5	.5	73.2	0	1.0	2.1	.8-
1.0	.6	3.2	4.0	76.7	0	4.3	4.8	.5-
1.5	1.0	4.6	7.7	73.2-	0	9.2	8.1	.8-
2.0	1.6	14.3	11.1	60.5-	0	14.1	11.3	.8-
2.6	2.4	20.0	15.1	53.2-	0	19.9	15.2	.7-
3.0	3.5	25.1	18.1	50.6-	0	25.0	18.2	.7-
3.6	4.7	31.7	22.2	50.0-	0	31.6	22.3	.8-
5.0	6.9	45.0	31.2	48.4-	0	45.0	31.3	.8-
6.7	9.3	60.7	42.0	47.5-	0	60.7	42.0	.8-
13.6	32.5	162.	46.9	47.3-	0	162.	97.0	1.0

SEE 2  
PG 3252

.0	.0	.0	.0	.0	0	.0	.0	.0
.0	.0	.0	.0	.0	0	.0	.0	.0
.0	.2	.0	.4-	22.5	0	.4-	.1-	.1
.1-	.4	.3-	1.2-	9.2	0	.9-	.6-	.4
.9-	1.1	1.4-	3.7-	38.0-	0	1.4-	3.6-	.3
1.5-	2.1	1.7-	5.9-	39.3-	0	1.8-	5.9-	.4
2.5-	3.7	2.1-	9.6-	41.8-	0	2.1-	9.5-	.4
3.5-	5.6	1.7-	13.0-	42.9-	0	1.8-	13.0-	.4
4.5-	7.6	1.3-	16.5-	42.4-	0	1.4-	16.4-	.7
5.4-	9.3	.8-	19.5-	44.2-	0	.9-	19.5-	.3
6.4-	11.4	.1-	22.8-	44.0-	0	.1-	22.8-	.4
8.9-	16.3	1.3	31.3-	44.3-	0	1.3	31.3-	.4
11.5-	21.9	4.1	39.7-	45.0-	0	4.1	39.7-	.0
13.0-	24.8	4.7	44.9-	44.2-	0	4.7	44.9-	.1
25.4-	53.1	22.6	83.7-	45.7-	0	22.6	83.6-	1.4-

SEE 2  
PG 3-252

D POINT HAS BEEN REACHED.

65

CALC	E. SIMSON	2/26/62	EV. ED	DATE	MAXIMUM SHEAR STRESS & PRINCIPLE STRESSES DS LEADING EDGE PANELS PANEL NO. 25-20367 BOEING AIRPLANE 22-80085	DS
CHECK	CRAM	3-5-62				EWA
APPR	Chiles	3/6/62				5-617
APPR	VRL	3/15/62				3-286

Vol. III

# 1

ENA	TEST	LOAD	GAGE	SA	SB	SC	T MAX	F MAX	F MIN
5617	4	40	1	.0	.0	.0	.0	.0	.0
5617	4	100	1	.2	.2	.0	.4	.9	.1
5617	4	200	1	.6	.3	.2-	1.1	4.1	.1-
5617	4	300	1	.9	.5	.4-	1.9	3.2	.6-
5617	4	400	1	1.1	.5	.6-	2.4	3.7	1.1-
5617	4	500	1	1.6	.6	.8-	3.3	5.4	1.3-
5617	4	600	1	2.0	.8	1.0-	4.2	6.7	1.6-
5617	4	700	1	2.6	1.1	1.0-	5.0	9.1	.9-
5617	4	800	1	3.5	1.5	1.1-	6.3	12.5	.2-
5617	4	900	1	5.2	2.5	1.0-	8.5	19.2	2.1
5617	4	1000	1	6.9	3.4	1.0-	10.9	25.9	4.1
5617	4	1200	1	10.0	5.2	.5-	14.4	38.6	9.7
5617	4	1400	1	14.6	8.0	.3	19.6	57.5	18.2
5617	4	1600	1	22.6	12.6	1.0	29.7	89.7	30.3
5917	4	40	2	.0	.0	.0	.0	.0	.0
5917	4	100	2	.4-	.2-	.0	.5	.5-	1.6-
5917	4	200	2	.1	.4-	.2	1.5	4.3	.7-
5917	4	300	2	1.2-	.5-	.5	2.4	.6	4.1-
5917	4	400	2	1.9-	.8-	.5	3.3	.3-	6.8-
5917	4	500	2	2.2-	.8-	.8	4.1	.5	7.7-
5917	4	600	2	2.6-	1.0-	1.0	5.0	.9	9.0-
5917	4	700	2	3.2-	1.1-	1.2	6.0	.9	11.1-
5917	4	800	2	4.3-	1.6-	1.2	7.5	.3-	15.4-
5917	4	900	2	6.0-	2.4-	1.1	9.7	2.7-	22.2-
5917	4	1000	2	7.5-	3.2-	1.0	11.6	4.9-	28.2-
5917	4	1200	2	10.6-	4.8-	.6	15.3	10.1-	40.8-
5917	4	1400	2	15.0-	7.1-	.0	20.6	17.6-	58.7-
5917	4	1600	2	21.3-	10.3-	.5-	28.5	26.9-	84.0-
5617	4	40	3	.0	.0	.0	.0	.0	.0
5617	4	100	3	.2-	.2-	.1-	.2	.6-	1.0-
5617	4	200	3	1.4-	.8-	.2-	1.6	2.4-	5.7-
5617	4	300	3	2.9-	1.6-	.4-	3.4	5.0-	11.8-
5617	4	400	3	4.6-	2.5-	.5-	5.6	7.3-	18.6-
5617	4	500	3	6.1-	3.3-	.5-	7.7	9.1-	24.4-
5617	4	600	3	7.8-	4.2-	.6-	9.9	11.5-	31.2-
5617	4	700	3	9.4-	5.0-	.6-	12.0	13.4-	37.5-
5617	4	800	3	10.9-	5.5-	.7-	14.0	15.5-	43.5-
5617	4	900	3	11.5-	5.6-	.6-	15.0	15.8-	45.7-
5617	4	1000	3	12.2-	6.0-	.6-	15.9	16.6-	48.5-
5617	4	1200	3	13.5-	6.5-	.6-	17.7	18.1-	53.6-
5617	4	1400	3	14.8-	7.0-	.6-	19.5	19.6-	58.7-
5617	4	1600	3	14.2-	6.4-	.3-	19.2	17.7-	56.0-
5617	4	40	4	.0	.0	.0	.0	.0	.0
5617	4	100	4	.1	.0	.0	.2	.4	.0
5617	4	200	4	1.0	.5	.0	1.4	3.9	1.2
5617	4	300	4	2.2	1.1	.0	3.0	8.6	2.6
5617	4	400	4	3.5	1.7	.0	4.8	13.7	4.1
5617	4	500	4	5.0	2.6	.0	6.8	19.6	5.9
5617	4	600	4	6.6	3.5	.0	9.0	25.8	7.7
5617	4	700	4	8.1	4.3	.2	10.8	31.9	10.3
5617	4	800	4	9.2	4.8	.2	12.3	36.2	11.6
5617	4	900	4	9.6	5.0	.4	12.6	38.0	12.8
5617	4	1000	4	10.1	5.3	.4	13.3	40.0	13.4
5617	4	1200	4	11.3	5.9	.5	14.8	44.8	15.2

- CONTINUED -

NOTE: GAGES ZEROED WITH 40 LB DEAD WEIGHT APPLIED BY LOADING HEAD

FOR INFORMATION ON COLUMN HEADING SEE PAGE 3-252

259

9/3/63

GIBSON 3/26/62  
 CRAM 3-5-62  
 Cloves 3/6/62  
 VRA 3/9/62

116 5501 5000

SC	T MAX	F MAX	F MIN	THETA	FA	FC	TC
.0	.0	.0	.0	.0	.0	.0	.0
.0	.4	.9	.1	22.5-	.8	.2	.3
.2	1.1	2.1	.1-	38.0-	2.1	.1-	.3
.4	1.9	3.2	.6-	34.5-	3.0	.5-	.7
.6	2.4	3.7	1.1-	36.8-	3.6	1.0-	.7
.8	3.3	5.4	1.3-	40.3-	5.3	1.3-	.5
1.0	4.2	6.7	1.6-	39.3-	6.6	1.6-	.8
1.0	5.0	9.1	.9-	40.3-	9.0	.9-	.8
1.1	6.3	12.5	.2-	41.3-	12.4	.2-	.8
1.0	8.5	19.2	2.1	41.3-	19.2	2.2	1.1
1.0	10.9	25.9	4.1	41.8-	25.8	4.2	1.2
.5	14.4	38.6	9.7	42.5-	38.5	9.8	1.4
.3	19.6	57.5	18.2	42.8-	57.5	18.3	1.5
1.0	26.7	89.7	30.3	42.9	89.6	30.4	2.2
.0	.0	.0	.0	.0	.0	.0	.0
.0	.5	.5-	1.6-	45.0	1.6-	.5-	.0
.2	1.5	2.3	.7-	87.4	.6	.9	1.5-
.2	2.4	.6	4.1-	50.0	4.1-	.5	.4-
.5	3.3	.3-	6.8-	47.4	6.8-	.3-	.3-
.8	4.1	.5	7.7-	46.9	7.7-	.5	.3-
1.0	5.0	.9	9.0-	48.2	9.0-	.9	.5-
1.2	6.0	.9	11.1-	46.3	11.1-	.9	.3-
1.2	7.5	.3-	15.4-	45.5	15.4-	.3-	.1-
1.1	9.7	2.7-	22.2-	44.6	22.2-	2.7-	.1
1.0	11.6	4.9-	28.2-	44.7	28.2-	4.9-	.1
.6	15.3	10.1-	40.8-	44.0	40.8-	10.1-	.3
.0	20.6	17.6-	58.7-	43.5	58.7-	17.6-	1.1
.5	28.5	26.9-	84.0-	43.3	83.9	26.9	1.8
.0	.0	.0	.0	.0	.0	.0	.0
.1	.2	.6-	1.0-	67.5	.9-	.6-	.1-
.2	1.6	2.4-	5.7-	45.0	5.7-	2.4-	.0
.4	3.4	5.0-	11.8-	43.8	11.8-	5.0-	.1
.5	5.6	7.3-	18.6-	44.3	18.6-	7.3-	.1
.5	7.7	9.1-	24.4-	45.0	24.4-	9.1-	.0
.6	9.9	11.5-	31.2-	45.0	31.2-	11.5-	.0
.6	12.0	13.4-	37.5-	45.0	37.5-	13.4-	.0
.7	14.0	15.5-	43.5-	43.3	43.5-	15.5-	.8
.6	15.0	15.8-	45.7-	42.6	45.7-	15.8-	1.2
.6	15.9	16.6-	48.5-	43.0	48.4-	16.7-	1.1
.6	17.7	18.1-	53.6-	42.6	53.5-	18.2-	1.5
.6	19.5	19.6-	58.7-	42.2	58.6-	19.7-	1.4
.3	19.2	17.7-	56.0-	41.5	55.9-	17.8-	2.3
.0	.0	.0	.0	.0	.0	.0	.0
.0	.2	.4	.0	67.5-	.4	.1	.1-
.0	1.4	3.9	1.2	45.0-	3.9	1.2	.0
.0	3.0	8.6	2.6	45.0-	8.6	2.6	.0
.0	4.8	13.7	4.1	45.8-	13.7	4.1	.1-
.0	6.8	19.6	5.9	43.8-	19.5	5.9	.3
.0	9.0	25.8	7.7	43.3-	25.8	7.7	.3
.2	10.8	31.9	10.3	43.9-	31.9	10.3	.4
.2	12.3	36.2	11.6	44.4-	36.2	11.6	.3
.4	12.6	38.0	12.8	45.0-	38.0	12.8	.0
.4	13.3	40.0	13.4	44.7-	40.0	13.4	.1
.5	14.8	44.8	15.2	45.0-	44.8	15.2	.0

SEE PG 3-252

SEE PG 3-252

- CONTINUED -

DEAD HEAD

C.A.C. GIBSON 2/26/62 C.A.C. CRAM 3-5-62 C.A.C. Clobes 3/6/62 C.A.C. VRA 3/9/62	MAXIMUM SHEAR STRESS & PRINCIPAL STRESSES DS LEADING EDGE PANELS PANEL NO. 25-20372	DS EWA 5617
THE BOYD COMPANY SATELITE, WASH.		3-257

02-80085  
Vol. III

# 1

ENA	TEST	LOAD	GAGE	SA	SB	SC	T MAX	F MAX	F MIN
5617	4	1400	4	12.3	6.4	.5	16.2	48.7	16.4
5617	4	1600	4	11.3	5.7	.5	14.8	44.8	15.2
5617	4	40	5	.0	.0	.0	.0	.0	.0
5617	4	100	5	.1	.0	.0	.2	.4	.0
5617	4	200	5	.8	.3	.0	1.1	3.2	.9
5617	4	300	5	1.5	.6	.1-	2.2	5.8	1.3
5617	4	400	5	2.2	.8	.2-	3.3	8.4	1.8
5617	4	500	5	3.1	1.4	.0	4.3	12.1	3.6
5617	4	600	5	4.2	2.0	.0	5.8	16.4	4.9
5617	4	700	5	5.3	2.6	.0	7.3	20.7	6.2
5617	4	800	5	6.4	3.1	.1	8.6	25.2	7.9
5617	4	900	5	7.5	3.7	.3	9.9	29.7	10.0
5617	4	1000	5	8.5	4.3	.4	11.1	33.7	11.5
5617	4	1200	5	10.5	5.5	.6	13.5	41.8	14.7
5617	4	1400	5	13.0	6.8	.8	16.7	51.8	18.4
5617	4	1600	5	15.8	8.2	1.0	20.3	63.0	22.4
5617	4	40	6	.0	.0	.0	.0	.0	.0
5617	4	100	6	.4-	.2-	.2-	.4	1.1-	1.9-
5617	4	200	6	1.3-	.6-	.2-	1.5	2.3-	5.4-
5617	4	300	6	2.3-	1.2-	.4-	2.6	4.2-	9.5-
5617	4	400	6	3.2-	1.8-	.5-	3.7	5.7-	13.1-
5617	4	500	6	4.0-	2.3-	.5-	4.8	6.6-	16.2-
5617	4	600	6	5.0-	2.7-	.5-	6.2	7.8-	20.1-
5617	4	700	6	6.1-	3.3-	.5-	7.7	9.1-	24.4-
5617	4	800	6	7.3-	3.9-	.6-	9.2	10.9-	29.3-
5617	4	900	6	8.4-	4.4-	.5-	10.8	11.8-	33.4-
5617	4	1000	6	9.5-	5.0-	.5-	12.3	13.1-	37.8-
5617	4	1200	6	11.8-	6.2-	.6-	15.3	16.2-	46.9-
5617	4	1400	6	14.3-	7.5-	.6-	18.8	19.1-	56.6-
5617	4	1600	6	17.2-	8.9-	.6-	22.7	22.5-	68.0-
5617	4	40	7	.0	.0	.0	.0	.0	.0
5617	4	100	7	.0	.0	.1-	.2	.0	.4-
5617	4	200	7	.0	.2-	.1-	.4	.2	.7-
5617	4	300	7	.1-	.4-	.2-	.7	.1-	1.5-
5617	4	400	7	.5-	.8-	.6-	.7	2.1-	3.5-
5617	4	500	7	.5-	1.0-	.8	3.6	4.4	2.8-
5617	4	600	7	.2	1.0-	1.0-	2.3	.3	4.3-
5617	4	700	7	.1	.7-	1.0-	1.6	.6-	3.9-
5617	4	800	7	.8	.5-	1.0-	2.7	2.2	3.2-
5617	4	900	7	2.2	.4	.6-	4.0	8.0	.1
5617	4	1000	7	3.9	1.5	.0	5.5	15.4	4.4
5617	4	1200	7	7.0	4.2	1.5	7.5	29.1	14.1
5617	4	1400	7	11.0	7.8	3.8	9.9	47.5	27.7
5617	4	1600	7	16.9	12.0	6.6	14.1	73.9	45.6
5617	4	40	8	.0	.0	.0	.0	.0	.0
5617	4	100	8	.1-	.0	.0	.2	.0	.4-
5617	4	200	8	.0	.2	.3	.4	1.2	.3
5617	4	300	8	.1	.3	.5	.8	2.3	.8
5617	4	400	8	.0	.6	.5	1.2	2.4	.1
5617	4	500	8	.1	.9	.7	1.6	3.6	.4
5617	4	600	8	.0	1.0	1.0	1.9	4.5	.6
5617	4	700	8	.5-	1.0	1.5	3.0	5.6	.5-
5617	4	800	8	1.3-	.6	15.0	28.1	63.0	6.7
5617	4	900	8	2.8-	.2-	.0	5.0	2.1-	12.2-

USE 5501 5000

260

9/3/63

FOR INFORMATION ON COLUMN HEADINGS SEE PG 3-252

- CONTINUED -  
 E. Gibson 2/26/62  
 CRAM 3-5-62  
 Charles 3/6/62  
 V.P. 4/1/62





# 1

ENA	TEST	LOAD	GAGE	SA	SB	SC	T MAX	F MAX	F MIN
5617	4	1000	8	4.6-	1.3-	0	<del>4.7</del>	<del>5.0</del>	<del>18.4</del>
5617	4	1200	8	8.5-	4.4-	0	<del>11.6</del>	<del>10.0</del>	<del>53.3</del>
5617	4	1400	8	13.0-	7.8-	0	<del>18.1</del>	<del>14.9</del>	<del>81.2</del>
5617	4	1600	8	19.0-	11.7-	0	<del>26.7</del>	<del>21.6</del>	<del>75.0</del>
5617	4	40	9	.0	.0	0	.0	.0	.0
5617	4	100	9	.3-	.0	0	.6	.2-	1.3-
5617	4	200	9	1.0-	.4-	0	1.4	1.1-	3.9-
5617	4	300	9	2.1-	1.0-	0	2.9	2.5-	8.2-
5617	4	400	9	3.6-	1.7-	2-	4.7	5.0-	14.3-
5617	4	500	9	5.0-	2.4-	2-	6.6	6.6-	19.8-
5617	4	600	9	6.5-	3.0-	4-	8.4	9.1-	26.0-
5617	4	700	9	8.1-	4.7-	4-	10.6	11.0-	32.2-
5617	4	800	9	10.0-	4.5-	6-	13.0	13.9-	40.0-
5617	4	900	9	11.5-	5.0-	6-	15.2	15.6-	46.0-
5617	4	1000	9	12.2-	5.2-	6-	16.2	16.3-	48.8-
5617	4	1200	9	13.8-	6.0-	7-	18.3	18.6-	55.1-
5617	4	1400	9	15.0-	6.4-	7-	20.0	19.9-	59.9-
5617	4	1600	9	15.0-	6.0-	4-	20.5	18.6-	59.7-
5617	4	40	10	.0	.0	0	.0	.0	.0
5617	4	100	10	.1	.1	0	.2	.4	.0
5617	4	200	10	.9	.4	0	1.2	3.5	1.0
5617	4	300	10	1.7	.9	0	2.3	6.6	2.0
5617	4	400	10	2.9	1.4	2-	4.2	11.1	2.6
5617	4	500	10	4.2	2.1	1-	5.9	16.3	4.5
5617	4	600	10	5.7	3.5	0	8.0	22.5	6.5
5617	4	700	10	7.2	3.8	0	9.9	28.2	8.4
5617	4	800	10	9.0	4.6	0	12.3	35.2	10.5
5617	4	900	10	10.3	5.3	0	14.1	40.3	12.1
5617	4	1000	10	11.0	5.6	0	15.1	43.0	12.9
5617	4	1200	10	12.1	6.2	0	16.6	47.3	14.2
5617	4	1400	10	13.4	6.7	2-	18.6	52.2	14.9
5617	4	1600	10	13.0	6.5	7-	18.8	50.0	12.5
5617	4	40	11	.0	.0	0	.0	.0	.0
5617	4	100	11	.0	.0	1-	.2	.0	.4-
5617	4	200	11	.6	.2	0	.9	2.4	.7
5617	4	300	11	1.2	.5	0	1.7	4.7	1.4
5617	4	400	11	1.9	.6	1-	2.8	7.4	1.7
5617	4	500	11	2.8	1.2	0	3.9	11.0	3.2
5617	4	600	11	3.8	1.6	0	5.3	14.9	4.4
5617	4	700	11	4.8	2.1	1	6.5	19.0	5.9
5617	4	800	11	5.9	2.6	1	8.0	23.3	7.2
5617	4	900	11	6.0	3.3	3	7.8	23.8	8.2
5617	4	1000	11	8.1	3.8	4	10.6	32.2	11.0
5617	4	1200	11	10.0	4.7	5	13.1	39.8	13.6
5617	4	1400	11	12.1	5.7	7	15.7	48.3	16.8
5617	4	1600	11	14.5	6.8	8	18.9	57.8	20.0
5617	4	40	12	.0	.0	0	.0	.0	.0
5617	4	100	12	.4-	.2-	1-	.4	.8-	1.7-
5617	4	200	12	.9-	.5-	1-	1.1	1.4-	3.6-
5617	4	300	12	1.6-	1.0-	3-	1.8	3.0-	6.6-
5617	4	400	12	2.5-	1.5-	4-	2.9	4.5-	10.3-
5617	4	500	12	3.3-	1.8-	4-	4.0	5.4-	13.4-
5617	4	600	12	4.1-	2.3-	4-	5.1	6.4-	16.5-
5617	4	700	12	5.0-	2.8-	4-	6.3	7.4-	20.0-

1 GAGE OPEN ; NO DATA

FOR INFORMATION ON COLUMN HEADINGS  
SEE PG 3-252

- CONTINUED -

E. GIBSON	2/26/62
CRM	3-9-62
Chobin	3/6/62
VPR	3/9/62

261

9/3/63

US 5501 5007

SB	SC	T MAX	F MAX	F MIN	THETA	FA	FC	TC
1.5-	C	4.7	5.0	18.4	35.4	0	18.0	5.4
4.4-	C	11.6	10.0	13.3	46.0	0	33.3	10.0
7.8-	C	18.1	14.9	11.2	50.6	0	50.6	15.3
11.7-	C	24.7	21.6	15.0	51.5	0	74.3	22.3
.0	C	.0	.0	.0	.0	0	.0	.0
.0	C	.6	.2	1.3	22.5	0	1.2	.3
.4-	C	1.4	1.1	3.9	39.3	0	3.9	1.2
1.0-	C	2.9	2.5	8.2	43.6	0	8.2	2.5
1.7-	2-	4.7	5.0	14.3	41.6	0	14.3	5.0
2.4-	2-	6.6	6.6	19.8	42.6	0	19.8	6.6
3.0-	4-	8.4	9.1	26.0	40.8	0	25.9	9.2
4.7-	4-	10.6	11.0	32.2	48.3	0	32.2	11.1
4.5-	6-	13.0	13.9	40.0	40.2	0	39.8	14.1
5.0-	6-	15.2	15.6	46.0	39.5	0	45.7	15.8
5.2-	6-	16.2	16.3	48.8	39.1	0	48.4	16.7
6.0-	7-	18.3	18.6	55.1	39.6	0	54.8	18.9
6.4-	7-	20.0	19.9	59.9	39.3	0	59.5	20.3
6.0-	4-	20.5	18.6	59.7	38.4	0	59.1	19.2
.0	C	.0	.0	.0	.0	0	.0	.0
.1	C	.2	.4	.0	22.5	0	.4	.1
.4	C	1.2	3.5	1.0	48.2	0	3.5	1.0
.9	C	2.3	6.6	2.0	43.3	0	6.6	2.0
1.4	2-	4.2	11.1	2.6	44.1	0	11.1	2.6
2.1	1-	5.9	16.3	4.5	44.3	0	16.3	4.5
3.5	0	8.0	22.5	6.5	38.6	0	22.3	6.7
3.8	0	9.9	28.2	8.4	43.4	0	28.2	8.4
4.6	0	12.3	35.2	10.5	44.4	0	35.2	10.5
5.3	0	14.1	40.3	12.1	48.2	0	40.3	12.1
5.6	0	15.1	43.0	12.9	44.5	0	43.0	12.9
6.2	0	16.6	47.3	14.2	44.3	0	47.3	14.2
6.7	2-	18.6	52.2	14.9	44.6	0	52.2	14.9
6.5	7-	18.8	50.0	12.5	43.5	0	50.0	12.5
.0	C	.0	.0	.0	.0	0	.0	.0
.0	1-	.2	.0	.4	22.5	0	.1	.4
.2	C	.9	2.4	.7	54.2	0	2.3	.7
.5	C	1.7	4.7	1.4	49.7	0	4.7	1.4
.6	1-	2.8	7.4	1.7	53.3	0	7.3	1.8
1.2	0	3.9	11.0	3.2	49.1	0	11.0	3.3
1.6	0	5.3	14.9	4.4	49.5	0	14.9	4.5
2.1	1	6.5	19.0	5.9	49.2	0	18.9	6.0
2.6	1	8.0	23.3	7.2	48.9	0	23.2	7.3
3.3	3	7.8	23.8	8.2	43.5	0	23.8	8.2
3.8	4	10.6	32.2	11.0	48.3	0	32.2	11.1
4.7	5	13.1	39.8	13.6	48.3	0	39.7	13.7
5.7	7	15.7	48.3	16.8	48.5	0	48.2	16.9
6.8	8	18.9	57.8	20.0	48.5	0	57.7	20.1
.0	0	.0	.0	.0	.0	0	.0	.0
.2-	1-	.4	.8	1.7	35.8	0	1.7	.9
.5-	1-	1.1	1.4	3.6	45.0	0	3.6	1.4
1.0-	3	1.8	3.0	6.6	47.2	0	6.6	3.0
1.5-	4	2.9	4.5	10.3	46.4	0	10.2	4.5
1.8-	4	4.0	5.4	13.4	44.0	0	13.4	5.4
2.3-	4	5.1	6.4	16.5	45.8	0	16.5	6.4
2.8-	4	6.3	7.4	20.0	46.2	0	20.0	7.4

2

- CONTINUED -

HEADINGS

DESIGNED BY E. GIBSON 7/2/62	DATE 7/2/62	MAXIMUM SHEAR STRESS & PRINCIPAL STRESSES	DS
CHECKED BY CRAM 3-9-62	DATE 3-9-62		
DESIGNED BY Cholmon 3/6/62	DATE 3/6/62	DS LEADING EDGE PANELS	EWA
DESIGNED BY VRR 3/9/62	DATE 3/9/62	PANEL NO. 25-20372	5617
		THE GIBSON COMPANY	PAGE 3-259

Vol. III

1

EWA	TEST.	LOAD	GAGE	SA	SB	SC	T MAX	F MAX	F MIN
5617	4	800	12	6.1-	3.3-	.5-	7.7	9.1-	24.4-
5617	4	900	12	7.2-	4.0-	.5-	9.2	10.4-	28.8-
5617	4	1000	12	8.3-	4.5-	.6-	10.5	12.1-	33.2-
5617	4	1200	12	10.1-	5.6-	.7-	12.9	14.6-	40.3-
5617	4	1400	12	12.2-	6.7-	.7-	15.8	17.0-	48.6-
5617	4	1600	12	14.5-	7.9-	.9-	18.6	20.5-	57.8-

- FINISHED -

FOR INFORMATION ON COLUMN HEADINGS SEE PAGE 3-252

US 8501 5000

262

9/3/63

DATE	E. GIBSON 3/26/62
CHKD	CRAM 3-5-62
APPR	Chol 3/6/62
APP	VRE 3/9/62

U.S. AIR FORCE

B	SC	T MAX	F MAX	F MIN	THETA		FA	FC	TC
3-	.5-	7.7	9.1-	24.4-	45.0	0	24.4-	9.1-	.0
10-	.5-	9.2	10.4-	28.8-	46.3	0	28.8-	10.4-	.4-
5-	.6-	10.5	12.1-	33.2-	45.4	0	33.2-	12.1-	.1-
6-	.7-	12.9	14.6-	40.3-	46.2	0	40.3-	14.6-	.3-
7-	.7-	15.8	17.0-	48.6-	46.2	0	48.5-	17.0-	.7-
9-	.9-	18.6	20.5-	57.8-	45.8	0	57.8-	20.5-	.5-

- FINISHED -

READINGS SEE PAGE 3-252

CAL E. GIBSON 3/26/62 LMA ORAM 3-5-62 ADSP Clober 3/6/62 ADP VRR 3/9/62	MAXIMUM SHEAR STRESS $\bar{f}$ PRINCIPLE STRESSES DS LEADING EDGE PANELS PANEL NO. 25-20372 THE BOHNS COMPANY D2-80085	DS EWA 56.7 PAGE 3-260
--	---	------------------------------------

U3-101 60

Vol: III

# 1

ENA	TEST	LCAC	GAGE	SA	SB	SC	T MAX	F PAX	F MIN
5617	1	40	1	.0	.0	.0	.0	.0	.0
5617	1	100	1	.1-	.1-	.1-	.0	.5-	.5-
5617	1	200	1	.1	.1-	.1-	.4	.4	.4-
5617	1	300	1	.0	.1	.1	.2	.4	.0
5617	1	525	1	.1	.0	.2	.4	1.2	.3
5617	1	600	1	.1	.1-	.2	.7	1.5	.1
5617	1	700	1	.2	.1-	.2	.8	1.8	.2
5617	1	800	1	.3	.1-	.2	1.0	2.2	.3
5617	1	900	1	.5	.0	.2	1.0	2.8	.7
5617	1	1000	1	.7	.1	.3	1.2	3.8	1.3
5617	1	1200	1	1.6	.4	.4	2.3	7.4	2.8
5617	1	1400	1	2.7	.9	.6	3.5	11.9	4.8
5617	1	1500	1	3.2	1.0	.6	4.3	14.0	5.3
5617	1	40	2	.0	.0	.0	.0	.0	.0
5617	1	100	2	.2-	.3-	.2-	.3	.7-	1.3-
5617	1	200	2	.3-	.3-	.2-	.2	1.1-	1.5-
5617	1	300	2	.2-	.2-	.0	.4	.1-	.9-
5617	1	525	2	.2-	.1-	.0	.3	.2-	.8-
5617	1	600	2	.3-	.2-	.1-	.3	.7-	1.3-
5617	1	700	2	.5-	.4-	.2-	.4	1.3-	2.2-
5617	1	800	2	.6-	.5-	.2-	.6	1.4-	2.6-
5617	1	900	2	1.0-	.6-	.3-	1.0	2.3-	4.3-
5617	1	1000	2	1.2-	.7-	.2-	1.4	2.2-	4.9-
5617	1	1200	2	1.9-	1.1-	.2-	2.3	3.0-	7.7-
5617	1	1400	2	2.9-	1.6-	.1-	3.8	3.8-	11.5-
5617	1	1500	2	3.5-	1.9-	.2-	4.5	4.9-	13.9-
5617	1	40	3	.0	.0	.0	.0	.0	.0
5617	1	100	3	.5-	.5-	.2-	.6	1.2-	2.4-
5617	1	200	3	1.1-	.7-	.1-	1.4	1.6-	4.4-
5617	1	300	3	2.0-	.7-	.2	3.0	1.5-	7.6-
5617	1	525	3	6.2-	.1-	1.3	12.1	.3-	24.6-
5617	1	600	3	8.4-	.0	1.7	14.6	.4-	33.6-
5617	1	700	3	12.4-	.2-	2.8	24.3	.1-	48.7-
5617	1	800	3	16.7-	.7-	3.8	32.2	.6-	65.0-
5617	1	900	3	22.3-	1.5-	5.2	42.3	1.2-	85.2-
5617	1	1000	3	28.9-	2.7-	6.8	54.0	2.2-	110.0-
5617	1	1200	3	51.9-	7.7-	11.9	93.2	5.1-	195.0-
5617	1	1400	3	83.2-	13.4-	18.8	149.0	14.9-	313.0-
5617	1	1500	3	102.7-	18.4-	22.4	187.2	20.9-	387.4-
5617	1	40	4	.0	.0	.0	.0	.0	.0
5617	1	100	4	.3-	.2-	.2-	.2	1.1-	1.5-
5617	1	200	4	.1-	.1-	.0	.2	.0	.4-
5617	1	300	4	.6	.1	.1	1.0	2.7	.8
5617	1	525	4	4.4	.2-	1.2-	9.1	17.3	1.0-
5617	1	600	4	6.2	.4-	2.2-	13.2	23.4	3.1-
5617	1	700	4	9.6	.1-	3.5-	19.9	35.4	4.4-

0000 1000 80

263

NOTE: GAGES ZEROED WITH 40 LB DEAD WEIGHT APPLIED BY LOADING HEAD

FOR INFORMATION ON COLUMN HEADINGS SEE PAGE 3-252

9/3/63

- CONTINUED -

CRAM 3-5-62
closed 2/1/62
VRB 7/1/62

SC T MAX F PAX F MIN THETA FA FC PAGE 1 IC

.0	.0	.0	.0	.0	0	.0	.0	.0
.1-	.0	.5-	.5-	.0	0	.5-	.5-	.0
.1-	.4	.4	.4-	67.5-	0	.3	.3-	.3-
.1	.2	.4	.0	22.5	0	.1	.4	.1
.2	.4	1.2	.3	80.8	0	.6	.9	.4-
.2	.7	1.5	.1	84.3	0	.6	.9	.7-
.2	.8	1.8	.2	90.0	0	1.0	1.0	.6-
.2	1.0	2.2	.3	85.9-	0	1.4	1.1	1.0-
.2	1.0	2.8	.7	78.4-	0	2.2	1.4	1.0-
.3	1.2	3.8	1.3	76.7-	0	3.1	2.0	1.1-
.4	2.3	7.4	2.8	67.5-	0	6.7	3.4	1.6-
.6	3.5	11.9	4.8	62.8-	0	11.3	5.5	2.0-
.6	4.3	14.0	5.3	62.3-	0	13.2	6.1	2.3-

.0	.0	.0	.0	.0	0	.0	.0	.0
.2-	.3	.7-	1.3-	90.0	0	1.0-	1.0-	.3-
.2-	.2	1.1-	1.5-	67.5	0	1.4-	1.1-	.1-
.0	.4	.1-	.9-	67.5	0	.8-	.2-	.3-
.0	.3	.2-	.8-	45.0	0	.8-	.2-	.0
.1-	.3	.7-	1.3-	45.0	0	1.3-	.7-	.0
.2-	.4	1.3-	2.2-	54.2	0	2.2-	1.4-	.1-
.2-	.6	1.4-	2.6-	58.3	0	2.6-	1.5-	.3-
.3-	1.0	2.3-	4.3-	40.9	0	4.3-	2.3-	.1
.2-	1.4	2.2-	4.9-	45.0	0	4.9-	2.2-	.0
.2-	2.3	3.0-	7.7-	46.7	0	7.7-	3.0-	.1-
.1-	3.8	3.8-	11.5-	47.0	0	11.5-	3.8-	.3-
.2-	4.5	4.9-	13.9-	45.9	0	13.9-	4.9-	.1-

.0	.0	.0	.0	.0	0	.0	.0	.0
.2-	.6	1.2-	2.4-	67.5	0	2.2-	1.4-	.4-
.1-	1.4	1.6-	4.4-	50.6	0	4.4-	1.7-	.3-
.2	3.0	1.5-	7.6-	34.8	0	7.6-	1.6-	.3
1.3	12.1	.3-	24.5-	29.0	0	22.7-	2.2-	0.4
1.7	16.6	.4-	33.6-	28.2	0	30.9-	3.2-	4.2
2.8	24.3	.1-	48.7-	29.4	0	45.2-	3.6-	12.6
3.8	32.2	.6-	65.0-	30.3	0	60.4-	4.7-	13.7
5.2	42.3	1.2-	85.8-	31.4	0	81.1-	5.8-	14.3
6.8	54.0	2.2-	110.	32.5	0	105.	7.3-	22.4
1.9	93.6	0.1-	145.1	34.5	0	129.	14.3-	33.7
P.8	149.	14.9-	313.	34.9	0	303.	24.1-	37.5
2.4	183.7	20.9-	387.4-	37.6	0	375.5-	32.9-	67.1

SEE 2  
PG 3-252

.0	.0	.0	.0	.0	0	.0	.0	.0
.2-	.2	1.1-	1.5-	22.5	0	1.4-	1.1-	.1
.0	.2	.0	.4-	67.5	0	.4-	.1-	.1-
.1	1.0	2.7	.8	67.5-	0	2.5	1.1	.7-
1.2-	9.1	17.3	1.0-	61.4-	0	15.8	.5	4.4-
2.2-	13.2	23.4	3.1-	59.9-	0	21.7	1.3-	6.0-
3.5-	19.9	35.4	4.4-	57.8-	0	33.4	2.4-	8.6-

- CONTINUED -

CRAM 3-5-62  
close 3/1/2  
VRR 7/1/2

MAXIMUM SHEAR STRESS & DS  
PRINCIPAL STRESSES  
DS LEADING EDGE PANELS EWA 5617  
PANEL NO. 25-20376  
3-261

# 1

ENA	TEST	LCAD	GAGE	SA	SB	SC	T MAX	F MAX	F MIN
5617	1	800	4	13.5	.6	4.7-	27.0	49.4	4.6-
5617	1	900	4	18.4	1.6	6.5-	36.1	66.4	5.9-
5617	1	1000	4	24.4	3.4	8.1-	44.1	87.8	4.9-
5617	1	1200	4	43.4	10.1	11.4-	74.2	154	4.6-
5617	1	1400	4	62.1	18.6	14.6-	115	251	4.6-
5617	1	1500	4	82.6	23.5	16.2-	138	307	11.0
5617	1	40	5	.0	.0	.0	.0	.0	.0
5617	1	100	5	.2-	.2-	.4-	.4	1.1-	1.9-
5617	1	200	5	.1-	.4-	.7-	.8	1.2-	2.8-
5617	1	300	5	.2-	.1-	.2-	.3	.7-	1.3-
5617	1	525	5	.7-	.8	2.0	3.7	7.0	.4-
5617	1	600	5	.9-	1.1	2.9	5.2	10.3	.1-
5617	1	700	5	1.0-	1.7	4.0	6.9	14.5	.8
5617	1	800	5	1.4-	2.6	5.8	9.9	21.1	1.3
5617	1	900	5	2.0-	3.9	8.5	14.5	31.0	2.0
5617	1	1000	5	2.7-	5.2	11.7	19.8	42.7	3.1
5617	1	1200	5	4.9-	8.2	16.4	33.4	70.2	3.5
5617	1	1400	5	6.9-	10.9	26.6	48.0	94.0	4.1
5617	1	1500	5	8.3-	12.4	30.5	63.3	110	5.2
5617	1	40	6	.0	.0	.0	.0	.0	.0
5617	1	100	6	.1-	.3-	.5-	.5	1.0-	2.1-
5617	1	200	6	.1-	.3-	.7-	.9	1.2-	2.9-
5617	1	525	6	.6-	.6	1.4	2.8	4.8	.8-
5617	1	600	6	.8-	.8	2.0	3.9	6.9	.8-
5617	1	700	6	1.0-	1.0	2.8	5.2	9.8	.6-
5617	1	800	6	1.4-	1.6	4.2	7.7	14.8	.6-
5617	1	900	6	2.0-	2.3	6.1	11.1	21.5	.7-
5617	1	1000	6	2.6-	3.5	8.6	15.4	30.6	.1-
5617	1	1200	6	4.4-	5.9	14.2	25.6	50.5	.7-
5617	1	1400	6	6.0-	8.2	20.0	35.8	71.3	.1-
5617	1	1500	6	7.2-	9.4	23.2	41.8	82.5	1.1
5617	1	40	7	.0	.0	.0	.0	.0	.0
5617	1	100	7	.5-	.5-	.5-	.0	2.5-	2.5-
5617	1	200	7	.6-	.5-	.5-	.2	2.6-	3.0-
5617	1	300	7	.5-	.5-	.5-	.0	2.5-	2.5-
5617	1	525	7	.3-	.5-	.6-	.4	1.8-	2.7-
5617	1	600	7	.2-	.5-	.7-	.7	1.6-	3.0-
5617	1	700	7	.0	.5-	.9-	1.2	1.0-	3.5-
5617	1	800	7	.0	.5-	1.0-	1.4	1.2-	3.9-
5617	1	900	7	.4	.5-	1.4-	2.3	.1-	5.0-
5617	1	1000	7	.8	.3-	1.5-	3.1	1.4	4.9-
5617	1	1200	7	2.1	.0	2.0-	5.6	5.9	5.4-
5617	1	1400	7	4.0	.6	2.5-	8.9	12.7	5.1-
5617	1	1500	7	4.9	.9	2.8-	10.5	15.9	5.2-

FOR INFORMATION ON COLUMN HEADINGS  
SEE PAGE 3-252

CONTINUED	
CHECK	CRAM 3-5-67
APPR	Clotter 3/6/72
APPR	DRR 3/9/72

US 5501 2000

264

9/3/63

SC	T MAX	F MAX	F MIN	THETA		FA	FC	TC
4.7-	27.0	49.4	4.6-	56.3-	0	47.3	2.5-	10.4-
6.5-	36.1	66.4	5.0-	54.6-	0	64.3	3.8-	11.4-
8.1-	44.0	87.8	4.9-	53.1-	0	85.4	5.0-	13.0-
11.4-	74.8	158.	4.6	51.1-	0	156.	6.3	16.4-
14.6-	115.	251.	4.6	50.6-	0	249.	22.8	22.3-
16.2-	138.	307.	31.0	50.5-	0	304.	33.5	26.0-

SEE 2  
PG 3-252

.0	.0	.0	.0	.0	0	.0	.0	.0
.4-	.4	1.1-	1.9-	22.5-	0	1.3-	1.8-	.3
.7-	.8	1.2-	2.8-	45.0-	0	1.2-	2.8-	.0
.2-	.3	.7-	1.3-	.0	0	1.0-	1.0-	.3
2.0	3.7	7.0	.4-	41.8	0	.4-	7.0	.4
2.9	5.2	10.3	.1-	43.5	0	.1-	10.3	.3
4.0	6.9	14.5	.8	42.7	0	.8	14.5	.3
5.8	9.9	21.1	1.3	41.8	0	1.3	21.0	1.1
8.5	14.5	31.0	2.0	41.5	0	2.1	30.9	1.6
11.7	19.8	42.7	3.1	42.2	0	3.2	42.6	1.4
16.4	33.4	70.2	3.5	42.8	0	3.6	70.1	2.6
26.6	46.0	96.0	4.1	43.2	0	4.2	96.0	2.4
30.5	53.3	110.	3.2	43.1	0	3.3	110.	3.3

SEE 2  
PG 3-252

.0	.0	.0	.0	.0	0	.0	.0	.0
.5-	.5	1.0-	2.1-	45.0-	0	1.0-	2.1-	.0
.7-	.9	1.2-	2.9-	35.8-	0	1.2-	2.8-	.3
1.4	2.8	4.8	.8-	39.3	0	.7-	4.8	.3
2.0	3.9	6.9	.8-	40.9	0	.8-	6.9	.3
2.8	5.2	9.8	.6-	43.5	0	.6-	9.8	.3
4.2	7.7	14.8	.6-	43.0	0	.5-	14.8	.3
6.1	11.1	21.5	.7-	43.2	0	.7-	21.5	.7
8.6	15.4	30.6	.1-	42.4	0	.1-	30.6	1.4
14.2	25.6	50.5	.7-	41.9	0	.5-	50.4	2.7
20.0	35.8	71.3	.1-	42.4	0	.0	71.2	3.3
23.2	41.8	84.5	1.1	42.4	0	.9	82.3	3.8

SEE 2  
PG 3-252

.0	.0	.0	.0	.0	0	.0	.0	.0
.5-	.0	2.5-	2.5-	.0	0	2.5-	2.5-	.0
.5-	.2	2.6-	3.0-	22.5	0	2.9-	2.7-	.1
.5-	.0	2.5-	2.5-	.0	0	2.5-	2.5-	.0
.6-	.4	1.8-	2.7-	54.2-	0	1.9-	2.7-	.1-
.7-	.7	1.6-	3.0-	50.6-	0	1.6-	3.0-	.1-
.9-	1.2	1.0-	3.5-	48.2-	0	1.0-	3.5-	.1-
1.0-	1.4	1.2-	3.9-	45.0-	0	1.2-	3.9-	.0
1.4-	2.5	.1-	5.0-	45.0-	0	.1-	5.0-	.0
1.5-	3.1	1.4	4.9-	43.8-	0	1.4	4.9-	.1
2.0-	5.6	5.9	5.4-	45.7-	0	5.9	5.4-	.1-
2.5-	8.9	12.7	5.1-	46.3-	0	12.7	5.1-	.4-
2.8-	10.5	15.9	5.2-	46.1-	0	15.9	5.2-	.4-

CONTINUED -		DATE		MAXIMUM SHEAR STRESS & PRINCIPAL STRESSES DS LEADING EDGE PANELS PANEL NO. 25-20376 BOEING AIRPLANE COMPANY SEATTLE, WASH. DIVISION D2-30085	DS
CALL	GRAM 3-5-62				EWA
CHECK					SG17
APPR	VPR 3/1/72				3-262



# 1

ERA	TEST	LCAD	GAGE	SA	SB	SC	T MAX	F MAX	F MIN
5617	1	40	e	.0	.0	.0	.0	.0	.0
5617	1	100	e	.5-	.5-	.5-	.0	2.5-	2.5-
5617	1	200	e	.5-	.5-	.5-	.0	2.5-	2.5-
5617	1	300	e	.5-	.5-	.5-	.0	2.5-	2.5-
5617	1	525	e	1.0-	.9-	.6-	.6	3.5-	4.7-
5617	1	600	e	1.1-	1.0-	.9-	.3	4.8-	5.4-
5617	1	700	e	1.3-	1.1-	1.0-	.4	5.4-	6.3-
5617	1	800	e	1.4-	1.3-	1.1-	.4	5.9-	6.8-
5617	1	900	e	1.5-	1.5-	1.4-	.2	7.2-	7.6-
5617	1	1000	e	1.6-	1.8-	1.5-	.7	7.2-	8.6-
5617	1	1000	e	2.1-	2.3-	2.0-	.7	9.7-	11.1-
5617	1	1400	e	2.9-	2.9-	2.3-	1.2	12.0-	14.4-
5617	1	1500	e	3.2-	3.1-	2.5-	1.2	13.3-	15.7-

5617	1	40	9	.0	.0	.0	.0	.0	.0
5617	1	100	9	.5-	.5-	.0	1.0	.3-	2.2-
5617	1	200	9	.5-	.0-	.1	1.4	.3	2.4-
5617	1	300	9	.5-	1.0-	.1	2.3	1.3	3.3-
5617	1	525	9	.1-	2.3-	.5-	5.5	4.0	7.0-
5617	1	600	9	.0	3.0-	1.0-	7.0	4.4	9.5-
5617	1	700	9	.2	4.0-	2.0-	9.0	4.4	13.6-
5617	1	800	9	1.0	5.3-	3.9-	12.5	5.1	19.9-
5617	1	900	9	2.7	7.5-	7.9-	19.8	6.5	33.0-
5617	1	1000	9	6.0	10.5-	14.0-	32.7	12.3	53.0-
5617	1	1200	9	16.2	24.3-	33.3-	80.3	36.9	124.0-
5617	1	1400	9	25.0	44.5-	54.3-	136.0	61.4	210.0-
5617	1	1500	9	29.9	60.9-	67.6-	176.0	80.5	272.0-

				SB	SC				
5617	1	40	10	.0	.0	.0	.0	.0	.0
5617	1	100	10	1.9	.0	1.7	7.8	1.3	
5617	1	200	10	2.6	.5	4.3	10.4	1.6	
5617	1	300	10	2.8	.4	4.8	11.4	1.8	
5617	1	525	10	2.1	1.0-	6.0	9.9	2.2-	
5617	1	600	10	1.8	1.8-	7.1	9.2	3.1-	
5617	1	700	10	1.1	3.4-	9.9	10.1	4.6-	
5617	1	800	10	.0	6.4-	15.0	12.0	10.0-	
5617	1	900	10	2.4-	12.5-	19.3	20.2	16.5-	
5617	1	1000	10	6.1-	22.2-	31.2	32.7	29.5-	
5617	1	1200	10	16.0-	51.9-	110.0	90.7	100.0-	
5617	1	1400	10	33.5-	80.8-	179.0	70.2	200.0-	
5617	1	1500	10	34.4-	99.5-	225.0	137.0	319.0-	

5617	1	40	11	.0	.0	.0	.0	.0	.0
5617	1	100	11	.3-	.1-	.2-	.4	.8-	1.7-
5617	1	200	11	.2-	.1-	.3-	.4	.8-	1.7-

SA OPEN

FOR INFORMATION ON COLUMN HEADINGS  
SEE PAGE 3-252

US 8801 10800

265

9/3/63

CONTINUED		
CHECK	CRAM	3-5-67
APPR	Claber	3/6/72
APPR	VRP	2/9/72

3-252-10800-10800

SC T MAX F MAX P MIN THETA FA FC PAGE 3 IC

.0	.0	.0	.0	.0	0	.0	.0	.0
.5-	.0	2.5-	2.5-	.0	0	2.5-	2.5-	.0
.5-	.0	2.5-	2.5-	.0	0	2.5-	2.5-	.0
.5-	.0	2.5-	2.5-	.0	0	2.5-	2.5-	.0
.6-	.6	3.5-	4.7-	58.3	0	4.6-	3.5-	.0
.9-	.3	4.8-	5.4-	45.0	0	5.4-	4.8-	.0
1.0-	.4	5.4-	6.3-	35.8	0	6.3-	5.4-	.1
1.1-	.4	5.9-	6.8-	54.2	0	6.8-	5.9-	.1
1.4-	.2	7.2-	7.6-	67.5	0	7.5-	7.2-	.1
1.5-	.7	7.2-	8.6-	84.3	0	8.0-	7.7-	.7
2.0-	.7	9.7-	11.1-	84.3	0	10.5-	10.3-	.7
2.3-	1.2	12.0-	14.4-	67.5	0	14.0-	12.4-	.8
2.5-	1.2	13.3-	15.7-	62.8	0	15.4-	13.5-	.7

.0	.0	.0	.0	.0	0	.0	.0	.0
.0	1.0	.3-	2.2-	67.5	0	2.0-	.6-	.7-
.1	1.4	.3	2.4-	71.6	0	1.8-	.2-	1.1-
.1	2.3	1.3	3.3-	79.7	0	1.8-	.2-	2.0-
.5-	5.5	4.0	7.0-	87.1-	0	1.0-	2.1-	5.0-
1.0-	7.0	4.4	9.5-	84.3-	0	1.2-	3.9-	6.8-
2.0-	9.0	4.4	13.6-	80.2-	0	1.6-	7.6-	8.5-
3.4-	12.5	5.1	19.9-	73.8-	0	.7-	14.1-	10.0-
7.9-	19.8	6.5	33.0-	66.4-	0	1.3	27.7-	13.4-
14.0-	32.7	12.3	53.0-	61.5-	0	7.0	47.7-	17.8-
33.3-	80.3	36.9	124.0-	61.2-	0	24.3	111.0-	43.1-
54.3-	136.0	61.4	210.0-	63.5-	0	34.1	183.0-	81.0-
67.6-	176.0	80.5	272.0-	65.4-	0	37.6	229.0-	115.0-

SEE 2  
PG 3-252

.0	.0	.0	.0	.0	0
.3-	2.7	7.8	.3	63.0-	0
.2-	0.3	10.4	1.5	50.3-	0
.2-	4.8	11.4	1.8	60.5-	0
.6-	6.0	9.9	2.2	71.2-	0
1.0-	7.1	9.2	5.1	73.8-	0
1.0-	9.9	10.1	9.5	81.5-	0
1.2-	15.0	16.9	18.0	82.0-	0
1.2-	29.3	20.2	38.5	80.4	0
1.2-	31.2	32.7	49.2	85.2	0
1.3-	110.0	40.7	100.0	81.0	0
1.4-	179.0	70.2	200.0	82.9	0
1.4-	225.0	137.0	315.0	84.3	0

.0	.0	.0
7.1	1.0	2.4-
9.9	2.2	1.7-
10.7	2.5	2.0-
7.5	.1	4.0-
5.9	1.2	6.4-
3.1	2.0	9.4-
1.4	4.7	15.4-
10.8	7.5	29.3-
25.3	11.0	50.0-
103.0	35.0	105.0-
133.0	44.8	174.0-
136.0	45.9	223.0-

Sc	.0	.0	.0	.0	0	.0	.0	.0
.2-	.4	.8-	1.7-	9.2	0	1.4-	1.1-	.4
.3-	.4	.8-	1.7-	9.2-	0	1.1-	1.4-	.4

CONTINUED			REVISED	DATE	MAXIMUM SHEAR STRESS & PRINCIPAL STRESSES DS LEADING EDGE PANELS PANEL NO. 25-20376	DS
CHECK	CRAM	3-5-62				
APPR	Clowe	3/6/2			PAGE	
APPR	VRR	3/9/2			3-263	
					BOEING AIRPLANE COMPANY	
					SEATTLE 4, WASHINGTON	
					D2-80095	
					Vol: M	

DINGS

# 1

ENA	TEST	LCAD	GAGE	SA	SB	SC	T MAX	F MAX	F MIN
5617	1	525	11	.6-	.7	1.0	3.0	5.6	.5-
5617	1	600	11	1.0-	1.0	2.4	4.7	8.3	1.2-
5617	1	700	11	1.0-	1.5	2.3	5.1	8.4	1.2-
5617	1	800	11	1.2-	1.9	3.9	7.1	14.0	.3-
5617	1	900	11	1.2-	2.0	4.0	7.3	14.4	.2-
5617	1	1000	11	1.2-	2.0	4.0	7.3	14.4	.2-
5617	1	1200	11	1.3-	2.5	4.1	8.0	15.1	.9-
5617	1	1400	11	1.4-	2.9	4.1	8.6	15.5	1.2-
5617	1	1500	11	1.4-	3.0	4.1	8.8	15.6	1.9-
5617	1	40	12	.0	.0	.0	.0	.0	.0
5617	1	100	12	.2-	.3-	.2-	.3	.7-	1.3-
5617	1	200	12	.2-	.4-	.2-	.5	.5-	1.6-
5617	1	300	12	.2-	.5-	.0	.6	.1	1.1-
5617	1	525	12	.6-	.0	1.5	3.1	5.4	.8-
5617	1	600	12	.9-	.2	2.2	4.4	7.7	1.1-
5617	1	700	12	1.0-	.2	3.0	5.9	11.0	.8-
5617	1	800	12	1.1-	.0	3.4	6.9	12.8	1.1-
5617	1	900	12	1.0-	.0	3.5	7.0	13.4	.7-
5617	1	1000	12	1.0-	.0	3.7	7.4	14.3	.5-
5617	1	1200	12	.7-	.1-	4.0	8.0	16.4	.4
5617	1	1400	12	.5-	.4-	4.3	9.1	18.8	.5
5617	1	1500	12	.5-	.4-	4.5	9.5	19.7	.7

FOR INFORMATION ON COLUMN HEADINGS SEE PAGE 3-252

US 8801 8000

266

9/3/63

CALC	
CHECK	CRAM 3-5-62
APPR	Closter 3/5/2
APPR	VPR 3/5/2

SB	SC	T MAX	F MAX	F MIN	THETA		FA	FC	TC
.7	1.0	3.0	5.6	.5-	39.8	0	.5-	5.5	.5
1.0	2.4	4.7	8.3	1.2-	40.0	0	1.1-	8.2	.8
1.5	2.3	5.1	8.4	1.8-	31.4	0	1.2-	7.8	2.5
1.9	3.9	7.1	14.0	.3-	38.9	0	.1-	13.8	1.5
2.0	4.0	7.3	14.4	.2-	38.5	0	.0	14.2	1.6
2.0	4.0	7.3	14.4	.2-	38.5	0	.0	14.2	1.6
2.5	4.1	8.0	15.1	.9-	33.9	0	.3-	14.5	3.0
2.9	4.1	8.6	15.5	1.8-	30.3	0	.7-	14.4	4.2
3.0	4.1	8.8	15.6	1.9-	29.5	0	.7-	14.4	4.5
.0	.0	.0	.0	.0	.0	0	.0	.0	.0
.3-	.2-	.3	.7-	1.3-	90.0	0	1.0-	1.0-	.3-
.4-	.2-	.5	.5-	1.6-	90.0	0	1.0-	1.0-	.5-
.3-	.0	.6	.1	1.1-	76.7	0	.8-	.2-	.3-
.0	1.5	3.1	5.4	.8-	56.6	0	.6-	5.2	1.2-
.2	2.2	4.4	7.7	1.1-	53.1	0	.9-	7.5	1.2-
.2	3.0	5.9	11.0	.8-	55.9	0	.4-	10.6	2.2-
.0	3.4	6.9	12.8	1.1-	58.5	0	.3-	12.0	3.1-
.0	3.5	7.0	13.4	.7-	59.5	0	.2	12.5	3.4-
.0	3.7	7.4	14.3	.5-	59.9	0	.4	13.3	3.7-
.1-	4.0	8.0	16.4	.4	63.3	0	2.0	14.8	4.8-
.4-	4.3	9.1	18.8	.5	66.9	0	3.1	16.2	6.3-
.4-	4.5	9.5	19.7	.7	66.9	0	3.3	17.0	6.6-

2

N HEADINGS SEE PAGE 3-252

DATE	TIME	DRIVER	TEST NO.	DATE	MAXIMUM SHEAR STRESS & PRINCIPAL STRESSES DS LEADING EDGE PANELS PANEL NO. 25-20376 BOEING AIRPLANE COMPANY SEATTLE, WASH. D2-90085	DS
3-26-62		CRAM				EWA
3/1/62		Close				5617
3/1/62		VPR				PAGE
						3-264

# 1

EWA	TEST	LOAD	GAGE	SA	SB	SC	T MAX	F MAX	F MIN
5617	3	40	1	.0	.0	.0	.0	.0	.0
5617	3	100	1	.3-	.2-	.0	.4	.3-	1.2-
5617	3	200	1	1.1-	.7-	.2	1.9	.4-	4.2-
5617	3	300	1	2.0-	1.4-	.3	3.8	.0	7.7-
5617	3	400	1	3.0-	2.0-	.6	5.4	.7-	11.5-
5617	3	500	1	4.2-	2.6-	1.0	7.6	.5-	15.8-
5617	3	600	1	5.7-	3.4-	1.4	10.3	.6-	21.2-
5617	3	700	1	7.1-	4.0-	1.8	12.7	.7-	26.2-
5617	3	800	1	8.4-	4.5-	2.2	15.0	.8-	30.8-
5617	3	900	1	9.9-	5.1-	2.6	17.6	1.0-	36.1-
5617	3	1000	1	12.4-	6.3-	3.0	21.5	2.4-	45.4-
5617	3	1200	1	19.6-	12.3-	1.1	29.5	17.5-	76.6-
5617	3	1400	1	22.7-	16.5-	1.6-	31.3	30.5-	93.0-
5617	3	1600	1	20.8-	17.1-	3.6-	27.1	34.0-	69.1-
5617	3	2000	1	18.6-	15.1-	3.8-	22.9	34.0-	79.9-
5617	3	40	2	.0	.0	.0	.0	.0	.0
5617	3	100	2	.2-	.1-	.1-	.2	.6-	1.0-
5617	3	200	2	.8-	.4-	.2-	.9	1.7-	3.4-
5617	3	300	2	1.1-	.4-	.2-	1.4	1.9-	4.7-
5617	3	400	2	1.4-	.5-	.5-	1.7	3.1-	6.6-
5617	3	500	2	1.5-	.5-	.6-	1.9	3.4-	7.3-
5617	3	600	2	1.6-	.5-	.7-	2.2	3.7-	8.0-
5617	3	700	2	1.0-	.0	.8-	2.5	2.1-	7.0-
5617	3	800	2	.1	.6	.9-	3.0	1.0	5.1-
5617	3	900	2	1.7	1.5	1.0-	4.8	6.6	3.1-
5617	3	1000	2	3.7	2.9	1.1-	7.9	14.5	1.3-
5617	3	1200	2	4.1	3.0	.7-	7.5	16.1	1.2
5617	3	1400	2	4.9	3.8	.6-	8.3	19.2	2.7
5617	3	1600	2	10.5	6.9	1.1-	17.0	40.9	6.9
5617	3	2000	2	11.6	20.6	1.3-	47.5	125.	20.6
5617	3	40	3	.0	.0	.0	.0	.0	.0
5617	3	100	3	.0	.1-	.0	.3	.3	.3-
5617	3	200	3	1.1-	1.0-	.2-	1.5	1.7-	4.9-
5617	3	300	3	3.0-	2.1-	.2-	4.4	3.2-	12.0-
5617	3	400	3	5.2-	3.2-	.2-	7.3	5.9-	20.5-
5617	3	500	3	7.5-	4.2-	.2-	10.3	8.7-	29.4-
5617	3	600	3	10.0-	5.0-	.2-	13.7	11.7-	39.1-
5617	3	700	3	12.7-	6.2-	.3-	17.0	16.0-	50.0-
5617	3	800	3	15.2-	7.4-	.3-	20.4	19.0-	59.8-
5617	3	900	3	17.5-	8.4-	.0	24.0	20.5-	68.5-
5617	3	1000	3	20.5-	9.2-	.0	28.2	23.9-	80.3-
5617	3	1200	3	26.2-	11.1-	.0	36.3	30.3-	103.
5617	3	1400	3	31.4-	13.0-	.0	43.6	36.2-	123.
5617	3	1600	3	36.9-	15.1-	.8	51.3	42.5-	145.
5617	3	2000	3	46.7-	19.5-	.0	64.8	53.9-	184.-
5617	3	40	4	.0	.0	.0	.0	.0	.0
5617	3	100	4	.3-	1.9-	.1-	4.7	3.6	5.7-
5617	3	200	4	.5	3.8-	.0	11.1	14.4	9.2-
5617	3	300	4	2.3-	6.7-	.3	16.0	10.9	21.1-
5617	3	400	4	5.7	8.5-	.3	32.3	47.6	17.1-
5617	3	500	4	8.8	5.0-	.4	28.7	52.1	5.3-
5617	3	600	4	12.4	1.6-	.2	27.3	54.4	4.7
5617	3	700	4	19.4-	2.5-	.4	33.2	15.1-	61.5-
5617	3	800	4	53.0	.8	.5	101.	238.	34.5

FOR DATA SEE PG 2

NOTE: GAGES ZEROED WITH 40 LBS DEAD WEIGHT APPLIED BY LOADING HEAD

267

9/3/63

FOR INFORMATION ON COLUMN HEADINGS SEE PG 2-257

- CONTINUED -

INC	E. GIBSON 7/26/62	REVISED
CHECK	CRAM 3-5-62	
GROUP	Chiles 3/6/62	
NO	VRR 3/9/62	

SC	T MAX	F MAX	F MIN	THETA		FA	FC	TC
.0	.0	.0	.0	.0	0	.0	.0	.0
.0	.4	.3-	1.2-	54.2	0	1.2-	.3-	.1-
.2	1.9	.4-	4.2-	55.5	0	4.1-	.5-	.7-
.5	3.8	.0	7.7-	58.7	0	7.2-	.4-	1.8-
.6	5.4	.7-	11.5-	57.0	0	11.0-	1.2-	2.4-
1.0	7.6	.5-	15.8-	55.3	0	15.3-	1.0-	2.7-
1.4	10.3	.6-	21.2-	54.7	0	20.7-	1.2-	3.4-
1.8	12.7	.7-	26.2-	53.4	0	25.7-	1.3-	3.7-
2.2	15.0	.8-	30.8-	52.4	0	30.3-	1.2-	3.8-
2.6	17.6	1.0-	36.1-	51.5	0	35.7-	1.4-	4.0-
3.0	21.5	2.4-	45.4-	50.9	0	45.0-	2.8-	4.4-
1.1	29.5	17.5-	76.6-	53.2	0	75.4-	18.7-	8.3-
1.6	31.3	30.5-	93.0-	56.2	0	90.7-	32.9-	11.4-
3.6	27.1	34.0-	69.1-	59.8	0	85.6-	38.5-	13.4-
3.8	22.9	34.0-	79.9-	58.9	0	77.2-	36.7-	10.7-
.0	.0	.0	.0	.0	0	.0	.0	.0
.1	.2	.6-	1.0-	22.5	0	.9-	.6-	.1
.2	.9	1.7-	3.4-	35.8	0	3.4-	1.7-	.3
.2	1.4	1.9-	4.7-	30.5	0	4.5-	2.1-	.7
.5	1.7	3.1-	6.6-	22.5	0	6.1-	3.6-	1.6
.6	1.9	3.4-	7.3-	19.6	0	6.6-	4.1-	1.5
.7	2.2	3.7-	8.0-	17.3	0	7.1-	4.6-	1.6
.8	2.5	2.1-	7.0-	3.2	0	4.8-	4.3-	2.5
.9	3.0	1.0	5.1-	13.3-	0	.7-	3.4-	2.7
1.0	4.8	6.6	3.1-	24.8-	0	5.5	1.9-	3.1
1.1	7.9	14.5	1.3-	28.1-	0	13.2	.0	4.4
.7	7.5	16.1	1.2	30.8-	0	15.2	2.1	3.5
.6	8.3	19.2	2.7	32.8-	0	18.5	3.4	3.4
1.1	17.0	40.9	6.9	34.6-	0	39.8	8.0	6.0
1.3	42.5	125.	49.6	35.8	0	122.	32.0	14.4
.0	.0	.0	.0	.0	0	.0	.0	.0
.0	.3	.3	.3-	90.0	0	.0	.0	.0
.2	1.5	1.7-	4.9-	63.9	0	4.5-	2.1-	1.0-
.5	4.4	3.2-	12.0-	55.9	0	11.7-	3.5-	1.8-
.6	7.3	5.9-	20.3-	51.5	0	20.3-	6.1-	1.6-
.6	10.3	8.7-	29.4-	48.4	0	29.3-	8.8-	1.2-
.6	13.7	11.7-	39.1-	45.0	0	39.1-	11.7-	.0
.3	17.0	16.0-	50.0-	43.6	0	50.0-	16.1-	.8
.3	20.4	19.0-	59.8-	43.6	0	59.8-	19.0-	1.0
.0	24.0	20.5-	68.5-	43.8	0	68.5-	20.5-	1.0
.0	28.2	23.9-	80.3-	42.1	0	80.2-	24.0-	2.4
.0	36.3	30.3-	103.	40.7	0	102.	30.7-	3.5
.0	43.6	36.2-	123.	40.1	0	123.	36.6-	7.4
.0	51.3	42.5-	145.	39.8	0	144.	43.3-	9.2
.0	64.8	53.9-	184.	40.3	0	183.	54.8-	10.5
.0	.0	.0	.0	.0	0	.0	.0	.0
.1	4.7	3.6	5.7-	88.3	0	1.3-	.7-	4.0-
.0	11.1	12.4	9.8-	88.2-	0	2.0	.6	11.1-
.3	16.0	10.9	41.1-	83.6	0	8.6-	1.5-	15.6-
.3	32.3	47.6	17.1-	83.4-	0	22.6	7.9	31.5-
.4	28.7	52.1	5.3-	78.2-	0	34.9	11.9	26.3-
.2	27.3	59.4	4.7	71.2-	0	48.7	15.3	41.6-
.4	33.2	15.1-	81.5-	27.4	0	75.4-	21.2-	19.2
.5	40.1	238.	34.5	67.4-	0	208.	64.1	71.6-

SEE 2  
PG 3-252

SEE 2  
PG 3-252

SEE 2  
PG 3-252

- CONTINUED -

CALC CHECK APP APP	E. GIBSON 2/26/62 CRAM 3-5-62 Clotis 3/6/62 VRR 3/9/62	REVISED DATE	MAXIMUM SHEAR STRESS & PRINCIPAL STRESSES DS LEADING EDGE PANELS PANEL NO. 25-20378 THE BOEING COMPANY D2-80085	DS EWA 5617 3-265.3-252
-----------------------------	---	-----------------	--	----------------------------------

Vol. III

# 1

ENA	TEST	LOAD	GAGE	SA	SB	SC	T MAX	F MAX	F MIN	T
5617	3	900	4	.0	3.0	.5	7.6	8.8	6.3	8
5617	3	1000	4	.0	.7-	.2	2.2	3.7	1.7	8
5617	3	1200	4	.0	10.1-	.2	27.0	24.4	27.4	8
5617	3	1400	4	.0	9.6-	.4	24.8	27.0	25.8	8
5617	3	1600	4	.0	7.0-	.8	20.3	23.3	18.3	8
5617	3	2000	4	.0	2.6-	1.1	8.8	11.5	6.0	8
5617	3	40	5	.0	.0	.0	.0	.0	.0	2
5617	3	100	5	.0	.0	.0	.0	.0	.0	2
5617	3	200	5	.0	.0	.2-	.4	.1-	.9-	5
5617	3	300	5	.1	.5-	.8-	1.4	.6-	3.4-	5
5617	3	400	5	.0	1.1-	1.2-	2.5	4.0-	7.1-	5
5617	3	500	5	.0	1.6-	2.6-	3.6	3.0-	10.3-	5
5617	3	600	5	.0	2.1-	3.5-	4.9	4.0-	13.8-	5
5617	3	700	5	.1-	2.8-	4.3-	6.0	5.2-	17.2-	5
5617	3	800	5	.2-	3.4-	5.1-	7.0	6.5-	20.5-	5
5617	3	900	5	.3-	4.0-	6.1-	8.2	6.0-	24.5-	5
5617	3	1000	5	.4-	4.6-	7.0-	9.4	9.4-	28.2-	5
5617	3	1200	5	.5-	5.7-	8.4-	11.3	11.3-	34.0-	5
5617	3	1400	5	.7-	6.5-	9.4-	12.5	13.1-	38.2-	5
5617	3	1600	5	1.1-	7.0-	9.6-	12.5	14.7-	39.7-	5
5617	3	2000	5	2.6-	7.8-	8.5-	10.2	18.1-	38.4-	6
5617	3	40	6	.0	.0	.0	.0	.0	.0	4
5617	3	100	6	.0	.0	.0	.0	.0	.0	4
5617	3	200	6	.5-	.1-	.2	1.0	.2	1.7-	4
5617	3	300	6	1.6-	.0	.3	3.1	.1-	6.5-	2
5617	3	400	6	2.7-	.1	2.5	7.1	6.6	7.6-	4
5617	3	500	6	3.8-	.4	3.0	10.6	10.8	10.3-	4
5617	3	600	6	5.0-	.7	5.3	14.2	14.9	13.4-	4
5617	3	700	6	6.4-	.9	6.6	17.9	18.4	17.4-	4
5617	3	800	6	7.7-	1.2	8.2	21.9	23.2	20.7-	4
5617	3	900	6	9.2-	1.4	9.7	26.1	27.3	24.8-	4
5617	3	1000	6	11.0-	1.6	11.4	30.9	31.9	29.9-	4
5617	3	1200	6	14.6-	2.1	15.0	40.9	41.9	39.8-	4
5617	3	1400	6	19.0-	2.8	19.1	52.7	53.0	52.5-	4
5617	3	1600	6	23.5-	3.1	22.9	61.2	62.7	65.7-	4
5617	3	2000	6	31.7-	3.9	29.1	84.5	77.5	91.1-	4
5617	3	40	7	.0	.0	.0	.0	.0	.0	2
5617	3	100	7	.1-	.1-	.1-	.0	.5-	.5-	2
5617	3	200	7	.5	.5	.1	.8	4.3	.8	2
5617	3	300	7	1.9	1.6	1.1	1.1	8.8	6.5	3
5617	3	400	7	3.2	3.0	2.0	2.0	15.2	11.2	2
5617	3	500	7	5.4	4.4	3.1	3.2	24.8	18.4	4
5617	3	600	7	7.1	5.8	4.2	4.0	32.7	24.7	4
5617	3	700	7	9.1	7.4	5.4	5.1	42.0	31.8	4
5617	3	800	7	11.4	9.1	6.8	6.3	52.6	40.0	4
5617	3	900	7	14.5	11.3	8.2	8.6	66.3	49.1	4
5617	3	1000	7	18.2	13.9	9.5	11.9	82.3	58.5	4
5617	3	1200	7	25.0	18.1	11.5	12.5	111.	74.3	4
5617	3	1400	7	33.7	23.5	13.6	27.5	148.	92.7	4
5617	3	1600	7	42.5	28.9	15.4	37.1	184.	110.	4
5617	3	2000	7	52.7	37.5	17.4	48.8	227.	129.	4
5617	3	40	8	.0	.0	.0	.0	.0	.0	2
5617	3	100	8	.1-	.0	.0	.2	.0	.4-	2
5617	3	200	8	.0	.2-	.5-	.7	.6-	2.0-	3



△ OPEN ; NO DATA.

FOR INFORMATION ON COLUMN HEADINGS SEE PG. 3-252

- CONTINUED -

ENR	E. GIBSON	2/26/62
TEST	CORON 3-5-62	
DATE	Chloe 3/6/62	
TIME	VRP 3/9/62	

US 5501 5000

268

9/3/63



T MAX	F MAX	F MIN	THETA		FA	FC	TC
<del>2.6</del>	<del>5.8</del>	<del>6.3</del>	<del>2.6</del>	<del>0</del>	<del>.5</del>	<del>2.0</del>	<del>1.5</del>
<del>3.2</del>	<del>3.7</del>	<del>1.7</del>	<del>86.8</del>	<del>0</del>	<del>.2</del>	<del>.8</del>	<del>2.2</del>
<del>23.8</del>	<del>28.4</del>	<del>27.4</del>	<del>80.7</del>	<del>0</del>	<del>.2</del>	<del>.8</del>	<del>27.4</del>
<del>34.8</del>	<del>27.0</del>	<del>25.8</del>	<del>89.4</del>	<del>0</del>	<del>.5</del>	<del>1.5</del>	<del>26.4</del>
<del>30.3</del>	<del>22.3</del>	<del>18.3</del>	<del>84.5</del>	<del>0</del>	<del>.0</del>	<del>3.1</del>	<del>20.3</del>
<del>8.8</del>	<del>11.5</del>	<del>6.0</del>	<del>85.0</del>	<del>0</del>	<del>1.3</del>	<del>4.3</del>	<del>8.8</del>
.0	.0	.0	.0	0	.0	.0	.0
.0	.0	.0	.0	0	.0	.0	.0
.4	.1-	.9-	22.5-	0	.2-	.8-	.3
1.4	.6-	3.4-	50.6-	0	.7-	3.4-	.3-
2.5	2.0-	7.1-	51.3-	0	2.1-	7.0-	.5-
3.6	3.0-	10.3-	51.5-	0	3.0-	10.2-	.8-
4.9	4.0-	13.8-	50.6-	0	4.1-	13.7-	1.0-
6.0	5.2-	17.2-	53.0-	0	5.4-	16.9-	1.6-
7.0	6.5-	20.5-	53.5-	0	6.8-	20.2-	2.0-
8.2	6.0-	24.5-	52.7-	0	8.3-	24.2-	2.2-
9.4	9.4-	28.2-	52.6-	0	9.8-	27.8-	2.5-
11.3	11.3-	34.0-	53.8-	0	11.8-	33.4-	3.4-
12.5	13.1-	38.2-	54.2-	0	13.8-	37.6-	4.0-
12.5	14.7-	39.7-	55.6-	0	15.6-	38.8-	4.3-
10.2	16.1-	38.4-	63.7-	0	20.1-	36.3-	0.2-
.0	.0	.0	.0	0	.0	.0	.0
.0	.0	.0	.0	0	.0	.0	.0
1.0	.2	1.7-	40.9	0	1.7-	.2	.1
3.1	.1-	6.5-	27.8	0	5.9-	.7-	1.8
7.1	6.6	7.6-	42.8	0	7.6-	6.6	.3
10.6	10.8	10.3-	42.4	0	10.3-	10.8	1.0
14.2	14.9	13.4-	41.9	0	13.3-	14.9	1.3
17.9	18.4	17.4-	41.5	0	17.3-	18.3	2.2
21.9	23.2	20.7-	41.6	0	20.5-	23.0	2.6
26.1	27.3	24.8-	41.5	0	24.6-	27.1	3.1
30.9	31.9	29.9-	41.4	0	29.7-	31.7	3.8
40.9	41.9	39.8-	41.3	0	39.5-	41.5	5.2
52.7	53.0	52.5-	40.9	0	51.9-	52.4	7.5
64.2	62.7	65.7-	40.8	0	65.1-	62.0	9.3
84.5	77.8	81.1-	40.1	0	89.9	76.6	14.2
.0	.0	.0	.0	0	.0	.0	.0
.0	.5-	.5-	.0	0	.5-	.5-	.0
.8	4.3	.8	24.5-	0	2.1	1.0	.3
1.1	6.8	6.5	38.0-	0	8.7	6.5	.3
2.0	15.2	11.2	28.1-	0	14.9	11.6	1.1
3.2	24.8	18.4	41.3-	0	24.8	18.5	.4
4.0	32.7	24.7	42.0-	0	32.7	24.8	.4
5.1	42.0	31.8	42.7-	0	41.9	31.8	.4
6.3	52.6	40.0	45.0-	0	52.6	40.0	.0
8.6	66.3	49.1	45.5-	0	66.3	49.1	.1
11.9	82.3	58.5	44.7-	0	82.3	58.5	.1
18.5	111.	74.3	45.6-	0	111.	74.3	.4
27.5	148.	92.7	45.4-	0	148.	92.7	.4
37.1	184.	110.	45.1-	0	184.	110.	.1
48.8	227.	129.	41.0-	0	227.	130.	0.7
.0	.0	.0	.0	0	.0	.0	.0
.2	.0	.4-	22.5	0	.4-	.1-	.1
.7	.6-	2.0-	39.3-	0	.6-	2.0-	.1

SEE 2  
PG 3-252

SEE 2  
PG 3-252

- CONTINUED -

CALC	E. GIBSON	2/26/62	REVISED	DATE	MAXIMUM SHEAR STRESS & PRINCIPLE STRESSES DS LEADING EDGE PANELS PANEL NO. 25-20378 THE BOEING COMPANY SEATTLE 3 WASHINGTON DC-80085	DS
CHECK	CRAM	3-5-62				EWA
APPR	Choben	3/1/62				5617
APPR	VRR	3/1/62			PAGE	3-266

Vol: 121



# 1

ENA	TEST	LOAD	GAGE	SA	SB	SC	T MAX	F PAX	F MIN
5617	J	300	8	.5	.9-	2.0-	3.4	.4-	7.3-
5617	J	400	8	1.0	1.6-	3.6-	6.3	.3-	13.0-
5617	J	500	8	1.5	2.5-	5.4-	9.6	.3-	19.5-
5617	J	600	8	2.1	3.3-	7.1-	12.8	.1	25.5-
5617	J	700	8	2.9	4.1-	9.0-	16.5	1.0	32.0-
5617	J	800	8	4.0	5.0-	11.2-	21.2	2.8	39.5-
5617	J	900	8	5.5	5.6-	13.5-	26.4	6.0	46.7-
5617	J	1000	8	7.5	6.5-	16.2-	33.0	10.9	55.1-
5617	J	1200	8	11.0	7.8-	21.1-	44.6	18.9	70.3
5617	J	1400	8	15.9	9.4-	27.0-	59.7	31.5	87.9
5617	J	1600	8	20.9	11.1-	33.5-	75.6	43.6	108.
5617	J	2000	8	30.0	13.8-	44.4-	103.	65.8	140.
5617	J	40	9	.0	.0	.0	.0	.0	.0
5617	J	100	9	.0	.0	.0	.0	.0	.0
5617	J	200	9	.0	.1-	.0	.3	.3	.3-
5617	J	300	9	1.0-	.6-	.1	1.3	.7-	3.8-
5617	J	400	9	2.6-	1.5-	.2	3.9	2.2-	10.0-
5617	J	500	9	5.0-	2.9-	.2	7.3	5.0-	19.5-
5617	J	600	9	7.0-	4.5-	.0	10.0	7.8-	27.2-
5617	J	700	9	9.9-	6.4-	.1-	14.0	11.5-	39.4-
5617	J	800	9	12.5-	8.3-	.1-	17.8	14.2-	49.9-
5617	J	900	9	14.3-	9.4-	.1-	20.3	16.3-	57.0-
5617	J	1000	9	15.8-	10.4-	.1-	22.5	17.9-	62.9-
5617	J	1200	9	18.7-	12.0	.0	26.2	21.3	83.8
5617	J	1400	9	19.4-	13.0	.4	37.6	29.7	85.9
5617	J	1600	9	19.6-	14.0	.6	37.0	30.3	86.3
5617	J	2000	9	23.2-	15.0	1.0	45.0	31.5	101.
5617	J	40	10	.0	.0	.0	.0	.0	.0
5617	J	100	10	.0	.0	.1-	.2	.0	.4-
5617	J	200	10	.0	.2	.3-	1.0	.3	1.8-
5617	J	300	10	1.0	.7	.5-	2.4	3.7	1.1-
5617	J	400	10	2.7	1.6	.5-	4.6	10.2	1.0
5617	J	500	10	4.6	2.9	.5-	7.4	17.8	3.1
5617	J	600	10	6.7	4.7	.0	9.9	26.9	7.1
5617	J	700	10	9.1	6.6	.0	13.7	36.8	9.5
5617	J	800	10	11.6	8.3	.1	17.1	46.9	12.6
5617	J	900	10	13.9	9.7	.1	20.3	55.9	15.3
5617	J	1000	10	15.6	10.6	.0	22.7	62.4	17.0
5617	J	1200	10	18.7	12.1	.2-	27.0	74.1	20.0
5617	J	1400	10	20.3	12.5	1.0-	30.2	79.3	18.6
5617	J	1600	10	21.1	13.0	1.5-	32.2	82.0	17.7
5617	J	2000	10	26.3	16.0	2.4-	40.8	107.	19.9
5617	J	40	11	.0	.0	.0	.0	.0	.0
5617	J	100	11	.0	.0	.0	.0	.0	.0
5617	J	200	11	.4	.1	.3	.7	2.5	1.1
5617	J	300	11	1.1	1.0	1.0	.2	5.5	5.1
5617	J	400	11	2.8	2.4	2.0	1.1	13.3	11.1
5617	J	500	11	4.5	4.0	3.1	2.0	21.3	17.3
5617	J	600	11	6.2	5.8	4.4	2.8	29.8	24.1
5617	J	700	11	8.3	7.8	6.0	3.6	40.0	32.7
5617	J	800	11	10.8	10.0	7.2	4.5	51.8	42.8
5617	J	900	11	13.9	12.1	9.9	5.5	66.0	55.0
5617	J	1000	11	17.1	16.1	12.0	8.2	82.2	65.8
5617	J	1200	11	22.4	20.7	15.3	11.0	107.	84.9

▷ SHORT ; NO DATA

269

FOR INFORMATION ON COLUMN HEADINGS  
SEE PAGE 3-252

9/3/63

CONTINUED	
NAME	E GIBSON 2/26/62
CHECK	CRAM 3-5-62
APPR	Chapman 3/6/62
APPR	TRP 3/9/62

US 5501 5000

C	T MAX	F MAX	F MIN	THETA	FA	FC	TC	
.0	3.4	.4	7.3	48.4	0	.4	7.2	.4
.5	6.3	.3	13.0	48.7	0	.3	12.9	.8
.4	9.6	.3	19.5	49.5	0	.5	19.4	1.3
.1	12.8	.1	25.5	49.9	0	.1	25.3	2.2
.0	16.5	1.0	32.0	50.0	0	.8	31.8	2.9
.2	21.2	2.8	39.5	50.2	0	2.5	39.1	3.8
.5	26.4	6.0	46.7	49.8	0	5.7	46.4	4.4
.2	33.0	10.9	55.1	50.1	0	10.3	54.6	5.4
.1	44.6	18.9	70.3	49.9	0	18.3	69.6	7.5
.0	59.7	31.5	87.9	50.1	0	30.5	87.0	10.3
.5	75.4	43.6	108.	50.0	0	42.5	107.	13.1
.4	103.	66.8	140.	50.5	0	65.3	138.	18.1
.0	.0	.0	.0	.0	0	.0	.0	.0
.0	.0	.0	.0	.0	0	.0	.0	.0
.0	.3	.3	.3	90.0	0	.0	.0	.3
.1	1.5	.7	3.8	52.6	0	3.8	.8	.4
.2	3.9	4.2	10.0	51.0	0	9.9	2.3	.8
.2	7.3	5.0	19.5	50.4	0	19.3	5.1	1.4
.0	10.0	7.8	27.8	53.0	0	27.4	8.2	2.7
.1	14.0	11.5	39.4	53.0	0	38.8	12.0	3.8
.1	17.8	14.2	49.9	53.9	0	49.0	15.0	5.3
.1	20.3	16.3	57.0	53.6	0	56.0	17.2	6.0
.1	22.5	17.9	62.9	53.7	0	61.9	18.9	6.7
.0	36.2	11.3	83.8	22.5	0	73.2	21.9	8.8
.4	37.6	10.7	85.9	23.1	0	75.4	21.2	8.0
.6	38.0	10.3	86.3	23.4	0	75.0	20.6	8.0
1.0	45.0	11.5	101.	23.7	0	89.6	23.3	10.4
.0	.0	.0	.0	.0	0	.0	.0	.0
.1	.2	.0	.4	22.5	0	.1	.4	.1
.3	1.0	.3	1.8	11.6	0	.3	1.2	1.0
.5	2.4	3.7	1.1	29.5	0	3.3	.8	1.2
.5	4.6	10.2	1.0	36.3	0	10.0	1.2	1.4
.5	7.4	17.8	3.1	35.8	0	17.4	3.4	2.3
.0	9.9	26.9	7.1	34.0	0	26.2	7.9	3.7
.0	13.7	36.8	9.5	32.9	0	35.6	10.7	5.6
.1	17.1	46.9	12.6	33.5	0	45.5	14.0	6.7
.1	20.3	55.9	15.3	34.3	0	54.5	16.7	7.4
.0	22.7	62.4	17.0	35.1	0	61.0	18.3	7.7
.2	27.0	74.1	20.0	36.6	0	72.9	21.2	7.8
1.0	30.2	79.3	18.9	37.5	0	78.2	19.9	7.8
1.5	32.2	84.0	17.7	37.1	0	80.8	18.9	8.8
2.4	40.8	102.	19.9	37.1	0	100.	21.5	11.1
.0	.0	.0	.0	.0	0	.0	.0	.0
.0	.0	.0	.0	.0	0	.0	.0	.0
.3	.7	2.5	1.1	84.3	0	1.9	1.6	.7
1.0	.2	5.5	5.1	67.5	0	5.5	5.2	.1
2.0	1.1	13.3	11.1	45.0	0	13.3	11.1	.0
3.1	2.0	21.3	17.3	37.0	0	21.2	17.4	.3
4.4	2.8	29.8	24.1	30.5	0	29.4	24.5	1.4
6.0	3.6	40.0	32.7	30.3	0	39.5	33.2	1.6
7.8	4.5	51.8	42.8	32.5	0	51.4	43.2	1.4
9.9	5.5	66.0	55.0	42.1	0	66.0	55.0	.5
12.0	8.2	82.2	65.8	29.3	0	81.0	67.0	4.2
15.3	11.0	107.	84.9	31.2	0	106.	86.1	5.1

SEE 2  
PG 3-252

SEE 2  
PG 3-252

SEE 2  
PG 3-252

CONTINUED		MAXIMUM SHEAR STRESS & PRINCIPAL STRESS		DS
CALL	E. GIBSON 7/25/62	DS LEADING EDGE PANELS		EWA 5617
CHIEF	CRAM 3/3/62	PANEL 25-20378		3-267
APPR	CLARK 3/6/62	THE BOEING COMPANY		NO. 30-56
APPR	V.R.R. 3/9/62	D2-80085		

Vol. III

# 1

EWA	TEST	LOAD	GAGE	SA	SB	SC	T MAX	F MAX	F MIN
5617	J	1400	11	28.5	25.9	18.6	15.0	135	105
5617	J	1600	11	34.5	30.6	21.4	19.3	161	123
5617	J	2000	11	44.2	37.6	25.0	27.5	204	148
5627	J	40	12	.0	.0	.0	.0	.0	.0
5627	J	100	12	.0	.0	.1	.2	.0	.4
5627	J	200	12	.2	.1	.5	1.0	.2	1.7
5627	J	300	12	.5	.6	1.5	2.8	.2	5.3
5627	J	400	12	.9	1.5	3.1	5.6	.0	11.2
5627	J	500	12	1.2	2.6	5.1	8.8	1.1	18.7
5627	J	600	12	1.7	3.1	7.1	12.1	1.6	25.8
5627	J	700	12	2.5	4.9	9.5	18.9	.9	34.7
5627	J	800	12	3.4	6.1	12.4	22.1	.8	45.0
5627	J	900	12	5.0	7.6	15.5	28.8	4.1	55.5
5627	J	1000	12	6.5	9.1	19.0	35.8	4.0	67.6
5627	J	1200	12	9.1	11.9	25.5	48.4	6.8	90.1
5627	J	1400	12	12.0	14.6	32.3	61.0	10.3	113
5627	J	1600	12	15.0	17.4	38.6	75.0	15.0	135
5627	J	2000	12	20.2	20.7	48.7	96.0	23.5	168

FOR INFORMATION ON COLUMN HEADINGS SEE PG. 3-252

1/3 5501 5000

270

9/3/63

CALC	E. GIBSON	2/6/62
CHECK	CRAM	3-5-62
APPR	Cholera	3/1/62
APPR	VLP	3/4/62

US 421-100

SC	T MAX	F MAX	F MIN	THETA		FA	PC	TC
18.6	15.0	138.	105.	32.3-	0	133.	106.	8.4
21.4	19.3	161.	123.	34.0-	0	140.	124.	7.3
25.0	27.5	204.	148.	36.3-	0	202.	150.	8.2
.0	.0	.0	.0	.0	0	.0	.0	.0
.1-	.2	.0	.4-	22.5-	0	.1-	.4-	.1
.5-	1.0	.2	1.7-	40.9-	0	.2	1.7-	.1
1.5-	2.8	.2	5.3-	47.8-	0	.2	5.3-	.3-
3.1-	5.6	.0	11.2-	50.6-	0	.1-	11.1-	1.1-
5.1-	8.8	1.1-	18.7-	50.8-	0	1.3-	18.5-	1.8-
7.1-	12.1	1.6-	25.8-	47.6-	0	1.7-	25.8-	1.1-
9.5-	16.9	.9-	34.7-	51.6-	0	1.4-	34.2-	3.8-
12.4-	22.1	.8-	45.0-	50.7-	0	1.2-	44.5-	4.4-
15.5-	28.2	4.1	55.5-	51.5-	0	1.4	54.8-	6.4-
19.0-	35.8	4.0	67.6-	51.3-	0	3.1	66.7-	7.8-
25.5-	48.4	6.8	90.1	51.0	0	8.7	89.1-	10.1-
32.3-	61.0	10.3	113.	50.7-	0	9.0	112.	12.2-
38.6-	75.0	15.0	135.	50.9	0	13.4	133.	15.3-
48.7-	94.0	23.5	165.	50.3	0	21.9	167.	17.7-

SEE 2  
PG 3-252


SEE 2  
PG 3-252

INGS SEE PG. 3-252

CALC	E. GIBSON	2/20/62	REVISION	DATE	MAXIMUM SHEAR STRESS & PRINCIPAL STRESSES DS LEADING EDGE PANELS PANEL NO. 25-20378 THE BOEING COMPANY SEATTLE, WASH. D2-80035	DS
CHECK	CRAM	3-5-62				EWA
APPR	Chobin	3/6/62				5617
APPR	VLR	3/9/62				PAGE 3-268.

Vol. III

1




271

9/3/63

2-5353-1-15






CALC H. P. H. 3/12 OPR H. P. H. 3/5/2

CHECK R. A. 3/17 APPD

RAPID LOAD TEST - LEADING EDGE SPEC. 25-20341

SLML-62	ENR 5617 D2-80085
270	PAGE 3 - 269 -
U. A. T. 111	

1



272

9/3/63

2-5353-1-15

END BOLT HOLE

FINAL FAILURE HERE

LOAD RATE  
LB

#1 99,000

#2 90,000

CALC Kep/3/2/3 OPR Kep/3/7/6

CHECK EL 3/2/3 APPD

RAPID LOAD TEST-LEADING EDGE SPEC. 25-20376



# 1

Load in lbs	*	X-2	X-4	X-6	X-7	X-12	X-15	X-16	X-18	X-20	Y-
1-75	V	-.004	-.024	-.017	-.021	-.027	-.028	-.021	-.023	-.027	-.02
	L	-.023	-.005	-.011	-.013	.011	.013	.011	.016	.003	-.0
2-75	V	-.015	-.020	-.037	-.013	-.017	-.023	-.017	-.023	-.011	-.0
	L	-.017	-.013	.003	-.008	.011	.008	.009	.013	.017	-.00
2-75	V	-.019	-.023	-.029	-.012	-.020	-.029	-.016	-.017	-.013	-.03
	L	-.021	-.007	-.004	-.004	.009	.012	.011	.012	.008	-.01
4-75	V	-.004	-.005	-.015	-.016	-.015	-.025	-.011	-.016	-.020	-.01
	L	-.027	-.009	-.001	-.017	.011	.019	.019	.012	.007	-.01
5-85	V	-.003	-.007	-.005	-.004	-.009	-.023	-.007	-.012	-.007	-.01
	L	-.008	-.001	-.004	-.003	.003	.005	.004	.008	0	-.00
6-100	V	.016	.003	.011	.004	.009	.009	.016	.009	-.003	-.01
	L	-.021	-.019	-.021	-.004	.007	.023	.011	.021	.004	-.01
7-125	V	-.001	0	-.011	0	.007	-.011	-.009	-.007	.004	-.01
	L	-.025	-.023	-.011	-.017	.025	.020	.017	.027	.027	-.01
2-130	V	.008	.017	.005	.003	.007	-.008	.007	-.008	-.004	-.00
	L	-.020	-.015	-.016	-.013	.013	.019	.012	.019	.021	-.01
9-150	V	.003	.011	.012	.001	.013	-.005	0	-.009	-.016	.00
	L	-.037	-.027	-.024	-.016	.020	.027	.017	.021	.011	-.02
10-160	V	.011	.005	.019	.020	.015	-.004	.003	-.001	-.011	.00
	L	-.028	-.021	-.017	-.011	.011	.019	.009	.021	.003	-.01
11-175	V	.036	.030	.030	.024	.037	.011	.013	.009	.017	.01
	L	-.050	-.036	-.028	-.031	.031	.037	.036	.027	.028	-.03
12-185	V	.017	.024	.028	.019	.033	.011	.021	.016	0	.01
	L	-.020	-.016	-.011	-.013	.008	.001	-.004	.001	-.007	-.00
13-200	V	.030	.030	.030	.030	.047	.016	.017	.012	.017	.02
	L	-.035	-.020	-.023	-.033	.019	.015	.013	.019	.009	-.02
14-250	V	.028	.036	.041	.035	.040	.019	.028	.015	.013	.03
	L	-.023	-.020	-.012	-.015	.015	.012	.016	.015	-.001	-.01
15-275	V	.023	.044	.048	.048	.059	.016	.031	.013	.003	.03
	L	-.045	-.036	-.031	-.035	.017	.020	.016	.013	-.009	-.01
16-290	V	.032	.044	.051	.052	.059	.033	.033	.020	.015	.03
	L	-.036	-.025	-.016	-.019	.021	.019	.007	.008	.007	-.02

Colo	DeRoc	4-5-62	REVISED	DATE	RAPID LOAD TEST NO. 1, 1ST CYCLE ON PAGE 11, TPR SLML-62-228 SPEC. NO. 25-20341	DS	* V = VE L = LA
Trac	ERD	5-10-2				EWA	
Chk.						5-617	
Appr						PAGE	
Appr					THE BOEING COMPANY D2-80085 SEATTLE 14, WASHINGTON Vol. III	3-271	

273

# 2

	X-18	X-20	Y-8	Y-11	Y-14	Z-1	Z-3	Z-5	Z-9	Z-10	Z-13	Z-17	Z-19	Z-21
	-.023	-.027	-.023	-.027	-.026	-.020	-.045	-.032	-.024	-.029	-.021	-.021	-.027	-.024
	.016	.003	-.014	-.003	.011	-.012	-.014	-.015	-.009	-.015	.012	.020	.015	.015
	-.023	-.011	-.016	-.030	-.024	-.018	-.045	-.020	.003	-.020	-.017	-.027	-.023	-.017
	.013	.017	-.006	-.010	.010	-.005	-.015	-.020	-.011	-.012	.012	.014	.011	.018
	-.017	-.013	-.030	-.018	-.027	-.009	-.014	-.020	-.003	-.015	-.020	-.017	-.017	-.008
	.012	.008	-.015	-.001	.006	-.014	-.020	-.017	-.002	-.018	.014	.014	.011	.017
	-.016	-.020	-.016	-.014	-.018	-.012	-.027	-.023	-.011	-.006	-.009	-.030	-.006	-.023
	.012	.007	-.010	-.003	.011	-.012	-.015	-.018	-.014	-.015	.014	.023	.020	.021
	-.012	-.007	-.017	-.006	-.021	-.005	-.027	-.009	-.003	-.009	-.005	-.014	-.014	-.009
	.009	0	-.009	.003	.003	-.005	-.011	0	.017	-.009	.011	.012	.005	.014
	.009	-.003	-.013	0	-.001	.003	-.009	-.008	.005	0	.007	0	0	.006
	.021	.004	-.013	-.009	.013	-.008	-.012	-.017	-.003	-.014	.020	.021	.017	.014
	-.007	.004	-.013	.001	-.004	-.005	-.014	-.002	0	-.003	-.003	0	-.015	-.015
	.027	.027	-.017	-.013	.021	-.011	-.032	-.020	.002	-.021	.024	.024	.017	.024
	-.008	-.004	-.001	.009	-.004	-.012	-.014	-.006	.014	.005	-.007	-.005	-.011	-.002
	.019	.021	-.013	-.009	.013	-.011	-.026	-.014	-.014	-.021	.021	.021	.021	.023
	-.009	-.016	.004	.010	-.011	-.002	-.012	0	.020	.006	-.011	-.012	-.012	-.008
	.021	.011	-.026	-.018	.020	-.027	-.030	-.024	-.014	-.030	.027	.030	.023	.024
	-.001	-.011	.003	.014	-.003	-.002	-.015	.005	.014	.012	.006	-.009	-.005	0
	.021	.003	-.011	-.017	.018	-.014	-.029	-.021	-.026	-.018	.023	.024	.017	.021
	.009	.017	.014	.023	.010	.011	.005	.020	.035	.029	.015	.005	-.002	.012
	.027	.028	-.036	-.031	.034	-.033	-.035	-.033	-.033	-.027	.041	.041	.041	.036
	.016	0	.018	.026	.010	-.002	.008	.014	.050	.026	.005	.009	.009	.005
	.001	-.007	-.009	-.004	-.001	-.011	-.014	-.008	-.005	-.015	.005	.005	.002	.006
	.012	.017	.028	.040	.017	.011	.008	.020	.083	.036	.018	.018	.005	.006
	.019	.009	-.027	.020	.007	-.033	-.029	-.015	-.020	-.032	.017	.027	.020	.020
	.015	.013	.031	.037	.018	.014	.008	.026	.041	.054	.018	.011	-.005	.011
	.015	-.001	-.018	.003	.006	-.021	-.021	-.009	-.009	-.020	.014	.020	.015	.014
	.013	.003	.031	.047	.023	.006	.018	.035	.039	.049	.026	.018	.009	.012
	.013	-.009	-.024	-.026	.017	-.032	-.027	-.023	-.027	-.023	.020	.029	.027	.023
	.020	.015	.033	.060	.033	.023	.015	.038	.039	.057	.033	.017	.012	.006
	.008	.007	-.028	-.017	.009	-.024	-.033	-.015	-.017	-.021	.009	-.027	.029	.017

CYCLE DS  
 3 EWA  
 5-617  
 5 PAGE  
 3-271

\* V = VERTICAL DEFL.  
 L = LATERAL DEFL.

**DATA SHEET**

NOTE: This data gives the deflection in inches of the points indicated. Location of points is in accordance with Attachment 1, C.S. 2-5526-3-252. Positive vertical deflections are downward, negative upward. Positive lateral deflections are toward the C.L., negative away from it.

# 1

Lead in lbs	*	X-2	X-4	X-6	X-7	X-12	X-15	X-16	X-18	X-20	Y-20
17-310	V	.045	.049	.057	.059	.072	.027	.044	.021	.021	.05
	L	-.030	-.023	-.009	-.023	.015	.004	.004	.001	-.001	-.02
18-350	V	.039	.053	.060	.068	.084	.041	.047	.029	.020	.05
	L	-.037	-.021	-.012	-.027	.013	.005	.005	.005	.003	-.01
19-375	V	.043	.065	.067	.063	.096	.044	.049	.027	.024	.05
	L	-.048	-.045	-.025	-.028	.025	.017	.015	-.019	.015	-.03
20-400	V	.059	.053	.069	.085	.101	.052	.048	.027	.023	.05
	L	-.032	-.029	-.028	-.023	.012	.007	.008	0	-.003	-.02
21-425	V	.055	.073	.089	.096	.111	.056	.047	.043	.028	.05
	L	-.032	-.020	-.011	-.020	.003	-.003	-.001	-.007	-.002	-.02
22-450	V	.056	.072	.082	.100	.118	.063	.071	.036	.027	.05
	L	-.051	-.050	-.027	-.032	.019	.007	.013	.004	-.005	-.03
23-475	V	.059	.072	.092	.097	.124	.060	.063	.037	.028	.05
	L	-.057	-.041	-.013	-.040	.009	-.001	.001	.001	-.011	-.02
24-500	V	.063	.081	.093	.108	.142	.073	.062	.048	.027	.05
	L	-.057	-.048	-.021	-.037	.017	.007	.008	.016	.007	-.03
25-525	V	.057	.076	.093	.106	.144	.067	.077	.048	.023	.05
	L	-.064	-.055	-.043	-.048	.013	0	.002	-.003	-.003	-.04
26-550	V	.057	.082	.110	.106	.161	.093	.086	.049	.041	.05
	L	-.055	-.045	-.033	-.025	.003	-.003	.001	-.002	-.013	-.05
27-575	V	.063	.082	.108	.137	.169	.086	.088	.049	.049	.12
	L	-.040	-.036	-.023	-.025	-.008	-.021	-.012	-.020	-.031	-.02
28-625	V	.076	.102	.130	.137	.190	.114	.105	.073	.041	.12
	L	-.052	-.040	-.029	-.044	-.003	-.008	-.001	-.019	-.021	-.03
29-700	V	.073	.1074	.126	.133	.194	.098	.109	.056	.052	.13
	L	-.055	-.043	-.031	-.029	-.003	-.019	-.008	-.012	-.019	-.02
30-725	V	.074	.105	.129	.138	.206	.105	.100	.065	.041	.13
	L	-.055	-.040	-.031	-.041	-.008	-.019	-.012	-.019	-.024	-.02
31-750	V	.096	.106	.136	.156	.218	.120	.124	.079	.055	.14
	L	-.060	-.059	-.037	-.037	-.005	-.019	-.007	-.021	-.024	-.02
32-800	V	.094	.098	.118	.148	.221	.117	.118	.077	.064	.15
	L	-.060	-.056	-.043	-.051	-.003	-.035	-.009	-.027	-.001	-.02

Cold	DeRoco	4-5-62	REVISED	DATE	RAPID LOAD TEST NO. 1, 1ST CYCLE ON PAGE 11, TPR SLML-62-228 SPEC. NO. 25-20341  THE BOEING COMPANY D2-80085 SEATTLE 14, WASHINGTON Vol. III	DS
Troc	EBL	5-10-62				EWA 5617
Chk.						PAGE 3-272
Appr						
Appr						

\* V = VE  
L = LA

274

2

X-18	X-20	Y-8	Y-11	Y-14	Z-1	Z-3	Z-5	Z-9	Z-10	Z-13	Z-17	Z-19	Z-21
.021	.021	.053	.070	.033	.024	.021	.038	.076	.068	.036	.033	.015	.020
.001	-.001	-.020	-.013	.004	-.020	-.027	-.006	-.012	-.024	.008	.024	.009	.015
.029	.020	.053	.081	.050	.027	.019	.048	.083	.086	.047	.030	.027	.047
.005	.003	-.016	-.017	.010	-.012	-.030	-.009	-.018	-.027	.011	.020	.012	.017
.027	.024	.050	.081	.037	.026	.026	.059	.088	.097	.048	.030	.021	.018
.014	.015	-.034	-.023	.006	-.033	-.038	.021	-.021	-.036	.018	.032	.019	.015
.027	.023	.057	.092	.047	.024	.033		.063	.103	.053	.042	.027	.020
0	-.003	-.028	-.011	.001	-.030	-.030		-.027	-.020	.012	.024	.008	.011
.043	.028	.085	.118	.057	.045	.035	.074	.098	.125	.062	.053	.041	.035
.007	-.008	-.023	-.011	-.004	-.023	-.032	-.002	-.014	-.018	-.003	.015	.003	-.002
.036	.027	.081	.125	.064	.039	.039	.086	.107	.116	.066	.050	.032	.018
.004	-.005	.037	-.023	.007	-.011	-.038	-.017	-.029	-.029	.018	.033	.012	.018
.037	.028	.068	.132	.061	.036	.033	—	.079	.125	.065	.053	.033	.021
.001	-.011	-.028	-.009	-.009	-.026	-.044	—	-.035	-.018	0	.027	.005	.005
.048	.027	.088	.151	.072	.042	.057	—	.109	.142	.079	.062	.042	—
.016	.007	-.037	-.023	.009	-.048	-.048	—	-.032	-.033	.003	.036	.014	—
.048	.023	.100	.150	.071	.041	.045	—	.122	.139	.077	.071	.041	.018
.003	-.003	-.043	-.017	.004	-.044	-.045	—	-.035	-.021	.003	.033	.006	.012
.049	.041	.098	.169	.085	.041	.048	—	.133	.163	.092	.079	.057	.032
.008	-.013	-.037	0	-.006	-.038	-.047	—	-.029	-.012	-.006	.036	0	.003
.049	.049	.128	.176	.085	.041	.060	—	.137	.184	.095	.092	.053	.027
.020	-.031	-.027	.004	-.020	-.020	-.027	—	-.024	-.011	-.023	.017	-.017	-.014
.073	.041	.124	.192	.109	.068	.082	—	.172	.192	.104	.101	.062	.048
.019	-.021	-.031	0	-.018	-.033	-.041	—	-.014	-.017	-.015	.026	-.012	-.011
.056	.052	.138	.199	.104	.057	.086	—	.156	.217	.112	.101	.060	.054
.012	-.019	-.023	0	-.026	-.032	-.042	—	-.023	-.015	-.021	.024	-.011	-.006
.065	.041	.138	.213	.115	.060	.085	—	.162	.223	.117	.101	.068	.044
.019	-.024	-.031	-.007	-.021	-.026	-.032	—	-.038	-.006	-.024	.020	-.015	-.017
.070	.055	.148	.224	.125	.080	.101	—	.172	.228	—	.118	.083	.051
.021	-.024	-.043	-.001	-.017	-.041	-.045	—	-.036	-.017	—	.024	-.009	-.008
.077	.064	.152	.239	.124	.065	.085	—	.156	.242	.131	.115	.076	.048
.027	.001	-.057	.001	-.020	-.051	-.050	—	-.041	-.012	-.021	.023	-.008	-.015

DS  
EWA  
5617  
PAGE  
3-272

\* V=VERTICAL DEFL.  
L=LATERAL "

DATA SHEET

NOTE: This data gives the deflection in inches of the points indicated. Location of points is in accordance with Attachment 1, C.S. 2-5526-3-252. Positive vertical deflections are downward, negative upward. Positive lateral deflections are toward the C.L., negative away from it.

# 1

Load in lbs	*	X-2	X-4	X-6	X-7	X-12	X-15	X-16	X-18	X-20	Y
33-825	V	.076	.094	.142	.154	.223	.121	.117	.070	.060	.15
	L	-.059	-.052	-.036	-.051	-.003	-.025	-.005	-.017	-.007	-.0
34-850	V	.074	.096	.134	.148	.219	.112	.117	.073	.059	.14
	L	-.082	-.074	-.056	-.064	.007	-.001	.003	-.013	.009	-.0
35-875	V	.076	.101	.128	.140	.219	.118	.109	.072	.051	.14
	L	-.073	-.065	-.050	-.051	.004	-.016	-.001	-.013	-.005	-.0
36-875	V	.069	.100	.134	.129	.213	.105	.108	.063	.045	.15
	L	-.070	-.052	-.044	-.060	-.001	-.017	-.003	-.017	-.015	-.0
37-875	V	.076	.102	.126	.146	.226	.114	.114	.059	.060	.14
	L	-.061	-.056	-.033	-.040	-.003	-.032	-.009	-.021	-.020	-.0
38-875	V	.074	.098	.148	.145	.231	.113	.113	.072	.056	.15
	L	-.061	-.053	-.037	-.045	0	-.021	-.012	-.021	-.033	-.0
39-875	V	.081	.096	.141	.152	.225	.106	.120	.077	.055	.14
	L	-.048	-.045	-.029	-.036	-.009	-.029	-.012	-.033	-.007	-.0
40-875	V	.081	.114	.136	.142	.230	.117	.116	.076	.063	.15
	L	-.076	-.060	-.048	-.059	.005	-.016	-.001	-.017	.005	-.0

Calc	De Roco	4-5-62	REVISED	DATE	RAPID LOAD TEST NO. 1, 1ST CYCLE ON PAGE 11, TPR SLML-62-228 SPEC. NO. 25-20341	DS	* V = VER L = LA
Trac	BRL	5-10-62				EWA	
Chk.						5617	
Appr						PAGE	
Appr					THE BOEING COMPANY D2-80085 SEATTLE 14, WASHINGTON U.S.I. III	3-273	DA

275

U3 4011 3000 9/2/62

2-65



2

	X-18	X-20	Y-8	Y-11	Y-14	Z-1	Z-3	Z-5	Z-9	Z-10	Z-13	Z-17	Z-19	Z-21
16														
7	.070	.060	.153	.233	.118	.065	.090	—	.148	.236	.130	.121	.074	.045
05	-.017	-.007	-.060	.001	-.027	-.044	-.048	—	-.054	-.014	-.018	.024	-.018	-.014
7	.073	.059	.148	.239	.119	.060	.085	—	.168	.236	.128	.104	.063	.051
03	-.013	.009	-.065	-.018	-.003	-.056	-.066	—	-.039	-.024	-.026	.038	-.002	-.002
09	.072	.051	.141	.229	.112	.060	.080	—	.163	.227	.125	—	.069	.038
01	-.013	-.065	-.057	-.010	-.027	-.050	-.062	—	-.038	-.024	-.018	—	-.003	-.008
08	.063	.045	.151	.229	.112	.053	.074	—	.153	.231	.116	—	.059	.039
03	-.017	-.015	-.058	-.007	-.023	-.048	-.050	—	-.039	-.026	-.024	—	.008	-.011
04	.059	.060	.143	.236	.118	.050	.083	—	.171	.239	.119	—	.060	.042
09	-.021	-.020	-.045	-.001	-.027	-.044	-.050	—	-.033	-.006	-.021	—	-.021	-.012
03	.072	.056	.151	.234	.119	.071	.091	—	.162	.242	.119	—	.068	.050
12	-.021	-.033	-.045	.004	-.030	-.041	-.047	—	-.030	-.018	-.027	—	-.015	-.014
00	.077	.055	.155	.234	.115	.066	.082	—	.163	.239	.133	—	.066	.047
12	-.033	-.007	-.048	.010	-.038	-.039	-.032	—	-.041	0	-.027	—	-.021	-.021
16	.076	.063	.151	.239	.119	.068	.086	—	.169	.231	.134	—	.065	.052
01	-.017	.005	-.060	-.014	-.021	-.059	-.057	—	-.053	-.020	-.017	—	-.005	-.003

CYCLE 228  
 DS  
 FNA  
 5617  
 PAGE  
 3-273

\* V = VERTICAL DEFL.  
 L = LATERAL "

DATA SHEET

NOTE: This data gives the deflection in inches of the points indicated. Location of points is in accordance with Attachment 1, C.S. 2-5526-3-252. Positive vertical deflections are downward, negative upward. Positive lateral deflections are toward the C.L., negative away from it.

# 1

Load in lbs	*	X-2	X-4	X-6	X-7	X-12	X-15	X-16	X-18	X-20	Y-E
100	V	.020	.015	.019	.019	.008	.014	.014	.013	.044	.007
	L	.010	.006	.008	.001	-.005	0	-.005	-.008	.013	.005
110	V	.002	-.002	.001	.001	-.002	.008	.001	.006	.001	-.008
	L	-.005	-.002	.001	.001	.002	.005	.002	.006	.013	-.001
115	V	.032	.018	.015	.009	.010	.014	.012	.008	.027	.005
	L	.005	-.010	.004	-.001	0	.009	0	.010	.010	-.005
145	V	.023	.023	.006	.014	.009	.012	.014	.008	.024	.011
	L	.006	.001	.004	.001	.002	.006	-.002	.006	.009	.001
175	V	-.002	.002	.001	.012	.005	.006	-.001	.004	.009	0
	L	.005	0	.010	.002	-.004	-.002	-.005	.002	.006	.005
205	V	.009	.008	.012	.013	.013	.015	.010	.009	.002	-.001
	L	-.002	-.013	-.009	-.006	.009	.010	-.002	.005	0	-.004
235	V	.009	.017	.012	.017	.015	.009	.009	.008	.002	.011
	L	.004	.002	.012	.005	-.004	.006	-.001	-.001	0	.004
265	V	.001	.015	.009	.014	.017	.005	.006	-.001	-.006	-.001
	L	-.002	0	0	.001	.004	.005	.005	.002	0	.003
295	V	.001	.010	.009	.020	.006	.009	0	0	.018	0
	L	-.002	-.010	-.005	-.004	.002	.015	.005	.008	.008	-.005
325	V	.019	.032	.029	.034	.031	.029	.019	.023	.028	.014
	L	-.001	-.009	.001	-.002	.001	.006	.004	-.001	.006	-.003
355	V	.004	.020	.018	.029	.033	.032	.017	.008	-.004	.012
	L	-.004	-.004	0	-.006	.001	.005	-.002	.008	.002	.001
385	V	.014	.024	.024	.023	.041	.017	.019	.009	.017	.015
	L	.001	.001	.001	-.005	-.004	.006	-.001	.001	.004	.003
415	V	.034	.028	.042	.045	.057	.041	.034	.023	.032	.040
	L	-.005	-.012	-.002	-.006	.001	.005	-.001	.001	-.002	-.005
445	V	.029	.045	.047	.054	.060	.037	.036	.029	.036	.038
	L	-.009	-.015	-.009	-.018	.006	-.001	-.002	-.006	.012	-.007
475	V	.028	.041	.042	.051	.056	.032	.034	.020	.032	.037
	L	-.004	-.013	0	-.010	-.002	-.005	.005	-.006	0	-.003
505	V	.034	.054	.055	.063	.074	.045	.047	.032	.044	.052
	L	-.005	-.008	0	-.012	-.008	-.005	-.006	-.008	-.013	-.003

Calc	Deftco	5-2-02	REVISED	DATE	RAPID LOAD TEST NO. 1, 2ND CYCLE ON PAGE 12, TPR SLML-62-228 SPEC. NO. 25-20341	DS	*V=VER L=LAT
Trec	ERIC	5-10-02				EWA	
Chk.						5617	
Appr						PAGE	
Appr					THE BOEING COMPANY SEATTLE 14, WASHINGTON	D2-80085 Val. III	3-274

276

X-18	X-20	Y-8	Y-11	Y-14	Z-1	Z-3	Z-5	Z-9	Z-10	Z-13	Z-17	Z-19	Z-21
.013	.044	.007	.012	.016	.010	.012	.010	-.009	.009	.016	.016	.022	.006
.008	.013	.005	0	-.010	.004	.006	.010	-.012	.004	-.004	-.003	-.001	-.006
.006	.001	-.008	.008	.007	-.012	.007	-.003	-.025	-.007	.004	0	.004	.003
.006	.013	-.001	-.004	.003	-.001	-.003	0	-.001	-.007	.010	.003	.006	-.001
.008	.024	.005	.015	.015	.004	.019	.004	.001	.010	.016	.013	.013	.016
.010	.010	-.005	-.005	-.001	.001	-.003	.004	-.003	-.003	.004	.003	0	.004
.008	.024	.011	.014	.011	.007	.018	.009	.015	.006	.015	.007	.010	.012
.006	.009	.001	.001	.003	.004	.004	.009	.018	-.007	.009	.003	-.001	-.003
.004	.009	0	.007	.005	-.004	0	.003	.003	-.001	.003	.003	.009	.006
.002	.006	.005	0	0	.004	.003	.007	.010	-.004	.001	0	-.003	.006
.009	.002	-.001	.016	.007	.001	.019	.009	-.009	.003	.003	.004	.010	.009
.005	0	-.004	-.005	.004	0	0	-.001	-.006	-.010	.009	.004	.003	.004
.008	.002	.011	.011	.018	.009	.015	.013	.007	.020	.010	.012	.018	.013
.001	0	.004	.005	-.001	.006	.009	.006	.003	-.001	-.001	0	-.001	.007
.001	-.006	-.001	.018	.015	.007	.007	.003	.004	.010	.007	.006	.010	.004
.002	0	.003	-.008	.003	-.009	0	.001	-.007	-.003	.009	.009	.007	.009
0	.018	0	.015	.008	-.004	.001	.007	-.010	.009	.006	-.004	0	-.003
.008	.008	-.005	-.012	.003	-.006	-.003	-.006	-.007	-.009	.001	.013	.009	.006
.023	.028	.014	.038	.023	.018	.029	.024	-.001	.032	.028	.020	.025	.019
.001	.006	-.003	-.001	0	0	-.001	.001	.001	-.006	.001	.007	-.004	-.001
.008	-.004	.012	.032	.020	.007	.026	.022	.004	.040	.020	.009	.007	.018
.008	.002	.001	-.008	-.001	.001	-.006	.004	-.019	-.003	.003	.001	-.001	-.003
.009	.017	.015	.036	.020	.006	.015	.016	.015	.034	.016	.013	.018	.004
.001	.004	.003	-.004	-.008	.001	-.003	.001	-.006	.001	-.006	.004	.004	.001
.023	.032	.040	.056	.032	.018	.034	.038	.015	.057	.031	.028	.022	.024
.001	-.002	-.005	0	-.004	-.007	-.006	.001	-.013	-.006	-.001	.012	-.003	0
.029	.036	.038	.060	.040	.020	.040	.034	.024	.059	.038	.037	.029	.020
.006	.012	-.007	-.007	-.004	-.009	-.007	0	-.015	-.013	0	.013	.003	.006
.020	.032	.037	.068	.032	.016	.025	.037	.022	.066	.040	.026	.020	.015
.006	0	-.003	-.003	-.005	-.001	-.003	.007	-.016	-.066	-.004	.004	-.004	-.001
.032	.044	.052	.078	.057	.024	.040	.053	.048	.069	.050	.043	.034	.024
.008	-.013	-.003	0	-.010	-.003	.001	.009	-.015	-.006	-.007	.003	-.004	-.001

DS  
EWA  
5617  
PAGE  
3-274

\*V=VERTICAL DEFL.  
L=LATERAL "

**DATA SHEET**

NOTE: This data gives the deflections in inches of the points indicated. Location of points is in accordance with Attachment 1, C.S. 2-5526-3-252. Positive vertical deflections are downward, negative upward. Positive lateral deflections are toward the C.L., negative away from it.



# 1

Load in lbs	*	X-2	X-4	X-6	X-7	X-12	X-15	X-16	X-18	X-20	V-8
535	V	.037	.055	.063	.065	.072	.046	.044	.033	.052	.059
	L	.010	.015	.013	.017	.001	.008	.005	0	.013	.008
565	V	.041	.049	.063	.063	.084	.044	.045	.032	.051	.053
	L	.006	0	.008	.002	.015	.013	.015	.017	.001	.005
595	V	.047	.063	.072	.074	.090	.056	.050	.040	.054	.064
	L	.015	.015	.012	.019	.001	.006	.002	.008	.014	.014
625	V	.050	.068	.077	.084	.105	.069	.058	.038	.046	.073
	L	.002	.002	.002	.006	.009	.013	.010	.014	.008	.008
655	V	.045	.073	.078	.087	.110	.059	.047	.041	.047	.074
	L	.017	.022	.012	.020	.004	.004	.006	.012	.009	.007
685	V	.047	.065	.077	.083	.116	.061	.056	.041	.047	.076
	L	.013	.022	.005	.013	.014	.015	.015	.023	.008	.010
715	V	.063	.082	.102	.105	.140	.076	.074	.056	.063	.096
	L	.010	.018	.012	.018	.005	.014	.009	.018	.013	.019
745	V	.051	.082	.090	.102	.137	.087	.069	.049	.057	.090
	L	.013	.024	.013	.026	.006	.012	.012	.019	.013	.019
775	V	.058	.077	.095	.097	.137	.082	.076	.049	.051	.088
	L	.015	.024	.014	.023	.005	.019	.013	.014	.001	.018
805	V	.063	.091	.110	.115	.157	.081	.082	.051	.052	.096
	L	.004	.015	.008	.020	.013	.018	.013	.029	.005	.025
835	V	.068	.096	.118	.128	.172	.096	.086	.063	.077	.105
	L	.015	.033	.018	.029	0	.020	.010	.015	.008	.038
865	V	.042	.090	.105	.106	.162	.079	.079	.054	.054	.100
	L	.027	.042	.029	.038	.004	.019	.006	.017	.006	.056
895	V	.069	.100	.123	.128	.183	.104	.101	.064	.065	.115
	L	.036	.041	.020	.045	.002	.018	.010	.010	.006	.049
925	V	.070	.101	.132	.136	.202	.116	.104	.072	.081	.125
	L	.033	.049	.029	.045	.004	.023	.014	.026	.004	.049
955	V	.063	.092	.125	.132	.198	.108	.100	.066	.068	.140
	L	.036	.046	.031	.050	.005	.026	.015	.022	.005	.049
985	V	.070	.095	.129	.138	.209	.111	.108	.072	.069	.123
	L	.037	.042	.031	.045	.008	.022	.013	.027	.001	.049

277

Calc	DR	5-2-62	REVISED	DATE	RAPID LOAD TEST NO. 1, 2ND CYCLE ON PAGE 12, TPR 5LML-62-228 SPEC. NO. 25-20341	DS	*V=VERT L=LATE
Trac	EPH	5-10-62				EWA	
Chk.						5617	
Appr						PAGE	
Appr					THE BOEING COMPANY 32-80085 SEATTLE 14, WASHINGTON Vol. III	3-275	DATE

# 2

X-18	X-20	Y-8	Y-11	Y-14	Z-1	Z-3	Z-5	Z-9	Z-10	Z-13	Z-17	Z-19	Z-21
.033	.052	.059	.084	.053	.028	.038	.060	-.048	.019	.050	.044	.035	.025
0	.013	-.008	-.005	-.008	-.007	-.012	.004	-.013	-.009	-.004	.012	-.001	.004
.032	.051	.053	.092	.051	.028	.043	.051	.059	.091	.048	.041	.028	.028
-.017	-.001	-.005	.005	-.019	.004	.003	.006	-.001	.006	-.022	-.003	-.012	-.012
.040	.054	.064	.100	.049	.029	.046	.059	.043	.100	.056	.046	.034	.022
-.008	.014	-.014	0	-.008	-.016	-.015	.001	-.020	-.009	-.007	.019	.003	-.006
.038	.046	.073	.111	.066	.041	.057	.063	.059	.103	.060	.056	.038	.028
-.014	-.008	-.008	.001	-.019	-.004	-.003	.013	-.016	-.004	-.018	.007	-.018	-.009
.041	.047	.074	.118	.064	.032	.056	.070	.063	.109	.069	.056	.047	.019
-.012	-.009	-.007	-.005	-.012	-.010	-.019	-.001	-.020	-.010	-.009	.010	-.001	.001
.041	.047	.074	.123	.064	.028	.053	.075	.061	.115	.066	.056	.038	.031
-.023	-.008	-.010	-.003	-.027	-.007	-.003	.019	-.019	-.003	-.016	.006	-.017	-.012
.056	.063	.096	.140	.086	.048	.076	.097	.090	.144	.085	.076	.048	.046
-.018	-.013	-.019	-.005	-.014	-.013	-.013	.004	-.019	-.009	-.019	.013	-.015	-.006
.049	.057	.090	.142	.081	.041	.072	.098	.063	.150	.084	.074	.063	.038
-.019	-.013	-.019	0	-.016	-.016	-.012	-.003	-.031	-.012	-.020	.012	-.012	-.015
.049	.051	.088	.141	.082	.044	.068	.088	.084	.147	.086	.066	.057	.032
-.014	-.001	-.018	-.005	-.018	-.018	-.019	0	-.026	-.007	-.012	.007	-.013	-.012
.051	.058	.096	.164	.084	.050	.070	.094	.094	.160	.088	.078	.059	.037
-.029	-.005	-.025	.007	-.023	-.010	-.015	0	-.019	-.001	-.022	.009	-.016	-.018
.063	.077	.105	.178	.093	.059	.079	.101	.112	.181	.098	.085	.060	.044
-.015	-.008	-.038	-.003	-.022	-.019	-.020	-.007	-.040	-.012	-.019	.015	-.009	-.006
.054	.052	.100	.170	.081	.040	.070	—	.104	.179	.088	—	.051	.019
-.017	-.006	-.056	-.010	-.020	-.024	-.015	—	-.044	-.010	-.020	—	-.006	-.007
.064	.065	.115	.192	.101	.054	.096	—	.116	.194	.103	—	.069	.047
-.010	-.006	-.049	-.005	-.019	-.034	-.024	—	-.046	-.006	-.018	—	-.013	-.009
.072	.081	.125	.211	.111	.068	.104	—	.135	.216	.113	—	.076	.047
-.026	.004	-.049	-.007	-.027	-.028	-.032	—	-.037	-.015	-.025	—	-.016	-.006
.066	.068	.140	.215	.109	.063	.090	—	.138	.215	.107	—	.072	.050
-.022	.005	-.049	-.007	-.030	-.037	-.034	—	-.034	-.019	-.026	—	-.012	-.010
.072	.069	.123		.118	.065	.098	—	.131	.242	.118	—	.075	.046
-.027	.001	-.049		-.040	-.031	-.031	—	-.040	-.015	-.029	—	-.019	-.019

\* V = VERTICAL DEFL.  
L = LATERAL "

**DATA SHEET**

NOTE: This data gives the deflection in inches of the points indicated. Location of points is in accordance with Attachment 1, C.S. 2-5526-3-252. Positive vertical deflections are downward, negative upward. Positive lateral deflections are toward the C.L., negative away from it.

DS  
EWA  
5617  
PAGE  
3-275

# 1

Load in lbs.	*	X-2	X-4	X-6	X-7	X-12	X-15	X-16	X-18	X-20	V
1015	V	.087	.116	.148	.160	.233	.127	.125	.084	.081	.14
	L	-.023	-.051	-.027	-.045	-.009	-.034	-.015	-.026	0	-.0
1045	V	.091	.119	.154	.162	.241	.132	.125	.084	.060	.14
	L	-.037	-.054	-.026	-.040	-.006	-.036	-.023	-.033	-.031	-.0
1075	V	.076	.113	.152	.152	.248	.142	.128	.086	.044	.14
	L	-.034	-.049	-.026	-.047	-.015	-.037	-.026	-.037	-.044	-.0
1105	V	.106	.140	.174	.180	.275	.148	.147	.097	.076	.17
	L	-.042	-.058	-.026	-.051	-.015	-.041	-.023	-.038	-.050	-.0
1135	V	.097	.129	.172	.177	.275	.147	.148	.101	.063	.17
	L	-.044	-.051	-.037	-.050	-.014	-.042	-.033	-.044	-.051	-.0
600	V	.040	.132	.219	.279	.385	.241	.165	—	.128	.2
	L	-.118	-.140	-.065	-.051	-.006	-.076	-.052	—	-.054	-.0
630	V	.040	.136	.230	—	.359	.238	.191	—	.174	.28
	L	-.140	-.141	-.074	—	.012	-.065	-.046	—	-.033	-.16
660	V	.045	.147	.246	—	.421	.252	.206	—	-.115	.31
	L	-.142	-.143	-.070	—	-.001	-.078	-.065	—	-.055	-.0
690	V	.044	.146	.252	—	.431	.265	.207	—	—	.31
	L	-.146	-.151	-.082	—	.001	-.079	-.061	—	—	-.09
720	V	.045	.143	.262	—	.449	.275	—	—	—	.33
	L	-.154	-.151	-.078	—	-.002	-.092	—	—	—	-.0
750	V	.040	.155	.267	—	.474	.292	.238	—	—	.34
	L	-.154	-.156	-.077	—	-.010	-.078	-.069	—	—	-.0
780	V	.040	.160	.264	—	.482	.300	.239	—	—	.34
	L	-.164	-.156	-.081	—	-.005	-.093	-.068	—	—	-.09
810	V	.045	.156	.280	—	.503	.316	.260	—	—	.35
	L	-.159	-.148	-.077	—	-.015	-.105	-.079	—	—	-.16
840	V	.050	.166	.278	—	.522	.332	.275	—	—	.37
	L	-.159	-.154	-.074	—	-.023	-.118	-.084	—	—	-.16
870	V	.059	.156	.279	—	.576	.357	.296	—	—	.39
	L	-.133	-.141	-.078	—	-.020	-.119	-.090	—	—	-.16
900	V	.050	.143	.275	—	.588	.358	.292	—	—	.39
	L	-.136	-.141	-.082	—	-.012	-.120	-.087	—	—	-.15

Calc	McRocco	5-2-62	REVISED	DATE	RAPID LOAD TEST NO. 1, 2ND CYCLE ON PAGE 12, TPR SLML-62-228 SPEC. NO. 25-20341.	DS
Trac	FRA	5-10-62				-EWA 5617.
Chk.						PAGE
Appr						3-276
Appr					THE BOEING COMPANY D2-80045 SEATTLE 14, WASHINGTON Vol-III	

\* V = VE  
L = LA

278

2

X-18	X-20	Y-8	Y-11	Y-14	Z-1	Z-3	Z-5	Z-9	Z-10	Z-13	Z-17	Z-19	Z-21
.084	.081	.145	.249	.127	.085	.116	—	.173	.247	.138	—	.088	.062
-.026	0	-.055	0	-.044	-.025	-.025	—	-.037	-.013	-.040	—	-.026	-.019
.084	.060	.160	.255	.136	.079	.123	—	.167	.262	.147	—	.090	.062
-.033	-.031	-.058	.003	-.044	-.035	-.034	—	-.048	-.012	-.038	—	-.022	-.020
.086	.044	.148	.258	.134	.078	.116	—	.172	.265	.148	—	.091	.054
-.037	-.044	-.058	.011	-.046	-.029	-.038	—	-.022	-.009	-.044	—	-.035	-.035
.097	.076	.178	.288	.159	.104	.134	—	.190	.300	.176	—	.106	.072
-.038	-.050	-.056	.003	-.055	-.034	-.037	—	-.041	-.004	-.044	—	-.022	-.028
.101	.063	.178	.285	.155	.093	.132	—	.179	.303	.163	—	.101	.070
-.044	-.051	-.049	.011	-.053	-.040	-.032	—	-.043	0	-.051	—	-.035	-.026
—	-.128	.278	.416	.278	.010	.066	—	.288	.412	.314	—	—	-.007
—	-.054	-.078	-.007	-.075	-.070	-.060	—	-.082	-.012	-.056	—	—	-.075
—	-.174	.288	.412	.273	.003	.066	—	.313	.456	.300	—	—	-.003
—	-.053	-.100	-.076	-.062	-.072	-.072	—	-.070	-.034	-.043	—	—	-.063
—	-.115	.315	.438	.297	.020	.091	—	.300	.454	.326	—	—	-.010
—	-.055	-.089	-.005	-.084	-.072	-.069	—	-.072	-.016	-.059	—	—	-.082
—	—	.316	.455	.300	.007	.078	—	.351	.510	.331	—	—	-.024
—	—	-.094	-.011	-.079	-.075	-.070	—	-.075	-.016	-.057	—	—	-.082
—	—	.330	.477	.312	.006	.085	—	.368	.556	.344	—	—	—
—	—	-.099	0	-.089	-.084	-.062	—	-.084	-.016	-.069	—	—	—
—	—	.344	.494	.334	.010	.090	—	.373	.521	.368	—	—	-.035
—	—	-.093	-.001	-.083	-.072	-.082	—	-.090	-.012	-.079	—	—	-.093
—	—	.348	.510	.336	0	.084	—	—	.535	.375	—	—	-.032
—	—	-.099	-.007	-.093	-.082	-.069	—	—	-.010	-.079	—	—	-.090
—	—	.358	.527	.366	.001	.093	—	—	.541	.390	—	—	-.029
—	—	-.103	.005	-.101	-.085	-.074	—	—	0	-.092	—	—	-.100
—	—	.373	.553	.374	.001	.081	—	—	.576	.417	—	—	-.032
—	—	-.101	.011	-.114	-.084	-.079	—	—	-.004	-.101	—	—	-.100
—	—	.397	.596	.404	.012	.082	—	—	.619	.429	—	—	—
—	—	-.137	.003	-.116	-.088	-.070	—	—	-.018	-.100	—	—	—
—	—	.390	.612	.397	-.016	.078	—	—	.632	.440	—	—	—
—	—	-.152	-.004	-.114	-.081	-.076	—	—	-.024	-.098	—	—	—

DS  
EWA  
5617  
PAGE  
3-276

\*V = VERTICAL DEFL.  
L = LATERAL

DATA SHEET

NOTE: This data gives the deflection in inches of the points indicated. Location of points is in accordance with Attachment 1, C.S. 2-5526-3-252. Positive vertical deflections are downward, negative upward. Positive lateral deflections are toward the C.L., negative away from it.

# 1

Load in lbs	*	X-2	X-4	X-6	X-7	X-12	X-15	X-16	X-18	X-20	V-
870	V	.049	.147	.292	—	.610	.370	.301	—	—	.414
	L	-.148	-.150	-.083	—	-.013	-.118	-.082	—	—	-.150
840	V	.065	.151	.290	—	.680	.406	.337	—	—	.422
	L	-.129	-.140	-.074	—	-.055	-.196	-.087	—	—	-.130
870	V	.055	.152	.275	—	.695	.407	.333	—	—	.429
	L	-.147	-.151	-.081	—	-.049	-.193	-.084	—	—	-.130
900	V	.058	.162	.288	—	.723	.412	.339	—	—	.450
	L	-.140	-.155	-.082	—	-.051	-.207	-.091	—	—	-.130
930	V	.058	.154	.294	—	.737	.419	.348	—	—	.450
	L	-.146	-.145	-.079	—	-.058	-.218	-.091	—	—	-.142
960	V	.047	.142	.293	—	.756	.424	.349	—	—	.440
	L	-.136	-.150	-.082	—	-.061	-.220	-.088	—	—	-.140
990	V	.050	.147	.280	—	.770	.430	.348	—	—	.440
	L	-.148	-.148	-.074	—	-.072	-.238	-.095	—	—	-.150
1020	V	.058	.165	.305	—	.805	.444	.362	—	—	.470
	L	-.148	-.146	-.083	—	-.068	-.248	-.098	—	—	-.140
1050	V	.049	.156	.305	—	.822	.448	.366	—	—	.490
	L	-.148	-.152	-.092	—	-.069	-.253	-.095	—	—	-.160
1080	V	.042	.147	.298	—	.837	.452	.364	—	—	.510
	L	-.157	-.160	-.091	—	-.066	-.244	-.095	—	—	-.180
1110	V	.047	.155	.316	—	.876	.461	.381	—	—	.530
	L	-.151	-.145	-.093	—	-.077	-.270	-.106	—	—	-.170
1140	V	.047	.151	.319	—	.890	.471	.385	—	—	.550
	L	-.142	-.147	-.090	—	-.074	-.278	-.105	—	—	-.170

279

Calc	DePaco	5-2-62	REVISED	DATE	RAPID LOAD TEST NO. 1, 2ND CYCLE ON PAGE 12, TPR SLML-62-228 SPEC. NO. 25-20341	DS
Trac	ERA	5-10-62				EWA
Chk.						5617
Appr						PAGE
Appr					THE BOEING COMPANY D2-80085 SEATTLE 14, WASHINGTON	3-277

\* V = VEA  
L = LAZ

X-18	X-20	Y-8	Y-11	Y-14	Z-1	Z-3	Z-5	Z-9	Z-10	Z-13	Z-17	Z-19	Z-21
-	-	.414	.633	.418	.010	.074	-	-	.656	.453	-	-	-
-	-	-.158	-.003	-.115	-.090	-.088	-	-	-.020	-.097	-	-	-
-	-	.422	.696	.460	.006	-	-	-	.710	.506	-	-	-
-	-	-.134	.038	-.185	-.091	-	-	-	.016	-.157	-	-	-
-	-	.429	.711	.464	0	-	-	-	.744	.501	-	-	-
-	-	-.138	.037	-.186	-.088	-	-	-	.016	-.162	-	-	-
-	-	.456	.744	.490	.007	-	-	-	.758	.528	-	-	-
-	-	-.138	.040	-.196	-.091	-	-	-	.019	-.160	-	-	-
-	-	.455	.767	.482	.003	-	-	-	.770	.541	-	-	-
-	-	-.142	.038	-.206	-.098	-	-	-	.031	-.163	-	-	-
-	-	.445	.773	.485	-.001	-	-	-	.782	.544	-	-	-
-	-	-.144	.042	-.215	-.088	-	-	-	.032	-.176	-	-	-
-	-	.463	.796	.489	-.013	-	-	-	.813	.554	-	-	-
-	-	-.153	.047	-.225	-.098	-	-	-	.028	-.181	-	-	-
-	-	.477	.825	.515	-.004	-	-	-	.844	.573	-	-	-
-	-	-.148	.052	-.233	-.096	-	-	-	.026	-.196	-	-	-
-	-	.499	.849	.526	-.003	-	-	-	.854	.586	-	-	-
-	-	-.163	.046	-.244	-.103	-	-	-	.035	-.206	-	-	-
-	-	.516	.863	.522	-.024	-	-	-	.870	.584	-	-	-
-	-	-.181	.038	-.244	-.110	-	-	-	.020	-.197	-	-	-
-	-	.537	.890	.547	-.012	-	-	-	.904	.616	-	-	-
-	-	-.171	.055	-.252	-.094	-	-	-	.037	-.212	-	-	-
-	-	.553	.915	.553	.022	-	-	-	.930	.623	-	-	-
-	-	-.175	.053	-.264	-.103	-	-	-	.029	-.213	-	-	-

DS  
EWA  
5617  
PAGE  
3-277

\*V = VERTICAL DEFL.  
L = LATERAL "

DATA SHEET

NOTE: This data gives the deflections in inches of the points indicated. Location of points is in accordance with C.S. 2-5526-3-252, Attachment 1. Positive vertical deflections are downward, negative upward. Positive lateral deflections are toward the C.L., negative away from it.



# 1

Load 19 lbs	*	X-6	X-10	X-16	Y-11	Z-1	Z-12	Z-17	Z-19
125	V	.017	0	-.004	-.001	-.005	.003	-.003	-.012
	L	-.007	-.020	.015	.007	-.005	.011	.017	.006
125	V	.031	.032	.012	.027	.026	.017	.023	.005
	L	.001	-.001	.007	.004	.012	.011	.008	-.002
125	V	.049	.045	.033	.044	.029	.028	.041	.011
	L	.003	-.008	.005	-.010	.011	.015	.003	0
200	V	.041	.036	.043	.033	.020	.037	.028	.026
	L	-.005	-.005	.011	-.003	-.002	.006	.017	.005
300	V	.074	.078	.085	.072	.063	.070	.075	.047
	L	.001	.034	.004	-.014	.014	0	.002	-.005
400	V	.096	.104	.117	.096	.077	.103	.083	.072
	L	.003	-.003	.007	-.003	.005	.006	.006	-.018
500	V	.099	.096	.096	.092	.064	.096	.086	.061
	L	0	-.011	-.009	-.011	-.014	-.012	.017	.003
600	V	.112	.122	.126	.127	.104	.121	.118	.089
	L	.009	-.004	0	-.016	.003	-.005	.009	-.006
700	V	.146	.157	.153	.150	.116	.139	.141	.113
	L	.008	.008	.001	-.016	0	-.008	.008	-.026
800	V	.145	.157	.150	.144	.122	.142	.136	.113
	L	.009	-.001	.008	-.020	.005	-.005	.008	-.117
900	V	.154	.170	.173	.157	.119	.151	.145	.124
	L	.021	.005	.015	-.016	-.002	-.006	.015	-.021
1000	V	.177	.193	.181	.184	.139	.196	.170	.139
	L	.004	-.009	.011	-.013	0	0	.018	-.014
1100	V	-	.492	-	.408				
	L	-	.041	-	-.036				
600	V	-	.454	-	.409				
	L	-	.043	-	-.051				
700	V	-	.524	-	.433				
	L	-	.052	-	-.047				
800	V	-	.552	-	.462				
	L	-	.053	-	-.043				

280

Calc	De Recd	4-25-62	REVISED	DATE	RAPID LOAD TEST NO. 2, 2ND CYCLE ON PAGE 12, TPR SLML-62-228 SPEC. NO. 25-20376.	DS
Troc	ERB	5-10-2				EWA 5617
Chk.						PAGE 3-278
Appr					THE BOEING COMPANY D2-80085 SEATTLE 14, WASHINGTON Vol. III	

US 4011 3000 9/3/63

\* V =  
L =





# 1

Load in lbs	*										
		X-2	X-4	X-6	X-7	X-12	X-15	X-16	X-18	X-20	V-8
50	V	.003	.009	.005	-.013	-.007	-.024	-.012	.013	-.041	.017
	L	.001	-.012	0	-.011	.015	-.007	.005	0	.003	-.014
110	V	-.001	.020	.013	.023	.024	.011	.011	.036	.024	.020
	L	-.011	-.008	-.004	-.027	.020	.011	0	-.005	.017	-.024
170	V	.011	.005	.023	.004	.032	.004	.017	.028	.017	.020
	L	-.031	-.039	-.032	-.024	.020	.008	.001	-.001	.016	-.031
200	V	.019	.033	.008	.017	.029	.015	-.007	.033	0	.029
	L	-.021	-.033	-.021	-.032	.013	.011	.011	.013	-.003	-.031
260	V	.031	-.007	.024	.021	.053	.016	.008	.021	-.017	.029
	L	-.023	-.027	-.032	-.029	.023	-.004	-.003	-.003	.013	-.036
320	V	.053	.043	.057	.055	.090	.024	.015	.041	-.009	.064
	L	-.027	-.029	-.028	-.028	.025	-.004	-.003	-.011	.001	-.037
350	V	.057	.043	.056	.059	.102	.036	.011	.029	0	.063
	L	-.013	-.011	.003	-.019	.007	-.015	-.011	-.016	.001	-.031
400	V	.036	.049	.057	.063	.109	.023	.009	.024	-.020	.064
	L	-.023	-.016	.001	-.016	0	-.025	-.021	-.024	-.019	-.026
450	V	.041	.059	.081	.069	.120	.043	.023	.036	.004	.089
	L	-.043	-.032	-.021	-.035	.014	-.020	-.019	-.007	0	-.034
510	V	.045	.064	.082	.067	.138	.033	.021	.039	-.009	.080
	L	-.041	-.029	-.025	-.040	.024	-.005	-.008	-.011	-.013	-.040
560	V	.059	.055	.097	.076	.145	.063	.039	.039	.005	.103
	L	-.043	-.031	-.017	-.041	.013	-.025	-.021	-.024	0	-.039
610	V	.064	.073	.082	.082	.157	.056	.041	.053	.001	.104
	L	-.040	-.041	-.024	-.061	.019	-.036	-.029	-.016	-.004	-.053
660	V	.072	.081	.102	.109	.170	.072	.045	.049	.003	.104
	L	-.049	-.047	-.027	-.049	-.027	-.009	-.012	-.008	-.009	-.049
700	V	.074	.097	.109	.112	.189	.072	.053	.041	.003	.112
	L	-.057	-.057	-.029	-.036	.023	-.015	-.008	-.015	-.012	-.049
750	V	.065	.076	.116	.114	.209	.088	.039	.059	.001	.113
	L	-.029	-.043	-.035	-.043	.008	-.031	-.021	-.016	-.027	-.051
800	V	.070	.073	.102	.113	.223	.086	.077	.073	.019	.146
	L	-.045	-.059	-.029	-.037	.009	-.036	-.013	-.015	-.016	-.041

Calc	DeRoo	4-4-62	REVISED	DATE	SLOW-LOAD TEST SPEC. # 25-20341  THE BOEING COMPANY D2-80085 SEATTLE 14, WASHINGTON Vol. III	DS
Trac	EKL	5-10-72				EWA 5617
Chk.						PAGE
Appr						3-279

\* V = VERT  
L = LAT

281

U3 4011 3000 9/3/63

DATA

# 2

X-18	X-20	V-8	V-11	V-14	Z-1	Z-3	Z-9	Z-10	Z-13	Z-17	Z-21
.013	-.041	.017	-.001	-.026	-.034	-.037	.023	-.021	-.024	-.038	-
0	.003	-.014	.006	-.006	-.003	-.014	.012	-.021	-.008	-.014	-
.036	.024	.020	.030	.003	.006	-.005	.021	.021	-.009	0	.043
.005	.017	-.024	.010	.003	-.005	-.012	0	-.021	.003	-.020	-.018
.028	.017	.020	.040	.006	-.006	.003	.017	.024	-.009	.008	.020
.001	.016	-.031	.027	.017	-.009	-.034	-.015	-.017	-.008	-.011	-.005
.033	0	.029	.043	.007	-.023	-.014	.005	.040	-.002	-.002	.005
.013	-.003	-.031	.017	.020	-.009	-.024	-.023	-.006	.005	-.002	-.005
.021	-.017	.029	.050	.010	-.021	.003	.024	.052	-.003	-.006	.026
.003	.013	-.036	.011	0	-.011	-.034	-.020	-.015	-.003	-.008	-.009
.041	-.007	.064	.086	.017	.018	.040	.083	.083	.043	.020	.041
.011	.001	-.037	.024	.011	-.021	-.046	-.014	-.029	.011	.008	-.005
.029	0	.063	.102	.036	.023	.031	.099	.089	.050	.026	.054
.016	.001	-.031	.004	-.019	-.003	-.006	.011	-.005	-.009	-.015	-.012
.024	-.020	.064	.107	.039	.020	.035	.096	.110	.028	-	.029
.024	-.019	-.026	-.004	-.024	-.003	-.005	.006	.009	-.032	-	-.031
.036	.004	.089	.134	.043	.014	.031	.104	.136	.061	-	.014
-.007	0	-.034	.021	.010	-.015	-.034	-.006	-.012	-.011	-	-.029
.039	-.009	.080	.137	.049	.035	.043	.087	.150	.070	-	.049
-.011	-.013	-.040	.023	-.006	-.024	-.037	-.021	-.012	-.017	-	-.012
.039	.005	.103	.160	.066	.037	.055	.098	.164	.078	-	.047
-.024	0	-.039	.006	-.014	-.012	-.021	-.017	.006	-.023	-	-.028
.053	.001	.104	.172	.066	.037	.055	.121	.197	.095	-	.073
-.016	-.004	-.053	.010	-.006	-.024	-.038	-.021	-.024	-.017	-	-.015
.049	.003	.104	.183	.086	.031	.067	.130	.196	.077	-	.058
-.008	-.009	-.049	.017	.004	-.026	-.047	-.032	-.020	-.015	-	-.009
.041	.003	.112	.203	.097	.049	.069	.139	.208	.104	-	.067
-.015	-.012	-.049	.023	0	-.029	-.038	-.041	-.020	-.031	-	-.020
.059	.001	.113	.215	.087	.029	.080	.147	.226	.121	-	.064
-.016	-.027	-.051	.021	-.021	-.032	-.041	-.029	-.017	-.037	-	-.035
.073	.017	.146	.235	.116	.043	.103	.150	.233	.098	-	.083
-.015	-.016	-.041	.013	-.019	-.031	-.050	-.020	-.020	-.021	-	-.024

DS  
EWA  
5617  
PAGE  
3-279

\* V = VERTICAL DEFL.  
L = LATERAL "

NOTE: This data gives the deflection in inches of the points indicated. Location of points is in accordance with Attachment 1, C.S. 2-5526-3-252. Positive vertical deflections are downward, negative upward. Positive lateral deflections are toward the C.L., negative away from it.

DATA SHEET

# 1

Load in lbs	*	X-2	X-4	X-6	X-7	X-12	X-15	Y-16	X-19	X-20	Y-8
850	V	.073	.106	.140	.133	.246	.100	.076	.061	.012	.137
	L	-.064	-.052	-.045	-.057	.029	-.023	-.024	-.007	-.007	-.083
900	V	.077	.110	.145	.140	.255	.094	.073	.053	.001	.160
	L	-.061	-.047	-.037	-.073	.024	-.031	-.025	-.037	-.019	-.060
950	V	.093	.122	.157	.140	.282	.109	.086	.074	.015	.172
	L	-.059	-.061	-.040	-.069	.027	-.043	-.016	-.027	-.012	-.080
1000	V	.059	.112	.157	.152	.290	.102	.096	.064	.001	.162
	L	-.047	-.004	-.035	-.059	.019	-.053	-.019	-.029	-.017	-.072
1050	V	.089	.114	.161	.176	.314	.120	.100	.069	.028	.177
	L	-.056	-.004	-.044	-.078	.024	-.052	-.023	-.032	-.021	-.082
1100	V	.093	.137	.174	.168	.334	.138	.098	.084	.017	.184
	L	-.063	-.065	-.044	-.076	.029	-.036	-.027	-.025	-.035	-.084
1150	V	.078	.141	.190	.180	.352	.144	.132	.094	.025	.199
	L	-.061	-.070	-.036	-.092	.017	-.050	-.029	-.040	-.037	-.097
1200	V	.094	.133	.194	.177	.375	.149	.121	.076	.016	.200
	L	-.060	-.093	-.064	-.102	.027	-.055	-.027	-.037	-.036	-.100
1250	V	.093	.116	.198	.193	.394	.148	.112	.096	.035	.204
	L	-.086	-.077	-.051	-.074	.016	-.059	-.027	-.052	-.035	-.094
1300	V	.094	.144	.209	.218	.430	.168	.134	.082	.019	.226
	L	-.072	-.089	-.059	-.098	.023	-.076	-.044	-.053	-.056	-.094
1350	V	.084	.145	.219	.242	.460	.215	.166	.105	.027	.259
	L	-.084	-.112	-.072	-.101	.008	-.082	-.044	-.055	-.051	-.092
1400	V	.084	.166	.232	.249	.497	.214	.173	.130	.039	.259
	L	-.097	-.109	-.084	-.112	.025	-.092	-.045	-.061	-.067	-.094
1450	V	.084	.170	.237	.247	.532	.231	.196	.128	.010	.277
	L	-.092	-.110	-.076	-.110	.004	-.086	-.049	-.063	-.074	-.120
1500	V	.089	.177	.249	.287	.556	.245	.194	.140	.044	.305
	L	-.128	-.128	-.077	-.125	.012	-.097	-.049	-.069	-.080	-.123
1550	V	.090	.181	.275	.291	.600	.254	.226	.144	.036	.315
	L	-.102	-.104	-.067	-.110	-.005	-.124	-.067	-.109	-.093	-.109
1600	V	.109	.184	.277	.301	.634	.290	.235	.145	.025	.332
	L	-.128	-.138	-.088	-.146	-.017	-.105	-.043	-.093	-.093	-.137

Calc	DeRolo	4-4-62	REVISED	DATE	<b>SLOW LOAD TEST</b> <b>SPEC. NO. 25-20341</b>  THE BOEING COMPANY D2-80085 SEATTLE 14, WASHINGTON Vol. III	DS	* V=VERT L=LATE  <b>DATA</b>
Trac	ERL	5-10-62				EWA	
Chk.						5617	
Appr						PAGE	
Appr						3-280	

282

US 4011 3000

9/3/63

# 2

	X-19	X-20	Y-8	Y-11	Y-14	Z-1	Z-3	Z-9	Z-10	Z-13	Z-17	Z-21
	.061	.012	.137	.250	.107	.063	.099	.162	.242	.141	-	.098
	-.008	-.008	-.083	.027	-.009	-.050	-.067	-.050	-.024	-.003	-	-.018
	.053	.001	.160	.266	.109	.054	.093	.167	.256	.130	-	.084
	-.037	-.019	-.060	.016	-.014	-.037	-.058	-.040	-.035	-.023	-	-.035
	.074	.015	.172	.280	.112	.073	.095	.181	.301	.139	-	.078
	-.027	-.012	-.080	.027	-.011	-.043	-.063	-.054	-.032	-.037	-	-.020
	.064	.001	.162	.282	.113	.046	.103	.177	.297	.150	-	.073
	-.029	-.017	-.072	.024	-.029	-.040	-.058	-.046	-.021	-.044	-	-.040
	.069	.028	.177	.320	.104	.066	.109	.205	.311	.182	-	.089
	-.032	-.021	-.082	.033	-.026	-.052	-.055	-.046	-.037	-.029	-	-.049
	.084	.017	.184	.339	.104	.073	.106	.230	.343	.194	-	.081
	-.025	-.035	-.084	.030	-.034	-.038	-.090	-.055	-.037	-.046	-	-.035
	.094	.025	.199	.360	.173	.073	.150	.219	.360	.197	-	.090
	-.040	-.037	-.097	.046	-.050	-.047	-.069	-.098	-.047	-.043	-	-.040
	.076	.016	.260	.382	.156	.063	.107	.228	.333	.200	-	.081
	-.037	-.036	-.100	.030	-.034	-.069	-.077	-.080	-.041	-.035	-	-.047
	.096	.035	.284	.409	.180	.070	.152	.231	.393	.217	-	.098
	-.052	-.055	-.094	.019	-.051	-.052	-.066	-.080	-.040	-.057	-	-.052
	.082	.019	.226	.436	.197	.072	.133	.292	.430	.236	-	.090
	-.053	-.056	-.094	.027	-.046	-.061	-.077	-.070	-.024	-.060	-	-.058
	.105	.027	.259	.466	.210	.072	.116	.314	.453	.251	-	.093
	-.055	-.051	-.092	.024	-.093	-.049	-.089	-.083	-.037	-.060	-	-.067
	.130	.039	.259	.499	.220	.080	-	.362	.491	.274	-	.089
	-.061	-.067	-.094	.021	-.080	-.061	-	-.086	-.037	-.064	-	-.058
	.128	.010	.277	.503	.246	-	-	.323	.526	.262	-	-
	-.063	-.074	-.120	.014	-.073	-	-	-.090	-.039	-.073	-	-
	.140	.044	.305	.567	.263	-	-	.366	.560	.321	-	-
	-.069	-.080	-.123	.027	-.054	-	-	-.084	-.039	-.063	-	-
	.144	.036	.315	.596	.279	-	-	.355	.582	.327	-	-
	-.109	-.093	-.109	-.001	-.103	-	-	-.086	-.021	-.099	-	-
	.145	.025	.332	.635	.295	-	-	.381	.617	.347	-	-
	-.093	-.093	-.137	.023	-.092	-	-	-.101	-.037	-.078	-	-

\* V = VERTICAL DEFL.  
L = LATERAL DEFL.

NOTE: This data gives the deflection in inches of the points indicated. Location of points is in accordance with Attachment 1, C.S. 2-5526-3-252. Positive vertical deflections are downward, negative upward. Positive lateral deflections are toward the C.L., negative away from it.

DS  
EWA  
5617  
PAGE  
3-280

DATA SHEET

# 1

Load in lbs	*										
		X-2	X-4	X-6	X-7	X-12	X-15	X-16	X-18	X-20	Y-8
1650	V	.112	.200	.306	.318	.668	.297	.262	.174	.029	.337
	L	-.124	-.145	-.104	-.160	.015	-.126	-.051	-.089	-.093	-.154
1700	V	.097	.190	.315	.287	.705	.299	.265	.156	.017	.335
	L	-.148	-.141	-.089	-.153	.008	-.138	-.063	-.093	-.101	-.149
1750	V	.097	.209	.315	.336	.722	.334	.277	.173	.027	.385
	L	-.152	-.137	-.092	-.157	-.003	-.134	-.069	-.101	-.118	-.143
1800	V	.080	.190	.299	.335	.739	.326	.280	.157	.036	.366
	L	-.154	-.152	-.098	-.153	0	-.146	-.061	-.110	-.116	-.147
1850	V	.084	.198	.315	.315	.761	.335	.282	.161	.027	.370
	L	-.141	-.141	-.080	-.157	-.011	-.165	-.085	-.128	-.133	-.152
1900	V	.078	.209	.319	.344	.782	.329	.301	.182	.037	.389
	L	-.165	-.141	-.097	-.174	-.001	-.152	-.072	-.124	-.129	-.156
1950	V	.063	.197	.323	.354	.803	.346	.298	.168	.025	.375
	L	-.169	-.161	-.101	-.181	.005	-.158	-.063	-.126	-.134	-.166
2000	V	.063	.201	.323	.335	.862	.358	.306	.184	.049	.396
	L	-.182	-.154	-.106	-.192	.011	-.161	-.061	-.120	-.122	-.197
2050	V	.069	.227	.336	.375	.894	.383	.339	.197	.023	.425
	L	-.160	-.157	-.120	-.194	-.005	-.162	-.065	-.122	-.137	-.172
2100	V	.080	.206	.342	.367	.938	.397	.340	.196	.033	.412
	L	-.178	-.164	-.118	-.200	-.012	-.193	-.090	-.132	-.148	-.149
2150	V	.080	.201	.329	.396	.939	.374	.322	.178	.029	.429
	L	-.161	-.156	-.105	-.207	.005	-.172	-.078	-.124	-.150	-.187
2200	V	.052	.200	.342	.410	.978	.390	.335	.196	.017	.429
	L	-.170	-.160	-.112	-.188	-.011	-.188	-.077	-.153	-.161	-.173
2250	V	.065	.197	.351	.416	1.032	.392	.343	.193	.040	.428
	L	-.186	-.169	-.132	-.214	.004	-.169	-.077	-.138	-.150	-.197
2300	V	.055	.213	.366	.414	1.045	.396	.340	.197	.037	.445
	L	-.178	-.165	-.128	-.189	-.016	-.190	-.086	-.133	-.152	-.186
2350	V	.035	.206	.356	.431	1.067	.380	.318	.181	.020	.426
	L	-.203	-.168	-.124	-.213	-.015	-.176	-.068	-.136	-.145	-.206
2400	V	.065	.209	.375	.428	1.111	.415	.357	.209	.028	.470
	L	-.188	-.166	-.125	-.196	-.016	-.215	-.084	-.149	-.172	-.190

283

Calc	DeRoco	4-4-62	REVISED	DATE	SLOW LOAD TEST SPEC. NO. 25-20341  THE BOEING COMPANY D2-80085 SEATTLE 14, WASHINGTON	DS	*V=VERTICAL L=LATERAL  DATA
Trac	ERA	5-10-62				EWA	
Chk.						5617	
Appr						PAGE	
Appr					3-281		



# 2

18	X-20	Y-8	Y-11	Y-14	Z-1	Z-3	Z-9	Z-10	Z-13	Z-17	Z-21
74	.029	.337	.666	.296	-	-	.410	.646	.367	-	-
89	-.093	-.154	.021	-.103	-	-	-.116	-.024	-.070	-	-
56	.017	.335	.685	.315	-	-	.398	.670	.375	-	-
93	-.101	-.149	.013	-.114	-	-	-.110	-.046	-.083	-	-
73	.027	.385	.728	.335	-	-	.421	.693	.393	-	-
101	-.118	-.143	.010	-.123	-	-	-.110	-.031	-.106	-	-
157	.036	.366	.722	.337	-	-	.424	.719	.399	-	-
110	-.116	-.147	.006	-.122	-	-	-.112	-.035	-.110	-	-
161	.027	.370	.748	.332	-	-	.427	.734	.398	-	-
128	-.133	-.152	-.010	-.132	-	-	-.107	-.021	-.148	-	-
182	.037	.389	.774	.325	-	-	.453	.753	.424	-	-
124	-.129	-.156	.017	-.136	-	-	-.121	-.040	-.113	-	-
168	.025	.375	.797	.349	-	-	.450	.773	.404	-	-
126	-.134	-.166	.011	-.137	-	-	-.127	-.044	-.112	-	-
184	.049	.396	.832	.360	-	-	.453	.799	.451	-	-
120	-.122	-.177	.019	-.136	-	-	-.138	-.055	-.109	-	-
197	.023	.425	.877	.365	-	-	.497	.860	.457	-	-
122	-.137	-.172	.010	-.139	-	-	-.125	-.055	-.118	-	-
196	.033	.412	.872	.383	-	-	.479	.869	.473	-	-
132	-.148	-.149	.011	-.146	-	-	-.139	-.058	-.122	-	-
178	.029	.429	.896	.383	-	-	.509	.880	.476	-	-
124	-.150	-.187	.143	-.160	-	-	-.141	-.052	-.135	-	-
196	.017	.429	.950	.383	-	-	.520	.909	.479	-	-
153	-.161	-.173	.016	-.180	-	-	-.136	-.049	-.139	-	-
193	.040	.428	.977	.398	-	-	.529	.944	.499	-	-
138	-.150	-.197	.007	-.169	-	-	-.142	-.054	-.148	-	-
197	.037	.445	.995	.406	-	-	.552	.953	.511	-	-
133	-.152	-.186	-.001	-.169	-	-	-.141	-.043	-.158	-	-
181	.020	.426	1.022	.399	-	-	.545	.982	.508	-	-
136	-.145	-.206	.023	-.179	-	-	-.158	-.066	-.142	-	-
207	.028	.470	1.067	.413	-	-	.565	1.033	.523	-	-
149	-.172	-.190	.006	-.190	-	-	-.144	-.057	-.168	-	-

DS  
EWA  
5617  
PAGE  
3-281

\*V=VERTICAL DEFL.  
L=LATERAL "

DATA SHEET

NOTE: This data gives the deflection in inches of the points indicated. Location of points is in accordance with Attachment 1, C.S. 2-5526-3-252. Positive vertical deflections are downward, negative upward. Positive lateral deflections are toward the C.L., negative away from it.

Load in lbs	*	X-2	X-4	X-6	X-7	X-12	X-15	X-16	X-18	X-20	Y-8
2450	V	.056	.219	.378	.443	1.113	.411	.354	.203	.023	.460
	L	-.190	-.181	-.129	-.241	.001	-.210	-.082	-.140	-.161	-.207
2500	V	.044	.202	.370	.414	1.144	.428	.331	.203	.025	.470
	L	-.186	-.184	-.130	-.233	-.016	-.214	-.101	-.144	-.165	-.223
0	V	.005	.105	.213	.286	.650	.233	.169	.081	-.031	.292
	L	-.134	-.129	-.094	-.161	.005	-.148	-.055	-.101	-.105	-.149

1

Calc	Rekoo	4-4-62	REVISED	DATE	SLOW LOAD TEST SPEC. NO. 25-20341  THE BOEING COMPANY D2-80085 SEATTLE 14, WASHINGTON Vol. III	DS
Trac	ERK	5-10-62				EWA 5617
Chk.						PAGE
Appr						3-282

\* V = VERTICAL  
L = LATERAL  
DATA S

284

X-18	X-20	Y-8	Y-11	Y-14	Z-1	Z-3	Z-9	Z-10	Z-13	Z-17	Z-21
203	1.023	.460	1.082	.415	—	—	.572	1.042	.532	—	—
140	-.161	-.207	.021	.170	—	—	-.170	-.069	-.158	—	—
203	1.025	.470	1.118	.436	—	—	.572	1.060	—	—	—
144	-.165	-.223	0	-.197	—	—	-.170	-.072	—	—	—
081	-.031	.292	.686	.233	—	—	.373	.609	.320	—	—
101	-.105	-.149	.021	-.122	—	—	-.109	-.060	-.099	—	—

2

\*V=VERTICAL DEFL.  
L=LATERAL " "

DATA SHEET

NOTE: This data gives the deflections in inches of the points indicated. Location of points is in accordance with Attachment 1, C.S. 2-5526-3-252. Positive vertical deflections are downward, negative upward. Positive lateral deflections are toward the C.L., negative away from it.

DS  
EWA  
5617  
PAGE  
3-282



UNCLASSIFIED

UNCLASSIFIED