

AD-A053 309

NAVAL RESEARCH LAB WASHINGTON D C
INDUCTIVE CHARGING OF PULSE LINES ON 0.1 TO 1.0 MJ RANGE USING --ETC(U)
MAR 78 D CONTE, R FORD, W H LUPTON
NRL-MR-3742

F/G 9/3

UNCLASSIFIED

NL

| OF |
AD
A053309



END
DATE
FILMED
6-78
DDC

4/28 Not
SR/E

NRL Memorandum Report 3742

12

AD A 053309

Inductive Charging of Pulse Lines in 0.1 to 1.0 MJ Range Using Foil Fuses Staged with Explosively Actuated Switches


D. CONTE, R. FORD, W. H. LUPTON, J. D. SHIPMAN, JR.,
P. TURCHI and I. M. VITKOVITSKY

*Plasma Technology Branch
Plasma Physics Division*

AD No. _____
DDC FILE COPY

March 1978

This research was sponsored by the Defense Nuclear Agency under subtask G37MAXYX958, task area 01, work unit title, Advanced Technology Development.



NAVAL RESEARCH LABORATORY
Washington, D.C.

Approved for public release; distribution unlimited.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER NRL Memorandum Report 3742		2. REPORT ACCESSION NO. NRL-MR-3742	
4. TITLE (and Subtitle) INDUCTIVE CHARGING OF PULSE LINES ON 0.1 TO 1.0 MI RANGE USING FOIL FUSES STAGED WITH EXPLOSIVELY ACTUATED SWITCHES.		5. TYPE OF REPORT & PERIOD COVERED Interim report on a continuing NRL problem.	
7. AUTHOR(S) D. Conte, R. Ford, W. H. Lupton, J. D. Shipman, Jr., P. Turchi and I. M. Vitkovitsky		6. PERFORMING ORG. REPORT NUMBER 9	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Research Laboratory Washington, D.C. 20375		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NRL Problem 66 DNA Subtask G37MAXYK958	
11. CONTROLLING OFFICE NAME AND ADDRESS Defense Nuclear Agency Washington, D.C. 20305		12. REPORT DATE Mar 78	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 24	
		15. SECURITY CLASS. (of this report) UNCLASSIFIED	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18. SUPPLEMENTARY NOTES This research was sponsored by the Defense Nuclear Agency under Subtask G37MAXYK958, task area 01, and work unit title Advanced Technology Development. Portions of this report were presented at IEEE International Conference on Plasma Science, Troy, N.Y., May 25-27, 1977.			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Inductive storage Charging transmission line pulse generators Fuses Current interruption Pulse charging capacitors			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The use of inductive storage techniques to replace the conventional high voltage sources, such as Marx generators, for the charging of high voltage transmission line pulse generators (i.e., capacitive loads) is discussed. The proposed opening switch system consists of exploding foil fuses staged with high explosive actuated switches. The low resistance of the explosive switches in the closed stage allows the inductive store to be charged at relatively slow rates without significant energy loss. Upon opening, current is commutated to the foils which rapidly explode (Continues)			

6
10

11

25 p.

next page

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

251 950

alt

20. Abstract (Continued)

to generate the inductive voltage necessary to charge the load. A detailed analysis of fuse performance in the basic inductive storage circuit is presented using empirically obtained data on the resistivity vs. dissipated energy characteristic of vaporized aluminum foils. The results are used to outline the design of inductive storage systems for pulse charging capacitors to 1 MV at energies from 100 to 1000 kJ, with risetimes of 2 to 10 μ sec (10^{11} to 10^{12} W rate) and efficiencies of 20 to 65%.

microsec

10 to the 11th power to

10 to the 12th power

ACCESSION for		
NTIS	Write Section	<input checked="" type="checkbox"/>
DDC	Buff Section	<input type="checkbox"/>
UNANNOUNCED		<input type="checkbox"/>
JUSTIFICATION		
BY		
DISTRIBUTION/AVAILABILITY CODES		
Dist.	AVAIL. and/or	SPECIAL
A		

CONTENTS

I. INTRODUCTION 1

II. PULSE LINE CHARGING BY HIGH VOLTAGE FUSES 2

III. ALUMINUM FOIL FUSE CHARACTERISTICS..... 3

IV. TWO STAGE SWITCHING 6

V. ENERGY TRANSPORT 7

VI. CONCLUSIONS 10

VII. REFERENCES 12

DDC
RECEIVED
MAY 1 1978
RECEIVED
B

I. Introduction

Inductive storage, because of its capability of storing energy at high densities, is an effective technique for designing compact high power pulsers. In particular, this technique can substantially reduce the size and cost of the high voltage charging systems for high energy, transmission line pulse generators. The basic inductive storage circuit for this application is shown in Fig. 1. The capacitive load represents either a water or oil dielectric intermediate storage capacitor or pulse forming line conventionally used in the generation of terawatt pulses.¹ Although the circuit is simple, its successful operation in megavolt systems with energies in excess of 100 kJ will require further development of the individual components. Some of the high energy, high voltage problems associated with the current source, the inductive store, and the charging of capacitive loads have been addressed by Trost et al², Robson³, and Liebing⁴, respectively. Perhaps the most difficult element to design is the opening switch. This device must have low loss in the closed state so that energy is not lost while charging the inductor, must have an opening time in the microsecond range, and must be able to hold off the voltage it generates (i.e., cannot restrike). The rapid opening time is not only necessary to generate a high voltage, but especially essential in water dielectric high power pulse line design because of the time dependent breakdown characteristics of water.⁵ The following three sections of this report present data for the design of an opening switch system consisting of exploding foil fuses staged with high explosive actuated switches. The components for this system have already been tested at levels which indicate that microsecond operation at 1 to 2 MV is feasible.⁶ Based on these results and recent developments in the design of compact current sources,^{7,8} the remainder of the paper presents an analysis of the performance

Note: Manuscript submitted February 17, 1978.

of inductive storage systems for pulse charging capacitors to 1 MV at energies from 100 to 1000 kJ, with risetimes of 2 to 10 μ sec (10^{11} to 10^{12} W rate) and efficiencies of 20 to 65%.

II. Pulse Line Charging by High Voltage Fuses

An exploding wire or foil (fuse) is one of the most effective devices for fast interruption of current where the ability to hold off high voltage is also required. These elements have exhibited submicrosecond opening times, high current capabilities, voltage multiplication factors⁹ exceeding 20, and voltage levels up to 2 MV.¹⁰ Although many materials, geometries and surrounding mediums can be used in fuse designs, the fuse development at NRL has concentrated on the use of flat aluminum foils immersed in water or hydrogen peroxide. The operation of these fuses appears to be dependent on a combination of chemical and thermal effects which can be optimized⁹ by an appropriate choice of the fuse thickness to width ratio. Fuse performance can be further improved by optimizing the foil shape in the region around the electrode contacts to insure simultaneous explosion of the entire foil.

Fig. 2 shows a schematic diagram of an experimental setup for charging a capacitive load, consisting of an 8 Ohm Blumlein pulse line with approximately 20 nF of capacitance, by a single fuse. Typical waveforms from this model are also given showing the current through the inductor, voltage across the fuse, and the Blumlein output pulse. This system has successfully charged the pulse line to voltages of 550 kV by using a 100 cm long by 5.1 cm wide by 6.35 μ thick foil immersed in water. This represents an energy of approximately 3.0 kJ on the pulse line. The 50 nsec duration output pulse has a peak power of 3.8×10^{10} W into a matched resistance load. These experiments furnished data on

the performance of fuses in low energy systems and provided a basis for the comparison between analytical predictions and experimental operation of inductively charged capacitors.

III. Aluminum Foil Fuse Characteristics

In order to design a proper switch for pulse charging circuits such as described above, the intrinsic properties of the fuse must be known. The first property to be considered is the dynamic conductivity. It is reasonable to expect that the temperature dependent conductivity of the material is related to the energy dissipated in it. The energy dependence of the conductivity for exploding copper foils has been described by Di Marco and Burkhardt¹¹ for foils pressed in plastic insulation and by Benford et al¹² for foils under water. Benford mentioned that aluminum was also used but no data was presented for it. The Efremov Institute in the Soviet Union has reported¹³ 500-fold relative resistance increases with evaporating aluminum foils.

Conductance and dissipated energy can be calculated from values of fuse current and open circuit voltage obtained during the evaporation of the fuse. These data were measured during the course of the underwater explosion of aluminum foil fuses. A schematic of the electrical driving circuit, the fuse parameters, and typical current and voltage waveforms are shown in Fig. 3. The current risetime was chosen to be approximately 250 μ sec because the fuse element of an efficient inductive storage system would necessarily have a current risetime of one msec or less. The 250 μ sec value places the data within a factor of five of the expected extremes for the current risetime. Analysis of these measurements results in a correspondence between the conductivity, σ , and energy density, W , as shown in Fig. 4. The plotting of this data in terms of energy density allows it to be scaled to the design of high energy systems.

The time dependent conductivity was found to be continually decreasing and reached a value of less than 10^3 mho/m at the time the current became too low to measure. Conductivity values below 10^4 mho/m were not shown in Fig. 4 because, in this range, the correlation with energy becomes increasingly unreliable. This is due to the possibility of systematic error in the synchronization of current and voltage waveforms.

Examination of Fig. 4 shows that the conductivity is approximately a negative exponential function of energy density. The dashed line is a plot of the relation $\sigma = \sigma_0 \exp(-2 \times 10^{-10} W)$. This formula is used to describe the fuse conductivity in subsequent design calculations. The point where $\sigma_0 = 2.4 \times 10^6$ mho/m will be used to define the onset of the explosion ($t=0$).

Another important parameter of the fuse which must be taken into account is its time to explosion, t_e . Clearly, it must be long enough to permit energizing the storage coil from capacitors (or, alternatively, to permit recovery of the first switch when using two stage switching as discussed in Section IV below). Furthermore, the efficiency of energy transfer from the storage coil to a load capacitor will depend on the relative values of t_e and the $(LC)^{1/2}$ time of the circuit. It is well known that the value of t_e is inversely proportional to the square of current density. More precisely, t_e can be determined from an "action" integral, $\int_0^{t_e} j^2 dt = \text{constant}$. Maisonnier et al¹⁴ have calculated the time to explosion of some metal foils. Assuming slow heating and neglecting losses, their result for aluminum foils is equivalent to an "action" constant of $4.9 \times 10^{16} \text{ A}^2 \text{sec/m}^2$.

It will be found useful in subsequent analysis of the capacitor charging circuit to define a fuse characteristic time nearly equal to t_e as $t_0 = w_v \sigma_0 / j_0^2$. Here w_v is the energy density needed to explode the fuse and j_0^2 / σ_0 is the

joule heating rate (per unit volume) at the onset of the explosion. This characteristic time is convenient to use since it is independent of the shape of the current pulse. It does not matter that the point corresponding to onset of explosion cannot be determined with precision. All that matters is that a point can be selected where the subsequent energy dependent conductivity is known. Once a point is chosen, it should be used consistently. Reference to Fig. 4 shows that appropriate values are $w_v = 2.5 \times 10^{10}$ (J/m³) and $\sigma_0 = 2.4 \times 10^6$ (mho/m), so $t_0 = 6 \times 10^{16}/j_0^2$ (sec). This characteristic time is only slightly greater than the time to explosion when the fuse is driven by a constant current. It is about 3/5 of the time to explosion when the fuse current is a quarter cycle of a sinusoidal wave.

A further important characteristic of the fuse is its voltage hold off dependence on electric field strength. If the field is high enough, the time dependent conductance reverses its normal decrease and instead increases so that the fuse current is not interrupted. Such events have been called restrikes and may be similar, in some respects, to dielectric breakdown in insulators.¹⁵ Restrikes limit the usefulness of the fuse as a switching device. Salge *et al*¹⁶ presented data on the maximum field strength as a function of t_e for copper wires. This data shows that higher field strengths are permitted if the wires are under water. For the longer times, still higher fields result when the underwater wires are enclosed by polyethylene tubes. In all cases, smaller values of t_e permit greater electric fields. Similar data for aluminum foils under water are not available. A reasonable assumption is that the time dependence of the maximum field is qualitatively the same.

High electric fields on the fuse are the result of either a high voltage being generated by the current through the decreasing fuse conductivity during

explosion or by an initially high field imposed by the external source (e.g., capacitor bank voltage). For the first case, it is easy to show that the field is dependent on the characteristic time of the fuse. At the onset of the explosion the field is $E_0 = j_0/\sigma_0$. In terms of the characteristic time, t_0 , the current density is $j_0 = (w_v \sigma_0/t_0)^{1/2}$ and consequently $E_0 = (w_v/\sigma_0 t_0)^{1/2}$.

When fuses are used as switching elements their electric fields must be held below some limiting value, $E < E_{\max}$, where E_{\max} is the restrike electric field strength. Since E_{\max} is dependent on the time to explosion, normalizing this electric field limiting relationship by initial electric field provides a convenient ratio for applying it to the design calculations for pulse charging a capacitor (to be shown later):

$(E/E_0) < (\sigma_0/w_v)^{1/2} t_0^{1/2} E_{\max}$, where E is the increasing electric field along the fuse. Salge's data for copper wires shows that as t_e is made shorter, E_{\max} increases just slightly faster than $t_e^{-1/2}$, so $t_e^{1/2} E_{\max}$ is almost a constant.

For underwater fuses of aluminum foil, it will be assumed that $t_0^{1/2} E_{\max}$ is a constant. Although the value of E_{\max} is unknown, it must be greater than the maximum field observed from successfully operating fuses. Thus a conservative value for the constant can be obtained from measurements such as described in Fig. 3 ($E_{\max} = 5.25 \times 10^5$ V/m, $t_0 = 6.2 \times 10^{-5}$ sec). From these values, a safe limit to be imposed on the fuse is $E/E_0 < 40$. When more data becomes available concerning the electric field dependence and the maximum field, this limiting ratio will be increased.

IV. Two Stage Switching

Due to their inherently high energy absorption, fuses cannot be employed in circuits where they must carry current for times greater than a few microseconds and yet still provide high energy transfer efficiencies. A technique

for circumventing this problem is to parallel the fuse with another opening switch¹⁶ which does not require the extremely fast risetime, but does have low loss in the closed state (Fig. 5). This second switch is used to commutate the current into the fuse. As will be seen later, a commutation time of the order of 50 μ sec or less is needed to maintain high system efficiency, so that devices such as circuit breakers, which typically have opening times of several milliseconds, cannot be used for this operation. Thus, commutation techniques, such as those being studied at NRL in conjunction with the development of an explosively activated switch,¹⁷ must be employed. This switch is shown schematically in Fig. 6. It consists of a current-carrying, aluminum tube which is ruptured in many circular locations along its length by an explosion that drives the tube against steel cutters. The explosion is caused by the ignition of primer cord placed along the axis of the tube. Paraffin is used as the explosive-pressure transfer medium. The paraffin also serves to electrically insulate the ruptured edges. Modules of this device have been tested at voltages of 300 kV at 35 kA. Its resistance, measured before opening, is in the micro-ohm range and its opening/hold-off recovery time is approximately 50 μ sec. These modules have been tested in series and parallel combinations to demonstrate that increased voltage and current levels can be handled by proportionately increasing the number of modules. It is anticipated that 1-m long switch modules can be extended to the 500 kV range at currents well in excess of 100 kA.

V. Energy Transport

An analysis of energy transfer to a capacitive load from an inductive storage coil has been made using the experimentally determined switch characteristics. For this analysis, the circuit equations corresponding to the equivalent circuit of Fig. 1 were integrated numerically beginning at the onset of the

fuse explosion. (The shunt resistance associated with water capacitors, which is typically on the order of 1 k for most pulse forming lines, can be neglected without significantly affecting the results.) The time dependent fuse resistance in the equations was determined from the conductivity formula $\sigma = \sigma_0 \exp(-2 \times 10^{-10} W)$ and the dissipated energy, W , calculated from fuse voltage and current. Numerical integrations were done for fuses of various lengths and cross-sectional areas. The cross-sectional area, s , is accounted for through the characteristic time ($t_0 \propto s^2/i^2$) defined earlier. For a fixed cross-section, the effect of fuse length, h , on the output voltage can be determined through either of the parameters $W_v/(Li_0^2)$ or $R_0(C/L)^{1/2}$. Both of these are proportional to h . Here W_v is the energy required to vaporize the fuse, Li_0^2 is twice the initial stored energy, and R_0 is the fuse resistance at $t = 0$.

The results of several calculations are presented in Fig. 7. The two solid curves show the peak capacitor voltage (expressed as the dimensionless variable $V(C/L)^{1/2}/i$) as a function of fuse length (represented by the dimensionless variable $R_0(C/L)^{1/2}$) for two values of the parameter $t_0/(LC)^{1/2}$. These two curves are decreasing functions of $R_0(C/L)^{1/2}$ for the regions shown because as the fuse length is increased a greater part of the initial stored energy is spent in vaporizing the fuse.

To avoid restrikes and permit the fuse current to be directed into the capacitor, the electric field of the fuse must be limited. In section III, a safe limit was shown to be $V/(R_0 i_0) = E/E_0 < 40$. This limit corresponds to the dashed straight line drawn in Fig. 7. Therefore only those parts of the calculated curves lying below this line correspond to fuses that are realistically useable. The dimensionless voltage used in Fig. 7 is the ratio of the peak capacitor voltage to the voltage that would result if a perfect (no-loss) switch were

used. More importantly, the square of this ratio is the energy transfer efficiency. Therefore the intersection of the dashed, limiting-field line with either of the solid curves corresponds to the maximum efficiency that can be obtained with that value of $t_0/(LC)^{1/2}$.

The above analysis can be applied to the problem of charging a pulse-line capacitance using two-stage switching with explosively driven switches and fuses. The opening time of the explosive switches determines the value needed for the characteristic time of the fuse. If values of the $(LC)^{1/2}$ charging time are assumed, then curves similar to those in Fig. 7 permit a determination of the optimum fuse parameters and the efficiency, η_f , of the fuse switching. The total efficiency, η_T , is determined by taking into account the energy dissipated in the explosive switches while they are transferring current to the fuse.

The parameters of systems which could charge a pulse line to one megavolt at energies of 100 kJ and k MJ are listed in Tables 1 and 2, respectively. In its present state of development, the explosive switch opens in 50 μ sec. The first three lines of the tables correspond to $t_0 = 50 \mu$ sec with the $(LC)^{1/2}$ time decreasing from 10 μ sec to 2 μ sec. The last three lines are for a fixed $(LC)^{1/2}$ time of 2 μ sec and indicate the improvement that could be achieved if explosive switch opening times were reduced to 10 or 20 μ sec through further development. The initial current listed in the tables refers to the current in the storage inductor prior to opening of the first stage switches. The last column, listing the number of exploding switches required, is divided into two sub-columns; the first column assumes the present state of development of the exploding switch module, having 200 kV, 100 kA specification, while the second column is based on a modest projection of the operating level of the switch. The 100 kJ systems of Table 1 require low to moderate currents, ranging from 26 to 270 kA. The number

of exploding switch modules remains low even for fast capacitor charge times. For the megajoule systems of Table 2, the required current increases substantially as the capacitor charge time decreases. The number of exploding switches also increases proportionately. In all cases, as the current increases and the charge time decreases, the effects of lead inductance and stray capacitance become significant. The systems must be designed to minimize or make use of these unavoidable elements (e.g., use lead inductance as part of the energy store).

The high currents required for the megajoule systems could be obtained from current sources with lower current output, such as the existing NRL self-excited homopolar generator,⁷ by using a current step-up transformer to charge the storage inductor. The efficiency of the overall system, however, drops at least 75% because the energy must be transferred from an inductive storage to inductive load before charging the capacitor. This is not altogether an unfavorable situation because the homopolar generators are inherently high energy devices with energy storage much greater than 1 MJ easily available. This approach has another advantage in that it allows the primary or secondary of the transformer to be crowbarred at the instant the fuse vaporizes to prevent the reverse step-up action of the transformer from applying an extremely high voltage to the source. If the pulse line were charged to 2 MV (with the load capacitance decreased by a factor of four and the storage inductance increased by a factor of four), the required current would decrease by a factor of two. The net result would considerably ease the current requirement. The number of exploding switches needed would remain about the same because the same amount of power is transported.

VI. CONCLUSIONS

This analysis shows that inductive storage for pulse charging capacitors in the 100 kJ range, including those based on use of water dielectrics, can be

constructed using present technologies. Operation of the fuse at the megavolt level must still be demonstrated. Operation at 2 MV or greater voltage is desirable in order to lower the capacitance to more reasonable values. When megajoule systems are considered, not only must the operational level of the fuse be increased, but also more development on the first stage switch is desirable to limit the number of devices necessary.

VII. References

1. L. S. Levine and I. M. Vitkovitsky, IEEE Trans. Nucl. Sci., NS-18, 255 (1971).
2. T. F. Trost, P. E. Garrison and T. R. Burkes, "Pulse Power Systems Employing Inductive Energy Storage", Proceedings of First IEEE International Pulsed Power Conference, IEEE Cat. No. 76H1147-8 REG-5, Lubbock, Texas, November 1976.
3. A. E. Robson, "Optimization of Inertial-Inductive Stores", IEEE International Conference on Plasma Science, Abstract IEEE Cat. No. 77CH1205-4NPS, Troy, New York, May 1977.
4. L. Liebing, Z. angew. Phys., 26, 345 (1969).
5. A. R. Miller, "High Energy Density, Low Impedence Capacities Using Pressurized Water As A Dielectric", Proceedings of Fifth Symposium on Engineering Problems of Fusion Research, IEEE Cat. No. 73CHO 843-3-NPS, Princeton, N.J., November 1973.
6. D. Conte, R. D. Ford, W. H. Lupton, I. M. Vitkovitsky, "Two Stage Opening Switch Techniques for Generation of High Inductive Voltage", Proceedings of Seventh Symposium on Engineering Problems of Fusion Research, Knoxville, Tennessee, October, 1977.
7. W. H. Lupton, A. E. Robson, W. L. Warnick, "The NRL Multi-Megajoule Inertial-Inductive Energy Storage System", Proceedings of First International Pulsed Power Conference, IEEE Cat. No. 76H1147-8 REG-5, Lubbock, Texas, November 1976.
8. H. H. Woodson, H. G. Rylander, W. F. Weldon, "Pulsed Power From Inertial Storage with Homopolar Machines for Conversion", Proceedings of First International Pulsed Power Conference, IEEE Cat. No. 76H1147-8 REG-5, Lubbock, Texas, November 1976.
9. D. Conte, M. Friedman, M. Ury, "A Method For Enhancing Exploding Aluminum Foil Fuses For Inductive Storage Switching", Proceedings of First International Pulsed Power Conference, IEEE Cat. No. 76H1147-8 REG-5, Lubbock, Texas, November 1976.
10. Y. A. Kotov, N. G. Kolganov, V. S. Sedoi, B. M. Kovaltchuck, G. A. Mesyats, "Nanosecond Pulse Generators with Inductive Storage", Proceedings of First International Pulsed Power Conference, IEEE Cat. No. 76H1147-8 REG-5, Lubbock, Texas, November 1976.
11. J. N. DiMarco and L. C. Burkhardt, J. Appl. Phys. 41, 3894 (1970).
12. J. Benford, H. Calvin, I. Smith, and H. Aslin, Energy Storage, Compression, and Switching edited by W. H. Bostick, V. Nardi, O. S. F. Zucker, Plenum Press, New York, 1976. pp. 39-48.
13. A. B. Anderzen, V. A. Burstev, V. M. Vodovozov, V. A. Dubyansky, N. P. Egorov, V. N. Litunovsky, V. A. Ovsyannikov, A. B. Prodnunov, V. F. Prokopenko, I. V. Shestakov, "Fast-Acting Foil Switches", Efremov Institute (NIIEFA) Preprint K-0292, Leningrad, USSR, 1976.
14. C. Maisonnier, J. G. Linhart, C. Gourlan, Rev. Sci. Instr. 36, 1000 (1965).

15. I. M. Vitkovitsky, Exploding Wires Vol. 4, edited by W. G. Chace and H. K. Moore, Plenum Press, New York, 1968, pp. 35-40.

16. J. Salge, U. Braunsberger, U. Schwarz, Energy Storage, Compression, and Switching edited by W. H. Bostick, V. Nardi, O. S. F. Zucker, Plenum Press, New York, 1976, pp. 477-480.

17. R. D. Ford and I. M. Vitkovitsky, "Explosively Actuated 100 kA Opening Switch for High Voltage Applications", NRL Memorandum Report 3561, July 1977.

2	2	58	40	70	100	10	20
2	2	58	40	70	150	2	20
4	12	170	10	55	28	1	20
2	10	168	48	33	35	1	20
2	18	170	48	70	38	1	10

TABLE 2. PARAMETERS FOR INV. LTD SYSTEM
LOAD CAPACITANCE 2.0 nF

No. of Switches	V ₀ (kV)		I ₀ (kA)		V ₁ (kV)	I ₁ (kA)
	(200kV)	(100kV)	(kA)	(kA)		
4	12	265	48	70	30	10
8	22	500	48	70	12.5	20
28	112	1300	20	55	3	20
12	82	1600	48	70	3	20
14	10	1312	48	70	1	10

TABLE 1. PARAMETERS FOR 1MV, 100 kJ System
LOAD CAPACITANCE 0.2 μ F

t_o (μ s)	$(LC)^{1/2}$ (μ s)	L (μ H)	η_F	η_t	i_o (kA)	No. of Switches	
						(200kV) (100kA)	(500kV) (200kA)
50	10	500	.70	.65	26	5	2
50	5	125	.53	.48	66	5	2
50	2	20	.25	.20	270	15	4
20	2	20	.53	.48	165	10	2
10	2	20	.70	.65	130	10	2

TABLE 2. PARAMETERS FOR 1MV, 1MJ System
LOAD CAPACITANCE 2.0 μ F

t_o (μ s)	$(LC)^{1/2}$ (μ s)	L (μ H)	η_F	η_t	i_o (kA)	No. of Switches	
						(200kV) (100kA)	(500kV) (200kA)
50	10	50	.70	.65	265	15	4
50	5	12.5	.53	.48	660	35	8
50	2	2	.25	.20	2720	135	28
20	2	2	.53	.48	1650	85	18
10	2	2	.70	.65	1325	70	14






Fig. 1 — Basic inductive storage circuit with a capacitive load




(a) CIRCUIT

CURRENT THROUGH
INDUCTOR (8 kA PEAK)



100 μsec

FUSE VOLTAGE
(425 kV PEAK)
CURRENT THROUGH
FUSE (8 kA PEAK)



2 μsec

BLUMLEIN PULSE LINE
OUTPUT (410 kV PEAK)




50 nsec

(b) TYPICAL CURRENT AND VOLTAGE WAVEFORMS

Fig. 2 — Inductive charging of a Blumlein pulse line using an exploding foil fuse switch

CIRCUIT:



FUSE PARAMETERS:

MATERIAL: AL, 99.99% PURITY
LENGTH: 107 cm
WIDTH: 2.5 cm
THICKNESS: .5 mil
SURROUNDING MEDIUM: WATER

TYPICAL WAVEFORMS:




Fig. 3 — Test circuit and typical parameters and waveforms for foil fuses




Fig. 4 - Conductivity vs. energy density relationship for foil fuses operated in the test circuit of Fig. 3




Fig. 5 - Capacitively loaded inductive storage circuit with two-stage switching




Fig. 6 — Schematic longitudinal section of the explosively actuated switch showing the switch before opening and in the fully opened state




Fig. 7 — Peak value of capacitor charge voltage, in units of $i_0(L/C)^{1/2}$, as a function of fuse length, expressed by the parameter $R_0(C/L)^{1/2}$. The dashed line represents the limiting electric field permitted on the fuse.