

AD-A071 246

STANFORD UNIV CALIF EDWARD L GINZTON LAB
HORIZONTAL SHEAR SURFACE WAVES ON CORRUGATED SURFACES, (U)
OCT 76 B A AULD, J J GAGNEPAIN, M TAN

F/G 20/1

N00014-75-C-0632

UNCLASSIFIED

6L-2622


NL

| OF |
AD
A071246



END
DATE
FILMED

8-79
DDC



NATIONAL BUREAU OF STANDARDS

AD A 071 246

DDC FILE COPY.

2

6

HORIZONTAL SHEAR SURFACE WAVES ON CORRUGATED SURFACES

by

10

B. A. Auld, J. J. Gagnepain, ~~and~~ M. Tan

LEVEL 4

Preprint

G. L. Report No. 2622 ✓

11

October 1976

14

GL-2622

Contract

15

NO0014-75-C-0632 ✓

12

11 p.

submitted to

Electronics Letters

Edward L. Ginzton Laboratory
W. W. Hansen Laboratories of Physics
Stanford University
Stanford, California

DDC
RECEIVED
JUL 17 1979
A

DISTRIBUTION STATEMENT
Approved for public release
Distribution Unlimited

79 06 20 128

409640 LHM

HORIZONTAL SHEAR SURFACE WAVES ON CORRUGATED SURFACES*

Indexing Terms: Sonic propagation, surface phenomena

Experiments have been performed on horizontal shear surface wave propagation along a corrugated surface. The results are in agreement with approximate theories used in analogous electromagnetic problems.

Introduction. A well-known problem in electromagnetism concerns the propagation of a TM-type surface wave along an infinite corrugated surface.¹⁻⁶ The insert in Fig. 1 illustrates this structure for the case of a substrate with finite thickness. In the electromagnetic case the shaded region represents an isotropic dielectric with electrical short circuit boundary conditions on the corrugated and bottom surfaces. The structure is uniform along the x direction.

This problem provides a good example of the generation of solutions to new acoustics problems by utilizing the analogy between Maxwell's Equations and the acoustic field equations.⁷ In the electromagnetic problem considered here, the x component of the magnetic field satisfies the two-dimensional wave equation subject to boundary conditions requiring that the normal derivative of H_x be zero on all surfaces. The acoustic variable analogous to H_x is the x component of particle displacement velocity, which satisfies the ordinary wave equation in two-dimensional isotropic problems of the kind considered here. At traction-free boundaries parallel to the x -axis, the normal derivative of v_x is required to be zero. This shows that the

*This work was supported by the Office of Naval Research under Contract N00014-75-C-0632.

matching the complex power flow⁵ is used. This leads to the dispersion relations

$$\frac{1}{kh \tanh kh} = \frac{\delta}{d} \sum_{n=-\infty}^{\infty} \frac{1}{\alpha_n h \tanh \alpha_n D} \left(\frac{\sin \beta_n \delta/2}{\beta_n \delta/2} \right)^{\mu}$$

$$\mu = \begin{cases} 1, \text{ midpoint matching} \\ 2, \text{ power flow matching} \end{cases}$$

$$\beta_n = \beta_0 + 2\pi n/d ; \quad k = \omega/v_s ; \quad \alpha_n^2 = \beta_n^2 - k^2 .$$

Over the range of parameters used experimentally we have found little difference between $\mu = 1$ and $\mu = 2$, and the second value was used. Figure 1 shows typical curves for a finite substrate thickness D , with the surface wave solution below the dashed diagonal and thickness modes for one value of D above the diagonal.

Results and Discussion. The dispersion curves were measured by observing in transmission the resonant frequencies of a section of corrugated surface with traction-free ends (Figs. 2 and 3). Fabrication of the grating resonators was accomplished by sawing 6 mil slots in aluminum plate. The measurements were performed using a frequency synthesizer and PZT-5A thickness shear input and output transducers affixed with Dow Resin 276-V9. The transducers were 0.034" thick and had a 1.00" horizontal aperture.

Surface wave resonances occur at frequencies where the grating is an integral number of half wavelengths long. In an N-slot grating this

means that

$$\beta_0 d = p\pi/N$$

where p is an integer. Measurements were made by observing the transmission resonances and counting back to zero to determine the mode index p . Results for various values of the parameters are plotted and compared with theoretical curves in Figs. 2 and 3. It is seen in Fig. 2 that the results are not sensitive to the lateral width of the grating. For the narrow grating rubber dampers were placed along the grating edges to suppress diffraction effects. The experimental points above the dashed diagonal correspond to the thickness modes shown in Fig. 1. These spurious responses create a problem in performing measurements near the surface wave cutoff frequency. Comparison of the $kd = \pi/2$ points in Figs. 2 and 3 shows that the deeper slots give a greatly increased amount of wave slowing. A higher order surface wave also appears in this case.

Because the polarization of the surface wave is shear horizontal, there is no scattering from the surface mode into the thickness modes at the traction-free end faces of the resonator, contrary to the case of Rayleigh surface wave reflections. However, the kind of transducer used does excite both types of modes. Although spurious mode excitation can be somewhat reduced by careful placement of the transducer and by damping the lower surface of the plate, mode interference remains a problem in frequency regions where the two mode types overlap. This is clearly shown in Fig. 3, where the accuracy of the measurements deteriorates at the higher frequencies, but this can be avoided by using a smaller value of D in order to increase the thickness mode frequencies.

The principle problems to be resolved in further study and exploitation of these waves are the development of suitable transducers and of techniques for fabricating narrow deep slots with smaller dimensions suitable for higher frequency operation. Interdigital transducers⁸ and orientation dependent etching⁹ are possible solutions to be examined.

B. A. Auld, J. J. Gagnepain[†] and M. Tan

October 1976

Edward L. Ginzton Laboratory

Stanford University

Stanford, California 94305

[†]Now at Ecole Nationale Supérieure de Chronométrie et Micromécanique,
25000 BESANCON, FRANCE.

References

1. Elliot, R. S., "On the Theory of Corrugated Plane Surfaces," IRE Trans AP, 1954, 2, pp. 71-81.
2. Hurd, R. A., "The Propagation of an Electromagnetic Wave Along an Infinite Corrugated Surface," Can. J. Phys., 1954, 32, pp. 727-734.
3. Watkins, Dean A., "Topics in Electromagnetic Theory," (John Wiley and Sons, 1958), pp. 14-19.
4. Collin, R. A., "Field Theory of Guided Waves," (McGraw-Hill, 1960), pp. 465-469.
5. Bevensee, R. M., "Electromagnetic Slow Wave Systems," (John Wiley and Sons, 1964), pp. 57-61.
6. Collin, R. E. and Zucker, F. J., "Antenna Theory Part 2," (McGraw-Hill, 1969), pp. 229-232.
7. Auld, B. A., "Acoustic Fields and Waves in Solids, Vol. I," (John Wiley and Sons, 1973).
8. White, R. M., "Surface Elastic-wave Propagation and Amplification," IEEE Trans., 1967, ED-14, pp. 181-189.
9. Rosenfeld, R. C. and Bean, K. E., "Fabrication of Topographical Ridge Guides on Silicon for VHF Operation," Proc. IEEE Ultrasonics Symposium, Boston, Mass., pp. 186-189 (October 1972).

Figure Captions

1. Theoretical dispersion curves for horizontal shear wave propagation on a corrugated surface.
2. Comparison of theory and experiment for 6 mil x 12.5 mil slots.
In the $N = 80$ case only a few of the observed resonant frequencies are shown.
3. Comparison of theory and experiment for 6 mil x 50 mil slots.




FIGURE 1




FIGURE 2




FIGURE 3