

WRDC-TR-90-8007  
Volume VIII  
Part 35


**AD-A248 974**



INTEGRATED INFORMATION SUPPORT SYSTEM (IISS)  
Volume VIII - User Interface Subsystem  
Part 35 - Application Interface Unit Test Plan

S. Barker, F. Glandorf

Control Data Corporation  
Integration Technology Services  
2970 Presidential Drive  
Fairborn, OH 45324-6209



September 1990

Final Report for Period 1 April 1987 - 31 December 1990

Approved for Public Release; Distribution is Unlimited

**92-10487**



MANUFACTURING TECHNOLOGY DIRECTORATE  
WRIGHT RESEARCH AND DEVELOPMENT CENTER  
AIR FORCE SYSTEMS COMMAND  
WRIGHT-PATTERSON AIR FORCE BASE, OHIO 45433-6533


**92 4 23 016**

NOTICE

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever, regardless whether or not the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data. It should not, therefore, be construed or implied by any person, persons, or organization that the Government is licensing or conveying any rights or permission to manufacture, use, or market any patented invention that may in any way be related thereto.

This technical report has been reviewed and is approved for publication.


This report is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nations



DAVID L. JUDSON, Project Manager  
WRDC/MTI  
Wright-Patterson AFB, OH 45433-6533

25 July 91  
DATE

FOR THE COMMANDER:



BRUCE A. RASMUSSEN, Chief  
WRDC/MTI  
Wright-Patterson AFB, OH 45433-6533

25 July 91  
DATE

If your address has changed, if you wish to be removed from our mailing list, or if the addressee is no longer employed by your organization please notify WRDC/MTI, Wright-Patterson Air Force Base, OH 45433-6533 to help us maintain a current mailing list.

Copies of this report should not be returned unless return is required by security considerations, contractual obligations, or notice on a specific document.

REPORT DOCUMENTATION PAGE				
1a. REPORT SECURITY CLASSIFICATION Unclassified		1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for Public Release; Distribution is Unlimited.		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE				
4. PERFORMING ORGANIZATION REPORT NUMBER(S) UTP620344700		5. MONITORING ORGANIZATION REPORT NUMBER(S) WRDC-TR-90-8007 Vol. VIII, Part 35		
6a. NAME OF PERFORMING ORGANIZATION Control Data Corporation; Integration Technology Services		6b. OFFICE SYMBOL (if applicable) WRDC/MTI	7a. NAME OF MONITORING ORGANIZATION WRDC/MTI	
6c. ADDRESS (City, State, and ZIP Code) 2970 Presidential Drive Fairborn, OH 45324-6209		7b. ADDRESS (City, State, and ZIP Code) WPAFB, OH 45433-6533		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Wright Research and Development Center, Air Force Systems Command, USAF		8b. OFFICE SYMBOL (if applicable) WRDC/MTI	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUM. F33600-87-C-0464	
8c. ADDRESS (City, State, and ZIP Code) Wright-Patterson AFB, Ohio 45433-6533		10. SOURCE OF FUNDING NOS.		
1. TITLE (Include Security Classification) See block 19		PROGRAM ELEMENT NO. 78011F	PROJECT NO. 595600	TASK NO. F95600
				WORK UNIT NO. 20950607
12. PERSONAL AUTHOR(S) Structural Dynamics Research Corporation: Barker, S., et al.				
13a. TYPE OF REPORT Final Report	13b. TIME COVERED 4 / 1 / 87 - 12 / 30 / 90	14. DATE OF REPORT (Yr., Mo., Day) 1990 September 30		15. PAGE COUNT 396
16. SUPPLEMENTARY NOTATION WRDC/MTI Project Priority 6203				
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify block no.)	
FIELD	GROUP	SUB GR.		
1308	0905			
19. ABSTRACT (Continue on reverse if necessary and identify block number)  This specification establishes the methodology used to test the Application Interface computer program.  BLOCK 11:  INTEGRATED INFORMATION SUPPORT SYSTEM Volume VIII - User Interface Subsystem Part 35 - Application Interface Unit Test Plan				
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED x SAME AS RPT. DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL David L. Judson		22b. TELEPHONE NO. (Include Area Code) (513) 255-7371	22c. OFFICE SYMBOL WRDC/MTI	

FOREWORD

This technical report covers work performed under Air Force Contract F33600-87-C-0464, DAPro Project. This contract is sponsored by the Manufacturing Technology Directorate, Air Force Systems Command, Wright-Patterson Air Force Base, Ohio. It was administered under the technical direction of Mr. Bruce A. Rasmussen, Branch Chief, Integration Technology Division, Manufacturing Technology Directorate, through Mr. David L. Judson, Project Manager. The Prime Contractor was Integration Technology Services, Software Programs Division, of the Control Data Corporation, Dayton, Ohio, under the direction of Mr. W. A. Osborne. The DAPro Project Manager for Control Data Corporation was Mr. Jimmy P. Maxwell.

The DAPro project was created to continue the development, test, and demonstration of the Integrated Information Support System (IISS). The IISS technology work comprises enhancements to IISS software and the establishment and operation of IISS test bed hardware and communications for developers and users.

The following list names the Control Data Corporation subcontractors and their contributing activities:

<u>SUBCONTRACTOR</u>	<u>ROLE</u>
Control Data Corporation	Responsible for the overall Common Data Model design development and implementation, IISS integration and test, and technology transfer of IISS.
D. Appleton Company	Responsible for providing software information services for the Common Data Model and IDEF1X integration methodology.
ONTEK	Responsible for defining and testing a representative integrated system base in Artificial Intelligence techniques to establish fitness for use.
Simpact Corporation	Responsible for Communication development.
Structural Dynamics Research Corporation	Responsible for User Interfaces, Virtual Terminal Interface, and Network Transaction Manager design, development, implementation, and support.
Arizona State University	Responsible for test bed operations and support.

TABLE OF CONTENTS

	<u>Page</u>
SECTION 1.0 GENERAL .....	1-1
1.1 Purpose .....	1-1
1.2 Project References .....	1-1
1.3 Terms and Abbreviations .....	1-2
SECTION 2.0 DEVELOPMENT ACTIVITY .....	2-1
2.1 Statement of Pretest Activity .....	2-1
2.2 Pretest Activity Results .....	2-1
SECTION 3.0 SYSTEM DESCRIPTION .....	3-1
3.1 System Description .....	3-1
3.2 Testing Schedule .....	3-1
3.3 First Location Testing .....	3-1
3.4 Subsequent Location Testing .....	3-2
SECTION 4.0 SPECIFICATIONS AND EVALUATIONS .....	4-1
4.1 Test Specifications .....	4-1
4.1.1 Form Processing .....	4-1
4.1.2 User Profile Maintenance .....	4-3
4.1.3 Virtual Terminal Pass-through .....	4-3
4.2 Test Methods and Constraints .....	4-3
4.3 Test Progression .....	4-3
4.4 Test Evaluation .....	4-3
SECTION 5.0 TEST PROCEDURES .....	5-1
5.1 Test Description .....	5-1
5.2 Test Control .....	5-1
5.3 Test Procedures .....	5-1
APPENDIX A VT100 KEYPAD LAYOUTS .....	A-1
APPENDIX B FORM PROCESSOR TEST FORMS .....	B-1

<b>Accession For</b>	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



LIST OF ILLUSTRATIONS

	<u>Page</u>
5-1a Logon Screen .....	5-3
5-1b Enter User Information .....	5-4
5-1c IISS Function Screen .....	5-5
5-2a Start ARTEST Application .....	5-6
5-2b First ARTEST Screen .....	5-7
5-3a Test GTUINF .....	5-8
5-3b GTUINF Result .....	5-9
5-4a Test GETVTI .....	5-10
5-4b GETVTI Result .....	5-11
5-5a Enter Data for GETVTI .....	5-12
5-5b GETVTI Result .....	5-13
5-6a Test PUTVTI .....	5-14
5-6b PUTVTI Result .....	5-15
5-7a Add Fixed Size Form .....	5-16
5-7b After Adding Fixed Size Form .....	5-17
5-7c Add First Element to Form ff10 .....	5-18
5-7d Form ff10 with One Element .....	5-19
5-7e Form ff10 with Two Elements .....	5-20
5-7f Form ff10 with Three Elements .....	5-21
5-7g Form ff10 with Four Elements .....	5-22
5-7h Form ff10 with Five Elements .....	5-23
5-7i Error on Fixed Size Form .....	5-24
5-7j Add Open-ended Form .....	5-25
5-7k After Adding Open-ended Form .....	5-26
5-7l Add First Element to Form ff11 .....	5-27
5-7m Form ff11 with One Element .....	5-28
5-7n Form ff11 with Two Elements .....	5-29
5-7o Form ff11 with Three Elements .....	5-30
5-7p Form ff11 with Four Elements .....	5-31
5-7q Form ff11 with Five Elements .....	5-32
5-7r Form ff11 with Six Elements .....	5-33
5-7s Add Data to Form ff11 .....	5-34
5-7t Scrl1/Page Mode .....	5-35
5-7u Form ff11 Showing Sixth Element .....	5-36
5-7v Add Data in Sixth Element .....	5-37
5-7w Remove Form ff11 .....	5-38
5-7x New Screen .....	5-39
5-8a Test ADDFRM .....	5-40
5-8b Form ff5 in W3 .....	5-41
5-8c Add Another Form .....	5-42
5-8d Form ff1 in W3 .....	5-43
5-9a Test RPLFRM .....	5-44
5-9b Form ff3 in W3 .....	5-45
5-10a Test RMVPAG .....	5-46
5-10b W3 with Page Removed .....	5-47
5-11a Test GPAGE .....	5-48
5-11b GPAGE Result .....	5-49

LIST OF ILLUSTRATIONS (continued)

	<u>Page</u>
5-12a Test GWINDO .....	5-50
5-12b GWINDO Result .....	5-51
5-13a Add Form ff9 .....	5-52
5-13b W3 with Form ff9 .....	5-53
5-14a Remove Page 2 of W3 .....	5-54
5-14b W3 with Page 2 Removed .....	5-55
5-15a Test CLSFRM .....	5-56
5-15b CLSFRM Result .....	5-57
5-15c Form ff9 Already Closed .....	5-58
5-16a Test PDATA .....	5-59
5-16b PDATA Result .....	5-60
5-17a Test GDATA (Current Instance) .....	5-61
5-17b GDATA Result .....	5-62
5-18a PDATA 'BYE' .....	5-63
5-18b PDATA Result .....	5-64
5-19a Test GDATA (Previous Instance) .....	5-65
5-19b GDATA Result .....	5-66
5-20a Change ff6 Value .....	5-67
5-20b GDATA (Previous Instance) .....	5-68
5-21a GDATA (Current Instance) .....	5-69
5-21b Current Value in Form ff6 .....	5-70
5-22a Test GETATT .....	5-71
5-22b GETATT Result .....	5-72
5-23a Test PUTATT (OUTPUT) .....	5-73
5-23b PUTATT Result .....	5-74
5-24a Test PUTATT (TEXT) .....	5-75
5-24b PUTATT Result .....	5-76
5-25a Test PUTBAK (WHITE) .....	5-77
5-25b PUTBAK Result .....	5-78
5-26a Test GETBAK .....	5-79
5-26b GETBAK Result .....	5-80
5-27a Change Attribute .....	5-81
5-27b Attribute Changed .....	5-82
5-27c Background Attribute Restored .....	5-83
5-28a Change Form ff5 Background .....	5-84
5-28b Form ff5 Background Black .....	5-85
5-29a Test PUTCUR .....	5-86
5-29b PUTCUR Result .....	5-87
5-29c Current Cursor Position .....	5-88
5-30a Test PARFQN .....	5-89
5-30b PARFQN Result .....	5-90
5-31a Test Terminal in Terminal .....	5-91
5-31b Test Screen .....	5-92
5-31c Normal Screen .....	5-93

LIST OF ILLUSTRATIONS (continued)

	<u>Page</u>
5-32a Test SETDQN .....	5-94
5-32b Test GETDQN .....	5-95
5-32c GETDQN Result .....	5-96
5-32d Enter Data .....	5-97
5-32e Data Entered .....	5-98
5-32f Reset Default Qualified Name .....	5-99
5-32g Enter Data .....	5-100
5-32h Path Not Unique .....	5-101
5-33a Enter Test Data .....	5-102
5-33b Test Data Entered .....	5-103
5-34a Scroll Up .....	5-104
5-34b Scroll Up Result .....	5-105
5-34c Scroll Down Result .....	5-106
5-34d Scroll Left Result .....	5-107
5-34e Scroll Right Result .....	5-108
5-34f Page Up Result .....	5-109
5-34g Page Down Result .....	5-110
5-34h Page Left Result .....	5-111
5-34i Page Right Result .....	5-112
5-34j Test PMSGLC .....	5-113
5-34k PMSGLC Result .....	5-114
5-34l Page Up .....	5-115
5-34m Test PMSGLS .....	5-116
5-34n PMSGLS Result .....	5-117
5-34o Scrolling Ended .....	5-118
5-35a Test INQLDV .....	5-119
5-35b INQLDV Result .....	5-120
5-36a Test GETLDV .....	5-121
5-36b GETLDV Result .....	5-122
5-37a Test SETLDV (Smaller) .....	5-123
5-37b SETLDV Result .....	5-124
5-38a Test SETLDV (Larger) .....	5-125
5-38b SETLDV Result .....	5-126
5-39a Test OPNLDV .....	5-127
5-39b OPNLDV Result .....	5-128
5-40a Test CHGLDV .....	5-129
5-40b CHGLDV Result .....	5-130
5-41a Select Application .....	5-131
5-41b Application Selected(LDV 5) .....	5-132
5-42a Test Size Key .....	5-133
5-42b Size Result .....	5-134
5-43a Test Location Key .....	5-135
5-43b Location Result .....	5-136
5-44a Add Form ffl .....	5-137
5-44b Form ffl Added .....	5-138



LIST OF ILLUSTRATIONS (continued)

	<u>Page</u>
5-45a Test Selected Window .....	5-139
5-45b Select Window Result .....	5-140
5-46a Test Page Up .....	5-141
5-46b Page Up Result .....	5-142
5-47a Test Page Down .....	5-143
5-47b Page Down Result .....	5-144
5-47c Home View Result .....	5-145
5-48a Test Page Left .....	5-146
5-48b Page Left Result .....	5-147
5-49a Test Page Right .....	5-148
5-49b Page Right Result .....	5-149
5-49c Unselect Window Result .....	5-150
5-50a Test APSTAT .....	5-151
5-50b Application Status Form .....	5-152
5-50c Manually Test Move LDV .....	5-153
5-50d Move LDV Result .....	5-154
5-51a Application Status Form .....	5-155
5-51b Return LDV .....	5-156
5-51c Return LDV Result .....	5-157
5-52a Test MOVLDV .....	5-158
5-52b MOVLDV Result .....	5-159
5-52c Application Status Form .....	5-160
5-53a Return LDV .....	5-161
5-53b Return LDV Result .....	5-162
5-53c Change LDV Location .....	5-163
5-53d Change Location Result .....	5-164
5-54a Test CLSLDV .....	5-165
5-54b CLSLDV Result .....	5-166
5-54c IISS Function Screen .....	5-167
5-55a Start MM .....	5-168
5-55b IISS Function Screen .....	5-169
5-56a Start TE .....	5-170
5-56b IISS Function Screen .....	5-171
5-56c TE Screen .....	5-172
5-56d Abort TE .....	5-173
5-56e Abort Result .....	5-174
5-57a Application Status Form after Aborting TE .	5-175
5-57b Abort MM .....	5-176
5-58a Abort Result .....	5-177
5-58b IISS Function Screen .....	5-178
5-59a Restart ARTEST Application .....	5-179
5-59b First ARTEST Screen .....	5-180

LIST OF ILLUSTRATIONS (continued)

	<u>Page</u>
5-60a ADDFLD Test Case 1 .....	5-181
5-60b Case 1 Result .....	5-182
5-61a ADDFLD Test Case 2 .....	5-183
5-61b Case 2 Result .....	5-184
5-62a CRTFLD Test Case .....	5-185
5-62b Specify Field Location .....	5-186
5-62c Specify Field Display Attribute .....	5-187
5-62d Test Case Result .....	5-188
5-63a REPFLLD Test Case .....	5-189
5-63b Specify an Absolute Field Location .....	5-190
5-63c Test Case Result .....	5-191
5-64a MVRFLD Test Case .....	5-192
5-64b Test Case Result .....	5-193
5-65 RMVFLD Test Case with Result .....	5-194
5-66a REPFRLM Test Case .....	5-195
5-66b Test Case Result .....	5-196
5-67a CRTFRM Test Case .....	5-197
5-67b Add a Field to the Form .....	5-198
5-67c Test Case Result .....	5-199
5-68a MAKFRM Test Case .....	5-200
5-68b Test Case Result .....	5-201
5-69a GDPFEX Test Preparation .....	5-202
5-69b RPLFRM Result .....	5-203
5-69c Set Value of Item i1 .....	5-204
5-69d PDATA Result .....	5-205
5-70a GDPFEX Test Case 1 with Result .....	5-206
5-70b GDPFEX Test Case 2 with Result .....	5-207
5-70c GDPFEX Test Case 3 with Result .....	5-208
5-71 GDPFLC Test Case with Result .....	5-209
5-72a GFMFLD Test Case 1 with Result .....	5-210
5-72b GFMFLD Test Case 2 with Result .....	5-211
5-72c GFMFLD Test Case 3 with Result .....	5-212
5-72d GFMFLD Test Case 4 with Result .....	5-213
5-72e GRMFLD Test Case 5 with Result .....	5-214
5-73a ADDDIM Test Case .....	5-215
5-73b Test Case Result .....	5-216
5-74a SETDOM Test Case 1 .....	5-217
5-74b Test Verification .....	5-218
5-74c Domain check Result .....	5-219
5-74d Invalid Value with Result .....	5-220
5-74e Valid Value with Result .....	5-221
5-75a RMVDIM Test Case .....	5-222
5-75b Test Case Result .....	5-223
5-76a SETDOM Test Case 2 .....	5-224
5-76b Test Verification .....	5-225

LIST OF ILLUSTRATIONS (continued)

	<u>Page</u>
5-76c Date Value "abc" Entered .....	5-226
5-76d Domain Check Result .....	5-227
5-77a SETPRO Test Case 1 .....	5-228
5-77b Case 1 Result .....	5-229
5-77c SETPRO Test Case 2 .....	5-230
5-77d Case 2 Result .....	5-231
5-77e SETPRO Test Case 3 .....	5-232
5-77f Case 3 Result .....	5-233
5-78a SETATT Test Case .....	5-234
5-78b Test Case Result .....	5-235
5-79a SETDIS Test Case 1 .....	5-236
5-79b Case 1 Result .....	5-237
5-79c Return Attribute to Input .....	5-238
5-79d SETDIS Test Case 2 .....	5-239
5-79e Case 2 Result .....	5-240
5-80a SETHLP Test Case 1 .....	5-241
5-80b Case 1 Result .....	5-242
5-80c SETHLP Test Case 2 .....	5-243
5-80d Case 2 Result .....	5-244
5-80e SETHLP Test Case 3 .....	5-245
5-80f Case 3 Result .....	5-246
5-81a SETLOC Test Case 1 .....	5-247
5-81b Case 1 Result .....	5-248
5-81c SETLOC Test Case 2 .....	5-249
5-81d Case 2 Result .....	5-250
5-82a SETNAM Test Case 1 .....	5-251
5-82b Test Verification .....	5-252
5-83a SETDIM Test Case .....	5-253
5-83b Test Result .....	5-254
5-84a SETTYP Test Case 1 .....	5-255
5-84b Case 1 Result .....	5-256
5-84c Test Verification .....	5-257
5-85a SETSIZ Test Case 1 .....	5-258
5-85b Case 1 Result .....	5-259
5-85c SETSIZ Test Case 2 .....	5-260
5-85d Case 2 Result .....	5-261
5-86a SETTYP Test Case 2 .....	5-262
5-86b Case 2 Result .....	5-263

LIST OF ILLUSTRATIONS (continued)

	<u>Page</u>
5-87a SETSIZ Test Case 3 .....	5-264
5-87b Case 3 Result .....	5-265
5-87c SETSIZ Test Case 4 .....	5-266
5-87d Case 4 Result .....	5-267
5-88a SETTYP Test Case 3 .....	5-268
5-88b Case 3 Result .....	5-269
5-88c Test Verification .....	5-270
5-88d ADDFRM Result .....	5-271
5-89a SETVAL Test Case 1 .....	5-272
5-89b Case 1 Result .....	5-273
5-90a SETVAL Test Case 2 .....	5-274
5-90b Case 2 Result .....	5-275
5-91a SETVAL Test Case 3 .....	5-276
5-91b Case 3 Result .....	5-277
5-92a INQABS Test Case 1 with Result .....	5-278
5-92b INQABS Test Case 2 with Result .....	5-279
5-92c INQABS Test Case 3 with Result .....	5-280
5-93a INQATT Test Case 1 with Result .....	5-281
5-93b INQATT Test Case 2 with Result .....	5-282
5-93c INQATT Test Case 3 with Result .....	5-283
5-94a INQDIS Test Case 1 with Result .....	5-284
5-94b INQDIS Test Case 2 with Result .....	5-285
5-94c INQDIS Test Case 3 with Result .....	5-286
5-94d INQDIS Test Case 4 with Result .....	5-287
5-94e INQDIS Test Case 5 with Result .....	5-288
5-94f INQDIS Test Case 6 with Result .....	5-289
5-95 INQDOM Test Case with Result .....	5-290
5-96a INQHLP Test Case 1 with Result .....	5-291
5-96b INQHLP Test Case 2 with Result .....	5-292
5-96c INQHLP Test Case 3 with Result .....	5-293
5-97a INQLOC Test Case 1 with Result .....	5-294
5-97b INQLOC Test Case 2 with Result .....	5-295
5-98a INQPRO Test Preparation .....	5-296
5-98b Display the Form Test .....	5-297
5-98c Add First Prompt .....	5-298
5-98d Add Second Prompt .....	5-299
5-98e Add Third Prompt .....	5-300
5-99a INQPRO Test Case 1 with Result .....	5-301
5-99b INQPRO Test Case 2 with Result .....	5-302
5-99c INQPRO Test Case 3 with Result .....	5-303

LIST OF ILLUSTRATIONS (continued)

	<u>Page</u>
5-100a RMVPRO Test Case .....	5-304
5-100b Test Result .....	5-305
5-101a INQDIM Test Case 1 with Result .....	5-306
5-101b INQDIM Test Case 2 with Result .....	5-307
5-102a INQSIZ Test Case 1 with Result .....	5-308
5-102b INQSIZ Test Case 2 with Result .....	5-309
5-102c INQSIZ Test Case 3 with Result .....	5-310
5-103a INQTYP Test Case 1 with Result .....	5-311
5-103b INQTYP Test Case 2 with Result .....	5-312
5-103c INQTYP Test Case 3 with Result .....	5-313
5-104 INQVAL Test Case with Result .....	5-314
5-105a RMVATT Test Case 1 .....	5-315
5-105b Verify Case 1 Result .....	5-316
5-105c IMVATT Test Case 2 .....	5-317
5-105d Verify Case 2 Result .....	5-318
5-106 RMVDIM Test Preparation .....	5-319
5-107a RMVDIM Test Case .....	5-320
5-107b Test Result .....	5-321
5-108a RMVDOM Test Case .....	5-322
5-108b Verify Test Result .....	5-323
5-109 RMVHLP Test Preparation .....	5-324
5-110a RMVHLP Test Case .....	5-325
5-110b Verify Test Result .....	5-326
5-111a RMVARY Test Case .....	5-327
5-111b Test Case Result .....	5-328
5-112 RMVVAL Test Preparation .....	5-329
5-113a RMVVAL Test Case .....	5-330
5-113b Verify Test Case .....	5-331
5-113c Test Case Result .....	5-332
5-113d Another RMVVAL Verification .....	5-333
5-114a SAVFRM Test Case 1 .....	5-334
5-114b SAVFRM Test Case 2 .....	5-335
5-114c SAVFRM Test Case 3 .....	5-336

LIST OF ILLUSTRATIONS (continued)

	<u>Page</u>
5-115 APRFLD Test Preparation .....	5-337
5-116a APRFLD Test Case 1 with Result .....	5-338
5-116b APRFLD Test Case 2 with Result .....	5-339
5-116c APRFLD Test Case 3 with Result .....	5-340
5-116d APRFLD Test Case 4 with Result .....	5-341
5-117 INQAPR Test Preparation .....	5-342
5-118 INQAPR Test Case 1 with Result .....	5-343
5-119 SETAPR Error Test .....	5-344
5-120 SETAPR Test Case with Result .....	5-345
5-121 INQAPR Test Case 2 with Result .....	5-346
5-122 INQAPR Test Case 3 with Result .....	5-347
5-123 RMVAPR Test Case with Result .....	5-348
5-124 RMVAPR Test Preparation .....	5-349
5-125 RMVAPR Test Case 2 with Result .....	5-350
5-126 RMVAPR Test Verification .....	5-351

Appendices

A-1 Window Manager Mode .....	A-1
A-2 Scroll/Page Mode .....	A-1
A-3 Status Mode .....	A-2
A-4 Text Editor Mode .....	A-2

## SECTION 1

### GENERAL

#### 1.1 Purpose

This unit test plan establishes the methodology and procedures used to adequately test the capabilities of the computer program identified as the Application Interface known in this document as the AI. The AI is one configuration item of the Integrated Information Support System (IISS) User Interface (UI). It consists of Application Interface callable routines.

#### 1.2 Project References

- [1] Systran ICAM Documentation Standards, IDS150120000C, 15 September 1983.
- [2] Structural Dynamics Research Corporation, Form Processor User Manual, UM 620344200, 31 May 1988.
- [3] Structural Dynamics Research Corporation, Form Processor Computer Program Development Specification, DS 620344200, 31 May 1988.
- [4] Structural Dynamics Research Corporation, Forms Language Compiler Unit Test Plan, UTP620344401, 31 May 1988.
- [5] Structural Dynamics Research Corporation, Forms Driven Form Editor Unit Test Plan, UTP620344402, 31 May 1988.
- [6] Structural Dynamics Research Corporation, Report Writer Unit Test Plan, UTP620344501, 31 May 1988.
- [7] Structural Dynamics Research Corporation, Rapid Application Generator Unit Test Plan, UTP620344502, 31 May 1988.
- [8] Structural Dynamics Research Corporation, Text Editor Unit Test Plan, UTP620344600, 31 May 1988.
- [9] Structural Dynamics Research Corporation, Application Interface Unit Test Plan, UTP620344700, 31 May 1988.
- [10] Structural Dynamics Research Corporation, User Interface Services Unit Test Plan, UTP620344100, 31 May 1988.
- [11] Structural Dynamics Research Corporation, Form Processor Unit Test Plan, UTP620344200, 31 May 1988.

### 11.3 Terms and Abbreviations

Application Interface: (AI), subset of the IISS User Interface that consists of the callable routines that are linked with applications that use the Form Processor or Virtual Terminal. The AI enables applications to be hosted on computers other than the host of the User Interface.

Application Process: (AP), a cohesive unit of software that can be initiated as a unit to perform some function or functions.

Communication Services: allows on host interprocess communication and inter-host communication between the various Test Bed subsystems.

Communication Subsystem: (COMM), IISS subsystem that provides communication services to the Test Bed and subsystems.

Computer Program Configuration Item: (CPCI), an aggregation of computer programs or any of their discrete portions, which satisfies an end-use function.

Field: two dimensional space on a terminal screen.

Field Pointer: indicates the ITEM which contains the current cursor position.

Form: structured view which may be imposed on windows or other forms. A form is composed of fields. These fields may be defined as forms, items, and windows.

Form Definition: (FD), forms definition language after compilation. It is read at runtime by the Form Processor.

Forms Definition Language: (FDL), the language in which electronic forms are defined.



Form Hierarchy: a graphic representation of the way in which forms, items and windows are related to their parent form.

Form Processor: (FP), subset of the IISS User Interface that consists of a set of callable execution time routines available to an application program for form processing.

IISS Function Screen: the first screen that is displayed after logon. It allows the user to specify the function he wants to access and the device type and device name on which he is working.

Integrated Information Support System: (IISS), a computing environment used to investigate, demonstrate, test the concepts and produce application for information management and information integration in the context of Aerospace Manufacturing. The IISS addresses the problems of integration of data resident on heterogeneous data bases supported by heterogeneous computers interconnected via a Local Area Network.

Message: descriptive text which may be returned in the standard message line on the terminal screen. They are used to warn of errors or provide other user information.

Message Line: a line on the terminal screen that is used to display messages.

Network Transaction Manager: (NTM), IISS subsystem that performs the coordination, communication and housekeeping functions required to integrate the Application Processes and System Services resident on the various hosts into a cohesive system.

Qualified Name: the name of a form, item or window preceded by the hierarchy path so that it is uniquely identified.

User Data: data which is either input by the user or output by the application programs to items.

User Interface: (UI), IISS subsystem that controls the user's terminal and interfaces with the rest of the system. The UI consists of two major subsystems: the User Interface Development System (UIDS) and the User Interface Management System (UIMS).

User Interface Management System: (UIMS), the runtime UI. It consists of the Form Processor, Virtual Terminal, Application Interface, the User Interface Services and the Text Editor.

User Interface/Virtual Terminal Interface: (UI/VTI), another name for the User Interface.

Virtual Terminal: (VT), subset of the IISS User Interface that performs the interfacing between different terminals and the UI. This is done by defining a specific set of terminal features and protocols which must be supported by the UI software which constitutes the virtual terminal definition. Specific terminals are then mapped against the virtual terminal software by specific software modules written for each type of real terminal supported.

Window: dynamic area of a terminal screen on which predefined forms may be placed at run time.

## SECTION 2

### DEVELOPMENT ACTIVITY

#### 2.1 Statement of Pretest Activity

During system development, the computer programs were tested progressively. Functionality was incrementally tested, and as bugs were discovered by this testing, the software was corrected.

Each Application Interface callable routine was tested individually through Application Interface development. A test program, ARTEST, was developed as an easy means of testing changes to the Application Interface. This test program allows a developer to type in commands that are translated into the appropriate Application Interface calls. With this test program all Application Interface callable routines may be executed.

All pretesting activity was conducted by the individual program developer in a manual mode. The developer would manually enter data onto the screen and observe the results. Any errors were noted by the developer, and corrections to the Application Interface software were then made after a testing session.

#### 2.2 Pretest Activity Results

The pretest activity was very successful in the elimination of programming bugs so that at release time only a few bugs were found in the Application Interface. The development of the test program, ARTEST, has proved very beneficial since as new functionality was added to the Application Interface, ARTEST was also updated to test this functionality. ARTEST is the major test tool for the Unit Test Plan of the Application Interface.

## SECTION 3

### SYSTEM DESCRIPTION

#### 3.1 System Description

The Application Interface consists of a set of callable execution time routines that allows an application program to send/receive formatted screens to/from various terminals and to perform terminal control functions independent of the terminal type. The Application Interface translates the application's call for form processing into a message which is then sent to the User Interface Monitor of the Form Processor.

The required input and the resulting output of these tests is documented in detail in Section 5.3. The general testing method is the entry of commands on the ARTEST form Command Line item and the translation of this command by the ARTEST program into a call to the appropriate Application Interface routine. Each Application Interface routine as found in the Application Interface Development Specification is to be exercised. The resulting output is observed on the ARTEST form.

The following keys are used to move within forms (using the VT100 terminal as an example): the <ENTER> key is used to activate all commands; the <TAB> key is used to move from field to field within the form; and the arrow keys are used to move within fields. In addition, ESC TAB is a reverse TAB. The keypad layouts for the various modes are shown Appendix A.

#### 3.2 Testing Schedule

The execution of the Application Interface is dependent upon the NTM subsystem of the IISS. Testing of the Application Interface must be done only after the NTM has been successfully tested. In this unit test, the Application Interface is dependent on the Form Processor (FP) and on the Virtual Terminal (VT). In fact, all three Configuration Items are to be tested together.

#### 3.3 First Location Testing

These tests of the Application Interface require the following:

Equipment: Air Force VAX, terminals supported by the Virtual Terminal as listed in the UI Terminal Operator's Guide.

Support Software: the Integrated Information Support System, the Oracle database management system, C run-time libraries.

Personnel: One integrator familiar with the IISS.

Training: The AI User manual has been previously provided with the current release.

Deliverables: The Application Interface component of the IISS UI/VTI.

Test Materials: This test may be run interactively by inputting the appropriate data and observing the output as outlined in this test plan. A script file has been created to run this unit test plan and save the resulting output.

Security considerations: None.

#### 3.4 Subsequent Location Testing

The requirements as listed above need to be met; however, in subsequent testing it is advantageous to create a script file of the outlined tests and run this saving the output of the test for future comparisons.

## SECTION 4

### SPECIFICATIONS AND EVALUATIONS

#### 4.1 Test Specification

This test uses the program ARTEST to test the following areas of functionality as specified in section 3.2 of the Application Interface Development Specification:

- o Form processing
- o User Profile Maintenance
- o Virtual Terminal Pass-through

The following sections list the AI routines that handle the particular area of functionality, where appropriate. The associated figures refer to the specific activities performed in section 5.3 to test each area.

##### 4.1.1 Form Processing

Controlling the Form Processor:

- INITFP - Figures 2a,b
- TERMFP - Figures 58a,b
- SETDQN - Figures 32a, 32d-f
- GETDQN - Figures 32b,c

Opening and Closing Forms:

- OPNFRM - Figures 8a-d
- CLSFRM - Figures 15a-c

Creating and Saving Forms:

- CRTFRM - Figures 67a, 67c
- SAVFRM - Figures 114a-c
- REPFRM - Figures 66a,b
- MAKFRM - Figures 86a,b

Adding and Removing Fields:

- CRTFLD - Figures 62a,b
- ADDFLD - Figures 60a-61b, 62c, 67b,c
- REPFLD - Figures 63a,c
- MVRFLD - Figures 64a,b
- RMVFLD - Figures 65
- GFMFLD - Figures 72a-e
- GDPFEX - Figures 70a-c
- GDPFLC - Figures 71

Changing Characteristics:

- |                         |                         |
|-------------------------|-------------------------|
| ADDIM - Figures 73a,b   | INQATT - Figures 93a-c  |
| INQSIZ - Figures 102a-c | INQDIM - Figures 101a,b |
| INQDOM - Figures 95     | INQVAL - Figures 104    |
| INQLOC - Figures 97a,b  | INQABS - Figures 92a-c  |
| INQTYP - Figures 103a-c | INQPRO - Figures 99a-c  |

INQAPR - Figures 118,121,122	INQHLP - Figures 96a-c
RMVATT - Figures 105a-d	RMVDIM - Figures 75a,b
RMVDOM - Figures 108a,b	107a,b
RMVHLP - Figures 110a,b	RMVARY - Figures 111a,b
RMVVAL - Figures 113a-d	RMVPRO - Figures 100a,b
SETAPR - Figures 119,120	RMVAPR - Figures 123-126
SETDIM - Figures 83a,b	SETDOM - Figures 74a-e,
SETDIS - Figures 62c,d	76a-d
SETLOC - Figures 63b,c,	SETNAM - Figures 73a,b
81a-d	SETTYP - Figures 84a-c,
SETVAL - Figures 89a-91b	86a,b
SETSIZ - Figures 85a-d,	88a-d
87a-d	SETATT - Figures 78a,b
SETHLP - Figures 80a-f	SETPRO - Figures 77a-f,
	98c-e

Modifying the Display List:

ADDELM - Figures 7a-v  
ADDFRM - Figures 8a-d  
APRFLD - Figures 116a-d  
GETATT - Figures 22a,b  
GETBAK - Figures 6a,b  
GPAGE - Figures 11a,b  
GWINDO - Figures 12a,b  
PUTATT - Figures 23a,24b,27a-c  
PUTBAK - Figures 25a,b,28a,b  
RMVPAG - Figures 10a,b  
RPLFRM - Figures 9a,b

Transferring Data:

PDATA - Figures 16a,b, 18a,b  
GDATA - Figures 17a,b, 19a,b

Displaying Forms:

OUTSCR - Figures 31a-c  
OISCR - Figures 31a-c

Getting and Setting the Cursor Position:

GETCUR - Figures 29a,b  
PARFQN - Figures 30a,b  
PUTCUR - Figures 29a-c

Displaying Messages:

PMSGLC - Figures 34k  
PMSGLS - Figures 34n

Creating and Modifying Logical Devices:

CHGLDV - Figures 40a,b  
CLSLDV - Figures 54a,b  
GETLDV - Figures 36a,b  
INQLDV - Figures 35a,b  
MOVLDV - Figures 52a-c  
OPNLDV - Figures 39a,b

SETLDV - Figures 37a,b 38a,b

#### 4.1.2 User Profile Maintenance

GTUINF - Figures 3a,b

#### 4.1.3 Virtual Terminal Pass-through

GETVTI - Figures 4a,b  
INITVT - Figures 4a-6b  
PUTVTI - Figures 6a,b  
TERMVT - Figures 4a-6b

#### 4.2 Testing Methods and Constraints

The tests as outlined in Section 5 must be followed. The required input is stated for each test. This testing uses the normal mode of operation of these functions and does not completely exercise all the error combinations that a user of the Application Interface might create by faulty entry of parameter information. Much of this testing has been done, however, through the normal testing done by the developer of these functions. No data recording is required. It is suggested that on further running of this test, scripting of the test may be done and the output from running the script be saved for future testing. No additional constraints are placed on this unit test besides those listed in Section 3.3 of this unit test plan.

#### 4.3 Test Progression

The progression of testing of the Application Interface is fully outlined in Section 5 of this unit test plan. This progression should be followed exactly to insure the successful testing of this IISS configuration item.

#### 4.4 Test Evaluation

The test results are evaluated by comparing the information returned on the various output screens to that specified as successful for the given test. As outlined in Section 5, each test of Application Interface functionality provides an input screen with the required data entry specified and the resulting output for a successful test. To speed up this testing and provide more accurate measurement of the test's success, scripting has been used. The resulting output of these tests is saved in the files FPUTP.SAV and FPDFUTP.SAV. The corresponding test script files are FPUTP.SCP and FPDFUTP.SCP. All of these files are under IISS Configuration Management. If scripting is used, these files should be copied over to the test directory. The .SAV files may be used for future comparison against subsequent running of this unit test using scripting. To compare the results use the command file DIFFILE.COM which is under Configuration Management. The only differences should be the date/time stamps on the IISS Function Screen and the type of device on the window manager screen. The device type is given to the UIS by the NTM at run time. Note that the script files used to test the Application Interface are the same as two of



the ones used to test the Form Processor. The latter part of the FPUTP.SCP script which tests window management processing is not necessary for the testing of the Application Interface.

## SECTION 5

### TEST PROCEDURES

#### 5.1 Test Description

The program ARTEST is used to perform this test. Commands are entered on the ARTEST form Command Line field. The commands are then translated by the program into a call to the appropriate Application Interface routine and the resulting output is observed on the ARTEST form.

#### 5.2 Test Control

As outlined, this unit test may be done manually or run automatically using a supplied script file. To manually perform this unit test requires the tester to be logged into the IISS system and enter ARTEST on the IISS Function Screen. In section 5.3 the required input data is specified for each function being tested and the resulting successful output is also specified. The order of the testing is also completely specified. The test control information is completely described by the sequence of the input and output screens presented in this section. The successfulness of the test may be determined by doing a comparison on the .SAV files produced against the ones provided under IISS Configuration Management.

#### 5.3 Test Procedures

To run the unit test plan as outlined in this section on a VAX, one must be logged on to an IISS account. The NTM must be up and running and the UI group logical names IISSFLIB and IISSMLIB must be set properly. IISSFLIB points to the directory containing production form definitions (FD files). IISSMLIB points to the directory containing error messages (MSG files).

This unit test uses the program ARTEST and its associated forms ffl through ff39. The FDL source file for these forms is presented in Appendix B. The executable for ARTEST should exist in the NTM environment directory and the NTM dirtbl.dat file should have its SD entry pointing to this directory. The NTM tables APITBL and APTTBL should have ARTEST set up as a normal IISS application program. This test uses the files PRINT.DEV, FPUTP.DAT, and DFTEST.DAT. DFTEST.DAT is under IISS Configuration Management and is needed for the script file FPDFUTP.SCP. The other two must be created in the NTM environment directory before beginning the test.

Assuming the NTM is up and running, an IISS user may start up this unit test plan as follows:

```
$ SET DEF <to directory containing your NTM environment>  
$ VT100 -RPUTP.SCP -SFPTST.SAV
```

This starts up the VT100 device driver with the first script as input and specifies a save file for output. If the User Interface system has been installed at your site with a

different device driver, then this step is amended as appropriate. The test begins executing on the terminal. When the \$ returns, run the second script by entering:

```
$ VT100 -RFPDFUTP.SCP -SFPDFTST.SAV
```

The results of the test are saved in the .SAV files. These files should be compared with the appropriate .SAV files under Configuration Management as described in section 4.4. The following figures show not only the form input and output but also the sequencing of the test. NOTE that the FPDFUTP.SCP file creates versions of FF1.FD and FF1.FDL in the NTM environment directory. These must be deleted before running any other tests using the ARTEST program or rerunning any portion of this test.

User ID:

Password:

Role:

MSG:

application

Figure 5-1a Logon Screen

User ID:

Passvord:

Role:

MSG:

application

Figure 5-1b Enter User Information

I I S S   T E S T   B E D   V E R S I O N   2 . 3

---

Date: 11/30/87   Time: 12:56:10   User ID: MORENC   Role:

Function:    Device Type:    Device Name:

MSG:  application

Figure 5-1c IISS Function Screen

I I S S   T E S T   B E D   V E R S I O N   2 . 3

---

Date: 11/30/87    Time: 12:56:10    User ID: MORENC    Role:

Function:     Device Type:     Device Name:

MSG:  application

Figure 5-2a Start ARTEST Application




Figure 5-2b First ARTEST Screen






Figure 5-3a Test GTUINF













Command Line	gtuinf					form ff1
						
						
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7	
						
form ff4	form ff8					
						
form ff4						
						
Line 21	Display: User Name = MORENC , User Role = MANAGER .....					
Line 22	.....					
Line 23	.....					
MSG: 0	application					

Figure 5-3b GTUINF Result




Figure 5-4a Test GETVTI













Command Line	getvti		form ff1		
					
					
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
					
form ff4	form ff8				
					
form ff4					
					
Line 21	Display: User Name = MORENC , User Role = MANAGER .....				
Line 22	.....				
Line 23	.....				
MSG:	0				application

Figure 5-4b GETVTI Result

Command Line		getvti		form ff1		
<input type="text"/>		<input type="text"/>		<input type="text"/>		
<input type="text"/>		<input type="text"/>		<input type="text"/>		
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7	
<input type="text"/>	<input type="text" value="xx"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
form ff4	form ff8					
<input type="text"/>	<input type="text"/>					
form ff4						
<input type="text"/>						
Line 21 Display: User Name = MORENC , User Role = MANAGER .....						
Line 22 .....						
Line 23 .....						
MSG:	0					application

Figure 5-5a Enter Data for GETVTI




Figure 5-5b GETVTI Result




Figure 5-6a Test PUTVTI




Figure 5-6b PUTVTI Result






Figure 5-7a Add Fixed Size Form




Figure 5-7b After Adding Fixed Size Form




Figure 5-7c Add First Element to Form ff10

Command Line		addelm ff10.11		form ff1	
				Form ff10	
form ff2		form ff2		form ff3	
form ff4		form ff8		form ff5	
form ff4				form ff6	
form ff4				form ff7	
Line 21		Display: 1		.....	
Line 22				.....	
Line 23				.....	
MSG: 0				application	

Figure 5-7d Form ff10 with One Element

Press <ENTER>

Command Line	addelm ff10.11					form ff1
						Form ff10 [ ] [ ]
	form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
	[ ]	[ 12 ]	[ ] [ ] [ ] [ ]	[ ] [ ]	[ ]	[ ] [ ]
	form ff4	form ff8				
	[ ]	[ ]				
	form ff4					
	[ ]					
Line 21	Display: 2	.....				
Line 22		.....				
Line 23		.....				
MSG:	0	application				

Figure 5-7e Form ff10 with Two Elements

Press <ENTER>

Command Line		addelm ff10.11		form ff1	
<div style="border: 1px solid black; width: 100%; height: 100%;"></div>		<div style="border: 1px solid black; width: 100%; height: 100%;"></div>		<div style="border: 1px solid black; width: 100%; height: 100%;"><p>Form ff10</p><div style="border: 1px solid black; width: 80%; height: 20px; margin-bottom: 5px;"></div><div style="border: 1px solid black; width: 80%; height: 20px; margin-bottom: 5px;"></div><div style="border: 1px solid black; width: 80%; height: 20px;"></div></div>	
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
<div style="border: 1px solid black; width: 40px; height: 20px;"></div>	<div style="border: 1px solid black; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">12</div>	<div style="border: 1px solid black; width: 40px; height: 20px; display: flex; justify-content: space-between;"></div>	<div style="border: 1px solid black; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;"> </div>	<div style="border: 1px solid black; width: 20px; height: 20px;"></div>	<div style="border: 1px solid black; width: 20px; height: 20px; display: flex; flex-direction: column; justify-content: space-around;"></div>
form ff4	form ff8				
<div style="border: 1px solid black; width: 40px; height: 20px;"></div>	<div style="border: 1px solid black; width: 60px; height: 20px;"></div>				
form ff4					
<div style="border: 1px solid black; width: 40px; height: 20px;"></div>					
Line 21 Display: 3 .....					
Line 22 .....					
Line 23 .....					
MSG:	0				application

Figure 5-7f Form ff10 with Three Elements

Press <ENTER>

Command Line		addelm ff10.11		form ff1		
<input type="text"/>		<input type="text"/>		Form ff10		
<input type="text"/>		<input type="text"/>		<input type="text"/>		
<input type="text"/>		<input type="text"/>		<input type="text"/>		
<input type="text"/>		<input type="text"/>		<input type="text"/>		
<input type="text"/>		<input type="text"/>		<input type="text"/>		
form ff2		form ff2	form ff3	form ff5	form ff6	form ff7
<input type="text"/>		<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>		<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
form ff4		form ff8				
<input type="text"/>		<input type="text"/>				
form ff4						
<input type="text"/>						
Line 21 Display: 4 .....						
Line 22 .....						
Line 23 .....						
MSG:	0					application

Figure 5-7g Form ff10 with Four Elements

Press <ENTER>













Command Li:	addelm ff10.11	form ff1			
					
					
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
					
	form ff8				
					
Line 21 Display: .....					
Line 22 .....					
Line 23 .....					
MSG: 1	Adding an element would exceed bounds of form				application

Figure 5-7h Form ff10 with Five Elements

Press <ENTER>






Figure 5-7i Error on Fixed Size Form




Figure 5-7j Add Open-ended Form




Figure 5-7k After Adding Open-ended Form




Figure 5-71 Add First Element to Form ff11

Command Line	addelm ff11.11	form ff1			
<div style="border: 1px solid black; width: 50px; height: 50px;"></div>		<div style="border: 1px solid black; padding: 2px;">Form ff11 <div style="border: 1px solid black; width: 30px; height: 15px; margin-bottom: 2px;"></div><div style="border: 1px solid black; width: 30px; height: 15px;"></div></div>			
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
<div style="border: 1px solid black; width: 20px; height: 10px;"></div>	<div style="border: 1px solid black; width: 20px; height: 10px; display: flex; align-items: center; justify-content: center;">12</div>	<div style="border: 1px solid black; width: 30px; height: 15px;"></div>	<div style="border: 1px solid black; width: 30px; height: 15px;"></div>	<div style="border: 1px solid black; width: 10px; height: 20px;"></div>	<div style="border: 1px solid black; width: 10px; height: 20px;"></div>
form ff4	form ff8				
<div style="border: 1px solid black; width: 20px; height: 10px;"></div>	<div style="border: 1px solid black; width: 50px; height: 15px;"></div>				
form ff4					
<div style="border: 1px solid black; width: 20px; height: 10px;"></div>					
Line 21	Display: 2	.....			
Line 22		.....			
Line 23		.....			
MSG:	0	application			

Figure 5-7m Form ff11 with One Element

Press <ENTER>

Command Line	addelm ff11.11					form ff1
<input type="checkbox"/>						Form ff11 <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 12	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	form ff4	form ff8				
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
<input type="checkbox"/>	form ff4					
<input type="checkbox"/>	<input type="checkbox"/>					
Line 21	Display: 3	.....				
Line 22		.....				
Line 23		.....				
MSG:	0	application				

Figure 5-7n Form ff11 with Two Elements

Press <ENTER>




Figure 5-7o Form ff11 with Three Elements

Press <ENTER>

Command Line		addelm ff11.11		form ff1		
<input type="text"/>		<input type="text"/>		Form ff11		
<input type="text"/>		<input type="text"/>		<input type="text"/>		
<input type="text"/>		<input type="text"/>		<input type="text"/>		
<input type="text"/>		<input type="text"/>		<input type="text"/>		
<input type="text"/>		<input type="text"/>		<input type="text"/>		
form ff2		form ff2	form ff3	form ff5	form ff6	form ff7
<input type="text"/>		<input type="text"/> 12	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>		<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
form ff4		form ff8				
<input type="text"/>		<input type="text"/>				
form ff4						
<input type="text"/>						
Line 21 Display: 5 .....						
Line 22 .....						
Line 23 .....						
MSG:	0					application

Figure 5-7p Form ff11 with Four Elements

Press <ENTER>



Command Line		addelm ff11.11		form ff1							
<input type="text"/>		<input type="text"/>		Form ff11							
<input type="text"/>		<input type="text"/>		1 <input type="text"/>							
<input type="text"/>		<input type="text"/>		2 <input type="text"/>							
<input type="text"/>		<input type="text"/>		3 <input type="text"/>							
<input type="text"/>		<input type="text"/>		4 <input type="text"/>							
form ff2		form ff2		form ff3		form ff5		form ff6		form ff7	
<input type="text"/>		<input type="text"/>		<input type="text"/>		<input type="text"/>		<input type="text"/>		<input type="text"/>	
form ff4		form ff8		<input type="text"/>		<input type="text"/>		<input type="text"/>		<input type="text"/>	
form ff4		<input type="text"/>		<input type="text"/>		<input type="text"/>		<input type="text"/>		<input type="text"/>	
Line 21		Display: 5		.....		.....		.....		.....	
Line 22		.....		.....		.....		.....		.....	
Line 23		.....		.....		.....		.....		.....	
MSG: 0										application	

Figure 5-7q Form ff11 with Five Elements

Press <ENTER>

Command Line		addelm ff11.11		form ff1		
<input type="text"/>		<input type="text"/>		Form ff11		
<input type="text"/>		<input type="text"/>		1 <input type="text"/>		
<input type="text"/>		<input type="text"/>		2 <input type="text"/>		
<input type="text"/>		<input type="text"/>		3 <input type="text"/>		
<input type="text"/>		<input type="text"/>		4 <input type="text"/>		
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
form ff4	form ff8					
<input type="text"/>	<input type="text"/>					
form ff4						
<input type="text"/>						
Line 21 Display: 5 .....						
Line 22 .....						
Line 23 .....						
MSG:	0					scrll/page

Figure 5-7r Form ff11 with Six Elements

Command Line		addelm ff11.i1		form ff1		
<input type="text"/>		<input type="text"/>		Form ff11		
<input type="text"/>		<input type="text"/>		2		
<input type="text"/>		<input type="text"/>		3		
<input type="text"/>		<input type="text"/>		4		
<input type="text"/>		<input type="text"/>		<input type="text"/>		
<input type="text"/>		<input type="text"/>		<input type="text"/>		
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
form ff4	form ff8					
<input type="text"/>	<input type="text"/>					
form ff4						
<input type="text"/>						
Line 21 Display: 5 .....						
Line 22 .....						
Line 23 .....						
MSG:	0					scrl1/page

Figure 5-7s Add Data to Form ff11

Add data as shown and press <MODE> key to get into Scrl1/Page mode.

Command Line		addelm ff11.11		form ff1	
				Form ff11	
				2	
				3	
				4	
				5	
form ff2		form ff2		form ff3	
form ff4		form ff8		form ff5	
form ff4				form ff6	
form ff4				form ff7	
Line 21 Display: 5		.....		.....	
Line 22		.....		.....	
Line 23		.....		.....	
MSG:	0			scrl/page	

Figure 5-7t Scrl/Page Mode

Press PF5 <SCROLL UP>




Figure 5-7u Form ff11 Showing Sixth Element




Figure 5-7v Add Data in Sixth Element

Add '6' as shown in Form ff11

Command Line	addfrm v3 ff5	form ff1
form ff2	form ff2	form ff3
form ff4	form ff8	form ff5
form ff4		form ff6
		form ff7
Line 21	Display: .....	
Line 22	.....	
Line 23	.....	
MSG: 0		application

Figure 5-7w Remove Form ff11

Press <MODE> key to return to application mode then enter screen as shown




Figure 5-7x New Screen






Figure 5-8a Test ADDFRM




Figure 5-8b Form ff5 in W3




Figure 5-8c Add Another Form




Figure 5-8d Form ff2 in W3




Figure 5-9a Test RPLFRM




Figure 5-9b Form ff3 in W3




Figure 5-10a Test RMVPAG

Command Line		runpag v3 2		form ff1		
				form ff5		
form ff2		form ff2	form ff3	form ff5	form ff6	form ff7
form ff4		form ff8				
form ff4						
Line 21 Display:		.....				
Line 22		.....				
Line 23		.....				
MSG:	0					application

Figure 5-10b W3 with Page Removed






Figure 5-11a Test GPAGE




Figure 5-11b GPAGE Result




Figure 5-12a Test GWINDO




Figure 5-12b GWINDO Result




Figure 5-13a Add Form ff9




Figure 5-13b W3 with Form ff9




Figure 5-14a Remove Page 2 of W3




Figure 5-14b W3 with Page 2 Removed






Figure 5-15a Test CLSFRM




Figure 5-15b CLSFRM Result

Press <ENTER>




Figure 5-15c Form ff9 Already Closed




Figure 5-16a Test PDATA




Figure 5-16b PDATA Result




Figure 5-17a Test GDATA (Current Instance)




Figure 5-17b GDATA Result




Figure 5-18a PDATA 'BYE'















Command Line	pdata ff6.11 BYE		form ff1		
					
					
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
					
form ff4	form ff8				
					
form ff4					
					
Line 21 Display:	.....				
Line 22	.....				
Line 23	.....				
MSG:	0				application

Figure 5-18b PDATA Result

Command Line	gdata 0 ff6.i1		form ff1			
<div style="border: 1px solid black; width: 100%; height: 100%;"></div>			<div style="border: 1px solid black; width: 100%; height: 100%;"><div style="border: 1px solid black; width: 100%; height: 100%;"><div style="border: 1px solid black; width: 100%; height: 100%;"></div></div></div>			
<div style="border: 1px solid black; width: 100%; height: 100%;"></div>						
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7	
<div style="border: 1px solid black; width: 100%; height: 100%;"></div>	<div style="border: 1px solid black; width: 100%; height: 100%;"></div>	<div style="border: 1px solid black; width: 100%; height: 100%;"></div>	<div style="border: 1px solid black; width: 100%; height: 100%;"></div>	<div style="border: 1px solid black; width: 100%; height: 100%;"></div>	<div style="border: 1px solid black; width: 100%; height: 100%;"></div>	
form ff4	form ff8					
<div style="border: 1px solid black; width: 100%; height: 100%;"></div>	<div style="border: 1px solid black; width: 100%; height: 100%;"></div>					
form ff4						
<div style="border: 1px solid black; width: 100%; height: 100%;"></div>						
Line 21	Display:	.....				
Line 22		.....				
Line 23		.....				
MSG:	0	application				

Figure 5-19a Test GDATA (Previous Instance)




Figure 5-19b GDATA Result




Figure 5-20a Change ff6 Value




Figure 5-20b GDATA (Previous Instance)




Figure 5-21a GDATA (Current Instance)













Command Line	gdata 1 ff6.i1		form ff1		
					
					
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
					
form ff4	form ff8				
					
form ff4					
					
Line 21	Display: xxE	.....			
Line 22		.....			
Line 23		.....			
MSG:	0	application			

Figure 5-21b Current Value in Form ff6




Figure 5-22a Test GETATT






Figure 5-22b GETATT Result

Command Line		putatt ff6.i1 0 output		form ff1	
<div style="border: 1px solid black; width: 100%; height: 100%;"></div>		<div style="border: 1px solid black; width: 100%; height: 100%;"></div>		<div style="border: 1px solid black; width: 100%; height: 100%;"></div>	
form ff2		form ff2		form ff3	
<div style="border: 1px solid black; width: 100%; height: 100%;"></div>		<div style="border: 1px solid black; width: 100%; height: 100%;"></div>		<div style="border: 1px solid black; width: 100%; height: 100%;"></div>	
form ff4		form ff8		form ff5	
<div style="border: 1px solid black; width: 100%; height: 100%;"></div>		<div style="border: 1px solid black; width: 100%; height: 100%;"></div>		<div style="border: 1px solid black; width: 100%; height: 100%;"></div>	
form ff4				form ff6	
<div style="border: 1px solid black; width: 100%; height: 100%;"></div>				<div style="border: 1px solid black; width: 100%; height: 100%;"></div>	
form ff7					
<div style="border: 1px solid black; width: 100%; height: 100%;"></div>				<div style="border: 1px solid black; width: 100%; height: 100%;"></div>	
Line 21 Display: INPUT		.....		.....	
Line 22		.....		.....	
Line 23		.....		.....	
MSG: 0					application

Figure 5-23a Test PUTATT (OUTPUT)




Figure 5-23b PUTATT Result




Figure 5-24a Test PUTATT (TEXT)












Command Line	putatt ff6.11 0 text					form ff1
						form ff5 
						
form ff2 	form ff2 	form ff3 	form ff5 	form ff6 x x	form ff7 	
form ff4 	form ff8 					
form ff4 						
Line 21 Display: .....						
Line 22 .....						
Line 23 .....						
MSG: 0					application	

Figure 5-24b PUTATT Result




Figure 5-25a Test PUTBAK (WHITE)




Figure 5-25b PUTBAK Result




Figure 5-26a Test GETBAK



Command Line		getbak ff6 0		form ff1	
				form ff5	
form ff2		form ff2		form ff3	
form ff4		form ff8		form ff5	
form ff4				form ff6	
Line 21		Display: WHITE.....		form ff7	
Line 22		.....		x	
Line 23		.....		x	
MSG:	0			application	

Figure 5-26b GETBAK Result




Figure 5-27a Change Attribute




Figure 5-27b Attribute Changed

Press PF16.




Figure 5-27c Background Attribute Restored




Figure 5-28a Change Form ff5 Background




Figure 5-28b    Form ff5 Background Black




Figure 5-29a Test PUTCUR




Figure 5-29b PUTCUR Result

Press PF16.






Figure 5-29c Current Cursor Position




Figure 5-30a Test PARFQN




Figure 5-30b PARFQN Result




Figure 5-31a Test Terminal in Terminal




Figure 5-31b Test Screen

May only tab to items in Form ff5 and the MSG item.

Press <ENTER>.




Figure 5-31c Normal Screen




Figure 5-32a Test SETDQN




Figure 5-32b Test GETDQN






Figure 5-32c GETDQN Result




Figure 5-32d Enter Data

Command Line		pdata il 123456		form ff1							
<div style="border: 1px solid black; width: 100%; height: 100%;"></div>		<div style="border: 1px solid black; width: 100%; height: 100%;"></div>		<div style="border: 1px solid black; width: 100%; height: 100%;"><p>form ff5</p><div style="border: 1px solid black; width: 20px; height: 20px; margin: 5px auto;"></div></div>							
form ff2		form ff2		form ff3		form ff5		form ff6		form ff7	
12 34		<div style="border: 1px solid black; width: 20px; height: 20px;"></div>		<div style="border: 1px solid black; width: 20px; height: 20px;"></div>		<div style="border: 1px solid black; width: 20px; height: 20px;"></div>		<div style="border: 1px solid black; width: 20px; height: 20px; text-align: center;">x x</div>		<div style="border: 1px solid black; width: 20px; height: 20px;"></div>	
form ff4		form ff8									
<div style="border: 1px solid black; width: 20px; height: 20px;"></div>		<div style="border: 1px solid black; width: 20px; height: 20px;"></div>									
form ff4											
<div style="border: 1px solid black; width: 20px; height: 20px;"></div>											
Line 21 Display: .....											
Line 22 .....											
Line 23 .....											
MSG:	0									application	

Figure 5-32e Data Entered




Figure 5-32f Reset Default Qualified Name

Command Line		pdata 11 123456				form ff1	
<input type="text"/>		<input type="text"/>				form ff5 <input type="text"/>	
form ff2 12 34		form ff2 <input type="text"/>	form ff3 <input type="text"/>		form ff5 <input type="text"/>	form ff6 x x	form ff7 <input type="text"/>
form ff4 <input type="text"/>		form ff8 <input type="text"/>					
form ff4 <input type="text"/>							
Line 21 Display: .....							
Line 22 .....							
Line 23 .....							
MSG: 0							application

Figure 5-32g Enter Data




Figure 5-32h Path Not Unique

Command Line		pdata ff7 ABCDEFGHIJKLMNOPQRSTUVWXYZ				form ff1					
<div style="border: 1px solid black; width: 80px; height: 50px;"></div>		<div style="border: 1px solid black; width: 80px; height: 50px;"></div>		<div style="border: 1px solid black; width: 80px; height: 50px; display: flex; align-items: center; justify-content: center;"><div style="border: 1px solid black; width: 10px; height: 20px;"></div></div>							
form ff2		form ff2		form ff3		form ff5		form ff6		form ff7	
12 34		<div style="border: 1px solid black; width: 30px; height: 20px;"></div>		<div style="border: 1px solid black; width: 40px; height: 15px;"></div>		<div style="border: 1px solid black; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;"><div style="border: 1px solid black; width: 5px; height: 15px;"></div></div>		<div style="border: 1px solid black; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;"><div style="margin-bottom: 5px;">x</div><div style="margin-bottom: 5px;">x</div></div>		<div style="border: 1px solid black; width: 15px; height: 30px;"></div>	
form ff4		form ff8									
<div style="border: 1px solid black; width: 30px; height: 15px;"></div>		<div style="border: 1px solid black; width: 60px; height: 15px;"></div>									
form ff4											
<div style="border: 1px solid black; width: 30px; height: 15px;"></div>											
Line 21 Display: .....											
Line 22 .....											
Line 23 .....											
MSG: 1		Path not unique								application	

Figure 5-33a Enter Test Data




Figure 5-33b Test Data Entered

Press <MODE> key to get into Scrl1/Page mode



Command Line		pdata ff7 ABCDEFGHIJKLMNOPQRSTUVWXYZ				form ffi		
						form ff5		
form ff2		form ff2	form ff3	form ff5	form ff6	form ff7		
12 34					x	A B		
form ff4		form ff8			x	E F		
form ff4						I J		
Line 21 Display:		.....						
Line 22		.....						
Line 23		.....						
MSG: 0							scrl/page	

Figure 5-34a Scroll Up

Position cursor on 'A' in form ff7.  
Press PF5 <SCROLL UP>.

Command Line		pdata ff7 ABCDEFGHIJKLMNOPQRSTUVWXYZ				form ff1	
						form ff5	
form ff2		form ff2	form ff3	form ff5	form ff6	form ff7	
12 34					x	E F	
					x	I J	
form ff4		form ff8				M N	
form ff4							
Line 21 Display: .....							
Line 22 .....							
Line 23 .....							
MSG:	0					scrl/page	

Figure 5-34b Scroll Up Result

Press PF6 <SCROLL DOWN>.




Figure 5-34c Scroll Down Result

Press PF7 <SCROLL LEFT>.

Command Line		pdata ff7 ABCDEFGHIJKLMNOPQRSTUVWXYZ				form ff1	
[ ]		[ ]				form ff5 [ ]	
form ff2 12 34		form ff2 [ ]	form ff3 [ ]		form ff5 [ ]	form ff6 x x	form ff7 B C F G J K
form ff4 [ ]		form ff8 [ ]					
form ff4 [ ]							
Line 21 Display: .....							
Line 22 .....							
Line 23 .....							
MSG:	0						scrl1/page

Figure 5-34d Scroll Left Result

Press PF8 <SCROLL RIGHT>.




Figure 5-34e Scroll Right Result

Press PF9 <PAGE UP>.

Command Line	pdata ff7 ABCDEFGHIJKLMNOPQRSTUVWXYZ					form ff1					
<div style="border: 1px solid black; width: 80px; height: 60px;"></div>						<div style="border: 1px solid black; width: 80px; height: 100px; display: flex; align-items: center; justify-content: center;"><div style="border: 1px solid black; width: 20px; height: 30px;"></div></div>					
<div style="border: 1px solid black; width: 80px; height: 60px;"></div>											
form ff2 12 34	form ff2 <div style="border: 1px solid black; width: 40px; height: 30px; display: flex; align-items: center; justify-content: center;"><div style="border: 1px solid black; width: 20px; height: 15px;"></div></div>	form ff3 <div style="border: 1px solid black; width: 60px; height: 20px;"></div>	form ff5 <div style="border: 1px solid black; width: 60px; height: 40px; display: flex; align-items: center; justify-content: center;"><div style="border: 1px solid black; width: 10px; height: 30px;"></div></div>	form ff6 <div style="border: 1px solid black; width: 60px; height: 40px; display: flex; align-items: center; justify-content: center;"><div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;">x</div></div>	form ff7 <table border="1" style="border-collapse: collapse; text-align: center;"><tr><td>M</td><td>N</td></tr><tr><td>Q</td><td>R</td></tr><tr><td>U</td><td>V</td></tr></table>	M	N	Q	R	U	V
M	N										
Q	R										
U	V										
form ff4 <div style="border: 1px solid black; width: 60px; height: 20px;"></div>	form ff8 <div style="border: 1px solid black; width: 80px; height: 20px;"></div>										
form ff4 <div style="border: 1px solid black; width: 60px; height: 20px;"></div>											
Line 21 Display: .....											
Line 22 .....											
Line 23 .....											
MSG: 0	scrll/page										

Figure 5-34f Page Up Result

Press PF10 <PAGE DOWN>.




Figure 5-34g Page Down Result

Press PF11 <PAGE LEFT>.




Figure 5-34h Page Left Result

Press PF12 <PAGE RIGHT>.






Figure 5-34i Page Right Result

Press PF11 <PAGE LEFT>.

Command Line	pdata ff7 ABCDEFGHIJKLMNOPQRSTUVWXYZ					form ff1
<div style="border: 1px solid black; width: 80px; height: 80px;"></div>						form ff5 <div style="border: 1px solid black; width: 20px; height: 40px;"></div>
<div style="border: 1px solid black; width: 80px; height: 80px;"></div>						
form ff2 12 34	form ff2 <div style="border: 1px solid black; width: 40px; height: 40px;"></div>	form ff3 <div style="border: 1px solid black; width: 60px; height: 40px;"></div>	form ff5 <div style="border: 1px solid black; width: 60px; height: 60px;"></div>	form ff6 x x	form ff7 C D G H K L	
form ff4 <div style="border: 1px solid black; width: 60px; height: 20px;"></div>	form ff8 <div style="border: 1px solid black; width: 80px; height: 20px;"></div>					
form ff4 <div style="border: 1px solid black; width: 60px; height: 20px;"></div>						
Line 21 Display: .....						
Line 22 .....						
Line 23 .....						
MSG: 0					scrl/page	

Figure 5-34j Test PMSGLC

Press PF11 <PAGE LEFT>.

Command Line		pdata ff7 ABCDEFGHIJKLMNOPQRSTUVWXYZ				form ff1					
						form ff5					
form ff2		form ff2		form ff3		form ff5		form ff6		form ff7	
12 34								x		C D	
form ff4		form ff8						x		G H	
form ff4										K L	
Line 21 Display: .....											
Line 22 .....											
Line 23 .....											
MSG: 1		End of scrolling section reached								scrll/page	

Figure 5-34k PMSGLC Result

Press PF12 <PAGE RIGHT>.




Figure 5-341 Page Up

Press PF9 <PAGE UP>.




Figure 5-34m Test PMSGLS

Press PF9 <PAGE UP>.

Command Line	pdata ff7 ABCDEFGHIJKLMNOPQRSTUVWXYZ					form ff1
<div style="border: 1px solid black; width: 80px; height: 60px;"></div>						<div style="border: 1px solid black; width: 80px; height: 120px; display: flex; align-items: center; justify-content: center;"><div style="border: 1px solid black; width: 20px; height: 40px;"></div></div>
<div style="border: 1px solid black; width: 80px; height: 60px;"></div>						
form ff2 12 34	form ff2	form ff3	form ff5	form ff6	form ff7	
<div style="border: 1px solid black; width: 40px; height: 20px;"></div>	<div style="border: 1px solid black; width: 40px; height: 20px;"></div>	<div style="border: 1px solid black; width: 60px; height: 20px;"></div>	<div style="border: 1px solid black; width: 80px; height: 60px; display: flex; align-items: center; justify-content: center;"><div style="border: 1px solid black; width: 20px; height: 40px;"></div></div>	<div style="border: 1px solid black; width: 80px; height: 60px; display: flex; align-items: center; justify-content: center;"><div style="border: 1px solid black; width: 20px; height: 40px; display: flex; flex-direction: column; align-items: center; justify-content: center;"><span>x</span><span>x</span></div></div>	<div style="border: 1px solid black; width: 40px; height: 60px; display: flex; flex-direction: column; align-items: center; justify-content: center;"><span>M</span><span>O</span><span>U</span><span>N</span><span>R</span><span>V</span></div>	
form ff4	form ff8					
<div style="border: 1px solid black; width: 40px; height: 20px;"></div>	<div style="border: 1px solid black; width: 80px; height: 20px;"></div>					
form ff4						
<div style="border: 1px solid black; width: 40px; height: 20px;"></div>						
Line 21 Display: .....						
Line 22 .....						
Line 23 .....						
MSG: 1	End of scrolling section reached				scrl1/page	

Figure 5-34n PMSGSL Result

Press PF10 <PAGE DOWN>.




Figure 5-34o Scrolling Ended




Figure 5-35a Test INQLDV



Command Line	inqldv					form ff1
<input type="checkbox"/>						form ff5 <input type="checkbox"/>
<input type="checkbox"/>						
form ff2 12 34	form ff2 <input type="checkbox"/>	form ff3 <input type="checkbox"/>	form ff5 <input type="checkbox"/>	form ff6 x x	form ff7 A B E F I J	
form ff4 <input type="checkbox"/>	form ff8 <input type="checkbox"/>					
form ff4 <input type="checkbox"/>						
Line 21	Display: logical device number = 5 .....					
Line 22	.....					
Line 23	.....					
MSG: 0	scrll/page					

Figure 5-35b INQLDV Result

Logical device numbers are determined at run time. Substitute the number you get (if it's not '5') wherever '5' appears in the remainder of this test.

Command Line	getldv 5	form ff1
<input type="text"/>		form ff5 <input type="text"/>
<input type="text"/>		
form ff2 12 34	form ff2 <input type="text"/>	form ff3 <input type="text"/>
form ff4 <input type="text"/>	form ff8 <input type="text"/>	form ff5 <input type="text"/>
form ff4 <input type="text"/>		form ff6 x x
		form ff7 A B E F I J
Line 21 Display: logical device number = 5 .....		
Line 22 .....		
Line 23 .....		
MSG: 0		scrll/page

Figure 5-36a Test GETLDV










Command Line	getldv 5	form ff1			
					
					
form ff2 12 34	form ff2 	form ff3 	form ff5 	form ff6 x x	form ff7 A B E F I J
form ff4 	form ff8 				
form ff4 					
Line 21 Display: Logical Device 5: Row = 1, Col = 1, Width = 80 Depth = 23					
Line 22					
Line 23					
MSG: 0					scrll/page

Figure 5-36b GETLDV Result




Figure 5-37a Test SETLDV (Smaller)

I I S S T E S T B E D V E R S I O N 2.3

---

Command Line    `setldv 5 3 3 50 15`    ENC    Role:

Device Name:

form ff2    form ff2    form ff3    form ff

12|34

MSG:     scrll/page

Figure 5-37b SETLDV Result

I I S S   T E S T   B E D   V E R S I O N   2 . 3

---

Command Line    setldv 5 1 1 80 23    ENC    Role:

Device Name:

form ff2    form ff2    form ff3    form ff

12|34

MSG:     scrll/page

Figure 5-38a Test SETLDV (Larger)

Command Line		setldv 5 1 1 80 23				form ff1	
						form ff5	
form ff2		form ff2	form ff3	form ff5	form ff6	form ff7	
12 34		L	[ ]	[ ]	x	A B	
form ff4		form ff8			x	E F	
form ff4						I J	
Line 21		Display: .....					
Line 22		.....					
Line 23		.....					
MSG:	0					scrll/page	

Figure 5-38b SETLDV Result

Command Line		opnlv		form ff1	
[ ]		[ ]		form ff5 [ ]	
form ff2 12 34		form ff2 [ ]		form ff3 [ ]	
form ff4 [ ]		form ff8 [ ]		form ff5 [ ]	
form ff4 [ ]		[ ]		form ff6 x x	
Line 21 Display: .....		[ ]		form ff7 A B E F I J	
Line 22 .....		[ ]		[ ]	
Line 23 .....		[ ]		[ ]	
MSG:	0	[ ]		scrll/page	

Figure 5-39a Test OPNLDV



Command Line		form ff1			
[ ]		[ ]			
[ ]		[ ]			
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
[ ]	[ ]	[ ] [ ]	[ ]	[ ]	[ ] [ ]
form ff4	form ff8				
[ ]	[ ]				
form ff4					
[ ]					
Line 21 Display: Opened and changed to logical device: 26 .....					
Line 22 .....					
Line 23 .....					
MSG:	0				
					scrll/page

Figure 5-39b OPNLDV Result

Logical device numbers are determined at run time. Substitute the number you get (if it's not '23') wherever '23' appears in the remainder of this test.













Command Line	chgldv 5	form ff1
		
		
form ff2	form ff2	form ff3
		
form ff4	form ff8	form ff5
		
form ff4		form ff6
		
		form ff7
		
Line 21	Display: Opened and changed to logical device: 26 .....	
Line 22	.....	
Line 23	.....	
MSG: 0		scrll/page

Figure 5-40a Test CHGLDV

Command Line		chgl dv 5		form ff1									
<input type="text"/>		<input type="text"/>		<input type="text"/>									
<input type="text"/>		<input type="text"/>		<input type="text"/>									
form ff2		form ff2		form ff3		form ff5		form ff6		form ff7			
<input type="text"/>		<input type="text"/>		<input type="text"/>		<input type="text"/>		<input type="text"/>		<input type="text"/>			
form ff4		form ff8		<input type="text"/>		<input type="text"/>		<input type="text"/>		<input type="text"/>			
form ff4		<input type="text"/>		<input type="text"/>		<input type="text"/>		<input type="text"/>		<input type="text"/>			
Line 21 Display: Opened and changed to logical device: 26 .....													
Line 22 .....													
Line 23 .....													
MSG: 0												scrll/page	

Figure 5-40b CHGLDV Result

All fields non-enterable.

Press <MODE> key to get into window manager mode.













Command Line	chglv 5	form ff1
		
		
form ff2	form ff2	form ff3
		
form ff4	form ff8	form ff5
		
form ff4		form ff6
		
		form ff7
		
Line 21	Display: Opened and changed to logical device: 26 .....	
Line 22	.....	
Line 23	.....	
MSG: 0		window mgr

Figure 5-41a Select Application

Press PF14 <SELECT AP>.




Figure 5-41b Application Selected (LDV 5)




Figure 5-42a Test Size Key

Position cursor above 'm' in 'form ff3' then press PF9 <SIZE>.




Figure 5-42b Size Result




Figure 5-43a Test Location Key

Position cursor as shown and press PF10 <LOCATION>.






Figure 5-43b Location Result




Figure 5-44a Add Form ff1




Figure 5-44b Form ff1 Added




Figure 5-45a Test Selected Window

Position cursor on 'C' in 'Command L' below form ff1 and press PF11 <SELECT WINDOW>.

Command Line		addfrm v3 ff1			form ff1						
		Command L									
form ff2		form ff2		form ff3		form ff5		form ff6		form ff7	
form ff4		form ff8		form ff4						v 3 E F I J	
Line 21		Display: .....									
Line 22		.....									
Line 23		.....									
MSG: 1		Window is selected								window mgr	

Figure 5-45b Select Window Result




Figure 5-46a Test Page Up

Position cursor as shown and press PF5 <PAGE UP>.

Command Line    addfrm v3 ff1    form ff1

form ff2    form ff2    form ff3    form ff5    form ff6    form ff7

form ff4    form ff8

form ff4

Line 21 Display: .....  
Line 22 .....  
Line 23 .....

MSG: 0    window mgr

Figure 5-46b Page Up Result




Figure 5-47a Test Page Down

Position cursor as shown and press PF6 <PAGE DOWN>.



Command Line	addfrm v3 ff1					form ff1
<input type="checkbox"/>					<input type="checkbox"/>	
<input type="checkbox"/>					<input type="checkbox"/>	
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
form ff4	form ff8					
<input type="checkbox"/>	<input type="checkbox"/>					
form ff4						
<input type="checkbox"/>						
Line 21 Display:	.....					
Line 22	.....					
Line 23	.....					
MSG: 0					windov mgr	

Figure 5-47b Page Down Result

Press PF15 <HOME VIEW>.




Figure 5-47c Home View Result

Command Line		addfrm v3 ff1		form ff1							
				Command L							
form ff2		form ff2		form ff3		form ff5		form ff6		form ff7	
								x		v 3	
								x		E F	
										I J	
form ff4		form ff8									
form ff4											
Line 21 Display: .....											
Line 22 .....											
Line 23 .....											
MSG: 0										window mgr	

Figure 5-48a Test Page Left

Position cursor on 'L' in 'Command L' below form ff1 and press PF7 <PAGE LEFT>.




Figure 5-48b Page Left Result




Figure 5-49a Test Page Right

Position cursor on 'L' in 'Line' below form ff1 and press PF8 <PAGE RIGHT>.




Figure 5-49b Page Right Result

Press PF12 <UNSELECT WINDOW>.




Figure 5-49c Unselect Window Result

Press <MODE> key to get into status mode.




Figure 5-50a Test APSTAT

Press PF6 (APSTAT) to display Application Status Form.



Application Status										
Application	Device			Window Name	Location		Display Size		Viewport Offset	
	Type	Name	Pri		Row	Col	V	D	Row	Col
SDARTESTZZ	VT100	TT:	1		7	19	36	11	0	0
SDARTESTZZ				SCREEN	1	1	79	69	0	0
SDARTESTZZ				VNF	3	45	0	0	0	0
SDARTESTZZ				V3	3	60	10	8	0	0
SDARTESTZZ	VT100	TT:	2		1	1	80	23	0	0
SDARTESTZZ				SCREEN	1	1	79	69	0	0
SDARTESTZZ				VNF	3	45	0	0	0	0
SDARTESTZZ				V3	3	60	10	8	0	0
SDARTESTZZ				VNF	3	45	0	0	0	0
SDARTESTZZ				V3	3	60	10	8	0	0
MENU	VT100	TT:	3		1	1	80	23	0	0

MSG: 0 status

Figure 5-50b Application Status Form

The Device Type field value may be different than shown in this figure. This value is assigned by the NTM at run time.

Application Status										
Application	Device			Window Name	Location		Display Size		Viewport Offset	
	Type	Name	Pri		Row	Col	V	D	Row	Col
SDARTESTZZ	SDPRINTERZ	PRINT.DEV	1		7	19	36	11	0	0
SDARTESTZZ				SCREEN	1	1	79	69	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
SDARTESTZZ	VT100	TT:	2		1	1	80	23	0	0
SDARTESTZZ				SCREEN	1	1	79	69	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
MENU	VT100	TT:	3		1	1	80	23	0	0

MSG: 0 status

Figure 5-50c Manually Test Move LDV

Change form as shown and press <ENTER>. NOTE: 'SDPRINTERZ' and 'PRINT.DEV' must be entered in the upper case for this release.

Command Line		addfrm v3 ff1		form ff1	
				Command L	
form ff2		form ff2		form ff3	
form ff4		form ff8		form ff5	
form ff4				form ff6	
				x	
				x	
				form ff7	
				v3	
				E F	
				I J	
Line 21 Display: .....					
Line 22 .....					
Line 23 .....					
MSG:	0			status	

Figure 5-50d Move LDV Result

Press PF6 (APSTAT) to display Application Status Form.

Application Status										
Application	Device			Window Name	Location		Display Size		Viewport Offset	
	Type	Name	Pri		Row	Col	W	D	Row	Col
SDARTESTZZ	SDPRINTERZ	PRINT.DEV			7	19	36	11	0	0
SDARTESTZZ				SCREEN	1	1	79	24	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
SDARTESTZZ	VT100	TT:	1		1	1	80	23	0	0
SDARTESTZZ				SCREEN	1	1	79	69	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
MENU	VT100	TT:	2		1	1	80	23	0	0

MSG: 0 status

Figure 5-51a Application Status Form

Application Status										
Application	Device			Window Name	Location		Display Size		Viewport Offset	
	Type	Name	Pri		Row	Col	W	D	Row	Col
SDARTESTZZ			1		7	19	36	11	0	0
SDARTESTZZ				SCREEN	1	1	79	24	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
SDARTESTZZ	VT100	TT:	2		1	1	80	23	0	0
SDARTESTZZ				SCREEN	1	1	79	69	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
MENU	VT100	TT:	3		1	1	80	23	0	0

MSG: 0 status

Figure 5-51b Return LDV

Change form as shown and press <ENTER>.




Figure 5-51c Return LDV Result




Figure 5-52a Test MOVLDV

Enter MOVLDV information in upper case.

Command Line		MOVLDV 26 FPUTP.DAT SDPRINTERZ			form ffi	
					Command L	
form ff2		form ff2	form ff3	form ff5	form ff6	form ff7
form ff4		form ffB			x	v 3 E F I J
form ff4					x	
Line 21		Display: .....				
Line 22		.....				
Line 23		.....				
MSG: 0		status				

Figure 5-52b MOVLDV Result

Press PF6 (APSTAT) to display Application Status Form.



Application Status										
Application	Device			Window Name	Location		Display Size		Viewport Offset	
	Type	Name	Pri		Row	Col	V	D	Row	Col
SDARTESTZZ	SDPRINTERZ	FPUTP.DAT			1	1	80	24	0	0
SDARTESTZZ				SCREEN	1	1	79	23	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
SDARTESTZZ	VT100	TT:	1		1	1	80	23	0	0
SDARTESTZZ				SCREEN	1	1	79	70	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
MENU	VT100	TT:	2		1	1	80	23	0	0

MSG: 0 status

Figure 5-52c Application Status Form

Application Status										
Application	Device			Window Name	Location		Display Size		Viewport Offset	
	Type	Name	Pri		Row	Col	V	D	Row	Col
SDARTESTZZ			1		1	1	80	24	0	0
SDARTESTZZ				SCREEN	1	1	79	23	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				V3	3	60	10	8	0	0
SDARTESTZZ	VT100	TT:	2		1	1	80	23	0	0
SDARTESTZZ				SCREEN	1	1	79	70	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				V3	3	60	10	8	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				V3	3	60	10	8	0	0
MENU	VT100	TT:	3		1	1	80	23	0	0

MSG: 0 status

Figure 5-53a Return LDV

Change form as shown and press <ENTER>.




Figure 5-53b Return LDV Result

Press <MODE> key to get into window manager mode and press PF14 <SELECT AP>.













Command Line	chglv 5	form ff1			
	█				
					
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
					
form ff4	form ff8				
					
form ff4					
					
Line 21	Display: Opened and changed to logical device: 26 .....				
Line 22	.....				
Line 23	.....				
MSG:	1 Window is selected				window mgr

Figure 5-53c Change LDV Location

Position cursor 2 lines below the Command Line as shown and press PF10 <LOCATION>.




Figure 5-53d Change Location Result




Figure 5-54a Test CLSLDV














Command Line	CLSLDV 26	form ff1
		Command L
		 
form ff2	form ff2	form ff3
		
form ff4	form ff8	form ff5
		
form ff4		form ff6
		
Line 21	Display: Closed logical device: 26 .....	form ff7
Line 22	.....	
Line 23	.....	
MSG: 0		window mgr

Figure 5-54b CLSLDV Result

Press PF13 <FUNCTION>.

I I S S   T E S T   B E D   V E R S I O N   2 . 3

---

Date: 11/30/87    Time: 13:01:41    User ID: MORENC    Role:

Function:     Device Type:     Device Name:

MSG:  Window is selected window agr

Figure 5-54c IISS Function Screen



I I S S T E S T B E D V E R S I O N 2.3

---

Date: 11/30/87    Time: 13:01:41    User ID: MORENC    Role:

Function:     Device Type:     Device Name:

MSG:  Window is selected windov agr

Figure 5-55a Start MM

I I S S   T E S T   B E D   V E R S I O N   2 . 3

---

Date: 11/30/87    Time: 13:01:45    User ID: MORENC    Role:

Function:     Device Type:     Device Name:

MSG:  windov mgr

Figure 5-55b IISS Function Screen

I I S S T E S T B E D V E R S I O N 2.3

---

Date: 11/30/87    Time: 13:01:45    User ID: MORENC    Role:

Function:     Device Type:     Device Name:

MSG:  window mgr

Figure 5-56a Start TE

I I S S   T E S T   B E D   V E R S I O N   2.3

---

Date: 11/30/87    Time: 13:01:50    User ID: MORENC    Role:

Function:     Device Type:     Device Name:

MSG:  window mgr

Figure 5-56b IISS Function Screen

Press PF12 <UNSELECT AP>.




Figure 5-56c TE Screen

Press <MODE> key to get into status mode and press PF6 to display Application Staus Form.

Application Status										
Application	Device			Window Name	Location		Display Size		Viewport Offset	
	Type	Name	Pri		Row	Col	V	D	Row	Col
SDTEZZZZZZ	VT100	TT:	1		1	1	80	23	0	0
SDTEZZZZZZ				SCREEN	1	1	80	23	0	0
SDMHZZZZZZ	VT100	TT:	2		1	1	80	23	0	0
SDMHZZZZZZ				SCREEN	1	1	79	16	0	0
SDARTESTZZ	VT100	TT:	3		1	1	80	23	0	0
SDARTESTZZ				SCREEN	1	1	79	69	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
MENU	VT100	TT:	4		1	1	80	23	0	0

MSG: 0 status

Figure 5-56d Abort TE

Position cursor on 'VT100' in SDTEZZZZZZ line and press PF8 <ABORT>.

Application Status										
Application	Device			Window Name	Location		Display Size		Viewport Offset	
	Type	Name	Pri		Row	Col	V	D	Row	Col
SDTEZZZZZZ	VT100	TT:	1	SCREEN	1	1	80	23	0	0
SDTEZZZZZZ					1	1	80	23	0	0
SDHMZZZZZZ	VT100	TT:	2	SCREEN	1	1	80	23	0	0
SDHMZZZZZZ					1	1	79	16	0	0
SDARTESTZZ	VT100	TT:	3	SCREEN	1	1	80	23	0	0
SDARTESTZZ					1	1	79	69	0	0
SDARTESTZZ				VNP	3	45	0	0	0	0
SDARTESTZZ				V3	3	60	10	8	0	0
SDARTESTZZ				VNP	3	45	0	0	0	0
SDARTESTZZ				V3	3	60	10	8	0	0
MENU	VT100	TT:	4		1	1	80	23	0	0

MSG: 1 Application: SDTEZZZZZZ was signaled to abort status

Figure 5-56e Abort Result

Press <ENTER>.

Application Status										
Application	Device			Window Name	Location		Display Size		Viewport Offset	
	Type	Name	Pri		Row	Col	W	D	Row	Col
SDMMZZZZZ	VT100	TT:	1		1	1	80	23	0	0
SDMMZZZZZ				SCREEN	1	1	79	16	0	0
SDARTESTZZ	VT100	TT:	2		1	1	80	23	0	0
SDARTESTZZ				SCREEN	1	1	79	69	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
SDARTESTZZ				WNP	3	45	0	0	0	0
SDARTESTZZ				W3	3	60	10	8	0	0
MENU	VT100	TT:	3		1	1	80	23	0	0

MSG: 0 status

Figure 5-57a Application Status Form after Aborting TE

Press <QUIT>.



**Error Message Definition Screen**  
-----

Message Base Number:

Number	MSG Name	Description
<input type="text"/>	<input type="text"/>	<input type="text"/>

MSG:  status

Figure 5-57b Abort MM

Press PF8 <ABORT> and wait for screen to repaint.

Command Line	CLS LDV 26					form ff1
					Command L	
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7	
				x	w 3	
				x	E F	
					I J	
form ff4	form ff8					
form ff4						
Line 21	Display: Closed logical device: 26 .....					
Line 22	.....					
Line 23	.....					
MSG:	2	Application SDMHZZZZZ has terminated			status	

Figure 5-58a Abort Result

Press <QUIT>.



```

      I I S S  T E S T  B E D  V E R S I O N  2 . 3
-----
Date: 11/16/87   Time:  9:38:05   User ID: SYSMGR   Role: 
Function:    Device Type:    Device Name: 

MSG: 
                                           application

```

Figure 5-59a Restart ARTEST Application

Enter "ARTEST" as shown and press <ENTER>.




Figure 5-59b First ARTEST Screen













Command Line	addfld ff4 i2 i input 1 1 ; 1 1 1 ; 1 1 6	form ff1
		
		
form ff2	form ff2	form ff3
		
form ff4	form ff8	form ff5
		
form ff4		form ff6
		
form ff7		
Line 21 Display: .....		
Line 22 .....		
Line 23 .....		
MSG: 0		application

Figure 5-60a ADDFLD Test Case 1

Create a new input item field named i2 of size 1 by 1 and add it to the form ff4. The fields position is offset 1 row and 2 columns from the upper left corner of the containing forms.

Command Line	addfld ff4 i2 i input 1 1 ; 1 1 1 ; 1 1 6	form ff1
form ff2	form ff2	form ff3
form ff4	form ff8	form ff5
form ff4		form ff6
form ff4		form ff7
Line 21 Display:	.....	
Line 22	.....	
Line 23	.....	
MSG: 0		application

Figure 5-60b Case 1 Result

Since the form ff4 is a repeating form field, the field i2 is added to both instances of the form.




Figure 5-61a ADDFLD Test Case 2

Create a new input item field named i3 of size 1 by 1 and add it to the form ff4. The field is positioned relative to i2.



Command Line	addfld ff4 i3 i input 1 1 i2; 1 1 0 i2; 3 1 2	form ff1
form ff2	form ff2	form ff3
form ff4	form ff8	form ff5
form ff4		form ff6
		form ff7
Line 21 Display: .....		
Line 22 .....		
Line 23 .....		
MSG: 0		application

Figure 5-61b Case 2 Result

The field i3 appears to the right of i2 as specified.




Figure 5-62a CRTFLD Test Case

Create a field named ff5\_i2 on the form ff5. Define no other properties of the field at this time. There are no changes in the terminal screen at this time.




Figure 5-62b Specify Field Location

Use SETLOC to define the location of ff5\_i2 to be offset 2 rows and 3 columns from the upper left corner of the containing form.













Command Line	setdis ff5 ff5_i2 input		form ff1		
					
					
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
					
form ff4	form ff8				
					
form ff4					
					
Line 21	Display:	.....			
Line 22		.....			
Line 23		.....			
MSG:	0	application			

Figure 5-62c Specify Field Display Attribute

Use SETDIS to define the display attribute of the field ff5\_i2 to be input.




Figure 5-62d Test Case Result

The field is now visible on form ff5.




Figure 5-63a REPFLD Test Case

Create a copy of the item field i1 on form ff8. Name the field i2 and attach it to form ff5 without giving it a location. There will be no changes on the terminal screen at this time.




Figure 5-63b Specify an Absolute Field Location

Use SETLOC to position the field i2 on form ff5 1 row and 1 column from the upper left corner of ff5.




Figure 5-63c Test Case Result

The field is now visible on form ff5.






Figure 5-64a MVRFLD Test Case

Copy a field and define the position to be offset 1 row and 1 column from the origin of form ff6.




Figure 5-64b Test Case Result

The original field is i1 on form ff8. The copy is named i2 and now appears on the form ff6.




Figure 5-65 RMVFLD Test Case with Result

Remove field i2 from form ff6. The form ff6 appears as it did before calling MVRFLD.




Figure 5-66a REPFM Test Case

Create a copy of the form ff4 and call it ff42. There will be no changes on the terminal screen at this time.




Figure 5-66b Test Case Result

The form is added to the window W3 so that it becomes visible and you can see that the form copy was actually created. Note that only a single instance of ff4 appears.




Figure 5-67a CRTFRM Test Case

Create a form named ff54. There will be no changes on the terminal screen at this time.













Command Line	addfld ff54 i1 i input 3 1 ; 1 1 0 ; 1 1 1	form ff1
		
		
form ff2	form ff2	form ff3
		
	form ff8	
		form ff6
Line 21 Display: .....		form ff7
Line 22 .....		
Line 23 .....		
MSG: 0		application

Figure 5-67b Add a Field to the Form

Use ADDFLD to add an input item field, i1, to the form ff54. Its position is offset 0 rows and 1 column from the origin of ff54. There will be no changes on the terminal screen at this time.




Figure 5-67c Test Case Result

The form is added to the window W3 so that it becomes visible and you can see that it was actually created.






Figure 5-68a MAKFRM Test Case

Create a form named ff59 with a black background and a size of 2 by 2.




Figure 5-68b Test Case Result

The form ff59 is added as a form field to the form ff5 with a position offset 2 rows and 8 columns from the origin of ff5 to show that it was actually created.




Figure 5-69a GDPFEX Test Preparation

Use RPLFRM to replace the current form in page 1 of w3 with form ff14.




Figure 5-69b RPLFRM Result




Figure 5-69c Set Value of Item i1

Use PDATA to set the value of the item field i1 on ff14 to "17".

Command Line		pdata ff14.11 * 17*		form ff1		
				17	xxx	
				17		
form ff2		form ff2	form ff3	form ff5	form ff6	form ff7
form ff4		form ff8				
form ff4						
Line 21 Display: .....						
Line 22 .....						
Line 23 .....						
MSG:	0					application

Figure 5-69d PDATA Result

Command Line		gdpfex ff14 i1 1		form ff1		
				17	xxx	
				17		
form ff2		form ff2	form ff3	form ff5	form ff6	form ff7
form ff4		form ff8				
form ff4						
Line 21 Display: I2		.....				
Line 22		.....				
Line 23		.....				
MSG:	0					application

Figure 5-70a GDPFEX Test Case 1 with Result

Get the first field in the form ff14 which has a VALUE clause referring to the item field i1. It is i2.

Command Line	gdpfex ff14 i1 2		form ff1		
			17	xxxx	
			17		
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
form ff4	form ff8				
form ff4					
Line 21	Display:	.....			
Line 22		.....			
Line 23		.....			
MSG:	1	No dependent value clause found		application	

Figure 5-70b GDPFEX Test Case 2 with Result

Get the second field in the form ff14 which has a VALUE clause referring to the item field i1. There is no such field. The form ff14 only contains one field that has a value clause expression referring to item i1.



Command Line	gdpfex ff14 i1 0		form ff1		
			17	xxx	
			17		
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
form ff4	form ff8				
form ff4					
Line 21	Display: I2	.....			
Line 22		.....			
Line 23		.....			
MSG:	1	No dependent value clause found		application	

Figure 5-70c GDPFEX Test Case 3 with Result

Get the last field in the list of fields whose value depends on the item field i1. Since there is only one such field, i2, this field name is returned.

Command Line		gdpflc ff14 i1 1		form ff1	
				17 xxx 17	
form ff2		form ff2		form ff3	
form ff4		form ff8		form ff5	
form ff4				form ff6	
form ff4				form ff7	
Line 21 Display: I3		.....		.....	
Line 22		.....		.....	
Line 23		.....		.....	
MSG: 1		No dependent value clause found		application	

Figure 5-71 GDPFLC Test Case with Result

Get the first field in the form ff14 which has a location clause referring to the item field i1. The first such field is i3. The location of i3 is relative to i1.

Command Line	gfmfld ff3 1	form ff1
<input type="text"/>		17 xxx 17
form ff2	form ff2	form ff3
<input type="text"/>	<input type="text"/>	<input type="text"/>
form ff4	form ff8	form ff5
<input type="text"/>	<input type="text"/>	<input type="text"/>
form ff4		form ff6
<input type="text"/>		<input type="text"/>
form ff4		form ff7
<input type="text"/>		<input type="text"/>
Line 21	Display: name = I1	type = I .....
Line 22		.....
Line 23		.....
MSG: 1	No dependent value clause found	application

Figure 5-72a GFMFLD Test Case 1 with Result

Get the first field belonging to the form ff3. The name of this field is i1, and it is an item field.

Command Line		gfmfld ff3 2		form ff1	
				17	xxx
				17	
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
form ff4	form ff8				
form ff4					
Line 21 Display: .....					
Line 22 .....					
Line 23 .....					
MSG:	2	End of field list			application

Figure 5-72b GFMFLD Test Case 2 with Result

Get the second field belonging to the form ff3. There is only one field in ff3 as the message shows.

Command Line	gfmfld ff1 9	form ff1
		17 xxx 17
form ff2	form ff2	form ff3
form ff4	form ff8	form ff5
form ff4		form ff6
		form ff7
Line 21	Display: name = FF3	type = F .....
Line 22		.....
Line 23		.....
MSG: 2	End of field list	application

Figure 5-72c GFMFLD Test Case 3 with Result

Get the ninth field belonging to the form ff1. The name of this field is ff3, and it is a form field.

Command Line	gfmfld ff1 -1	form ff1
		17 17
form ff2	form ff2	form ff3
form ff4	form ff8	form ff5
form ff4		form ff6
form ff4		form ff7
Line 21	Display: name = FF8	type = F .....
Line 22		.....
Line 23		.....
MSG: 2	End of field list	application

Figure 5-72d GFMFLD Test Case 4 with Result

Get the next to the last field belonging to the form ff1. The name of this field is ff8, and it is a form field.

Command Line	gfafld ff1 -12	form ff1			
		17 xxx 17			
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
form ff4	form ff8				
form ff4					
Line 21	Display: name = I4	type = I	.....		
Line 22	.....				
Line 23	.....				
MSG: 2	End of field list				application

Figure 5-72e GFMFLD Test Case 5 with Result

Get the field belonging to the form ff1 which is twelfth from the last. The name of this field is i4, and it is an item field.




Figure 5-73a ADDDIM Test Case

Add a repeat specification to the item field i1 in the form ff8 which indicates that i1 repeats vertically twice with no spaces and that both instances are actually displayed.






Figure 5-73b Test Case Result

The box below the "form ff8" shows the result of making i1 an array.




Figure 5-74a SETDOM Test Case 1

Establish a domain clause for the repeating item field i1 on the form ff8. Define i1 to be a must enter, right justified, numeric field with a minimum value of 10 and a maximum value of 20.

Command Line	setdom ff8 i1 "right,numeric,maximum 20, minimum 10"	form ff1
<input type="text"/>		17 XXX 17
form ff2	form ff2	form ff3
<input type="text"/>	<input type="text"/>	<input type="text"/>
form ff4	form ff8	form ff5
<input type="text"/>	abc	<input type="text"/>
form ff4		form ff6
<input type="text"/>		<input type="text"/>
form ff4		form ff7
<input type="text"/>		<input type="text"/>
Line 21 Display: .....		
Line 22 .....		
Line 23 .....		
MSG: 2	End of field list	application

Figure 5-74b Test Verification

A data value of "abc" is entered in the item field i1 on form ff8.

Command Line		setdom ff8 il "right,numeric,maximum 20, minimum 10"	form ff1
<input type="text"/>			17 17
<input type="text"/>			XXXX
form ff2	form ff2	form ff3	form ff5
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
form ff4	form ff8		form ff6
<input type="text"/>	<input type="text"/>		<input type="text"/>
form ff4	abc		form ff7
<input type="text"/>			<input type="text"/>
Line 21	Display:	.....	
Line 22		.....	
Line 23		.....	
MSG:	3	Field must contain only integer numbers	application

Figure 5-74c Domain Check Result

The value is right justified but since "abc" is not numeric, an error message is issued.

Command Line	setdom ff8 il "right,numeric,maximum 20, minimum 10"		form ff1
<input type="text"/>			17 17
<input type="text"/>			ERR
form ff2	form ff2	form ff3	form ff5
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
form ff4	form ff8		form ff6
<input type="text"/>	<input type="text"/>		<input type="text"/>
form ff4	21		form ff7
<input type="text"/>			<input type="text"/>
Line 21 Display:	.....		
Line 22	.....		
Line 23	.....		
MSG:	3	Field value is out of range	application

Figure 5-74d Invalid Value with Result

Entering an out of range numeric value results in an error message in the message line.

Command Line		setdom ff8 11 "right,numeric,maximum 20, minimum 10"		form ff1		
				17   <input checked="" type="checkbox"/>		
				17		
form ff2		form ff2	form ff3	form ff5	form ff6	form ff7
<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
form ff4		form ff8				
<input type="checkbox"/>		<input type="checkbox"/>				
form ff4		11				
<input type="checkbox"/>		<input type="checkbox"/>				
Line 21		Display: .....				
Line 22		.....				
Line 23		.....				
MSG:	0					application

Figure 5-74e Valid Value with Result

The value "11" satisfies all of the domain constraints and is accepted as a valid value.




Figure 5-75a RMVDIM Test Case

Remove the array dimension from item field il on form ff8.




Figure 5-75b Test Case Result

The form ff8 now only contains one occurrence of the item field il.






Figure 5-76a SETDOM Test Case 2

Redefine the item field i1 on the form ff8 to be a required entry character field that is to be left justified and shifted to upper case.

Command Line	setdon ff8 il "left,must enter,character ,upper"	form ff1
<input type="text"/>		17 xxx 17
form ff2	form ff2	form ff3
<input type="text"/>	<input type="text"/>	<input type="text"/>
form ff4	form ff8	form ff5
<input type="text"/>	<input type="text"/>	<input type="text"/>
form ff4		form ff6
<input type="text"/>		<input type="text"/>
form ff4		form ff7
<input type="text"/>		<input type="text"/>
Line 21 Display:	.....	
Line 22	.....	
Line 23	.....	
MSG: 1	Field must be entered	application

Figure 5-76b Test Verification

Pressing the <ENTER> key without entering any data results in the message that data must be entered in the field.

Command Line		setdom ff8 i1 "left,must enter,character ,upper"		form ff1	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
form ff2	form ff2	form ff3	form ff5	form ff6	form ff7
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
form ff4	form ff8				
<input type="text"/>	<input type="text" value="abc"/>				
form ff4					
<input type="text"/>					
Line 21	Display:	.....			
Line 22		.....			
Line 23		.....			
MSG:	1	Field must be entered			application

Figure 5-76c Data Value "abc" Entered

The character string "abc" is entered in the field i1.




Figure 5-76d Domain Check Result

As per the domain clause, the string "abc" is shifted to upper case and left justified.




Figure 5-77a SETPRO Test Case 1

Attach a prompt to the window w1 on the form ff1.




Figure 5-77b Case 1 Result

The prompt "window\_1" appears centered one line above w1.




Figure 5-77c SETPRO Test Case 2

Define a background prompt for the form ff8 at the position offset 1 row and 1 column from the upper left corner of ff8.




Figure 5-77d Case 2 Result

The prompt, "blnk line", appears below the prompt, "form ff8".






Figure 5-77e SETPRO Test Case 3

Attach a prompt to the window field w3 on ff1 that is positioned relative to w3, centered vertically and offset 2 horizontally.




Figure 5-77f Case 3 Result

The prompt, "<- w3", appears on the form ff1.




Figure 5-78a SETATT Test Case

Define an attribute clause for "input" on the form ff3.




Figure 5-78b Test Case Result

The item i1 on ff3 has the display attribute "input" and now shows the properties defined for this attribute: a foreground color of white and background color of black. It is also bold, underscore, slowblink, reverse, and tabfield.




Figure 5-79a SETDIS Test Case 1

Define the display attribute of item il on form ff3 to be output.




Figure 5-79b Case 1 Result

Since the field i1 contains no data, it does not appear on the form ff3.




Figure 5-79c Return Attribute to Input

Use SETDIS again to reset i1's display attribute to input.




Figure 5-79d SETDIS Test Case 2

Set the display color of the window w2 on form ff1 to be white instead of its original color, black.






Figure 5-79e Case 2 Result

This makes all four occurrences of the window visible against the black background of the containing form, ff1.




Figure 5-80a SETHLP Test Case 1

Define the help for the item field i1 on form ff3 to be application help.




Figure 5-80b Case 1 Result

Positioning the cursor in item field i1 and pressing the <HELP> key causes the message to appear in the message line.




Figure 5-80c SETHLP Test Case 2

Help for the item field i1 on form ff3 is defined to be a string that will be displayed in the message line




Figure 5-80d Case 2 Result

Positioning the cursor in item field i1 and pressing the <HELP> key causes the message to appear in the message line. Press the <ENTER> key to continue.




Figure 5-80e SETHLP Test Case 3

Help for the item field i1 on form ff3 is defined to be the form ff2.

The image shows a terminal window with a black border. In the top-left corner, there is a small box containing the text "form ff2" and a cursor icon. At the bottom-left, a message box contains the text "MSG: 1 Press the <HELP> key.". At the bottom-right, the word "application" is displayed.

Figure 5-80f Case 3 Result

When the cursor is in the item field i1 on the form ff3 and the <HELP> key is pressed, the form ff1 is replaced by the form ff2 on the terminal screen. Press the <QUIT> key to return to ARTEST and then press the <ENTER> key to continue.




Figure 5-81a SETLOC Test Case 1

Change the location of the item field i2 on the form ff2.  
Define it to be positioned relatively to the first and second  
occurrences of il.






Figure 5-81b Case 1 Result

The item field i2 appears 1 row below i1(1) and 3 columns to the right of the left edge of i1(2).




Figure 5-81c SETLOC Test Case 2

Redefine the position of i2 on ff2 in absolute terms.




Figure 5-81d Case 2 Result

The item field i2 is placed a row 3 and column 3 or form ff2.




Figure 5-82a SETNAM Test Case 1

Change the name of the item field i1 on ff8 to be i2.




Figure 5-82b Test Verification

Use PDATA to insert data into the item field now named i2. This verifies that the name change was successful.




Figure 5-83a SETDIM Test Case

Form ff3 currently contains the item field i1 that repeats twice horizontally and then this array is repeated twice vertically. The vertical repetition is changed to be 1 displayed instance and 2 actual instances.




Figure 5-83b Test Result

The second vertical repetition of il array is no longer displayed.




Figure 5-84a SETTYP Test Case 1

Change the form field ff3 on the form ff1 to an item field.






Figure 5-84b Case 1 Result

Form ff3 no longer appears on the screen.




Figure 5-84c Test Verification

To verify that the field is now an input item, PDATA is used to enter the value "1234567890"




Figure 5-85a SETSIZ Test Case 1

Change the size of the field ff3 on the form ff1 to be 4 by 4.




Figure 5-85b Case 1 Result

The reorganization of the data in ff3 shows that the size was changed.




Figure 5-85c SETSIZ Test Case 2

Change the size of the item field ff3 on form ff1 to 10 by 4.




Figure 5-85d Case 2 Result

The data contained in ff3 are reorganized to reflect the size change.




Figure 5-86a SETTYP Test Case 2

Change the item field ff3 back to a form.




Figure 5-86b Case 2 Result

The original form ff3 reappears.






Figure 5-87a SETSIZ Test Case 3

Change the size of the item field i1 on form ff3 to be 2 by 1 instead of 3 by 1.




Figure 5-87b Case 3 Result

Since il is an item array, the size is changed on all instances of il.




Figure 5-87c SETSIZ Test Case 4

Increase the size of item il on form ff3 to be larger than the original size of 3 by 1.




Figure 5-87d Case 4 Result

Again, the size is increased to 4 by 1 on all instances of il in the form ff3.




Figure 5-88a SETTYP Test Case 3

change the form field ff7 on the form ff1 a window field.




Figure 5-88b Case 3 Result

By default the background color of the window is black, the same as its containing form and so it does not appear.




Figure 5-88c Test Verification

To verify that field ff7 is now a window field, use ADDFRM to add the form ff3 to it.




Figure 5-88d ADDFRM Result

Form ff3 does appear where the form ff7 was.






Figure 5-89a SETVAL Test Case 1

Define a VALUE clause for the item field i1 on the form ff14 which is displayed in window w3.




Figure 5-89b Case 1 Result

The VALUE clause defines the value of i1 to be "zzz". Since i2 has a value clause set as "i1", "zzz" is also displayed as that field's value.




Figure 5-90a SETVAL Test Case 2

Define the value of the item i2 on ff8 to be the built-in TIME function.




Figure 5-90b Case 2 Result

The current time appears in the item field i2 on form ff8.




Figure 5-91a SETVAL Test Case 3

Define the value of the item field i1 on the form ff3 to be the expression "12" + 2.




Figure 5-91b Case 3 Result

Since the item field i1 is a repeated field on the form ff3, the result of evaluating the expression, 14, is placed in each array instance. This test also shows that the appropriate conversion is done to perform the arithmetic.




Figure 5-92a INQABS Test Case 1 with Result

Return the absolute position of window w3 on the form ff1. It is row 3 and column 60.




Figure 5-92b INQABS Test Case 2 with Result

Return the absolute position of item i1 on form ff2. It is row 2 and column 2.






Figure 5-92c INQABS Test Case 3 with Result

Return the absolute position of form ff2 on form ff1. It is row 12 and column 1.




Figure 5-93a INQATT Test Case 1 with Result

Return the first attribute defined for the form ff1. It is BLACKFG.




Figure 5-93b INQATT Test Case 2 with Result

Inquire what the display color associated with the attribute BLACKFG is. It is black.




Figure 5-93c INQATT Test Case 3 with Result

Inquire what the background color associated with the attribute BLACKFG is. It is white.




Figure 5-94a INQDIS Test Case 1 with Result

Return the background color attribute for ff1. It is BLUE.




Figure 5-94b INQDIS Test Case 2 with Result

Return the background color attribute for the window w2 on the form ff1. It is XPARNT.



Figure 5-94c INQDIS Test Case 3 with Result

return the background color attribute for the form ff2 on the form ff1. It is XPARNT.




Figure 5-94d INQDIS Test Case 4 with Result

Return the display attribute for the item field i0 on the form ff1. It is TEXT.






Figure 5-94e INQDIS Test Case 5 with Result

Inquire what is the display attribute for a non-existent field, i99, on form ff1. The message "Field not found" is sent to the message line.




Figure 5-94f INQDIS Test Case 6 with Result

Inquire what the display attribute is for a field on a nonexistent form, ff56. The message "Form not found" is sent to the message line.




Figure 5-95 INQDOM Test Case with Result

Return the entire DOMAIN clause associated with the item field i2 on form ff2. It is NUMERIC, MINIMUM 1, MAXIMUM 6.




Figure 5-96a INQHLP Test Case 1 with Result

Inquire what the "help" associated with the item field i1 on form ff4 is. The help for this field is the string "This is a help string".




Figure 5-96b INQHLP Test Case 2 with Result

Inquire what is "help" associated with the item field i1 on the form ff5 is. The help has defined to be application help.




Figure 5-96c INQHLP Test Case 3 with Result

Inquire what is the "help" associated with the item field i4 on the form ff1. The help is the form PATHCOM.




Figure 5-97a INQLOC Test Case 1 with Result

Return the location of the item field i3 on the form ff14. The location is specified relative to the field i1 and is adjacent to i1.




Figure 5-97b INQLOC Test Case 2 with Result

Return the location of the item field i4 on the form ff1. The position of field i4 is offset 1 row 19 columns from the origin of ff1.






Figure 5-98a INQPRO Test Preparation

Create the form test.




Figure 5-98b Display the Form Test

Add the form test to window w3.




Figure 5-98c Add First Prompt

Add the form prompt "test".




Figure 5-98d Add Second Prompt

Add the form prompt "abcd".




Figure 5-98e Add Third Prompt

Add another form prompt "test".




Figure 5-99a INQPRO Test Case 1 with Result

Return the first prompt string attached to the form test. It is the string "test". The location of the prompt is also returned and is 0 rows and 1 column from the upper left corner of the form test.




Figure 5-99b INQPRO Test Case 2 with Result

Return the second prompt string attached to the form test. It is the string "abcd". The location of the prompt is also returned and is 1 row and 1 column from the upper left corner of the containing form.




Figure 5-99c INQPRO Test Case 3 with Result

Inquire about a nonexistent prompt string on the form test. The error message "Invalid Index Specified" is returned.






Figure 5-100a RMVPRO Test Case

Remove the prompt string "test" from the form test.




Figure 5-100b Test Result

Since the prompt string "test" occurs twice, they are both removed.




Figure 5-101a INQDIM Test Case 1 with Result

Return the first repeat specification of the field ff4 on the form ff1. The form ff4 is repeated vertically twice with one intervening space and both elements are displayed.




Figure 5-101b INQDIM Test Case 2 with Result

Inquire about a nonexistent repeat specification. The error message "Array Not Found" is displayed in the message line.




Figure 5-102a INQSIZ Test Case 1 with Result

Return the SIZE specification for the item field i1 on the form ff3. The field has a width of 4 and a depth of 1.




Figure 5-102b INQSIZ Test Case 2 with Result

Return the SIZE specification of the form field ff3 on the form ff1. The field has a width of 10 and a depth of 4.




Figure 5-102c INQSIZ Test Case 3 with Result

Return the SIZE specification of the window field w2 on the form ff1. The field has a width of 10 and a depth of 4.




Figure 5-103a INQTYP Test Case 1 with Result

Inquire what type of the field ff2 on the form ff1 is. The type returned is "F" for form.



Command Line window 1	inqtyp ff1 i0		form ff1		
<input type="text"/>	<input type="text"/>	<input type="text"/>	abcd	<-v3	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
form ff2	form ff2	form ff3	form ff5	form ff6	form ff3
<input type="text"/>	<input type="text"/>	14 14	<input type="text"/>	<input type="text"/>	14 14
form ff4	form ff8	blnk line		9:41:30	
<input type="text"/>	<input type="text"/>	<input type="text"/>		<input type="text"/>	
form ff4	<input type="text"/>	<input type="text"/>		<input type="text"/>	
Line 21	Display: I.....	.....			
Line 22	.....	.....			
Line 23	.....	.....			
MSG:	4	Array not found		application	

Figure 5-103b INQ TYP Test Case 2 with Result

Inquire what the type of the field i0 on the form ff1 is. The type returned is "I" for item.




Figure 5-103c INQTYP Test Case 3 with Result

Inquire what type of the field w2 on the form ff1 is. The type returned is "W" for window.




Figure 5-104 INQVAL Test Case with Result

Return the VALUE clause defined for the item field i3 on the form ff1. The result is "Display:".




Figure 5-105a RMVATT Test Case 1

Remove the ATTRIBUTE clause defining the attribute BLACKFG for the form ff1.




Figure 5-105b Verify Case 1 Result

The INQATT routine is used to verify that the attribute definition for BLACKFG has been deleted. BLACKFG was formerly the first attribute associated with form ff1. The first attribute is now REDFG.




Figure 5-105c RMVATT Test Case 2

Remove the ATTRIBUTE clause defining REDFG as an attribute associated with the form ff1.




Figure 5-105d Verify Case 2 Result

The INQATT routine is used to verify that the attribute definition for REDFG has been deleted. This time the background color belonging to the attribute REDFG is requested. The message "Attribute does not exist" is issued proving the attribute definition has been deleted.




Figure 5-106 RMVDIM Test Preparation

Add the form ff3 to window w3.






Figure 5-107a RMVDIM Test Case

The first repeat specification for the window field w2 on the form ff1 is removed.




Figure 5-107b Test Result

Only the second repeat specification, horizontal repetition, remains for the field w2.




Figure 5-108a RMVDOM Test Case

Remove the domain clause defined for the item field i2 on the form ff2. The INQDOM test in Figure 5-95, show that the domain options for this field are defined as NUMERIC, MINIMUM 1, MAXIMUM 6.




Figure 5-108b Verify Test Result

Inquire what the domain clause defined for the item field i1 on the form ff2 is after having deleted it. The message "Value Clause Not Found" is issued verifying that the DOMAIN clause has indeed been dropped.




Figure 5-109 RMVHLP Test Preparation

Position the cursor in the item field i1 on the form ff4 and press the <HELP> key to obtain the help associated with the field. The "help" is a text string "This is a help string". Press the <ENTER> key to continue.




Figure 5-110a RMVHLP Test Case

Remove the help information defined for the item field i1 on the form ff4.




Figure 5-110b Verify Test Result

Inquire what help is defined for the item field i1 on ff4 using INQHLP. The message "No help available" verifies that the help has been deleted.




Figure 5-111a RMVARY Test Case

Remove the entire repeat specification for the item field i1 on the form ff3.






Figure 5-111b Test Case Result

Only one occurrence of the item field il is now displayed on the form ff3.




Figure 5-112 RMVVAL Test Preparation

Use INQVAL to first obtain the VALUE clause defined for the item field i0 on the form ff1. It is defined as the string "form ff1".




Figure 5-113a RMVVAL Test Case

Remove the VALUE clause defined for the item field i0 on the form ff1.




Figure 5-113b Verify Test Case

The value of the item field still displays as "form ff1" because no new data have been assigned to it. Use PDATA to assign blanks to i0.




Figure 5-113c Test Case Result

The "form ff1" value in field i0 is now gone.




Figure 5-113d Another RMVVAL Verification

Use INQVAL to verify that the VALUE clause has been removed. This is shown by the error message "Value Clause Not Found".




Figure 5-114a SAVFRM Test Case 1

The definition of the form ff1 is to be compiled and written out in compiled (FD) form.




Figure 5-114b SAVFRM Test Case 2

The definition of the form ff1 is to be compiled and written out in both compiled (FD) form and in source (FDL) form.






Figure 5-114c SAVFRM Test Case 3

The definition of the form ff1 is to be written out in source (FDL) form.




Figure 5-115 APRFLD Test Preparation

Use RPLFRM to display form ff14 in window w3. This form contains three item fields. I2 is an output field whose value is defined to be i1 and i3 is displayed depending on the value of its APPEARS IF clause.




Figure 5-116a APRFLD Test Case 1 with Result

Set the display flag to nondisplay. Item i3 does not appear on the screen.




Figure 5-116b APRFLD Test Case 2 with Result

Set the display flag to display. Item i3 appears on the screen.




Figure 5-116c APRFLD Test Case 3 with Result

Toggle the display flag. Item i3 does not appear on the screen.




Figure 5-116d APRFLD Test Case 4 with Result  
Toggle the display flag. Item i3 appears on the screen.




Figure 5-117 INQAPR Test Preparation

Use RPLFRM to display the form ff20 in window w3. Item i3 does not appear.




Figure 5-118 INQAPR Test Case 1 with Result

Find out what the current appears if criterion defined for item i3 is. It appears if the value of i1 is greater than 10.






Figure 5-119 SETAPR Error Test

Enter an invalid expression for the appears if criterion. The message "Error in expression" is displayed.




Figure 5-120 SETAPR Test Case with Result

Define the appears if criterion for item i3 to be not i1 greater than 10. Since the value of i1 is blank, i3 appears.




Figure 5-121 INQAPR Test Case 2 with Result

Use INQAPR to verify the appears if criterion defined for i3. The message "Field value too long - truncated" is displayed because a buffer size of 5 is not long for the expression.




Figure 5-122 INQAPR Test Case 3 with Result

Use INQAPR again with a larger buffer size. The criterion defined previously using SETAPR is returned.

Command Line		rmvapr ff20 il			
window 1					
form ff2	form ff2	form ff3	form ff5	form ff6	form ff3
form ff4	form ff8	blk line			
form ff4					
Line 21	Display:	.....			
Line 22		.....			
Line 23		.....			
MSG:	1	Value clause not found		application	

Figure 5-123 RMVAPR Test Case 1 with Result

Use RMVAPR to delete the appears if criterion defined for an item field. In this case, il does not have any criterion defined. The message "Value clause not found" is displayed.




Figure 5-124 RMVAPR Test Preparation

Use PDATA to enter the value "20 " in il so that i3 disappears.




Figure 5-125 RMVAPR Test Case 2 with Result

Remove the appears if criterion defined for the item i3. The field appears.




Figure 5-126 RMVAPR Test Verification

Use INQAPR to verify that the appears if criterion for i3 was removed. The message "Value clause not found" is displayed. Press <QUIT> to return to the IISS Function Screen and then press <QUIT> again to complete this Unit Test.



APPENDIX A

VT100 KEYPAD LAYOUTS




Figure A-1 Window Manager Mode




Figure A-2 Scroll/Page Mode




Figure A-3 Status Mode




Figure A-4 Text Editor Mode

APPENDIX B

FP TEST FORMS

/\* these forms are for testing form processor \*/

CREATE FORM ARTESTP

prompt center at 1 40 "ARTEST Parameters"

item parm1  
at 3 10  
size 10  
display as input  
prompt at left "parm1"

item parm2  
at 5 10  
size 10  
display as input  
prompt at left "parm2"

item parm3  
at 7 10  
size 10  
display as input  
prompt at left "parm3"

item parm4  
at 9 10  
size 10  
display as input  
prompt at left "parm4"

CREATE FORM ff1

ATTRIBUTE blackfg (background white, display black)  
ATTRIBUTE redfg (background white, display red)  
ATTRIBUTE greenfg (background black, display green)  
ATTRIBUTE yellowfg (background black, display yellow)  
ATTRIBUTE bluefg (background white, display blue)  
ATTRIBUTE magentafg (background white, display magenta)  
ATTRIBUTE cyanfg (background black, display cyan)  
ATTRIBUTE whitefg (background black, display white)  
BACKGROUND blue  
PROMPT AT 1 2 "Command Line"  
PROMPT AT 21 2 "Line 21"  
PROMPT AT 22 2 "Line 22"

PROMPT AT 23 2 "Line 23"  
PROMPT AT 24 2 "Line 24"  
PROMPT AT 25 2 "Line 25"  
PROMPT AT 26 2 "Line 26"  
PROMPT AT 27 2 "Line 27"  
PROMPT AT 28 2 "Line 28"  
PROMPT AT 29 2 "Line 29"  
PROMPT AT 30 2 "Line 30"  
PROMPT AT 31 2 "Line 31"  
PROMPT AT 32 2 "Line 32"  
PROMPT AT 33 2 "Line 33"  
PROMPT AT 34 2 "Line 34"  
PROMPT AT 35 2 "Line 35"  
PROMPT AT 36 2 "Line 36"  
PROMPT AT 37 2 "Line 37"  
PROMPT AT 38 2 "Line 38"  
PROMPT AT 39 2 "Line 39"  
PROMPT AT 40 2 "Line 40"  
PROMPT AT 41 2 "Line 41"  
PROMPT AT 42 2 "Line 42"  
PROMPT AT 43 2 "Line 43"  
PROMPT AT 44 2 "Line 44"  
PROMPT AT 45 2 "Line 45"  
PROMPT AT 46 2 "Line 46"  
PROMPT AT 47 2 "Line 47"  
PROMPT AT 48 2 "Line 48"  
PROMPT AT 49 2 "Line 49"  
PROMPT AT 50 2 "Line 50"  
PROMPT AT 51 2 "Line 51"  
PROMPT AT 52 2 "Line 52"  
PROMPT AT 53 2 "Line 53"  
PROMPT AT 54 2 "Line 54"  
PROMPT AT 55 2 "Line 55"  
PROMPT AT 56 2 "Line 56"  
PROMPT AT 57 2 "Line 57"  
PROMPT AT 58 2 "Line 58"  
PROMPT AT 59 2 "Line 59"  
PROMPT AT 60 2 "Line 60"  
PROMPT AT 61 2 "Line 61"  
PROMPT AT 62 2 "Line 62"  
PROMPT AT 63 2 "Line 63"  
PROMPT AT 64 2 "Line 64"  
PROMPT AT 65 2 "Line 65"  
PROMPT AT 66 2 "Line 66"  
PROMPT AT 67 2 "Line 67"  
PROMPT AT 68 2 "Line 68"  
PROMPT AT 69 2 "Line 69"

item i0  
at 1 70  
size 8  
display as text  
value "form ff1"

item i3  
at 21 11  
size 8  
display as text  
value "Display:"

item i4  
at 1 20  
size 40 by 2  
display as input  
help pathcom

WINDOW w1 (2 v 1)  
AT 3 2  
SIZE 10 BY 4  
background white  
appears if 'ff1.ff6.i1' < "11111"

WINDOW w2(2 v 1, 2 H 1)  
AT 3 15  
SIZE 10 BY 4  
background xparnt

WINDOW wnf  
at 3 45  
size \* by \*  
background green

WINDOW w3  
at 3 60  
size 10 by 8  
background yellow

form ff2 (2 h 4)  
at 12 1  
size 12 by 4

form ff3  
at 12 32  
size 10 by 4

form ff4 (2 v 1)  
at 16 2  
size 10 by 2

form ff5  
at 12 43  
size 10 by 4

form ff6  
at 12 55  
size 10 by 4

form ff7  
at 12 68  
size 10 by 4

form ff8  
at 16 13  
size 10 by 4

item fqn  
at 21 20  
size 60 by 3  
display as output

CREATE FORM ff2  
prompt at 1 2 "form ff2"

item i1(2 h 1)  
at 2 2  
size 2  
display as input

item i2  
at 3 2  
size 3  
domain (NUMERIC MAXIMUM 6 MINIMUM 1)  
display as input

create form ff3  
prompt at 1 2 "form ff3"

item i1(2 v 1, 2 h 1)  
at 2 2  
size 3  
display as input

```
create form ff4
background black
prompt at 1 2 "form ff4"

item i1
at 2 2
size 4
display as input
help "This is a help string"

create form ff5
background white
prompt at 1 2 "form ff5"

item i1
at 3 3
size 1 by 2
display as input
help application

create form ff6
background xparnt
prompt at 1 2 "form ff6"

item i1
at 3 6
size 1 by 4
display as input

create form ff7
prompt at 1 2 "form ff7"

item i1(3/6 v 0, 2/4 h 1)
at 2 2
size 1
display as input

create form ff8
prompt at 1 2 "form ff8"

item i1
at 3 2
size 8
display as input

create form ff9
```

prompt at 1 2 "form ff9"

item i1  
at 2 2  
size 8  
display as input

window w4  
at 3 1  
size 10 by 5  
display as black

create form ff10  
size 10 by 8  
prompt at 1 2 "Form ff10"

item i1 (\* v)  
at 2 2  
size 4  
display as input

create form ff11  
size 10 by 8  
prompt at 1 2 "Form ff11"

item i1 (4/ \* v)  
at 2 2  
size 4  
display as input

create form pathcom

item i4  
at 3 47  
size 1  
display as input  
help morhelp

prompt at 1 30 "Commands for ARTEST"  
prompt at 3 30 " More Commands:"  
prompt at 5 10

"-----"

prompt at 6 9 "add form to a window form"	addfrm window
prompt at 7 9 "delete pages from window page"	rmvpag window



prompt at 8 9 "replace page in window form" rplfrm window page  
prompt at 9 9 "close form" clsfrm form"  
prompt at 10 9 "put data to form item array" pdata path data"  
prompt at 11 9 "get data from form item array" gdata  
inst(0=prev,1=cur) path"  
prompt at 12 9 "change attributes: background" putbak path  
dur(prm=0,tmp=1) attrib"  
prompt at 13 9 "get attributes: background" getbak path  
dur(prm=0,tmp=1)"  
prompt at 14 9 "put and get temp attributes(b)" tmpbak path dur  
attrib"  
prompt at 15 9 "get name of form on page n" gpage window  
page"  
prompt at 16 9 "get number of pages in window" gwindo window"  
prompt at 17 9 "put cursor to field" putcur path"  
prompt at 18 9 "window set(term within term)" oiscr path"  
prompt at 19 9 "change attributes: foreground" putatt path  
dur(prm=0,tmp=1) attrib"  
prompt at 20 9 "get attributes: foreground" getatt path  
dur(prm=0,tmp=1)"  
prompt at 21 9 "put and get temp attributes(f)" tmpatt path dur  
attrib"

create form morhelp

item i4  
at 3 47  
size 1  
display as input  
help arthlp2  
prompt at left "More More Commands"  
prompt at 2 28 "More Commands for ARTEST"  
prompt at 4 10  
"-----"  
prompt at 5 9 "open logical device" opnldv returns  
ldvid"  
prompt at 6 9 "close logical device" clsldv  
ldvid(except 'HOME')"

prompt at 7 9 "set logical device           setldv ldvid row  
col width depth"  
prompt at 8 9 "change logical device        chgldv  
ldvid(default is 'HOME')"  
prompt at 9 9 "inquire logical device       inqldv returns  
ldvid"

prompt at 10 9 "put data to Virtual Terminal   putvti data"  
prompt at 11 9 "get data from Virtual Terminal   getvti "  
prompt at 12 9 "parse fully qualified name     parfqn  
lev(0=1st,1=fst,-1=nxt2lst,etc)"  
prompt at 13 50 "use pf16(0) first"  
prompt at 14 9 "get default qualified name     getdqn"  
prompt at 15 9 "set default qualified name     setdqn path"  
prompt at 16 9 "put message line string       pmsgls string"  
prompt at 17 9 "put message line code        pmsglc code"  
prompt at 18 9 "output a screen             outscr path"  
prompt at 19 9 "put cursor at a location       putloc path row  
column"  
prompt at 20 9 "get the length of a buffer     gdatln path"

create form arthlp2

prompt at 2 28 "More Commands for ARTEST"

prompt at 3 10

"-----"

prompt at 5 9 "add an element to an array     addelm path"

prompt at 6 9 "open a form                    opnfrm form"

prompt at 8 10

"-----"

prompt at 9 23 "Special Function Key Definitions"

prompt at 10 10

"-----"

prompt at 11 20 "use pf16(0) to display path name of cursor  
position"

prompt at 12 20 "use pf15(3) to send screen to printer (to call  
'prntvt')"

prompt at 13 20 "use pf17(.) to refresh the screen (to call  
'rfshvt')"

create form ff12

item i1

display as input

at 1 2

size 8 by 5

create form ff13

item i1

```
display as input  
at 1 2  
size 6 by 34
```

```
create form ff14  
item i1  
display as input  
at 1 2  
size 3
```

```
item i2  
display as output  
at 2 2  
value 'i1'  
size 3
```

```
item i3  
display as output  
at 3 right of i1  
value "xxx"  
size 3
```

```
create form ff15  
item i1  
display as input  
at 1 2  
size 3
```

```
item i2  
display as output  
at 2 2  
value 'i1'  
size 3
```

```
item i3  
display as output  
at 3 right of i1  
appears if 2 > 1  
value "xxx"  
size 3
```

```
create form ff16  
item i1  
display as input  
at 1 2  
size 3
```

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if 2 < 1  
value "xxx"  
size 3

create form ff17  
item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if 'i1' != 1  
value "xxx"  
size 3

create form ff18  
item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1

```
appears if between('i1', 1, 10)
value "xxx"
size 3
```

```
create form ff19
item i1
display as input
at 1 2
size 3
```

```
item i2
display as output
at 2 2
value 'i1'
size 3
```

```
item i3
display as output
at 3 right of i1
appears if in('i1', 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10)
value "xxx"
size 3
```

```
create form ff20
item i1
display as input
at 1 2
size 3
```

```
item i2
display as output
at 2 2
value 'i1'
size 3
```

```
item i3
display as output
at 3 right of i1
appears if 'i1' > 10 ? 1 : 0
value "xxx"
size 3
```

```
create form ff21
item i1
display as input
at 1 2
size 3
```

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if 'i1' > "CCC" ? 1 : 0  
value "xxx"  
size 3

create form ff22  
item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if NOT 'i1'  
value "xxx"  
size 3

create form ff23  
item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output

at 3 right of i1  
appears if IN(BETWEEN('i1', 1, 10), 1, 2, 3, 4)  
value "xxx"  
size 3

create form ff24  
item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if IN(BETWEEN('i1', "AAA", "CCC"), 1, 2, 3, 4)  
value "xxx"  
size 3

create form ff25  
item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if IN(BETWEEN('i1', "AAA", "CCC"), "AAA", "BBB", "CCC",  
"DDD")  
value "xxx"  
size 3

create form ff26  
item i1  
display as input

at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if NOT APPEARS('i1')  
value "xxx"  
size 3

create form ff27  
item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if APPEARS('i1')  
value "xxx"  
size 3

create form ff28  
item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3



```
item i3
display as output
at 3 right of i1
appears if APPEARS('ff24.i1')
value "xxx"
size 3
```

```
create form ff29
item i1
display as input
at 1 2
size 3
```

```
item i2
display as output
at 2 2
value 'i1'
size 3
```

```
item i3
display as output
at 3 right of i1
appears if 'i1' >= 1 ? 'i1' = 5 ? 1 : 0 : 1
value "xxx"
size 3
```

```
create form ff30
item i1
display as input
at 1 2
size 3
```

```
item i2
display as output
at 2 2
value 'i1'
size 3
```

```
item i3
display as output
at 3 right of i1
appears if NOT IN('i1' >= 1 ? 'i1' = 5 ? 1 : 0 : 1, 1, 2, 3)
value "xxx"
size 3
```

```
create form ff31
item i1
```

display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if 'i1' <= 0 OR 'i1' >= 10  
value "xxx"  
size 3

create form ff32  
item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if 'i1' != 11 AND 'i1' >= 10  
value "xxx"  
size 3

create form ff33  
item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if GWINDO('.w3') > 1  
value "xxx"  
size 3

create form ff34  
item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if CURSOR('i2')  
value "xxx"  
size 3

create form ff35  
item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if gpage('.w3', 1) = "FF3"  
value "xxx"  
size 3

create form ff36

item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if getatt('i1', 0) != "INPUT"  
value "xxx"  
size 3

create form ff37  
item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if not getatt('i1', 0) != "INPUT"  
value "xxx"  
size 3

create form ff38  
prompt at 1 4 "ff38"

item i1  
display as input  
at 2 2  
size 3

item i2  
display as output

at 2 6  
value 'i1'  
size 3

form f1  
at 4 2  
appears if 'i1' > 10 ? 1 : 0  
size 7 by 6

create form f1  
prompt at 1 2 "F1"

create form ff39  
item i1  
display as input  
at 1 2  
size 3

item i2  
display as output  
at 2 2  
value 'i1'  
size 3

item i3  
display as output  
at 3 right of i1  
appears if not role("manager")  
value "xxx"  
size 3