

# AD-A256 993

1

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOC




Form Approved  
OMB No. 0704-0188

1a. REPORT SECURITY CLASSIFICATION <b>UNCLASSIFIED</b>			1b. RESTRICTIVE MARKINGS			
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT			
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE						
4. PERFORMING ORGANIZATION REPORT NUMBER(S) DODPOHMT/AYD 92-016			5. MONITORING ORGANIZATION REPORT NUMBER(S)			
6a. NAME OF PERFORMING ORGANIZATION PACKAGING DIVISION		6b. OFFICE SYMBOL (If applicable) SMCAR-AEP	7. NAME OF MONITORING ORGANIZATION <b>DTIC ELECTE</b> <b>OCT 23 1992</b> <b>SCD</b>			
6c. ADDRESS (City, State, and ZIP Code) U.S. ARMY ARMAMENT RESEARCH DEVELOPMENT ENGINEERING CENTER PICATINNY ARSENAL, NJ 07806-5000			7b. ADDRESS (City, State, and ZIP Code)			
8a. NAME OF FUNDING / SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
8c. ADDRESS (City, State, and ZIP Code)			10. SOURCE OF FUNDING NUMBERS			
			PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) Performance Oriented Packaging Testing M57, M68, M91 120mm Mortar Cartridge (2) per wood box. HE Dwg. 5123007-01, WP SMOKE Dwg. 5125715-71, ILLUM Dwg. 5125015-02						
12. PERSONAL AUTHOR(S) Dmitry Kirshteyn						
13a. TYPE OF REPORT Final		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Year, Month, Day)		15. PAGE COUNT
16. SUPPLEMENTARY NOTATION						
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)			
FIELD	GROUP	SUB-GROUP	Performance Oriented Packaging Testing on the M57, M68, M91 120mm Mortar Cartridges, (2 per wood box).			
19. ABSTRACT (Continue on reverse if necessary and identify by block number) This report contains the testing and test results performed on the M57, M68, M91 120mm mortar cartridges packed two per wood box (NDI packaging).						
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION			
22a. NAME OF RESPONSIBLE INDIVIDUAL Dmitry Kirshteyn			22b. TELEPHONE (Include Area Code) 201-724-2173		22c. OFFICE SYMBOL SMCAR-AEP	

399/22

92-27733



SFB

I. Report Number: DOD POP HM TR/AYD 92-016.

II. Title: Performance Oriented Packaging Testing for M57, M68, M91 Projectiles.

Packed 1 per fiber container and 2 fiber container per wood box.

HE DWG. 5123007-01, WP SMOKE DWG. 5125715-71,

ILLUM DWG. 5125015-02

Author: Dmitry Kirshteyn

Performing Activity: ARDEC

Address: Department of the Army  
Commander, U.S. Army Armament Research, Development  
and Engineering Center  
Picatinny Arsenal, N.J. 07806-5000  
Attn: SMCAR-AEP

Date: September 1992

Approved for public release; distribution is unlimited.

14

CLASSIFICATION	UNCLASSIFIED
CONTROL	EXH
LEVEL	UNCLASSIFIED
DATE	UNCLASSIFIED
BY	
DISTRIBUTION/	
APPROVAL	ABILITY CODES
APPROVAL	APPROVAL
DIST	APPROVAL

A-1

I. Report Number: DOD POP HM TR/AYD 92-016.  
II. Title: Performance Oriented Packaging Testing for M57, M68, M91  
Projectiles.  
Packed 1 per fiber container and 2 fiber container per  
wood box.  
HE DWG. 5123007-01, WP SMOKE DWG. 5125715-71,  
ILLUM DWG. 5125015-02

Author: Dmitry Kirshteyn

Performing Activity: ARDEC

Address: Department of the Army  
Commander, U.S. Army Armament Research, Development  
and Engineering Center  
Picatinny Arsenal, N.J. 07806-5000  
Attn: SMCAR-AEP

Date: September 1992

Approved for public release; distribution is unlimited.

DOD FORM 101-2 (REV. 8-82)

MTC 3241		<input checked="" type="checkbox"/>
MTC 118		<input type="checkbox"/>
Unannounced		<input type="checkbox"/>
Justification		
By		
Distribution/		
Availability Codes		
Dist	Avail and/or	Special
A-1		

1. Data:

Container:

Type: Box, Natural Wood

UN Package Code: 4C1

Material: Natural Wood

Capacity: 61.2

Dimensions: 79.0 cm x 34.6 cm x 22.4 cm  
(31.1" x 13.6" x 8.8")

Gross Weight: 42.0 kg (90 lbs)

Note: Although items are packed in the same wood box, they have different packing and marking drawings: M57, dwg. 5123007-01; M68, dwg. 5125715-71; M91, dwg. 5125015-02

Product:

Name: M57

Drawing Number: 5120057-05

United Nations Number: 0321

United Nations Packaging Group: II

United Nations Nomenclature: Cartridges for Weapons

Explosive Projectile

Physical State: Solid

Amount Per Container: 2 Rounds

NSN: 1315-01-315-1328

Name: M68

Drawing Number: 5120068-03

United Nations Number: 0245

United Nations Packaging Group: II

United Nations Nomenclature: Ammunition, Smoke, White,  
Phosphorus

Smoke Projectile

Physical State: Solid

Amount Per Container: 2 Rounds

NSN: 1315-01-315-1330

Name: M91

Drawing Number: 5120091-02

United Nations Number: 0254

United Nations Packaging Group: II

United Nations Nomenclature: Ammunition, Illuminating

Illuminating Projectile

Physical State: Solid

Amount Per Container: 2 Rounds

NSN: 1315-01-315-1329

## 2. Background:

This report contains the testing and test results performed on cartridges packed in fiber container and two fiber container packed in wooden box ( NDI ). The weight of one packed out box was 90 lbs.

## 3. Testing:

Note: All testing was in accordance with the referenced sections of CFR 49.

### a. Vibration Test (178.608):

#### Procedure-

Three boxes were vibrated (one at the time) on the vibration table unrestrained for a one hour time period. The peak-to-peak displacement was one inch and the frequency was 290 cycles per minute. This frequency was sufficient to allow the pack to become completely airborne enabling a 1/16" piece of strapping material to be slid underneath the pack during testing.

#### Results-

All three wood boxes received minor abrasions on all faces (except the top) from repetitive impacts with the side walls and base of the vibration table. The wood boxes experienced no structural damage and therefore there was no spillage of contents, satisfying the passing criteria.

### b. Drop Test (178.603):

#### Procedure-

The test rounds were packed in their proper unit packaging and 2-round wooden overpack. Five boxes were tested (one per each drop). The wooden boxes were dropped in the following orientations: flat on bottom, flat on the top, flat on the long side, flat on the short side, on the corner. The height for all five drops was 2.1 meters.

#### Results-

There was no visible damage on the drops 1, 2, 4, 5. The drop "flat on the long side" had one of wood boards cracked. But the contents in all five drops remained inside the wood boxes and package was capable of being handled without danger of spillage, satisfying the passing criteria.

c. Stack Test (178.606).

Procedure-

A dead load of 1200 lbs. was applied to the top of a single packed wood box for 24 hour period. This simulates a stack height of 10 feet of identical packages.

Results-

No damage has been detected, which satisfying the passing criteria.

4. Referenced Material:

A. Federal Register, "49 CFR Part 107, 1991"

5. Based on the above equivalent POP Testing, the following POP symbol has been applied to wooden overpack IAW Drawing 9313721.

Insert last two digits of year packed

u  
n

4C1/Y42/S/[ ]  
USA/DOD/AYD