

NUWC-NPT Technical Report 11,042
15 September 1998

Three-Dimensional Analysis of Acoustic Scattering from a Coated Cylindrical Shell

Sung H. Ko
Bruce E. Sandman
Submarine Sonar Department



1 9 9 9 0 4 1 6 0 3 6

**Naval Undersea Warfare Center Division
Newport, Rhode Island**

Approved for public release; distribution is unlimited.


DTIC QUALITY INSPECTED 4

PREFACE

This report was prepared under NUWC Division Newport Project No. 621Y47, "NOMAD," project manager Bruce E. Sandman (Code 01) and principal investigator Sung H. Ko (Code 2133).

The technical reviewer for this report was Jeffrey E. Boisvert (Code 2133). The authors are grateful to Bernard J. Myers (Code 01X) for sponsoring this project. Thanks are also extended to Sandra A. Marceau (Code 543 (SRM)) for her assistance with the technical editing.

Reviewed and Approved: 15 September 1998



Ronald J. Martin

Head, Submarine Sonar Department



REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE 15 September 1998	3. REPORT TYPE AND DATES COVERED Final	
4. TITLE AND SUBTITLE Three-Dimensional Analysis of Acoustic Scattering from a Coated Cylindrical Shell			5. FUNDING NUMBERS	
6. AUTHOR(S) Sung H. Ko Bruce E. Sandman				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Undersea Warfare Center Division 1176 Howell Street Newport, RI 02841-1708			8. PERFORMING ORGANIZATION REPORT NUMBER TR 11,042	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) <p>A theoretical model was developed to evaluate the farfield pressure scattered from a coated cylindrical shell by a plane acoustic wave incident at an angle to the cylindrical axis (a three-dimensional problem). The model is a two-layer-structure comprising an outer layer of microvoided elastomer (coating) that is perfectly bonded to a cylindrical shell. The analysis of this model is based on the theory of elasticity, acoustic wave equations, and pertinent boundary conditions. The major results presented here are calculated directivity patterns using three-dimensional analysis.</p>				
14. SUBJECT TERMS Acoustic Scattering Submarine Sonar Systems			15. NUMBER OF PAGES 58	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified		20. LIMITATION OF ABSTRACT SAR

TABLE OF CONTENTS

Section	Page
LIST OF ILLUSTRATIONS	ii
LIST OF SYMBOLS	iii
INTRODUCTION	1
Background	1
Specific Objective	1
THEORETICAL ANALYSIS OF ELASTIC WAVES IN CYLINDRICAL COORDINATES	3
FORMULATION OF THE PROBLEM.....	19
NUMERICAL CALCULATIONS AND DISCUSSION.....	25
CONCLUSIONS	35
REFERENCES	37
APPENDIX A — COEFFICIENTS OF EQUATIONS (75) THROUGH (88).....	A-1
APPENDIX B — SYSTEM OF LINEAR ALGEBRAIC EQUATIONS.....	B-1

LIST OF ILLUSTRATIONS

Figure		Page
1	Geometry of Theoretical Model	3
2	Displacement Vector Components and Stress Tensors in the Cylindrical Coordinates	5
3	Directivity Patterns at $f = 5000$ Hz.....	28
4	Effect of Incident Angle φ on the Directivity Pattern at $f = 5000$ Hz	31
5	Effect of Frequency f on the Directivity Pattern for Incident Angle $\varphi = 45^\circ$	31
6	Effect of Coating Thickness h_1 on the Directivity Pattern at $f = 5000$ Hz for $\varphi = 45^\circ$	32
7	Effect of Coating Thickness h_1 on the Directivity Pattern at $f = 7500$ Hz for $\varphi = 45^\circ$	32
8	Effect of Coating Thickness h_1 on the Directivity Pattern at $f = 10,000$ Hz for $\varphi = 45^\circ$	33
9	Effect of Dilatational Wave Speed c_{d01} on the Directivity Pattern at $f = 5000$ Hz for $\varphi = 45^\circ$	33
10	Effect of Loss Factor ζ_{d1} Associated with the Dilatational Wave on the Directivity Pattern at $f = 5000$ Hz for $\varphi = 45^\circ$	34
11	Effect of Shear Wave Speed c_{s01} on the Directivity Pattern at $f = 5000$ Hz for $\varphi = 45^\circ$	34
12	Effect of Loss Factor ζ_{s1} Associated with Shear Wave on the Directivity Pattern at $f = 5000$ Hz for $\varphi = 45^\circ$	35

LIST OF SYMBOLS

B	Complex bulk modulus
c_d	Complex dilatational (compressional) wave speed
c_{d1}	Complex dilatational wave speed in the coating (layer 1)
c_{d2}	Complex dilatational wave speed in the cylindrical shell (layer 2)
c_{d01}	Real part of complex dilatational wave speed in the coating
c_{d02}	Real part of complex dilatational wave speed in the cylindrical shell
c_s	Complex shear (transverse) wave speed
c_{s1}	Complex shear wave speed in the coating
c_{s2}	Complex shear wave speed in the cylindrical shell
c_{s01}	Real part of complex shear wave speed in the coating
c_{s02}	Real part of complex shear wave speed in the cylindrical shell
c_0	Sound speed in water
c_3	Sound speed in air
f	Frequency in Hertz
h_1	Coating thickness
h_2	Shell thickness
$k_d = \omega / c_d$	Dilatational wave number
$k_s = \omega / c_s$	Shear wave number
k_z	Wave number in axial direction
$k_0 = \omega / c_0$	Acoustic wave number in water
$k_3 = \omega / c_3$	Acoustic wave number in air
p_i	Incident pressure field (wave) in water
P_i	Complex amplitude of p_i
P_{af}	Amplitude factor
p_s	Scattered pressure field (wave) in water
p_0	Total pressure field (wave) in water
p_3	Transmitted pressure field (wave) in air
P_3	Complex amplitude of p_3
t	Time
u_r	Radial displacement
u_θ	Circumferential displacement
u_z	Axial displacement
x, y, z, r, θ	Spatial coordinates

LIST OF SYMBOLS (Cont'd)

ζ_{a1}	Loss factor associated with dilatational wave in the coating
ζ_{a2}	Loss factor associated with dilatational wave in the shell
ζ_{s1}	Loss factor associated with shear wave in the coating
ζ_{s2}	Loss factor associated with shear wave in the shell
ϕ	Angle of incidence measured relative to the normal (radial) direction
λ, μ	Lamé constants
ρ	Material density
ρ_0	Density of water
ρ_1	Material density of coating
ρ_2	Material density of shell
ρ_3	Density of air
τ_{rr}	Normal stress in the radial direction
$\tau_{r\theta}$	Shear stress in the circumferential direction
τ_{rz}	Shear stress in the axial direction
ϕ	Scalar potential
ψ	Vector potential
ψ_r	Radial component of ψ
ψ_θ	Circumferential component of ψ
ψ_z	Axial component of ψ
$\omega = 2\pi f$	Angular frequency in radians/s

THREE-DIMENSIONAL ANALYSIS OF ACOUSTIC SCATTERING FROM A COATED CYLINDRICAL SHELL

INTRODUCTION

In this study, a theoretical model is developed for evaluating the farfield pressure scattered from an infinitely long, coated cylindrical shell by a plane acoustic wave incident at an angle with the normal to the cylindrical shell axis (a three-dimensional problem). The model is a two-layer-structure comprising an outer layer of microvoided elastomer (coating) that is perfectly bonded to a cylindrical shell. The coating consists of an acoustically soft material that is designed for reducing flexural wave noise.

BACKGROUND

The acoustic reflection from a solid cylinder in water is described by Morse¹ and Bowen et al.² The scattering of sound by hollow elastic cylinders in water has been investigated by Gaunard³ and Flax and Neubauer.⁴ In these cases, the incident sound wave was taken as an infinite plane wave normally incident to the cylindrical axis (a two-dimensional problem). This wave excites the radial and circumferential modes. However, a plane wave incident at an angle with the normal to the cylindrical axis excites modes of vibration of the cylindrical shell having radial, circumferential, and axial dependence (a three-dimensional problem).

SPECIFIC OBJECTIVE

This report describes the three-dimensional analysis for the two-layer coated cylindrical shell. An earlier two-dimensional problem⁵ has been extended to the three-dimensional case to investigate the scattering of the plane acoustic wave by the coated cylindrical shell. Ko and Sandman⁶ presented a portion of the two-dimensional results. The formulation of the problem is based on the theory of elasticity, acoustic wave equations, and pertinent boundary conditions.

The major accomplishment of this research is the numerical calculation of directivity patterns for the coated cylindrical shell using the three-dimensional analysis.

THEORETICAL ANALYSIS OF ELASTIC WAVES IN CYLINDRICAL COORDINATES

The geometry of the theoretical model in this study is depicted in figure 1. The outer surface of the composite structure, which consists of the coating and the cylindrical shell, is in contact with water. The core (cavity) of the structure contains air.




Figure 1. Geometry of Theoretical Model

It is essential to study waves propagating in elastic media. In this section, equations necessary for the formulation of the present problem are developed. The vector differential equation that governs the small elastic motion in the elastic medium is written as^{7,8}

$$\mu \nabla^2 \mathbf{u} + (\lambda + \mu) \nabla(\nabla \cdot \mathbf{u}) = \rho \frac{\partial^2 \mathbf{u}}{\partial t^2}, \quad (1)$$

where λ and μ are the Lamé constants, \mathbf{u} is the displacement vector, ρ is the material density, ∇ is the gradient operator, t is the time, and ∇^2 is the Laplacian operator. The solutions of equation (1) are a combination of a vector potential $\boldsymbol{\psi}$ and a scalar potential function ϕ , so that

$$\mathbf{u} = \nabla \phi + (\nabla \times \boldsymbol{\psi}), \quad (2)$$

which is true provided that ϕ and $\boldsymbol{\psi}$ are the solutions of the elastic wave equations

$$\nabla^2 \phi = \frac{1}{c_d^2} \frac{\partial^2 \phi}{\partial t^2}, \quad (3)$$

$$\nabla^2 \boldsymbol{\psi} = \frac{1}{c_s^2} \frac{\partial^2 \boldsymbol{\psi}}{\partial t^2}, \quad (4)$$

and

$$\nabla \cdot \boldsymbol{\psi} = F, \quad (5)$$

where F is an arbitrary function of the spatial coordinate and time.^{9,10} The complex dilatational (compressional) and shear (transverse) wave speeds are given by

$$c_d = \left[\frac{\lambda + 2\mu}{\rho} \right]^{1/2} \quad (6)$$

and

$$c_s = \left[\frac{\mu}{\rho} \right]^{1/2}. \quad (7)$$

If equation (3) is written in cylindrical coordinates, then

$$\frac{\partial^2 \phi}{\partial r^2} + \frac{1}{r} \frac{\partial \phi}{\partial r} + \frac{1}{r^2} \frac{\partial^2 \phi}{\partial \theta^2} + \frac{\partial^2 \phi}{\partial z^2} = \frac{1}{c_d^2} \frac{\partial^2 \phi}{\partial t^2}, \quad (8)$$

where r , θ , and z are the spatial coordinates in the radial, circumferential, and axial directions, respectively. If equation (2) is used, then the radial displacement is written as

$$u_r = (\nabla \phi + \nabla \times \psi)_r = \frac{\partial \phi}{\partial r} + \left(\frac{1}{r} \frac{\partial \psi_z}{\partial \theta} - \frac{\partial \psi_\theta}{\partial z} \right), \quad (9)$$

where the radial displacement u_r is shown in figure 2. Note that other components of the displacement vector and related stress tensors are also shown.

Similarly, the circumferential and axial displacements are written as

$$u_\theta = (\nabla \phi + \nabla \times \psi)_\theta = \frac{1}{r} \frac{\partial \phi}{\partial \theta} + \left(\frac{\partial \psi_r}{\partial z} - \frac{\partial \psi_z}{\partial r} \right) \quad (10)$$




Figure 2. Displacement Vector Components and Stress Tensors in Cylindrical Coordinates

and

$$\begin{aligned}
 u_z &= (\nabla\phi + \nabla \times \psi)_z \\
 &= \frac{\partial\phi}{\partial z} + \left(\frac{\psi_\theta}{r} + \frac{\partial\psi_\theta}{\partial r} - \frac{1}{r} \frac{\partial\psi_r}{\partial\theta} \right).
 \end{aligned} \tag{11}$$

Equation (4) can be decomposed in the radial, circumferential, and axial directions. In the radial direction, one obtains

$$\begin{aligned}
 \nabla^2\psi_r - \frac{\psi_r}{r^2} - \frac{2}{r^2} \frac{\partial\psi_\theta}{\partial\theta} &= \frac{1}{c_s^2} \frac{\partial^2\psi_r}{\partial t^2} \\
 \left\{ \left(\frac{\partial^2\psi_r}{\partial r^2} + \frac{1}{r} \frac{\partial\psi_r}{\partial r} + \frac{1}{r^2} \frac{\partial^2\psi_r}{\partial\theta^2} + \frac{\partial^2\psi_r}{\partial z^2} \right) - \frac{\psi_r}{r^2} \right\} - \frac{2}{r^2} \frac{\partial\psi_\theta}{\partial\theta} &= \frac{1}{c_s^2} \frac{\partial^2\psi_r}{\partial t^2}.
 \end{aligned} \tag{12}$$

In the circumferential direction, one obtains

$$\begin{aligned}
 \nabla^2\psi_\theta - \frac{\psi_\theta}{r^2} + \frac{2}{r^2} \frac{\partial\psi_r}{\partial\theta} &= \frac{1}{c_s^2} \frac{\partial^2\psi_\theta}{\partial t^2} \\
 \left\{ \left(\frac{\partial^2\psi_\theta}{\partial r^2} + \frac{1}{r} \frac{\partial\psi_\theta}{\partial r} + \frac{1}{r^2} \frac{\partial^2\psi_\theta}{\partial\theta^2} + \frac{\partial^2\psi_\theta}{\partial z^2} \right) - \frac{\psi_\theta}{r^2} \right\} + \frac{2}{r^2} \frac{\partial\psi_r}{\partial\theta} &= \frac{1}{c_s^2} \frac{\partial^2\psi_\theta}{\partial t^2}.
 \end{aligned} \tag{13}$$

In the axial direction, one obtains

$$\begin{aligned}
 \nabla^2\psi_z &= \frac{1}{c_s^2} \frac{\partial^2\psi_z}{\partial t^2} \\
 \frac{\partial^2\psi_z}{\partial r^2} + \frac{1}{r} \frac{\partial\psi_z}{\partial r} + \frac{1}{r^2} \frac{\partial^2\psi_z}{\partial\theta^2} + \frac{\partial^2\psi_z}{\partial z^2} &= \frac{1}{c_s^2} \frac{\partial^2\psi_z}{\partial t^2}.
 \end{aligned} \tag{14}$$

The solution of equation (8) is written as

$$\phi(r, \theta, z, \varphi, t) = \Phi(r)\Theta(\theta)e^{-i(k_z z - \omega t)}, \quad (15)$$

where $k_z = k_0 \sin \varphi$ is the wave number in the z-direction, $k_0 = \omega / c_0$ is the acoustic wave number, ω is the frequency in radians/s, and c_0 is the sound speed in water. Substituting equation (15) into equation (8) gives

$$\Theta \frac{d^2 \Phi}{dr^2} + \frac{1}{r} \frac{d\Phi}{dr} \Theta + \frac{1}{r^2} \frac{d^2 \Theta}{d\theta^2} \Phi - k_z^2 \Phi \Theta = -\frac{\omega^2}{c_d^2} \Phi \Theta. \quad (16)$$

Dividing equation (16) by Θ , one obtains

$$\frac{d^2 \Phi}{dr^2} + \frac{1}{r} \frac{d\Phi}{dr} + \alpha^2 \Phi = -\frac{1}{r^2} \frac{\left(\frac{d^2 \Theta}{d\theta^2} \right)}{\Theta} \Phi, \quad (17)$$

where $\alpha = (k_d^2 - k_z^2)^{1/2}$, and $k_d = \omega / c_d$. Dividing equation (17) by Φ / r^2 gives

$$r^2 \frac{\frac{d^2 \Phi}{dr^2}}{\Phi} + r \frac{\frac{d\Phi}{dr}}{\Phi} + \alpha^2 r^2 = -\frac{\frac{d^2 \Theta}{d\theta^2}}{\Theta}. \quad (18)$$

Let

$$-\frac{\frac{d^2 \Theta}{d\theta^2}}{\Theta} = k_\theta^2. \quad (19)$$

Then, multiplying equation (18) by Φ / r^2 , one obtains

$$\frac{d^2\Phi}{dr^2} + \frac{1}{r} \frac{d\Phi}{dr} + \left(\alpha^2 - \frac{k_\theta^2}{r^2} \right) \Phi = 0. \quad (20)$$

Equation (19) can be rewritten as

$$\frac{d^2\Theta}{d\theta^2} + k_\theta^2 \Theta = 0. \quad (21)$$

The solution of equation (21) is written as

$$\Theta(\theta) = A \cos(k_\theta \theta) + B \sin(k_\theta \theta). \quad (22)$$

Single-valueness requirements on $\Theta(\theta)$ give

$$k_\theta = n \quad (\text{an integer}). \quad (23)$$

Then, equation (20) becomes

$$\frac{d^2\Phi}{dr^2} + \frac{1}{r} \frac{d\Phi}{dr} + \left(\alpha^2 - \frac{n^2}{r^2} \right) \Phi = 0. \quad (24)$$

Note that equation (24) is the Bessel equation of order n .

Equation (15) is now written as

$$\phi(r, \theta, z, \varphi, t) = \Phi(r) \cos n \theta e^{-i(k_z z - \omega t)}. \quad (25)$$

Then, the solution of equation (8) is written as

$$\phi(r, \theta, z, \varphi, t) = \{A_1 J_n(\alpha r) + B_1 Y_n(\alpha r)\} \cos n\theta e^{-i(k_z z - \omega t)}, \quad (26)$$

and $J_n(\alpha r)$ and $Y_n(\alpha r)$ are the first and second kinds of the Bessel function of order n , with the argument αr , respectively.

Similarly, the solutions of equations (12) and (13) are assumed:

$$\psi_r(r, \theta, z, \varphi, t) = \Psi_r(r) \sin n\theta e^{-i(k_z z - \omega t)} \quad (27)$$

and

$$\psi_\theta(r, \theta, z, \varphi, t) = \Psi_\theta(r) \cos n\theta e^{-i(k_z z - \omega t)}. \quad (28)$$

Substituting equations (27) and (28) into equation (12) gives

$$\frac{d^2 \Psi_r}{dr^2} + \frac{1}{r} \frac{d\Psi_r}{dr} + \frac{1}{r^2} (-n^2 \Psi_r - \Psi_r + 2n\Psi_\theta) + \beta^2 \Psi_r = 0, \quad (29)$$

where $\beta = (k_s^2 - k_z^2)^{1/2}$ and $k_s = \omega / c_s$.

Similarly, substituting equations (27) and (28) into equation (13) gives

$$\frac{d^2 \Psi_\theta}{dr^2} + \frac{1}{r} \frac{d\Psi_\theta}{dr} + \frac{1}{r^2} (-n^2 \Psi_\theta - \Psi_\theta + 2n\Psi_r) + \beta^2 \Psi_\theta = 0. \quad (30)$$

Subtracting equation (30) from equation (29) gives

$$\left\{ \frac{d^2}{dr^2} + \frac{1}{r} \frac{d}{dr} + \left[\beta^2 - \frac{(n+1)^2}{r^2} \right] \right\} (\Psi_r - \Psi_\theta) = 0. \quad (31)$$

Adding equation (30) to equation (29) gives

$$\left\{ \frac{d^2}{dr^2} + \frac{1}{r} \frac{d}{dr} + \left[\beta^2 - \frac{(n-1)^2}{r^2} \right] \right\} (\Psi_r + \Psi_\theta) = 0. \quad (32)$$

The solution of equation (31) is written as

$$\Psi_r - \Psi_\theta = 2A_2 J_{n+1}(\beta r) + 2B_2 Y_{n+1}(\beta r). \quad (33)$$

Similarly, the solution of equation (32) is written as

$$\Psi_r + \Psi_\theta = 2A_2' J_{n-1}(\beta r) + 2B_2' Y_{n-1}(\beta r). \quad (34)$$

The property of the gauge invariance^{9,10,11} can now be utilized to eliminate two of the integration constants. It may be shown that any one of three potentials, Φ , $(\Psi_r - \Psi_\theta)$, and $(\Psi_r + \Psi_\theta)$, can be set equal to zero, without loss of the generality of solution. If $(\Psi_r + \Psi_\theta) = 0$, one obtains

$$\Psi_r = -\Psi_\theta, \quad (35)$$

which also means that $A_2' = B_2' = 0$.

Substituting equation (35) into equation (33) gives

$$\Psi_r(r) = A_2 J_{n+1}(\beta r) + B_2 Y_{n+1}(\beta r). \quad (36)$$

Note that $\Psi_\theta(r) = -\Psi_r(r)$; i.e.,

$$\Psi_\theta(r) = -A_2 J_{n+1}(\beta r) - B_2 Y_{n+1}(\beta r). \quad (37)$$

If equation (36) is substituted into equation (27), then the radial component of the vector potential is written as

$$\psi_r(r, \theta, z, \varphi, t) = \{A_2 J_{n+1}(\beta r) + B_2 Y_{n+1}(\beta r)\} \sin n\theta e^{-i(k_z z - \omega t)}. \quad (38)$$

Similarly, the circumferential component of the vector potential is written as

$$\psi_\theta(r, \theta, z, \varphi, t) = \{-[A_2 J_{n+1}(\beta r) + B_2 Y_{n+1}(\beta r)]\} \cos n\theta e^{-i(k_z z - \omega t)}. \quad (39)$$

Finally, the axial component of the vector potential is assumed to be

$$\psi_z(r, \theta, z, \varphi, t) = \Psi_z(r) \sin n\theta e^{-i(k_z z - \omega t)}. \quad (40)$$

Substituting equation (40) into equation (14) gives

$$\Psi_z(r) = A_3 J_n(\beta r) + B_3 Y_n(\beta r). \quad (41)$$

Combining equation (41) with equation (40) gives

$$\psi_z(r, \theta, z, \varphi, t) = \{A_3 J_n(\beta r) + B_3 Y_n(\beta r)\} \sin n\theta e^{-i(k_z z - \omega t)}. \quad (42)$$

If equations (26), (39), and (42) are substituted into equation (9), the radial displacement is written as

$$\begin{aligned}
u_r(r, \theta, z, \varphi, t) &= \frac{\partial \phi}{\partial r} + \frac{1}{r} \frac{\partial \psi_z}{\partial \theta} - \frac{\partial \psi_\theta}{\partial z} \\
&= \left\{ A_1 \left[\alpha J'_n(\alpha r) \right] + B_1 \left[\alpha Y'_n(\alpha r) \right] \right. \\
&\quad + A_2 \left[-ik_z J_{n+1}(\beta r) \right] + B_2 \left[-ik_z Y_{n+1}(\beta r) \right] \\
&\quad \left. + A_3 \left[\frac{n}{r} J_n(\beta r) \right] + B_3 \left[\frac{n}{r} Y_n(\beta r) \right] \right\} \\
&\quad \times \cos n\theta e^{-i(k_z z - \omega t)}.
\end{aligned} \tag{43}$$

If equations (26), (38), and (42) are substituted into equation (10), the circumferential displacement is written as

$$\begin{aligned}
u_\theta(r, \theta, z, \varphi, t) &= \frac{1}{r} \frac{\partial \phi}{\partial \theta} + \frac{\partial \psi_r}{\partial z} - \frac{\partial \psi_z}{\partial r} \\
&= \left\{ A_1 \left[-\frac{n}{r} J_n(\alpha r) \right] + B_1 \left[-\frac{n}{r} Y_n(\alpha r) \right] \right. \\
&\quad + A_2 \left[-ik_z J_{n+1}(\beta r) \right] + B_2 \left[-ik_z Y_{n+1}(\beta r) \right] \\
&\quad \left. + A_3 \left[-\beta J'_n(\beta r) \right] + B_3 \left[-\beta Y'_n(\beta r) \right] \right\} \\
&\quad \times \sin n\theta e^{-i(k_z z - \omega t)}.
\end{aligned} \tag{44}$$

If equations (26), (38), and (39) are substituted into equation (11), the axial displacement is written as

$$\begin{aligned}
u_z(r, \theta, z, \varphi, t) &= \frac{\partial \phi}{\partial z} + \frac{\psi_\theta}{r} + \frac{\partial \psi_\theta}{\partial r} - \frac{1}{r} \frac{\partial \psi_r}{\partial \theta} \\
&= \left\{ A_1 \left[-ik_z J_n(\alpha r) \right] + B_1 \left[-ik_z Y_n(\alpha r) \right] \right. \\
&\quad + A_2 \left[-\left(\frac{n+1}{r} J_{n+1}(\beta r) + \beta J'_{n+1}(\beta r) \right) \right] \\
&\quad \left. + B_2 \left[-\left(\frac{n+1}{r} Y_{n+1}(\beta r) + \beta Y'_{n+1}(\beta r) \right) \right] \right\} \\
&\quad \times \cos n\theta e^{-i(k_z z - \omega t)}.
\end{aligned} \tag{45}$$

The radial, circumferential, and axial stress components are written as

$$\begin{aligned}
\tau_{rr} &= \lambda \left(\frac{\partial u_r}{\partial r} + \frac{1}{r} \frac{\partial u_\theta}{\partial \theta} + \frac{u_r}{r} + \frac{\partial u_z}{\partial z} \right) + 2\mu \frac{\partial u_r}{\partial r} \\
&= (\lambda + 2\mu) \left(\frac{\partial u_r}{\partial r} \right) + [(\lambda + 2\mu) - 2\mu] \left(\frac{1}{r} \frac{\partial u_\theta}{\partial \theta} + \frac{u_r}{r} + \frac{\partial u_z}{\partial z} \right),
\end{aligned} \tag{46}$$

$$\tau_{r\theta} = \mu \left(\frac{1}{r} \frac{\partial u_r}{\partial \theta} + \frac{\partial u_\theta}{\partial r} - \frac{u_\theta}{r} \right), \tag{47}$$

and

$$\tau_{rz} = \mu \left(\frac{\partial u_z}{\partial r} + \frac{\partial u_r}{\partial z} \right). \tag{48}$$

Substituting equations (43), (44), and (45) into equation (46), one obtains the radial stress

$$\begin{aligned}
\tau_{rr}(r, \theta, z, \varphi, t) &= \rho c_d^2 \left(\frac{\partial u_r}{\partial r} \right) \\
&+ \rho (c_d^2 - 2c_s^2) \left(\frac{1}{r} \frac{\partial u_\theta}{\partial \theta} + \frac{u_r}{r} + \frac{\partial u_z}{\partial z} \right) \\
&= \left[A_1 \left\{ \rho c_d^2 \cdot \alpha^2 J_n''(\alpha r) \right. \right. \\
&+ \rho (c_d^2 - 2c_s^2) \left[- \left\{ \left(\frac{n}{r} \right)^2 + k_z^2 \right\} J_n(\alpha r) + \frac{\alpha}{r} J_n'(\alpha r) \right] \left. \right\} \\
&+ B_1 \left\{ \rho c_d^2 \cdot \alpha^2 Y_n''(\alpha r) \right. \\
&+ \rho (c_d^2 - 2c_s^2) \left[- \left\{ \left(\frac{n}{r} \right)^2 + k_z^2 \right\} Y_n(\alpha r) + \frac{\alpha}{r} Y_n'(\alpha r) \right] \left. \right\} \\
&+ A_2 \left\{ \rho c_d^2 \left(-ik_z \beta J_{n+1}'(\beta r) \right) \right. \\
&+ \rho (c_d^2 - 2c_s^2) \left[ik_z \beta J_{n+1}'(\beta r) \right] \left. \right\}
\end{aligned}$$

$$\begin{aligned}
& + B_2 \left\{ \rho c_d^2 \left(-ik_z \beta Y'_{n+1}(\beta r) \right) \right. \\
& + \rho (c_d^2 - 2c_s^2) \left[ik_z \beta Y'_{n+1}(\beta r) \right] \left. \right\} \\
& + A_3 \left\{ \rho c_d^2 \left(-\frac{n}{r^2} J_n(\beta r) + \frac{n}{r} \beta J'_n(\beta r) \right) \right. \\
& + \rho (c_d^2 - 2c_s^2) \left[-\frac{n\beta}{r} J'_n(\beta r) + \frac{n}{r^2} J_n(\beta r) \right] \left. \right\} \\
& + B_3 \left\{ \rho c_d^2 \left(-\frac{n}{r^2} Y_n(\beta r) + \frac{n}{r} \beta Y'_n(\beta r) \right) \right. \\
& + \rho (c_d^2 - 2c_s^2) \left[-\frac{n\beta}{r} Y'_n(\beta r) + \frac{n}{r^2} Y_n(\beta r) \right] \left. \right\} \\
& \times \cos n\theta e^{-i(k_z z - \omega t)}
\end{aligned} \tag{49}$$

Substituting equation (43) and (44) into equation (47), one obtains the circumferential stress

$$\begin{aligned}
\tau_{r\theta}(r, \theta, z, \varphi, t) &= \rho c_s^2 \left(\frac{1}{r} \frac{\partial u_r}{\partial \theta} + \frac{\partial u_\theta}{\partial r} - \frac{u_\theta}{r} \right) \\
&= \left[A_1 \left\{ \rho c_s^2 \left[\frac{2n}{r^2} J_n(\alpha r) - \frac{2n\alpha}{r} J'_n(\alpha r) \right] \right. \right. \\
&+ B_1 \left\{ \rho c_s^2 \left[\frac{2n}{r^2} Y_n(\alpha r) - \frac{2n\alpha}{r} Y'_n(\alpha r) \right] \right. \\
&+ A_2 \left. \left. \left\{ \rho c_s^2 \left[\frac{i(n+1)k_z}{r} J_{n+1}(\beta r) - ik_z \beta J'_{n+1}(\beta r) \right] \right\} \right] \right]
\end{aligned}$$

$$\begin{aligned}
& + B_2 \left\{ \rho c_s^2 \left[\frac{i(n+1)}{r} k_z Y_{n+1}(\beta r) - ik_z \beta Y'_{n+1}(\beta r) \right] \right\} \\
& + A_3 \left\{ \rho c_s^2 \left[-\left(\frac{n}{r}\right)^2 J_n(\beta r) - \beta^2 J_n''(\beta r) - \left(-\frac{\beta}{r} J'_n(\beta r)\right) \right] \right\} \\
& + B_3 \left\{ \rho c_s^2 \left[-\left(\frac{n}{r}\right)^2 Y_n(\beta r) - \beta^2 Y_n''(\beta r) - \left(-\frac{\beta}{r} Y'_n(\beta r)\right) \right] \right\} \\
& \times \sin n\theta e^{-i(k_z z - \omega t)}.
\end{aligned} \tag{50}$$

Substituting equations (43) and (45) into equation (48), one obtains the axial stress

$$\begin{aligned}
\tau_{rz}(r, \theta, z, \varphi, t) &= \rho c_s^2 \left(\frac{\partial u_z}{\partial r} + \frac{\partial u_r}{\partial z} \right) \\
&= \left[A_1 \left\{ \rho c_s^2 \left[-2ik_z \alpha J'_n(\alpha r) \right] \right\} \right. \\
&+ B_1 \left\{ \rho c_s^2 \left[-2ik_z \alpha Y'_n(\alpha r) \right] \right\} \\
&+ A_2 \left\{ \rho c_s^2 \left[\left(\frac{(n+1)}{r^2} - k_z^2 \right) J_{n+1}(\beta r) - \frac{(n+1)}{r} \beta J'_{n+1}(\beta r) - \beta^2 J''_{n+1}(\beta r) \right] \right\} \\
&+ B_2 \left\{ \rho c_s^2 \left[\left(\frac{(n+1)}{r^2} - k_z^2 \right) Y_{n+1}(\beta r) - \frac{(n+1)}{r} \beta Y'_{n+1}(\beta r) - \beta^2 Y''_{n+1}(\beta r) \right] \right\} \\
&+ A_3 \left\{ \rho c_s^2 \left[-\frac{ink_z}{r} J_n(\beta r) \right] \right\} \\
&+ B_3 \left\{ \rho c_s^2 \left[-\frac{ink_z}{r} Y_n(\beta r) \right] \right\} \\
&\times \cos n\theta e^{-i(k_z z - \omega t)}.
\end{aligned} \tag{51}$$

The divergence of ψ is an arbitrary function:^{9,10}

$$\nabla \cdot \psi = \frac{\partial \psi_r}{\partial r} + \frac{\psi_r}{r} + \frac{1}{r} \frac{\partial \psi_\theta}{\partial \theta} + \frac{\partial \psi_z}{\partial z}. \quad (52)$$

In the outside fluid medium (water), the acoustic pressure is given by the sum of the incident wave and the scattered wave pressures as follows:

$$p_0(r, \theta, z, \varphi, t) = p_i(r, \theta, z, \varphi, t) + p_s(r, \theta, z, \varphi, t), \quad (53)$$

where $p_0(r, \theta, z, \varphi, t)$ is the total wave pressure, $p_i(r, \theta, z, \varphi, t)$ is the incident wave pressure, and $p_s(r, \theta, z, \varphi, t)$ is the scattered wave pressure. When a plane wave is incident at an angle φ with the normal to the cylindrical axis, the total pressure is written as

$$p_0(r, \theta, z, \varphi, t) = P_i e^{-i(k_z z - \omega t)} \sum_{n=0}^{\infty} (-i)^n \varepsilon_n \left\{ J_n(k_0 r \cos \varphi) + A_0^{(n)} H_n^{(2)}(k_0 r \cos \varphi) \right\} \cos n\theta, \quad (54)$$

where P_i is the amplitude of the incident wave, $A_0^{(n)}$ is the unknown coefficient to be determined for order n , and ε_n is the Neumann constant ($\varepsilon_n = 1$ for $n = 0$ and $\varepsilon_n = 2$ for $n \geq 1$). Note that the scattered outgoing wave that satisfies the radiation condition is given by the Hankel function of the second kind:

$$H_n^{(2)}(k_0 r \cos \varphi) = J_n(k_0 r \cos \varphi) - iY_n(k_0 r \cos \varphi). \quad (55)$$

Inside the coated cylindrical shell (air), the pressure field is written as

$$p_3(r, \theta, z, \varphi, t) = P_i e^{-i(k_z z - \omega t)} \sum_{n=0}^{\infty} (-i)^n \varepsilon_n B_0^{(n)} J_n(k_3 r \cos \varphi_3) \cos n\theta, \quad (56)$$

where $p_3(r, \theta, z, \varphi, t)$ is the pressure field in the core of the cylindrical structure, $B_0^{(n)}$ is the unknown coefficient to be determined for order n , $k_3 = \omega / c_3$, c_3 is the sound speed in the core, and $\cos \varphi_3 = [1 - (k_0 \sin \varphi / k_3)^2]^{1/2}$.

To ensure consistency with equations (54) and (56), the scalar potential $\phi(r, \theta, z, \varphi, t)$ and the three components of the vector potential $\psi(r, \theta, z, \varphi, t)$ may be rewritten as

$$\phi(r, \theta, z, \varphi, t) = P_i e^{-i(k_z z - \omega t)} \sum_{n=0}^{\infty} (-i)^n \varepsilon_n \{A_1^{(n)} J_n(\alpha r) + B_1^{(n)} Y_n(\alpha r)\} \cos n\theta, \quad (57)$$

$$\psi_r(r, \theta, z, \varphi, t) = P_i e^{-i(k_z z - \omega t)} \sum_{n=0}^{\infty} (-i)^n \varepsilon_n \{A_2^{(n)} J_{n+1}(\beta r) + B_2^{(n)} Y_{n+1}(\beta r)\} \sin n\theta, \quad (58)$$

$$\psi_\theta(r, \theta, z, \varphi, t) = P_i e^{-i(k_z z - \omega t)} \sum_{n=0}^{\infty} (-i)^n \varepsilon_n \{-A_2^{(n)} J_{n+1}(\beta r) - B_2^{(n)} Y_{n+1}(\beta r)\} \cos n\theta, \quad (59)$$

and

$$\psi_z(r, \theta, z, \varphi, t) = P_i e^{-i(k_z z - \omega t)} \sum_{n=0}^{\infty} (-i)^n \varepsilon_n \{A_3^{(n)} J_n(\beta r) + B_3^{(n)} Y_n(\beta r)\} \sin n\theta. \quad (60)$$

If equations (57) through (60) are used, the radial displacement u_r , the circumferential displacement u_θ , the axial displacement u_z , the radial stress τ_{rr} , the circumferential stress $\tau_{r\theta}$, and the axial stress τ_{rz} , are preceded by the expression, $P_i \sum_{n=0}^{\infty} (-i)^n \varepsilon_n$. These six quantities include the six unknown coefficients: $A_1^{(n)}$, $B_1^{(n)}$, $A_2^{(n)}$, $B_2^{(n)}$, $A_3^{(n)}$, and $B_3^{(n)}$. These coefficients should be determined for each order n by using the pertinent boundary conditions.

FORMULATION OF THE PROBLEM

In this section, the unknown coefficients are determined by using the pertinent boundary conditions. The boundary conditions to be satisfied at the interface between the outer fluid and the outer surface of the coating (denoted by layer 1) of the cylindrical shell structure; i.e., $r = R_0$, are written as

$$\left[\tau_{rr,1}^{(n)} \right]_{r=R_0} = \left[-p_0^{(n)} \right]_{r=R_0}, \quad (61)$$

$$\left[\frac{\partial^2 u_{r,1}^{(n)}}{\partial t^2} \right]_{r=R_0} = -\frac{1}{\rho_0} \left[\frac{\partial p_0^{(n)}}{\partial r} \right]_{r=R_0}, \quad (62)$$

$$\left[\tau_{r\theta,1}^{(n)} \right]_{r=R_0} = 0, \quad (63)$$

and

$$\left[\tau_{rz,1}^{(n)} \right]_{r=R_0} = 0, \quad (64)$$

where $\left[\tau_{rr,1}^{(n)} \right]_{r=R_0}$ is the normal stress of order n at the surface $r = R_0$, and the subscript 1 refers to the layer 1 (coating). Similar notations are used for the total pressure, the radial displacement, and the shear stresses. Note that ρ_0 is the density of the outer fluid. The boundary conditions to be satisfied at the interface between the cylindrical shell and the coating, i.e., $r = R_1$, are written as

$$\left[\tau_{rr,1}^{(n)} \right]_{r=R_1} = \left[\tau_{rr,2}^{(n)} \right]_{r=R_1}, \quad (65)$$

$$\left[\tau_{r\theta,1}^{(n)} \right]_{r=R_1} = \left[\tau_{r\theta,2}^{(n)} \right]_{r=R_1}, \quad (66)$$

$$\left[\tau_{rz,1}^{(n)} \right]_{r=R_1} = \left[\tau_{rz,2}^{(n)} \right]_{r=R_1}, \quad (67)$$

$$\left[u_{r,1}^{(n)} \right]_{r=R_1} = \left[u_{r,2}^{(n)} \right]_{r=R_1}, \quad (68)$$

$$\left[u_{\theta,1}^{(n)} \right]_{r=R_1} = \left[u_{\theta,2}^{(n)} \right]_{r=R_1}, \quad (69)$$

and

$$\left[u_{z,1}^{(n)} \right]_{r=R_1} = \left[u_{z,2}^{(n)} \right]_{r=R_1}. \quad (70)$$

The boundary conditions to be satisfied at the interface between the cylindrical shell and the core fluid, i.e., $r=R_2$, are written as

$$\left[\tau_{r\theta,2}^{(n)} \right]_{r=R_2} = 0, \quad (71)$$

$$\left[\tau_{rz,2}^{(n)} \right]_{r=R_2} = 0, \quad (72)$$

$$\left[\frac{\partial^2 u_{r,2}^{(n)}}{\partial t^2} \right]_{r=R_2} = -\frac{1}{\rho_3} \left[\frac{\partial p_3^{(n)}}{\partial r} \right]_{r=R_2}, \quad (73)$$

and

$$\left[\tau_{rr,2}^{(n)} \right]_{r=R_2} = \left[-p_3^{(n)} \right]_{r=R_2}, \quad (74)$$

where $p_3^{(n)}$ is the pressure field in the core, and ρ_3 is the density. Substituting equations (49) and (54) into equation (61) gives for order n

$$a_{11}^{(n)} A_0^{(n)} + a_{12}^{(n)} A_{1,1}^{(n)} + a_{13}^{(n)} B_{1,1}^{(n)} + a_{14}^{(n)} A_{2,1}^{(n)} + a_{15}^{(n)} B_{2,1}^{(n)} + a_{16}^{(n)} A_{3,1}^{(n)} + a_{17}^{(n)} B_{3,1}^{(n)} = b_1^{(n)}, \quad (75)$$

where the superscript (n) denotes the order n , and the coefficients $a_{11}^{(n)}, a_{12}^{(n)}, \dots$, and $b_1^{(n)}$ are given in appendix A. Note that $A_{1,1}^{(n)}$ is the unknown coefficient A_1 of order n for the layer 1 (coating). Similar notations are used for other unknown coefficients. Substituting equations (43) and (54) into equation (62) gives for order n

$$a_{21}^{(n)} A_0^{(n)} + a_{22}^{(n)} A_{1,1}^{(n)} + a_{23}^{(n)} B_{1,1}^{(n)} + a_{24}^{(n)} A_{2,1}^{(n)} + a_{25}^{(n)} B_{2,1}^{(n)} + a_{26}^{(n)} A_{3,1}^{(n)} + a_{27}^{(n)} B_{3,1}^{(n)} = b_2^{(n)}. \quad (76)$$

Substituting equation (50) into equation (63) gives for order n

$$a_{32}^{(n)} A_{1,1}^{(n)} + a_{33}^{(n)} B_{1,1}^{(n)} + a_{34}^{(n)} A_{2,1}^{(n)} + a_{35}^{(n)} B_{2,1}^{(n)} + a_{36}^{(n)} A_{3,1}^{(n)} + a_{37}^{(n)} B_{3,1}^{(n)} = 0. \quad (77)$$

Substituting equation (51) into equation (64) gives for order n

$$a_{42}^{(n)} A_{1,1}^{(n)} + a_{43}^{(n)} B_{1,1}^{(n)} + a_{44}^{(n)} A_{2,1}^{(n)} + a_{45}^{(n)} B_{2,1}^{(n)} + a_{46}^{(n)} A_{3,1}^{(n)} + a_{47}^{(n)} B_{3,1}^{(n)} = 0. \quad (78)$$

Substituting equation (49) into equation (65) gives for order n

$$a_{52}^{(n)} A_{1,1}^{(n)} + a_{53}^{(n)} B_{1,1}^{(n)} + a_{54}^{(n)} A_{2,1}^{(n)} + a_{55}^{(n)} B_{2,1}^{(n)} + a_{56}^{(n)} A_{3,1}^{(n)} + a_{57}^{(n)} B_{3,1}^{(n)} + a_{58}^{(n)} A_{1,2}^{(n)} + a_{59}^{(n)} B_{1,2}^{(n)} + a_{5,10}^{(n)} A_{2,2}^{(n)} + a_{5,11}^{(n)} B_{2,2}^{(n)} + a_{5,12}^{(n)} A_{3,2}^{(n)} + a_{5,13}^{(n)} B_{3,2}^{(n)} = 0. \quad (79)$$

Substituting equation (50) into equation (66) gives for order n

$$a_{62}^{(n)} A_{1,1}^{(n)} + a_{63}^{(n)} B_{1,1}^{(n)} + a_{64}^{(n)} A_{2,1}^{(n)} + a_{65}^{(n)} B_{2,1}^{(n)} + a_{66}^{(n)} A_{3,1}^{(n)} + a_{67}^{(n)} B_{3,1}^{(n)} + a_{68}^{(n)} A_{1,2}^{(n)} + a_{69}^{(n)} B_{1,2}^{(n)} + a_{6,10}^{(n)} A_{2,2}^{(n)} + a_{6,11}^{(n)} B_{2,2}^{(n)} + a_{6,12}^{(n)} A_{3,2}^{(n)} + a_{6,13}^{(n)} B_{3,2}^{(n)} = 0. \quad (80)$$

Substituting equation (51) into equation (67) gives for order n

$$\begin{aligned}
& a_{72}^{(n)} A_{1,1}^{(n)} + a_{73}^{(n)} B_{1,1}^{(n)} + a_{74}^{(n)} A_{2,1}^{(n)} + a_{75}^{(n)} B_{2,1}^{(n)} + a_{76}^{(n)} A_{3,1}^{(n)} + a_{77}^{(n)} B_{3,1}^{(n)} + a_{78}^{(n)} A_{1,2}^{(n)} \\
& + a_{79}^{(n)} B_{1,2}^{(n)} + a_{7,10}^{(n)} A_{2,2}^{(n)} + a_{7,11}^{(n)} B_{2,2}^{(n)} + a_{7,12}^{(n)} A_{3,2}^{(n)} + a_{7,13}^{(n)} B_{3,2}^{(n)} = 0.
\end{aligned} \tag{81}$$

Substituting equation (43) into equation (68) gives for order n

$$\begin{aligned}
& a_{82}^{(n)} A_{1,1}^{(n)} + a_{83}^{(n)} B_{1,1}^{(n)} + a_{84}^{(n)} A_{2,1}^{(n)} + a_{85}^{(n)} B_{2,1}^{(n)} + a_{86}^{(n)} A_{3,1}^{(n)} + a_{87}^{(n)} B_{3,1}^{(n)} + a_{88}^{(n)} A_{1,2}^{(n)} \\
& + a_{89}^{(n)} B_{1,2}^{(n)} + a_{8,10}^{(n)} A_{2,2}^{(n)} + a_{8,11}^{(n)} B_{2,2}^{(n)} + a_{8,12}^{(n)} A_{3,2}^{(n)} + a_{8,13}^{(n)} B_{3,2}^{(n)} = 0.
\end{aligned} \tag{82}$$

Substituting equation (44) into equation (69) gives for order n

$$\begin{aligned}
& a_{92}^{(n)} A_{1,1}^{(n)} + a_{93}^{(n)} B_{1,1}^{(n)} + a_{94}^{(n)} A_{2,1}^{(n)} + a_{95}^{(n)} B_{2,1}^{(n)} + a_{96}^{(n)} A_{3,1}^{(n)} + a_{97}^{(n)} B_{3,1}^{(n)} + a_{98}^{(n)} A_{1,2}^{(n)} \\
& + a_{99}^{(n)} B_{1,2}^{(n)} + a_{9,10}^{(n)} A_{2,2}^{(n)} + a_{9,11}^{(n)} B_{2,2}^{(n)} + a_{9,12}^{(n)} A_{3,2}^{(n)} + a_{9,13}^{(n)} B_{3,2}^{(n)} = 0.
\end{aligned} \tag{83}$$

Substituting equation (45) into equation (70) gives for order n

$$\begin{aligned}
& a_{10,2}^{(n)} A_{1,1}^{(n)} + a_{10,3}^{(n)} B_{1,1}^{(n)} + a_{10,4}^{(n)} A_{2,1}^{(n)} + a_{10,5}^{(n)} B_{2,1}^{(n)} \\
& + a_{10,8}^{(n)} A_{1,2}^{(n)} + a_{10,9}^{(n)} B_{1,2}^{(n)} + a_{10,10}^{(n)} A_{2,2}^{(n)} + a_{10,11}^{(n)} B_{2,2}^{(n)} = 0.
\end{aligned} \tag{84}$$

Substituting equation (50) into equation (71) gives for order n

$$\begin{aligned}
& a_{11,8}^{(n)} A_{1,2}^{(n)} + a_{11,9}^{(n)} B_{1,2}^{(n)} + a_{11,10}^{(n)} A_{2,2}^{(n)} \\
& + a_{11,11}^{(n)} B_{2,2}^{(n)} + a_{11,12}^{(n)} A_{3,2}^{(n)} + a_{11,13}^{(n)} B_{3,2}^{(n)} = 0.
\end{aligned} \tag{85}$$

Substituting equation (51) into equation (72) gives for order n

$$\begin{aligned}
& a_{12,8}^{(n)} A_{1,2}^{(n)} + a_{12,9}^{(n)} B_{1,2}^{(n)} + a_{12,10}^{(n)} A_{2,2}^{(n)} \\
& + a_{12,11}^{(n)} B_{2,2}^{(n)} + a_{12,12}^{(n)} A_{3,2}^{(n)} + a_{12,13}^{(n)} B_{3,2}^{(n)} = 0.
\end{aligned} \tag{86}$$

Substituting equations (43) and (56) into equation (73) gives for order n

$$\begin{aligned}
& a_{13,8}^{(n)} A_{1,2}^{(n)} + a_{13,9}^{(n)} B_{1,2}^{(n)} + a_{13,10}^{(n)} A_{2,2}^{(n)} \\
& + a_{13,11}^{(n)} B_{2,2}^{(n)} + a_{13,12}^{(n)} A_{3,2}^{(n)} + a_{13,13}^{(n)} B_{3,2}^{(n)} + a_{13,14}^{(n)} B_0^{(n)} = 0.
\end{aligned} \tag{87}$$

Substituting equations (49) and (56) into equation (74) gives for order n

$$\begin{aligned} & \alpha_{14,8}^{(n)} A_{1,2}^{(n)} + \alpha_{14,9}^{(n)} B_{1,2}^{(n)} + \alpha_{14,10}^{(n)} A_{2,2}^{(n)} \\ & + \alpha_{14,11}^{(n)} B_{2,2}^{(n)} + \alpha_{14,12}^{(n)} A_{3,2}^{(n)} + \alpha_{14,13}^{(n)} B_{3,2}^{(n)} + \alpha_{14,14}^{(n)} B_0^{(n)} = 0. \end{aligned} \quad (88)$$

Using equations (75) through (88), one may obtain a system of linear algebraic equations to be solved for the unknown coefficients for order n : $A_0^{(n)}$, $A_{1,1}^{(n)}$, $B_{1,1}^{(n)}$, $A_{2,1}^{(n)}$, $B_{2,1}^{(n)}$, $A_{3,1}^{(n)}$, $B_{3,1}^{(n)}$, $A_{1,2}^{(n)}$, $B_{1,2}^{(n)}$, $A_{2,2}^{(n)}$, $B_{2,2}^{(n)}$, $A_{3,2}^{(n)}$, $B_{3,2}^{(n)}$, and $B_0^{(n)}$ (shown in appendix B). After the coefficient $A_0^{(n)}$ has been obtained by solving the algebraic equations shown in appendix B, the pressure field scattered from the coated cylindrical shell at distance r is written as

$$p_s(r, \theta, z, \varphi, t) = P_i e^{-i(k_z z - \omega t)} \sum_{n=0}^{\infty} (-i)^n \varepsilon_n A_0^{(n)} H_n^{(2)}(k_0 r \cos \varphi) \cos n \theta. \quad (89)$$

Further, the farfield pressure can be obtained by using the asymptotic form of the Hankel function. Its asymptotic form ($r \rightarrow \infty$) is given by

$$H_n^{(2)}(k_0 r \cos \varphi) \sim \left(\frac{2}{\pi k_0 r \cos \varphi} \right)^{1/2} \exp \left[-i \left(k_0 r \cos \varphi - \frac{n\pi}{2} - \frac{\pi}{4} \right) \right]. \quad (90)$$

If equation (90) is combined with equation (89), the farfield pressure is written as

$$p_s(\theta, \varphi) = P_i \exp \left[-i \left(k_0 r \cos \varphi - k_z z - \frac{\pi}{4} \right) \right] \cdot \left(\frac{2}{\pi k_0 r \cos \varphi} \right)^{1/2} \sum_{n=0}^{\infty} \varepsilon_n A_0^{(n)} \cos n \theta. \quad (91)$$

NUMERICAL CALCULATIONS AND DISCUSSION

The numerical calculations for the scattered field from the coated cylindrical shell have been made using equation (91). The normalized farfield pressure level as a function of θ for a given φ is expressed as

$$\Psi(\theta, \varphi) = 20 \log_{10} \left[\frac{\Phi(\theta, \varphi)}{\Phi(\theta, \varphi)_{\max}} \right] \text{ dB}, \quad (92)$$

where

$$\Phi(\theta, \varphi) = P_i \left(\frac{2}{\pi k_0 r \cos \varphi} \right)^{1/2} \left| \sum_{n=0}^{+\infty} \varepsilon_n A_0^{(n)} \cos n\theta \right|. \quad (93)$$

$\Psi(\theta, \varphi)$ is the directivity pattern for the coated cylindrical shell, $A_0^{(n)}$ is obtained from the solution of the equation shown in appendix B, and $\Phi(\theta, \varphi)_{\max}$ is the maximum value of $\Phi(\theta, \varphi)$ calculated for $\theta = 0 - 360^\circ$ using equation (93). The directivity pattern for a rigid cylinder can be obtained from equation (92) provided that the coefficient $A_0^{(n)}$ is given by

$$A_0^{(n)} = - \frac{J_n'(k_0 R)}{H_n^{(2)'}(k_0 R)}, \quad (94)$$

where R is the radius of a rigid cylinder.^{3,4}

In calculating the directivity patterns using equation (92), it is necessary to use the properties of the coating and cylindrical shell, as well as their dimensions. The major parameters required in the present study are the material density, the dilatational (compressional) and shear (transverse) wave speeds in the material, and the densities and acoustic wave speeds of the fluid

media in contact with the outer and inner surfaces of the cylindrical shell structure. Note that dilatational and shear wave speeds are given by equations (6) and (7). The Lamé constants λ and μ shown in both equations can be expressed in terms of elastic constants as follows:

$$\lambda = E\sigma / [(1 + \sigma)(1 - 2\sigma)] \text{ and } \mu = E / [2(1 + \sigma)], \quad (95)$$

where E is Young's modulus and σ is Poisson's ratio. The elastomer coating (rubber-like material) has the Young's modulus ranging on the order of 10^7 to 10^9 dynes/cm² as a function of frequency. The Poisson's ratio σ for the rubber material normally approaches 0.5. Rubber is a lossy material that has an imaginary part of the Young's modulus. The complex (dynamic) Young's modulus is given by $E = E_r + iE_i$, where E_r and E_i are the real and imaginary parts of the Young's modulus, respectively. Actual values of E_r and E_i for a given material can be obtained from measurements. The ratio of E_i to E_r for rubber ranges from approximately 0.1 to 1.0, depending on the frequency. As can be seen in equation (95), λ cannot be defined for rubber-like materials because λ is infinite when $\sigma = 0.5$. Therefore, the dilatational wave speed (c_d) cannot be obtained from equation (6), but the shear wave speed (c_s) can be obtained from equation (7). An alternative expression for the dilatational wave speed in rubber is written as

$$c_d = [(B + 4\mu/3) / \rho]^{1/2}, \quad (96)$$

where B is the complex bulk modulus of material. Note that $|B| \gg |\mu|$. The loss factor associated with the dilatational wave is normally very small and is weakly dependent on frequency. The complex dilatational and shear wave speeds for the layer 1 (coating) are now written as follows:

$$c_{d1} = c_{d01} (1 + i\zeta_{d1})^{1/2} \quad (97)$$

and

$$c_{s1} = c_{s01} (1 + i\zeta_{s1})^{1/2}, \quad (98)$$

where c_{d01} and c_{s01} are the dilatational and shear wave speeds in the coating, and ζ_{d1} and ζ_{s1} are the loss factors associated with dilatational and shear waves, respectively. The cylindrical shell used in the present study is steel. The Lamé constants λ and μ for the cylindrical shell can be expressed in terms of E and σ as shown in equation (95). Normally, the Young's modulus of steel is real because it is not considered to be lossy material. However, all real structures possess some inherent structural damping. Thus, a frequency-independent small loss factor can be assigned in the numerical calculation. Then, the complex dilatational and shear wave speeds in the cylindrical shell can be directly obtained by using equations (6) and (7) in terms of the complex Young's modulus and Poisson's ratio and are written as follows:

$$c_{d2} = c_{d02} (1 + i\zeta_{d2})^{1/2}, \quad (99)$$

and

$$c_{s2} = c_{s02} (1 + i\zeta_{s2})^{1/2}, \quad (100)$$

where c_{d02} and c_{s02} are the dilatational and shear wave speeds in the layer 2 (shell), and ζ_{d2} and ζ_{s2} are the loss factors associated with dilatational and shear waves, respectively. The baseline data used in the calculation of the directivity patterns are as follows:

R_2 (inner radius of cylindrical shell)	25.4 cm
h_2 (shell thickness)	5.08 cm
h_1 (coating thickness)	5.08 cm
ρ_0 (water density)	1.0 g/cm ³
c_0 (sound speed in water)	150 000 cm/s
ρ_3 (air density)	0.00121 g/cm ³
c_3 (sound speed in air)	34 000 cm/s

ρ_1 (coating density)	0.6 g/cm ³
c_{s01} (shear wave speed in the coating)	5000 cm/s
c_{d01} (dilatational wave speed in the coating)	20000 cm/s
ζ_{s1} (shear loss factor of the coating)	0.3
ζ_{d1} (dilatational loss factor of the coating)	0.03
ρ_2 (shell density)	7.8 g/cm ³
E_2 (Young's modulus of shell)	19.5×10^{11} dyn/cm ²
σ_2 (Poisson's ratio of shell)	0.3
ζ_{s2} (shear loss factor of shell)	0.01
ζ_{d2} (dilatational loss factor of shell)	0.001

Figure 3 shows a comparison between the directivity patterns calculated at $f = 5000$ Hz using the two- and three-dimensional analyses. The solid line shows the directivity pattern calculated using the two-dimensional model and that calculated using the three-dimensional model with $\varphi = 0$. As shown in this figure, the two results are identical because the three-dimensional model with $\varphi = 0$ degenerates to the two-dimensional model. The dotted line in figure 3 shows the directivity pattern calculated for a rigid cylinder with an equivalent radius.




Figure 3. Directivity Patterns at $f=5000$ Hz

To compare relative scattered pressure fields for different cases (figure 3), the normalized peak response amplitude scaling factor P_{af} is given in the legend for each case. This factor was calculated as follows:

$$\begin{aligned}
 P_{af} &= 20 \log_{10} \left\{ \frac{\Phi(\theta, \varphi)_{\theta=0}}{P_i} \left(\frac{r}{R_0} \right)^{1/2} \right\} \\
 &= 20 \log_{10} \left\{ \left(\frac{2}{\pi k_0 R_0 \cos \varphi} \right)^{1/2} \left| \sum_{n=0}^{+\infty} \varepsilon_n A_0^{(n)} \right| \right\} \text{ dB}. \tag{101}
 \end{aligned}$$

Figures 4 through 12 present directivity patterns calculated for the coated cylindrical shell using the three-dimensional model. Figure 4 shows the directivity patterns calculated at $f = 5000$ Hz for various angles of incidence φ . In figure 4, the solid, dashed, and chain-dotted lines denote the results for $\varphi = 0^\circ$, 30° , and 60° , respectively. As anticipated, the major lobe width of the directivity pattern becomes broader as the angle of incidence increases. In the limit, the directivity pattern becomes omnidirectional as the angle of incidence approaches 90° .

Figure 5 shows the directivity patterns calculated for the angle of incidence $\varphi = 45^\circ$ for various frequencies. The solid, dashed, chain-dotted, and chain-dashed lines denote the results for $f = 2500, 5000, 7500,$ and $10,000$ Hz, respectively. It is shown in this figure that the major lobe width of the directivity pattern becomes broader as the frequency decreases. In the limit, the directivity pattern becomes omnidirectional as the frequency decreases.

Figure 6 presents the effect of the coating thickness h_1 on the directivity pattern. The solid, dashed, chain-dotted, and chain-dashed lines denote the results calculated at $f = 5000$ Hz and $\varphi = 45^\circ$ for $h_1 = 2.54, 5.08, 7.62,$ and 10.16 cm, respectively. It is shown in figure 6 that the difference between the results is not significant, although the results show some different values for different coating thicknesses. Figures 7 and 8 present the results similar to those shown in figure 6. Figures 7 and 8 show the directivity patterns for $f = 7500$ Hz and $f = 10,000$ Hz,

respectively. It is observed in both figures 7 and 8 that the effects of the coating thicknesses on the directivity patterns are not significant.

Figures 9 through 12 present the effects of the coating material parameters on the directivity patterns calculated for $f = 5000$ Hz and $\varphi = 45^\circ$. Figure 9 shows the effect of the dilatational wave speed (c_{d01}) in the coating on the directivity pattern. The solid, dashed, and chain-dotted lines denote the calculated results for the dilatational wave speed $c_{d01} = 2000$, 20,000, and 200,000 cm/s, respectively. As shown in figure 9, the major lobe width becomes narrower as the dilatational wave speed becomes lower. Figure 10 shows the effect of the loss factor (ζ_{d1}) associated with the dilatational wave speed on the directivity pattern. The solid, dashed, and chain-dotted lines denote the calculated results for $\zeta_{d1} = 0.03$, 0.3, and 0.9, respectively. As shown in figure 10, the difference between the results obtained for different loss factors is not significant. Figures 11 and 12 present the results calculated for various shear wave speeds (c_{s01}) and associated loss factors (ζ_{s1}), respectively. In figure 11, the solid, dashed, and chain-dotted lines denote the calculated results for the shear wave speed $c_{s01} = 2500$, 5000, and 50,000 cm/s, respectively. In figure 12, the solid, dashed, and chain-dotted lines show the calculated results $\zeta_{s1} = 0.3$, 0.9, and 1.5, respectively. As shown in both figures 11 and 12, no substantial differences are noticed for various shear wave speeds and the associated loss factors, respectively.




Figure 4. Effect of Incident Angle φ on the Directivity Pattern at $f = 5000 \text{ Hz}$




Figure 5. Effect of Frequency f on the Directivity Pattern for Incident Angle $\varphi = 45^\circ$





Figure 6. Effect of Coating Thickness h_1 on the Directivity Pattern at $f = 5000 \text{ Hz}$ for $\varphi = 45^\circ$





Figure 7. Effect of Coating Thickness h_1 on the Directivity Pattern at $f = 7500 \text{ Hz}$ for $\varphi = 45^\circ$




Figure 8. Effect of Coating Thickness h_1 on the Directivity Pattern at $f = 10,000 \text{ Hz}$ for $\varphi = 45^\circ$




Figure 9. Effect of Dilatational Wave Speed c_{d01} on the Directivity Pattern at $f = 5000 \text{ Hz}$ for $\varphi = 45^\circ$




Figure 10. Effect of Loss Factor ζ_{d1} Associated with the Dilatational Wave on the Directivity Pattern at $f = 5000 \text{ Hz}$ for $\varphi = 45^\circ$




Figure 11. Effect of Shear Wave Speed c_{s01} on the Directivity Pattern at $f = 5000 \text{ Hz}$ for $\varphi = 45^\circ$




Figure 12. Effect of Loss Factor ζ_{s1} Associated with Shear Wave on the Directivity Pattern at $f = 5000 \text{ Hz}$ for $\varphi = 45^\circ$

CONCLUSIONS

A three-dimensional analysis has been made of the scattering from a coated cylindrical shell by a plane acoustic wave making an incident angle with the normal to the cylindrical shell axis. Based on the limited calculations of directivity patterns, the following conclusions are drawn:

1. The major lobe width of the directivity pattern becomes broader as the angle of incidence (with the normal to the axial direction) increases for a given frequency.
2. The major lobe width of the directivity pattern becomes broader as the frequency decreases for a given angle of incidence.
3. The major lobe width of the directivity pattern becomes narrower as the thickness of the coating increases; however, the difference between various thicknesses of the coating is insignificant.
4. The major lobe width becomes narrower as the dilatational wave speed in the coating becomes lower. The contribution of the loss factor associated with the dilatational wave to the directivity pattern is insignificant.

Similar conclusions are drawn for the shear waves propagating in the coating.

REFERENCES

1. P. M. Morse, *Vibration and Sound*, McGraw-Hill Book Co., New York, 1948.
2. J. J. Bowen, J. B. A. Senior, and P. L. E. Uslenghi, *Electromagnetic and Acoustic Scattering from Simple Shapes*, Hemisphere Corp., New York, 1987.
3. G. C. Gaunaurd, "Sonar Cross Section of a Coated Hollow Cylinder in Water," *Journal of the Acoustical Society of America*, vol. 61, 1977, pp. 360-368.
4. L. Flax and W. G. Neubauer, "Acoustic Reflection from Layered Elastic Absorptive Cylinders," *Journal of the Acoustical Society of America*, vol. 61, 1977, pp. 301-312.
5. S. H. Ko, "Directivity Patterns for a Coated Cylindrical Shell (Two-Dimensional Analysis)," NUWC-NPT Technical Report 10,835, Naval Undersea Warfare Center Division, Newport, RI, 15 September 1995.
6. S. H. Ko and B. E. Sandman, "Acoustic Wave Scattering from a Coated Cylindrical Shell," *Journal of the Acoustical Society of America*, vol. 103, no. 2, 1998, p. 3073.
7. H. Kolsky, *Stress Wave in Solids*, Dover Publications, Inc., New York, 1963.
8. T. R. Meeker and A. H. Meizler, "Guided Wave Propagation in Elongated Cylinders and Plates," *Physical Acoustics*, W. P. Mason, ed., Academic Press, New York, 1964.
9. D. C. Gazis, "Three-Dimensional Investigation of the Propagation of Waves in Hollow Circular Cylinders, I. Analytical Foundation," *Journal of the Acoustical Society of America*, vol. 31, 1959, pp. 568-573.
10. K. F. Graff, *Wave Motion in Elastic Solids*, Dover Publications, Inc., 1975.
11. P. M. Morse and H. Feshbach, *Methods of Theoretical Physics*, McGraw-Hill Book Co., New York, 1953.

APPENDIX A
COEFFICIENTS OF EQUATIONS (75) THROUGH (88)

$$a_{11}^{(n)} = H_n^{(2)}(k_0 R_0 \cos \varphi)$$

$$a_{12}^{(n)} = \rho_1 c_{d1}^2 \alpha_1^2 J_n''(\alpha_1 R_0) + \rho_1 (c_{d1}^2 - 2c_{s1}^2) \left\{ - \left[\left(\frac{n}{R_0} \right)^2 + k_z^2 \right] J_n(\alpha_1 R_0) + \frac{\alpha_1}{R_0} J_n'(\alpha_1 R_0) \right\}$$

$$a_{13}^{(n)} = \rho_1 c_{d1}^2 \alpha_1^2 Y_n''(\alpha_1 R_0) + \rho_1 (c_{d1}^2 - 2c_{s1}^2) \left\{ - \left[\left(\frac{n}{R_0} \right)^2 + k_z^2 \right] Y_n(\alpha_1 R_0) + \frac{\alpha_1}{R_0} Y_n'(\alpha_1 R_0) \right\}$$

$$a_{14}^{(n)} = \rho_1 c_{d1}^2 \left\{ -ik_z \beta_1 J_{n+1}'(\beta_1 R_0) \right\} + \rho_1 (c_{d1}^2 - 2c_{s1}^2) \left\{ +ik_z \beta_1 J_{n+1}'(\beta_1 R_0) \right\}$$

$$a_{15}^{(n)} = \rho_1 c_{d1}^2 \left\{ -ik_z \beta_1 Y_{n+1}'(\beta_1 R_0) \right\} + \rho_1 (c_{d1}^2 - 2c_{s1}^2) \left\{ +ik_z \beta_1 Y_{n+1}'(\beta_1 R_0) \right\}$$

$$a_{16}^{(n)} = \rho_1 c_{d1}^2 \left\{ -\frac{n}{R_0^2} J_n(\beta_1 R_0) + \frac{n}{R_0} \beta_1 J_n'(\beta_1 R_0) \right\} + \rho_1 (c_{d1}^2 - 2c_{s1}^2) \left\{ -\frac{n\beta_1}{R_0} J_n'(\beta_1 R_0) + \frac{n}{R_0^2} J_n(\beta_1 R_0) \right\}$$

$$a_{17}^{(n)} = \rho_1 c_{d1}^2 \left\{ -\frac{n}{R_0^2} Y_n(\beta_1 R_0) + \frac{n}{R_0} \beta_1 Y_n'(\beta_1 R_0) \right\} + \rho_1 (c_{d1}^2 - 2c_{s1}^2) \left\{ -\frac{n\beta_1}{R_0} Y_n'(\beta_1 R_0) + \frac{n}{R_0^2} Y_n(\beta_1 R_0) \right\}$$

$$a_{21}^{(n)} = -k_0 \cos \varphi H_n^{(2)'}(k_0 R_0 \cos \varphi)$$

$$a_{22}^{(n)} = \rho_0 \omega^2 \alpha_1 J_n'(\alpha_1 R_0)$$

$$a_{23}^{(n)} = \rho_0 \omega^2 \alpha_1 Y_n'(\alpha_1 R_0)$$

$$a_{24}^{(n)} = -i\rho_0\omega^2 k_z J_{n+1}(\beta_1 R_0)$$

$$a_{25}^{(n)} = -i\rho_0\omega^2 k_z Y_{n+1}(\beta_1 R_0)$$

$$a_{26}^{(n)} = \rho_0\omega^2 \frac{n}{R_0} J_n(\beta_1 R_0)$$

$$a_{27}^{(n)} = \rho_0\omega^2 \frac{n}{R_0} Y_n(\beta_1 R_0)$$

$$a_{32}^{(n)} = \rho_1 c_{s1}^2 \left\{ \frac{2n}{R_0^2} J_n(\alpha_1 R_0) - \frac{2n\alpha_1}{R_0} J_n'(\alpha_1 R_0) \right\}$$

$$a_{33}^{(n)} = \rho_1 c_{s1}^2 \left\{ \frac{2n}{R_0^2} Y_n(\alpha_1 R_0) - \frac{2n\alpha_1}{R_0} Y_n'(\alpha_1 R_0) \right\}$$

$$a_{34}^{(n)} = \rho_1 c_{s1}^2 \left\{ \frac{i(n+1)}{R_0} k_z J_{n+1}(\beta_1 R_0) - ik_z \beta_1 J_{n+1}'(\beta_1 R_0) \right\}$$

$$a_{35}^{(n)} = \rho_1 c_{s1}^2 \left\{ \frac{i(n+1)}{R_0} k_z Y_{n+1}(\beta_1 R_0) - ik_z \beta_1 Y_{n+1}'(\beta_1 R_0) \right\}$$

$$a_{36}^{(n)} = \rho_1 c_{s1}^2 \left\{ -\left(\frac{n}{R_0}\right)^2 J_n(\beta_1 R_0) + \frac{\beta_1}{R_0} J_n'(\beta_1 R_0) - \beta_1^2 J_n''(\beta_1 R_0) \right\}$$

$$a_{37}^{(n)} = \rho_1 c_{s1}^2 \left\{ -\left(\frac{n}{R_0}\right)^2 Y_n(\beta_1 R_0) + \frac{\beta_1}{R_0} Y_n'(\beta_1 R_0) - \beta_1^2 Y_n''(\beta_1 R_0) \right\}$$

$$a_{42}^{(n)} = \rho_1 c_{s1}^2 \left\{ -2ik_z \alpha_1 J_n'(\alpha_1 R_0) \right\}$$

$$a_{43}^{(n)} = \rho_1 c_{s1}^2 \left\{ -2ik_z \alpha_1 Y_n'(\alpha_1 R_0) \right\}$$

$$a_{44}^{(n)} = \rho_1 c_{s1}^2 \left\{ \left(\frac{n+1}{R_0^2} - k_z^2 \right) J_{n+1}(\beta_1 R_0) - \frac{n+1}{R_0} \beta_1 J_{n+1}'(\beta_1 R_0) - \beta_1^2 J_{n+1}''(\beta_1 R_0) \right\}$$

$$a_{45}^{(n)} = \rho_1 c_{s1}^2 \left\{ \left(\frac{n+1}{R_0^2} - k_z^2 \right) Y_{n+1}(\beta_1 R_0) - \frac{n+1}{R_0} \beta_1 Y_{n+1}'(\beta_1 R_0) - \beta_1^2 Y_{n+1}''(\beta_1 R_0) \right\}$$

$$a_{46}^{(n)} = \rho_1 c_{s1}^2 \left\{ -\frac{ink_z}{R_0} J_n(\beta_1 R_0) \right\}$$

$$a_{47}^{(n)} = \rho_1 c_{s1}^2 \left\{ -\frac{ink_z}{R_0} Y_n(\beta_1 R_0) \right\}$$

$$a_{52}^{(n)} = \rho_1 c_{d1}^2 \alpha_1^2 J_n''(\alpha_1 R_1) + \rho_1 (c_{d1}^2 - 2c_{s1}^2) \left\{ -\left[\left(\frac{n}{R_1} \right)^2 + k_z^2 \right] J_n(\alpha_1 R_1) + \frac{\alpha_1}{R_1} J_n'(\alpha_1 R_1) \right\}$$

$$a_{53}^{(n)} = \rho_1 c_{d1}^2 \alpha_1^2 Y_n''(\alpha_1 R_1) + \rho_1 (c_{d1}^2 - 2c_{s1}^2) \left\{ -\left[\left(\frac{n}{R_1} \right)^2 + k_z^2 \right] Y_n(\alpha_1 R_1) + \frac{\alpha_1}{R_1} Y_n'(\alpha_1 R_1) \right\}$$

$$a_{54}^{(n)} = \rho_1 c_{d1}^2 \left\{ -ik_z \beta_1 J_{n+1}'(\beta_1 R_1) \right\} + \rho_1 (c_{d1}^2 - 2c_{s1}^2) \left\{ ik_z \beta_1 J_{n+1}'(\beta_1 R_1) \right\}$$

$$a_{55}^{(n)} = \rho_1 c_{d1}^2 \left\{ -ik_z \beta_1 Y_{n+1}'(\beta_1 R_1) \right\} + \rho_1 (c_{d1}^2 - 2c_{s1}^2) \left\{ ik_z \beta_1 Y_{n+1}'(\beta_1 R_1) \right\}$$

$$a_{56}^{(n)} = \rho_1 c_{d1}^2 \left\{ -\frac{n}{R_1^2} J_n(\beta_1 R_1) + \frac{n}{R_1} \beta_1 J_n'(\beta_1 R_1) \right\} \\ + \rho_1 (c_{d1}^2 - 2c_{s1}^2) \left\{ -\frac{n\beta_1}{R_1} J_n'(\beta_1 R_1) + \frac{n}{R_1^2} J_n(\beta_1 R_1) \right\}$$

$$a_{57}^{(n)} = \rho_1 c_{d1}^2 \left\{ -\frac{n}{R_1^2} Y_n(\beta_1 R_1) + \frac{n}{R_1} \beta_1 Y_n'(\beta_1 R_1) \right\} \\ + \rho_1 (c_{d1}^2 - 2c_{s1}^2) \left\{ -\frac{n\beta_1}{R_1} Y_n'(\beta_1 R_1) + \frac{n}{R_1^2} Y_n(\beta_1 R_1) \right\}$$

$$a_{58}^{(n)} = - \left\{ \rho_2 c_{d2}^2 \alpha_2^2 J_n''(\alpha_2 R_1) + \rho_2 (c_{d2}^2 - 2c_{s2}^2) \left[- \left(\left(\frac{n}{R_1} \right)^2 + k_z^2 \right) J_n(\alpha_2 R_1) + \frac{\alpha_2}{R_1} J_n'(\alpha_2 R_1) \right] \right\}$$

$$a_{59}^{(n)} = - \left\{ \rho_2 c_{d2}^2 \alpha_2^2 Y_n''(\alpha_2 R_1) + \rho_2 (c_{d2}^2 - 2c_{s2}^2) \left[- \left(\left(\frac{n}{R_1} \right)^2 + k_z^2 \right) Y_n(\alpha_2 R_1) + \frac{\alpha_2}{R_1} Y_n'(\alpha_2 R_1) \right] \right\}$$

$$a_{5,10}^{(n)} = - \left\{ \rho_2 c_{d2}^2 \left[-ik_z \beta_2 J_{n+1}'(\beta_2 R_1) \right] + \rho_2 (c_{d2}^2 - 2c_{s2}^2) \left[ik_z \beta_2 J_{n+1}'(\beta_2 R_1) \right] \right\}$$

$$a_{5,11}^{(n)} = - \left\{ \rho_2 c_{d2}^2 \left[-ik_z \beta_2 Y_{n+1}'(\beta_2 R_1) \right] + \rho_2 (c_{d2}^2 - 2c_{s2}^2) \left[ik_z \beta_2 Y_{n+1}'(\beta_2 R_1) \right] \right\}$$

$$a_{5,12}^{(n)} = - \left\{ \rho_2 c_{d2}^2 \left[-\frac{n}{R_1^2} J_n(\beta_2 R_1) + \frac{n}{R_1} \beta_2 J_n'(\beta_2 R_1) \right] \right. \\ \left. + \rho_2 (c_{d2}^2 - 2c_{s2}^2) \left[-\frac{n\beta_2}{R_1} J_n'(\beta_2 R_1) + \frac{n}{R_1^2} J_n(\beta_2 R_1) \right] \right\}$$

$$a_{5,13}^{(n)} = - \left\{ \rho_2 c_{d2}^2 \left[-\frac{n}{R_1^2} Y_n(\beta_2 R_1) + \frac{n}{R_1} \beta_2 Y_n'(\beta_2 R_1) \right] \right. \\ \left. + \rho_2 (c_{d2}^2 - 2c_{s2}^2) \left[-\frac{n\beta_2}{R_1} Y_n'(\beta_2 R_1) + \frac{n}{R_1^2} Y_n(\beta_2 R_1) \right] \right\}$$

$$a_{62}^{(n)} = \rho_1 c_{s1}^2 \left\{ \frac{2n}{R_1^2} J_n(\alpha_1 R_1) - \frac{2n\alpha_1}{R_1} J_n'(\alpha_1 R_1) \right\}$$

$$a_{63}^{(n)} = \rho_1 c_{s1}^2 \left\{ \frac{2n}{R_1^2} Y_n(\alpha_1 R_1) - \frac{2n\alpha_1}{R_1} Y_n'(\alpha_1 R_1) \right\}$$

$$a_{64}^{(n)} = \rho_1 c_{s1}^2 \left\{ \frac{i(n+1)k_z}{R_1} J_{n+1}(\beta_1 R_1) - ik_z \beta_1 J_{n+1}'(\beta_1 R_1) \right\}$$

$$a_{65}^{(n)} = \rho_1 c_{s1}^2 \left\{ \frac{i(n+1)k_z}{R_1} Y_{n+1}(\beta_1 R_1) - ik_z \beta_1 Y_{n+1}'(\beta_1 R_1) \right\}$$

$$a_{66}^{(n)} = \rho_1 c_{s1}^2 \left\{ - \left(\frac{n}{R_1} \right)^2 J_n(\beta_1 R_1) + \frac{\beta_1}{R_1} J_n'(\beta_1 R_1) - \beta_1^2 J_n''(\beta_1 R_1) \right\}$$

$$a_{67}^{(n)} = \rho_1 c_{s1}^2 \left\{ - \left(\frac{n}{R_1} \right)^2 Y_n(\beta_1 R_1) + \frac{\beta_1}{R_1} Y_n'(\beta_1 R_1) - \beta_1^2 Y_n''(\beta_1 R_1) \right\}$$

$$a_{68}^{(n)} = - \left\{ \rho_2 c_{s2}^2 \left[\frac{2n}{R_1^2} J_n(\alpha_2 R_1) - \frac{2n\alpha_2}{R_1} J_n'(\alpha_2 R_1) \right] \right\}$$

$$a_{69}^{(n)} = - \left\{ \rho_2 c_{s2}^2 \left[\frac{2n}{R_1^2} Y_n(\alpha_2 R_1) - \frac{2n\alpha_2}{R_1} Y_n'(\alpha_2 R_1) \right] \right\}$$

$$a_{6,10}^{(n)} = - \left\{ \rho_2 c_{s2}^2 \left[\frac{i(n+1)k_z}{R_1} J_{n+1}(\beta_2 R_1) - ik_z \beta_2 J_{n+1}'(\beta_2 R_1) \right] \right\}$$

$$a_{6,11}^{(n)} = - \left\{ \rho_2 c_{s2}^2 \left[\frac{i(n+1)k_z}{R_1} Y_{n+1}(\beta_2 R_1) - ik_z \beta_2 Y_{n+1}'(\beta_2 R_1) \right] \right\}$$

$$a_{6,12}^{(n)} = - \left\{ \rho_2 c_{s2}^2 \left[- \left(\frac{n}{R_1} \right)^2 J_n(\beta_2 R_1) + \frac{\beta_2}{R_1} J_n'(\beta_2 R_1) - \beta_2^2 J_n''(\beta_2 R_1) \right] \right\}$$

$$a_{6,13}^{(n)} = - \left\{ \rho_2 c_{s2}^2 \left[- \left(\frac{n}{R_1} \right)^2 Y_n(\beta_2 R_1) + \frac{\beta_2}{R_1} Y_n'(\beta_2 R_1) - \beta_2^2 Y_n''(\beta_2 R_1) \right] \right\}$$

$$a_{72}^{(n)} = \rho_1 c_{s1}^2 \left\{ - 2ik_z \alpha_1 J_n'(\alpha_1 R_1) \right\}$$

$$a_{73}^{(n)} = \rho_1 c_{s1}^2 \left\{ - 2ik_z \alpha_1 Y_n'(\alpha_1 R_1) \right\}$$

$$a_{74}^{(n)} = \rho_1 c_{s1}^2 \left\{ \left(\frac{n+1}{R_1^2} - k_z^2 \right) J_{n+1}(\beta_1 R_1) - \frac{n+1}{R_1} \beta_1 J_{n+1}'(\beta_1 R_1) - \beta_1^2 J_{n+1}''(\beta_1 R_1) \right\}$$

$$a_{75}^{(n)} = \rho_1 c_{s1}^2 \left\{ \left(\frac{n+1}{R_1^2} - k_z^2 \right) Y_{n+1}(\beta_1 R_1) - \frac{n+1}{R_1} \beta_1 Y_{n+1}'(\beta_1 R_1) - \beta_1^2 Y_{n+1}''(\beta_1 R_1) \right\}$$

$$a_{76}^{(n)} = \rho_1 c_{s1}^2 \left\{ - \frac{ink_z}{R_1} J_n(\beta_1 R_1) \right\}$$

$$a_{77}^{(n)} = \rho_1 c_{s1}^2 \left\{ -\frac{ink_z}{R_1} Y_n(\beta_1 R_1) \right\}$$

$$a_{78}^{(n)} = \left\{ \rho_2 c_{s2}^2 \left[-2ik_z \alpha_2 J_n'(\alpha_2 R_1) \right] \right\}$$

$$a_{79}^{(n)} = \left\{ \rho_2 c_{s2}^2 \left[-2ik_z \alpha_2 Y_n'(\alpha_2 R_1) \right] \right\}$$

$$a_{7,10}^{(n)} = - \left\{ \rho_2 c_{s2}^2 \left[\left(\frac{n+1}{R_1^2} - k_z^2 \right) J_{n+1}(\beta_2 R_1) - \frac{n+1}{R_1} \beta_2 J_{n+1}'(\beta_2 R_1) - \beta_2^2 J_{n+1}''(\beta_2 R_1) \right] \right\}$$

$$a_{7,11}^{(n)} = - \left\{ \rho_2 c_{s2}^2 \left[\left(\frac{n+1}{R_1^2} - k_z^2 \right) Y_{n+1}(\beta_2 R_1) - \frac{n+1}{R_1} \beta_2 Y_{n+1}'(\beta_2 R_1) - \beta_2^2 Y_{n+1}''(\beta_2 R_1) \right] \right\}$$

$$a_{7,12}^{(n)} = - \left\{ \rho_2 c_{s2}^2 \left[-\frac{ink_z}{R_1} J_n(\beta_2 R_1) \right] \right\}$$

$$a_{7,13}^{(n)} = - \left\{ \rho_2 c_{s2}^2 \left[-\frac{ink_z}{R_1} Y_n(\beta_2 R_1) \right] \right\}$$

$$a_{82}^{(n)} = \alpha_1 J_n'(\alpha_1 R_1)$$

$$a_{83}^{(n)} = \alpha_1 Y_n'(\alpha_1 R_1)$$

$$a_{84}^{(n)} = -ik_z J_{n+1}(\beta_1 R_1)$$

$$a_{85}^{(n)} = -ik_z Y_{n+1}(\beta_1 R_1)$$

$$a_{86}^{(n)} = \frac{n}{R_1} J_n(\beta_1 R_1)$$

$$a_{87}^{(n)} = \frac{n}{R_1} Y_n(\beta_1 R_1)$$

$$a_{88}^{(n)} = -\left\{ \alpha_2 J_n'(\alpha_2 R_1) \right\}$$

$$a_{89}^{(n)} = -\left\{ \alpha_2 Y_n'(\alpha_2 R_1) \right\}$$

$$a_{8,10}^{(n)} = -\left\{ -ik_z J_{n+1}(\beta_2 R_1) \right\}$$

$$a_{8,11}^{(n)} = -\left\{ -ik_z Y_{n+1}(\beta_2 R_1) \right\}$$

$$a_{8,12}^{(n)} = -\left\{ \frac{n}{R_1} J_n(\beta_2 R_1) \right\}$$

$$a_{8,13}^{(n)} = -\left\{ \frac{n}{R_1} Y_n(\beta_2 R_1) \right\}$$

$$a_{92}^{(n)} = -\frac{n}{R_1} J_n(\alpha_1 R_1)$$

$$a_{93}^{(n)} = -\frac{n}{R_1} Y_n(\alpha_1 R_1)$$

$$a_{94}^{(n)} = -ik_z J_{n+1}(\beta_1 R_1)$$

$$a_{95}^{(n)} = -ik_z Y_{n+1}(\beta_1 R_1)$$

$$a_{96}^{(n)} = -\beta_1 J_n'(\beta_1 R_1)$$

$$a_{97}^{(n)} = -\beta_1 Y_n'(\beta_1 R_1)$$

$$a_{98}^{(n)} = -\left\{ -\frac{n}{R_1} J_n(\alpha_2 R_1) \right\}$$

$$a_{99}^{(n)} = -\left\{ -\frac{n}{R_1} Y_n(\alpha_2 R_1) \right\}$$

$$a_{9,10}^{(n)} = -\left\{ -ik_z J_{n+1}(\beta_2 R_1) \right\}$$

$$a_{9,11}^{(n)} = -\left\{ -ik_z Y_{n+1}(\beta_2 R_1) \right\}$$

$$a_{9,12}^{(n)} = -\left\{ -\beta_2 J_n'(\beta_2 R_1) \right\}$$

$$a_{9,13}^{(n)} = -\left\{ -\beta_2 Y_n'(\beta_2 R_1) \right\}$$

$$a_{10,2}^{(n)} = -ik_z J_n(\alpha_1 R_1)$$

$$a_{10,3}^{(n)} = -ik_z Y_n(\alpha_1 R_1)$$

$$a_{10,4}^{(n)} = -\left\{ \frac{n+1}{R_1} J_{n+1}(\beta_1 R_1) + \beta_1 J_{n+1}'(\beta_1 R_1) \right\}$$

$$a_{10,5}^{(n)} = -\left\{ \frac{n+1}{R_1} Y_{n+1}(\beta_1 R_1) + \beta_1 Y'_{n+1}(\beta_1 R_1) \right\}$$

$$a_{10,8}^{(n)} = -\left\{ -ik_z J_n(\alpha_2 R_1) \right\}$$

$$a_{10,9}^{(n)} = -\left\{ -ik_z Y_n(\alpha_2 R_1) \right\}$$

$$a_{10,10}^{(n)} = -\left\{ -\left[\frac{n+1}{R_1} J_{n+1}(\beta_2 R_1) + \beta_2 J'_{n+1}(\beta_2 R_1) \right] \right\}$$

$$a_{10,11}^{(n)} = -\left\{ -\left[\frac{n+1}{R_1} Y_{n+1}(\beta_2 R_1) + \beta_2 Y'_{n+1}(\beta_2 R_1) \right] \right\}$$

$$a_{11,8}^{(n)} = \rho_2 c_{s2}^2 \left\{ \frac{2n}{R_2} J_n(\alpha_2 R_2) - \frac{2n\alpha_2}{R_2} J'_n(\alpha_2 R_2) \right\}$$

$$a_{11,9}^{(n)} = \rho_2 c_{s2}^2 \left\{ \frac{2n}{R_2} Y_n(\alpha_2 R_2) - \frac{2n\alpha_2}{R_2} Y'_n(\alpha_2 R_2) \right\}$$

$$a_{11,10}^{(n)} = \rho_2 c_{s2}^2 \left\{ \frac{i(n+1)}{R_2} k_z J_{n+1}(\beta_2 R_2) - ik_z \beta_2 J'_{n+1}(\beta_2 R_2) \right\}$$

$$a_{11,11}^{(n)} = \rho_2 c_{s2}^2 \left\{ \frac{i(n+1)}{R_2} k_z Y_{n+1}(\beta_2 R_2) - ik_z \beta_2 Y'_{n+1}(\beta_2 R_2) \right\}$$

$$a_{11,12}^{(n)} = \rho_2 c_{s2}^2 \left\{ -\left(\frac{n}{R_2} \right)^2 J_n(\beta_2 R_2) + \frac{\beta_2}{R_2} J'_n(\beta_2 R_2) - \beta_2^2 J''_n(\beta_2 R_2) \right\}$$

$$a_{11,13}^{(n)} = \rho_2 c_{s2}^2 \left\{ - \left(\frac{n}{R_2} \right)^2 Y_n(\beta_2 R_2) + \frac{\beta_2}{R_2} Y_n'(\beta_2 R_2) - \beta_2^2 Y_n''(\beta_2 R_2) \right\}$$

$$a_{12,8}^{(n)} = \rho_2 c_{s2}^2 \left\{ -2ik_z \alpha_2 J_n'(\alpha_2 R_2) \right\}$$

$$a_{12,9}^{(n)} = \rho_2 c_{s2}^2 \left\{ -2ik_z \alpha_2 Y_n'(\alpha_2 R_2) \right\}$$

$$a_{12,10}^{(n)} = \rho_2 c_{s2}^2 \left\{ \left(\frac{n+1}{R_2^2} - k_z^2 \right) J_{n+1}(\beta_2 R_2) - \frac{n+1}{R_2} \beta_2 J_{n+1}'(\beta_2 R_2) - \beta_2^2 J_{n+1}''(\beta_2 R_2) \right\}$$

$$a_{12,11}^{(n)} = \rho_2 c_{s2}^2 \left\{ \left(\frac{n+1}{R_2^2} - k_z^2 \right) Y_{n+1}(\beta_2 R_2) - \frac{n+1}{R_2} \beta_2 Y_{n+1}'(\beta_2 R_2) - \beta_2^2 Y_{n+1}''(\beta_2 R_2) \right\}$$

$$a_{12,12}^{(n)} = \rho_2 c_{s2}^2 \left\{ -\frac{ink_z}{R_2} J_n(\beta_2 R_2) \right\}$$

$$a_{12,13}^{(n)} = \rho_2 c_{s2}^2 \left\{ -\frac{ink_z}{R_2} Y_n(\beta_2 R_2) \right\}$$

$$a_{13,8}^{(n)} = \rho_3 \omega^2 \alpha_2 J_n'(\alpha_2 R_2)$$

$$a_{13,9}^{(n)} = \rho_3 \omega^2 \alpha_2 Y_n'(\alpha_2 R_2)$$

$$\alpha_{13,10}^{(n)} = -i\rho_3\omega^2 k_z J_{n+1}(\beta_2 R_2)$$

$$\alpha_{13,11}^{(n)} = -i\rho_3\omega^2 k_z Y_{n+1}(\beta_2 R_2)$$

$$\alpha_{13,12}^{(n)} = \rho_3\omega^2 \frac{n}{R_2} J_n(\beta_2 R_2)$$

$$\alpha_{13,13}^{(n)} = \rho_3\omega^2 \frac{n}{R_2} Y_n(\beta_2 R_2)$$

$$\alpha_{13,14}^{(n)} = -k_3 \cos\varphi_3 J_n'(k_3 R_2 \cos\varphi_3)$$

$$\begin{aligned} \alpha_{14,8}^{(n)} = & \rho_2 c_{d2}^2 \alpha_2^2 J_n''(\alpha_2 R_2) \\ & + \rho_2 (c_{d2}^2 - 2c_{s2}^2) \left[- \left(\left(\frac{n}{R_2} \right)^2 + k_z^2 \right) J_n(\alpha_2 R_2) + \frac{\alpha_2}{R_2} J_n'(\alpha_2 R_2) \right] \end{aligned}$$

$$\begin{aligned} \alpha_{14,9}^{(n)} = & \rho_2 c_{d2}^2 \alpha_2^2 Y_n''(\alpha_2 R_2) \\ & + \rho_2 (c_{d2}^2 - 2c_{s2}^2) \left[- \left(\left(\frac{n}{R_2} \right)^2 + k_z^2 \right) Y_n(\alpha_2 R_2) + \frac{\alpha_2}{R_2} Y_n'(\alpha_2 R_2) \right] \end{aligned}$$

$$\begin{aligned} \alpha_{14,10}^{(n)} = & \rho_2 c_{d2}^2 \left[-ik_z \beta_2 J_{n+1}'(\beta_2 R_2) \right] \\ & + \rho_2 (c_{d2}^2 - 2c_{s2}^2) \left[ik_z \beta_2 J_{n+1}'(\beta_2 R_2) \right] \end{aligned}$$

$$\begin{aligned} \alpha_{14,11}^{(n)} = & \rho_2 c_{d2}^2 \left[-ik_z \beta_2 Y_{n+1}'(\beta_2 R_2) \right] \\ & + \rho_2 (c_{d2}^2 - 2c_{s2}^2) \left[ik_z \beta_2 Y_{n+1}'(\beta_2 R_2) \right] \end{aligned}$$

$$a_{14,12}^{(n)} = \rho_2 c_{d2}^2 \left[-\frac{n}{R_2^2} J_n(\beta_2 R_2) + \frac{n}{R_2} \beta_2 J_n'(\beta_2 R_2) \right] \\ + \rho_2 (c_{d2}^2 - 2c_{s2}^2) \left[-\frac{n}{R_2} \beta_2 J_n'(\beta_2 R_2) + \frac{n}{R_2^2} J_n(\beta_2 R_2) \right]$$

$$a_{14,13}^{(n)} = \rho_2 c_{d2}^2 \left[-\frac{n}{R_2^2} Y_n(\beta_2 R_2) + \frac{n}{R_2} \beta_2 Y_n'(\beta_2 R_2) \right] \\ + \rho_2 (c_{d2}^2 - 2c_{s2}^2) \left[-\frac{n}{R_2} \beta_2 Y_n'(\beta_2 R_2) + \frac{n}{R_2^2} Y_n(\beta_2 R_2) \right]$$

$$a_{14,14}^{(n)} = J_n(k_3 R_2 \cos \varphi_3)$$

$$b_1^{(n)} = -J_n(k_0 R_0 \cos \varphi)$$

$$b_2^{(n)} = k_0 \cos \varphi J_n'(k_0 R_0 \cos \varphi)$$

INITIAL DISTRIBUTION LIST

Addressee	No. of Copies
Office of Naval Research (A. Tucker, Code 334; K. Ng, Code 333)	2
Center for Naval Analyses	2
Defense Technical Information Center	2
Georgia Institute of Technology (P. Rogers)	1
Pennsylvania State University (C. Burroughs, S. Hayek, W. Thompson, G. Lauchle)	4
Electric Boat Corporation (G. Bartra)	1
Newport News Shipbuilding Co. (W. Floyd)	1
Northrop Grumman (P. Madden)	1