

## Phase Change Material in Hiking Boots Does Not Minimise the Risk of Cold Injury

Igor B. Mekjavic, Bojana Andlovce Korosec, Martin Tomsic, Petra Golja

Department of Automation, Biocybernetics and Robotics, Jozef Stefan Institute,  
Jamova 39, SI-1000, Ljubljana, Slovenia

Nova Gorica Polytechnic, Kostanjevska cesta 16, Pristava, SI-5000 Nova Gorica, Slovenia

igor.mekjavic@ijs.si

### ABSTRACT

*The present study compared the thermal insulation properties of identical hiking boots, incorporating a layer of either Sympatex® or a layer of Outlast® Phase Change Material (PCM). PCM contains paraffin filled microcapsules, which change their state of aggregation with temperature. During heating, PCM liquefies and absorbs a certain amount of energy. Conversely, during cooling PCM changes from a liquid to a solid state and releases thermal energy. Specifically, we evaluated whether PCM offers any significant protection against peripheral cooling and subsequent cold injury to the feet. Subjects (20 males and 20 females) participated in three trials. In two of these trials they immersed their booted feet, wrapped in a thin plastic bag, in 30°C for 15 min, followed by 3 hrs in 15 °C water. On one occasion they wore boots with a PCM layer (PCM), and on the other, identical boots, but without a PCM layer (Control). At regular intervals we monitored tympanic temperature (T<sub>ty</sub>), average skin temperature of the arm, chest, thigh and calf (T<sub>sk</sub>), foot temperature (6 sites), and heat flux from the skin of the foot (6 sites). Thermal insulation of the boots was determined separately with a thermal foot manikin. There was no change in T<sub>ty</sub> and T<sub>sk</sub> during the three trials. There were no differences in any of the foot skin temperatures or heat flux measurements between the Outlast® and Sympatex® boots. The thermal insulation of the boots was 0.167 m<sup>2</sup>K/W for the Sympatex® and 0.163 m<sup>2</sup>K/W for the Outlast® boot. Phase change material does not offer any significant improvement in thermal protection, and thus does not minimise the risk of cold injury.*

### 1.0 INTRODUCTION

The present study compared the thermal insulation properties of hiking boots (Alpina d.d., Slovenia) containing a layer of either Sympatex® or Outlast® Phase Change Material (PCM). PCM contains paraffin filled microcapsules, which change their state of aggregation with changing temperature. In the process of being heated from a solid state, PCM liquefies and absorbs a certain amount of thermal energy. Conversely, during cooling, PCM changes from a liquid to a solid state and releases thermal energy. We therefore tested the hypothesis that the exothermal reaction of the phase change material during exposure to cold may provide better thermal insulation and thus offer greater protection against adverse cooling and cold injury of the feet.

### 2.0 METHODS

Twenty subjects (10 males and 10 females) participated in the study. The protocol of the study was approved by the National Ethics Review Committee (Republic of Slovenia).

## Report Documentation Page

*Form Approved  
OMB No. 0704-0188*

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE <b>01 MAY 2005</b>	2. REPORT TYPE <b>N/A</b>	3. DATES COVERED <b>-</b>	
4. TITLE AND SUBTITLE <b>Phase Change Material in Hiking Boots Does Not Minimise the Risk of Cold Injury</b>		5a. CONTRACT NUMBER	
		5b. GRANT NUMBER	
		5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)		5d. PROJECT NUMBER	
		5e. TASK NUMBER	
		5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>Department of Automation, Biocybernetics and Robotics, Jozef Stefan Institute, Jamova 39, SI-1000, Ljubljana, Slovenia</b>		8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)	
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release, distribution unlimited</b>			
13. SUPPLEMENTARY NOTES <b>See also ADM001854, Prevention of Cold Injuries (Prevention des accidents dus au froid) ., The original document contains color images.</b>			
14. ABSTRACT			
15. SUBJECT TERMS			
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>	<b>UU</b>
			18. NUMBER OF PAGES <b>4</b>
			19a. NAME OF RESPONSIBLE PERSON

Subjects participated in two trials separated by a minimum of 5 days. During each trial they wore the same clothing, with the exception of the hiking boots (Alpina d.d., Ziri, Slovenia). In one trial, the boots incorporated Outlast® as the thermal insulative layer and in the other Sympatex®. The study was a double blind study; namely both the experimenters and subjects were naïve regarding the boots tested. The external appearance of the boots was identical. Approximately 30 minutes prior to each experiment, the boots were wrapped in a polyurethane bag and immersed in a bath of water maintained at 30°C. Prior to donning the boots, the subjects left foot was instrumented with temperature and heat flux transducers. Once instrumented, both booted feet were then placed in the separate thin polyurethane bags and immersed to within 1 cm of the top of the boot in 30°C water for 20 minutes. Thereafter, the feet were immersed in a similar manner in bath of water maintained at 15°C.

During the immersion we monitored skin temperature of the upper arm (lateral aspect), chest (mid-clavicular line, at the level of the 3rd intercostal), mid-thigh (anterior aspect), and mid-calf (lateral aspect) with YSI 401 thermistors (Yellow Springs Instruments, Yellow Springs, Ohio, USA). Heat flux and skin temperature ( $T_{sk}$  °C) was monitored with Concept Engineering Heat Flux transducers at six sites on the left foot: toe (bottom), arch, heel, top of toes, instep, lateral. All measurements were recorded at 1-minute intervals. Skin temperature from the torso was recorded with a Biopac data acquisition system controlled by Acknowledge Software on a Macintosh computer. Foot skin temperatures were recorded with an Almemo data acquisition system (Ahlborn Mess-und Regelungstechnik GmbH, Holzkirchen, Germany). Tympanic temperature ( $T_{ty}$  °C) was recorded every 30 minutes with an infrared thermometer (ThermoScan IRT 3020, Braun, Kronberg, Germany).

The differences between the average regional skin temperatures and heat fluxes observed with the two prototype hiking boots were compared with a one way repeated measures ANOVA over the time interval of 21 to 200 min.

### **3.0 RESULTS**

Average unweighed  $T_{sk}$  ( $33.79 \pm 1.39^\circ\text{C}$  versus  $33.81 \pm 1.16^\circ\text{C}$ ) and  $T_{ty}$  ( $36.73 \pm 0.17^\circ\text{C}$  versus  $36.75 \pm 0.13^\circ\text{C}$ ) were identical during the Sympatex® or Outlast® trials respectively. There were no statistically significant differences in any of the foot  $T_{sk}$  (Fig. 1 and 2) or heat fluxes between the two boots containing Sympatex® or Outlast®. Overall thermal insulations of the boots determined with a Thermal Foot Manikin were  $0.167 \text{ m}^2\text{K/W}$  and  $0.163 \text{ m}^2\text{K/W}$  for the Sympatex® and Outlast® boots, respectively. The difference was not significant.




Figure 1: Average toe temperature during 30 minutes immersion in 30°C water, followed by 3 hr immersion in 15°C water. Subjects wore hiking boots containing a layer of either Outlast® Phase Change Material (thick line) or Sympatex® (thin line).




Figure 2: Average heel temperature during 30 minutes immersion in 30°C water, followed by 3 hr immersion in 15°C water. Subjects wore hiking boots containing a layer of either Outlast® Phase Change Material (thick line) or Sympatex® (thin line).

## **4.0 CONCLUSION**

In contrast to the reported benefits of incorporating PCM in cold protective clothing (Pause, 1998), our findings concur with those of Endrusick et al. (2000), namely that Outlast® Phase Change Material does not improve the thermal insulation properties of hiking boots.

## **ACKNOWLEDGEMENTS**

Supported, in part, by a Science for Security and Peace grant (project no. M2-0018) from the Ministry of Defence (Republic of Slovenia), and by Alpina d.d. (Ziri, Slovenia).

## **REFERENCES**

- [1] Endrusick T.L., Santee W.R., Gonzalez R.R., Brennick J.R., Smith C.A. Effects of wearing footwear insulated with phase change materials during moderate cold exposure. In Werner J., Hexamer M., editors. Environmental Ergonomics IX; 2000; Dortmund: Shaker Verlag; 2000. p. 319-322.
- [2] Pause, B. Development of a new cold protective clothing with phase change material. In: Holmér, I., Kuklane K., editors. Problems with cold work. Solna: Arbetslivsinstitutet, 1998. p. 99 – 100.