

Working With Beryllium Copper

**FRC East Processing
Procedures**

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE SEP 2009		2. REPORT TYPE		3. DATES COVERED 00-00-2009 to 00-00-2009	
4. TITLE AND SUBTITLE Working With Beryllium Copper				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Fleet Readiness Center (FRC) East,PSC Box 8012,Cherry Point,NC,28533				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES ASETSDefense 2009: Sustainable Surface Engineering for Aerospace and Defense Workshop, August 31 - September 3, 2009, Westminster, CO. Sponsored by SERDP/ESTCP.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 8	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Beryllium Copper

- Several alloys processed
 - Manufacture of bushings
 - Removal tools manufactured from beryllium copper (ex. chisels)
- Developed local processing specification for handling beryllium copper parts and raw stock August 2002
- Artisans and supervisors familiar with MSDS sheets
- FRC East POC
 - Ross Dotson ross.dotson@navy.mil
 - (252)-464-7154

Concerns

- Working with beryllium copper a personnel hazard
- Fine particles of beryllium copper from machining, grinding, sanding, filing and any other operation that removes base metal
- Beryllium dust or fumes irritate the respiratory tract
- Hypersensitive or allergic reactions to repeated or prolonged exposure
 - Symptoms include redness, itching and pain when exposed.

FRC East PPE Requirements

- Contact with beryllium copper particles must be avoided
- PPE requirements when handling beryllium copper & cleaning equipment used to manufacture or repair beryllium copper parts:
 - Tyvek coveralls
 - Safety shoes
 - Safety glasses with side-shields while machining
 - Leather gloves
- Gloves worn while installing or removing beryllium copper materials
 - Not required near moving machinery
- Individuals must report to the Occupational Health Clinic immediately if beryllium copper material lodged in the skin

Handling of BeCu Parts and Materials

- Any clean-up of copper beryllium residue shall be performed in fashion that does not create dust:
 - The use of compressed air or brooms is prohibited
 - Use HEPA vacuum and wet methods such as with wet rags or alcohol wipes preferred.
 - Leather gloves and tools (tongs, scoops, shovels, etc.) used to clean up beryllium turnings, chips, and other residue
- Machined parts should be thoroughly cleaned of loose particulate prior to handling
- Machinery used for machining beryllium copper alloys shall be cleaned and coolant reservoirs pumped prior to use on other alloys. Contact RCRA & Hazardous Waste Management

Handling of BeCu Parts & Materials *cont.*

- Machinery used for machining beryllium copper alloys shall be cleaned and coolant reservoirs pumped prior to use on other alloys
 - Contact RCRA & Hazardous Waste Management Branch for assistance.
- Machinery may be dedicated to the machining beryllium copper
 - Such equipment would only require cleaning per normal shop practice.
 - Equipment designated for this purpose shall be clearly labeled that it is to only be used for machining copper beryllium

Handling of BeCu Parts & Materials *cont.*

- Cleanup rags and other beryllium waste collected in plastic bags
 - Bags shall be labeled “DANGER: CONTAMINATED WITH BERYLLIUM. DO NOT REMOVE DUST BY BLOWING OR SHARING. CANCER AND LUNG DISEASE HAZARD.”
- RCRA & Hazardous Waste Management Branch contacted for disposal instructions
- Stock and parts made from copper beryllium shall be wrapped in plastic during storage and transportation. The wrapped material shall be marked as copper beryllium.

Handling of Be Waste

- Be: In Solid Metallic Form Not a RCRA Waste
- Under CERCLA, Be is a Hazardous Substance Reportable at 10lb Threshold
- FRCSE Disposes of Approx 1000 lb Be Waste per Annum
 - In the Form of CuBe Shavings, Chips and Fines
 - Sources: Machine and Milling Operations, Tactical A/C Line, Tool Crib