UNCLASSIFIED

AD NUMBER

ADB805898

CLASSIFICATION CHANGES

TO:

unclassified

FROM:

restricted

LIMITATION CHANGES

TO:

Approved for public release; distribution is unlimited.

FROM:

Distribution authorized to DoD only; Administrative/Operational Use; AUG 1942. Other requests shall be referred to National Aeronautics and Space Administration, Washington, DC. Pre-dates formal DoD distribution statements. Treat as DoD only.

AUTHORITY

NACA list dtd 28 Sep 1945; NASA TR Server website

THIS PAGE IS UNCLASSIFIED



A COMPARISON OF THE RESULTS FROM GENERAL TANK TESTS OF 1/6- AND 1/12-FULL-SIZE MODELS OF THE BRITISH SINGAPORE IIC FLYING BOAT By Starr Truscott and John R. Dawson Langley Memorial Aeronautical Laboratory

Langley Field, Va.

LINDOLLES LIVENELYI

This document contains classified information affecting he National Defense of the United States within the meaning of the Espionage Act, USC 50:31 and 32. Its wannission or the revelation of its contents in my manuer to an unauthorized person is prohibited by www. Information so classified may be imparted onlyby persons in the military and naval Services of the United States, appropriate civilian officers and employees of the Federal Government who have a legumate interest therein, and to United States citizens of known loyalty and discretion who of necessity must be informed thereof.

> Washington August 1942

3 1176 01433 2119

NATIONAL ADVISORY COMMITTEE FOR AERONAUTICS

TECHNICAL NOTE NO. 858

A COMPARISON OF THE RESULTS FROM GENERAL TANK TESTS

OF 1/6- AND 1/12-FULL-SIZE MODELS OF THE BRITISH SINGAPORE IIC FLYING BOAT By Starr Truscott and John R. Dawson

SUMMARY

A 1/6-full-size model of the hull of the British Singapore IIC flying boat was tested in the NACA tank. The results are given in the form of charts and are compared with the results of previous tests made in the NACA tank of a 1/12-full-size model, published in NACA T.N. No. 580, and with the results of tests made in the British R.A.E. tank of another 1/6-full-size model of the same hull.

When the data from the tests of the 1/6- and 1/12full-size models were compared on the basis of Froude's law of comparison, differences were found. This fact supported the belief that the small scale of the model and the use of a model that was too small to suit the equipment of the NACA tank had caused the results of the tests of the 1/12-full-size model to be less reliable than the results of the tests of the 1/6-full-size model. The results of the tests of a small model, if made meticulously and with suitable equipment, may give usable results, but that a larger model should be used whenever feasible.

The results of the NACA tests of the 1/6-full-size model were found to be in good agreement with the R.A.E. tests of a model of the same size.

INTRODUCTION

A 1/6-full-size model and a 1/12-full-size model of the hull of the British Singapore IIC flying boat have

been tested in the R.A.E. tank and the results of these tests have been reported in reference 1. The 1/12-fullsize model was later loaned to the NACA by the Director of Research, British Air Ministry, for comparative tests in the NACA tank. The NACA tests of the 1/12-full-size model were reported in reference 2. The model, which was 4 feet 7 inches long, was so small that, although the results appeared to be fairly good and to compare well with the results of the tests of the same 1/12-full-size model in the R.A.E. tank, it was thought probable that tests of a model better suited to the equipment of the NACA tank might give somewhat different results. The question involved not scale effect alone but a combination of scale effect with possible error in the measurement of quantities that were very near the lowor limit of the capacity of the NACA equipment. It was therefore considered desirable to test a 1/6-full-size model of the Singapore IIC and provide data for comparison with the NACA tests of the 1/12-full-size model and the R.A.E. tests of the 1/6-full-size model as well as comparisons with the NACA tests of a number of other models of approximately the same size. A 1/6-full-size model reproducing as nearly as feasible every feature of the 1/12-full-size model was made and tested in a manner paralleling as far as possible the tests of the 1/12-full-size model. The tests were made in 1936. The results of the tests have been presented in the same form as in reference 1.

THE MODEL

Photographs of the 1/12-full-size model (model 58) are shown in figure 1.

The 1/6-full-size model was constructed from offsets obtained by doubling those of the 1/12-full-size model. The model-was made of laminated wood, sanded, varnished, and rubbed. The 1/12-full-size model had been refinished before it was tested and the finish of the present model was made the same as that of the smaller model.

The principal dimensions and ratios of the 1/6-fullsize model are as follows:

Over-all length, in.		• •	•	• •			•		٠	٠	109.86
Length, bow to secon	d step,	in.	٠								97.20
Forebody length, in.	3	• •	•	• *•	•	٠	•	•	•		54.78

۴.

-- -

. 1 **=**

. .. **=**

Afterbody length (main step to second step),

in	:2 · · ·
Maximum beam, in	0
Depth of main step, in	4
Depth of main step, percent of beam 4.8	1
Center of gravity forward of step, in 5.8	0
Center of gravity above keel, in	0
Angle of dead rise at main step (angle between	
horizontal and line drawn from chine tangent	
to keel), deg	5
Angle between keel aft of main step and keel	· · ·
forward of main step. deg	0
Forebody, percent of length to second step 56.	4
Maximum beam, percent of length to second step 22.	2 ·

APPARATUS AND PROCEDURE

A description of the NACA tank and the towing carriage is given in reference 3. The towing gear used in these tests is described in reference 4.

The model was tested by the general method in the same manner that the 1/12-full-size model was tested with the center of moments at the position of the center of gravity. The model was tested at the same trims and through ranges of load and speed corresponding to the ranges through which the 1/12-full-size model was tested, the ranges being increased in accordance with Froude's law of comparison for the increased size of the model. In order to facilitate direct comparisons, the load parameters that were tested were made to correspond with those used in the tests with the smaller model. (There was no change in the density of the water between the tests of the two models.)

In addition to the fixed-trim tests a general freeto-trim test, which did not include high speeds, was made. In the free-to-trim test the model was balanced to bring the center of gravity of the model to the position corresponding to the center of gravity of the full-size hull. The load parameters were the same as those used in the fixed-trim tests.

As is the usual practice in the NACA tank, the air drag of the towing gear was obtained by making runs without the model. The tare resistance was then deducted from the gross resistance to obtain the net air-pluswater resistance of the model. In order to correlate the data from the present tests with the results from the R.A.E. tank, an approximate correction for the air drag of the model was obtained by towing the model in air close to the surface of the water. This procedure corresponds to the method used in deriving the results from the R.A.E. tank (reference 1). The correction thus obtained is given by the equation:

$$\Delta R = 0.095 V_{\rm F}^2$$

where ΔR is the correction in pounds to be subtracted from the full-size resistance as derived from NACA tank tests in order to correspond to full-size resistance as derived from R.A.E. tank tests and VF is the full-size speed in knots. This correction was applied only in the figures showing comparisons between the NACA and R.A.E. data.

_

_:

No corrections were applied to the trimming moments obtained in the NACA tank tests, although in the R.A.E. tank the aerodynamic moment was eliminated in a manner similar to that for resistance described in the foregoing paragraph. At high speeds, at which the aerodynamic moment on the model is appreciable, the trimming moments from the two tanks should, therefore, show some differences because of this difference in procedure alone. The trims obtained in free-to-trim tests should differ for the same reason.

Drafts were measured at the main step as a convenient point of reference even though the afterbody sometimes was in_the water deeper than the main step.

RESULTS

Test Data

The results from the fixed-trim tosts are shown in figures 2 to 19. Each figure ropresents one value for trim and the lead on the model is the parameter in all cases. The variations of resistance, trimming moment, and draft with speed are plotted in figures 2 to 7, figures 8 to 13, and figures 14 to 19, respectively. The free-to-trim results are shown in figures 20 and 21, in which resistance and trim are plotted against speed with the load as a parameter.

In order to obtain exact comparisons, the results for the 1/12-full-size model have been converted to 1/6full size and are shown by dotted lines in figures 2 to 21.

Nondimensional Data

The trim for minimum resistance is determined by cross-plotting resistance against trim for selected speed parameters. The data thus determined for best trim are converted to the following nondimensional coefficients:

Speed coefficient, $C_V = \frac{V}{\sqrt{gb}}$

Load coefficient, $C_{\Delta} = \frac{\Delta}{vb^3}$

Resistance coefficient, $C_R = \frac{R}{wb^3}$

Trimming-moment coefficient, $C_M = \frac{M}{wb4}$

where

V speed, fect per second

g acceleration of gravity, feet per second per second

b maximum beam of hull, feet

 Δ load on water, pounds

w specific weight of water, pounds per cubic foot
 (w = 63.5 lb/cu ft for the water in the NACA tank
 during these tests)

R resistance, pounds

M trimming moment, pounds-feet

. 5

NACA Technical Note No. 858

Any other consistent set of units may, of course, be used. The data, converted to these coefficients, are shown in figures 22 to 25. In figure 22, C_R is plotted against C_Δ with C_V as a parameter, and, in figure 23, C_R is plotted against C_V with C_Δ as a parameter. Figure 24 shows T_0 , the best trim, plotted against C_V with C_Δ as a parameter. Figure 25 shows C_M at T_0 plotted against C_V with C_Λ as a parameter.

COMPARISON WITH EARLIER TESTS

Compared With NACA 1/12-Full-Size Model

Scale effect. - The present tests were not undertaken for the purpose of establishing the order of the scale effect encountered in tank tests. The testing of only two models would be inadequate for such an investigation. Tests dealing with scale effect are reported in references 1, 5, and 6. The minimum-size model for satisfactorily accurate conversion of model data to full size, on the basis of Froude's law of comparison, is discussed in each of these references; and the size of the model normally tested in the NACA tank appears to be larger than the average of the minimum sizes recommended. The present 1/6-full-size model is slightly larger than the size normally tested in the NACA tank.

Resistance .- Examination of the curves of figures 2 to 7 shows, as might be expected, a general tendency for the converted resistance of the 1/12-full-size model to be greater than the resistance for the 1/6-full-size model. The smaller model consistently indicates a greater hump resistance, and the percentage differences generally increase with load and decrease with increasing trim . The maximum differences at the hump, which are of the order of 15 to 20 percent, occur at small trims and, as a result, would not be noted in a normal take-off. In the range of trims that would normally occur in take-offs the differences in the hump resistance are less than 8 percent. The differences in resistance just above the hump speed, when converted to the same size, are inconsistent for the two models but are, in general, less than the differences at the hump.

At the higher speeds, the converted resistances are, in general, larger for the smaller model than for the larger model. On a percentage basis the differences at high speeds are extremely large but, because a large part of the total air-plus-water resistance of a seaplane at high speeds is caused by air drag, the effect of the differences on take-off calculations is considerably less than it would first appear to be.

<u>Trimming moment</u>. In figures 8 to 13 the curves for the small model are consistently above those for the large model, indicating that the center of pressure is relatively farther forward on the small model than on the large model. This fact is further demonstrated in figure 21, where it is seen that the trim is consistently greater for 1/12-full-size model than for the 1/6-full-size model. These results are in agreement with the results described in references 1 and 6.

Compared With R.A.E. 1/6-Full-Size Model

The results obtained in the NACA and R.A.E. tanks have been converted to correspond to a full-size gross load of 27,300 pounds. The wing lift was applied according to the lift-coefficient curve given in figure 16 of reference 2 for a wing area of 1760 square feet. The data for the R.A.E. tank were taken from figures 24, 26, and 27 of reference 1.

In the curves of trimming moment from the R.A.E. tests the aerodynamic moment of the model was deducted; in the NACA curves it is not deducted. The resistance values for the tests from both tanks were corrected for the air drag of the model. The curves representing the data from the NACA tank tests were obtained from figures 2 to 13, 20, and 21 by cross-plotting resistance, trimming moment, and trim against load at selected speeds and by determining the values of these variables for the computed loads.

A comparison of the results of the free-to-trim tests made in the two tanks should show differences in trims because, in the R.A.E. tests, aerodynamic moment on the model was eliminated. The resistance obtained in the NACA tank at the trims given in the results of the R.A.E. freeto-trim tests was determined from the NACA fixed-trim data. The resistance thus determined is compared with the freeto-trim resistance from the R.A.E. tank in figure 26. The agreement here is considered to be especially good. A comparison of the resistances obtained in the two tanks for trims at three different speeds is shown in figure 27. The agreement here is, in general, considered to be satisfactory. An exception occurs at high trims for a speed of 53.2 knots. In this region the NACA model was riding on the afterbody with the main step clear of the water.

A comparison of the trimming moments, at the same three speeds mentioned previously, is shown in figure 28. The values of the trimming moments found in the NACA tests are consistently smaller than those obtained in the R.A.E. tests.

These comparisons indicate that the results of the NACA and R.A.E. tests of the 1/6-full-size model show about the same agreement as the results of previous tests made in the two tanks of a 1/12-full-size model. The differences in resistance and trimming moment observed in the tests of the 1/6-full-size and the 1/12-full-size models in the NACA tank might at first appear to be greater than those obtained in the R.A.E. tests of two models of the same scales, but a close inspection shows that the large discrepancies in the NACA data for the two models were obtained under conditions that were not tested in the R.A.E. tank, that is, at large loads, small trims, and very high speeds.

CONCLUSIONS

1. There is some scale effect indicated by the results from the tests with the 1/6- and 1/12-full-size models. The results are such that if the full-size resistance is computed in the usual manner, it will be larger when computed from the results of the tests of the smaller model than it would be if the results from the larger model were used. Because it has been established that the larger model will give more reliable results, it may be concluded that the full-size resistance would be overestimated by using the results from the tests with the smaller model.

2. A comparison of the data from the NACA tests of the 1/6-full-size model with the data from the R.A.E.

tests of a model of the same size shows that the results are in substantial agreement.

Langley Hemorial Aeronautical Laboratory, National Advisory Committee for Aeronautics, Langley Field, Na., June 9, 1942.

REFERENCES

- Coombes, L. P., Perring, W. G. A., Bottle, D. W., and Johnston, L.: Tests on the Wall Interference and Depth Effect in the R.A.E. Seaplane Tank and Scale Effect Tests on Hulls of Three Sizes. R. & M. No. 1649, British A.R.C., 1935.
- 2. Dawson, John R., and Truscott, Starr: A General Tank Test of a Model of the Hull of the British Singapore IIC Flying Boat. T.N. No. 580, NACA, 1936.
- 3. Truscott, Starr: The N.A.C.A. Tank A High-Speed Towing Basin for Testing Models of Seaplane Floats. Rep. No. 470, NACA, 1933.
- 4. Allison, John H.: Tank Tests of a Model of the Hull of the Navy PB-1 Flying Boat - N.A.C.A. Model 52. T.N. No. 576, NACA, 1956.
- 5. Sottorf, W.: Scale Effect of Hodel in Seaplane-Float Investigations. T.M. No. 704, NACA, 1933.
- Schmidt, Rudolph: The Scale Effect in Towing Tests with Airplane-Float Systems. T.M. No. 826, NACA, 1937.











Figure 5.- Models 66 and 58. Variation of resistance with speed, $\tau = 9^{\circ}$.















Figs. 12,13









NAC4 Technical Note No. 858

Figs. 14,15









NACA Technical Note No. 858













Figs. 18,19

• :



Speed, fps Figure 19.- Model 66. Variation of draft with speed. $\tau \approx 13^{\circ}$.





· ·



Figs, 20;21



Figs. 24,25











NACA tank test 6000 R.A.E. tank test 0 . Θ \circ 5000 $\overline{\mathbf{O}}$ 0 Full-size resistance, 1b 0 100 o 0 ð 0 8 0 'n ٠, . 6 2000 1000 0 0 ò 0 10 20 30 40 50 60 Full-size speed, knots

Figure 26.- Model 66. Comparison of free-to-trim resistance from R.A.E. tank with resistance obtained in NACA tank at same trims.

Fig. 26

۰.



Figure 27.- Model 66. Comparison of resistance obtained in NACA and R.A.E. tanks.



Figure 28.- Model 66. Comparison of trimming moments obtained in NACA and R.A.E. tanks.

NACA Technical Note No. 858

Figs. 27,28

eneral Tank T Iying Boat L Committee for	ests of 1/6- and Aeronautics, W	1/12-Full-Size	АТІ- 8823 etvision (None) orlio. Agency No. TN-858 Publishing Agency No. (None)	-					
LANGUAGE	24 photos.	graphs	AVER D						
Augr 42 Restr. U.S. Eng. 24 photos, graphs OUE IX ABSTRACT: 240 460 Mastraction 240 460 Resuits are given in form of charts and are compared to previous tests. When data from tests of 1/6- and 1/12-full-size models were compared on basis of Froude's law of comparison, differences were found which supported belief that use of 1/12-full-size model was too small to suit equipment of NACA tank and caused results to be less reliable than 1/6-full-size model test. Results showed that tests of smaller model, if made meticulously and with suitable equipment, may give usable results, but that larger model should be used whenever feasible.									
only from Or	iginating Agency	/		- 1					
NVISION: Water-Borne Aircraft (21) SUBJECT HEADINGS: Models, Scale (64412.5); Hulls Acrodynamics (49698.7); Hulls - Hydrodynamics (49698.9)									
		and the second second second second							
	Amounce an eral Tank T 'Iying Boat 3. Committee for an of charts an and 1/12-full son, difference del was too su reliable than del, if made n but that large only from Or SUBJECT Aerody	Anounce the second seco	Anone in the interview of the inter	ATD- 8823 eneral Tank Tests of 1/6- and 1/12-Full-Size Tying Boat Committee for Aeronautics, Washington, D. C: TN-858 Four Address of 24 Patterner Mo. (None) Committee for Aeronautics, Washington, D. C: TN-858 Four Mone) Committee for Aeronautics, Washington, D. C: Committee for Aeronautics, Washington, D. C: Subject HEADINGS: Models, Scale (64412.5); Hulls Aerodynamics (49698.7); Hulls - Hydrodynamics (49698.9)					

· Classification' cancelled List NACH de 28 Super. 1945 ordan Signature and Grade. 29 april 1949 Date _ * Flying boat hulls F2. 2003 Hydrodynamic characteristics