

MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

~

က

AD A 1



# DEPARTMENT OF DEFENCE . 9 9 **DEFENCE SCIENCE AND TECHNOLOGY ORGANISATION** $\infty$

MATERIALS RESEARCH LABORATORIES

MELBOURNE, VICTORIA

**REPORT** 

MRL-R-877

USERSIN - AN INTERACTIVE USER-INTERFACE FOR FORTRAN SIN

E. Northeast

THE UNITED STATES NATIONAL TECHNICAL ANTORNATION OT GERSCHTUR &

Approved for Public Release





84 02 14 071

# DEPARTMENT OF DEFENCE MATERIALS RESEARCH LABORATORIES

# **REPORT**

# MRL-R-877

USERSIN - AN INTERACTIVE USER-INTERFACE FOR FORTRAN SIN

E. Northeast

#### **ABSTRACT**

entitled

This report describes a program Usersin, written to give a quick and ready access to the necessary input data, and to provide a more convenient interactive mode for setting up a problem while the mumber-crunching remains a batch-oriented process. It is designed to be as machine independent as possible, to permit transition between computers as may be required.

Approved for Public Release

1

ABSTRACT

	DOCUMENT CONTROL DATA S	HEET
REPORT NO.	AR NO.	REPORT SECURITY CLASSIFICATION
MRL-R-877	AR-003-287	UNCLASSIFIED
TITLE		
USERSIN - AN	INTERACTIVE USER-INTERFACE	E FOR FORTRAN SIN.
AUTHOR(S)		CORPORATE AUTHOR
-		Materials Research Laboratories
NORTHEAST, E.		P.O. Box 50, Ascot Vale, Victoria 3032
		ASCOT VATO, VICTOTIA 3032
REPORT DATE	TASK NO.	SPONSOR
MARCH, 1983	DST 82/200	DSTO
CLASSIFICATION/LIMITATION REVIEW DATE		CLASSIFICATION/RELEASE AUTHORITY
		Superintendent, MRL Physical Chemistry Division
SECONDARY DISTRIBUTION		
	Approved for Public Releas	se
ANNOUNCEMENT	ncement of this report is	unlimited
	modification of the property of	
KEYWORDS		
Computer programs USERSIN hydrodynamic c	SIN	
COSATI GROUPS 0902		

This report describes a program Usersin, written to give a quick and ready access to the necessary input data, and to provide a more convenient interactive mode for setting up a problem while the "number-crunching" remains a batch-oriented process. It is designed to be as machine independent as possible, to permit transition between computers as may be required.

# CONTENTS

		Page No.
1.	INTRODUCTION	1
2.	SIN:	1
3.	USERSIN:	2
4.	MAINTENANCE	2
5.	CONCLUSION	3
6	REFERENCES	3
AP	PENDIX 1	
AP	PENDIX 2	

Acces	sion For
	GRA&I
DTIC	
	ounced
Just	fication
By Dist:	ibution/
Ava	lability Codes
Dist	Avail and/or Special
A-	

APPENDIX 3



## USERSIN - AN INTERACTIVE USER-INTERFACE FOR

# FORTRAN SIN

#### 1. INTRODUCTION

An increasing requirement for hydrodynamic calculations to predict explosive behaviour and weapon performance has arisen from the complexity and expense of detailed experimentation in these fields. Many explosive and weapon systems can be simulated by relatively simple one-dimensional computer codes. Phenomena such as explosive-metal interactions, fragmentation and shock studies are ideally suited to this approach.

For some years, MRL has had access to SIN<sup>(1)</sup>, a Lagrangian one-dimensional hydrodynamic program, used extensively overseas for problems including chemical reactions, material failure and phase transitions. Fortran SIN was developed at the Los Alamos Scientific Laboratories in 1964 for a CDC6600 computer and has been modified to run on the CSIRO computer network which is based on a Cyber 7600.

Running the SIN code<sup>(1)</sup> directly on the Cyber 76 clearly demonstrated the inherent difficulties in compiling the input data for a batch run. This Report then describes USERSIN (Fig. 1), a program developed to create interactively the input data deck for SIN.

## 2. SIN:

The SIN code requires a large amount of input data defining material properties, the number of cells over which the calculations are to be made, as well as the time increment to be considered. Further input data include the parameters for elastic-plastic calculations on the solids and those parameters defining the equation of state of the detonation products, the latter constants being evaluated by the BKW code<sup>(3)</sup>. (Appendix 1 lists the input data required for SIN).

As it is necessary to collect and format correctly all the data before SIN can be run, such a procedure is both a time-consuming and error-prone operation.

### 3. USERSIN:

The user interface usersin written in extended Fortran 4 IV. Usersin takes advantage of the computer's connected input/output subsystem (CIO) to create interactively the data deck for subsequent use by SIN.

The program is menu driven. This means that it displays a table of options, to which a user is able to select any option by entering the corresponding key. The user moves from one menu to the next being promoted with a suitable message to enter the required data. These data are then validated and written into the data deck. The program also assumes default values which may be changed by the user.

The equation of state parameters and other physical material constants are stored in a data base file. This file is a sequential file with the name of the material its key (i.e. TNT). The file is automatically searched after the components name is entered. If the component is on file, the appropriate parameters are retrived and placed into the data deck, otherwise the user is solicited for these parameters.

Users of this program are requested to store the components they use into this data base file when prompted, thus increasing the usefulness of this data base to future users.

The Usersin package is simple to master, making SIN a more reliable and efficient research tool.

 $\,$  A typical run of Usersin for an expanding steel casing is shown in Appendix 3.

# 4. MAINTENANCE

For ease of maintaining USERSIN the program has been fully commented, each subroutine having one particular function which is explained in detail at the routines beginning. The program was written to be as machine independent as possible and a comment appears where it was not possible. The input/output variable names have been kept the same as those used in SIN so the maintenance programmer can easily swap from one to the other.

## The data base file is under the format of

(1HZ, 2A6, 2X 15,/, 2(1X, E18.11), /, 9(4(1X, E18.11)/)


KEY:- NAME EXPLOSIVE OR SOLID (1 OR 0) DENSITY			
	MASS FRACTION C,S C1, S1, CV SPALLP, USP, SPA, F, G, H, I, J, Mo, 2/3 YO, γ, MINV, VSW, PLAP, A, B, C, D, E, K, L, M, N, CV1, Q, R, S, T, U, Z0, VFACT, E0, Z	E18.11	

# 5. CONCLUSION

Development of USERSIN has been completely justified by its ease of operation, its data-storage capability and its use.

## 6. REFERENCES

- 1. Mader, C.L. and Gage, W.R. (1967).
  "FORTRAN SIN", Los Alamos Scientific Laboratory Report LA-3720.
- Mader, C.L. (1967)"FORTRAN BKW" Los Alamos Scientific Laboratory Report LA-3704
- Mader, C.L. (1979). Numerical Modelling of Detonations, University of California Press.



The second secon

FIG. (1): USE OF SIN.

# APPENDIX 1

# DATA REQUIRED FOR SIN

Variable name	Default value	Units	Definitions
TITL	Time - date	-	A suitable title for the run (0-80 char)
i HC	No	•	Is a heat calculation required [Y/N]
ALPHA	SLAB		The geometry of the system
			SLAB - slab geometry
			CYL - cylindrical geometry
			SPHER - spherical geometry
IPINC	400	•	Every iPiNC cycles are printed
IGINC	200	-	Every IGINC cycles are graphed
ILB	ΩN	-	Left hand boundary conditions
			CON - Continuum
			FRE - free space
			INIT - initial-final piston
			A+BT - A + BT piston
			STDY - steady state reaction zone piston
IRB	ΩN	-	Right hand boundary conditions
			CON - continuum
			FRE - free space
			INIT - initial-final piston
			A+BT - A + BT piston
	Only required if	ILB, IRB Is equa	il to INIT "Initial-final piston"
ALB,LRB	-	cm/µs	initial piston velocity
BLB, BRB	-	cm/µs	final piston velocity

Variable name	Default value	Units	Definitions
	Only required	if ILB, IRB is equal to	o A+BT "A + BT piston"
ALB, ARB	-	-	A
BLB, BRB	-	-	В
	Only required	if ILB, IRB is equal †	o INIT, A+BT or STDY
NLI, NRI	-	-	The number of cells initially in the calculation from the left, right If Ø all cells are taken.
NLINC, NRINC	-	-	Every NLINC, NRINC cycles a cell is added on from the left, right
	The following	data is required for a	II components
NAM	- x	-	Name of the component (0-12 char)
NINC	- x	-	Number of space increments for this component
DX	-	cm	Size of these cells
DTIME	0.2 of DX	μs	Size of the time increments
IEXP	- x	-	is the component a gas or explosive [Y/N]?
IVIS	PIC	•	PIC - Pic viscosity LAND - Landshoff form REAL - Real form
VFACT	2	- -	Viscosity factor
РО	1 × 10 <sup>-6</sup>	MBAR	initial pressure
то	300	<b>*</b> K	Initial temperature
EO	0	MBar-cc/g	initial internal energy

Variable name	Default value	Units	Definitions
UO	0	om/µs	initial velocity
RH00	0 <rh00<50x< td=""><td>g/cm<sup>3</sup></td><td>initial density</td></rh00<50x<>	g/cm <sup>3</sup>	initial density
wo	0 <w0<1 td="" x<=""><td></td><td>initial mass fraction</td></w0<1>		initial mass fraction
VSW	0.01	-	-
		Solid paramete	rs
c,s	- x	-	Co-efficients to a linear set of Us and Up used from the initial pressure to the switch pressure.
C1,S1	- x	-	Second set of comefficients to the linear fit of Us and Up used from the switch pressure to the max. pressure
cv <sup>+</sup>	x	Cal/g/Degree	Heat of capacity of the component
<b>v</b> 0	1/DENS	cm <sup>3</sup> /g	initial volume of the condensed component
ALPH	- x	-	Linear co-efficient of thermal expansion
F,G,H,J,1,	- x	-	Constants used in the Hom condensed components equation
GAMM A	- x	-	γ-law gas constant
	Not requested i	f the component is	a gas or an explosive
SPALLP	- x	MBa r	Interface spalling pressure
USP	- x	MBer	Ultimate spalling pressure
SPA	- x	-	Spalling constant to relate pressure and tension rate
SHEAR	- x	M Bb r	Shear modulus
<b>Y</b> 0	- x	MBor	Yield strength

Only requested if the component is a gas or explosive

Variable name	Default value	Units	Definitions
Z	1E15 X		Frequency factor for an Arrhenius burn
E	4.5E4 X	cal/mole	Activation energy for an Arrhenius burn
va	x	cm <sup>3</sup> /g or cm/µs	Volume of the component for a C-J burn or the C-J detonation velocity for a Gamma-Law Taylor wave.
A,B,C,D,E	- x	-	Parameters defining the equation of
K,L,M,N,O Q,R,S,T,U	- x - x	~	state of the detonation products.  Parameters obtained from the BKW code <sup>2</sup>
Z1	- x	-	A constant used to change the standard state to be consistant with the solid explosive standard state usually $\simeq 0.1$
†BRN	ARR X	-	ARR - Arrhenius burn
			C-J - C-J volume burn
			GAMMA - Gamma-Law Taylor wave burn
			FOREST - Forest Fire burn (when availab

All variables with an "X" marked in the default value column are stored on the data base file.

#### APPENDIX 2

# USE OF THE SIN COMPUTER CODE ON THE CYBER 7600

cussed elsewhere in this report a user interface has been the data deck for the SIN code.

led binary version of USERSIN are stored on the library conly necessary to execute this file to run USERSIN. This must an interactive subsystem of the Cyber, once logged on.

quit edit subsystem gain entry to CIO excute USERSIN

EMIT (USERSIN)

and a brief description of the program should then be

questions asked and at the end of the session the data cards will have been created and will only require

quit CIO subsystem gain entry to EDIT copy the data deck into work space excute SIN

in is a menu driven program, for example the ing initial menu. The user simply enters the

ENU

ter title
ations
the system
undary conditions
undary conditions

DEFAULT

Date and Time Not included SLAB CONTINUUM CONTINUUM

option at least the first three characters carrent value of the option is given on the

intered the following options are offered.

LLOWING:

GEOMETRY

RICAL GEOMETRY

CAL GEOMETRY

The program will validate the reply and return to the initial menu changing the default value as requested.

		INITIAL MENU	DEFAULT
TITL	_	80 char title	Date and Time
HEAT	-	Heat calculation	Not included
GEOM	_	Geometry of the system	CYLINDRICAL
LHB	-	Left hand boundary conditions	CONTINUUM
RHB	-	Right hand boundary conditions	CONTINUUM
CONT	-	to continue	

To move to the next menu CON (continue) must be entered. The user works his way through the menu's specifying each parameter, Usersin reads and validates his reply before creating the data deck.

The second of th

### APPENDIX 3

System ?
: cio
Cio version 15/10/82
:submit,usersin
Enterins 7000 mode...wait

THIS IS THE FRONT END PACKAGE FOR SIN.

A ONE-DIMENSIONAL HYDRODYNAMIC CODE FOR PROBLEMS
WHICH INCLUDE CHEMICAL REACTIONS, ELASTIC-PLASTIC FLOW
, SPALLING, AND PHASE TRANSITIONS.

IT IS A QUESTION ANSWER TYPE PROGRAM, CONTROL 'H' WORKS AS BACKSPACE IF THE WRONG DATA IS ENTERED EITHER AN ERROR MESSAGE WILL APPEAR OR YOU CAN EDIT THE ENTERED DATA AT THE END OF EACH SECTION

#### ENTER ONE OF THE FOLLOWING

## DEFAULT

DEFAIILT

TITLE - FOR THE TITLE OF THIS RUN (0-80 CHAR)

04/03/83

16.58.48.

HEAT - IF HEAT CALCULATIONS ARE REQUIRED

GEOM - FOR THE GEOMETRY

LHB - LEFT HAND BOUNDARY CONDITIONS

RHB - RIGHT HAND BOUNDARY CONDITIONS

A CONTINUUM

CONT - TO CONTINUE

:tit

ENTER A TITLE FOR THIS RUN: cylinder test comp b steel 4.225, 5.225 cm dimensions

ENTER ONE OF THE FOLLOWING

	OBI ROBI
TITLE - FOR THE TITLE OF THIS RUN (0-80 CHAR)	CURRENTLY
CYLINDER TEST COMP B STEEL 4.225, 5.225 CM DIMENSIONS	
HEAT - IF HEAT CALCULATIONS ARE REQUIRED	NOT INCLUDED
GEOM - FOR THE GEOMETRY	SLAB GEOMETRY
LHB - LEFT HAND BOUNDARY CONDITIONS	A CONTINUUM
RHB - RIGHT HAND BOUNDARY CONDITIONS	A CONTINUUM
CONT - TO CONTINUE	

### ENTER GEOMETRY

SLAB - FOR SLAB GEOMETRY

CYLIND - FOR CYLINDRICAL GEOMETRY SPHER - FOR SPHERICAL GEOMETRY

:cyl

The second registered, the second second

ENTER ONE OF THE FOLLOWING

DEFAULT

TITLE - FOR THE TITLE OF THIS RUN (0-80 CHAR) CURRENTLY

CYLINDER TEST COMP B STEEL 4.225, 5.225 CM DIMENSIONS

HEAT - IF HEAT CALCULATIONS ARE REQUIRED

NOT INCLUDED
CYLINDRICAL GEOMETRY

GEOM - FOR THE GEOMETRY

LHB - LEFT HAND BOUNDARY CONDITIONS

A CONTINUUM

RHB - RIGHT HAND BOUNDARY CONDITIONS

A CONTINUUM

CONT - TO CONTINUE

:cont

# OUTPUT MENU

ENTER ONE OF THE FOLLOWING

DEFAULT

PRINT - CYCLES PRINTED

400

GRAPH - CYCLES GRAPHED

.400E+03

DUMP - CYCLES DUMPED

.200E+07

IPR - FOR A PLOT OF PRESS VS RADIUS

ITR - FOR A PLOT OF TEMP VS RADIUS

IWR - FOR A PLOT OF MASS FRAC VS RADIUS

IIR - FOR A PLOT OF VOLUME VS RADIUS

IUR - FOR A PLOT OF PART VEL VS RADIUS

NO GRAPHICAL OUTPUT REQUESTED

CONT - TO CONTINUE

:print

ENTER N, WHERE EVERY N CYCLES ARE PRINTED :100

# OUTPUT MENU

ENTER ONE OF THE FOLLOWING

# DEFAULT

PRINT - CYCLES PRINTED 100 GRAPH - CYCLES GRAPHED .400E+03 DUMP - CYCLES DUMPED .200E+07

IPR - FOR A PLOT OF PRESS VS RADIUS ITR - FOR A PLOT OF TEMP VS RADIUS IWR - FOR A PLOT OF MASS FRAC VS RADIUS IIR - FOR A PLOT OF VOLUME VS RADIUS IUR - FOR A PLOT OF PART VEL VS RADIUS

NO GRAPHICAL OUTPUT REQUESTED

CONT - TO CONTINUE

:iur

## OUTPUT MENU

ENTER ONE OF THE FOLLOWING

DEFAULT PRINT - CYCLES PRINTED 100 GRAPH - CYCLES GRAPHED .400E+03 DUMP - CYCLES DUMPED .200E+07

IPR - FOR A PLOT OF PRESS VS RADIUS ITR - FOR A PLOT OF TEMP VS RADIUS

IWR - FOR A PLOT OF MASS FRAC VS RADIUS IIR - FOR A PLOT OF VOLUME VS RADIUS IUR - FOR A PLOT OF PART VEL VS RADIUS

> A GRAPH OF PART VEL VS RADIUS WILL BE PLOTTED EVERY .400E+03 CYCLES

CONT - TO CONTINUE

:cont

ENTER THE NAME OF COMPONENT 1, OR A QUESTION MARK '?' FOR A LIST OF THE COMPONENTS ON FILE :?

THE COMPONENTS ON FILE ARE :-

COMPONENTS ON FILE	COMMENT		
STEEL	PETERS PROBLEM RDX FILLED		
RDX	PETERS PROBLEM RDX FILLED		
TNT	INITIATION OF THT (WATER ONLY)		
Н6	MARK 82 H6 FULL SIZE		
COMP B 4.5 INCH SHELL/BARREL			
AIR	, ,		
PETN	DAVID'S PROB		
POLYETHYLENE	DAV'S		
WATER	DAV'S		
PETN(RHO=1.4	DAV'S		
PENTOLITE	DAV'S		

THERE ARE 11 COMPONENTS ON THE COMPONENTS FILE

ENTER THE NAME OF COMPONENT :comp b

COMP B HAS BEEN FOUND ON THE COMPONENTS FILE

ENTER THE NUMBER OF SPACE INCREMENTS FOR COMP B:50

ENTER THE SPACE INCREMENT SIZE FOR COMP B [CM]:0.0845

A GOOD APPROXIMATION OF THE TIME INCREMENT IS 0.2 OF THE CELL WIDTH WHICH IN THIS CASE IS .1690000E-01 IS THIS APPROXIMATION VALID [Y/N] :y

## PLEASE ENTER ONE OF THE FOLLOWING

VISC - FOR THE VISCOSITY FACTOR	2.00	
BURN - FOR TYPE OF BURN -	ARRHENIUS BUF	ИУ
FORM - FOR TYPE OF VISCOSITY	PIC VISCOSITY	t
PRES - INITIAL PRESSURE	.100E-05 ME	3AR
TEMP - INITIAL TEMPERATURE	.300E+03 K	
ENGY - INITIAL INTERNAL ENERGY	0. ME	BAR-CC/G
VELC - INITIAL VELOCITY	0. CM	MICROSEC
FREQ - FREQUENCY FACTOR	.100E+16	
ACTV - ACTIVATION ENERGY	.450E+05	
NUMB - NUMBER OF CELLS	50	
SIZE - SIZE OF THE CELLS	.845E-01 CM	1
TIME - TIME INCREMENTS	.169E-01 MI	CROSEC
MASS - MASS FRACTION	0. G	
DENS - DENSITY	.165E+01 G/	/CC
PAR - PARAMETERS RELATING TO THE EOU OF STAT	E	

DEFAULT

:cont

ARE THERE ANY MORE COMPONENTS ? [Y/N]:y

CONT - TO CONTINUE

ENTER THE NAME OF COMPONENT 2, OR A QUESTION MARK '?' FOR A LIST OF THE COMPONENTS ON FILE :steel

STEEL HAS BEEN FOUND ON THE COMPONENTS FILE

ENTER THE NUMBER OF SPACE INCREMENTS FOR STEEL:40

ENTER THE SPACE INCREMENT SIZE FOR STEEL [CM]:0.025

A GOOD APPROXIMATION OF THE TIME INCREMENT IS 0.2 OF THE CELL WIDTH WHICH IN THIS CASE IS .5000000E-02 IS THIS APPROXIMATION VALID [Y/N] :y

PLEASE ENTER ONE OF THE FOLLOWING

DEFAULT VISC - FOR THE VISCOSITY FACTOR 2.00 FORM - FOR TYPE OF VISCOSITY PIC VISCOSITY PRES - INITIAL PRESSURE .100E-05 MBAR TEMP - INITIAL TEMPERATURE .300E+03 K ENGY - INITIAL INTERNAL ENERGY MBAR-CC/G VELC - INITIAL VELOCITY CM/MICROSEC 0. NUMB - NUMBER OF CELLS 40 SIZE - SIZE OF THE CELLS .250E-01 CM TIME - TIME INCREMENTS .500E-02 MICROSEC .100E+01 G MASS - MASS FRACTION .792E+01 G/CC DENS - DENSITY

PAR - PARAMETERS RELATING TO THE EQU OF STATE

CONT - TO CONTINUE

:cont

ARE THERE ANY MORE COMPONENTS ? [Y/N]

ENTER THE NAME OF COMPONENT 3, OR A QUESTION MARK '?' FOR A LIST OF THE COMPONENTS ON FILE :air

AIR HAS BEEN FOUND ON THE COMPONENTS FILE

ENTER THE NUMBER OF SPACE INCREMENTS FOR AIR :10

ENTER THE SPACE INCREMENT SIZE FOR AIR [CM]:1.0

A GOOD APPROXIMATION OF THE TIME INCREMENT IS 0.2 OF THE CELL WIDTH WHICH IN THIS CASE IS .2000000E+00 IS THIS APPROXIMATION VALID [Y/N]

#### PLEASE ENTER ONE OF THE FOLLOWING

# DEFAULT 2.00

.100E+01 CM

.100E+01 G

.129E-02 G/CC

.200E+00 MICROSEC

CM/MICROSEC

VISC - FOR THE VISCOSITY FACTOR

BURN - FOR TYPE OF BURN

FORM - FOR TYPE OF VISCOSITY

PRES - INITIAL PRESSURE

TEMP - INITIAL TEMPERATURE

ENGY - INITIAL INTERNAL ENERGY

2.00

ARRHENIUS BURN

PIC VISCOSITY

.100E-05 MBAR
.300E+03 K

ENGY - INITIAL INTERNAL ENERGY 0.

VELC - INITIAL VELOCITY 0.

FREQ - FREQUENCY FACTOR 0.

ACTV - ACTIVATION ENERGY 0.

NUMB - NUMBER OF CELLS 10

SIZE - SIZE OF THE CELLS TIME - TIME INCREMENTS

MASS - MASS FRACTION DENS - DENSITY

PAR - PARAMETERS RELATING TO THE EQU OF STATE

CONT - TO CONTINUE

:cont

The second of th

ARE THERE ANY MORE COMPONENTS ? [Y/N]

DO YOU WISH TO PLACE ANY OF THE COMPONENTS ON THE FILE [Y/N]

## REPLY SHOULD BE 'Y' OR 'N' ## TRY AGAIN:

THERE ARE 3 COMPONENTS INCLUDED IN RUN
CYLINDER TEST COMP B STEEL 4.255, 5.225 CM DIMENSIONS
AND THEY COMPRISE OF:

# COMPONENTS

COMP B STEEL AIR

# ENTER ONE OF THE FOLLOWING

CREAT - TO CREATE THE DATE FILE FOR 'SIN'
DEL - TO DELETE A COMPONENT FROM THE ABOVE
CONT - TO CONTINUE IE, ADD MORE COMPONENTS
ALT - TO ALTER ANY OF THE ABOVE COMPONENTS
START - TO START FROM SCRATCH AGAIN
EXIT - TO EXIT THE PROGRAM

:creat

## THE DATA FILE 'SINDATA' HAS BEEN CREATED

# ENTER ONE OF THE FOLLOWING

CREAT - TO CREATE THE DATE FILE FOR 'SIN'
DEL - TO DELETE A COMPONENT FROM THE ABOVE
CONT - TO CONTINUE IE. ADD MORE COMPONENTS
ALT - TO ALTER ANY OF THE ABOVE COMPONENTS
START - TO START FROM SCRATCH AGAIN

EXIT - TO EXIT THE PROGRAM

:exit

THE DATA FOR 'SIN' HAS BEEN PRODUCED AND IS IN YOUR DEFAULT ED LIB 'SINDATA'
7000 job existing
CIO active mode
:q,ed
ED version 15/10/82

```
SIN(T400)
GETSET(DFC4522)
PURGE(SINRUN, SN=DFC4522, ID=DFCEDN)
REQUEST(TAPE2, *PF, SN-DFC4522
ATTACH(SINBIN, SINBIN, SN=DFC4522, ID=DFCEDN)
EXIT(U)
REWIND(TAPE2)
CATALOG(TAPE2, SINRUN, SN=DFC4522, ID=DFCEDIN)
    3 100
              0
                   0
                        0
                             0
                                  0
                                             0
                                                  0
                                                       0
CYLINDER TEST COMP B STEEL 4.225, 5.225 CM DIMENSIONS
  -20000000000E+01
                    .1000000000E+03 .4000000000E+03 .2000000000E+07
COMP B
  50
              0
                   0
                    .1690000000E-01
                                                         .16500000000E+01
  .84500000000E-01
                                      -20000000000E+01
  .1000000000E-05
                    .3000000000E+03 0.
                                                        0.
                                      .1000000000E-01 0.
  .23100000000E+00
                    .1830000000E+01
0.
                   -.86482267660E+01 -.76497948971E+02 -.14330798590E+03
 -.12260697623E+03 -.34139045850E+02 .26600000000E+01
                                                         .25300000000E+00
  .606060606E+00
                    .5000000000E-04 0.
                                                        0.
  .3000000000E+03
                    .1000000000E-05 0.
                                                        0.
0.
                   0.
                    .1000000000E+16
                                      .45000000000E+05 0.
 -.35222141110E+01 -.24959474720E+01
                                       .25411585450E+00
                                                         .25589619270E-01
 -.10990541300E-01 -.15437672010E+01
                                       .51978884760E+00
                                                         .79918603550E-01
                    .21499074120E-03
                                      .75567098200E+01 -.45930275520E+00
  .65029983420E-02
                    .18767838090E-01 -.13302603210E-02 .50000000000E+00
  -66679850240E-01
  .1000000000E+00
STEEL
  40
              0
        0
  .2500000000E-01
                    .5000000000E-02 .2000000000E+01
                                                        .79170000000E+01
  .1000000000E-05
                    .3000000000E+03 0.
                                                        0.
  .45800000000E+00
                    .15100000000E+01
                                       .1000000000E-01 0.
                   -.38238258745E+04 -.70321195402E+04 -.48367021389E+04
 -.14667840212E+-4 -.16639161598E+03
                                       .2000000000E+01
                                                         .10780000000E+00
  .12631047114E+00
                    .1170000000E-04
                                      .7000000000E-01
                                                         .1500000000E+00
                                      .5000000000E-02
  .3000000000E+03
                   .10000000000E-05
                                                         .97800000000E+00
  .5000000000E-01 .1000000000E-05 0.
  .1000000000E+01 0.
                                     0.
                                                        0.
AIR
                                                         .1 2929000000E-02
  .1000000000E+01
                    .20000000000E+00
                                      .20000000000E+01
  .1000000000E-05
                    .30000000000E+03 0.
                                                        0.
  .3320000000E-01
                    .10461000000E+01
                                       .1000000000E-01 0.
0.
                    .5703000000E+01 0.
                                                        0.
0.
                   0.
                                     0.
                                                        0.
  .77345502359E+03 0.
                                     0.
                                                        0.
  .3000000000E+03
                    .1000000000E-05 0.
                   0.
  .1000000000E+01 0.
                                                        0.
                                     0.
 0.
                                     0.
 0.
                                                        0.
                   0.
0.
                                     0.
                                                        0.
                                                        0.
  .1000000000E+00
```

## DISTRIBUTION LIST

#### MATERIALS RESEARCH LABORATORIES

DIRECTOR
Superintendent, Metallurgy Division
Dr J. Eadie
Library
Mr E. Northeast

(2 copies)

## DEPARTMENT OF DEFENCE

Chief Defence Scientist/Deputy Chief Defence Scientist/ (1 copy) Controller, Projects and Analytical Studies/ Superintendent, Science and Technology Programme Army Scientific Adviser Air Force Scientific Adviser Navy Scientific Adviser (17 copies) Officer-in-Charge, Document Exchange Centre Technical Reports Centre, Defence Central Library Central Office, Directorate of Quality Assurance - Air Force Deputy Director Scientific, and Technical Intelligence, Joint Intelligence Organisation. Librarian, Bridges Library Librarian, Engineering Development Establishment Defence Science Representative, (Summary Sheets Only) Australia High Commission, London. Counsellor Defence Science, Washington D.C. (Summary Sheets Only) Librarian, (Through Officer-in-Charge), Materials Testing Laboratories, ALEXANDRIA, N.S.W. Senior Librarian, Aeronautical Research Laboratories Senior Librarian, Defence Research Centre Salisbury, S.A.

## DEPARTMENT OF DEFENCE SUPPORT

Deputy Secretary, DDS Head of Staff, British Defence Research & Supply Staff (Aust.)

## OTHER FEDERAL AND STATE DEPARTMENTS AND INSTRUMENTALITIES

NASA Canberra Office, Woden, A.C.T.
The Chief Librarian, Central Library, C.S.I.R.O.
Library, Australian Atomic Energy Commission Research Establishment

#### DISTRIBUTION LIST

(Continued)

#### MISCELLANEOUS - AUSTRALIA

Librarian, State Library of NSW, Sydney NSW University of Tasmania, Morris Miller Library, Hobart, TAS.

## MISCELLANEOUS - OVERSEAS

Library - Exchange Desk, National Bureau of Standards, U.S.A.

UK/USA/CAN/NZ ABCA Armies Standardisation Representative (4 copies)

The Director, Defence Scientific Information & Documentation

Centre, India

Military, Naval and Air Adviser, High Commission of India, Canberra

Director, Defence Research Centre, Kuala Lumpur, Malaysia Exchange Section, British Library, U.K.

Periodicals Recording Section, Science Reference Library, British Library, U.K.

Library, Chemical Abstracts Service

INSPEC: Acquisition Section, Institute of Electrical Engineers, U.K.

Engineering Societies Library, U.S.A.

Aeromedical Library, Brooks Air Force Base, Texas, U.S.A.

Ann Germany Documents Librarian, The Centre for Research Libraries, Chicago I11.

Defense Attache, Australian Embassy, Bangkok, Thailand Att. D. Pender

