AD-604620 604620

1

ANALYTICAL APPROXIMATIONS

Volume 20

Cecil Hastings, Jr.
James P. Wong, Jr.

P-607

24 November 1954

Approved for OTS release

6p
COPY 1 OF 1
HARD COPY $. 1.00
MICROFICHE $. 0.50

DDC
RECEIVED
AUG 27 1964
DDC-IRA D

The RAND Corporation
1700 MAIN ST. • SANTA MONICA • CALIFORNIA

COPYRIGHT, 1954
THE RAND CORPORATION

5)

11-12-54

Analytical Approximation

Chi-Square Integral: To better than .0007 over $0 \leq x \leq \infty$ for $m = 6$,

$$F_m(m-2+x) = \frac{1}{2\Gamma\left(\frac{m}{2}\right)} \int_0^{m-2+x} \left(\frac{t}{2}\right)^{\frac{m}{2}-1} e^{-\frac{t}{2}} dt$$

$$\doteq 1 - \frac{.6767}{\left[1+.05094x+.005309x^2+.000145x^3\right]^4} .$$

Cecil Hastings, Jr.
James P. Wong, Jr.
RAND Corporation
Copyright 1954

Analytical Approximation

Chi-Square Integral: To better than .0006 over $0 \leq x \leq 8$ for $m = 10$,

$$F_m(x) = \frac{1}{2\Gamma\left(\frac{m}{2}\right)} \int_0^x \left(\frac{t}{2}\right)^{\frac{m}{2}-1} e^{-\frac{t}{2}} dt$$

$$\doteq .00019638x^5 - .000056669x^6 + .0000060211x^7 - .00000022862x^8.$$

Cecil Hastings, Jr.
James P. Wong, Jr.
RAND Corporation
Copyright 1954

11-3-54

Analytical Approximation

Chi-Square Integral: To better than .0012 over

$0 \leq x \leq \infty$ for $m = 3$,

$$F_m(m-2+x) = \frac{1}{2\Gamma\left(\frac{m}{2}\right)} \int_0^{m-2+x} \left(\frac{t}{2}\right)^{\frac{m}{2}-1} e^{-\frac{t}{2}} dt$$

$$\doteq 1 - \frac{.0012}{\left[1+.0778x+.009774x^2+.00005993x^3\right]^4} .$$

Cecil Hastings, Jr.
James P. Wong, Jr.
RAND Corporation
Copyright 1954

Analytical Approximation

Chi-Square Integral: To better than .0009 over $0 \leq x \leq \infty$ for $m = 4$,

$$F_m(m-2+x) = \frac{1}{2\Gamma\left(\frac{m}{2}\right)} \int_0^{m-2+x} \left(\frac{t}{2}\right)^{\frac{m}{2}-1} e^{-\frac{t}{2}} dt$$

$$\doteq 1 - \frac{.7358}{\left[1+.06399x+.007689x^2+.0001227x^3\right]^4}.$$

Cecil Hastings, Jr.
James P. Wong, Jr.
RAND Corporation
Copyright 1954

11-5-54

Analytical Approximation

Chi-Square Integral: To better than .000% over $0 \leq x < \infty$ for $m = 5$,

$$F_m(m-2+x) = \frac{1}{2\Gamma\left(\frac{m}{2}\right)} \int_0^{m-2+x} \left(\frac{t}{2}\right)^{\frac{m}{2}-1} e^{-\frac{t}{2}} dt$$

$$\doteq 1 - \frac{.7000}{\left[1+.05619x+.006286x^2+.0001423x^3\right]^4} .$$

Cecil Hastings, Jr.
James P. Wong, Jr.
RAND Corporation
Copyright 1954