REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.				
1. REPORT DATE (DD-MM-YYYY) March 30, 2007		2. REPORT TYPE Annual Final		3. DATES COVERED (From - To) 7/1/2005-6/30/2006
4. TITLE AND SUBTITLE Scientific Challenges of Coated Conductors		5a. CONTRACT NUMBER F49620-01-1-0464		
		5b. GRANT NUMBER		
		5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S) David C Larbalestier		5d. PROJECT NUMBER		
		5e. TASK NUMBER		
		5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Applied Superconductivity Center University of Wisconsin -Madison 1500 Engineering Drive Room 909 ERB Madison WI 53706-1609		8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NE 801 N. Randolph St. Room 732 Arlington VA 22203-1977 (Attn: Dr Harold Weinstock)		10. SPONSOR/MONITOR'S ACRONYM(S) AFOSR		
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION / AVAILABILITY STATEMENT Distribution Statement A: unlimited				
13. SUPPLEMENTARY NOTES				
14. ABSTRACT Coordinated, multi-institutional research (University of Wisconsin, Stanford University, the University of Kansas, the University of California-Davis, and Florida State University) is addressing key underlying scientific and engineering issues of Generation II Coated Conductors is fabricating and acquiring through collaborations forefront CC samples, developing new tools for their understanding and characterizing them so as to resolve key performance issues. Areas of concentration include substrates, buffer layers, the superconducting overlayer, their complex interactions, and the underlying physical mechanisms that determine conductor performance. Our thrusts have covered study of grain boundaries, electromagnetic characterization, fabrication of model samples relevant to coated conductors, nanoscale characterization by scanning probe and scanning transmission electron microscopies, and the formulation of detailed models of how and why low angle grain boundaries and other macroscopic obstacles become barriers to current flow. We consider the way in which epitaxy develops through from an IBAD or deformation-textured substrate, the choice of oxide buffer layer and the influence of the buffer layer formation method. Strong interactions with leading companies, the DOE laboratories and AFRL and other universities are in place.				
15. SUBJECT TERMS				
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES
a. REPORT	b. ABSTRACT	c. THIS PAGE		
				19a. NAME OF RESPONSIBLE PERSON David C Larbalestier
				19b. TELEPHONE NUMBER (include area code) (850) 645-7483

20070516070

Standard Form 298 (Rev. 8-98)
Prescribed by ANSI Std. Z39.18

Report on the Wisconsin-Stanford-Kansas-Davis-Florida State MURI on Scientific Challenges of Coated Conductors

July 1, 2005 – June 30, 2006

I. Summary

Strong progress in Coated Conductor (CC) development occurred in the past year and the MURI remained at the forefront of integrating an understanding of several key aspects of the science with the technology. Major advances have been made in understanding and bettering flux pinning, understanding and mitigating grain boundary effects in CC and in beginning to understand protection and stability issues for CC. The MURI will end on December 31, 2006 after a 6 month close out. Several of the principals from the University of Wisconsin are relocating to the National High Magnetic Field Laboratory at Florida State University, who have made a major offer to move the Applied Superconductivity Center to a new facility at the Shaw Building just across the street from the main building of the National High Magnetic Field Laboratory. The Applied Superconductivity Center will become a division of the National High Magnetic Field Laboratory with David Larbalestier as Director of ASC. Alex Gurevich and Eric Hellstrom will join ASC in late 2006 and summer 2007, respectively. Essentially all of the equipment belonging to Applied Superconductivity Center will move to the NHMFL and a considerable enhancement of our capability will be made with the FSU start-up package. Prominent in this package is 25,000 square feet of purpose remodeled space, a dual-beam FIB/HRSEM with full analytical capability and a 16T Quantum Design PPMS system.

This report will be very brief, confining itself to a list of topics and papers published in the year since a final cumulative report of the MURI is now in preparation.

II UW work (Principals - Eom, Feldmann, Gurevich, Hellstrom, Larbalestier, Polyanskii and Song)

Work at UW falls under the general thrusts of:

- a. The thickness dependence of the critical current density
- b. Grain growth and grain boundary effects
- c. TEM studies of grain boundaries and pinning effects in CC
- d. Construction and operation of a Low Temperature Scanning Laser Microscope (LTLSM) and use of Magneto Optical Imaging for identification of local current flow obstructions
- e. Growth of YBCO or other RE-123 films using F-free solution methods
- f. Growth studies of YBCO films using PLD

III Stanford University - PIs Malcolm Beasley and Katherine Moler

The Stanford subprogram of the larger MURI program is focused on the development and the application of scanning Hall probe microscopy and scanning tunneling potentiometry for use in coated conductor physical characterization.

IV. Kansas (PI Judy Wu)

In this 12-months period of the MURI project, the University of Kansas group has worked on several issues related to the coated conductor development. We continued our effort in engineering microstructures of thick YBCO films and coated conductors with the goal to improve the current carrying capability and magnetic flux pinning. This includes insertion of nanoparticles, nanopores, nano-tubes, and nano-planes into the YBCO films. To fully assess the correlation between the microstructure and superconducting properties, normal state resistivity and J_c values have been measured as functions of temperature and magnetic field. We have studied the defect morphology through the film thickness using SEM and ion milling and observed nanotube-like pore growth in micron thick YBCO films. In addition, the J_c -thickness behavior at different temperatures and fields has been studied YBCO films of variable thickness and YBCO/insulator/YBCO trilayered samples. We have continued developing our near-field microwave microscope/near-field optical microscope (NSMM/NSOM) dual probe, together with I-V measurement, for electrical current mapping in coated conductors.

V Florida State University (PI Justin Schwartz)

The work covers the quench behavior of commercially produced coated conductors subjected to a localized transient heat disturbance.

UW Papers

1. D.V. Abraimov, D.M. Feldmann, A.A. Polyanskii, A. Gurevich, S. Liao, G. Daniels, D.C. Larbalestier, A.P. Zhuravel, and A.V. Ustinov, "Imaging Local Dissipation and Magnetic Field in YBCO Films with Artificial Defects," *IEEE Trans. On Appl. Supercon.* **15**, 2954-2957. (2005.)
2. X. Song, G. Daniels, D.M. Feldmann, A. Gurevich, and D.C. Larbalestier, "Electromagnetic, Atomic-Structure and Chemistry Changes Induced by Ca-doping of Low Angle YBCO Grain Boundaries," *Nature Materials*, **4**, 470-475. (2005)
3. T.G. Holesinger, P.N. Arendt, R. Feenstra, A.A. Gapud, E.D. Specht, D. M. Feldmann and D.C. Larbalestier, "Liquid Mediated Growth and the Bi-modal Microstructure of $\text{YBa}_2\text{Cu}_3\text{O}_x$ Films Made by the ex situ Conversion of PVD-BaF₂ Precursors," *J. Materials Research* **20**, 1216-1233. (2005.)
4. D.M. Feldmann, D.C. Larbalestier, T. Holesinger, R. Feenstra, A.A. Gapud, E.D. Specht. "Evidence for extensive grain boundary meander and overgrowth of substrate grain boundaries in high critical current density ex situ $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ coated conductors." *J. Mater. Res.*, **20**, 2012-2020. (2005.)
5. R. Feenstra, A.A. Gapud, F.A. List, E.D. Specht, D.K. Christen, T.G. Holesinger, D.M. Feldmann, "Critical currents $I_c(77\text{ K}) > 350\text{ A/cm-width}$ achieved in ex situ YBCO coated conductors using a faster conversion process," *IEEE Trans. Appl. Supercond.* **15** (2), 2803-2807, (2005).
6. F. Lu and E.E. Hellstrom, "Deposition of Gd_2O_3 Buffer Layers on Ni-based Substrates by Aerosol Spray Pyrolysis", *IEEE Trans. App. Supercond.* **15**, 3034-3037. (2005.)
7. K. Venkataraman, E.E. Hellstrom, and M. Paranthaman, "Growth of Lanthanum Manganate Buffer Layers for Coated Conductors via a Metal-Organic Decomposition Process", *IEEE Trans. App. Supercond.* **15**, 3005-8, 2005.
8. G.A. Levin, P. N. Barnes, N. Amemiya, S. Kasai, K. Yoda, Z. Jiang, and A. Polyanskii, "Magnetization Losses in Multiply Connected $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$ Coated Conductors," *J. Appl. Phys* **98**, 113909-11, 2005.
9. Polyanskii, R.L.S. Emergo, J.Z. Wu, T. Aytug, D.K. Christen, G.K. Perkins and D.C. Larbalestier, " Magneto-optical Imaging and Electromagnetic Study of YBCO Vicinal Films of Variable Thickness," *PRB* **72**, 174509, 2005.
10. X. Song, Z. Chen, S.I. Kim, D.M. Feldmann, D.C. Larbalestier, J. Reeves, Y. Xie, V. Selvamanickam, "Evidence for Strong Flux-Pinning by Small, Dense Nanoprecipitates in a Sm-Doped $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Coated Conductor," submitted to *Appl. Phys. Letts.*, 2005.
11. D.M. Feldmann, T.G. Holesinger, C. Cantoni, R. Feenstra, N.A. Nelson, D.C. Larbalestier, D.T. Verebelyi, X. Li X, M. Rupich. "Grain orientations and grain boundary networks of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films deposited by metalorganic and pulsed laser deposition on biaxially textured Ni-W substrates." *J. Mater. Res.* **21**, 923 (2006).
12. Palau, T. Puig, X. Obradors, R. Feenstra, A.A. Gapud, E.D. Specht, D.M. Feldmann, T.G. Holesinger. "Grain and grain-boundary critical currents in coated conductors with noncorrelating $\text{YBa}_2\text{Cu}_3\text{O}_7$ and substrate grain-boundary networks." *Appl. Phys. Lett.* **88**, Art. No. 132508 (2006).
13. A.P. Zhuravel, A.G. Sivakov, O.G. Turutanov, A.N. Omelyanchouk, S.M. Analge, A. Lukashenko, A.V. Ustinov, D. Abraimov. "Laser scanning microscopy

of HTS Films and devices." Low Temperature Physics, Vol. 32 No. 6. Pp. 592-607.

14. D.M. Feldmann, T.G. Holesinger, C. Cantoni, R. Feenstra, N.A. Nelson, D.C. Larbalestier, D.T. Verebelyi, X. Li, M. Rupich, "Comparative study of grain orientations and grain boundary networks for $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films deposited by metalorganic and pulsed laser deposition on biaxially textured Ni-W substrates," to appear in J. of Materials Research, April 2006.
15. H.W. Jang, R.R. Das, C.B. Eom, D. M. Feldmann Q. X. Jia, P. N. Arendt, and V. Matias "In-plane texture improvement of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films on an ion-beam-assisted deposited MgO template" submitted to Appl. Phys. Lett. (2006)
16. Song, X. "(110) Facets and dislocation structure of low-angle grain boundaries in $\text{YBa}_2\text{Cu}_3\text{O}_{7-d}$ and $\text{Y}_{0.7}\text{Ca}_{0.3}\text{Ba}_2\text{Cu}_3\text{O}_{7-d}$ thin film bicrystals." Accepted for publication in Journal of Materials Research, 2006.

FSU Papers

1. M. Breschi, P.L. Ribani, X. Wang and J. Schwartz, "Theoretical explanation of non-equipotential quench behavior in Y-Ba-Cu-O coated conductors," *Superconductor Science and Technology* (submitted 2006)
2. A.L. Mbaruku, U. P. Trociewitz, X. R. Wang and J. Schwartz, "Relationships Between Conductor Damage, Quenching and Electromechanical Behavior in YBCO Coated Conductors," *IEEE Transactions on Applied Superconductivity* (submitted 2006)
3. G.M. Zhang, D.C. Knoll, D.N. Nguyen, P.V.P.S.S. Sastry, U.P. Trociewitz, X.R. Wang and J. Schwartz, "Quench behavior of $\text{YBa}_2\text{Cu}_3\text{O}_7$ coated conductors with ac and dc transport currents," *Applied Physics Letters* (in preparation)

UC – Davis Papers

1. "A cooperative doping mechanism to enhance grain boundary transport in high- T_c superconductors", R. F. Klie, J. P. Buban, M. Varela, A. Franceschetti, C. Joos, Y. Zhu, N. D. Browning, S. T. Pantelides and S. J. Pennycook, *Nature* 435, 475-478 (2005)
2. "Valence Electron Energy-Loss Spectroscopy in a Monochromated STEM", Rolf Erni and Nigel D. Browning, *Ultramicroscopy* 104, 176-192 (2005)

University of Kansas Papers

1. Shramana Mishra, Jonathan R. Dizon, Roberto S. Aga Jr and Judy Z. Wu, "A comparative study of simulated and experimentally obtained electrical current distribution in conducting films, J. Appl. Phys. **100**, 083709 (2006).
2. R.T. Lu, R. Vallejo and J.Z. Wu, "Development of textured MgO templates on nonmetallic flexible cerefex", Appl. Phys. Lett. **89**, 132505 (2006). Virtual journal of applications of superconductivity, Oct. 1, 2006.
3. Z.W. Xing, H. Zhao and J.Z. Wu, "Reversible exchange of Tl and Hg cations on superconducting "1212" lattice", *Advanced Materials* **96**, 2136 (2006)
4. X. Wang and J.Z. Wu, "Effect of magnetic coupling on the J_c of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}/\text{CeO}_2/\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ trilayers", Appl. Phys. Lett. **88**, 062513(2006). Also in virtual journal of superconductivity.

5. X. Wang and J.Z. Wu, "Tailoring defect microstructure for better magnetic flux pinning in $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ films using quench annealing", *Physica C* **432**, 287(2005).
6. R. Emergo, J.Z. Wu, T. Haugan, and P. Barnes, "Tuning porosity in YBCO films using substrate miscut+nanoparticle insertion", *Appl. Phys. Lett.* **87**, 232503 (2005). Also in *Virtue Journal of nanoscience and technology*, Dec. 12, 2005.
7. A. Polyanskii, R. Emergo, J.Z. Wu, T. Aytug, D.K. Christen, G.K. Perkins and D. Larbalastier, "Magneto-optical imaging and electromagnetic study of YBCO vicinal films of variable thickness", *Phys. Rev. B* **72**, 174509 (2005).
8. Roberto S. Aga, Jr., Xiang Wang, Jonathan Dizon, Jesse Noffsinger and Judy Z. Wu, "Application of near-field scanning microwave probe to current density mapping in conducting films at room temperature", *Appl. Phys. Lett.* **86**, 234101(2005).
9. J.Z. Wu, "Epitaxy of Hg-based high temperature superconducting thin films", book chapter in *Second-generation HTS Conductors*, edited by A. Goyal, *Kluwer Academic Publishing*, Boston, P317 (2005).
10. J. Baca, D. Fisher and J.Z. Wu, "Pore formation and increased critical current density in YBCO films deposited on a substrate surface modulated by Y_2O_3 nanoparticles", submitted (Oct. 18, 2006).
11. H. Zhao and J.Z. Wu, "Converting Hg-1212 to Tl-2212 via Tl-Hg Cation Exchange in combination with Tl cation intercalation", submitted (Oct. 1, 2006)
12. Jonathan R. Dizon, Xiang Wang, Roberto S. Aga, Jr., and Judy Z. Wu, "Combining Near-field Scanning Microwave Microscopy with I-V Measurement for Imaging Current-obstructing Defects in HTS Films", submitted to *IEEE Trans. Appl. Superconductivity*.
13. Hua Zhao, Jonathan R. Dizon, Rongtao Lu, Wei Qiu, Judy Z. Wu, "Fabrication of Three-Pole $\text{HgBa}_2\text{CaCu}_2\text{O}_{6+\delta}$ Hairpin Filter and Characterization of Its Power Handling Capability", submitted to *IEEE Trans. Appl. Superconductivity*.