

UNCLASSIFIED

AD 92530

Armed Services Technical Information Agency

Reproduced by

DOCUMENT SERVICE CENTER

KNOTT BUILDING, DAYTON, 2, OHIO

This document is the property of the United States Government. It is furnished for the duration of the contract and shall be returned when no longer required, or upon recall by ASTIA to the following address: Armed Services Technical Information Agency, Document Service Center, Knott Building, Dayton 2, Ohio.

NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE OR USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

UNCLASSIFIED

PRINCETON UNIVERSITY
PRINCETON, NEW JERSEY
SCHOOL OF ENGINEERING, JOHN C. GREEN FOUNDATION

FC

DEPARTMENT OF AERONAUTICAL ENGINEERING
THOMAS FORBES RESEARCH CENTER

AD No. 92530
ASTIA FILE COPY

March 5, 1956

To: Commanding Officer
Office of Naval Research
Air Branch/ Code 461
Department of the Navy
Washington 25, D. C.

Subject: Model Study of Dynamic Stability of Helicopter -- Status Report covering the month of February 1956.

Contract N6 onr-27015

H04S Simulation Program:

The model is now on flying status, and calibration of the instrumentation has begun. The initial flights were very satisfactory and it is anticipated that useful data will be obtained by the end of the month.

The forward flight servo drive system working mock up is essentially complete, and shake down runs will begin during the next few weeks.

Forward Flight Facility:

All work on the facility continues on schedule.

Induced Flow Studies:

The test program is continuing in order to cover the following ranges:

Blade collective pitch angle	8°, 9°, 10°
Angle of attack of plane of zero feathering	0°, 5°, -10°
Advance ratio	0-0.30

Smoke will be injected into the tip vortex and its motion will be recorded on movie film as a function of azimuth angle from the blade feathering

axis. The thrust, rotor RPM, and forward speed will be recorded by an oscillograph. It is expected that most of this work will be accomplished during March.

Very truly yours,

Leonard Goland
NET

LEONARD GOLAND
Chief Project Engineer

LG/nt
cc:

- 3 - Commanding Officer, ONR, Wash.
- 1 - Lcdr. A. D. Struble
- 1 - J. Levy, ONR, N. Y.
- 1 - Special Devices Center - Code 910
- 1 - R. Booth, DE 31, BuAer
- 8 - Office Chief of Trans. Dept. of the Army
- 1 - Asst. Chief of Staff, G-4, R & D
- 1 - Commanding General, Fort Monroe, Virginia ATDEV-6
- 1 - David Taylor Model Basin, Maryland - Code 634
- 1 - President, Board No. 6, CONARC, Camp Rucker, Alabama