UNCLASSIFIED

AD NUMBER: AD0389669
CLASSIFICATION CHANGES
TO:
Unclassified
ED ON A
FROM:
Confidential
AUTHORITY
C to U per GP-3 dtd 26 Jul 1979

UNCLASSIFIED

ONCE/ OSH IEB
AD NUMBER: AD0389669
CLASSIFICATION CHANGES
TO: Confidential
FROM: Secret
LIMITATION CHANGES
TO:
Approved for public release; distribution is unlimited.
FROM: Distribution authorized to DoD Components Only; Administrative and Operational Use; 1 Jul 1958. Other requests shall be referred to Army Engineer Studies Group, Office of the Chief of Engineers, Washington, DC 20315
AUTHORITY
S to C per GP-3 dtd 1 Jul 1961; ST-A per OCE D/A ltr dtd 26 Jul 1979


SECURITY MARKING

The classified or limited status of this report applies to each page, unless otherwise marked.

Separate page printouts MUST be marked accordingly.

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18, U.S.C., SECTIONS 793 AND 794. THE TRANSMISSION OR THE REVELATION OF ITS CONTENTS .. ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.



William word

7-677688

DEPARTMENT OF THE ARMY

MIDDLE EAST AIRFIELD STUDY (U)

(MEAFS)

VOLUME I

Prepared by
ARRY MAP SERVICE
ARRY MAP SERVICE
MILITARY PLANS DIVISION, TO
OFFICE OF THE CHIEF OF ENGINEERS
July 1958

DOC CONTROL

81871

_

DOWNGRADED AT 12 YE TANADAS NOT AUTOMATICALLY DESCRIPTION,

Copy IC of 25 copies

CRB 68-2467

"This document contains information affording the National which to the annual or play yappen to provide by her.

DEPARTMENT OF THE AUMY

MIDDLE EAST AIRFIELD STUDY (U) (MEAFS)

Propared by ARMY MAP SERVICE and MILLTARY FLANS DIVISION, TO CFFICE OF THE CHIEF OF ENGINEERS

July 1958

STATISTICAL AT CONTRACTOR

in Milition to community and process of tab apply to this Attn: ENCTE-SA (21100)

Washington, D.C. '20315

DDC CONTROL NO. 81871

MIDDLE RAST AIRPIELD STUDE

TABLE OF CO. TENES

VOLUME Y

rese
l thru (
3
v
tice
·.

MLP

Plot of Location of Airfields and Capacities

Index - Airfields - Alphabetically by country.

Individual Airfield Busewary Sheets

MIDDLE HAST AJ LYTELD STEDY

IMPROVACTION

1

- 1. This special study was prepared at the request of DCSLOG.

 It sustantiase information on sinilation of the MDDNE EAST. Countries covered are markey, syria, legands, than, than, that, sare, saret assault, sordan, than each the various shalkdom of the mrablas viningula. A total of 378 sinfields with renway langula 2,000 feet and over here been included.
- 2. The intelligence date contained in the study was extracted from verious current volumes of <u>Airfields and mapleness Stations of the Morif.</u> In general, data can be considered current to about December 1957. Time did not permit updating by use of current working intelligence files therefore prior to detailed planning for use of any specific sirfield, a check should be made to ascertain if more recent intelligence is available. The necessity for a detailed check of each field is further underlined by assumptions affecting runway length and wheel-load capacity as described in paragraphs ?-9 below.
- 3. This study consists of three parts: a special map overlay and Volumes I and II of written material. The map overlay shows the location of 378 airfields and contains a special key which permits rapid identification as to type of aircraft which can be accommodated. The more important airfields are further keyed by number to the tabular and written material in Volumes I and II.
- 4. Volume I contains: an Index; Tab A which is a compilation in summary form of information on physical characteristics and operating capabilities; and Tab B which is a number; of Lata on services and facilities. Volume I is arranged with sirficide i descending order of importance based on runway length without regard to capacity or country. The tabs cover 201 sirfields with runway lengths of more than 3,000 feet. Additional sheets covering the

SECRET

lessor fields may be added at a later data if determined to be desirable.

- 5. Volume II contains individual airfield information shouts.

 containing data similar to both I be A and B, with some additional significant information. Volume II arranged by according order of reference numbers and is cross-referenced with Volume I by mean of the indices contained 1: both volumes I & II.
- o. Indications of capability of fields to support particular aircraft aget be considered general estimates only. Even with on- I ground inspection and detailed soils testing, capacity is not subject to precise determination. The two key factors considered in this study are runsay length and wheel-load capacity. These factors are discussed in subsequent paragraphs.
- 7. Table 1, following this text lists the type of aircraft considered for use in this area and the runway length required to support each type. The length of runsay assumes average conditions as defined by the Air Force (59° F. and elevation at sea level.) Runway lengths are 1.5 times the required ground run of the aircraft For airfields where other than average conditions exist, required runway lengths should be modified. Table 2 shows corrections which should be made for variations in temperature and elevation from the standard. The map overlay data and folume I show runway capacities based on the so-called "average conditions". Obviously, for most of these sirfields, capacity will theoretically be reduced for a good portion of each year because maximum temperatures average above 590 and elevations are above sea level. However, time did not permit this refinement. It cannot be determined in advance what temperature. will preveil unless the time of day and senson are specified; and in most cases the change would not be significant for averaging operation
- 8. Computation of the wheel-load capacities of these sirfields to accommodate US aircraft is bared on design curves, data and tables

100

in AVM 80-3. Tactical aircraft and cargo aircraft were treated especially and are both included in this report. Capability to ensure the catical airport eircraft listed in Table I, however, who not considered because of special problems including lack of correlation between their weights and the lengths of runney required. A special check must be made for runney length and aspecity of each sinfield where basing of tactical support sircraft may be contemplated. Definitious used on the map overlay and in the volumes to describe capacity are as follows:

- field capacity using runsay lengths and wheel-loads as reported in airitalds and scaplans stations of the world. The field is expected to remain operative indefinitely without major repair, with routine maintenance to be provided by the Air Force.
- b. Hinimus operational sireraft espacity is an increased capacity adjusted upward by use of generalized design curves. It is estimated that the field can be expected to remain operative under intensive use for appreximately 3 months without major repair, with routine maintenance support provided on the average by 1 engineer company. Some mirfields may show the name "minimum operational" sircraft expectly as "full" operational in which case, of course, the expected operative parted and maintenance given under (a) above would apply.
- c. <u>Emericacy aircraft capacity</u> is a capacity further adjusted upward by use of generalized design curves. The field will be expected to remain operative under intensive use for approximately is days without swjer repair, with maintenance support by one engineer battelion required.
- 9. No astimates are included herein as time and effort required to provide major repairs or to substantially improve the capacity of any given field. Such antimates must be based on specific

indications of desired aircraft operational requirements and a detailed analysis of the mirfield in question.

10. In connection with data given under "Related Transportation", any read normally memble by some work of motorized traffic has been included as a highway. All highways provide direct access to the air-field. Railroads and accervays were included at they passed within a ressonable distance of the airfield; i.e., on the order of 20 miles.

The A of Volume I maerally gives the distance of the necessary rail line from the mirfield. Maternays include security as well as inland water-ways mavigable by locally used craft.

SECRET

TABLE 1
AIRCRAFT GUARACTERISTICS

.

TYPE	AldCRAPT	ORCOG	(1)	FUNDAY 320
TACT CALL	Т 33А	15,001	5,000	4 500
	e agn i	15,07	3.000	4,500
	1104R	24,141	1,400	8,400
	FlC4n	24,736	3,490	8 497
	2194C	27,519	5,400	8,400
	F100C	35,618	3,800	5,000
	F1000	39,748	3,400	5,000
	¥105G	64,612	4,400	6 (00
	F101	51,000	5,900	9 000
	H 57C	53,975	5,000	7,500
TACT ICAL, SUPPORT	RF1C1	51,000	5,000	8,500
0011701	RB 650	76,850	7,300	11 000
	BE 667	81,257	6,400	9,000
	KB 50	173,000 (Incl.tanks)	6,300	9,500
**************************************	RF 84F	27,000	7,700	11,500
CARGO	C123E	56,100	2,800	4,100
	C119C	66,600	3,600	4,000
	C119C	68,300	3,600	4,000
	C 54	69,000	2,780	4,170
	C1.30	126,600	2,000	3,000
	C124	175,000	3, 00	5,400



BASIC DATA SHEET (OVER 10,000 LEMETH R/W)

ė	EAS./CONTEN	COORD.	N O	VIDER(PE)	THE & THICKNESS OF R/W	CAPACITY	(R/W LEBSTER OR CAPACITY (R/W LEBSTER OR CAPACITY FULL , MUS	A/C METCH C CCCMMEDDATED KTE OR CAPA	(R/V LENYER OR CAPACITY COVERS) FULL , MIN , SHERG	() N	CAPACITY GOVERNES)	TPS CARGO A/C METCE CAS BE ACCOMEDIATED (CAPACITY GOVERNES)		(CAN	OTHER OFERATING AREAS (PERCENT OF TAC WING A JOSSEDS FIGH) TAXIS LARGONS W/S	TAC TAC TAC TAC TAC TAC TAC
8	DEZPUL	32723*N	-	10100x150 under const.	Concrete	200,000	P 101	8	3 570	-	CIZL	CIZE	CLZL	K	100	ğ
7	FAIP Sendi Arabia	21 29 N 1,0 32 E	н	104,00x125 Asph. with	Asph. with	120,000	P 10	and	B 570		450	275	170	Tage	porstruction	then the
2	BATHAN	37 55 W	٦	10000-150 (sph. with	ecec. ends	60,000	P 10	and	B 570		01235	250	त्रह	100	8	į
2	TABIK Sendi Arabia	26 22 11 36 34 E	н	Tome 150 under const.	Concrete	Unk.	Unk.	Unk.	Unk.		Upk.	Ä	Ä.	Tater	oristrio	t ton
						SECRET										

SECIL

0

(mones 1/4 000,00 may 7 min name store

43.0	NAE/OCUNTRY	6306. COCRD.	NO.	LENGTH & MIDTH (FT.)	THE STATE THE THE THE THE THE THE THE THE THE T	CAFACITY	TYPE THE ACCOUNTS OF THE CAN SE ACCOUNTS OF THE CAN INDICATE OF THE CANADA CONTRACT OF THE	TY SE YNG A/G INTICH CAN BACKED ACCOUNTS ACCOUNT	M 35	CAN BE ADOUT ODATED (GAPACITY GOVERS) FILE THE CHEEK	E CARGO A/C MEEN I RE ACCOLLODATED (CAPACITY COURSE)	MECH VED VED VERIS)	OTHER (PERC) WILLS AND A PAXES	OTHER OPERATEDS AREA (FERGENT OF FACTORIES) WING ACCOLODIFICAL TAXES ARRORS H/S	ANG MAC MAC MAC MAC MAC MAC MAC MAC MAC MAC
-	DHAFRAN Sandi Arabia	26°26'11 50 10 3	- 0	1000C.200 6500 2 150	0000.4200 6"Asp&9"c Lay 6500x150 k"Asp 29"c Lay	300,000	2 101	pue	3 57c	CLZL	CLZL	CLZt	300	100	Unit.
(1)	Turion	39 L7 H	40	10000x150 7780x160	Asph/ca. ends 3.5ºcm closed	260,000	7 105	and	3 57c	CIZI	टाउए	מזכני	300	100	~
-	INCIDIIN	37 00 N 35 26 E	-	10000200	12" to 11" reinf.como.	290,000	F 101	and	570	CIZL	CL2h	CIZI	300	100	300
	EHRAN/MEHA-	35 LL N 51 18 E	40	10000x200 5900x150	8" concrete	200,000	F 101	pur	\$ 570	מזקו	4210	C121	100	100	Uzk.
· w	Saudi Arabia	21 30 N 39 12 E	40	10000450	5" asphalt	120,000	F 101	and	570	75 0	C12th	CIZI	100	100	Sak.
	DIYARB	37 53 N	-	10000x150	Asph. with	100,000	P 101	and	57c	150	0130	C121	100	07	-
	DALATYA (NEH) Turkey	38 27 N 38 08 E	-	11000450	Asph. with conc. ends	000,00	F 131	pue	3 57c	01235	275	m24	100	007	0
- 5	Turkey	37 58 N 32 34 ≅	-	11000450	Asph. with	000,79	F 101	par	B 57c	01130	250	C1217	100	15	35
	AMEARA/IURTED Turkey	10 03 x	-	110004150	Concrete	Unk.	Talt.	Unk.	Unk.	Unk.	SE.	Unk.	100	100	0
						7									MACHINE.

1

SECRET HEATS

HEATS

HEATS

(9,000-10,000 R/W IEHGTH)

AREA E/S	Ä	10	ğ	8	NA E	설	. Aug	U n ic.	ran A
APPORT E/S.	8	×	100	98	Si	bi	300	100	8
VENT TAXES	100	300	98	9	100	300	100	100	3
me 8	1210	वाश	G1212	G121.	מוקה	CL2I _L	C121;	מזגוי	CIST
(CAPACITY COVERE)	d2 to	כובוי	45 o	0130	4210	CLZL	0130	CIZL	מזגוי
(GARAC)	0130	CIZL	25 5	र्ड ०	usto	CISI	150	0030	वाडा
GOVERNS)	570	210	570	570	249	245	570	570	55
	m	æ	m	m		m	m	m	B 570
OR CAPACITY	pan .	Page 1	Par	and	page	S S	and	and	ğ
N G	P 101	뎕	F	100	- F	4	g	- - - - - - - - - -	# I.
(R/W LEBOTE OF FULL	D.	Ca.	Ca.	ta .	A	A.	Day	. A	SECRET
CAPACITY	170,000	250,000	000'69	56,000	200,000	200,000	50,000	150,000	200,000
THE A THICKNESS OF R/V	Asphalt	Ashp. with	Bitum-scaled stone	Asphalt 6" concrete	Urreduf.conc. 5.5" conc.	Concrete	Ashp. (const.)	Arp.on Homesto l." asph. on l." stab. sand	11" to 11," concrete
_	00	0	22	9.0		88	20	888	
VINER(F	9750×150 7350×150	90002500	9000m150 5570m160	9000±150 6300±150	9000±200	9000s200 7800s250	9000±150 5920±150	9350x200 7000x200 7000x150	90,002150
N/W LEMOTH &	1 9750×150 2 7350×150	7 900020	1 9000c15 2 5570c16	1 9000 <u>21</u> 2 6300 <u>21</u>	1 9000±20 2 7300±19	1 9000c2 2 7800c2	2 5920±1	1 9350a20 2 7000a20 3 7000a15	1 90,002
Šé	40				09 N 1	54 N 12	31 E 2 4	06 M 1 24 E 2 3	
		35 N L	E E 2	03 N 50 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	H O	N IQ	PA CA	10K	25 M E E E

BASIC DATA FREET (9,000-10,000 R/W LENGTH)

(PERCENT OF TACTORY AREA (PERCENT OF TACTORY VING ACCORDE DATION) TAXIS APPROVED H/S	k	Unk.	Unk.		, °	Unik.	8	ğ
THER OPERATING (PERCENT OF PACT VING ACCOUNT DATE AT	8	8	2	я	100	Unk.	N	ь
	300	100	9	9	(1) und	Unk.	100	99
MATICE DATED MS.) KS.) KNRG.	000	Upk.	Unk.	C121 ¹	लाटा	Cl2i	ताजा	गटाः
CAN BE ACCOMINATED CAN BE ACCOMINATED (CAPACITY GOVEINS)	CL23B	Unk.	Unk.	75 0	n 51	गुंद ၁	CLZL	गुर २
CAN BE CAN BE (CAPAC)	Nome	Unk.	Unk.	ਜੰ ਹ	15 o	1 <u>K</u> 0	מזק	75 c
GOVERNE) ENERG.	B 570	Unk.	Unk.	0	0			
3.5				B 57c	B 570	B 570	B 370	9 X
A/C WHICH C CCCOMPODATED ITS OR CAPAC MIN .	P 101	Unik.	Unk.	B	P	1	1	SECRET
(R/W LENGTH OR CAPACITY GOVERNS) FULL MIN ENSTO	F 104,	Unk.	Unk.	P 101	F 101	P 101	P 101	d S
CAPACITI	15,000	Unk.	Unk.	70,000	000*69	50-70,000	250,000	80,000 dry weather
THICKNESS OF R/V	Asph; 500'	Concrete	Concrete	Berneck ours. Tarmec Tarmec	5" Asph with cone. ends on crushed rook base	Tarpec,	6"asph. on 18" 250,000 crushed stone	Hard rolled gravel
WIDER(FR)	90004150	90004100	90002100	9750æ150 6000æ150 1,200æ150	9000e150 under const. 6400x150	9770006	9000200	7500±300 7500±300
20	н	н		400	ни	<u>н</u>	н	HNM
COORD.	LOS221N 35 35 E	38 30 N 27 00 E	38 55 55 55 55 55 55 55 55 55 55 55 55 55	30 07 N 30 56 E	ड प्र १९ अ ११ १८ म	33 833 838 838	32 32 M 36 15 E	36 21 E
NO.	Turkey	Turkey	AKHISAR Turkey	CAIRO/MEST Egypt	Sendi Arabia	EGTPL	Jorden	MATRA
ġġ.	-22	772	8	, O	52	58	53	R

SECRET NEARS (9,000-10,000 I/J ELITTE)

TOTON)	Unk.	0	
OPHER OPERATION (PERCENT OF VINC ACCORDAND PAXIS APPROPER	100	۰	
OTHER C (PER WING A PAXIS	100	•	
ACTO ACTO ACTO ACTO ACTO ACTO ACTO ACTO	de co	G121,	
A/C DMMCD SOVER	0130	G121 Sected)	
CAN BE ACO	3,0	T.	
OVERS)		o	
S CONCIET	335	TIN THE TENT	L
(A/W LEBOTE OF	7 10	g	SECRET
CAMCIET	100,000	396,000 party control	
THICKNESS OF 3/W	6"Itmesthese w	Concrete (Under coms.	
0. WIDER(FF)	90002150	9900a195 (unear vloeshie	
ė	н	4	
00000	33°20'N	8 8 8 8 8 8	
ED.	HABBANITA PLA-	SHIRAZ (NEW)	
i i	Ħ	×	

SD SET

0

Û

(HIDER WAS 000, 8-200, 8)

28	NO.	3000	Sé _			CANCER	(a/v infile	(N.W. LESTING OR CANADAS (N.W. LESTING OF CANADAS) FULL HOSE SHOW DESTO	GOVERNE)	CAN BE A	THE CARGO A/C WHICH CAN BE ACCOMPODATED (CAPACITY GOVERNS) FULL NUN BEEN	2	OTER OPER (PERCENT VING ACCORD VING ACCORD VING APPRO	OTHER OPERATING ARE (PERCENT OF TAC APCONENDATION) TAXIS APPONE E/6	EVE EVE
2	***************************************	\$ 60°5	et 19	STROTS 1505130	li	200,000		1	87 C	22	C124	C124	1001	127	
4	STORE IL.	12	3"	N120008		20.20	0 15 0	\$ 57 C	957c	6230	C130	C124	1001	1001	0
2	11	**	-	SIPPIS		113,000	357 0	5/4	2570	C130	C124	C124	1001	1001	
x	11	44. 44.	- 44	8130m150 3150m150 3000m150	111	36,000	B 57 C	2/5	267c	ð	6130	C124	1001	1001	109
5		£4.	-	0+1=0448	***	0.07	4 14 0	5 8 pas 0 ,	٠	8	8	C124	1001	1001	1001
*	ij	25	- 40.4	\$650a150 \$600a150 \$500a150 \$500a150	1111	1	i	ij	Ą	j	i	Ĭ,	901	2	8
1	i	# # # # # # # # # # # # # # # # # # #	- NA	3280+160	Comments and	33,000	200	1876	1870	6130	4215	427	۰	2	•
					-	1	SEC	SEC. ET							

SIL

BASIC DATA SHEEF (8000 -9000 R/W LEGGER)

CHECKET OF TAC (PERCENT OF TAC WING ACCORDINGS) TAXES APPOSE B/8	1007	801	1	90 100	100	8 8	b .	
(PERSONAL PARTIES AND ADDRESS	8	8	1	80	8	,	8	
1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CIZI	CL24	CLZt	d d	1	CLZA	8	
AN BE ACCOMEDIA (CAPACIET SOVER FULL MEN	表	480	CIE	\$	1	8	\$	
CAN BE ACCOMPUNED (CAPACIFY SOVERS)	45	ct 30	0. E	ŧ	1	C1239	1	
SOVERIS)	B57C	B 57C	B57c	BSTC	ł	BSTC	BSTC	
TIPE TAC A/C WHICH CAN BE ACCOMPENDED ACCOMPENDED OR CAPACIETY GOVERNS) FULL MIN INSERT	3	B57C	вятс	вутс	1	вутс	7105C	
	C. C	F100C	BSTC	BS7C	ł	BSTC	98	11 11
CARCITY	73,000	36,500	160,000 unk.	69,000	*	58,000 58,000	33,000	S
TYPE 6 THICKORES OF R/V	The Macadan over5" mix is place aspitalt	Ter Meades Ter Meades Ter Meades	Asptalt over 160,000 10" rock unk.	Asphalt, Com- emds. Ter Macadam	Thr Mondan	(~8°00€.		
BY LENGTH & BO. WIDTE(FT)	98602150 59002150	84002150 60002150 36002150 36002150	8200x165 6560x165	\$2000000000 459000150	9520x150	8100m150 6600m150	Stoor120 Stoor120 Stoor120	
S g		HWMA	<u> </u>	<u> </u>		- N	400	
COOL	25°418	851 08 108 108	E MA A M	35 og 4 %	88	AK BB	8 K	
Wa/comba	Luzion, Turbery	PAYED,	Eren Lren	HAM, Syria	SPEZAID, Palifotes	SARAKAN, Pakisten	EGTPt.	
9 6	3	7	3	T	3	\$	3	

Sirve

BASEC DATA SERRE (8000 - 9000 R/W LENGTH)

PAC GETOW) H/8	5	and for	8	18,	2	1	1	
(PERCENT OF TACK (PERCENT OF TACK WING ACCOMMODATION) TAXIS APPONE H/8	3	2	8	1	69	2	1	
STANT WENT	9	-	8	8	8	1	1	
DATED DATED SHES)	1	1	CLEA	CL24	-	1	1	
OOMERS OOVERS NEE		1	\$	\$	1	1	1	
CAPACITY GOVERS) FULL NUR EN	i	1	C1238	CL235	1	1	1	
COVERNE)	1	1	BSTC	BSTC	1	1	ı	
ACCOMPRED CAN BE ACCOMPANIED INCOME OR CAPACITY MIN	1	1	BSTC	BSTC	1	1	1	_ 5
ACCOM ACCOM (R/W LENGTH FULL FULL	1	1	BS/C	BSTC	1	1	1	SEC. ET
OVENCIET	alacata	unknow	58,000	58,000	unicaoun	T CHOMB	worden	
THE SECOND SECON	The Boads Conc. and	\$	Concrete	The Hondan The Hondan	Concrete 6"	Tar Mondan	Bitumenous	
(77) (72)	5000x150 600xx150 5380x150	Becoming un commit.	8100z150 6600z150	82502150 (5402150	8000x150	81002150	81.00 <u>z</u> 150	
S e	Ham	H	Ha	н	н	н	н	
COORD	30° ton	33 36	30 34s	30 15g	29 558 66 458	29 to	28	
A Course	BER HANNA, Reypt	BUNATR, Syria	PERSON, Pakisten	SAMERALL, SAMERALL, Publisher	DECREAR,	NOFOSZAI, Puldsten	PAKIPAI, Publishee	
0	1.4	9	64	R	g	×	53	

SEC. OF

0

MEANS TAKEN (7,000-8,000 R/W LENGTH)

REC MANE/COUNTRY NO.	Z, ESTRU	55 TESTIANT Turkey	56 100 1600	ST SHALLUPA Egypt	Se ABADAN	Sy BARRE RAQ, Tola	
	Lebanon	LEOY	1	LUPA SE	5.	BAREIN/FIBAR- RAQ, Bahrein Teland	
COOKE	33°49'N 35 29 E	28 50 E	32 00 N 34 54 E	30 03 H	30 22 N	26 16 N 50 38 E	
S o	1 0	TOWA.	EMBH		46	482	
ATTEMENT &	73,03,200	75402200 1500230 1340230 3340230	7740±150 5100±150 1200±150 3600±150	7460-150 1500-150 3750-150 3750-150	72202140	7500±200 7200±150 2900±300	9
TATE & THICKNESS OF R/V	Preint cono. on orushed rock 12 reduteone. on 6" or . rock	Concrete Asphalt Amphy some	Nacadam era asphalt on stone	Asphalt Asphalt Deteriorated Deteriorated	Asphalt Asphalt	Asphalt Far macadam Rolled sand	
CAPACITY	270,000	200,000 93,000 10,000 elosed	150,000 150,000 150,000 unk(0	100,000 100,000 Unknown	Unknown 220,000	300,000 Unknown 100,000	2.0.17
(R/W LENGER FULL	570	B57c	370	357c	3570	. B57c ¹	1.7
MODACES OR CAPACITY MIN	575	DE 7.0	3570	B\$7c	9570	B57c	
GOVERNS) EMERG	1570	BS7c	357C	3570	BS7C	3570	
TYPE CARGO A/C WHICH CAN BE ACCOMPODATED (CAPACITY COVERNE) FULL NUM E	01217	7770	0130	75 0	CLZL	1210	
CAR BE ACCOMPODATED (CAPACITY COVERED) FULL NUK	CIZE	4210	1770	6130	C12h	4215	
DAENG COR	टाउ	CI2li	4217	C121	CIZL	7210	
	100	8	190	97	Unk.	Entire	
(PERCERT OF TAC VITAG ACCOMMODATION) TAXIS APROME HAS	100	92	300	8	Unk.	Intire field usable taxiing % parking	
C AREA	de.	18	SE.	100	36 Unamery	sable fing	

131 JHS

26	WAS COURTY	COORD	Šģ	VIDER(FF)	THE & THICKNESS OF R/W	CAPACITY	(B/W LENCTS	TYPE TAC A/C WEIGH CAN BE ACC. DIMITED (R/W LENGTH OR CAPACITY OF PULL	GOVERNS)	CAN BE	CAN BE ACCOMPINATED (CAPACITY GOVERNS)	METCH IMPED INS)	(PER VINC	OTHER OPERATING AREAS (PERCENT OF TAC VING ACCOMPUNITION)	FAC AREAS
8	HANNE DAVID	32°39'N 35 12 E	44	72°0x250 6000x150	Ter macadam Ter mec edem	(300,57)QIE	367c			750	750	C121,	100	100	10
	Pakistan	24 54 H	-	7500×150	8"conc. osmo	115,000	357C	D57C	DETC	02130	775	CLZL	100	300	Unk.
8	ANKAPA/ETTES- GUT, Turkey	39 57 N 32 L2 E	H 0.	72002150	Asph.comc.on concrete Sodfair weather	33,000	3570	3570	3570	₹ ,	0130	CIZL	8	90	92
63	BACHDAD WEST	33 19 N	FUND	7050x150 5950x150 6000x160 2700x150	Tar macad. Earthcomp, cill Emrth (closed) Tarmadolosed)	132,000	PloSc	71050	P1050	0230	775	uzio	100	83	9
	Saudi Arabia	24 29 N 39 39 E	48	7000x150 7000x150	5" asph. on crushed rock	120,000	71050	F105c	710SC	27.0	0130	CIZI	Unc.	Unk.	Unic.
3	ZAHID'M Iran	29 26 M 50 54 E	40	7890±150 7590±150	Conc. (good) Asph. (poor)	73,000	3570	B57C	3570	75 0	75 0	CIZI	un.	Unic.	70% only CL7%rist
Street Street	SURIS	30 24 N 31 26 E	Han	7700x130 LE00x130 LE00x130	lar mir arrae. Tarrae.	Unknown 33,000 33,000	F86D	3570	3570	Tone	d.	930	35	9	8
						SEC	Ti.								

SE. RET

NEAPS SHEET (7,000-8,000 R/W LEWITH)

ENC EVE EVE	8	U.		•	B.	U.	9	Unk.	
(PERCERT OF DAC VINC ACCOMPUNATION) TAXIB APPONE H/8	Unk.	90	Unserviceable	9	Natural Ground (fair weather)	Ж	Unk.	Solution	
TANK TANK	Unk.	8	Unse	e	Natur (fai	90	100	100 (poor)	
SER!	0130	CIEL	4210	0130	CIZI	0130	lione	0130	
COVERES)	1 50	0130	750	d 54	750	75 o	None	15 o	
CAN BE ACCOMPONIED (CAPACITY GOVERNS) FULL MIN E	None	c 54	7K 2	None	15 o	Nome	None	None	
VYERES)	3570	F1050	F105C	F105c	2001	B57c	P860	D\$70	
OR CAPACITY NEW	3570	F1050	PloSc	F105c	PloSc	357C	None	DESTC	ļum.
	1860	FloSc	F105C	PloSc	Plosc	P860	None	7860	SEC RET
	33,000 (all R/1"s poor)	93,200	60,000	00755	02,000	33,000	1,000	33,300	- w
THICKNESS OF R/V	Hard-packed gravel, all	Phitten & mac or crushed rock	Asph. (poor)	Groom Member Tarmac.	Rard pack grav fair weetherd	Pto9 cone.	Rolled same y soil	Tarme 2 conc.(poor)	
VIDER(FT)	7500×150 6000×150 5700×150	7000,2160	7150×150 5970×150	7290x150 1600x150	7000x120	75702160	7800-21 ₀ 0 5800-2150	75902150	
ė	486	н	HN	40	н	-	48	н	
00000	34,007 in E	36 19 K	29 OL 1 61 25 E	33 C1 N 70 C3 E	30 15 N	38 22 N 36 14 E	31. 22 N	30 36 N 66 1/2 B	
MAE, COLLECT	SULTANABAD	NOSUL	FIRJAWA	HIRAT SHAH	Saudi Arabia	Turkey	HADI ESH SHARD 31 22 N	GULISTAN	
i d	29	99	69	2	7	72	2	72	

SE GET

BASIC DATA SHEET (7,000-8,000 IA'N ICHUTH)

ENC AREA ENC ETION) E/8	Unk. Manrie (poor)			
OTHER OPERATING (PERCENT OF TAC VING ACCOMMODATI TAXIS APPOND H	Unk.	under constr.		
(PEECE ACTION AC	-	pp .		
2	Unk.	Upi.		
CAL BE ACCOMEDATED (CAPACITY COVERED) FULL HUB E	Unic.	uak.	 	
CAPACITY (CAPACITY (CAPACITY FULL FULL FULL FULL FULL FULL FULL FUL	Unk.	dak.		
COVERES)	Unk.	Unk.		
(R/W LENGTS OR CAPACITY TOVERS) FULL MUST MUST SHERO	Unk.	Tak.		15
(R/W LENGTE (R/W LENGTE FULL	Unic.	ng.		SECRET
Gradin	Unicaowa	Unk.(u/c.)		-
THICKNESS OF R/W	Gravel	n/constr.		
VIDER(FT)	71702150	70000777		
ò	7.2	н		
COORD	28°52'N 64 25 E	30 58 E E		
Mary Country	DALBA. JIN Paldsten	EL MANSTRA Egypt		
É	K	2	**********	

TO THE

MEATS

BASIC DATA SHEET (6,000-7,000 R/N LENGTH)

g	IIO.	COURD	9	H/W LEADER & BOO. WIDTH (FT.)	THICKNESS OF R/W	CANCILL	(R/W LENGTE, OR CAPACITY OF FULL. FULL. MEN.	ACC MADDATED ACC MADDATED ACC MADDATED ACT	C GOVERNS) EMERG	CAN BE ACCOMODATED (CAPACITY GOVERNS) FULL MIN EM	AN BE ACCOMPONATED (CAPACITY GOVERNS) FULL MIN ZMENG	CARDO (SEE	VINC VINC TAXIS	TAXIS APROIS H/S	TAC TAC DATION B/8
1	CIRKUK ILLITARI Iraq	35°27'!!	1	6910×160	Bitum. mac.	93,000	F105C	F105C	P1050	1K 0	930	0121,	100	۰	0
78	Pakistan Pakistan	34 OF N	4 2	०५१७०गर ०५१७०गर	Concrete Tar ioc.	175,000	P 100	D S	F 100 D	गटाठ	CIST	C1217	100	100	•
2	PATAHJANG	33 34 H	44	6710x150 5370x150	Tarmac.	000*09	P1050	PloSc	F1050	01238	なっ	CIST	50	9	9
8	GEBAL GEDETRA MAIN, SCYPE	30 27 N 33 09 E	4 8	6800£160 5590£160	Tarmac. Conc.end	Unimoun	Unic.	Unk.	di.	Unk.	Unk.	Unit.	100	9	25
18	CHAKLALA	33 37 K	40	6690æ150 51,00æ150	6" Tarmac	73,000	PloSc	P1050	Ployc	25 S	15°0	0130	100	85	0
85	JIWAYI Pakistan	25 OL 18 61 L9 E	400	64,002,150 54,002,150 1,002,150	Nat.crushed ? rolled limestone	10,000	7 100	page	0 00 L	None	0.54	0330	0	2	•
83	KATSURI	38 12 N	78	6620x310 5590x 80	Rolled gram on sendy soil	14,000	71000	FLOSC	F105c	Home	G 51	0130	۰	0	•
8	DAB Paktsten	32 54 N	40	67002150 51,002150	6" Tarmac.	55,400	Plosc	PloSc	P105C	lione	150	0330	S	•	0
8	NURID Pakisten	32 55 H	40	6700±150 5400±150	6" Tarmac.	Unknown	Unik.	į	Unk.	Unk.	Unk.	Unit.	o	0	0
							SEV R.I	-							

MEANS BASIC DATA SHEET (6,000-7,000 R/W LENGTH)

10	WW./COTWRI	GROCRAFH R/V	No.	VIDTH (FT)	TYPE & THICKNESS	CAPACITY	(R/W LENGTH OR CAL TITY O	ACCOMPONITED GIR OR CAF		CAN BE	Bot-	E .	T- 20	CTER OPERATING ARE (PERCENT OF TAC WING ACCOMMOMATION)
88	Turkey	39°58'II		66305130	Concrete	30,000	7860	F105C	F1050	Hone	31238	0130		100
8	DENIAL	33 33 H	48	6690x150 3300x150	Concrete	Lt. aircraft	+		_			1		0
3	SAUTA Iraq	30 34 K 17 16 E	FWNH	6000,150 3120,2160 290,2160 2860,2100	8" Asphalt	132,000 60,000 60,000 60,000	F 100	pue	F 100 D	0130	0130	. מזקו	8	9
89	KOHAT	33 34 H	н	05120699	Concrete	60,000	Plogc	F1050	F1050	01238	1K 0	0121,	100	0
8.	HABBUNIYA Iraq	33 22 N	4 0	6300x150 5250x150	Broon, 2"bit top 3" Asphalt	72,000	F 100 C	pur	F 100 B	15 o	c 54	מנט	100	
5	KIETAT Lebenon	36 35 N	٦	66002150	Asphalt	100,000	P105C	FloSc	F1050	0.54	0130	C121	20	
23	TARREZ	38 07 X 16 11, E	48	6500×150 5760×150	Asphalt	62,000	F 100 C	and	7 Jon 10	0 25	250	are	907	
6	VAII	38 26 N	на	65602150 58502115	Compact sod	33,000 Unk.	7860	P100C	P100D	None	c 51.	0230	100	
716	ASIAN	25 52 E	н	6560x120	Asphalt	SEC	P860	P100C	F1000	None	C 512	0130	0	

CRES

HEAPS

BASIC DATA SHEEF (6,000-7,000 B/W LEWSTH)

90	83	*	26	6	8	301	101	100	3
HANS/COUNTRY	BOLD	CAMPBELL-PORE Pakistan	PORT SANDERAN	Pakioten Pakioten	Pakistan Pakistan	100 MISHAPUR	Tran	LAHORE/PAP P 1sten	L'eq
COORD	10°05'N	33 52 H 72 23 E	31 21 N 69 27 E	33 32 H 72 16 E	32 17 12 06 3	36 15 H	34 52 H	31 31 N	30 25 N
Šė.	-1	40	-	7	-	-	н	400	H00-3
LENOTE & VIDIES (PT)	63032150	6420x150 5400x150	6550x510	051707159	6400x150	9560×160	05120270	6300x150 5100x150 1,500x150	6300×150 6000×300 5400×30 5400×150
THE & THICKNISS OF R/W	3"Conc. on3" stone :311	Tarmec.	Roll carth	Tarmac.	6" coner.	set . pack cartin	Asphalt on packed grav.	6" concr. 6" concr. Tarmac.	Farnac. Rolled sand Rolled sand Rolled sand
CAPACITY	33,000	Unknown	10,000	No info; 1t.	55,400	33,000	33,000	175,000 175,000 Unk.	350,000 165,000 60,000
TYPE TAC A/C WHICH CAN IS ACCO-SCINATED ACCO-SCINATED (B/W LENGTS OR CAPACITY OF PAIR.	786D	Unk.	P 100 C	to Tak	F 100 C	r%0	7660	7 100 c	SECRET
MICE CAN DATED OR CAPACITY MIN	PLOOL	unk.	and P	Unk.	a pus	71000	71000	a. pun	3
GOVERNS) RMRRG	PLOOD	Unk.	0 000	Unk.	0 000 p	1200D	F100D	g 000	g 000
CAN BE (CAPACE FULL	None	Unk.	e lone	Unk.	None	Home	Hone	CIZL	गुटाउ
TYPE CARDO A/C WHICH CAN BE ACCOMADDETED (CAPACIFY GOVERLS) FULL MUN EM	150	Unic.	C 52	Unic.	750	C 54	C 54	CIZL	1212
FICE FEED SS)	930	Unit.	02130	Unit.	CD212	0130	0000	1757	מבה
(PERC WING A	8	8	907	8	0	0	0	8	90
OTHER OPERATING AREA (PERCENT OF TAC WING ACCOMPLANTION) TAXUS APPROVE B/S	0	0	'n	700	17	0		9	8
EAC EAC METON B/B	0	0	0	0	•	0	•	100	0

....

BASIC DATA SHEEF (6,000-7,000 R/H LEHOTH)

100	MARK/COURTERY	COORD	MO.	LENGTH & WIDTH (PT.)	TYPE & THICKNESS OF R/V	CAPACITY	TYPE TAC A/C WHICH CAN BE ACCOMPDATED (R/W LENGTH OR CAPACITY OF FULL	ACCOMPDATED ACCOMPDATED ACTE OR CAPACITY ACTE OR CAPACITY ACTE OR CAPACITY	ACTED CAPACITY COVERNS) MIN (EMERG	CAN BE (CAPACI FULL	CAN BE ACCOMPOSITED (CAPACIFY GOVERUS) FULL MIN EMER	(TED (TED (TED (TED	253	PENT STATE	(PERIER OF TAC VING ACCOMPINATION) TAXIS APRONS H/S
101	CAIRO/AUAZA Egyt	30°06'N	4004	6300×160 6000×160 5600×160 5600×160 1,300×160	Tarmac.	72,000	F 100 C	pm	g 000 g	र्दे 0	15°0	0.121/2	180		90
ğ	LAHORE/HALTON Paktistan	74 21 E	на	6300x150 2400x150	Tarmac & conc.	82,000	₹ 100	o and	P 100 B	250	170	0121,	100		100
105	SALALAH	17 03 N 54 06 E	42	6320x150 5670x150	Hard sand & gravel	009,59	F 100	c and	F 100 B	C123B	577	01217	300	NAME OF TAXABLE PARTY.	100
101	Palatan Palatan	35 15 N	н	6300×150	Concrete	56,000	F 100	o and	7 100 D	01238	750	0121	100		62
106	RISALHALA Pakistan	33 SE N	н	62702350	Concrete	58,000	P 100	C and	g COL F	CL23B	17. 0	CLEL	100		0
109	Cyprus	35 00.		6000x150	Asphalt	11,5,000	P 100 C	pue	7 100 D	0130	C12L	CLZL	100		100
ä	Paldstan	32 33 N	72	6300x150 5100x150	Conciete	55,400	7 100 C	end o	f 100 D	lone	0 25	C12i	0		c
3	CHOTA SARGODHA	32 04 N	44	6300×150 5100×150	h" concr.	55,400	F 100	C and	F 100 D	Tone	130	C1212	8		25
112	TANK Pakistan	32 12 N	-	63604150	Brick	33,000	F860	7000	P100D	None	C 52	0130	0		0
					\$14.6 ₁ 7		S. S.								

BASIC DATA SHEET (6,000-7,000 E/V LEHOTH)

8	COORD	\$e	LEMOTH & VIDEN (FF)	THE & THICKORES	CAPACITY	TYPE DAC A/C VELCH ACCO MODATED (R/V LEMPTE 03 CAP)	HODATED CAN HE OR CAPACITY OF	NE COVERNS)	CAN BE	CAN BE ACCOMODYTED (CAPACTEY COVERD)	HO I	EAC (PEIC A	TION)	203
10037 1H	1 E 1	-	6230x200	98	30,000	7060	1	COOLY.	None	01238	000	0	O O	(a)
22	34 00 H	40	6300x777 2850x777	Watural(fair weather)	Unimown	Unk.	Unic.	Unik.	Unk.	Unic.	Unik.	0	0	0
22	26 13 N 68 24 E	- 0	60002150	Cement sealed by brick	120,000	3 780	S pos 30	200 2	150	0130	टाज	20	8	30
283	08 M	Han	6000x140 5550x180 480x180	Таттас.	70,000	7 100	5 pag 0 0	100 D	75 0	0130	77	8	Unk.	100
22	32 37 H 74 04 3	на	6330±150 5070±150	6ª concr.	000'69	F 100	g pur 0 0	300 D	150	750	C121:	301	0	100
45	3 N B		62702150	Concrete	Unknown	Unk.	Unk.	Univ.	Tak.	W.	Unit-	0	0	0
m	32 05 H 73 h7 E	н	63002150	Concrete	it. strong	Unk.	Unk.	Unk.	Tak.	Tak.	Sir.	95	82	0
(10.0	32 03 N 72 59 E	10	6270x150 5040x150	lt" concr.	26,000	P860	2001	9100D	Non	C123B	000	O O	Oner.	0
00.10	35 28 II 51 23 E	40	60004150	8" cone. on 6" stone	11,0,000	P 100	a pare 5 0	100 0	0(130	CIE	CLEA	300	100	100
					35									

SASIC DATA SHIET (6,000-7,000 R/W LINGTH)

4

N

i à fi	į.	C		1		(3	2	4	$\frac{d}{dt}$	
	\$		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$70 m	, d.	2	LINETA COM	Charles are the constant		· dua
	325	17 17		33	23	21 10 21 10 21 10	88	23	%; ** %; ** %; **	Q8 4h
Grid R g	- 11	+14	H	for g	r-1 (V)	- (V M	m 0101	~+ CV	po/	er-to daptin
CINED (TI)	63264180	\$500x150	609002160	6000250	60.00150 50.00150	411,002150 1070,450 3900,450 9760,4150	600,2170 1,002,150 3,902,150	5000x4000 500 x600	5000250	
WHICKORSS WHICKORSS OF R/V	Sand and stoon	िराज्यात बावते hard sand	3"tarmac.on gravel bese	Tariaco.	Facked grave to eiroraft	3" bitums. mix on 3" gravel	Facked sund on coral subbase	Rolled sand	oll elay	
CONCES.	Unimown	20,000	93,200	16,000	t. eircraft Unknown	75,000 Unk.	110,00	73,000	5	G.
(R/W IENGTH OR CAPACITY, GOVERNS) FULL	This.	7660	25062	. 90 E4	A A A A A A A A A A A A A A A A A A A	. (g) e 1 1 g	£ 1		r F	1913
ACCUMENTATED MOTE OR CAPACITY ACT	Unk.	F660	- Track	123 223 233 233 233			4	il	1	
C, GOVZPAS)	Ont.	92000	FIRST	() ()	į	H	51	R		
CAPACITY	<u>:</u>	91	i.	1 0	II.	<i>!</i>		4		
AN BE ADDIVITED (CAPACITY OFFICE)	i	21238	(P	Ì	12		0		
a a	THE STREET	600	· ·	P		- 1				
CPRES OF STREET	0	o	E	G	veb no ti	ß				
ATH OPERATING ALACK (PROCERT OF TAC WING ACCOMPONATION) ATH AFRONS E/?	0	0	()	0	€ J	- 1	11		4	
TAN TAN TAN TAN	G	0		<u></u>		5				

BANG CREAKETER (TOTAL)

.

t

**

Dá l	131	27	13	131	33	63	137	138	
D. 19.12/1003/1987	ETYAQ Tebeses	Une said	Intel	PART, Jordan 35	JACOBARAD	MISAB (SOE)	RIYAN	HARCUD Thecateonan	
DON'T DE	33 32 18 36 90 8	ST 75	32 26 2	HH HH	28 27 2	12, 32 s 46 25, 5	19 35 N	22 13 E 56 28 E	
	H	HN	HNH	H	=1 4%	· ri		et 01	
Control of the contro	of sacto	ACCORDOR	600.450 1500.450 1500.450	605 250	6000a150 h5254250	60104150	60706250 57606250 33766250 92106250	6000x150 1900x150	
1715 E 1810/8038	Angh. Sepport.	Selt impres.	Mem realed store	9	Senerabe	Physolica sons	Appene character	Sandy gravel	
202002	100,000	66,000	075,000 05,000 05,000	85,000	75,000	70,000	60,000 13,000 33,000 u^k.	131,000	
(A/W and State of Albanton	2 30,0	0 (0) 4	0 407	E 300 C	7 300 0	D 000 2	2 001 %	0 600 2	THE PARTY
	ling.	pare :	8	pero	inn:	and	2000	3	
Mary Owners)	2 Mrs 0		F 1700 S	g 300 g	7 100 D	y 140 o	00 00 00 00	2 300 D	
1	ć ;	,	D)	5,	200	(i)	66	55	
	þ	7 4 \		3,0).	. "	12 \ C	9230	artesian dalah sana
	ť_,	1921		ST C	C)	100	(y)	77.0	
6 C* +		31	8	0	8	0	0	0	-
		711	(น้ำ	O	O	0	S1 No 10 46
	10.		Ď.	C)	A.A. P	0	(()	0	

345 to 2414 11/12 000-7,000 12/11 LINGTH)

*

7.5

E 0	MARE/COUNTRY	GRAGEA CO.		NO TENORS ON THE PROPERTY OF T	TH GOISS 0% 8/16		(B/A LEVELS	PER CONTRACTOR OF THE CONTRACT	ACCORDANTICATION GOVERNS) TITAMORES OF CALCACTOR GOVERNS)	CEED	VATCA CAN BE SOLATED OR CALACHT (ROTERNS) OT CALACHT (ROTERNS)	CEERS	OTERNS) (CAPACITY GOLDINS) AND TO THE ACTORNOLATED OTERNS) (CAPACITY GOLDINS) AND TO THE	OTERNS), (CAPACITY COLINIES
H 39	ABLAIO Sandi Arabia	25057	-	Secondro	Grave.	55.55	(m)	- 12 C 2 19		and F 107	0 101 A pur	75 0. 0 101 A pur	0510 150, 0 101 A pur	7777 0570 750, 0 107 A pur
N OTI	T-T	13 33 11 12 13 13 13 13 13 13 13 13 13 13 13 13 13	-10	90002150 9000-250	Aggraph 2 to	10%,000	07 s.	Tool o and		Sol F bas	end 7 10C D	end 7 10C D C 5U	end 7 10C D C 52 C130	ond ₹ 10C D
# C	H-3 Iraq	200 10 ± 101	but the	5,002,150 h5000150 100720150	Sand, Folled	33,000 33,000	386D	is.	600L 1 0C 4	36	30 0000)	30) econ 6000) 50	30 1200 1400 to 52 0230
77.2 FM	MESHED Iron	Control of the contro	P40	C1),C1150 45202150	dias 25	The state of	25	C and	i,	Count of loc	C 310 F 100 F	C and F 100 F	C and P 10c 2 ; c 54 1 1.30	C and F 100 2 ; c 54 1 4.30 512.
313	CUTAOTASI	77		5030x150	Stephise to.	300,40	(Y)T	i i	U	- DT / DT		12 C C DT 1 BL - 1	150 150 0 DT 7 BT 1	1950 KB 1150 C 117 F 117 A
T T	1813 Pakistan	25. 20.0	<i>[</i> -1	60000150	of Tarasc.	60 m	007 (Tan J	€.	0 Mad . 10	J 001 7 825 0	D 0123D 0 01 2 km 0	. 15 0 accept of the top of the t	22.5 12.0 accep. a con
u H	QATAN	2000	ne and one	00 Dic. 00	E STE	17 OC 17 TH		C C		37	٠ ١٥٠ ١	٥	ال المالية الم	120 July 10 10 10 10 10 10 10 10 10 10 10 10 10
0 977	Divers	200 200 200 200 200 200 200 200 200 200	m 01	5000×150	Rolled	700	2001	to the		and 1 100	cnd : 100, 0	and 1 100, 0	and 2 100, 0	and 1100,0 [lone 0.54 [lone
प्राप्त	MEP.c Syrie	36 11 3	rł	60002160	3" asph. on stone base	0000,69	or i	'C)	0 F F 5 C F C F F F F F F F F F F F F F F	1.00	1000	1 1000 C 5E	7 1000 D C 5½	1000 C 51
B H d Nyadiya ngirtanisi		artika o f 4	der rel	a	that the set to be to				di daarii j	a dans			- 444	

SAMES TOWN SELECT COOL T, COOL

0

COOCALAR R/V COOCALAR R/V COOCALAR R/V COOCALAR R/V COOCALAR R/V SC 146 E 1 SC 146 E 1 S	Substitute Sub	COCCEANS R/W (LENGTE 6 TYPE 6 CAPACINI COCCEANS R/W TETCHORISS CAPACINI COCCEANS R/W COC	CONTROLLE CONTROLLE CANADAM	COOCEANS N/W (ARTORIES)	24/50°11 1 6000x150 5° conet. 55,300 7.10° c and viol of conet. 24/50°11 1 6000x150 6° conet. 55,300 7.10° c and viol of conet. 24/50°11 1 6000x150 1000x150 000x150	24/50'11 1 6000c150 5" somet. 95,300 7 100 c and viol of since of	Str	Constitute Ryw Latitudes
COOODALSO COOODA COOODA COOODA COOODA COOODA COOODA COOODA COOODA COOODA COOODA COOODA COOODA COOODA COODA COOODA	SOUCHING OF EVEN CAPACITY OF CAPACITY		APPENDED TOTAL TOTAL TOTAL TOTAL TOTAL	SCOOLEGE GO TYPE & CAPACINI THREE EACT THE ACCORDINGS OF SAME TESTS OF SAME THE ACCORDINGS OF SAME TESTS OF SAME T	SCOOLEGE GRAND THE SECRET STATE THE THE SECRET SECR	APPENDED The state	Colorado Tales Calabolita Tales Tale	March Marc
COOODES OF STANDS OF STAND	SOUCHING OF EVEN CAPACITY OF CAPACITY		APPENDED TOTAL TOTAL TOTAL TOTAL TOTAL	SCOOLEGE GO TYPE & CAPACINI THREE EACT THE ACCORDINGS OF SAME TESTS OF SAME THE ACCORDINGS OF SAME TESTS OF SAME T	SCOOLEGE GRAND THE SECRET STATE THE THE SECRET SECR	APPENDED The state	Colorador Colo	The state The
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	TYPES & CAPACION TENTONESS OF 5/8 OF	Tites a Caracteria Off 5/4 Off canada 133,000 Off canada 133,000 Off canada 133,000	THE CONTRACT PRINT ACCOUNTY OF THE PARTY OF	THYS & CAPACIC THE DATE OF A CAPACIC TO WALKE GAR AND THE DATE OF A CAPACIC TO WALKE GAR AND THE DATE OF A CAPACIC TO THE	THE SAME CAPACITY THE DAY AND WALLS LESS TO THE SAME CAN BE SEED TO THE SAME. THE SAME CAN BE SAME CAN BE SEED TO THE SAME CAN BE SEED TO THE SAME. THE SAME CAN BE SAME CAN BE SEED TO THE SAME. THE SAME CAN BE SAME CAN BE SEED TO THE SAME.	THYS & CAPACINE THE BACTON WALKS GAR AS A STREET OF THE BACTON OF SAN AS A STREET OF SAN AS	The Colors The Color The	The Colors The Color The
Sr coner. Sr coner. So coner. So coner. Someresta Coneresta Coneresta (pour)	25, 200 27, 200 31,000 33,000	25, 200 25, 200 31,000 33,000	55,100 F356 F1000	55, 100 3 100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	SS, 200 T TO C and V 10 II	25,300 7.10 3.10 0.10 3.10 3.10 3.10 3.10 3.10 3	25,300 7 200 2 200	13,000 1956 1900
			FAMILY THAN WALCH GAR. ACCOMPANIES FAMILY F	19/9 Tack accompany of the state of the stat	ACCOMPANY OF THE SAME AND THE SAME ASSET TO BE AND THE SAME ASSET TO BE AND THE SAME AS TH	They address that the the state of the state	THE PAGE AND WALCH CLASS AND SELECTION OF THE SECRET CONTRIBUTION OF CASE AND SELECTION	THE THAT WAS THE THE SE THAT AND THE SECOND SHOWS A

Marine Marine

HARIC DATA SHEET (C. "70-7,000 R/W LEWITH)

157 151		COORD	NO.	VENOTH &	TATE & THICHDUSS OF B/W	CAPACTORY	RYPE TAC S/C WEICH ACCOMPODATED ACCOMPODATED OR CA FOLL	TYPE TAC 4/C METCH CAN BE ACCOMMODATED (R/W LENGTH OR CAPACIETY SOVERIES) FULL	GOYERUS) ENERG	CAN BE ACC (CAPACITY FULL	CAN BE ADCOMEDIATED (CAPACITY GOYNESS) FULL ACTS EVEL	MED (S)	TAN	(PES WIND	VERCENT OF TAC VERCENT OF TAC VERCENT OF TAC VERCENT OF TAC VERCENT OF TAC
157.3	NAEASZ 252	3203618	-	6000x150	Asphalt	000,00	7 100 0	d 001 % bus		250	12.0	(12)	50	THE PERSON NAMED IN	0
	IST IL FAMUIA	32 38 N 34 45 3	HW	6000x150	Asphalt	Balmorm	Unic.	Unik.	Unk.	Unic.	Unt.	Unit.	300		c
153 MEUF	MFUF Saudi Arabia	25 22 U	HO	6000x150 5000x150	Packed sand and oil	20,000	p 100 g	and P 100 D	Q	None	1K 0	0120	0		87
150 1	150 EASTN ST. ABOUD	36 12 3	40	6000x150 1500x150	Asph.or 18" rock base	70,000	D. 001 A	g 001 4 pue	n	None	80	0520	8		25
160	160 KUT ABBULLAR Iran	31 13 N	rd eu	6000x150 5000x150	Graded	it, aircraft	Unic	unk.	Unite	Unk.	Unit.	Unic.	0		0
161 10	Dangant	15 to 12 is 15 is		6000x150	Sand, gravel	000,44	F 100 C	a cot § bas	0	Flores	C 5/4	0330	0		67
162 GILDET Pakis	Pakistan	28年	Н	6000×150	. Larta sand	000 007	F 200 S	and 7 100	D	Youe	C 5h	0330	0		0
163 JASK Iran	ASK	25 39 N	77	6050x200 3600x200	Hard coral	Lu,000	7 100 7	ab: F 100	o.	9000	0.54	0130	0		0
19	KHURAPABAD Iran	33 26 N 48 18 E	F	6000x2140	Packed earth	17,000	P 100 G	and 7 100		Mone	15 c	06130	0		0
165	Israel	25 25 25 25 25 25 25 25 25 25 25 25 25 2	HN	6000x150 1,500x150	Tarnac.	Unicoom	CEPPET.	Unk.	Til.	di.	die.	Unit.	8		20

Ü

4.5

BASIC DAIA SHIBI (6000-7000 B.T. LINCIE)

	Č	Ę				
FILE ACCUSTORY THE	(1)	2	•			vo +0°4
	2	10	,			
4	[* . [.	ij	,			
					6°4100	
		***	-69	10		© 0 - ₽ · ∀\
(AAA DWITTEN CAN SIN TOTALERAS)		o Co				
(A.4 IN The Construction of the Structure of the Structur	() () () ()					
	764 163 164	•				
	300	,pa-1	that eye are a traited	laria billiotra		P-40
TE	हें हैं हिंद	(4				
	55.100	2.6000	18 01 4 7			
CONTRACTOR AND	ó" coner.	STREET, C			Or a	alone Marian
	(00002150 3750-1150	\$60004250 \$300-150				
1	~··	1-1 0				
		30 10 E				
	Egental.	SENDS HARE				
ů,	- J9C	151		-1	10.071.5	-

SELLET

Çī

	10 S	NAME COSTATA	T-EOFENDS TUNES	28	DESCON &	WHO A STATE OF FLOW	CONCIN	ACCUPATION OF THE PERSON OF TH	ACTION OF THE CASE	1000	K 1 1	THE THE TO THE THE	200	STANDARD STANDARD	200
Michaelia Mich	208	uping.	21.53.00 57.00.00	.H 54 =	Constant Section Section Secti	Standards	58	607 4	and a		8	2		8	200
	995	-	27.00	14.85.00.0	971	17	2000 A					#	6		2000
	170		NA NA	4000	STATE OF THE PARTY	1		3			E.	100		3	9
	171			HERM						Direction of the second	NC38	17	17 17	2	5
	172						2,000	P 400 C	3	0 00	18.0	nona-	1420	2,0	100
Controlled to the control design of the control state of the control sta	5					print En.	23,000	1980	2,1000	21015	8	£.	OUT	-) consist
	100	-	35			Destroy of the control of the contro	337003	CEPDET	Mode	FORT	100	of H		99	Tak.

BASIC DATA SHEET (5,000-6,000)

NO.	REF. NAME/COUNTRY NO.	GEOGRAPH, R/W	. BAN	LENGTH & MIDTH(FT)	TIPE & THICKNESS OF R/W	CAPACITY	(R/W LENGT'	TYPE TAC A/C WHICH CAN BE ACCOMPOSITED CAPACITY GOVERNS FULL KIN CAPACITY GOVERNS	SOVERNS) BASSED	CAN RE STILL	TYPE CARGO A/C WHICH CAN RE ACCOMMONTED FULL MIN RNE	FEE	ED ENERG	6	CTHER OPERATING AREA (PERCENT OF IAC WING ACCOMMODATION) ERG TAXTS APRONS H/S
17.	EL ARISH Egypt	31°04'11 33 1/9 E	40	5700x150 5080x150	Tarmac, on concrete	Опсложе	Unk.	Unk.	unk.	Unit.	Unik.		Unk.	Unite. 1000	
176	BALLAH Egypt (disused)	30 LL N 32 16 E	Ham	5700x600 471,0x600 1,200 x6 00	Unknown (soft after heavy rain)	27,000	8860	F100G	STOOD	None	01230		0230		130 Unit. 11-16.
177	ERZINGAN	39 hz n 39 31 E	d	594,0×150	Sw conor.	100,000	F 100 C	0 and ? 100	a	None	32.0	0	(212)	121, 100	
178	AL KHARJ Saudi Arabia	24, 12, 17 47, 21, 3	rl 0l	5500x200 5500x200	Sandkgravel (fair seather)	14,000	7300D	F100D	F100D	None	0.51	E3	1210	1	21 Tione-
179	KUMAIT	29 22 II 16 00 E	HINM	51,00,2150 ht/00,2150 3500,250	Mard rolled sand (fair weather)	66,000 (lishted)	2,000	71000	FZOOD	51233	なっ	8	4220		24 for texting and parking
180	ARIFIYE	160 LES N 30 22 E	н	59300150	Str-in-place asphésry por	Liason	unk.	Unic.	Unk.	Unk.	Unic.	Unic.	35	fc. 100	
181	BHOLARI	25 20 H	н	5700x150	in tarmac. (good)	Unknoun	Unk.	Juk.	Unk.	Unk.	Unit.	Unic.	34	z. 100	
182	TARIP T.ucial Omen	24 OU N 53 45 E	40	54,00x150 1,950x150	(fair weather)	000,00	F100D	F100D	F100D	erio!!	0.50	C121;	177	2lt None	
							SECRE								
		-	_												

SECRET

1

MEAFS

WESTS DATA SHEET (\$,000-6,000 A/W LENGTH)

NO.	NAME/COUNTET	COORD	N 9	LENGTH &	TYPE & THICKNESS OF R/W	CAPACIT	(R/W LENGT	TYPE TAC A/C WHICH CAN BE ACCOMPLED CAN BE ACCOMPLED OR CAP·CITY COVERNS RUL	BE GOVERNS) EMERC	CAN BE CAP BE (CAP	CAN BE ACCOMPDATED (CAPACITY GOVERNS) TOTAL MIN PCEN	MTCH MTEN VERNS)	OTHER WIND	CTHER OPERATO AREA (PERCENT OF TAC WING ACCOMOLATION FAXIS APROWS B/S	P TAC
183	JABAL ALI Tructal Oman	25°06°11 55 11 8	- 0	9,00 x130	Solled self-ing soil (intracath)	33,000	P86D	62002	F100D	Home	5 to	0.00	linne	Your	100
191	MASIFAR/RAS	20 ht s 56 54	- 4	\$200.0250 1,000.0250	Hardsengere enselld rock	100,000	GOCTY	£1000	71000	TS D	02130	0.13	2002	Unit.	100
185	EALKANLI Turkey	39 39	'n	550m350	Concrete (poor)	33,000	286p	1100b	71000	Marie	25.0	0000	200	di.	Unk.
1.86	SAN'A Yensn	15 2h ::	H	5250x B0	(foir yearh)	33,000	£860	Payon	door.	Rope	15.0	0.00	-Jac-	Unit.	Unk.
1.87	HEDAYDAH	12, 50 11	н	COSONALSO	Fard rolled B,000 roses	13,000(108th)	2862	7100D	21000	Nemo	10	00.00	- American	web S.none	100
188	r-4 Syrie	34 33 N 37 42 E	Ham	5000x100 2550x100 24,00x100	Chied old ps on hard olay (2,3 not used)	7000	7,000 p	91000	12005	Morie	हरी 6	2337	Units.	10	Jak.
169	EL TOR	28 13 H	н	\$250x150	Asphalt	330,000	27000	4.100D	9,000	0.54	0130	873	D	97	Unik.
18	SAHIES SAHBA Syria	33 34 H	elev	5300x150 2280x150	Bitt. seal stad Sandy sant (unserv.)	Lo,000 Unknosn	1000F	PLOOD	20027	2002	7,7	0230	3	8	K
						S									

()


1

SECRET HEATS BASIC DATA SHEST (5,000-6,000 R/W LEDGTH)

	SAME/COUNTRY GEOGRAPH.	GEOGRAPH.		VIDIN(FF)	THICKNESS OF R/W	CAPACITY	(R/W LECK	TYPE TAC A/C WHICH CAN BE ACCOMPONING (R/W LENGTH OR CAPACITY GOVERNE) FULL MIN. EMERG.	GOVERNB) EMERG.	CAN BE (CAPA	CAPACITY GOVERNS) (CAPACITY GOVERNS) FULL MIN. EM	WEIGH WITED PRIS) EMERG.		(PERCENT OF TAC VITAC ACCOMEDIATION TAXES APRONS H/S	EAC DDA
161	MINCINAS	11,000 X	н	5100×21/0	Hard soil & gravel	33,000	7860	71000	FICOD	llore	0 S	0230	unic.	BELOTI	100
192	KVAR SIRKIN Israel	32 SS N 32 SS N	ricim	\$100x150 14890x150 1,500x150	8" mac. on crushed	100,000	7100D	FLOOD	7,1000	0.54	0130	0130	100	100	
193	AHVAZ NORTH Iran	31 21 N 18 10 2	н	52000250	Hard packed	144,000	71000	T100D	F100D	Испо	0 52	0230	970	Dinks.	100
161	AND SEST	31 19 !! 1,8 35 \$		5200x150	Earth, asph.	33,000	786p	71000	7100D	Tone	25.	02130	D	in in	100
195	PAINTHA	38 38 E	74	STOOMPOOLS	Hard sand E	33,000	P86D	7100D	27,000	None	C 5/4	02730	700	300	1
961	KUTRHVA Turkey	39 25 N	42	5070x150 5070x130	Asph. (unser.)	33,000	17850	Flood	00014	None	15 o	0130	100	make.	
161	UTPA Turkey	37 05 N	44	\$000x150 \$000x150	Sarth	33,000	F660	73000	P1000	Homo	c 5h	0230	300	100	The same
1961	HARADH Saudi Arabia	24 13 M	110	5000x100 5000x100	Offied	33,000	1860	F100D	P100D	Hone	750	0230	line.	"inte	Tink.
		*****					SECRE								
-											***				-

SECRET HEARS HEARS (5,000-6,000 R/W LENGTH)

TAC TAC TAC TAC TAC TAC	Unic.	Unit.	Unit.			
(PERCENT OF TAC WING ACCOMOLATION)	140	Unk.	Unic.			
WING WING	700	Unit.	Unk.			
NATED SVERMS)	CIEU	0230	0000			
CAN BE ACCO UNITED (CAPACITY GOVERNS)	0 57	15 p	450			
CAN 3E (CAP 3	ono	Home	Doze			
GOTERNS) RMSTRO	GOOLY	P100D	21000			
TIPE TAC A/G WHICH FIN BE ACCOMPLATED (R/W LENGTH ON CAUACITH GOVERNS) FULL	FLOOD	71000	21000			
TYPE TAC A/G WHICH ACCOMPULATED (R/W LENGTH ON CAUA FULL	godta	21000	7.06D			Ţ
CAPACITY	55,400	10°000	33,000			
TYPE & THICKNESS OF R/W	6" concr.	Rolled	Clay (poor)	 		
LENGTH & MISTERNAL	50000430	505 14270 1,5904270 1,800520	50000250			
R/W NO.	н	HUM	н			
COORD	21,059 th 67 10 g	32 09 N 37 11 S	32 56 m			16-11-16-16-16-16-16-16-16-16-16-16-16-1
NAME/COUNTRY	LAMENI	H-5 Jordan	Bunn Paktoten			
h:	150	500	201		 	



SECRET

.0

NEAPS SERVICES & PIXED INSTALLATIONS (OVER 10,000 RAW LEWOTH)

STATE	TAG OFTER			1	-1	t	ET.	(7年)	(7 12.)		
	P.	16	ž.	R	å	1	ż	21	Her	ži.	
	KESCELL, BULDEINS	Warshouses, terrinal, 75 bod hospital	age apaco, 50hed houp,	Hd, ed in shope are	Director offices, terrinel, Director, constant, constant	H.tel, admin, now terms	30 bed hospital,		Bute		
20	TYPE	3800 para.	Jane pers	non. mis	Son bere	100 pr	1350 pers	Prejected	recks	Nons	and the contraction
XSD D	NO 6.	Mc.	3.35	100	To a	Bicon	Bicon	6.	S bal		
	NO TYPE								rojected & baltanks	2 under cons.	
	2	63	53	0	0	lo.	9	m	OI.	C)	-
OTHER	POL	None	Hone	Tome	Horse	None	Hone	9707	Unke	None	SECRE
PLANNED	PACILITIES	Поше	Rone	None	Lane	Liona	None	Hope	None	9001	**********
JEE PUEL	(aur)	2,710,000			Tone	Nouse	None	000 911	Unic.	under const.)	
AV GAS	(GAL)	5,950,000	(incl. jet fuel)	3,774,000 (incl. jet frel)	23,700 23,700 23,700 30,700 30,700	65,100	575,900 inol. jet fuel,	78,800	177,358 (all types, planned)	L1,000	
-	COUNTRY	Sendi Ar	Turkey	Turkey	THE A	JIDDA Sandi Ar	DIYARB	Tall Darkey	KONTA 17	MEANING STREET	
HE	2	-	0	7	-2	v	D	-	-57.	OK.	

9

SERVICES & MINED INSTALLACIONS (OVER 10,000R/W LENGTH)

SELATEL	PURITURE OF THE PERIOD	(2,5sd-)		1 (3 04)		
1	95.11	My, all (2,5sd.	18.0	Mar. I		
2	MINITE BUTTOTHS	50 bed hospital	Torribals, carp-	S quemost hate, err- unition svorage area	discontinue.	
FIXED INSTALLACTIONS	TYPE	lione.	otto:			_
ED THE	S S			ence i	g g	
	TYPE	Projected				
	No F	14	н		į.	
FOL		None	None	Tomo	à	
FACILITIES		Name	None	Mone	f'	unau
(362)		2,100,000 (Projected)	None	Tak.	Ě	
AV GAE)		420,000 (Projected)	Mon	100,000 u/om.1957 2,61,700 projected	a di	
MANG/COUNTRY		acre.	Sauch Arab.	Paritar 2	Saudi Arab	-
वि ह		3	ŗ	i.	**************************************	•

SECRE

SERVICES & FIXED INSTALLATIONS (9,000-10,000 N/N LINGTH)

3 5	NAME/COUNTRY	AV GET.)	(GAL)	Salahi Liova	OTHER	20.000	- 4	4	CLIUMS			KELATED
					POL	NO	TYPE	NO TY	TYPE	MISSELL, MILEDINES	T	TRANSPORT IO
4	NEW STREET	6,053,000	129,700	None	Bulk storage 16	· C	letal	1026 Jent-		E bed dispens, admin ops , stores, shops	May.	Shry, FR, 554
10	Cyprus	345.888 (incl. jet fuel)	ivailable	acoj.	STOLEOUNEL Ft helinear	~	De Linza	1000 cam.	6773	Echedhospp kamed (parn.) Librad temphosp shops, his., ops., storage	Say.	21
16	HATZOR	56,000 (total FOL)		None	Tone	v	Concrete 5.	Tomorete (3 bio, u/com:	(Look)	Has , stores, shops	Hey, the	M. San
14	SARGODBA	50,000	3,000	1, 290,000 rat.	and it	~	(1 a/cone.)	randor robust	22		1,000	*
7	NEARA/SSEN- SOGA, Turkey	39,621,	13,208	3torage for 105,000 al.	ago:	N	Steel & concrete	Housing	The section of	Admin., storage,	Bay,	Bo, M(15m1.)
57	Pakistan	585,000 (incl.jet fuel)		None	420,000 gal.	12	Ttoel,con	toel, con questa 382 (pem).	pent,	Wilbed hosp, storage shops, hdg, admin.	llay, I	lley, Eff, port
20	PESHAMAR	Avail.incl.jet fuel (quant unk.)	73,100	torage for 1,890,000 gal.	Home	to	Concrete	Cantonement for 930			No, IR	95
14	CATRO	2,341,575 (by 227,000 (by pipeline f. dump)	227,000 (by physeline f. dump)	None	147,517gal.	4	Congrete	Barracks for 3450 (unser-		Hotel for 120, shops,	'hy, .m,	п, и
22	ADAM CIVII.	205, 300 (total POL)		emo.	druns	SE	SEC.	98.		O.s., various minor	lley,	Hay, A(3mi.)

SERVICES & FIXED INSTALLATIONS (9,000-10,000 B/W LEHDTH)

-	E	, my, m(7m.)	H.y, IR(3,5mi.)	Bay, IR(5.5mi.)	Hwy, RR, We	May, M(2mi.	Bay, ER	Hay, RH	Hwy, RR(1.5mi.)
+	MICHIE BUILDITS	50 bed hosp, admin., ops., storice	50 pers. DOO bed hot ops., supply, storage	None	30 bed indirary, hqs., ops., shops, stores, storage	Admin., wrious small	Nore	Shops, stores, power house	Admin., storage
TESTALIATION	PERS. ACCOM.	trs. for 935	Eks: 50 pers.	None	Bics: 50 pers.	Eks: 50 pers. Former camp for 30 pers.	None	Temp. housing for 150 pers.	Hute for 160 Fents for 150
210	EANCARS TYPE	Conc. 2 cerrug.fron	Unk.	Plamed	Steel	u/const.		P-1 Pellman	lerton
-	M 08	m	9.0	0 H	н	н.	Hone	49	-1
I Del		None	264,000 avgrade.	126,800avgas h5mlæt Izmir	Unit.	Grade 1120 oil avail. in drums	None	None	30,000 gal. in drims, avoil in 15- gal, drims
PATRI ITA		Storage for		264,000 jet fuel	Norse	None	Nozze	None	Mone
JEE FUEL	(GAL)	Available (quent. unk.)	1,553,960 (10mi.distant)		Unk.	Unk.	None		24,000
AV GAS	(1997)	272,750	120,800 (10mi, distant)	under constructn. (quant. unknown)	Unk.	Unk.	None	72,060 (incl.jet fuel)	2,0
WARE/COUNTRY		FERZIPON	TYLI	AKHISAR	CAIRO/MEST Egypt	Sendi Arabia	TANTA	IMPRAQ (NEW) Jordan	MUTBAQ Jordan
REG	.02	8	72	10	50	52	88	53	8

SECRET

SERVICES & FIXED INSTALLATIONS (5,000-10,000 2/H LACINI)

No. Type No.	· · · · · · · · · · · · · · · · · · ·	R. ANA / GAINTRY	AV GAS (GAU)	(GAL)	PACILITIES	POL	12	FIXED INSTALLATIONS	SNC	RETATED >
MARGALITYA PLAN Mone None None None None None None None N	1						TYPE	NO. TYPE	TITE THE	TRAINSPORTAGE OF
Trans Note Note Note Note Note Note Note Note	7	-	Mone	No.	None	None	You	Necos	los	15 CAR
	(F)	A REAL PROPERTY AND ADDRESS OF	Море	York	Lione	Sec.	2 5	None	7	340
								170 - 54 - 2 0 - 5 4		
				of the Salaha Salaha	****					
		Contac so in Accessor a					**************************************	****		
		A to \$1 Marc II, colleges you		The state of the s	018	E				

0

1

| |----

*

SERVICES & FIXED INSTALLACTIONS (8,000-9,000 R/H LENGTH)

800	
British	Jone
2	. ott
133 Wood & 650 Permanent	9808
55 Steel & 1400 Personent 1ron	1
6 Steels 70 chanset hads 10 bed Mapensary, Corriginal 1,400 pers Hospital plad. Hg.ope	
ble 4 St.el 1205 Permanent	Mallabl
4 Brick 300 Nem	
-	SEC 3ET

han (V)

Ö

SERVICES & FIXED INSPALACIOES (8,000-9,000 R/N LINGTH)

	THE PARTY OF THE	AV GAS		PACTILITIES.				FIXED	D INSTALLATIONS	TIONS		2	RELATED
် န						g	TYPE	9	ACCOM.	MISCRIT. BUILDINGS		TRAN	TRANSPORTION
3	LUXOR, RECYPT	16,600	BODE	8008	unou un		zacowjen	8	8 .	Administration, Stores.	Bvy.	Bwy. RR, WW	3
14	PAYID, Bgopt	173,520 (Inclust fuel, mogne) (plus 32,718 gal 7 ml distant)	evallable	i	a.ailsble	4	The second	1160	72.2	Besiguarters	Bey,	Evy, RR, W	3
3	KKROME, Irea	limited	none	ě	note	SOB	TACAL	ಸೆ	Eute	e uou	Bwy.		
14.3	HAMA, Syria	800	unousum	8	none	m	Steal	ı	pope	* 200a	Bwy, RR	瓷	
#	SPREZAND, Pakistan	ğ	Rothe	9000	2000	4	Netel	ı	agog	Shops	Ewy, RR	器	
45	SARANOH, Pakistan	į	8	1	8008	4	Brick	•	egog.	none	Evy, RR	R.	
94	ENCEAS, Reypt	avoatau	unpowe	1	avordan	н	Concrete Sheet Metal	,	unknown	small buidling	Bwy, RR	88	
				· · ·									

HEAPS SERVICES & PLYED UNSTALLATIONS (8000 - 9000 R/W LENGTH)

INE/COUNTRY	PERY AV GAS	JET FUEL	JEST.	PLANCED	OTHER			II (III)	FIXED DISTALLATIONS	မှ	RETATED
	(Tes)			FACILITIES	POL	2 8	DANGARS NO TYPE	S 52	TYPE	MISCRIT. BUILDINGS !!	TRANSPORTION
BIR EASEA, Egypt	A, unknown	n unknown	940	BODE	e e e e e e e e e e e e e e e e e e e	1	Bone		mountain	Storage luildings	Bay.
DUMAYR, Syrta	980	S S S S S S S S S S S S S S S S S S S	8	90	889,000 gal (und const.)	m	900	,	1500 pers.	JUOG	Hwy, RR
PISHIN, Pakistan	9000	pore	Q	agog	Bone	н	none	1	nome	· acon	Hwy, RR
QUETTA/ SAMINGLI Paldstan	30,000	napodan o	g	agos:	moram	4	Booke	•	1,000 - 1,500 in huts	Administ: ation, operations, stores	Buy, RR
Pelcistan	2006	Bobe	Q	9000	9000	ı	900	1	9000	non	Hwy, RR
MOTOKZAI, Pakistan	2000	edou.	Q	• 000	200	ı	Boos	1	8	pop:	Bwy, RR
PARJPAL, Paktoten		900	q	enor	a	•	RODE	ı	pope	nome	Bwy, RR
					S	_ ភ្ន - ភ្ន	just Lal Cr				
											/

• "

SEATON COURT COUNTY CONTRACTOR ("COUNTY CONTRACTOR CONT

a de la companya de l	WAE/COURTRY	AV GAS (GAL)	(TVD)	PACTITIES	OTHER PARTS	No.	P.D. P.D. P.D. P.D. P.D. P.D. P.D. P.D.	PIXED INSTALLATIONS PRES ACCOM. NO TIPE	ONS ST FELCELL, BULL 155	RELATED
1,	Lebenon	124,200 (plus 5,397,593 gal. mearby)	20,826 plus 792,795 gal. mearby)	ottog	Store	мнн	Ome, fartee Lilione bood u/const.			Ber. 88, 93
kg %of \	TESTINO	1,55,000	None	None	Como	2	Chi.	3 Ma:200 pers.	fr. frin., chops,	13 th 164
70	Tarsel	70,900	(Jac.)	i i i i i i i i i i i i i i i i i i i	- State	m	teo1	370 fers.	Adda , Seesa,	15 to
[·	TALLING.	%°,0%	20,920	otto:	170	8	Bellam	205 pers. Ca	ques. for 14 bed infundacy,	34, 45, 45
ば	/3/3/2	1,22,800	l'oras	, cne	None	40	toel	Mas: 3000pers	Has: 3000pers., 50 bad hosp, ! hotels (100 poor.)	11, *m *44
., .,	Salvania Salvania	Unk.guar.avall, 200,000-al.(in- cl. jet fuel) stored nearby	(vailable	age.	Ž.	HHN	allmboury Bellsan Robin	Torn thrs. for	Married Street, Street	10 124
					SECRET	13				

G. (5)

•

SERVICES & FILED INSTALLATIONS (7000 - 8000 R/W LENGTH)

RAMME DAVID RAMME	y 0	NAME/ COUNTRY	(GAL)	(GAL)	PLANNED	OTHER			E INS	PIXED INSTALLATIONS			RELAT D
SAMME DATE 31,000 Available none available 3 unknown 1300 Ferm etch 500pst (unk.) wenther 1800pst (unk.) wenther 1800pst (unk.) wenther 1800pst (unk.) wenther 1800pst (unk.) wenther 1,000pst 1,000pst (unk.) wenther 1,000pst 1,000pst (unk.) wenther 1,000pst 1,000ps				-		POL	NO HA	TYPE	100	TYPE	F-SCELL.		TRANSPORT ATTON
KARACHI CIV 29,000 Paristan ANTICAN/FILLE 1,007,000 SAGIT, (searby) Furing 1 MEDIIA Available None BILERIS 50,000 Unknown BILERIS 50,000 Tenn	Q	RAMAT DAVID		Avadlable	none	evailable		awoasan	1300	Form qtrs for pers.		(unk.) work stores.	Bay, RR, W
AMENDAL 1,007,003 none mone 711 3 Gonesteel Ran-100 pers. 100 bed kepp, shope, stores, admin, varrange 300,000 Ireq (Incl jet fuel) Aveilable Additional 1011 4 Nostly none stores admin terration, stores none mone none none mone mone none none	r1	KARACHI CIV	(incl jet fael)	Available	Bose	unknown	200nc	4 steel	100	200mirl.lo	Z.ope., 8.	, power plt	Buy, RR, WV
HACHINA WEST 300,000 Iraq (Incl jet fuel) Aveilable Additional Oil 4 Mostly none storage lacel mone none none none none none none offices, stores Egypt (Incl mogas) Unknown none Nogas 5 Steel qtri. for 150 25 oed hespital, stores SECRET	Q)	ARKARA/KTIN SSGUE, Turkey		Bone	RDODE	116		Corr.steel	-	too pera. set:1400 (nearby)	100 bed stores, bouses	dafa, vare-	Bey, RB, W
NAMELIANA Available None none none none none none none non	()	BACEDAD WES	(Incl jet fuel)	Aveilable	Additional	170	4	Mostly	rope		-daints	ration,	Buy, RR, WW
2AHIDAN Unknown nome unknown nome nome nome nome nome nome nome nom	.et		Available	None	nome	Bone	none		none		Terminal	building	Track
Billeris So,000 Unknown nome Mogne 5 Steel Qtri for 150 25 oed hospital, house, shops, power plant, stores plant, stores	10	ZABIDAN	Unknown	Bone	anom.	unknown	Bone		nome		Offices,	stores	Hwy, RR(2m1)
SECRET	10	BILBETS	50,000 (Incl mogns)	Unknown	1	Mogra	5	Steel	g.	for 150 pero.	25 oed b	cspital, shops, pover stores	Hwy, RB, WW
					- <i>(</i>)	ECRE	jun jun					*****	

1,--

SECAE

0

4

SERVICES & FIXED INSTALLATIONS (7,000-8,000 R/J LENDIN)

5 5 E		_	GAS	JET FUEL	PLANNED	OPPHER			0	FIXED INSTALLATIONS	SNO	RETATED
SULTAMAN Nome Nom	+	-	AE.)	(CAL)	PACTLITIES	POL	No E	TYPE	S	TYPE		TRANSPORTATION
170,501 LAmited None Storage for Ohi 2 Stool Stool Stool Tran None No				None	Storage for	None	None	(planned)	Hone	(peumpd)	Horse	May, All(0.5mi.)
Ma 10,000 Unk. None None None None Sks: 100 porc. One small lone None None None None None None None N			5	None	Storage for 72,000 gal.	110	NM		Hrs:	300 pers.	15 bed howp., stores,	
None None None None None None None None		_		None	None	Nome	None		Mks:	100 pers.	One small	Hay, III(2mi.)
None None Hore Hore Hore Hore Hore Hore Hore Hor	70 LIRAL		8	Unk.	None	Unk.	80	Unic.	etrs	for 100 pers.	Shops, storage bldg.	tho
Mone None None None None None None None N		Ą		None	None	None	None		lone		llore	Pay
None None None None None None None None	72 MAIATE		8	None	None	140		Bellman (metal)	Tks:	335 pers.		Ihy, IR
None None None None SEC				None	None	None	None		None		llone	May, Ri(14ni.)
1	74 GULIST.			None	None	None	None		Nome		Tone	May, IA
						SEC	1	į.				

St RET

U

SERVICES & FIXED INSTALLATIONS (7,000-8,000 R/N LENGTH)

ALTE OF THE PARTY		1.34.),	
WOANGEDARK TICK	Tremou	Hay, IR(1.3ml.),	
9	MISSE BILLINES	ono st mp	
PIERO INSTALLATIONS	TYPE		
TRO THE	DIE	None 195	
	TYPE	since lat	
	NO DE	None ction	
OTHER	POL	None der constr	
PLANNED	PACILITIES	None None None None Unknown; field under construction since lat	SEC
THE PAIRE.	(GAL)	None U	
AV CAR	(GAL)	Мотье	
water fourment	MARS/COURTS	DALBANDIN Pakistan El imnsura Egypt	
8	No.	2 %	

.07

SECRET

SERVICES & PIXED INSTALIATIONS (6,000-7,000 R/M LIBERHAL

NO.	NAME/COUNTRY	(GAL)	JET PUEL (GAL)	PLAINNED FACTLITIES	OTHER	Time	1	TXED	FIXED INSTALLATIONS	ONS	RELATEL
1					FOL	ON	BANCARS	PERS.	TYPE	MISCELL. BUTIDING	TRANS PORTATION
=	EARY, L'rag	Calcova	1	None	S S S S S S S S S S S S S S S S S S S	н	Steel	+5	45 Barracke	A Bop itel (Smell)	Buy, RG
2	Feld stes	30,0000	None	Mark	4	m	Usek.	*****	Out wen	25 bed H spitel, 61 Samily Urite	day, wa
62	PACAEJANG, Pakisten	None	None	None	None		встоя		None		Hay. RR
8	GEBEL/GEDELIA NAIN, REDA	Unknown	Unicrown	Unknows	Unknow		None		Unicon	Several Small	Hey,
87	CBAKLALA, Paldstan	50,000	Available	None	None	5	Brick		1200	Building prograss	HAY, YAR
æ	JIWAII, Pakistan	99,000	Aveilable	None	170	***	Noise		Unknows	70	HNY, W
93	KAYSERI, Turkey	57,060 59,060	None	9000	None	.1	Steel	Upk	200 men	10 bed Bespitel	The same state
3	DAB, Pakistan	None	None	None	None ,	to be water	None		None		Hwy, H
8	M.R.ID, Pakistan	Eone	None	None	None	Armon	None		None		ENG. PER
				0	ja:			Martin	maters	F 18,74.6	

^

SERVICES & FIXED INSTALLATIONS 6,000 - 7,000 R/MLENGTH)

Column C		MANAGO / MANA	AV GAS	JEL FUEL	PACTLITIES	OTHER	nar-c	14	CENT	FIXED DESTALLATIONS	NE	1
House 1,315,000 House 1,3050 Rome 1 13050 20	ò		(GAL)	(GAL)			HOHA	ROARSPR	PERE	ACCOM.	MISCRIL, BUTLDINGS	10
None	8		Available	None	1,315,000	Rone	-	13080		Berracks		
BASRA,	18	DENGAL	None	None	None	None	-	125250	8	Barracks		
KORME 71,700 None	8	BASBA, Ireq	to 000 (Incl Jet Cuel) (Plus pipe Line to nearby depot)	None	None	None	4	Steel	8	Em. Hotel	Administration, Sbe estores	ĕ
HANDAMINA, 144,000	8		71,700	Rone	Hop	1000 gal Truck ref.	4	Used for	036		Several	
KLEIAT, 5,000 None Hone 3 Steel & 200 Barracks Admi- Lebenca None None Hone Steel & 200 Barracks Admi- TABRIZ None None Hone Hone Hone Steel Story Limited Available When Hone Hone 1 Corr None Hone Story Turkey Limited Wetal None Hone 3 Steel & 200 Barracks Admi- Mone Hone Hone Hone 1 Corr None Hone 23 EGYPT Available Unknown Unknown None Hone 23	8	HABBAKIYA, Iraq	74,000	189,000	× 2	208,000best	9	Stori	24c4	Nen	300 bed H:spital Ad-	4
TABREZ None None None None Tree Tree None None None None None None None Salar	8	KLEIAT, Lebenon	00019	None	None	None	m	Steel &	-	Barracks Camp siter		nt more
VAN, Available None None Hone 1 Corr None Turkey Limited ASMAN Available Unknown Unknown None Hone 23 Egypt	84		None	Youe	None	Mone				Sec.	iii Cai	in all demands
ASMAN Available Unknown Unknown Unknown None 23	93		Available Limited	None	None	None	4	Corr Metal		None		***** *****
	ま	ASWAE	Available	Onknova	Unknown	Unknown		None		Hone		-

81..1.51

(REPORTED TATAL TATAL TATAL (6,000 - 7,000 R/W LENGTR)

TOT 118		56	96 CAN	16	8	8	8 19	ВН	301	103	1000
LEAS/COUNTRY		solu, Surkey	96 CAMPARLIPORE Pakister	97 FORG SAMDERAN Paldistan	BASAL	PARMALI	KISBAPUR	EAMANDAIN LESS	LAHORE/PALY Fakistan	SEATEAS	
AVEAS		None	None	olde Libra	Some	State	Notes	Sone	900 '01	1,211,607/ Incl. jet." '191	AT 100
JET PURE	(GAL)	Ноге	None	Bone	Sone	Neme	Nome	Nozie	Notice	jet-"bel)	
D. V. L.		Source States	adeji	none	None	Fone	2006	Bose	None	foas	
	101	Моле	None	Lane	None	glore.	Эсор	Scott	1200 fuel & Truck	Storage Services 2 Services 3 Services 3 Ser	
724	Date Service	Monte	Nation	None	Жере	Tope	Monte	None	Codd.	10 11 10	
SED INSTAL	1975.			_			d	10 p)	08.9	Steel or 900	SECHER
PITTED INSTALLANT NO	972, 12201, 901, poten	Barrescha	Torse	Central carried	News	lions	Bons	Borne, In	Nest 1		-
	sandina dan dan dan		Control Totar	Severe	Notes	Service	I small building	I meall suilding	Sustan	20 bed Mirpon, 870, Shores, Shops	
Gall'i Led	TT PERMITTER	fay.	Por, EF, Siver	f or, 108	Bleys, RR	Sec. 2.	SAY, RR	1002	SE - LIVE	EM, B	

10

(Elease als obota = 000ta) High (Elease als elease)

88	RE-LEADE/COUNTRY	45 542	1 22 22	Prainting 1		-		100 TW	PINE DESTRETATIONS				-
2	-	(0,00)	(000)	WELL TEST	an Marin	17.0	Reliantes	1003	102100		CHINA THE STATE OF	17.1	TANADAM PICA
3	CAURO/ADMAZA EGUPE	9,700	Jion:	Ave 12,026	500 Moreste 17	17	Fostly Sheet	88	Fern.	100 line	100 on longitud	Eced	Road, ER, WW
5	LABORE/WALTON Paristan	15,000	None	Tone	None	-	Unix	430	Hate S	Summirous	77	RB, BW	TAG.
g	SALALAS Muscet/Gavn	2000	Hone	None	Fome	-	House	8	Paople			10% SW	×
10	PASRUR Pakistan	None	None	Mone	Tana	-	No. of the last		Scale	Mace		EFY'S RE	£
8	FISALMALA	Вепе	None	Тошо	Mone		Може		Home	Poe		Buy, RR	100
60	TOBOU	None	Heme	None	Tone		None		Compatite	None		Hwy, will	ě
10	MEANNALL Paliston	Мози	Home	Nowa	Hone		None		Rons	None		Sex	THE STREET
7	CHOTA/SARGO-	None	None	None	None	14	None		isonic .	Hone		Bay, RR	E S
3	TAUK	Копе	Rome	gone	Sono	-	104263		None	1 Small Adiding	atiding	Esy,	Day, M. Hwer
-	Marie et a e				SECRET	1		IN FRANCISCO					

ļ_a..

(1)

, Mar.

SERVICES & PIVED INSTALLATIONS (6,000 - 7,000 B/W LENGTH)

100	TANE/COUNTRY	AT GAS	JET PUEL	PLANNED			Jos. La	TIPLE !	STORT LIPTA (BATTORS			56	BETTER
. Uh		(940)	(GAL)	FIGULTURS	POL	MO OM	MO TIPE	SES.	PETER.	MISCELL.	94772784	TRAVE	TRANSPORTATION
113	KARS	Some	Name	Hone	None		Notice	111 774	Unit	Mone		fred	frail, RE
116	114 Mores	None	None	None	Йове		Моше		9230	Mone		BWY,	Hey, RR, River
115	115 MAKABSKAB Pakisten	Available	-vailable	None	Neges	-	Unk		÷ n	Di Pensary		Road, RR	100
316	DERGELLA	14,000	Воре	None	None	£)	COL	350	Person	Siversi		HORD, RB	是
(-)-1	TIT SUJEAT	Fore	Fone	None	Нопо		Rose	1075	1075 Wen temp. None	None		ENO.	RG
61	CHAK/JEINEA Pekisten	Some	None	Jone	None		None		None	Воре		:07,	<u>a.</u>
67	119 CEAUDER	None	Robe	Pone	None	-	None		few usell	None		EWY,	200
8	PARISTAN	None	None	None	None		Hone		Mone	House		ENY,	N. S.
121	TEHRAN/QALKH MIRIET ITAN	17,000 swak dis- used, available	11	None	None	r- 500	Brick	1000 Men Barr	Men Barracks	Stores, Ebops		HAZ	R3

SERVICES & PINE INSTITUTE SECTION OF A SECTION OF A LENGTH A LENGTH

1

Scale Scal	1	The Parent Parent	245 414	TOTAL STATE	GARANT TO			FIRE	Dall G	Short Village Galila			SELATED
Some	100	WAS COMME	(040)	(041)	PACTURES	POL	HAN	I IS	20		MESTADO	BITTOTAGE	The state of the s
	122	RISHON	Some (Projected)	None	Зове	None		None		Mone	Noon		此少,阳
Some	123	STETICE OFFENCE		Sone	None	None	-	Воре	н	Bellann	эспе		Days Wil
Some Nome	12	RASHID	Available	Available	None	60,000 unscryton.	7	Corr. Steel	8		-		Esy, WK
Some Name	125	PRICE STAND	Sione	Some	None	Rome	d	Unit	ilon	а Исле	None		Evo, RR, was
ACREA MESTER, 38,800 None None 3 Unit 1130 State 36 Orders State 1 Scale 1250 State 36 Orders State	126	GUK	States	N.	None	Tone		None		Zone	None		gay, ar
None Addition None None None None None None None No	191	KASPAREET, Bergt	38,800	25,600	Non	None	173	Unit	CONTRACTOR BY NO. 100.	State Pers	36 oed 56	Tantideo	Road, ER, WW
LANGE, Kamerra LANG, Kamerra ABMADI Kureit Kureit	128	SHAREA GEO	92,000	142,000	3080	25	-	Hone	Atro-	tereing (50) qtr. (96)	4 bed in	fins.	åro.
ABMADI None None None None None None None None	627		Aper lable	None	3	Socie		None		30 pere.			Eur, ww
	5	ABMADI Kuwait	None	8	8	None		SECI	4	gog	None		fiery, we

*

SPRVICES & PIXED INSTALLATIONS (6,000 - 7,000 R/W LENGTH)

			-					FIXE	FIX.D INSTALLATIONS	Sa	RETATED.
REF	NAME/COUNTRY	AV CAS (GAL)	(GAL)	FACTLITIES	OTHER POI.	NO TITE	1	NO NO	A COM.	MISGELL SELLETING	TRANSPORTATION
E E	131 RIYAQ Tebenon	2,000	None	None	Bone	a	Corr. Steel	-	Barracks for 1,000	Inflim. shops,	Road, RR, WW
83	132 OMM/SAID	Available	None	Bose	011		None	Por e	erergoncy	None	HA, MA
133	EIN SHEMER Istael	43,100	None	Boue	None		Поле	1500	Men	Administration, operations	Hay, Th
13	JERUSALEM AIR- Construction FORT, Jorden going on	Construction going on	None	None	Zone	4,000,000	None		None	Administration	Hery, RR
135	JACOBABAD	Unimoun	Available	None	Hone	н	Brick	3.	Men, Quarterra	Humsrous	Hwy, RR
136	NISAB (SOE) Adpu	None	None	Fore	None		Bone		None	None	Track
131	RIYAN	Available	Available	None	Available		None	100	Pers.	5 bed Dispensary sev, small build.	Buy, We
23	PABOUD Masost & Owns	None	None	N. S. C.	None		None		Norse	Мотье	Home
				•••	ं	CE	-				

1

ARRUNES & MINED INSTRIBUTATIONS (6,000 - 7,000 R/W LENGER)

	NAME/COUNTEL	47 GAS	AND PUBL	PLANNEL			TINGO	FYSTA.	LICH DETALLATIONS		9 9
9	The second second	200	(A)	PACEULTI CO	POT	NO NA	HANDIGE P.P.	5032	4070W.	1974557, 2717 1977	SAN SECTION OF THE SAN
83	ARCHIC Saudi Arab.	Limited	None	None	None	298011	Rene	the dispersion is	tis	6	Ery, HR
170	K - 1 Iraq	(10,000 projected)	None	Rotte	None	(V	Corr.	25	Perro.	No bed hospiten;	Ibay, att
1907	E - 3 Iraq	550	None	Ilone	None	H	Steel	100	Dans.	deno	P8122
1,42	MESHED	30,000	Mone	None	None	4	None	500	Man, Barron	Admin, stores,	er er
143	GUMAOVASI	281,394 Gazi	Money	2,369,000	None	a	Steel	800	Мяш,	Nondque rhego	EVUY, ER, VW
A CANCEST	TBUS Paltieten	Borne	Nor	Mone	Tone		None		Horse	Several frame	Rossi, EH
क्षा स्ट्रा संदेश क्ष्याच्य	Aden	None	03	ettom.	None	John W. Bus Like Att - Took	Mone	dinus.	e Car	Sope	
PH COLUMN TO WAR	POTERAN	Limited	None		770	Sub- of a Bandon the	None	1 TO LE	Exerts.	None	AM SAME
Park Charles of	Armen	Aveilable	None	CONTRACTOR	None	i an briother stans of	Conc.	O PT	Cone.	Operdadin, Stores shops	Ewy, RK
A 84 "L4	≅tio dubistin €. /	es -Lotte.				ca had a hillings o		EGG EST	Makedan	on Vin. in	

HEAFS SERVICES & FIXED INSTALLATIONS (6,000 - 7,000 R/W LENGTR)

NA-TE/COUNTRY JUEZSEAEL Pakistac DOBA (NEW) Qatar KERMANSBAH Lran WAFEAT FRANCE KANTEAT FRANCE TURES FRANCE	AV GAS		-						The state of the s		H. Land
JUKISEAKI Pakistaa DOBA (NEW) Qatar KERMANSHAH Iran WATEAT Pakistan AFYON Furkey. SIBI Pakistan BERON Israel	(GAL)	JET FIRE (GAL)	PLANDED	OTHER	HAT GARS	8	PERS.	ACCOM.	MISCRIL. BILLDING	TRAS	TRANSPORTATION
DOBA (NEW) Qater KERMANSHAH LYAN HATELT PRATECT TOTAL	None	Noze	None	None		Поре		None	мопе	BNY, RR	BR
KERMANSBAH LTBA RAFEAT PRACTER AFYON FURKEY SIBI PRACTER BERON ISTREE	None	None	Noze	None		None		None	None	BWy	
WATELT POLICIAN AFYON Turkey. SIBI POLICIAN EQRON ISTRAL	Lindted	None	None	Mone		None	8	Huts	Several small bidg.	Bery	
APYON Turkey. SIBI Pakisten EQRON Israel	None	None	Hone	None		None		None	None	Hwy, SR	
SIBI Pakisten EQRON Israel	193,000	None	Unimorm	None	4	Steel	1000	Men	verehouse, shops	Bay,	RR
EGRON	None	Мове	None	None		Мопе		None	Море	Evy, RR	Di
	73,000	None	None	None	ω	Bellaen	5700	in bko. in temp.	Admin. Ops, Shops	Bay,	Ka
155 IMEGOL No	None	None	нове	None		None		None	10 bed Hospital	B	
				SECRET		*				-	

C

SECRET

SERVICES & FIXED INSTALLATIONS (6,000-7,000 R/W LENGTH)

REF	NAME/COUNTRY	AV GAS	JET FUEL	PLANNED	BOTALO	******	(E)	IXED IN	FIXED INSTALLATIONS	100	Control of Control
		A STATE OF THE STA	100	2011	POL	H. Can	HANGARS	PEES.	ACCOM.	MINITED TINGSIN	TRANSPORTATION
156	ISFAHAN	Available	None	None	None	8	Brick &	01	Bks. (poor)	Fow small	Boy
151	EL PALUJA Israel	None	None	None	None	Ø	Nood	None		Four r plant	Hay, IR(9mi.)
158	Sandi Arab.	None	None	None	None	Мопе		None		4 0	RR(lnd.), track
159	RASTN EL ABOUD Syria	15,000 (total POL)	None	Моле	Hone	2	Unka	m	Bks.	h buildings	Thay, III(23mi.)
97	KUT ABDULLAH Iran	None	None	None	None	Попе		None	S 1840 - 1 - 1	1 smill building	Hay, KIR (3.7mi),
191	DAQQAT! Nuscat&Omen	Bmerg. stock	None	Home	None	None		Ava lable	able	Men	Track
162	GILGET	Unk.	Unk.	None	Unk.	None		Mone		Several	Dirt road
163	JASK Iran	Lirited	Mone	None	04.1	None		His:	50 pers.	Admin., storage	Track, IN
707	KHURRAFABAD	None	None	None	None	None		Home	-	Long	Hwy
165	MEGIDDO	14,800	None	Може	Mone	Hone		Uncanoun	סונט	Mons	W, RR(341.)

(PRINTELL N/N COO. 7-000.6) SWATTHEFALL HENTH & SERVICES & SHEATHERS

PLANNED FACTOLITIES OFFICE THE NOTE TO THE MINCELL WILLIAM OF THE WILLIAM OF TH	None None None None	Notes Notes Notes	
(GAL)	Nopo	1 COLUMN 1 C	
4V GAS (OAL)	Mode	Morre	
NAME/COUNTRY	WECCMAL	GENET HANZI	

SELVE

0

0

NEAPS SERVICES AND FIXED INSTALLATIONS (5,000-6,000 R/W LENGTH)

REAL	NAME/	AV GAS	JET FUEL	PIAINED	OFTER		M	XED I	PIXED DISTALLATIONS	9	
-		(GAL)	(OVE)	PACILITIES	POL	110.	HANDARS	ITERS	HERS. ACCO	MESCELL, BUIDING.	TRANSPORTATION
3	DRIGH ROAD Pakistan	ä	Agr	Mode	143,000	4	Conc. block	4	2,500	50 bed Hospital Shope, Admin.	Bwy, RR, W
169	ALEXAMETA	7,200	4	ag.	Ope	4	100		Semi- perm Unspecif.	Adadn, Store, shops	Hwy, RR
170	HELMAN	38,000	1	de de	Unik	8	Gak		Billete for 500	30 bed h. spital Edg	Hwy, RR
721	BENTHOOTH	evallable	96,000	1	1	7	gak.		Pers. for feet for 852	25 bed Respital Edg. Stores, shops Power plant	Hwy, RB, WG
-	HAN TAP. LTW.	ă	1	1	14,000	0	Brick	A D	150	Offices, depot, shops	Buy, RE
13	TEAMOD		de	#	7		* case		None	Fone	Desert track
471	YETSETR	ı	1	1	1	.42		~	Berned	· 3 Quantity	Bey
					SECRET	F					

Secre

0

45

SERVICES & FIXED INSTALLATIONS (5,000 - 6,000 R/W LENGTH)

NAME/	4.00cm	JET FUEL	PLANNED	OTHER			PIXED	D INSTALLATIONS	Tows	RELATED
COUNTRY	Y (GAL)	(CAL)	PACTLITIES	POL	₩.	HANGARS	PERS.		MISCRIL. BUILDING	TRANSPORTATION
EL ARISE Egypt	18,000 (incl jet fuel)	Unk Aveilable	eg og	None	H	Steal frame	Unk.	Semi-perm and tempo for 100	Admin.	Hwy; RR;
RALLAN	Unk.	chk.	eac _M	Vak.	% → M	Steel unk.	Unk.	500-600 Brick Barr	Admin; shops	Huy; RR; WW
ERZINCAN Turkey (inactive)	. ?	ag y	No s	Mona.		Wk.	na k	D. Dis. Biologiches auf automation aus aus	Hq; stores; shops; storage; 2 small hosps/	Bay; RB;
AL ERARJ Saud Arabi (Inactive)	sed None	None	None	None		None		None	Tower; misc.huts;	Desert Track, RR
KUMALT		Unk.	Hose	Aveilable	rd	Steel		None	Admin; ocveral mali bidgs.	Desert track
ARIPINE	Mone; but over 1,000,000 pro- powed (MATO)	SCON	1	1		No se	Unk.	Unk. 75-100 (barrs.)	Admin; shops; 30-bad hosps.	Hey; RE;
BESTARI Pakistan	Available on request.	Rone	Ross	Aveilable on request.	44	Vood and stone	OR K.	Unk. 2,000 per.	Parll bldge	Hwy; RR; Wit (7 act.)
TAKU Trucial Osen	į	Unk.	Mone	SECRE	~	Stee!		Marked at	None	Track;WW (small craft.

SERVICES & PIXED INSTALLATIONS (5,000-6,000 R/W LENGTH)

ie.	-	AV GAS	JET FUEL	PLANDED	OTHER POL		OZ.	STALL	INSTALLATIONS		· · · · · · · · · · · · · · · · · · ·
ġ	COUNTRY	(GAL)	(GAL)	PACIFIED INS		N .		PERS NO.	PERS ACCORN. NO. TYPE	MISCELL, BUILDING	RELATED TRANSPORTATION
183	183 JABAL ALI TRUCIAL OMAN	e e e	Nose Se	None	No.		None		None	None	Track; WW
187	184 MASIRAB/RAS	28,000 tenk, truck	Union	Mose	Available	H	Bellusa	Activity and delicated the	Nissem bur for 50	Nissem hus 3 Admin., 5 hq. Stores for 50 Shops, 3cmb shelter	Track; RB, WH
185	185 KALKABLI TURKET	3	3 92	ige.	2 2 2		3 0		None	Krae	Boy, RR (14 mi)
186	186 SAN'A TENEN	Limited	Unden.	1	Limited		2	-, da. 18-17-1	No.	2 small	Track
187	187 HUDAYDAE YEMEN	2,000	Kogs	No.	Onka.		a g	4	Streeo bldgs for goods	s Adula, Storage	Tracks, W.
188	188 T-4 STRIA	Dales.	Unden.	1	Available		1	0	50 tempo	Off Ce. Compound	Hwy.
189	18921 TOR, EQUET	Lindted	Unka.	1	Lindtod		į		Unkra.	Bosp. Avail.	Track; WW
8	SHAHL ES ABBA, STRIA	1	Nos	ě	į	-4	Free! fr		S S S S S S S S S S S S S S S S S S S	None	Bwy., &R (2.5 mf)
					SEGRE			100			

.

MEAPS SERVICES AND FIXED INSTALLATIONS (5,000-6,000 R/W LENGTH)

								•
Company	(1)	(GPT)	PACILITIES		NO. TTPE	NO. TYPE	PERS. ACCUME. MISCRIL. BUILDING NO. TYPE	TRANSPORTATION
ANCERAS	I Son	Nose	Kone	e e c	None	Mone	4 mm11	Track
192 EVAR S TREES	13,500 known plue unk.	į	į	į	1 francistel 2 Quonset	Barracks for 750	Adm; Opa; shops; stores 22 bed dispens.	Mry; 52 (1 ad)
193 AWAZ BORTE	i	nak.	\$ 60 X	ż	3 befek	100 Cm	Hq; Adadu; shope Gatores	
194 ARVAZ ZEST DAM	•	2	1	1	1	2	1 brick	Ery; RR(lmi); W.
195 PALNTRA	Sell reserve		8		1 sheet mt1	1 (poor)	Adm; shops; powerpit	Bley
196 KUTAETA TURLET	33,000	į	1	178	2 scal	for 1,700	Admi 60pe; 30 bed bosp.	B.y; 22
Tagent Ct.	1	1	1	•	1	1		4
MARADE	i	į	1	į	•	į	į	ī
				SECRE	الما			

SECRET

SERVICES & PIXED INSTALLATIONS (5,000-6,000 R/W LENGTH)

-	NAME/	AV GAS	JET PARE	PLANETO	OTHER POL		TIED INSTALLATIONS	LIONS		
2	COUNTRY	(OAL)	(CAL)	PACILITIES		HANGERS NO. TYPE	NO. TYPE	Company of the last	MISCELL, BUILDING	RELATED TRANSPORTATION
67	PAKISTAN	1	3	Nos	Mose	Nos	Non		1	Bey, RR, W
-	200 H-5 JORDAN	Listed	il in	- in	. No.	No.	Non		None	la de la dela de
	201 BANE PALISTAN	i	1	1	1	<u> </u>	<u> </u>		į	Hey, RR
						The second secon		The same of the sa		
					CA .					

UNCLASSIFIED

AD 389 669

TO: UNCLASSIFIED
FROM CONFIDENTIAL
AUTHORITY:

OCE, D/A 1+5, 26 JUI 79



UNCLASSIFIED

THIS REPORT HAS BEEN DELIMITED AND CLEARED FOR PUBLIC RELEASE UNDER DOD DIRECTIVE 5200.20 AND NO RESTRICTIONS ARE IMPUSED UPON ITS USE AND DISCLOSURE.

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.