UNCLASSIFIED

AD NUMBER: AD0389670					
CLASSIFICATION CHANGES					
TO: Unclassified					
FROM:					
Confidential					
AUTHORITY					
C to U per GP-3 dtd 26 Jul 1979					

UNCLASSIFIED

OTTOE/ (SSITTED					
AD NUMBER: AD0389670					
CLASSIFICATION CHANGES					
O: Confidential					
FROM: Secret					
LIMITATION CHANGES					
TO:					
Approved for public release; distribution is unlimited.					
FROM:					
Distribution authorized to DoD Components Only; Administrative and					
Operational Use; 1 Jul 1958. Other requests shall be referred to Army					
Engineer Studies Group, Office of the Chief of Engineers, Washington, DC					
20315					
AUTHORITY					
S to C per GP-3 dtd 1 Jul 1961; ST-A per OCE D/A ltr dtd 26 Jul 1979					
2 to 6 per 3. 3 ata 13a1, 5. 7 per 301 277 tit. ata 20 ta 1373					

BEST POSSIBLE SCAN


SECURITY MARKING

The classified or limited status of this report applies to each page, unless otherwise marked.

Separate page printouts MUST be marked accordingly.

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18, U.S.C., SECTIONS 793 AND 794. THE TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.



LSSG-AMS

faction of

DEPARTMENT OF THE ARMY
MIDDLE EAST AIRFIELD STUDY (U)
(MEAFS)

VOLUME II

7A. Prepared by
ARMY MAP SERVICE
and
MILITARY PLANS DIVISION, TO
OFFICE OF THE CHIEF OF ENGINEERS
July 1958 274/10 INTELLIGENCE REFERENCE DDC CONTROL 81872 68207602 NOT AUTO PROMISE TO LANGUAGE.

"This document contains information affooting the Mational Defense of the United States within the morning of the Esphanege Lees, fittle 15, U. S. 6., for ion 183 and 794. Its transmission or the revolution of its contants in any manner to an unauthersied person is probabited by leus."

SECRET

DEPARTMENT OF THE ARMY

MIDDLE EAST AIRFIELD STUDY (U)
(MEAFS)

Propaled by ARMY MAP SERVICE and MILITARY PLANS DIVISION, TO OFFICE OF THE CHIEF OF ENGINEERS

July 1958

STATEMENT #4 CLASSIFIED

In addition to security requirements which apply to this
domant and must be met, such transmittal cutoide the
Department of Defense must have prior approval of Army Engineer Studies Group
Attn: ENGRE-SA (21100)
Washington, D.C. 20315

SECRET

DDC CONTROL NO. 81872

INDEX OF AIRFIELDS

(Runways of 2000 ff and over)

ADEN, KAMARAN (SLAND AND PERBS (SLAND (13 Airfields)

REF

A ADEN/KHORMAKSAR AMROMMA See BEIMAN AL MAUTA See ÇATAN

AL CASAB See BEIMAN

BEHHAN

BETHAN SOUTH See BETHAN BIR FADHL See SHEIKH OTHMAN

CORONATION FIELD See THAMUD

GHURAF

KAHARAN ISLAND

KHORMAKSAR See ADEN/KHORMAKSAR

LAUDAR LODAR See LAUDAR

M MUKE IRAS

135

N NISAB

MOSAB (SOH) NISAB WEST See NISAB (SOH)

QAUBAN See QOBAN

QATAN

QATH See QATAN

RIYAN

RUSEIS

123

SHE UKH OTHMAH SCH See NISAB (SCH)

THAMUD

BAHREIN ISLAND

BAHRE IN SS BAHREIN See BAHREIN/MUHARRAQ BAHREIN MARINE AIRPORT See BAHREIN SS BAHRE IN/MUHARRAQ 59

KHOR KALITA See BAHREIN SS

MUHARRAQ ISLAND See BAHREIN/MUHARRAQ

CYPRUS (3 Airtields)

AKROTIRI 15

NICOSIA 34

TYMBOU 109

EGYPT (43 Airfields)

ABU SUEIR See ABU SUWEIR 14

169 **ALEXANDRIA** ALEXANDRIA SS ALEXANDRIA/DEICHEILA See DEICHELIA ALEXANDRIA/FOUAD 1st See ALEXANDRIA ALMAZA See CAIRO/ALMAZA

AMERICAN OIL CO. FIELD See WAD! ABU RUCEIS ! ASSIUT See ASYUT

ASSOUAN See AASWAN

ASWAN ASWAN/SHELLAL SOO ASWAN

ASYUT 242

176 BALLAH

66 BILBEIS 334 BILBEIS 2

BILBEIS EAST See BILBEIS 2 BILBEIS NE See BILBEIS W BIR GIFS See GEBEL GEDE IRA MAIN

BIR HANNA 47 CAIRO See CAIRO/INTERNATIONAL

CAIRO/ALMAZA 104 CAIRO/FAROUK IST See CAIRO/INTERNATIONAL

370 CAIRO/HELIOPOLIS CAIRO/IMBABA

362 CAIRO/INTERNATIONAL 21

CAIRO/WEST 26

ניינסטן ויקניפצ

241 DAKHLA OASIS 116 DEKHETLA 171 DEVERSOIR EL ARISH 175 EL BALLAH See BALLAH EL HAMMA See BIR HAMMA 76 EL MANSURA 359 EL MINYA EL TOR 189 EMBABA See CAIRO/IMBABA FANARA FAYID 41 FOUAD 1st See ALEXANDRIA GAZA 309 GAZA EAST See GAZA 80 GEBEL GEDE IRA MAIN GEBEL HANZI 167 GINEIFA See FANARA GINEIFA SOO KASAREET HELIOPOLIS See CAIRO/HELIOPOLIS 170 HELWAN HURGHADA See HURGHADA 2 280 HURGHADA I HURGHADA 2 364 HURGHADA N See HURGHADA 2 HURGHADA S See HURGHADA I IMBABA See CAIRO/IMBABA 46 INCHAS ISMAILIA 203 KABRIT 38 KARIJAH OASIS See KHARGA OASIS 127 KASFAREET 290 KHARGA OASIS 40 LUXOR MATRUH 210 MERSA MATRUH See MATRUH MINIA See EL MINYA PORT SAID See PORT SAID/GAMIL PORT SAID/GAMIL 212 RAS CHARIB RAS UNM SIDD 227 277 57 SHALLUFA SHARM ESH SHEIKH See RAS UM ISDD SIWA NORTH See SIWA OASIS 239 SIWA OASIS 323 SUDR 28 TANTA TOR See EL TOR WAD! ABU RUCE IS I 292 WADI EL HAMMA See BIR HAMMA 247 WAD! NATRUN

SECRET

IRAN (42 Airfields)

ABADAN 58 AGHA JARI SOUTH See AGHA JARI/PAZANUN 274 AGHA JARI/PAZANUN AHVAZ CIVIL SOO AHVAZ WEST AHVAZ NEW Suo AHVAZ WEST AHVAZ NORTH 193 194 AHVAZ WEST AHWAZ MILITARY See AHVAZ NORTH ANDIMESHK 273 ARAQ See SULTANABAD BABUL SAR 297 BABUL SHAHR See BABUL SAR BADARABAD See KHURRAMABAD BANDAR ABBAS 319 BANDAR ABBAS NEW See BANDAR ABBAS BANDAR MASHUR BASGAH SOO TEHRAN/BASHGAH 218 BIRJAND BUSHAHR See BUSHIRE BUSHEHR See BUSHIRE 204 BUSHIRE 321 CHAH BAHAR 10 DEZFUL DIZFUL See ANDIMESHK DO GONDADEN SOO GACH SARAN DOSHANTEPE SOO TEHRAN/DOSHAN TAPPEH GACH SARAN 222 GORGAN See GURGAN GURGAN 293 HAFT KEL 332 101 HAMADAN HURMUDAR See BANDAR ABBAS ISFAHAN 156 Jask 7 163 42 KERMAN 150 KERMANSHAH 164 KHURRAMABAD 160 KUT ABDULLAH 283 WLI LG 526 See ABADAN LG 552 See TEHRAN/BASHGAH LG 556 See KUT ABDULLAH LG 557 See TEHRAN/QALEH MURGEH

SECRET

LG 575 See AHVAZ NORTH LG 582 See LINGEH

348

LINGEH

HRAM (cont)

	M
	MAIDER-1-SAR See MASJID-1-SULATIVIN
	MASHHAD See MESHED
	MASHUR See BANDAR MASHUR
354	MAS JID-1-SULA IMAN
	MAS JID-I-SULA IMANNSE See YAMAHA
	MEHRABAD See TEHPAN/MEHRABAD
142	MESHED
	MIRJAVEH See MIRJAWA
69	MIRJAWA
	N
295	NAFT-1-SHAH
100	NESHAPUR
	Q
	ÇAL'EH MURGHE SOO TEHRAN/QALEH MURGEH
126	QUM
	B
296	RAMSAR
355	RESHT
	S
	SARDARAH See MASJID-I-SULAININ
315	SHARS-1-ARAB
253	SHIRAZ
32	SHIRAZ (NEW)
67	SULTANABAD
	SULTANABAD WEST SEE SULTANABAD
	I
92	TAURIZ
259	TEHRAN/BASHGAH
172	TEHRAN/DOSHAN TAPPEH
4	TEHRAN/MEHRABAD
121	TEHRAN/QALEH MURGEH
	Y
.552	YAHAH
245	YEZD
	YEZD NEW See YEZD
	2
65	PARIDAH

(20 Airtields)

AIN ZALA See AIN ZALAH 226 AIN ZALAH AL HUNAYDI SEO RASHID

B.
BAGHDAD ATRPORT SOD BAGHDAD MEST
63 BAGHDAD WEST
BARMARNI SOD SARSIMK
88 BASRA
BASRA SOD SHAIBAH
BASRA MARGIL SOD BASRA

313 DERBENKI KHAN DHIBBAN SOO HABBANIYA

IRAQ (cont)

349 31)5 H-2 141 90 HABBANIYA HABBAHIYAA UKILIARY I See MARKAH 31 HABBANIYA (PLATEAU) HADITHA See K-3 K-1 140 K-I NEW See K-L 299 K-2 276 K-3 KIRKUK See KIRKUK MILITARY 77 KIRKUK MILITARY L. G. 11 See H-3 L. G. 504 See AIN ZALAH L. G. 549 See BAGHDAD WEST L. G. 589 See H-2 M MARGAR See MARKAB MARGIL See BASRA 225 MARKAB MARKAB STRIP See MARKAB 68 MOSUL MOSUL MILITARY See MOSUL QAIYARA (B. O. D.) QAIYARA CIVIL See QAIYARA (B. O. D.) 333 RASHID 124 SARS INK 281 SERSANK See SARSINK SHAIBAH SHU'AIBA See SHAIBAH 103

0

(23 Airtields)

AIN HOSB See EIN HASB AL FALUJA See EL FALUJA ALON See KFAR SIRKIN AQIR See EQRON

303 BEERSHEBA MAIN 236 BEERSHEBA NW 243 BEERSHEBA WEST

275

SECRET

ISPAEL (cont)

	E
219	ELLAT
317	EIN HASB
	EIN HISTB See EIN HASB
133	EIN SHEMER
340	EL BASSA
157	EL FALUJA
	ELATH See EILAT
154	EORON

7

1

E FALUJAM, AL SHE EL FALUJA

351 HAIFA
HAIFA CIVIL See HAIFA
16 HATZOR
HERALIYA See HERZLIYA
HERSELIYA See HERZLIYA
HERTZLIA See HERZLIYA
223 HERZLIYA
HERZLIYA NEW See RISHPON

192 KFAR STRKIN

LIDD See LOD LOD See LOD LUD See LOD LYDDA See LOD

165 MEGIDDO MEGIDDO

NATANYA/KISHPON See RISHPON

PETAH TIQVA SOO KFAR SIRKIN

QASTINA See HATZOR

B
RAMAT DAVED
RAMLE
RAMLEH SOO RAMLE
READING SOO TEL 6/11V
122 RISHPON ROSH PINNA
007 ROSH PINNA

SADEH DOY See TE'. AVIV

SDOM
SHEMER, EIN See EIN SHEMER
SODOM See SDOM

I TEL AVIV TEL HOF See EQRON 311 TIMNA

USDUM See SDOM

73 WAD! ESH SHARIA WAD! SHARA SEE WAD! ESH SHARIA

JORDAN (II Airfleids)

AKABA See AQABA 35 AMMAN 284 AQABA

CATSAN SOO EL QATRANI

360 EL QATRANI

304 H-4 200 H-5

100

344 JENIN 347 JERICHO 134 JERUSALEM ATRPORT

KOLUNDIA See JURUSALEM APPORT

244 MA'AH 30 MAFRAQ MAFRAQ (NEW) MUFRAQ SOO MAFRAQ MUQEIBILA SOO JENIH

(3 Airfields)

54 BEIRUT INTERNATIONAL AIRPORT

91 KLEIAT 131 RIYAQ

ZONES, OATAR & TRUCIAL CHAN (20 Airfields)

329 ABU ZABI AHMADI (NEW) DAQQAM DAWHAT 130 161 252 DOHA 149 DUKHAN 146 138 FAHOUD JABAL ALI #2 183 KUNAIT 179 184 MASIRAH/BAS HILF 324 MIRFAH 343 342 270 MUSCAT NAKHLA RAS AL HADD 106 SALALAH SHARJA 128 346 288 SHAUMAMIYA SHINAS 182 TARIF

UM SAID

132

SECRET

PAKISTAN WEST (77 Airtields)

114 208	A AKGRA AKNAL
201 98 120 18:	B Bannu Basal Bhagatanwala Bholari
96 118 81 119 335 285 217	C CAMPBELLPORE CHAK JHUMRA CHAKLALA CHANDER CHILAS CHOR CHOTA MALIR CHOTA SARGODHA
84 75 361 87 51 168	D DAB DALBANDIN DERA ISMAIL KHA CHAMIAL DHINGAR DRIGH ROAD
79 97 162 117 74	E FATAHJANG FORT SANDEMAN GILGIT GUJRAT GULISTAN
144	1 IBIS
135 291 82 148	JACOBABAD JANDOLA JIWANI JIWANI SS JUNGSHAHI
61 326 279 89	KARACHI CIVIL KARACHI NORTH KNANPUR KOHAT KORANGI CREEK
102 105 199	LAHORE/PAF LAHORE/WALTON LANDHI
368 19 110 70 215 85	MANZAI MAURIPUR MAANVALI MIRAM SHAH MULTAN MURID

PAKISTAN WEST (cont)

1

350	<u>N</u> Naushahra
350 115	NAWABAHAH
52	NOTAKZA I
24	MUTCHENT
	<u>P</u>
365	PADIDAN
327	PANJGUR
53	PANJPAT
367	PARACHUNAR
107	PASRUR
20	PESHAWAR
125	PETARO
49	PISHIN
	Q
286	QUETTA
50	QUETTA/SAMUNGLE
	R
99	RAHWAL I
216	RAZMAK.
363	RETI
78	RISALIMA
108	RISALHALA
45	SARANAN
17	SARGOENIA
153	SIBI
209	SKARDU
44	SPEZAN
233	SUI
308	SUI -2
328	SUKKUR
	I
112	TANK
207	THAL
366	TURBAT
	Ж
211	WAH
213	WAMA
151	MAILJI
166	WEGOWAL

SAUDI AHABIA (35 Airfields)

	۸
139	ABOATO
256	ABU HADRIYA
294	AYIN DAR
255	AL HANI
178	AL KHARJ
	AL RUSS See AR RAS
265	AL WAJH
	AL WEJH SOO AL WAJH
300	ARSAB
320	AR RAS
	AR RIYADH See RIYADH
	B

262 BADANAH 316 BURA IDA

SAUDI ARABIA (cont)

CAMP 888 See UNAIQILAH

1 DHAHRAN 71 DUWA!D

358 HAIL 198 HARADH HEFUF See HUFUF HOFUF See HUFUF

158 HUFUF

250 JALAMID 356 JAWAN JEDDAH See JIDDA 301 JERAIBA 5 JIDDA

336 JUBAIL See JUBAYL JUBAYL

KANDARA See JIDDA KM POST 596 ANSAB KM POST 683 See JERAIBA

LAUGA See DUWAID

64 MEDINA

261 NARIYA NO. 2 FIELD ROCK QUARRY See JAWAN

Pump Station No. 2 See Nariya
Pump Station No. 3 See Qaisumah
Pump Station No. 3a See Ansab
Pump Station No. 4 See Rafha
Pump Station No. 4a See Unwaiqilah
Pump Station No. 5 See Badanah
Pump Station No. 5a See Jalamid
Pump Station No. 6 See Turaif

254 QAISUMAH

RAFHA
221 RA'S AL MISH 'AB
RAS AT TANNURA SOO JAWAN
RAS AT TANNURA SOO RAS TANURA
RAS EL MISHA'AP SOO RA'S AL MISH'AB
RAS MISH'AB NEW SOO RA'S AL MISH'AB
RAS TANURA

27 RIYADH

1---

	SYMMIN VIOLEN COMMIN
263	<u>s</u> sakaka
	I
13	TAIF
11	TEBUK See TABUK TRIANGULATION STATION NO. 292 See AIN DAR
260	TURAIF
	U UBAILA
287	UWAIQILAH
264	OHNIQIDAN
258	WURIYA
357	Y YANBU YENBO See YANBU
	SYRIA (16 Airfields)
147	AL JARAH SOO DJERAH ALEP SOO ALEPPO ALEPPO

CAMP MERHOZ See PALMYRA

DAMAS SOO DAMASCUS DAMASCUS 39 DEIR EZ ZOR
DEIR EZ ZOR
DEIR EZ ZOR (1) See DEIR EZ ZOR
DIMAS See SAHL ES SAHRA
DIMAS See SAHL ES SAHRA 298 DJERAH DMEIR See DUMAYR DUMAYR 314

48

EL QUUCIER See EL QUSEIR EL QUSEIR 322

HAMA 43 HMEIMNE HOMS See EL QUSEIR 230

KAMASHLI SOO ZAMICHLIYE KAMECHLIE SOO QAMICHLIYE

LATAKIA SOO HMEIMNE L. G. 426 SOO PALMYRA

M MEZZE See DAMASCUS 353 MENNIK NAIRAB See ALEPPO NERAB See ALEPPO PALMYRA '95 QAMICHLIYE 248 COUCTER See EL CUSEIR RASIN EL ABOUND 159 SAHL ES SAHRA 190 Ĭ 7-2 282 T-3 306 188 Y-4

TIOMORE See PALNYRA

TURKEY (61 Airfields) 22 ADANA CIVIL 371 ADANA MIL 152 AFYON 25 AKHISAR 206 AKH SAR TSA 376 ALASEHIR ANKARA/ESENBOGA 18 62 ANKARA/ETIMESGUT ANKARA/MURTED 9 345 ANTALYA 180 ARIFIYE 37 BALIKESIR 36 BANDIRMA 12 BATMAN 95 BOLU 272 BORANKOY 269 **BURSA** CANAKKALE 267 375 CARDAK 234 CAYCUNA 24 CIYLI 341 330 CORLU CUKURHISAR 143 **CUMADVAS I**

<u>D</u> DIYARBAKIR

6

TURKEY (cont)

229 177	E ELAZIG ERZINGAN
86 2.	ERZURUM ESKISELLIR
246	G GAZIANTEP
231	GAZA EMIR
338 202	GEMLIK GUVERCINLIK
	1
3	INCIRLIK
155 228	I NEGOL ISKENDERUN
232	IZMIT/KOSEKOY
	K
185	KALKANLI
372	KARACABEY
373 113	KARAMURSEL KARE
83	KAYSERI
8	KONYA
196	KUTAHYA
72	M MALATYA
7	MALATYA (NEW)
23	MERZ IF ON
339	PAMUKOVA
302	POLATLI
	<u>s</u>
220 205	SAMSUN (NEW)
271	SARIGAZI
240	SIVAS
	I
235 289	TRABZON TUZLA
	ц
197	URFA
374	USAK
	<u>Y</u>
93	VAN
238	YALOVA Y
174	YENISEHIR
55	YESTLKOY

YEMEN (7 Airfields)

AMRAN
H HODEIDA See HUDAYDAN HUDAYDAH
MARIB
SA'DA
SALIF
SAM'A
SANA'A See SAN'A

Country: SAUDI ARABIA

REF. NO. 1

Airfield: DHAHRAN

Elev. 72 ft.

Geographic Coordinates: 26 16 N 50 10 E

Number Runways: 2

	No.	L& W	ORIENT.	TYPE CONST.	CALACITY	TXI
Runways:	1	10,000x200	HNW/SEE	Asin.	300,000	unlim e
	2	6,500x150	ENE/PSV	AB1 H.	200,000	urdim ea.

Operating Areas (TAC Wing):

TAYI !! AYS

AFRONS

H/S

100

100

unk

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal)

PLA MED FACIBITIES

OTHER FOL

5,980,000

2,709,800

None

Diesel fuel and Mogas

available

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM.

AISC. BLDG.

4 unk

3,800

Hospital-75 bed

Related Transportation:

Hwy, KR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OFER.	i MON. OPER,	EMPARGENCY
TACTICAL	F101	and 8570	
CARGO	· c124	C 74	C124

Remarks:

Const 1945 - Best equipped field in Arabia - Only field in Arabia capable of sustained Hvy Bomb ops. Used by jet fighter as well as BL7 and C124.

Country: TURKEY

REF NO. 2

Airfield: ESKISEHIR

Elev. 2,568 ft.

Geographic Coordinates: 39 47%

30 35E

Number Runways: 2

	No.	L & W	ORIENT.	TYPE CONST.	CAPACITY	EXT
Runways:	1	10,000x150	E/W	As ph.	200,000	None
<u> </u>	2	7,780x160	E/::	Conc	55,000	tione

Operating Areas (% TAC Wing):

TAITWAYS

APRONS

H/S

100

100

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

489,000

0,065,000

None

Fixed Installations:

No. Type Const.

PERS. ACCOM.

MISC. BI.DG.

23 unk

unk 33h2 pers Perma

Hospital-50 bed Adm, Shop

Storage Power

Related Transportation:

Hwy, IR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER. EMERGENCY
TACTICAL	F01(10 and B570
CARGO	C15ft	C12L C12L

Remarks:

Main Turkish air base

Turkish Air War College

Hdq, 1st Turk Air Force

NATO Wing Main Airfld.

Country: UTURKEY

REF. NO. 3

Airfield: INCIRLIK

CTRUTK

Elev. 238 ft.

Geographic Coordinates: 37 00N

35 26E

Mumber Runways: 1

	No.	L&W	ORIEM".	TYPE CORST.	CAPACITY	EXT.
Runways:	1	10000x200	TIE/SW	conc	290,000	none

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

11/3

100

100

100

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal)

PLATMED FACILITIES

OTHER POL

--- 3,71,3,000 ----

500,000 Av Gas 2,460,000 Jat

none

Fixed Installations:

No. Type Const.

PERS. ACCOM.
No. Type

MISC. BLDG.

3 steel & conc

unk 1600 pers Perm.

Hospital..30 bed

Administration

Shops Power

Related Transportation:

Ilwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL		7101 and B57C	
CARGO	C 124	C12),	CISA

Romarks

All types of aircraft.

Jet tactical units assigned here.

Country: IRAN

REF. NO. JA

Airfields TEHRAN/MEHRABAD

Elov. 3,961 ft.

Geographic Coordinates: 35 M.N. 51 198

Number Runways: 2

	No.	1. & W	ORDERAR	TYPE COLLY.	CAPACITY	EM.
llunwaysı	1	10,000x200	wiw/ese	сонс»доод	200,000	3000 EasEnd
	2	5,000:150	N/8	conc-good	200,000	h000 shoEnd

Opurating Areas (% T . Wing):

TAXIWAYS

A. ROUS

H/S

100

100

unk.

Support Facilities Available:

· FOLT

Fixed Installations:

No. Type Const.

PERS. ACCOID.

MISC. BLUG.

2 conc. & steel

unk 200 pers Ferm

Disponsary - 10 bed Administration

7 brick

Shops

Related Transportation:

Ihry, RR

Typ: loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	HIN. OPER.	EMERGENCY
TACTICAL	MO1 a	und B570	
CARGO	C124	C1.2lı	C124

Remurks:

One of two main civil airfields in Iran currently used by Constellations and Viscounts.

Capable of B-47 support.

Further jet accommodations planned.

Country: SAUDI ARABIA

REF. NO. 5

Airfield: JIDDA

Elev. 50 ft.

Geographic Coordinates: 21 30N 39 12E

Number Runways: 2

	No.	L Re W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	10000x150	nnw/sse	Asph.	120,000	unlämä.tod
	2	6000x150	E/W	Asph.	120,000	Ha, End unlimited
						Ea. End

Operating Areas (% TAC Wing):

TAXIWAYS

APROUS

II/S

100

100

unk

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

65,400

unknown

unknown

none

Fixed Installations:

ILANGARS Non Type Const. PERS. ACCOM.

MISC. BLDG.

4 steel

unk 100 pers Perm.

Shops

Related Transportation:

Hwy, water

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY	
TACTICAL	F101	and B57C		w. •
CARGO	C54	C 5ft	C15f	4,7

Remarks:

Headquarters for Royal Arabian Air Force.

Country: TURKEY

REF. NO. 6

Airfield: DIYARBAKIR

Elev. 2,165 ft.

Geographic Coordinates: 37 53N 40 12E

Number Runways: 1

	No.	L & W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	10,000x150	NNW/SSE	Asph. (good)	100,000	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

40

None

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

---- 575,900 ----

unknown

None

Fixed Installations:

HAMGARS No. Type Const. PERS. ACCOM.

MISC. BLDG.

6 unknown unk 1350 pers perm

30 Bed Hosp. Operations

Fower Plant

Related Transportation:

Hwy, Rit

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	F101 :	and B57C	
CADOO	or!	61.00	65.61
CARGO	C54	C130	C124

Remarks:

NATO Wing Main Airfield Hdq. for 3, F-84 G Sqd. Turk AF.

SECME

MIDDLE EAST AIRFIELD STUDY

Country: TURKEY

REF. 110. 7

Airfield: MALATTA (new)

Elav. 2,900 ft

Geographic Coordinates: 38 27N

38 08E

Number Runways: 1

L & W	OTTENT.	TYPE COUST.	CAPACITY	EXT.
11.000x150	HME/SSU	Asph.	60,000	ามาห
	-) with resource an employed between refrequencies to be formulated the refreshibition of the designation of the	to the same of the same and the	The same of the sa

Operating Areas (% TAC Wing):

TAXIVAYS

APRONS

H/S

100

200

unk

Support Facilities Available:

POL:

AV AV GAS (gal)

JET FUEL (gal) PLANNED FACILITIES OTHER POL

48,800

11.8,000

unknor.1

none

Fixed Installations:

Type Const.

No. Type

MISC. BLOG.

3 unknown rime

none

Related Transportation:

HWY, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	¥	HIN. OPER	PMEROENCY		
TACTICAL	F101	and	B57C	 		• ••
CARGO	C123.3		C514	C12lı	ter tour-grade	

Romarks:

Is being built to SHAPE wing main sirrield standards.

Country: TURKEY

REF. NO. 8

Airfield: KONYA

Mev. 3,366 ft.

Geographic Coordinates: 37 58N 32 34E

Number Runways: 1

	Non	Law	ORIENT.	TYPE CONST.	CAPACITY	EXT .
Runways:	1	11000x150	HME/SSW	Asph~good	67,000	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

15

32

Support Facilities Available:

PIL:

Fixed Installations:

HANGARS
No. Type Const.

PERS. ACCOM.

HISC. BLDG.

2 (unc)

8 Barracks

none

Rel ited Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	nn. opin.	TARRENICY
TACTICAL.	F101	and H57C	to the tax tax tax tax tax tax tax tax
CARGO	C119C	C5h	C124

Remurks:

Under development as a NATO squad field,

Jet fighter aircraft in use here,

Country: TURKEY

REF. NO. 9

Airfield: ANKARA/MURTED

Elev. 2,750 ft.

Geographic Coordinates: 40 03N 32 33E

Mumber Runways: 1

	No.	L & W	ORIENT,	TYPE CONET.	CAPACITY	EXT.
Runways:	1	11000x150	ne/sw	conc	unk	none

Operating Areas (% TAC Wing):

TAXIWAYS

APROHS

H/S

100

100

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

CTRER POL

11,800 (unc) 118,000 (unc)

unknown

none

Fixed Installations:

HANGARS Type Const.

HISC. BLDG.

(unc)

none

none

Related Transportation:

Ilwy, RR

1

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN.	OPER.	T		EH	ER.	GL	IC.	Y			_	
TACTICAL.	000 Tri COD COD Dry Cod COD	-unknown-		•	rw (110	ted	••	-	-	-	••	•	-
CARGO		-unknovn-		_	877		-	-	-			_	_	-

Remarks:

NATO Airfield.

Projected for use by a F86 jet fighter squad.

MEDDLE CAST ALGETTED STUDY

Country: IRAH

1

REF. HO 10

Airfield: DEZFUL

Elev. 500 ft.

Geographic Coordinates: 32 231 48 25E

Number Runways: 1

•	llo.	LW	ORTENT.	TYPE COURT	CAPACITY	EXT.				
Runways:	1	10000x150	nw/se	Cone.	200,000	1000 ft.				
						.स. तार्				

Operating Areas (% TAC Wing):

TAXIWAYS

APROMS

II/S

75

100

unk

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLATIED FACILITIES

OTHER POL

none

420,000 Av Gas 4,200,000 Jet Fuel

none

Fixed Installations:

No. Type Const.

PERS ACCO. . No. Type

MISC. BLDG.

1 (unc)

none

unk

itelated Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	IIN. OPER.	EHEROEHCY
TACTICAL		- F101 and B57C -	10 000 000 000 100 000 000 000 000 000
CARGO	C124	C124	l 0121.

ilemarks:

Being constructed for Tranian AF.

Country: SAUDI ARABIA

KUF. No. 11

Airfield: TAIF

Elev. 1,500 ft.

Geographic Coordinates: 21 293 40 32E

Number Rumways: 1

	No.	L & W	ORIENT.	TYPE COIST.	CAPACITY	EXT.
Rumways:	1	101;00x125	ene/wsw	Aspna	120,000	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

(unc)

(unc)

(unc)

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLAINED FACILITIES OTHER POL

none

none

none

none

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM.
No. Type

HISC. BLDG.

unknown

none

none

Related Transportation:

llwy

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPEF.	EVERGENCY	-
TACTICAL	F	1.01 and B570	tes 2nd 160 des 140 100 100 104	cog ump
CARGO	C54	C124	C12/4	46 T 10 WAR

Remarks:

Used by Saudi Arabia airlines and Arabia. - American Oil Co.

Country: TURKEY

RRF. NO. 12

Airfield: BATMAN

Elev. 1750 ft.

Geographic Coordinates: 37 55% 41 088

Mumber Runways: 1

	No.	L&W	ORIENT,	TYPE CONST.	CAPACITY	EXP
Runways:	1	10,000x150	INE/SSW	Asph.	60,000	unk
in the second		**********			1	1

Operating Areas (& TAC Wing):

TAXTWATS

APROMS

100

100

Support Pacilities Available:

POL:

AV GAS (p.1) / JET FUEL (pal) PLANNED FICILITIES . OTHER POL

Fixed lostallations:

MISC BLOG.

None

None *

Administration

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	POLL OPER I	RIM. OPER.	MARKE BOOK	
TAGTICAL	F10	1 and 8570+		
CAPGO	C123B	CSL	C12i.	

Remarka:

Being developed to "STAPE" stds.

NATO air base closest to Russian border.

Future use as jet training base.

Country: SAUDI ARABIA

REF. NO. 13

Airfield: TABUK

Flev. 2,250 ft.

Geographic Coordinates: 28 2211 36 3hE

Number Runways: 1

	No	L & W	ORIEN.	TYPE COUST.	CAPACITY	EXT.
Runways:	1	100000x150 (unc)	unk	sand	unk	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

11/5

(unc)

(unc)

(unc)

Support Facilities Available:

POL:

AV GAS (gal) J.T FUEL (gal) PLAINED FACILITIES OTHER POL

unknown

unknown

unknown

unknown

Fixed Installations:

HARGARS lo, Type Const.

HISC. HLDG.

unknown

unknown

unknown

Related Transportation:

RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL	R.	MIN. O	PER.	_	I		€ 1	RG	EIK	CY		-	
TACTICAL.			 unknown		~	•	_			_	-	-	who	•
CARGO			 unknowi	***	•	-	-				-	671	~	Die .

Remarks:

Projected for use by jet fighter and B-26 type a/c.

Country: EGYPT

REP. NO. 14

Airfield: ABU SUMEIR

Slev 49Ft.

Geographic Coordinates: 30 3hH

32 05E

Number Runways: 2

	No.	L&W	ORLENT.	TYPE COLOR.	GAPACIT"	SXT.
Runways:	1	97 50x1 50	E/W	Acoh	170,000	400E anl W
	2	7350x150/200	ne/sw	Asoh	1.70,000	300NII 2300SW

Operating Areas (% TAC Wing):

TAXI VAYS

APRONS

11/5

100

100

unk

Support Facilities Available:

POL

AV GAS (gal)

JET FUEL (gal)

PLANMED FACILITIES

OTHER POL

605,300

129,700

urknown

none

Fixed Installations:

HANGAES
No. Type Const.

PERS. ACCOM.

MISC. 3LDG

16 Metal

Unk 1025 pers Semi-P Infirmary-26 bed

Worksh-ps

Related Transportation:

Hwy, RR, water

Type loaded A/O that can be accommodated and extent of operations:

	FULL OPER.	MUD. OFFR.	1 MURGENCY	
TACTICAL	80n ਜ਼ਰੀ ਵਰ ਵੀ	F101 and E570	• ~ • •	
CARGO	C130	C12/4	(1:)4	producting environment

Remarks:

Former RAF being improved for sustained jet ops.

Reported Scil of Fagota.



Country: CYPRUS

REF. NO. 15

Airfield: AKROTIRI

Elev. 64 ft.

Geographic Coordinates: 34 35N 32 59E

Munber Runways: 1

	No.	L & W	ORIENT.	TYPE CONST.	CAPACITY	EXT-
Runways:	1	9000x200	WNW/ESE	Asph.	250,000	5000WNW noneESE

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

32

80

Support Facilities Available:

POL

AV GAS (gal) JET FUEL (gal)

PLANED FACILITIES

OTHER POL

345,338

576,840 Av Cas

none

and Jet (ne rby)

Fixed Installations:

No. Type Const.

PERS ACCOM

MISC. BLDG.

2 Conc.

unk 1000 pers

Hospital-140 bed Hospital-150 bed

HQ Opa Shops Storage

Related Transportation:

ilwy, RR, water

Type loaded A/C that can be accommodated and extent of operations.

	FULL OPER.	MIN. OPER.	ETERGETICY	
Thomas	• 10 10 11	F101 and E57	C	
COLLO	C75ft	C124	C124	

Remarks:

A/F became operational 1956 with arrival of British Not or

Jet Med Bomber and Transport Base.

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: ISRAEL

DEF. NO. 16

Airfield: HATZOR

Elev. 1/1 ft.

Geographic Coordinates: 31 45N 3h like

Number Runways: 2

No).	L&W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	9000x150	wiw/ese	stone/bitum.	69,000	2000 853
	2	5570x160	NE/SW	stone/bitum.	69,000	900 SW

Operating Areas (% TAC Wing):

TAXIWAYS

APROMS

II/S

100

100

unk

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

56,000

unknown

none

Fixed Installations:

HANGARS
No. Type Const.

PERS. ACCOM.

MISC. BLDG.

5 Conc.

unk 1700 pers-poor

HQ Stores

Shops

Related Transportation:

lwy, ill, water

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPEK,	min. orak,	E. TROLNCY
TACTICAL	~ ~ ~ ~ ~ ~ ~ f	101 and #570	
CANGO	(,4,})	(*1;})	G1.2h

Romarks:

Israel Air Force Comber Dase also used as atternate to main civil A/F at Loi

Flight Trng conducted here using Mystere IV, Ouragan and Mosquito aircrait.



Country: PAKISTAN

REF. NO. 17

Airfield : SARGODHA

Elev. 600 ft.

Geographic Coordinates: 32 03N 72 40E

Number Hurmays: 2

	No.	LieW	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Rumwaysı	1	9000x150	NW/SE	Aspha	50,000	5000 Ea.End
	2	6300x150	ne/sw	Concgood	75,000	500NE 2503W

Operating Areas (% TAC Wing):

 TAXIVAYS
 APRONS
 H/S

 100
 100
 50

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL 50,000 3,000 1,890,000 Av Gas none and Jet

Fixed Engualizations:

HANGARS PERS ACCOID HISC. BLDG.
No. Type Const. No. Type

7 unknown (unc.) unk limited quarters (unc.)

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations.

	FULL OPER.	MIN. OPER.	EMERGENCY
TACIIC.LL	F	7101 and B570	46 40 10
CARGO	C514	C130	C124

Remarks:

Being completely reconstructed.

Country: TURKEY

REF. NO. 18

Airfield: ANKARA/ESENBOGA

Elev. 2,950 ft.

Geographic Coordinates: 40 09N 33 03E

Number Runways: 2

	No.	L&W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Rurways:	1	9000x200	NE/SW	conc-exc	200,000	none
	2	7300x150	NE/SW	conc.	14,000	nong

Operating Areas (% TAC Wing):

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

39,624

13,208

105,000 POL

none

Fixed Installations:

HANDARS Type Const. PERS. ACCOM.

MJSC. BLDG.

2 unknown

none

Administration Storage

Power

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	IIN. OPER.	SWERGBINGA
TACTICAL		101 and B57C	
CARGO	C124	C1.24	C12l,

Remarks:

Being developed to ICAO standards.

One of four international airfields in Turkey.

Country: PA ISTAN

1

REF. NO. 19

Airfield: MAURIPUR

Elev. 35 ft.

Geographic Coordinates: 24 54N 66 57E

Number Punways: 2

No.	L & W	ORIENT.	TYPE CONST.	CAPACITY	EXT
Runways: 1	9000 x20 0	E/W	Conc (Exc)	200,000	1000 Ea End
2	7800x150	NE/SW	Haca./Conc	176,000	1.200 Dir. Una

Operating Areas (% TAC Wing):

TAXMAY

APRONS

H/S

100

100

Hone

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLA NED FACILITIES

OTHER POL

605,300

129,700

unknown

none

Fixed Installations:

HANGARS No. Type Const. PERS ACCOM

Terminal

12 Notal

urk 50° pers Perm

Terminal

Administration

Shops RECORS

He apitar-la hada

Related Transportation:

llwy, RR, water

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	HIE. OPER.	ETARGENCY
TACTICAL		F101 and B570	
CARCO	C124	C12/4	C124

Hemarks:

Pakistan Air Force IQ and Jat Conversion School are here.

Airfield being improved.

Country : PAKISTAN

REF. NO. 20

Airfield: PESHAWAR

Elev. 1,150 ft.

Geographic Coordinates: 34 00N 71 3LE

Number Runways: 2

N	0.	L&W	OR LENT.	TYPE COUST.	CAPACTIY	EXT ₂
Runwaysı	1	9000x150		Asph.(unc.)		2000N 900S
	2	5920x150	wnw/ese	Macafair	75,000	2500WM

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

1/8

100

100

unic

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

- - -73,100 - - -

1,990,000 Av Gas and Jet

1101101

Fixed Installations:

HAHGARS No. Type Const. PERS, ACCOM.
No. Type

MISC. MIDG.

5 conc. & metal

unk 900 pers Perm

dospital-lil bed Administration

Shops Storage

Related Transportation:

Ilwy, RR

Type loaded A/C that can be accommodated and extent of operations:

F10	01 and B57C	10 MB 479 Gps
C54 7	C130	CIEL.
		C54 C130

Remarks:

Primary Air Base.

Being improved by MAG program.

Completion date November, 1957.

MIDDLE EAST AIRFIND STIDE

Country: EGYFT

kl.: . NO 21

Airfield: CAIRO/INTERNATIONAL

i. iv. ill ft.

Geographic Coordinates: 30 0 N 31 7 E

Number Runnays: 3

01 december 1:	No.	6 7 4	O. I. I.		CAPTER	1/2 A c
Rumays	1	9350x200	ne/ai	a-hi	150,000	J _z 1
}	2	7000x20 0	NUM/ 850	$\mathbb{R}_{\geq 0}(n)$	150,000	Y= 1 1
	3	7000x150	MARK	157.	1.50,000	12-11-51

Operating Areas (% FAC Ving):

TAXTWAY 5

an Ni

H/S

100

1, ,

urk

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) 11.1 F. CILITIES OTHER FC

2,341,575

227,000

ti il aoua

147, 1717

Fixed Installations:

HANGARS No. Type Const.

li steel & conc.

7. 31 34

Administrat. on Stores

Sheps

unk [1] I say barr. (2.8027)

Related Transportation:

Hwy, kit, water

Type loaded A/C that can be accorded a little stant of operations

	FULL OPER.	J OF B	TE ER JE ICY
TACTICAL		Tol are side	
CARGO	G3.30	7. 21.	C12h

Remarks:

Used by RAF.

Largest and most active in Sgypt

Now used by C.L7, C-54, C-121, V . sount and Comet aircraft.

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: TURKEY

1

REF. NO. 22

Airfield: ADANA CIVIL

Elev. 60 ft.

Geographic Coordinates: 36 59N 35 17E

Number Runways: 1

	No.	L&W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runwaysı	1	9030x150	NE/SW	conc.	200,000	none

Operating Areas (% TAC Wing):

TAXIWAYS

AFROUS

H/S

100

100

unk

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER FOL

Fixed Installations:

No. Type Const.

PERS. ACCOM.

HISC. BLDG.

1 conc.

none

OPS

Related Transportation:

llwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPMR.	MAN SERVICE
TACTICAL,	F		, and and any and and and any an
CARGO	C12L	C124	CT5/I

Remarks:

One of three main civil airfields in Turkey.

Closed to foreign (December 1956) air carriers. Not to be reopened.

SECRET

Country: TURKEY

REF. NO. 23

Airfield: MERZIFON

Elev. 1.730 ft.

Geographic Coordinates: 40 52N 35 35E

Number Runways: 1

1

	No.	L & W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Rummays:	1	9000x150	ne/sw	Asph/conc.	45,000	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

II/S

100

100

75

Support Facilities Available:

POLI

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

272,750

unknown

1,315,000 POL

none

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM.
No. Type

MISC. BLDG.

cone. & steel

unk 935 pers

Hospital-50 bed Administration

OPS

Storage

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	PUBS OPER	AIN. OPER.	YONCONCIPE	
TACTICAL	F104 B,C & D	F101	B57C	
CARGO	none	C123B	C130	

Remarks:

Main air base.

Construction is complete.

F-36 squads are assigned here.

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: TURKEY

1

REF. NO. 24

Airfield: CIYCI

Elev. 20 ft.

Geographic Coordinates: 39 30N 27 00E

Number Runwaye: 1

	No.	1, & W	CRIENT.	TYPE COUST.	CAPACITY	EXT.
Rumways:		9000x100	n/s	conc-good	unk	unk

Operating Areas (# TAC Wing):

POL:

2

AV GAS (gal) JET FUEL (gal) PLATRED FACTLITIES OTHER POL

126,800 1,653,960 26h,000 Av Gas (unc)
(nearby) 5,400 Jet (unc)

Fixed Installations:

HANGARS

No. Type Const.

PERS. ACCOIL.

No. Type

unknown unk 50 pers

Hospital-100 bed OPS Supply

Supply Storage

Related Transportation:

Hwy, RR, water

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER. HIN. OPER. ETERGENCY	
TACTICAL	none none	
CARGO	was a summer none and a summer summer	

Remarks:

NATO field being built to SHAPE standards.

Operational in early 1957.

SECRET

CL Canad

MIDDLE EAST ALRFIELD STUDY

REF. NO. 25 Country: TURK X Elev. 300 ft. Airfield: AKRISAR (new) Geographic Coordinates: 38 50N 22 50E Number Runways: 1 CAPACITY EXT. TYPE CONST. ORLENT. No. L&W NNE/SSW conc unknown none 9000x100 Runways: 1 Operating Areas (% TAC Wing): APRONS H/S ZYAKIXAT 75 unk 100 Support Facilities Available: POL: OTHER POL JET FUEL (gal) PLANNED FACILITIES AV GAS (gal) none 264,000 jet none none Fixed Installations: MISC. BLDG. HANGARS No. Type Const. unknown unknown unknown Related Transportation: Hwy, RR e loaded A/C that can be accommodated and extent of operations: EMERGENCY FULL OFFR. MIN. OPER. ----- unidiown ----TACTICAL

CARGO

Remarks:

1

Field is being reconstructed to SHAPE sqd. field standards late 1957 completion date.

---- unknown ----

Country: ECYPT

1- "

REF. NO. 26

Airfield: CAIRO/WEST

Elev. 360 ft.

Geographic Coordinates: 30 07N 30 56E

Number Runways: 3

	No.	r & M	ORIENT.	TYPE CONST.	BAPACITY	EXT.
Runways:	1	9 750x1 50	inw/sse	Maca. & conc	70,000	unlim NIW
	2	6000x150	E/W	Maca.	70,000	unlim Ea. Em
	3	4200x150	ne/sw	Maca.	70,000	unlim NE 600 SW

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

10

11/5

3

100

Support Facilities Available:

FOL:

1

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

การเมากา

unknown

unknown

none

Fixed Installations:

HANGARS Type Const. PERS. ACCOM.

HISC. BLDG.

1 Steel unk 50 pers

OPS

Shops Storns Storage

Infirmary-30 beds

Related Transportation:

Hwy, RR, water

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	ILIN. OPER.	EMERGENC	Y
TACTICAL	F	.01 and B57C		
CARGO	C514	C5l:	C124	

Remarks:

Used for Beagle Training and operations base by Egypt Air Force. Extension buildings and improvements being made.



MIDDIAL PAST AIR TELD SPULY

1-1-14.

Country: SAUUL ARABIA 100F. D. 27

Airfield FrASH

Elev. 1,900 ft.

Geographic Condinates: 25 holl to 1,68

Number binways: 2

	llo	1, & W	OR HAIT.	T(Ps 110 (3)	UNIACITA	
l'um aya:	1	2000%150	N/S	Aspra	1 69,000	arlin N Loop o
*	3	(400x350)	W dillian	Aapn	69,000	

Operating Areas (% TAC ving):

CASIMALS 1.00

Ar R 7.45

1/3

100

r ine

Support Ficilaties Available:

POLI

AV TAS (ral) JUT FUEL (ral) PLA as FACT ATS & Children.

ามาใดาสพท

none

unknown

oil

Fixed Installations:

Mathans
No, Type Const.

Tat. Shor

l unknown

unk 50 era

Admin semation

Related Transportations

Hwy , TR

Type loaded A/C that can be accommodated and extent of oper though

and resident and the state absolute to the	FULL OPER	Pipe	The second secon
TACTICAL.	100 AN THE TO SE PERMIT	01 and 8570	1 kg 400 440 444 4 5 40 5
CARGO	C514	OFI:	1.4

Remarks

Royal SAF college located here. Special permission for use Constructed 1946 and improved 1956...

Country: EGYPT

REF. 110. 23

Airfield: TANTA

Elev. 40 ft.

Geographic Coordinates: 30 35N 31 09E

Number Runways: 1

	No.	Lewi	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	9000x160	11/5	Maca. (une)	50,000	սար

Operating Areas (% TAC Wing):

EYAWIXAT

APRON5

H/S

unk

unk

unk

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

none

none

none

none

Fixed Installations

HANGARS
No. Type Const.

PERS. ACCOM.

MISC. BLDG.

none

none

none

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPFR.	EMERGENCY
TACTICAL		F101 and B570	10 may be to two two two two the the
CARGO	C51,	C5:44	0154

Remarks

The runway is being surfaced with what appears to be asphalt.

Country: JORDAN

REF. NO. 29

Airfield: MAFRAQ (now)

Elev. 2275 ft.

Geographic Coordinates: 32 23N 36 15E

Number Runways: 1

No	I. 80 W	ORIEMT.	TYPE COUST.	CAPACITY	EXT .
Rumways: 1	9000x200	nw/se	Asph.	250,000	unlindted Ea. End

Operating Areas (1 TAC Wing):

TAXIWAYS

APRONS

H/S

100

5

80

Support Facilities Available:

POLI

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

--- 72,060 ----

unknown

none

Fixed Installations:

HANGARS Type Const. PERS. ACCOM.

MISC. BLDG.

7 steel. unk 150 pers Tempo

Shops Stores

Power

Related Transportation:

lhy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	PIN, OPER.	L. A. TERGENCY
TACTICAL	- F101 and 8570		
CARGO	C124	C12/4	C121

Remarks:

Available for emergency use only.

Will accommodate heaviest type existing a/c.

Country: JOEDAN

REF. NO. 30

Airfielu: MAFRAQ

Mev. 2275 ft.

Geographic Coordinates: 32 21N 36 14E

Number Runways: 3

	No.	LSW	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Rumwa	1	9000x600	E/W	sand and	80,000	1000 E
	2	7500x300	NE/SW	gravel sand and	80,000	1000 SW
	3	7500x300	IM/SE	gravel sand and gravel	80,000	1000 SE

Operating Areas (% TAC Wing):

11/3 APRONS TAXIWAYS 100 100 none

Support Facilities Available:

POL:

AV CAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL oil 30,000 24,000 12,000

Fixed Installations:

PERS. ACCOM. MISC. PLDG. HANDARS No. Type Const. Administration unk 160 pers steel Storage Semi-P unk 150 pers Tempo

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER	IMM. OPER.	SAERGE CY	
TACTICAL.	F101	and B570		
CARGO	054	C54	C12h	

Remarks:

Area occupied by Royal Jordan Army.

Presently closed to a/c.

Country: IRAQ

REF. NO. 31

Airfield: HABBANIYA PLATEAU

Elev. 265 ft.

Geographic Coordinates: 33 20N

43 35E

Number Runways: 1

	10.	L&W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:		9000x150	.na/ese	Bitum/stone	100,000	unk

Operating Areas (% TAC Wing):

CYANTXAT

AFRONS

H/S

100

100

unk

Support Facilities Available:

POL:

1

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

none

none

none

none

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM.

MISC. BLDG.

none

none

none none none

Related Transportation:

Hwy, water

Type loaded A/6 that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	F10	11 and 357C	
CARGO	c54	C130	C124

Remarks:

Facilities and services available at Habbaniya Airfield 2.5 miles distant

Country: IRAN

REF. NO. 32

Airfield: SHIRAZ (new)

Elev. 5650 ft

Geographic Coordinates: 29 32N

52 35E

Number Runways: 1

	No.	L C- W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	9900x1 95	wnw/ese	Concrete (unc)	198,000	υnk

Operating Areas (% TAC wing):

CYAKIXAT

APRONS

H/S

none

nona

none

Support Facilities Available:

POL:

AV AS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

none

none

none

none

Fixed Installations:

No.

MISC. BLIXG.

none

none

none

Related Transportation:

Hwy

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.		MIN. OF SR.	Ī	EMERGENCY
TACTICAL		F101	and B57C	••	- • •
CARGO	C12lı		C12L		C124

Remarks:

Work suspended field unserviceable

Country: ADEN

REF. NO. 33

Airfield: ADEN/KHORMAKSAR

Elev. 10 ft

Geographic Coordinates: 12 50N 45 02E

Number Runways: 3

	No.	IAV	CRIENT.	TYPE COMST.	CAPACITY	EXT.
Runways:	ı	8610-150	E/W	Maca.	200,000	600 E 330 W
	2	4500x150	m/se	Sand	93,000	150 MW 600 SE
	1	h200x150	HE/SW	Sand	93,000	200 NE

Operating Areas (% TAC Wing):

TAXIWAYS	APRONS	HVS
100	75	ทบอด

Support Facilities Available:

POL:

Fixed Installations:

No.	HANGARS Type Const.	No.	ACCOM.	MISC. BLD3.
9	Metal	unk.	100 pers perm tempo	5 bed dispensary Administration Operations Stores Shops

Helated Transportation:

Hay, WW

Type loaded A/C that can be accommodated and extent of operations:

	rull oran.	MEN. OPPL.	TENDROPHOL
TACTICAL		F10LD and B570 -	
CARGO	C121:	CISI	C124

ourres:

One of the principal A/F of Arabian Peninsula. Main RAF base in this area.

Country: CYPRUS

REF, NO. 3h

Airfield: NICOSIA

Elev. 725 ft.

Geographic Coordinates: 35 09N 33 16E

Number Runways: 2

	ilo。	1. & W	ORLAND.	AYPE COUST.	CAPACITY	EXT.
Runways:	1	8000x150	nw/sa	bitm oca	132,000	450MN 300SE
	2	6000 x15 0	E/W	maca;ood	103,000	

Operating Areas (% TAC Wing):

TAXIWAYS

APRINIS

H/S

100

100 מתכ ח

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL - - - - 1,56,379 - - - - -

unknown

moras oil

Fixed Installations:

"AUGARS No. Type Const. PERS. ACCOM,

MISC. BLDG.

12 steel und. 1600 pers Perm.

Dispensary Il ted

Related Transportation:

Hwy

Type loaded A/C that can be accommodated and extent of operations:

	FULL OFFR.	Lilly OPER.	LI RIL'CY
TACTICAL	B570	B57С	N570
CARGO	C1.30	C130	U1514

Remarks:

A natural surface landing ground in use prior to 1939.

Headquarters British Middle East Air Force.

Used by Hawker Munter jet fighter and Canberra Bonders.

Further improvements planned.

MUDDLE EAST ALEPTELD STIDY

Country: JOHNAN

HER. NO. 35

MUMA: Dielinia

Elev. 2,511 ft.

Geographic Coordinates: 31 50N

Number Runways: 1

	No.	LEW	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	8010x150	ene/usa	Asph./Conc.	173,000	1000 en. end

Operating Areas (% TAC Wing):

TAXIWAYS

APROMS

11/5

100

100

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED PACILITIES OTHER POL

76,400

40,000

unknown

unknown

Fixed Installations:

HANGARS Type Const. No.

PERS. ACCOM. No. Type

MISC. BLDG.

Wood

650 pers

8 ted dispensary Administration

Metal 4 Unknown

perm Stores

Shops

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	ENFRGENCY
TACTICAL	B570	B570	B57C
CARGO	C130	C124	C124

Remarks:

Most modern and important a/f in Jordan and is Main Royal JAF field - now undergoing major improvements to accommodate major airlines and jet a/c.

51.

Country: TURKEY

REF. No. 36

Airfield: BAIDIRMA

Elev. 165 ft.

Geographic Coordinates: 40 1911

27 598

Number Runways: 3

	No.	L&V	ORDENT.	TYPE CHST.	CA'ACTTY	EXT
Runways	1	8130x150	n/s	Conc.	312,000	unlin
	2	3150x150	N/S	Conc.	30,000	unlin
	3	3000x150	n/s	Conc.	30,000	บกไละ

Operating Areas (% TAC Wing):

TAXIWAYS

APROMS

II/S

100

100

60

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

--- 486,337 -----

unknown

unknown

Fixed Installations:

HAMMARS Type Const PERS. ACCOM.

MISC. BLDG.

5

Steel

unk 1500 pers

Perm.

Administration

Shops Stores

Hospital-15 bed

Related Transportation:

H wy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FUA. OPER.	MIN. OPER.	en ency
TACTICAL.	B57C	B57C	B5 7 ;
CARGO	C54	C130	C12.;

Remarks:

1 of 3 jet fighter bases in NW Turkey.

Being improved to NATO Wing min. status.



Country: TURKEY

REF. NO. 37

Airfield: BALIKESIR

Eleve 335 ft.

Geographic Coordinates: 39 37N 27 56E

Number of Runways: 1

	No.	L & W	OR LENT.	TYPE COMST.	CAPACITY	EXT
Rumays:	1	8990x140	n/s	Aspno	70,000	unk
				AND THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.		(1.1 mgs 1/2 mgs in man it in our man

Operating Areas (% TAC Wing):

 TAXTWAYS
 APRONS
 II/S

 100
 100
 100

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL unknown none

Fixed Installations:

HANGARS

No. Type Const.

No. Type Const.

MISC. BLDG.

MISC. BLDG.

MISC. BLDG.

MISC. BLDG.

Dispensary-10 bed

Hospital-60 bed-planer

HQ

OPS

Stores

Shops

Power

Related Trans ortation:

Ilwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EVERGMICY
TACTICAL	F10bu) and 3570	. The two too too too too too too too too too
CARGO	C514	C5h	C3.2h
0,2,4			Marie Company of America States States and America

Remarks:

NATO wing main airfield.

AIRFUALD STUDE

Country: ECYPT

REF. 110. 38

Mirfield: KABRIT

Elova 22 ft.

Geographic Coordinates: 30 15N

Rumper Runways: h

32 29E

1	10.	T. Carl	ON THE	Tipe conci	CAPACI	11 10
Rumoyu:	1.	8850 x1 50	mi/se	Mr. CA	unk	usod ur ur din ska
	2	60000 30	11/5	cone.	inn _j c	pulin S
	3	hear co	E/I	наса	unk	1500 17
	l.	0050	m/su	паса	unk	1.000 SM

Operating Areaa (% TAC Wing):

TAXTUAYS

APROMS

1/5

100

75

100

Support Facilities Aveilable:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER CL.

14,400

43,200

unknown

l'arm.

mogas, oil

Fixed Installations:

No. Typo Type Const. No, Type

MISC. BLDG.

Steel

3.205 pers tank

Administration

Shops

H cspital-15 pad

Related Transportation:

Imy, BR

Type loaded A/C that can be accommedated and extent of operations:

	FULLOTE. SIN. COME. SMERGENCY
TACTICAL	
CARGO	unk unk

Remarks:

MAF squadron equippes, with MIG 15's and 17's stationed here.



Country: SYRIA

KEF. NO. 39

Airfield: DAMASCUS

Elev. 2,406 ft.

Ocographic Coordinates: 33 29N 36 14E

Humber Runways: 2

	No.	T & M	ORIEM.	TYPE CONST.	CAPACITY	EXT.
Rurways:	1	8360x200	ene/wsw	Asph.	160,000	unk
	2	3280x160	wnw/ese	Asph.	23,000	1600 Ea.E
	2	3280x160	wnw/ese	Asph.	23,000]

Operating Areas (I TAC Wing):

TAXIWAYS

APRONS

IVS

none

5

none

Support Facilities Available:

POL

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

---- 132,350 ----

unknown

none

Fixed Installations:

No. Type Const.

PERS. ACCOM

MISC. BLDG.

4 brick & metal

unk 300 pers Perm Administration

Shops Stores

Related Transportation:

Day, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPAR.	ENERGENCY
TACTICAL	B57C	B57C	n57C
CARGO	C130	C1.2h	C124

Remarks:

Main civilian airfield and headquarters base for SAF.

Improvements planned - presently R/W in poor condition and requires constant maintenance.

See and the firm of

MIDDLE EAST AIRFIELD STUDY

Country: EGYPT

REF. NO. 10

Airfield: LUXOR

Elev. 295 ft.

Heographic Coordinates: 25 Lin 32 Like

Number Runways: 2

	mays: 1 8860x1	L & W	ORIENT.	CAPACITY	EXT.	
Runways:	1	8860x150	NNE/SSW	Maca.	73,000	1500 NNE unlim SS
	2	5900=150	WNW/ESE	Maca.	73,000	1000
			(]		Ea. En

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

100

unk

Support Facilities Available:

POL:

V GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

16,600

unknown

unknown

none

Fixed Installations:

HANGARS
No. Type Const.

PERS. ACCOM

MISC. BLDG.

unknown

unk 20 pers

Administration

Perm Stores

Related Transportation:

Hwy, RR, Water

Type loaded A/C that can be accommodated and extent of operations:

· · · · · · · · · · · · · · · · · · ·	FULL OPER. MIN. OPER. EMPROENCE										
TACTICAL	Floid a	nd B57C									
CARGO	C514	C54	CJSF								

Remarks:

Was an international field.

Since Suez crisis it has been occupied by Egypt Air Force as base for Beagle a/c.

Country: EGYPT

REF. NO. 41

Airfield: FAYID

Elev. 70 ft.

Geographic Coordinates: 30 19N

Number Runways: 4

	No.	iæw	ORTENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	8400x150	E/W	Maca.	36,500	600 E
	2	6000 x1 50	n/s	Maca.	36,500	600 N unlim S
	3	3600x150	NW/SE	Maca.	unk.	none NW
	4	3600x150	NE/SW	Maca.	unk.	600 NE 3000 SW

Operating Areas (% TAC Wing):

H/S TAXIWAYS APRONS 100 100 100

Support Facilities Available:

POL:

: OAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL unk. unk.

Fixed Installations:

Mo. Type Const. PERS. ACCOLL. MISC. BLDG. unk. 1166 pers Hq. 11 unk. Semi-p.

Related Transportation:

Hwy, RR, WW

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	Flocc	B57C	B57C
CARGO	none	C54	C1.30

Remarks:

Used as Hq. for RAF until end of 1955. Bombed but not damaged to any degree (repairs complete).

R/W extension (#1) underway Nov 1956

MIDDIE מוסד שיונידייות הרחד

Country: IRAN

REF. NO. 42

Airfield: XERMAN

Elev. 5,600 ft.

Geographic Coordinates: 30 15N 56 58E

Number of Runways: 2

0.	L&W	ORIENT.	TYPE CONST.	CAPACITY	EXT
	8200x165	nnw/sse	Asph.	160,000	unlimited
2	6560×165	ne/sw	Asph.	unk	unlimited
L		8200x165	8200x165 NNW/SSE	. 8200cl65 NNW/SSE Asph.	8200x165 NNW/SSE Asph. 160,000

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

none

none

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

unknown

unknown

unknown

none

Fixed Installations:

HANGARS
No. Type Const.

PERS. ACCOM.

MISC. BLDG.

nona

unk 35 pers

none

Related Transportation:

HWY

Type loaded A/C that can be accommodated and extent of operations:

	FUAL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	B57C	B57C	в57С
CARGO	C130	C15ft	G12];

Remarks:

Natural terrain surrounding has high weight bearing capacity and natural drainage is adequate for all weather use:

Country: SYRIA

REF. NO. 43

Airfield: HAMA

Elev. 1,000 ft.

Geographic Coordinates: 35 O7N 36 43E

Number Runways: 2

	No.	L & W	CRIENT.	TYPE CONST.	CAPACITY	EXT.
Runwaysı	1	8200x200	E/W	Asph-good	69,000	unlin.
	2	4590x150	NE/SW	Maca	unknown	unlim

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

100

50

Support Facilities Available:

POL:

1

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

unknown

unknown

unknown

none

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM.
No. Type

MISC. BLDG.

3 steel none

unknown

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	B57C	B57C	B57C
CARGO	C54	C54	C124

Remarks:

Presently used by MIG as well as C54.

SECRET

The last it

MIDDLE EAST AIRFIELD STUDY

Country: PAKISTAN

REF. NO. 14

Airfield: SPEZAND

Mev. 5775 ft.

Geographic Coordinates: 29 57N 66 58E

Number Runways: 1

	No	L & W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Rumayes	1	8520x150	n/s	Maca.	unknown	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

100

100

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal) PLANNED FACILITIES

OTHER POL

none

none

none

none

Fixed Installations:

HANGARS Type Const. PERS. ACCOM.

MISC. BLDG.

unknown

none

Shops

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL	O	POR	•	-	Ţ		MIN.	OP	CR.	_			1	èΜ	TR(JE	VC.		_			_
TACTICAL		••	-	-	••	-		unknow	1 -	•	-	~	-	•	-	-		-	-	_	_	**	-
CARGO			-	_	••	-	**	unknow	1 -		_	_	_			-		_	_	_	_	-	-

Remarks:

Abandoned. Renovation required to make it operational.

51: 1:1

MIDDLE EAST ATHFIELD STUDY

Country: PAKISTAN

REF. NO. 45

Airfield: SARANAN

Elev. 4,850 ft.

Geographic Coordinates: 30 34N 66 53 E

Number Runways: 2

No.	L & W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runwaye: 1	8100x150	www/ese	conc. (good)	58,000	2000ESE
2	6600x150	N/S	conc. (good)	56,000	15000N

Operating Areas (% TAC Wing):

TAXIWAYS

APHONS

H/S

unknown

35

100

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

none

none

unknown

none

Fixed Installations:

No. Type Const.

PERS. ACCOM.

MISC. BLDG.

4 Brick

none

none

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY	
TACTICAL	B57C	B57C	R57C	
CARGO	C123B	C54	C124	

Kemarks:

Dlex of William B

MIDDLE EAST AIRFIELD STUDY

Country: EGYPT

REF. NO. 46

Airfield: INCHAS

Elev. 215 ft.

Geographic Coordinates: 30 19N

31 28E

Number Runways: 3

	No.	L & H	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	8100x120	ne/sw	maca.	33,000	unlim Si
	2	5400x120	n/s	maca.	33,000	unlim ea
	3	5400x120	E/W	maca.	33,000	unlim ea

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

75

unk

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

unknown

unknown

unknown

unknown

Fixed Installations:

No. Type Const.

PERS. ACCOM

MISC. BLDG.

1 Conc.

unknown

unknown

Related Transportation:

IMY, IR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN, OPER.	EMERCENCY
TÁCTICAL	F86D	FLUSC	в57с
CARGO	none	C514	C13 0

Remarks:

4

Used by EAF as aux jet fighter field, light transports and liaison until Anglo French Invasion. Since this time used by Fagots and Frescoes.

Country: EGYPT

REF. NO. 47

Airfield: BIR HAMMA

Elev. 570 ft.

Geographic Coordinates: 30 40N 33 38E

Number Runways: 3

	Nou	L & W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Rumays:	1	8000x150	N/S	Maca (unc)	unknown	unl≤m _o
	2	6000x1,50	nw/se	Maca.	unknown	unlim.
	3	5380::2.50	ene/wsw	Macas	unknown	unlim.

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

48

75

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

unknown

unknown

unknosm

none

Fixed Installations:

HANGARS No. Type Const.

MISC, BLDO.

none

unknown

Storage

Related Transportation:

Hwy

Type loaded A/C that can be accommodated and extent of operations:

-	FUL	L ()PE	R.	_	1	 MIN.	Olym	R.		7		E		idi	CIV	CY			- Political
TACTICAL		-	-	•			 unknow	a -	••	-	1190	_	-	_	**		-	_		•
CARGO		19		-		-	 unknow	2	_	_		-	_		_	-		-	Argodio-	~

Remarks:

Believed intended for use by jet aircraft.

SECRET

MIDDLE EAST ATTUTELD STUDY

er) ,

Country: SYRIA

REF. NO. 48

Airfield: DUMAYR

Elev. 2,000 ft.

Geographic Coordinates: 33 36N

36 113E

Number Runways: 1

	No.	L & W	ORLENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	8200x150	E/W (under const)	Conc.	unknown	unlim easend

Operating Areas (% TAC Wing):

TAXIMAYS

AFRONS

II/S

(unc)

(unc)

(unc)

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal) PLANNED FACILITIES

OTHER FOL

unknown

unknown

889,000 gal (unc)

none

Fixed Installations:

HANGARS

PERS. ACCOM.

MISC. BLDG.

3

Type Const. unknown

unk 1,500 pers.

unknown

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL		unknown -	
CARGO		unknown -	***

Remarks:

Taxiways, hardstands etc. under const. or projected.

New Military aux in Damascus area.

When completed in 1959 will be carable of supporting jet ops,

According to the second

AIRFIELD STUDY-MIDDLE EAST AREA

Country: PAKISTAN - W

REF NO. 49

Airfield: PISHIN

Elev. 5,080 ft.

Geographic Coordinates: 30 34N

67 OOE

Number Runways: 2

No.	L&W	ORIENT.	TYPE CONST.	CAPACITY	EXT,
1	8100x150	ene/wsw	Conc. (good)	58,000	1800NSW
2	6600x150	NNW/SSE	Conc. (good)	58,000	1000ENE 1500NNW 500SSE
	1	1 8100x150	1 8100x150 ENE/WSW	1 8100x150 ENE/WSW Conc. (good)	1 8100x150 ENE/WSW Conc. (good) 58,000

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

30

90

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal) PLANNED FAC LITIES

OTHER POL

none

none

none

none

Fixed Installations:

HANGARS Type Const. PERS. ACCOM.

MISC. BLDG.

1 unk none

none

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	B57C	B57C	B57C
CARGO	C123B	C54	C124

Remarks:

No longer regularly maintained or used.

Country: PAKISTAN - W

REF. 0. 50

Airfield: QUETTA/SAM NGLI

Elev. 5,250 Ft.

Geographic Coordinates: 30 15N 65 56 E

Number Kunways: 2

	No.	L % W	ORI WY.	TYPL CONST.	CAPACITY	ET.
Runways:	1	6 250x150	IW/S.	Maca.	58,000	unk.
	2	6540x150	ene/ws/	Maca.	58,000	unk.

Operating Areas (% TAC Wing):

TAXIWAYS

AIRONS

H/S

100

unknewn

100

Support Facilities Available:

AV GAS (gal) JET FUEL (gal.) PLANNED FACILITIES

OTHER POL

30,000

none

unknow

none

Fixed In tallations:

HANGARS Noe Type Const. PERS. ACCOM.

hut

MISC. BLDG.

unknown

4,000

Administration

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN OPER.	EMERGENCY	_
TACTICAL	B57C	B57C	B57C	
CARGO	C123B	C54	C12l4	

Remarks:

Ground is soft for long periods after rain. 6250' x 50' taxi could probably be used as a runway.

Country: PAKISTAN

REF NC. 51

Airfield: DHINGAR

Elev. 5215 ft.

Geographic Coordinates: 29 55N 66 45E

Also and

Number Runways:

	No.	L& W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	8000x150	nm:/sse	Conc. (good)	unk	1000 ea. end

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

65

40

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

None

None

None

None

Fixed Installations:

HANGARS Type Const.

MISC. BLDG.

None

None

None

Related Transportation:

Huy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL. OPER.	MIN. OPER.	EMERGENCY
PACTICAL	unknown	unknown	unknown
CARGO	unknown	unknown	unknown

Remarks:

Not in use but runway in good condition.

Not maintained regularly. Drainage sys. in serv. cond.

St. 7.7

Country: PAKISTAN

REF. NO. 52

Airfield: NOTAKZAI

Mev. 5,150 ft.

Geographic Coordinates: 29 40N

66 23E

Number Runways: 1

	No.	L & W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	8100:150	n/s	Maca. (Damaged)	unk	1000 ea. end

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

None

40

None

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

None

None

None

None

Fixed Installations:

No. Type Const.

MISC. BLDG.

None

None

None

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	unknown	unknown	unknown
CARGO	unknown	unknown	unknown

Remarks:

Never used or maintained.

Rummay in poor condition and suitable for emergency orly.

MIDDLE

Country:

PAKISTAN

REF. NO. 53

Airfield: PANJPAI

Elev. 5014 ft.

Geographic Coordinates: 29 54N

66 32E

Number Runways: 1

	No.	L & W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	8100x150	nne/ssw	Bitum (poor)	unk	Unlim

Operating Areas (% TAC Wing):

TAXIWAYS

AFRONS

H/S

None

None

None

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

None

None

None

None

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM.

MISC. BLDG.

None

None

None

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	FMERGENCY
TACTICAL	unknown	unknown	unknown
CARGO	unknown	unknown	unknown

Remarks:

No longer maintained by Pak. AF.

Believed usable by light transport craft in emergency only.

Country: LEBANON

REF. NO. 54

Airfield: BEIRUT INTER, AIRPORT Elev. 89 ft.

Geographic Coordinates: 33 49N 35 29₺

Number Runways: 2

	llo	L&W	OR LENT .	TYPE CONST.	CAPACITY	EXT
Runways:	1	7800x200	n/s	cone.	270,000	unlim N 2000 S
	2	78 00x2 00	NE/SW	conco	270,000	unlim NE

Operating Areas (% TAC Wing):

ZAXIWAYS

APRONS

H/S

100

100

unk

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal) PLANNED FACILITIES OTHER POL

121, 200

24,826

5,397,593 Av gas and 792,795 jet fuel (nearby)

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM. No. Type

MISC. BLDG.

conc & steel

none

Administration

Related Transportation:

Hwy, RR, water

Type loaded A/C that can be accommated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	B57C	157C	B 57 C
CARGO	C124	C124	C1.2L

Remarks:

Best and most important sirfield. Conforms to ICAO requirements.

R/W number 2 to be extended to accommodate jets in 1958.

Country: TURKEY

REF. NO. 55

Airfield: YESILKOY

Elev. 92 it.

Gaographic Coordinates: 40 53N 28 50E

Number Rumwayes: L

	No.	L&W	OR DENIE.	THE CONST.	CAPACITY	EXT
Emmays:	1	751;0x200	THE/WSW	conc-exec	200,000	unk
	2	1500x130	he/sw	acph.fair	93,000	unk
	3	4340x240	n/s	cone,	110,000	unk
	žı	31此0元30	E/31	arph.	closed	unk

Operating Areas (% TAC Wing):

TAXXWAYS

AFRONS

H/S

1.00

100

18

Support Facilities Available:

POL

AV GAS (gal)

JET FUFL (gal)

PLANNED FACILITIES

OTHER POL

455,000

unknown

unknown

oil

Fixed Installations:

KANGARS Type Const.

MISC. BLDG.

4 unknown unk 200 pers Perme

Administration OPS

Shope Stores

Related Transportation:

Hwy, RR, Water

Type loaded A/C that can be accommodated and extent of operations:

- AND STREET, SAN THE PARTY OF	FULL OPER.	MIN. OPER.	PANERGENCY
TACTICAL	B57C	B570	B57C
CARGO	C124	C124	C124

Remarks:

International airport. CAA & ICAO standards.

Heavy and med. bomber operations.

Tentative plans include construction of a new 13,000' RWY for jet transports.

4 - 113 - 1 43 - 1 43 - 1

Country: ISRAEL

REF. NO. 56

Airfield: LOD

Elev. 132 ft.

Geographic Coordinates:

32 OON

34 5LE

Number Runways: 4

	No.	L & W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	7740:150	NNW/ESE	Maca.	150,000	Unlim. ea.en
	2	5100x150	NNE/SSW	Maca.	150,000	1000 ea. end
	3	4200x150	NW/SE	Маса.	150,000	1800NW
	Ц	3600x150	NE/SW (Closed)	Maca.	unk	1000SW

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

100

unk

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal)

L (gal) FLANNED FACILITIES

OTHER POL

70,900

unk

unk

unk

Fixed Installations:

No. Type Const.

PERS. ACCOM.

MISC. BLIG.

3 Steel

370 per, perm.

unk

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	ELAERO ENCY
TACTICAL	B57C	B57C	B57C
CARGO	C130	C124	C124

Remarks:

Best sirfield in Israel. Hdqt for EL AL sirlines.

Largest aircraft repair depot in Middle East.

Long range plans call for two 9000 R/W's.

Country:

EGYPT

REF. NO. 57

Airfield: SHALLUFA

Elev. 50 ft.

Geographic Coordinates: 30 03N

32 32E

Number Runways: 4

	llo.	L & V	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Rumways:	1	7460x150	N/S-poor	Asph.	100,000	unlima
	2	4500x150	ni/se	∧ s ph.	100,000	unlin
	3	3750x150	tmE/S'!-cl.	Asph.	unk	unlim.
	4	3750x150	E/I-cl.	∆abh•	wik	unlim.

Operating Areas (% TAC Ming):

TAXIWAYS

APROMS

H/S

100

20

100

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

86,000

28,920

unknown

unk

Fixed Installations:

HANGARS No. Type Const. No. Type

MISC. BLDG.

2 steel unk 615 pars

Tempo

Infirmary-II bed

HQ Administration

Shope

Related Transportation:

Hwy, RR, Water

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	RIN. OPER.	PYERGI NEX	
TACTICAL	В57С	B5 7 C	в57С	
CARGO	C54	C130	C 1 24	-

Remarks:

Formerly !AF turned over to MAF.

MEDDLE EAST AIRFLEID STEDY

Country:

TRAN

REF. NO. 58

Airfield: APADAN

Elev. 10 ft.

Geographic Goordinates: 30 22W

48 145

Number Runways: 2

	No.	L & W	ORIGINA, TYPE CONST.	CATA COTY	EXI
Rumiays:	1	7220x1110	Asph.	unknom	nulczonu
	2	6020x200	Aspin	220 _p 000	unknown

Operating Areas (% TAC Wing):

TAXIVAYS

APPONS

H/S

unkaown

wiknown

35

Support Facilities Available:

AV GAS (gal) JET YUEL (gal)

PLANNED FACILITIES OTHER FOL

1,22,800

unknown

unkacımı

oil available

Fixed Installations:

HANGARS No. Type Const.

unk

MISC. BLUG.

6

steel

unk 3000 pers Hospital-50 bad

Perm. Opna

100 per 4 hotei Shops Stores

Related Transportation:

lay, RR

Type Roaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OFER.	EPERGRENCY
TACTICAL	B570	B57C	B57C
CARGO	C124	G12F	C124

Remarks:

One of two main international civil airfields in Iran, presently used by constellation sircraft. 50' and 75' wide asphalt taxiways 2,700,000 sq. ft. texiways, parking ramp. 18 hardstands SE of hangar area.

Country: BAHREIN ISLAND

REF. NO. 59

Airfield: BAHREIN/MUHARRAQ

Elev. 2 ft.

Geographic Coordinates: 26 16N

Number Runways: 3

	No	L & W	ORIENT.	TYPE CONST.	CAP.\CITY	EXT.
Runways:	1.	7500x200	wnw/ese	Asph.	300,000	875 WNW
	2	7200x150	wnw/ese	Maca.	ជារូវ	unlim ESE 500 WiW
	3	2900x300	N/S	Sand	100,000	unlim ESE 1600 N

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

100

unk

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

unknown

nene

unknown unknown ---- 200,000 (nearby)

Fixed Installations:

HANGARS Type Const. No. Type

MISC. BLDG.

steel

unk 400 pers

Form

Administration

Related Transportation:

Hwy, Water

Type loaded A/C that can be accommodated and extent of operations:

	FULL OF ER.	MIN. OPER.	EMERGENCY
TACTICAL	B57C	B 57C	P57C
CARGO	C124	C124	C12l4

Remarks:

Lack of fuel storage and inadequate fueling system limit operational value of field.

Improvements are planned,

Country:

ISRAEL

REF. NO. 60

Airfield: RAMAT DAVID

Elev. 160 ft.

Geographic Coordinates: 32 39N

35 12E

Number Runways: 2

	No.	L&W	ORIENT.	TYPE CONST.	CAPACITY	EYT.
Runways:	1	7290:150	nn://sse	maca. (good)	72,000	unlim
	2	6000x150	Ε/W	maca. (good)	72,000	unlim

Operating Areas (% TAC Wing):

TAXIMAYS

APRONS

H/S

100

100

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

97,000

unknown

unknown

Perm.

un!cncwn

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM. Type

HISC. BLOG.

3

unknown

1300 pers. unk

Hospital (unk) Administration

Shops

Stores

Related Transportations

Hwy, RR, WW

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	min. Open.	SHINGSNEY	
TACTICAL	в57С	в57с	B57C	
CARGO	C51;	C514	C124	

Remarks:

Main IAF fighter base accom. 2 piston eng. and 1 jet fighter.

Squas. including Mysters TVA a/c. Flight training conducted here.



Country: PAKISTAN

REF. NO. 61

Airfield: KARACHI CIVIL

Elev. 83 ft.

Geographic Coordinates: 24 54N 67 OSE

Number Runways: 1

	No.	L &: W	ORIENT.	TYPE CONST.	CAPACITY	EXT
Rumways:	1	7 500 x1.50	ENE/WSW	Conc/Asph Exc.	11:5,:000	900 ENE 1000 WSW

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

100

unk

Support Facilities Available:

PCL:

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

unknown

none

Fixed Installations:

HANGARS Type Const. PERS. ACCOM. Type

MISC. BLDG.

Dispensary-2 bad

8 steel wik 3800 pers Perm

Administration

OPS Storage Shope Power'

Related Transportation:

Hwy, RR, water

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	B57C	B570	B57C
CARGO	C1.30	C12!;	C124

Remarks:

Best airfield in Fakistan.

Served by 13 International and Domestic Airlines.

Pakistan Air Force Jet Conversion School temporarily located here while Mauripur Airfield, is pepaired.

R.A.F. Staging Post and Air Sea Rescue center here.

Field is MATS alternate for Mauripur Airfield.

Country: TURKEY

KEF. NO. 62

Airfield: ANKARA/ETIMESGUT

Mev. 2,650 ft.

Geographic Coordinates: 39 57N

32 423

Number Runways: 2

	No	Law	ORMENT,	TYPE CONST.	CAPACITY	EXT.
Rumays	1	7200x150	wnw/ese	asph/cons	75,000	unk
	2	4200x150	ww/ese	foog sod	33,000	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

IVS

100

100

10

Support Facilities Available:

PCL:

AV GAS (gal)

JET FUEL (gal) PLANNED FACILITIES

OTHER POL

1,007,808 (nearby)

unknown

unknown

none

Fixed Installations:

HANGARS No Type Const.

PERS. ACCOM...

MISC. BLDG.

6 steel unk 400 para

Hospital-100 bed Administration

Pern

Stores

unk 1400 pers Sami-P (nearby)

Shops

Related Transportation:

Hwy, RR

Type leaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MUN. OPPM.	EMPREENCY
TACTICAL	B57C	B570	B570
CARGO	C54	C1.30	C124

Remarks:

Resurfaced 1956,

This is the main military airfield and headquarters for the 2nd Turkish Air Ferse,

SECRET MIDDLE EAST AIRE TO STUDY

Country: IRAQ

REF. NO. 63

Airfield: BAGHDAD WEST

Elev. 112 ft.

Geographic Coordinates: 33 19N 44 22E

Number of Runways: 4

	No.	T & M	OR LENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	7050x150	:W/SE	maca	132,000	unk
	2	5950x150	nw/se	earth	60,000	unk
	3	6000x160	nw/se	earth	60,000	unk
	4	2700x150	NE/SW	maca-poor	unk	unk

Operational Areas (% TAC Wing):

EYAWIXAT	APRONS	<u>IV's</u>
100	25	10

Support Facilities Available:

POL

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

----300,000 ---- urknown noise

Fixed Installations:

1	HANGARS	PERS. ACCOM.	MISC. BLDG.
No.	Type Const.	No. Type	CONTRACTOR OF THE PARTY OF THE
4	steel	none	Administration

Related Transportations

Hwy, RR, water

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	TONE CHEME
TACTICAL	F1050	F1.05C	F1050
CARGO	C130	C124	0124

Remarks:

One of two most important in Iraq.

Rumways used for purking and taxi.

Country: AUDI ARABIA

HEF. NO. 64

Airfield: MEDINA

Elev. 1,950 ft.

Geographic Coordinates: 24 29N 39 39 E

Number Runways: 2

	%o.	L& W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	7000x150	N/S	Asph.	120,000	unk.
	2	7000x150	E/W	Asph.	120,000	unk.

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

unk.

unk.

unk

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER FOL

unknown

none

unknown

none

Fixed Installations:

HANGARS Type Const.

PERS. ACCOM.

MISC. BLUC.

none

Terminal

Related Transportation:

Track

Type loaded A/C that can be accommodated and extent of operations:

	FULL OFER.	MIN. OFER.	EMERG: NCY
TACTICAL	F105C	F105C	F1050
CARGO	C514	C1.30	C124

Remarks:

Recently improved - Special permission required for use.

SIGRET

Country: IRAN REP. NO. 65

Airfield: ZAHIDAN

Elev. 4,718 ft.

Geographic Coordinates: 29 28N

60 54E

Number Runways:

	No.	L&W	ORTENT.	TYPE CONST.	CAPACITY	TXT.
Runways:	1	7890x150	N/S	Cone. (good)	73,000	Unlimited
	2	78902250	www/ese	Asph. (poor)	73,000	Valini.te

Operating Areas (% TAC Wing):

TAXIWAYS

APEONS

5/S

unk

unk

16

Support Facilities Available:

POI.:

AV GAS (gal)

JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

unk

unk

unk

unk

Fixed Installations:

HANGARS Type Const.

PERS. ACCOM.

HISC. BLDG.

None

None

Small Bldgs.

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	B57C	B570	B57C
CARGO	C5li	, C21	C124

Remarks:

Tentative plan to improve.

Country: MGYPT

REF. NO. 66

Airfield: BILBEIS

Elev. 100 ft.

Geograthic Coordinates: 30 24N 31 36E

Number Runways: 3

	₩ 0 •	L & W	ORIENT.	TYPT CONST.	CAPACITY	EXT.
Runways:	1	7700x130	n/s	Maca	unknown	unlim S
	2	4800x130	NE/SW	Macas	33,000	unlim
	3	4800×130	WNW/ESE	Maca.	33,000	1500WNW
			·			unlim i

Operating Areas (%TAC Wing):

TAXIWAYS

APHONS

E/S

3,00

40

20

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

- - - 50,400 (incl. mogas) - - unknown

none

Fixed Installations:

HANGARS No. Type Const.

PERS. ACCOM. No. Type

MISC. BLOG.

5 Steel 450 Perm.

25 Bed Hosp. Hdqtr, shops,

powerplant

Related Transportation:

Hwys, RR, WW

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER	EMERG NCY
TACTICAL	F86D	B57C	B570
CATIGO	none	C54	C130

Remarks:

New R/W parellel to and E of R/W #1 reported complete. Dimensions, surface and EXT. all unknown,

SECRET MIDDLE EAST AIRFIELD STUDY

Country: IRAN

REF. NO. 67

Airfield: SULTANABAD

Elev. 5,750 ft.

Geographic Coordinates: 34 07N

49 44E

Number Runways: 3

	No.	T & M	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	7500x150	ene/wsw	Gravel (pcor)	33,000	Unlimited
	2	6000x150	NW/SE	Gravel (poor)	33,000	Unlimited
	3	5700x150	NNW/SSE	Gravel (poor	33,000	Unlimited

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

unk

unk

60

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

unk

unk

unk

unk

Fixed Installations:

No. Type Const.

PERS. ACCOM.

MISC. BLDG.

unk

unk

unk

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN OPER.	EMERGENCY
TACTICAL	F86D	B57C	957C
CARGO	None	C54	0130

Remarks:

R/W poor - lack of maint.

POL Storage, Hangars and Accom. projected.

MIDDLE EAST ALIGICAD STODY

Country: IRAQ

REF. NO. 68

Airfield: MOSUL

Elev. 720 ft.

Geographic Coordinates: 36 19N 43 09E

Number Runways: 1

	No.	LÆW	ORDENT.	TYPE COMST.	GAPACITY	EXT.
Runways:	1	7000x160	unk.	Bittom/Maca	93,200	unk.

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

100

unk.

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal.)

PLANMED FACILITIES

OTHER POL

unknown

urknown

72,000 (storage)

oil

Fixed Installations:

HANGARS Type Const. PERS. ACCOM. No. Type

MISC. BLDG.

5 Steel unk 300 pers perm

15 bed hosp. Administration

Shops Stores

Related Transportation:

Hwy, RR, WW

Type loaded A/C that can be accommodated and extent on operations:

	FUIL CPEA.	MIN. OPER.	HRERGENCY	
TACTICAL	F1050	F2.05C	FLC5G	
CARGO	C54	61.30	GJ514	

Remarks:

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: IRAN

REF. NO. 69

Airfield: MIRJAWA

Elev. 2,900 ft.

Geographic Coordinates: 29 OlN 61 250

Number Runways: 2

	No.	L&W	ORIENT.	TYPE CONST.	CAPACITY	PXT.
Runways:	1	7150x150	nw/se	Asph. (poor)	69,,000	unlim
	2	5970x150	E/W	Maca (fair)	65,000	unlim

Operating Areas (% TAC Wing):

TAXIVAYS

A FRONS

H/S

unser.

unser,

unsera

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal)

PLANNED FACILITIES

OTHER POL:

· none

none

unknown

none

Fixed Installations:

HANGARS No. Type Const. PERS, ACCOM.

MISC. BIDG.

none

100 Perm.

1 unknown

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	MYDROENCY
TACTICAL	F 10 50	F105C	F1050
CARGO	C54	C 54	C12l4

Hemarks:

Abandoned rollowing WW II, returned to use 1957. Runway #1 considered suitable for C54 or Convar 240 craft, In emer. only.

Year round operation.



Country: PAKISTAN

REF. NO. 70

Airfield: MIRAM SHAH

Elev. 3,070 ft.

Geographic Coordinates: 33 OlN 70 O3E

Number Runways: 2

	No	L & W	ORIENT.	TYPE CONST.	CAPACITY	EXT
Runways:	1 2	7290x150 4600x150	nnw/sse e/w	conc & maca good conc & maca good	55,1:00 55,1:00	1700 NNW 500 SSE 1500 W

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

unk

40

unk

Support Facilities Available:

POL:

AV CAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

unknown

none

Fixed Installations:

HANGARS No. Type Const.

MISC. PLDG.

unknown

unk 100 pers

none

Related Transportation:

Hwy

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	SAMPLE STANCE
TACTICAL	F105 C	P1050	F105C
CARGO	none	C5lı	C1_30

Remarks:

Category "A" receives full maintenance.

Has been used by Fury Type Fighter Craft.

Has prepared shoulders 170' wide both runways.

Suitable for landing.

Country: SAUDI ARABIA

REF. NO. 71

Airfield: DUWALD

Elev. 1,398 ft.

Geographic Coordinates: 30 15N 42 17E

Number Runways: 1

	No.	L&W	ORIENT.	RYPE CONST.	CAPACITY	EXT.
Runways:	1	7000x120	NE/SW	gra v ol.	85,000	1,000 es. end

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

unk

wik

unk

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal) PLANNED FACILITIES

OTHER POL

None

None

None

None

Fixed Installations:

No. Type Const.

PERS. ACCOM.

MISC. BLDG.

None

None

None

Related Transportation:

Hwy

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	F3.05C	P1050	F1050
CARGO	C54	C54	C12l;

Remarks:

Abandoned - Not maintained since May 50.

Considered capable stancerting C54 a/c.

SECRET

MIDDLE EAST ATRFIELD STUDY

Country:

TURKEY

REF. NO. 72

Airfield: MALATYA

Elev. 3,000 ft.

Geographic Coordinates: 38 22N

Number Rumways:

38 14E

	No.	L&W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Rumways:	1	7570x160	NE/SW	Conc. (rough)	33,000	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

25

unk

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal)

PLANNED FACILITIES OTHER POL

147,036

unk

unk

011

Fixed Installations:

HANGARS
Type Const.

MISC. BLIG.

2 Bellman

335 pers. perm.

14 Depot & Factory Bldgs.

30 bed hosp.

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	F86D	857C	B57C
CARGO	None	CSL	C130

Remarks:

Aux. airfield.

A new NATO Base is being constructed in the area.

Country: ISRAEL

REF. NO. 73

Airfield: WADI ESH SHARIA

Elev. 350 ft.

Geographic Coordinates: 31 22N

34 37E

Number Runways: 2

	No.	IWA	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	7800x240	E/W	Sand	4,000	400 B
	2	5800x150	MNW/SSE	Sand	4,000	unlim W

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

IV'S

100

unknown

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

none

none

none

none

Fixed Installations:

No. Type Const.

MISC. BIDG.

none

none

none

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	RMARAISNOY
TACTICAL	none	none	F860
CARGO	none	none	none

Remarks:

Little known of present condition or utilization of field. During WWII used by B17 during fair weather. Occasionally used for maneuvers by IAF.

Country: PAKISTAN

REF. NO. 74

Airfield: OULISTAN

Elev. 4,750 ft.

Geographic Coordinates: 30 36N 66 42E

Number Runways: 1

	No.	LAW	ORIENT.	TYPE CONST.	CAPACI'TY	EXT.
Runways:	1	7590x150	nnw/sse	Maca./Conc. (poor)	33,000	700 ft. ea. end

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

50

unk.

Support Facilities Available:

POL:

AV CAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

none

none

none

none

Fixed Installations:

HANGORS Type Const. PERS. ACCOM.

MISC. RLDG.

none

none

none

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGHNCY
TACTICAL	F86D	B57C	B57C
CARGO	none	C5lı	C130

Remarks:

110

Gulistan aband. const. never compl. Conc. portion of runway in fair cond. and tar macadam poor unserv. for heavy aircraft. Been recently partially cleared for emer. landings.

Country: PAKISTAN

REF. NO. 75

Airfield: DALBANDIN

Elev. 2,800 ft.

Geographic Coordinates: 28 52N 64 25E

Number Runways: 2

	No.	iew	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Rumways:	ı	7170x150	ne/sw	Cravel	unknovn	unknown
	2	6000:150	nw/se	Gravel	urknom	unknown

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

unknown

unlmown

unknown

Support Facilities Available:

POL:

AV CAS (gal)

JET FUEL (gal) PLANNED FACILITIES

OTHER POL

none

none

none

none

Fixed Installations:

RANGARS No. Type Const.

FERS. ACCOM.

MISC. BLDG.

none

none

Shop

Related Transportation:

Bwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FUL	L ()Pį	R.	_		1		1	II.	OPER.	-		- 1	Mi	R	Y)]	IC.	Y				-
TACTICAL		-	•		-	-	-	_	-	-	unknown		-	_	-	_	••	-	-	-	-	_	•
CARGO		_	_	_	-	•	••	_	_	-	unknown	-	-	_	-	••		_	_	_		-	_

Remarks:

This airfield property of Royal Pak. AF - abandoned and prob. unserv.

SECRET

HIDDLE EAST AIRFIELD STUDY

Country: EGYPT

REF. NC. 76

Alrfield: EL MANSURA

Elev. 13 ft.

Geographic Coordinates: 30 58N 31 26E

Number Runways: 1

	No.	L&W	ORIENT.	TYPE CONST.	CAPACITY	EX.
Runways:	1	7000xunk	NW/SE	unc.	unknown	unlim ea. end

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

unknown

unknown

unknown

Support Facilities Available:

FOL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

unknown

unknown

unicnown

anknown

Fixed Installations:

No. Type Const.

MISC. BLDG.

none

none

none

Related Transportation:

Hwy, RR, WW

Type loaded A/C that can be accommodated and extent of operations:

_		FULL OPIR.	MIN. OPER.	PARCIENCY
	TACTICAL	unknovn	valenown	unknown
_	CARGO	unknown	unknown	unknown

Remarks:

Const. began early 1957.

Clearing and grading of R/W nearly complete Dec 1957.

SECRET

MIDDLE EAST AIRFIELD STODY

Country: IRAQ

REF. NO. 77

Airfield: KIRKUK MILITARY

Geographic Coordinates: 35° 27'N 44° 22'E

Number Runways: 1

	No.	L C W	ORIENT.	TYPE CONST.	CAPACTEU	10.00
Rimmays:	1	6910x160	रण्डार	maca	93,000	uni:

Operating Areas (% TAC Wing):

EYAMIKAT

APRONS

H/S

100

-

ROE

Support Facilities Available:

POL:

AV GAS (gal) JET FUZL (gal) PLAUNING FACILITIES OTHER POL

-

2004

none

BCBB

Fixed Installations:

HANGARS No. Type Coust.

PERS. ACCOM.

MISC. BLDG.

1

Stoul

unk 45 pers

Small hosp

Perra.

Admin, sheps

Related Transpertation:

Hey, RR

Type leaded A/C that can be accommedated and extent of operations:

	MIN. OPER,	EMBRGENCY
1105C	7105C	F105C
Ċ54	C1 30	C124
	FULL OPER, F105C	7105C 7105C

Remerks:

Used by Iraqi AF suitable for jet fighter operations.

SEC

Country: PAKISTAN - W

REF. NO. 78

Airfield: RISALPUR

Elev 1050 ft.

Geographic Coordinates: 34-05N

71-593

Number Runways: 2

	No.	1, 4 W	ORTENT'.	TYPE CONST.	CAPACITY	EXT
Runways:	1	6140x150	E/W	conc good	175,000	unk
	2	5140x150	n/s	macagood	69~000	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APEDIS

H/S

100

100

none

Support Facilities Available:

AV CAS (gal)

JET FUEL (gal) PLANNED FACILITIES

OTHER POL

unk

unk

unk

Fixed Installations:

HAUGARS Type Const. No .

PERS. ACCOM.

MISC, 'LDG

3

unk

847 unk

61 Family Units Hospital-25 bed

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN OFER.	El ERGENCY
TACTICAL		71000 and F100D -	
CARGO	C12h	C124	C124

Remarks:

Pakistanian Air Force Air College.

Proposed exit of Rwy #1 to 9000 ft.

Country: PAKISTAN

REF. NO. 79

Airfield: FATAHJANG

Elev. 1700 ft.

Geographic Coordinates: 33 3hN 72 35E

Number hunways: 2

	No.	LAW	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	6710x150	nw/se	bitum. maca	60,000	2000 Ea End
	2	5370x150	END/WSW	2-5" Conc.	60,000	2500 Ea.

Operating Areas (% TAC Wing):

TAYTHAYS

APdONE

H/S

50

100

none

Support Facilities Available:

POL:

AV GAS (gal) 'JET FUEL (gal) PLANNED FACILITIES

OTHER POL

none

none

none

none

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM.

MISC. BLDG.

none

none

none

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	F105C	F105C	F1.05C
CARGO	C123B	C54	C124

Runways and taxi used as roods. Not maintained, but considered not abandoned.

Country: EGYPT

REF. NO. 80

Airfield: GEBEL GEDEIRA MAIN

Elev. 990 rt.

Geographic Coordinates: 30 27N

33 O9E

Number Runways: 2

	No.	L&W	ORIFIET.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	6800x160	wnw/sse	Tar-Macadam	unk	unlim.
	2	5590x160	EME/WSW	Ter-Macadem	unk	unlin.

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

40

50

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER FOL ---- unknown ---

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM.

MISC. BLIG.

None

unk

deveral small

Related Transportation:

Hwy

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN.	OPER.	EMERGINCY
TACITCAL	****	unknown	for en us e	
CARGO		unknown	70 de de de	E1 An U.S. Co. CO. CO. CO. CO.

Remarks:

Used as an EGYPTIAN A.F. Jet Fighter Base on Sinai Peninsula. R/W #1 extended 600 ft. to accommodate jet fighter ops.

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: PAKISTAN

REF. NO. 81

Airfield: CHAKLAIA

Elev. 1662 ft.

Geographic Coordinates: 33 37N 73 06E

Number Runways: 2

	No.	L&W	ORIENT.	TYPE CONST.	CAPACITI	EXT.
Runways:	1	6690x150	n/s	Tar-Macadam	73,000	1500N 600S
	2	5400:2150	E/W	Tar-Macadam	73,000	2000 ea

Operating Areas (% TAC Wing):

 TAXIWAYS
 APRONS
 H/S

 100
 100
 0

Support Facilities Available:

POL:

AV CAS (gal) JET FUEL (gal) PLANNED WACILITIES OTHER POL

Fixed Installations:

HANGARS
No. Type Const.

PERS. ACCOM.
No. Type

5 Brick & Steel

1200 unk

Bldg. progrem underway

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

F105C	
FIOSC	F1050
CSI	C130
	CSI

Remarks:

Built before 1939 as Royal A.F. Base.

Permanent surfacing occ. 1939-1945.

1947 turned over to PAKISTAN A.F. & now considered forward transportation base in PAK. CHARLALA adjacent to PAK. Army Hq.

Construction plans call for 9000 ft. Ex. runway One & cenet. of additional personnel accom. - repair fac. and fuel storage facilities.



Country: PAKI TAN

REF. NO. 82

Airfield: JIWAHI

Elev. 184 ft.

Geographi

3: 25 04N 61 49E

Number Runways: 3

	No.	I, & W	ዕለ፤ ይክን	TYPE COMBIL	CAPACICY	XT.
Runways:	1	6400x150	NNW/SSE	Stone	40,000	2000 Ea.
	S	5400x150	NNE/35W	Stone	40,000	2,00 la.
	3	4000x150	E/W	Stone	000,000	Unknowa

Operating Areas (% TAC Wing):

TAXI'AYS

APRONS

F/8

none

70

none

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal) PLANNEL FACILITIES OTHER POL

42,000

Unknown

none

oil

Fixed Installations:

HANGARS No. Type Const.

MISC. BIDG.

none

Unknown

none

Related Transportation:

Hwy, WW 4 mi.

Type loaded A/C that can be accommodated and extent of operations:

	FULL OFFR.	MIN. OPER.	EMERGENCY
PACTICAL	F100C	ยาd -	F100D
ARGO	none	C54	C130

Remarks:

Unservicable up to 5 days after heavy rain.

Royal Pakistan Air Force standby airfield.

Maintenance State Operation Ready.

B29 landed here under certain conditions.

Country: TURKEY

REF. NO. 83

Airfield: KAYSEET

Elev. 3445 Ft.

Geographic Coordinates: 38 42N 35 3LE

Number Runways: 2

	No.	L & Vi	ORIENT.	TIPE CONST.	CAPACITY	EXT.
Runways:	1	6620x31.0	NW/SE	soil	1,4,000	Unk.
	5	5590x80	NNW/SSE	gravel	000 وللنا	Unk.

Operating Areas (I TAC Wing):

TAXIWAYS

APRONS

H/S

None

None

None

Support Facilities Available:

POL:

4

AV GAS (gal)

JET FUEL (gal) PLANNED FACILITIES

OTHER POL

...57,060... 985,819 nearby

None

None

Fixed Installations:

Steel, Iron

HANGARS

PERS. ACCOM.

Ferm.

MISC. BLDG.

Type Const. No.

Type

10-bed hosp., workshops, 11 hangar-

type bldgs.

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

200

	FULL OPER.	MIN. OPER.	BMÉRGENCY
TACTICAL	Flood	F105C	F7.05C
CARGO	None	C54	C1 30

Remarks:

Repair depot for all furkish Air Force craft with recip. angines. No plans for improvement.

MIDDLE EAST AIRFIELD STUDY

Country: PAKISTAN

REF. NO. 84

Airfield: DAB

Elev. 1700 Ft.

Geographic Goordinates: 32 5hN 72 55E

Number Aunways: 2

	No.	L & W	ORIENT.	TYPE CONST.	GAPACITY	LKT's
Runways:	1	6700x150	iw/se	Maca	55,1,00	3000 NW 2100 SE
	2	51,002150	NE/SW	Maca.	55,400	1500 NE

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

50

llone

None

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gel) PLANTING FACILITIES OTHER FOL

None

None

None

Fixed Installations:

None

HANGARS

PERS. ACCOM.

MISC. BLDG.

No. Type Const.

No. Type

None

None

Halmown

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. GPER.	EAERGEACY
TACTICAL	F1050	1705C	F105C
CARGO	None	C54	C130

Remarks:

Airfield not maint. Hunway cond. last reported 1949 as good, dispersal fair.

Country: PAKISTAN

PEF. NO. 85

Airfield: MURID

Elev. 1750 Ft.

Geographic Coordinates: 32 55 N 72 465

Number Runways: 2

	No.	LEN	O HENT.	TYPE COLSI.	CAPACITY	BAT P
Rumways:	1.	6700x150	NI/SE	Yar Macadem	Unknown	6.5. 1500 Es End
	2	5400x150	NE/SW	Tar Mecadam	Unknown	Man. 1500 Ba End
	5	54,00x150	NE/SW	Tar Macadam	Unknown	1

Operating Areas (% TAC Wing):

TAXTWAYS

APRONS

H/S

None

None

Mone

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

None

None

Mone

None

Fixed Installations:

HUNGARS No. Type Const. No. Type

MISG. BLDG.

None

None

None

Related Transportation:

Hwy, ER

Type loaded A/C that can be accommodated and extent of operations:

	FULL CPM:
Market Shipped Services	
TACTICAL	Unknown
	THE PROPERTY OF THE PROPERTY O
THE PERSON NAMED IN COLUMN 2 I	
CARGO	

Remarks:

Not been reg. used or maint. since 1951.

Runways unsafe for landings.

#2 badly damaged.

share and the state of the stat

Country: TURKEY

REF. NO. 85

Airfield: ERZURUM

Elev 5753 Ft.

Geographic Coordinates: 39 56N

41 318

Number Lunways: 1

	No.	L&W	ONIENT.	TYPE CONST.	CAPACTTY	EXT.
Runway:	1	6930;130		Concr.	30,000	Unk
Commence of the Printers of			all 10s Teleportina control der di 1601 1514 orde	The distribution of the Contract of the Contra	1	

Operating Areas(% TAC Wing):

TAXIWAYS

APRONS

H/S

100

34

None

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gul)

PLANNED FACILITIES OTHER POL

None

None

1,315,000

None

Pixed installations:

MANGARS

PERS. ACCOM.

HISC. BLDG.

1

Barracks

Warehouses

Related Transportation:

Huy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY	
TACTICAL	F86D	F105C	F1.050	
CARGO	None	C123B	C130	

Remarks:

Used in summer only because of floods.

Scheduled for NATO improvements.

Country: PAKISTAN

REF. NO. 87

Airfield: DHAMIAL

4.

1

Elev. 1642 Ft.

Geographic Coordinates: 33 33N

73 02E

Number Runways: 2

Runways:

1 6690x150

NW/SE

ORLENT.

Conc.

TYPE COUST.

Lt. Air- 1000 Ea End

craft

CAPACITY EXT.

2 3300x150

lio. L&W

E/W

Conc.

6500 W

Operating Areas (% TAC Wing):

SYAWIKAT

APRONS

H/S

None

None

None

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

None

None

None

None

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM.

20 Barracks (750 pers)Warshouses

Related Transportation: Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

FULL OPER. MIN. OPER. EMERGENCY TACTICAL

CARGO

Remarks:

Royal Pak. AF category "A" Airfield.

Full maint. of permanent facilities.

Used by Pak. Army as storage depot.

SEL GET

MIDDLE HALF AIRFRIED STHEY

Country:

IRAC

REF. NO. 68

Airfield: BASTA

Elev. 8 ft.

Geographic Coordinates: 30 3hN 117 LoE

Mumber Rumaya: 4

de der straugengemen.	No.	F & A	ORIEM.	TYPE CONST.	CAPACITY	EXIL PROPERTY OF
Rumayas	1	6000x150	WIM/ESE	Asph.	23 2, 600	none
	2	31.202180	nne/ssh	Aspha	50 ₉ 000	'icngi
	3	2990x:160	niw/ssb	Asob _o	60,000	X Otto
	4	2860:100	ene/wsw	Anoho	60,000	" 2019K

Operating Areas (% TAC Wing):

T'AXIWAYS.

AFRONS

E/S

100

100

00.0

Support Facilities Available:

POL:

AV CAS (gel) JET MUEL (gel) PLANNED FACILITIES OTHER POL

---- 10,000 mm mm mm

unknosm

none

Fixed Installations:

HANDARS

No. Type

MISC. BLDC.

1

feet's

1 200 pars. hotel

Administration Shops

campaites Stores

Related Transportation:

Hay, RR, water

Type loaded A/C that can be accommedated and extent of operations:

Constitution of the Consti	Pun de	ER.	MIN. OPER.	EMERGENCY	L Pro
TACTICAL	F100C	and	F1.00D	Hiller (1800) Shanker (ser, shiel hell to him as he page on him bey all pagency	
-		net televadour	No complete de la complete del la complete de la co	Miles and a state of the sale and the sale of the sale of the sale and the sale of the sal	
C./RGO	03.30		G130	CL2h	

Remarks

One of best in Irage

National and International use.

8000 ft. rumay planned for jet transporte.

75 ft. to 50 ft. wide asphalt taxiway can take C-121 mein apron 500 ftx300 ft-600 ft.

STATE

Conservation PARTSTAN

SET LIFE BY

Administration FO AG

ried that

desgraption (continues.) in

1026 Table 1

The service of the se

Communa (13) (13) (3)

11114165

Adlina

1/4

1.30

Julia to Chicala ties Amile Ca

1011

Av 100 (gal) Jan 100 (sal) Planted Frether Communication and communication and contraction and

Fired In tellations:

No. '970 Const.

ista. ACCC

130. 70

12 unknown

cal: 900 para

inopu.

R. Level firm mortation:

Hays HA

Type lawter A/C that can be accommodated and encour of appared on a

An extreme of the court of the A section in	FULL OP I	AND THE STATE OF T	The second secon
TACTICAL	F2.05°C	¥1.050	F1050
THE STANDARD STANDARD STANDARD STANDARD	Tribugal British and an about the state of t	Patient Mademonia de optibilité de la 18 de les	THE RESERVED AND THE STORM WHICH WAS A NEW YORK WHICH THE PROPERTY OF THE PROP
CARGO	CL23B	G 51:	(3.2);

Romarker

()

Pre-war R.A.F. Base

Pakistan Air Peres took over 1947.

Supports one piston engine fighter squad.

11 "5" "

Country: Iraq

REF. NO. 90

Airfield: HABBANIYA

Elev. 143 ft.

Geographic Coordinates: 33 22N 43 34E

Number Hunways: 2

	No.	L&W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	6300x150	THNW/ESE	8" conc/2"bitum top - good	72,000	Unknown
	2	5250x150	N':/SE	3" asiphalt (closeu;		Unknown

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

100

none

Support Facilities Availabl

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

144,000

169,000

210,000 gal tank unserviceable

288,000 gal Diesel mogas

oil'

Fixed Installations:

HANGARS Type Const.

PERS. ACCOM. Type

MISC. BLDG.

10 steel 2464 Perm.

300 bed hosp. admin., shops, stores, bomb

shelters

Related Transportation:

Hwy, WW

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	F100C	and	Flood
CARGO	C54	C54	C124

Remarks:

Best constructed field in Iraq.

50° wide concrete taxi ways, also 3 concrete aprons.

Country: LEBANON

REF. NO. 91

Airfield: KLEIAT

Elev. 23 ft.

Geographic Coordinates: 3h 35N 36 00E

Munber Ruswaya: 1

No. L&W ORIENT. TYPE CONST. CAPACITY EXF.

Runways: 1 6600x150 ENE/WSN Asph-good 100,000 5000 ENE

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

50

36

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL 6,000 unknown unknown none

Fixed Installations:

HANGARS
No. Type Const.

PERS. ACCOM.

MISC. BLDG.

3 steel & conc

unk 200 pers

Administration

campaites .

Stores Shops

Related Transportations

Hay, RR, water

Type loaded A/C that can be accommisted and extent of operations:

	FULL OPER.	MIN. OPER.	NAME OF STREET
TACTICAL	F105C	F1050	F105C
CARGO	C54	C1.30	C12h

Remarks:

Terminal for Iraq Petrol. Co. operation to oil field area. Used as alternate to Brirut.

Plans to base jet fighter here.

Country: IRAN

REF. NO. 92

Airfield: TABRIZ

Eleva 4,400 ft.

Geographic Coordinates: 38 07N 46 1hB

Number Runways: 2

hart min complete towards or	No.	L&W	ORIEM".	TYPE CONST.	CAPACITY	EXT.
Runways:	1	650003.50	ENE/WSW	Asph.	82,000	unk
	2	5760x150	nw/se	Aspho	unk	3000 NW

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

27

none

Support Facilities Available:

POLs

AV GAS (gal) JET FUEL (gal) FLANNED FACILITIES OTHER POL

~ = ~ × × 800 × × × × × ×

unknown

none

Fixed Instellations:

HANGARS No. Type Const.

PERS. ACCOM.

MISC. BLDG.

2 brick &steel

unk 500 pers Pormo

Administration

Stores Shops

Related Transportation:

Hory, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	Man. Open.	EMERCIONEY	
TACTICAL	F100C	and F100D		
CARGO	C54	C54	C121	

Remarks:

Reported suitable for jet operations.

Recon Sqd of IAF here.

Country: TURKET

REF. NO. 93

Airfield: VAN

Elev. 5,426 Ft.

Geographic Coordinates: 38 26N 43 23E

Humber Runneys: 2

No. I. & W OLIGHT. TYPE CONST. CAPACITY Rummays: 1 6560x3.50 ESE/WNW SOD 33,000 none 2 58500015 NE/JW (unc) unk nona

Operating Areas (% TAC Wing):

TAXIWAXS

APRONS

H/S

100

25

none

Support Facilities Available:

POLI

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

unknown

unknown

unlmown

unknown

Fixed Installations:

HANCARS No. Type Const.

PERS. ACCOM.

MISC. BLDG.

1 mertel (unc)

none

none

Related Transportation:

Water

Type leaded A/C that can be accommodated and extent of operations:

FULL OPER, 1911, OPER, EMERGENCY TACTICAL F85'D F100C FLOOD CARGO 054 C130 none

Romerko:

0

Heavy snow and high altitude limit operations

Country: EGYPT

REF. NO. 94

Airfield: ASWAN

Elev, 136 ft.

Geographic Coordinates: 24 03N 32 54E

Number Runways: 1

**	No.	L&W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	6560x120	n/s	Asph.	34,000	1000 ea. end

Operating Areas (%TAC Wing):

TAXIWAYS

APRONS

H/S

rione

none

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

unknown

unknown

unknown

unknown

Fixed Installations:

No. Type Const.

PERS. ACCOM.

MISC. BLDG.

none

unknown

unknown

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	r 86D	F1000	Flood
CARGO	none	CSU	C130

Remarks:

July 1956 was reported a fertilizer factory to occupy site.

Country: TURKET

REF. NO. 95

Airfield: BOLU

Elove 2,220 ft.

Geographic Coordinates: 40 45W 31 44E

Number Runneys: 1.

	No.	LEW	OR LENT.	TYPE CONET.	CAPACITY	EAT.
Rumays:	1	6300x150	MILL/MOW	conc/stone	33,000	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

none

nons

Support Facilities Available:

POLE

AV GAS (gal) JET FUEL (pal) PLANNED FACILITIES OTHER FOL

none

enom

none

210:20

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM.

MISC. BIDG.

none

unk barracks

unknoun

Related Transportation:

Harv

Type loaded A/C that can be accommodated and extent of operations:

Andrews and a few states and a second	FULL OPER	MIN. OPER.	EMERGENCY
TACTICAL	F86D	Flood	F1.00D
CARGO	norse mount in the second second	C514	01.30

Remarks:

Seldom used except as an energency field for light aircraft.

Country: PAKISTAN

REF. NO. 95

Airfield: CAMPBELLPORE

Elev. 1,000 ft.

Ceographic Coordinates: 33 52N 72 23K

Number Runways: 2

	No.	LAW	ONJENT.	TYPE CO	ST.	CAPACITY	HXT.
Runways:	1	6420x150	YNW/ESE	vermed	(fair)	Unknown	2000 ES
	2	51,00x150	N/S	Tarmac	(poor)	linknown	1000 S

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

20

none

none

Support Pacilities Available:

AV GAS (gal) JET FUEL (gal) FLANNED FACILITIES OTHER POL

none

none

unknown

บกโตยพา

Fixed Installations:

HANGARS FERS. ACCOM. MISC. HLDG.

nona

none

Control Tower

Related Transportation:

Huy, RA. WW

Type loaded A/C that can be accommodated and extent of operation:

					_							-	-	pa - 100 1	pr- 40 §		the section with	-	Janes Hager	0,00	-	0.0	01-00
TACTICAL	-	**	-	-	_	 •	eq	949	unknown	• •	-	1000	04	440	-	h top	•	-60	b 0	10-0	040		-
CARGO	-	-			0-0*Qu	 CONTRACTOR OF THE PERSON NAMED IN	***	W 700.001	unknown	9974 -10 F-03	oralp. z	99	***	de est		-	-	-	-	-	-		-

Romarka:

Campbellpors used for emergency landing: only.

Considerable rehab, to render operational.

MN 1500' runway #1 unserviceable

Country: FAKISTAN

REF. NO. 97

Airfield: FORT SANDEMAN

Elev. 1,650 ft.

Geographic Coordinates: 31 214 59 270

Number lunways: 1

-	MC.	LACT!	CHLEDWIA	TYPE COLO.	AND A AR WING	A SECTION SECTION
Rurways:	1.	6550:510	E/.1	Earth	1,0,000	1000

Operating Areas (& TAC Ving):

TAXIWAYS

APRONS

H/S

100

5

none

Support Facilities Available:

POLI

AV GAS (gal) JET WELL (gel) PLANNED FACILITIES OTHER POL

Avail (unk)

wiknown

unkno m

unknown

Fixed Installations:

MANUERS
Type Const.

PERS. ACCOM.

MISC. BIDG.

l. unknown

unk Cantonement

Shops Storage Ammo sheds

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	HIN. OPER.	el graincy
TACTICAL	400 Set 600 Set for 60 S	F100C and F1001)
CARGO	none	C54	3230

Remarks:

10

Bristol freighter and Ch? type aircraft have landed - is edj. to Milit. Sta. and used occss. by Army.

SECRET

3 (1889)

MIDDLE EAST AIRFIELD STUDY

Country: PAKISTAN

REF. NO. 98

Airfield: BASAL

Elev. 1300 ft.

Geographic Coordinates: 33 32N 72 168

Mumber Runways: 1

and the special of the later	No.	1. & W	ORLENT.	TYPE CONST.	CAPACITY	EXT.
Runwaysı		6540x150		Maca.	none	3250 NW

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

100

nona

Support Facilities Available:

POL:

AV CAS (gal) JET FUEL (gal) PLANNED FACTILITIES OTHER FOL

none

none

none

none

Fixed Installations:

HANGARS No. Type Const.

MISC. BIDG.

none

none

none

Related Transportation:

Hay, RR

Type loaded A/C that can be accommodated and extent of operations:

	FUI	,L	0.		₹.					MIN.	PE	R.					11 (1	E	C	Y			
TACTICAL	_	•	**	-	~	-	•	•	-	unknow	1	••	•	•	-		•	-	-	-	•	-	-
CARGO	-	-	-	40	P40			-	-	unknown	-	-		-	-	-	-	_	•	-	-	-	-

Romarks:

Abandoned.

Country: PAKISTAN

REF. NO. 99

Airfield: RAHWALL

Elev. 765 ft.

Ocographic Coordinates: 32 lbN 7h 06E

Number Sunways: 1

And the state of t	Non	1, & W	orient.	TYPE CONST.	CAPTORING	EAT.
Runнаув:	1	64,002150	NE/SW	conc-fair	55,1,00	2000 Ea.

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

none

17

neus

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACTULITIES OTHER POL

none

nons

none

none

Fixed Installations:

HANGARS PERS. ACCOM.
No. Type Const. No. Type

MISC. BLDG.

none

none

Rolated Transportation:

Hay

Type loaded A/C that ear be accommodated and extent of operations:

to Auto hate faller business	TO A DATA CATALLY TO SEE THE STREET	PIN. OPER	I MARGENCY	artika tir magnasar
TACTICAL	11006 and 11100	70	MG. 0:2 210 000 000 0:0 007 01	P 87 899 968
CARUC	no:15-	C54	G1 24	MEN S. SEWINGSHINGS

Romarket

Not being maintained or used, but runway is serviceable.

Country: IRAN

REF. NO. 100

Airfield: NISAFUR

Elev. 4,200 ft.

Geographic Georgin tas: 36 15N 58 48E

Number Hunways: 1

	No	CREM	ORCENT.	TYPE COAST.	CAPACITY	Allow to the second
Runways:	1	65 x12160	WIVESE	Earth/Gravel	33,000	ualim WWW 200 ESE

Operating Areas (% TAC Wing):

RYAWITAT

APRONS

H/S

none

none

none

Support Facilities Available.

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

11006

none

unknown

unknown

Fixed Installations:

No. Type Const.

MISC. BLDG.

none

Hone

none

Related Transportation:

Hwy, RR

Type loaded A/U that can be accommodated and extent of operations:

	PULL OPER.	HAN. OPER.	EMER MACY
TACTICAL	F36D	Plood	Flood
CARGO	110/10	054	0130

Remarks:

Pres. suit. for light transport type craft.

Believed cap. support. C5h type in dry season.

SECHET

Country: IRAN

REF. NO. 101

Airfield: HAMADAN

Eler. 5,685 ft.

the ographic Coordinates: 3h 52N 18 32E

Norther language: 1

	No	Lew	DRINET.	TYPE CORN	CAPACIL	EXT
Runways:	1	6480x150	ww/esa	Asph.	35,000	vilin

Operating Areas (% TAU Wing).

TAXIWAYS

APROAS

E/5

none

none

none

Support Facilities Available:

FOL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

CTHER POL

none

nono

unknown

unlenovn

Fixed Installations:

HANGARS PRES. ACCOM.

MISC. BLDG.

none

und: - hotel

none

Related Transportation.

Hay

Typ. Loaded A/C that can be accommodated and extent of operations:

	aulg open.	MIN. OPER.	EMERGENCI
TACTICAL	F8óD	P1000	FLOOD
CARGO	none	(154	C130

Remarks:

Used prior 1939. Aban. 1949. Resurf. 1957.

Reg. airline sched not main's. Surrounding terrain reported to hold up to 82,500 los.

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: PAKISTON

REF. NO. 102

Airfield: LAHORE/FAF

Elev. 700 ft.

Geographic Coordinates: 31 31N 7h 2hE

Number Runways: 3

	No. I	LÆW	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	2.	6300x150	n/s	Conc (good)	175,000	1,000
	2	5100x150	NE/SW	Cone (good)	175,000	5000
	3	1,500,250	MW/SE	Maca.(poor)	unk.	5500

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

100

H/S

100

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL, (gal) PLANNED FACILITIES

OTHER POL

10,000

unknown

unknown

unknown

Fixed Installations:

No. Type Const.

PERS. ACCOM.

MISC. BLDO.

2 conc/steel

unk 650 pers

Administration Warehouse Workshop Armory

Gymn

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	~ ~ ~ ~ ~ ~ ~ ~ ~	F1000 and F100D -	
CARGO	C124	C124	C12/1

Remarks:

Accom. all air traffic for Lahore area while Lahore/Walton Airfield is repaired.

C12h have used runways but prohibited use of taxi aprons.

University Primary Train. School and Glider and Light Transport Squad. based here. Civil Air Traff. will return to Lahore/Walton upon complet. of repairs.

SECRET

Country: IRAQ

REF. NO. 103

Airfield: SHAIBAH

Elov. 64 ft.

Geographic Coordinates: 30 25N h7 38E

Number Runnavs: 4

THE RESIDENCE OF THE PARTY OF	Non	1. & H	OR LENT.	TYPE CONST.	CAPACITY	FX
Runways:	1.	6300×150	NW/SE	maca.	33,000	unk
	2	6000m300	N/S	sand	360,000	unk
	3	6000x300	ene/wsw	zani	165,000	unk
	4	5400 x 150	NW/SE	sand	50,,000	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

100

neno

Support Facilities Available:

POLI

AV CAS (gal) JET FUEL (mal) PLANNED FACILITIES OTHER POL

862,750 137,500 (nearby) unknown

none

Pixed Installations:

HANGARS No. Type Const. PERS. ACCOM.

MISC. BLDC.

10 steal & brick

unk 200 pers Form.

Dispensary-20 bed

Related Transportation:

Hwy. RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPE	R.	MIN O	PER.			EFE	JUJ	- 141.) j		
TACTICAL	67 FF 80 No	FJ.00C a	nd Flood	tu 41		-	- 11	~	•	•	*	~ '
CARGO	C124		C121		ARREASON OF THE PARTY OF THE PA		C.	24				

Remarks:

Late 1956 failure in sub-grade. Complete resurfacing necessary.



Country: EGYPT

REF. NO. 104

Airfield: CAIRO/ALMAZA

303 ft. Elevo

Geographic Coordinates: 30 06N 31 21E

Number Runways: L

	No.	L & W	ORLENT.	TYPE CONST.	CAPACITY	EXT.
Rumaya:	1	6300x160	n/s	maca.	72,00C	unk
	2	6000x160	E/W	moce.	72,000	unk
	3	5000x160	NW/SE	mace.	72,000	unk
	4	4300x160	NE/SW	iraca.	72,000	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

1/S

100

100

80

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

9700

32,400 (nearby)

unknown

600 mogas

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM.

MISC. BLDG.

17 unknown

30 pers

Hospital-100 bed

Perm. unk 400 pers Temp.

Related Transportation:

Imy, RR, water

Type loaded A/C that can be accommodated and extent of operations:

	JUAN OPER.	Min. Oper.	EMERGENCY	
TACTICAL	F1000	and F100D		
CARGO	C54	C54	C124	

Remerks:

SECRET

Country: PAKISTAN

REF. NO. 105

Airfield: LAHORE/WALTON

Elev. 700 ft.

Geographic Coordinates: 31 30N 74 21E

Number Runways: 2

	No.	IAW	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	6300x150	NW/SE	Maca/Conc.	82,000	3000 NW 800 SE
	2	2400x150	E/W	Maca. (good)	75,000	600 E 2700 W

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

100

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

15,000

unknown

unknown

unknown

Fixed Installations:

HANGARS Type Const. PERS. ACCOM.

MISC. BLDO.

7 unk. unk 430 pers

Administration

Huts Barracks nearby Shops Storage

Recreational

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FUIL OPER.	MIN. OPER.	EMERGENCY
TACTICAL		- F1000 and F100D -	
CARGO	C54	C514	C124

Remarks:

Runway #1 recently resurf. 1800 ft. NW end Tar-Macadam, rest conc.

Country: MUSCAT & OMAN

PEF. NO. 106

Airfield: SALALAH

Elev. 50 ft.

Geographic Coordinates: 17 03N 5h 06E

Number Runways: 2

	Non	L & W	ORLEHI'.	TYPE CONST.	CAPACITY	EXT.
Rumways:	1	6320x150	NE/SW	sand	65,500	5000
	2	5670x150	n/s	sand.	65,000	(unc) 2300 (une)

Operating Areas (% TAC Wing):

TAXIWAYS

APTIONS

H/S

300

100

100

Support Facilities Available:

POLI

AV GAS (gel) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

~ · · · · · · 15,000 · · · · · ·

unknosm

none

Fixed Installations:

HANGARS
Type Const.

MISC. PLDG.

none

unic 60 pers Semi-P

Related Transportation:

none

Type loaded A/C that can be accommodated and extent of operations:

			1	O.	1	(u	I.		-		MI	N =	Uz		-	-	in the same of	- I	LI II	1	121	(U)		T 000		
TACTICAL	467	6.2	44	98	4.0		5.8	F	1.00	00	and	F	100	E,			-	Fee	000	-	- Spe	**	-	m	e,	
CARGO		400		-	44	-	9.20	-	PROCESS TO	111	ukaaa	e non	AND THE	918	47	3	MP-C1	r obytes	8980	and the same	C/4	1940 Pri	-	**	were 4	

Remarks:

Best airfield on mainland. Excellent development.

Potential military administrate due to location on E-W supply route.

SECRET

Country: PAKISTAN

REF. NO. 107

Airfield: PASRUR

Elev. 7 90 ft.

Geographic Coordinates: 35 15N 74 42E

Number Rumways: 1

	Noa	L&W	OKLENY.	TYPE CONST.	CAPACITY	FXT.
Rumayes	1	6300:150	nm/se	conc-poor	58,000	1.000 Ea.End

Operating Areas (% TAC Wing):

TAXIWAYS

AFRONS

H/S

100

62

50

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

none

none

none

noix

Fixed Installations:

HANGARS
No. Type Const.

No. Type

MISC. BLDG.

none

none

none

Related Transportation:

Ity, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY	
TACTICAL	F100C and F10	QD		
CARGO	C123B	C54	C1.214	

Remarks:

Not used since 1951.

SECRET

Country: PAKISTAN

REF. NO. 108

Airfield: RISALWALA

Elev. 590 ft.

Geographic Coordinates: 31 22N 73 00M

Mumber Runways: 1

	Noc	L & W	ORLEMI.	TTPE CONST.	CAPACITY	EXT.
Runwaya:	1	6270 x1 50	ne/sw	conc.	58,000	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

none

100

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER PCL

none

none

none

none

Fixed Installations:

HANGARS PERS. ACCOM.
No. Type Const. No. Type

MISC. BLDC.

none

none

none

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

-	FULL OPER.	MIN. OPER.	ERREGENCY
TACTICAL	****	Floor and Floor -	And they top word than they right ally only
CARGO	C123B	C5L	C12h

Remarks:

Not used.

Country: CYPRUS

REF. NO. 109

Airfield: TYMBOU

Elev. 405 ft.

Geographic Coordinates: 35 08% 33 31E

Number Runways: 2

		L & W	ORTHNY.	TYPE CONST.	CAPACITY	EXT.
Runways:	λ	6000x150	1008/MB	Asphalt	145,000	3,000 ESE
	2	4500x150	HNW/SSE	Asphalt	Unk.	None

Operating Areas (% YAC Wing):

SYAWIKAT

APRONS

H/S

100

100

Support Facilities Available:

AV GAS (gal)

JET FUEL (3al)

PLANDED FACILITIES

OTHER POL

None

Mone

None

Noue

Fixed Installations:

HANGARS Type Conet. PMRS, ACCOM.

MISC. RITC.

1

Compsite for

None

3,000

Related Transportation:

Hwy, Water

Type loaded A/C that can be accommodated and extent of operations:

	FILL OFFE	MIN. OPER.	EMERGENCY
TACTICAL		100C and 710CD	
CARGO	C130	C124	G124

Remarks:

Normally unoccupied - used for A/C storage.

Country: PAKISTAN

RSF. NO. 110

Airfield: MIANWALI

Elev. 620 ft.

Geographic Coordinates: 32 33N 71 33E

Number Runways: 2

	No.	L & W	OR LENT	TYPE CONST.	CAPACITY	EXT.
Runways:	1	6300x150	ene/wsw	cone-good	55,400	2000 Ea. Enc
	2	5100x150	NW/SSE	conc-good	55,400	2500 Ea. En

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

none

none

50

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

none

none

none

none

Fixed Installations:

HANGARS No. Type Const.

PERS. ACCOM.

MISC. BLDG.

none

none

none

Related Transportation:

Hwy, RR

1

7

Type loaded A/C that can be accommodated and extent of operations:

·	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	Floor	and F100D	
CARGO	none	C54	C12L

Remerks:

Royal Pakistan Air Force Category "C" Airfield.

Runway repaired on notice.

Country: PAKISTAN

REF. NO. 111

Airfield: CHOTA SARGODHA

Elev. 6001 ft.

Geographic Coordinates: 32 Ohn

72 31E

Number Eunways: 2

	Non	Le se W	OFFENT.	TYPE CONST.	CAPACITY	EXT.
Runwayes	1	6300x150	NE/SW	Conc (Fair)	55,400	1500 ea end
	2	51.00x150	nw/se	Conc (Fair)	55,400	2000ea end

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

80

52'

80

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

- - - - none - - -Fixed Installations:

none

Type Const. No.

PERS. ACCOM. Type

MISC. BLDG.

- - - none - - - - - none - -

none

Related Transportation:

Hwy, RR

40

Type loaded A/C that can be accommodated and extent of operations:

TACTICAL FLOOR and FLOOD	CARGO	none	CSh	C1 211
	TACTICAL	13 til 20 m up 20	- F1000 and F100D	NO NO 100 00 04 00

Remarks:

Royal Pak. AF category (C) airfield.

Runways to be repaired on notice.

Would take more than 50% to put in operating condition.

Country: PAKISTAN

REF. NO. 112

Airfield: TANK

Ele v. 1500 ft.

Geographic Coordinates: 32 12N

70 245

Number Runways: 1

	No.	L& W	ORLEHT.	TYPE CONST.	CAPAGITY	ETO
Runways:	1	6 36 0x 1 50	NE/SW	Brick	33,000	2000 ea and
Hunways:	1	6360x150	NE/SW	Brick	33,000	2000 ea or

Operating Areas (% TAC Wing):

TAXIWAYS

APROAS

H/S

none

none

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNEL FACILITIES OTHER FOL

- - - none - - - -

none

unk

Fixed Installations:

HANGARS Type Const. No.

No. Type

MISC. BLDG.

1 unk unk

(1) small bldg.

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	F86D	F100C	F100 D
CARGO	None	C5lt	G130

Remarks:

Take 50% of original cost to get it operational. Has been used by fighter aircraft.

Country: TURKEY

REF. NO. 113

Airfield: KARS

Elev. 5757 ft.

Geographic Coordinates: 40 37N

40 07E

Number Runways: 1

No.	1. & W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways: 1	6230 <u>m</u> 200	NE/SW	Sod.	30,000	none

Operating Areas (% TAC Wing):

TAXIWATS

APPONS

E/S

none

none

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

u - - whome - - -

none

unk

Fixed Installations:

HANGARS

PERS. ACCOM.

MISC. BLDG.

No. Type Const.

No.

- - - none- - -

unk

none

Related Transportation:

RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	HIN. OPER.	EMERGENCY
TACTICAL	F86D	F1000	F100D
CARGO	none	C123B	C130

Remarks

Believed capable of C54 operations in fair weather.

Country: PAKISTAN

REF. NO. 114

Air/ield: AKORA

Elev. 950 ft.

Geographic Coordinates: 3h OON 72 09E

Number Runways: 2

	No.	L&W	ORIENT	TYPE CONST.	CAPACITY	E.X'f
Runways:	1	6300xUnk	E/W	Natural	т6	300W
	2	2850xUnk	N/S	Natural.	16	2.0003

Operating Areas (% TAC Wing):

ZYAWIXAT

APRONS

H/S

0

C

0

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

Fixed Installations:

HANGARS No. Type Const.

PERS. ACCOM.

MISC. PLDG.

Hone

Campaite nearby

None

Related Transportation:

Hwy, RR, Water

Type loaded A/C that can be accommodated and extent of operations:

-	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	ear ear to our ear can	· · uaknown · · · ·	400 007 \$99 110, 100 Adv 500 000 000
CARGO		unknown	

Remarks:

Maintained in state of operational readiness.

Used by PAKISTAN Air Force Air College as alternate for RISALPUR Airfield.



Country: PAKISTAN

REF. NO. 115

Airfield: NAWABSHAH

Elev. 120 ft.

Geographic Coordinates: 26 13N

Rumber Runways: 2

68 248

	NO.	LGW	TWEEPO.	TYPE CORSY.	CAPACITY	EXT.
Zunways :	1	6000x150	nne/354	Comeat	120,000	2000 ea en
	2	6000x150	now/SSE	Cement Good	Unk.	2000 ea en

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/8

50

50

10

Support Facilities Available:

POL:

AV CAS (gal)

JET FUEL (gal)

PLANNED PACILITIES

OTHER POL

Avail. (Unk.) Avail. (Unk.)

Unknown

Unknown

Fixed Installations:

HANGARS
Type Const.

MISC. MLDG.

1

Unknown

Cartoment & Disp.

Control tower

Admin. Shope

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN, OPER,	BASAGENCY
TACTICAL		Y100G and Y1001	
CARGO	C 54	C130	C124

Remarks:

Alter for KARACHI/Civil. Usually closed after rains. Runway intersection subject to flooding during heavy rains.



SECRET

MIDDLE EAST AIRFIELD STUDY

Country: EGYPT

REF NO. 116

Airfield: DEKHEILA

Elev. nea level

Geographic Coordinates: 31 08N

29 48E

Number Runways: 3

	No.	T & M	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runsays:	1	6000x11t0	NH/SE	naca.(excel)	100,000	2000 NW 500 SE
	2	5550x180	ne/sw	maca.(fair)	70,000 (unserv)	unleagun
	3	14800×180	ene/wsw	maca.(fair)	70,000 (unserv)	unknown

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

20

unknown

100

Support Facilities Available:

POL

AV GAS (gal)

JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

14,000

unknown

unimoun

unkuown

Fixed Installations:

No. Type Const.

PERS. ACCOM.

MISC. BLDG.

2 unknown

unk 350 perm.

qrts.

Eeadquarters work shops

warehouses classrooms

Related Transportations

Hey, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	AID OPER.	EMERGENCY
TACTICAL		- F100C and F100D -	***
CARGO	C54	C13 0	C124

Remarks:

Suitable for jet fighter and medium transport use.

Parking area and R/W's were resurfaced in 1953.

Fagots and Beagle have been assembled here.

Country: PAKISTAN

REF. NO. 117

Airfield: GUJRAT

Elev. 770 ft.

Geographic Coordinates: 32 37N

74 OLE

Number Runways: 2

white also the property of	No	L & W	ORIENT.	TYPE CON	ST	CAPACITY	EXT.
Runwayer	1	6330x150	NW/SE	Conc	(0d)	69000	2000 ea.
,	2	5070 x1 50	ne/sw	Conc	(Gd)	unk	2500 ea.

Operating Areas (% TAC Wing):

TAKIWAYS

APRONS

F/S

100

none

100

Support Facilities Available:

POL:

AV GAS (gel) JET FUEL (gel) PLANNED FACILITIES

OTHER POL

none

none

none

Fixed Installations:

HANGARS No. Type Const.

PERS. ACCOM. No. Туре MISC. BLDG.

- - - none - - -

1075 temp

rink

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	€V has are non man one.	- F100C and F100D -	****
CARGO	C51,	U5 1 4	C15ft

Romarks

Built 1942 as light bomber base. 1945 used as glider base, now maintained in state of operation rediness.

Repairs on taxi and hrd stds in process reported 80% completed.

Country: PAKISTAN

REF. NO. 118

Airfield: CHAK JHUMRA

Elev. 625 ft.

Geographic Coordinates: 31 34M 73 10E

Mumber Runways: 1

	Noc	L & W	ORIENT.	TYPE (CONST.	CAPACITY	EXT.
Runwayer	1	6270x150	ne/sw	Conc.	(Fair)	unk	2000NE 8000SW

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

0

0

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

Fixed Installations:

No. Type Const.

PERS. ACCOM.

MISC. BLDG.

None

None

None

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	HIN. OPER.	FMAROENCY
TACTICAL		unknown	
CARGO		unknown	77 PG NJ 40 NJ NJ NJ NJ NJ NJ

Remarks:

Built in 1942 as Lt. Bomber base.

CHAK JRUMRA abandoned 1945.

All except runway reverted to agriculture.

Runways appear fair condition.

Could be used in emergency.



Country: PAKISTAN REF. NO. 117

Airfield: CHANDER

Elev. b. P. oft.

Ocographic Coordinates: 32 05N 73 47.

Number Runways: 1

No.	LAN	CHIENT.	171 00 1	CAUTINE	
Renavayar 1.	6300x150	NE/SH	Conc. re	11. 11.	SHOOL
				Craft	

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

11/5

50

50

Support Facilities Available:

POLI

AV GAS (gal) JET FUEJ, (gal) PLANNED FACILITIES OTHER POL

Fixed Installations:

HANGARS No. Type

PERS. ACCOM.

Mone

None

Few small unserv.

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

rendigradistika van errikasperentika ili (neks til enge erret i 1991. d Laksapt sattafra i 1990 sagan errikasperentika i 1990 sagan errikasperentika i 1991. d	FULL OPER.	MIK. OPER.	EMERGENCY	
TACTICAL	unk	wak	unk	
CARGO	unk	unk	vak	

Remarks:

Not maintained or used since 1952.

Field deteriorating and mostly unserviceable.



Country: PARISTAN

kEF. NO. 120

Airfield: BIAGATAUHALA

Elev. 600

Geographic Coordinates: 32 03 N 72 50 E

Number Fermays: 2

THE PART OF THE PROPERTY OF THE PARTY.	10.	a promision for the control of the same of the control of the cont	OFIENT.	TYPE CONST.	CAPACIT	EXT.
Bunways	1	6270/150	MEVIEW	h" conc.		unlimited
	2	50h 1x1511	INI/SSE	h" cone.	24,000	ea. end unlimited
		O TO a visit district the law they distribution and pagestry to				ea- end

Operation Acous (% TAG Will):

TAXIWAYS

APRONS

H/S

none

none

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

nono

none

Fixed Installations:

HANGARS
No. Type Const.
PERS. ACCOM.
No. Type

MISC. BLDG.

none

none

none

Related Transportation:

Hay, RR

Type loaded A/C that can be accommodated and extent of operations:

AND THE PERSON NAMED IN COLUMN TWO	FUIL OPER-	MIN- OPER.	EMERGENCY
TACTICAL	F860	Flooc	F100D
CARGO	none	C123B	C130

Remarks:

Suilt 19h2 as Lt. Comber Muse. Little Used In WWJI Inspected Periodically. Considered Aban. By Pak. A. F. Reported It Would Cost More 50% Orig. Cost to put Oper. Cond.



LIDDLE WAST AIRTLAN STUDY

Country: IRAN

REF. 10. 121

Airfield: TEHRAN/OALEH HURGEH

Elev. 3,635 ft.

Geographic Coordinates: 35 2811

51 23E

Number Runways: 2

1!0	No. Law	ORIERT.	TYPE CONST.	CAPACITY	E(T.
ways).	1. 6000×150	E/W	Conc.	140,000	Unko
2	2 6000x150	uty/see	Conc.	140,000	790 MM
5	2 6000x150	uty/sse	Cone.	140,000	

Operating Areas (% TAC Wing):

TAXIMAYS

Arrons

11/3

100

100

100

Support Facilities Available:

POL:

AV CAS (gal) JET FUEL (gal) TIATED WASTLETING OTH R FOL

17,000

unk

vnk

unk

Fixed Installations:

HANGARS Mo. Type Const. PERS. ACCON.

MISC. ILDG.

7

Brick

unk 1000 pers perm (poor)

Headquarters Administrative

Stores Shops

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	GIN. OF LR	ET LERGET. CY
TACTICAL		F1000 and F100D	76 Pa tab der der 165
CARGO	C130	C12/4	C15F

Remarks:

Fighter base - Improvements planned



MIDDLE BAST ALBITALD STOLY

Country: ISRAEL

REF. NO. 122

Airfield: HISHPON

blov, ho ft

Geographic Courdinates: 32 13 N 3b 53 L

Burber Bunways: 1

nen più uranti. Israelini aprilati, termi sale nei cuti dalli aprable terrorata, altrifici a		The Company of the same of the	ORILAR	TYPE LIAST	CALACIT	The second secon
Rummaya:	1.	6230x180	10/4d	Sena	unt	1000 es ani
In the terrology flathagen, in large street, some is	The state of the state of	nage on the track the track of the track	MODELLY BOOK THE ARREST	anda teal and the second	14 at 15 days 17 days 14 days	The section to the second section of the section of the second section of the section of the second section of the section of

Coarailing arous (% TAC Wing);

TAXIWAYS

APROAS

1/3

Hone

None

спортительного протительного портительного п

Hone

Sup ort Facilities Available:

FOL:2

AV GAS (gal) JET FLEL (gal) PLANNED FACILITIES OTHER POL

Fixed Limitallations:

HANGARS No Type Const. PLRS. ACCOM.

MISC ELDG.

Mories

None

Aslated Transportation:

Hory, RR.

Type loaded A/C that can be accomposated and extent of operations.

-	FULL OF BH	MIN. OPER.	UNDRESTOR
TACTICAL	None	None	None
CARGO	None	None	Иоле

Remarks:

Suspended due to lack of funds- Field in present condition(subbase completed) is suitable for transport type sireraft

Country: ADEM

RDF. NO. 123

Airfield: SHEIKH OTHIAN

Elev. 30 ft.

Geographic Coertinates: 12 131 44 58E

Number Rummys: 2

	No.	Law	ORIENT.	TYP CONST.	CAPACITY	EY1'.
रिप्पासकपुष्ट १	1	6200x150	E/H	Sand (Foor)	20,000	300E 3000V
	2	5600x 150	u/s	Sand (Foor)	20,000	3000 each

Operating Areas (% TAC Wing):

MYTMATS

APROUS

H/S

Done

none

none

Support Facilities Available:

POL:

AV GAS (MR1)

JET FUEL (gal) FLATT D FACILITY'S

OTH R POL

22,220

none

none

none

Fixed Installations:

No. Type Const.

No. Typa

HISC. BLDG.

1 Bellman

none

none

Related Transportation:

Huy, Wu

Type loaded A/C that can be accommodated and extent of operations:

	MULL OPUR.	MIN. OPER.	ETERGRACE
-TACTICAL	F86D	F86D	F1.00D
CAROC	None	C1 23B	C130

Remarks:

Emergency field presently unoccupied.

Little maintenance since 1953

Constant rolling and watering made R/W suitable for jet training.



SECRET

MIDDER RAST AIRFIELD STUDY

Country: IRAQ

1

REF. NO. 124

Airfield: RASHID

Elev. 106 ft.

93,200

Geographic Coordinates: 33 17R 44 29E

Number Runways: 1

Runways:

Operating Areas (7 TAC Wing):

Wall.ca

1 6890x160

TAX IWAYS

APRONS

unk.

H/S

CRIENT, TYPE CONST. CAPACIT!

nuca.

100

100

None

Support Facilities Available:

POL:

AV GAS (gal)

JET PUEL (gal)

PLANNED FACILITIES

EXT

unk.

unknown

unknown

unknown

Oil and mogas

Fixed Installations

HANGARS
Type Const.

MISC. BLDG.

Steel

unic.

Admin., stores, shops

Related Transportation:

Buy, RR, Water

Type loaded A/C that can be accommodated and extent of operations:

800

	FULL OPER,	MIN, CP12.	ENEM RENCY
PACTICAL	7105C	F105C	P105C
CARGO	C 54	C130	C1:34

Remarks:

0

1956 runway and taxiway completed suitable for jet fighters.

SEGRET

Country: PAKISTAN - V

HEF. 10. 125

Airfield: PETARO

Elev. 8416

Geographic Coordinates: 25-33N 68-20E

Number Runways: 1

	No.	World	ORTENT.	TYPE CONST.	CAPACITY	EXT.
Rumays	1	6000x150	HE/SW	h ⁿ Tar-nec	10,000	unka na

Operating Areas (% TAC Wing):

TAXIWAYS

APROMS

H/S

none

none

none

Support Facilities Available:

POI:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

none

none

none

none

Fixed Installations:

HANCARS FERS. ACCOM.
Type Const. To Type

MISC. BLDG.

l uak

none

Remains of form blidgs.

Related Transportation:

Hwy, RR, WW

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	MERGINCY
TACTICAL	***	F100C and F100p	PP HT 0 Mg MB 4 gg es as
CA ROO	no so	C51;	61 3 0

Remarks

Airfield abandoned but field is still serviceable.

Country: IRAN

REF. NO. 126

Airfield: QUM

Elev. 3,250 ft.

Geographic Coordinates: 34 41N 50 51E

Number Runways: 2

	No.	L&W	ORTENT.	TYPE CONST.	CAPACITY	EXT
Rumays:	1	6000x150	WNW/ESE	Gravel(Pour)	Lt. Craft	500 ea.
	2	\$400:150	NMW/SSE	Gravel(unserv)	unknown	

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

unknown

unknown

unknown

Support Facilities Available:

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

none

Lone

nona

nona

Fired Installations:

HANGARS No. Type Const.

No. Type

MISC. BLDG.

none

none

none

Related Transportation:

Hary RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY	
TACTICAL	unknown	unknown	unknown	
CARGO	unknown	unknown	unknowa	

Remarks:

Abandon emergency use only.

Construction of new jet craft field planned, depending on funds.

SECRET

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: ECIPT

REF. NO. 127

Airfield: KASFAREET

Elev. 491 ft.

Geographic Coordinates:

30 15N 32 25E

Number Runways: L

	No.	L&W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	6140x150	unk	Bituminous	75,000	300N ,3000S
	2	4070m150	unk	Bi tundnous	unk	300MV 9000S
	3	3900x150	unk	Bi.tuminous	uak	600E 500W
	4	2760x1 50	unk	B1 tuminous	ualc	1200ME 6003W

Operating Areas (STAC Wing):

TAXIWAYS

APRONS

H/S

100

100

40

Support Facilities Available:

POL:

AV GAS (gal) JET

JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

28,800

28,800

unk

unk

Fixed Installations:

HANGAES

PERS. ACCOM.

MISC. BIDG.

3

Semi-Ferm for 1130

Admin, stores,

36 Bed Hospa

shops, control tower, armory

Related Transportation:

Hwy, RR, Water

	FULL OPER.	HIN. OPER.	ctent of operations:
TACTICAL	THE BUT OF US AS 25	- F1000 and F100D	
CARGO	· 054	csh	C124

Remarka:

0

Former RAF maintenance, repair, and flight test center not known to be used.

Runways 2,3,4 closed.

SECRET

Country: TRUCIAL OMAN

REF. NO. 1.28

- Airfield: SHARJA

Mev. 6 ft.

Geographic Coordinates: 25 20 N 55 23 E

Number Runways: 3

THE RESIDENCE PROPERTY.	No.	Leew.	OHIENT.	TYPE CONST.	CAPACITY	RVI.
Runways	1.	6000x170	WHW/ESE	Sand	1.10,000	600WNW
	2	14100×150	ENE/WSW	Sand	110,000	600RNE
	3	3300x150	HNE/SSW	Sand	110,000	limitedNN

Operating Areas (% TAC Wing):

EYAWIYAT

APRONS

H/S

none

none

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

92,000 gal 142,000 gal

none

oil

Fixed Installations:

No. Type Const.

PERS. ACCOM.

MISC. BLDG.

none

92 pers. perm. 50 airport lodgings

4 bed infirm.

Related Transportation:

Hwy.

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	• • • • • • •	F100C and F100D	
CARGO	C514	C1.30	C12L

Remarks:

Currently suitable for med transport a/c. Lack of fac. limit military use.





MINOLE EAST AIRFIELD STEDY

County: KAMERAN ISLAM

REF. NO. 129

Airfield: KAMARAN ISLAND Blev. 20 ft.

Gaussaphic Goundinages: 15 29N 42 36E

Proper Runways: 2

and a sunday year 4 - a sunday year	No.	L & W	ORKERY.	TYPE COMET.	CAPACITY	CTC ED
Runnays:	3	600001600	N/S	Rolled	73,000	100120
:	2	6000::600	nw/sk	sead and	73,000	NOME.

Operating Areas (7, Tan Wing):

TAXIMAYS

APROMS

H 3

unknown

none

none

Support Facilities Available:

POL:

AY GAS (gel) JET FURL (gel) PLANEAU PAGILITYES OTHER POL

--- -- available --- - usknown

unknowa

Fixed Installations:

FANGARS Type Const.

PERS. ACCOM.

MISC. BING.

BOUG

unk 30 pers

Home

Related Transportation:

Hwy, Wi

Tree leaded A/C that cam he accessodeted and extent of operations.

AND DESCRIPTION OF THE PROPERTY OF THE PROPERT	FULL OPER.	MIN. OPER.	RESECTION
TACTICAL	-'-' V100C	20 d 20	1000
CARGO	CS4	CE/s	C1.24

Komerks:

Fail weather field Aux.

Constellation (gross 192,600) have used field

Country: EUHAIT

KEF: N1. 130

Airfield: AHMADI (New) Elev. 400 ft.

Goographic Consdicates: 29 05% 48 04%

Darber Romays: 1

APPLICATION MINERAL AND ADMINISTRA	No.	1, & N	OR THEFT.	TYPE CONST.	CAPACITY DET.
Emmaya:	7	6000#150	W/8	Oliol clay	
					and

Cocrating Areas (% TAC Ming):

TAKIWAYS

AFROUS

B/S

15

200200

E2081 (2

Support Pacilities / edlable:

AV CAS (gal) JET FUEL (gal) PLANIED PLINATIES OTHER FOL

acos cose anso

ROYA

Fixed Installations:

HANGARS

PERS, ACC M. MISC. BLAG.

Rese

mono

ECHES

Related Transportation:

Hoye WW

Type loaded A/C that can be accommedated and orthant of operations:

The state of the s	FULL OPER.	MIN. OPER	RMEBGANCY
TACTICAL,	¥100C		1
CARGO	C 54	C34	G124

Ramerka:

Conseructed 1956 for Emmate Oil Co. a/c

Country: LEBANON

HEF. NO. 1.31

Airfield: RIYAQ

Elev. 3,042 ft.

Geographic Coordinates: 33 52N 36 00E

Number Runwaye: 1

	No	L & W	ORJENT	TYPE CONST.	CAPACITY	EXT
Eunwayer	1	6600x200	NE/SW	Asphalt	100,000	6005W
				(very poor)		

Operating Areas (& TAC Wing):

TAXIWAYS

APRONS

H/S

75

100

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL ---- 2,000 gel. ----

Fixed Installations:

HANGERS PERS. ACCOM. MISC. BLDG. No. Type

2 Corrug. Steel 7 Barracks Infirmery, shops, (for 1,000 people) stores

Related Transportation:

Hwy, RR, Water

Type loaded A/C that can be accommodated and extent of operations:

de la constitución de despuisa de la constitución d	FULL OPER.	HIM. OPER.	EMERGENCY	
TACTICAL.		- F100C and F1000	00 00 00 00 00 00 00 00	
CARGO	C574	G130	C1.24	

Remarks:

Primary use as training center.

Only military airbase in Lebanon.

Dense cloud coverage Oct thru Apr.

Planned ext. of R/W to accome jet fighter sircraft,

SECRET

Country: QATAR

REF. NO. 132

Airfield: UMM SAID

Elev. 8 ft.

Geographic Coordinates: 24 57N 51 32E

Number Runways: 2

-

	No.	L&W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	6000 x 200	nw/se	Sabkha	86,000	unlin
	2	3720x200	ne/sw	Sabkha	Unknown	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

50

75

Q

Support Facilities Available:

POL:

AV CAS (gal) JET FUEL (gal) PLANNED FACILITY ES

OTHER POL

Available

Available

unk

unk

Fixed Installations:

HANGARS No. Type Const.

PERS. ACCOM.

MISC. BLDG.

None

Emerg. Only

None

Related Transportation:

Hwy, Water

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	000000	F1.000 and F1.000	
CARGO	C54	OZL	CJ 5/1

Remarks

Private field for oilfield area.

Suitable for medium transport operations.

Excellent development potential.

174

Country: ISRAEL

REF. NO. 133

Airfield: EIN SHEMER

Elev. 100 feet

Geographic Coordinates: 32 26N 35 00E

Number Parways: 3

	No.	1.20	ORIENT.	TYPE CONST.	CAPACITY	F.64.J.)
Runways:	1	6000x150	nne/ssw	Situm (stone	unk	1000	SSW
	2	5250x150	MA	Bi tum'astone	85000	1000	N
	3	4500x150	iny/sse	Bitumestone	85000	1500	SSE

Operating Areas (% TAC Wing):

CYAMIKAT

APRONS

a S

100

100

none

Support Facilities Available:

POL:

1

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

-- - 13,100 - - - - none

rone

Fixed Installations:

No. Type Const. PERS. ACCOM.

1500 pers. perm.

Admin, Ops

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

-	FULL OPER.	ERN. OPER.	EMERGENCY
TACTICAL	the sea one on the	- F100C and F100D -	का का का वा का का का का
CARGO	C514	C514	ClSh

Remarks:

Not in use - suitable only for emergency.

Country: JORDAN

REF. NO. 134

Airfield: JURUSALIM AIRPORT

ELEV. 2460 ft

Geographic Coordinates: 31 52N 35 13E

Number Runways: 1

	llo.	Lew	ORIUTT.	TYPE CONST.	CAPACITY	ETT.
Rummays:	1	6060x150	MIA/ESE	in to act	85,000	2000IM

Operating Areas (% TAC Wing):

ZYAWIYAT

APRONS

H/S

100

Support Facilities Available:

POL:

AV GAS (Cal)

JET FUEL (Gal)

PLATIND FACILITIES OTHER POL

under const.

under const.

under const.

under const.

Fixed Installations:

IIA'IGARS
No. Type Const.

PERS. ACCOM.

HISC. BLDG.

None

lione

Administration

Related Transportation:

Hwy, RR

Type loaded A/C that can be accomposated and extent of operations:

	FULL OF R.	MIN. OPER.	ENTERCHT CY
TACTICAL		F100C and F100D	6. 60 62
CARGO	C54	C 54	CT5ft

Remarks

Main civil airfield in Jordan R/W scheduled for extension to 7000 ft. by late 1957.

Country: PAKISTAN

REF. NO. 135

Airfield: JACOBABAD

Elev. 180 ft.

Geographic Goordinates: 28 17N

68 27E

Number Runways: 2

	No.	L& W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways: 1	1	6000±150	nnw/sse	Conc. (good)	75,000	2,000SE
	2	4800x150	E/W	Conc. (good)	75,000	limited

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

90

50

95

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

available

unk

unk

unk

Fixed Installations:

HA NGARS No. Type Const. PERS. ACCOM.

MISC. BLDG.

1 Brick

500 new qurs. unk

Oper. and Control Tower Repair and Storage

Shacks

Related Transportation:

Bwy. RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTIC \L		F100C and F100D	
CARGO	054	C54	C12և

Remarks:

1

Maintained in state of operation rediness on caretaker status.

Believed occasionally used by non sched aircraft.

Field sometimes floods after heavy rains (poor natural drainage).

MIDDLE BAST ARRYIELD STUDY

COUNTRY: ADEN

REF. NO. 136

Airfield: NISAB (SOK)

Elev: 3600 ft.

Geograpuic Coordinates: 24 328 46 242

Number Eumnays: 1

An experience and the second	No.	I, E. N	CAKENY.	THE COME.	CAPACITY	ETT
Remusys:	1	6000m150	E/ W	3" harded panked	1 "	
				elay (mend)		urlin V

Granating Areas (% TAC Wing):

TAXINAYS

APRONS

M/S

nane

mone

领导智慧

Smopert Facilities Available:

POL:

AV CAS (Rol) JET FUEL (gel) FLAMMED FACILITIES OTHER POL

12.500

nene

RECORE

pens

Fixed Installations:

HANKARS Ms. Type Const.

HERS. ACCUAL.

MISC. BING.

DONE

nema

10928

Related Transportation:

RR

Type loaded A/C that can be ancemedated and output of operations:

	FULL OPER.		HIN. OP	100	MME	ROEMUY	
TACTICAL.	*******	-Piooc	ध्यत्वे	FIOOD		tir es «»	4th
CARGO	C54		054	out reads sometime.		C124	1966 - 1966 - 1966 - 1966 - 1966 - 1966 - 1966 - 1966 - 1966 - 1966 - 1966 - 1966 - 1966 - 1966 - 1966 - 1966 -

Records:

Fair weather field used by EAF Valetta and Anson a/c

Runway when watered and rolled is capable of supporting jet fighter ops.



MUDDLE BAST ADVICED STUDY

Country: ADER

REF. NO. 137

Airfield: RIYAN

Elev. 79 fc.

Geographic Coordinates: 14 39N 49 33E

Manaber Rungays: 4

		LAW	ORIENT.	TYPE COMST.	I CAPACITY	RYY
Жипмоую: 1 2 3	1	6000m150	WEW/RSE	Gravel	60,000	300' at en
	2	5780m130	ens/esh	Gravel	33,000	1000' en en
	3	3380x150	n/s	Gravel	33,000	1000 as en
	4	3240x150	WIM/SSE	Mitwa. (Unserv)	Unk.	300ENE 300ANA

Operating Areas (% TAC Wing):

TAXIBARS

APEDIAS

H/S

0

Support Facilities Available:

PUL:

AV GAS (gel) JAN VORL (gal) FLANEUD FACILITIES

other for

Avail. (Wak.) Avail. (Wak.)

Unic.

Unk.

Fixed Installations:

HANGARS FURS, ACCOM.
No. Type Const. No. Type

MISC. BLDG.

Mone thic. 100 pers. Disp. & small bldgs.

Related Transportation:

Hwy, WW

Type loaded A/C that can be accessoonted and extent of operations

	FULL OFFIR.	MIN, CHR.	ensegency
TACTICAL		- Floot and Floop	40 Billion 12 to the 12 de 15 to the 16 to the 16 to
CARGO	G123B	054	C124

Remarks:

Fair weather field (becomes preserviceable during rainy sesson -January - March).

514 353

COUNSEY: HUSCAT & OMAN

REF. No. 138

Airfield: PANOTO

Elev. 600 ft

Coortaphic Coordinates: 22 13N 56 282

Musber Remays: 2

Proportional Agents street the Fernand	Fo.	L & W	ORLENT.	TYPE CONST.	CAPACITY	EXT.
Reserves :	2	6000x150	enes/wsh	Sandy gravel	62,000	unk
	2	3900m150	WIM/ESE	on cardstone	62,000	unk

Operating Areas (% TAC Wing):

TAXIUAYS

APAONS

H/S

BOD6

agen

DONE

Support Vacilities Available:

POL:

AV GAS (221) JET FUEL (221) FLAMMED FACILITIES OTHER FOIL

· · · · · unkeous · · · ·

Rone

Fixed Installations:

HARVASS He. Type Coust.

No. Type

MISC. BLOG.

11920

ILOUGH.

Related Transportation:

unimed was

Type leaded A/C that can be accommodated and extent of operations:

Antonia de la companya de la company	FULL OFFE.	MIN. OPER,	EMERGENCY
TACTICAL	• • • • • • •	F1000 and F1000	
CARGO	C130	C130	C1.24

Remerks:

Construction by Gata Petroleum in conjunction with drilling

Country: SAUDI ARABIA

REF. NO. 139

Airfield: ABCAYO

Elev. 300 ft.

Geographic Coordinates: 25 578 49 388

Member Runnya: 1

	No.	1. 6. 4	ORIENT.	TYPE CONST.	CAPACITY	271
Ramanyo:	2.	60002100	NNW/SHE	iravel	73,000	galim cach
						and

Operating Areas (% TAC Wing):

TAX IWAYS

APROUS

11/5

Rome.

PONO

15

Supposet Facilities Acciletie.

POL:

AV CAS (pal) JET FUEL (ani) PLAINED FACULITIES OTHER POL

- - - - limited- - - - - wome

บอในขอนน

Pfwed Installutions:

He. Type Coust.

PERR. ACCOM.

MISC GIRG.

2000

Pessibly

Admin

emergency

Sulated Transportation:

Buy, RR

Type leaded A/C that can be recommedated and extent of operations:

	Your olki.		HYN OFAK	THE ROLL OF THE PARTY OF THE PA
PACYTCAL	de o de de	P100C	ecd	F1000
CARCO	C54		G130	C124

Romanics:

(

Private field



Country: IRAQ

R'F. 110. 240

Airfield: K-1

Elev. 1,001 ft

Geographic Coordinates: 35 31 N W 17 E

Number Runways: 2

	No.	L&W	ORIENT.	TYPE CORST.	CAPACITY	571.
Rumways:	1	6000x150	unk	Asphalt	100,000	unk
	2	6000x150	unk	Asphalt	unk	unk

Operating Areas (% TAC Wing):

TA YIWAYS

AFROIS

H/S

90

100

27

Support Facilities Available:

POL:

AV GAS (Gal)

JET FUEL (pal)

PLATT ID FACILITIES

OTHER POL

Avail, (unk)

none

10,000 gal. AV GAS

none

Fixed Installations:

HANGARS No. Type Const. Pas. Accon.

HISC. BLDG.

2 Corrug. Steel

unk 15 pers. tempo

80 bed hospital

nearby

Related Transportation:

liwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	F'IL CPER.	U.M. OF R.	ALAR CY
TACTICAL	• • • • •	F1.000 and F1000	
CARGO	C-5!4	C-130	C-124

Remarks

Scheduled for extension sufficient for jet righters (both runways).

Country: IRAQ

REF. NO. 141

Airfield: H-3

Elev. 2550 ft.

39 HJE Geographic Coordinates: 32 55N

Number Runways: 3

	No.	L & W	ORIENT.	TYPE CONST.	CAPACITY	ETT.
Runnays	1	6000x150	unw/ese	Sand	no info.	unlimit to
	2	11500x150	::/5	Sand	33,000	unlimit to
	3	4050x150	wnw/ese	Sand	33,000	unlimit both ends

Operating Areas (\$ TAC Wing):

TA XIVAYS

APRONS

45

II/S 0

0

Support Facilities Available:

POL

AV GAS (Gal)

JET FUEL (gal)

PLANTED FACILITIES OTHER FOL

550

unk

unk

unk

Fixed Installations:

HA: KOARS Type Const. No.

PERS. ACCOL

HISC. BLDG.

Steel

100 bera unk

None

in semi-perm

Related Transportation:

lwy

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	HIM. OPER.	Enromor
TACTICAL	F86n	F100C	F100D
CARGO	None	C54	C130

Remarks:

Iraq Pet. Co. Field Runways originally capable of supporting 60,000 lbs. are deterior from lack of maintenance.

MODDLE RAST AIRPIELD STUDY

Country: IRAN

BEF. NO. 142

Airfield: HESEED

Elev. 3,100 ft.

Gaographic Coordinates; 36 16N 59 36g

Number Zunways: 2

-	NO.	L & H	ORGENT	TYPE COMST.	CAPACITY	EAT.
Bunways:	1	614 0 ±150 49 2 0±150	MH/SE	Asphalt	73,000	590' SE
		47202130	enk/wsw	Unusable	Unk .	200' ENE

Operating Areas (ZTAC Wing):

TAXINAYS

APRONS

M/S

50

20

None

Support Pacilities Available:

POL:

AV GAS (gal)

JET FUEL (gal) MANNED FACILITIES

OTHER POL

10,000 gal.

Unk .

Unk .

Unk.

Fixed Installations:

Type Const.

MISC. BLOG.

1

Brick & Steel

Unk.

200 pers.

Admin. Stores

Shop

Related Transportation:

Hwy

Type loaded A/C that can be accommodated and extent of operations:

	FULL CARE.	min. Chir.	EMEGGINCX
TACTICAL	**********	Floor and Floor	200 to 100 40 to 100 40 40 to 100 100 to 100 to 100 40 40 40 40
CARGO	854	c).30	C124

Remarks:

Used by IRAN Airways three times a weak. Improvements are scheduled.



Country: TURKSEY

REF. 110. AL3

Airfield: CUMACVASI

Elev. 312 ft.

Geographic Coordinates: 38 14N 27 12E

Number Runways: 1

	No.,	Law	ORITHIT.	TYPE COMST.	CAPACT TY	E7 2.
Rur ways:	1	6030x150	mu/sse	Asph/Conc.	69,000	un't.

Operating Areas (% 1/16 Wing):

TA COMMYS

APRONS

11/5

100

40

50

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLATTED FAUGLITIES OF H FOR

171,394 at Gazi Imir

unic

2,869,080 AV 71.9

none

Fixed Installations:

HATI-JARS "

No. Type Const. To. Type

LNSC. RLDG.

4 Steel

unk 200 pers

Headquarters ให้เมาะโดนสสธ

Related Transportation:

lwy, RR, UW

Type loaded A/C that can be accommodated and extent of operations:

	PLI. OPER.	liki, open.	MERGWAR.
TAC FIGAL	सन्दर्भ वक्षा कर कर क	F1000 and F100D -	
CARDO	C54	C-51;	c-neh

Remarks

Airport of entry. Suit for 1td C-5h operations,

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: PAKISTAN

REF. NO. 144

Airrield: IBIS

Elev. 145 ft.

Geographic Coordinates: 29 3kN

67 50B

Musber Runneys: 1

to the transmission of 20ms	No.	L& W	ORIENT.	TIPE CONST. CAPACITY	ERT.
Runwa ya :	1.	6000x150	Nw/SE	Mac (fair) 58000	2000ea
Marie and American Street	en. Oten hen	the fore-studies and provincial contributions in programs of	Secretarios de serviciones de seguiron consequences de		A LINE AND THE PARTY OF

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

92

72

90

Support Facilities Available :

POL:

AV CAS (gai) JET FUEL (gal) PLANNED FACILITIES OTHER POL

TIONS

none

unk

unk

Fixed Installations:

HANDARS PER

PERS. ACCOM.

MISC. ELDG.

none

none

Frame

Related Transportation:

May. RR

Type loaded A/C that can be accommodated and extent of operations:

The Waterwell out their contract of	resident differente particular de l'acceptant de l'		
or Third was and	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	M	.00C and F100D	ee oo oo
CARGC	C123B	C54	C12 L

Remarks

Used past year by Bristol Freighter Aircraft and occasionally used by non scheduled craft.

Category "C" airfield. Runways repaired on notice.

SEGRET

MIDDLE EAST AURPTELD STUDY

Country: ADEN REF. NO. 115

Airfield: QATAN

Elev. 2100 ft.

Geographic Coordinates: 15 50N 48 308

Humber Runvays: 1.

INO.	Lev	ORIENT.	TIPE CONST.	CAPACITY	EXT.
Runways: 1	6000x300	EME, AVSW	Flat sand	地。000	600 ft

Operating Areas (% TAC Wing):

TAXTWAYS

APRONS

H/3

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

Fixed Installations:

HANGARS
No. Type
No. Type

MISC. BLDG.

None

None

Kone

Related Transportation:

Type loaded A/C that can be accommodated and extent of operations:

	FUEL OPER.	FIN. OPER.	FIRERGENCY
TACTICAL.		F1.000 and F100D	40 PA (1) 40 PB (0) 40 PF (0) 40
CARGO	None	C54	C130

Remarks:

Fair weather auxillary field.



Country: QATAR

MEF. NO. 146

Airfield: DUKHAN

Elev. Sea Level

Geographic Coordinates: 25 23N

50 LOF

Number Ronways: 2

e training mediates of the species o	Mon	The American	ORIGHT	TOYPE CONST.	CALACIEY	A 4 A A A A A A A A A A A A A A A A A A
Runways	1.	500032.50	Y/S	sead	14,000	poss.
	5	3090x150	WWW/BOD	gond	000ربلبا	poss.
				9		Successive and comments where transfer

Operating Aresa (% TAC Wing):

TAXIWAYS

AP NONS

11/8

mone

BOHE

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER FOL

Available A

Available

inic

none

Fired Installations:

HANGARS

GARS PARS. ACCOM.
Type Const. No. Type

MISC. BLDG.

none

Emerg. only

попе

Related Transportation:

Hwy, Water

Type loaded A/C that can be accommodated and extent of operations:

ander stores the Highwares (6), 70 from	FULL OPER.	MIN OPER	ENE HURRICY
TACTICAL		- F100C and F100D -	
CARGO	none	CSI	C130

Remarkat

Servicable year around for small aircraft but unservicable for about 2 days during rainy season for sircraft of Viking and CL7 class.

Bast airfield on Qatar Fennsula. Occasional sudden strong winds.

- + + B + B + P + P

Country: SYRIA

REF. NO. 147

Airfield: ALEPPO

Elev. 1,290 ft.

Geographic Coordinates: 36 LIN

Number Buneage:

	No.	L R W	ORILHT	TYPE CONST.	CAFACITY	EXT
Renveyer	1	660013.60/220	E/W	Asph.	69,000	unk
			attacks were stored out	And indicated the state of the	The Englands are designed by more assessment	- VILLEY THE PARTY OF THE PARTY OF

37 12E

Operating Areas (% TAC Wiog):

TAXIWAYS

APRONS

H/S

90

70

50

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES CTHER PUL

Available

Available

unk

none

Fixed Installations:

HANGARS

HANGARS PERS. ACCOM.
Type Const. No. Type

MISC. BLOG.

conc/steel.

10-barracks 1200-pers. Perm. Administration

Stores Shops

Operations

Related Transportation:

Huy, RR

Type loaded A/C that can be accommodated and extent of operations:

yan dibada yi (ib qadad biblios bosa Sarahid as di ba dida Zisabi, sabar	PULL OPER.	MIN. OPER.	PREMEMON
TACTICAL	140 etc etc esc esc	F1.000 and F1.00D	ect and one on 4,6
CARGO	C54	C54	C3.2l ₃

Rumarks

Considered second best Military Airbase in Syria and projected for improvement

Syrie AF college is here.



MIDGER BAST AIRFIELD STUDY

Country: PAKESTAN

REF. NO. 148

Airfield: JUNGSHARI

Elev. 201 St,

Geographic Coordinates: 24 50N 67 46E

Number Runways: 1

Y		LEV	OP. TENT.	TYPE CONST.	CAPACITY	EXT.
Rumays:	1	6000x165	E/V	Concrete Good	55,400	2000' ea end

Operating Areas (% TAC WING):

TAXIVAYS

APRONS

H/8

0

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) FLAMMED FACILITIES

OTHER POL

None

None

None

None

Fixed Installations:

Type Const. PERS. ACCOM.

MISC. BLDG.

, Sone

Hone

Related Transportation:

Dirt Boad, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN, OPER,	DERGENCY
TACTICAL		7100C and 7100D -	
CARGO	None	C54	C124

Remarks:

No longer maintained by the ROYAL PAKISTAN AIRFORCE.

600 500 S 1 12

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: QATAR

REF. NO. 149

Airfield: DOHA (new) Elev. 49 ft.

Geographic Courdinates: 25 16N 51 34R

Number Runways: 1

	No.	L&H	ORLENT.	TYPE COUST.	CAPACITY	FET
Runways :	1	6000x150	iow/sse	Comton come Sides asphalt	6,000	1200 sech

Operating Areas (% TAC Wing):

TAXIWAYS

APBONS

B/S

10410

MODE

15

Support Facilities Available:

AV GAS (201) JET FUEL (201) PLANAUD PACILITIES OTHER POL

RUME

6030

13090

Fixed Installations:

HANGAES Type Const.

1000

17004

Related Transportation;

Type leaded MC that can be accommedated and extent of eparations:

ì	FULL OPER.	MIN, OPE	EMERGENCY
TACTICAL		F100C and	71000
CARGO	C123B	C54	C124

Be warks:

Replaces DAWHAT a/f



Country: DRAN

PEP. NO. 150

Airfield: KERMANSHAH

Flev. 6,260 ft.

Geographic Coordinates: 34 19W 47 07K

Number Rumays: 2

BO. L & W ORIENT TYPE CONST. CAPACITY EXT. Delc. Eunways: 1 6000x100 Brdc. Mac. Dak. 2 5400m100 Unk. Marc. Ink. trik,

Operating Areas (% TAC WING):

RYATIKAT

APRONS

Ti/S

10

Mone

Hone

Support Facilities Available:

AV GAS (gal) JAT FURL (gal) PLAMED FACILITIES OTHER FOL

idmited avgss

Unx.

Unk.

Utik .

Fixed Installations:

HANGARS

PARS. ACCOM.

MISC. MLDG.

No. Type Coast.

Unit . 35 pere. Several small

Related Transportation:

Hwy

Type loaded A/C that can be accommodated and extent of operations:

FULL OPER. MIN. CEER. 24886BERGY **F86D** P100D TACTICAL Flood **CS4** C130 CARGO Hone

SECRET

MIDDLE BAST ARRYLEDD STUDY

Country: PAKISTAN

191 . NO. 151

Airfield: WATEJI

I

0

145 ft.

Geographic Coordinates: 24 52N 67 34E

Mumaber Runnways: 1

N	Ю.	1, & V	OR EEST.	TYPE COUNTR.	CAPPETER	ESCT
Runways:	I.	6000x150	E/V	Corer ta	Unk.	2000's

Operating Areas (% TAC Wing):

TAKIHAYS

AIRONS

E/S

lione

Mone

None

Support Facilities Available:

POL:

AV GAS (gal) JET FUTL (gal) PLAIMED VACILITIES OTHER POL

None

Hone

Hone

Fixed Installatious;

ANGARS PRES. ACCOM.
Type Const. No. Type

MISC. BLOG.

None

Related Transportation:

lwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OFNA.	KIN, UPER,	BMERCENCY
TACTICAL	Unk.	Unk.	Uak.
CARGO	Unk .	Onk.	Unk .

Remarks:

No drainage system. Built for B-24's but present capacity unknown.

Country: TURKEY

REF. NO. 152

Airfield: AFYON

Elev. 3,370 ft.

Geographic Coordinates: 38 4hN 30 37 E

Humber Runways: 2

	Hoel	I. & W	OILENT.	TIPL CONST	L CAPACLTY	EXT
Ranways:	-1	o0100x150	N./SE	(Poor)	33,000	unk
	5	5150×150	H/S	Concrets (Foor)	33,000	unk

Operating Ar as (% TAC Wing):

TAXIWAYS

APRONS

H/S

90

100

30

Support Facilities Available.

POL:

AV CAS (gal) JET MULL (gal) PLANNED FACILITIES OTHER POL

- - - - Additional storage projected - - - - -

Fired Installations:

HANGARS No. Type

PERS. ACCOM. No. Typs

MISC. BLDG.

4 Steal

3.000 unk

600 Bed hosp. Warehouses, shops

Related Transportation:

Hwy, RR

Typs loaded A/C that can be accommodated and extent of operations:

	FULL OPERA	MIN. OPER.	EMERGENCY	
TACTICAL	196D	FLOOG	MOOD	۰,
CARGO	None	C5l4	C130	meni tetak et ida

Remarks:

In regular use.

SECRET

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: PAKISTAN

REF. NO. 153

Airfield: SIBI

Elev. 450'

Geographic Coordinates: 29-344 67-58E

Number Runways: 1

	No.	I&W	ORIENT.	TYPE CONST.	CAPACIT	Y LEYT.
Runways:	1	6000x150	nw/se	Tar macadam	unk	1000

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

1/5

none

none

none.

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

none

none

none

Fixed Installations:

No. Type Const. PERS. ACCOM.

MISC. BLDG.

none

none

none

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMPROENCY	
PACTICAL	unknown	unknowa	unknown	
CARGO	unknown	unknorm	unknown	

Remarks:

Not used - maybe unserviceable.

SECRET

HIDDLE EAST ATRETELD STUDY

Country: ISRAM.

PAF. NO. 154

AirField: FORON

May 180 ft.

Geographic Gerndin tes: 31 508

24 400

Number homeayes 4

merconare e pomber	1.0	Le Co W	L. C. William	TARRE CONST.	CAPACETY	Just sans	,
Rumaya:	1	60002050	B/3	suphalt(good)	69,000	1500	M
	5	5850x150	E/e	emphalt(peed)	69,000	750 5000	
	3	150610.50	Bo/Sel	auphalt(good)	59,000	3500	
	la la	3300xJ50	MA/SE	conerate	69,000	6000	SE

Operating A cas (MIAC wing):

TAXIMAXS

APRONS

N/S

3,00

50

90

imprort Ficilities Available:

POL:

AV GAS (gal) JET FORD (gal) PLANNED FIGILITIES

UTHER POL

63,000

none

none

none

Fixed Installations:

No. Type Const. No. Type

MISC. BLUG.

8 Steel

180 pera Dosm 2100 pers

Administration Operations Shopa

feun

Related Transportation:

Hay RR

Type leaded A/C that can be accommodated and extent of operations:

E PORTES PROPERTY IN THE REAL ENGINEERS AND ADDRESS OF THE PROPERTY AD	FULL OPER.	Mills OFFR	PALEGENCY
TACTICAL	the fair cap too the flat tap to	- FLOOG and FLOOD -	co es no co es an
CARGO	C5!;	, chi	CYSP

Benaurks:

Hain maintenance and repair base

Flight training conducted hera.

Improvements planned.



Sy I will

Country: TURKEY

REF. NO. 155

Airfield: INEGOL

Elev. 620 ft.

Geographic Coordinates: 40 06N 29 30E

Number Kunways: 3

No.	L& W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
1	6000x150	wnw/ese	maca (Un- service-	Unknown	Unknown
2	6000x150	WW:/ESE	grass (fair	33,000	Unknown
3	4590x130	n/s	conc fair (closed)	33,000	Urknown
	1	1 6000x150 2 6000x150	1 6000x150 WNW/ESE 2 6000x150 WNW/ESE	1 6000x150 WNW/ESE maca (Un- service- able) 2 6000x150 WWW/ESE grass (fair weather) 3 4590x130 N/S conc fair	1 6000x150 WNW/ESE maca (Un- service- able) 2 6000x150 WNW/ESE grass (fair 33,000 weather) 3 4590x130 N/S conc fair 33,000

Operating Areas (% TAC Wing):

TAXTHAYS

APROVS

H/S

100

none

35

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

none

none

none

none

Fixed Installations:

HANCARS Type Const. No.

PERS. ACCOM.

MISC. BLDG.

none

none

10 bed hosp. 7 bldgs.

Related Transportation:

Hwy

Type loaded A/C that can be accommodated and extent of coperations:

FULL OPER.	MIN. OPER.	EMERGENCY
F86D	F100C	F100D
none	C54	C130
	F86D	F86D F100C

Remarks:

Abandoned.

No plans for rehabilitation.

Country: 1RAN

REF. NO. 156

Airfield: ISFAHAN Elev. 5,300 ft.

Geographic Coordinates: 32 36W 51 42E

Number Runkays: J.

-	No.	LEW	ORIENT,	TYPE CONST.	CAPACITY	EXT.
Runesys:	1	6000x150	ene/wsw	Asphalt	59,000	1560 ENE (une)

Operating Areas (% TAC Wing):

TAXIWAYS APRONS H/S 0 0 20

Support Facilities Available:

POLI

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL Available unk unk unk

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM. MISC. BLDG.

2 Brick & Steel Permanent (Poor) Few small

Related Transportation:

Hwy

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMEROENCY
TACTICAL	था। देश क्षक स्तर नहां केत क्रम क्षक	- Flood and Flood	
CARGO	С54	C54	C12h

Romarker

Effective runway lengths greatly reduced by 5300 ft. elevation.

Country: ISHAEL

Ref. NO. 157

Airfield: EL FALUJA

Elev. 330 At.

Geographic Coordinates: 31 3'W 34 45E

Number Runways: 2

	No.	W 3 J	ORIGIT.	TYPE COMET.	CAPACITY	1077
Runwayn:	I	6000x150	m/ss	Aspiril:	धारे	750m/
	5	4950x250	E/W	unk	unk	750 SE 750 F/W

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

11/3

100

none

15

Support Facilities Available:

POL:

"MV CAS (goll)

JET RUEL (pal) TIATTO PACILITIES

OTH R POL

none

none

uns

unk

Fixed Installations:

HATTIARS Hoe Type

P.R. ACCONIA

MISC. TIBE.

2 Wood

none

Powerplant

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

terbinahan dipanah sebagai sebagai dipanah sebagai seb	FILL OPIR.	L. H.H. OPVA	I HEROLICY
TACTICAL	unic	unk	unk
CARGO	unk	unk	unk

Remarks

Emergency field used occasionally for murcuvers. Hosquito bombers have used field,

Country: SAUDI ARABIA REF. NO. 158

Airfield: HUFUF

Elev. 500 ft.

Geographic Coordinates: 25 22M LS 36E

Number Runways: 2

	No.	I. & W	ORIGHT.	TYPE CONSE.	CAPACITY	EC.
Runways:	1	6000x150	nnw/sse	Rolled Cravel	50,000	Unil. ea. erio
	2	5000x150	nne/ssw	uch	uak	iasikt

Operating Areas (% TAC Wing):

TAXIWAYS

APROAS

H/S

none

87

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

none none

nona

110216

Fixed Installations:

PERS. ACCOM. MISC. FIDG.

none

none

(2) unk

Related Transportation:

RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER	EMERGENCY
TACTICAL	Edd for NO MEN Had did n	FLOOC and FLOOD	well who and then was open grey
CARGO	none	CSL	Cl24

Remarks:

Used regurally in 1954 by Lt. Transport Aircraft.

USAF used field occasionally.

Country: SYRIA

REF. No. 159

1

Airfield: RASIN EL ABOUD

Elev. 1,207 ft.

Geographic Coordinates: 36 12N 37 35E

Humber Burways: 2

	No.	1. & V	ORIENT.	TIPE CORST.	CALACITY	EXT.
Runways:	1	6000 x1 50	E/W	Asphalt	unk	unk
	2	4500 ×1 50	ME/SW	Amphalt	unk	unk

Operating Areas (% TAC Wing):

TAXTUAYS

APRONS

H/S

50

Support Facilities Available:

POL:

AV GAS (gal) JET PUFL (gal) PLANNED FACILITIES OTHER POL

unk

Fixed Installations:

No. Type Cones. No. Type

2 unk 3 Barracka & Bldgs.

Related Transportation:

Hwy, AR (21 m1.)

Type loaded A/C that can be accommodated and extent of operations:

Marine and the same report from the	FULL OPER.	MIN. OPER.	I ENERGIA OI
TA CTICAL		F1000 and F100D	
CARGO	None	C5L	C130

Remarks:

SEC TOT

Country: IRAN

HIF. NO. 160

Airfield: KUT ANDULVAN

Elev. 80 ft.

Geographic Coordinates: 31 13N 48 MCE

Number Runneys: 2

-	Roo	L & W	OPTENT.	TYPE CONST.	CAPACINY	EXTo
Ramays:	3.	60000150	MIB/SEW	Ord Sorth	Lt. Craft	unlin
	2	6000x150	MEN/ESE	Brick	unknom	1000MM Ual ESE

Operating Areas (STAC Wing):

TAXIWAYS

APRONS

HIS

nons

NO.THO

none

Supprot Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

none

11902

FCCE

DODA

Fired Installations:

HANGARS PERS. ACCCH.

MISC. BLDG.

nons

none

Related Trans, mtation

Hury, RR. W

Type loaded A/U that can be accuracedated and extent of operations:

	FULL OPER.	MIN. OPER.	IMBEGENCI
TACTICAL	наклона	uzimova	unlmossu
CARGO	unknown	unknown	vnlcoom

Romanks:

Not reported maintained since 1951.

Civil Airiimes use in winter.

Country: MUSCAT & OHAN

REF. NO. 161

Atritold: DAQQAM

Elev. 50 ft.

Geographic Coordinates: 19 LIN 57 398

Number Romways: 1

	No.	I.S.W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1.	6000x180	nne/ssw	Sand	000وبليا	unlim NNE

Operating Areas (% TAC Wing):

TAXTWAYS

APRONS

H/S

none

none

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

Emer. Stock

unknown

unknown

unknown

Fixed Installations:

HANGARS

PERS. ACCOM.

MISC. BLDG.

Avail. (unk)

none

Related Transportation:

none

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL		F100G and F100	0
CARGO	none	654	C130

Construction 1954 to support Petroleum Concess. Ltd. nearby.

36

Country: PAKISTAN

REF NO. 1.62

Airfield: GILGET

Elev. 4890 ft.

Geographic Coordinates: 35 54N 74 21E

Number Runways: 1

	No.	IÆW	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	6000x150	ene/wsw	Sand	40,000	500 WSW

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

none

none

none

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal) PLANNED FACILITIES

OTHER POL

unknown

unknown

unknown

unknown

Fixed Installations:

HANGARS Type Const.

PERS. ACCOM.

MISC. BLDG.

none

none

Meteor Radio

Administration

Storage

Related Transportation:

unknown

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY	
TACTICAL		- F100C and F100D	•••••	-
CARGO	none	T 654	C130	

Remarks:

Only VFR flights authorized because hazardous terrain and limited navig. aids. Rainfall sparse, no freeze.

Country: IRAN

PEF. NO. 163

Airfield: JASK

Elev. 19 ft.

Geographic Coordinates: 25 39N 57 her

Humber lanways: 2

	No.	1. 5. 18	OPTELL"	TIPE (73	CAPACITY	LEXI
Runnayar	1	6050x200	ENE/WSW	eas d	14,000	3000%*1.4
	5	3600x200	15/4	unic	ugyik	wh

(perating Areas (% TAC Wing):

TAXIWAYS

APRONS

E/8

none

none

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) FLANNED FACILITIES OTHER FOL

Idmited

unk

unk

Fixed Installations:

NO Type

PERS. ACCOM.

MISC. N.DG.

noke

50-pers

Administration

perm Storage

Related Transportation:

RR. Water

Type loaded A/C that can be accommodated and extent of operations:

Martin Ph. (1971) in also the Committee of	PULL OPER.	MIN. OPER.	FRERGENCY
TACTUCAL		- Flood and Flood	on one to
CARGO	none	C514	C1.30

Remarks:

Excellent National Airfield.

Flat solid foundation. .

Used emergency only.

Unusable after heavy rains.

Country: IRAN

REF. NO. 164

Airfield: KHURRAMARAD Elev. 3.750 ft.

Geographic Coordinates: 33 26N 48 18E

Number Runways: 1

	No.	L & W	CRIENT.	TYPE CONST.	CAPACITY	EXT.
Runwayu	1	6000x240	u nk	Gravel	lılı,000	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

0

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL ---- None ----

Fixed installations:

No. Type Const. PERS. ACCOM.

None

None

None

Related Transportation:

Hwy

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERODN CY
TACTICAL		- F1000 and F100D -	and the state of t
CARGO	None	C51:	6130

Remarks:

Deteriorated from lack of maintenance,

Country: ISRAEL

REF. NO. 165

Airfield: MEGIDDO

Elev. 201 ft.

Geographic Coordinates: 32 36N 35 1LE

Number Runways: 2

	No.	Lew	ORJENT.	TYPE COMST.	CAPACETY	EXT.
Runways:	1	6000x150	E/W	Maca.	urknown	1000
	2	4500x150	nnw/sse	Maca.	urkasowa	ea. end

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

03

70

20

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

unknown

unknown

unknown

Fixed Installations:

山,800

HANGARS No. Type Const. PERS. ACCOM.

MISC. BLDG.

none

unknown

110/00

Related Transportation:

Hwy, RR, WW

Type loaded A/C that can be accommodated and extent of operations: FULL OPER. MIN. OPER.

TACTICAL ---- unknown ----CARGO ----- unknown -----

Remarks:

Not currently operating.

Occasionally used for maneuvers.

Country: PAKISTAN

REF. No. 166

Airfield: WEGOWAL

Elev. 610 ft.

Geographic Coordinates: 32 11M 72 316

Wal r ! mways: ?.

· PM hardisonal reservants described and	30.	1, & W	ORTERI.	150 TO 150 T	CAPACTEY	EV2
Runeaya:	1	6000x150	KE/SW	Unitedan	55,400	750°ME. 500°SW
4	2	3750x150	NH/SE	Unione wh	55,400	500'SW - 2700'NW, 225'SE

Operating Areas (% TAC WING):

TAXILAYS

APRONS

H/S

50

33

88

Support facilities Available:

POL:

AV CAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

none

none

none

Fixed Installations:

HANCARS PERS. ACCOM.
No. Type Const. No. Type

MISC. ELDG.

none

none

none

Related Transportation:

Dirt road, RR

Type loaded A/C that can be accommodated and extent of operations:

Miles of the State of	FULL OPER.	MIN. OPER.	EMERCENC!
TACTICAL	F1.006	and	11000
CARGO	none	CSII	Cl.2l:

Remarks:

Not used but probably usable.

M DDL EAST AT FIELD STUDY

Country: ECYPT

JEP. a. 1.67

Airfield: GiBEL HAMZ

Elev. 200 ft.

Geographic Coordinates: 30 10N 30 bet

Number hunways: 2

	No.	I & W	OEJENT.	TIPL CONST.	CAPACITY	FAT.
Runweys:	1	6000x 3 .50	uni/sie	bitum, maca	Unknown	3000 Ea.
	5	45 00x150	NAE/SOR	bitum, mace.		1,000 mag 1,000 mag

Operating Areas (& TAG Ming):

TAYIVAYS

APRONS

H/S

100

100

140

Support Facilities Avuilable:

POLI

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

Unknown

Unkr. own

Unknown

Unknown

Fixed Installations

No. Type Const.

none

none

none

Related Transportation:

Hwy, RR, River

Type loaded A/C that can be accommounted and extent of operations:

	rom ore.	AEN. OPER.	EMEROINCY
TACTICAL	Unknown	Unknown	Unknown
CARGO	Unknown	Vaknowa	Unknown

Remarks:

Abandoned 1945, but reportedly being used by Fagots (MIC-15) and Beagles (IL-26) - R/W and taxiveys probably reconditioned.

Country: PAKISTAN

REF. NO. 168

Airfield: DRIGH ROAD

Elev. 20 ft.

Geographic Coordinates: 24 53N 67 07E

Musber Runways: 3

	No.	I. & W:	ORIEVI.	TYPE COUST.	CAPACITY	EXT.
Runways:	1	5850x150	enc/asw	Bit/Conc.	70,000	3000ENE 600WSW
	2	5100x15 0	ine/ssw	(good) Bit/Conc. (good)	100,000	600 SSW
	3	4500x150	ENE/WSW	Conc (good)	Liaison Aircraft	None

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

100

100

Support Facilities Available:

POL:

AV QAS (gal)

JET PUEL (gel)

PLANNED FACILITIES OTHER POL

unk

unk

Fixed Installations:

No. HANGARE

MISC. BLDG.

Conc. 11

2500 unspec. 50 bed hosp.

Supply, maint, Admin, Shops

Related Transportation:

Hwy, RR, WW

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	60 60 60 FO 80 40	F100C and F100D -	
CARGO	CSL	CSL	C12h

Remarks:

Royal AF Sta Fore 1939 surfacing runways 1944.

Pak AF take over 1947. Is main supply and main. depot.

Rumway #3 used mainly as taxi, but suitable for light aircraft.

Rummy #1 to be ext. to reported 8000.

Count 1 Yr

Mrs. N. 169

11x211x

il il fi bolom sea level

Description of the Party

Stricted Specific

150	1. de -	E g to the second	Will Kar	TOTAL PRI	137.
Someograph I	591,0x160	11/3	Aspha	55,000	aone
	LP OF KO	10/51	1	33,000	none
3	101-0054	510	1	13,000	110236
	4130-260	(0.00.03)	lu=.	12214	al Orbe

O at 1 5 6 (The wine).

11/01

H/S

To (poor).

100

100 (poor)

Support Fee 3 4 Avrilable:

AVG L (-1) JET HILL (al) PLANNED FACILITIES OTHER POL

mik

unde

Pland I ... lations:

Po. type Const. 123. Accel MISC. BIEG.

l unk

unk

semipten. Administration maperat. Abope

-tora

Salved Transportation:

Bwy, IB, W.

h a loaded A/C that can be accommodated and extent of operations:

	YULL OF	E. T	MIN.	N CO	-	I	-	J.	RO	mil	GX		_	-	-	
TACTICAL	F200C	end	F1000-			-		-								
GA 32 0	none	T	050			T	-	-	G2	21		-				-

Remarks:

 \mathbf{r}^{i}

SECRET

Country: EGYPT

REF. NO. 170

Airfield: HELWAN

Mev. 120 ft.

Geographic Coordinates: 29 50N 31 19E

Mumber Rummays: 4

1

	No.	L&W	ON LEIT.	TYPE COUST.	CAPACITY	LXT.
Rumways: 1	1	5700x150	:E/SW	lisca.	70,000	500 NE
	2	5400x150	NW/SE	Maca.	70,000	unlim SE
	3	14750±150	N/S	Maca.	70,000	unlim S
	14	4710x150	E/W	Maca,	70,000	unlim E

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

80

50

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

32,000

unknown

unlcown

none

Fixed Installations:

No. Type Const. PERS. ACCOM.

MISC. BLDG.

3 unknown

unk 500 pers

Hospital-30 bed

Administration

Holated Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	full oper.	MILN. OPER.	EMERGENCY
TACTICAL	~ ~ ~ ~ ~ ~	- F100C and F100D	
CAROO	C51 ₁	C130	C124

Remarks !

Myacuated by 'AF fighters because of runway condition.

Now used in conjunction with aircraft industry nearby.

Country: EGYPT

REF. NO. 171

Airfield: DEVERSOIR

Elev. 27 ft.

Ocographie Conrdinates: 30 25N 32 20E

Number Runways: 1

	No	L& W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways: 1	1	5820x150	n/s	maca.	36,500	none
	2	4900x150	E/W	maca.	36,500	900 E
3	3	4140x150	NE/SW	maca.	unk	300 W 500 Ea.End
	4	3900x15 0	NW/SE	maca.	unk	500 Es.End

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

unk

100

Support Facilities Available:

POL:

AV CAS (gal) JET FUEL (gal)

PLANNED FACILITIES OTHER POL

unknown

96,000

unknown

none

Fixed Installations:

No. Type Const.

PERS. ACCOM.

MISC. BLDG.

1 unknown

unk 62 pers

Hospital-25 bed

Perm. unk 852 pers

Stores

Related Transportation:

Hwy, RR, water

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	HLN. OPER.	DMBGG/CV
TACTICAL	F100C	F1.00D	F1000
CARGO	none	CSU	C130

Remarks

Used by Egyptian AF for mateors and Vampires.

Reported poor condition.



Country: IRAN

REF. No. 172

Airfield: TERRAN/DOSHAN TAPPEH Elev. 1,000 ft.

Geographic Coordinates: 35 h2N 51 288

Number Rumsays: 1

No.	L& W	GRIENT.	TYPE CORSE.	CAPACIETY	EXT.
Rusways: 1	5,700xi100	INVE/SSW	Anph.	85,000	1000 ea. end

Operating Awas (& TAC Wir,).

TAKKWAYS

APROES

H/S

100

100

TATELL

Support Facilities Available:

I OL:

AV CAS (gal) COT FUEL (gal) PLANNED PAULLITIES GMER POL

unk unk unk unk 11,000 (total)

Pired Installations:

HARITARE TYPE Type Const. No. Type

5 Intok

mul: 150 perce delinitiration

perm. 'hope

Related Transportation:

Hwy, ha

Type leaded A/C that can be accommisted and the commistation: TACTICAL .. - FIONS and 0130 CARGO U51

He marks:

Only Haint & Supply in Iron

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: ADEN

REF. NO. 173

Airfield: THAMUD

Elev. 2,350 ft.

Geographic Coordinates: 17 22N 50 00E

Number Runways: 1

	No.	L le W	CRIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	5700x150	N/S	sand	33,000	900 Ea. End

Operating Areas (% TAC Wing):

TAXIWATS

APRONS

H/S

none

none

nune

Support Facilities Available:

AV CAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

unknown

unknown

unknown

none

Fixed Installations:

HANGARS No. Type Const. No. Type

MISC. BLDG.

none

none

Related Transportation:

none

Type loaded A/C that can be accommodated and extent of operations:

	FULL OFFR.	MIN. OPER.	MINOMEY
TACTICAL	F86D	riocc	P1.00D
CAROO	none	C51	c130

Romerke

Used to support Army garrison at Thanad

Was used regularly by transport a/c in 1955.

Requires regular maintenance due to burrowing anima"...

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: TURKEY

REF. NO. 174

Airfield: YENISHHIR

Elev. 650 ft.

deographics:Coordinates: 40 15N 29 32E.

Number Runways: 1

	No.	L& W	ORIENT.	TYPE COAST.	CAPACITY	EXT.
Runways:	1	5940x150	NINE/SSW	Maca. (poor)	33,000	unk.

Operating Areas (% TAC Wing):

TAXTWAYS

APRONS

H/5

100

unlmown

100

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

Fixed Installations:

HANGAMS PERS. ACCOM.

MISC. ALTC

- none - - 2 Barracks

Quenset huts (3)

Related Transportation:

Hwy.

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPEIL.	MIN. OPER.	emeros. CY
TACTICAL	2860	1700C	Flood
CARGO	none	. C5h	C130

Hemarks:

Presently inactive but development to "SHAPE" projected.

Country: ENYPI

REF. NO. 175

Airfield: EL ARISA

Elev. 150 ft.

Geographic Goordinstes: 31 OhN 33 49E

Number Runways: 2

	110.	L&W	ORIENT.	TYPE COT.	CAPACITY	LXT.
Runways	1	5700x150	nw/se	Maca.	unknown	1000 ea
	2	5060x150	E/W	Maca.	unknown	600E 1000W

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

45

80

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

---18,000 -----

none

Fixed Installations:

No. Type Const. No. Type

MISC. BLDG.

1 Steel 100 Tempo. &

Semi-perm. atorage

Administration &

Related Transportation:

Hwy, RR.

Type loaded A/C that can be accommodated and extent of operations:

	FU	LI	. (PI	R.		_	Ţ	MIN.	0	E	ì.		L	L	ir.	(G	. de	CY	_	_	_	
TACTICAL			-	•			-	-	unkno	MD	•	•	•	-	•	-		-	-		•	-	•
CARGO	-	-			-	-	-		unkno	wn	-			-		-						-	

Remarks

Used as auxiliary case for Jet fighters.

SECRE LI

Country: EGYPT

REF. NO. 176

Airfield: BALLAH

Elev. 10 ft.

Geographic Coordinates: 30 uln 32 16E

Number Runways: 3

No-	1. & W	CRIENT.	TYPE CONST.	CAPACITY	EXT.
1	5700x600	N/S	unknown	27,000	1000 ea
2	4740x600	wnw/ese	unknown	27,000	end SOONNW
3	4200x600	NE/SW	บลหกอพท	27,000	2000 ESE 2000 NE 500 SW
	1	1 5700×600 2 4740×600	1 5700x600 N/S 2 4740x600 WNW/ESE	1 5700x600 N/S unknown 2 4740x600 WNW/ESE unknown	1 5700x600 N/S unknown 27,000 2 4740x600 WNW/ESE unknown 27,000

Operating Areas (% TAC Wing):

TAXIWAYS

AFRONS

H/S

unknown

unknown

33

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

---- unknown - --

none

unknown

Fixed Installations:

HANGARS No. Type Const. No.

PERS. ACCOM.

MISC. BLDG.

3 Steel 500 Perm.

Admin., shops

Related Transportation:

Hwy, RR, WW

Type loaded A/C that can be accommodated and extent of operations:

***	FULL OPER.	MIN. OPER.	emergency
TACTICAL	F86P	F1000	F100D
CARGO	none	G123B	C130

Remarks:

Runway soft after heavy rain. Used by Egyptian and RAF as auxiliary field for training. Ops. ceased in 1955 - no maint, or use since.

Country: TURKEY REF. NO. 177

Airfield: ERZINCAN

Elev. 3.790 Ft.

Geographic Coordinates: 39 42N 39 31E

Number Runways: 1

	No.	L& W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runway:	1	5940x150	NW/SE	Concrete (det.)	114,000	Unk

Operating Areas (% TAC Wing):

TAXIWAYS APRONS

H/S

100

40

50

Support Facilities Available:

AV CAS (cal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

9 None

None

None

Fixed I ,allations:

E lars

PERS. ACCOM.

MISC. BLDG.

2 am. hospitals,

300- Barracks 2 am 400 (perm), camp site Hq.

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	an 40 we als 40	F100C and F100D	in an fa abca
CARGO	None	C54	C12h

Remarks:

Inactive.

Hldgs. used by Turkish Ground Forces.

Country: SAUDI ARABIA REF. NO. 178

Airfield: Al KHARJ

Elev. 1,500 ft.

Geographic Coordinates: 2h lin h7 21%

Number lunuage: 2

The state of the s	No.	L Ge 1.	oni sen.	Trie const.	CAPCITY	EXT
Rumeyn:	1	5 ,500 x200	MARI/SOE	gravol	14,000	1000 MW unlim SSE
	2	5,500x200	E/W	gravel		unlin eu

Operating money (TAC Wing):

TALIWAYS

AFTAMS

H/S

CHICA

2029

DONE

Deport For illusion Availables

FOL:

AV GOL (cal) JOT FUEL (gal) PLATHED PAGILITIES OTHER FOL

YMATOR

hoze

DOINE

Firmu Installationa:

No. Type Const. PERS. ACCOM.

MING. BLUG

I. U

none

several small bldgs.

Related Transportation:

Dovert track, FR

Type leaded A/C that can be accommedated and extent of operations:

	FULL OPER.	FIN. CLER.	THURSTANCY	
TACTICAL	F100D	71.000	Flood	A Property of
CARDO	nene	U514	C12l3	

Romarke:

Difficult to locate from air - currently inactive capable of supporting Commair 240 type aircraft - Saudi Arabia Government planning military a/f here.

SECRET

OF THE SECTION AND SECTION

Chinary:

ALC: Y

115. 170

A L Min to Maria

57 W - 21 III-

descriptor Screenball 2017 Land

			+[4 _ 1 _ 2 _ 2]	W. Sales	Ar LL	
14:7	1	South.	LIVE		60,000	.:A4r. SK
			ľ	sum/mith-	,510	1, 19,252
		Manne.		SHEET/AFFE	59,000	nen, a red

4.4

Tink

our restriction well the

CONTR FOL

6700

110

TO K

unl:

11r Tut. 12 107:

14/0 PS and Cone'

MISC. BLDG.

1 steel

none

Administation Several small. bldgs.

Riete h isper ation:

les ru trock

Type leaded A/C that can be accommodated and extent of operations:

	PULL 1	FIN. OPER.	PARECENCY
TAC. ICAL	F100.	17.00D	F1.00D
CARDU	C123A	C521	C1.24

Nemauks:

N/W not suitable for sustained C54 ops and unserv after heavy rains.

Subject to frequent unredictable sand storms.

Only airfield in oil rich 16 shore of Persian Gulf.

Schoduled for improvement to support Vickers and Viscount a/c.

SECRET

Country: TURKEY

REF. NO. 160

Airfield: ARIFITE

Elev. 130 ft.

Geographic Coordinates: 40 43N 30 22E

Number Runways: 1

1

	No.	L& W	ORIENT.	TYPE COMST.	CAPACITY	EXT.
Runways:	1	51,30x150	NNE/SSW	Asph.(poor)	unknown	u nk .

Operating Areas: (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

none

50

Support Facilities Available:

POL:

AV CAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

none

none

1,320,650 fal stor-

none

age proposed

Fixed Installations:

Type Const.

PERS. ACCOM. Type

MISC. BLDG.

none

75 perm.

30 bed hosp. nearby Admin., shops

Related Transportation:

Hwy, RR

Type loaded A/C that can be accommodated and extent of operations:

TACTICAL	Lt. liaison aircra	ift
INOTIONA	 ~	Unknown

Remarks:

ocheduled for improvement to NATO specifications, no const. as of 6-57.

Country: PAKISTAN

REF. NO. 181

Airfield: SHOLARI

Elav. 170 ft.

Geographic Coordinates: 25 20 N 68 12 N

Number Eurarays: 1

	No.	LICV	OFFENT.	TYPE CONST.	CAPACI TY	EXT.
Runwayes:	1	5700x1501	ne/sw	li ⁿ Tur-Mac.	unknown	2500 ea. end

Operating Areas (% TAC Wing):

TAXIMAYS

APRO'S

H/S

100

40

50

Support Facilities Available:

AT OAS (gal) JET FORL (gal) PLANNED FACILITIES OTHER POL

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM.

MISC. HLDG.

1 wood & steel 2,000 pers

One, sev. small

bldgs.

etone, frame . 1 roof

Related Transportation:

Hwy, HR, WW

Type loaded A/C that can be accommodated and extent of operations:

andrigh spheric charging a most in 1994 in 1970. I a print a sugar part of the state of the sta	FULL OPER.	MIN. OPER.	EMERGIENCY
TACTICAL	unknova	unknown	unknown
CARGO	unknown	unknown	unknown

Romarkes

Bholari used only occasionally by Lt. Aircraft & possibly Lt. transports. Runway particulty covered by drifting sand.

Country: TRUCIAL OMAN

REF. NO. 182

Airfield: TARIF

Elev. 4 ft.

Geographie Coordinates: 2h OhN 5h h5E

Mumber Runways: 2

	lo.	LEV	CRIENT.	TYPE CONS.	CAPACITY	EXT.
Runwaysı	1	5400x150	N/S	sand	10,000	unlim
	2	4950x150	E/W	aand	40,000	unlin

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

Done

none

55

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

unknown

unknown

unicnown

nons

Fixed Installations:

HANDARS No. Type Const. PERS. ACCOM.

MISC. BLDG.

2 unknown

none

none

Related Transportation:

Water

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN.OPER.	EMERGENCY
TACTICAL	F1.00D	FLOOD	P1.00D
CARGO	none	C5l ₁	0124

Remarks:

New aux a/f for light transport serving oil areas.

Suitable for Valetta and Viscount type a/c.

Vampire test recently completed damaged runway.

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: TRUCIAL OMAN REF. NO. 183

Airfield: JABAL ALI #2 Elev. sea level

Daographic Coordinates: 25 06N 55 11E

Number Runways: 2

ĺ	No.	1. & W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runnays:	7.	5460x130	NE/SW	certh	33,000	limit.
	2	5400×150	NNW/SSE	earth	33,000	none

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

none

none

8

Support Facilities Available:

POLE

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

none

none

none

none

Fixed Installations:

HANDARS Mc. Type Const.

MISC. BLDG.

none

none

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MON. OPER.	EMPLOENCY
TACTICAL	7 86D	FLOOD	F1.00D
CARGO	none	C5H	C1.30

Remarks:

Private to serve Jabal Ali oil fields.

In abandoned status suitable for med transport a/c.

Country MUSCAT & OMAN

REF. NO. 184

Airfield: HAS TRAH/BAS HILF

Elev. 53 ft.

Geographic Coordinates: 20 41%

Mumber Runways:

58 54E

	No.	L L W	ORIENT.	TYPE COUST.	CAPACITY	EXT.
Ronwayst	1	5100x150	nne/ssw	sand/gravel	130,000	3000 ea. end
	5	1,600x150	ene/wsw	sand/gravel	100,000	1000MSM 1000MSM

Operating Areas (% TAC Wing):

TAXINAYS

APROMS

11/5

100

unk

45

Support Facilities Available:

POL:

AV GAS (gal)

JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

28,000

unk

unk

unk

Fixed Installations:

HANDARS

PERS. ACCOM.

MISC. HIDG.

1 steel

50 pers semi-perm

Hq, Admin, etores, shope bombshelter

Related Transportation:

Track, RR, WW

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	ETHROENCY
TACTICAL	Flood	F1COD	Flood
CARGO	C54	C130	C130

Remarks:

Best sirfield along E coast of Arabian peninsula.

Drifting sends render Rig's unserv. during Monsoon season, from June to Sept.

R/W unserv. after heavy rains.

SECRET

Country: TURKEY

REF. No. 185

Airfield: KALKANLI

Elev. 2,980 ft.

Geographic Coordinates: 39 39N 30 his

Mumber Runways: 1

	No	LEW	ORIEN).	TIPE CORST.	CAPACITY	EXI.
Runmys:	1	5250x150	Nw/SE	conc.	33,000	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

5/8

3.00

vak

unk

Support Facilities Available:

POL:

AV GAS (gal) JET FULL (gal) PLANNED FACILITIES OTHER POL

none none none

none

Fixed Installations:

HANDARS. FERS. ACCOM.
No. Type Const. No. Type

none

none

nono

Related Transportations

Huy, RR

Type louded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMEROENCY
TACTICAL.	rasp	FLOOD	F1.00D
CARGO	3028	C5L)	C130

Remarks:

Scheduled for development.

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: YEVEN REF. NO. 186

Airfield: SAN'A

Elev. 7,000 ft.

Geographic Coordinates: 15 211 14 125

Number Russayn: 1

The state of the s	No.	A distribution of the second of the second of	CROENT.	TYPA COAST.	CAPACITY	EXT.
Ruraraysı	1	5250280	N/S	gravel	33,000	unk
per-sell montplants and annual	A 405 Shadow	material (September 1) and the constant				

Operating Areas (% TAG Wing):

TAXIMAIS APROMS

H/S

tink

unk

umic

Support Facilities Available:

POLs

AV CAS (gal) JET FULL (gal) PLANNED FACILITIES OTHER POL

unknown unknown

บรมโดงดพท

none

Fixed Installations:

HANDARS PERS. ACCOM.

ITSC. BLDG.

PATENTA

none

none

Related Transportation:

none

Type loaded A/C that can be accommodated and extent of operations:

AND THE RESERVE AND THE PARTY NAMED IN	PULL OFFIR	MIN. OPER,	EMERGERGY
TACTICAL	F86D	Floor	FLOOD
CAROO	none	CSh	C1.30

Romerkas

Poor support facilities.

A fair aux field.

Country: YEMEN

REF. NO. 187

Airfield: HUD Youk

Elev. 2 Ft.

Geographic cordinates: 11 50N 42 57E

Number Eurnays: 1

	Non	L&W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Rumay:	1	5250x150	N/S	IFFT T d. sand	сц7, 33,000	Unk

Operating Areas (% TAC Wing):

TAXIVAYS

APROLS

H/S

link.

Unk.

Unk.

Support Pacilities Available.

POL:

AV GAS (Lal) JET FUEL (Ral) PLANNED PACILITIES OTHER POL

2,000 Hone

None

None

Pixed Installations:

HANGARS

PERS. ACCOM.

EMERGENCY

None

Unk. 4 Stucco

bldgs.

Administration,

storage

Related Transportation:

may, W

Type lueded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPFR.	EMERGENCY
TACTICAL	F96D	F100D	Flood
CARGO	Rone	C574	C1.30

Remerks:

Aux. field. Used weekly as airline stop.

Dangerous soft mots.

Poor accessibility.



Country: SYRLA

REF. NO. 188

Airfield: T-4

Elav. 1,820 ft.

Geographic Coordinates: 34 33N 37 41E.

Number Hunwayn: 3

and the second distance and the second	No.	L&M	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Kunways:	1	5100x100	B/W	Clay	40,000	Unl. E
	2	2500x100	hm/sr	Clay	40,000	Unl. SE
	3	2400x100	NNE/88W	Clay	40,000	

Operating Areas (%TAC Wing):

TAXIWAYS

APRONS

H/S

Chienom

10

unknown

Support Pacifities / vailable:

POL:

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER POL

unknown

none

unknown

none

Fixed Installations:

No. Type Const. No.

PERS. ACCOM.

MISC. BLDGS.

none

50 Temp. .

Oil Co. Comp.

Related Transportation:

Hwy, RR

Type loaded A/C that canbs accom

	FULL OPER.	MIN. OPER.	EMERGENCY	
TACTICAL	P100D	Flood	F100D	
CARGO	none	054	C130	

Remarks:

R/W's 2 and 3 no longer in use. T-4 is the westernmost of 3 airfields by pipeline. Suitable for convent. fighter and light transport.

Country: ESTPT

hEF. No. 159

Airfield: LL TOR

Blov. 10 1t.

desgriphic ford nates: 17 17 1 750

N 786-0 1 2 1

600	10.	edings-of-gave	I to AT-	57.	CAPACITA	2.T.
itan ya f	Z	52502150	8/8	Asph.	110,000	unline 600 W

Oper " Branch of TAC - 1 :

. A I WAYS

CAUAS

H/S

FO IE

40

urik.

Support facilities Available:

Mills

17 CAS (Kal) JET FUEL (ENS) PLANNED FACILITIES OTHER POL

anknown unknown

none

unknown

Fixed Installations:

HANDARS PEGS. ACC M.

MISC. BLUG.

unk

Hosp. avail.

Related Transportation:

Track, W.

Type loaded A/C that can be accommodated and extent of operations:

The state of the s	FULL OFFILE	HIN. OPER.	EMERGENCY	- which has a
TACTICAL	FLOOD	F100D	F1COD	
CARGO	C54	C1.30	C130	

Remarks

Semmonal A/F for use during Moslem pilgrimage.

FIDLE FAST AIRF LD STUDY

Country: Yalk

REF. 10

Air No. 3: Elin ta Cama (Links) Elow Col 11.

Once when the state of the stat

Name - day

And the second second second	· No.	totalismos of the second) us in	T SYP ON SE	CAPACTORY	Annual reliable (2) an experimental fraction exists. Similar - Transformation is followed that the experiment is seen as t
tune ys:	X	A STATE	(1)5	intu en.	10,000	Urak
	ī	1 3a 50	34	int r	j 13 K	The I
					Type of the State of	the column about the self-through strategic

Operative service the factions:

TALLIAYS CONS

60

20

35

Support Farilities Avgilities

POL:

(

AV GAN (gal) JET FEL (gal) PLANNED FACILITIES OTHER POL

None None Fone

None

Fixed In tallatione:

Handaks PEr. ACCOM.

EISC. BLDG.

1 Steel

Mone

Nume

Related Transportation:

the , FIR

Type loaded A/C that can be accommodated and extent of operations:

N anna Calab from Pathering 1970 1985 pr	VOLL OPER.	RIN. OFER.	FREROENCY
TAGHETE	FLOOD	F1000	FLOOD
	tions de authorities desta reproprieta distribu directoristico.	and received state or respect, alternative species and distributions and desired and seek of the seek	C130
CAHOU	l'one	C5h	0130

Romarka:

Used for glider trng. in '54.

How wood for light alreraft.

Believed not suitable for T. F.

SECRET

Country: ADEN

REF. NO. 191

Adrifield: MUNEIRAS

Elev. 6,700 ft.

Geographic Coordinates: 14 00H LS L2F.

Number Runsage: 1

	No	L & W	CHEW.	TYPE CONST.	CAPACINY	EXT.
Rumays:	1	51.00x2l ₁ 0	E/W	earth	33,000	900 E
The same of the same of the same of	districted for 12.7	Springer, State 1984 with the set Springer and Springer a	Final Control of the State of t	-		

Operating Areas (% TAC Wing):

TAXIWAIS

APRONS

H/S

unk

unle

unk

Support Facilities Available:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

nona

none

none

Fixed Installations:

HANCARS PERS. ACCOM.
No. Type Coust. No. Type

MISC. BLDG.

none

none

none

Related Transportation:

none

Type loaded A/C that can be seconmodated and note: it of operations:

property of the contract of the property of	FULL OPPR	Men. Ofer.	EMERGENCY
TACTICAL	FE6D	F2.00D	F1.00D
CARGO	DONO	C5l ₁	C130

Remarks:

Fair weather aux field.

Used by civ. a/c from Aden to Reyan.

Country: ISRAEL

REF. NO. 192

Airfield: KFAR SIRKIN

Elev. 150 ft.

Geographic Coordinates: 32 05N 34 55K

Mumber Bunways: 3

Pro- Britanina e anglocalidado y	Noc	L&W	ORIENT.	TYPE COUST.	CAPACITY	EXT.
Runways:	1	5100x150	NV/SE	maca. (good)		8
	5	4890x150	WINI/ESE	Maca. (good)	100,000	1000 ea end
	3	4500x150	NNE/SEW	леса, (good)	100,000	1000 ea enc

Operating Areas (% TAC Wing):

TAXIWAYS

AFROMS

H/S

100

3.00

100

Support Facilities Available:

()

AV GAS (gal) JET FUEL

PLANNED FACILITIES OTHER FOL

13,500

unk

tunk

unk

Fixed Installations:

HANG ARS No. Type Const.

PERS. ACCOM.
No. Type

MISC. BLDG.

l steel

2 quonset

750 pers pera.

22 bed disp.

Admin, Ops, Stores, Shops

Related Transportation:

RR, Huy

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER	MARGENCY
TACTICAL	F100D	Flood	F100D
CARGO	C54	C130	C130

Remarks:

Officer training station since 1955.

Occasionally used by light e/c.

Country: IRAN

REF. No. 193

Airfield: AHVAZ NORTH

Elev. 200 ft.

Geographic Coordinates: 31 21N 48 40E

Number Runways: 1

	No.	Law	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runwayas	1	5200x150	unic	clay	帅,000	unk

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

40

unk

unk

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

unknown

unknown

unknown

none

Fixed Installations:

HANJARS No. Type Const. No.

PERS. ACCOM.

MISC. BLDG.

3 brick

unk 100 para

Administration

Shops Stores

Related Transportations

Hey, RR, water

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	F1.000	F1.00D	F1.00D
CARGO	none	C54	C1.30

Remarks

Runway probably capable of supporting C-54 in dry weather.

Country: IRAN

REF. NO. 194

Airfield: AHVAZ WEST Elev. 180 ft.

Geographic Coordinates: 31 19N 48 38E

Number Runways: 1

	No.	L & W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Rumwaya:	1	5200x150	unk	earth	33,000	unk

Operating Areas (% TAC Wing):

TAXIVAYS

APRONS

H/S

unk

unk

unk

Support Pacilities Available:

POL

AV OAS(gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

none

none

none

Fixed Installations:

HANDARS PERS. ACCOM.
No. Type Const. No. Type

MISC. BLDG.

none

none

unknown

Related Transportation:

Hwy, RR, water

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMEROENCY
TACTICAL	F86D	P1000	FLOOD
CARGO	none	C514	C130

Remarks

none

Country: SYRIA

REF. NO. 195

Airfield: PALMYRA

Elev. 1,310 Ft.

Geographical Coordinates: 34 34N 38 16E

Number Runways: 1

	No.	L&W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
nimay:	1	5100xhh00	ns/ew	hrd. snd., ; stone	33, 000	Unl. except

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

100

100

Unk

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gel) PLANNED FACILITIES

OTHER POL

Sm. reserve

Unk

None

None

Fixed Installations:

HANGARS No. Type Const. PERS. ACCOM.

MISC. BLDG.

1 Steel

200 Perm. (pcor)

Administration, Poverolant

Related Transportation:

Hwy

Type loaded A/C that can be accommodated and extent of operations:

FULL OPER.		MIN. OP AN.	EMERGENCY	
TACTICAL	F86D	Flood	F100D	
CARGO	None	C5L	C130	

Remarks:

1

Aux. field occasionally used for Med. transport opns.

Country: TO KEY

REF. NO. 196

ALF TO ALE KUTAHYA

Elev. 3,050 ft.

Geographic Coordinates + 39 43

J.O (11)

Number Turning

produce a grant of the same and a grant of the same an	-	1 1 1 1	O Prompto	A Ma	PATTERNA TINE	[2A]
T M.	i	50706150	1.4/53	Asplia	none	none
	7	507161	1 1 1 1 3 3	Cons	33,000	กาก

Oper L (2 TAU + 112):

TAL MIS

PROMS

9/5

100

201 e

Support cilities Available:

PO1 ...

AV G 5 (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POL

53,000

wik

un c

oil&mooil

Find Installations:

HANDARS PERS ACCOM.

MISC. BLDG.

Corr sweet unk 1700 pers

Hompital-30 bed

Administration Ops.

Pelacer "receportation:

Hay, Till

Type lorded A/C that can be accommedated and extent of operations:

	FULL OFER.	FIN. CPERC.	EMERGINICY	
TACTICAL	P860	F1COD	. LIOCD	
CARGO	none	C5/4	C130	

Remarks

Fluoding in winter

Used for basic raining of ground forces during winter.

Stores of a fow sircraft.

SECRET

SECRET

MIDDLE EAST AIRFIELD STUDT

Country: TURKEY

REF. NO. 197

Airfield: URFA

Elev. 1.850 ft.

Ceographic Coordinates: 37 USN

38 52E

Number Runways: 2

	lo.	L & W	ORLENT.	TYPE CONST.	CAPACITY	EXT.	7
Rumays:	1	5000,250	NE/SW	earth	33,000	none	
	2	5000x150	E/W	earth	33,000	none	
	2	5000x150	E/W	earth	33,000	Hone	

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/3

10

none

none

Support Facilities Available::

POL:

AV CAS (gal) JET FUEL (gal) PLANMED FACILITIES OTHER POL

none

none

none

none

Fired Installations:

Type Const.

MISC. BLDG.

none

none

none

Related Transportation:

Huy

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MJ., OPER.	MORGENCY
TACTICAL	F86D	F160D	F1000
CARGO	none	C54	C130

Remarks:

Seasonal aux airfield.

Can take C-47 fair weather.

SECRET

MIDDLE EAST AIRFIELD STUDY

Country: SAUDI ARABIA

REF. NO. 198

Airfield: HARADH

Elev. 1,200 ft.

Geographic Coordinates: 24 13N

49 OHE

Number Rumways: 2

	No.	L R W	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:	1	5000x100	N/S	gravel	33,000	unlim ea. end
	2	5000x100	E/II	gravel	33,000	unlim ea. eni

Operating Areas (% TAC Wing):

TAXIWAYS

APRONS

H/S

none

none

none

Support Facilities Availabla:

POL:

AV GAS (gal) JET FUEL (gal)

PLANNED FACILITIES

OTHER FOL

unk

unk

unk

unk

Fixed Installations:

HANGARS
Type Const.

PERS, ACCOM

MISC, BLDG.

none

unk

unk

Related Transportation:

Hwy

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	F86D	F100D	F1.000
CARGO	none	C514	C130

Remarks:

Private civilian airfield used by light air craft serving oil field.

Country: PAKISTAN

REF. NO. 199

Airfield: LANDHI

Elev. 140 ft.

Geographic Coordinates: 24 50N

67 10E

Number Rummays: 1

	No.	L & W	ORIENT.	TYPE CONST.	CAPACITY	EYT.
Runways:	1	5080 x15 0	Ε/W	conc/maca.	55,400	limited

Operating Areas (% TAC Wing):

TAXIWAYS

AFRONS

H/S

100

100

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES OTHER POOL

none

none

none

none

Fixed Installations:

HANGARS Type Const. PERS. ACCOM.

MISC. PLDG.

none

none

none

Related Transportation:

Hwy, RR, WW

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMERGENCY
TACTICAL	Flood	F100D	F100D
CARGO	none	C54	C130

Remarks:

Pakistan Air Force category "C" Airfield runway to be repared On notice. No bldgs in approach zones.

Would take more 50% original cost to put in oper. condition.

Country: JORDAN

REF. NO. 200

Airfield: H-5

Elev. 2130 ft.

Omographic Coordinates: 32 09N 37 11E

Number Runways: 3

	No.	L & W	ORIENI'.	TYPE COUST.	CAPACITY	EXT.
Runways:	1	5050x270	nm/se	sand	40,000	none
	2	4990x270	NE/SW	sand	40,000	500 ea end
	3	4800x520	E/W	sand	40,000	300E

Operating Areas (% TAC Wing):

TAXIMAYS

APRONS

H/S

none

none

none

Support Facilities Available:

POL:

AV GAS (gal) JET FUEL (gal) PLANNED FACILITIES

OTHER POL

limited

unk

unk

unk

Fixed Installations:

HANGARS No. Type Const.

MISC. BLDG.

none

none

none

Related Transportation:

Hwy

Type loaded A/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	eaeho ency
TACTICAL	Flood	F100D	FLOOD
CARGO -	None	C514	C130

Remarks:

Presently inactive. Could be used as FW emergency field. llwy served.

SECRET

Country: PAKISTAN

REF. NO. 201

Airfield: BANNU

Elev. 1605 ft.

Geographic Coordinates: 32 58N 70 32E

Mumber Runways: 1

	No,	LåW	ORIENT.	TYPE CONST.	CAPACITY	EXT.
Runways:				Clay (poor)		And the course of the control of the course

Operating Areas (# TAC Wing):

TAXIWATS

APRONS

H/S

none

none

none

Support Facilities Available:

POL:

AV OAS (gal)

JET FUEL (gal)

PLANNED FACILITIES OTHER POL

none

none

none

none

Fixed Installations:

No. Type

MISC. BLDG.

None

None

None

Related Transportation:

Hwy, RR

Type loaded i/C that can be accommodated and extent of operations:

	FULL OPER.	MIN. OPER.	EMPRIENCY
TACTICAL	F86D	FICOD	Flood
CARGO	None	C514	C130

Remarks:

Abandoned but still usable for limited operations.

No immediate plans for improvement.

SECRET

UNCLASSIFIED

AD 389 670

CLASSIFICATION CHANGED
TO: UNCLASSIFIED
FROM CONFIDENTIAL
AUTHORITY:

1 OCE, DAY 101, 04 30179

UNCLASSIFIED