NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U.S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.



veltino ATD-**U-64-100**

(1) 16 September 4 ر 64

(upper cares)

(FLUORIDES AND OXYFLUORIDES OF CHLORINE .

Review Article,

ATD Work Assignment No. 69

This is an unedited rough draft which has not been approved for publication and is intended for the use of the requestor only. Recommendations regarding future publication and dissemination are invited. The Aerospace Technology Division reserves the right to publish this report, after final editing, if it considers wider dissemination desirable.

Aerospace Technology Division 's Library of Congress, Washington, D.C.

FOREWORD

1 y

71

This report, prepared in response to ATD Work Assignment No. 69, presents limited information gathered from Soviet open source materials available at the Aerospace Technology Division and the Library of Congress. It covers the period from 1958 through June, 1964. The materials are divided into two parts corresponding to the principal questions raised in the Work Assignment. The presentation of the pertinent materials is summarized in a comment by the analyst. A list of references arranged in alphabetical order by author is included at the end of the report. Arabic numerals in brackets inserted in the text are the sequence numbers from the list of references.

INTRODUCTION

The Work Assignment can be summarized in two fundamental questions raised in connection with a 1962 article by G. N. Bogachov [1]: 1) What is the real name for the "new compound - perforkhlorid" mentioned in the article and why is it named "perftorkhlorid?" and 2) Are there any indications in the Soviet literature for higher fluorides of chlorine than trifluoride (CIF,)? The following materials are designed to supply limited information which will provide the answers (see the Comment) to the above-formulated fundamental questions.

"New compound - perftorkhlorid"

With respect to inorganic fluorine compounds Russian scientists follow a dual terminology — Russian and international [5][20], because a generally adopted Russian chemical terminology is absent [20]. This dual approach is reflected in the names of the fluorine compounds with chlorine and oxygen [10][20] and with chlorine alone (fluorides of chlorine) [5][20]. The former, such as perchloryl fluoride, FCLO, and fluorine perchlorate, F7LO, are designated indiscriminately as "perkhlorilftorid" [10][20], "khloratftora" [20], "khloriloksiftorid" [20] for FCLO, or "perkhlorat ftora" [20], "perkhloriloksiftorid" [20] for FCLO, The fluorides of chlorine are classified either as "galogenidy khlora" [5] [halides of chlorine] on the basis of their chemical composition, or as "ftoridy galogenov" [5] [20] fluorides of halogen] on the basis of the nature of the more electropositive element. Thus, chlorine monofluoride, CLF, and chlorine trifluoride, CLF, are named "ftoristyy khlor" [5][20] or "monoftorid khlora" [19][22], and "trekhftoristyy khlor" [4][5][10][16][20] or "triftorid khlora" [1][3][17][18][19][22], respectively. Often a Soviet author in the same article [10] or in two different articles [16][17] indiscriminately uses both names for the same fluoride of chlorine. However, a marked preference toward the "fluorides of halogen" terminology is noticeable in the 1960-62 publications [3][17][18][19] [22] but not in the earlier [5][16] or later [4][10] ones.

Russian scientists use such expressions as "higher forms" [5], "higher halides of chlorine" [5], "higher fluorides" [22], or "dimer" [5][22] (see page 3 below) for higher fluorides of chlorine than CIF. However, one source [4] describes chlorine pentafluoride as "pyatiftoristyy khlor." Bromine pentafluoride, iodine pentafluoride, and iodine heptafluoride are commonly referred to as "pyatiftoristyy brom" [5][10][20], or "pentaftorid broma" [3], "pyatiftoristyy iod" [5][8], and "semiftoristyy iod" [5][8][20], respectively. The names "perftorid khlora" or "broma" or "ioda" for higher fluorides of halogen were not found in any Soviet publication. The prefix "perftor" attached to the name of the basic unsubstituted compound is used as a rule for naming certain fluoro-organic compounds [8][9][11][12][13] [14][15]. This prefix was encountered in the Soviet name of only one inorganic fluorine compound - tetrafluorhydrazine, which is sometimes called "perftorgidrazin" [7].

In the investigation of the source of Bogachov's information on the "perftorkhlorid" a reference in his article to an American Source [23] was evaluated. Excerpts from a paragraph on p. 37 of this source are quoted below, alongside the translated sentence from p. 40 of Bogachov's article.

- 1 -

American Source [23], p. 37: "Others. There are many fluorides which are sold only in very small quantities Owing to its high dielectric strength, sulfur hexafluoride is being used on a limited scale as a gaseous insulator for electrical equipment. Perchloryl fluoride is a rather interesting new chemical.... Chlorine trifluoride is finding use in oil well drilling operations...consumption of stannous fluoride is actually very small

Bogachov article [1], p. 40: "Among other fluorides, small quantities of <u>sulfur hexa-</u> fluoride (as a <u>gaseous in-</u> <u>sulator</u> with high dielectric properties), <u>chlorine triflu-</u> <u>oride</u>, which is used in <u>drill-</u> <u>ing operations</u>, <u>stannous flu-</u> <u>oride</u>, and a <u>new compound -</u> "perftorkhlorid" — are produced."

Three other references in Bogachov's article were found helpful in evaluating the author's background and in projecting light on his chemical terminology. One of them [2] is the reference to a textbook by G. N. Bogachov written for foremen of the metal fluorides industry. The book deals with the technology of manufacturing fluorine salts. Two other books by G. N. Bogachov, which are listed as references 11 and 12 to his article, are not available at the Library of Congress or ATD. The first book deals with the technology of chromium and fluorine salts and the second with chemical raw materials in the [Soviet] Far East. Otherwise, not a single article by G. N. Bogachov could be found anywhere in the Soviet literature covered in this report.

Higher Fluorides Of Chlorine

Information concerning the existence of higher fluorine compounds with chlorine is very scarce. As late as 1960 a Soviet source [22] even claimed "an insufficient knowledge of ClF₃, the chemical properties of which are little known." However, the same source reported that "the ClF₃-Cl₂ and ClF₃-ClF systems were studied" but without results. An earlier (1956) Soviet monograph [20] noted only that "ClF₅ mentioned in a Western source is a misprint." Ya. A. Fialkov, a noted Soviet chemist and Corresponding Member of the Academy of Sciences UkrSSR [21] described in his 1958 monograph [5] all 12 known (up to mid-1956) interhalogen compounds not counting the corresponding ionic forms [5][6] and dimers. The highest fluoride of chlorine known at that time was ClF₃. The same author reported (p. 29) that according to literature a mixture of ClF and ClF₃ is formed in the reaction of chlorine with an excess of fluorine [presumabably, an

- 2 -

excess over stoichiometric ratio in ClF_3 ; also that FCl, reacting with chlorine is reduced to FCl (p. 198). The causes of nonexistence or considerable instability of higher molecular (ClF_5 and ClF_7) or ionic forms (ClF_4) of fluorine-chlorine compounds are discussed in the same monograph (pp. 323-332). Nevertheless the author cautiously assumes that "ClF, is able to react with all elements, except inert gases, oxygen, nitrogen, and perhaps P^t" (p. 38), and that "ClF reacting with fluorine is oxidized to possible higher forms" (p. 198). The later Soviet sources evaluated refer to chlorine trifluoride only as the most powerful fluorinating agent [18] or the most suitable liquid oxidizer in rocket fuel [10] and fail to mention any higher fluorides of chlorine. It is also noteworthy that perchlorylfluoride is named as a very promising, excellent oxidizer for oxygen and carbon-containing fuels [10], and American production of FClO, for rocket fuels is reported [14]. The first and unique positive indication for higher than FCl, fluoride of chlorine was found in a 1964 Soviet source [4] which reports a note in the British periodical "Science" (v. 141, 1963, p. 1039) on the preparation by an American chemist of a new compound — chlorine pentafluoride ("pyatiftoristyy khlor") from chlorine trifluoride and fluorine under high pressure.

The existence of a dimeric molecular form of $ClF_3 - (ClF_3)_2$ in the gas phase at low temperature is reported by Ya. A. Fialkov [5] from a 1947 German source and confirmed later [22]. This form is referred to as "dimer."

Comment

It seems clear from the evaluation of the above presented materials that the "new compound — perftorkhlorid" in the Bogachov article is perchloryl fluoride, mentioned in the American source [23]. The whole sentence in the Bogachov article including the name "perftorkhlorid" is a paraphrased paragraph from the American source (see p. of this report). It is, therefore, certain that the "new compound" is of American origin. The answer to the question of why perchloryl fluoride was translated as "perftorkhlorid" and not given one of the usual Soviet names given near the beginning of this report may be found in the background of the author. G. N. Bogachov's name is virtually unknown in the Soviet scientific literature; his works attest to an engineering background with a rudimentary knowledge of chemistry and chemical terminology.

Information collected from the Soviet open literature does not make it possible to answer one way or another the question of whether higher fluorides of chlorine than CIF₃ were prepared or are being produced in USSR. Even a 1963 Soviet source **[19]** mentioned chlorine trifluoride as the highest of halogen fluorides in connection with rocket fuels. The 1963 Western acknowledgment of the chlorine pentafluoride discovery was duly reported in a Soviet periodical but without comment.

REFERENCES

- 1. Bogachov, G. N. Problems and present state of production of fluorine compounds. Zhurnal VKhO, v. 7, no. 1, 1962, 39-47.
- 2. Bogachov, G. N.; S. Yu. Guz'. Production of cryolite, aluminum fluoride, and sodium fluoride [Proizvodstvo kriolita, ftoristogo alyuminiya i ftoristogo natriya]. Gos. nauch. o-tekhnicheskoye izd-vo literatury po chernoy i tsvetnoy metallurgii. Moskva-Leningrad, 1940, 167 p. [microfilm].
- 3. Chernyayev, I. I., Academician; N. S. Nikolayev; and Ye. G. Ippolitov. New ways of producing hexafluoroplatinate. Fluorination with chlorine trifluoride. IN: AN SSSR. Doklady, v. 132, no. 2, 1960, 378-379.
- Chlorine pentafluoride ["Pyatiftoristyy khlor"]. Priroda, no. 1, 1964, 112.
- 5. Fialkov, Ya. A. Mezhgaloidnyye soyedineniya [Interhalogen compounds]. Izd-vo AN UkrSSR, Kiyev, 1958, 394 p.
- 6. Fialkov, Ya. A., deceased; and Yu. P. Nazarenko. Study of inorganic halides by means of isotope exchange reactions. IN: Raboty po khimii rastvorov i kompleksnykh soyedinemy. Ak. N. UkrSSR, Institut obshchey i neorganicheskoy khimii, no. 2, 1959, 116-134.

T

- Hofman, K. J.; R. G. Neville. Nitrogen containing fluorides and their organic derivatives. Uspekhi khimii, v. 32, no. 8, 1963, 984-1010.
- Hudlicky, Milos. Khimiya organicheskikh soyedineniy ftora [Chemistry of organic fluorine compounds]. Translated from Czech. Moscow, Gos. nauchno-tekhnich. izd-vo khim lit-ry*, 1961, 372 p.
- 9. Khramchenkov, V. A.; A. V. Zimin. Effect of Y-radiation from Co⁶⁰ on perfluorodienes. Zhurnal VKhO, v. 6, no. 4, 1961, 468-469.
- 10. Knunyants, I. L. and A. V. Fokin. Pokoreniye nepristupnogo clementa [Conquest of an impregnable element]. Moscow, Izd-vo AN SSSR, 1963, Nauchno-populyarnaya seriya. 189 p.
- 11. Knunyants, I. L., and M. P. Krasuskaya. Derivatives of perfluorodicarboxylic acids. IN: AN SSSR Izvestiya. Otdel. khim. nauk, no. 1, 1963, 190-192.
- 12. Knunyants, I. L., Acad.; Ye. Ya. Pervova, and V. V. Tyuleneva. Perfluoroalkenylphosphinic esters. IN: AN SSSR. Doklady, v. 129, no. 3, 1959, 576-577.

- 5 -

 Knunyants, T. L., Academician; V. V. Shokina and Li Chih-Yuan. Perfluorodienes. IN: AN SSSR. Doklady, v. 129, no. 2, 1959, 328-330.

 Knunyants, I. L., Academician, and N. N. Vorozhtsov, Corresp. member of the Acad. of Sc. USSR. International Symposium on fluorine Chemistry in Birmingham. Zhurnal VKhO, v. 5, no. 1, 1960, 85-92.

1

- 15. N. G. Tetrafluorallene [T. L. Jacobs, R. S. Bauer, J. Am. Chem. Soc, 81, 606 (1959)]. Zhurnal VKhO, v. 5, no. 1, 1960, 95.
- 16. Nikolayev, N. S.; Buslayev, Yu. A.; Opalovskiy, A. A. Synthesis of higher Nb, Ta, and Mo fluorides by means of chlorine trifluoride. Zhurnal neorganicheskoy khimii, v. 3, no. 8, 1958, 1731-1734.
- 17. Nikolayev, N. S.; Yu. A. Buslayev; and S. V. Vlasov. Chemical dehydration of hydrogen fluoride. Zhurnal neorganicheskoy khimii, v. 7, no. 4, 1962, 945-946.
- 18. Nikolayev, N. S. and Ye. G. Ippolitov. Preparation of rheniumhexafluoride by fluorination of the metal with chlorine trifluoride. IN: AN SSSR. Doklady, v. 134, no. 2, 1960, 358-359.
- 19. Nikolayev, N. S.; and Yu. D. Shishkov. Fluorination of Uranium tetrafluoride with chlorine trifluoride. IN: AN SSSR. Doklady, v. 143, no. 1, 1962, 130-132.
- 20. Ry*ss, I. G. Khimiya ftora i yego neorganicheskikh soedineniy [Chemistry of fluorine and its inorganic compounds] Goskhimizdat, Moscow, 1956, 718 p.
- 21. R. . I. G.; Ya. A. Fialkov. Interhalogen compounds. Zhurnal neorganicheskoy khimii, v. 4, no. 8, 1959, 1941-1942.
- Shishkov, Yu. D.; and A. A. Opalovskiy. Physicochemical properties of chlorine trifluoride. Uspekhi khimii, v. 29, no. 6, 1960, 760-773.
- 23. Stuewe, A. H. Hydrogen Fluoride. Chemical and Engineering News, v. 36, Dec. 22, 1958, 34-38.

- 6 -