

UNCLASSIFIED

AD NUMBER
AD491678
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; FEB 1952. Other requests shall be referred to Office of Naval Research, 800 North Quincy Street, Arlington, VA 22217-5660.
AUTHORITY
ONR ltr, 26 Oct 1977

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

AD. 491678

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION ALEXANDRIA, VIRGINIA



UNCLASSIFIED

Best Available Copy

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

491678



**Best
Available
Copy**

WOODS HOLE OCEANOGRAPHIC INSTITUTION,
Woods Hole, Massachusetts

Reference No. 52-15

MARINE METEOROLOGY:

On the Determination of Moisture
Gradients from Radiosonde Records

By

Andrew F. Bunker

(Technical Report No. 17.
Submitted to the Office of Naval Research
Under Contract N6onr-27702 (NR-082-021)

February 1952

APPROVED FOR DISTRIBUTION



Director

ABSTRACT

The humidity indicated by the rapidly rising radiosonde lags behind the true humidity of the air, making moisture gradient determinations uncertain by a factor of 4. Application of isothermal laboratory determinations of the lag to the readings may be misleading because the radiosonde, in rising through the atmosphere, usually passes from warm air to cooler air. The lag of the strip may be quite different under these circumstances. By comparison of radiosonde reports with airplane humidity soundings, it is found that in the case of the radiosonde moving from warm, dry air (about $-5^{\circ}\text{C}.$) to cooler, moister air (about $-18^{\circ}\text{C}.$) the lag decreases to 10 to 20 seconds. Using these lags and assuming an exponential approach to the final value, more nearly correct values of the humidity at particular heights can be computed from the radiosonde records.

I. Introduction

A vast file of upper air data has been accumulated during the past two decades from radiosonde reports from all parts of the globe. The usefulness of this material is restricted by the performance of the humidity element, which, in spite of tremendous improvements, has a few shortcomings. The particular characteristic discussed in this paper is the time of response of the electric humidity strip to changes in humidity and temperature. Knowledge of the lag of the element is of prime importance if exact values of the humidity or humidity gradients are desired.

A. Wexler (1949) has studied exhaustively the lag of the humidity strip at many temperatures and humidities and has found it to follow a very complex pattern. He gives values of the lag which show that it varies not only with the temperature and humidity, but also with the direction and magnitude of the humidity change. A point not checked is the lag time when the change in humidity is small and continuous and occurs non-isothermally. As the radiosonde in actual use always moves through regions of continually changing temperature and humidity, it is important to determine the lag under this condition. It may be reasoned that if a humidity strip is warmer than the surrounding air, by virtue of its large thermal lag, it will heat the air immediately in contact with it, thereby changing its relative humidity. If this relative humidity

change is in the same direction as the change in the outside atmosphere with height, then the effective lag of the strip is greatly reduced. However, if the two changes are in opposite directions, the effective lag is, of course, increased. It is apparent that no one correcting factor can be applied to Wexler's published lag to cover all the situations occurring in the atmosphere.

It is found upon investigation that the radiosonde always reports a more rapid decrease of mixing ratio with height than actually exists. This peculiarity arises because the radiosonde is a relative humidity measuring device and the most frequently occurring condition in a turbulently mixed layer of the atmosphere is a rise in relative humidity coupled with a decrease in temperature with height. The effect of the lag and the warming of the air next to the strip is to report relative humidities that are too small, and hence, mixing ratios that decrease with height, even when the actual mixing ratios remain constant with height. It is of interest to note at this point that a rapidly rising dew-point recorder with considerable lag would report a slight increase in mixing ratio under similar circumstances. A comparison of the relative humidity and mixing ratio values of the Portland, Maine, 1500 z, February 3, 1950 radiosonde ascent with the values obtained from a dew-point recorder carried by a DC-3 aircraft circling Portland at 1900 z is presented in Figure 1. The various features of a turbulently mixed ground

layer and the radiosonde's interpretation of the relative humidity and mixing ratio are shown clearly.

II. Determination of Effective Lag.

The lag of the humidity strip under the conditions of its ascent through the atmosphere has been determined through comparison with the humidities obtained by airplane-carried psychrographs. An airplane equipped with a humidity measuring device can climb at a controlled, low rate. This assures that no appreciable errors due to lag occur. From an airplane ascent made at the time and place of release of a radiosonde-carrying balloon exact values of the humidity can be established at several heights. The difference between the airplane and the radiosonde values will be a measure of the effective lag with the given thermal and humidity lapse rates.

The easiest way of computing the lag is to assume that the humidity strip follows the exponential decay law as do thermometers. Apparently, the strip does not hold strictly to the law, but varies somewhat irregularly. Nevertheless, the function may be considered a sufficiently good representation of the strip's response for present purposes. Following Middleton, (1942),

$$\theta_1 - \theta_e = -\beta \lambda (1 - e^{-t/\lambda}) \quad (1)$$

where θ_1 is the indicated relative humidity at a particular height, and θ_e , the humidity of the environment at that height.

β is the time rate of change of humidity relative to an ascending balloon, i.e., $\theta_e = \theta_1 + \beta t$, λ is the lag of the element, and t , the time interval. If θ_e and β are known from the airplane observations, then λ can be found.

This calculation has been carried out for three sets of synoptic airplane and radiosonde data available in the files of the Oceanographic Institution. The first set was obtained over Portland, Maine, on February 3, 1950. The airplane humidity measurements were obtained with a dew-point temperature recorder only a few hours after the release of the radiosonde balloon by the U. S. Weather Bureau. As a steady NW wind was blowing, no significant change in the humidity structure of the layer occurred. In the main body of the ground layer the dry-bulb temperature dropped adiabatically from -5°C . to -18°C . near the base of the ground layer inversion, and an increase with height of the relative humidity of 40% (corresponding to a slight decrease in the mixing ratio) occurred. Under these circumstances the heating of the air by the strip opposed the increasing humidity of the air and the lag increased greatly, to 165 seconds. The lag found in the lowest 130 m, where the relative humidity decreased rapidly, was 10 seconds.

On January 17, 1950, airplane observations were made in the Boston area. These have been compared to the Portland radiosonde. A lag of 105 seconds was found for the upper region of the ground layer where the relative humidity rise occurs. In

the lowest 200 m, where a humidity decrease occurs, the lag drops to 20 seconds. The temperature of the air was 1°C. near the surface and -12°C. at 1450 m.

On September 5, 1950, an airplane equipped with a psychograph made several ascents through the ground layer of air over the island of Nantucket at about the time of release of the U. S. Weather Bureau radiosonde balloon. From the records of the two ascents, a lag of 60 seconds was computed. On this occasion the air temperature varied from 17°C. at the ground to 7°C. at 1300 m. Table I presents these findings together with the lag determined by Wexler which most nearly corresponds to the conditions found in the atmosphere.

III. Determination of the True Values of the Humidity.

The rate of change of humidity relative to the rising balloon can be computed most easily from the following form of equation (1):

$$\beta = \frac{\theta_i - \theta_1}{t - \lambda(1 - e^{-t/\lambda})}, \quad (2)$$

where θ_1 is an initial reading of the humidity strip. This reading may be either the value obtained in the instrument shelter prior to release, or the value at the base of a column of air with a particular humidity gradient. Once the value of λ is determined, the true humidities of the air can be found at all heights up to the point where the gradient changes. The

TABLE I

Lags of humidity strips determined in flight

Date of determination	Lag, in seconds	Humidity change	Temperature °C.	Lapse rate °C/100 m	Lag determined by Wexler (1949) seconds
Feb. 3, 1950	165	increase	-5 to -18	1.0	40
	10	decrease	-4 to -5	1.0	20
Jan. 17, 1950	105	increase	-1 to -12	0.9	40
	20	decrease	1 to -1	1.0	20
Sept. 5, 1950	60	increase	17 to 12	0.9	not determined

value of λ may be selected from Table I.

For greater accuracy, further tests should be made for conditions not covered by the present tests. The values presented together with Wexler's values are sufficient to greatly improve the accuracy of mixing ratio gradients determined from radiosonde records.

The Bermuda January 18, 1951, 0300 z radiosonde is presented here as an example of a sounding that is made more intelligible by correction for the lag of the humidity element. Weather observers reported 7 - 8/10 sky coverage of stratocumulus translucidus with a base at 1000 m to 1500 m, yet the radiosonde reported a relative humidity at the cloud level of but 87%. If the radiosonde is corrected for the lag of the humidity element, a relative humidity of 97% is obtained. This value is much more compatible with the presence of clouds. A value of 60 seconds was employed for the lag in the region in which the relative humidity increased as the temperature decreased from 13°C. to 4°C. The correction modifies the mixing ratio gradient from $-8 \times 10^{-9} \text{ cm}^{-1}$ to $-1 \times 10^{-9} \text{ cm}^{-1}$, a value more consistent with gradients determined from airplane observations. Figure 2 has been drawn to show the original and the corrected values of the relative humidity and the mixing ratio.

Mixing ratio gradients determined from the February 3, 1950 radiosonde reports without correction for lag are found

to be $4 \times 10^{-9} \text{ cm}^{-1}$, while the gradient determined from the dew-point recorder values is $1 \times 10^{-9} \text{ cm}^{-1}$. Thus the two determinations differ by a factor of 4. The September 5, 1950 radiosonde yields a value in error by a factor of only 1.5, as the strip response is faster at the higher temperatures occurring on this day.

References

- Wexler, Arnold, 1949: Low-temperature performance of radiosonde electric hygrometer elements. Jour. Res., Nat. Bur. Stan. Vol. 43, pp. 49-56.
- Middleton, W. E. K., 1942: Meteorological Instruments. Toronto: University of Toronto Press. 213 pp., 160 figs.

Legend

Figure 1. Comparison of radiosonde and dew-point recorder determinations of the relative humidities and mixing ratios in the turbulently mixed ground layer over Portland, Maine.

Figure 2. Original and corrected Bermuda radiosonde. The correction was computed on the basis of a 20 second lag in the lowest region and a 60 second lag in the upper region.




FIG. 1




FIG. 2

Technical Report Distribution List
ONR Project NR-082-021

10 January 1952

- 1 -

<u>Address</u>	<u>Copies</u>
Chief of Naval Research, Navy Department, Washington 25, D. C. Attention: Code 416	3
Director, Naval Research Laboratory, Washington 25, D. C. Attention: Technical Information Officer, Code 2000	9
Commanding Officer, Office of Naval Research Branch Office, 346 Broadway, New York 13, New York	1
Commanding Officer, Office of Naval Research Branch Office, 844 North Rush Street, Chicago 11, Illinois	1
Commanding Officer, Office of Naval Research Branch Office, 1030 E. Green Street, Pasadena 1, California	1
Commanding Officer, Office of Naval Research Branch Office, 1000 Geary Street, San Francisco, California	1
Commanding Officer, Office of Naval Research Branch Office, 150 Causeway Street, Boston, Massachusetts	1
Officer in Charge, Office of Naval Research, Navy #100, Fleet Post Office, New York, New York	3
Department of Aerology, U. S. Naval Post Graduate School, Monterey, California	1
Aerology Branch, Bureau of Aeronautics (Ma-5), Navy Department, Washington 25, D. C.	1
Mechanics Division, Naval Research Laboratory, Anacostia Station, Washington 20, D. C., Attention: J. E. Dinger, Code 3820	1
Radio Division I, Code 3420, Naval Research Laboratory, Anacostia Station, Washington 20, D. C.	1
Meteorology Section, Navy Electronics Laboratory, San Diego 52, California, Attention: L. J. Anderson	1
Library, Naval Ordnance Laboratory, White Oak, Silver Spring 19, Maryland	1

Technical Report Distribution List
ONR Project NR-082-021

10 January 1952

- 2 -

<u>Address</u>	<u>Copies</u>
Bureau of Ships, Navy Department, Washington 25, D. C. Attention: Code 851	1
Bureau of Ships, Navy Department, Washington 25, D. C. Attention: Code 814	1
Bureau of Ships, Navy Department, Washington 25, D. C. Attention: Code 327	2
Chief of Naval Operations, Navy Department, Washington 25, D. C. Attention: OP-533D	2
Oceanographic Division, U. S. Navy Hydrographic Office, Suitland, Maryland	1
Library, Naval Ordnance Test Station, Inyokern, China Lake, California	1
Project AROWA, U. S. Naval Air Station, Building R-48, Norfolk, Virginia	1
The Chief, Armed Forces Special Weapons Project, P. O. Box 2610, Washington, D. C.	1
Office of the Chief Signal Officer, Engineering and Technical Service, Washington 25, D. C., Attention: SIGGE-M	1
Meteorological Branch, Evans Signal Laboratory, Belmar, New Jersey	1
Office of the Quartermaster General, 2nd and T Streets, S.W., Washington 25, D. C., Attention: Environmental Protection Section	1
Office of the Chief, Chemical Corps, Research and Engineering Division, Research Branch, Army Chemical Center, Maryland	2
Commanding Officer, Air Force Cambridge Research Labora- tories, 230 Albany Street, Cambridge, Massachusetts, Attention: ERHS-1	1

Technical Report Distribution List
ONR Project NR-082-021

10 January 1952

- 3 -

<u>Address</u>	<u>Copies</u>
Chief of Staff, Headquarters USAF, The Pentagon, Washington 25, D. C., Attention: AFDRD-RE	1
Headquarters, Air Weather Service, Andrews A. F. Base, Washington 20, D. C., Attention: Director Scientific Services	2
Commanding General, Air Material Command, Wright Field, Dayton, Ohio, Attention: MCREEO	1
Commanding General, Air Force Cambridge Research Center, 230 Albany Street, Cambridge 39, Massachusetts, Attention: CRHSL	1
Commanding General, Air Research and Development Command P. O. Box 1395, Baltimore 3, Maryland, Attention: RDDG	1
Department of Meteorology, Massachusetts Institute of Technology, Cambridge, Massachusetts, Attention: H. G. Houghton	1
Department of Meteorology, University of Chicago, Chicago, 37, Illinois, Attention: H. R. Byers	2
Institute for Advanced Study, Princeton, New Jersey, Attention: J. von Neumann	1
Scripps Institution of Oceanography, La Jolla, Califor- nia, Attention: R. Revelle	1
General Electric Research Laboratory, Schenectady, New York, Attention: I. Langmuir	1
St. Louis University, 3621 Olive Street, St. Louis 8, Missouri, Attention: J. B. Macelwane, S.J.	1
Department of Meteorology, University of California at Los Angeles, Los Angeles, California, Attention: M. Neiburger	1
Department of Engineering, University of California at Los Angeles, Los Angeles, California, Attention: L. M. K. Boelter	1

Technical Report Distribution List
ONR Project NR-082-021

10 January 1952

- 4 -

<u>Address</u>	<u>Copies</u>
Department of Meteorology, Florida State University, Tallahassee, Florida, Attention: W. A. Baum	1
Woods Hole Oceanographic Institution, Woods Hole, Massachusetts, Attention: C. Iselin	1
The Johns Hopkins University, Department of Civil Engineering, Baltimore, Maryland, Attention: R. Long	1
The Lamont Geological Observatory, Torrey Cliff, Palisades, New York, Attention: M. Ewing	1
The Johns Hopkins University, Department of Physics, Homewood Campus, Baltimore, Maryland, Attention: G. Plass	1
New Mexico Institute of Mining and Technology, Research and Development Division, Socorro, New Mexico, Attention: E. Workman	1
University of Chicago, Department of Meteorology, Chicago 37, Illinois, Attention: H. Riehl	1
Woods Hole Oceanographic Institution, Woods hole, Massachusetts, Attention: A. Woodcock	1
Iowa State College, Department of Physics, Ames, Iowa, Attention: J. E. MacDonald	1
Blue Hill Meteorological Observatory, Harvard University, Milton 86, Massachusetts, Attention: C. Brooks	1
Department of Meteorology, University of Washington, Seattle 5, Washington, Attention: P. E. Church	1
Laboratory of Climatology, Johns Hopkins University, Seabrook, New Jersey, Attention: C. W. Thornwaite	1
Institute of Geophysics, University of California at Los Angeles, Los Angeles, California, Attention: J. Kaplan	1
Department of Meteorology, New York University, New York 53, New York, Attention: B. Haurwitz	1

Technical Report Distribution List
ONR Project NR-082-021

10 January 1952

- 5 -

<u>Address</u>	<u>Copies</u>
Texas A & M, Department of Oceanography, College Station, Texas, Attention: D. Leipper	1
Massachusetts Institute of Technology, Department of Meteorology, 77 Massachusetts Avenue, Cambridge, Massachusetts, Attention: T. F. Malone	1
Cornell University, Department of Agronomy, Division of Meteorology, Ithaca, New York	1
Pennsylvania State College, School of Mineral Industries, Department of Earth Science, State College, Pennsylvania, Attention: H. Neuberger	1
Rutgers University, College of Agriculture, Department of Meteorology, New Brunswick, New Jersey	1
University of Texas, Department of Aeronautical Engineering, Austin, Texas, Attention: K. H. Jehn	1
University of Utah, Department of Meteorology, Salt Lake City, Utah, Attention: V. Hales	1
University of Wisconsin, Department of Meteorology, Madison, Wisconsin, Attention: V. Suomi	1
National Advisory Committee of Aeronautics, 1500 New Hampshire Avenue, N. W., Washington 25, D. C.	2
U. S. Weather Bureau, 24th and M Street, N.W., Washington 25, D. C., Attention: Scientific Services Division	2
Committee on Geophysics and Geography, Research and Development Board, Washington 25, D. C.	2
Air Coordinating Committee, Subcommittee on Aviation Meteorology, Room 2D889-A, The Pentagon, Washington 25, D. C.	1
American Meteorological Society, 3 Joy Street, Boston 8, Massachusetts, Attention: The Executive Secretary	1
Laboratory of Climatology, Johns Hopkins University, Seabrook, New Jersey, Attention: M. Halstead	1

10 January 1952

- 6 -

<u>Address</u>	<u>Copies</u>
U. S. Naval War College, Newport, Rhode Island	1

Additional Distribution List

<u>Person or Organization</u>	<u>Copies</u>
Brookhaven National Laboratory, Upton, L. I., N. Y. Meteorology Group	1
Chief, Meteorological Division, Biological Department Chemical Corps, Camp Detrick, Frederick, Maryland	1
Dr. August Raspet, Engineering and Industrial Research Station, Mississippi State College, State College, Mississippi	2
Dr. E. W. Hewson, Diffusion Project, Round Hill, South Dartmouth, Massachusetts	1
Official-in-Charge, Nantucket Weather Bureau, Nantucket, Massachusetts	1
Weather Officer in Charge, Weather Station, Otis Air Field, Sandwich, Massachusetts	2
Dr. Reid A. Bryson, Chairman, Meteorology Department, University of Wisconsin, Madison, Wisconsin	1
Dr. Hunter Rouse, Director, Iowa Institute of Hydraul- lic Research, State University of Iowa, Iowa City, Iowa	1
Head, Department of Physics, University of New Mexico, Albuquerque, New Mexico	1
Mr. Wendell A. Mordy, Hawaiian Pineapple Research Institute, Honolulu, Hawaii	1