

UNCLASSIFIED

AD NUMBER
AD493184
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 15 JUN 1948. Other requests shall be referred to Research and Development Division, Springfield Armory, Springfield, MA.
AUTHORITY
USAWC ltr dtd 13 Jul 1972

THIS PAGE IS UNCLASSIFIED

481364  
AD

# SPRINGFIELD ARMORY

RESEARCH AND DEVELOPMENT

D D C

REC'D  
APR 10 1967  
RECEIVED  
AW



ORD. DES. & DRAWING  
SMALL ARMS DIVISION

## TECHNICAL REPORT

Best Available Copy

PROJECT TITLE NONE

PROJECT NO. NONE

REPORT TITLE DEVELOPMENT OF ACCURACY  
ACCEPTANCE METHOD FOR CAL..30 M1 RIFLES.

SPRINGFIELD, MASSACHUSETTS

ITEM .30 R M1 DATE 15 June 1948 SA-TR 11-1017

CLASSIFICATION

OR CTI

DDC

UNANNOUNCED


IDENTIFICATION

BY: \_\_\_\_\_

DISTR. INFORMATION/APPROP. CODES

DFT. ADP. ENG. OR SPECIAL

**2**



RESEARCH AND DEVELOPMENT DIVISION  
 SPRINGFIELD ARMORY

TITLE: **6** Development of Accuracy Acceptance Method  
 for Cal..30 M1 Rifles.

REPORT NO: **14** SA-TR11-1017

AUTHORITY: 00474.2/1902, SA472.2/158  
 J.O. 6800-6880

**9** Technical rept.,

DATE: **11** 15 Jun 48

**12** 20p.

**10** H. F. Hawthorne

DDC  
**RECEIVED**  
 JUN 19 1948  
 A

*mt*

~~REDACTED~~  
 (331 450)

*act*

C C

~~XXXXXXXXXXXXXXXXXXXX~~

RESEARCH AND DEVELOPMENT DIVISION  
SPRINGFIELD ARMORY

15 June 1948

PROJECT NO: NONE

PROJECT TITLE: NONE

REPORT TITLE: Development of Accuracy Acceptance Method for  
Cal..30 M1 Rifles.

AUTHORITY: 00474.2/1902, SA472.2/158, J.O. 6800-6880

PRIORITY: 3A

OBJECT: To develop an acceptance plan for accuracy  
evaluation of the Cal..30 M1 Rifle which  
would be independent of fluctuations due  
to variations in ammunition quality.

SUMMARY: An investigation was made of the effect of  
rifles and of ammunition on dispersion pat-  
terns used for acceptance for accuracy. A  
method was developed which permits adjust-  
ment of the final acceptance value to com-  
pensate for variations in accuracy of am-  
munition used.

RECOMMENDATIONS: Recommendation is made that this method be  
incorporated in U. S. Army Specification  
52-1-21 to replace the present fixed ac-  
curacy limit.

DISTRIBUTION LIST

Ordnance Office ORDTIS	1
Ordnance Office ORDIS	2
Ordnance Office ORDTX-AR	1
Frankford Arsenal	2
Rock Island Arsenal	1

## RESTRICTED

### Subject:

Development of Accuracy Acceptance Method for Cal..30  
M1 Rifles.

### References:

OO474.2/122, SA474.2/2343  
OO474.2/1902, SA472.2/158  
SA. W.O. 920

### Introduction:

The U. S. Army Specification 52-1-21 states that accuracy requirements of the specification are to be met with standard service ammunition of known accuracy. This, at the initial time of writing, was Cal..30 M1 Ball Ammunition which gave excellent performance. During the war, the standard service ammunition was changed to M2 Ball and employed two types of bullet, the M2 Ball which was gilding metal jacketed and the M2 Ball alternative which was gilding metal clad steel jacketed. With the increased war time production and the change in type of bullet the accuracy of ammunition decreased. Since the specification does not allow any compensating change in accuracy acceptance limits, the rifle then had to absorb the increase in group size due to ammunition. This was manifestly impossible. Accordingly, a waiver was granted which permitted continued use of M1 Ball ammunition. This condition continued throughout the production of new rifles.

In the meantime, eighty-seven Cal..30 M1 Rifles were selected as being within drawing tolerances on those dimensions believed to affect accuracy. These were not of exceptional accuracy but merely representative of what could be expected of rifles manufactured to existing drawings. These rifles were fired with M1 Ball and with M2 Ball ammunition to determine the relationship existing between the two types of ammunition. Report of results is contained in W.O. 920. In brief, it was shown that due to the increased dispersion shown by both rifle and Mann barrel firings of the then available Cal..30 M2 Ball ammunition, it was impossible to meet the rifle specification with rifles made to drawing dimensions. Acceptance plans were submitted for comment.

Shortly after, the production of new rifles stopped and no action was taken on this report. Cal..30 M1 Ball ammunition continued to be used for acceptance firing of remanufactured rifles until such time as existing supplies of M1 Ball ammunition neared exhaustion. The question of development of a specification which

## RESTRICTED

## RESTRICTED

would provide flexible acceptance limits to allow for variations in ammunition accuracy was again raised and the project reactivated to allow for the inclusion of experience accumulated since the original study was made.

### Material & Equipment:

50 Rifles, U. S., Cal..30, M1, selected for conformance with drawing dimensions and tolerances as listed in Report WO.920.

Cartridges, Cal..30, M2 Ball, Lot DM21046.

Cartridges, Cal..30, M1 Ball, Lot FA2149--2149A.

Cartridges, Cal..30, M2 Ball, Lot LC13305.

Mann Barrel, Cal..30

Machine Rest and Range Facilities.

### Procedure:

Because of the variation found to exist between successive five-shot groups fired with the same M1 Rifle and because of the greater amount of information obtained relative to basic accuracy with the larger group, it was decided to establish data on the basis of eight-shot targets. Accordingly, each of the fifty rifles was fired five eight-shot targets from a machine rest using the M1 Ball and the M2 Ball Ammunition, Lot DM21046. Twenty-two of the rifles were fired similarly with the LC13305 lot of M2 Ball Ammunition. Each lot of ammunition was fired ten eight-shot groups from a Mann barrel.

### Results & Discussion:

a. The theory was offered that it would be possible to break down the combined dispersion due to rifle and to ammunition in such a manner that it would be possible to evaluate each portion separately. Thus, it would be possible to fire a new lot of ammunition through a Mann barrel and, with the accuracy factors then known for the ammunition and for acceptable rifles, to determine the acceptance limit to be used with that particular lot.

b. It was believed that the combined dispersion would be represented as the square root of the sum of the squares of the individual dispersions attributable to rifle and to ammunition in the same manner that probable errors or standard deviations of a sum are obtained. This would be expressed as follows:

3  
RESTRICTED

# RESTRICTED

$$E S_{sp.} = \sqrt{\frac{E S_{Mann}^2}{2} + \frac{E S_{Rifle}^2}{2}}$$

where

$E S_{sp.}$  = Extreme Spread for Specification use and being a combination of rifle and ammunition error.

$E S_{Mann}$  = Extreme Spread of Test Ammunition as determined in Mann barrel.

$E S_{Rifle}$  = Extreme Spread attributable to Rifles alone. (In this test, due to the rifles selected as within drawing tolerances.)

c. With this as a basis, the 250 targets obtained with the collected rifles and M1 Ball Ammunition were measured and the values of extreme spread taken as  $E S_{sp.}$  see Table I. The firings with the

Mann barrel were taken as  $\frac{E S_{Mann}^2}{2}$  (Table II) and by substitution, the value of  $E S_{Rifle}$  was obtained. Then as a check on the validity of this theory, the specification values for use with the lots of M2

Ball Ammunition were derived using the rifle factor  $E S_{Rifle}$  and the ammunition factor  $E S_{Mann}$  obtained by Mann barrel firing with M2 Ball.

The specification values were compared with actual values obtained from targets fired with the selected rifles and M2 Ball Ammunition (Tables III & IV) with percentage limits for distribution determined by the standard deviation of the Mann barrel firings.

Results are as follows:

(a) <u>M1 Ball</u>	<u>Rifles</u>	<u>Mann Barrel</u>
Ave. Extreme Spread	3.88	1.49
Ave. E. S. + 1 Std. Deviation	4.978	1.538
Ave. E. S. + 2 Std. Deviation	6.076	1.586
Ave. E. S. + 3 Std. Deviation	7.174	1.634

4.978  
 3.58  
 .098  
 1.538  
 1.586  
 1.634

# RESTRICTED



**RESTRICTED**

Then, substituting in  $E S = \sqrt{\frac{E S^2}{\text{Mann}} + \frac{E S^2}{\text{Rifle}}}$  and assuming the value noted under "Rifle" above as  $E S$  and solving for  $E S$  these values are obtained:

at Average	3.58
at + 1 Standard Deviation	4.739
at + 2 Standard Deviations	5.870
at + 3 Standard Deviations	6.989

If these latter values then are considered constant and accepted as representing the dispersion due to rifles alone and combined with the dispersions obtained in Mann barrel firings of the M2 Ball ammunition noted below, the specification value  $E S$  for use with M2 Ball ammunition is derived.

(b) M2 Ball Lot DM 21046

Mann Barrel

Ave. Extreme Spread	2.53
Ave. E. S. + 1	2.59
Ave. E. S. + 2	2.65
Ave. E. S. + 3	2.71

E S  
sp.

Ave. Extreme Spread	4.39
Ave. E. S. + 1	5.40
Ave. E. S. + 2	6.44
Ave. E. S. + 3	7.50

(c) M2 Ball Lot LC 13305

Mann Barrel

Ave. Extreme Spread	2.54
Ave. E. S. + 1	2.61
Ave. E. S. + 2	2.68
Ave. E. S. + 3	2.76

E S  
sp.

Ave. Extreme Spread	4.40
Ave. E. S. + 1	5.41
Ave. E. S. + 2	6.45
Ave. E. S. + 3	7.51

## RESTRICTED

(d) For check, actual targets fired with the selected rifles were measured and the distribution of targets compared to the conventional normal curve limits:

1  $\sigma$  Limit - 68.27%  
2  $\sigma$  Limit - 95.45%  
3  $\sigma$  Limit - 99.73%

with results as shown:

### M2 Ball - DM 21046

	<u>No. targets</u>	<u>%</u>	<u>Predicted %</u>
Within 1 $\sigma$ limit	207	82.8	68.3
Within 2 $\sigma$ limit	236	94.4	95.4
Within 3 $\sigma$ limit	243	97.2	99.7
Over 3 $\sigma$ limit	7		
Total	250		

### M2 Ball - LC 13305

	<u>No. targets</u>	<u>%</u>	<u>Predicted %</u>
Within 1 $\sigma$ limit	87	79.8	68.3
Within 2 $\sigma$ limit	105	96.3	95.4
Within 3 $\sigma$ limit	109	100.0	99.7

(e) It is believed that while the accuracy of prediction is not good for the 1 $\sigma$  limits, it is sufficiently valid for the higher limits to warrant adoption and is an improvement over the present method setting an arbitrary limit which does not permit of adjustment for ammunition quality.

Inasmuch as the rifles used represent the variations to be expected within drawing limits, the accuracies obtained may be considered as representative of the current design and the limits used should be such as to permit acceptance of the major portion of these rifles. It is believed that use of this method of acceptance with limits set at the 2 $\sigma$  point would provide a satisfactory method of inspection.

### Conclusions:

1. It is concluded that the dispersion pattern of shots obtained in targeting of rifles can be broken into two factors, one attributable to the rifles and the other to the ammunition. Further, the factor due to rifles has been evaluated with rifles selected for being within tolerances with sufficient accuracy that a method can be presented which will allow prediction of targeting results with any

6  
RESTRICTED

# RESTRICTED

lot of ammunition if Mann barrel firing results with this ammunition are obtained.

2. It is also concluded that this method will provide acceptance limits which are more nearly true than those in the present specification and which can be met with rifles manufactured to drawing tolerances.

## Recommendations:

It is recommended that U. S. Army Specification 52-1-21 be changed to permit use of a method of determining acceptance limits for accuracy as outlined in this report and that the limits be set at the 2 $\sigma$  point.

Submitted:

*H. P. Hawthorne*  
H. P. HAWTHORNE  
Ord. Engineer

Reviewed:

*E. W. Hoopes*  
E. W. HOOPES  
Head Ord. Engineer

Approved:

*F. J. McManis*  
F. J. McMANIS  
Lt. Col., Ord. Dept.

# RESTRICTED



TABLE I (1st Set)

TARGETING RESULTS - M1 RIFLES WITH M1 BALL AMMUNITION

LOT FA 2149A

SERIAL NO.	EV.	EH.	ES.	SERIAL NO.	EV.	EH.	ES.
3826637	3.1"	1.6"	3.1"	3826637	2.1"	2.6"	3.0"
3825201	3.8	0.9	3.8-	3825201	1.4	3.3	3.3-
3825870	5.1	2.8	5.1-	3825870	5.0	3.3	5.3-
3826834	2.9	1.9	2.9-	3826834	2.4	1.6	2.5-
3826236	4.1	2.1	4.5-	3826236	4.4	2.3	4.4-
3826600	5.0	3.2	5.0-	3826600	4.0	3.0	4.3-
3826613	2.1	1.7	2.3-	3826613	3.5	3.0	3.5-
3814093	5.4	4.0	6.1-xx	3814093	2.5	1.4	2.5-
3826479	2.1	2.0	2.2-	3826479	4.7	1.6	4.7-
3826050	6.1	5.2	6.9-	3826050	3.1	4.2	5.0-
3826637	2.9	2.8	3.6	3826637	1.4	2.7	2.7-
3825201	1.9	2.9	3.2-	3825201	2.4	1.5	2.8-
3825870	3.0	3.0	3.8-	3825870	2.4	4.3	4.3-
3826834	3.4	3.0	3.4-	3826834	3.2	2.9	3.3-
3826236	2.9	3.0	3.3-	3826236	5.4	2.8	5.6-x
3826600	3.8	4.5	4.6-	3826600	6.0	1.3	6.0-
3826613	1.9	1.8	2.4-	3826613	6.0	1.8	6.1-
3814093	3.6	4.6	5.6-	3814093	2.9	4.1	4.8-
3826479	1.0	2.1	3.3-	3826479	4.3	1.9	4.6-
3826050	3.5	3.0	4.1-	3826050	3.9	2.8	5.2-
3826637	3.5	3.7	3.8				
3825201	1.1	2.2	2.3-				
3825870	2.6	3.4	4.2-				
3826834	2.3	3.0	3.0-				
3826236	5.2	2.1	5.3-y				
3826600	4.1	2.8	5.0-				
3826613	5.0	2.0	5.1-				
3814093	6.3	2.2	6.5-xx				
3826479	5.3	2.5	5.4-				
3826050	4.0	3.6	4.8-				

EV. = Extreme Vertical  
 EH. = Extreme Horizontal  
 ES. = Extreme Spread



**TABLE I (2nd Set)**

**TARGETING RESULTS - M1 RIFLES WITH M1 BALL AMMUNITION**

**LOT FA 2149A**

SERIAL NO.	EV.	EH.	ES.	SERIAL NO.	EV.	EH.	ES.
3826061	2.6	3.5	4.1	3826061	3.5	4.2	4.5
3825688	7.4	2.8	7.7	3825688	2.8	2.1	3.2
3826303	3.4	4.2	3.5	3826303	4.4	3.3	5.5
3825315	6.2	2.2	6.2	3825315	3.3	3.0	3.6
3825084	1.9	3.2	3.7	3825084	3.9	3.5	4.7
3825536	1.6	4.2	4.3	3825536	2.3	2.6	3.2
3826318	1.9	3.0	3.6	3826318	1.9	3.1	3.3
3826663	2.5	1.3	2.8	3826663	2.7	3.7	3.2
3826571	3.3	3.2	4.0	3826571	4.3	3.4	4.3
3812640	3.4	2.8	3.9	3812640	3.6	1.3	5.6
3826061	1.9	1.7	3.1	3826061	3.4	4.1	4.5
3825688	6.5	2.2	6.6	3825688	4.6	2.7	5.3
3826303	2.7	2.8	3.9	3826303	4.1	5.5	6.3
3825315	2.5	3.8	4.0	3825315	4.8	3.0	5.1
3825084	3.0	2.1	3.3	3825084	3.7	2.4	4.1
3825536	3.1	1.6	3.1	3825536	3.4	2.9	3.9
3826318	2.3	3.8	4.2	3826318	3.7	4.9	5.8
3826663	5.0	2.0	5.0	3826663	3.5	3.2	4.0
3826571	3.3	3.3	3.5	3826571	2.2	1.9	2.5
3812640	1.8	2.6	2.9	3812640	3.7	3.8	4.6
3826061	3.0	4.0	5.1				
3825688	4.6	2.3	4.7				
3826303	2.0	2.3	2.5				
3825315	3.7	4.7	4.8				
3825084	3.5	4.5	5.1				
3825536	2.4	1.8	2.8				
3826318	1.4	4.7	4.8				
3826663	4.5	2.4	4.6				
3826571	4.3	3.2	4.6				
3812640	3.1	4.5	4.5				

EV. = Extreme Vertical  
 EH. = Extreme Horizontal  
 ES. = Extreme Spread

TABLE I (3rd cot)

TARGETING RESULTS - M1 RIFLES WITH M1 BALL AMMUNITION

LOT FA 2149A

SERIAL NO.	EV.	EH.	ES.	SERIAL NO.	EV.	EH.	ES.
3824505	2.7	2.5	2.7	3824505	5.0	2.2	5.1
3826669	2.0	1.3	2.3	3826669	4.2	3.1	5.2
3826703	2.8	3.3	2.3	3826703	5.2	3.4	5.5
3825657	2.3	1.8	2.9	3825657	3.1	1.4	3.3
3825957	1.7	2.2	2.4	3825957	1.7	4.0	4.0
3812297	2.9	1.6	3.2	3812297	3.5	2.5	3.6
3826276	3.1	2.8	3.4	3826276	3.3	2.9	3.5
3826674	2.3	3.3	3.4	3826674	2.2	3.2	3.0
3825689	4.9	2.7	4.9	3825689	3.9	2.1	3.9
3826728	2.5	5.0	5.0	3826728	1.4	3.8	4.0
3824505	3.9	2.7	3.9	3824505	4.7	2.7	4.7
3826669	2.4	3.0	3.7	3826669	4.4	2.5	4.6
3826703	2.8	1.6	2.8	3826703	2.8	2.1	2.9
3825657	1.4	1.7	1.8	3825657	2.0	1.7	2.4
3825957	2.7	2.2	2.8	3825957	1.8	2.6	2.9
3812297	2.7	3.1	3.1	3812297	3.1	2.6	3.1
3826276	4.6	2.6	4.6	3826276	2.9	1.6	3.0
3826674	2.3	2.4	3.1	3826674	3.0	2.7	3.2
3825689	4.7	2.7	5.0	3825689	2.7	3.2	3.4
3826728	2.8	4.0	5.0	3826728	4.3	2.3	4.4
3824505	2.5	3.1	3.4				
3826669	2.6	1.9	2.6				
3826703	0.9	4.4	4.5				
3825657	2.0	2.6	2.8				
3825957	2.0	1.6	2.0				
3812297	3.4	3.6	4.8				
3826276	1.8	1.2	2.0				
3826674	3.4	2.7	4.0				
3825689	2.7	2.0	2.9				
3826728	3.0	3.1	4.2				

EV. = Extreme Vertical  
 EH. = Extreme Horizontal  
 ES. = Extreme Spread

# RESTRICTED

TABLE I (4th Set)

TARGETING RESULTS - M1 RIFLES WITH M1 BALL AMMUNITION

LOT FA 2149A

SERIAL NO.	EV.	EH.	ES.	SERIAL NO.	EV.	EH.	ES.
3825975	2.7	1.6	2.8	3825975	2.4	2.1	2.6
3825326	3.2	2.5	3.2	3825326	3.0	3.4	4.2
3825248	3.2	2.5	3.6	3825248	2.5	3.7	3.9
3825480	2.2	3.9	4.0	3825480	3.5	1.6	3.6
3825324	2.0	1.7	2.3	3825324	4.6	2.6	5.0
3826506	2.5	1.6	2.7	3826506	2.0	1.6	2.2
3821532	2.4	1.6	3.4	3821532	1.7	3.5	3.5
3826302	3.0	2.0	3.0	3826302	1.6	1.9	2.3
3826710	4.9	3.6	4.9	3826710	3.4	2.5	3.4
3825655	1.8	3.0	3.0	3825655	3.7	2.0	3.7
3825975	4.8	1.8	4.8	3825975	2.0	3.3	3.3
3825326	5.7	4.1	6.1	3825326	2.3	2.6	2.7
3825248	1.4	2.9	3.0	3825248	3.6	1.7	3.7
3825480	3.3	2.8	3.3	3825480	1.9	2.6	3.2
3825324	4.2	1.6	4.4	3825324	3.4	2.0	3.7
3826506	2.2	2.8	2.9	3826506	2.7	2.5	3.1
3821532	2.4	3.0	3.8	3821532	2.3	1.6	2.3
3826302	2.8	1.5	3.0	3826302	2.0	2.2	2.4
3826710	2.3	2.7	2.7	3826710	4.9	1.3	5.1
3825655	2.9	4.4	4.4	3825655	5.3	4.2	6.6
3825975	3.4	3.1	4.1				
3825326	2.1	3.7	3.7				
3825248	4.8	3.9	5.7				
3825480	3.4	3.4	4.2				
3825324	3.9	2.7	4.5				
3826506	2.8	1.7	2.8				
3821532	3.6	3.4	3.7				
3826302	3.6	1.2	3.6				
3826710	2.2	1.3	2.3				
3825655	3.9	3.7	4.4				

EV. = Extreme Vertical  
EH. = Extreme Horizontal  
ES. = Extreme Spread

# RESTRICTED

# RESTRICTED

TABLE I (5th Set)

TARGETING RESULTS - M1 REFLES WITH M1 BALL ALBERTHITCOI

LOT FA 2149A

SERIAL NO.	EV.	EH.	ES.	SERIAL NO.	EV.	EH.	ES.
3825613	3.0	2.6	4.0	3825613	2.8	2.5	3.4
3826581	2.5	2.7	2.8	3826581	2.0	1.9	2.0
3825698	6.0	2.5	6.0	3825698	4.0	2.2	4.2
3825730	4.5	3.3	4.9	3825730	4.6	2.4	4.9
3822080	2.0	4.1	4.2	3822080	3.2	3.1	3.7
3826846	4.8	3.3	5.4	3826846	4.5	1.6	4.7
3825685	3.5	3.4	4.6	3825685	4.0	2.0	4.0
3826323	1.2	3.4	3.5	3826323	2.4	1.9	2.4
3824980	2.0	1.8	2.0	3824980	2.2	2.8	3.0
3826470	2.5	2.8	3.3	3826470	5.2	1.5	5.2
3825613	3.4	3.9	4.2	3825613	4.7	2.4	5.3
3826581	2.6	2.3	3.3	3826581	3.6	3.0	3.8
3825698	2.4	1.7	2.6	3825698	1.9	2.9	2.9
3825730	5.4	3.1	5.4	3825730	4.2	4.1	4.5
3822080	2.7	5.8	6.0	3822080	1.6	3.8	4.0
3826846	3.5	3.0	3.6	3826846	4.7	1.8	4.7
3825685	2.2	2.6	3.2	3825685	3.5	2.5	3.5
3826323	2.8	2.6	3.1	3826323	4.0	1.2	4.0
3824980	2.5	2.1	2.6	3824980	2.0	0.8	2.1
3826470	2.4	2.0	2.5	3826470	2.1	2.8	3.4
3825613	2.4	3.0	3.8				
3826581	2.8	2.5	3.2				
3825698	3.7	2.5	4.4				
3825730	2.2	2.6	3.2				
3822080	3.2	3.4	3.8				
3826846	3.7	4.0	5.4				
3825685	4.1	2.5	4.1				
3826323	1.5	1.4	2.0				
3824980	3.2	2.7	3.3				
3826470	4.4	2.3	4.4				

EV. = Extreme Vertical  
 EH. = Extreme Horizontal  
 ES. = Extremes Spread

# RESTRICTED



# RESTRICTED

TABLE II

## TARGETING RESULTS - MAIN BARREL FIRINGS

Ammunition Type and Lot	Extremo Vertical	Extremo Horizontal	Extremo Spread
M1 Ball FA 2149	0.9	1.6	1.7
	0.8	1.2	1.3
	1.2	1.4	1.5
	0.6	0.4	0.6
	0.9	1.8	1.8
	1.2	2.3	2.4
	1.2	0.6	1.3
	1.2	0.9	1.2
	1.3	1.7	2.0
	0.7	1.1	1.1
M2 Ball Alt. DM 21046	1.8	1.0	1.9
	1.4	1.1	1.4
	1.6	3.5	3.5
	2.2	2.6	3.1
	2.5	0.6	2.5
	2.3	2.3	2.6
	2.5	1.4	2.5
	1.7	1.8	2.1
	2.9	2.7	3.2
	2.1	2.4	2.5
M2 Ball Alt. IC 13305	2.1	2.7	2.7
	1.0	1.7	1.7
	1.8	2.5	2.5
	2.2	2.3	2.3
	1.2	1.8	1.8
	2.0	2.0	2.0
	2.6	3.1	3.8
	1.7	3.6	3.9
	2.1	2.1	2.5
	2.2	1.0	2.2

All targets obtained were eight-shot groups.

# RESTRICTED

# RESTRICTED

TABLE III (6th Sst)

TARGETING RESULTS - M1 RIFLES - M2 BALL ALT. AMMUNITION

LOT DI 21046

SERIAL NO.	EV.	EH.	ES.	SERIAL NO.	EV.	EH.	ES.
3825613	3.2	1.9	3.5	3825613	2.7	2.6	3.3
3825681	4.0	2.6	4.8	3825681	2.5	3.8	4.6
3825698	5.5	2.9	5.5	3825698	3.4	2.0	3.7
3825730	5.1	4.0	5.3	3825730	3.1	3.7	4.3
3822080	3.4	3.8	3.8	3822080	3.0	3.8	4.1
3826846	2.8	4.8	5.5	3826846	4.1	2.7	4.5
3825685	4.7	2.0	5.0	3825685	2.5	2.1	3.0
3826323	2.9	1.7	3.0	3826323	3.9	2.7	4.1
3824980	3.7	4.1	3.8	3824980	4.6	2.9	4.9
3826470	2.6	2.9	3.1	3826470	3.1	3.0	3.7
3825613	3.8	2.8	3.9	3825613	6.3	6.1	6.4
3825681	1.7	2.8	2.9	3825681	3.0	4.5	4.6
3825698	4.0	3.8	4.7	3825698	4.2	3.1	5.1
3825730	4.9	2.5	5.0	3825730	5.4	3.0	5.4
3822080	3.8	2.3	4.0	3822080	1.5	4.7	4.8
3826846	2.3	2.2	2.7	3826846	3.6	3.0	3.8
3825685	6.6	2.7	6.6	3825685	4.8	1.8	4.8
3826323	4.4	3.6	4.7	3826323	3.4	5.0	5.2
3824980	4.3	1.6	4.4	3824980	4.9	2.3	5.1
3826470	4.7	1.7	4.8	3826470	3.1	4.6	4.8
3825613	7.3	3.9	7.9				
3825681	2.8	2.7	3.8				
3825698	3.5	3.2	3.5				
3825730	4.0	1.2	4.0				
3822080	3.6	3.8	4.5				
3826846	4.9	3.1	5.0				
3825685	4.7	3.4	5.3				
3826323	2.9	3.0	3.1				
3824980	4.6	3.1	4.7				
3826470	4.1	3.2	4.4				

EV. = Extreme Vertical  
 EH. = Extreme Horizontal  
 ES. = Extreme Spread

# RESTRICTED

# RESTRICTED

TABLE III (7th SOE)

TARGETING RESULTS - M1 RIFLES - M2 BALL ALT. AMMUNITION

LOT #1 21046

SERIAL NO.	EV.	EH.	ES.	SERIAL NO.	EV.	EH.	ES.
3825665	5.0"	3.6"	5.0"	3825665	3.2"	4.3"	4.3"
3826710	4.0	2.2	4.0	3826710	3.4	2.0	3.7
3826302	2.0	2.9	2.9	3826302	5.3	2.4	5.4
3821532	4.7	2.8	4.7	3821532	3.0	1.8	3.1
3826506	2.5	2.5	2.8	3826506	4.3	2.0	4.8
3825975	4.7	2.9	4.8	3825975	6.4	3.8	6.6
3825326	6.5	3.6	6.9	3825326	4.4	2.0	4.4
3825248	4.6	2.4	4.6	3825248	4.5	3.7	4.8
3825480	2.6	3.6	3.7	3825480	2.5	1.8	2.5
3825324	3.3	2.7	4.1	3825324	4.3	2.6	6.5
3825665	5.2	2.9	5.2	3825665	4.7	2.6	5.1
3826710	5.9	3.9	6.2	3826710	5.2	2.7	5.4
3826302	2.4	4.1	4.2	3826302	2.2	3.7	3.7
3821532	3.8	3.0	4.0	3821532	2.9	1.9	3.0
3826506	3.7	2.7	3.8	3826506	2.0	3.0	3.1
3825975	3.5	2.4	3.8	3825975	5.0	3.8	5.6
3825326	4.5	2.5	4.5	3825326	3.0	5.0	5.0
3825248	6.6	2.7	6.9	3825248	2.6	4.4	5.0
3825480	4.4	3.3	4.6	3825480	3.0	3.4	3.7
3825324	1.9	3.1	3.1	3825324	2.5	3.0	3.4
3825665	2.7	3.5	3.7				
3826710	3.6	1.5	3.8				
3826302	2.0	2.6	2.8				
3821532	3.5	3.3	3.8				
3826506	2.6	5.2	5.4				
3825975	3.2	2.3	3.3				
3825326	4.9	3.4	5.5				
3825248	3.7	4.6	6.0				
3825480	1.5	4.3	4.5				
3825324	2.2	1.4	2.3				

EV. = Extreme Vertical  
EH. = Extreme Horizontal  
ES. = Extreme Spread

# RESTRICTED

# RESTRICTED

TABLE III (7th Set)

TARGETING RESULTS - M1 RIFLES - 112 BALL ALT. AMMUNITION

LOT DM 21046

SERIAL NO.	EV.	EH.	ES.	SERIAL NO.	EV.	EH.	ES.
3825665	5.0	3.6	5.0	3825665	3.2	4.3	4.3
3826710	4.0	2.2	4.0	3826710	3.4	2.0	3.7
3826302	2.0	2.9	2.9	3826302	5.3	2.4	5.4
3821532	4.7	2.8	4.7	3821532	3.0	1.8	3.1
3826506	2.5	2.5	2.8	3826506	4.3	2.0	4.8
3825975	4.7	2.9	4.8	3825975	6.4	3.8	6.6
3825326	6.5	3.6	6.9	3825326	4.4	2.0	4.4
3825248	4.6	2.4	4.6	3825248	4.5	3.7	4.8
3825480	2.6	3.6	3.7	3825480	2.5	1.8	2.5
3825324	3.3	2.7	4.1	3825324	4.3	2.6	4.5
3825665	5.2	2.0	5.3	3825665	4.7	2.6	5.1
3826710	5.9	3.9	6.2	3826710	5.2	2.7	5.4
3826302	2.4	4.1	4.2	3826302	2.2	3.7	3.7
3821532	3.8	3.0	4.0	3821532	2.9	1.9	3.0
3826506	3.7	2.7	3.8	3826506	2.0	3.0	3.1
3825975	3.5	2.4	3.8	3825975	5.0	3.8	5.6
3825326	4.5	2.5	4.5	3825326	3.0	5.0	5.0
3825248	6.6	2.7	6.9	3825248	2.6	4.4	5.0
3825480	4.4	3.3	4.6	3825480	3.0	3.4	3.7
3825324	1.9	3.1	3.1	3825324	2.5	3.0	3.4
3825665	2.7	3.5	3.7				
3826710	3.6	1.5	3.8				
3826302	2.0	2.6	2.8				
3821532	3.5	3.3	3.8				
3826506	2.6	5.2	5.4				
3825975	3.2	2.3	3.3				
3825326	4.9	3.4	5.5				
3825248	3.7	4.6	6.0				
3825480	1.5	4.3	4.5				
3825324	2.2	1.4	2.3				

EV. = Extreme Vertical  
 EH. = Extreme Horizontal  
 ES. = Extreme Spread

# RESTRICTED

# RESTRICTED

## TABLE III (8th Set)

TARGETING RESULTS - M1 RIFLES - M2 BALL ALT. AMMUNITION

LOT DI 21046

SERIAL NO.	EV.	EH.	ES.	SERIAL NO.	EV.	EH.	ES.
3824505	5.3"	4.6"	6.3"	3824505	4.6"	2.5"	5.2"
3825657	4.7	3.3	4.8	3825657	3.6	3.2	4.0
3825957	3.5	2.6	3.7	3825957	2.8	2.9	3.4
3826708	5.3	2.6	6.0	3826708	2.3	4.5	4.5
3826669	3.0	3.6	4.1	3826669	1.4	3.2	3.2
3826674	5.2	1.5	5.2	3826674	1.6	4.9	5.0
3826728	5.5	3.2	5.5	3826728	6.6	3.6	6.9
3812297	4.8	4.2	4.8	3812297	3.7	2.6	3.7
3825689	3.7	3.9	4.8	3825689	3.2	4.8	5.3
3826276	3.2	2.6	3.5	3826276	3.9	1.8	4.0
3824505	8.1	2.8	7.7	3824505	4.6	2.3	4.6
3825657	2.6	3.1	3.8	3825657	2.2	3.3	3.3
3825957	3.2	3.0	3.9	3825957	1.5	0.9	1.5
3826708	2.4	3.0	3.1	3826708	1.9	2.4	3.0
3826669	3.9	2.9	4.1	3826669	4.2	5.6	5.7
3826674	2.6	4.1	4.9	3826674	2.5	5.1	5.2
3826728	5.1	3.8	5.5	3826728	4.6	2.0	6.0
3812297	4.4	3.9	4.4	3812297	4.8	4.3	4.9
3825689	2.3	5.5	5.7	3825689	7.8	3.4	7.8
3826276	3.1	2.5	3.2	3826276	4.4	3.1	5.4
3824505	3.2	4.1	4.4				
3825657	4.3	4.0	4.3				
3825957	3.3	2.3	3.8				
3826708	7.0	2.1	7.2				
3826669	1.8	5.9	6.0				
3826674	2.3	3.6	4.0				
3826728	4.1	6.0	6.4				
3812297	3.2	4.0	4.3				
3825689	3.0	1.7	3.0				
3826276	3.6	4.1	5.0				

EV. = Extreme Vertical  
 EH. = Extreme Horizontal  
 ES. = Extreme Spread

# RESTRICTED

# RESTRICTED

TABLE III (9th Set)

TARGETING RESULTS - M1 RIFLES - M2 BALL ALT. AMMUNITION

LOT DN 21046

SERIAL NO.	EV.	EH.	ES.	SERIAL NO.	EV.	EH.	ES.
3812640	2.6	2.2	2.8	3812640	2.9	2.5	3.1
3826318	6.9	6.5	8.8	3826318	4.5	3.8	5.5
3826571	3.0	2.6	3.4	3826571	3.5	1.5	3.8
3826663	2.0	3.0	3.0	3826663	3.1	4.3	4.3
3825536	3.4	4.2	4.8	3825536	2.3	2.4	2.5
3826303	3.5	1.6	3.9	3826303	4.0	4.1	4.2
3825689	1.8	2.1	2.5	3825689	4.8	3.1	5.2
3825315	2.0	3.8	4.1	3825315	4.3	4.0	5.8
3826061	2.8	2.4	3.1	3826061	4.0	2.8	4.6
3825084	3.8	2.4	4.2	3825084	5.1	4.3	5.1
3812640	4.4	4.0	5.2	3812640	5.4	3.3	5.4
3826318	3.7	4.3	5.3	3826318	4.3	3.8	4.5
3826571	3.7	1.8	3.7	3826571	6.4	2.9	6.6
3826663	3.8	3.1	3.8	3826663	4.1	3.0	4.3
3825536	1.4	2.0	2.0	3825536	5.3	4.0	6.0
3826303	2.1	2.4	3.1	3826303	5.1	3.2	5.1
3825689	5.5	1.7	5.5	3825689	6.4	4.5	7.0
3825315	1.8	4.4	4.5	3825315	4.6	5.2	6.2
3826061	2.6	1.8	2.9	3826061	2.4	3.9	4.1
3825084	3.4	3.0	3.9	3825084	5.3	4.2	5.3
3812640	2.2	2.3	2.5				
3826318	4.6	3.6	4.7				
3826571	3.4	3.9	4.1				
3826663	5.0	1.0	5.0				
3825536	1.6	4.9	4.9				
3826303	4.7	3.0	5.1				
3825689	3.2	4.1	4.1				
3825315	5.2	3.3	6.9				
3826061	3.6	3.1	3.8				
3825084	3.5	2.9	4.2				

EV. = Extreme Vertical  
EH. = Extreme Horizontal  
ES. = Extreme Spread

RESTRICTED

# RESTRICTED

TABLE III (10th Sot)

TARGETING RESULTS - M1 RIFLES - M2 BALL ALT. AMMUNITION

LOT IM 21046

SERIAL NO.	EV.	EH.	ES.	SERIAL NO.	EV.	EH.	ES.
3825201	3.7"	2.8"	3.7"	3825201	3.7"	2.7"	4.3"
3826834	2.1	4.1	4.1	3826834	4.6	3.4	4.9
3826236	5.2	2.2	5.3	3826236	3.0	4.3	4.6
3825870	5.3	2.3	5.3	3825870	3.4	3.0	4.5
3826637	4.8	3.2	5.0	3826637	1.7	3.2	3.2
3826600	2.7	2.1	2.8	3826600	3.8	2.6	3.9
3826613	4.0	4.3	4.3	3826613	3.3	3.1	3.5
3826050	2.1	4.4	4.5	3826050	3.7	3.4	5.0
3814093	4.3	1.9	4.4	3814093	3.3	2.7	4.1
3826479	7.7	1.7	7.7	3826479	5.8	3.8	5.9
3825201	2.1	2.6	2.6	3825201	4.1	3.1	4.5
3826834	4.1	2.4	4.2	3826834	2.7	3.0	3.6
3826236	5.0	4.2	5.0	3826236	4.4	4.2	4.7
3825870	5.0	2.8	5.4	3825870	4.1	3.0	4.3
3826637	3.0	3.3	3.8	3826637	3.9	3.8	4.1
3826600	4.7	3.0	4.7	3826600	3.8	3.9	4.1
3826613	5.4	3.8	5.5	3826613	6.4	3.5	6.4
3826050	4.7	3.0	5.2	3826050	1.3	3.4	3.8
3814093	6.0	5.9	6.4	3814093	3.8	5.1	5.1
3826479	5.0	2.4	5.1	3826479	5.3	2.0	5.3
3825201	2.0	1.5	2.3				
3826834	2.0	3.0	3.1				
3826236	4.3	2.1	4.6				
3825870	4.8	3.3	5.7				
3826637	4.6	1.2	4.7				
3826600	5.9	1.8	6.1				
3826613	7.7	3.5	7.7				
3826050	2.3	6.1	6.4				
3814093	3.6	1.4	3.6				
3826479	4.8	3.7	4.8				

EV. = Extreme Vertical  
 EH. = Extreme Horizontal  
 ES. = Extreme Spread

# RESTRICTED

# RESTRICTED

TABLE IV

TARGETING RESULTS - M1 RIFLES - M2 BALL ALT. AMMUNITION

LC 13305

SERIAL NO.	EV.	EH.	ES.	SERIAL NO.	EV.	EH.	ES.
3826276	1.46	3.04	3.10	3825689	5.10	2.70	5.70
"	3.70	2.40	3.70	"	5.90	2.50	6.30
"	3.80	2.80	4.20	"	6.30	2.40	6.30
"	4.20	3.16	4.40	"	6.80	1.90	6.80
3826728	2.16	1.90	2.24	"	5.20	3.60	5.50
"	2.20	3.50	3.60	3824505	5.40	2.90	5.40
"	3.66	1.70	3.66	"	1.90	2.20	2.70
"	3.40	2.30	3.50	"	5.70	1.50	5.80
"	1.54	3.80	3.84	"	3.80	3.60	3.80
3826276	4.80	4.20	5.30	"	3.00	4.00	4.20
"	6.60	4.00	6.70	3826703	2.30	3.60	4.10
"	2.00	2.90	3.20	"	2.20	1.90	2.80
"	3.50	2.60	3.50	"	3.50	3.60	4.40
"	4.60	3.50	5.20	"	2.40	2.20	3.00
3826674	3.90	1.70	4.00	"	5.32	2.36	5.34
"	2.60	2.10	2.60	3826669	3.20	3.40	4.60
"	2.80	2.90	3.50	"	4.60	2.00	4.60
"	3.30	1.60	3.50	"	4.40	3.40	5.60
"	1.80	.90	1.90	"	3.60	2.70	4.70
3812297	3.20	2.40	3.20	"	1.40	5.00	5.00
"	2.90	2.40	3.10	3825957	5.10	3.80	6.00
"	5.10	3.40	5.80	"	3.90	2.60	4.40
"	3.70	2.90	3.70	"	2.70	2.40	6.30
"	4.70	4.20	5.20	"	3.10	1.70	3.20
3826728	3.00	2.60	3.70	"	4.50	3.20	4.60
"	3.30	2.00	3.60	3825657	4.30	3.70	5.00
"	4.50	4.10	6.20	"	2.20	3.60	3.60
"	2.20	3.70	3.70	"	2.80	3.00	3.90
"	2.90	4.10	4.70	"	3.10	2.80	4.20
				"	4.30	3.60	4.50

EV. = Extreme Vertical  
 EH. = Extreme Horizontal  
 ES. = Extreme Spread

# RESTRICTED



# RESTRICTED

## TABLE IV (Cont.)

TARGETING RESULTS - M1 RIFLES - M2 BALL AIG. AMMUNITION

LC 13305

SERIAL NO.	EV.	EH.	ES.	SERIAL NO.	EV.	EH.	ES.
3826050	6.50	2.40	6.50	3826637	1.80	4.40	4.60
"	6.10	3.00	6.20	"	2.90	3.70	3.80
"	6.00	4.50	7.40	"	3.50	3.00	3.70
"	5.50	2.60	5.80	"	2.90	2.60	3.30
"	5.20	4.30	5.80	"	2.20	3.80	4.10
3826600	3.80	1.30	3.80	3826834	2.60	3.60	4.00
"	1.80	4.10	4.20	"	3.30	3.10	3.90
"	3.80	3.30	3.90	"	2.40	2.90	3.40
"	3.70	1.90	3.70	"	2.50	4.50	4.60
"	6.40	2.00	6.40	"	3.60	3.00	4.20
3826479	3.50	2.10	3.50	3825570	5.00	2.40	6.00
"	5.80	2.70	6.00	"	3.50	3.70	4.00
"	4.40	3.50	5.60	"	5.00	3.00	5.00
"	4.10	2.70	4.10	"	3.80	1.80	3.80
"	4.80	2.10	4.90	"	2.30	2.70	3.50
3814093	5.40	2.00	5.40	3826236	4.20	3.40	4.90
"	3.80	1.60	3.80	"	4.10	1.90	4.20
"	3.40	2.10	3.50	"	5.50	3.20	6.00
"	3.40	2.80	4.30	"	4.00	2.10	4.00
"	1.70	2.20	2.40	"	1.30	2.90	3.00
3826613	5.10	3.30	5.90				
"	1.80	2.50	2.50				
"	1.20	2.70	2.70				
"	2.60	2.90	3.30				
"	1.50	3.10	3.30				
3825201	3.40	4.50	5.50				
"	2.00	3.80	4.30				
"	4.70	1.90	4.70				
"	5.20	3.20	5.20				
"	4.40	4.60	5.00				

EV. = Extreme Vertical  
EH. = Extreme Horizontal  
ES. = Extreme Spread

# RESTRICTED