

604393

604393

(X)

(1)

ANALYTICAL APPROXIMATIONS

Volume 16

Cecil Hastings, Jr.
James P. Wong, Jr.

P-559 ✓
Good

25 August 1954

Approved for OTS release

6 p

COPY	<i>1</i>	OF	<i>12</i>
HARD COPY	\$.	<i>1.00</i>	
MICROFICHE	\$.	<i>0.50</i>	

DDC
RECEIVED
AUG 27 1964
DDC-IRA D

The **RAND** *Corporation*
1700 MAIN ST. • SANTA MONICA • CALIFORNIA

Copyright, 1954
The RAND Corporation

Analytical Approximation

Chi-Square Integral: To better than .0012 over
 $0 \leq x \leq 8$ for $m = 8$,

$$F_m(x) = \frac{1}{2^m \Gamma\left(\frac{m}{2}\right)} \int_0^x \left(\frac{t}{2}\right)^{\frac{m}{2}-1} e^{-\frac{t}{2}} dt$$

$$\approx .0020785x^4 - .00059482x^5$$

$$+ .000063672x^6 - .0000024544x^7.$$

Cecil Hastings, Jr.
 James P. Wong, Jr.
 RAND Corporation
 Copyright 1954

Analytical Approximation

Chi-Square Integral: To better than .0009 over
 $0 \leq x \leq 7$ for $m = 7$.

$$F_m(x) = \frac{1}{2\sqrt{\left(\frac{m}{2}\right)}} \int_0^x \left(\frac{t}{2}\right)^{\frac{m}{2}-1} e^{-\frac{t}{2}} dt$$

$$\begin{aligned} &= .0066063x^{7/2} - .0019840x^{9/2} \\ &+ .00023041x^{11/2} - .0000098514x^{13/2}. \end{aligned}$$

Cecil Hastings, Jr.
 James P. Wong, Jr.
 RAND Corporation
 Copyright 1954

Analytical Approximation

Chi-Square Integral: To better than .00055 over

$0 \leq x \leq 6$ for $m = 6$,

$$F_m(x) = \frac{1}{2^{\frac{m}{2}} \Gamma\left(\frac{m}{2}\right)} \int_0^x \left(\frac{t}{2}\right)^{\frac{m}{2}-1} e^{-\frac{t}{2}} dt$$

$$\approx .019203x^3 - .0060071x^4 + .00075727x^5 - .000036258x^6.$$

Cecil Hastings, Jr.
 James P. Wong, Jr.
 RAND Corporation
 Copyright 1954

Analytical Approximation

Chi-Square Integral: To better than .00035 over
 $0 \leq x \leq 5$ for $m = 5$.

$$F_m(x) = \frac{1}{2\Gamma(\frac{m}{2})} \int_0^x \left(\frac{t}{2}\right)^{\frac{m}{2}-1} e^{-\frac{t}{2}} dt$$

$$\begin{aligned} &\doteq .051288x^{5/2} - .016244x^{7/2} + .0022143x^{9/2} \\ &\quad - .00011981x^{11/2}. \end{aligned}$$

Cecil Hastings, Jr.
 James P. Wong, Jr.
 RAND Corporation
 Copyright 1954

Analytical Approximation

Chi-Square Integral: To better than .00016 over

$0 \leq x \leq 4$ for $m = 4$.

$$F_m(x) = \frac{1}{2^{\frac{m}{2}} \Gamma\left(\frac{m}{2}\right)} \int_0^x \left(\frac{t}{2}\right)^{\frac{m}{2}-1} e^{-\frac{t}{2}} dt$$

$$\approx .12333x^2 - .038469x^3 + .0056190x^4 - .00034739x^5.$$

Cecil Hastings, Jr.
James P. Wong, Jr.
RAND Corporation
Copyright 1954