

ESD-TDR-65-425

ESTI FILE COPY

ESD-TDR-65-425

ESD ACCESSION LIST
ESTI Call No. AL 47493
Copy No. 1 of 1 cys.

ESD RECORD COPY

RETURN TO
SCIENTIFIC & TECHNICAL INFORMATION DIVISION
(ESTI), BUILDING 1211

Technical Note

1965-47

Distribution of Look Angles to a Near Synchronous Satellite

Maxine H. Simon

8 September 1965

Prepared under Electronic Systems Division Contract AF 19(628)-5167 by

Lincoln Laboratory

MASSACHUSETTS INSTITUTE OF TECHNOLOGY

Lexington, Massachusetts



ESR 2

4120621740

The work reported in this document was performed at Lincoln Laboratory, a center for research operated by Massachusetts Institute of Technology, with the support of the U.S. Air Force under Contract AF 19(628)-5167.

MASSACHUSETTS INSTITUTE OF TECHNOLOGY
LINCOLN LABORATORY

DISTRIBUTION OF LOOK ANGLES
TO A NEAR SYNCHRONOUS SATELLITE

MAXINE H. SIMON

Group 66

TECHNICAL NOTE 1965-47

8 SEPTEMBER 1965

LEXINGTON

MASSACHUSETTS

ABSTRACT

There is interest in determining the distribution of look angles to a near synchronous equatorial satellite for ground stations at various latitudes. A computer program was written to determine these distributions with ground station latitude and minimum acceptable look angle as parameters.

Accepted for the Air Force
Stanely J. Wisniewski
Lt Colonel, USAF
Chief, Lincoln Laboratory Office

DISTRIBUTION OF LOOK ANGLES TO A NEAR SYNCHRONOUS SATELLITE

There is interest in determining the distribution of look angles to a near synchronous equatorial satellite for ground stations at various latitudes. A computer program was written to determine these distributions with ground station latitude and minimum acceptable look angle as parameters.

The results, corresponding to minimum look angles of 0° and 10° , are plotted on Figs. 1 and 2, respectively.

Because the satellite passes directly overhead only at a ground station of 0° latitude, ground stations at higher latitudes cannot see the satellite with their antennas pointing straight up. In fact the higher the latitude of the ground station, the lower is the maximum elevation angle possible to use to sight the satellite. For example with $\theta = 10^\circ$, a station at latitude 20° can see the satellite with an elevation angle of 66.5° although only for a very short time whereas a station at 60° can see the satellite with an elevation angle of at most 22° for a very short time. Ground stations above a latitude of 71.44° cannot see the satellite at all, with an elevation angle of 10° or higher and stations above 81.3° cannot see the satellite at all with a 0° or higher elevation angle.

As the elevation angle increases, the fraction of time that an elevation angle of this size or larger can be used decreases almost linearly. As the

elevation angle reaches the maximum for that station, the fraction of time decreases at a faster rate. For example, with $\theta = 10^\circ$, a ground station at latitude 30° uses an elevation angle greater than 20° , 83.5% of the total time; an elevation angle greater than 30° , 66% of the total time; and an elevation angle greater than 50° only 26% of the total time. For a given ground station and elevation angle φ , the percentage of time that angle φ can be used to sight the satellite is slightly smaller for $\theta = 0^\circ$ than for $\theta = 10^\circ$.




Fig. 1




Fig. 2

DISTRIBUTION

G. P. Dinneen
W. E. Morrow, Jr.
All Division 6 Group Leaders
Group 66 File (10)

DOCUMENT CONTROL DATA - R&D		
<i>(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)</i>		
1. ORIGINATING ACTIVITY (Corporate author)	2a. REPORT SECURITY CLASSIFICATION	
Lincoln Laboratory, M.I.T.	Unclassified	
	2b. GROUP	
	None	
3. REPORT TITLE		
Distribution of Look Angles to a Near Synchronous Satellite		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
Technical Note		
5. AUTHOR(S) (Last name, first name, initial)		
Simon, Maxine H.		
6. REPORT DATE	7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
8 September 1965	8	None
8a. CONTRACT OR GRANT NO.	9a. ORIGINATOR'S REPORT NUMBER(S)	
AF 19 (628)-5167	TN-1965-47	
b. PROJECT NO.	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
c. None	ESD-TDR-65-425	
d.		
10. AVAILABILITY/LIMITATION NOTICES		
None		
11. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY ACTIVITY	
None	Air Force Systems Command, USAF	
13. ABSTRACT		
<p>There is interest in determining the distribution of look angles to a near synchronous equatorial satellite for ground stations at various latitudes. A computer program was written to determine these distributions with ground station latitude and minimum acceptable look angle as parameters.</p>		
14. KEY WORDS		
distribution satellites		

