ESD-TR-65-363

YOPY

FILE

ESTI

65-363

TR

ESD

W-07454

TRADE-OFFS BETWEEN PARTS OF THE OBJECTIVE FUNCTION

OF A LINEAR PROGRAM

ESD RECORD COPY

RETURN TO Scientific & Technical Information Division (Esti), Building 1211



TECHNICAL REPORT NO. ESD-TR-65-363

DECEMBER 1965

H. C. Joksch

Prepared for

DIRECTORATE OF COMPUTERS ELECTRONIC SYSTEMS DIVISION AIR FORCE SYSTEMS COMMAND UNITED STATES AIR FORCE

L. G. Hanscom Field, Bedford, Massachusetts



Project 7070

Prepared by

THE MITRE CORPORATION Bedford, Massachusetts Contract AF 19(628)-2390

ESRC



Copies available at Clearing House for Federal Scientific and Technical Information (formerly Office of Technical Services).

Qualified requesters may obtain copies from DDC. Orders will be expedited if placed through the librarian or other person designated to request documents from DDC.

When US Government drawings, specifications, or other data are used for any purpose other than a definitely related government procurement operation, the government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Do not return this copy. Retain or destroy.

Press and the Party

TRADE-OFFS BETWEEN PARTS OF THE OBJECTIVE FUNCTION

OF A LINEAR PROGRAM

TECHNICAL REPORT NO. ESD-TR-65-363

DECEMBER 1965

H. C. Joksch

Prepared for

DIRECTORATE OF COMPUTERS ELECTRONIC SYSTEMS DIVISION AIR FORCE SYSTEMS COMMAND UNITED STATES AIR FORCE

L. G. Hanscom Field, Bedford, Massachusetts



Project 7070

Prepared by

THE MITRE CORPORATION Bedford, Massachusetts Contract AF 19(628)-2390



ABSTRACT

Linear programs whose objective function can be separated into two parts are considered. The following problem is studied: given an optimal solution with respect to the total objective function, how does it have to be modified to change one part of the objective function by a certain amount and affect the other part as little as possible?

The construction of an optimal simplex-tableau for the modified problem from the optimal simplex-tableau of the original problem is demonstrated. This can serve as a starting tableau for an ordinary parametric programming procedure. Finally, the marginal exchange ratio for both parts of the objective function and the simplex-multipliers for the constraints are derived.

REVIEW AND APPROVAL

This technical report has been reviewed and is approved.

in B. Curtis

JOHN B. CURTIS 1st Lt, USAF Project Officer



TABLE OF CONTENTS

		Page
SECTION I	INTRODUCTION	1
SECTION II	FORMULATION OF THE PROBLEM	2
SECTION III	CONSTRUCTION OF AN OPTIMAL SIMPLEX- TABLEAU FOR THE MODIFIED PROBLEM	3
SECTION IV	SELECTION OF A NEW BASIC VARIABLE	7
SECTION V	PARAMETRIZATION OF THE SOLUTION	9
SECTION VI	SUMMARY	12

v

SECTION I

INTRODUCTION

In some linear programming models, the objective function is composed of parts which actually represent subobjectives. A solution which is optimal with respect to the sum of the parts might no longer be optimal if the relative weights attached to the different subobjectives are changed. Of course, one could consider this as a new problem and solve it independently from the original one. However, it might be desirable to find the new solution for an entire range of modified weights. Also, if the changes are small, it is probable that the optimal solution of the new problem does not differ too much from that of the old problem. Therefore, the following question is studied: is there a simple way to modify an optimal solution to change one part of the objective function by a certain amount so that the remaining part of the objective function is least affected?

SECTION II

FORMULATION OF THE PROBLEM

Let the original problem (I) be to maximize

$$\underline{c}^{1}\underline{x}^{1} + \underline{c}^{2}\underline{x}^{2} = z \tag{1}$$

under the constraints

$$A^{1}\underline{x}^{1} + A^{2}\underline{x}^{2} = \underline{b}$$
⁽²⁾

$$\underline{\mathbf{x}}^{1} \ge 0 \quad , \tag{3}$$

and let $\frac{x^{1}}{x}$ and $\frac{x^{2}}{x}$ be an optimal solution. The modified problem (II) is: What is the optimal solution of

$$\frac{c^2 x^2}{x^2} = z^2 = \max$$
(4)

under the constraints

$$\underline{c^{1}x^{1}} = \hat{z}^{1} + \delta , \qquad (5)$$

where $\hat{z}^1 = \underline{c}^1 \hat{\underline{x}}^1$,

$$A^{1}\underline{x}^{1} + A^{2}\underline{x}^{2} = \underline{b}$$
(6)

and the non-negativity condition (3), for small values of $~\delta?$

SECTION III

CONSTRUCTION OF AN OPTIMAL SIMPLEX-TABLEAU FOR THE MODIFIED PROBLEM

Obviously, for $\delta = 0$, $\hat{\underline{x}}^1$ and $\hat{\underline{x}}^2$ are also optimal solutions of Problem II. Therefore, one can start with the optimal simplex-tableau of Problem I and obtain from it one for Problem II for $\delta = 0$. Tableau (7) represents the main body of the optimal simplex-tableau for I; (\hat{y}_{ij}^1) and (\hat{y}_{ij}^2) are the parts originating from A^1 and A^2 , respectively.



The matrix (β_{ij}) is the basic inverse belonging to this tableau. A tableau for Problem II has to contain an additional row for constraint (5); it originates from row (8)

$$z^{2}$$
 δ c_{j}^{1} 0 0 1 (8)

through the sequence of transformations which generated (7). Instead of going through these transformations the same result can be achieved by subtracting appropriate multiples of the rows of (7) from (8), so that the elements of (8) in the basis columns become zero. If B^1 is the set of the x_i^1 , B^2 that of the x_i^2 in the optimal basis, and $\sum_{i=1}^{k}$ indicates summation over the rows belonging to the x_i^k of B^k , the transformation will yield

$$0 \quad \delta \quad c_{j}^{1} - \sum_{j}^{1} y_{ij}^{1} c_{i}^{1} \quad - \sum_{j}^{1} y_{ij}^{2} c_{i}^{1} \quad - \sum_{j}^{1} \hat{\beta}_{ij} c_{i}^{1} \quad 1 \quad (9)$$

which shall be abbreviated by

$$0 \quad \delta \qquad h_j^1 \qquad h_j^2 \qquad h_j^3 \qquad 1 \qquad (10)$$

By definition, the h_j^k for the basic variables are zero. Since Problem II has one more constraint than I, one more variable has to be introduced into the basis. This variable will be zero for $\delta = 0$. Assume that the pivot will be h_t^1 ; then (10) will be transformed into

$$0 \quad \delta/h_{t}^{1} \quad h_{j}^{1}/h_{t}^{1} \quad h_{j}^{2}/h_{t}^{1} \quad h_{j}^{3}/h_{t}^{1} \quad 1/h_{t}^{1} \quad (11)$$

and (7) will be transformed into

$$\hat{y}_{io} \begin{vmatrix} \hat{y}_{it} \\ h_{t}^{1} \end{vmatrix} \begin{pmatrix} \hat{y}_{it}^{1} \\ h_{t}^{1} \end{pmatrix} \begin{pmatrix} h_{i}^{1} \\ j_{ij}^{1} \\ h_{t}^{1} \end{pmatrix} \begin{pmatrix} \hat{y}_{it}^{1} \\ h_{t}^{1} \end{pmatrix} \begin{pmatrix} \hat{y}_{it}^{2} \\ h_{t}^{1} \end{pmatrix} \begin{pmatrix} h_{i}^{2} \\ j_{ij}^{1} \\ h_{t}^{1} \end{pmatrix} \begin{pmatrix} \hat{y}_{it}^{1} \\ h_{t}^{1} \end{pmatrix} \begin{pmatrix} \hat{y}_{it}^{1} \\ h_{t}^{1} \end{pmatrix} (12)$$

Thus, (11) and (12) are the main body of the optimal simplex-tableau belonging to Problem II.

The objective row for this tableau will be obtained by transformation of the row



$$-\hat{\mathbf{z}}^2 \quad \mathbf{0} \qquad \mathbf{k}_j^1 \qquad \mathbf{k}_j^2 \qquad \mathbf{k}_j^3 \qquad \mathbf{0} \qquad (14)$$

in a manner similar to that of obtaining (9) from (8), resulting in

where

$$k_{j}^{1} = -\sum_{j=1}^{2} \hat{y}_{ij}^{1} c_{i}^{2}$$
(15)

$$k_{j}^{2} = c_{j}^{2} - \sum_{j}^{2} \hat{y}_{ij}^{2} c_{i}^{2}$$
(16)

$$k_{j}^{3} = -\sum_{i}^{2} \hat{\beta}_{ij} c_{i}^{2}$$
(17)

We note that

$$h_{j}^{1} + k_{j}^{1} = \hat{y}_{oj}^{1} \le 0$$
 (18)

$$h_{j}^{2} + k_{j}^{2} = \hat{y}_{oj}^{2} \le 0$$
 (19)

and

$$h_{j}^{3} + k_{j}^{3} = -\hat{\pi}_{j}$$
, (20)

where \hat{T}_{Ij} are the simplex multipliers belonging to the optimal solution of I. Tableau (14) is not yet an objective row for the simplex-tableau consisting of (11) and (12), except in the case of $k_t^1 = 0$. Otherwise, it would have to be transformed into zero by subtraction of an appropriate multiple of row (11), which results in

$$-\hat{z}^{2} - \delta \frac{k_{t}^{1}}{h_{t}^{1}} + k_{j}^{1} - k_{t}^{1} \frac{k_{j}^{1}}{h_{t}^{1}} + k_{j}^{2} - k_{t}^{1} \frac{k_{j}^{1}}{h_{t}^{1}} + k_{j}^{2} - k_{t}^{1} \frac{k_{j}^{1}}{h_{t}^{1}} + k_{j}^{1} - \frac{k_{t}^{1}}{h_{t}^{1}} + \frac{$$

Since it is known that $\frac{\hat{x}^1}{\hat{x}^2}$, $\frac{\hat{x}^2}{\hat{x}^2}$ is an optimal solution for $\delta = 0$, of Problem II, the conditions

$$k_{j}^{1} - k_{t}^{1} \frac{h_{j}^{1}}{h_{t}^{2}} \leq 0$$
 (22)

$$k_{j}^{2} - k_{t}^{1} \frac{h_{j}^{2}}{h_{t}^{1}} \leq 0$$
(23)

have to be satisfied.

If the pivot had been one of the h_t^2 , (11*), (12*) and (21*) would be the optimal simplex-tableau for Problem II.



The conditions for optimality of the solution are:

$$k_{j}^{1} - k_{t}^{2} \frac{h_{j}^{2}}{h_{t}^{2}} \leq 0$$
 (22*)

$$k_{j}^{2} - k_{t}^{2} \frac{h_{j}^{2}}{h_{t}^{2}} \le 0$$
 (23*)

SECTION IV

SELECTION OF A NEW BASIC VARIABLE

From (22), (23), (22*) and (23*) we obtain a criterion for the selection of an h_r^{ℓ} for pivot:

$$\max_{\substack{\substack{k \\ j \\ l \\ h_{j} > 0}}} \frac{k_{j}^{l}}{h_{j}} \leq \frac{k_{t}^{l}}{h_{t}} \leq \min_{\substack{k \\ j \\ h_{j} < 0}} \frac{k_{j}^{l}}{h_{j}}$$
(24)

$$\max_{\substack{k=1\\j \neq 0}}^{\max} \frac{k_{j}^{2}}{h_{j}^{2}} \leq \frac{k_{t}^{1}}{h_{t}^{1}} \leq \min_{\substack{k=1\\j \neq 0\\h_{j}^{2} \neq 0}}^{k_{j}^{2}} \frac{k_{t}^{1}}{h_{j}^{2}}$$
(25)

for a left pivot.

h

$$\max_{\substack{i=1\\j > 0}} \frac{k_{i}^{1}}{h_{j}^{1}} \leq \frac{k_{t}^{2}}{h_{t}^{2}} \leq \min_{\substack{i=1\\j < 0}} \frac{k_{i}^{1}}{h_{j}^{1}}$$
(26)

$$\max_{\substack{k=1\\j \neq 0}}^{k} \frac{k_{j}^{2}}{h_{j}^{2}} \leq \frac{k_{t}^{2}}{h_{t}^{2}} \leq \min_{\substack{k=1\\j \neq 0\\h_{j}^{2} \neq 0}}^{k_{j}^{2}} \frac{k_{t}^{2}}{h_{t}^{2}} \leq \min_{\substack{k=1\\j \neq 0\\h_{j}^{2} \neq 0}}^{k_{j}^{2}}$$
(27)

for a right pivot. These conditions are satisified because the solution is optimal for $\delta = 0$; part of them, depending upon the sign of the desired change of δ , determines the pivot $h_t^{\&}$. If $\delta \ge 0$, then $h_t^{\&} > 0$ and for $\max_{\substack{k_j^2 > 0 \\ h_j^2 > 0}} \frac{k_j^2}{h_j^2} \le \max_{\substack{k_j^1 \\ k_j^2 > 0}} \frac{k_j^1}{h_j^2} = \frac{k_t^1}{h_t^1}$ (28)

 x_t^l is the new basic variable, for

$$\max_{\substack{i \\ j \\ k_{j}}}^{k_{j}} \frac{k_{j}^{l}}{h_{j}} \leq \max_{\substack{i \\ j \\ k_{j}}}^{k_{j}^{l}} \frac{k_{j}^{2}}{h_{j}} = \frac{k_{t}^{2}}{h_{t}^{2}}$$
(29)

 x_t^2 is the new basic variable. Similarly, for $\delta \leq 0$, $h_t^2 < 0$ and either

$$\frac{k_{t}^{2}}{h_{t}^{2}} = \min \frac{k_{j}^{2}}{h_{t}^{2}} \le \min \frac{k_{j}^{1}}{h_{j}^{2}} \le \min \frac{k_{j}^{1}}{h_{j}^{1}}$$
(30)

or

$$\frac{k_{t}^{1}}{h_{t}^{1}} = \min \frac{k_{j}^{1}}{h_{k}^{1}} \leq \min \frac{k_{j}^{2}}{h_{j}^{2}}$$
(31)

determines the pivot.

SECTION V

PARAMETRIZATION OF THE SOLUTION

Once the pivot and an optimal tableau for Problem II, are known, the whole sequence of optimal solutions for the interesting range of δ can be determined by the usual parametric programming techniques.

If one is interested only in the modifications caused by small changes in δ , it is sufficient to determine the pivot column and to read the new values of the variables, from (12) and (11) or (12*) and (11*); namely

$$y_{io} = \hat{y}_{io} - \delta \frac{\hat{y}_{it}}{h_t} , \qquad (32)$$

and the newly introduced variable

$$y_{to} = -\delta \frac{1}{h_t}$$
 (33)

For the objective function we obtain from (21) or (21*)

$$z^{2} = \hat{z}^{2} + \delta \frac{l_{t}}{h_{+}}$$
 (34)

Therefore, the marginal rate of substitution between $z^1 = \hat{z}^1 + \delta$ and z^2 is given by the characteristic quotient k_t/h_t which determines the new basic variable.

Finally, the new simplex-multipliers are of interest; (21) or (21*), respectively, gives them as

$$-\pi_{j} = k_{j}^{3} - k_{t} \frac{h_{j}^{3}}{h_{t}}$$
(35)

$$\overline{\Pi}_{0} = -\frac{k_{t}}{h_{t}}$$
 (36)

Condition (35) can be explicitly written as

$$-\pi_{j} = -\sum_{i}^{1} \hat{\beta}_{ij} c_{i}^{1} + \frac{k_{t}^{1}}{h_{t}^{1}} \sum_{j}^{2} \hat{\beta}_{ij} c_{i}^{1}$$
(37)

or

 $-\pi_{j} = -\sum_{i}^{2} \hat{\beta}_{ij} c_{i}^{2} + \frac{k_{t}^{2}}{h_{t}^{2}} \sum_{i}^{1} \hat{\beta}_{ij} c_{i}^{1} , \qquad (38)$

respectively, dependent upon the choice of the pivot. This can be written in a more compact form. If the basis-inverse B^{-1} is split so that

$$\underline{x}^{1} = (B^{-1})_{1}\underline{b}$$
 (39)

ł,

and

$$\hat{\underline{x}}^{1} = (B^{-1})_{2\underline{b}},$$
 (40)

components $\hat{\underline{\pi}}^1$ and $\hat{\underline{\pi}}^2$ of the simplex-multipliers can be defined by

$$\widehat{\underline{\Pi}}^{1} = (B^{-1})_{1}^{T} \underbrace{\underline{C}}_{1}$$
(41)

and

$$\underline{\hat{\Pi}}^{2} = (B^{-1})_{\underline{2}\underline{C}}^{T} .$$
(42)

Then (37) and (38) become

 $\pi_{j} = \hat{\pi}_{j}^{1} - \frac{k_{t}^{1}}{h_{t}^{1}} \hat{\pi}_{j}^{2}$ (43)

or

.

4

.

.

$$\pi_{j} = \hat{\pi}_{j}^{2} - \frac{k_{t}^{2}}{h_{t}^{2}} \hat{\pi}_{j}^{1} .$$
(44)

SECTION VI

SUMMARY

To obtain an optimal tableau for the modified problem (as a starting point for a parametric programming procedure), one has to start with an optimal tableau (7) for the original problem, generate the additional rows (10) and (14), and, dependent upon the sign of the desired change δ of the new objective function, apply the criteria (28) and (29), or (30) and (31). This gives the new basic variable (in this tableau still with the value 0). Knowing the new basic variable, one obtains as the new optimal tableau either (12), (11) and (21), or (12*), (11*) and (21*). From here on, standard parametric programming techniques can be applied.

If one does not want to know the complete modified solution, but only how far a change of one part of the objective function influences the other, then it is not necessary to determine the new simplex-tableau. It is sufficient to determine the quantities necessary to evaluate (34).

Similarly, one can obtain the simplex-multipliers for the optimal solution of the modified problem by following the procedure up to the solution of the new basic variable. If one "splits" the expression for the original simplex-multipliers in a manner representing the contributions of both parts of the objective function, then (43) or (44) respectively allows an easy calculation of the new simplex-multipliers for the components of the old ones and the rate of substitution between the objective functions.

Unclassified						
Security Classification						
DOCUMENT	CONTROL DATA - R&D					
(Security classification of title, body of abstract and in	ndexing annotation must be enter	ed when t	he overell report is classified)			
1. ORIGINATING ACTIVITY (Corporate suthor)			2a. REPORT SECURITY CLASSIFICATION			
The MITRE Corporation						
bealora, nassaenuseles		25. GROUP				
3. REPORT TITLE		011				
Trade-Offs Between Parts of the Obje	ctive Function of a	Linea	r Program			
4. DESCRIPTIVE NOTES (Type of report and inclusive dated N/A	a)					
5. AUTHOR(S) (Last name, first name, initial)						
Joksch, Hans C.						
6. REPORT DATE	78. TOTAL NO. OF PAG	ES	7b. NO. OF REFS			
December 1965	15		0			
8a. contract or grant no. AF19(628)-2390	9a. ORIGINATOR'S REPO	9a. ORIGINATOR'S REPORT NUMBER(\$)				
b. PROJECT NO.	ESD-TR-65-363	3				
7070						
с.	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)					
d.	W-07454					
10. AVAILABILITY/LIMITATION NOTICES						
Qualified requesters may obtain from DDC release to CFSTI authorized.	DDC.					
11. SUPPLEMENTARY NOTES	12. SPONSORING MILITA	12. SPONSORING MILITARY ACTIVITY				
	Directorate of Computers					
	L C Hanscom F	Lectronic Systems Division				
12 ADSTRACT	L. O. Hallscoll I	. 1010,	beuloid, Massachusetts			
13. ABSTRACT						
Linear programs whose objective considered. The following problem i respect to the total objective funct one part of the objective function b little as possible?	function can be sep s studied: given ar ion, how does it hav y a certain amount a	parate n opti ve to and af	d into two parts are mal solution with be modified to change fect the other part as			
The construction of an optimal the optimal simplex-tableau of the o serve as a starting tableau for an o Finally, the marginal exchange ratio the simplex-multipliers for the cons	simplex-tableau for riginal problem is o rdinary parametric p for both parts of t traints are derived.	the m demons progra the ob	odified problem from trated. This can mming procedure. jective function and			

.

6

¥

٠

.

Unclassified

Security Classification

14. KEN WORDT	LINK A		CINK B		LINK C	
KEY WORDS		ΨT	ROLE	WΤ	ROLE	ΨT
PLOGRAMMING						
Linear						
Trade-offs Between Parts	1					
Parametric Techniques						
INSTRUCTIONS						
1. ORIGINATING ACTIVITY: Enter the name and address impoaed b	y security	classifi	cation, us	ing stand	dard state	ments
of the contractor, subcontractor, grantee, Department of De- such as:						

- "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) **U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC usera ahall request through

(4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through

(5) "All distribution of this report is contained that ified DDC users shall request through

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

I1. SUPPLEMENTARY NOTES: Use for additional explanatory notes.

12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.

13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS). (S). (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from I50 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.

Unclassified

Security Classification

of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report.

2a. REPORT SECURTY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. REPORT TITLE: Enter the complete report title in all capital lettera. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. REPORT DATE: Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.

7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.

8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, &c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (either by the originator or by the stonsor), also enter this number(s).

10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those