

AD 625854

MONOGRAPH 11

THOUSAND AVIATOR STUDY METHODOLOGY

Albert Oberman, Robert E. Mitchell, and Ashton Graybiel

CLEARING HOUSE FOR FEDERAL INFORMATION		
5.00	1.00	168 00

JOINT REPORT

Code 1

UNITED STATES NAVAL SCHOOL OF AVIATION MEDICINE
 UNITED STATES PUBLIC HEALTH SERVICE
 NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

July 1965

Distribution of this document is unlimited.

**BLANK PAGES
IN THIS
DOCUMENT
WERE NOT
FILMED**

Distribution of this document is unlimited.

THOUSAND AVIATOR STUDY: METHODOLOGY*

Albert Oberman, Robert E. Mitchell, and Ashton Graybiel

MONOGRAPH 11

Released by

**Captain H. C. Hunley, MC USN
Commanding Officer**

22 July 1965

***This research was conducted under the sponsorship of the United States Public Health Service, and National Aeronautics and Space Administration Order No. R-136.**

**U. S. NAVAL SCHOOL OF AVIATION MEDICINE
U. S. NAVAL AVIATION MEDICAL CENTER
PENSACOLA, FLORIDA**

FOREWORD

The Pensacola Study of Naval Aviators, commonly termed the "Thousand Aviator Study," began in July, 1940 as a survey to validate techniques for preselecting pilot trainees in order to reduce the large attrition rate in the flight training program at that time. More than one thousand preselected men were given a large battery of psychological and physiological tests and measures for the purpose of improving the criteria then in use for selection of candidates for flight training. Captain Ashton Graybiel, one of the original investigators, foresaw the potential yield of continuous physiologic information on a group of healthy males from youth to senescence, and initiated re-examinations of these former aviators in 1951, 1957, and 1963. Each successive evaluation increased in scope as new physiologic measures became available, and in significance as the subjects grew older.

From this original exploratory study of pilot selection evolved a longitudinal study with cardiovascular emphasis unique in several respects: 1) The mean age of its participants at inception of the program was 23.6 years, and all except thirteen were between 20 and 30 years of age. 2) The entire group was remarkably homogeneous. All were white males in the military serving as flight instructors or students. All were of similar health, size, education, and social background. 3) All candidates were physically fit, without visual or motor defects, of "normal" intelligence, and very competitive in spirit. It was perhaps these latter qualities which made them a highly motivated experimental group.

The inherent problems of such a project were myriad. Administrative endorsement, available physical facilities, and even general perspectives differed at each succeeding evaluation period, with resultant modifications of the testing program. The interest and enthusiasm of the examiners have varied over the years, as have that of the subjects who are now spread over the four corners of the world. Yet the desirability and benefits to be gleaned from such a study are evidenced by the development of similar longitudinal studies during the past decade.

The Thousand Aviator Study now in its 25th year has fulfilled its obligations in part, namely, evaluating certain physiologic functions from youth to middle age; but only through a vigilant look at the group thus far, can future determinants of disease and health be established. This involves a scrupulous organization of collected data from the evaluations and thorough analyses of trends and relationships. Then perhaps factors can be related to present and future critical events such as coronary heart disease with the hope of ultimate isolation and prevention of the perpetrators.

Concurrent with this experimental approach there has been a growing concern about the diversity of criteria and methods used in cardiovascular epidemiology. An appeal has been made for standards so that data might be pooled, criteria sharpened, techniques interchanged, and central references established.

In view of all the above considerations this report purports to accomplish the following:

- 1) Present and unify the procedures and methods of all the examinations carried out on the group.
- 2) Offer standard material for cooperative studies.
- 3) Serve as a guide for future evaluations.

- 4) Display the methodology employed in a fashion which lends itself to perusal by critical reviewers.
- 5) Suggest by retrospection necessary modifications.
- 6) Provide a basis for scrutinizing the material in search of new avenues of investigation.

The material contained in this Monograph falls into the natural division of the four different examinations carried out to date. Chapter I includes data regarding procedures used in the original study in 1940-1941; Chapter II, those of 1951-1953; Chapter III, those of 1957-1959; Chapter IV, 1963-1965. Corresponding to each of these four chapters is an Appendix which contains the various forms or questionnaires relative to their particular time period; e.g., Appendix A relates to Chapter I, or 1940-1941, et cetera.

The sparseness of Chapters II and III does not truly reflect their importance but rather the limitations imposed on those examinations carried out in the "field." Sufficient support was not available during those follow-up studies for a more comprehensive examination. Such was made possible for the 1963 study, however, by the combined financial assistance of the Bureau of Medicine and Surgery, Navy Department, and the United States Public Health Service.

No findings of any of the evaluations are presented; for these the reader is referred to the Thousand Aviator Study Bibliography (Chapter V).

ACKNOWLEDGMENTS

Many persons of good will have contributed immeasurably over the 25 years to the Pensacola Study of Naval Aviators. It is not the intent of the authors to slight any of these persons, but the names of many of them have been lost to history. Included here are only those who lent technical assistance in the early studies, but because of the recency of the third follow-up, names of participants in every phase were more readily available.

The original research group is pictured and identified in Chapter I. Not shown are Dr. Hallowell Davis and Dr. Hudson Hoagland. In the first follow-up study (Chapter II) the hospital corpsman who traveled about the country with the principal investigators, Doctors Packard and Graettinger, and who also independently took electrocardiograms and x-rays was John L. Buthod. The task of seeking out, identifying, and corresponding with the subjects was successfully carried out by several individuals at the Naval School of Aviation Medicine.

Charles W. Padgett and William J. Moates served as corpsmen for Doctors Harlan and Osborne, respectively, in the second follow-up (Chapter III), and secretarial duties were performed by members of the School staff.

Investigators in the third follow-up study (Chapter IV) were fortunate in having available the guidance of a former principal investigator, Doctor William R. Harlan, Jr., Director of Clinical Research Center, Medical College of Virginia. Information relative to previous evaluations was also provided by Mrs. Catherine Kasperek who participated in many aspects of the other follow-up studies and who also has given valuable editorial assistance.

We are also indebted to Doctor Samuel M. Fox, III, Chief of the Heart Disease Control Program, U. S. Public Health Service, for his support and assistance in sponsoring the program; to Doctor James E. Banta, Director, Medical Program Division, U. S. Peace Corps, for encouragement and over-all guidance; to Doctor Albert Damon, Harvard University, for advice in many areas, especially with the anthropometric studies; to Doctors Stuart W. Rosner, Caesar A. Caceres, Gerald R. Cooper, Mr. Alan Palmer, and Mr. Sidney Abraham, Heart Disease Control Program, U. S. Public Health Service; to Doctor Reid H. Leonard for the bulk of the laboratory work; and to the following individuals at the U. S. Naval School of Aviation Medicine:

Captain Newton W. Allebach, Lieutenant David Jackson, and Lieutenant Richard E. Doll who assisted in specific projects; Doctors Harlow W. Ades, Vernon C. Bragg, Alfred R. Fregly, and Earl F. Miller, II, Lieutenant Raphael F. Smith, and Mr. James K. Colehour, who played an active role in the evaluation; Doctor Robert J. Wherry, Jr., Ensign Norman E. Lane, Mr. Richard Irons, Miss Mary Ann Overman, Miss Edna Marques, and members of the biometrics and statistical staffs who provided invaluable assistance; Mrs. Margaret Duty without whose knowledge and assistance the task of reorganizing and analyzing the data would have been almost insurmountable; Mrs. Wilma Bredt who furnished the illustrations used in this monograph; Hospital Corpsmen Bergdorf, Coyie, Courtemanche, Dent, DeSalvo, Gubanich, Kars, Kent, Morrow, Olsen, Peery, Redmond, Roberts, Sampia, Valverde, Van Cleave, and Young who served as laboratory assistants; Mrs. Peggy Stearns who typed and assembled this Monograph; and, above all, Miss Mary Duvall who bore the brunt of the immense volume of administrative and secretarial detail assisted by Miss Emogene Resmondo who also acted as a laboratory assistant.

TABLE OF CONTENTS

Page

FOREWORD ii

ACKNOWLEDGMENTS iv

Chapter I: 1940 Study

PRINCIPAL INVESTIGATORS 1

INTRODUCTION AND OBJECTIVES 1

SUBJECTS 1

TESTS AND PROCEDURES 4

Chapter II: 1951 Study

PRINCIPAL INVESTIGATORS 18

INTRODUCTION AND OBJECTIVES 18

SUBJECTS 18

TESTS AND PROCEDURES 19

Chapter III: 1957 Study

PRINCIPAL INVESTIGATORS 22

INTRODUCTION AND OBJECTIVES 22

SUBJECTS 22

TESTS AND PROCEDURES 23

Chapter IV: 1963 Study

PRINCIPAL INVESTIGATORS 26

INTRODUCTION AND OBJECTIVES 26

SUBJECTS 27

TESTS AND PROCEDURES 28

TABLE OF CONTENTS - Continued

Page

Chapter V

CONCLUSIONS AND RECOMMENDATIONS 67

**BIBLIOGRAPHY OF PUBLISHED REPORTS FROM THE
THOUSAND AVIATOR STUDY: 1941 - 1965 69**

REFERENCES 71

APPENDIXES

APPENDIX A: Forms Used in 1940 Study (Chapter I) A-1

APPENDIX B: Forms Used in 1951 Study (Chapter II) B-1

APPENDIX C: Forms Used in 1957 Study (Chapter III) C-1

APPENDIX D: Forms Used in 1963 Study (Chapter IV) D-1

APPENDIX E: Summary of Tests for All Examinations E-1

Chapter I. 1940 Study*

Principal Investigators: Doctors Ross A. McFarland, Ashton Graybiel, Hudson Hoagland, Hallowell Davis, Alexander Forbes, R. A. Phillips, Donald C. Gates, Robert Peckham, Stanley Bennett, and Craig Wilson, Lieutenant Ralph Channell, and Lieutenant(jg) Fred Webster

INTRODUCTION

Because of the time and expense involved in training aviators, reliable and easily performed measures for selecting the most promising candidates had long been sought. After initial interest during the first World War, little research was carried on in this field until 1939 at which time the Committee on Selection and Training of Civilian Aircraft Pilots of the National Research Council received funds from the Civil Aeronautics Authority (now Federal Aviation Agency) for use in planning and supervising research on the human aspects of aviation. In the summer of 1940 the Council expanded its field to include military aviation and, in cooperation with the U. S. Navy, began a study which became known as "The Pensacola Study of Naval Aviators," or "The Thousand Aviator Study."

The original group of investigators and laboratory assistants are shown in the photograph of Figure I.1. Personnel were specially recruited for this purpose from several universities in addition to assigned Naval reserve officers, hospital corpsmen, and civilian laboratory assistants. A building at the Pensacola Naval Air Station was designated for use as a laboratory, and the necessary equipment was purchased or rented for the duration of the 1940 study. Testing of the subjects began during the third week of July, 1940 and was continued until May, 1941.

OBJECTIVES

The value of psychological and physiological testing in the prediction of success in the flight training program was explored. Criteria were measured in terms of passing or failing the flight course, and of appearance before the Commandant's Board. The study was designed to provide for the application of a wide variety of measures with a view of quickly arriving at those deemed promising for selection of candidates for flight training.

SUBJECTS

The experimental battery of tests was administered to all of the incoming cadets and officers in each flight class at Pensacola during the period from July 16 through September 20, 1940 (classes 147 through 151). Twelve cadets and officers were studied each day during their ground school period and before their flight training. The data collected during this period have been designated in an early report (1) as Part I.

Because of the small number of washouts in this group it was decided to extend the study. From October 1 to December 15, 1940, a representative sampling comprising about one fifth of each incoming class (classes 152 through 159) were tested. During this period only five subjects could be studied each day because of the reduction in the size of the research staff. From January 1 to May 15, 1941, only those cadets from classes 160 through 165 who appeared before the Commandant's Advisory Board took the tests. The data obtained after September 1940 were included in the early report (1) and designated as Part II.

*In order not to inject any of the authors' interpretations on the material in this Chapter, the information regarding the original study has been taken almost verbatim from McFarland and Franzen, Final Summary Report (1).



Figure 1.1.

Research Staff, 1940

Back row: Drs. Bennett, McFarland, Gates and Channell. Third row: Drs. Wilson, Peckham, Graybiel, Phillips, Forbes and Webster.
Second row: Corpamen: Babst, Kirkland, Riles, Baumgarten, Parrish and Schwartz. Front row: Corpamen: Aller, Snowden, Van Meter and Backus.
Not shown were Doctors Hoagland and Davis.

The examinees who ranged in age from 20 to 30 years were not comparable in all respects. The subjects in Part I, for instance, included 58 officers from the U. S. Naval Academy who had recently been commissioned as Ensigns. The cadets in Part I were college graduates, however, and since both cadets and officers had had the same amount of flight training before their entrance at Pensacola, they were treated as one group. Part II subjects included a considerable number of men, assigned to Pensacola from the Fleet, with only high school diplomas, but many others in Part II had two years of college. Because the subjects in Part II had less academic training than those in Part I, it was felt that the differences in education might be an important variable in that these men had had less experience in taking tests and examinations of this nature. The whole group was preselected inasmuch as each man had passed several rigorous medical examinations as well as a ten-hour flight training course, including solo flight, before being sent to Pensacola. The experimental population did not include those individuals who were "washed out" during the initial part of the training program.

A group of 83 instructors at the Naval Air Station were also given the tests so as to obtain normative data for pilots known to be successful. Their average age was 27 years and they had had an average of 1,500 hours of flying. Table 1.1 shows the total number of students and instructors who took the test at Pensacola. Some of the total number examined were dropped from the final experimental group because of insufficient data on them. Others needed reexamination and could not be recalled, and some were found physically disqualified. Each subject in the final experimental group did not necessarily undergo all phases of the examination. In these instances, therefore, slight variations occurred in the number of subjects tested.

Table 1. 1.
Number of Students and Instructors Tested at Pensacola

Part	Classes	Average Age	Dates Tested	Completed Program	Wash-outs	Board Appearance But Retained
I	147-151	24	Jul-Sep '40	390	55*	34
II	152-165	23	Oct-May '41	529	125+	96
Instructors		27	Jul-Sep '40	83		
Total					1312	

*Total number of washouts include 16 who left at their own request or for reasons other than aptitude.

+Total number of washouts include 23 who left at their own request or for reasons other than aptitude.

TESTS AND PROCEDURES

The testing program was organized so that each cadet was assigned to the Research Laboratory for one full day as an official part of his indoctrination into the Naval Air Station. This assignment occurred during the first week of his tour before any flight training. Only a few trainees had had more than ten hours of flight time before their entrance at Pensacola. From the official and routine nature of the program, the cadets were led to believe that their results on the tests would become an official part of their records. The motivation was high and the cooperation excellent throughout the study.

Each class of cadets of approximately 50 took the Cais Mental Test, the Minnesota Paper Form Board Test, and the Athletic Achievement Test as a group in a classroom at the cadet barracks.

Subjects came to the laboratory in groups of four at 6:00 a.m., 7:30 a.m., and 8:00 a.m. Each subject received a typed statement several days before taking the tests, which gave a brief account of the purpose of the tests and the time and place to report. These typed statements gave specific instructions indicating the amount of rest and the avoidance of alcohol and tobacco on the previous night, with no food or exercise on the morning of the tests, in order to provide optimal conditions for the basal metabolism test.

Partitions were constructed in the building assigned to the laboratory to permit the various tests to be given in separate rooms, thus avoiding distractions. Four sets of metabolism and electrocardiographic apparatus were available so that four subjects could be studied simultaneously.

After the cadets had reclined on the beds for thirty minutes, they were given the basal metabolism and breathing tests--two eight-minute records. Then vital capacity determinations were made. After a short rest, they were connected with the electrodes on the electrocardiograph, and records were obtained with four different leads. While still attached to the breathing apparatus and electrocardiograph, a very loud pistol shot was fired in the room, at a time unknown to the cadets, to obtain records of response to startle. They were then given the Schneider Index and Tilt Table Tests. Then each cadet was served a light standard test meal in the laboratory. Following this meal they were scheduled through the special rooms in the routine fashion for the various psychomotor tests, brain waves, somatotyping, aniseikonia, night vision test, and the response to the carotid sinus sensitivity, cold pressor, and skin resistance experiments. During rest periods they filled in the questionnaire relating to medical history, education, and aviation interests. The interviews were given by a physician in the afternoon. If the records of metabolism, brain waves, or electrocardiography were not satisfactory, they were recalled for retests as soon as convenient.

It was not possible to control the temperature in the laboratory rooms, even though electric fans were used to circulate the air. The mean temperature during the summer months, when the data of Part I were collected, remained fairly constant. In the fall and early winter (data for Part II) the temperature was cooler. The differences in climate during the two parts of the study were not extreme, but this variation might have given rise to certain differences in the respiratory and circulatory tests. Each subject received standardized instructions and appropriate practice periods before taking each of the psychomotor tests.

PERSONAL AND MEDICAL HISTORY

An interview and questionnaire (Appendix A, pages A1-A7) relating to personal and medical history as well as other items were given to each subject. The items in the questionnaire related to: 1) family history; 2) personal and medical history with special reference to accidents, illnesses, and nutritional habits; 3) environmental influences; 4) education; 5) vocational and aeronautical interest. A physician went over the answers and interviewed each cadet concerning the most significant clinical data such as the major illness, loss of consciousness from accidents, diet, and vocational interests, especially aviation.

PHYSICAL EXAMINATION

Since all examinees had qualified medically before inclusion in the study, a general physical examination was not done. Systolic blood pressure, diastolic blood pressure, and pulse rate were taken. The score for each of these measures was expressed as the mean of five readings taken when the subject was in a reclining position.

CARDIOVASCULAR TESTS

Schneider Index of Neurocirculatory Fitness

Data from six sets of observations were made, namely, the pulse rate during recumbency, pulse rate while standing, the increase in pulse rate when standing from the recumbent posture, the acceleration of the pulse after standardized exercise, the time required for the pulse rate to return to normal after exercise, and the change in the systolic arterial blood pressure from recumbency to standing. The index penalized the subject who showed a rapid pulse rate and who failed to show an increase in systolic blood pressure on standing. The test was designed to reveal the state of physical fatigue or fitness of the subject (2).

Tilt Table Response (Figure 1.2.)

After resting for fifteen minutes in the prone position on a table, the subject was tilted head up for a twenty-minute period at a 65-degree angle. The following measures were taken before and during tilt:

- 1) Baseline blood pressures and pulse rate. Scores represented the mean of five readings taken while the subject was in the supine position before being tilted.
- 2) Pulse pressure change was the change in pulse pressure, the difference between the average pulse pressure before the tilt, and the smallest pulse pressure after tilting.
- 3) Pulse rate change equaled the difference between the highest pulse rate reached during the tilt-up intervals and the average pulse rate before tilt.
- 4) Smallest pulse pressure was the least difference between the systolic and diastolic pressure during the tilt-up interval.

- 5) Time to smallest pulse pressure was the number of minutes elapsing between the time when the subject was tilted up and the time at which the smallest pulse pressure occurred.

Cold Pressor Test

This procedure was included to evaluate each cadet's blood pressure response to a standard painful stimulus (3). Each cadet in Part I of the study underwent this test. After the blood pressure had stabilized, the right hand was immersed in a pail of ice water for one minute. Scores consisted of the change in systolic and diastolic pressures before placing the right hand in ice water and the point at which the blood pressure was highest during the sixty-second period of immersion. In a few instances electrocardiograms were obtained during the test.

Electrocardiography

In this investigation Sanborn portable cardiometers (Figure 1.3.) were employed. All of the electrocardiograms were obtained with the subject in the recumbent position and, with a small number of exceptions, in the basal state. Photographic tracings of the three standard leads as well as precordial leads IVF (precordial electrode at the outer border of the apex as determined by palpation or percussion; precordial lead wire attached to positive terminal and left leg lead wire to negative terminal) and IVR (precordial electrode placement and polarity the same as IVF but negative terminal attached to the right arm) were obtained (4). Electrocardiograms were also an integral part of two other procedures employed.

A. Response to startle: The subject was attached to the basal metabolism apparatus and to lead II of the electrocardiograph. A gun was fired without the subject's foreknowledge. An analysis was then made of the alterations observed in the spirogram and electrocardiogram. The following scores were compiled from the tracing (Figure 1. 4.)

- 1) Heart rate
 - a) Average control rate for the startle expressed as the average heart rate for 6 seconds before the startle.
 - b) Average heart rate 0-6 seconds after startle.
 - c) Average heart rate 6-12 seconds after startle.
 - d) Average heart rate 12-18 seconds after startle.
- 2) Somatic tremor
 - a) Total duration expressed in seconds.
 - b) Initial amplitude expressed in millimeters.
 - c) Amplitude 3/5 second after the startle expressed in millimeters.
- 3) Alteration in T wave
 - a) Time of onset expressed in seconds.
 - b) Maximum change in amplitude expressed in millimeters.
 - c) Persistence of change in T waves expressed in seconds.



Figure 1.2.
Tilt Table Response





Figure 1.3
Electrocardiograph, Sanborn Portable Cardiette

PISTOL
SHOT



T.L.H.



7-23-40

STARTLE

Figure 1.4

Startle Electrocardiogram - Lead II

A gun was fired at the point marked by the arrow. Note the somatic tremor and baseline shift immediately after the shot. The record also shows an increase in heart rate and a decrease in the amplitude of the T wave.

B. Carotid sinus sensitivity: The subject was seated, attached to an electrocardiograph with a blood pressure cuff in position. After two initial blood pressure readings a physician massaged the carotid sinus in the neck. Additional readings were made thirty seconds after pressure on the right carotid artery and thirty seconds after pressure on both carotid arteries. Electrocardiographic tracings were obtained at standard intervals during the experiment.

PULMONARY FUNCTION AND METABOLIC STUDIES

A detailed description of these measures may be found in a publication by Franzen and Blaine (5). Nine-liter Benedict closed-circuit spirometers constructed by the Sanborn Instrument Company were used. Each pilot was tested in the morning under basal conditions (Figure 1.5).

Breathing Pattern

The breathing pattern was studied from the spirogram for irregularities in a number of characteristics including variations in tidal air volume and respiratory rate (6). In addition, observations were made of the subject's reaction to a resistance placed in the breathing circuit which forced him to breathe through a small opening "pin head" in size.

Tidal Volume

This value was expressed in cubic centimeters, based on two runs of eight minutes duration with the subject in a recumbent position. An estimated correction for body surface to adjust for variations in body size was made by use of appropriate height-weight graphs (7).

Vital Capacity

The vital capacity was determined in the following manner. After a normal breathing period, the subject was asked to inhale as fully as possible and then to exhale as deeply as possible. Two records were made on the basal metabolism chart with the subject sitting. Values were given in cubic centimeters.

Basal Metabolic Rate

The score on the basal metabolism test was based on two runs of eight minutes duration each and was expressed in plus and minus values, the normal range considered to be plus 15 to minus 15.

ANTHROPOMETRY

Somatotype (8, 9)

Each cadet was photographed in a standardized manner in the nude from the front, back, and side (Figure 1.6). The anthroposcopic method was used in the study. It consists in somatotyping five regions by inspection: 1) head and neck, 2) upper trunk, 3) arms, 4) lower trunk, and 5) legs. For the somatotype the individual was rated with respect to endomorphy, dominance of visceral structures or soft roundness of body regions; mesomorphy, corresponding to the athletic type of build or dominance of bone and muscle; and ectomorphy, dominance of "linearity" and "fragility," especially the nervous system and sense organs. In the somatotyping procedure, each of these three primary components is classified on a seven-point scale. An inspectional estimate of the strength of each component was made from an examination of a photograph of the subject.




Figure 1.5
Benedict Closed-Circuit Spirometer




Figure 1.6
Somatotype Views

Numerals were assigned to each physique, including one for its position on the scale for each component. Thus, the physique of an individual classified as a 7-1-1 was extreme in endomorphy and at a minimum in the other two components. The 4-4-4 is an individual about at the mid-point of all three scales. The pattern of the three elemental morphological components, as expressed by the three numerals, represents the individual's "somatotype." The photographs were also scored for dysplasia, a term used to signify "disharmony between different regions of the same physique." When, for example, a physique is of one somatotype in the region of the head and neck and of another somatotype in the legs or trunk the individual is spoken of as dysplastic. Dysplasia is measured by totaling the differences among the somatotype designations for five regions of the body.

PSYCHOLOGICAL-PSYCHOMOTOR

Mental Ability

Otis Higher Examination Form D. This was a test of general intelligence containing 75 questions (10).

Mechanical Aptitude

Minnesota Paper Form Board--Revised Series AA. This test involved the perception of form relations and was supposed to be predictive of mechanical aptitude (11).

Athletic Achievement

Thorndike-Kelley. This test contained 42 questions relating to proficiency in various athletic events and to manual dexterity and coordination. A sample form is shown in Appendix A, page A8.

Eye-Hand Coordination Test

This procedure (Figure 1.7) was designed to measure motor dexterity and ability to coordinate the eyes and hands. A pointer, controlled by the subject, was to be kept opposite to a second pointer controlled by an irregular cam. The cumulative amount of deviation made by the subject while attempting to follow the moving pointer was recorded automatically. There were four different patterns on the cam which regulated the movements of the pointer. This test was essentially a motor learning task since improvement was shown in repeated trials (12). Eight successive trials were given in order to analyze the rapidity and skill with which a subject showed improvement, as well as to give a reliable total score.

Two-Hand Coordination Test

This test, constructed on the principle of a lathe, involved the rotation of two handles which controlled the movement of a disc (Figure 1.8). The handles had to be turned simultaneously in different directions in order to keep the two pointers together. One of these discs was activated in an irregular manner by a cam. The essential psychological principle involved the competition of simultaneous stimuli, i.e., attending to two different acts or movements at the same time (13).




Figure 1.7
Eye-Hand Coordination Test




Figure 1.8
Two-Hand Coordination Test

Mashburn Serial Action Apparatus

This apparatus (Figure 1.9) roughly simulated the stick and rudder movements involved in flying. The subject reacted to a continuous series of red lights on the instrument panel; responses were made by movements of the set of controls operated by the hands and feet. As soon as the subject had made a correct response to a set of signals, another pattern of signals automatically appeared. There were 40 settings (14).

Dotting Test (McDougall)

The purpose of this test was to measure quickness of one type of reaction time and the facility for quickly and accurately coordinating eye-hand movements. The task involved striking small holes on a revolving disc with a stylus. The speed of rotation increased as the row of dots reached the external part of the revolving phonograph plate. The score was based on a mean of three trials (15).

Continuous Reaction Test (Cattell)

This test measured the speed and accuracy with which a subject could react to directions printed on a moving strip of paper (16). The subject was instructed to mark with pencil all the vertical lines on the strip as it moved by the aperture on the apparatus. He was instructed not to mark certain other lines which appeared at various intervals. The subject had to think and act simultaneously and with great rapidity. The test was designed to measure close attention, quick thinking, and accurate manual dexterity. It was scored in terms of the total number of correct markings on the strip of paper. It was given twice, once while the strip of paper was moving slowly and again while it was moving rapidly, the second time with different directions.

Ataxiometer (Miles)

This apparatus (Figure 1.10) measured the amount of vertical sway in the axis of the body while standing at attention with the eyes open or closed. A series of weights and pulleys was activated by cords attached to the subject's head. A movement in any direction was recorded by the counters at each corner of the metal framework. The subject was asked to stand as steadily as possible with heels together and feet turned outward at a 45-degree angle. The test was given first with the subject's eyes open as a practice period. The data were analyzed on the basis of movement during two readings of one minute each with eyes closed (17).

Tilt Chair

Perception of change in position while the subject was seated blindfolded in a chair was tested (Figure 1.11). The procedure was to have the subject signal the moment he was aware of the chair being tilted to the right or to the left, forward, or backward. The rate of tilting movements was controlled by a metronome set at approximately 7.4 beats per second. The mean of eight trials established the score.

VISION

Aniseikonia

Three tests developed by the Dartmouth Eye Institute were used for evaluation of this trait: 1) Eikonometer--This apparatus determined the difference in the size and shape of the




Figure 1.9
Mashburn Serial Action Apparatus



Figure 1.10
Miles Ataxiometer Apparatus




Figure 1.11
Tilt Chair

ocular images by projection. The score represented the sum of the size differences in either the horizontal or vertical meridian and the size limits in the vertical and horizontal meridian; the measures were coded from 1 to 3. 2) Leaf Room--The subject was asked to judge the shape of a rectangular room, the surfaces of which were covered with oak leaves providing adequate contours yet weak perspective features. Failure to see the room in its proper perspective was considered evidence of distortion in space perception. The final score represented the sum of the "response score" coded 0 to 4 and the "plane lens test score" coded 0 to 2. 3) Frontal Plane Apparatus--The subject was required to set a series of rods in an apparent frontal plane under different test conditions, based on the same principle as the Howard-Dolman apparatus. The following parameters were scored: curvature of curve determined by rods, response to distortion lenses, scatter of data, response to cycle incongruities, response to various eye lenses, and displacement of data from normal.

Photographs of Eye Movements (Ophthalmograph)

Ocular motor anomalies while fixating on a target and the number of fixations while readings were recorded. The principle of the apparatus was as follows: A beam of light was focused on the cornea, and the reflection of the light was recorded on the film of a moving picture camera (Figure 1.12). The subject was asked first to fixate on a dot, then to focus alternatively on one dot and then on another at a rate determined by a metronome. Finally, he was asked to read printed lines from the page of a book. The score depended on the number of fixations per line (18).

Dark Adaptation (Wald)

Wald (19) devised a simple portable apparatus for field use which involved the determination of a number of points on the dark adaptation curve after the subject had remained in the dark for thirty minutes. A score based on the mean of four readings was expressed in micro-millilamberts.

NEUROPHYSIOLOGIC

Electroencephalography

Records were obtained with a Grass apparatus (Figure 1.13) on each cadet in the recumbent position with the eyes open, and again while the eyes were closed. At the end of the test, each cadet was asked to hyperventilate to the beats of the metronome. A graphic record of the breathing was recorded with the spirometer. Four EEG measures were analyzed in this investigation: 1) Alpha Index, the average of the left and right scalp leads representing the number of centimeters in a standard length of record; 2) Alpha Frequency which ranges in frequency from 7 to 14 cycles per second; 3) Voltage, the average amplitude of the right and left scalp leads; and 4) the presence or absence of abnormalities expressed as ratings on a scale from 1, the best, to 4, the poorest. Care was taken in obtaining these records to make certain that the subjects did not become drowsy or fall asleep (20,21).



Figure 1.12
Ophthalmograph




Figure 1.13
Electroencephalography (Grass Apparatus)

Skin Resistance

The galvanic skin response was included in the test battery for 119 cadets because of its possible value in revealing emotional reactions. The usual procedure in studying this reflex was used; one electrode was attached to the arm, and one recording electrode to the third finger of the right hand. The tests were carried out in the late afternoon when there were no distractions in the laboratory, or in the area, such as a large number of aircraft flying overhead. After a baseline for the galvanic response was determined and a number of readings recorded, the hand was placed in ice water for 30 seconds. Successive readings were taken during the recovery period, and the subject's response indicating pain, or when pain disappeared, was tabulated. After an interval of time, the subjects were asked questions relative to their difficulties in flying or other emotionally tinged questions, such as about illnesses or deaths in the family, about their fiancées, or about questions from the medical history which the physician obtained during a previous interview. Interest centered on whether the cadets who had failed their flight training course would have more extreme responses than those who were successful.

Chapter II: 1951 Study

Principal Investigators: Captain Ashton Graybiel, Lieutenant John M. Packard, and Lieutenant John S. Graettinger

INTRODUCTION

At the time of the original study (Chapter I) no thought was given to the possibility of a long range follow-up study but, after a lapse of ten years, it seemed clearly desirable to attempt it. The effort was rewarding although considerable difficulties were encountered. Since one of the objectives of the study was to compare the electrocardiograms over a ten-year period, it was decided to re-examine as many of the men as possible. Although analysis of the original 1940-41 data included only 1002 men on whom complete studies were carried out, a review of the records indicated that 1056 men had been examined in the cardiovascular laboratory. Therefore this larger group of 1056 formed the nucleus for the 1951 and succeeding evaluations. Proper identification of the subjects and finding of up-to-date addresses for each member constituted a prodigious task.

OBJECTIVES

Re-evaluation of the living members of the group who had undergone cardiovascular examination in 1940 was the aim. A follow-up study of this large group of healthy young men after an interval of ten or more years was potentially a source of much valuable information. This project was designed to estimate the current physical status of those men with particular emphasis on the cardiovascular system, the morbidity and mortality rates, and the influence of aviation on these rates. Findings were analyzed absolutely and in comparison with the data accumulated in 1940-41.

SUBJECTS

In order to locate the original 1056 subjects the investigators availed themselves of the following sources of information: Surnames, initials, and flight class number were obtained from the data sheets used in analyzing electrocardiograms. Complete names and ages were found on the original class sheets in the files of the Pensacola Naval Air Station. File numbers of most of the instructors and cadets who had remained in flight training were then located in the appropriate Naval registers. File numbers could not be obtained locally for those men who had washed-out or for any of the enlisted men who had been examined during the studies. International Business Machine punch cards were then utilized by the Bureau of Naval Personnel to search their files for the current status of those whose file number and name were known. This resulted in an accurate but incomplete list of those on active duty, those in the Naval Reserve, those who were dead, and those who had been retired. The addresses of the men on active duty could be tabulated automatically by means of the punch cards as were the dates and causes of death of the deceased subjects. However, the addresses of the members of the Naval Reserve and of active and inactive officers and men of the United States Marine Corps had to be copied by hand from available files in Washington, D. C. The punch cards for all men whose addresses and file numbers were available were then sent to the Veterans Administration for use in searching their files. A number of additional addresses were obtained in this way. The remaining men had to be sought for laboriously in officer and enlisted files in the Bureau of Naval Personnel, in Headquarters, U. S. Marine Corps, the Bureau of Medicine and Surgery, and in the Naval Records Management Center, Garden City, Long Island. Over a two-year period it was possible to

obtain the addresses on all but 29 known survivors of the original group. Yet, a number of addresses were not currently correct, and it was necessary to contact known friends, alumni offices, chambers of commerce, city libraries, telephone directories, and families in order to trace a number of the subjects.

Information concerning the dates and causes of death of the deceased subjects had been compiled in files in the Veterans Administration, Headquarters, U. S. Marine Corps, and the following naval bureaus: Bureau of Naval Personnel, Bureau of Aeronautics, and Bureau of Medicine and Surgery. In many cases the death certificate was examined; in other cases surviving relatives and civilian hospital records supplied the necessary information. In only one case was it impossible to ascertain the date and cause of death.

Of the 1056 men studied in 1940-1941, 220 had died, 7 could not be located, and 829 survivors were located. Of the latter group 703 were examined and an additional 115 returned questionnaires but were not reevaluated otherwise (Table II.1).

Table II. 1

Status of Medical Evaluation (1940-51)

Evaluation Status	Number
Located	1049
Survivors (829)	
Re-examined	703
Questionnaires only	115
No response	11
Died (220)*	
Not located	7

* 213 men died in World War II.

TESTS AND PROCEDURES

As the subjects were located and identified, questionnaires were mailed to them requesting information as to their past and present military service, aviation activities, civilian occupation, and general health. The follow-up examinations in almost all cases were conducted by a team from the Naval School of Aviation Medicine traveling by plane or by converted carry-all to various locations within the United States. The mobile unit contained portable x-ray equipment, two electrocardiographs, and the requisite equipment for conducting a physical examination. Subjects were examined at their residence, place of business, in the truck, or wherever possible; subjects located overseas were examined by local medical facilities of the armed forces, and the

results forwarded to the School of Aviation Medicine. It was not possible to adhere to a formal schedule or test sequence either by the team from the School of Aviation Medicine or elsewhere because of the obvious limitations, but all results were recorded on Navy Standard Form 88. When completed, the pertinent data from the physical examination, the roentgenogram, and electrocardiogram were coded on punch cards together with similar measurements obtained during the original study in 1940.

INTERVIEW--PERSONAL AND MEDICAL HISTORY

Separate detailed forms were completed on 1) medical history, 2) occupation, and 3) military and flight status (Appendix B, pages B1-B6). Emphasis in the medical history was placed on the cardiovascular system and family history. The examining physician assisted the subject in answering all forms. A communication also asked of the participants that they volunteer to place a request in their personal effects, that, in the event of their untimely death, the School of Aviation Medicine be notified and a report of autopsy forwarded if available (Appendix B, page B7).

PHYSICAL EXAMINATION

The majority of the subjects were examined by either Doctor Packard or Doctor Graettinger; here, too, special attention was given the cardiovascular system. The examination included auscultation and percussion of heart and lungs, funduscopy, abdominal palpation, and measurements of the blood pressure and pulse in the supine and standing positions. A fifth phase diastolic end point was used for blood pressures. Subjects unavailable to these examiners were examined for this study by Armed Forces or Veterans Administration medical officers or by private physicians. If personal contact could not be made, routine military or civil aeronautics administration physical examinations for 1951 and 1952 were reviewed. Results were recorded on Navy Standard Form 88 (Appendix B, page B8).

CARDIOVASCULAR TESTS

Electrocardiography

The investigators used Sanborn Cardiettes for all electrocardiograms; photographic tracings were made. Many different makes of electrocardiographs were used by the other examiners. In all but a few cases the tracings at standard speed included the unipolar and bipolar limb leads and the usual six unipolar precordial leads. The rate, rhythm, and durations (PR, QRS, QT) were measured in standard fashion. Since a change in the relationship of the electrical field of the heart to the recording electrodes alters the amplitude and configuration of electrocardiographic deflections and since differences in electrocardiographic techniques also cause changes in electrocardiographic tracings, lead by lead comparisons of the amplitudes of the deflections were not made. Estimations of the positions of the mean electrical axes of QRS and T in the frontal plane were made in the electrocardiograms by the technique of Grant and Estes (22). In addition, changes in the amplitude or configuration of the deflections which could not be attributed to a shift in the electrical field of the heart were noted.

ANTHROPOMETRY

Standard heights and weights were the only measurements taken.

TELEOR.OENTGENOGRAMS

Standard posterior-anterior 14" x 17" views of the chest were taken. Portable x-ray units were employed by the team in the field only when "permanent" type units were not available.

Chapter III: 1957 Study

Principal Investigators: Captain Ashton Graybiel, Lieutenant William R. Harlan, Jr., and Lieutenant Robert K. Osborne

INTRODUCTION

Identification of important physiologic precursors of disease and investigation of the development of many disease states, particularly cardiovascular disease, require a study projected over many years. A large number of epidemiologic studies (23-26) in progress with these goals have been initiated in primarily middle age populations; hence, an important phase in the pathogenesis of the disease has necessarily been neglected, namely, subtle physiologic differences during young adult life. These early differences and their environmental interrelationships could not be appreciated in studies confined to older age groups. In addition, only from long-term studies of young, healthy individuals can normal standards be developed which would permit diagnosis of asymptomatic, sub-clinical disease. The results of serial examinations of this group have provided a unique opportunity to review alterations in blood pressure, electrocardiograms, and serum lipids in relation to age and other parameters.

Although aviation medicine had been thrust into the space age, many problems remained in the selection of physical standards for flying personnel and the relationship of flying to the development of disease. The longitudinal nature of these problems also made them inaccessible to the usual experimental approach. A prospective study could also clarify the physical and laboratory parameters of greatest value in selection and maintenance of the best physically qualified individuals.

OBJECTIVES

Major attention was placed on the following: 1) Diseases which have affected the group, with cardiovascular disease emphasized. 2) A study of the group still actively flying, both in service and without, with a comparison to the nonflyers. In particular, were aviators predisposed to certain diseases more than others? 3) A review of the changes that have occurred in the various measurements taken which seemed to be related to the aging process alone. 4) A search for clues which would have heralded the onset of significant disease, or any false premonitions. 5) Finally, the continued accumulation of data so that a continuing baseline was present for future reference for these and any other intervening problems.

SUBJECTS

Addresses of the subjects were obtained in a similar fashion as was described for the 1951 evaluation. A retail credit agency located a number of individuals who could not be found by the other means. Since 1952, 20 subjects had died; of the 816 survivors, 784 were re-examined; only three subjects could not be located (Table III.1).

For purposes of analysis the majority of the survivors were divided into those continuing as aviators, 432, and those never qualifying as aviators, 100, or flying less than five years, 264.

Table III.1
Status of Medical Evaluation (1951-57)

Evaluation Status	Numbers
Located	836
Survivors (816)	
Re-examined	785
Questionnaires only	19
No response	12
Died (20)	
Not located	3

TESTS AND PROCEDURES

This follow-up examination was conducted in much the same way as the previous evaluation in 1951. A team from Pensacola, Doctors Harlan and Osborne, traveled throughout the country to examine the subjects usually in available government medical facilities but if necessary in their homes.

Since examinations were conducted primarily in the "field," it was not always possible to adhere to a rigid time sequence, yet an attempt was made to record basal blood pressures and fasting blood specimens as described later.

In some instances geographical considerations made it necessary for other medical officers to carry out the examination according to instructions sent them. In addition to the studies of 1951 (medical and personal history, physical examination, chest film, and electrocardiogram) a "double" Master two-step was obtained on 455 subjects and blood was analyzed for lipids. The data for each individual subject for this examination as well as the previous ones were grouped, analyzed, and placed on punch cards for convenience and for a permanent record.

INTERVIEW--PERSONAL AND MEDICAL HISTORY

This included a complete medical and personal history with emphasis on detailed family history, physical activities, and dietary habits (Appendix C, C1-C4).

PHYSICAL EXAMINATION

A general physical examination was conducted with special attention directed to recording blood pressure (fifth phase diastolic was used) and examination of the retinal vascular pattern. Both examiners made an attempt to standardize blood pressure and retinal evaluations between themselves before carrying out any examinations in the field. Blood pressures were taken sitting and supine during the middle of the physical examination, a period which had been preceded by ten minutes of resting while the examiner auscultated the heart, examined the abdomen, et cetera (Appendix C, C3, C4).

CARDIOVASCULAR TESTS

Cold Pressor Tests

This procedure as described by Hines and Brown (27) was repeated in 27 men who could be studied under the same conditions as in 1940. The results were evaluated using each of the two criteria suggested by Hines and co-workers (28). The "old" criterion divided normals into hyperreactors who had a maximum increment greater than 20/15 mm Hg and hyporeactors who had a lesser response. The "new" criterion separated these two groups on the basis of an increase of diastolic pressure more than 15 mm Hg and a maximal diastolic blood pressure exceeding 90 mm Hg.

Electrocardiography

Resting 12-lead electrocardiograms were recorded on a Sanborn twin-beam electrocardiograph so that photographic tracings could be obtained. A "back-up" Sanborn machine with indirect writer was utilized if necessary. The electrocardiograms were modified by the equated lead selector (29) so that the unipolar leads were augmented, one mv equals 11.5 mm; and the polarity of AVR was reversed, complex typically upright. In 455 subjects a "double" Master two-step test was performed. (This refers to double the number of trips in double the period according to Master's table. The pace remains the same.) Besides the clinical interpretation of the routine and exercise tracings, a number of measurements were made (30): rate, PR interval, QRS and QT duration, mean frontal QRS and T vectors, initial and terminal 0.04 second QRS vectors, and the maximal rate achieved after the double Master two-step test. Records from previous examinations were also scored for these parameters if not previously available.

Ballistocardiograms

These were taken on an ultra-low frequency swing bed (31) on a limited number of individuals who were examined in Pensacola.

LABORATORY DETERMINATIONS

Whenever possible, blood was drawn either fasting or four hours after a light meal. Blood was analyzed for cholesterol by the method described by Abel et al. (32). Serum lipoproteins were determined by ultracentrifugation at the Institute of Medical Physics (33). Because of financial limitations at various times, lipids were not obtained on all subjects. (Appendix C, C-5, C-6).

ANTHROPOMETRY

Heights and weights were taken with available apparatus at the various examining stations. The circumference of the left arm was also measured to the nearest millimeter.

TELEOROENTGENOGRAMS

As in the previous evaluation 14" x 17" films were obtained both in the posterior-anterior and lateral views.

Chapter IV: 1963 Study

Principal Investigators: Captains Ashton Graybiel and Robert E. Mitchell, and Lieutenant Commander Albert Oberman

INTRODUCTION

The 1963 evaluation was designed to be the most comprehensive survey of the participants to date. These men had now reached an age when detection of latent disease was an extremely important consideration. With the interest and support generated by the previous evaluations it was possible to perform thorough examinations at the Naval School of Aviation Medicine, in contrast to the previous follow-up examinations which by necessity were conducted by a team of Navy physicians who traveled about the country in a mobile laboratory unit. The ability to bring the subjects to Pensacola enabled the investigators to carry out the more desirable detailed physiological appraisal not possible in the previous two examinations. The men were provided commercial air transportation to Pensacola for two days of extensive testing in which every significant physiological measurement included in the earlier examinations was repeated. In addition, certain tests either not always possible in the field or not previously available were carried out.

Also due to increasing interest in the program at this time the Thousand Aviator Study gained the support and assistance of the Heart Disease Control Program of the U. S. Public Health Service in the form of financial aid, equipment, and personnel. Plans were formulated to continue this study indefinitely at intervals of three to five years.

Preliminary questionnaires (Appendix D, pages D1-D5) were sent to 815 participants during the latter part of 1962, requesting information concerning their recent health, occupation, flying and military status. Actual testing began in January of 1963 and continued until the Spring of 1965. An attempt was made to standardize all procedures insofar as possible (34). When possible, all forms were prepared for ultimate computer analysis.

OBJECTIVES

Objectives of the study can be classified as 1) medically oriented and 2) flight oriented. Three questions needed to be answered: What happens to a group of healthy young men as a result of aging? What tests have prognostic value? What is the effect of flying on man?

Medically Oriented

1. Obtain normative and baseline data on healthy young men.
2. Follow changes in baseline measurements as a function of age.
3. Correlate 1 and 2 with the appearance of cardiovascular abnormalities.
4. Define, retrospectively, precursors of cardiovascular disease.
5. Point out preventive and therapeutic measures.

Flight Oriented

1. Contribution toward delineation of the optimal cardiovascular assessment of the flyer in terms of

- a. Career
 - 1) Initial selection: Emphasis on physiological, metabolic, and psychological "indicators" of later appearance of disease and disorder.
 - 2) Periodic examination
 - (a) Routine: Emphasis on diagnosis of underlying disease and short-range prediction of susceptibility to an acute cardiovascular incident.
 - (b) Comprehensive: Supplement to routine examination at critical ages or important stages of careers.
- b. Mission (assessment in terms of professional responsibilities)
 - 1) Stress tests.
 - 2) Prediction (likelihood) of an acute cardiovascular incident over the period of the mission.
2. Implications for prevention of acute incidents or chronic disease.
3. Evaluation of effects of flight stress by comparison with nonflying professional groups.

SUBJECTS

An extensive search was made to locate all survivors utilizing the previous schemes for locating subjects, including the retail credit agency. Information also was obtained from the Navy Finance Center, Cleveland, Ohio, and through an article in Navy Times. A considerable number of individuals were personally contacted by telephone through government lines. A review of the records showed that four subjects had died since 1958; of 815 survivors, 675 were re-examined; 769 members returned questionnaires (5 of whom have since died) and 4 could not be located (Table IV.1). With rare exception each examinee underwent the entire test battery.

Table IV. 1
Status of Medical Evaluation (1957-65)

Evaluation Status	Number
Located	811
Survivors (794)	
Re-examined	675
Questionnaires only	89
No response	30
Died (17)*	
Not Located	4

*5 members died after returning the questionnaires and had not been examined.

TESTS AND PROCEDURES

The experimental routine varied according to the patient load and availability of equipment, but the following general routine would apply (Table IV. II): On the morning of the first day, initial blood pressures and a fasting electrocardiogram were taken. Shortly after this the fasting subjects provided blood and urine specimens. The remainder of the morning was occupied with roentgenograms, vectorcardiogram, orthogonal lead electrocardiograms, double Master's test, and the ballistocardiograms. A second blood sample was obtained two hours following the initial one and after administration of 100 grams of glucose. Immediately after lunch the audiograms and electroencephalograms were obtained. Following these procedures, the modified Harvard step-test (three minutes at 20 steps per minute) and the anthropometric examination were completed. Magnetic tape recordings of the electrocardiogram and pulmonary function followed by the physical examination and the second blood pressures completed the first day. On the morning of the second day the routine pulmonary function tests (conventional and wedge spirometer) were accomplished. The second Harvard step-test (4 minutes at 20 steps per minute) and tonometry were also carried out during this morning. Retinal photographs were taken and questionnaires completed during breaks in the schedule, and questionnaires not reviewed during the physical examination were reviewed at this time with the participant. The Graybiel-Fregly ataxia test and plethysmograms of the peripheral pulses as well as any prior omissions or repetitions of the test procedures concluded the examination. Unless an unusual patient load was present in the cardiac clinic the entire examination was completed by late in the morning or early in the afternoon of the second day.

Table IV. II

Testing Schedule

First Day

0800	Recumbent BP lying, sitting (right arm), two-man method
0830	Electrocardiogram (Basal)
	Venous blood - PBI
	Lipoproteins
	Cholesterol
	Triglycerides
	Uric acid
	Glucose Tolerance Test
	Hematocrit
	W.B.C., differential
	Urinalysis
	Ingestion of 100 grams of glucose
	X-rays, chest (cardiac series)
0930	Vectorcardiogram
	Electrocardiogram (Orthogonal lead system)
1030	Double Master's test
	Ballistocardiograms
	Two-hour blood sample (Glucose and Triglycerides)
	Urine
1200	Lunch

1300 Audiogram
Electroencephalogram
Harvard step-test (3' at 20 steps per min.)
Anthropometrics
Magnetic tape recording of ECG and pulmonary function
Physical examination
"Casual" BP, one man, recumbent and sitting (right arm)
History

Second Day

0730 Pulmonary function tests (conventional & wedge spirometer)
Harvard step-test (4' at 20 steps per min.)
Tonometry
Retinal photographs
Graybiel-Fregly ataxia test
Plethysmograms
Complete questionnaires--review with physician.

INTERVIEW--PERSONAL AND MEDICAL HISTORY

Each participant completed a medical history form containing 225 questions (Appendix D, pages D6-D18). This provided a detailed review of systems and past history with special attention to respiratory and cardiovascular symptoms. The examining physician scored a review-of-systems summary sheet after discussing the replies with the subject (Appendix D, page D19). A family history of cardiovascular disease, diabetes, and cancer in parents, siblings, and children was also included (Appendix D, page D20). A pulmonary questionnaire* (Appendix D, pages D21-D27) included details of cardiopulmonary disease and exposure to pulmonary irritants. It was also used in another study apart from the Thousand Aviators, necessitating some repetition of questions. The personal history (Appendix D, pages D28-D33) covered such diverse topics as smoking; physical activity, both on and off the job; hours of sleep; diet; socioeconomic status (35); ethnic origin; and geographical residences. A separate questionnaire regarding flight status and previous flying experience was also available (Appendix D, pages D34-D38).

PHYSICAL EXAMINATION

A complete physical examination was performed and recorded on a standard form (Appendix D, pages D39-D42). Any questionable noncardiac findings on the physical examination were referred to the appropriate consultant at the Naval Hospital in Pensacola. In addition to routine "casual" supine and sitting blood pressures taken during the course of the physical examination, a "basal" blood pressure was taken in the following manner:

*Available only on those subjects who had pulmonary curves recorded on magnetic tape.

Immediately after arrival at the laboratory the subject rested in a quiet room. Shortly thereafter the supine blood pressure was taken on the right arm with a Bauman sphygmomanometer from which the back had been cut out so that the column of mercury was visible from front and back. The examiner auscultated (fourth phase diastolic) viewing the mercury column from the unmarked side (Figure IV.1); at the appropriate time he signaled to another observer who recorded the reading. Three trials were used for the supine; then the procedure was repeated for the sitting blood pressures.

All clinical diagnoses on each subject were coded according to the World Health Organization's classification of diseases (36). It might also be mentioned that a complete summary of the findings on each participant was sent to him complete with recommendations, if any (Appendix D, pages D43, D44).

Special criteria (Appendix D, pages D45-D47) were set up for establishing the diagnosis of coronary heart disease for present, past, and future evaluations. These standards, agreed on by two observers, graded the diagnosis as indeterminate, possible, probable, and definite.

CARDIOVASCULAR TESTS

Electrocardiography

A basal 12-lead electrocardiogram modified by the equated lead selector (29) was taken at standard speed and deflection on a Sanborn 100 Viso Cardiette. Standardized measurements (30) of the amplitudes of P, Q, R, S, and T; of the durations of PR, QRS, and QT; and of the mean frontal QRS and T axis were made in selected leads. Also, values for the peak-to-peak QRS voltage and duration from the onset of the Q to the peak of the T wave were determined in the frontal plane. All resting tracings were also classified according to Blackburn's system (37) for population studies. The scheme was modified to include a lesser classification for T waves < 1.0 mm upright. A conventional 12-lead electrocardiogram at standard speed and amplitude was also recorded on a magnetic tape apparatus, Sanborn 211 (Figure IV, 2). These tapes were then analyzed by the Instrumentation Unit of the Heart Disease Control Program by conversion to a digital form suitable for their established electrocardiographic programs (38, 39). Table IV.III represents a computer interpretation of a Thousand Aviator electrocardiogram. Machine results were under constant supervision by the Instrumentation Unit.

Exercise electrocardiograms were taken at opportune times during the testing schedule. Each participant underwent graduated battery in the following sequence: double Master's, a Harvard step-test at 20 steps per minute for three minutes, and at 20 steps per minute for four minutes (Figure IV.3). Individuals with physical disabilities, recent coronary symptoms, or with acute electrocardiographic changes were excused from the complete sequence though some of these men did participate in the less rigorous exercise tests. Leads I, II, III, AVF, V2, V4, V5, and V6 were recorded simultaneously in two groups on a four-channel Sanborn 964 at standard speed and deflection. A timed sequence of tracings consisted of baseline, immediately after exercise, 1 minute, 2 minutes, 3 minutes, and 5 minutes after exercise. A number of parameters were measured in leads II, AVF, V4, V5, and V6: amplitudes-P, Q, R, S, T, and J point; durations--PR, QRS, QT, and QX. Special attention was given to the ST segment which is characterized as depicted in Figure IV.4. The procedure for locating the reference points on the ST segment

"Two-Man" Blood Pressure Recording

Figure IV.1





Figure IV.2
Sanborn 217 Magnetic Tape Recorder




Figure IV. 3
Modified Harvard Step-Test

Table IV. III*

INSTRUMENTATION FIELD STATION --- HEART DISEASE CONTROL PROGRAM
 COMPUTER PROCESSED ELECTROCARDIOGRAM
 PENSACOLA, FLORIDA
 PROCESSING DATE 05-11-64
 ECG NUMBER 0X83

	I	II	III	AVR	AVL	AVF	V1	V2	V3	V4	V5	V6	
PA	.00	.13	.13	-.07	-.05*	.13	.04	.05	.07	.12	.06	.04	PA
PD	.00	.10	.11	.10	.08	.11	.05	.07	.12	.11	.08	.10	PC
QA	.00	-.04	-.06	.00	.00	-.03	.00	.00	-.02	.00	.00	-.03	QA
QD	.00	.02	.03	.00	.00	.02	.00	.00	.04	.00	.00	.02	QD
RA	.21	.74	.60	.03	.06	.74	.10	.32	.36	.95	1.13	1.05	RA
RD	.04	.05	.07	.01	.04	.07	.01	.03	.05	.05	.05	.05	RD
SA	-.18	-.13	.00	-.50	-.26	.00	-.52	-.68	-.45	-.31	-.20	-.13	SA
SD	.05	.05	.00	.05	.07	.00	.04	.08	.06	.06	.04	.04	SD
R'A	.00	.00	.00	.11	.00	.00	.06	.00	.00	.00	.00	.00	R'A
R'D	.00	.00	.00	.06	.00	.00	.04	.00	.00	.00	.00	.00	R'D
ST	.12	.11	.12	.12	.12	.12	.12	.12	.12	.12	.06	.07	ST
STO	-.03	-.03	-.02	-.02	.01	-.02	.02	.09	.10	.06	-.01	.02	STO
STM	.02	.01	.01	-.06	.04	.05	.02	.22	.25	.13	.05	.07	STM
STE	.08	.08	.05	-.16	.04	.11	.03	.46	.53	.18*	.11	.15	STE
TA	.22	.29	.13	-.28	.09*	.26	.00*	.67	.77	.77	.56	.42	TA
TD	.20	.20	.20	.20	.20	.26	.00	.00	.26	.26	.23	.18	TD
PR	.00	.12	.13	.14	.12	.13	.13	.13	.11*	.15	.12	.12	PR
QRS	.09	.12	.10	.12	.11	.09	.09	.11	.15	.10	.09	.11	QRS
QT	.38	.43	.41	.37	.36	.40	.00	.42	.44*	.42	.40	.40	QT
RR	.92	.96	.94	.97	.92	.96	.96	.95	.92	1.03	.94	1.04	RR
RATE	65	62	63	61	64	62	62	62	65	58	63	57	RATE
CODE	195	195	195	195	195	195	153	195	195	195	195	195	CAL
AXIS IN DEGREES	P 90	QRS 87	T 56	Q -70	R 79	S 194	STO						ANGLE IN DEGREES
							ST-T	QRS-T					
							31						

*The left-hand column represents PA, amplitude of P wave; PD, duration of P wave; QA, amplitude of Q wave, of cetera. The remaining notations are self explanatory.

Interpretation Date 05-11-64
 Right Bundle Branch Block
 Bradycardia present; Check mechanism
 Vertical QRS AXIS




Figure IV. 4

Characterization of the ST Segment

A baseline was drawn from the PR segment immediately preceding the Q wave to the analogous point on the QRS complex following the ST segment to be measured. The J point and X point were defined; then a third point, the Z point, was established by the intersection of two straight lines, a straight line coincident with the initial part of the ST segment and another coincident with the proximal ascending limb of the T wave.

was as follows: A baseline was drawn from the PR segment immediately preceding the Q wave to the analogous point on the QRS complex following the ST segment to be measured. The J point and X point (where the ST segment crosses the isoelectric line (40)) were defined; then a third point, the Z point, was established by the intersection of two straight lines, a straight line coincident with the initial part of the ST segment and another coincident with the proximal ascending limb of the T wave. Although one or more of these points may be absent in a given situation, the ST segment can still be characterized by the remaining points in terms of slope or area. The geometrical method* for finding the area by means of similar triangles for all possibilities is demonstrated in the appendix (Appendix D, page D48).

Quantitative exercise electrocardiograms were recorded on a Sanborn 350 recorder, after work on a Lanny bicycle ergometer, by means of a special purpose analog computer (41). The subject underwent two minutes of exercise (150 watts of work) after which orthogonal leads using the Frank lead system (42) were analyzed for spatial mean QRS vector, mean T vector, ventricular gradient, and ST parameters.

Plethysmography

For evaluation of peripheral pulses a mercury strain-gauge plethysmograph (Model 250, Parks Electronics Lab.) was used. This device was placed over the base of the fingernail (Figure IV. 5) to obtain a standard pulse wave for that particular individual since upper extremity pulses are rarely affected by peripheral vascular disease. This tracing was compared absolutely and then with those obtained from the toes with respect to amplitude, time required for the ascending limb of the curve, and contour of wave. A heat lamp was used to relieve any vasospasm brought on by emotion, temperature, et cetera. The administration and utility of the entire procedure have been described by Strandness (43).

Ballistocardiograms

These were taken on the Astro Space Air Suspension (Figure IV. 6) and the "Reeves" swing bed (Figure IV. 7), both ultra-low frequency ballistocardiographs, using the Sanborn 964 recorder. All tracings were taken simultaneously with lead II of the electrocardiogram, and the air suspension tracings also were recorded simultaneously with a carotid pulse wave. The majority of the participants had records taken on both machines. Using the trough of the G wave as the baseline, amplitudes of GF, GH, GI, GJ, GK, GL, GM, and GN were measured. The duration of Q-H, Q-I, Q-J, G-H, J-K, H-L, and P-Q were measured as was the time from the Q wave of the electrocardiogram to the upstroke and incisura of the carotid pulse. Other values were derived from these basic parameters.

Vectorcardiograms

The vectorcardiogram was obtained from a Sanborn 350 apparatus with a three-plane scalar recorder (Figure IV. 8). Frontal, horizontal, and left sagittal loops were inscribed at intervals of two milliseconds employing the Frank lead system (42). Orthogonal tracings in the three planes using the same lead system were also taken. Detailed measurements on spatial vectors from these tracings have been made to date on the initial 200 subjects (Appendix D, pages D49, D50).

*Calculations performed by Doctor Robert J. Wherry, Jr.




Figure IV. 5
Plethysmograph




Figure IV. 6
Astro Space Air Suspension Ballistocardiograph




Figure IV. 7

"Reeves" Swing Bed Ballistocardiograph



Figure IV. 8

Vectorcardiograph, Sanborn 350 Apparatus

LABORATORY DETERMINATIONS

Hematocrit, white blood cell count, and differential cell count were done in routine fashion from a finger "stick." The urine was microscopically analyzed and tested for albumin and sugar with "Uristix." Serum cholesterol was determined by the method of Abel et al. (32). Serum lipoproteins were determined by ultracentrifugation at the Institute of Medical Physics (33). Protein bound iodine (44) and uric acid (45) measurements were also carried out on the fasting blood. Triglyceride values were unsatisfactory for the initial 391 participants; the solvent in the initial method did not adequately eliminate the phospholipids. Determinations employing the method of Carlson (46) proved quite adequate for the remainder of the group. Cholesterol and the later triglyceride studies were standardized by the Heart Disease Control Program lipid laboratories in Atlanta, Georgia. Glucose values both fasting and two hours after a 100 gram carbohydrate load were analyzed by the method of Somogyi (47). Glucose determinations for the first 384 members of the study group ran approximately 12 milligrams per cent below later standards. This was corrected by improving preservation methods since the determinations were not carried out on the same day. All abnormally high glucose results were substantiated by a repeat complete glucose tolerance test, performed by the subject's own physician, if necessary. Triglyceride determinations two hours after the carbohydrate load were also available on a sample of 230 subjects.

PULMONARY FUNCTION AND METABOLIC STUDIES

Routine spirometry was done with a 13.5 L Collins apparatus. In a sitting position the subject performed the following maneuvers after runs of tidal breathing: maximal inspiration, maximal expiration, and finally a maximal expiration after a maximal inspiration (vital capacity). The readings were made at two speeds, 32 mm per minute and 160 mm per minute. A separate determination of these parameters was made on a Med-Science Wedge Spirometer 370 adopting the procedure of Bartlett (48). A velocity-volume loop was photographed with a polaroid camera from the oscilloscope. This loop was produced when the sitting subject after breathing normally into the spirometer then inhaled maximally and as rapidly as possible after which he exhaled in the same manner. All maneuvers were photographed superimposed on each other as depicted in Figure IV. 9. In addition to the measurements obtained from the routine spirometry, maximal inspiratory and expiratory velocity could be calculated by this method.


By means of the Sanborn 211 and the Med-Science Wedge Spirometer 370, expiratory and inspiratory curves were also recorded on magnetic tape for computer analysis (49, 50). While standing, the subject inhaled maximally from room air through a three-way valve, then exhaled with maximum force and speed into the spirometer (Figure IV. 10). He then inhaled as quickly and rapidly as possible from the spirometer, exhaling into the room air. A paper recording (Figure IV. 11) immediately demonstrated the validity of the curve. Final analysis of total volumes, forced expiratory and inspiratory volumes (one second, two seconds, and three seconds), and flow rates (maximal, 200-1200 ml, and 25%-75%) rested with the computer. The interpretation of a computer processed spirogram is illustrated in Table IV. IV.

ANTHROPOMETRY (51-53)

All weights and measurements were taken in the afternoon with the examinee completely disrobed. An average of two readings was taken for each parameter. All measurements of an extremity were made on the right side.

THE VELOCITY - VOLUME LOOP TECHNIQUE

MBC PREDICTION



VOLUME (V)

CLINICAL COMPARISONS




AGING WITH FIBROSIS

NORMAL

EMPHYSEMA

SUBDIVISION OF LUNG AIR



VITAL CAPACITY



MAXIMUM \dot{V} -V LOOP AND SUPERIMPOSED \dot{V} -V LOOP FROM MAX BREATH SHOWING HOW MBC \dot{V} -V LOOP MAY BE APPROXIMATED BY PERPENDICULARS TO THE VOLUME AXIS.

RESERVE VELOCITIES



RESERVE VELOCITIES ARE NOT READILY MEASURED BY EXISTING PULMONARY FUNCTION TESTS.




Figure IV. 9






Figure IV. 10

Recording Pulmonary Curves on Magnetic Tape



Beck-See Corporation
CHART NO. GOS-4

A. FORCED EXPIRATORY SPIROGRAM



Beck-See Corporation
CHART NO. GOS-62

B. FORCED INSPIRATORY SPIROGRAM

Figure IV. 11

Table IV. IV

INSTRUMENTATION FIELD STATION ---- HEART DISEASE CONTROL PROGRAM

COMPUTER PROCESSED FORCED EXPIRATORY SPIROGRAM

PROCESSING DATE 08/06/65 CALIBRATION CONSTANT 1,083 ML

PATIENT NO. 0000-02 AGE 21 YRS SEX M HEIGHT 74 IN

PREDICTED VITAL CAPACITY 4,752 ML

	TRIAL 1	TRIAL 2	NORMAL
FORCED VITAL CAPACITY (ML)	5,230	5,444	
PERCENTAGE OF PREDICTED VC	110	114	≥ 80
TIME OF FVC (SECONDS)	1.96	2.60	
TIME OF MAX. INST. FLOW RATE	0.17	0.15	
FORCED EXPIRATORY VOLUMES (ML)			
ONE-HALF SECOND	3,205	3,269	
PERCENTAGE OF FVC	61	60	
THREE-FOURTH SECOND	4,076	4,089	
PERCENTAGE OF FVC	77	75	
ONE SECOND	4,666	4,679	
PERCENTAGE OF FVC	89	85	≥ 75
TWO SECONDS	5,217	5,410	
PERCENTAGE OF FVC	99	99	≥ 94
THREE SECONDS	5,217	5,435	
PERCENTAGE OF FVC	99	99	≥ 97
AT MAX. INST. FLOW	1,166	1,128	
PERCENTAGE OF FVC	22	20	
FLOW RATES (ML/SEC)			
200-1200 ML	7,735	9,025	≥ 7,000
25%-75% FVC	5,129	4,853	≥ 3,400
25%-50% FVC	6,884	6,795	
50%-75% FVC	4,087	3,775	
.5 - 1 SEC	2,922	2,820	
1 - 2 SEC	551	731	
2 - 3 SEC	0	25	
MAX. INSTANTANEOUS	9,568	9,476	
MID-EXHALATION	5,402	5,081	

INTERPRETATION -

ABOVE DATA WITHIN NORMAL LIMITS

Heights

A special device (Figure IV. 12) was used for measuring heights. With head oriented in the horizontal eye-ear (Frankfort) plane, and back flat against the support, the subject stretched to maximum height and inspired deeply. This procedure was used for both standing and sitting heights taken to the nearest tenth of an inch.

Weight

Was taken on a calibrated balance scale to the nearest pound.

Skinfolds


Four areas were measured: 1) midway between the right acromial process and the olecranon, 2) at the inferior tip of the scapula, 3) the right mid-axillary line at the level of the xiphoid, and 4) right mid axillary line at the level of the umbilicus. A full thickness of skin was pinched up from the underlying tissue parallel to the natural folds of the area. Lange skinfold calipers were then applied to the fold about one cm below the fingers and halfway down the fold. Values were recorded after the indicator had settled (Figure IV. 13).

Circumferences

Keuffel and Esser Wytface tape was applied with minimal pressure for these measurements. Chest circumferences were taken at the fourth intercostal space at mid-breath, maximal inspiration, and maximal expiration (Figure IV. 14). The relaxed abdomen was measured at the level of the umbilicus just superior to the "fat roll." The biceps was assessed at the mid-point of the arm between the right acromial process and olecranon, first with the arm and forearm relaxed at the side, and then with the arm perpendicular, but the forearm placed parallel to the floor while the fist was tightly clenched. The maximal circumference of the forearm was measured with the entire arm extended parallel to the floor, volar surface upward, and hand open. That portion of the wrist just distal to the styloid process of the ulna was measured with the arm in the same position. The maximal circumference of the calf was measured while the subject stood on a chair with his legs slightly apart.

Diameters

All diameters were evaluated with a Hrdlička anthropometer; the blades were pressed firmly against the bony prominences. For the biacromial diameter the subject stood with his head slightly bent forward and shoulders "slouched." Measurement was made from the most lateral aspects of the acromial processes (Figure IV. 15). Both breadth and anterior-posterior diameters of the chest were measured at the level of the nipples. The bi-iliac measurement was made just inferior to the anterior superior iliac spine in the horizontal plane, with the legs together. While the subject held this position the anthropometer was also placed on the trochanteric prominences. The diameter of the wrist was measured from the styloid process of the radius to that of the ulna with the arm hanging at the side, hand open and parallel to the sagittal plane. Maximal diameter between the malleoli was measured with the subject standing on a chair dividing his weight equally between both feet. The anthropometer blades were 45 degrees to the horizontal plane for this measurement.



**APPARATUS FOR MEASUREMENTS
OF SITTING AND STANDING HEIGHTS**

Figure IV. 12



Figure IV. 13
Measurement of Subscapular Skin Fold



Figure IV. 14
Measurement of Chest Circumference



Figure IV.15
Measurement of Biacromial Diameter

Hand Grip

Strength was measured in both right and left hands with a dynamometer (Figure IV. 16) with the forearm parallel to the floor and at right angles to the arm. The maximal recording of two trials was used.

Somatotype (54)

Photographs (Figure IV. 17) were taken with the subject posed in three standard views by rotating a turntable 90 degrees. All pictures were made at a standard distance of 14 feet with a Rembrandt portrait camera (Model II) using a Tessar 6.3/210 lens. Scoring as described previously was on a 7-point scale for each of the components: endomorphy, mesomorphy, and ectomorphy (Figure IV. 18). Dysplasia (heterogeneity of build) and gynandromorphy (femininity) were also evaluated. The somatotypes were rated by Doctor Albert Damon, Harvard University, who fortunately also scored the original somatotype in 1940.

TELEOROENTGENOGRAMS

Standard cardiac series consisting of posterior-anterior, left lateral, and right and left anterior oblique views were taken (Figure IV. 19). Other than the immediate clinical evaluation, measurements of the transverse, broad, and long diameters of the heart (Figure IV. 20) were made calculating frontal area and cardiothoracic ratios (55). Chest films available from 1952 and 1958 were also evaluated in this manner for comparison.

PSYCHOLOGICAL-PSYCHOMOTOR

Guilford Zimmerman Temperament Survey

This was a paper and pencil personality test in which the subject answered 300 questions about himself with a yes, no, or question mark reply. According to his response he was given a percentile ranking in the following categories: general activity, energy, restraint, seriousness, emotional stability, ascendance sociability, objectivity, friendliness, thoughtfulness, personal relations, and masculinity. Administration and interpretation of the test are discussed in an instruction manual (56).

Graybiel-Fregly Ataxia Test

The three distinct ataxia tests (57) consisted of: 1) walking a 3/4" wide rail with eyes open, 2) standing on a 3/4" wide rail with eyes open, and 3) standing on a 2 1/4" wide rail with eyes closed. The correct body position for all three tests is body erect, feet in heel-to-toe position, tandemly aligned, with the arms folded against the chest (Figure IV. 21). The subject first walked the 3/4" wide rail with his eyes open, then he stood on the same rail with his eyes open, and finally stood on a 2 1/4" wide rail with his eyes closed. The walking test is scored on the number of consecutively correct steps to a maximum of 5 steps per trial. The scores on the standing tests depend on the number of seconds a subject is able to maintain his position to a maximum of 60 seconds with eyes open and 180 seconds with the eyes closed.



Figure IV. 16
Dynamometer




Figure IV. 17

Standardized Photograph Procedure for Somatotyping




Figure IV. 18
Basic Somatotypes





Figure IV. 19
Position of Subject for Teleorentgenogram



B = BROAD DIAMETER
L = LONG DIAMETER
 $TR + TL =$ TRANSVERSE DIAMETER

Figure IV. 20

Diagram for Measuring Cardiac Diameters



Figure IV. 21
Graybiel-Fregly Ataxia Test

Tilt Chair Test*

A special chair was used to determine the subject's ability to estimate the postural upright. It was designed to minimize proprioceptive clues when the subject was tilted with respect to the vertical plane. He was seated in the apparatus (Figure IV. 22) and asked to manipulate the chair by controls to a "true" vertical position. This setting was used as the "zero point." The subject was then blindfolded and the room darkened. The examiner at a separate control center tilted the chair and the subject attempted to correct his position to the vertical reference point. Deviations from this "zero point" were recorded for each trial and constituted the score.

VISION

Tonometry

A Schiøtz tonometer with a 3.5 gm plunger load was used for measuring intraocular pressure (Figure IV. 23). This was usually done on the second morning, occasionally after the Harvard step-test. Readings were transferred from tonometer scale to mm Hg. All borderline and abnormal values were rechecked at the local Navy Ophthalmology Clinic.

Retinal Photographs (Figure IV. 24)

Photographs were taken with a Noyori Fundus Camera after pupil dilatation. The subject was seated and told to fix his gaze on a reference point. Two exposures of each fundus were made at an aperture of 2.4.

NEUROPHYSIOLOGIC

Electroencephalograms were taken either on a Grass Model III D or Model 6 (Figure IV. 25). The lead placement is shown in Figure IV. 26 for both machines. Three runs were made in a standard fashion while the subject was resting; then a hyperventilation run was completed with three minutes of prehyperventilation, three minutes hyperventilation, and three minutes posthyperventilation. If the electroencephalogram appeared suspicious, photic-stimulation was carried out; there were twenty seconds of continuous stimulation at frequencies of 7, 10, 12, 15, 18, 21, 24, 27, and 30. A clinical interpretation was made for each record; no quantitation has been attempted to date.

AUDIOMETRY

Standard Threshold Audiogram

This test (58) was administered using the Rudmose ARJ-4 automatic audiometer. It measured threshold at 500, 1000, 2000, 3000, 4000, and 6000 cycles per second. A reversible electric motor drives an attenuator which controls the level of presentation of each test tone in succession. This motor is controlled by a switch held by the subject. As long as the subject does not press the switch, the tone gets progressively more intense. Holding the switch in the depressed position reverses the electric motor and causes the tone to become softer. A pen records the action of the motor-driven attenuator. Thus, by holding the switch down when he heard a tone and releasing it as long as he did not hear the tone, the subject caused the recording pen to swing from slightly below to slightly above his threshold, and recorded his own audiogram in this manner (Figure IV. 27).

*Testing was discontinued after 100 subjects.



Figure IV. 22

Tilt Chair Apparatus



Figure IV. 23

Measurement of Intraocular Pressure with the Schiotz Tonometer




Figure IV. 24

Retinal Photograph with Nayori Fundus Camera



Figure IV. 25
Electroencephalograph



RUN 1	RUN 2	RUN 3	RUN 4
1 - 9	1 - 11	1 - 3	1 - 18
2 - 10	11 - 13	2 - 4	2 - 18
13 - 9	13 - 15	3 - 5	11 - 18
14 - 10	15 - 7	4 - 6	12 - 18
5 - 9	2 - 12	5 - 7	13 - 18
6 - 10	12 - 14	6 - 8	14 - 18
7 - 9	14 - 16	11 - 15	15 - 18
8 - 10	16 - 8	12 - 16	16 - 18

Figure IV. 26 A

Placement for EEG Leads With Grass Model III D

Run 4 was used for the hyperventilation run. There were 3 minutes of pre-HV, 3 minutes of HV, and 3 minutes of post-HV.

A photic stimulation was done; there were 20 seconds of continuous stimulation at each of the following frequencies: 7, 10, 12, 15, 18, 21, 24, 27, and 30.

RUN 1	RUN 2	RUN 3	RUN 4
Fp1-A1	Fp1-F7	Fp1-F3	Fp1-Cz
Fp2-A2	F7-T3	Fp2-F4	Fp2-Cz
T3-A1	T3-T5	F3-P3	F7-Cz
T4-A2	T5-O1	F4-P4	F8-Cz
P3-A1	Fp2-F8	P3-O1	T3-Cz
P4-A2	F8-T4	P4-O2	T4-Cz
O1-A1	T4-T6	F7-T5	T5-Cz
O2-A2	T6-O2	F8-T6	T6-Cz




Figure IV. 26 B

Lead Placement for Grass Model 6

Run 4 was used for the hyperventilation run. There were 3 minutes of pre-HV, 3 minutes of HV, and 3 minutes of post-HV.

A photic stimulation was done; there were 20 seconds of continuous stimulation at each of the following frequencies: 7, 10, 12, 15, 18, 21, 24, 27, and 30.



Figure IV. 27
Procedure for Recording Audiogram

High Frequency Audiogram

This test was one which was especially prepared by Rudmose for study of the high-frequency threshold in man. It was accomplished in the same manner as the preceding test. However, the following test frequencies were substituted for the standard tones: 4,000, 6,000, 8,000, 9,000, 10,000, 11,000, 12,000, 13,000, 14,000, 15,000, 16,000, and 18,000 cycles per second.

Naval Aviators Speech Discrimination Test

This test was developed at the Naval School of Aviation Medicine in 1962 (59). It was designed to test the aviator's ability to discriminate loud speech in the presence of high-intensity noise such as that found in the cockpit of an airplane. The test was presented through earphones from a specially modified tape recorder. Text material consisted of 100 single-syllable words constituting a phonetically balanced sample of common American speech sounds. The words were presented at 115 db in a background of airplane noise (Beechcraft SNB cockpit) which reached the ear at 100 db. The subject was required to write each test word, and the number of words written correctly represented his "NASDT Score," a measure of his discrimination in noise.

DATA PROCESSING

In addition to the case number assigned during the original study to each member a cumulative appearance number was given to each participant in this evaluation; for example, the seventeenth man examined would have an appearance number of 17. This enabled us to locate, process, and file the accumulated data more readily.

The data processing equipment available during the 1963 evaluation consisted of an IBM 1620 computer with disc drive and printer plus the implements required for electronic accounting machines.

Most programmed statistical procedures involved the common measures: range, means, standard deviations, skewness, and correlation coefficients. The formula of Wherry, Jr. (60) which corrects for shrinkage in the multiple correlation is perhaps the only nonstandardized statistical parameter used in this present evaluation.

MISCELLANEOUS

Special Autopsy Protocol

Permission was asked for the inclusion of a special cardiovascular autopsy protocol in the emergency data portfolio of those participants still on active military duty (Appendix D, pages D51-D54). If such information could be obtained from post-mortem studies, it would provide invaluable correlative data that might be missed during the routine performance of an autopsy.

Chapter V

CONCLUSIONS AND RECOMMENDATIONS

INTERVIEW--PERSONAL AND MEDICAL HISTORY

The history forms used in the evaluations to date have contained a number of trivial questions concerning diet, exercise levels, etc. Time would be more profitably spent perhaps by focusing in depth on uncharted areas of such a nature that recall information would be accurate and standardizable. These historical areas should provide correlative data for objective information already at hand. A detailed, structured interview concerning alcohol intake and amount of physical activity throughout the participant's life would appear to satisfy these requirements. There also have been some inherent problems with the smoking history. An average quantity of cigarettes over a period of years does not reveal the changes in smoking habits or rates from day to day. A method has been developed (61) for quantitating this important variable more precisely by plotting the yearly amount against each year and describing the area under the curve. This may be a suitable method to employ for developing relationships with smoking.

PHYSICAL EXAMINATION

In conjunction with the follow-up examinations it might be feasible to conduct the "annuals" at Pensacola on all members of the study still on active military duty. This would provide detailed information of these participants and circumvent some of the problems involved with locating and scheduling members for each evaluation, especially those active duty members serving outside the continental United States.

CARDIOVASCULAR TESTS

It is hoped that the magnetic tape facilities will be expanded so that all cardiovascular functions can be recorded in this manner. The ease of analyzing, comparing, and storing these data after recording on magnetic tape would greatly facilitate further large scale studies along these lines.

For optimal characterization of exercise electrocardiograms the tracings should be run at double speed and double amplitude. This would help define the ST segment to a great extent for objective measurement. Also it has been advocated by some (62) that unless electrocardiograms are taken during exercise, positive responses will be missed; this procedure also might prove of value.

Repetition of the cold pressor test and the Schneider Index on a large sample of the population would provide data for making a definitive evaluation of the utility of these procedures.

LABORATORY DETERMINATIONS

A procedure for storing quantities of blood obtained from the study participants should be worked out before any subsequent follow-up. Benefits from such serum banks would be manifold.

Genetic markers for the Thousand Aviators have never been utilized. Methods for characterizing populations by their gene pool have been discussed by Blumberg (63) who uses biochemical traits such as red blood cell antigens and serum proteins.

PULMONARY FUNCTION AND METABOLIC STUDIES

If the results of the BMR in 1940 are assumed to be valid, a repeat of this test would provide unique information not available elsewhere.

PSYCHOLOGICAL-PSYCHOMOTOR

Recent interest has been generated in the use of psychomotor tests as an index of physiological aging (64). Remeasurement of selected psychomotor parameters used in 1940 for comparison with cardiovascular and general physiologic aging would be highly desirable.

DATA PROCESSING

Compilation of previous data has taken many different forms. Special indices were computed from various formats tuned to the computer facilities available at the time of analysis. These factors have led to certain inherent data processing problems; for example, relative weights have been computed using different standards, 9's have been recorded for unknowns, and constants have been added to certain values to preclude zeros which at one time could not be handled by the computer.

The apparent solution to the data processing problems appears to be that of extracting from the studies all primary (non-derived) values. These should be placed in a "fixed point," standard format for storage on magnetic tape. These "raw" data would indeed provide a common basis for any future relationships, indices or calculations, and obviate the need for data conversion before analysis.

BIBLIOGRAPHY OF PUBLISHED REPORTS FROM THE

THOUSAND AVIATOR STUDY: 1941 - 1965

Anon., The selection of naval aviators, Pensacola Project. Progress Report 47-60. May 1941.

Statistical analysis of data obtained in the Pensacola study of Naval aviators. Parts I and II (in two volumes): I. Franzen, R., McFarland, R. A., and Graybiel, A., Statistical analysis of the tilt table tests of cardiovascular efficiency in the Pensacola study of naval aviators. II. Franzen, R., and McFarland, R. A., Statistical analysis of the electroencephalogram and somatotype measures in the Pensacola study of Naval aviators. Final reports to the Committee on Selection and Training of Aircraft Pilots, 1942.

Anon., Incidence and effect of aniseikonia on aircraft pilotage. Technical Report No. 30. Washington, D. C.: Civil Aeronautics Administration, 1943.

Forbes, A., and Davis, H., Electroencephalography of Naval aviators. Report No. 13. Washington, D.C.: Civil Aeronautics Administration, Division of Research, 1943.

Franzen, R., and Blaine, L., Evaluation of respiratory measures for use in pilot selection. Report No. 25. Washington, D. C.: Civil Aeronautics Administration, Division of Research, 1944.

Johnson, H. M., On the actual and potential value of biographical information as a means of predicting success in aeronautical training. Report No. 32. Washington, D.C.: Civil Aeronautics Administration, Airman Development Division, 1944.

McFarland, R. A., and Channell, R. C., A revised serial reaction time apparatus for use in appraising flying aptitude. Report No. 34. Washington, D. C.: Civil Aeronautics Administration, Airman Development Division, 1944.

McFarland, R. A., and Channell, R. C., A revised two-hand coordination test. Report No. 36. Washington, D. C.: Civil Aeronautics Administration, Airman Development Division, 1944.

Anon., Psychological tests made part of initial aviation physical examination. BuMed News Ltr., 2:5, 1944.

McFarland, R. A., and Franzen, R., The Pensacola study of Naval aviators. Final summary report. Report No. 38. Washington, D. C.: Civil Aeronautics Administration, Division of Research, 1944.

Graybiel, A., McFarland, R. A., Gates, D. E., and Webster, F. A., Analysis of the electrocardiograms obtained from one thousand young healthy aviators. Amer. Heart J., 27: 524-549, 1944.

Dunlap, J. W., and associates, Pilot selection--an evaluation of published techniques. ONR Report. Contract N8onr-64', Task Order 06. Washington, D. C.: Office of Naval Research, 1951.

- Packard, J. M., and Graybiel, A., Ten year follow-up study of one thousand aviators. Preliminary report. NSAM-183. Pensacola, Fla.: Naval School of Aviation Medicine, 1952.
- Packard, J. M., Ten year follow-up study of the physical status of 1000 aviators. A study of the deaths occurring in the past twelve years. NSAM-184. Pensacola, Fla.: Naval School of Aviation Medicine, 1952.
- Graybiel, A., Packard, J. M., and Graettinger, J. S., A twelve year follow-up study of 1056 U. S. Naval flyers. Milit. Surg., 112:328-332, 1953.
- Packard, J. M., Graettinger, J. S., and Graybiel, A., Ten year follow-up study of the physical status of 1000 aviators: Analysis of the electrocardiograms. NSAM-185. Pensacola, Fla.: Naval School of Aviation Medicine, 1953. Also published as: Analysis of the electrocardiograms obtained from 1000 young healthy aviators. Ten year follow-up. Circulation, 10:384-400, 1954.
- Graybiel, A., Long-range studies of Naval aviators. Res. Rev., 14-21, August, 1957.
- Harlan, W. R., Jr., Osborne, R. K., and Graybiel, A., A longitudinal study of blood pressure. NSAM-807. Pensacola, Fla.: Naval School of Aviation Medicine, 1962. Also published in Circulation, 26:530-543, 1962.
- Harlan, W. R., Jr., Graybiel, A., and Osborne, R. K., Longitudinal study of healthy young men followed over an eighteen-year period. NSAM-829. Pensacola, Fla.: Naval School of Aviation Medicine, 1962.
- Mitchell, R. E., The thousand aviators--23 years later. Res. Rev., 12-14, December, 1962.
- Harlan, W. R., Jr., Osborne, R. K., and Graybiel, A., The prognostic value of the cold pressor test and the basal blood pressure based on an eighteen-year follow-up study. NSAM-862. Pensacola, Fla.: Naval School of Aviation Medicine, 1963. Also published in Amer. Heart J., 13:583-687, 1964.
- Osborne, R. K., Harlan, W. R., Jr., and Graybiel, A., A longitudinal study of healthy young men: Multiple correlation coefficients. NSAM-863. Pensacola, Fla.: Naval School of Aviation Medicine, 1963.
- Harlan, W. R., Jr., Osborne, R. K., and Graybiel, A., Factors determining serum lipid concentrations. NSAM-869. Pensacola, Fla.: Naval School of Aviation Medicine, 1963.
- Oberman, A., Doll, R. E., and Graybiel, A., Interdependence among some factors associated with coronary heart disease. NSAM-887. Pensacola, Fla.: Naval School of Aviation Medicine, 1964.
- Harlan, W. R., Jr., Graybiel, A., and Osborne, R. K., Determinants of cardiovascular disease in a young population. Amer. J. Cardiol., 15:1-12, 1965.
- Oberman, A., Lane, N. E., Mitchell, R. E., and Graybiel, A., Thousand aviator study: Distributions and intercorrelations of selected variables. Monograph 12. Pensacola, Fla.: Naval School of Aviation Medicine, 1965.

REFERENCES

1. McFarland, R. A., and Franzen, R., The Pensacola study of naval aviators. Final summary report. Report No. 38. Washington, D. C.: Civil Aeronautics Administration, Division of Research, 1944.
2. Schneider, E. C., Physiology of Muscular Activity. Philadelphia: W. B. Saunders Company, 1933.
3. Hines, E. A., Jr., and Brown, G. E., Standard stimulus for measuring vasomotor reactions: Its application in the study of hypertension. Proc. Mayo Clinic, 7:332-335, 1932.
4. Graybiel, A., McFarland, R. A., Gates, D. E., and Webster, F. A., Analysis of the electrocardiograms obtained from 1000 young healthy aviators. Amer. Heart J., 27: 524-549, 1944.
5. Franzen, R., and Blaine, L., Evaluation of respiratory measures for use in pilot selection. Report No. 25. Washington, D. C.: Civil Aeronautics Administration, Division of Research, 1944.
6. McFarland, R. A., Graybiel, A., Liljencrantz, E., and Tuttle, A. D., An analysis of the physiological and psychological characteristics of 200 civil airline pilots. J. aviat. Med., 10:160-210, 1939.
7. DuBois, D., and DuBois, E. F., Formula for body surface area. In: Dubois, E. F., Basal Metabolism in Health and Disease. Philadelphia, Penna.: Lea and Febiger, 1927. P 119, Figure 17.
8. Sheldon, W. H., Stevens, S. S., and Tucker, W. B., The Varieties of Human Physique. New York: Harper and Bros., 1940.
9. Sheldon, W. H., and Stevens, S. S., The Varieties of Temperament. New York: Harper and Bros., 1942.
10. Otis, S. A., Manual of Directions. New York: World Book Company, 1922.
11. Quasha, W. H., and Likert, R., The revised Minnesota paper form board test. J. Educ. Psychol., 20:197-204, 1937.
12. Farmer, E., Chambers, E. G., and Kirk, F. J., Tests for accident proneness. Medical Research Council Report No. 68. London: His Majesty's Stationery Office, 1933.
13. McFarland, R. A., and Channell, R. C., A revised two-hand coordination test. Report No. 36. Washington, D. C. : Civil Aeronautics Administration, Airman Development Division, 1944.
14. Mashburn, V. C., Mashburn automatic serial action apparatus for detecting flying aptitude. J. aviat. Med., 5:145-160, 1934.

15. McDougall, W., and Smith, M., Effects of alcohol and some other drugs during normal and fatigued conditioning. Medical Research Council Report No. 56. London: His Majesty's Stationery Office, 1920.
16. Cattell, R. B., An objective test of character-temperament. J. Gen. Psychol., 25: 59-73, 1941.
17. Miles, W. R., Static equilibrium as a useful test of motor control. J. Industr. Hyg., 3: 316-331, 1922.
18. Taylor, E. A., Controlled Reading. Chicago, Illinois: University of Chicago Press, 1937.
19. Wald, G., Portable visual adaptometer. J. Opt. Soc. Amer., 31:235-238, 1941.
20. Davis, P. A., Technique and evaluation of the electroencephalogram. J. Neurophysiol., 4:92-114, 1941.
21. Forbes, A., and Davis, H., Electroencephalography of Naval aviators. Report No. 13. Washington, D. C.: Civil Aeronautics Administration, Division of Research, 1943.
22. Grant, R. P., and Estes, E. H., Jr., Spatial Vector Electrocardiography. Philadelphia: The Blakiston Company, 1951.
23. A symposium. Measuring the risk of coronary heart disease in adult population groups. Amer. J. publ. Hlth., 47:1-63, 1957.
24. Kagan, A., Dawber, T. R., Kannel, W. R., and Revotskie, N., The Framingham study: A prospective study of coronary heart disease. Fed. Proc., 21 (Part 2):52-57, 1962.
25. Borhani, N. O., Hechter, H. H., and Breslow, L., Report of a ten-year follow-up study of the San Francisco longshoremen. Mortality from coronary heart disease and from all causes. J. Chron. Dis., 16:1251-1266, 1963.
26. Keys, A., Taylor, H. L., Blackburn, H., Brozek, J., Anderson, J. T., and Simonson, E., Coronary heart disease among Minnesota business and professional men followed fifteen years. Circulation, 28:381-395, 1963.
27. Hines, E. A., Jr., and Brown, G. E., The cold pressor test for measuring reactivity of blood pressure: Data concerning 571 normal and hypertensive subjects. Amer. Heart J., 11:1-9, 1936.
28. Windesheim, J. H., Roth, G. M., and Hines, E. A., Jr., Direct arterial study of the blood pressure response to cold of normotensive subjects and patients with essential hypertension before and during treatment with various anti-hypertensive drugs. Circulation, 11: 878-888, 1955.
29. Graettinger, J. S., Packard, J. M., and Graybiel, A., A new method of equating and presenting bipolar and unipolar extremity leads of the electrocardiogram. Amer. J. Med., 11:3-25, 1951.

30. Wilson, F. N. (Chairman), Report of Committee on Electrocardiography, American Heart Association. Recommendations for standardization of electrocardiographic and vectorcardiographic leads. Circulation, 10:364-573, 1954.
31. Moss, A. J., Ballistocardiographic evaluation of the cardiovascular aging process. Circulation, 23:434-451, 1961.
32. Abell, L. L., Levy, B. B., Brady, B. B., and Kendall, F. E., A simplified method for the estimation of total cholesterol in serum and demonstration of its specificity. J. Biol. Chem., 195:357-366, 1952.
33. Gofman, J. W., Lindgren, F. T., and Elliot, H. A., Ultracentrifugal studies of lipoproteins of human serum. J. Biol. Chem., 179:973-979, 1949.
34. Weinstein, B. J., and Epstein, F. H., Comparability of criteria and methods in the epidemiology of cardiovascular disease. Circulation, 30:643-653, 1964.
35. McGuire, C., and White, G. P., The measurement of social status. Report No. 3. Austin, Texas: University of Texas, Department of Educational Psychology, 1955.
36. Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death. Volume I. Geneva, Switzerland: World Health Organization, 1957.
37. Blackburn, H., Keys, A., Simonson, E., Rautaharju, P., and Punsar, S., The electrocardiogram in population studies. A classification system. Circulation, 21:1160-1175, 1960.
38. Caceres, C. A., Electrocardiographic analysis by a computer system. Arch. Int. Med., 3:196-202, 1963.
39. Rikli, A. E., Tolles, W. E., Steinberg, C. A., Carbery, W. J., Freiman, A. H., Abraham, S., and Caceres, C. A., Computer analysis of electrocardiographic measurements. Circulation, 24:643-649, 1961.
40. Master, A. M., and Rosenfeld, I., Monitored and post-exercise two-step test. J.A.M.A. 190:494-500, 1964.
41. Smith, R. F., Quantitative interpretation of the exercise electrocardiogram. Use of computer techniques in the cardiac evaluation of aviation personnel. NSAM-909. Pensacola, Fla.: Naval School of Aviation Medicine, 1964.
42. Frank, E., An accurate, clinically practical system for spatial vectorcardiography. Circulation, 13:737-749, 1956.
43. Strandness, P. E., Jr., and Bell, J. W., Peripheral vascular disease: Diagnosis and objective evaluation using a mercury strain gauge. Ann. Surg., 161 (4) Suppl: 3-35, 1965.
44. Chaney, A. L., Protein-bound iodine. Adv. Clin. Chem., 1:81-109, 1958.
45. Brown, H., Determination of uric acid in human blood. J. Biol. Chem., 158:601-608, 1945.

46. Carlson, L. A., and Waldström, L. B., Determination of glycerides in blood serum. Clin. Chem. Acta, 4:197-205, 1959.
47. Somogyi, M., Determination of blood sugar. J. Biol. Chem., 160:69-73, 1945.
48. Bartlett, R. G., and Phillips, N. E., The velocity volume loop: A composite pulmonary function test. Dis. Chest., 42:482-488, 1962.
49. Anon., Program methodology for spirometry. Instrumentation Field Station, Heart Disease Control Program, Division of Chronic Diseases. Washington, D. C.: Department of Health, Education, and Welfare, 1965.
50. Shonfeld, E. M., Kerekes, J., Rademacher, C. A., Wehrer, A. L., Abraham, S., Silver, H., and Cacaes, C. A., Methodology for computer measurement of pulmonary function curves. Dis. Chest, 46:427-434, 1964.
51. Pollock, H., and Krueger, D. E. (Eds.), Epidemiology of cardiovascular diseases: Methodology. Amer. J. publ. Hlth., 50(10) Suppl: 1-124, 1960.
52. Behnke, A. R., Guttentag, O. E., and Brodsky, C., Quantification of body weight and configuration in geometrical terms. Hum. Biol., 31:213-234, 1959.
53. Hertzberg, H. T., Daniels, G. S., and Churchill, E., Anthropometry of flying personnel--1950. WADC 52-321. Wright-Patterson Air Force Base, Ohio: Wright Air Development Center, 1954.
54. Sheldon, W. H., Dupertius, C. W., and McDermott, E., Atlas of Men. New York: Harper and Bros., 1954.
55. Ungerleider, H. E., and Gubner, R., Evaluation of heart size measurements. Amer. Heart J., 24:494-510, 1942.
56. Guilford, J. P., and Zimmerman, W. S., The Guilford-Zimmerman Temperament Survey. Manual of Instructions and Interpretations. Beverly Hills, Calif: Sheridan Supply Company, 1949.
57. Graybiel, A., and Fregly, A. R., A new quantitative ataxia test battery. NSAM-919. NASA Order No. R-93. Pensacola, Fla.: Naval School of Aviation Medicine, 1965.
58. Rudmose, W., Automatic audiometry. In: Jerger, J. (Ed.), Modern Methods in Audiology. Chapter 2. New York: Academic Press, 1963. Pp 40-42.
59. Bragg, V. C., and Greene, J. W., A proposed speech discrimination test for senior Naval aviators. Aerospace Med., 35:527-529, 1964
60. Wherry, R. J., Appendix V. In: Stead, W. H., and Shartle, C. P. (Eds.), Occupational Counselling Techniques. New York: American Book Company, 1940. Pp 245-252.

61. Ravenholt, R. T., and Applegate, J. R., Brief recording: Measurement of smoking experience. New Eng. J. Med., 272:789-790, 1964.
62. Bellet, S., Deliyannis, S., and Eliakim, M., The electrocardiogram during exercise as recorded by radioelectrocardiographs. Comparison with the postexercise electrocardiogram (Master two-step test). Amer. J. Cardiol., 8:385-400, 1961.
63. Blumberg, B. S., Differences in the frequency of disease in different populations. Ann. Rev. Med., 16:387-404, 1965.
64. Spieth, W., Cardiovascular health status, age, and psychological performance. J. Geront., 19:277-284, 1964.

APPENDIX A

Forms Used in 1940 Study (Chapter I)

PERSONAL AND MEDICAL HISTORY FORM

(1) NAME: _____ CLASS # _____
(Last) (First) (Middle)

Age: _____ Height: _____ Weight: _____

(2) FAMILY HISTORY

Maternal grandmother: Age _____ Died at age _____ Cause of death (if known) _____
Maternal grandfather: Age _____ Died at age _____ Cause of death (if known) _____
Paternal grandmother: Age _____ Died at age _____ Cause of death (if known) _____
Paternal grandfather: Age _____ Died at age _____ Cause of death (if known) _____

Brothers: Approx. ages: _____
Sisters: Approx. ages: _____
Wife: _____
Children: _____

Indicate relation of blood relatives who have had:

Cancer _____
Tuberculosis _____
Heart Trouble _____
Kidney Trouble _____
Insanity _____
Diabetes _____
Allergy (hay fever, asthma, hives, unusual reaction to certain foods) _____

Nervous Breakdown _____
What other illnesses are frequent in your family? _____

Is any member of your family now in the hospital or sick at home? _____
If so, give details: _____

Father: Age: _____ Died at age: _____ Cause of death: _____
Serious illnesses _____
Education _____ Occupation _____
How successful? _____
Characteristics (for instance, is he phlegmatic or irritable? Strict or lenient?
Genial or serious? Easy going or tense? Steady or emotional?) _____

Mother: Age: _____ Died at age: _____ Cause of death: _____
Serious illnesses _____
Education _____
Occupation _____
• Is she well adjusted? _____ What civic and social activities does she par-
ticipate in? _____
Characteristics _____

What is your family origin? (English, French, etc.) _____
Father's family _____
Mother's family _____
What religions are represented in your immediate family? (Protestant? Catholic?
Jewish? Other? Indicate if more than one) _____

State your family's (including your fiancee's) reaction to your present course
Approve or object? _____
Pleased, worried, or both? _____
Further explanation: _____

(3) PERSONAL HISTORY

Have you ever fainted? _____ If so, give date and details _____

Have you ever been "knocked out?" _____ If so, give date, details and length of
time "out" _____

Have you ever had a head injury? _____

Check any of the following diseases or conditions you have had and give age:

CONTAGIOUS DISEASES

Scarlet Fever
Diphtheria
Typhoid Fever
Malaria
Sleeping Sickness
Syphillis
Gonorrhea

LUNGS

Pain in chest
Chronic cough and expectoration
Bloody expectoration
Hemorrhage from lungs
Tuberculosis
Pneumonia
Asthma

HEART AND CIRCULATION

Any heart disease?
Rheumatic fever
Rheumatism
Leaky valves
Growing pains (arms and legs)
Undue shortness of breath on
exertion
Palpitation of heart
Irregular pulse
Dizziness upon rising or exercise
Swollen ankles (other than sprain
or accidents)
Hemorrhage

GASTRO-INTESTINAL

Appendicitis
Nausea or vomiting associated with
low abdominal pain
Indigestion
Constipation
Food Poisoning
Hemorrhages from mouth
Hemorrhages from bowels
Ulcers of stomach
Ulcers of intestines
Hernia (rupture)

GENITO-URINARY

Frequent urination
Painful urination
Wakefulness at night to empty bladder
Sores on genitals
Infection of genitals with discharge
of pus
Discharge from genitals

NEURO-PSYCHIATRIC

Headache-recurrent and severe
Sleeplessness
Neuralgia
Sleepwalking episodes
Disturbing nightmares
Bedwetting (after 6 yrs. of age)
Outbursts of irritability
Sudden blank periods in memory

NEURO-PSYCHIATRIC (cont.)

Nervousness (without apparent reason)
Nail biting
Speech defect
Recurrent worries
Moody ups and downs (What do you think causes them?)
Have you ever been severely upset by the death of a friend, broken love affair, or disappointment at school, college, or elsewhere?

EAR, NOSE, AND THROAT

Colds. How often?
Persistent sore throat
Severe sinus trouble
Discharge from ears
Mastoiditis
Hay Fever
Sores in mouth
Sores in corner of mouth or lips

Discuss any of the above conditions that need further explanation: _____

Have you ever had any unusual laboratory tests or X-ray examinations made in your case? _____ If so, give date and details _____

From a health conservation standpoint, is there any organ or region of your body to which you would like a physician to devote special and searching attention? _____
What? _____

What are your most pressing worries at present? _____

Do you ever have a feeling of tightness or pressure in your head? Or peculiar feelings elsewhere, such as numbness or difficulty in moving? Where and under what conditions? _____

Do you retain any of the usual fear associated with flying? _____ If so, is it due to (1) dangers of learning to fly, (2) fear of combat, (3) uncertainty about passing flight checks (check which)
What worries you most about it? _____

Have you had any serious accidents, broken bones, dislocations, or surgical operations? _____ Give dates and details _____

How much tobacco do you use daily? _____

What drugs or medicines do you take regularly (if any) _____
How much alcohol do you use? Beer _____ per week. Cocktails _____ per week.
Whiskey _____ per week. How often? _____
Do you think you are more or less susceptible to alcohol than most people? _____

How often do you consult your dentist? _____ When last? _____

Eating Habits:

Do you skip meals? _____ Which ones? _____ How often? _____ Did you skip meals at college? _____ at home? _____ If so, explain why _____
 Do any foods disagree with you? _____

Check whether you take the following foods, "usually," "occasionally," "never," if occasionally, say in the space below how many times a week.

	Usually	Occasionally	Never		Usually	Occasionally	Never		Usually	Occasionally	Never
Milk				Oranges or juice				Carrots			
Cream				Tomatoes or juice				Cabbage			
Butter				Fresh fruits				Cauliflower			
Meat				Whole grain cereals				Beans			
Chicken				Oatmeal				Peas			
Fish				Cold cereal (which)				Potatoes			
Cheese				Coarse grain bread (other than white)				Salads			
Eggs								Greens			

How does the mess compare with your food in college? Check. Better _____
 About same? _____ Worse? _____ If worse, describe in what way _____

What is your opinion as to the quality of the food? Check. Good _____
 Average _____ Poor _____ What is your opinion as to the preparation of the food
 Check. Well prepared _____ Average _____ Poor _____ If "average," or "poor,"
 write clearly and concisely your criticism and recommendation _____

(4) ENVIRONMENT

Reared by whom until college _____ Where _____ Population _____

 Birth order: _____ child out of _____ children in family.
 Economic conditions: _____
 Discipline (harsh? mild? variable?) _____
 Was there particular emphasis on certain principles? _____ What ones? _____

Home conflicts: Parents _____ Other members of family _____
Broken Home _____
Reaction to, or opinion of, home training (for instance, did parents try to run
your life too much? Do you think it could have been better or was it O.K.?) _____

Religious Conflicts: Parents _____ Family _____

(5) EDUCATION

Grammar School, name and location _____
Years _____ Standing (1st, 2nd, 3rd, or 4th quarter of class) _____
Failures _____

High School, name and location _____
Years _____ Standing (1st, 2nd, 3rd, or 4th quarter of class) _____
Subjects in which you were good _____
Subjects in which you were weak _____
Failures _____
Extra curricular activities (athletics, class offices, publications, etc.) _____

U. S. Naval Academy: Year graduated _____ Class standing _____

Colleges: Name _____ Years _____
Name _____ Years _____
Name _____ Years _____

Class standing _____ Degree _____ Year _____ Age _____

What was your major in college? _____

What did you plan as a career when you entered college? _____

Did you change your major? If so, why? _____

Extra curricular activities _____

In what subjects were you especially good? _____

In what subjects were you especially weak? _____

What subjects did you fail? _____

Reasons _____

Approximately how much of your support in college did you contribute? _____

Training other than college _____

Have you any dependents now? _____

What jobs have you had in college, summers, and since college? Indicate ones you
liked and disliked (why) and those you did well and poorly (why) _____

(6) VOCATIONAL

What professions have you seriously considered? When and for how long? _____

What led you to make aviation your profession? (Give your own discussion below then check off appropriate comments below) _____

How long have you been considering it seriously? _____

Did you build model planes? _____ What sorts of planes? _____

At what age? _____

How many of the following suggestions influenced your decision to take up aviation? Give the numbers in the spaces below and explain details further. Add additional explanations of your own.

1. Felt the emergency called for all possible pilots?
2. Since you'd probably be called to some type of military service, you would prefer to be in aviation?
3. Because you felt that you could make some particular contributions to aviation as instructor, pilot, specialist, or in some other function? Specify.
4. (a) Because of what you read in magazines or elsewhere?
(b) Because of moving pictures?
5. Because you considered naval aviation the best training for later aeronautical work, as air line manager, test pilot, etc.?
6. Considered yourself especially qualified for military flying and hence likely to do well in it?
7. To prove to yourself or others that you could make good in flying?
8. Attracted by salary?
9. To develop valuable traits, such as initiative or judgement? What particular ones?
10. To get away from other concerns and worries? What were they?
11. Because, though undecided at first, you were persuaded or encouraged by others? Why doubtful at first? What persuaded you?
12. Fascinated by the sensations of flight from first experience?
13. Mainly for sport? Or adventure?
14. Just suddenly decided?
15. Drifted into it without thinking much about it?
16. Always figured on going into flying?
17. Had interests related to flying? Mechanical, engineering, medical, etc.; that led you into it? State interests.
18. Felt it was an important and promising professional field in itself?

What hobbies have you had? (including reading and types of material read). Give ages of various interests _____

Previous flying experience, including Elimination Base, C.A.A., private and miscellaneous):

Location and Approx. Dates	Hours at Controls or Under Instruction	Type of Plane	Number in Class	Number Dropped from Training	Your Approximate standing
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

State roughly the amount of passenger time you have had:

Commercial airlines _____
 Private planes _____
 Military planes _____

At what age did you first go up in an airplane? _____ What flight maneuvers or routine proceedings have seemed easiest for you to learn? _____

What ones have seemed particularly difficult? _____

What have your instructors considered to be your strong points? _____

Your weak points? _____

If you had your choice, what particular type of aviation would you prefer? (Check)

Fighting carrier _____ Military instructor _____
 Patrol _____ Commercial instructor _____
 Scouting and observation _____ Photography _____
 Test piloting _____ Gunnery _____

Have you had any flying accidents? _____ Have you had any near accidents? _____
 Describe these and state their effect upon you _____

Signature _____

THORNDIKE-KELLEY ATHLETIC ACHIEVEMENT TEST

NAME IN FULL _____ Date _____
 Last Name First Name Middle Name School _____

Answer the following questions:
 (approximately)

1. How many yards can you swim?
2. How many yards (approximately) can you swim under water?
3. Can you sail a sailboat?
4. How many miles (approximately) have you sailed?
5. Can you run a motor boat?
6. How many miles (approximately) have you gone?
7. Can you ride a motor-cycle?
8. How many miles (approximately) have you ridden?
9. Can you drive a motor car?
10. How many miles (approximately) have you driven?
11. Can you ride a horse?
12. How many miles (approximately) have you ridden?
13. Can you play tennis?
14. How many hours (approximately) have you played?
15. Can you play any musical instrument? What is the instrument?
16. How many hours (approximately) have you played it?
17. Do you know any skilled trade? What is the trade?
18. How much were you earning at it per day?

Examine the list of games, occupations, and amusements printed below. Think which three you like best to do; mark them b. Think which three you like next best; mark them nb. Think which three you like least; mark them w. Think which three you like next to least; mark them n.w. If there are any that you don't know enough about to enable you to decide how well you like them, mark them with a cross (x).

- | | | |
|----------------------|----------------------------------|-----------------------|
| 19. Play billiards | 27. Dancing | 35. Listen to music |
| 20. Boxing | 28. Fishing | 36. Reading |
| 21. Run a motor boat | 29. Play football | 37. Shooting |
| 22. Sail a sailboat | 30. Play golf | 38. Swimming |
| 23. Play cards | 31. Ride horseback | 39. Play tennis |
| 24. Play chess | 32. Ride a motorcycle | 40. Walk with friends |
| 25. Play baseball | 33. Drive a motor car | 41. Go to the theatre |
| 26. See the movies | 34. Play some musical instrument | 42. Wrestling |

APPENDIX B

Forms Used in 1951 Study (Chapter II)

U. S. NAVAL SCHOOL OF AVIATION MEDICINE
U. S. NAVAL AIR STATION
PENSACOLA, FLORIDA

Research Department :

QUESTIONNAIRE FOR FOLLOW-UP OF 1,000 AVIATORS

Please write or print legibly. Use check marks where possible.

DATE: _____

1. Name _____, _____, _____ 2. File # _____
Last First Middle

3. Present address: _____ Rank _____

4. Present Military Status: Active duty (permanent) USN USMC
 Active duty (temporary) USNR USMCR
 Inactive Other _____
 Separated Retired Resigned

5. Was flight training completed? Yes. No.

6. If flight training at Pensacola was NOT completed:

A. Did you join any other military service: Yes No

B. Was any other flight training (Army, Air Force, CAA, etc.)
successfully completed?

Yes No If so, what type. _____

7. If flight training was completed, how many years did you
fly as a pilot? _____

8. What type planes were piloted? Estimate number of hours in each:

9. Are you still active as a pilot? Yes No In what capacity: _____

10. Number of hours flown last month: _____

11. If you are no longer flying, please list occupation(s) engaged in since
last aviation duty: _____

12. If you have suffered any of the following in the past 10 years, please check:

- | | |
|---|--|
| <input type="checkbox"/> Pain in chest on exertion | <input type="checkbox"/> Scarlet Fever |
| <input type="checkbox"/> Shortness of breath on exertion | <input type="checkbox"/> Rheumatic Fever |
| <input type="checkbox"/> Palpitations | <input type="checkbox"/> Diphtheria |
| <input type="checkbox"/> Swelling of both ankles | <input type="checkbox"/> Kidney disease |
| <input type="checkbox"/> Myocardial infarction (Heart attack) | <input type="checkbox"/> Injury to Chest |
| | <input type="checkbox"/> Chest Surgery |

Details _____

13. Have you had a physical examination in the past two years? Yes No

14. If so, please check any of the following that were found:

- | | |
|--|---|
| <input type="checkbox"/> High Blood Pressure | <input type="checkbox"/> Overweight |
| <input type="checkbox"/> Rapid heart rate | <input type="checkbox"/> Coronary heart disease |
| <input type="checkbox"/> Murmur in heart | <input type="checkbox"/> Rheumatic heart disease |
| <input type="checkbox"/> Sugar in Urine | <input type="checkbox"/> No abnormalities |
| | <input type="checkbox"/> Other Abnormalities (please specify) |

15. Do you consider your present physical fitness as: Poor Good
 Fair Exceptional

16. Remarks: _____

When completed, please enclose in the self-addressed, franked envelope and mail promptly.

NOTE: Please check to be sure date, rank/rate and present military status are filled in.

HISTORY FORM FOR FOLLOW-UP OF 1000 AVIATORS SERIES #

Name: _____ File # _____ Rank: _____

Address: _____

Family History:

	Age if Living	Condition of Health	Age at Death	Cause of Death
Father	:	:	:	:
Mother	:	:	:	:
Brothers	:	:	:	:
	:	:	:	:
Sisters	:	:	:	:
	:	:	:	:

Past History: List any serious illnesses, injuries, or operations. Specifically inquire for rheumatic fever, scarlet fever, diphtheria, kidney disease, and hypertension.

Present Symptoms: Check appropriate items and give details.

- () Dyspnea on exertion
- () Palpitation
- () Pain in chest
- () Edema
- () Cough
- () Loss or gain of weight in past 6 months
- () Visual
- () Loss of hearing
- () Ear, nose, throat, or sinus complaints
- () Respiratory symptoms
- () Gastro-intestinal symptoms
- () Genito-urinary "
- () Skin "
- () Neuro-muscular "
- () Psychiatric "
- () None of above.

Does the subject believe that flying caused or aggravated any of the diseases or symptoms listed above (excluding aviation accidents)? If so, give details:

In the past ten years has the subject been told he has a murmur, tachycardia, or high blood pressure? If so, give details:

Has the subject ever had to return on subsequent days in order to pass certain items of the flight physical examination? If so, give details:

Date _____ Place _____ Doctor's name _____

Date form filled out

Case number

Last name

First name

Middle initial

Service or File Number

Date of Birth

AVIATION HISTORY

1. Had you completed flight training before reporting to Pensacola?

_____ No _____ Yes If yes, what year? _____

_____ Private

_____ Commercial

_____ Other - Specify _____

2. If naval air training was completed, give date _____

3. If flight training was not completed at Pensacola in 1940-41, did you complete flight training as a pilot later?

Date completed _____ No further pilot training

_____ Army

_____ RAF

_____ RCAF

_____ Private

_____ Other - Specify _____

4. If pilot training was not completed, did you remain in aviation as:

_____ bombardier

_____ navigator

_____ gunner

_____ engineer

_____ other flight crew

_____ ground crew (no flying)

_____ aviation industry (no flying)

_____ no further connection with aviation

5. If you are no longer flying, why did you stop?

6. Please fill out carefully for each year. Use check marks in Columns 1-5 to indicate proper flight status.

Flying as:

Calendar Year	Not flying (1)	Military pilot (2)	Commercial pilot (3)	Private pilot (4)	Air crew (5)	Hours logged	Number of aviation accidents	Number of accidents involving major damage to plane (A or B)	Planes lost as result of enemy action	Injuries to yourself in aviation accidents
1934 or earlier*										
1935										
1936										
1937										
1938										
1939										
1940										
1 Jan 1941 to 7 Dec. 1941										
7 Dec. 1941 to 31 Dec. 1941										
1942										
1943										
1944										
1945 to VJ Day										
1945 after VJ Day										
1946										
1947										
1948										
1949										
1950										
1951										
1952										

*If in flight status prior to 1934, please give details on other side of this paper.

MILITARY HISTORY

_____ Year entered

Type of first service:

- _____ ROTC
- _____ U.S. Naval Academy
- _____ Aviation Cadet
- _____ Other - Specify _____

Military Status

	Inclusive dates	Active duty dates	Highest rate or rank	Service or File number
US Navy-Reserve				
US Navy-Regular				
US Marine Corps-Reserve				
US Marine Corps-Regular				
US Air Force-Reserve				
US Air Force-Regular				
US Army-Reserve				
US Army-Regular				
Other (specify)				

If Reserve now:

- _____ Continuous active duty involving flying
- _____ Continuous active duty, not flying
- _____ Organized reserve (paid, military flying)
- _____ Organized reserve (paid, not flying)
- _____ Volunteer reserve (meetings and non-paid flying)
- _____ Volunteer reserve (non-paid meetings; no flying)
- _____ Inactive reserve (no meetings or military flying)

Medals and awards (do not list area ribbons):

Months of combat duty:

- _____ C B I
- _____ Pacific
- _____ European
- _____ Korean

If inactive, why?

_____ Date released

If separated (no military status at present), why?

_____ Date separated

If not on active duty, what is your present occupation?

FOR 1000 AVIATOR FOLLOW-UP PROJECT

In the event of my death, please supply the following information to:

Commanding Officer
School of Aviation Medicine
U. S. Naval Air Station
Pensacola, Florida

Date of death _____

Cause of death _____

In Flight status at time of death _____

Case Number _____

Subject's signature

REPORT OF MEDICAL EXAMINATION

1. LAST NAME—FIRST NAME—MIDDLE NAME			2. GRADE AND COMPONENT OR POSITION		3. IDENTIFICATION NO.	
4. HOME ADDRESS (Number, street or RFD, city or town, zone and State)				5. PURPOSE OF EXAMINATION		6. DATE OF EXAMINATION
7. SEX	8. RACE	9. TOTAL YEARS GOVERNMENT SERVICE		10. AGENCY	11. ORGANIZATION UNIT	
		MILITARY	CIVILIAN			
12. DATE OF BIRTH		13. PLACE OF BIRTH			14. NAME, RELATIONSHIP, AND ADDRESS OF NEXT OF KIN	
15. EXAMINING FACILITY OR EXAMINER, AND ADDRESS				16. OTHER INFORMATION		
17. RATING OR SPECIALTY			TIME IN THIS CAPACITY (Total)		LAST SIX MONTHS	

NOR- MAL	(Check each item in appropriate column, enter "NE" if not evaluated.)	ABNOR- MAL
	18. HEAD, FACE, NECK AND SCALP	
	19. NOSE	
	20. SINUSES	
	21. MOUTH AND THROAT	
	22. EARS—GENERAL <small>(Int. & ext. exam'n) (Auditory acuity under items 70 and 71)</small>	
	23. DRUMS (Perforation)	
	24. EYES—GENERAL <small>(Visual acuity and refraction under items 59, 60 and 67)</small>	
	25. OPHTHALMOSCOPIC	
	26. PUPILS (Equality and reaction)	
	27. OCULAR MOTILITY <small>(Associated paralytic movements, nystagmus)</small>	
	28. LUNGS AND CHEST (Include breasts)	
	29. HEART (Thrust, size, rhythm, sounds)	
	30. VASCULAR SYSTEM (Varicosities, etc.)	
	31. ABDOMEN AND VISCERA (Include hernia)	
	32. ANUS AND RECTUM <small>(Hemorrhoids, fistula) (Prostate, if indicated)</small>	
	33. ENDOCRINE SYSTEM	
	34. G-U SYSTEM	
	35. UPPER EXTREMITIES <small>(Strength, range of motion)</small>	
	36. FEET	
	37. LOWER EXTREMITIES <small>(Except feet) (Strength, range of motion)</small>	
	38. SPINE, OTHER MUSCULOSKELETAL	
	39. IDENTIFYING BODY MARKS, SCARS, TATTOOS	
	40. SKIN, LYMPHATICS	
	41. NEUROLOGIC <small>(Equilibrium tests under item 72)</small>	
	42. PSYCHIATRIC <small>(Specify any personality deviation)</small>	
	43. PELVIC (Female only) (Check how done)	
	<input type="checkbox"/> VAGINAL <input type="checkbox"/> RECTAL	

NOTES. (Describe every abnormality in detail. Enter pertinent item number before each comment. Continue in item 73 and use additional sheets if necessary.)

44. DENTAL (Place appropriate symbols above or below number of upper and lower teeth, respectively.)																REMARKS AND ADDITIONAL DENTAL DEFECTS AND DISEASES	
O—Restorable teeth X—Missing teeth (B.N.S.)—Fixed bridge, brackets to include obturments /—Nonrestorable teeth XXX—Replaced by dentures																	
R I G H T	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15		

LABORATORY FINDINGS			
45. URINALYSIS: A. SPECIFIC GRAVITY		46. CHEST X-RAY (Place, date, film number and result)	
B. ALBUMIN	D. MICROSCOPIC		
C. SUGAR			
47. SEROLOGY (Specify test used and result)	48. EKG	49. BLOOD TYPE AND RH FACTOR	50. OTHER TESTS

MEASUREMENTS AND OTHER FINDINGS											
51. HEIGHT		52. WEIGHT		53. COLOR HAIR		54. COLOR EYES		55. BUILD: <input type="checkbox"/> SLENDER <input type="checkbox"/> MEDIUM <input type="checkbox"/> HEAVY <input type="checkbox"/> OBESE		56. TEMPERATURE	
57. BLOOD PRESSURE (Arm at heart level)					58. PULSE (Arm at heart level)						
A. SITTING	SYS. DIAS.	B. RECUMBENT	SYS. DIAS.	C. STANDING (3 min.)	SYS. DIAS.	A. SITTING	B. AFTER EXERCISE	C. 2 MIN. AFTER	D. RECUMBENT	E. AFTER STANDING 3 MIN.	
59. DISTANT VISION				60. REFRACTION				61. NEAR VISION			
RIGHT 20/		CORR. TO 20/		BY		S.		OX		CORR. TO BY	
LEFT 20/		CORR. TO 20/		BY		S.		OX		CORR. TO BY	
62. METEOPHORIA (Specify distance)											
ES°	EX°	R. H.	L. H.	PRISM DIV.	PRISM CONV. CT	PC	PD				
63. ACCOMMODATION				64. COLOR VISION (Test used and result)				65. DEPTH PERCEPTION (Test used and score)		UNCORRECTED	
RIGHT		LEFT								CORRECTED	
66. FIELD OF VISION				67. NIGHT VISION (Test used and score)				68. RED LENS TEST		69. INTRAOCULAR TENSION	
70. HEARING			71. AUDIOMETER							72. PSYCHOLOGICAL AND PSYCHOMOTOR (Tests used and score)	
RIGHT WV	/15 SV	/15		250 250	500 512	1000 1024	2000 2048	4000 4096	8000 8144	8000 8192	
LEFT WV	/15 SV	/15	RIGHT								
			LEFT								
73. NOTES (Continued) AND SIGNIFICANT OR INTERVAL HISTORY											

(Use additional sheets if necessary)

74. SUMMARY OF DEFECTS AND DIAGNOSES (List diagnoses with item numbers)

75. RECOMMENDATIONS—FURTHER SPECIALIST EXAMINATIONS INDICATED (Specify)						76. A PHYSICAL PROFILE					
						P	U	L	H	E	S
77. EXAMINEE (Check) A. <input type="checkbox"/> IS QUALIFIED FOR B. <input type="checkbox"/> IS NOT QUALIFIED FOR						R. PHYSICAL CATEGORY					
78. IF NOT QUALIFIED, LIST DISQUALIFYING DEFECTS BY ITEM NUMBER											
79. TYPED OR PRINTED NAME OF PHYSICIAN					SIGNATURE						
80. TYPED OR PRINTED NAME OF PHYSICIAN					SIGNATURE						
81. TYPED OR PRINTED NAME OF DENTIST OR PHYSICIAN (Indicate which)					SIGNATURE						
82. TYPED OR PRINTED NAME OF REVIEWING OFFICER OR APPROVING AUTHORITY					SIGNATURE					NUMBER OF AT-TACHED SHEETS	

APPENDIX C

Forms Used in 1957 Study (Chapter III)

U. S. NAVAL SCHOOL OF AVIATION MEDICINE
U. S. NAVAL AIR STATION
PENSACOLA, FLORIDA

QUESTIONNAIRE FOR FOLLOW-UP OF 1000 AVIATORS (1956-1957)

_____ (Case Number)

NAME _____
(Last) (First) (Middle) (Service/File No.)

PRESENT ADDRESS: _____

PERMANENT ADDRESS (Or best means of establishing contact):

NEXT OF KIN: _____ ADDRESS _____

PRESENT MILITARY STATUS:

_____ USN _____ USMC _____ Active Duty _____ Active Reserve
_____ USNR _____ USMCR _____ Inactive Reserve _____ Resigned
_____ Other (Please specify) _____

Following interim history applies to the period subsequent to the last examination
(the last 5 years, approximately):

FLIGHT STATUS: Yes No
Actively Flying? _____ If yes, in what capacity? _____

Approximate hours per year _____
If non-flying, why? _____

OCCUPATIONAL HISTORY:

Occupation during interval _____
Number of days (regular working days) absent from work _____

SOCIAL HISTORY:

Exercise approximately _____ hours per week. Type of exercise _____
Tobacco _____ packs per week for _____ years.
Alcohol _____ drinks per day (approximately).

How would you describe your general physical condition? _____

QUESTIONNAIRE FOR FOLLOW-UP OF 1000 AVIATORS (1956 - 1957)

_____ (Case Number)

MEDICAL HISTORY:

Number of visits to physician or dispensary _____.

Number of days ill from any cause _____.

Number of days in hospital _____.

Yes No

Accidents? _____

Operations? _____ If yes, type and diagnosis. _____

Serious illness? _____ Diagnosis _____

Chronic or Recurring? _____

Have you been examined for insurance in the past 5 years? _____.

If yes, was it:

Approved without qualification? _____.

Refused? _____.

Special premium rates invoked? _____.

Have the following been reported to you by a physician in the past 5 years?

Heart Disease _____ Kidney Disease _____

Diabetes (sugar in urine) _____ Anemia _____

Lung disease _____ Tuberculosis _____

Peptic ulcer _____ Psychiatric Illness _____

Any other _____

Please describe any of the items checked above _____

Have you had the following symptoms in the past 5 years?

Pain in the chest with exertion _____

Shortness of breath with exertion _____

on level walking _____ on climbing one flight of stairs _____

on climbing successive flights of stairs _____.

Easy fatigability _____ Difficulty with urination _____

Chronic cough _____ Loss of hearing _____

Arthritis (joint pains) _____ Jaundice _____

Pain in legs on walking _____ Stomach, liver, bowel disturbance _____

Emotional changes _____

Recent weight gain or loss _____ Gain past 5 yrs _____ Loss past 5 yrs. _____

Name of government activity most convenient to you where a physical examination might be performed (such as a Veteran's Hospital: Army, Navy, Air Force Base Hospital: Large Recruiting Center) _____

Please use reverse side for additional or explanatory information.

(Case Number)

CLINICAL EXAMINATION FORM

NAME _____
(Last) (First) (Middle) (Service/File Number)

Please question patient regarding the following symptoms or systems and describe important aspects in the space below:

WEIGHT: _____ BUILD: Slender _____ Medium _____ Heavy _____ Obese _____

BLOOD PRESSURE (Supine): _____ After 15 minutes relaxation _____

PULSE (resting): _____

(check the following only when present)

CHEST: _____ Emphysematous contour _____ Clear.

_____ Adventitious sounds. Specify, please _____

HEART: _____ Murmur present.

_____ Apical systolic

_____ Apical diastolic

_____ Systolic at base

_____ Diastolic at base

_____ Soft (grade I-II)

_____ Loud (grade III-IV)

_____ Disappears with inspiration

Other abnormalities (specify) _____

_____ A₂ greater than P₂

_____ P₂ greater than A₂

CLINICAL EXAMINATION FORM FOR FOLLOW-UP OF 1000 AVIATORS

(Case Number)

ABDOMEN: _____ Liver palpable
_____ Other palpable masses. Specify _____

RECTAL: Prostate: _____ normal. _____ moderately enlarged. _____ slightly enlarged.
_____ rectal mass.

SERUM CHOLESTEROL: _____ SERUM LIPOPROTEINS: _____

X-RAY: _____ Normal. _____ Old scarring. _____ Calcified density.
_____ Tumor. _____ Unidentified density.
Cardiovascular silhouette: _____ Normal. _____ Cardiac enlargement.

ELECTROCARDIOGRAM:

Rate: _____ ST segment: _____
Rhythm: _____ T waves: _____
Conduction: _____

Infarction pattern: _____ anterior. _____ posterior.

BALLISTOCARDIOGRAM:

_____ Normal
_____ Borderline _____ After stimulus.
_____ Abnormal

MAXIMUM BREATHING CAPACITY: _____.

VITAL CAPACITY (average of 3 trials) _____.

SUMMARY OF PERTINENT FINDINGS:

EVALUATION OF FACTORS IMPORTANT
IN CORONARY ATHEROSCLEROSIS

Name _____ Affiliation _____
Address _____
Permanent Address _____
Age _____ Sex _____ Menopause? _____
Weight _____ Height _____ Body Build _____
% overweight _____ % underweight _____
Personality (Patient's description) _____
Work and Exercise _____
Tobacco _____ Duration _____
Family History: Mother _____
 Father _____
 Siblings _____

 Aunts, Uncles _____
BP (Left arm sitting) _____
BCG (Resting) _____ Anoxia _____
EKG _____
Exercise Tolerance _____

APPENDIX D

Forms Used in 1963 Study (Chapter IV)

Preliminary Questionnaire
Thousand Aviator Study (1963)

Case number: 1 2 3 4 5

(6-30) Name: _____ ' _____ ' _____
last first middle

(A31-A70) Present Address: _____ ' _____ ' _____
street city state

(B30-70) Permanent Address: _____ ' _____ ' _____
or street city state

Alternate means of contacting you through parents, relatives, business, etc.

(A71-79) Social Security number _____

(B71-77) Occupation during last 5 years _____

(B78) Present military status:

- | | | |
|------------------------------------|-------------------------------|-------------------------------------|
| 1 civilian, resigned or discharged | 4 reserve billet - flying | 7 retired - 20 year or more service |
| 2 active duty | 5 reserve billet - non-flying | 8 other _____
specify |
| 3 reserve commission (no billet) | 6 retired - medical | |

(C6-14) Flying status (past 5 years only)

	YES	NO
6 non-flying	_____	_____
7 military - career	_____	_____
8 military - reserve	_____	_____
9 private	_____	_____
10 commercial air line	_____	_____
11 FAA	_____	_____
12 test pilot	_____	_____
13 other commercial flying	_____	_____
14 other _____ specify	_____	_____

Preliminary Questionnaire

Case number (c): 1 2 3 4 5

(C15) Number of hours flying as pilot or co-pilot per year (past 5 years only)

- | | | |
|----------------------|-----------------|------------------|
| 1 non-flying | 4 100-150 hours | 7 400-800 hours |
| 2 less than 25 hours | 5 150-200 hours | 8 over 800 hours |
| 3 25-100 hours | 6 200-400 hours | 9 aircrew only |

(C16) Tobacco

- | | | |
|----------------|-------------------------------------|-----------------------------------|
| 1 never smoked | 4 cigarettes - less than 1 pack/day | 7 cigarettes - over 2 packs/day |
| 2 pipe only | 5 cigarettes - 1 pack/day | 8 stopped smoking in past 5 years |
| 3 cigars only | 6 cigarettes - 2 packs/day | 9 other _____
specify |

(C17) Alcohol

- | | | |
|---------------------------|------------------|--------------------------|
| 1 never drank | 4 one drink/day | 7 problem with alcohol |
| 2 rarely drink | 5 two-three/day | 8 stopped drinking |
| 3 once or twice each week | 6 over three/day | 9 other _____
specify |

(C18) General statement of health past 5 years

- | | | |
|---|---|--|
| 1 excellent, no symptoms | 4 fair, acute illness with minor sequelae | 7 chronic illness, able to work part time |
| 2 good, except for minor symptoms | 5 poor, acute illness with major sequelae | 8 chronic illness, unable to work |
| 3 good, except acute illness with no sequelae | 6 chronic illness, able to work full time | 9 chronic illness, activity severely limited |

Preliminary Questionnaire

Case number (c): 1 2 3 4 5

(C19) Hospitalization

- 1 no hospitalization
- 2 hospitalized less than 5 days
- 3 hospitalized 5-14 days
- 4 hospitalized 14-30 days
- 5 hospitalized over 30 days

(C20-28) Operations

YES NO

- | | | |
|---|-------|-------|
| 20 no operations | _____ | _____ |
| 21 minor surgery, no hospitalization | _____ | _____ |
| 22 chest surgery | _____ | _____ |
| 23 abdominal surgery (including hernia) | _____ | _____ |
| 24 bone surgery | _____ | _____ |
| 25 skin or plastic surgery | _____ | _____ |
| 26 hemorrhoid surgery | _____ | _____ |
| 27 vasectomy (male sterilization) | _____ | _____ |
| 28 other _____ | _____ | _____ |
| specify | | |

(C29-37) Accidents and injuries (past 5 years)

- | | | |
|--------------------------|-------|-------|
| 29 none | _____ | _____ |
| 30 aviation - major | _____ | _____ |
| 31 aviation - minor | _____ | _____ |
| 32 automobile - major | _____ | _____ |
| 33 automobile - minor | _____ | _____ |
| 34 sports - major | _____ | _____ |
| 35 job connected - major | _____ | _____ |
| 36 job connected - minor | _____ | _____ |
| 37 other _____ | _____ | _____ |
| specify | | |

(C38-45) Examinations by physicians (since 1958)

- | | |
|---|--|
| 38 none or routine (no abnormalities noted) | 42 examination associated with minor illness |
| 39 routine - abnormalities found | 43 examination associated with serious illness |
| 40 insurance exam - normal findings | 44 more than 5 visits to physicians |
| 41 insurance exam - abnormalities found | 45 other _____ |
| | specify |

Preliminary Questionnaire

Case number (c): 1 2 3 4 5

(C46-54) Medications (present)	YES	NO
46 none	_____	_____
47 vitamins	_____	_____
48 antihistamines	_____	_____
49 Alka Seltzer or similar acid neutralizing drugs	_____	_____
50 cough medicines	_____	_____
51 tranquilizers	_____	_____
52 antibiotics	_____	_____
53 cold preparations	_____	_____
54 other _____	_____	_____

May we contact your physician or hospital for more complete information relative to these hospitalizations or examinations? If so, please give physician's name and address: _____

Have any of the following findings been reported to you in the past 5 years (exclusive of our evaluation)?

	YES	NO
C55 diabetes	_____	_____
C56 abnormal chest X-ray	_____	_____
C57 abnormal electrocardiogram (at rest or after exercise)	_____	_____
C58 high blood pressure	_____	_____
C59 peptic ulcer diagnosed by X-ray or symptoms	_____	_____
C60 kidney or bladder disease (infections, nephritis)	_____	_____
C61 kidney stones	_____	_____
C62 anemia or disease of blood	_____	_____
C63 tuberculosis	_____	_____
C64 psychiatric illness or severe emotional symptoms	_____	_____
C65 heart attack or coronary thrombosis	_____	_____
C66 angina pectoris (chest pain due to heart disease)	_____	_____
C67 pericarditis (inflammation of covering of heart)	_____	_____
C68 liver or gall bladder disease (cirrhosis, gall stones, etc.)	_____	_____
C69 pancreatitis (disease of pancreas)	_____	_____
C70 disease of intestines or large bowel	_____	_____
C71 undiagnosed stomach pain	_____	_____
C72 lung disease (exclusive of tuberculosis)	_____	_____
C73 spinal disc disease	_____	_____
C74 disease of prostate	_____	_____
C75 disease of skin (including tumors)	_____	_____
C76 tumor or cancer of internal organs	_____	_____
C77 other _____	_____	_____

specify

Preliminary Questionnaire

Case number (d): 1 2 3 4 5

Have you had any of the following symptoms in the past five years?

	YES	NO
D6 chest pain with exertion	_____	_____
D7 unusual or arrhythmical heart beat	_____	_____
D8 undue shortness of breath with exertion	_____	_____
D9 easy fatiguability	_____	_____
D10 chronic cough or cough productive of blood	_____	_____
D11 arthritis or joint pains	_____	_____
D12 difficult or painful urination	_____	_____
D13 jaundice or liver disease	_____	_____
D14 stomach pain	_____	_____
D15 low back pain	_____	_____
D16 decrease in hearing	_____	_____
D17 bleeding from gastrointestinal tract (stomach, bowel, etc.)	_____	_____
D18 episodes of fainting or unconsciousness	_____	_____
D19 severe or recurrent headache	_____	_____
D20 transient or prolonged loss of motion of arms or legs	_____	_____
D21 transient or prolonged loss of vision or speech	_____	_____
D22 visual disturbances (double vision, blurring, etc.)	_____	_____
D23 unexplained difficulty in sleeping	_____	_____
D24 other _____	_____	_____
specify		

The space below is for additional or explanatory information related to the above questions or to any aspect of this study.*

*If the answers to questions C20-77 and D6-24 are "yes," please give dates and pertinent explanatory information.

CARDIOLOGY BRANCH
SCHOOL OF AVIATION MEDICINE

This present history pertains only to the period since
your last School of Aviation Medicine examination.

Please answer the questionnaire as indicated:

"no," "now have," or "have had."

Your answers will be discussed with you by the
examining physician.

NAVSCOLAVNMED 6500/19

CASE NUMBER

--	--	--	--	--

1-5

DATE (not coded) _____

No code 1 Now have code 2 Have had code 3

- | | | |
|--|--------------------------|----|
| Have you failed a vision or eye test? | <input type="checkbox"/> | 6 |
| Have you had hemorrhages or bleeding in the whites of the eyes? | <input type="checkbox"/> | 7 |
| Do you have burning, itching or pain of the eyes? | <input type="checkbox"/> | 8 |
| Have you noticed a colored halo around lights at night? | <input type="checkbox"/> | 9 |
| Do you have double vision? | <input type="checkbox"/> | 10 |
| Have you had absence of one-half of your field of vision in one or both eyes? | <input type="checkbox"/> | 11 |
| Have you had any bleeding or tender gums? | <input type="checkbox"/> | 12 |
| Do you have partial or complete dental plates? | <input type="checkbox"/> | 13 |
| Have you experienced dental pain at high altitude? | <input type="checkbox"/> | 14 |
| Have you had persistent difficulty with swallowing? | <input type="checkbox"/> | 15 |
| Have you had frequent severe sore throats? | <input type="checkbox"/> | 16 |
| Have you had hoarseness except with cold? | <input type="checkbox"/> | 17 |
| Have you had nosebleeds other than due to injury? | <input type="checkbox"/> | 18 |
| Have you had a ruptured ear drum? | <input type="checkbox"/> | 19 |
| Have you had, or been told that you had, a temporary or permanent hearing loss? | <input type="checkbox"/> | 20 |
| Have you had, or been told that you had, tinnitus (ringing or buzzing in the ear)? | <input type="checkbox"/> | 21 |
| Have you ever had a severe ear ache? | <input type="checkbox"/> | 22 |
| Have you had aerotitis (pain in the ear associated with flight)? | <input type="checkbox"/> | 23 |
| Have you been exposed to high intensity noise? | <input type="checkbox"/> | 24 |
| Have you used protection devices against noise such as ear plugs or ear defenders? | <input type="checkbox"/> | 25 |

Have you had an ear infection or draining ear?	26
Do you have chronic sinusitis?	27
Do you have frequent head colds?	28
Have you had vertigo (dizziness or sensation of spinning)?	29
Are you allergic to any type of contact, plants, house pets, or animals, which results in increased nasal discharge?	30
Do you have hay fever?	31
Have you had any persistent enlargement of any of the glands of your neck?	32
Do you have a chronic or recurrent cough?	33
Have you coughed up blood?	34
Have you coughed up pus?	35
Have you had, or do you now have, frequent coughing spells?	36
Do you have pain in the right side of your chest?	37
Do you have pain in the left side of your chest?	38
Do you have pain along the breast bone or sternum?	39
Have you had, or do you now have, shortness of breath while lying down?	40
Have you had or do you now have shortness of breath that awakens you from sleep?	41
Have you had, or do you now have, difficulty breathing during or following exertion?	42
Have you ever had to sit up at night to get your breath?	43
Have you had, or do you now have, any difficulty with breathing?	44
Have you had, or do you now have, any chronic chest condition?	45
Have you had, or do you now have, bronchial asthma?	46
Have you had, or do you now have, pleurisy?	47
Have you been told that you had air sacs or cysts of the lungs?	48

- | | | |
|---|--------------------------|----|
| Have you had contact with anyone having tuberculosis? | <input type="checkbox"/> | 49 |
| Have you had a collapsed lung? | <input type="checkbox"/> | 50 |
| Have you had pneumonia? | <input type="checkbox"/> | 51 |
| Have you had, or been told that you had, bronchiectasis? | <input type="checkbox"/> | 52 |
| Have you had, or do you now have, chronic bronchitis? | <input type="checkbox"/> | 53 |
| Have you ever been told that you had fluid on the lungs or in the chest? | <input type="checkbox"/> | 54 |
| Have you ever had fluid drawn off or removed from your chest cavity? | <input type="checkbox"/> | 55 |
| Do your lungs wheeze at times? | <input type="checkbox"/> | 56 |
| Have you had, or been told that you had, high blood pressure?
(If yes, indicate MILD _____ MODERATE _____ SEVERE _____ DURATION _____ YEARS) | <input type="checkbox"/> | 57 |
| Have you had, or been told that you had, low blood pressure? | <input type="checkbox"/> | 58 |
| Have you had, or been told that you had, coronary heart disease? | <input type="checkbox"/> | 59 |
| Have you had, or been told that you had, any other heart trouble? | <input type="checkbox"/> | 60 |
| Have you had, or been told that you had, a heart murmur? | <input type="checkbox"/> | 61 |
| Have you had, or been told that you had, trouble with your circulation? | <input type="checkbox"/> | 62 |
| Have you had, or been told that you had, enlargement of the heart? | <input type="checkbox"/> | 63 |
| Have you had, or been told that you had an abnormal electrocardiogram? | <input type="checkbox"/> | 64 |
| Have you had, or been told that you had, heart damage from an infection or other illness? | <input type="checkbox"/> | 65 |
| Have you been told that you had hardening of the arteries? | <input type="checkbox"/> | 66 |
| Have you taken medicine for your heart? | <input type="checkbox"/> | 67 |
| Have you had any chest injuries? | <input type="checkbox"/> | 68 |
| Have you had pounding headaches and flushing of the face? | <input type="checkbox"/> | 69 |
| Have you had marked racing of your heart while sitting or resting? | <input type="checkbox"/> | 70 |

Have you ever had scarlet fever?

Have you ever had St. Vitus Dance or chorea?

Have you ever had rheumatic fever or a rheumatic heart?

CARD NUMBER

CASE NUMBER

71

72

73

75

76-80

CASE NUMBER

					1-5
--	--	--	--	--	-----

DATE (not coded) _____

NO code 1 Now have code 2 Have had code 3

- | | | |
|---|--------------------------|----|
| Have you had any chest pain that awakened you from sleep? | <input type="checkbox"/> | 6 |
| Have you had chest pain or discomfort while doing physical exertion or following physical exertion? | <input type="checkbox"/> | 7 |
| Have you had chest pain or discomfort during or as a result of emotional stress (anger, fear, excitement)? | <input type="checkbox"/> | 8 |
| Do you have chest pain or discomfort during intercourse? | <input type="checkbox"/> | 9 |
| Have you noticed chest pain or discomfort while walking against a cold wind? | <input type="checkbox"/> | 10 |
| Have you noted chest pain related to smoking? | <input type="checkbox"/> | 11 |
| Have you had any other forms of chest pain, aching, or discomfort (constriction, burning)? | <input type="checkbox"/> | 12 |
| Have you had chest pain or discomfort associated with pain in the left arm? | <input type="checkbox"/> | 13 |
| Have you had chest pain or discomfort associated with pain in the right arm? | <input type="checkbox"/> | 14 |
| Have you had chest pain or discomfort associated with pain in the jaw or teeth? | <input type="checkbox"/> | 15 |
| Have you had sensations of pressure or fullness in your chest? | <input type="checkbox"/> | 16 |
| Have you had pain in the upper part of your abdomen? | <input type="checkbox"/> | 17 |
| Are you troubled with sensations of pressure or gaseous distention in the upper part of your abdomen? | <input type="checkbox"/> | 18 |
| Do you have discomfort in the upper portion of your abdomen after eating or after exercise? | <input type="checkbox"/> | 19 |
| If you have chest pain or discomfort, how often do you get it?
Daily code 1 Several times each year code 4
Weekly code 2 No pain code 9
Monthly code 3 | <input type="checkbox"/> | 20 |

- If you have chest pain or discomfort what is the maximum duration? 21
 momentary code 1 as long as 5-10 minutes code 4
 less than a minute code 2 more than 10 minutes code 5
 several minutes code 3 no pain code 9
- If you have chest pain or discomfort is it relieved by: 22
 rest code 1 change of positions code 3
 medication code 2 nothing code 4
- If you have chest pain or discomfort is it associated with:
 (No code 1 Yes code 2)
- sweating 23
- shortness of breath 24
- palpitations 25
- nausea 26
- light headedness 27
- other _____ 28
- Do you have, or have you been subject to, dizzy spells? 29
- Do you tire easily with slight effort? 30
- Do you seem to be unusually fatigued? 31
- Have you been told that you have an abnormal amount of fat in
 your blood? 32
- Have you had or been told that you had pericarditis (inflammation
 of the sac around the heart)? 33
- Have you had intermittent or recurrent pain anywhere in your
 abdomen? (If so, indicate _____) 34
- Is your appetite usually poor? 35
- Do you frequently have nausea or upset stomach? 36
- Are you awakened at night by discomfort in the stomach? 37
- Do you have any stomach discomfort which is relieved by milk,
 food or baking soda? 38
- Do you have indigestion? 39

Have you vomited any bloody material or coffee-ground-like material?	<input type="checkbox"/>	40
Have you had any episodes of vomiting of any type that did not appear to be associated with food poisoning?	<input type="checkbox"/>	41
Are there any foods that now give you trouble (fats, etc.)?	<input type="checkbox"/>	42
Do you suffer from any constant stomach difficulty?	<input type="checkbox"/>	43
Do you have recurrent or intermittent pain anywhere in your abdomen?	<input type="checkbox"/>	44
Do you have any pain in the chest which bothers you at night that is relieved by sitting upright?	<input type="checkbox"/>	45
Have you been told that you have a hernia through the diaphragm?	<input type="checkbox"/>	46
Have you had an x-ray of the stomach or intestines?	<input type="checkbox"/>	47
Have you been told that you had a peptic ulcer?	<input type="checkbox"/>	48
Have you been told that you had gallbladder disease or gallstones?	<input type="checkbox"/>	49
Have you been told that you had liver disease?	<input type="checkbox"/>	50
Have you been told that you had jaundice?	<input type="checkbox"/>	51
Have you been told that you had cirrhosis?	<input type="checkbox"/>	52
Have you been told that you had hepatitis?	<input type="checkbox"/>	53
Have you been told that you had disease of the pancreas?	<input type="checkbox"/>	54
Has anyone ever drawn or removed fluid from your abdomen?	<input type="checkbox"/>	55
Has there been any recent change in the number of times you move your bowels a day or type of bowel movement (liquid or solid)?	<input type="checkbox"/>	56
Do you have constant, intermittent or recurrent loose bowel movements or diarrhea?	<input type="checkbox"/>	57
Have you had any bright red blood on the toilet tissue after a bowel movement?	<input type="checkbox"/>	58
Have you had any bright red blood mixed in the stool with the bowel movement?	<input type="checkbox"/>	59
Have you had any dark bloody material mixed in the stool of a bowel movement?	<input type="checkbox"/>	60

Have you had any black or tarry bowel movements?

	61
--	----

Do you have or have you had hemorrhoids or piles?

	62
--	----

Do you have itching about the rectum?

	63
--	----

Have you been told that you had any parasites, bacteria, or form of infection of the bowels?

	64
--	----

Have you had a hernia?

	65
--	----

Do you seem to have an unusual amount of thirst?

	66
--	----

Do you pass unusually large amounts of urine?

	67
--	----

Have you had or been told that you had anemia?

	68
--	----

Have you been told that you had a blood abnormality?

	69
--	----

Have you had a blood transfusion?

	70
--	----

Do you bruise easily?

	71
--	----

Have you had a cancer or malignancy?

	72
--	----

CARD NUMBER

	75
--	----

CASE NUMBER

					76-80
--	--	--	--	--	-------

CASE NUMBER

					1-5
--	--	--	--	--	-----

DATE (not coded) _____

No code 1 Now have code 2 Have had code 3

- | | | |
|--|--------------------------|----|
| Have you been treated for syphilis? | <input type="checkbox"/> | 6 |
| Have you been told that you had a venereal disease? | <input type="checkbox"/> | 7 |
| Do you have difficulty in passing your urine? | <input type="checkbox"/> | 8 |
| Have you had to be catheterized in order to pass your urine or for any other reason? | <input type="checkbox"/> | 9 |
| To the best of your knowledge have you had pyelitis or infection of the kidney? | <input type="checkbox"/> | 10 |
| Have you been told that you had cystitis or an infection of the bladder? | <input type="checkbox"/> | 11 |
| Have you been cystoscoped (instrument examination of the bladder)? | <input type="checkbox"/> | 12 |
| Have x-rays been taken of your kidneys or bladder? | <input type="checkbox"/> | 13 |
| Have you had prostatitis or infection of your prostate gland? | <input type="checkbox"/> | 14 |
| Have you been told that your prostate gland was enlarged? | <input type="checkbox"/> | 15 |
| Have you been told that you had pus in the urine? | <input type="checkbox"/> | 16 |
| Have you been told that there was blood in your urine? | <input type="checkbox"/> | 17 |
| Have you been told that there was sugar in your urine? | <input type="checkbox"/> | 18 |
| Have you been told that you had albumin or protein in the urine? | <input type="checkbox"/> | 19 |
| Have you had a kidney stone? | <input type="checkbox"/> | 20 |
| Do you have to get up at night to pass water? | <input type="checkbox"/> | 21 |
| Do you seem to urinate more frequently than you think is common? | <input type="checkbox"/> | 22 |
| Do you have burning pain when you urinate? | <input type="checkbox"/> | 23 |
| Have you noticed blood in your urine or passed blood while urinating? | <input type="checkbox"/> | 24 |
| Have you had intermittent swelling of the face for reasons other than injury or localized infection? | <input type="checkbox"/> | 25 |

- Have you had pounding headaches and flushing of the face? 26
- Have you been told that you have thyroid disease? 27
- Do you have excessive sweating? 28
- Have you noticed any difficulty or clumsiness on walking or climbing stairs? 29
- Has your hair changed in texture (become fine and soft or coarse and stiff)? 30
- Do you fall asleep for short periods of time even though you have had adequate sleep the night before? 31
- Do you have unusual intolerance to hot weather? 32
- Do you have unusual intolerance to cold weather? 33
- Are you easily excited? 34
- Do you worry or sleep poorly before flights? 35
- Are you frequently tense and irritable? 36
- Have you ever had a period of loss of memory (for example, associated with an accident)? 37
- Have you had coma or been unconscious for any reason (accident, illness)? 38
- Have you had a convulsion? 39
- Have you fainted? 40
- Have you had spinal fluid drawn off or a spinal tap performed? 41
- Do you often feel unhappy and depressed? 42
- Have you seriously considered committing suicide? 43
- Do you have frequent severe headaches? 44
- Do you sometimes have difficulty pronouncing words clearly? 45
- Do you notice a tendency to be clumsy when using your hands and arms? 46
- Have you had trouble with frequent or severe burning sensations in the fingers, toes or feet? 47

Have you had or been told that you had a slipped disc?	<input type="checkbox"/>	48
Do you have frequent back pain?	<input type="checkbox"/>	49
Have you had stiff or painful joints?	<input type="checkbox"/>	50
Have you had pain or changes in color of the fingers or toes?	<input type="checkbox"/>	51
Have you had a numbness or tingling in either arm or hand?	<input type="checkbox"/>	52
Do you have a tremor or shaking of your hands?	<input type="checkbox"/>	53
Have you had swelling of any joints?	<input type="checkbox"/>	54
Have you had or been told that you had arthritis?	<input type="checkbox"/>	55
Have you had loss of hair over the tops of your toes and feet?	<input type="checkbox"/>	56
Do you have difficulty in maintaining your balance?	<input type="checkbox"/>	57
Have you had any bone or joint difficulty of arms or legs (including fractures)?	<input type="checkbox"/>	58
Do you tend to have muscle cramps (arms or legs)?	<input type="checkbox"/>	59
Have you had any paralysis of any of the muscles in either arm, hand, hip, leg or foot?	<input type="checkbox"/>	60
Have you had severe or frequent numbness and tingling in the feet?	<input type="checkbox"/>	61
Do you have pain in the calf of your leg while walking?	<input type="checkbox"/>	62
Do you have unusual swelling or enlargement of the veins in your legs (varicose veins)?	<input type="checkbox"/>	63
Have you had sores or ulcers on your feet or legs?	<input type="checkbox"/>	64
Have you had any swelling of your ankles or feet?	<input type="checkbox"/>	65
Have you had or been told that you had thrombophlebitis?	<input type="checkbox"/>	66
CARD NUMBER	<input type="checkbox"/>	75
CASE NUMBER	<input type="checkbox"/>	76-80

CASE NUMBER

					1-5
--	--	--	--	--	-----

DATE (not coded) _____

During the past three years has your job assignment caused you to work closely with radar or microwave devices? 6

During the past three years has your job assignment caused you to work closely with solvents (including aircraft engine cleaners) or missile propellants? 7

Are you, or have you ever been engaged in aerial spraying or crop-dusting? 8

Have you had contact dermatitis (irritation of skin from chemicals, etc.)? 9

Are you sensitive or allergic to any drugs? 10

Have you had serum sickness? 11

Have you had giant hives? 12

Other than diagnostic x-rays, have you been exposed to x-radiation, radiation therapy, or radioactivity? 13

If so, was this followed by a period of nausea, vomiting, diarrhea, fever, unexplained bruise marks or sudden loss of hair? 14

Have you received radium treatment for any reason? 15

To the best of your knowledge, have you been exposed to lead, such as leaded fuel and lead base paints? 16

Have you traveled outside the United States during the past six months? 17

If so, did you experience any illnesses or develop any symptoms during or shortly after the trip? 18

Have you had carbon monoxide poisoning? 19

Have you been frequently exposed to increased quantities of carbon monoxide? 20

Has any of your work or hobbies required you to be exposed to carbon tetrachloride (carbon tetrachloride is contained in many solvents, cleaning materials and fire extinguishers; it is frequently used in dry cleaning and degreasing agents)? 21

To the best of your knowledge have you been exposed to Beryllium containing fumes or dust? 22

CARDIOLOGY BRANCH
SCHOOL OF AVIATION MEDICINE
SUMMARY SHEET

CASE NUMBER

1-5

Review of Systems

Normal code 1 Slightly suspicious code 2 suspicious code 3
Very suspicious code 4 Abnormal code 5

- Eyes 6
- ENT 7
- Cardiorespiratory
- lungs 8
- heart
- general 9
- angina 10
- hypertension 11
- Gastrointestinal
- general 12
- gall bladder 13
- peptic ulcer 14
- liver 15
- Genitourinary
- renal 16
- bladder, prostate 17
- other 18
- Metabolic 19
- Neurological 20
- Musculo-skeletal 21
- Peripheral vascular 22
- Allergy 23
- Hematological 24
- Dermatological 25
- CARD NUMBER 75
- CASE NUMBER 76-80

FAMILY HISTORY

		(AGE AT ONSET)						
		Heart trouble	CVA (strokes) before age 60	High blood pressure	Diabetes	Cancer	High blood fat, high cholesterol	
Father Age _____ Age at death _____ history significant code 1 not significant code 2 suspect code 3								<input type="checkbox"/> 23
Mother Age _____ Age at death _____ history significant code 1 not significant code 2 suspect code 3								<input type="checkbox"/> 24
Siblings Ages _____ Brothers' ages at death _____ _____ Sisters' ages at death _____ _____ history significant code 1 not significant code 2 suspect code 3								<input type="checkbox"/> 25
Children Number _____ history significant code 1 not significant code 2 suspect code 3								<input type="checkbox"/> 26
CARD NUMBER								<input type="checkbox"/> 75
CASE NUMBER								<input type="checkbox"/> 76-80

PULMONARY SURVEY

THE INFORMATION GIVEN IN THIS SURVEY IS STRICTLY CONFIDENTIAL AND WILL NOT BECOME PART OF YOUR INDIVIDUAL RECORD UNLESS YOU SO DESIRE.

Please note that some columns are to be filled in by the examiner. These are enclosed and carry the notation "DO NOT WRITE IN THESE BLOCKS."

In the section marked HISTORY and PAST HISTORY OF ILLNESS; do not bother to fill in subsequent items if leading question is answered by no; if leading question is yes, please answer all items pertaining to it.

Please fill boxes where indicated with correct numbers. If only one number, place it in far right hand box and precede with zeros. If two numbers, place in two right hand boxes, etc.

EXAMPLE:

NO code 1

YES code 2

DON'T KNOW code 9

Do you cough throughout the day?
(If you do, then code)

How many years have you had this cough?
(If 11 years, then code)

0	0	2
0	1	1

ON occasional items, fill in directly and do not code.

EXAMPLE:

020 Cigarettes daily for 008 years

000 Cigars daily for 000 years

005 Pipefuls daily for 003 years

NAME _____ GROUP _____ DATE _____
 Please print-LAST NAME FIRST

SERVICE NUMBER

SOCIAL SECURITY NUMBER

RACE: white code 1 negro code 2 other code 3

SEX: male code 1 female code 2

HEIGHT: EXAMPLE: 5'10½" =

7	0	5
---	---	---

WEIGHT:

AGE: (LAST BIRTHDAY)

										1-9
										10-18
										19-21
										22-24
										25-27
										28-30
										31-33

RESIDENCE (STATE) PAST TO PRESENT

_____ FROM _____ TO _____

_____ FROM _____ TO _____

_____ FROM _____ TO _____

LABORATORY:

- X-ray: normal code 1
- abnormality lungs code 2
- abnormality heart code 3
- abnormality heart and lungs code 4

COUGH DURATION:

DO NOT WRITE IN THESE BLOCKS

								34-39
								40-45
								46-51
								52-54
								55-57

PHYSICAL EXAMINATION:

CHEST: normal code 1
pectus excavatum code 2
kyphosis code 3
scoliosis code 4

CHEST Auscultation:
normal code 1
rales code 2
rhonchi code 3
wheezes code 4
any combination of above code 5

HEART: normal code 1
systolic murmur code 2
diastolic murmur code 3

BODY MEASUREMENTS:
sitting height
chest diameter (Breadth)
(A-P_

APPEARANCE NUMBER (DO NOT FILL IN THIS SPACE)

DO NOT WRITE IN THESE BLOCKS

			58-60
--	--	--	-------

			61-63
--	--	--	-------

			64-66
--	--	--	-------

			67-69
--	--	--	-------

			70-72
--	--	--	-------

			73-75
--	--	--	-------

						76-80
--	--	--	--	--	--	-------

DO NOT WRITE IN THESE BLOCKS

chest circumference (Inspiration)
(Expiration)

			1-3
			4-6

HISTORY: NO code 1 YES code 2 DON'T KNOW code 9

NASAL:
Do you frequently have a stuffy nose in winter?

			7-9
--	--	--	-----

Do you have this difficulty during the summer?

			10-12
--	--	--	-------

If yes to the above, how many years have you been troubled with this?

			13-15
--	--	--	-------

COUGH: NO code 1 YES code 2 DON'T KNOW code 9
Do you cough on awakening?

			16-18
--	--	--	-------

Do you cough throughout the day?

			19-21
--	--	--	-------

If yes to the above, how many months during the year do you cough like this?

			22-24
--	--	--	-------

How many years have you had this cough?

			25-27
--	--	--	-------

If yes, does it occur _____
NO code 1 SPRING code 2
SUMMER code 3 FALL code 4 WINTER code 5
ANY TIME OF YEAR CODE 6 DON'T KNOW code 9

--	--	--

Is cough productive of phlegm?

			28-30
--	--	--	-------

If yes, is amount generally:
Scant code 1
1/4 cup code 2
1/2 cup code 3
more than 1/2 cup code 4

			31-33
--	--	--	-------

If yes, is color of phlegm:
clear or grayish code 1
occasionally yellow or green code 2 (At least in part)
usually yellow or green code 3
Don't know code 9

			34-36
--	--	--	-------

Have you ever coughed up blood?

			37-39
--	--	--	-------

If yes: flecks or streaks code 1
about 1 teaspoon code 2
more than teaspoon code 3
amount unknown code 9

			40-42
--	--	--	-------

If yes, was this during:
past six months code 1
1-2 years code 2
more than 2 years code 3
repeatedly, including past six months code 4
amount of time unknown code 9

			43-45
--	--	--	-------

SHORTNESS OF BREATH: NO code 1 YES code 2 DON'T KNOW code 9

Are you ever troubled with shortness of breath?

			46-48
--	--	--	-------

SHORTNESS OF BREATH (con't) NO code 1 YES code 2 DON'T KNOW code 9

<i>If yes, does it occur:</i>				
<i>after walking up a single flight of stairs</i>				49-51
<i>after walking at a moderate pace for 2-3 blocks</i>				52-54
<i>after eating a meal</i>				55-57
<i>when you get excited or angry</i>				58-60
<i>while resting or lying down</i>				61-63
<i>If yes, how many months have you been troubled with this?</i>				64-66
<i>Do you need pillows to breathe comfortably at night?</i>				67-69
<i>If yes, how many months have you been troubled with this?</i>				70-72

WHEEZING: *Does your chest ever sound wheezing or whistling?*

--	--	--

 73-75

APPEARANCE NUMBER

--	--	--	--	--	--

DO NOT WRITE IN THESE BLOCKS 76-80

WHEEZING (con't)

<i>If so, do you get it with colds?</i>				
<i>Do you get it apart from colds?</i>				1-3
<i>If yes, do you wheeze most at any time of year?</i>				4-6
<i>No code 1 Spring code 2 Summer code 3</i>				7-9
<i>Fall code 4 Winter code 5</i>				
<i>More than one code 6</i>				
<i>Don't know code 9</i>				
<i>How many months have you noticed wheeze?</i>				10-12

CHEST PAIN: NO code 1 YES code 2 DON'T KNOW code 9

Have you ever been bothered by chest pain?
If yes describe: _____

If yes, how many months?

Have you ever noticed your ankles swelling?

If yes, how many months?

During the past three years have you had any chest illness which has kept you off work, indoors, home in bed? Describe _____

Have you ever had asthma?

If yes, age asthma started:

Age asthma stopped?

			13-15
			16-18
			19-21
			22-24
			25-27
			28-30
			31-33
			34-36

PAST HISTORY OF ILLNESS: No code 1
Yes code 2
Yes, recurrent code 3
Don't know code 9

Have you ever had bronchitis?

Have you ever had pneumonia?

Have you ever had pleurisy?

Have you ever had tuberculosis?

Have you ever had silicosis?

Have you ever had exposure to rock dust?
(for long duration)

Have you ever had exposure to sand blasting?
(for long duration)

Have you ever had exposure to coal min' g, etc.?
(for long duration)

Have you ever had broken ribs?

Have you ever had chest surgery or injury?

Have you ever had arthritis of the spine?

Have you ever had neuromuscular disorder?

Have you ever had a heart attack?

			37-39
			40-42
			43-45
			46-48
			49-51
			52-54
			55-57
			58-60
			61-63
			64-66
			67-69
			70-72
			73-75
			76-80

APPEARANCE NUMBER (DO NOT FILL IN)

NO code 1 YES code 2 RECURRENT code 3 DON'T KNOW code 9
 PAST HISTORY OF ILLNESS (con't)

Have you ever had a heart murmur?

--	--	--

1-3

Have you ever had rheumatic fever?

--	--	--

4-6

Have you ever had congenital heart disease?

--	--	--

7-9

Have you ever had high blood pressure?

--	--	--

10-12

Have you ever had hay fever?

--	--	--

13-15

SMOKING TYPE:

none code 1

occasionally (less than one of each daily)
 (then code 2)

--	--	--

16-18

cigars only code 3

pipe only code 4

cigarettes only code 5

mixed, including cigarettes code 7

QUANTITY:

if yes, age started smoking

FILL IN QUANTITY OF TOBACCO SMOKED:

_____ Cigarettes daily for _____ years

_____ Cigars daily for _____ years

_____ Pipefuls daily for _____ years

--	--	--

19-21

DO NOT WRITE IN THESE BLOCKS					

22-27

28-33

34-39

METHOD: inhale code 1

do not inhale code 2

--	--	--

40-42

STATUS: smoke at present code 1

--	--	--

43-45

if stopped how many years ago

--	--	--

46-48

If stopped cigarettes, but now pipe or cigars
 (code 1)

--	--	--

49-51

How many years ago stopped cigarettes

--	--	--

52-54

BLOOD PRESSURE:

SYSTOLIC

DIASTOLIC

APPEARANCE NUMBER: (LEAVE BLANK)

DO NOT WRITE IN THESE BLOCKS

55-57

58-60

76-80

CARDIOLOGY BRANCH
SCHOOL OF AVIATION MEDICINE

PERSONAL HISTORY

NAME _____

CASE NUMBER

					1-5
					6

Smoking

Type: none	code 1	cigarettes only	code 5
smoke occasionally	code 2	pipe and cigars only	code 6
cigars only	code 3	mixed including cigarettes	code 7
pipe only	code 4		

Quantity

fewer than 10 cigarettes daily	code 1
10-19 cigarettes daily	code 2
20-39 cigarettes daily	code 3
40 or more cigarettes daily	code 4
1-5 cigars or pipefuls	code 5
6 or more cigars or pipefuls	code 6
non-smoker	code 9

Method

Inhale code 1 do not inhale code 2 non-smoker code 9

Status

smoke at present	code 1
stopped 1 year ago	code 2
stopped 2 years ago	code 3
stopped 3-5 years ago	code 4
stopped 6-10 years ago	code 5
stopped over 10 years ago	code 6
previously smoked cigarettes but	
now only pipe or cigars past 1-5 years	code 7
5 years or more	code 8
non-smoker	code 9

Age started smoking _____

_____ cigarettes daily for _____ years

_____ cigars daily for _____ years

_____ pipefuls daily for _____ years

		10-11
--	--	-------

Weight

12

change since age 25

gained 0-5 lbs	code 1	lost 0-5 lbs	code 5
gained 6-14 lbs	code 2	lost 6-14 lbs	code 6
gained 15-25 lbs	code 3	lost 15-25 lbs	code 7
gained 25 or more lbs	code 4	lost 25 or more lbs	code 8

Maximum weight _____ at age _____

Weight 1940 _____ 1950 _____ 1960 _____

Physical Activity

Occupation

13-14

light now, light 10 years ago	code 11
medium now, light 10 years ago	code 12
heavy now, light 10 years ago	code 13
light now, medium 10 years ago	code 14
medium now, medium 10 years ago	code 15
heavy now, medium 10 years ago	code 16
light now, heavy 10 years ago	code 17
medium now, heavy 10 years ago	code 18
heavy now, heavy 10 years ago	code 19
if not working	code 99

Describe job as to maximum effort, proportion of walking, proportion of standing, and proportion of strictly sedentary activity. _____

work _____ days per week

vacation _____ days per year

sleep _____ hours per night

Do you have a planned physical fitness program?
Yes code 1 No code 2

15

Describe _____

Off Job - Usual evenings and weekends

	Nights (account for 7)	Weekend Days (account for 2 mornings and 2 afternoons)
0 TV	_____	_____
Reading	_____	_____
Sitting Around	_____	_____
1 Studying	_____	_____
Bring home office work	_____	_____
2 Attend School	_____	_____
Attend meetings	_____	_____
Go visiting	_____	_____
Entertaining	_____	_____
3 Out on the town (include shopping)	_____	_____
Hobbies	_____	_____
Driving (pleasure)	_____	_____
4 Home repairs	_____	_____
Gardening	_____	_____
5 Heavy manual labor	_____	_____
Extra job or overtime work	_____	_____
Active sports	_____	_____
Other _____	_____	_____

TOTAL

16-17

Diet yes code 1 no code 2

Unrestricted

 18

Restricted in calories

 19

Restricted in salt

 20

Restricted in fat content

 21

Diabetic diet

 22

Ulcer diet

 23

Other _____

 24

If restricted, duration _____ years

Do you consider your diet high, moderate, or low in fat content
(dairy products, fat meats, or other fatty substances)?

 25

High code 1 Moderate code 2 Low code 3

Do you consider your diet high, moderate, or low in carbohydrates
(sugars, starches)?

 26

High code 1 Moderate code 2 Low code 3

Has your type of diet changed within the past 5 years?

 27

Yes code 1 No code 2

If yes, please indicate how and the reason for the change:

Analysis of meals:

 28

Meals	Frequent snacks	
3	no	code 1
3	yes	code 2
2	no	code 3
2	yes	code 4
more than 3	no	code 5
more than 3	yes	code 6

SOCIAL -ECONOMIC

Marital Status

Single code 1 Widow code 4
Married code 2 Divorced code 5
Separated code 3

29

Usual occupation _____

30-31

Source of Income

32

Inherited savings provide basic income code 1

Earned wealth "new money" has provided
"transferable" investment income code 2

Profits, fees, royalties includes
executives who receive "share of profit" code 3

Salary, commissions, regular income on
monthly or yearly basis code 4

Wages on hourly basis, piece work; weekly
checks as distinguished from monthly code 5

Income from odd jobs or private relief;
seasonal work only code 6

Public relief or charity code 7

Other _____ code 8

Education

33

Completed grade and high school

College years _____

Degrees _____

Religious affiliation _____

34

Father

Occupation _____

35-36

Birthplace _____

37-38

Mother

Occupation _____

Birthplace _____

Where were you born - city and state? _____

Where have you lived most of your life? _____

Where have you lived most of the time since out of the service? _____

for less than 1 year _____ code 1

1-4 years _____ code 2

5-9 years _____ code 3

10-19 years _____ code 4

20 years and over _____ code 5

Social Index Score

_____ x5 + _____ x4 + _____ x3 =

CARD NUMBER

CASE NUMBER

		39-40
		41-42
		43-44

		45-46
--	--	-------

		47-48
--	--	-------

	49
--	----

		50-51
		75
		76-80

--	--	--	--	--	--

AUDIOLOGY BRANCH
SCHOOL OF AVIATION MEDICINE
Pensacola, Florida

Date _____ Age

--	--

 Ser.No.

--	--	--	--	--	--	--	--

1 2

3-9

Name _____

Service Group _____

Address _____

PLEASE ANSWER ALL QUESTIONS AS ACCURATELY AS POSSIBLE
YOUR ANSWERS ARE CONFIDENTIAL

Number of years served as pilot or flight crew member

--	--

10 11

Total Flight time, including passenger and crew
Military and civilian

--	--	--	--	--

12 13 14

Aircraft types flown. Time in each:
Military and civilian

Single Engine Prop (F6F, TBM, T28, etc.)

--	--	--	--	--

15 16 17

Multi-Engine Prop (R5D, PBM, R4y, etc.)

--	--	--	--	--

18 19 20

Single Place Jet (F9F, A4D, F8U, etc.)

--	--	--	--	--

21 22 23

Multi-Place Jet (A3D, DC-8, etc.)

--	--	--	--	--

24 25 26

Other Noise Exposure. Give number of years actively engaged:

Catapult	<input type="text"/> 27	<input type="text"/> 28	Gunnery	<input type="text"/> 29	<input type="text"/> 30
Flight Deck	<input type="text"/> 31	<input type="text"/> 32	Flight Line	<input type="text"/> 33	<input type="text"/> 34
Shop Work (specify type) _____				<input type="text"/> 35	<input type="text"/> 36
Other (blasting, grinding, etc.) _____				<input type="text"/> 37	<input type="text"/> 38

Have you worn ear protection on above jobs?

1. Always
2. Usually
3. Often
4. Seldom
5. Never

39

What type? (Specify kind most often used)

1. Ear plugs
2. Ear muffs
3. Cotton
4. Combination muffs & plugs
5. Other _____

40

Have you been around gunfire?

1. None
2. Very little
3. Much
4. Very much

41

Types of guns: (place 1 in block if yes; 2 in block if no)

.22 Cal.

42

.45 Cal.

43

.30 Cal.

44

Shotgun

45

Artillery, Mortar, etc.

46

Have you worn ear protection when around gunfire?

1. Always
2. Usually
3. Often
4. Seldom
5. Never

47

What type? (Specify kind most often used)

1. Ear plugs
2. Ear muffs
3. Cotton
4. Combination muffs
& plugs
5. Other _____

48

Do you experience difficulty in following conversations under the following circumstances?

Place 1 in block if yes; 2 in block if no.

In groups (Parties, football games, etc.)

49

When talking with one person in quiet room

50

At meetings (Church, Business, etc.)

51

Radio news commentator

52

Television

53

Aircraft radio (Clearances, etc.)

54

Crew in aircraft (not on intercom.)

55

If you have a hearing loss place 1 in block, if no
place 2.

56

Describe the loss below. Tell cause, if known.

Rate each type aircraft in which you have experience according to the difficulty which you have had in communicating by Radio or Intercom. Insert the appropriate number in each square.

1. No difficulty encountered
2. Some difficulty
3. Moderate difficulty
4. Fairly serious difficulty
5. Quite serious difficulty

Single Engine Prop

57

Single Place Jet

58

Multi Engine Prop

59

Multi Place Jet

60

Rate the same aircraft according to the difficulty you have had in conversing with other occupants without using intercom:

Single Engine Prop

61

Multi Engine Prop

62

Multi Place Jet

63

CASE NUMBER

--	--	--	--	--

64-68

CARDIOLOGY BRANCH
SCHOOL OF AVIATION MEDICINE

PHYSICAL EXAMINATION

CASE NUMBER

1-5

Date of Examination

6-11

Age last birthday

12-13

Blood pressure, lying (initial)

14-19

Blood pressure, sitting (initial)

20-25

Blood pressure, lying (second)

26-31

Blood pressure, sitting (second)

32-37

Pulse

38-40

General Appearance (describe obvious defects) _____

41

poor code 1 good code 3
fair code 2 excellent code 4

Teeth

poor code 1 good code 3
fair code 2 dentures code 4

42

Eyes (eye missing code 9 or 99)

Tonometry

--	--

43-44

Arcus senilis yes code 1 no code 2

45

Xanthelasma yes code 1 no code 2

46

Pupils normal code 1 abnormal code 2

47

Specify _____

Fundi (describe) _____

48

Normal code 1 Keith Wagner: Grade 1 code 2 Grade 3 code 4

Grade 2 code 3 Grade 4 code 5

Unable to visualize code 6

Ears normal code 1 abnormal code 2

49

Nose normal code 1 abnormal code 2

50

Mouth and pharynx normal code 1 abnormal code 2

51

Neck (veins, carotid pulsations) normal code 1 abnormal code 2

52

Thyroid (describe) _____
not palpable code 1 palpable code 2 surgically absent code 3

53

Lymph nodes not palpable code 1 palpable code 2

54

Chest

normal code 1 kyphosis code 4
emphysematous code 2 scoliosis code 5
pectus excavatum code 3 other code 6

55

Chest auscultation

breath sounds: normal code 1 abnormal code 2
Describe _____

56

rales code 1 rales and rhonchi code 3
rhonchi code 2 wheeze code 5

57

Heart

thrill none code 1 systolic code 2 diastolic code 3

58

Specify location _____

significant murmurs
systolic: none code 1 pulmonic code 3
aortic code 2 apical code 4
combinations code 5

59

Describe _____

diastolic: none code 1 pulmonic code 3
aortic code 2 apical code 4
combinations code 5

60

Describe _____

non-significant murmurs

none code 1

pulmonic code 3

apical code 2

other code 5

61

Describe _____

Abdomen

liver not palpable code 1 palpable and tender code 3
palpable code 2

62

Describe _____

other abnormalities (hernia, masses, etc.)
no code 1 yes code 2

63

Describe _____

Rectal

normal (prostate normal, no masses) code 1
prostate abnormal code 2 mass code 3

64

Extremities

color

normal code 1

rubor code 3

pallor code 2

cyanosis code 4

65

clubbing no code 1 definite code 2 suggestive code 3

66

palmar erythema no code 1 yes code 2

67

pulsations normal code 1 diminished or absent code 2

68

varicosities none code 1 minimal code 2 moderate code 3
marked code 4

69

edema

no code 1 1+ code 2 2+ code 3 3+ code 4 4+ code 5

70

describe all changes _____

arthritic changes no code 1 yes code 2

71

describe _____

Neurologic normal code 1 abnormal code 2 72
describe _____

Skin normal code 1 abnormal code 2 Xanthoma code 3 73
describe _____

Card Number 74

Case Number

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

 76-80

Comments : _____

CARDIOLOGY BRANCH
SCHOOL OF AVIATION MEDICINE
THOUSAND AVIATOR PROJECT

DATE OF EXAMINATION _____ AGE _____

NAME _____

ADDRESS _____

HISTORY:

PHYSICAL EXAMINATION: Blood pressure (recumbent) / . (sitting) / .

ANTHROPOMETRY: Height _____ Weight _____ Physique _____ Body fat _____

X-RAYS (P.A., lateral, obliques):

LABORATORY: Hematocrit _____ W.b.c.: _____ differential: _____ N, _____ L, _____ M,

_____ B, _____ E. Urine: albumin _____, sugar _____, micro _____.

Cholesterol (Abel) _____ mg %. Protein bound iodine _____ micrograms %. Lipoproteins

(centrifuge) S_f 0-12 _____ mg %, 12-20 _____, 20-100 _____, 100-400 _____;

atherogenic index _____. Triglycerides _____ mg %. Uric acid _____ mg %.

Fasting blood sugar _____ mg %. Two hour post 100 grams glucose _____ mg %.

TONOMETRY: OD _____ OS _____.

BALLISTOCARDIOGRAM:

VECTOCARDIOGRAM:

PULMONARY STUDIES: Vital capacity _____ liters
Expiratory reserve volume _____ liters
Inspiratory capacity _____ liters
Expiratory mid-volume velocity _____ liters/minute
NORMAL ABNORMAL

ELECTROCARDIOGRAMS: Routine:

Exercise:

ELECTROENCEPHALOGRAM:

AUDIOLOGY:

SUMMARY:

RECOMMENDATIONS:

R. E. MITCHELL
CDR MC USN

Diagnosis of Coronary Heart Disease

Definite

1. Unequivocal myocardial infarction by electrocardiogram. Criteria which must represent a change from previous tracing are as below:

<u>CODE</u>	<u>Category</u>	<u>Leads</u>	<u>Impression</u>
301	a. QS deflection	(V2 thru V5) (any 2 leads)	Anterior myocardial infarction
302	b. Q wave $\geq .04$ sec. or $\geq \frac{1}{4}$ of R wave.	"	"
303	c. R wave in lead V1, decrease in R waves without their disappearance as electrode moved to the left. Smallest R wave ≥ 1.5 mm.	"	"
304	d. Q wave $\geq .04$ sec. and/or $\geq \frac{1}{4}$ R wave.	I, V5, and V6	Anterolateral myocardial infarction
305	e. Q wave $\geq .04$ sec. and/or $\geq \frac{1}{4}$ R wave. With Q wave $\geq .03$ sec. and/or $\geq \frac{1}{4}$ R wave	III, AVF II	Diaphragmatic myocardial infarction
306	f. Q $\geq .05$ sec. and R $\geq +3$ mm.	AVF	
307	g. Q wave $\geq .04$ sec. and/or $\geq \frac{1}{4}$ R wave	AVF, III, V6	Diaphragmatic lateral myocardial infarction
308	h. R wave $\geq .04$ sec. and R/S ratio ≥ 1 (not present on previous tracing; RVH excluded.)	V1	Posterior myocardial infarction
309	i. R wave V1, as in posterior infarction with Q wave $\geq .04$ sec. and/or $\geq \frac{1}{4}$ R wave.	V6	Posterolateral myocardial infarction

CODE

- 312 2. Classic symptomatology of a myocardial infarction without QRS change but with evolutionary ST and T wave changes of discordant type provided pericarditis can be excluded.
- 313 3. Documented history of myocardial infarction based on typical symptoms and confirmatory laboratory findings of muscle necrosis.
- 314 4. Definite intermediate coronary syndrome or angina pectoris with any work ECG showing > 0.5 mm of non-junctional ST depression, or grade II ballistocardiogram.
- 315 5. Appearance of LBBB (QRS $\geq .12$ sec., R peak $\geq .06$ sec. in V5 and/or V6), and T negative in leads with upright R (AVL, I, V5 or V6) and a clinical history compatible with coronary heart disease.
- 316 6. Post-mortem evidence of myocardial infarction due to underlying coronary atherosclerosis.

Probable

- 201 1. Intermediate coronary syndrome or angina pectoris in absence of a work ECG, or a negative work ECG (either ≤ 0.5 mm of non-junctional ST depression or junctional depression) if taken.
- 202 2. Any work ECG demonstrating ≥ 1.0 mm non-junctional ST depression.
- 203 3. Appearance of LBBB without supporting evidence of CHD.
- 204 4. Appearance of RBBB (QRS $\geq .12$ seconds, R' present V1 and V2, S $\geq .04$ sec in I or AVL).
- 205 5. Borderline work ECG changes (non-junctional ST depression 0.5 - 1.0 mm.) or a grade II to III ECG with a suggestive history of CHD.
- 206 6. Instantaneous unexplained death in an individual with a previous history compatible with CHD.

Possible

CODE


- 101 1. Appearance of RBBB without supporting evidence of CHD.
- 102 2. Borderline work ECG changes (non-junctional ST depression of 0.5-1.0 mm) or a grade III BCG without suggestive history of CHD.
- 103 3. Instantaneous unexplained death.

Appearance of nondiagnostic resting ECG changes which represent a change from previous tracings. These alterations must occur in an individual with a suggestive history of myocardial infarction, intermediate coronary syndrome, or angina pectoris; other etiologies, e.g., atrial fibrillation in a hyperthyroid individual, must be excluded:

- 104 4. T amplitude less than 0.05 mm in any 2 leads except III, AVR and VI.
- 105 5. ST depression ≥ 0.75 mm in any two leads.
- 106 6. Left axis deviation ($< -30^\circ$).

Indeterminate

- 001 1. Equivocal history of intermediate coronary syndrome or angina pectoris.
- 002 2. Equivocal electrocardiogram.



Geometrical Determination of Area of ST Depression

These five triangles in simple combinations represent the various possibilities of ST depression. By summing the appropriate triangles one may determine the area of ST depression. The calculations for the individual triangles are presented below:

$$S = \frac{B_t - C_t}{2} \cdot A_m$$

$$T = \frac{B_t - C_t}{2} C_m - S$$

$$R = \frac{(B_t - A_t) A_m}{2} - S$$

$$U = A_m - (C_t - A_t) - R$$

$$V = \frac{(C_t - A_t) (C_m - A_m)}{2}$$

where

A_m = amplitude of A

A_t = time of A

B_m = amplitude of B

B_t = time of B

C_m = amplitude of C

C_t = time of C

CARD 11

FRANK
ECG ANALYSIS
for
F.C.C.

Field Identif	Factor Description	Value	+	-	IBM Col.
11-1	Series & Pt. #				
11-2	(male +, female -)				1-6
11-3	T H1 Amp. in m.m.				7-9
11-4	T H6 Amp. in m.m.				10-12
11-5	Q S1 Dur. in m.s.				13-15
11-6	Q S2 Dur. in m.s.				16-18
11-7	Q S3 Dur. in m.s.				19-21
11-8	Q S4 Dur. in m.s.				22-24
11-9	Q F1 Amp. in m.m.				25-27
11-10	R F1 Amp. in m.m.				28-30
11-11	S F1 Amp. in m.m.				31-33
11-12	P z Amp. in m.m.				34-36
11-13	P x Amp. in m.m.				37-39
11-14	P y Amp. in m.m.				40-42
11-15	T x Amp. in m.m.				43-45
11-16	T y Amp. in m.m.				46-48
11-17	T z Amp. in m.m.				49-51
11-18	R S2 Amp. in m.m.				52-54
11-19	Q S2 Amp. in m.m.				55-57
11-20	S S2 Amp. in m.m.				58-60
11-21					61-63
11-22					64-66
11-23					67-69
11-24					70-72
11-25					73-75

NAVSCOLAVNMED 6470/4C

FRANK
ECG ANALYSIS
for
F.C.C.

CARD 12

Field Identif	Factor Description	Value	+ -	IBM Col.
12-1	Series & Pt. #			
12-2	(male +, female -)			1-6
12-3	R F2 Amp. in m.m.		•	7-9
12-4	Q F2 Amp. in m.m.		•	10-12
12-5	S F2 Amp. in m.m.		•	13-15
12-6	S F2 Dur. in m.s.		•	16-18
12-7	S F4 Amp. in m.m.		•	19-21
12-8	S F4 Dur. in m.s.		•	22-24
12-9	R F5 Amp. in m.m.		•	25-27
12-10	Q F5 Amp. in m.m.		•	28-30
12-11	Q F5 Dur. in m.s.		•	31-33
12-12	S F5 Amp. in m.m.		•	34-36
12-13	R F6 Amp. in m.m.		•	37-39
12-14	Q F6 Amp. in m.m.		•	40-42
12-15	Q F6 Dur. in m.s.		•	43-45
12-16	S F6 Amp. in m.m.		•	46-48
12-17	S F6 Dur. in m.s.		•	49-51
12-18	R H1 Amp. in m.m.		•	52-54
12-19	S H1 Amp. in m.m.		•	55-57
12-20	R'H1 Amp. in m.m.		•	58-60
12-21	T H1 Amp. in m.m.		•	61-63
12-22	R F2 Amp. in m.m.		•	64-66
12-23	Q F2 Amp. in m.m.		•	67-69
12-24	S F2 Amp. in m.m.		•	70-72
12-25	T F2 (Tx) Amp. in m.m.		•	73-75

NAVSCOLAVNMED 6470/4D

**CARDIOLOGY BRANCH
U. S. NAVAL SCHOOL OF AVIATION MEDICINE
PROTOCOL FOR POST MORTEM EXAMINATION**

This gentleman is a member of the "Thousand Aviators", a group of cohorts who have participated in a longitudinal study, primarily cardiovascular, since 1940. It is of the utmost importance in this epidemiological study that a post mortem examination with special attention to the cardiovascular system be carried out on all participants. If at all possible, completion of the following protocol would be greatly appreciated. This standard data on the heart and vessels will be of inestimable value in our program. If routine autopsy facilities are unavailable, the heart and aorta (fixed in formalin) should be shipped to the address below. Any inquiries or suggestions regarding the protocol or study addressed to the Cardiology Branch, School of Aviation Medicine, U. S. Naval Medical Center, Pensacola, Florida will be immediately answered.

CASE NUMBER (leave blank)

--	--	--	--	--

 1-5

AGE

--	--

 6-7

PATIENT'S NAME _____

PLACE OF DEATH _____
(Hospital, Institution, address)

AUTOPSY NUMBER _____

NAME OF PATHOLOGIST _____

SOURCE NECROPSY INFORMATION

Coroner's office	code 1	Service, VA Hospital	code 3	<input style="width: 30px; height: 30px;" type="checkbox"/>	8
Private hospital	code 2	Other	code 4		

TYPE OF EXAMINATION

Gross	code 1	Gross and micro	code 3	<input style="width: 30px; height: 30px;" type="checkbox"/>	9
Micro	code 2	Not known	code 9		

POST MORTEM BODY WEIGHT IN POUNDS

--	--	--

 10-12

HEART WEIGHT IN GRAMS

--	--	--

 13-15

(Please weigh after emptying chambers of all blood clots)

THICKNESS ANTERIOR ABDOMEN FAT IN MILLIMETERS

--	--	--

 16-18

(Please measure mid-way between xyphoid process and the umbilicus from the skin surface to the anterior portion of the rectus sheath)

After sectioning the heart please record location and extent of the following lesions on schematic diagram (page 4)

PLEASE SCORE THE FOLLOWING STATEMENTS AS:

Absent 0; Slight 1; Moderate 2; Severe 3 where applicable.

If not record as: Absent 0; Present 5:

CORONARY ATHEROSCLEROSIS (with stenosis)		<input type="checkbox"/>	19
CORONARY OCCLUSION (Thrombus ____; Sclerosis ____)		<input type="checkbox"/>	20
RECENT INFARCT		<input type="checkbox"/>	21
HEALED (OLD) MYOCARDIAL INFARCT		<input type="checkbox"/>	22
MYOCARDIAL FIBROSIS (FOCAL)		<input type="checkbox"/>	23
VENTRICULAR DILATATION	Left	<input type="checkbox"/>	24
(If aneurysmal score as 4)	Right	<input type="checkbox"/>	25
EVIDENT SOURCE OF ARTERIAL EMBOLI, SUCH AS LEFT ATRIAL MURAL THROMBOSIS AND/OR VERRUCAL ENDOCARDITIS		<input type="checkbox"/>	26
Please specify _____			
CONGENITAL HEART OR GREAT VESSEL ANOMALY		<input type="checkbox"/>	27
Please specify _____			
OTHER ABNORMALITY INCLUDING PERICARDIUM		<input type="checkbox"/>	28
Please specify _____			
<u>VESSELS</u>			
ATHEROSCLEROSIS OF ABDOMINAL AORTA AND/OR ILIAC ARTERY		<input type="checkbox"/>	29
ABDOMINAL AORTIC ANEURYSM WITH THROMBOSIS		<input type="checkbox"/>	30
THROMBOSIS OF FEMORAL ARTERY(S) WITH ASSOCIATED ATHEROSCLEROSIS		<input type="checkbox"/>	31
<u>RECORD FOLLOWING IN MILLIMETERS</u>			
LEFT VENTRICULAR HYPERTROPHY		<input type="checkbox"/>	32-34
(thickness at insertion anterior papillary muscle)			
RIGHT VENTRICULAR HYPERTROPHY		<input type="checkbox"/>	35-37
VALVULAR DIMENSIONS	Aortic	<input type="checkbox"/>	38-40
	Pulmonic	<input type="checkbox"/>	41-43
	Mitral	<input type="checkbox"/>	44-46
	Tricuspid	<input type="checkbox"/>	47-49






DISEASE OR CONDITION DIRECTLY CAUSING DEATH:

ANTECEDENT CAUSES (MORBID CONDITIONS) GIVING RISE TO ABOVE CAUSE:




OTHER SIGNIFICANT CONDITIONS:


COMMENTS REGARDING PROTOCOL:

PATHOLOGIST



KEY

-  Occlusion or atherosclerosis
-  Definite recent myocardial necrosis
-  Myocardial scar



APPENDIX E

Summary of Tests for all Examinations

Summary of Tests†

Tests	Study			
	1940	1951	1957	1963
Interview--Personal and Medical Histories	*	*	*	*
Physical Examination	‡	*	*	*
Cardiovascular				
Routine electrocardiogram	*	*	*	*
Startle electrocardiogram	*			
Computer processed electrocardiogram				*
Exercise electrocardiogram			*	*
Ballistocardiogram			++	*
Vectorcardiogram				*
Plethysmogram				*
Cold Pressor Test	*		++	
Other	*			*
Laboratory Determinations			*	*
Pulmonary and Metabolic				
Spirometry	*			*
Basal metabolic rate	*			
Other	*			*
Anthropometry				
Somatotype	*			*
Measurements (in addition to height and weight)			#	*
Teleoroentgenograms		*	*	*

Summary of Tests - Continued

Tests	Study			
	1940	1951	1957	1963
Psychologic-Psychomotor				
Guilford-Zimmerman Temperament Survey				*
Ataxia test	*			*
Tilt Chair	*			*
Other	*			*
Vision	*			*
Neurophysiologic				
Electroencephalogram	*			*
Skin resistance	*			
Audiometry				*

+Completion of the tests is noted by an asterisk; if a procedure was not performed during an evaluation, the appropriate column is blank.

‡Only blood pressures were recorded because each subject had qualified medically before inclusion in the study.

++Examinations performed on less than 25 per cent of the study group.

Arm circumference only.

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R&D		
<i>(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)</i>		
1. ORIGINATING ACTIVITY <i>(Corporate author)</i> U. S. Naval School of Aviation Medicine U. S. Naval Aviation Medical Center Pensacola, Florida		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED
		2b. GROUP
3. REPORT TITLE Thousand Aviator Study: Methodology		
4. DESCRIPTIVE NOTES <i>(Type of report and inclusive dates)</i> Joint Report with U. S. Public Health Service and NASA		
5. AUTHOR(S) <i>(Last name, first name, initial)</i> Oberman, Albert, Mitchell, Robert E., Graybiel, Ashton		
6. REPORT DATE 22 July 1965	7a. TOTAL NO. OF PAGES 151	7b. NO. OF REFS 64
8a. CONTRACT OR GRANT NO. NASA Order No. R-136	9a. ORIGINATOR'S REPORT NUMBER(S) MONOGRAPH 11	
b. PROJECT NO.		
c.	9b. OTHER REPORT NO(S) <i>(Any other numbers that may be assigned this report)</i>	
d.		
10. AVAILABILITY/LIMITATION NOTICES Qualified requesters may obtain copies of this report from DDC. Available, for sale to the public, from the Clearinghouse for Federal Scientific and Technical Information, Springfield, Virginia, 22151.		
11. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY ACTIVITY	
13. ABSTRACT <p>The Pensacola study of Naval Aviators, commonly termed the "Thousand Aviator Study," began in July 1940 as a survey to validate techniques for pre-selecting pilot trainees in order to reduce the large attrition rate in the flight training program at that time. From this original exploratory study of pilot selection evolved a longitudinal study which has provided continuous physiologic information on a group of healthy males from youth to senescence. Re-examinations have been made on survivors of the group in 1951, 1957, and 1963.</p> <p>This Monograph purports to accomplish the following aims: 1) Present and unify the procedures and methods of all the examinations carried out on the group, 2) offer standard material for cooperative studies, 3) serve as a guide for future evaluations, 4) display the methodology employed in a fashion which lends itself to perusal by critical reviewers, 5) suggest by retrospection necessary modifications, and 6) provide a basis for scrutinizing the material in search of new avenues of investigation.</p> <p>The material falls into the natural division of the four different examinations carried out to date, each chapter containing data regarding procedures and tests of a particular study. No findings of any of the evaluations are presented; for these the reader is referred to the Thousand Aviator Study Bibliography.</p>		

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Aviation medicine Cardiology Laboratory procedures Pulmonary tests Anthropometry Psychology Vision Neurophysiology Audiometry Test procedures						

INSTRUCTIONS

1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parentheses immediately following the title.

4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. REPORT DATE: Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.

7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.

8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.

12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.