

AD 633623

Exploding Wire Research 1774-1963


J. R. McGRATH

*Energy Conversion Branch
Electronics Division*

May 1966

CLEARINGHOUSE FOR FEDERAL SCIENTIFIC AND TECHNICAL INFORMATION		
Hardcopy	Microfilm	
\$ 4.00	\$ 1.50	19 pp as
ARCHIVE COPY		

Code 1



U.S. NAVAL RESEARCH LABORATORY
Washington, D.C.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

ABSTRACT

A review of Exploding Wire Phenomena (EWP) research is presented. This review covers the work performed from 1774 to the most current publication. Representative and significant studies are cited to indicate the difficulties associated with EWP research and the recent progress made in overcoming them.

PROBLEM STATUS

This is an interim report; work on this problem is continuing.

AUTHORIZATION

NRL Problem E02-02

The purpose of this report is to examine in some detail the more recent Exploding Wire Phenomena (EWP) literature. To introduce the subject, a review of selected EWP studies is presented to show the growing mastery of diagnostic techniques of this rather complicated phenomenon.

The content of the paper is divided into four principal sections chronologically, reflecting the periods of significant work and the introduction of new investigative techniques. The first period might be described as reportorial insofar as it served to describe generally the experiments of early workers and to stimulate further interest in this area. This period extends from 1774 to 1900. The second period extends from 1900 to 1941 and might be aptly described as developmental insofar as many varied techniques were applied to EWP research in an effort to understand its mechanism. The third period, from 1945 to 1959, might be described as diagnostic since instrumentation grew to be enormously more adaptable to observing high speed events. On this basis, theories are advanced to explain EWP. The fourth period might be reasonably described as one of applications, for a sufficient mastery and understanding had been achieved to allow for this. In this way, the subject is developed in chronological order and citations at the end of the paper are given according to the year in which they were formally published.

Of historical interest, the first published study of EWP was the work of Nairn¹ who connected rather long fine pieces of silver and copper to a Leyden jar which was then discharged. The result of the discharge caused the wire to thrash about inflicting minor injury to the experimenter. Singer and Crosse² reported sometime later on the work of M. DeNells in the Netherlands with interest in the explosive force. A method of depositing a very thin gold film by means of EWP was reported by Faraday³. The earliest photographs, both photographs and smoke plate recordings, were taken by v. Hubl and v. Obermayer⁴. Vapor deposits on glass were studied by Toepler⁵ by exploding wires 2 to 3 mm away from the surface. These five authors represented the total published effort in exploding wire research from 1774 to 1900.

Early in the twentieth century, studies by Braun⁶ showed that, following an explosion of the wire, the vapor then condensed on a glass plate was the metal itself and not an oxide. Nipher⁷ showed that the passage of "negative Corpuscles" had a greater explosive effect.

The first really extensive spectrographic work was performed around 1920 by Anderson^{8,9,10,11}. He measured the spectral energy and found that the continuous spectrum is the same for the different metals tested. He pointed out that the absorption spectrum is more complete than

any other laboratory source, that the brightness is greater than the sun, and that the continuous background extends into the extreme ultraviolet region. Later, rotating mirror camera and spectrograph was employed to study EWP by Anderson and Smith¹², which was the topic of Smith's doctoral thesis¹³. Wendt and Ireon¹⁴ exploded tungsten wires producing a gas which gave a helium spectrum and postulated transmutation. Smith¹⁵ and Briscoe et al¹⁶ repeated the experiment without evidence of the formation of helium. At about the same time as Anderson and Smith's work, similar photographic techniques were developed and higher quality spectroscopic data were taken in Japan. Hori¹⁷ performed a study of absorption spectra of exploding wires. In a paper published much later after studies, Futagami¹⁸ described the electrical and optical equipment. Nagaoka and Futagami^{19,20,21,22,23,24,25} published several papers about 1927 reporting the data taken but did not offer a mechanism for EWP. They also exploded wires in a magnetic field²⁶. Eckstein and Freeman²⁷ attempted to solve some of the problems of EWP by studying the spectra of lithium. Vaudet and Servant^{28,29} studied the spectra of exploded wires in the Far Ultraviolet and Schumann Regions. Conn³⁰ from his studies concluded that the light produced was not reflected nor scattered and was not polarized for that reason.

A mechanism for EWP was suggested by Kleen³¹ who made a detailed study of EWP using electrical capacity as the principal variable and rotating mirror photography as the recording detector. He suggested that the occurrence of vapor stria was initiated by prior formation of unduloids in the liquid phase. The mechanism of EWP was further studied by Wrana^{32,33,34} in three papers which treated the interruption of the heavy surge current. He believed the interruption is due to a decreasing conductivity of the metal vapor near the boiling point. He classified the action according to the energy of the pulse.

World War II witnessed the accelerated development of the technical progress of leading scientific countries and the wholesale introduction of devices and techniques. In the fore of this situation was the measurement of time and the development of sensitive detection and recording equipment. With this in mind, the work in EWP progressed with surer footing.

Notable applications, specifically in high speed photography, were made including the development of high speed shutters such as the Rapatronic³⁵ and Faraday³⁶ shutters. Other improvements were made in the high speed framing camera^{37,38}. Kerr-Cell photography was introduced for the first time in 1947³⁹. The development of Kerr-Cell photography was pursued by Pugh et al⁴⁰, Heine-Geldern⁴¹, and Zarem et al⁴².

Mulier^{43,44}, by means of a double Kerr-Cell camera, studied the shock waves in and around an exploding wire showing the shock wave system, the formation of dwell, and reignition. Tucker⁴⁵ and Webb⁴⁶ also took advantage of Kerr-Cell photography in their studies of EWP.

Spectroscopic investigations during this time period decreased. However, Rosen⁴⁷ investigated the spectra of diatomic oxides using EWP, and Hauver⁴⁸ used a rotating mirror camera as a spectrograph to study the changes in the spectrum with time.

Several cameras were developed to record high speed phenomena. The streak or rotating mirror camera was used by Bennett^{49,50,51,52,53} as the principal instrument for investigating EWP. As a result of these studies, he concluded that an exploding wire acts as a transducer and consequently the circuit resistance depends on the density of the enclosing medium. He also studied the shock waves associated with EWP, relating the shock wave, electrical and heat energy. He further calculated the power lost in the circuit and produced shock fronts that propagated at speeds to Mach 9. Nadig et al⁵⁴ discussed the use of a high speed framing camera for studying EWP as did Zernon et al⁵⁵ who achieved framing rates of 10^6 per second. Korneff^{56,57} studied current dwell by this means also.

In Russia, shadow photography, oscillographs and photometry were used by Kvarthkhava et al⁵⁸ to study EWP. They suggested that the current flow is interrupted by shock waves, that melting occurred in bead-like dimensions and that evaporation began between the beads.

An effort was made by Lochte-Holtgreven⁵⁹ to classify EWP according to the order of the events: change of phase, non-conduction period or current-dwell, restrike, and oscillatory discharge. He suggested that superheating and shockwaves were essential features in EWP. Anderson and Neilson⁶⁰ advanced the action integral as having greater utility than the energy integral in EWP studies.

Day⁶¹ used a method of photographic photometry which yielded spectral energy composition curves and brightness temperatures. Temperature estimates from line widths by Beuchelt and Bohm⁶². A four-color spectrograph, under photoelectric cell surveyance, provided Mayfield⁶³ with an estimate of temperature based on the Wien radiation equation. Praying⁶⁴ defined temperature as the kinetic energy of the molecules.

Measurement and instrumentation techniques were continuously improved during this time period. The work of Kvartrskhava et al⁶⁵ determined that in an EWP, the material is ejected at velocities up to 10^6 cm-sec and they suggested that this material ejection occurred in radial jets. They confirmed this⁶⁶ later in an experiment using bent wires. Measurement of radii vs. time and spectral luminosity vs. time was performed by O'Rourke et al⁶⁷ using a filmstrip camera. Tucker and Neilson⁶⁸ stored energy in a long coaxial cable and discharged it in 3 microseconds. They found that the energy-to-burst was dependent upon the current density. The current and voltage was easily measured because of the completely coaxial arrangement. Webb et al⁶⁹ studied the electrical and optical properties of very small diameter wires of Al, Cu, Ag, Au, Ni, and W using a very fast 2000 μ f system employing both a triggered gap and thyatron control.

Conn⁷⁰, Holtzworth and Hinz⁷¹, and Liddiard and Drosd⁷² studied the possible use of exploding wires as light sources. Liddiard and Drosd investigated their use for photography, recommending tungsten as best suited for this purpose. Holtzworth and Hinz devised a practical system for using EWP as a light source. Patterson et al⁷³ investigated the feasibility of using an exploding wire as a spectrographic source for the analysis of some elements. Herzog⁷⁴ used EWP to produce shock, temperature and particle effects on several elements and an alloy. McFarlane⁷⁵ and Cnare⁷⁶ suggested the use of an EW as capacitor fuses. Marcus⁷⁷ found that EW was a desirable light source for certain photochemical reactions.

By 1960, due to the achievement of microsecond photography, Bennett⁷⁸ summarized the case for exploding wires. He stated that the early stages of heating were the same for all wires but that, depending upon the variables, two types of explosions have been detected: a continuous current type and a nonconducting type. While some events associated with both types are well recorded, an incomplete understanding remains about the behavior of the metal under these circumstances.

A comprehensive treatment of the work performed at NRL was reported by Langworthy et al⁷⁹, in which the design, construction and operation of three capacitor banks, including the associated electronic and optical equipment and techniques, was discussed. An elementary theory was presented.

The use of EWP has been generally studied by Ripoche⁸⁰ while Stevenson et al⁸¹ has studied the spectral characteristics of exploding wires for excitation of optical masers.

Research⁸² seemed to indicate a role for EWP as high intensity light sources for communications, propulsion units for space applications, and hypervelocity particle impact research.

Stambler⁸³ in a popular article stated the EWP has attractive possibilities for use as fuse initiators, explosive forming systems, and as fuses. EWP has been used to join otherwise difficult materials (quartz-to-quartz). Further use might be developed in shock research and studies of properties behind shock waves.

Miscellaneous applications included the study by Jones⁸⁴ using EWP to generate high power radio-frequency pulses which utilize the "current dwell" period. Kariotis and Fish⁸⁵ employed EWP from metal wires in which the production of metallic aerosols of noble metals has been accomplished.

Measurement techniques had become sufficiently developed by this time that correlated electrical and optical measurements of exploding wires were then commonplace. Work by Bennett et al⁸⁶ involving a high-resolution streak camera and improved techniques resulted in time-correlated photographic records and electrical measurements. A voltage measuring system and its details were reported by Bey et al⁸⁷. Kinetic electron temperature was calculated in the order of 2.6 Kev from photographic studies. Fournet⁸⁸ reported temperatures in the order of 2,000,000°K in his studies. Levine et al⁸⁹ made a study of the relation between resistance and energy to time. Webb et al⁹⁰ studied the effect of depositing large amounts of energy in a wire (10ev/atom) before transplosion wherein pinch pressures were of the order of 10^3 atmospheres. The reproducibility of EWP has been established by Chace et al⁹¹. Tucker⁹² used a square-wave generator to eliminate external circuit effects allowing a more exact interpretation of results. Reeves⁹³ measured the peak brightness temperature and spectral energy distribution of a spark discharge. Temperatures found ranged from 54000 to 68000°K by spectroscopic means.

Recently a significant amount of work has been done using photographic techniques. Bartels et al⁹⁴, using high speed photographs and spectrograms, showed that wires could be exploded only under special circumstances and that, in rare gas atmospheres of 100mm and 200mm the gas surrounding the wire broke down first. Bennett and Shear⁹⁵ observed that the shock wave comes not only from the unconfined expansion of the plasma of the peripheral arc. They developed a comprehensive picture of exploding wire by relating current, voltage, light and

streak photographs. An interesting photographic study was performed by Cnare⁹⁶ in which aluminum tubes were electrically exploded by introduction of 141 KJ of energy at 20 KV. It was shown by means of X-ray and framing camera observations that the tube collapses, melts and finally explodes. Streak camera, framing camera, and neutron detector were used by Katzenstein⁹⁷ to study the pinch effect on material of different atomic number. Evidence of pinch has been observed with materials of low atomic number by neutron and photographic means. Tucker⁹⁸ used Kerr-Cell photographs to obtain evidence of arcing around the wire at high current densities.

Chace⁹⁹ introduced the notion of classifying wire explosions as melting, slow, fast, and ablative. Keilhacker¹⁰⁰, based upon measurements, proposed the idea that the copper wire superheats and this process is interrupted by an inward progressing rarefaction wave. Nash and McMillan¹⁰¹, based upon Bardeen's theory of metallic resistance, advanced a theory for "dwell" (i. e., current pause) wherein the temperature and "compression" changes were made to account for the resistance increase found by the authors. The increase in the wire resistance stops the first current surge and the time period during which the vapor density of the expanding material decreases enough to allow reignition of the discharge. Further, based on the spark breakdown mechanism, a hydrodynamic model was proposed to explain restrike from the "dwell" situation. Protopopov and Kul'garchuk¹⁰² suggested that the metal vaporized from the surface inward by a rarefaction wave and, therefore, the speed of sound in the metal is an important property. Cnare¹⁰³ studied the striation of electrically exploded copper foils and suggested that striation instability was initiated as portions of the foil pass through a discontinuity (conductivity) at a phase transition. The resulting instability was viewed as a cause for uneven heating of the foil. Based upon this, it was suggested that the explanation of striation phenomena may also be applied to exploding wires in general. Webb et al¹⁰⁴ investigated wire explosions and suggested two models which might explain the behavior of the wires. The metals were divided into two classes: Class I represents materials with low boiling points and heats of vaporization. The experimental work of Bennett¹⁰⁵ revealed, from single fringe interferograms of exploding copper wires that the fluid disturbance may be divided into three regions: a compression, an annular plasma, and an expanding wire vapor. He indicated that electron temperatures as high as 200 eV may occur and that the arc boundary is probably a shock wave of the electron-driven type.

In summary, the purpose of this report has been to outline the general development of EWP up to 1963. While the scope of this paper

does not permit the inclusion of every investigator's work, an attempt to present representative papers has been made. The progress of EWP research has been described in terms of time periods. For a more complete list of studies performed, the reader is referred to the following excellent bibliographies by: Conn¹⁰⁶, Chace and Watson¹⁰⁷, and Abbott¹⁰⁸.

REFERENCES

1. Nairne, E. , "Electrical Experiments by Mr. Edward Nairne," Phil. Trans. Roy. Soc. (London) 64, 79-89 (1774).
2. Singer, C. J. and Crosse, A. , "An Account of Some Electrical Experiments by M. DeNells, of Melines in the Netherlands. with an Extension of Them," Phil. Mag. 46, 161-166 (1815) and *ibid* 46, 259-264 (1815).
3. Faraday, M. , "Division by the Leyden Deflagration," Proc. Roy. Inst. 8, 356 (1857).
4. v. Hubl, A. and v. Obermeyer, A. , "Uber einige elektrische Entladungser scheinungen and ihre photographische Fixierung," Sitzungber d. K. Akad. Wissenach. zu. Wein 98, Abth IIa, 419-430 (1889) T (On the Appearance of Several Electrical Discharges, and their Photographic Recording).
5. Toepler, M. , "Beobachtung von Metaldampfschichtung bei elektrischer Drahtzer staubung," Ann. Physik 65, 873-876 (1898) T (Observation of Metal Vapor Coating by Electrical Vaporization of Wires).
6. Braun, P. , "Der Mechanismus der elektrischer Zerstaubung; Schnelzen von Kohlenstoff; Zerlegung von Metallerierungen," Ann. Physik 17, 359-363 (1905) T (The Mechanism of Electrical Sputtering; Fusion of Carbon; Segregation of Alloys).
7. Nipher, F. E. , "Matter in Its Electrically Explosive State," Proc. Am. Phil. Soc. 52, 283-286 (1913).
8. Anderson, J. A. , "Electrically Exploded Wires," International Critical Tables, Vol. 4, 434 (1934) McGraw-Hill, N. Y.
9. Anderson, J. A. "The Spectral Distribution and Opacity of Wire Explosion Vapors," Proc. Natl. Acad. Sci. U.S. 8, 231-232 (1922).
10. Anderson, J. A. , "Spectra of Explosions," Proc. Natl. Acad. Sci. U.S. 6, 42-43 (1920).
11. Anderson, J. A. , "The Spectrum of Electrically Exploded Wires," Astrophys. J. 51, 37-48 (1920).

12. Anderson, J. A. and Smith, S. , "General Characteristics of Electrically Exploded Wires," *Astrophys. J.* 64, 295-314 (1926).
13. Smith, S. , "A Study of Electrically Exploded Wires," Ph. D. Dissertation, Calif. Inst. of Tech. , 1924.
14. Wendt, G. L. and Irion, G. E. , "Experimental Attempts to Decompose Tungsten at High Temperatures," *J. Am. Chem. Soc.* 44, 1887-1894 (1922).
15. Smith, S. , "Note on Electrically Exploded Wires in High Vacuum," *Proc. Natl. Acad. Sci. U. S.* 10, 4-5 (1924).
16. Briscoe, H. V. A. , Robinson, P. L. and Stephenson, G. E. , "The Electrical Explosion of Tungsten Wires," *J. Chem. Soc. (London)* 127, 240-247 (1925).
17. Hori, T. , "On the Absorption Spectra Produced by the Explosion of Various Elements, (Gq, Cu, Fe, etc.)," *Sci. Papers Inst. Phys. Chem. Research (Tokyo)* 4, 59-78 (1926).
18. Futagami, T. , "On the Electric Explosion Spectrum of Metals," *Sci. Papers Inst. Phys. Chem. Research (Tokyo)* 31, 1-29 (1937).
19. Nagaoka, H. , Nukigama, D. , and Futagami, T. , "Instantaneous Spectrograms," (various metals) *Proc. Imp. Acad. (Japan)* 3, 208-212, 258-264, 319-333, 392-418, 499-502 (1927).
20. Nagaoka, H. and Futagami, T. , "Instantaneous Photographs of Electrically Exploded Wires," *Proc. Imp. Acad. (Japan)* 2, 387-388 (1926).
21. Nagaoka, H. and Futagami, T. , "Explosion Spectra of Mercury," *Proc. Imp. Acad. (Japan)* 2, 254-257 (1926).
22. Nagaoka, H. , Futagami, T. , and Machida, T. , "Electric Explosion of Wires and Threads," *Proc. Imp. Acad. (Japan)* 2, 328-329 (1926).
23. Nagaoka, H. , Futagami, T. , and Obata, H. , "Spectra of Metals Excited by Means of High Tension and Heavy Current," *Proc. Imp. Acad. (Japan)* 2, 1618 (1926).

24. Nagaoka, H. and Futagami, T., "Cinematographic Sketch of Electrically Exploded Wires," Proc Imp. Acad. (Japan) 4, 198-199 (1928).
25. Nagaoka, H. and Futagami, T., "Electric Explosions," Sci. Papers Inst. Phys. Chem. Research (Tokyo) 8, 269-288 (1928).
26. Nagaoka, H. and Futagami, T., "Electric Explosion in Magnetic Field," Proc. Imp. Acad. (Japan) 4, 283 (1928).
27. Eckstein, L. and Freeman, I. M., "Das Spektrum explodierender Lithiumdrahte," Z. Physik 64, 547-555 (1930) (The Explosion Spectrum of Lithium Wires).
28. Vaudet, G., "Etude et Emploi d'une Source Lamineuse de Grande Brilliance," Ann. Phys. 9, 645-722 (1938) T (The Study and Use of a Light Source of Great Brilliance).
29. Vaudet, G. and Servant, R., "Spectres de fils explosés dans l'ultraviolet lointain et la région Schumann," Compt. rend 201, 195-197 (1935) T (Spectra of Exploded Wires in the Far Ultraviolet and Schumann Regions).
30. Conn, W. M., "Note on the Polarization of Light Emitted by Electrically Exploded Wires," Phys. Rev. 58, 50-51 (1940).
31. Kleen, W., "Über den Durchgang der Elektrizität durch metallische Haardrahte," Ann. Physik 11, 579-605 (1931) T (On the Passage of Electricity thru Fine Metal Wires).
32. Wrana, J., "Vorgänge beim Schmelzen and Verdampfen von Drahten mit sehr hohen Strömdichten," Phys. Ber. 21, 522 (1940) T (Processes in the Melting and Vaporization of Wires with Very High Current Densities).
33. Wrana, J., "Vorgänge in Sicherungen bei elektrischer Stossbelastung," Electrotech. z. 59, 11-13 (1938) T (Processes in Fuses Subjected to Surge Currents).
34. Wrana, J., "Vorgänge beim Schmelzen and Verdampfen von Drahten mit sehr Hohen Strömdichten," Arch. Electrotech. 33, 656-672 (1939) T (Processes in the Melting and Vaporization of Wires with Very High Current Densities).

35. Allen, W.A., Hendricks, C.H., Mayfield, E.B., and Miller, F.M., "Electronic Shutter Photographs of Exploding Bridge Wires," Rev. Sci. Instr. 24, 1068-1069 (1953).
36. Lebedev, S.V., "Explosion of a Metal Due to an Electric Current," Zhur. Eksp. i Teoret. Fiz. 32, 199-207 (1957), Soviet Phys. JETP 5, 243-252 (1957).
37. Nadig, F.H., Bohn, J.L., and Korneff, T., "High Speed Framing Camera for Photographing Exploding Wire Phenomena," Exploding Wires, Vol. I, Chace and Moore (eds.), Plenum Press, N.Y. (1959) 345-364.
38. Zernow, L. and Hauver, G., "Cine-Microscopy of Sparks, Exploding Wires and Fracture at Framing Rates 10^6 /second," Phys. Rev. 98, 1551 (1955).
39. Zarem, A.M., Marshall, F.R., and Poole, F.L., "Transient Electrical Discharges: Disintegration of Small Wires," Phys. Rev. 72, 158 (1947).
40. Pugh, E.M., Heine-Gelern, R.V., Foner, S., and Mutschler, E.C., "Kerr Cell Photography of High Speed Phenomena," J. Appl. Phys. 22, 487-493 (1951).
41. Heine-Geldern, R.V., "Photographic Ultra-Rapide au Moyeu de Cellules de Kerr et de Fils Explosifs," Photographic and Cinematographie Ultra-Rapides, Actes du Z eme Congres International de Photographie et Cinematographie Ultra-Rapides, Paris (1954) 238-243 T (High Speed Photography by Means of Kerr-cells and Exploding Wires).
42. Zarem, A.M., Marshall, F.R. and Hauser, S.M., "Millimicro-second Kerr Cell Camera Shutter," Rev. Sci. Instr. 29, 1041-1044 (1958).
43. Muller, W., "Der Ablauf einer elektrischen Drahtexplosion mit Hilfe der Kerr-Zellen-Kamera untersucht," Z. Physik 149, 397-411 (1957) T (Results of an Electric Wire Explosion Investigated by Means of the Kerr Cell Camera).
44. Muller, W., "Studies of Exploding Wire Phenomenon by Use of Kerr Cell Schlieren Photography," Exploding Wires, Vol. I, Chace and Moore (eds.), Plenum Press, N.Y. (1959) 186-208.

45. Tucker, T.J. , "Dependent Resistivity of Exploding Wires," J. Appl. Phys. 30, 1841-1842 (1959).
46. Webb, F.H., Jr. , "Study of Electrically Exploded Wire Materials," Electro-Optical Systems Report 210-OL-4 (1959).
47. Rosen, B. , "Spectra of Diatomic Guides by the Method of Exploded Wire," Nature 156, 570-571 (1945).
48. Hauver, G. E. , "A Spectrograph with Space-Time Resolution and Its Application to the Study of Exploding Tungsten Wires," B.R.L. Report 913 (July, 1955).
49. Bennett, F. D. , "Flow Fields Produced by Exploding Wires," B.R.L. Report 1075 (May 1959).
50. Bennett, F. D. , "Energy Partition in the Exploding Wire Phenomenon," B.R.L. Report 1056 (October 1958).
51. Bennett, F. D. , "Cylindrical Shock Waves from Exploding Wires," B.R.L. Report 1038 (1958).
52. Bennett, F. D. and Shear, D. D. , "Visualization of Cylindrical Shock Waves," B.R.L. Memo Report 1199 (March 1959).
53. Bennett, F. D. , "Cylindrical Shock Waves from Exploded Wires of Hydrogen-Charged Palladium," B.R.L. Report 1063 (January 1959).
54. Nadig, F.H. , Bohn, J. L. , and Korneff, T. , "High Speed Framing Camera for Photographing Exploding Wire Phenomena," Exploding Wires, Vol. I, Chace and Moore (eds.), Plenum Press, N.Y. (1959) 345-364.
55. Zernow, L. , Woffinden, G. and Kreyenkagen, K.N. , "High Speed Cinemicrography of Electrically Exploded Tungsten and Molybdenum Wires," Photo Science and Engineering 4, 31-36 (1960).
56. Korneff, T. , "Mechanisms in Exploding Wire Phenomena," Ph. D. Dissertation, Temple Univ. , 1959.
57. Korneff, T. , Bohn, J. L. , and Nadig, F.H. , "Exploding Wire Phenomena at Reduced Pressures," Exploding Wires, Vol. I, Chace and Moore (eds.) Plenum Press, N.Y. (1959) 104-117.

58. Kvartskhava, I. F. , Pliutto, A. A. , Chernov, A. A. , and Bondarenko, V. V. , "Electrical Explosion of Metal Wires," Zhur. Eksp. i Teoret. Fiz. 30, 42-53 (1956); Soviet Phys. JETP 3, 40-51 (1956).
59. Lochte-Holtgreven, W. , "Uber die Elementarvorgange bei der elektrischen Explosion dunner Metalldrahte," Tagung uber Verbrennungm Stosswellen, Detonation, St. Louis (1951), Laboratoire de St. Louis (France) 14/M/ 51 325-337 (1951) T (Concerning the Elementary Processes in the Electrical Explosion of Thin Metal Wires).
60. Anderson, G. W. and Neilson, F. W. , "Use of the 'Action Integral' in Exploding Wire Studies," Exploding Wires, Vol. I, Chace and Moore (eds.) Plenum Press, N. Y. (1959) 97-103.
61. Day, P. B. , "The Radiant Intensity of Electrically Exploded Wires," J. Opt. Soc. Am. 43, 817 (1953).
62. Beuchelt, R. and Bohm, E. , "Uber eine Temperatur und Druckmessung in Plasma Von Drahtexplosionen," Naturwissenschaften 44, 507 (1957) T (Temperature and Pressure Measurement in the Plasma from Exploding Wires).
63. Mayfield, E. B. , "Radiometric Temperature Measurements of Exploding Wires," Exploding Wires, Vol. I, Chace and Moore (eds.), Plenum Press, N. Y. (1959) 147-155.
64. Prayning, O. , "General Remarks Concerning the Concept of High Temperatures and Their Measurements," Uspekhi Fiz. Nauk (USSR) 55, 598-608 (1955).
65. Kvartskhava, I. f. , Bondarenko, V. V. , Pliutto, A. A. and Chernov, A. A. , "Oscillographic Determination of Energy of Electric Explosion of Wires," Zhur. Eksp. i Teoret. Fiz. 31, 745-751 (1956); Soviet Phys. JETP 4, 623-629 (1957).
66. Kvartskhava, I. F. , Bondarenko, V. V. , Meladze, P. D. , and Suladze, K. V. , "Electric Explosion of Spiral Wires in Vacuum," Zhur. Eksp. i Teoret. Fiz. 35, 911-916 (1958), transl. in Soviet Phys. JETP 35, 634-638 (1959).
67. O'Rourke, R. C. , Scherrer, V. and Dobbie, C. B. , "Production of Strong Cylindrical Shock Waves by Exploding Wires," Bull. Am. Phys. Soc. 2, 47 (1957).

68. Tucker, T.J. and Neilson, F.W., "The Electrical Behavior of Fine Wires Exploded by a Coaxial Cable Discharge System," Exploding Wires, Vol. I, Chace and Moore (eds.), Plenum Press, N.Y. (1959) 73-82.
69. Webb, F.H., Jr., Chace, N., Ernstene, M. and Tollestrup, A.V., "Submicrosecond Wire Explosion Studies at Electro-Optical Systems, Inc." Exploding Wires, Vol. I, Chace and Moore (eds), Plenum Press, N.Y. (1959) 33-58.
70. Conn, W.M., "The Use of 'Exploding Wires' as a Light Source of Very High Intensity and Short Duration," J. Opt. Soc. Am. 41, 445-449 (1951).
71. Holtzworth, R.E. and Hinz, D.J., "Exploding Wire Backlighting for the Study of Detonation, Shock and Shaped Charges," B.R.L. Rpt. 818 (May 1952).
72. Liddiard, T.P. and Drosd, R.D., "Exploding Wires for Light Sources in Fast Photography," U.S. Naval Ordnance Lab Memo 10840 (1950).
73. Paterson, J.E., Murray, T.P. and Grimes, W.F., "Investigations of the Use of an Exploding Wire as a Spectrographic Source," Research Report - Jones and Laughlin Steel Corp., Proj. 633, T-4 (Jan. 1956).
74. Herzog, A., "Influence of Short Time, High Velocity Impact on Materials Structures," Tech. Memo WCRT-56-93, WADC, Materials Laboratory (Aug. 1956).
75. McFarlane, H.B., "A High-Voltage, Quick-Acting Fuse, to Protect Capacitor Banks," Exploding Wires, Vol I, Chace and Moore (eds.), Plenum Press, N.Y. (1959) 324-344.
76. Cnare, E.C., "An Exploding Wire as a Fuse for the LAS Capacitor Bank - Zeus," Sandia Corp. SC-4324 (TR), TID-4500 (14th Ed)(1959).
77. Marcus, R.A., "Application of the Exploding Wire Technique in Photochemistry," Exploding Wires, Vol. I, Chace and Moore (eds), Plenum Press, N.Y. (1959) 307-314.
78. Bennett, F.D., "Exploding Wires," Scientific American, Vol. 206, No. 5, May 1962, 103-112.

79. Langworthy, J. B. , O'Rourke, R. C. , Shuler, M. P. , Vitkovitsky, L. M. , Dobbie, C. B. , Veith, R. J. and Hansen, D. F. , "Electrically Exploded Wires - Experiments and Theory," Progress Rpt. 1/ III/ 58 to 30/ VI/ 60. NRL Rpt. 5489 (1961).
80. Ripoche, J. , "Generateur de Flashes Fonctionnant par Explosion de Fils Metallizues," J. Phys. Radium 22, 48A-52A (1961) T (Exploding Wire Light Flash Generator).
81. Stevenson, M. J. , Reuter, W. , Braslau, N. , Sorokin, P. P. , and Landon, A. J. , "Spectral Characteristics of Exploding Wires for Optical Maser Excitation," J. App. Phys. , 34, No. 3, March 1963 500-509.
82. Anon. , "Exploding Wire Aids Hypervelocity Work," Electronics, Vol. 33, Jan-Mar 1960, 97.
83. Stambler, I. , "Exploding Wires Likely to Find Many Uses," Space/ Aeronautics, Vol. 34, 1960, 48-51.
84. Jones, I. R. , "Generation of High Power Radio-Frequency Pulses by Means of an Exploding Wire Technique," Rev. Sci. Instr. , 32, No. 8, Aug. 1961, 962-963.
85. Karioris, F. G. and Fish, B. R. , "An Exploding Wire Aerosol Generator," J. Colloid Science, Vol. 17, 1962, 155-161.
86. Bennett, F. D. , Burden, H. S. , and Shear, D. D. , "Correlated Electrical and Optical Measurements of Exploding Wires," Phys. of Fluids, Vol. 5, No. 1, Jan. 1962, 102-113.
87. Bay, P. P. , Faust, W. R. , Fulper, R. , Jr. , Leavitt, G. E. , Shipman, J. D. Jr. , and Vitkovitsky, L. M. , "Exploding Wire Studies," U.S. Naval Research Laboratory Progress Report 1 Nov 1961 to 1 Feb 1962.
88. Fournet, M. , "Phenomenes Provoques par des implosions de courant intenses dans des conducteurs resistants," Comptes Rendu 252, 2084-2086 (1961) T (Phenomena Produced by Implosions of Heavy Current in Resistive Conductors).

89. Levine, P.H., Tollestrup, A.V., and Webb, F.H., Jr., "Electrical Conduction in Rapidly Exploded Wires," Proc. Fifth International Conference on Ionization Phenomena in Gases, Vol. II, 2034-2054, North-Holland Pub. Co., Amsterdam (1962) H. Maecker.
90. Webb, F.H., Jr., Bingham, H.M., and Tollestrup, A.V., "High-Energy Densities before Dwell in Electrically Exploded Wires," Phys. Fluids 3, 318-319 (1960).
91. Chace, N., Hankin, N., Webb, F., "Instrumentation for Exploding Wire Research," Electronics, Vol. 33, July-September 1960, 43-45.
92. Tucker, T.J., "Square-Wave Generator for the Study of Exploding Wires," Rev. Sci. Instr., Vol. 31, No. 2, Feb. 1960, 165-168.
93. Reeves, E.M., "Peak Brightness Temperatures and Intensity Measurements in a Short Duration Spark Source," Proc. Phys. Soc., Vol. 81, 1963, 47-51.
94. Bartels, H., Bortfeldt, J., Berg, K.H., "Uber den Zundungsprozess bei Drahtexplosionen," Proc. of the Fifth International Conference on Ionization Phenomena in Gases, Vol. I, H. Maecker (ed), North-Holland Pub. Co., Amsterdam (1962), 1048-1051, T (On the Ignition Process in Wire Explosions).
95. Bennett, F. D. and Shear, D. D., "Shock Waves from Exploding Wires at Low Ambient Densities," B.R.L. Report 1152 (Oct 1961).
96. Cnare, E. C., "Electrically Imploded-Exploded Aluminum Tube." J. App. Phys., 32, 1275-1278 (1961).
97. Katzenstein, J., and Sydoe, M., "Exploding Wire as Fast Dynamic Pinch," J. App. Phys., Vol. 33, No. 2, Feb. 1962, 718-723.
98. Tucker, T.J., "Behavior of Exploding Gold Wires," J. App. Phys. 32, 1894-1900 (1961).
99. Chace, W.G. and Levine, M.A., "Classification of Wire Explosions," J. App. Phys., Vol 31, 1298 (1960).
100. Keilhacker, M., "Uber den Mechanismus der explosions-artigen Verdampfung von Kupferdrahten durch sehr intensive Stromstosse und das Verhalten des Kupfers bei den dabei auftretenden hohen Drucken und Temperaturen," Z. angew Physik 12, 49-59 (1960) T (On the Mechanism of Explosive Vaporization of Copper Wires by

very Large Current Pulses and the Behavior of Copper at the Resulting High Pressures and Temperatures).

101. Nash, C.P. and McMillan, W.G., "On the Mechanism of Exploding Wires," Physics of Fluids, Vol. 4, No. 7, July 1961, 911-917.
102. Protopopov, N.A., and Kul'garchuk, V.M., "Mechanism for Interruption of Current Flow and Production of Shock Waves in a Metal Heated by High-Density Current Pulses," Soviet Physics - Technical Physics, Vol. 6, No. 5, March 1961, 399-404.
103. Cnare, E.C., "Observations on the Striation of Electrically Exploded Copper Foils," J. App. Phys. 32, No. 6, June 1961, 1043-44.
104. Webb, F.H., Hilton, H.H., Levine, P.H., and Tollestrup, A.V., "Exploring the Nature of Bridgewire Explosions," Space/Aeronautics, Vol. 38, No. 3, August 1962, 75-80.
105. Bennett, F.D., "Shock-Producing Mechanisms for Exploding Wires," Physics of Fluids, Vol. 5, No. 8, August 1962, 891-898.
106. Conn, W.M., "Studien zum Mechanismus von elektrischen Drahtexplosionen (Metallniederschläge und Stosswellen), Z. angew Physik, Vo. 7, 539-554 (1955) T (Studies of the Mechanism of Electrical Wire Explosions.).
107. Chace, W.G., and Watson, E.M., "A Bibliography of the Electrically Exploded Conductor Phenomena," Air Force Cambridge Research Laboratory, 1962.
108. Abbott, H.M., Comp., "Exploding Wire Phenomena: An Annotated Bibliography," Special Bibliography SB-62-48, Lockheed Missiles and Space Company, 1962.