



BOOZ - ALLEN APPLIED RESEARCH INC.





Best Available Copy

# Distribution of this Document is Unlimited

### Technical Report

AD 640 113

MECHANIZATION STUDY
OF THE DMIC, BDIC, RACIC,
AND REIC INFORMATION CENTERS
OF THE BATTELLE MEMORIAL
INSTITUTE, COLUMBUS, OHIO

#### Submitted to

Defense Supply Agency
Defense Documentation Center
Cameron Station, Virginia

by

Booz, Allen Applied Research Inc. 4733 Bethesda Avenue Bethesda, Maryland 20014

Under Contract No. DSA-7-15489

BAARINC Report No. 914-1-18

September 1966

BOOZ · ALLEN APPLIED RESEARCH INC.

WASHINGTON
CLEVELAND
CHICAGO
LOS ANGELES

#### **ABSTRACT**

Four of the information centers operated by the Battelle Memorial Institute were included in the BAARINC Library Mechanization Study. The CDC 3400 computer is used for any mechanization although this was not extensive at the time of the survey. A Flexowriter is used by BDIAC to produce a monthly list of documents for security classification downgrading and by REIC to produce a monthly accessions list with abstracts and a coordinate index, and a semiannual compilation of governmentsponsored contracts relating to radiation-effects research. RACIC uses Flexowriter edge-punched cards to produce a security log of secret cards in the file. DMIC uses a Termatrex coordinate index system to store and retrieve references to government-sponsored contracts of interest to the Center. REIC uses a mechanized process to punch EAM carde which are used to produce a listing of clue words and a listing of reports with accession numbers. REIC has also initiated the development of a thesaurus. RACIC has mechanized its listing of clue words and is experimenting with a computer program to produce a clue-word coordinate index from a file of EAM punched cards. All four centers consider that their manually produced and searched files of extracts are preferable to a computerized system. However, they feel that additional mechanization of their printed outputs would be desirable as a time-saving feature wherever it would prove economical.

# TABLE OF CONTENTS

			Page Number
	ABS'	TRACT	ii
1.	SUM	MARY	1
II.	MEC	CHANIZATION	6
	1.	Chronology	6
	2.	Description of Processes	7
		(1) REIC (2) RACIC	7 10
		(3) BDIACSecurity Classification Downgrading List	12
		(4) DMICFlexowriter Format for Computer Input	13
III.	PRO	OGRAM SYSTEM DATA	13
	1.	RACICDescription of Files and Runs	13
	2.	DMICDescription of Paper Tape File	15
IV.	EQ	UIPMENT, COSTS, AND EVALUATION	16
	1.	Equipment	16
	2.	Costs	16
	3.	Facility's Evaluation of System	17
		BLIOGRAPHY	19

# APPENDICES

- A. ORGANIZATION
- B. DATA BASE FORMAT
- C. SAMPLES OF OUTPUTS
- D. RACIC CARD FORMAT, MAGNETIC TAPE FILE STRUCTURE, AND PROGRAMS
- E. DMIC BIBLIOGRAPHIC RECORD

#### I. <u>SUMMARY</u>

Four of the information centers operated by the Battelle Memorial Institute were included in the Library Mechanization Study and are discussed in this report. They are as follows:

- 1. Radiation Effects Information Center (REIC)
- 2. Remote Area Conflict Information Center (RACIC)
- 3. Battelle-DEFENDER Information Analysis Center (BDIAC)
- 4. Defense Metals Information Center (DMIC)

At the time of the survey, none of these centers was making extensive use of mechanization.

REIC uses a Flexowriter to produce a monthly accessions list with abstracts and a coordinate index, and a semiannual compilation of government-sponsored contracts that apply to radiation-effects research. The Center uses a mechanized process to punch EAM cards which in turn produce the following: a listing of the "clue words," used for subject indexing in the information filing system; a listing of processed, rejected, and ordered reports with accession numbers for use in duplication checking. In addition, the Center has initiated the development of a thesaurus prior to the mechanization of the coordinate index to its selected monthly accessions list.

42

RACIC is experimenting with a computer program to produce a clue-word coordinate index from a file of EAM punched cards. The Center has mechanized its listing of clue words and is using Flexowriter edge-punched cards to produce a security log of secret cards in the file.

BDIAC uses a Flexowriter to produce a monthly list of documents for security classification downgrading.

DMIC uses a Termatrex coordinate index system to store and retrieve references to government-sponsored contracts of interest to the Center.

BDIAC and DMIC elected not to introduce computer processing because of the adequacy of their present manual systems and the relative stability of their present clue-word collections. DMIC has, however, an experimental project to produce a machine-readable record on punched paper tape of each new accession reference added to their data file. This tape was requested by the Material Information Branch of Wright-Patterson Air Force Base to be used in an experimental mechanized information retrieval system.

The administrative organization of the centers within the Institute is shown in Appendix A. The four centers are currently operated under government contracts. Subject to the control of their sponsoring agencies,

they provide service to U. S. government agencies, their contractors, suppliers, and other authorized users such as universities and research institutes. These services include direct answers to requests for information and publication of accessions lists, bibliographies, formal reports, technical memoranda, technical notes, and state-of-the-art reports.

When a visitor comes to a center, he is assisted by the staff in pursuing his interest through the files, and conferences with appropriate scientists and engineers are arranged. Copies of extract cards are made available to him for his own use. A request by telephone or mail is referred directly to the proper engineer, and a copy is sent to the information specialist concerned. An appropriate reply is then developed by the engineer, with whatever assistance from the information specialist that is deemed necessary. Inquiries that are not considered to require the degree of engineering judgment which the technical specialists can provide are referred directly to the information specialists for reply. However, the drafts to such replies may be subject to the approval of the technical specialists concerned.

The data base in each center consists of filed 5 x 8 cards containing extracted information from technical reports, journal articles, correspondence, trip reports, conference papers, books, and any other

4

material that may be pertinent. The extract, a unique feature of the Battelle system, is the reference element of the data base containing segments of actual text, charts, graphs, tables, and the like. The holdings amount to about 60,000 extract card references in DMIC, 25,000 in REIC, 16,000 in RACIC, and 10,000 in BDIAC. Each center acquires material related only to its own field of interest and endeavors not to duplicate material in any of the other centers. The centers have conducted selective retrospective literature searches to develop detailed backgrounds in their areas of specialty. Active acquisition efforts are engaged in by each of the centers so that current information is available to the users of the centers

After a desired item is received and checked into one of the centers, it is given to one of the Institute staff scientists or information specialists who marks important pertinent information for extraction. (Staff scientists devote up to 25 percent of their time to this activity; the average in DMIC is 17 percent.) In addition to the information to be extracted, certain clue words are underlined for use in subject-filing the extract.

The clue words are not subject headings or keywords from a preestablished thesaurus but are words which, in the opinion of the specialist or scientist performing the review, provide the best clues to the content. New clue words may be added to the clue-word list any time it is necessary. Besides the clue words, bibliographic entries (author, journal, contract number, etc.) are also indicated.

The item with bibliographic data, clue words, and portions to be extracted (all indicated by hand markings) then goes to the typing pool where the extracts to be added to the files are typed on multilith masters in  $5 \times 8$  card format. Graphic material, if it is to be included, is reduced to fit the  $5 \times 8$  card format through the use of photodirect multilith masters.

A complete set of cards is then produced to be filed under each underlined clue word and bibliographic entry in the extract. Filing under each clue word is random. An example of a set of cards is shown in Appendix B. The original document may be placed in the center for more extensive perusal or sent to the Institute Library. (BDIAC retains all original items processed.) An objective of the extract system, however, is to minimize the necessity for reference to original documents, insofar as this is economically feasible.

#### II. MECHANIZATION

#### 1. CHRONOLOGY

The Radiation Effects Information Center decided in May 1957 that the rate of change of their clue-word collection justified the use of an EAM punched card file of the words and high-speed punching of the cards by computer. The first printout of the mechanized clue-word list was in October 1957 following the punching of the clue-word collection—on EAM cards. In early 1959, the Center identified a need for a single means of listing AEC documents by AEC report number for loan purposes. (AEC documents represent 40 percent of the incoming material.) The first printout of the list occurred three months later after the necessary references were keypunched.

The Remote Area Conflict Information Center began consideration of mechanized process applications when the Center was established in April 1963. The first machine-produced clue-word listing was made in February 1964 from an EAM punched card file of 200 clue words. By February 1965, the card file had been increased to 990 words and by May to 2,500 words. Currently, the Center is experimenting with a computer program to produce a clue-word coordinate index with links to be used with their manually produced accession/abstract publication.

This index is intended to be used with the Center's accessions list by clients in remote areas for their own retrospective search and selection of desired documents.

#### 2. DESCRIPTION OF PROCESSES

#### (1) REIC

#### 1. Monthly Accessions List

An information specialist prepares an abstract of the documents to be included and assigns clue words for the coordinate index. A draft is typed, and a punched tape is produced on a Flexowriter. The draft is edited, and the edited tapes are used to prepare the accessions list.

A page of the accessions list (August 1965) is illustrated in Appendix C-1, and a page from the corresponding coordinate index (October 1964 through September 1965) is shown in Appendix C-2a with an explanation of the index given in Appendix C-2b.

The list contains selected documents from the month's acquisitions. The coordinate index is produced monthly on a cumulative basis with a dual coordinate index prepared annually on a contract year basis (November 1 - October 31). It is

intended for users who desire to perform their own retrespective searches. Both publications are distributed to a mailing list of about 900 names, representing about 800 companies.

#### 2. Contract List

A form is sent to the contractor or his sponsor or both requesting information on title, termination date, contract number, sponsor, contract monitor, contractor, chief investigator, and a brief description of the program as it applies to radiation-effects research. When this information is received from the various contractors, it is reviewed by an information specialist and the Project Director to determine the relevancy of the contract to the REIC's field of interest. The edited and correctly formatted contract information is entered on punched paper tape by a Flexowriter. The punched paper tape is attached to control cards on which the typed information appears. The paper tape and associated control cards are sorted into subject categories prior to printout of the compilation. A contractor and contract number index is prepared manually for the compilation.

A printout of the contract information from the tape is produced twice a year and averages 110 to 115 pages for each run. This document formerly was classified Confidential but is now unclassified and is distributed to qualified users.

### 3. <u>Clue-Word List</u>

The clue-word list contains about 18,000 words at present, and about 1,000 new terms are being added each year. They are numerically keypunched on EAM cards, coded, and filed manually in a card file that is manually updated continuously as new clue words are reflected. Filing of the EAM cards is by the code number.

The machine-produced clue-word list, which is updated at intervals of one to one and a half years, is printed from the EAM card file and is made available to assist the Center's users in determining applicable clue words.

## 4. Report Number List

When reports which have recognized alphanumeric report numbers\* are received or are learned of through the Center's screening program, they are entered into the Report

<sup>\*</sup> H. B. Mayfield, et al., "Report Number Series," TID-85, U.S. AEC.

AND THE REAL PROPERTY.

Number List. When a reference to a report of interest is obtained, the report number is manually entered in the list. When the full-length copy is obtained, an accession number is assigned and entered both on the report and in the Report Number List with the associated report number. Periodically the hand-posted entries are keypunched on EAM cards. From this card file, a list is printed out alphabetically by report numbers with associated accession numbers.

Appendix C-2c shows the format. Reports with different recognized report number series are cross-referenced.

It is used to show holdings and to check for duplication of documents at the time of ordering or receipt or both. It has been updated 12 to 14 times in the past eight years.

#### (2) RACIC

#### 1. Clue-Word List

Clue words used in the Center's files are each keypunched on an EAM card. Also punched on cards are card
sequence number, a clue-word classification number, and
the higher order hierarchical clue word (if any). This
format is shown in Appendix C-3 along with a page of the

Clue-Word List (Appendix C-4) to which the illustrated EAM cards apply. The classification numbers are used in sorting the clue-word file into one of six general subject areas. In addition, a completely alphabetical listing is prepared by merging all six subject areas and suppressing duplicate entries. These are as follows:

Classification Number	Area
1	<b>Biological Science</b>
2	Chemistry
3	Electronics and Communication
4	Mobility
5	Social Studies
6	Weapons

In the mechanized printing of the clue-word list, however, the numbers are not printed.

#### 2. Clue-Word Index

The Center is experimenting with a computerized coordinate index of terms with related accession numbers and utilizing links and roles. A controlled thesaurus with specific-to-general relationships is part of the overall system. Appendix C-5 illustrates three of the EAM cards

being used in the experiment; these samples do not have the links or codes punched. The list is machine-produced from EAM cards. Appendix D illustrates the present card format, the magnetic tape file structure, and the programs, but, since this project is still experimental, these forms may change.

### (3) BDIAC—Security Classification Downgrading List

The following information is keypunched on EAM cards for the classified documents: accession number, downgrading group number, classification, and document date. These cards are run periodically to produce a list of documents for downgrading.

#### (4) DMIC—Flexowriter Format for Computer Input

The Center has prepared, at the request of the Materials Information Branch at Wright-Patterson Air Force Base, a record format on Flexowriter punched paper tape suitable for use in an experimental information retrieval program. This program will provide, in machine-readable form, both bibliographic data and subject category identification. The same tapes may be used internally to produce DMIC's accessions list.

#### HI. PROGRAM SYSTEM DATA

Two experimental systems are discussed in this section. One is RACIC's system for producing a clue-word coordinate index; the other is DMIC's machine-readable record on punched paper tape.

#### 1. RACIC—DESCRIPTION OF FILES AND RUNS

The following magnetic tape files are used in the experimental runs for RACIC: Thesaurus Tape, Index File Update Tape, and Index File Tape.

The formats for these three tapes are shown in Appendices D-2 and D-3. EAM punched cards are used to convey updating information for each update run; these are described in Appendix D-1. Each card has a code number punched in column 80 according to how the information on the card is to be used.

Five operations are performed with these files:

Update Thesaurus Tape

Generic Posting Generation

Update Index File

Search and Retrieval

Print Files

These runs are illustrated in Appendices D-2 to D-5.

In the Update Thesaurus run, new terms (clue words) and all corresponding broader, narrower, and related terms (if any) are each punched on a separate EAM card. These are combined with Type 8 deletion cards, overpunch deletion cards, and the old thesaurus tape to produce the updated thesaurus tape. Index addition cards, which do not contain generic references, are then run with the updated thesaurus tape to produce an expanded update index file which contains new terms, their higher generic correspondents, accession numbers, roles, and links. This is combined with deletion cards and the old index file to produce the updated index file. Search and retrieval are possible by reading cards containing a logical statement of the search request expressed as terms, roles, and the logical operators AND, OR, and NOT, and comparing this stated request with the entries in the index file. The files themselves may be printed out in three ways as indicated in Appendix D-5 and as specified by the input cards.

### 2. DMIC - DESCRIPTION OF PAPER TAPE FILE

A paper tape of each new item record in the DMIC is being prepared for use as input to an experimental information retrieval system.

The tape is made on a Flexowriter as a by-product of the typing of normal bibliographic records. However, certain symbols are included in the typing which, while not appearing on the page copy, occur in the punched paper tape. These nonprint symbols are used to set off information fields.

Appendix E is an illustration of a typical record with the nonprint symbols included as underlined letters. The record begins with a series of five carriage returns followed by DMIC's control number and accession number in a fixed field of 39 characters. (The control number occupies the first 32 characters of the field and is provided for computer reference in searching on several items, e.g., company, contract number, journal title, etc.) This field and the others are separated from one another by two carriage returns and a tabulate shift. The second field is the author line with each separated by two spaces. The two-space entry identifies for the computer the boundaries of the "phrases."

The third field contains the title. Corporate author or journal title appears in the fourth field. The fifth field contains a subject category code for materials class and linking index terms. Where several classes of materials are involved, a field for each class is used.

Three spaces separate the subject code and the index term; the index terms are separated from each other by two spaces. The end of the record is indicated by three backspaces. Empty fields are accounted for by two backspaces following the boundary marker which indicates the beginning of the field. However, each character in the control number field must be accounted for; this is accomplished with four plus signs in place of any missing elements and zeros if the element does not fill the sort.

#### IV. EQUIPMENT, COSTS, AND EVALUATION

## 1. EQUIPMENT

CDC 3400

Battelle's Digital Computer Facility
uses a Control Data 3400 and associated
peripheral equipment. The CDC 3400
will be replaced by a CDC 6600 in mid-1966.

Central processor with 32K 48-bit words of internal storage
IBM compatible tape units
1,000 line-per-minute printer
1,200 card-per-minute reader
250 card-per-minute punch
on-line point plotter

The facility also includes the following:

082 sorter
514 reproducer
077 collator
OSCAR J oscillograph reader coupled to a 16-mm
single-frame projector

paper tape reader/punch

#### 2. COSTS

#### RACIC

6

Development of clue-word index program—16 man-hours Keypunching (clue-word list and index)—10 man-months Computer (average for all RACIC users)—\$270/month

- . Flexowriter (including tape, amortization, etc.) \$140/month
- Development of clue-word list system—one man-month
- Computer and keypunching (average for card coding, keypunching, updating, printing, etc.)—\$2,000/year

#### 3. FACILITY'S EVALUATION OF SYSTEM

All four centers consider that their manually produced and searched files of extracts are preferable to a computerized system. They point out that up to 80 percent of the requests for information can be answered by direct reference to the extract files alone. In addition, a user of the files is automatically "referred" to other positions of the files by other clue words underlined on the cards he is using. A user who makes a personal visit to the centers, usually on a tight air travel schedule, has immediate access to the information itself, not merely to bibliographic citations. Furthermore, the subject specialists who deal with telephone queries often can answer questions on the spot by reference to the files. On the other hand, additional mechanization of the Centers' printed outputs would be considered desirable for time-saving features where it is economically advantageous.

The use of links in a coordinate index such as RACIC's experimental clue-word index with accession numbers is considered valuable. It is felt that roles, however, would have a lesser utility.

ırs

The use of a coordinate index system, where introduced, will probably remain as an auxiliary to the existing system of "clue words-in-context," since there is only a limited demand for information involving combinations of environments, etc.


#### BIBLIOGRAPHY

- 1. The Operation and Management of Scientific Information Centers

  at Battelle, by A. B. Westerman, Battelle

  Memorial Institute.
- 2. <u>Battelle-DEFENDER Information Analysis Center</u>, brochure, Battelle Memorial Institute.
- 3. Remote Area Conflict Information Center, brochure, Battelle Memorial Institute.
- 4. <u>DMIC Flexowriter Format for Preparation of Materials</u>
  <u>Information Branch Computer Input</u>, draft
  instruction, Battelle Memorial Institute.

# ORGANIZATION CHART OF FOUR CENTERS WITHIN BATTELLE MEMORIAL INSTITUTE



This chart does not reflect overall Battelle organization, nor does it show the relationship of the centers to the other divisions of Battelle, many of which are highly involved with operations.

as-bonded joints are also available for comparison pussiblished. Do not reference, loan or testing of this series of specimens is essentially completed of this series of specimens is essentially completed of the series of the ser Bonded specimens have been annealed for ten hours at the respective bonding temperatures and tested over a range of cryogenic and elevated thankarares.

reproduce this report without per-THEAL INTERING OF ID NICKEL

Two diffusion heat treatments are to be used with the ID NICKEL BARNING. HEAT TREATMENT OF TO NICKEL nickel system -2.1

Kirkendall void formation was experienced after diffusion heat treatment with specimens Two attempts have been made to vacuum anneal ID nickel specimens at 2100°F at vacuums of 5 x 10-6 Torr, but evaporation of nickel onto the furnace heating element caused localized heating and melting. Annealing in a hydrogen atmosphere provided bonded with pure palledium foil; nickel diffused into the intermediate faster than an alternative but subsequent microexamination of heat treated specimens revealed nickel adjacent to the interface. However, with the Rd-Ni foil no void formation palladium diffused into the nickel, and a line of vacancies was formed in the TD extensive void formation.... Exploratory bonds were made with pure palladium foil and 60 Pc-40 Ni foil rolled from 1/16 inch diameter wire to 0.003 inch foil. 10 hours at 2400°F was evident after 1-1/2 hours at 2350°F. 10 hours at 2100°F

this system; woids are large and any Kirkendall woid formation would be expected The voids shown in Fig. 2 are not typical of Kirkendall void formation in

B (continued)

0581


Ni B, Ta, Cb, Mo

Card 3/13

by solution of hydrogen in the intermediate during diffile, statuse of this separt transmot been subsequent precipitation at the interface as nickel desiableshed. Donni relargang, than or in the ID Nickel rather than the intermediate. Palladium has high solubility for hydrogen which decreases with nickel content. Void formation Child explained of diffusion heat treated specimens fell to approximatenses60thissitepartcompanant with strengths of 66,000 psi in the as-bonded conditionission of the issuing agency. in the ID Nickel rather than the intermediate. Palladium has

with room temperature and elevated temperature lap shear and lap peel data. High and low temperature tensile data have been plotted graphically, and mechanical Elevated temperature and cryogenic tensile data has been gathered together properties of as-bonded joints compared with joints exposed for 10 hours to WARNING ductility elevated temperature heat treatments.

[15 pages, 9 tables, 14 figures]
[Disposition - Shelf]
RME/RIN-mjc
August 4, 1965



. \_5,

•-

#### Accessions List

27896

F. C. Hardtke, Argonne National Lab., Argonne, Ill. THERMOELECTRICITY IN IRRADIATED DIELECTRICS. I. SOME GENERAL FEATURES

The Journal of Chemical Physics, 42, (9), May 1, 1965, pp 3000-3009

A transitory charge displacement has been observed in gamma-irradiated solid dielectrics when the 3.2-mm-thick samples are heated subsequently in temperature gradients of 5 to 40 C/mm. Several glasses melted in our laboratory and a few commercial glasses were irradiated at room temperature in a cobalt-60 radiation facility at an exposure rate of 1 x 10<sup>5</sup> R/h. The charge displaced was found to be directly proportional to the temperature gradient and, below a megaroentgen, to the radiation exposure. With further exposure it approaches a maximum of a few nanocoulombs per square centimeter. Electric fields above 100 V/mm applied to the sample during heating produce only slight changes in the magnitude of the thermoelectric discharge. A marked reduction in the discharge magnitude is observed in samples that are shielded from the radiation source by metal plates approximately 0.1 g/cm² thick. This suggests that the phenomenon may arise from the thermal release of trapped electrons which have entered the sample as Compton recoils.

#### ORGANIC MATERIALS

27897

J.J.J. Myron and G. R. Freeman, University of Alberta, Edmonton, Alberta, Canada THE RADIOLYSIS OF ETHANOL IV. DEUTERATED ETHANOLS IN THE LIQUID AND GAS PHASES Canadian Journal of Chemistry, 43, (5), May, 1965, pp 1484-1492

The second secon

The value of G(-ethanol) in the vapor phase is nearly double that in the liquid phase. Part of the difference appears to be due to the recombination of radicals in liquid cages. Ethanol molecules, on the average, break into smaller fragments in the gas than in the liquid phase radiolysis. The isotopic compositions of the hydrogen produced from various deuterated ethanols are consistent with the suggestion that the reaction CH3CH2OH + CH3CH2OH → CH3CH2OH2 + CH3CH2O occurs to a significant extent in the liquid not not in the gas phase. This reaction probably involves the shift of a hydrogen atom along a hydrogen bond. The reaction  $C_2H_5OH_2^{-r} + e_{solv}^{-r} \rightarrow C_2H_5^{-r} + H_2$  does not occur to an appreciable extent in the liquid phase. In the liquid phase the relative contributions of the three different groups in the ethanol molecule to hydrogen production are in the order CH2 > OH > CH3. A similar trend occurs in the gas, although the contributions of the three groups are more nearly equal in this phase. Isotope effects, in the range  $k_H/k_D = 2.213.9$  per bond, occur in the methane formation mechanism. The isotope effects are somewhat smaller in the liquid than in the vapor phase and somewhat smaller in the inhibited than in the uninhibited systems. A comparison of product distributions in the liquid and gas radiolyses of several compounds by (-rays and by a-particles indicates that L.E.T. effects can also occur in the gas phase. Ethanol and its solutions were irradiated at a temperature of  $105 \pm 3$  degrees and a pressure of about 800 Torr. The liquid ethanol samples were irradiated at 28 degrees. The dose rate in the Gammacell-220 was about  $6 \times 10^{19} \text{ eV/g}$  h for both liquid and gas samples.

Control of the contro

Het holans price Marriel Br Met holans Met holans price Marriel Marriel

for hicker of Markel 114 (20.274) But hylat v Mat hylat v

Mild Stee Minority ( Mobalny A

Hickory

Solventeria

Mily hitemir

Hodulus of

Holybdenia prote menument a Hinte Carl prote

MITOTA

Heittplexe 27010 MUNIA 26100 26110 Meint see

Markee A Heoprene A Mrkva Heotron Do

Neid ron 81::kel -05790

05700 07750 C-2a REIC Coordinate Index

No.		RE	IC Coord	nate Index	
House 1 Haramantinal Analists one The restinal Membrana for the properties are also epocies 27572 277678	Mytuga O Empembos			Hickel Alloys 26,970 27761 2765A 2,000 Hickel Conlate	nerva ng.
Provide the second seco			27AA4 27010	9754. REL Districts Transit on Temperatures see also Tener to	
Mercury Oralista			27579	R1mbus	* <b>**</b> *
Metal Films	175A),			Richium Alloys	27199
Metals			2569A	Mitrogen	9¢/1,B
95641 25642 25643 15 75 25771 26322 25723	25544 25645 25724 25765	25764 25767 25764 25767	25/39 25639 25/48 25769	#Etropen Compount	
**************************************	DETER DECEST	20 14 26 16 7 21 14 26 16 7	25FAR 257FG 2460F 2F7FG 257FF 2F7FG	Ritrogen Dinmise Froduct 2571	
2711 27161 277628 266 - 2778 27931 277628 2663	profit operation	775/A 27167 275/7	25269A 27159 25269 27560	Ritrogen lone	****
27892 26.11	26215 21565	,774-	26264 27759 26264: 27860	Mitroson Trifliorido i ridiant Proje	~~~
	27025		2716P 2756P	Nithmun Wide 97011	
			2775P 27 <b>9</b> 09	No.14P 29761 24CAII	
Meteopolik see Min <del>rometeopi</del> teen Methanol				Nondestructive Texting	
			97898 25779 97899	Notch Ductility see also Ductility 26063 25764	**'
Methylaniline Dijw			***	Notch Tensile Properties see Tensile Properties Nuclear Amrospace Lesearch Englith	
Mottul Browlde	prélie			27/12 Ruclear Bursts see also Polked Radiation in Section I for	: Similared flurate and also High Altitude
Mathylevalahezzae 2607				Muclear Explosion	250°06 0.1707 25700
Methylene Ltol Folyesters 25***				Runiese Magnetic Meromance	27316 21010
Michinal tradition			פיניה אפאון	Suctour Physics	•
hit hotge of <b>anea</b>		25.76		Wiches Vehicles dee specific winds	
Hetiµ1 ∪t1tonne 25 ™o				Nuclear Rockets	
Methyletypoho		9777€		Nuclear Weapons from eme 91/14	
Mer halt et sahadentusans 27402				Ruvistor 2790%	*****
777H3 27HH2			2567B	Ry1on-6 26451	
2:601 P7022 Clarecterulta and Intermeted Capitalia			9575A	Optical Abenrytine profes	74540
Mr		917678		Optical Materials 97096	
<ul> <li>Mins ejectronica see Internated Tirout</li> <li>H. Courfress</li> <li>ps (to)</li> </ul>	**			Optical Properties #7173 #6nos	25419
Mingraphentites		25696 27817	2511R	Organie Compounde 95660 96071 96079 95073 95774 95555	29A96 24K97 29F9A 24F99
				26980 26641 26642 26643 26074 25775 26640 27181 27779 27773 26644 26075	8576 85701 25724 25724 2717 25777 25778 25770
Microsum Devi en			256 YA	87180 87771 87909 97913 87774 87575 87580 87901 87715	2****
Mild Steels	pAcMs	<b>97196</b>		27900	275.77 275TA 27574 27A47 27A4A 27A44
Minurity Carriers		_	25648	Ormata Products 25710 26071 26072 26641 25774 26075	97176 25657 \$4658 25724
257k2 2567i	96574 25795	99796 86666	25740	P6890 96641 97779 97774 97774 97575 96640 97183 87909 97775	05103 5410 55010 0510 5410 5510
Mohainy Al-AR7		96647		27980 27771 27900	86 P/A 27A00 P717A
Modulum of Elesticity 96971	9575k		PROBE	Constitution of the state of th	97878 <del>97</del> 84
Mnlecular Height 96651	PTTFA			Organitin Compound Products 95710 Derinas	
Mn1 vo.1erum		27567	acaca	OFFICE Tuclear Pulse incline	
27/01 25773 26693 Mclybdenum Alloya		P1301	2756P	Civility	91717
27892	27925	<b>27757</b>		Cacillators	Beef 4
Molymhorur Disulfide P6(A) P4AA;			255qA	95740 27211 25300	~ 1f 2f203
M /hdenum Permalloy 27761				PTP10 Outdation	
Balybdenum Sulfide				95710 07F79 Ouyeen	
Minimers see Presnic Compounds Monte Carlo Codes				Oxygen for Oxygen Portsoneent see In Caygen	P7**R7
27910 25712	27574	27216 25757 26877	2790	taone Formation	
Metors	27204 25085		9720A	95723 ncray Pacimatry:	
Multiplemen 27210				Paraffin Cil	PRATE THE POPL OF THE
MUTA 26100 26101 26102 26103	26105	26100 26097	2609B 26099	Paraffine	717'1
Pf 110 Pf 111 Mylar see also Pthylone Terrobthalate	Polymere	26107	SETURE SETUR	Parenamet In Resource Leeting	אָרְמִיּקּ מְיִיםְ
270°1 216°12 110°14 1	19794 1FC199	26E47 26E47		Payaples Pobl	Pritty #r≠n≠
Repthelene		יוזוא	2717ê	Particle Accelerators see Accelerators	the first
Repute A		26647		Particin Detection see specific devices	
Neoprene Rubber				rentane Fenton	2* 7 <b>2</b> 0
97791 25670 274C4				24711 Pentynes	
Neutron Doutmeters	27765	266A7	2760 <sup>A</sup>	2620 Ferchlorates	
utron Spectrometer	<i>26</i> 114			2719) 27192 Perchloric Acid	
outron Spectrum		24046	279 A	pAnPp PerPlumpm-terrilohexvi	
Neufren Transport 27811 Hickel				Perfluorebiphenyl	ייי פ אפ
25790 27222 260 <sup>2</sup> 3	24.54°F	14.5			<b>≯??</b> 7

#### Explanation of REIC Coordinate Index

FART UI

#### COORDINATE INDEX

#### INTRODUCTION

The REIC staff have determined that the Monthly Accession List is being used for retrospective searches as well as a current awareness facility. Consequently, the staff and the sponsor feel that an adequate index should be supplied to serve as a rapid search tool.

The following inverted concept-coordinate index is based upon terms generated in the REIC subject files. The index is cumulative throughout the year, and the staff will provide a "dual dictionary" at the end of each contract year to facilitate the retrospective search capabilities for the accession list abstracts.

The index is subdivided into two sections. The first, Radiation Environment, includes dosimetry and energy aspects of all electromagnetic and particulate radiation sources, with the exception of space radiation. Section two deals with materials, properties, secondary environment (including space environments), devices, and all other subject concepts. An author section and a generating organization section will be added to the index quarterly.


Under each concept term in the index are listed the accession numbers of the abstracts which have been indexed by that term. Links have been added where necessary to obviate improper cordination with the resulting false retrieval. Experience demonstrated that only four of the proposed EJC standard role indicators would have been required with any significant number of the entries.

To use the index, take those terms, authors, organizations, etc. which collectively describe the idea, or ideas, for which the search is required. A comparison of the accession numbers will show those abstracts whose accession numbers are common to all desired terms. These abstracts should contain information on the desired subject matter.

Two important facts must be remembered in the use of this coordinate index:

(1) This is a SELECTED ACCESSION LIST. Not all the documents extracted for the REIC File are abstracted for inclusion in this list. Approximately forty per cent are felt to be inappropriate. Consequently, to insure completeness in any search, it is essential that the REIC be contacted.

(2) This dissemination service is not intended to replace direct contact at the various locations remote to the Center. Direct contact with the Center and its technical staff is encouraged.



## RACIC Clue-Word List

```
PACKS
                                            WARFARE EQUIPMENT
      SOURCE
                                            WARFARE OPERATIONS
      SUPPLY
                                      PUBLIC ADDRESS SYSTEM
 POWERLINE SECURITY
                                      PUBLIC INFORMATION
 POWER WAGON
                                      PUBLIC ORDER
 PPS
                                      PUBLIC RELATIONS
      PPS-4 AN/PPS-4
                                      PUBLIC WELFARE
 PUS
                                      PUBLICATION
 PR
                                      PULMONARY
      PR-155
                                      PULSE
      PR-156
                                      PUMP
 PRC
                                      PURCHASE
      PRC-06 AN/PRC-06
                                      PURPLE
      PRC-09 PRC-09
                                      PURSUIT
      PRC-10 AN/PRC-10
                                      PYRUPHURIC
      PRC=25 AN/PRC=25
                                      PYROTECHNICS
      PRC-35 AN/PRC-35
                                      QUESTIUNNAIHE
      PRC-64 AN/PRC-64
                                      QUICK-FIX
PRECIPITATION
                                      RACE/RACIAL
PRESERVATIVE
                                      RADAH
PRESS
                                           AIRBORNE
PRESSURE
                                           AIRBURNE RADAR
PRESTIGE
                                           RADAR DETECTION OF PERSONNEL
PRINTER/PRINTING
                                           DOPPLER PERSONNEL SURVEILLANCE
PRISON/PRISONERS
                                           RADAR MAPPING
PROBLEMS
                                           ECHO AREA + CROSS SECTION . .
PROCUREMENT
                                           RADAR MAPS
PROGRAM/PROGRAMMING
                                           MAP
PROJECTILE
                                           RADAR METEOROLOGY (WEATHER)
PROJECTOR
                                           MTI RADAR
PROPAGANDA
                                           MTI
      COMMUNIST
                                           NAVIGATION RADAR
     DISSEMINATION
                                           OPTICAL HADAR
PROPAGATION
                                           SET
     RADIO
                                           RADAR PHOTOGRAPHY
     TROPICAL
                                           RAUAR SET
PROPELLANT
                                           SIDE-LOOKING RADAR (SLR)
PROPELLER
                                           SIDE + LUOKING
PROPERTY
                                           SURVEILLANCE
PROPULSION
                                           SURVEILLANCE RADAR
PROSYMS (PROJECT)
                                     RADIATION
PROTECTION
                                     RADIO
PROTEINS
                                          EQUIPMENT
PRUTOGA
                                          FHEQUENCY
PRS
                                          HAMLET
     FRS-4 AN/PRS-4
                                          JUNGLE
PRT
                                          MAN-PACK
PSYCHOCHEMICAL
                                          RELAY
PSYCHOLOGICAL
                                          RYAN RIFLE-BUTT
     EFFECT
                                          SET
     OPERATION
                                          SET 77 AM
     WAR
                                          STATION
```

Œ

	District and a strong starting in the control of th
5 0000 00000000000000000000000000000000	e se experience as also as as all terre to the property of the terre is all the terre is a
-	65
ी रहे हैं वह है के है की भाग भी ने कि बालि कि कि सिर्ध के अधिक के अधिक अपने अधिक अधिक के कार्य के कि अधिक अधिक अधिक अधिक अधिक अधिक अधिक अ	1 1 71 7 1 7 1 7 1 7 1 7 7 7 7 7 7 7 7
1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	esection and accompanies of the section of the sect
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	8
	ស្រាស់ស្រាស់ មានស្រាស់ស្រាស់ ស្រាស់ ក្រុម មានស្រាស់ បានស្រាស់ បានស្រាស់ បានស្រាស់ បានស្រាស់ បានស្រាស់ បានស្រាស់
3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ese education de la central
	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
POLICE: SULFUR CONTROL OF THE SUPERIOR OF THE	អ <b>ុស្តីពល់ពេលនេសសាស្រ្តីព្រះ (ប្រ</b> បាលក្រុង ប្រ
	1 1/1 1 1 1/1 1 1 1/1 1 1 1/1 1 1 1/1 1 1 1/1
-   2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 50 40 (0) 02 43 40 (0) 40 41 40 (0) 10 11 12 (1) 10 15 10 11 10 13 50 50 50 10 10 10 10 10 10 10 10 10 10 10
444444444444444444444444444444444444444	
6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	b 22 defen en en eefen en en fen in in is fan je ja jefan in in eef itjij.
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
1 2 3 4 5 6 7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
2017493 ENVIRONENTAL HYGIENE Presidentalangua mangana dan dan bahatan dan baha	no adia i at at odias aa ar ooloo ta iit tiifiz ta iit ta'iit ta bo da
10 2 2 4 5 6 7 6 8 10 11 12 2 14 16 16 16 16 16 16 16 16 16 17 22 24 25 24 25 25 25 25 25 25 25 25 25 25 25 25 25	39 60 61 67 62 66 65 68 67 66 69 38 21 22 73 76 75 76 77 76 79 CC
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	- इन क्रम्बिक कर कर रहा है। कर कर कर क्रम्बिन रह रहा रहा है। यह रहा रहा रहा रहा रहा रहा है कि
333333333333333333333333333333333333333	111111111111111111111111111111111111111
1, 1, 2, 3, 3, 4, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6,	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
66666666666666666666666666666666666666	(५) इंद्रीक बर भा ब्लिक के का बर्कन पर सिंह है से हैं। से हैं का '' के लाकों जिस
1 2 2 4 2 4 7 4 8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
િંટ કે હોઈ કે કે કે કે કે હોલ પોલિક લે છે હોલ છે છે છોલ જાતા અને જાતા છે છે. જો જાતા છે છે કે કોલ છે કે કોલ જો જ્યાર કે	30 adi6+ 67 61 ee  35 66 67 adi69 74 75 75 75 75 75 75 75 76 79 64

D-1
RACIC Card Format and Card Type Code


## General Card Format

Card Columns	Description		
1-7	Accession Number		
8-9	Link Code		
10-11	Role Code		
12-18	Term (clue word) Code		
19	Sequence Number		
20-79	Term Alphabetic		
80	Subsection 1D		

## Summary of Index Card Input Codes

Type Code Number	Description		
1, 2, 3	Add accession number-link-term code-term alphabetic to index tape		
6	Delete accession number-link- term code-term alphabetic from index tape		
8	Delete accession number and link		
9	Search		

# RACIC Update Thesaurus Run and Thesaurus Tape Format



No. of Roles

Role No. Alphabetic Alphabetic Role No.

Alphabetic Role No.

TERM CODE

TERM ALPHABETIC

No. OF HIGHER GENERIC CODES

LIST OF HIGHER GENERIC CODES


TERM CODE


TERM ALPHABETIC

No. OF HIGHER GENERAL CODES


LIST OF HIGHER GENERAL CODES

D-3
RACIC Generic Posting Generation and Update Index File Runs
and Index File Tape Formats





## Print Files Run



**₽** 

#### DMIC Bibliographic Record

CCCCC R/5710/112963/OFR/68-4/N600/9361 T 052951 C

T J. A. Ford SSR. W. Hertsbert SSF. D. Lemkey C

T Analytical and Experimental Investigations of the Fracture C

T Mechanisms of Controlled Polyphase Alloys C

T United Aircraft Corp. SSS Final Report, Report No. B910068-4 SSC

T (October 29, 1962-November 29, 1963), November 29, 1963

- T (October 29, 1962-November 29, 1963), November 29, 1963  $\underline{S} \underline{S} \underline{S} \underline{C}$
- T Bureau of Naval Weapons, SSN600(19)59361 CC
- \* T Cm SSSCr-Cr23-Cr6 SSCu-Cr System SSfracture SS metallographic C
  - $\underline{T}$   $\underline{S}$   $\underline{S}$  A1-A13Ni System  $\underline{S}$   $\underline{S}$  modulus  $\underline{S}$   $\underline{S}$  A1-CuA12 System  $\underline{S}$   $\underline{S}$  electron  $\underline{C}$

  - T modulus of elasticity B B B
  - S stands for space, C stands for carriage return,
  - T stands for tabulate shift and B stands for backspace.

<sup>(\*)</sup> The typist would, at this point, turn off the punch mechanism and store the tape pending completion of the extract. At that time the fourth variable field would be added to the tape.

Unclassified

	Action of the state of the stat					
DOCUMENT CO	DOCUMENT CONTROL DATA - RBD					
The transport of the second of						
BOOZ ALLEN APPLIED RESEARCH, INC. Unclassified						
4/33 Bethesda Avenue						
Bethesda, Maryland 200	14					
Mechanization Study of the DMIC, BDIC, RACIC and						
REIC Information Centers of the	Battelle Memorial Institute.					
Columbus, Ohio,	- <u>-</u>					
Final Report of on-s	site survey					
S. A. CHORN of ast name tres name initials						
G. A. Kershaw, D. Crow	der, J. E. Davis, E. G. Loges,					
	<del>_</del>					
a REPORT DATE	E. Merendini, S. M. Thomas					
September, 1966	47					
BA CONTRACT OR SMANT NO	THE ORIGINATE BY THE PERSON WINDS B. S.					
DSA-7-15489	914-1-18					
to an are to						
The oties manner was a fact that minitary that may be assigned that reports						
<i>3</i>	AD 640 113					
	AD 040 113					
TO AVAIL ARILITY LIMITATION NOTICES	10 AVAIL ARILITY LIMITATION NOTICES					
Distribution of this Document is unlimited						
and an area of elite polymoria to distillated						
11 SUPPLEMENTARY NOTES	Defense Supply Agency					
None	Defense Documentation Center					
	Cameron Station, Virginia					

Four of the information centers operated by the Battelle Memorial Institute were included in the library mechanization study. The CDC 3400 computer is used for any mechanization although this was not extensive at the time of the survey. A Flexowriter is used by BDIC to produce a monthly list of documents for security classification downgrading and by REIC to produce a monthly accessions list with abstracts and coordinate index, and a semiannual compilation of government-sponsored contracts relative to radiation-effects research. RACIC uses Flexowriter edge-punched cards to produce a security log of secret cards in the file. DMIC uses a Termatrex coordinate index system to store and retrieve references to government-sponsored contracts of interest to the Center. REIC uses a mechanized process to punch EAM cards which are used to produce a listing of clue words and a listing of reports with accession numbers. REIC has also initiated the development of a thesaurus. RACIC has mechanized its listing of clue words and is experimenting with a computer program to produce a clue-word coordinate index from a file of EAM punched cards. All four centers consider that their manually produced and searched files of extracts are preferable to a computerized system. However, they feel that additional mechanization of their printed outputs would be desirable as a time-saving feature wherever it would prove economical.

DD /27%, 1473

Unclassified
Security Classification

A Property Const.	nr.k ni	i, i ber (ti irini ti kir	LIMA C
Information Retrieval Digital Computers Indexes	:	; ;	
Dictionary Electronic Accounting Machines			
	:		

#### INSTRUCTIONS

- 1. Other ANALISCA SCHALLA Form the many and others of the context of the others of a position the part of the form of the context of the the second
- [2] RI PODE TO CHILA OF AND DEATHOR Comments of the array of the artists of the comment of the result of the comment of the and with appropriate and only organized
- The Artificial Action of the Control of the Control
- Complete the transfer of the experience of the mall specification of the mall street of the the mall street of the mall street of the mall street of the str
- in the equipment of the first of the second of the the style of required projects and projects of the contract or finite

. Although the second common term of the part of the second contract that the second contract the second

- The photon service of the transfer to the constraint of the material Hambourge shows the control of the material to the transfer of the material t
- SOME ALL PARMAGER OF TRACKS in [13] so that propose soft solutions are associated by a contract of proposition of the contract of the contrac
- 29 MARGROUND THE SELS THREE PROPERTY IN remark to stally the in the
- sea of the travel our caracter NPMRLP . It is propriate, enter the epocal transfer of the contact of group and which transfer that a property of the contact of
- So (x,y) A p -PROSITE LANGEBRE. Lower the equations of design at the x -to the energy of the energy x -to the energy of the energy x
- ORDANATOR SERLIPORT MARKER SECTION OF ONLY concerns section of regression and supplies to the transfer of property and the characteristic form of the form of the form of the control of
- quirible death of MMHER to the recognition have been as the control of the expension of the companion of the expension of the expension of the companion of the expension of the
- AN ALL AS MANY FIRMED ATTON NOT TO U.S. Force on A Ton-control of the Control of the report of the Ohio than those,

impose of  $\Gamma_{ij}$  can arity observate any or loss og objectus to define entry such as

1

- ex. Complete damperates and himmographic dates. roperation (1900)
- in the organization costs and discount on this report by DDC's not nother as to
- Off S. Grendling of game in an in Chronic pine. I think may produce by the colline. One of produced blue. come shall region through
- M. S. Schling spences may obtain a proceed that a procedure to a DDC College qualities travers. In Designation 11.
  - TAM distributes a collection of the Collection of Difference of the sequence the  $(\eta, \tau)$

40.4 see from hosts tractions of the line at-43. A second of the first second of the s

- The Children Mark Mark College College College and explains 100 mg
- 12 1998SORPERMENARY ACHIVLY Above the name of the explict restail process. The restable above consisting state over the explicit part best property by the extraction of the second
- 13. April 18 At T. Ember in abstract preing a book on the toak or any it the document make after of the report occur though of more documentary and the largest of the re-port. It is fit to document or property for a state of the control of the con to stratend

It is highly desirable that the abeliant of Asserted reports Figure To safred. Each polyraph of the abstract site for daily are instantion. The red bay constitute based on the constitution of the in-

There is no location to the length of the above 2 - W(s) execution spaces and length or from 180 to 2.0 a role

11. KLY WERDS. Key werds use to this ally recalling the results of the opposite that crass terror coupled which the constant terror coupled with the constant property of  $K_{\rm SC}$  and the constant constant  $K_{\rm SC}$  and the constant constant  $K_{\rm SC}$  and the constant  $K_{\rm SC}$  and  $K_{\rm SC}$  are the constant  $K_{\rm SC}$ to the control of a principle graphs to all a maximize the control we want to be a control of the contr