

AD 651388

University of California

Los Angeles

Department of Meteorology

Final Technical Report
on Contract Nonr 233(96)

ATMOSPHERIC TRANSMISSION OF LASER BEAMS

Project Director: Professor Zdenek Sekera

1 January 1965 - 30 April 1966

ARPA Authorization Requisition Number 306


Reproduction in whole or in part is permitted
for any purpose of the United States Government

Distribution of this document is unlimited

April 1967

Prepared for

Department of the Navy
Office of Naval Research



ARCHIVE COPY

ABSTRACT

After a thorough survey of the existing literature and experimental facilities available in the area, the program of investigations leading to the study of atmospheric limitations to the propagation of laser beams have been outlined. Realization of this program has been prevented by the lack of further support.

This report contains the results of the investigations carried out under a Contract No. Nonr 233(96) on the atmospheric limitations to the propagation of laser beams. The contract was received in March 1965 for the first year's work.

Since the achievement of laser action in pink ruby by Maiman in 1960, a large number of coherent, monochromatic sources of radiation spanning the electromagnetic spectrum from about $.5\mu$ to 35μ have come to practical use for various applications. The successful demonstration of Raman laser action in many substances has opened up the possibility of making useful additions to the number of coherent lines obtained directly by laser action.

The transmission of laser beams through the earth's atmosphere, the interplanetary medium and the atmosphere of other planets have assumed immediate significance in connection with the potential use of lasers in the field of communications. The transmission problem is of equal interest in the atmospheric sciences where the prospect of using laser radars as probes offers unique advantages. Several meteorological applications of such radars as, for example, in the detection of clear air turbulence and the location of inversion and dust layers both at low and high levels in the atmosphere have been suggested and in some cases successfully demonstrated.

Extensive investigations on the effectiveness of laser beams for communication purposes have brought to the surface several interesting and intriguing problems which require detailed considerations. Since the problem becomes quite complicated if one has to take into account all the factors contributing to the

limitations of laser beam propagation in the atmosphere, it is necessary at least in the preliminary stages to consider them separately.

The problems of direct concern to this investigation are those arising out of scattering. For an effective solution of these problems, the method of radiative transfer theory can be adopted taking into account non-linear effects, time dependent factors, resonance effects, etc.

The light from the laser sources operating in the infrared region will interact most effectively with scatterers whose dimensions are in the micron and sub-micron range and are present in the earth's atmosphere (and presumably in other planetary atmospheres) as aerosols, meteoric matter and other suspensoids. The scattering process is described by Mie theory. The high intensities available from laser beams make it necessary to consider non-linear interaction terms which are usually neglected when scattering of ordinary light is considered. The effect of non-linear interaction terms will make the phase matrix more complicated.

When dealing with high power pulsed laser beam propagation through the atmosphere which is an inhomogeneous and turbulent medium it may be necessary to take into account the secondary sources generated in the medium and also time dependent parameters in radiative transfer equations.

Certain frequencies of operation of the laser beams might be placed close enough to rotational or vibrational rotational frequencies of molecules present in planetary atmospheres. In such cases resonant absorption and/or scattering might occur. Study of such absorption or scattering or both can lead to the detection

and, in favorable cases, the determination of height distribution of the molecules concerned.

The effect of multiple scattering of laser radiation in clouds is to give on the detector system a mean power level which is independent of the random motions of the particles and a very small fluctuating power level which depends on the random motions of the particles. A proper design of the detector geometry will depend upon the multiple-scattering parameters.

As the first phase of the research under the contract, Dr. Hariharan got acquainted with the voluminous literature available on lasers and their applications. In order to locate a proper operating laser system which could be used for further work, he visited several laboratories on the campus and in the vicinity. He visited Michelson Laboratory at NOTS at China Lake, where a generous collaboration was promised. Moreover, he participated at the Conference on Atmospheric Limitation to Optical Propagation, held by the National Bureau of Standards and National Center for Atmospheric Research in Boulder, Colorado, March 18-19, 1965.

After the literature survey and the survey of eventually available laser systems for experimental work, Dr. Hariharan spent a considerable amount of time in discussing with the project director the experimental program which would be in the realm of the available funds. Hence a simple design was conceived, first for a laboratory, then after a slight modification, for field work as well.

This system was proposed to have the following characteristics. The output beam of a laser source (either continuous or pulsed) will be spread over a large area of cross section by means of a diverging lens and an off axis parabolic mirror. Particular care will be taken to have as uniform an irradiance across the beam area as possible. The expected variation in irradiance will be less than 5 per cent. The expanded beam will pass through a large chamber wherein fogs of different optical thicknesses or particles of different sizes can be generated artificially with an ultrasonic nebuliser or aerosol generator. The laser beam passing through the chamber will suffer multiple scattering. The beam will be collected by an optical system onto a detector. The signal received by the detector will consist of two parts: (a) a steady signal due to the direct radiation; and (b) a fluctuating signal arising due to multiply scattered radiation whose angle of scattering can assume various values for different particles in the medium. It is possible to limit the angle of scattering for the scattered radiation entering the detector system by proper arrangement of field stops in the optical set up. The detector to be used will be a photomultiplier tube with an S-20 spectral response having high sensitivity and very low dark current. The output signal of the photomultiplier tube will be analysed by electronic devices to separate the steady and fluctuating components.

The main difficulty encountered in the experimental set up is the ability to achieve uniformity of irradiance over the beam cross section within reasonable limits. As is well known the intensity distribution across the area of the beam

coming out of a laser is Gaussian. If this is further spread out over a large area using an off axis parabolic mirror the irradiance becomes quite nonuniform. The necessary corrections have to be applied through what may be called uniformity masks containing neutral density coatings with varying transmissions across the surface.

The following experiments have been planned with the set up described above.

1. To study the effect of varying optical thickness of the medium on the scattered signal received.
2. To study the effect of varying particle sizes on the scattered signal.
3. To study the dispersion with wavelength of the above two phenomena using different lasers.
4. To compare the effects due to a coherent laser source and an incoherent source such as a high intensity Xenon or Mercury arc.
5. To study the amount of energy appearing in the wavelength region beyond the narrow halfwidth of the laser beam. This may give an idea of the amount of energy converted as Stokes or Antistokes radiation arising due to rotational or vibrational Raman scattering by the molecules in the medium.
6. To study the resonant absorption and/or scattering by water vapor of $\lambda = 1.153\mu$ radiation of He-Ne laser.

The experiments described above were planned to be carried out during the period January 1966 - December 1967. The contract was extended without

additional funds to April 1966 to allow closing out of activities. However the contract was not renewed and thus further work along the lines described above was stopped and was not realized.

Personnel of the project:

Professor Zdenek Sekera, Project Director

Dr. T. A. Hariharan, Senior Scientist

H. N. Murthy, Postgraduate Research Assistant

John Carroll, Research Assistant

Harvey Cogen, Engineering Aid

Bernara Bienstock, Laboratory Helper

Brett DeChaine, Laboratory Helper

Unclassified
Security Classification

DOCUMENT CONTROL DATA - R&D		
<i>(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)</i>		
1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION
University of California, Department of Meteorology, Los Angeles, California 90024		Unclassified
		2b. GROUP
3. REPORT TITLE		
Atmospheric Limitations to the Propagation of Laser Beams		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
Final Technical Report 1 Jan 65 - 30 April 66		
5. AUTHOR(S) (Last name, first name, initial)		
Sekera, Zdenek		
6. REPORT DATE	7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
April 1967	9	0
8a. CONTRACT OR GRANT NO.	9a. ORIGINATOR'S REPORT NUMBER(S)	
Nonr-233(96)		
b. PROJECT NO.		
c. TASK	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d. ARPA Authorization Requisition Number		
306		
10. AVAILABILITY/LIMITATION NOTICES		
DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED		
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY
		Dept. of Navy Office of Naval Research
13. ABSTRACT		
↓r After a thorough survey of the existing literature and experimental facilities available in the area, the program of investigations leading to the study of atmospheric limitations to the propagation of laser beams have been ^{were} outlined. Realization of this program has been prevented by the lack of further support. ↑		

DD FORM 1473
1 JAN 64

Unclassified
Security Classification

Unclassified

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Lasers	8					
Atmospheric limitations	5					
Survey of literature on	8					

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.

Unclassified

Security Classification