

E-105

| B R L



CONTRACT 169

REPORT NO. 6

AD 662719

UPPER ATMOSPHERE WINDS FROM  
GUN LAUNCHED VERTICAL PROBES  
(Yuma, 16-19 November 1966)

SPACE INSTRUMENTS RESEARCH, INC.

SCIENCE & TECHNOLOGY  
CLEARINGHOUSE  
McDonnell Douglas Astronautics  
Company, St. Louis, Missouri 63136

91

BRL CONTRACT 169 REPORT 6

UPPER ATMOSPHERE WINDS FROM  
GUN LAUNCHED VERTICAL PROBES  
(Yuma, 16-19 November 1966)

Prepared for

U. S. Army  
Ballistic Research Laboratories  
Aberdeen Proving Ground, Maryland  
Contract No. DA-01-009-AMC-169(X)

Prepared by:

Marvin Anthony  
Marvin Anthony

Research Assistant


and

William Epter  
William Epter  
Research Assistant

Approved by:

Howard D. Edwards  
Howard D. Edwards  
Technical Director

JUN 12 1967



SPACE INSTRUMENTS RESEARCH, INC.  
Atlanta, Georgia

June 1967

## TABLE OF CONTENTS

	Page
Introduction. . . . .	1
Data Acquisition. . . . .	2
Data Reduction . . . . .	4
Interpretation of Data. . . . .	6
Illustrations . . . . .	8 & 9
Synopsis of Results . . . . .	10
References. . . . .	12
Table of Trail Information. . . . .	15

### WIND PROFILES:

Fifteen Trail Releases	November 16-19, 1966	16
------------------------	----------------------	----

NOTE: The wind vector as given in this report is considered to point in the direction toward which the wind is blowing, (that is, a west wind is toward the west). Most meteorologists are accustomed to a  $180^{\circ}$  difference (that is, a west wind is from the west.)

## INTRODUCTION

For several years upper atmospheric winds over the lower West Indies have been studied by firing high altitude ballistic probes from a sixteen-inch gun. The installation of a similar 16" gun at Yuma Proving Ground, Arizona, early in 1966 has made possible a similar study of winds in this region. These firings are being carried out by the U. S. Army Ballistic Research Laboratories, Aberdeen Proving Ground, Maryland, under the direction of Dr. Charles H. Murphy, and by the Space Research Institute of McGill University, Canada, under the direction of Dr. G. V. Bull.

Atmospheric winds are studied by releasing chemical trails from the gun-fired probes during the upper portion of their trajectories. To date, the primary chemical which has been released is trimethyl aluminum (TMA). TMA produces a chemiluminescent glow in regions of the atmosphere above 85 kilometers, thus allowing the trails to be photographed while being distorted by upper atmosphere winds. The photographs are then reduced to provide wind information by Space Instruments Research, Inc. (SIR), using computer techniques.

The purpose of this report is to summarize results of these studies for the period from November 16 through November 19, 1966. A "Table of Trail Information" is given on page 15 and lists the trail number, shot number, date, time and altitude interval. Previous results for winds over Barbados, West Indies, are covered in Technical Reports No. 1, 2, 3, and 5. Technical report No. 4 covers previous results for winds over Yuma, Arizona.

## DATA ACQUISITION

The chemical trails are formed almost vertically over the gunsight (longitude  $114.3^{\circ}$ W, latitude  $32.9^{\circ}$ N) and extend from an altitude of approximately 85 kilometers through apogee. In some firings, TMA is also released on the down leg of the trajectory. To the unaided eye, the chemical release first appears as a straight white trail resembling a jet contrail. Within a minute or so, the trail is distorted into strange shapes by the upper atmospheric winds (see Figure 1) and fades from view within approximately fifteen minutes after initial release.

Space Instruments Research has established three photographic triangulation stations at Yuma and Cila Bend, Arizona, and Blythe, California. These sites are located at distances of up to 150 kilometers from the gunsight (see Figure 2).

Equipment at each site, built by SIR, consists of a camera unit containing two seven-inch focal length cameras mounted on a concrete pedestal, and an electronic control unit. Cameras are automatically pulsed to take exposures of 3, 6, and 12 seconds duration every 30 seconds.

Since commercial power is either unreliable or unavailable at many site locations, SIR has developed a battery operated 115-volt power supply for the control equipment. The power supply is tuning-fork controlled and provides 60 cycle power with an accuracy of 0.005% for the camera programmer so that pictures can be taken simultaneously at each site. A data block containing 24 tiny lights, mounted in each camera unit, records time, firing number, and site information in the corner of each frame of film.

During a typical night's operation, the gun is fired at one to two hour intervals, from sunset to sunrise. Photographs are taken by all sites during the time that the trail is visible. The film is then returned to Atlanta for processing and data reduction.

## DATA REDUCTION

Several computer programs have been developed which make it possible to calculate upper atmosphere winds from measurements made directly on the photographs of the luminous trails.

Since the method used is basically three-dimensional triangulation using spherical trigonometry, it is necessary to know precisely the direction each camera was pointed during a given firing. The direction is determined by first taking accurate measurements of the locations of several star images on the film, and then computing the azimuth and elevation of the optical axis of the camera by means of a computer program. This computer program makes use of the celestial coordinates of some 6,000 stars which have been stored on magnetic tape.

Wind speeds and directions are then determined from the location of the trail in space at a succession of known times. The location is found, using either a point location program or a trail location program, or both, and depends on the physical shape of the chemical release cloud.

Point location method. If the chemical release exhibits discrete points (resulting either from turbulence or from the nature of the release mechanism) and these points can be identified on films from two or more sites, the point location program can be used to calculate the position of each point in longitude, latitude, and altitude above sea level.

These calculations are made from data taken at successive times. A wind program is then used to calculate both vertical and horizontal winds from the motion of these points as a function of time.

Trail location method. Most of the chemical releases produce a smooth trail having few, if any, identifiable points. In such cases, film coordinates of a large number of incremental points along the film image of the trail are fed into the computer from data from two or more sites. The trail location program attempts to triangulate each point from one site with many points from another site, finally choosing points from both sites whose optical paths from camera into space form the closest spatial intersection. After doing many hundreds of such calculations, the computer is able to construct coordinates for a mathematical curve in the shape of the trail in space. Then, as with the point location program, winds can be determined from the motion of the curve with time. Here, however, it must be assumed that vertical winds are essentially zero. This assumption is borne out by previous studies which have shown vertical winds in this altitude region to be of the order of a few meters per second compared to horizontal winds ranging up to 150 meters per second.

Corrections for variables such as atmospheric refraction, rotation of camera about optical axis, and camera focal length, are incorporated into the programs to maintain high accuracy. Focal length and camera rotation are, in fact, calculated from measurements of the positions of star images on the films.

## INTERPRETATION OF DATA

Following the "Table of Trail Information," horizontal wind velocities are presented in tabular form and in plots of wind speed, direction, and components.

Winds were calculated at altitude intervals of one kilometer. Points on the various plots show the actual computed result, as listed in the table preceding the plot. A curve has been fitted to each set of points to aid in detecting wind patterns and to indicate reliability of the plotted results. Each curve has been drawn with a knowledge of intermediate results leading to the wind calculations and of the consistency of the winds as calculated between each of the five or more time intervals used. In cases where point-to-point curve fitting was not thought to reflect actual variations in wind speed, direction, or components, a more appropriate smooth curve has been drawn. Otherwise, the curves are fitted directly to the data points. Results of certain portions of the trails are at times less accurate than others due to the spatial orientation of those trail segments relative to the available photographic stations. Less accurate data also can result from photographs obscured by haze and clouds and from trails of short duration.

Wind speed plot. This plot shows the speed of the wind in meters per second as a function of height in kilometers above sea level.

Wind direction plot. The wind vector is considered to point in the direction toward which the wind is moving. The direction plot shows the direction of this vector in degrees clockwise from north as seen from above. Thus, a wind direction toward the east would be 90 degrees.

Wind components plot. While plots of wind direction and speed do completely describe the wind vector, it has been found helpful in studying wind patterns to present the north-south (N-S) and east-west (E-W) velocity components of the vector. In the north-south plot, north is positive; south is negative. In the east-west plot, east is positive, west negative. Components are plotted in meters per second versus height in kilometers.

The wind direction and components described above are referenced to true north. In addition, components have been calculated relative to magnetic north for comparison with other ionospheric phenomena. These components are not plotted but are listed in the tabulations preceding each set of plots.

Throughout this report, where shorter notation was desirable, "Up" or "U" and "Down" or "D" have replaced uptrail and downtrail, respectively.

FIGURE 1

PHOTOGRAPHS OF SHOT TWENTY-SIX


Photographs taken 132 seconds after firing:



YUMA



BLYTHE



GILA BEND

This set of pictures shows trail just as the vehicle stopped releasing chemical. Numbers indicate altitude in kilometers.


Photographs taken 202 seconds after firing:



YUMA




BLYTHE



GILA BEND

These pictures show trail corresponding to ground plot on next page.

Figure 2  
Location of SIR Photographic Stations  
HARP - Yuma



## SYNOPSIS OF RESULTS

The following comments may be helpful in interpreting the data contained in this report. Only those trails with unusual characteristics are discussed.

Trails No. Y12, Y13, Y22, and Y23 gave unusually high wind speeds which were generally in an eastward direction. On all four trails these high wind speeds occurred primarily in an altitude region from 104 to 112 kilometers.

### Trail No. Y13

Results at several altitudes of the uptrail were unobtainable because of insufficient data. The downtrail, however, did provide results at some of these altitudes, and the curve was consequently drawn through plotted results. For altitudes where neither uptrail nor downtrail provided results, a dashed curve was drawn in a smooth fashion. Separate curves were drawn at altitudes where confirmed differences in uptrail and downtrail exist.

These differences in uptrail and downtrail results are primarily in wind speed. The wind direction at some of the altitudes where speed differences occur is the same.

### Trail No. Y15

Uptrail and downtrail winds were distinctly different at practically all altitudes for which both up and down results were obtained.

### Trail No. Y20

The apogee for this shot (No. 28) was quite high, being approximately 180 km. However, since the chemical was spread over such a long range,

the visible trail faded very rapidly, particularly at the high altitudes. Therefore, only wind data up to 167 km was obtainable.

Trail No. Y22

The wind results of the uptrail and downtrail again differed distinctly at some altitudes. The magnitude of difference becomes larger with increasing altitude.

## REFERENCES

1. Albritton, D. L., L. C. Young, H. D. Edwards, and J. L. Brown, "Position Determination of Artificial Clouds in the Upper Atmosphere," Photogrammetric Engineering, September 1962.
2. Armstrong, E. B., "Observations of Luminous Clouds Produced in the Upper Atmosphere by Exploding Grenades I, II and III," Planet, Space Sci., 11, 733-758, 1963.
3. Bedinger, J. F., Compendium of Wind Data from the Vapor Trail Technique," GCA Tech. Report. 66-7-N, March 1966.
4. Blamont, J. E., "Turbulence in Atmospheric Motions Between 90 and 130 km of Altitude," Planetary and Space Sciences, 10, 89-101, 1963.
5. Bull, G. V., C. H. Murphy, "Gun Launched Missiles for Upper Atmosphere Research," AIAA Preprint No. 64-18, January 1964.
6. Bull, G. V., H. J. Luckert, "Report of the March 1965 Test Firing Series," Project HARP, McGill University Report SRI-H-R-9, July 1965.
7. Cato, O., "Turbulent Diffusion of Sodium Vapor Trails in the Upper Atmosphere," GCA Technical Report No. 65-5-N, Contract NASw-1083, March 1965.
8. Champion, K. S. W., "Atmospheric Structure and Its Variations in the Lower Thermosphere," Planet, Space Sci., 13, 325-338, 1965.
9. Edwards, H. D., M. M. Cooksey, C. G. Justus, R. N. Fuller, D. L. Albritton, N. W. Rosenberg, "Upper Atmosphere Wind Measurements Determined from Twelve Rocket Experiments," J. Geophys. Res., 68, 3021-3032, 1963.
10. Edwards, H. D., C. G. Justus, D. C. Kurts, "Evening Twilight Winds from 68 to 140 Kilometers for May 21, 1963," J. Geophys. Res., 68, 6062-6063, 1963.
11. Elford, W. G., and R. G. Roper, "Turbulence in the Lower Thermosphere," to be published in Space Research VII, 1967.
12. Golomb, D., and M. M. MacLeod, "Diffusion Coefficients in the Upper Atmosphere from Chemiluminous Trails," J. Geophys. Res., 71, 2299-2305, 1966.
13. Golomb, D., N. W. Rosenberg, C. Abaronian, J. A. Hill, and H. L. Alden, "Oxygen Atom Determination in the Upper Atmosphere by Chemiluminescence of Vitric Oxide," J. Geophys. Res., 70, 1155-1173, 1965.
14. Hines, C. O., "Ionospheric Movements and Irregularities," Research in Geophysics, Vol. 1, 299-318, 1964.

15. Hines, C. O., "Minimum Vertical Scale Sizes in the Wind Structure Above 100 Kilometers," J. Geophys. Res., 69, 2847-2848, 1964.
16. Hines, C.O., "Dynamical Heating in the Upper Atmosphere," J. Geophys. Res., 70, 177-183, 1965.
17. Hines, C. O., "Diurnal Tide in the Upper Atmosphere," Jour. Geophys. Research 71, 1453, 1966.
18. Hines, C. O., "On the Analysis and Interpretation of Winds Observed at Heights of 85 to 135 Kilometers: A Rebuttal," J. Geophys. Res. 71, 1461, 1966.
19. Johnson, E. R., and R. H. Lloyd, "Determination of Diffusion Coefficients from Observations on Grenade Glow Clouds," Australian Jour. Phys. 16, 490-499, 1963.
20. Justus, C. G., "The Energy Balance of Turbulence in the Upper Atmosphere," J. Geophys. Res. 71, No. 15, August 1, 1966.
21. Justus, C. G., H. D. Edwards, R. N. Fuller, "A Method Employing Star Backgrounds for Improving the Accuracy of the Location of Clouds or Objects in Space," Photogrammetric Engineering, July 1964.
22. Kochanski, A., "Atmospheric Motions from Sodium Cloud Drifts at Four Locations," Monthly Weather Review, Vol. 94, No. 4, April 1966.
23. Lloyd, K. H., and L. M. Shappard, "Atmospheric Structure at 130-200 km Altitude from Observations on Grenade Glow Clouds During 1962-63," Australian Jour. Phys., 19, 323-342, 1966.
24. Morgan, A. W., "Measurements of Winds by Chemical Releases in the Upper Atmosphere, NASA Technical Memorandum, NASA TM X-53363, December 1965.
25. Murphy, C. H., G. V. Bull, H. D. Edwards, "Upper Atmosphere Winds Measured by Gun Launched Projectiles," AMS/AIAA Conference on Aerospace Meteorology, March 1966, and J. Geophys. Res. (in press).
26. Noel, T. M., "A Measurement of Turbulence Power and Small Eddy Scale Near 105 Kilometers," J. Geophys. Res., 68, 2862-2863, 1963.
27. Nordberg, W., "Rocket Soundings in the Mesosphere," in NASA SP-49 (Meteorological Observations above 30 km) 1964.
28. Roper, R. G., "Dissipation of Wind Energy in the Height Range 80 to 140 km," Jour. Geophys. Res., 71, September 15, 1966.
29. Roper, R. G., "The Semidiurnal Tide in the Lower Thermosphere," Jour. Geophys. Res. (accepted for publication, probably Dec. 15, 1966).

30. Roper, R. G., "Atmospheric Turbulence in the Meteor Region," Jour. Geophys. Res. (accepted for publication, probably December 15, 1966.)
31. Rosenberg, N. W., H. D. Edwards, and J. W. Wright, "Ionospheric Winds: Motions into Night and Sporadic E Correlations," Space Research 4, 171-181, 1964.
32. Rosenberg, N. W., D. Golomb, E. F. Allen, "Chemiluminescence of Trimethyl aluminum Released into the Upper Atmosphere," J. Geophys. Res. 68, 5895-5898, 1963.
33. Rosenberg, N. W., D. Golomb, E. F. Allen, "Resonance Radiation of Al<sub>10</sub> from Trimethyl Aluminum Released into the Upper Atmosphere," J. Geophys. Res. 69, 1451-1454, 1964.
34. Rosenberg, N. W., D. Golomb, E. F. Allen, "Chemiluminescent Techniques for Studying Nighttime Winds in the Upper Atmosphere," J. Geophys. Res. 68, 3328-3330, 1963.
35. Rosenberg, N. W., C. G. Justus, "Space and Time Correlations of Ionospheric Winds," Radio Science, 1, No. 2, February 1966.
36. Shappard, L. M., and K. H. Lloyd, "Atmospheric Density and the Diffusion of Grenade Glow Clouds," Planet Space Sci., 12, 317-318, 1964.
37. Zimmerman, "Small-Scale Wind Structure Above 100 km," Jour. Geophys. Res., 69, 784-785, 1964.

TABLE OF TRAIL INFORMATION

<u>Trail No.</u>	<u>Shot No.</u>	<u>Date</u>	<u>Time (MST)</u>	<u>Altitudes (km)</u>
Y10	0017	16 November 1966	18:41:24	92-112
Y11	0018	16 November 1966	20:41:52	90-119
Y12	0019	16 November 1966	22:32:07	90-112
Y13	0020	17 November 1966	00:16:13	96-120
Y14	0022	18 November 1966	18:18:47	88-120
Y15	0023	18 November 1966	20:12:21	85-127
Y16	0024	18 November 1966	21:49:42	89-139
Y17	0025	18 November 1966	23:43:00	89-138
Y18	0026	19 November 1966	01:01:22	91-144
Y19	0027	19 November 1966	02:35:35	88-120
Y20	0028	19 November 1966	04:52:53	92-167
Y21	0030	19 November 1966	19:45:00	93-142
Y22	0031	19 November 1966	21:21:29	91-111
Y23	0032	19 November 1966	22:37:53	90-111
Y24	0033	19 November 1966	23:59:14	91-147

TABULATIONS AND PLOTS

FIFTEEN TMA TRAILS - 16-19 NOVEMBER, 1966

NOTE: The wind vector as given in this report is considered to point in the direction toward which the wind is blowing, (that is, a west wind is toward the west.) Most meteorologists are accustomed to a 180° difference, (that is, a west wind is from the west.)

YUMA

TRAIL NO. Y10  
16 NOVEMBER 1966

18-41-24 MST

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC WIND COMPONENTS (M/S)			MAGNETIC E-W
			N-S	E-W	N-S	
92.0	318.7	39.7	29.8	-26.2	22.4	-32.7
93.0	321.1	41.5	32.3	-26.0	24.9	-33.2
94.0	327.9	42.5	36.0	-22.6	29.3	-30.8
95.0	7.2	53.5	53.1	6.7	53.1	-6.6
96.0	20.3	56.9	53.4	19.8	56.6	6.0
97.0	28.7	51.1	44.8	24.5	49.5	12.7
98.0	43.9	40.3	29.0	27.9	35.0	19.9
99.0	78.7	30.7	6.0	30.1	13.2	27.7
100.0	108.0	32.2	-9.9	30.6	-2.1	32.1
101.0	119.9	34.8	-17.4	30.2	-9.4	33.6
102.0	116.8	29.6	-13.3	26.4	-6.4	28.9
103.0	106.1	20.6	-5.7	19.8	-0.7	20.6
104.0	62.8	15.4	7.0	13.7	10.2	11.6
105.0	40.9	22.5	17.0	14.7	20.1	10.1
106.0	29.7	19.1	16.6	9.5	18.4	5.1
107.0	208.0	24.7	-21.8	-11.6	-24.0	-5.9
108.0	220.8	68.0	-51.5	-44.4	-60.8	-30.4
109.0	220.2	87.2	-66.6	-56.2	-78.4	-38.1
110.0	219.6	110.4	-85.0	-70.5	-99.7	-47.4
111.0	224.4	118.7	-84.9	-83.1	-102.7	-59.6
112.0	231.2	123.5	-77.3	-96.3	-98.6	-74.3

## WIND COMPONENTS

UP

N-S ○


E-W ●

TRAIL NO. Y10

18:41:24 MST

16 NOVEMBER 1966

H.A.R.P. YUMA



WIND SPEED


• UP

TRAIL NO. Y10

18:41:24 MST


16 NOVEMBER 1966

H.A.R.P. YUMA



WIND DIRECTION  
• UP

TRAIL NO. Y10  
18:41:24 MST  
16 NOVEMBER 1966  
H.A.R.P. YUMA



YUMA

TRAIL NO. Y11  
16 NOVEMBER 1966

20-41-52 MST

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC WIND COMPONENTS (M/S)		MAGNETIC E-W	
			N-S	E-W	N-S	E-W
90.0	54.0	5.7	3.4	4.6	4.4	3.6
91.0	340.7	4.7	4.5	-1.6	4.0	-2.7
92.0	9.0	5.6	5.6	0.9	5.6	-0.5
93.0	46.3	10.7	7.4	7.7	9.1	5.6
94.0	78.4	21.6	4.4	21.2	9.5	19.5
95.0	88.0	32.0	1.1	32.0	8.9	30.7
96.0	79.7	37.7	6.8	37.1	15.7	34.3
97.0	78.6	43.2	8.5	42.3	18.7	38.9
98.0	81.2	50.6	7.8	50.0	19.9	46.5
99.0	95.5	71.8	-6.9	71.5	10.9	71.0
100.0	102.5	74.9	-16.2	73.1	2.3	74.8
101.0	105.5	64.3	-17.2	62.0	-1.4	64.3
102.0	126.7	21.3	-12.7	17.1	-8.1	19.7
103.0	215.3	71.3	-58.2	-41.2	-66.6	-25.6
104.0	212.9	110.2	-92.5	-59.9	-104.4	-35.3
105.0	211.5	125.4	-106.9	-65.6	-119.8	-37.3
106.0	213.7	133.6	-111.1	-74.1	-125.9	-44.5
107.0	226.6	135.3	-93.0	-98.2	-114.3	-72.3
108.0	233.3	136.3	-81.5	-109.3	-105.9	-85.9
109.0	255.6	133.0	-33.0	-128.8	-63.7	-116.7
110.0	261.1	138.8	-21.4	-137.1	-54.5	-127.6
111.0	269.7	145.5	-0.7	-145.5	-36.5	-140.9
112.0	284.5	161.3	40.3	-156.2	0.6	-161.3
113.0	288.5	157.3	49.8	-149.2	11.5	-156.9
114.0	291.8	155.8	58.0	-144.6	20.6	-154.4
115.0	301.6	140.0	73.3	-119.2	41.7	-133.6
116.0	305.3	135.8	78.5	-110.8	48.8	-126.7
117.0	307.3	135.0	81.8	-107.4	52.8	-124.2
118.0	309.5	132.1	83.9	-102.0	56.2	-119.5
119.0	317.6	100.8	74.5	-67.9	55.5	-84.1


## WIND COMPONENTS

TRAIL NO. Y11

20:41:52 MST

16 NOVEMBER 1966

H.A.R.P. YUMA



WIND SPEED


• UP

TRAIL NO. Y11

20:41:52 MST

16 NOVEMBER 1966

H.A.R.P. YUMA



WIND DIRECTION


• UP

TRAIL NO. Y11

20:41:52 MST

16 NOVEMBER 1966

H.A.R.P. YUMA



YUMA

TRAIL NO. 712  
16 NOVEMBER 1966

22-3, -07 MST

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED WIND (M/S)	GEOGRAPHIC WIND COMPONENTS (M/S)			MAGNETIC E-W
			N-S	E-W	N-S	
90.0	132.5	14.4	-9.8	10.7	-6.9	12.8
91.0	114.6	15.2	-5.5	12.0	-2.4	13.0
92.0	90.9	12.5	-0.2	12.5	2.9	12.2
93.0	87.6	37.6	1.6	37.6	10.8	36.0
94.0	96.8	39.0	-4.6	38.7	5.1	38.6
95.0	97.5	45.4	-5.9	45.0	5.4	45.1
96.0	97.5	59.3	-7.7	58.8	7.0	58.9
97.0	92.9	64.7	-3.3	64.6	12.7	63.4
98.0	104.3	61.9	-15.3	60.0	-0.1	61.9
99.0	157.6	47.0	-43.5	17.9	-37.8	28.1
100.0	185.8	71.5	-71.1	-7.3	-70.7	10.4
101.0	202.0	76.3	-70.7	-28.6	-75.6	-10.3
102.0	216.4	84.9	-68.3	-50.3	-78.6	-31.9
103.0	234.6	118.5	-68.7	-96.6	-90.4	-76.7
104.0	242.8	126.9	-58.0	-112.8	-84.0	-95.1
105.0	254.3	149.7	-40.4	-144.2	-74.7	-129.8
106.0	262.5	153.0	-20.0	-151.6	-56.7	-142.0
107.0	268.6	169.1	-4.2	-169.1	-45.7	-162.9
108.0	284.1	173.5	42.3	-168.2	-0.4	-173.4
109.0	293.7	181.3	72.9	-165.9	29.8	-178.7
110.0	310.6	132.8	86.4	-100.8	58.9	-119.0
111.0	311.0	128.4	84.3	-96.8	57.9	-114.6
112.0	315.8	118.3	84.8	-82.5	61.9	-100.8

## WIND COMPONENTS

UP

N-S ○


E-W ●

TRAIL NO. Y12

22:32:07 MST

16 NOVEMBER 1966

H.A.R.P. YUMA



WIND SPEED


• UP

TRAIL NO. Y12

22:32:07 MST

16 NOVEMBER 1966

H.A.R.P. YUMA



WIND DIRECTION


• UP

TRAIL NO. Y12

22:32:07 MST

16 NOVEMBER 1966

H.A.R.P. YUMA



YUMA

TRAIL NO. Y13  
17 NOVEMBER 1966

00-10-13 MST

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC WIND COMPONENTS (M/S)			MAGNETIC E-W
			N-S	E-W	N-S	
96.0	123.2	59.9	-32.8	50.1	-19.5	56.6
97.0	146.1	59.7	-49.6	33.3	-39.9	44.5
98.0	186.6	78.3	-77.8	-5.1	-77.6	10.3
99.0	228.7	82.6	-54.5	-52.0	-68.1	-46.7
100.0	248.9	109.9	-39.6	-102.5	-63.6	-89.6
106.0	284.7	165.6	42.0	-160.2	1.3	-165.6
107.0	289.7	167.6	56.4	-157.8	15.8	-166.8
108.0	298.8	160.2	77.2	-140.4	40.3	-155.1
109.0	312.1	154.4	103.6	-114.5	72.2	-136.5
110.0	345.3	114.7	110.9	-29.2	100.3	-55.6
111.0	0.2	112.1	112.1	0.4	108.7	-27.2
112.0	16.6	117.2	112.3	33.4	117.1	4.7
113.0	28.9	129.5	113.4	62.5	125.3	32.7
116.0	34.0	116.1	96.2	65.0	109.2	39.3
118.0	36.2	93.6	75.5	55.3	86.8	35.0
119.0	38.5	68.3	53.5	42.5	62.3	28.0
120.0	44.8	59.6	42.3	42.0	51.3	30.3

## DOWNTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC WIND COMPONENTS (M/S)			MAGNETIC E-W
			N-S	E-W	N-S	
103.0	274.7	150.9	12.3	-150.4	-25.1	-148.8
104.0	281.7	162.6	33.1	-159.2	-7.1	-162.4
105.0	285.5	165.7	44.4	-159.7	3.7	-165.7
106.0	290.6	162.7	57.3	-152.2	18.1	-161.6
107.0	293.8	150.6	60.7	-137.8	24.9	-148.5
108.0	301.6	146.6	75.8	-124.8	43.7	-139.9
109.0	317.4	138.8	102.2	-93.9	75.9	-116.2
110.0	338.0	119.8	111.1	-44.8	96.7	-70.8
111.0	358.0	110.6	110.5	-3.9	106.1	-21.0
112.0	15.6	117.1	112.8	31.5	117.1	2.8
113.0	26.1	127.2	114.3	53.9	124.5	26.0
114.0	32.3	131.9	111.5	70.5	125.4	40.9
115.0	35.5	120.8	98.3	70.2	112.6	43.8
116.0	37.4	102.9	81.8	52.5	94.7	40.4
117.0	37.9	87.3	68.9	43.6	80.6	35.0
118.0	39.9	67.5	51.8	43.4	60.9	24.3
119.0	46.0	49.2	34.2	35.3	41.8	15.8
120.0	55.9	43.4	24.3	35.9	32.4	28.8

## WIND COMPONENTS

UP DOWN


N-S      $\circ$       $\Delta$ E-W      $\bullet$       $\blacktriangle$ 

TRAIL NO. Y13

00:16:13 MST

17 NOVEMBER 1966

H.A.R.P. YUMA



## WIND SPEED


- UP
- ▲ DOWN

TRAIL NO. Y13

00:16:13 MST

17 NOVEMBER 1966

H.A.R.P. YUMA



WIND DIRECTION


- UP
- ▲ DOWN

TRAIL NO. Y13

00:16:13 MST

17 NOVEMBER 1966

H.A.R.P. YUMA



YUMA

TRAIL NO. Y14  
18 NOVEMBER 1966

18-18-47 MST

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC WIND COMPONENTS (M/S)			MAGNETIC E-W
			N-S	E-W	N-S	
88.0	202.9	42.5	-39.2	-16.6	-42.1	-6.4
89.0	210.5	46.1	-39.7	-23.4	-44.2	-12.9
90.0	224.5	43.0	-30.7	-30.2	-37.2	-21.7
91.0	228.2	45.1	-30.1	-33.6	-37.4	-25.2
92.0	228.1	47.9	-32.0	-35.6	-39.8	-26.6
93.0	231.5	49.0	-30.5	-38.4	-39.0	-29.7
94.0	255.1	56.8	-14.6	-54.9	-27.7	-49.6
95.0	269.2	61.0	-0.8	-61.0	-15.8	-58.9
96.0	287.7	49.1	14.9	-46.8	2.9	-49.0
97.0	298.6	41.4	19.8	-36.4	10.2	-40.2
98.0	311.6	36.5	24.2	-27.3	16.7	-32.4
99.0	347.7	34.0	33.2	-7.2	30.4	-15.2
100.0	13.1	40.8	39.8	9.2	40.8	-0.9
101.0	36.5	41.1	33.0	24.4	38.0	15.5
102.0	62.4	39.3	18.2	34.8	26.2	29.2
103.0	89.4	39.2	0.4	39.2	10.0	37.9
104.0	88.7	33.9	0.8	33.9	9.1	32.7
105.0	25.5	33.0	29.8	14.2	32.4	6.4
106.0	350.0	39.3	38.7	-6.8	35.8	-16.1
107.0	336.2	38.8	35.5	-15.7	30.5	-24.0
108.0	336.6	36.1	33.2	-14.4	28.6	-22.1
109.0	351.7	27.5	27.3	-4.0	25.5	-10.6
110.0	355.7	25.6	25.5	-1.9	24.2	-8.1
111.0	0.0	21.2	21.2	0.0	20.5	-5.2
112.0	16.7	12.4	11.9	3.6	12.4	0.6
113.0	88.9	7.8	0.1	7.8	2.0	7.5
114.0	126.0	14.7	-8.6	11.9	-5.4	13.7
115.0	131.2	16.8	-11.1	12.6	-7.7	14.9
116.0	132.2	20.9	-14.0	15.5	-9.8	18.5
117.0	137.0	26.0	-19.0	17.7	-14.1	21.8
118.0	141.2	26.9	-21.0	16.9	-16.2	21.5
119.0	142.9	26.0	-20.8	15.7	-16.3	20.3
120.0	151.2	24.4	-21.4	11.7	-17.9	16.6

## WIND COMPONENTS


UP  
N-S   ○  
E-W   ●

TRAIL NO. Y14

18:18:47 MST

18 NOVEMBER 1966

H.A.R.P. YUMA



WIND SPEED


• UP

TRAIL NO. Y14

18:18:47 MST

18 NOVEMBER 1966

H.A.R.P. YUMA



WIND DIRECTION


• UP

TRAIL NO. Y14

18:18:47 MST

18 NOVEMBER 1966

H.A.R.P. YUMA



YUMA

TRAIL NO. Y15

18 NOVEMBER

20-12-21 MST

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED WIND (M/S)	GEOGRAPHIC WIND COMPONENTS (M/S)			MAGNETIC E-W
			N-S	E-W	N-S	
85.0	170.3	55.4	-54.6	9.3	-50.6	22.5
86.0	183.2	51.4	-51.3	-2.9	-50.4	9.8
87.0	190.9	48.2	-47.4	-9.1	-48.2	2.8
88.0	202.6	45.3	-41.9	-17.4	-44.9	-6.6
89.0	209.6	46.1	-40.1	-22.8	-44.5	-12.2
90.0	208.5	40.0	-35.1	-19.1	-38.7	-9.9
91.0	210.4	32.0	-27.6	-16.2	-30.7	-8.9
92.0	250.6	23.8	-7.9	-22.5	-13.2	-19.9
93.0	290.1	30.4	10.4	-28.5	3.1	-30.2
94.0	324.7	26.4	20.4	-16.7	15.7	-21.2
95.0	19.1	29.2	27.6	9.6	29.1	2.5
96.0	32.6	42.1	35.4	22.7	39.9	13.3
97.0	45.5	40.3	28.2	28.8	34.4	21.0
98.0	104.7	53.9	-13.6	52.2	-0.3	53.9
99.0	118.5	67.1	-32.1	59.0	-16.6	65.1
100.0	129.2	81.1	-51.3	62.8	-34.3	73.5
101.0	135.6	85.3	-60.9	59.7	-44.3	72.9
102.0	141.4	89.8	-70.1	56.0	-54.2	71.5
103.0	146.1	89.0	-73.8	49.7	-59.3	66.3
104.0	157.3	75.9	-70.1	29.3	-60.7	45.7
105.0	205.7	17.9	-16.1	-7.8	-17.5	-3.6
106.0	227.5	14.0	-9.5	-10.3	-11.7	-7.6
107.0	258.2	11.2	-2.3	-11.0	-4.9	-10.1
108.0	307.8	10.0	6.1	-7.9	4.0	-9.2
109.0	349.4	17.0	16.7	-3.1	15.4	-7.1
110.0	353.1	19.5	19.4	-2.3	18.2	-7.0
111.0	351.8	20.9	20.7	-3.0	19.3	-8.0
112.0	348.4	22.9	22.4	-4.6	20.6	-10.0
113.0	344.9	23.0	22.2	-6.0	20.0	-11.3
114.0	343.7	22.7	21.8	-6.4	19.6	-11.6
115.0	338.1	21.4	19.9	-8.0	17.3	-12.7
116.0	315.5	17.4	12.4	-12.2	9.0	-14.9
117.0	281.2	14.4	2.8	-14.1	-0.8	-14.4
118.0	258.3	20.7	-4.2	-20.3	-9.1	-18.6
119.0	243.5	20.1	-9.0	-18.0	-13.2	-15.2
120.0	229.9	23.9	-15.4	-18.3	-19.4	-15.9
121.0	222.4	29.0	-21.4	-19.6	-25.6	-13.7
122.0	229.4	28.2	-18.3	-21.4	-23.0	-16.2
123.0	227.0	37.2	-20.4	-27.2	-31.3	-20.1
124.0	229.8	41.5	-26.8	-31.7	-33.8	-24.1
125.0	234.8	45.2	-26.0	-36.9	-34.3	-29.4
126.0	240.1	55.1	-27.5	-47.8	-38.4	-39.6

## DOWNTAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED WIND (M/S)	GEOGRAPHIC WIND COMPONENTS (M/S)			MAGNETIC E-W
			N-S	E-W	N-S	
101.0	146.6	76.5	-63.8	42.2	-51.4	56.6
102.0	150.3	66.4	-57.7	32.8	-47.9	46.0
103.0	150.2	60.7	-52.7	30.2	-43.6	42.2
104.0	158.0	46.8	-43.3	17.5	-37.7	27.6
105.0	215.5	20.5	-16.7	-11.9	-19.1	-7.4
106.0	257.3	21.8	-4.8	-21.3	-9.9	-19.5
107.0	275.9	21.2	2.2	-21.1	-3.1	-21.0
108.0	298.7	16.3	7.8	-14.3	4.0	-15.8
109.0	352.9	12.4	12.3	-1.5	11.6	-4.5
110.0	359.4	16.9	16.9	-0.2	16.3	-4.4
111.0	344.2	22.6	21.7	-6.1	19.5	-11.3
112.0	336.6	26.6	24.4	-10.6	21.0	-16.3
113.0	328.4	27.4	23.3	-14.3	19.1	-19.6
114.0	321.7	26.3	20.6	-16.3	16.0	-20.9
115.0	311.5	25.1	16.6	-18.8	11.5	-22.3
116.0	298.0	23.5	11.0	-20.7	5.6	-22.8
117.0	283.3	21.4	4.9	-20.8	-0.4	-21.4
118.0	266.9	21.0	-1.1	-20.9	-6.2	-20.0
119.0	250.1	21.9	-7.4	-20.6	-12.2	-18.1
120.0	229.6	21.8	-14.1	-16.6	-17.8	-12.6
121.0	220.9	24.6	-18.6	-16.1	-22.0	-11.0
122.0	219.1	23.7	-18.4	-14.9	-21.5	-9.9
123.0	216.8	18.9	-15.1	-11.3	-17.4	-7.2
124.0	218.0	14.5	-11.4	-8.9	-13.2	-5.8
125.0	219.9	9.9	-7.6	-6.3	-8.9	-4.2
126.0	215.8	3.5	-2.9	-2.1	-3.3	-1.3
127.0	42.6	3.8	2.8	2.6	3.4	1.8

## WIND COMPONENTS

UP DOWN

N-S     ○     △


E-W     ●     ▲

TRAIL NO. Y15

20:12:21 MST

18 NOVEMBER 1966

H.A.R.P. YUMA



WIND SPEED


- UP
- ▲ DOWN

TRAIL NO. Y15

20:12:21 MST

18 NOVEMBER 1966

H.A.R.P. YUMA



WIND DIRECTION


- UP
- ▲ DOWN

TRAIL NO. Y15

20:12:21 MST

18 NOVEMBER 1966

H.A.R.P. YUMA



YUMA

TRAIL NO. Y16  
18 NOVEMBER 1966

21-49-42 MST

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED WIND (M/S)	GEOGRAPHIC WIND COMPONENTS		MAGNETIC (M/S)	
			N-S	E-W	N-S	E-W
89.0	268.5	26.1	-0.7	-26.1	-7.1	-25.1
90.0	268.6	28.6	-0.7	-28.6	-7.7	-27.5
91.0	270.6	21.1	0.2	-21.1	-5.0	-20.5
92.0	271.0	18.5	0.3	-18.5	-4.3	-18.0
93.0	287.8	18.3	5.6	-17.4	1.1	-18.2
94.0	352.3	4.6	4.5	-0.6	4.2	-1.7
95.0	98.8	18.0	-2.8	17.8	1.7	17.9
96.0	105.9	32.0	-8.8	30.8	-0.9	32.0
97.0	107.7	39.4	-12.0	37.5	-2.4	39.3
98.0	110.1	43.1	-14.8	40.4	-4.4	42.8
99.0	116.3	53.9	-23.9	48.3	-11.3	52.7
100.0	126.2	63.7	-37.6	51.4	-23.8	59.1
101.0	155.5	54.2	-49.3	22.5	-42.2	33.9
102.0	200.5	46.2	-43.3	-16.1	-45.9	-4.9
103.0	229.6	38.5	-25.0	-29.3	-31.4	-22.2
104.0	249.3	33.9	-12.0	-31.7	-19.4	-27.8
105.0	257.1	35.4	-7.9	-34.5	-16.1	-31.5
106.0	261.8	37.2	-5.3	-36.9	-14.2	-34.5
107.0	265.1	39.5	-3.4	-39.4	-13.0	-37.4
108.0	267.4	41.0	-1.9	-41.0	-11.9	-39.3
109.0	266.5	43.9	-2.7	-43.8	-13.4	-41.8
110.0	269.8	43.3	-0.2	-43.3	-10.9	-41.9
111.0	272.1	42.0	1.5	-41.9	-8.9	-41.0
112.0	284.3	36.5	9.0	-35.4	0.0	-36.5
113.0	291.9	35.7	13.3	-33.1	4.7	-35.4
114.0	293.4	35.1	13.9	-32.2	5.5	-34.6
115.0	302.8	36.6	19.9	-30.8	11.7	-34.8
116.0	312.4	39.7	26.8	-29.4	18.7	-35.1
117.0	317.8	38.9	28.8	-26.1	21.5	-32.4
118.0	324.8	39.9	32.6	-23.0	25.9	-30.3
119.0	333.4	43.2	38.6	-19.4	32.6	-28.3
120.0	337.9	47.6	44.1	-17.9	38.3	-28.2
121.0	345.3	50.8	49.2	-12.9	44.5	-24.6
122.0	352.7	54.0	53.5	-6.9	50.2	-19.9
123.0	0.3	57.2	57.2	0.3	55.5	-13.8
124.0	12.0	61.9	60.6	12.9	61.9	-2.4
125.0	16.4	64.1	61.5	18.1	64.1	2.4

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC WIND COMPONENTS (M/S)		MAGNETIC E-W	
			N-S	E-W	N-S	E-W
126.0	27.5	68.7	61.0	31.7	66.9	15.7
127.0	35.3	70.7	57.7	40.9	66.0	25.4
128.0	43.9	72.0	51.8	49.9	62.5	35.6
129.0	53.1	71.9	43.1	57.5	55.9	45.1
130.0	61.1	71.6	34.6	62.7	49.0	52.3
131.0	73.8	71.2	19.8	68.4	36.0	61.4
132.0	88.9	74.4	1.5	74.4	19.8	71.7
133.0	100.1	80.3	-14.1	79.0	5.8	80.0
134.0	106.3	87.8	-24.7	84.2	-3.2	87.7
135.0	112.3	89.9	-34.1	83.2	-12.6	89.0
136.0	117.4	95.8	-44.1	85.1	-21.8	93.3
137.0	119.2	92.3	-45.0	80.6	-23.8	89.2
138.0	122.8	92.4	-50.0	77.7	-29.3	87.6
139.0	125.8	92.1	-53.9	74.7	-33.9	85.7

## WIND COMPONENTS

UP

N-S ○


E-W ●

TRAIL NO. Y16

21:49:42 MST

18 NOVEMBER 1966

H.A.R.P. YUMA



WIND SPEED


• UP

TRAIL NO. Y16

21:49:42 MST

18 NOVEMBER 1966

H.A.R.P. YUMA



WIND DIRECTION


• UP

TRAIL NO. Y16

21:49:42 MST

18 NOVEMBER 1966

H.A.R.P. YUMA



YUMA

TRAIL NO. Y17  
18 NOVEMBER 1966

23-43-09 MST

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED WIND (M/S)	GEOGRAPHIC		MAGNETIC	
			N-S	E-W	WIND COMPONENTS (M/S)	N-S
89.0	25.5	38.8	35.0	16.7	38.0	7.6
90.0	32.4	40.5	34.2	21.7	38.5	12.6
91.0	39.9	44.9	34.5	28.8	40.5	19.4
92.0	47.1	51.4	35.0	37.7	43.2	27.9
93.0	73.5	44.4	12.7	42.6	22.8	38.2
94.0	97.8	35.2	-4.8	34.8	3.9	34.9
95.0	118.9	32.6	-15.8	28.5	-8.3	31.5
96.0	126.8	38.6	-23.1	30.9	-14.8	35.6
97.0	122.6	45.9	-24.7	38.7	-14.4	43.6
98.0	120.2	55.6	-28.0	48.1	-15.3	53.5
99.0	130.4	55.7	-36.1	42.4	-24.6	50.0
100.0	179.7	55.0	-55.0	0.3	-53.2	13.8
101.0	209.1	71.0	-62.0	-34.6	-68.6	-18.3
102.0	234.4	95.4	-55.5	-77.5	-72.9	-61.5
103.0	239.0	90.2	-46.4	-77.4	-64.0	-63.6
104.0	243.1	91.7	-41.5	-81.7	-60.3	-69.0
105.0	255.6	93.2	-23.1	-90.3	-44.6	-81.8
106.0	264.1	102.2	-10.5	-101.7	-35.2	-96.0
107.0	265.9	109.3	-7.9	-109.0	-34.5	-103.7
108.0	281.3	108.9	21.4	-106.7	-5.5	-108.7
109.0	296.9	88.9	40.3	-79.3	19.5	-86.8
110.0	316.5	74.2	53.8	-51.0	39.6	-62.7
111.0	338.3	72.1	66.9	-26.7	58.3	-42.3
112.0	345.4	67.5	65.3	-17.0	59.1	-32.6
113.0	345.6	67.3	65.2	-16.8	59.1	-32.3
114.0	353.8	64.3	63.9	-7.0	60.2	-22.5
115.0	2.3	61.6	61.5	2.5	60.2	-12.7
116.0	2.4	62.6	62.6	2.6	61.3	-12.9
117.0	5.9	59.6	59.3	6.1	59.0	-8.7
118.0	11.2	55.1	54.1	10.7	55.1	-2.9
119.0	23.4	47.8	43.8	19.0	47.1	7.6
120.0	42.6	45.7	33.7	30.9	40.3	21.7
121.0	60.8	47.5	23.2	41.4	32.7	34.4
122.0	76.6	49.4	11.5	48.0	23.0	43.7
123.0	91.7	54.5	-1.6	54.5	11.9	53.2
124.0	104.1	55.5	-13.5	53.8	0.2	55.5
125.0	114.6	53.5	-22.3	48.7	-9.6	52.7

CONTINUED

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC		MAGNETIC	
			N-S	E-W	N-S	E-W
126.0	126.1	55.6	-32.8	44.9	-20.7	51.6
127.0	138.8	59.3	-44.7	39.1	-33.7	48.9
128.0	149.6	63.4	-54.7	32.0	-45.1	44.5
129.0	157.3	68.9	-63.6	26.6	-55.1	41.4
130.0	163.3	73.1	-70.0	20.9	-62.7	37.5
131.0	163.9	81.8	-78.6	22.7	-70.6	41.3
132.0	170.1	78.5	-77.4	13.5	-71.7	32.1
133.0	172.9	74.6	-74.0	9.3	-69.4	27.2
134.0	176.6	76.8	-76.6	4.6	-73.1	23.3
135.0	177.8	77.2	-77.1	3.0	-74.0	21.9
136.0	178.9	78.4	-78.4	1.5	-75.6	20.8
137.0	181.5	74.5	-74.5	-2.0	-72.7	16.4
138.0	188.8	74.3	-73.4	-11.4	-73.9	7.0

## WIND COMPONENTS

UP

N-S    ◦


E-W    •

TRAIL NO. Y17

23:43:09 MST

18 NOVEMBER 1966

H.A.R.P. YUMA



WIND SPEED


• UP

TRAIL NO. Y17

23:43:09 MST

18 NOVEMBER 1966

H.A.R.P. YUMA



WIND DIRECTION


• UP

TRAIL NO. Y17

23:43:09 MST

18 NOVEMBER 1966

H.A.R.P. YUMA



YUMA

TRAIL NO. Y18  
19 NOVEMBER 1966

01-01-22 MST

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC WIND COMPONENTS (M/S)			MAGNETIC E-W
			N-S	E-W	N-S	
91.0	55.9	39.6	22.2	32.8	29.6	26.3
92.0	76.9	53.7	12.1	52.3	24.6	47.7
93.0	101.5	47.6	-9.5	46.7	2.3	47.6
94.0	139.3	35.6	-27.0	23.2	-20.5	29.1
95.0	155.8	42.4	-38.7	17.4	-33.2	26.4
96.0	164.7	52.9	-51.1	13.9	-46.1	26.1
97.0	172.4	63.8	-63.2	8.4	-59.2	23.7
98.0	199.6	109.4	-103.1	-36.6	-108.9	-10.1
99.0	215.7	111.9	-90.9	-65.2	-104.2	-40.8
100.0	225.2	116.4	-82.1	-82.5	-99.9	-59.8
101.0	234.1	126.1	-73.9	-102.2	-96.8	-80.9
102.0	253.9	123.9	-34.4	-119.0	-62.6	-106.9
104.0	278.2	138.4	19.7	-137.0	-14.6	-137.6
103.0	265.0	126.7	-11.0	-126.2	-41.7	-119.6
105.0	294.8	130.9	54.8	-118.9	23.8	-128.7
106.0	310.0	120.6	77.5	-92.4	52.4	-108.6
107.0	321.1	106.1	82.6	-66.6	63.7	-84.9
108.0	329.2	98.4	84.5	-50.4	69.5	-69.6
109.0	336.6	94.6	86.8	-37.5	74.9	-57.7
110.0	341.3	91.1	86.2	-29.3	76.3	-49.6
111.0	358.5	74.0	74.0	-1.9	71.3	-20.1
112.0	7.7	66.7	66.1	8.9	66.3	-7.6
113.0	13.1	61.9	60.3	14.1	61.9	-1.2
114.0	20.6	57.5	53.8	20.2	57.1	6.3
115.0	27.4	56.2	49.9	25.8	54.7	12.7
116.0	34.8	61.1	50.2	34.8	57.2	21.4
117.0	43.1	64.8	47.3	44.3	56.7	31.3
118.0	52.1	61.9	38.0	48.8	48.8	37.9
119.0	61.1	57.4	27.8	50.3	39.3	41.9
120.0	74.0	53.1	14.6	51.1	26.7	45.9
121.0	86.8	50.3	2.8	50.2	15.1	48.0
122.0	104.3	49.7	-12.3	48.1	-0.1	49.6
123.0	117.6	51.5	-23.9	45.7	-11.9	50.2
124.0	132.0	54.2	-36.2	40.3	-25.2	48.0
125.0	140.8	56.8	-44.0	35.9	-33.8	45.6

CONTINUED

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED WIND (M/S)	GEOGRAPHIC WIND COMPONENTS (M/S)			MAGNETIC E-W
			N-S	E-W	N-S	
126.0	149.4	58.7	-50.5	29.9	-41.6	41.4
127.0	155.8	59.9	-54.6	24.6	-46.9	37.3
128.0	163.5	59.4	-56.9	16.9	-51.0	30.4
129.0	170.8	59.0	-58.3	9.5	-54.2	23.6
130.0	177.7	56.6	-56.6	2.3	-54.3	16.2
131.0	183.6	51.9	-51.8	-3.2	-51.0	9.6
132.0	189.2	47.5	-46.9	-7.6	-47.3	4.2
133.0	195.1	45.8	-44.2	-11.9	-45.8	-0.7
134.0	201.1	43.8	-40.9	-15.7	-43.0	-5.1
135.0	209.0	40.6	-35.6	-19.7	-39.4	-10.3
136.0	216.6	38.9	-31.2	-23.2	-36.0	-14.8
137.0	223.1	36.7	-26.8	-25.1	-32.2	-17.7
138.0	230.4	32.5	-20.7	-25.1	-26.2	-19.2
139.0	241.6	31.1	-14.8	-27.3	-21.1	-22.8
140.0	250.4	25.5	-8.6	-24.0	-14.2	-21.1
141.0	265.0	23.6	-2.0	-23.6	-7.7	-22.4
142.0	271.6	21.9	0.6	-21.9	-4.8	-21.4
143.0	267.7	23.0	-0.9	-23.0	-6.5	-22.1
144.0	274.1	25.5	1.8	-25.5	-4.5	-25.2

## WIND COMPONENTS

UP

N-S ○


E-W ●

TRAIL NO. Y18

01:01:22 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



WIND SPEED


• UP

TRAIL NO. Y18

01:01:22 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



WIND DIRECTION


• UP

TRAIL NO. Y18

01:01:22 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



YUMA

TRAIL NO. 19  
19 NOVEMBER 1966

02-35-35 MST

## OPTICAL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC WIND COMPONENTS (M/S)			MAGNETIC E-W
			N-S	E-W	N-S	
88.0	24.3	56.0	51.0	23.0	55.1	9.7
89.0	37.9	64.0	50.5	39.3	58.6	25.7
90.0	57.6	42.0	22.5	35.4	30.5	28.8
91.0	166.6	24.2	-23.5	5.6	-21.4	11.2
92.0	186.1	52.7	-52.4	-5.6	-52.2	7.5
93.0	192.4	73.7	-71.9	-15.8	-73.6	2.4
94.0	190.9	86.8	-85.2	-16.4	-86.6	5.1
95.0	190.9	104.1	-102.2	-19.8	-103.9	6.0
96.0	196.2	107.4	-103.2	-30.1	-107.4	-3.8
97.0	201.8	115.9	-107.6	-43.0	-114.9	-15.2
98.0	206.0	124.6	-112.0	-54.6	-122.0	-25.4
99.0	212.4	130.4	-110.1	-69.9	-123.9	-40.6
100.0	227.6	116.9	-78.8	-86.4	-97.6	-64.3
101.0	260.8	102.0	-16.2	-100.7	-40.5	-93.6
102.0	264.6	101.3	-9.6	-100.9	-34.1	-95.4
103.0	292.8	98.6	38.2	-90.9	14.6	-97.5
104.0	311.5	90.8	60.2	-68.0	41.6	-80.7
105.0	331.9	72.6	64.0	-34.2	53.6	-48.9
106.0	10.2	68.6	67.5	12.1	68.4	-4.9
107.0	35.8	80.2	65.1	46.9	74.6	29.4
108.0	47.9	85.5	57.4	63.4	71.2	47.3
109.0	55.1	88.1	54.5	72.3	66.7	57.6
110.0	64.8	90.3	38.4	81.7	57.3	69.7
111.0	73.1	94.0	27.3	89.9	48.6	80.4
112.0	75.4	90.0	22.7	87.1	43.4	78.8
113.0	80.6	86.7	14.1	85.5	34.7	79.4
114.0	84.7	70.9	6.5	70.6	23.7	66.8
115.0	89.2	50.8	0.7	50.8	13.2	49.1
116.0	94.2	31.1	-2.3	31.1	5.4	30.7
117.0	108.7	17.2	-5.5	16.3	-1.3	17.2
118.0	230.8	13.6	-8.6	-10.5	-10.9	-8.1
119.0	245.1	21.7	-9.1	-19.7	-13.7	-16.9
120.0	250.8	24.8	-8.2	-23.4	-13.7	-20.7

## WIND COMPONENTS

TRAIL NO. Y19

UP


02:35:35 MST

N-S ○

19 NOVEMBER 1966

E-W ●

H.A.R.P. YUMA



WIND SPEED


• UP

TRAIL NO. Y19

02:35:35 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



WIND DIRECTION


• UP

TRAIL NO. Y19

02:35:35 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



YUMA

TRAIL NO. Y20  
19 NOVEMBER 1966

04-52-53 MST

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC			MAGNETIC	
			WIND N-S	E-W	WIND COMPONENTS (M/S)	N-S	E-W
92.0	195.7	65.1	-62.7	-17.7	-65.1	-1.7	
93.0	204.8	66.7	-60.6	-28.0	-65.6	-12.2	
94.0	215.1	65.5	-53.6	-37.7	-61.2	-23.3	
95.0	229.7	64.6	-41.7	-49.3	-52.6	-37.5	
96.0	236.9	66.9	-36.6	-56.0	-49.3	-45.3	
97.0	239.5	65.2	-33.1	-56.2	-45.9	-46.3	
98.0	247.6	70.4	-26.8	-65.0	-42.0	-56.4	
99.0	255.2	78.7	-20.0	-76.1	-38.1	-68.8	
100.0	277.4	86.8	11.2	-86.1	-10.3	-86.2	
101.0	291.8	98.1	36.4	-91.1	12.9	-97.3	
102.0	306.4	93.1	55.3	-74.9	35.2	-86.2	
103.0	324.7	77.0	62.8	-44.4	49.9	-58.5	
104.0	353.8	63.3	62.9	-6.9	59.3	-22.2	
105.0	34.5	70.8	58.4	40.1	66.5	24.5	
106.0	49.7	71.1	46.0	54.2	57.9	41.2	
107.0	56.8	70.0	38.3	58.6	51.5	47.4	
108.0	68.6	56.5	20.6	52.6	32.9	45.9	
109.0	79.1	46.8	8.8	46.0	19.9	42.4	
110.0	90.0	37.7	0.0	37.7	9.3	36.5	
111.0	101.9	28.0	-5.8	27.4	1.1	28.0	
112.0	121.8	19.2	-10.1	16.3	-5.8	18.3	
113.0	170.9	13.7	-13.5	2.2	-12.5	5.5	
114.0	227.8	20.6	-13.8	-15.3	-17.1	-11.4	
115.0	249.7	33.3	-11.6	-31.2	-18.9	-27.4	
116.0	255.5	44.0	-11.0	-42.6	-21.1	-38.6	
117.0	258.2	57.2	-11.7	-56.0	-25.1	-51.4	
118.0	269.4	67.7	-11.3	-66.8	-27.4	-62.0	
119.0	262.0	77.9	-10.9	-77.1	-29.5	-72.0	
120.0	263.5	87.6	-10.0	-87.1	-31.1	-82.0	
121.0	264.9	93.7	-8.3	-93.4	-31.0	-88.5	
122.0	267.4	98.6	-4.5	-98.5	-28.6	-94.4	
123.0	268.7	98.6	-2.3	-98.6	-26.5	-95.0	
124.0	272.7	94.2	+4	-94.1	-18.9	-92.3	
125.0	275.3	91.3	8.5	-90.9	-14.1	-90.2	

CONTINUED

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC			MAGNETIC	
			N-S	E-W	WIND COMPONENTS (M/S)	N-S	E-W
126.0	276.7	85.3	10.0	-84.7	-11.2	-84.6	
127.0	278.0	77.8	10.8	-77.0	-8.5	-77.3	
128.0	277.2	69.6	8.8	-69.1	-8.5	-69.1	
129.0	274.9	63.2	5.4	-63.0	-10.3	-62.4	
130.0	273.3	53.5	3.1	-53.4	-10.1	-52.5	
131.0	270.1	44.6	0.1	-44.6	-10.9	-43.3	
132.0	265.1	34.9	-3.0	-34.7	-11.4	-32.9	
133.0	254.3	22.9	-6.2	-22.1	-11.4	-19.9	
134.0	226.5	13.0	-9.0	-9.4	-11.0	-6.9	
135.0	165.9	12.0	-11.7	2.9	-10.6	5.7	
136.0	134.7	20.6	-14.5	14.7	-10.4	17.8	
137.0	125.5	30.1	-17.5	24.5	-10.9	28.1	
138.0	119.8	39.2	-19.5	34.0	-10.5	37.8	
139.0	117.5	47.3	-21.8	42.0	-10.8	46.1	
140.0	115.5	55.1	-23.7	49.8	-10.7	54.1	
141.0	113.8	62.4	-25.2	57.1	-10.4	61.5	
142.0	112.8	68.7	-26.6	63.3	-10.2	67.9	
143.0	109.1	80.3	-26.3	75.9	-6.8	80.0	
144.0	110.1	78.5	-26.9	73.8	-7.9	78.2	
145.0	110.9	82.3	-29.3	76.9	-9.5	81.7	
146.0	111.5	84.6	-31.0	78.7	-10.7	83.9	
147.0	113.0	86.5	-33.8	79.6	-13.2	85.5	
148.0	113.7	88.1	-35.4	80.7	-14.4	86.9	
149.0	114.7	89.6	-37.5	81.4	-16.3	88.1	
150.0	114.3	92.3	-38.0	84.2	-16.1	91.0	
151.0	117.0	92.4	-42.0	82.3	-20.4	90.1	
152.0	119.2	92.0	-44.9	80.4	-23.7	89.0	
153.0	121.6	91.9	-48.2	78.3	-27.4	87.8	
154.0	124.2	91.6	-51.5	75.7	-31.3	86.0	
155.0	126.7	90.9	-54.4	72.9	-34.8	84.0	
156.0	128.7	91.4	-57.2	71.3	-37.9	83.2	
157.0	130.2	92.4	-59.7	70.6	-40.5	83.1	
158.0	133.0	90.6	-61.8	66.3	-43.6	79.5	
159.0	135.2	88.3	-62.6	62.2	-45.4	75.7	
160.0	137.3	87.8	-64.6	59.5	-48.0	73.6	
161.0	139.5	87.6	-66.6	56.9	-50.5	71.5	
162.0	141.9	85.1	-66.9	52.5	-51.9	67.4	
163.0	143.9	86.3	-69.7	50.8	-55.1	66.4	
164.0	146.8	92.9	-77.7	50.9	-62.8	68.5	
165.0	148.8	96.5	-82.5	50.0	-67.7	68.8	
166.0	150.9	95.5	-83.4	46.5	-69.4	65.6	
167.0	152.0	95.7	-84.5	44.9	-70.8	64.3	

## WIND COMPONENTS

UP

N-S ○


E-W •


TRAIL NO. Y20

04:52:53 MST

19 NOVEMBER 1966

H.A.R.P. YUMA





WIND SPEED


• UP


TRAIL NO. 120

04:52:53 MST

19 NOVEMBER 1966

H.A.R.P. YUMA





WIND DIRECTION


• UP


TRAIL NO. Y20

04:52:53 MST

19 NOVEMBER 1966

H.A.R.P. YUMA





YUMA

TRAIL NO. Y21  
19 NOVEMBER 1966

19-45-00 MST

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC WIND COMPONENTS		MAGNETIC W-E	
			N-S	E-W	N-S	E-W
93.0	291.4	49.1	17.9	-45.8	6.1	-48.8
94.0	326.8	33.5	28.0	-18.3	22.6	-24.6
95.0	8.7	25.7	25.4	3.9	25.6	-2.5
96.0	59.9	37.2	18.7	32.2	26.1	26.6
97.0	70.6	42.1	14.0	39.7	23.3	35.0
98.0	88.9	50.9	1.0	50.9	13.5	49.1
99.0	105.1	38.1	-9.9	36.8	-0.5	38.1
100.0	117.6	20.9	-9.7	18.6	-4.8	20.4
101.0	78.6	2.0	0.4	2.0	0.9	1.8
102.0	347.6	21.0	20.6	-4.5	18.9	-9.4
103.0	349.9	39.5	38.9	-6.9	36.0	-16.3
104.0	353.5	34.7	34.5	-3.9	32.5	-12.3
105.0	330.5	31.5	27.4	-15.5	22.7	-21.8
106.0	285.9	30.9	8.5	-29.8	0.9	-31.0
107.0	247.8	55.3	-20.9	-51.2	-32.9	-44.5
108.0	239.8	75.9	-38.2	-65.5	-53.1	-54.1
109.0	238.0	105.5	-55.9	-89.4	-76.2	-72.9
110.0	238.6	121.8	-63.5	-103.9	-87.1	-85.1
111.0	240.4	133.3	-65.9	-115.8	-92.4	-96.0
112.0	243.5	139.7	-62.2	-125.1	-91.1	-105.9
113.0	248.4	141.7	-52.1	-131.8	-82.9	-114.9
114.0	256.1	136.3	-32.8	-132.3	-64.4	-120.2
115.0	262.1	133.5	-18.3	-132.2	-50.3	-123.6
116.0	266.4	131.3	-8.2	-131.0	-40.2	-125.0
117.0	269.9	119.3	-0.2	-119.3	-29.6	-115.6
118.0	272.1	114.4	4.3	-114.3	-24.0	-111.8
119.0	274.6	103.5	8.3	-103.1	-17.3	-102.0
120.0	276.8	91.5	10.8	-90.9	-11.9	-90.8
121.0	276.9	84.5	10.1	-83.8	-10.8	-83.7
122.0	280.4	68.2	12.3	-67.1	-4.6	-68.1
123.0	281.7	56.5	11.4	-55.3	-2.6	-56.4
124.0	283.6	44.0	10.4	-42.8	-0.5	-44.0
125.0	288.4	30.3	9.5	-28.8	2.1	-30.3
126.0	334.5	7.7	6.9	-3.3	5.9	-4.9
127.0	59.6	9.6	4.8	8.2	6.7	6.8

CONTINUED

ALTITUDE (KM)	DIRECTION WIND (DEG)	SPEED WIND (M/S)	GEOGRAPHIC WIND COMPONENTS		MAGNETIC	
			N-S	E-W	N-S	E-W
128.0	82.0	20.9	2.9	20.7	7.9	19.3
129.0	90.0	32.3	0.0	32.3	8.0	31.3
130.0	95.2	46.3	-4.2	46.1	7.3	45.7
131.0	95.8	54.0	-5.5	53.8	7.9	53.5
132.0	97.1	63.7	-7.9	63.2	7.9	63.2
133.0	100.0	70.3	-12.2	69.3	5.2	70.2
134.0	101.9	80.1	-16.5	78.3	3.3	80.0
135.0	103.6	87.7	-20.6	85.3	1.0	87.7
136.0	105.1	88.9	-23.2	85.8	-1.4	88.9
137.0	106.4	91.0	-25.8	87.3	-3.5	91.0
138.0	107.7	91.6	-27.8	87.3	-5.5	91.5
139.0	104.9	88.4	-22.7	85.4	-1.0	88.4
140.0	106.3	86.9	-24.4	83.4	-3.1	86.8
141.0	105.1	86.3	-22.4	83.3	-1.2	86.3
142.0	104.8	79.0	-20.3	76.3	-0.9	78.9

## WIND COMPONENTS

UP

N-S ○


E-W ●

TRAIL NO. Y21

19:45:00 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



WIND SPEED


• UP

TRAIL NO. Y21

19:45:00 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



WIND DIRECTION


• UP

TRAIL NO. Y21

19:45:00 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



YUMA

TRAIL NO. Y22  
19 NOVEMBER 1966

21-21-29 MST

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC		MAGNETIC	
			WIND N-S	E-W	WIND N-S	E-W
91.0	289.8	52.0	17.6	-49.0	5.0	-51.8
92.0	300.7	54.4	27.8	-46.7	15.4	-52.1
93.0	345.7	39.7	38.4	-9.8	34.8	-19.0
94.0	1.5	36.1	36.1	0.9	35.2	-8.0
95.0	51.4	37.4	23.3	29.2	29.8	22.6
96.0	76.8	42.1	9.6	40.9	19.4	37.3
97.0	97.6	35.8	-4.7	35.5	4.2	35.6
98.0	124.9	25.4	-14.5	20.9	-8.9	23.8
99.0	140.8	21.5	-16.7	13.6	-12.8	17.3
100.0	178.1	10.1	-10.1	0.3	-9.7	2.8
101.0	319.4	20.5	15.6	-13.3	11.8	-16.7
102.0	339.5	35.8	33.5	-12.5	29.4	-20.4
103.0	336.0	31.3	28.6	-12.7	24.6	-19.3
104.0	298.7	39.4	19.0	-34.6	9.9	-38.2
105.0	276.1	57.7	6.2	-57.4	-8.1	-57.2
106.0	258.2	107.0	-21.8	-104.7	-46.9	-96.1
107.0	250.9	143.4	-46.9	-135.5	-78.8	-119.8
108.0	251.9	162.9	-50.7	-154.8	-87.2	-137.6
109.0	261.3	169.2	-25.6	-167.2	-66.0	-155.8

## DOWNTAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC		MAGNETIC	
			WIND N-S	E-W	WIND N-S	E-W
99.0	140.3	28.0	-21.5	17.9	-16.4	22.6
100.0	162.2	3.0	-2.9	0.9	-2.6	1.6
101.0	346.0	9.3	9.0	-2.2	8.2	-4.3
102.0	2.1	21.5	21.5	0.8	21.0	-4.5
103.0	335.7	39.3	35.8	-16.2	30.7	-24.5
104.0	305.4	41.7	24.2	-34.0	15.1	-38.9
105.0	275.8	60.7	6.1	-60.4	-9.0	-60.0
106.0	257.2	113.3	-25.1	-110.5	-51.5	-100.9
107.0	254.9	141.3	-36.8	-136.4	-69.2	-123.1
108.0	254.7	149.8	-39.6	-144.5	-74.0	-130.3
109.0	264.1	151.6	-15.5	-150.8	-52.1	-142.3
110.0	272.7	148.0	1.1	-147.9	-29.5	-140.1
111.0	282.0	145.3	30.1	-142.2	-5.8	-145.2

## WIND COMPONENTS

UP DOWN

N-S     ○     △


E-W     ●     ▲

TRAIL NO. Y22

21:21:29 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



## WIND SPEED


- UP
- ▲ DOWN

TRAIL NO. Y22

21:21:29 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



WIND DIRECTION


- UP
- ▲ DOWN

TRAIL NO. Y22

21:21:29 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



YUMA

TRAIL NO. Y23  
19 NOVEMBER 1966

22-37-53 MST

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC WIND COMPONENTS		MAGNETIC (M/S)	
			N-S	E-W	N-S	E-W
90.0	326.0	44.8	37.5	-24.5	30.3	-33.0
91.0	327.1	44.4	37.5	-23.7	30.5	-32.2
92.0	348.7	53.1	52.0	-10.4	47.8	-22.9
93.0	31.1	43.9	37.6	22.7	42.0	12.7
94.0	54.5	48.1	28.0	39.2	36.8	31.1
95.0	74.0	55.3	15.2	53.1	27.8	47.7
96.0	84.0	54.7	5.7	54.4	18.9	51.3
97.0	93.5	41.9	-2.6	41.8	7.8	41.2
98.0	50.0	7.8	5.0	6.0	6.3	4.6
99.0	318.0	43.9	32.6	-29.4	24.4	-36.5
100.0	315.2	55.7	39.5	-39.3	28.6	-47.8
101.0	324.2	86.3	70.0	-50.5	55.4	-66.2
102.0	331.2	97.7	85.6	-47.0	71.4	-66.6
103.0	327.0	87.0	73.0	-47.3	59.1	-63.8
104.0	287.1	84.9	25.0	-81.1	4.3	-84.8
105.0	271.2	116.1	2.5	-116.1	-26.2	-113.1
106.0	266.7	148.5	-8.4	-148.3	-44.6	-141.7
107.0	269.4	166.3	-1.7	-166.3	-42.6	-160.8
108.0	275.6	166.5	16.2	-165.7	-25.1	-164.6
109.0	279.2	167.0	26.7	-164.8	-14.7	-166.3
110.0	281.7	172.6	35.1	-169.0	-7.6	-172.4
111.0	283.3	185.4	42.7	-180.4	-3.0	-185.4

## WIND COMPONENTS

UP

N-S    o


E-W    •

TRAIL NO. Y23

22:37:53 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



WIND SPEED


• UP

TRAIL NO. Y23

22:37:53 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



WIND DIRECTION


• I.P.

TRAIL NO. Y23

22.37:53 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



YUMA

TRAIL NO. Y24  
19 NOVEMBER 1966

23-59-14 MST

## UPTRAIL

ALTITUDE (KM)	DIRECTION (DEG)	SPEED (M/S)	GEOGRAPHIC WIND COMPONENTS (M/S)		MAGNETIC E-W	
			N-S	E-W	N-S	E-W
91.0	4.4	57.6	57.5	4.4	56.8	-9.9
92.0	27.7	39.9	35.4	18.6	38.9	9.3
93.0	42.1	37.2	27.6	25.0	32.9	17.4
94.0	72.2	22.1	6.7	21.0	11.7	18.7
95.0	209.4	22.4	-19.5	-11.0	-21.6	-5.9
96.0	219.2	34.9	-27.1	-22.0	-31.7	-14.7
97.0	234.3	33.7	-19.7	-27.3	-25.8	-21.6
98.0	274.6	39.6	3.2	-39.4	-6.6	-39.0
99.0	291.0	47.2	17.0	-44.1	5.6	-46.9
100.0	311.8	55.4	36.9	-41.3	25.6	-49.1
101.0	346.4	62.6	60.9	-14.7	55.4	-29.2
102.0	343.3	42.0	40.3	-12.1	36.1	-21.6
103.0	266.5	50.3	-3.1	-50.2	-15.4	-47.9
104.0	258.3	68.7	-13.9	-67.3	-30.0	-61.8
105.0	256.9	82.7	-18.8	-80.5	-38.0	-73.4
106.0	257.1	91.6	-20.5	-89.2	-41.8	-81.4
107.0	253.8	107.4	-29.9	-103.1	-54.4	-92.6
108.0	262.3	133.3	-17.8	-132.1	-49.8	-123.7
109.0	270.4	125.5	0.9	-125.5	-30.0	-121.9
110.0	277.2	119.8	15.0	-118.9	-14.7	-118.9
111.0	290.2	100.3	34.7	-94.1	10.5	-99.7
112.0	309.0	80.2	50.5	-62.3	33.0	-72.8
113.0	331.0	71.3	62.4	-34.5	52.0	-48.8
114.0	340.5	72.5	68.4	-24.2	60.3	-40.3
115.0	353.0	70.8	70.3	-8.6	66.0	-25.6
116.0	5.7	64.0	63.7	6.4	63.3	-9.5
117.0	46.4	56.2	38.8	40.7	47.6	29.9
118.0	70.3	65.7	22.2	61.8	36.7	54.4
119.0	74.1	72.8	20.0	70.0	36.6	62.9
120.0	93.9	86.9	-6.0	86.7	15.5	85.5
121.0	101.3	89.3	-17.5	87.5	4.6	89.1
122.0	105.2	93.3	-24.4	90.0	-1.5	93.2
123.0	109.9	95.6	-32.5	90.0	-9.3	95.2
124.0	114.8	96.9	-40.7	88.0	-17.8	95.3
125.0	119.7	98.6	-48.9	85.7	-26.3	95.1

CONTINUED

ALTITUDE (KM)	DIRECTION (DEG)	SPEED WIND (M/S)	GEOGRAPHIC WIND COMPONENTS (M/S)			MAGNETIC E-W
			N-S	E-W	N-S	
126.0	124.2	100.1	-56.3	62.8	-34.2	94.1
127.0	128.5	101.3	-63.1	79.2	-41.7	92.3
128.0	132.6	102.3	-69.2	75.3	-48.5	90.0
129.0	135.7	102.1	-75.1	71.3	-53.3	87.1
130.0	138.6	103.4	-77.6	68.3	-58.4	85.3
131.0	141.9	103.7	-81.7	64.0	-63.4	82.1
132.0	145.2	103.7	-85.2	59.1	-68.0	78.3
133.0	147.1	102.1	-85.6	55.5	-69.3	74.9
134.0	150.0	100.3	-86.8	50.2	-71.8	70.0
135.0	152.0	99.3	-87.7	46.6	-73.5	66.8
136.0	153.9	98.2	-88.2	43.2	-74.9	63.6
137.0	155.8	96.9	-88.3	39.7	-75.8	60.2
138.0	157.6	95.8	-88.6	36.5	-76.9	57.2
139.0	159.4	94.2	-88.2	33.1	-77.3	53.8
140.0	161.7	90.4	-85.8	28.4	-76.2	48.6
141.0	162.7	89.4	-85.4	26.6	-76.2	46.8
142.0	164.6	78.3	-75.5	20.8	-68.1	38.7
143.0	165.4	75.6	-73.2	19.1	-66.2	36.5
144.0	166.1	71.7	-69.6	17.2	-63.2	33.8
145.0	166.8	67.1	-65.5	15.4	-59.7	31.0
146.0	166.7	63.2	-61.5	14.5	-56.0	29.2
147.0	166.2	60.1	-58.3	14.3	-53.0	28.2

## WIND COMPONENTS

UP

N-S ○


E-W ●

TRAIL NO. Y24

23:59:14 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



WIND SPEED


• UP

TRAIL NO. Y24

23:59:14 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



WIND DIRECTION


• UP

TRAIL NO. Y24

23:59:14 MST

19 NOVEMBER 1966

H.A.R.P. YUMA



## UNCLASSIFIED

Security Classification

## DOCUMENT CONTROL DATA - R &amp; D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION Unclassified	
Space Instruments Research, Inc. Atlanta, Georgia		2b. GROUP	
3. REPORT TITLE UPPER ATMOSPHERE WINDS FROM GUN-LAUNCHED VERTICAL PROBES (YU1A, 16-19 NOVEMBER 1966)			
4. DESCRIPTIVE NOTES (Type of report or "Inclusive Dates")			
5. AUTHOR(S) (First name, middle initial, last name) Robert L. Fuller			
6. REPORT DATE June 1967	7a. TOTAL NO. OF PAGES 85	7b. NO. OF REFS 37	
8a. CONTRACT OR GRANT NO. JN-A-01-309-ARL-169 (A)	9a. ORIGINATOR'S REPORT NUMBER(S) BRL Contract 169 Report 6		
b. PROJECT NO. RDTE 1V014501E53C	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)		
c.			
d.			
10. DISTRIBUTION STATEMENT This document has been approved for public release and sale; its distribution is unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Commanding Officer U.S. Army Ballistic Research Laboratories Aberdeen Proving Ground, Md. 21005	
13. ABSTRACT On the night of 18-19 November 1966, seven luminous trails were produced between 85km and 167km by the release of tri-methyl-aluminum from projectiles fired from a smoothbore sixteen-inch gun located at Yuma Proving Ground, Arizona ( $114.2^{\circ}$ W, $32.8^{\circ}$ N). Two additional sets of four trails each were produced on the nights of 16-17 November 1966 and 19-20 November 1966. These trails were photographed by cameras located at Yuma and Gila Bend in Arizona and at Blythe, California and have been analyzed to yield wind profiles. This report contains the tabulated wind data for all fifteen trails together with plots versus altitude of wind components, wind speed, and wind heading.			
14. APPROVALS 15. APPROVALS 16. APPROVALS 17. APPROVALS 18. APPROVALS 19. APPROVALS 20. APPROVALS 21. APPROVALS 22. APPROVALS 23. APPROVALS 24. APPROVALS 25. APPROVALS 26. APPROVALS 27. APPROVALS 28. APPROVALS 29. APPROVALS 30. APPROVALS 31. APPROVALS 32. APPROVALS 33. APPROVALS 34. APPROVALS 35. APPROVALS 36. APPROVALS 37. APPROVALS 38. APPROVALS 39. APPROVALS 40. APPROVALS 41. APPROVALS 42. APPROVALS 43. APPROVALS 44. APPROVALS 45. APPROVALS 46. APPROVALS 47. APPROVALS 48. APPROVALS 49. APPROVALS 50. APPROVALS 51. APPROVALS 52. APPROVALS 53. APPROVALS 54. APPROVALS 55. APPROVALS 56. APPROVALS 57. APPROVALS 58. APPROVALS 59. APPROVALS 60. APPROVALS 61. APPROVALS 62. APPROVALS 63. APPROVALS 64. APPROVALS 65. APPROVALS 66. APPROVALS 67. APPROVALS 68. APPROVALS 69. APPROVALS 70. APPROVALS 71. APPROVALS 72. APPROVALS 73. APPROVALS 74. APPROVALS 75. APPROVALS 76. APPROVALS 77. APPROVALS 78. APPROVALS 79. APPROVALS 80. APPROVALS 81. APPROVALS 82. APPROVALS 83. APPROVALS 84. APPROVALS 85. APPROVALS 86. APPROVALS 87. APPROVALS 88. APPROVALS 89. APPROVALS 90. APPROVALS 91. APPROVALS 92. APPROVALS 93. APPROVALS 94. APPROVALS 95. APPROVALS 96. APPROVALS 97. APPROVALS 98. APPROVALS 99. APPROVALS 100. APPROVALS 101. APPROVALS 102. APPROVALS 103. APPROVALS 104. APPROVALS 105. APPROVALS 106. APPROVALS 107. APPROVALS 108. APPROVALS 109. APPROVALS 110. APPROVALS 111. APPROVALS 112. APPROVALS 113. APPROVALS 114. APPROVALS 115. APPROVALS 116. APPROVALS 117. APPROVALS 118. APPROVALS 119. APPROVALS 120. APPROVALS 121. APPROVALS 122. APPROVALS 123. APPROVALS 124. APPROVALS 125. APPROVALS 126. APPROVALS 127. APPROVALS 128. APPROVALS 129. APPROVALS 130. APPROVALS 131. APPROVALS 132. APPROVALS 133. APPROVALS 134. APPROVALS 135. APPROVALS 136. APPROVALS 137. APPROVALS 138. APPROVALS 139. APPROVALS 140. APPROVALS 141. APPROVALS 142. APPROVALS 143. APPROVALS 144. APPROVALS 145. APPROVALS 146. APPROVALS 147. APPROVALS 148. APPROVALS 149. APPROVALS 150. APPROVALS 151. APPROVALS 152. APPROVALS 153. APPROVALS 154. APPROVALS 155. APPROVALS 156. APPROVALS 157. APPROVALS 158. APPROVALS 159. APPROVALS 160. APPROVALS 161. APPROVALS 162. APPROVALS 163. APPROVALS 164. APPROVALS 165. APPROVALS 166. APPROVALS 167. APPROVALS 168. APPROVALS 169. APPROVALS 170. APPROVALS 171. APPROVALS 172. APPROVALS 173. APPROVALS 174. APPROVALS 175. APPROVALS 176. APPROVALS 177. APPROVALS 178. APPROVALS 179. APPROVALS 180. APPROVALS 181. APPROVALS 182. APPROVALS 183. APPROVALS 184. APPROVALS 185. APPROVALS 186. APPROVALS 187. APPROVALS 188. APPROVALS 189. APPROVALS 190. APPROVALS 191. APPROVALS 192. APPROVALS 193. APPROVALS 194. APPROVALS 195. APPROVALS 196. APPROVALS 197. APPROVALS 198. APPROVALS 199. APPROVALS 200. APPROVALS 201. APPROVALS 202. APPROVALS 203. APPROVALS 204. APPROVALS 205. APPROVALS 206. APPROVALS 207. APPROVALS 208. APPROVALS 209. APPROVALS 210. APPROVALS 211. APPROVALS 212. APPROVALS 213. APPROVALS 214. APPROVALS 215. APPROVALS 216. APPROVALS 217. APPROVALS 218. APPROVALS 219. APPROVALS 220. APPROVALS 221. APPROVALS 222. APPROVALS 223. APPROVALS 224. APPROVALS 225. APPROVALS 226. APPROVALS 227. APPROVALS 228. APPROVALS 229. APPROVALS 230. APPROVALS 231. APPROVALS 232. APPROVALS 233. APPROVALS 234. APPROVALS 235. APPROVALS 236. APPROVALS 237. APPROVALS 238. APPROVALS 239. APPROVALS 240. APPROVALS 241. APPROVALS 242. APPROVALS 243. APPROVALS 244. APPROVALS 245. APPROVALS 246. APPROVALS 247. APPROVALS 248. APPROVALS 249. APPROVALS 250. APPROVALS 251. APPROVALS 252. APPROVALS 253. APPROVALS 254. APPROVALS 255. APPROVALS 256. APPROVALS 257. APPROVALS 258. APPROVALS 259. APPROVALS 260. APPROVALS 261. APPROVALS 262. APPROVALS 263. APPROVALS 264. APPROVALS 265. APPROVALS 266. APPROVALS 267. APPROVALS 268. APPROVALS 269. APPROVALS 270. APPROVALS 271. APPROVALS 272. APPROVALS 273. APPROVALS 274. APPROVALS 275. APPROVALS 276. APPROVALS 277. APPROVALS 278. APPROVALS 279. APPROVALS 280. APPROVALS 281. APPROVALS 282. APPROVALS 283. APPROVALS 284. APPROVALS 285. APPROVALS 286. APPROVALS 287. APPROVALS 288. APPROVALS 289. APPROVALS 290. APPROVALS 291. APPROVALS 292. APPROVALS 293. APPROVALS 294. APPROVALS 295. APPROVALS 296. APPROVALS 297. APPROVALS 298. APPROVALS 299. APPROVALS 300. APPROVALS 301. APPROVALS 302. APPROVALS 303. APPROVALS 304. APPROVALS 305. APPROVALS 306. APPROVALS 307. APPROVALS 308. APPROVALS 309. APPROVALS 310. APPROVALS 311. APPROVALS 312. APPROVALS 313. APPROVALS 314. APPROVALS 315. APPROVALS 316. APPROVALS 317. APPROVALS 318. APPROVALS 319. APPROVALS 320. APPROVALS 321. APPROVALS 322. APPROVALS 323. APPROVALS 324. APPROVALS 325. APPROVALS 326. APPROVALS 327. APPROVALS 328. APPROVALS 329. APPROVALS 330. APPROVALS 331. APPROVALS 332. APPROVALS 333. APPROVALS 334. APPROVALS 335. APPROVALS 336. APPROVALS 337. APPROVALS 338. APPROVALS 339. APPROVALS 340. APPROVALS 341. APPROVALS 342. APPROVALS 343. APPROVALS 344. APPROVALS 345. APPROVALS 346. APPROVALS 347. APPROVALS 348. APPROVALS 349. APPROVALS 350. APPROVALS 351. APPROVALS 352. APPROVALS 353. APPROVALS 354. APPROVALS 355. APPROVALS 356. APPROVALS 357. APPROVALS 358. APPROVALS 359. APPROVALS 360. APPROVALS 361. APPROVALS 362. APPROVALS 363. APPROVALS 364. APPROVALS 365. APPROVALS 366. APPROVALS 367. APPROVALS 368. APPROVALS 369. APPROVALS 370. APPROVALS 371. APPROVALS 372. APPROVALS 373. APPROVALS 374. APPROVALS 375. APPROVALS 376. APPROVALS 377. APPROVALS 378. APPROVALS 379. APPROVALS 380. APPROVALS 381. APPROVALS 382. APPROVALS 383. APPROVALS 384. APPROVALS 385. APPROVALS 386. APPROVALS 387. APPROVALS 388. APPROVALS 389. APPROVALS 390. APPROVALS 391. APPROVALS 392. APPROVALS 393. APPROVALS 394. APPROVALS 395. APPROVALS 396. APPROVALS 397. APPROVALS 398. APPROVALS 399. APPROVALS 400. APPROVALS 401. APPROVALS 402. APPROVALS 403. APPROVALS 404. APPROVALS 405. APPROVALS 406. APPROVALS 407. APPROVALS 408. APPROVALS 409. APPROVALS 410. APPROVALS 411. APPROVALS 412. APPROVALS 413. APPROVALS 414. APPROVALS 415. APPROVALS 416. APPROVALS 417. APPROVALS 418. APPROVALS 419. APPROVALS 420. APPROVALS 421. APPROVALS 422. APPROVALS 423. APPROVALS 424. APPROVALS 425. APPROVALS 426. APPROVALS 427. APPROVALS 428. APPROVALS 429. APPROVALS 430. APPROVALS 431. APPROVALS 432. APPROVALS 433. APPROVALS 434. APPROVALS 435. APPROVALS 436. APPROVALS 437. APPROVALS 438. APPROVALS 439. APPROVALS 440. APPROVALS 441. APPROVALS 442. APPROVALS 443. APPROVALS 444. APPROVALS 445. APPROVALS 446. APPROVALS 447. APPROVALS 448. APPROVALS 449. APPROVALS 450. APPROVALS 451. APPROVALS 452. APPROVALS 453. APPROVALS 454. APPROVALS 455. APPROVALS 456. APPROVALS 457. APPROVALS 458. APPROVALS 459. APPROVALS 460. APPROVALS 461. APPROVALS 462. APPROVALS 463. APPROVALS 464. APPROVALS 465. APPROVALS 466. APPROVALS 467. APPROVALS 468. APPROVALS 469. APPROVALS 470. APPROVALS 471. APPROVALS 472. APPROVALS 473. APPROVALS 474. APPROVALS 475. APPROVALS 476. APPROVALS 477. APPROVALS 478. APPROVALS 479. APPROVALS 480. APPROVALS 481. APPROVALS 482. APPROVALS 483. APPROVALS 484. APPROVALS 485. APPROVALS 486. APPROVALS 487. APPROVALS 488. APPROVALS 489. APPROVALS 490. APPROVALS 491. APPROVALS 492. APPROVALS 493. APPROVALS 494. APPROVALS 495. APPROVALS 496. APPROVALS 497. APPROVALS 498. APPROVALS 499. APPROVALS 500. APPROVALS 501. APPROVALS 502. APPROVALS 503. APPROVALS 504. APPROVALS 505. APPROVALS 506. APPROVALS 507. APPROVALS 508. APPROVALS 509. APPROVALS 510. APPROVALS 511. APPROVALS 512. APPROVALS 513. APPROVALS 514. APPROVALS 515. APPROVALS 516. APPROVALS 517. APPROVALS 518. APPROVALS 519. APPROVALS 520. APPROVALS 521. APPROVALS 522. APPROVALS 523. APPROVALS 524. APPROVALS 525. APPROVALS 526. APPROVALS 527. APPROVALS 528. APPROVALS 529. APPROVALS 530. APPROVALS 531. APPROVALS 532. APPROVALS 533. APPROVALS 534. APPROVALS 535. APPROVALS 536. APPROVALS 537. APPROVALS 538. APPROVALS 539. APPROVALS 540. APPROVALS 541. APPROVALS 542. APPROVALS 543. APPROVALS 544. APPROVALS 545. APPROVALS 546. APPROVALS 547. APPROVALS 548. APPROVALS 549. APPROVALS 550. APPROVALS 551. APPROVALS 552. APPROVALS 553. APPROVALS 554. APPROVALS 555. APPROVALS 556. APPROVALS 557. APPROVALS 558. APPROVALS 559. APPROVALS 560. APPROVALS 561. APPROVALS 562. APPROVALS 563. APPROVALS 564. APPROVALS 565. APPROVALS 566. APPROVALS 567. APPROVALS 568. APPROVALS 569. APPROVALS 570. APPROVALS 571. APPROVALS 572. APPROVALS 573. APPROVALS 574. APPROVALS 575. APPROVALS 576. APPROVALS 577. APPROVALS 578. APPROVALS 579. APPROVALS 580. APPROVALS 581. APPROVALS 582. APPROVALS 583. APPROVALS 584. APPROVALS 585. APPROVALS 586. APPROVALS 587. APPROVALS 588. APPROVALS 589. APPROVALS 590. APPROVALS 591. APPROVALS 592. APPROVALS 593. APPROVALS 594. APPROVALS 595. APPROVALS 596. APPROVALS 597. APPROVALS 598. APPROVALS 599. APPROVALS 600. APPROVALS 601. APPROVALS 602. APPROVALS 603. APPROVALS 604. APPROVALS 605. APPROVALS 606. APPROVALS 607. APPROVALS 608. APPROVALS 609. APPROVALS 610. APPROVALS 611. APPROVALS 612. APPROVALS 613. APPROVALS 614. APPROVALS 615. APPROVALS 616. APPROVALS 617. APPROVALS 618. APPROVALS 619. APPROVALS 620. APPROVALS 621. APPROVALS 622. APPROVALS 623. APPROVALS 624. APPROVALS 625. APPROVALS 626. APPROVALS 627. APPROVALS 628. APPROVALS 629. APPROVALS 630. APPROVALS 631. APPROVALS 632. APPROVALS 633. APPROVALS 634. APPROVALS 635. APPROVALS 636. APPROVALS 637. APPROVALS 638. APPROVALS 639. APPROVALS 640. APPROVALS 641. APPROVALS 642. APPROVALS 643. APPROVALS 644. APPROVALS 645. APPROVALS 646. APPROVALS 647. APPROVALS 648. APPROVALS 649. APPROVALS 650. APPROVALS 651. APPROVALS 652. APPROVALS 653. APPROVALS 654. APPROVALS 655. APPROVALS 656. APPROVALS 657. APPROVALS 658. APPROVALS 659. APPROVALS 660. APPROVALS 661. APPROVALS 662. APPROVALS 663. APPROVALS 664. APPROVALS 665. APPROVALS 666. APPROVALS 667. APPROVALS 668. APPROVALS 669. APPROVALS 670. APPROVALS 671. APPROVALS 672. APPROVALS 673. APPROVALS 674. APPROVALS 675. APPROVALS 676. APPROVALS 677. APPROVALS 678. APPROVALS 679. APPROVALS 680. APPROVALS 681. APPROVALS 682. APPROVALS 683. APPROVALS 684. APPROVALS 685. APPROVALS 686. APPROVALS 687. APPROVALS 688. APPROVALS 689. APPROVALS 690. APPROVALS 691. APPROVALS 692. APPROVALS 693. APPROVALS 694. APPROVALS 695. APPROVALS 696. APPROVALS 697. APPROVALS 698. APPROVALS 699. APPROVALS 700. APPROVALS 701. APPROVALS 702. APPROVALS 703. APPROVALS 704. APPROVALS 705. APPROVALS 706. APPROVALS 707. APPROVALS 708. APPROVALS 709. APPROVALS 710. APPROVALS 711. APPROVALS 712. APPROVALS 713. APPROVALS 714. APPROVALS 715. APPROVALS 716. APPROVALS 717. APPROVALS 718. APPROVALS 719. APPROVALS 720. APPROVALS 721. APPROVALS 722. APPROVALS 723. APPROVALS 724. APPROVALS 725. APPROVALS 726. APPROVALS 727. APPROVALS 728. APPROVALS 729. APPROVALS 730. APPROVALS 731. APPROVALS 732. APPROVALS 733. APPROVALS 734. APPROVALS 735. APPROVALS 736. APPROVALS 737. APPROVALS 738. APPROVALS 739. APPROVALS 740. APPROVALS 741. APPROVALS 742. APPROVALS 743. APPROVALS 744. APPROVALS 745. APPROVALS 746. APPROVALS 747. APPROVALS 748. APPROVALS 749. APPROVALS 750. APPROVALS 751. APPROVALS 752. APPROVALS 753. APPROVALS 754. APPROVALS 755. APPROVALS 756. APPROVALS 757. APPROVALS 758. APPROVALS 759. APPROVALS 760. APPROVALS 761. APPROVALS 762. APPROVALS 763. APPROVALS 764. APPROVALS 765. APPROVALS 766. APPROVALS 767. APPROVALS 768. APPROVALS 769. APPROVALS 770. APPROVALS 771. APPROVALS 772. APPROVALS 773. APPROVALS 774. APPROVALS 775. APPROVALS 776. APPROVALS 777. APPROVALS 778. APPROVALS 779. APPROVALS 780. APPROVALS 781. APPROVALS 782. APPROVALS 783. APPROVALS 784. APPROVALS 785. APPROVALS 786. APPROVALS 787. APPROVALS 788. APPROVALS 789. APPROVALS 790. APPROVALS 791. APPROVALS 792. APPROVALS 793. APPROVALS 794. APPROVALS 795. APPROVALS 796. APPROVALS 797. APPROVALS 798. APPROVALS 799. APPROVALS 800. APPROVALS 801. APPROVALS 802. APPROVALS 803. APPROVALS 804. APPROVALS 805. APPROVALS 806. APPROVALS 807. APPROVALS 808. APPROVALS 809. APPROVALS 810. APPROVALS 811. APPROVALS 812. APPROVALS 813. APPROVALS 814. APPROVALS 815. APPROVALS 816. APPROVALS 817. APPROVALS 818. APPROVALS 819. APPROVALS 820. APPROVALS 821. APPROVALS 822. APPROVALS 823. APPROVALS 824. APPROVALS 825. APPROVALS 826. APPROVALS 827. APPROVALS 828. APPROVALS 829. APPROVALS 830. APPROVALS 831. APPROVALS 832. APPROVALS 833. APPROVALS 834. APPROVALS 835. APPROVALS 836. APPROVALS 837. APPROVALS 838. APPROVALS 839. APPROVALS 840. APPROVALS 841. APPROVALS 842. APPROVALS 843. APPROVALS 844. APPROVALS 845. APPROVALS 846. APPROVALS 847. APPROVALS 848. APPROVALS 849. APPROVALS 850. APPROVALS 851. APPROVALS 852. APPROVALS 853. APPROVALS 854. APPROVALS 855. APPROVALS 856. APPROVALS 857. APPROVALS 858. APPROVALS 859. APPROVALS 860. APPROVALS 861. APPROVALS 862. APPROVALS 863. APPROVALS 864. APPROVALS 865. APPROVALS 866. APPROVALS 867. APPROVALS 868. APPROVALS 869. APPROVALS 870. APPROVALS 871. APPROVALS 872. APPROVALS 873. APPROVALS 874. APPROVALS 875. APPROVALS 876. APPROVALS 877. APPROVALS 878. APPROVALS 879. APPROVALS 880. APPROVALS 881. APPROVALS 882. APPROVALS 883. APPROVALS 884. APPROVALS 885. APPROVALS 886. APPROVALS 887. APPROVALS 888. APPROVALS 889. APPROVALS 890. APPROVALS 891. APPROVALS 892. APPROVALS 893. APPROVALS 894. APPROVALS 895. APPROVALS 896. APPROVALS 897. APPROVALS 898. APPROVALS 899. APPROVALS 900. APPROVALS 901. APPROVALS 902. APPROVALS 903. APPROVALS 904. APPROVALS 905. APPROVALS 906. APPROVALS 907. APPROVALS 908. APPROVALS 909. APPROVALS 910. APPROVALS 911. APPROVALS 912. APPROVALS 913. APPROVALS 914. APPROVALS 915. APPROVALS 916. APPROVALS 917. APPROVALS 918. APPROVALS 919. APPROVALS 920. APPROVALS 921. APPROVALS 922. APPROVALS 923. APPROVALS 924. APPROVALS 925. APPROVALS 926. APPROVALS 927. APPROVALS 928. APPROVALS 929. APPROVALS 930. APPROVALS 931. APPROVALS 932. APPROVALS 933. APPROVALS 934. APPROVALS 935. APPROVALS 936. APPROVALS 937. APPROVALS 938. APPROVALS 939. APPROVALS 940. APPROVALS 941. APPROVALS 942. APPROVALS 943. APPROVALS 944. APPROVALS 945. APPROVALS 946. APPROVALS 947. APPROVALS 948. APPROVALS 949. APPROVALS 950. APPROVALS 951. APPROVALS 952. APPROVALS 953. APPROVALS 954. APPROVALS 955. APPROVALS 956. APPROVALS 957. APPROVALS 958. APPROVALS 959. APPROVALS 960. APPROVALS 961. APPROVALS 962. APPROVALS 963. APPROVALS 964. APPROVALS 965. APPROVALS 966. APPROVALS 967. APPROVALS 968. APPROVALS 969. APPROVALS 970. APPROVALS 971. APPROVALS 972. APPROVALS 973. APPROVALS 974. APPROVALS 975. APPROVALS 976. APPROVALS 977. APPROVALS 978. APPROVALS 979. APPROVALS 980. APPROVALS 981. APPROVALS 982. APPROVALS 983. APPROVALS 984. APPROVALS 985. APPROVALS 986. APPROVALS 987. APPROVALS 988. APPROVALS 989. APPROVALS 990. APPROVALS 991. APPROVALS 992. APPROVALS 993. APPROVALS 994. APPROVALS 995. APPROVALS 996. APPROVALS 997. APPROVALS 998. APPROVALS 999. APPROVALS 1000. APPROVALS			

UNCLASSIFIED

Security Classification

10-Nov-68  
REPLACES PO FO 011473, 1 JAN 64, WHICH IS  
OBSOLETE FOR ARMY USE.

**UNCLASSIFIED**

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
HARP High Altitude Research Project Ionospheric Winds						

**UNCLASSIFIED**

Security Classification