



DEPARTMENT OF THE NAVY  
NAVAL AIR DEVELOPMENT CENTER  
JOHNSVILLE  
WARRINGTON, PA. 18074

Aerospace Crew Equipment Department

REPORT NO. NADC-AC-6808

8 APRIL 1968

COMPARATIVE STUDY OF BODY DISPLACEMENTS IN BOTH  
HUMANS AND ANTHROPOMORPHIC DUMMIES  
WHEN SIMULTANEOUSLY SUBJECTED TO CONTROLLED  
VERTICAL IMPACT TYPE DECELERATIONS

PHASE REPORT  
FOUNDATIONAL RESEARCH PROJECT #15

This interim report concerns Phase I of a research program to determine if a correlation in displacements exists between humans and anthropomorphic dummies of like proportions when subjected to vertical crash type forces for extrapolation into the high impact region where only dummies can be utilized. Although similarities were found when comparing the displacements in the leg area, the upper torso could not be correlated in any but a highly complex way. Although direct correlation is not practical, much useful information has been gained. The dynamics of the human body as it affects the performance of pilot ejection systems is considered to be very significant, and as yet undetermined.

Reported by:

Marcus Schwartz  
Marcus Schwartz  
Acceleration Branch  
Escape & Crash Safety Division

Reviewed by:

Clifford C. Woodward  
Clifford C. Woodward  
Principle Investigator

Approved by:

R. G. Ireland  
R. G. IRELAND, CAPT, MC, USN  
Director, ACED

This document has been approved for public release and sale; its distribution is unlimited.

AD 669466

NADC-AG-6808

S U M M A R Y

INTRODUCTION

The study contained in this report is only one phase of a Foundational Research program established to determine an optimum system for both ejection and non-ejection type seat design for the attenuation of high G vertical forces which result from high impact landings or crashes. The program consists of three phases:

PHASE I - To determine what, if any, correlation exists between humans and anthropomorphic dummies when subjected to crash forces for extrapolation into the high impact region where only dummies can be utilized.

PHASE II - To determine the effects of various G loadings on the human vertebra to show more clearly, the mechanisms responsible for spinal injury.

PHASE III - To determine systems and materials that can be used most effectively to attenuate to a tolerable limit, the vertical forces imposed by high impacts in both ejection and non-ejection type seats.

This interim report deals with Phase I. Although work in Phase I has not been completed, this report is submitted to make available information that has been gathered to date. Future reports will be submitted as significant phases of development are reached.

RESULTS AND CONCLUSIONS

Tests were conducted in which humans and dummies of like proportions were dropped simultaneously on the Aerospace Crew Equipment Department Vertical Drop Tower and decelerated under various controlled deceleration impulses. Both dummies and humans were similarly restrained in identical seats and seated platforms. Body displacements at various pre-selected points were recorded by high speed motion picture cameras, which were analyzed later and plotted by automatic readout equipment for comparison.

The thigh point and knee point of the 95 percentile human and dummy both reached their peak displacement (P.D.) at .040 sec. The displacements of both are practically identical at the higher G levels. At the lower G levels, the P.D.'s were, in almost all cases, no greater than 3/8" apart. Therefore, it can be concluded that there is no significant difference in the response of the legs of both the human and dummy when subjected to a vertical input while positioned in the normal ejection seat configuration.

NADC-AC-6508

The results of the 5 and 50th percentile human and dummy thigh and knee points are very similar, although not as conclusive as the 95 percentile data.

The shoulder point of the 95 percentile human reached its P.D. at .080 sec. This is attributed to the natural frequency of the human body, and agrees with data contained in Report NAEC-ACEL-510. The .060 sec. response time for the dummy evidences a more rigid body with a natural frequency higher than that of the human. It is clear that the dummy responds to the input pulse quicker than the human, which is again due to the dummy being a more rigid body. It is also interesting to note the similarity in the general shape of the displacement-time curve which appears to contain a double peak, particularly in those tests with a longer time pulse. The shoulder point is the area where the greatest amount of displacement occurs in the human. The dummy data shows that the head points resulted in the largest displacements. This was because the dummy head joint was not locked tight and was able to rotate completely forward. On the other hand, the human, within the G levels tested, was able to maintain sufficient muscle control to keep his head back in almost all cases. This also explains why the time to peak acceleration and P.D. for the dummy's head varies. This variance is not as evident for the human. Further testing with dummies will henceforth be done with the head joint sufficiently tightened to preclude excessive rotation.

The displacement of the upper torso of the human varies considerably from that of the dummy and cannot be correlated in any but a highly complex way, if at all.

The dummy shoulder point tends to approach a maximum, as indicated by the data up to the limits tested. The human shoulder point continues displacing as the load is increased. This data can be used for direct comparison only within the limits tested. Based upon the experience gained from this study, it would be difficult to duplicate exactly, the motion of the head and shoulder points under the same test conditions, because of the following variables:

1. The position in which the subject places himself in the seat, especially how he holds or "hunches" his shoulders.
2. The position in which the subject holds his head.
3. The degree of tightness with which the subject straps himself into the seat.
4. The extent of the subjects muscular control during the deceleration pulse.

NADC-AC-0808

The dynamics of the human body as it affects the performance of pilot ejection systems is considered to be very significant and as yet, undetermined. It is obvious that there is an important need for a dummy with the same stiffness and dampening characteristics as a live human being, in order to evaluate ejection seat systems properly for the use to which they were intended. This also includes evaluation of all the necessary support and restraint system components on the seat.

RECOMMENDATIONS

In order to obtain more complete information required to design dummies to simulate the response of a human, it is recommended that further research be directed toward the comparative study of impact response. The results of such a study can also be used in the analysis of impact energy absorption phenomena.

This activity is presently conducting a research program in conjunction with Technology Incorporated of Dayton, Ohio, to collect basic data which may be used in the analysis of impact energy absorption phenomena and the comparative study of impact response of humans and anthropomorphic dummies. To accomplish this task, an experimental design has been established, which is presently being implemented for the physical test set-up, instrumentation requirements and test procedures. Upon completion, live and dummy impact tests will be conducted on the ACED vertical drop tower to obtain data for use in the development of a computer program to reflect the test facility characteristics and to yield analytical models capable of duplicating force response for both humans and dummies. The development of these models will establish (1) the capability of computing the dynamic force generated between the human body and its support system for any applied acceleration environment; and (2) the difference between the dynamic response of the dummy and the human body.

NADC-AC-6808

TABLE OF CONTENTS

	Page
SUMMARY . . . . .	iii
Introduction . . . . .	iii
Results & Conclusions . . . . .	iii
Recommendations . . . . .	v
List of Figures . . . . .	vii
List of Tables . . . . .	viii
DISCUSSION . . . . .	1
Results of 95 Percentile Tests . . . . .	3
Results of 5 Percentile Tests . . . . .	7
Results of 50 Percentile Tests . . . . .	8
ACKNOWLEDGEMENTS . . . . .	10

NADC-AC-6808

LIST OF FIGURES

Figures	Title
2-43	Data Plots of AME-3 C. BROOKS and 95 Percentile Dummy
44-70	Data Plots of AMH-2 L. REYD and 5 Percentile Dummy
77-106	Data Plots of HM-2 D. BRICE and 50 Percentile Dummy

NADC-AC-6808

LIST OF TABLES

Table	Title
I	Anthropometric Data of Humans and Dummies
II	Tabulated Displacement Data Showing Body Movement of AME-3 C. BROOKS and 95 Percentile Dummy
III	Tabulated Displacement Data Showing Body Movement of HM-2 D. BRICE and 50 Percentile Dummy
IV	Tabulated Displacement Data Showing Body Movement of AMH-2 L. REED and 5 Percentile Dummy

NADC-AC-6808

## D I S C U S S I O N

These tests are being conducted to determine the reactions of anthropomorphic dummies and humans of similar proportions when subjected to vertical crash type loads under identical test conditions. In this phase of the program, we are gathering data to determine the physical displacements that take place to compare the motion of the human and the dummy. It was hoped that some correlation would exist so that we may be able to obtain the motion that the human undergoes at the higher G levels which cannot be live tested. Since all ejection seat test work is accomplished with the similar anthropomorphic dummies, it is of great interest to be able to determine the effect upon the seat system performance characteristics when the dummy is replaced with a human.

Before live testing could begin, it was necessary to calibrate the Drop Tower. The calibration consisted of determining the proper drop weight and arresting force combination to insure close control of the desired G level and the proper drop height to insure close control of the time duration of the deceleration pulse.

After the final payload was determined, an arrangement of arresting straps was selected and a series of drop tests were conducted at various heights. This was repeated for each required G level. Utilizing the maximum drop weight allowable and the limited number of various straps available, the G levels obtained were 4.9, 7.1, 9.0 and 10. Using known parameters of G, time and height, a family of curves were drawn for determining height required to produce a desired time pulse for the four different G levels tested.

A test stand was designed and constructed to allow the mounting of two A4D ejection seats back-to-back (Figure No. 1). The A4D seats were chosen because they are light in weight and were readily available. Both the live subjects and the dummies were seated on identical type rigid seat survival kits.

Instrumentation consisted of the following: A total of four accelerometers were placed on the dummy. Two were located in the dummy's head and two in the chest cavity which measured vertical and horizontal decelerations. There was only one accelerometer placed on the live subject. This was attached firmly on the subject's head and held in place by the helmet, which was drilled, allowing the accelerometer to protrude through.



NADC-AC-6808

This was the only location considered feasible for placing an accelerometer on the live subject, because of the inability to fix the accelerometer to other parts of the body in a way which would prevent relative motion between it and the body during the deceleration. An accelerometer was placed on the deck of the drop cart, between the two seats. A velocity pick-up was installed to measure the drop cart speed at impact.

The first live testing on the ACSD vertical drop tower facility was accomplished during this Phase I program. The first drop test was made by the author to determine an adequate test procedure, to check out instrumentation and photographic coverage, and to experience the physiological factors involved.

High speed motion picture camera techniques were employed to detect body movements during the deceleration impulse. Three milliken 400 FPS cameras were positioned on the drop cart, such that one camera covered the live subject, one the dummy, and the third the shoulder motions of both dummy and live subject. Strobe lights were mounted behind each seat to record, on film, the start of the deceleration impulse. Both were actuated at exactly the same time by a single switch at the instant of impact.

Three subjects, representing approximately, 25th, 65th and 95th percentiles, volunteered to complete a series of four drop tests each. All were subjected to the same four tests, which were programed as follows:

<u>G-Level</u>	<u>Time Duration</u>	<u>Impact Velocity</u>
4.9	.380 Sec.	44 F.P.S.
7.1	.250 Sec.	44 F.P.S.
9.0	.160 Sec.	30 F.P.S.
10	.140 Sec.	30 F.P.S.

Each of the test subjects had reference marks placed on his body at four different locations for film analysis of body displacements:

1. Forehead (Frontal Ridge)
2. Shoulder (Acromian Process)
3. Thigh - 1/3 distance between knee and greater trochanter
4. Knee (Lateral aspect of the Patella)

NADC-AC-5808

In addition to these four reference marks, the eye and the tip of the nose were also used as reference marks to detect body displacement. Similar marks were placed on the dummy in approximately the same locations, with the exception of the temple, which was not marked on the dummy.

The high speed films were analyzed on a 16MM Boscarr Film Analyzer to detect body movement at each of the six reference points. Each point was recorded every eight frames for the first 56 frames; then every 25 frames till motion ceased. At the moment of impact (indicated by illumination of a strobe light), all six reference (five on the dummy) points were noted and marked. These marks were referenced to a common grid representing horizontal and vertical axis. The purpose of the grid was to provide a scale factor for the analyzer and a zero reference from which to measure all displacements. Approximately 14 points were plotted on a 600 MS time base. This information was simultaneously fed into an IBM 026 card punch machine and printed on standard IBM punch cards. After all the films had been analyzed, the punch cards, including scale factor and zero reference information, were fed into an ALWAC Model III-C Digital Computer from which a tabulated read-out for each drop tower test was obtained (Tables 2, 3, and 4). This read-out gave displacement data in inches correct to the second decimal place for each body reference point in relation to a fixed reference axis common to both the live subject and the dummy. This information was then placed on another set of punch cards and these in turn were fed into an E.A.I. Electronic Data Plotter which translated the tabulated digital information into data plots on two coordinate paper. (Figures 2 through 106).

#### Results of 95 Percentile Tests

##### SHOULDER POINT

Vertical - While the input deceleration was acting on the human, the maximum displacements in all the tests utilizing the 95%tile subject occurred between 80 and 100 milliseconds. In five out of 6 tests, the maximum displacement occurred at exactly 80 milliseconds. For the dummy under the same conditions, 5 tests had peak displacements occurring at exactly 60 milliseconds. All these tests were at different 'G' levels and varying drop heights. The peak displacement (herein referred to as P.D.), in each test increased as the 'G' level increased. The dummy shoulder displacements tended towards a maximum at about 10 'G', which was the highest 'G' level tested in this series. The human displacements kept increasing as the 'G' level was increased. The more force that is applied, the more the displacement because of the flexibility of the human body.

## NADC-AC-6808

Horizontal - As evidenced by the data plots, the human subject tended to lean into the shoulder harness after rebounding off the back of the seat, whereas the dummy in all cases was pressed back into the seat. The amount of displacement of the live subject in the horizontal direction was clearly seen to be dependent primarily upon how tight the subject strapped himself in before each test drop. Obviously, the more slack in the harness, the greater the tendency to displace forward. In Test #60, the subject tightened the shoulder harness as much as comfort allowed. This kept him back in the seat with little forward displacement. In Test #61, the subject purposely did not tighten himself as much, although he was still reasonably tight. As expected, the subject experienced the same type of response, but with more forward and less aft movement.

The dummy was strapped in only once before the test series, and its horizontal movements were practically similar throughout. The c.g. location of the torso, together with the position assumed by the subject in the seat, will determine whether the subject leans into the harness or is pressed back into the seat during the deceleration input pulse.

### THIGH POINT

Vertical - The thigh point of the human during the deceleration pulse reached a P.D. in the first test of the series, at 4.9 G's. In all succeeding tests the deflections remained fairly constant at all 'G' levels. The peak displacements in all tests occurred between 100 and 120 milliseconds, with the greater percentage occurring at 100 milliseconds. For the dummy under the same conditions, the deflections became constant at approximately 7.6 G's. The time for the dummy's thigh to reach its peak displacement during the initial deceleration pulse was constant at 40 milliseconds despite varying input parameters.

It was not expected that the motion of the thigh point of the human would be similar to his shoulder motion, since the deflection of the thigh is limited due to the rigid platform supporting it and the physiology of the thigh region.

On the other hand, the motion of the thigh point and shoulder point of the dummy was similar. This was as expected because of the rigidity of the dummy construction which prevents any relative motion between its joints in the vertical direction. The dummy is free to rotate only about its joints and cannot simulate compression of its internal structure in the input direction, as is possible in the human.

NADC-AC-6808

Horizontal - The thigh point on the human displaced forward, although its maximum movement never exceeded .43 inches. This, of course, is considered very stable.

The dummy thigh was also extremely stable in that it displaced less than the human, but in the aft direction. Any large horizontal displacement of the thigh that might occur could primarily be attributed to submarining.

KNEE POINT

Vertical - Both the human and the dummy exhibited the same type of response, although in the human the vertical deflections were slightly larger. The times required to reach peak displacement for both were similar at 40 milliseconds.

The horizontal displacement of the human knee reached a maximum of .81 inches in the forward direction. The dummy displacements were very constant throughout the entire test series, reaching a maximum of only .2 inches.

HEAD

Although it is believed that no meaningful correlation can be made between the head points of the human and dummy because of the different types of motion that took place during the deceleration pulse, the displacements obtained are useful for predicting what each will do.

TEMPLE

Vertical - From the data plots, it is apparent that there is a fairly predictable pattern to the vertical head displacement. (Disregarding Test #35). The displacement of the head is a combination of the downward displacement of the torso and the rotation of the head with the greater percentage being attributed to downward displacement of the torso in the case of the human.

Horizontal - The horizontal displacements of the human temple point are random and completely unpredictable. The motion does indicate that the point is moving forward. The corresponding point on the dummy was not considered in this test series.

NADC-AC-6808

#### EYE POINT

Vertical - The eye point in the human followed a very definite pattern of increasing vertical displacement with increasing 'G' level. With the exception of Test #35, the displacements appear to approach a linear relationship. The dummies eye point in the vertical direction displaced more than the human, but this is due mainly to the forward rotation of the dummies head.

Horizontal - The motion of the humans eye point tended towards a maximum forward displacement at the 10G level, which was the highest G level tested. The dummies eye point also displaced in the forward direction. The dummies eye displacement far exceeded the humans, due to the greater amount of forward rotation of the dummies head. For future dummy use, the head should be adjusted by tightening, to more closely resemble the motion of the human.

#### NOSE POINT

Vertical - Both the human and dummy nose reference points show a consistent increase in displacement with each increase in the 'G' level. The human showed no tendency to reach a maximum, while the dummy tended to reach a constant peak displacement at the 8 G level. The vertical displacements resemble those which were obtained for the eye point.

Horizontal - The horizontal motion of the human's nose reference point was very similar in magnitude to that of the eye point. This is evidenced by an increasing displacement with increasing G level in some predictable manner.

The dummies nose point, on the other hand, did not displace as much as its eye point. At first glance this would seem to be inconsistent. However, the values obtained are realistic and this is due to the amount of rotation of the dummies head. Because of the respective locations of temple, eye, and nose, and the geometry of the motion, a rotation of the head about a fixed point will usually result in three different absolute displacements in the X and Y direction for each point. If no rotation had occurred, the displacements would be expected to be similar.

NADC-AC-6808

Results of 5 Percentile Tests

AMH-2 REED & 5 PERCENTILE DUMMY  
SHOULDER

Vertical - The 5 percentile human subject tended to continue displacing during the entire time that the input pulse was being applied. This is in contrast to the 95 percentile subject which reached a P.D. in the early part of the input pulse. The 5 percentile dummy displacements were similar to the 95 percentile in that they reached a P.D. in the early portion of the deceleration, although not at the same time.

The human's displacement increased slightly with each increase in G level, except for the last test which decreased slightly. This may or may not indicate an absolute P.D. For the human 95 percentile tests, no absolute maximum was indicated, as was pointed out earlier. The 5 percentile dummy reached a P.D. during the first test at 4.7 G's and remained very constant for the remainder of tests. This compares favorably with the 95 percentile dummy. Both the 5 and 95 percentile dummies compare closely at each G level.

Horizontal - In this series of tests, the dummy horizontal motion was very stable at all G levels. The human's motion is clearly seen to be an increasing peak displacement with each increase in G level. The direction of displacement was forward into the harness, as was the 95 percentile human.

THIGH

Vertical - The peak displacement of the dummy's thigh never exceeded .65 inches and was essentially the same in every test. The human's peak displacement varied between .69 inches and 1.29 inches. The peak displacements of the 95 percentile dummy were consistently higher than the 5 percentile dummy, but never more than approximately .5 inches. The displacements of the 95 percentile human were less than the 5 percentile human in each corresponding test.

Horizontal - The peak displacements of the human's thigh were very stable at .42 inches in the forward direction and compared closely with the motion of the 95 percentile subject. The dummy's displacements were very small except for the last test at 9.6 G's, which reached a peak of 1.32 inches during the first .4 seconds of the deceleration pulse and then decreased to no more than .3 inches for the remainder of the pulse. The dummy's displacements were forward as compared to the 95 percentile dummy which had a tendency to displace aft, as well as forward.

NADC-AC-6808

### KNEE

Vertical - The human knee point peak displacements increased with each successive increase in G level, as did the 95 percentile human, although the 95 percentile human's displacements were larger at the higher G levels. The dummy's displacement also increased very slightly with increasing G level, excluding the first test. The 5 percentile dummy displacements were slightly less than the 95 percentile dummy displacements.

Horizontal - The motion of the human's knee in the horizontal direction shows that the displacement is in the forward direction. The displacements increased with increasing G level with the exclusion of the last test which was slightly less than the preceding test, but more than the first two. The magnitudes of the P.D.'s were similar to that of the 95 percentile human.

With the 5 percentile dummy, the knee displaced slightly forward and aft during the first test at the 4.9 G level. The remaining tests all displaced forward. The only significant displacement occurred during the last test at the 9.8 G level. In this test, the peak displacement of the knee reached a maximum of 1.18 inches at .02 seconds of the pulse and then returned to a maximum of .27 inches for the second half of the pulse.

### HEAD POINTS

The photographic coverage of the temple, eye, and nose points of both the human and dummy were not obtained to any usable degree for analysis purposes, due to excessive shadows cast by the drop tower structure on both the human and dummy.

### Results of 50 Percentile Tests

#### HM2 BRICE & 50 PERCENTILE DUMMY SHOULDER POINT

Vertical - The P.D. of the subject approximating a 50 percentile human reached a maximum at the 8.3 G level and showed a slight reduction in displacement at the next higher G level. This pattern of motion is identical to the subject representing the 5 percentile, although the magnitude of the displacements vary. From these tests, there does not appear to be any correlation between the various percentile humans and the magnitude of the displacements at the various G levels.

NADC-AC-6808

The dummy maximum displacements increased slightly with each increase in G level which is similar to the 95 percentile dummy, but in contrast to the 5 percentile, in which the P.D.'s were fairly constant.

Horizontal - During the first two tests with the human subject, the shoulder point moved fore and aft throughout most of the deceleration pulse. In the third test at 8.3G's, the subject tended to move slightly forward. In the last test, the subject's shoulder point tended to displace slightly aft. The 50 percentile dummy displaced aft in all the tests. All of the horizontal displacements, both fore and aft, of human and dummy, were less than one inch.

THIGH

Vertical - The human's maximum thigh displacement never exceeded .8 inches in any of the tests. This compares with the 95 percentile subject whose P.D.'s never exceeded .91 inches and the 5 percentile human's P.D., which reached approximately 1.28 inches at both 4.7 G's and 9.6 G's. The dummy's P.D. points varied between .8 inches and 1.3 inches.

Horizontal - The direction of the human's horizontal displacement was forward and never exceeded .6 inches. The dummy's displacements were for all purposes aft, as was the case with the 5 and 50th percentile dummies. The displacements never exceeded .54 inches.

KNEE POINT

Vertical - The displacement of the human's knee point was seen to vary only slightly from one test to another. The displacement of the human's knee point was consistently greater than that of the dummy. The dummy's P.D. was .79 inches. With the exception of the first test, the human's knee point displacement increased slightly with each increase in G level.

The dummy P.D.'s were not consistent with an increase in G level.

Horizontal - The horizontal P.D. for both the human and dummy was extremely small. The human's displacement reached a peak of .6 inches in the forward direction. The dummy's P.D. was only .34 inches, but in the aft direction, as had been the case in the two preceding test series.



NADC-AC-6808

TEMPLE POINT

Vertical - The displacement of the human's temple point increased with each increase in G level. The P.D.'s are very similar to those of the 95 percentile human and are a combination of the downward displacement of the torso and rotation of the head. This point was unobtainable on the 5 percentile human. Only three data points were obtained for the 50 percentile human.

Horizontal - The P.D.'s of the 50th percentile human's temple point were greater than those of the 95 percentile. At the highest G level tested, the 50th percentile's P.D. was about 1.3 inches greater than that of the 95 percentile. The horizontal motion of the head points do not necessarily have to follow the horizontal motion of the shoulder. In this case they certainly do not. The head can rotate and stretch forward while the shoulders press aft into the seat.

EYE POINT

Vertical - Only two data points were obtained for both the human and dummy, and the only indication is that the dummy vertical displacements are greater, as they were in the 95 percentile series. The horizontal data is inconclusive.

NOSE POINT

Vertical - The human's P.D.'s were fairly constant. The dummy's displacements were slightly larger due to a greater amount of rotation of the dummy's head as was the case with the 95 percentile series.

Horizontal - The human's horizontal P.D.'s were also fairly constant and, in the horizontal direction, the dummy's P.D.'s were less than those of the human.

A C K N O W L E D G E M E N T S

This study was conducted under Foundational Research Grant #15. The Aerospace Crew Equipment Department wishes to express its appreciation to the following named personnel who served voluntarily as live subjects during the Drop Tower portion of this study, and without whose efforts, this work could not have been completed:

Carl Brooks AME3  
David Brice RM2  
Lynn L. Reed AMH2

NADC-AC-6808

Acknowledgement is also made of the excellent assistance received from the personnel of the Analytic Branch, Aeronautical Structures Department during the computer reduction of the raw data collected during this study, and to the personnel of the Photographic Department, Naval Air Engineering Center, for the outstanding photographic support and technical advice rendered during the Drop Tower portion of the study.




FIG. NO. 1 SET-UP FOR HUMAN-DUMMY TESTS


NADC-AC-6808

FIGURES 2 THRU 43

DATA PLOTS OF C. BROOKS AND 95 PERCENTILE DUMMY


<u>TEST NO.</u>	<u>G LEVEL</u>	<u>IMPACT VELOCITY</u>
34	4.9	44 FPS
39	9.0	33 FPS
40	10.0	33 FPS
60	8.4	33 FPS
61	8.1	44 FPS

# SUBJECTS - BROOKS TEMPLE POINT - T




A

# BROOKS & 95 %TILE DUMMY TEST - TEST NO. 34 - 4.9 G



B


# SUBJECTS - BROOKS EYE POINT - TEST



A

# - BROOKS & 95 %TILE DUMMY


## INT - TEST NO. 34 - 4.9 G



B




# BROOKS & 95 % T NOSE POINT - TEST



A


# & 95 %TILE DUMMY

## - TEST NO. 34 - 4.9 G




B

# SUBJECTS BROOK SHOULDER POINT




A

# OBJECTS BROOKS & 95 %TILE DUMMY ELDER POINT - TEST NO. 34 - 4.9 G



B


# SUBJECTS - BROOKS THIGH POINT - TEST



A

# BROOKS & 95 %TILE DUMMY


## INT - TEST NO. 34 - 4.9 G



B


# SUBJECTS - BROOKS & 95

## KNEE POINT - TEST N



A

# HOOKS & 95 %TILE DUMMY TEST - TEST NO 34 - 4.9 G




B



# SUBJECTS - BROOKS & 9


## TEMPLE POINT TEST



A


# DOGS & 95 %TILE DUMMY

## TEST NO. 61 8.4 G



B


# SUBJECTS - BROOKS & EYE POINT TEST



A


# ROOKS & 95 %TILE DUMMY

## TEST NO. 61 8.4 G



B


# SUBJECTS - BROOKS & NOSE POINT TEST



A


# BROOKS & 95 %TILE DUMMY

## T TEST NO. 61 8.4 G




B

# SUBJECTS - BROOKS & SHOULDER POINT - TEST



A


# BROOKS & 95 %TILE DUMMY POINT - TEST NO. 61 8.4 G



B




# SUBJECTS - BROOKS THIGH POINT - TI



A


# BROOKS & 95 %TILE DUMMY

## INT - TEST NO. 61 - 8.4 G



B


# SUBJECTS - BROOKS & KNEE POINT - TEST



A


# BROOKS & 95 %TILE DUMMY

## INT - TEST NO. 61 - 8.4 G



B


# SUBJECTS - BROOKS TEMPLE POINT - TI



A


# BROOKS & 95 %TILE DUMMY

## TEST - TEST NO. 60 - 8.1 G



B


# SUBJECTS - BROOKS & J EYE POINT - TEST



A

# ROOKS & 95 %TILE DUMMY

- TEST NO. 60 - 8.1 G




B



# SUBJECTS - BROOKS & 95


## NOSE POINT - TEST NO



A


# BROOKS & 95 %TILE DUMMY

## TEST NO. 60 - 8.1 G



B


# SUBJECTS - BROOKS & 9 SHOULDER POINT - TEST



A


# BROOKS & 95 % TILE DUMMY

## JOINT - TEST NO. 60 - 8.1 G



B


# SUBJECTS - BROOKS & THIGH POINT - TEST



A

# ROOKS & 95 %TILE DUMMY


## T - TEST NO. 60 - 8.1 G



B

# SUBJECTS - BROOKS & S


## KNEE POINT - TEST N



A

# BOKS & 95 %TILE DUMMY


## - TEST NO 60 - 8.1 G



B




# SUBJECTS - BROOKS TEMPLE POINT -



Y DISPLACEMENT INCHES


A

# BROOKS & 95 %TILE DUMMY POINT - TEST NO. 39 - 9 G



B


# SUBJECTS - BROOKS & S EYE POINT - TEST NO



A


# BROOKS & 95 %TILE DUMMY

## T - TEST NO. 39 - 9 G




B

# SUBJECTS - BROOKS & NOSE POINT - TEST




A

**- BROOKS & 95 %TILE DUMMY  
POINT - TEST NO. 39 - 9 G**




B

# SUBJECTS - BROOK SHOULDER POINT



A


# S - BROOKS & 95 %TILE DUMMY DER POINT - TEST NO.39 - 9 G



B




# SUBJECTS - BROOKS KNEE POINT -



A


# BROOKS & 95 %TILE DUMMY POINT - TEST NO. 39 - 9 G



B


# SUBJECTS - BROOKS & 99

## TEMPLE POINT - TEST 1




A

# HOOKS & 95 %TILE DUMMY TEST - TEST NO. 40 - 10 G



B


# SUBJECTS' - BROOKS & EYE POINT - TEST N



A


# BROOKS & 95 %TILE DUMMY

## - TEST NO. 40 -10 G



B


# SUBJECTS - BROOKS & NOSE POINT - TEST



A

# BROOKS & 95 %TILE DUMMY


## TEST - TEST NO. 40 --10 G



B




# SUBJECTS - BROOKS SHOULDER POINT -




A

# - BROOKS & 95 %TILE DUMMY POINT - TEST NO. 40 - 10 G



B


# SUBJECTS - BROOKS & THIGH POINT - TEST



A


# BROOKS & 95 %TILE DUMMY

## DINT - TEST NO. 40 - 10 G




B

# SUBJECTS - BROOKS & KNEE POINT - TEST



A

# ROOKS & 95 %TILE DUMMY TEST NO. 40 - 10 G



B


NADC-AC-6808

FIGURES 71 THRU 106

DATA PLOTS OF D. BRICE AND 50 PERCENTILE DUMMY

<u>TEST NO.</u>	<u>G LEVEL</u>	<u>IMPACT VELOCITY</u>
36	4.9	44 FPS
37	7.1	44 FPS
45	9.0	33 FPS
46	10.0	33 FPS

# SUBJECTS - BRICE & TEMPLE POINT - TEST




A




# BRICE & 50%TILE DUMMY

TEST - TEST NO. 36 - 4.9 G



B


# SUBJECTS - BRICE & EYE POINT - TEST N



A


# RICE & 50% TILE DUMMY

## TEST NO. 36 - 4.9 G



B


# SUBJECTS - BRICE NOSE POINT - TI



A


# BRICE & 50% TILE DUMMY

## TEST - TEST NO. 36 - 4.9 G




B

# SUBJECTS - BRICE & 5 SHOULDER POINT - TES




A

**- BRICE & 50% TILE DUMMY  
POINT - TEST NO. 36 - 4.9 G**



B

# SUBJECTS - BRICE & 5 KNEE POINT - TEST




A




# BRICE & 50%TILE DUMMY

## TEST NO. 36 - 4.9 G



B


# SUBJECTS - BRICE & 50 EYE POINT - TEST NO



A


# RICE & 50%TILE DUMMY

## TEST NO. 37 - 7.1 G




B

# SUBJECTS - BRICE - NOSE POINT - TEST




A

# BRICE - 50%TILE DUMMY TEST - TEST NO. 37 - 7.1 G




B

# SUBJECTS BRICE & 50 TEMPLE POINT - TEST




A

# BRICE & 50%TILE DUMMY TEST - TEST NO. 37 - 7.1 G



B


# SUBJECTS - BRICE & SHOULDER POINT - TEST



A




# PRICE & 50% TILE DUMMY TEST - TEST NO. 37 - 7.1 G



B


# SUBJECTS - BRICE & 5 THIGH POINT - TEST



A


# RICE & 50%TILE DUMMY

## - TEST NO. 37 - 7.1 G



B


# SUBJECTS - BRICE & KNEE POINT - TEST



A


# BRICE & 50%TILE DUMMY

## INT - TEST NO. 37 - 7.1G



B

# SUBJECTS - BRICE NOSE POINT - TE




Y DISPLACEMENT INCHES

A


# BRICE & 50%TILE DUMMY

## BT - TEST NO. 45 - 9 G



B


# SUBJECTS - BRICE & SHOULDER POINT -



A




# BRICE & 50%TILE DUMMY POINT - TEST NO. 45 - 9 G



B


# SUBJECTS - BRICE & 5 THIGH POINT - TEST



A


# BRICE & 50% TILE DUMMY

## TEST NO. 45 - 9 G




B

# SUBJECTS - BRICE & 5 KNEE POINT - TEST




A

# BRICE & 50%TILE DUMMY TEST NO. 45 - 9 G




B

# SUBJECTS - BRICE & TEMPLE POINT - TI




A

# BRICE & 50%TILE DUMMY DNT - TEST NO.46 - 10 G



B


# SUBJECTS - BRICE & 50 SHOULDER POINT - TEST



A




# BRICE & 50%TILE DUMMY POINT - TEST N O. 46 - 10 G




B

# SUBJECTS - BRICE & 50 THIGH POINT - TEST




R

# BRICE & 50%TILE DUMMY DINT - TEST NO. 46 - 10 G



B


# SUBJECTS - BRICE & KNEE POINT - TEST



A

Y DISPLACEMENT INCHES

# - BRICE & 50%TILE DUMMY POINT - TEST NO. 46 - 10 G



B

NADC-AC-6808


FIGURES 44 THRU 70

DATA PLOTS OF L. REED AND 5 PERCENTILE DUMMY

<u>TEST NO.</u>	<u>G LEVEL</u>	<u>IMPACT VELOCITY</u>
41	4.9	44 FPS
42	7.1	44 FPS
43	9.0	33 FPS
44	10.0	33 FPS

# SUBJECTS - REED & 5<sup>th</sup> TYLE

## EYE POINT - TEST NO. 41




A

# 5%TILE DUMMY

NO. 41


4.9 G



B



**SUBJECT - REED & 5% TILE**  
**NOSE POINT - TEST NO. 41 -**




A

# & 5%TILE DUMMY


0.41 -

4.9 G




B

# SUBJECTS - REED & 5% SHOULDER POINT - TEST




A

# ED & 5%TILE DUMMY T - TEST NO. 41 - 4.9 G



B


# SUBJECTS - REED & S THIGH POINT - TEST M



A


# REED & 5%TILE DUMMY

T - TEST NO. 41 - 4.9 G




B

# SUBJECTS - REED & 5%TH KNEE POINT - TEST NO. 1



A


# & 5% TILE DUMMY ST NO. 41 - 4.9 G



B




# SUBJECTS - REED & 5%T NOSE POINT - TEST NO.




A

# D & 5%TILE DUMMY TEST NO. 42 - 7.1 G




B

# SUBJECTS - REED & 5 SHOULDER POINT - TEST




A

- REED & 5% TILE DUMMY  
JOINT - TEST NO. 42 - 7.1 G




B

# SUBJECTS - REED & 5% THIGH POINT - TEST NO.




A

# ED & 5% TILED DUMMY TEST NO. 42 - 7.1 G



B


# SUBJECTS - REED & 5 KNEE POINT - TEST



A

# REED & 5%TILE DUMMY


## - TEST NO. 42 - 7.1 -G



B




# SUBJECTS - REED & SHOULDER POINT - TE




A

# REED & 5% TILE DUMMY POINT - TEST NO. 43 --9.0 G



B


# SUBJECTS - THIGH POIL



A


# SUBJECTS - REED & 5%TILE DUMMY

## HIGH POINT - TEST NO. 43 - 9.0G



B


# SUBJECTS -- REED & 5 KNEE POINT - TEST



A


# REED & 5% TILE DUMMY

## TEST NO. 43 - 9.0 G



B


# SUBJECTS - REED & [unclear] SHOULDER POINT - TES



A

# REED & 5%TILE DUMMY


## NT - TEST NO. 44 - 10.0 G



B




# SUBJECTS - REED & 5% TILE THIGH POINT - TEST NO. 44




A

# & 5% TILE DUMMY T NO. 44 - 10.0 G




B

# SUBJECTS - REED & KNEE POINT - TEST



A

# ED & 5%TILE DUMMY TEST NO. 44 - 10.0 G



B

NADC-AC-6808

ANTHROPOMETRIC DATA

	<u>ANTHROPOMETRY</u>		<u>REED</u>		<u>DRICE</u>		<u>BROOKS</u>		
	<u>SIZE</u>	<u>50%ILE</u>	<u>95%ILE</u>	<u>MEASURE</u>	<u>ZILE</u>	<u>MEASURE</u>	<u>ZILE</u>	<u>MEASURE</u>	<u>ZILE</u>
Weight (lbs.)	140.32	171.1	203.58	130.0	-1	150.0	13.8	205.0	96.8
Height (Inches)	66.22	64.87	73.91	68.2	23.5	69.2	38.5	73.8	94.5
Functional Reach (Inches)	29.33	31.40	34.04	31.5	52.5	32.2	70.5	33.7	92.5
Sitting Height (Inches)	34.24	36.27	38.36	35.3	21.8	37.2	77.0	39.1	99.0
Shoulder Width - Bideltoid Diam. (Inches)	17.28	18.78	20.26	16.2	-1	18.5	37.0	20.7	98.2
Trunk Height (Shoulder Height Sitting) (Inches)	22.03	23.8	25.54	25.3	92.6	24.9	84.8	27.5	99+
Buttock Knee Length (Inches)	22.5	24.06	25.80	22.7	7.2	23.2	18.0	25.4	89.6
Leg Length (Crotch Height) (Inches)	30.65	33.15	35.99	40.6	15.6	40.9	20.0	35.7	94.0

TABLE I

KADC-AC-6808

TABLE II

TABULATED DISPLACEMENT DATA SHOWING BODY MOVEMENT OF  
C. BROOKS AND 95 PERCENTILE DUMMY

TEST SUBJECT AME-3 C. BROOKS

NOSE

EYE

TEMPLE

TEST NO	PT NO	TIME	X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
34	0	.0000	19.36	32.54	.00-	.00-	19.97	31.51	.09-	.00	21.60	30.11	.00-	.00
34	1	.0200	19.25	32.16	.11-	.38	19.86	31.13	.11-	.38	21.53	29.69	.07-	.42
34	2	.0400	19.36	31.59	.00-	.95	19.82	30.64	.15-	.87	21.49	29.16	.11-	.95
34	3	.0600	19.06	31.59	.30-	.95	19.74	30.26	.23-	1.25	21.34	28.86	.26-	1.25
34	4	.0800	19.21	31.13	.15-	1.41	19.78	29.96	.19-	1.55	21.41	28.55	.19-	1.56
34	5	.1000	19.13	31.48	.23-	1.06	19.82	30.07	.15-	1.44	21.49	28.63	.11-	1.48
34	6	.1200	19.13	31.70	.23-	.84	19.82	30.38	.15-	1.13	21.45	28.93	.15-	1.18
34	7	.1400	19.17	31.55	.19-	.99	19.86	30.22	.11-	1.29	21.49	28.74	.11-	1.37
34	8	.2025	19.13	31.36	.22-	1.18	19.86	30.07	.11-	1.44	21.49	28.86	.11-	1.25
34	9	.2650	19.29	31.10	.07-	1.44	19.97	29.84	.00-	1.67	21.60	28.48	.00-	1.63
34	10	.3275	19.21	31.40	.15-	1.14	19.86	30.00	.11-	1.51	21.64	28.55	.04	1.56
34	11	.3900	19.06	31.51	.30-	1.03	19.70	30.18	.27-	1.32	21.41	28.97	.19-	1.14
34	12	.4525	18.91	32.62	.45-	.08-	19.67	31.55	.30-	.04-	21.41	29.96	.19-	.15
34	13	.5150	19.17	32.62	.19-	.08-	19.89	31.48	.08-	.03	21.56	29.88	.04-	.23
34	14	.5775	18.94	32.24	.42-	.30	19.55	31.13	.42-	.38	21.34	29.62	.26-	.49

KNEE

THIGH

SHOULDER

TEST NO	PT NO	TIME	X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
34	0	.0000	15.91	27.26	.00-	.00	30.87	5.88	.00-	.00	42.15	7.02	.00-	.00
34	1	.0200	15.79	26.88	.12-	.38	30.79	5.58	.08-	.30	42.00	5.56	.15-	.46
34	2	.0400	15.98	26.12	.07	1.14	30.83	5.39	.04-	.49	42.15	6.26	.00-	.76
34	3	.0600	15.87	25.40	.04-	1.86	30.91	5.39	.04	.49	42.03	6.60	.12-	.42
34	4	.0800	15.68	25.02	.23-	2.24	31.02	5.05	.15	.83	42.34	6.60	.19	.42
34	5	.1000	15.64	25.17	.27-	2.09	30.94	4.97	.07	.91	42.45	6.26	.30	.76
34	6	.1200	15.60	25.44	.31-	1.82	31.06	5.35	.19	.53	42.58	6.37	.23	.65
34	7	.1400	15.83	25.25	.08-	2.01	31.06	5.31	.19	.57	42.34	6.37	.19	.65
34	8	.2025	16.13	25.13	.22	2.13	30.79	5.27	.08-	.61	42.19	6.56	.04	.46
34	9	.2650	16.10	24.98	.19	2.28	30.98	5.01	.11	.87	42.41	6.00	.26	1.02
34	10	.3275	16.06	24.83	.15	2.43	31.02	5.20	.15	.68	42.38	6.30	.23	.72
34	11	.3900	16.10	25.06	.19	2.20	30.98	5.43	.11	.45	42.22	6.75	.07	.27
34	12	.4525	15.91	27.00	.00-	.26	31.02	5.54	.15	.34	42.26	7.17	.11	.15
34	13	.5150	15.91	26.92	.00-	.34	30.83	5.35	.04-	.53	42.19	6.37	.04	.65
34	14	.5775	15.68	25.86	.23-	1.40	30.91	5.39	.04	.49	42.22	6.72	.07	.30

TEST SUBJECT 25611c DUMMY

TEMPLE EYE NOSE

TEST NO	PT NO	TIME	X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
34	0	.0000					19.89	29.62	.00-	.00-	20.88	28.32	.00-	.00-
34	1	.0200					19.82	29.35	.07-	.27	20.81	28.13	.07-	.19
34	2	.0400					19.93	28.86	.04	.76	20.88	27.45	.00-	.87
34	3	.0600					20.05	28.48	.16	1.14	20.92	27.03	.04	1.29
34	4	.0800					20.12	28.32	.23	1.30	20.96	26.88	.08	1.44
34	5	.1000					20.24	28.55	.35	1.07	21.00	26.88	.12	1.44
34	6	.1200					20.27	28.25	.38	1.37	21.03	26.69	.15	1.55
34	7	.1400					20.27	28.17	.38	1.45	21.00	26.73	.12	1.59
34	8	.2025					20.27	28.17	.38	1.45	21.11	26.84	.23	1.48
34	9	.2650					20.24	28.32	.35	1.30	21.07	27.11	.19	1.21
34	10	.3275					20.31	28.25	.42	1.37	21.11	26.84	.23	1.48
34	11	.3900					20.31	28.48	.42	1.14	21.11	27.22	.23	1.10
34	12	.4525					20.43	29.27	.54	.35	21.22	27.94	.34	.38
34	13	.5150					20.50	29.01	.61	.61	21.30	27.60	.42	.72
34	14	.5775					20.20	29.12	.31	.50	21.00	27.75	.12	.57

SHOULDER THIGH KNEE

TEST NO	PT NO	TIME	X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
34	0	.0000	16.55	24.49	.00-	.00	30.49	6.64	.00-	.00	38.50	7.06	.00-	.00
34	1	.0200	16.32	24.00	.23-	.49	30.45	6.22	.04-	.42	38.43	6.79	.07-	.27
34	2	.0400	16.44	23.39	.11-	1.10	30.56	6.00	.07	.64	38.50	6.64	.00-	.42
34	3	.0600	16.29	23.20	.26-	1.29	30.53	6.00	.04	.64	38.46	6.79	.04-	.27
34	4	.0800	16.02	23.24	.53-	1.25	30.49	6.07	.00-	.57	38.39	7.02	.11-	.04
34	5	.1000	16.10	23.46	.45-	1.03	30.53	6.22	.04	.42	38.55	6.87	.15-	.19
34	6	.1200	16.21	23.35	.34-	1.14	30.60	6.03	.11	.61	38.43	6.65	.07-	.38
34	7	.1400	16.32	23.39	.23-	1.10	30.53	6.15	.04	.49	38.43	6.87	.07-	.19
34	8	.2025	16.40	23.54	.15-	.95	30.53	6.18	.04	.46	38.43	6.94	.07-	.12
34	9	.2650	16.21	23.43	.34-	1.06	30.60	6.07	.11	.57	38.50	6.87	.00-	.19
34	10	.3275	16.32	23.35	.23-	1.14	30.53	6.11	.04	.53	38.46	6.83	.04-	.23
34	11	.3900	16.44	24.00	.11-	.49	30.60	6.53	.11	.11	38.46	7.17	.04-	.11
34	12	.4525	16.32	24.72	.23-	.23-	30.56	6.98	.07	.34-	38.54	7.32	.04	.26-
34	13	.5150	16.44	24.00	.11-	.49	30.56	6.34	.07	.30	38.62	6.94	.12	.12
34	14	.5775	16.06	24.11	.49-	.28	30.56	6.45	.07	.19	38.54	7.13	.04	.07-



TEST SUBJECT ANE-3 C. BROOKS

TEST NO	PT NO	TEMPLE				EYE				NOSE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
35	0	18.72	32.84	.00-	.00	19.48	31.63	.00-	.00	21.19	30.38	.00-	.00
35	1	18.79	32.31	.07	.53	19.59	31.17	.11	.53	21.15	29.84	.04-	.54
35	2	18.94	31.29	.22	1.55	19.51	30.07	.03	1.56	21.26	28.78	.07	1.60
35	3	19.25	30.53	.53	2.31	19.86	29.20	.38	2.43	21.34	28.02	.15	2.36
35	4	19.44	30.30	.72	2.54	20.05	28.97	.57	2.65	21.68	27.79	.49	2.54
35	5	19.13	30.56	.41	2.28	20.08	29.27	.60	2.36	21.79	28.25	.60	2.13
35	6	18.98	30.79	.26	2.05	19.86	29.62	.38	2.01	21.75	28.55	.56	1.83
35	7	18.94	30.94	.22	1.90	19.93	29.69	.45	1.94	21.64	28.70	.45	1.68
35	8	18.87	30.72	.15	2.12	19.82	29.50	.34	2.13	21.53	28.44	.34	1.94
35	9	19.06	31.10	.34	1.74	19.97	29.65	.49	1.98	21.56	28.51	.37	1.87
35	10	19.70	32.12	.98	.72	20.16	21.13	.68	.50	21.75	29.92	.56	.46
35	11	19.51	32.31	.79	.53	20.12	31.25	.64	.38	21.64	29.69	.45	.69
35	12	19.13	31.78	.41	1.06	19.89	30.56	.41	1.07	21.49	29.12	.30	1.26
35	13	18.60	32.27	.12-	.57	19.48	30.94	.00-	.69	21.15	29.58	.04-	.80
35	14	19.06	32.31	.34	.53	19.78	31.02	.30	.61	21.53	29.65	.34	.73

TEST NO	PT NO	SHOULDER				THIGH				KNEE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
35	0	16.17	26.05	.00-	.00	30.07	6.18	.00-	.00	41.08	7.13	.00-	.00
35	1	16.36	25.78	.19	.27	30.03	5.73	.04-	.45	40.97	6.56	.11-	.57
35	2	16.51	24.56	.34	1.49	30.07	5.46	.00-	.72	41.08	6.26	.00-	.87
35	3	16.70	23.01	.53	3.04	30.11	5.65	.04	.53	41.39	6.68	.31	.45
35	4	17.12	22.78	.95	3.27	30.22	5.46	.15	.72	41.62	6.83	.54	.30
35	5	17.27	23.35	1.10	2.70	30.26	5.35	.19	.79	41.73	6.37	.65	.76
35	6	17.43	23.77	1.26	2.28	30.22	5.54	.15	.64	41.65	6.18	.57	.95
35	7	17.65	23.77	1.48	2.28	30.15	5.54	.08	.54	41.39	6.60	.31	.53
35	8	17.54	24.11	1.37	1.94	30.30	5.24	.23	.34	41.43	7.10	.35	.03
35	9	17.27	25.13	1.10	.92	30.19	5.62	.12	.56	41.58	6.79	.50	.34
35	10	16.59	27.49	.42	1.44-	29.92	6.03	.15-	.15	41.12	7.63	.04	.50-
35	11	16.51	27.53	.34	1.48-	29.77	6.26	.30-	.02	40.89	7.02	.19-	.11
35	12	17.01	26.58	.84	.53-	29.81	6.15	.26-	.02	40.86	7.32	.22-	.19-
35	13	16.36	26.88	.19	.83-	30.03	6.00	.04-	.18	41.20	7.13	.12	.00
35	14	16.67	26.81	.50	.76-	30.03	5.51	.04-	.37	41.12	6.56	.04	.57

TEST SUBJECT 95611- DUMAX

NOSE

EYE

TEMPLE

TEST NO	PT NO	TIME	X	Y	OX	OY	X	Y	OX	OY	X	Y	OX	OY
35	0	.0000	20.25	29.20	.00-	.00-	21.26	27.45	.00-	.00-	21.26	27.45	.00-	.00-
35	2	.0200	20.27	28.67	.06-	.53	21.07	27.22	.06-	.53	21.07	27.22	.19-	.23
35	3	.0400	20.12	27.98	.23-	1.22	20.96	26.62	.23-	1.22	20.96	26.62	.50-	.63
35	4	.0600	20.31	27.60	.04-	1.63	21.00	26.24	.04-	1.63	21.00	26.24	.26-	1.21
35	5	.0800	20.58	27.53	.23	1.67	21.19	26.12	.23	1.67	21.19	26.12	.07-	1.33
35	6	.1000	20.77	27.49	.42	1.71	21.37	25.89	.42	1.71	21.37	25.89	.11	1.50
35	7	.1200	20.81	27.34	.46	1.86	21.22	25.74	.46	1.86	21.22	25.74	.04-	1.71
35	8	.1400	20.81	27.19	.46	2.05	21.26	25.70	.46	2.05	21.26	25.70	.00-	.00-
35	9	.2025	21.00	27.11	.65	2.09	21.49	25.74	.65	2.09	21.49	25.74	.23	1.71
35	10	.2650	20.81	28.17	.46	1.03	21.37	26.62	.46	1.03	21.37	26.62	.11	.81
35	11	.3275	20.88	28.82	.53	.38	21.44	27.30	.53	.38	21.44	27.30	.23	.15
35	12	.3900	21.00	27.98	.65	1.22	21.53	26.46	.65	1.22	21.53	26.46	.27	.94
35	13	.4525	20.81	28.36	.46	.84	21.41	26.77	.46	.84	21.41	26.77	.15	.68
35	14	.5150	20.96	28.17	.61	1.03	21.53	26.69	.61	1.03	21.53	26.69	.27	.76
35	15	.5775	20.81	28.25	.46	.95	21.45	26.69	.46	.95	21.45	26.69	.19	.00

KNEE

THIGH

SHOULDER

TEST NO	PT NO	TIME	X	Y	OX	OY	X	Y	OX	OY	X	Y	OX	OY
35	0	.0000	16.59	24.15	.00-	.00	30.72	6.49	.00-	.00	38.73	6.98	.00-	.00
35	2	.0200	16.51	23.62	.08-	.53	30.72	5.88	.00-	.61	38.73	6.53	.00-	.45
35	3	.0400	16.40	22.70	.19-	1.45	30.64	5.58	.08-	.91	38.62	6.45	.11-	.53
35	4	.0600	16.17	22.74	.42-	1.41	30.68	5.73	.04-	.76	38.69	6.79	.04-	.19
35	5	.0800	16.13	23.05	.46-	1.10	30.72	6.03	.00-	.46	38.62	6.91	.11-	.07
35	6	.1000	16.36	22.97	.23-	1.18	30.68	5.84	.04-	.65	38.54	6.56	.19-	.42
35	7	.1200	16.36	22.93	.23-	1.22	30.64	5.77	.05-	.72	38.54	6.60	.15-	.38
35	8	.1400	16.25	23.01	.34-	1.14	30.56	5.96	.16-	.53	38.54	6.79	.19-	.19
35	9	.2025	16.48	23.05	.11-	1.10	30.79	5.92	.07	.57	38.77	6.72	.04	.26
35	10	.2650	16.13	24.11	.46-	.04	30.64	6.64	.05-	.15	38.65	7.56	.06-	.38
35	11	.3275	16.10	24.64	.49-	.49	30.64	7.10	.00-	.61	38.54	7.82	.19-	.84
35	12	.3900	16.21	23.62	.38-	.53	30.75	6.03	.03	.46	38.88	6.72	.15	.23
35	13	.4525	16.13	24.15	.46-	.00	30.75	6.72	.03	.23	38.73	7.36	.00-	.38
35	14	.5150	16.36	23.65	.23-	.19	30.73	6.34	.03	.15	38.81	6.94	.08	.04
35	15	.5775	16.29	24.00	.30-	.15	31.68	6.27	.04-	.12	38.72	7.02	.00-	.04

TEST SUBJECT AME-3 C. BROOKS

TEST PT NO	TIME	TEMPLE				EYE				NOSE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
39 0	0000	18.53	32.46	.00-	.00	19.40	31.70	.00-	.00	21.30	30.26	.00-	.00
39 1	0200	18.49	32.12	.04-	.34	19.48	31.21	.08	.49	21.19	29.88	.11-	.24
39 2	0400	18.69	31.32	.15	1.14	19.59	30.34	.19	1.36	21.30	28.97	.00-	1.29
39 3	0600	18.83	30.87	.30	1.59	19.74	29.92	.34	1.78	21.30	28.55	.00-	1.71
39 4	0800	18.91	30.79	.38	1.67	19.82	29.81	.42	1.89	21.53	28.40	.23	1.86
39 5	1000	18.83	30.79	.30	1.67	19.78	29.81	.38	1.89	21.53	28.40	.23	1.86
39 6	1200	18.83	30.72	.30	1.74	19.78	29.77	.38	1.93	21.45	28.40	.15	1.86
39 7	1400	18.87	30.91	.34	1.55	19.78	29.92	.38	1.78	21.60	28.48	.30	1.78
39 8	2025	18.75	31.21	.22	1.25	19.70	30.34	.30	1.36	21.41	28.97	.11	1.29
39 9	2650	18.72	32.65	.19	.19-	19.63	31.78	.23	.08-	21.37	30.30	.07	.04-
39 10	3275	18.75	32.16	.22	.30	19.59	31.32	.19	.38	21.41	30.00	.11	.28
39 12	3900	18.60	32.08	.07	.38	19.55	31.17	.15	.53	21.30	29.73	.00-	.53
39 13	4525	18.37	32.16	.16-	.30	19.36	31.32	.04-	.38	21.26	29.92	.04-	.34
39 14	5150	18.56	32.16	.03	.30	19.40	31.32	.00-	.38	21.26	30.00	.04-	.25
39 15	5775	18.60	32.05	.07	.41	19.40	31.25	.00-	.45	21.30	29.84	.00-	.42

TEST PT NO	TIME	SHOULDER				THIGH				KNEE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
39 0	0000	16.06	27.00	.00-	.00	28.44	6.26	.00-	.00	40.78	7.06	.00-	.00
39 1	0200	16.02	26.73	.04-	.27	28.36	6.03	.08-	.23	40.70	6.72	.08-	.34
39 2	0400	16.02	25.86	.04-	1.14	28.48	5.96	.04	.30	40.89	6.37	.11	.69
39 3	0600	15.94	25.10	.12-	1.90	28.70	6.03	.26	.23	41.08	6.87	.30	.19
39 4	0800	15.82	24.72	.23-	2.28	28.74	5.87	.30	.34	41.24	6.83	.46	.23
39 5	1000	15.68	24.79	.38-	2.21	28.78	5.81	.34	.45	41.31	6.49	.53	.57
39 6	1200	15.70	24.72	.27-	2.28	28.74	5.77	.30	.40	41.20	6.26	.42	.80
39 7	1400	15.98	24.83	.08-	2.17	28.74	5.81	.30	.44	41.12	6.36	.34	.50
39 8	2025	16.17	25.29	.11	1.71	28.74	5.96	.30	.30	41.05	7.10	.27	.04-
39 9	2650	16.32	27.26	.26	.26-	27.98	6.25	.46-	.00	40.21	7.78	.57-	.72-
39 10	3275	16.17	26.69	.11	.31	28.02	5.92	.47	.24	40.55	7.02	.23-	.04
39 12	3900	15.75	26.35	.31-	.65	28.48	6.10	.04	.08	40.75	7.59	.00-	.57-
39 13	4525	15.98	26.58	.08-	.42	28.25	6.11	.19-	.15	40.36	7.63	.42-	.27
39 14	5150	15.91	26.62	.15-	.38	28.68	6.07	.04	.16	41.12	6.64	.34	.42
39 15	5775	15.91	26.58	.15-	.42	28.36	6.07	.03-	.19	40.78	7.13	.00-	.07

TEST SUBJECT 95411 • DUNNY

TEST PT NO	TIME	TEMPLE				EYE				NOSE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
39 0	.0000					20.96	28.29	.00-	.00-				
39 1	.0200					21.00	28.17	.04	.12				
39 2	.0400					21.00	27.26	.04	1.03				
39 3	.0600					21.00	26.39	.04	1.50				
39 4	.0800					21.22	26.12	.26	2.17				
39 5	.1000					21.41	25.86	.45	2.43				
39 6	.1200					21.45	25.74	.47	2.53				
39 7	.1400					21.49	25.70	.53	2.59				
39 8	.2025					21.56	26.20	.60	2.03				
39 9	.2650					21.72	27.26	.76	1.03				
39 10	.3275					21.60	26.54	.64	1.75				
39 11	.3900					21.68	26.92	.72	1.37				
39 12	.4525					21.64	26.69	.68	1.60				
39 13	.5150					21.60	26.81	.64	1.48				
39 14	.5775					21.68	26.77	.72	1.52				

TEST PT NO	TIME	SHOULDER				THIGH				KNEE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
39 0	.0000	16.44	23.69	.00-	.00	30.19	6.64	.00-	.00	38.69	7.02	.00-	.00
39 1	.0200	16.40	23.24	.04-	.45	30.11	6.15	.06-	.49	38.73	6.53	.04	.49
39 2	.0400	16.36	22.48	.08-	1.21	30.15	5.69	.04-	.95	38.65	6.15	.04-	.87
39 3	.0600	16.10	22.13	.34-	1.56	30.15	5.62	.04-	.95	38.77	6.45	.08	.57
39 4	.0800	15.94	22.44	.50-	1.25	30.15	5.88	.04-	.76	38.65	6.75	.04-	.27
39 5	.1000	16.02	22.44	.42-	1.25	30.07	5.77	.12-	.87	38.62	6.53	.07-	.49
39 6	.1200	16.13	22.21	.31-	1.48	30.15	5.62	.04-	1.02	38.62	6.22	.07-	.80
39 7	.1400	16.13	22.40	.31-	1.29	30.11	5.77	.00-	.87	38.65	6.49	.04-	.53
39 8	.2025	16.21	23.31	.23-	.38	30.22	6.41	.03	.23	38.69	7.02	.00-	.00
39 9	.2650	16.21	24.15	.23-	.46	29.81	7.17	.38-	.53	38.39	7.82	.30-	.80
39 10	.3275	16.17	23.16	.27-	.53	29.92	6.34	.23-	.30	38.58	6.98	.11-	.04
39 11	.3900	16.29	23.73	.15-	.54	29.96	6.68	.23-	.04	38.58	7.17	.11-	.15
39 12	.4525	16.29	23.35	.15-	.34	30.03	6.23	.16-	.11	38.58	6.94	.11-	.00
39 13	.5150	16.44	23.46	.00-	.23	30.19	6.45	.00-	.19	38.69	6.87	.00-	.15
39 14	.5775	16.32	23.46	.12-	.73	30.11	6.45	.08-	.19	38.58	6.87	.00-	.15

TEST SUBJECT AME-3 C. BROOKS

TEST NO	PT NO	TIME	TEMPLE			EYE			NOSE		
			X	Y	DX	X	Y	DX	X	Y	DX
40	0	.0000	18.45	32.65	.00	19.67	31.51	.00	21.42	30.00	.00
40	1	.0200	18.60	32.35	.15	19.67	31.13	.38	21.49	29.50	.00
40	2	.0400	18.53	31.36	.08	19.63	29.73	1.78	21.34	28.40	.15
40	3	.0600	18.94	29.96	.49	19.89	29.01	2.50	21.72	27.53	.23
40	4	.0800	19.13	30.03	.68	20.12	29.05	2.46	21.91	27.72	.42
40	5	.1000	19.27	30.19	.76	20.39	29.27	2.24	22.32	28.02	.83
40	6	.1200	18.36	30.07	.91	20.54	29.31	2.20	22.44	28.10	.95
40	7	.1400	18.17	30.07	.72	20.38	29.35	2.16	22.40	28.17	.91
40	8	.2025	19.10	32.35	.65	20.08	31.40	.11	22.06	29.96	.57
40	9	.2650	18.72	32.65	.27	19.67	31.93	.42	21.60	30.53	.11
40	10	.3275	18.53	31.93	.08	19.59	31.10	.08	21.56	29.81	.07
40	11	.3900	18.91	31.93	.46	19.86	31.06	.19	21.75	29.54	.26
40	12	.4525	18.68	32.16	.23	19.59	31.44	.07	21.45	30.11	.04
40	13	.5150	19.02	32.01	.57	19.97	31.10	.41	21.83	29.62	.54
40	14	.5775	18.75	32.12	.30	19.74	31.29	.22	21.45	29.77	.04

TEST NO	PT NO	TIME	SHOULDER			THIGH			KNEE		
			X	Y	DX	X	Y	DX	X	Y	DX
40	0	.0000	15.98	26.96	.00	31.86	5.50	.00	41.58	5.35	.00
40	1	.0200	15.98	26.58	.00	32.01	5.12	.15	41.65	4.82	.07
40	2	.0400	16.06	24.98	.08	31.93	4.97	.07	41.84	4.40	.26
40	3	.0600	16.02	23.54	.04	32.12	5.12	.26	42.11	4.93	.53
40	4	.0800	16.29	23.39	.31	32.24	5.16	.38	42.38	5.12	.80
40	5	.1000	16.74	23.58	.76	32.20	4.85	.34	42.30	4.48	.72
40	6	.1200	17.27	23.54	1.29	32.27	4.85	.41	42.30	4.36	.72
40	7	.1400	17.58	23.69	1.60	32.20	5.20	.34	42.19	5.12	.61
40	8	.2025	16.92	26.88	.95	32.20	5.06	.34	41.58	6.79	.00
40	9	.2650	16.37	27.30	.69	31.13	6.64	.73	41.20	6.45	.38
40	10	.3275	16.40	26.73	.42	31.55	5.46	.31	41.54	5.01	.04
40	11	.3900	16.13	26.54	.15	31.70	5.96	.16	41.54	6.83	.04
40	12	.4525	16.25	26.73	.27	31.70	5.54	.16	41.50	5.50	.03
40	13	.5150	16.36	26.58	.38	31.86	5.62	.00	41.58	5.43	.00
40	14	.5775	16.25	26.69	.27	31.78	5.52	.09	41.65	5.84	.07



TEST SUBJECT AME-3 C. BROOKS

TEST PT NO	TIME	TEMPLE		EYE		NOSE		PX	PY				
		X	Y	X	Y	X	Y						
60 0	.0000	18.34	32.76	.00-	.00	18.56	31.92	.00-	.00-	20.92	30.57	.00-	.00-
60 1	.0200					19.34	31.38	.38	.54	20.92	30.42	.00-	.15
60 2	.0400	18.53	32.03	.19	.73	19.15	30.53	.19	1.39	20.80	29.57	.12-	1.00
60 3	.0600	18.76	31.00	.42	1.76	19.69	29.88	.73	2.04	20.92	28.53	.00-	2.04
60 4	.0800	18.80	31.23	.46	1.53	19.69	29.61	.73	2.31	21.30	28.30	.38	2.27
60 5	.1000	19.03	31.57	.69	1.19	19.76	30.00	.80	1.92	21.03	28.73	.11	.74
60 6	.1200	18.80	31.15	.46	1.61	19.61	30.03	.65	1.89	20.96	28.69	.04	1.68
60 7	.1400	18.80	31.30	.46	1.46	19.69	30.00	.73	1.92	21.38	28.76	.46	.31
60 8	.2025	18.61	32.84	.27	.08	19.38	31.80	.42	.12	20.96	30.65	.04	.08-
60 9	.2650	18.61	33.30	.27	.54	19.42	32.30	.46	.38-	20.96	31.42	.04	.85-
60 10	.3275	18.38	32.38	.04	.38	19.07	31.34	.11	.58	20.92	30.30	.00-	.27
60 11	.3900	18.53	32.73	.19	.03	19.46	31.34	.50	.58	20.88	30.26	.04-	.31
60 12	.4525	18.23	32.69	.11-	.07	19.19	31.50	.23	.42	20.84	30.57	.05-	.11
60 13	.5150	18.42	32.84	.08	.08-	19.19	31.65	.23	.27	21.03	30.42	.11	.15
60 14	.5775	18.25	32.84	.08-	.08-	19.46	31.73	.50	.19	20.76	30.73	.16-	.11
60 15	.6400	18.46	32.42	.12	.34	18.96	31.88	.00-	.04	20.80	30.65	.12-	.08-

TEST PT NO	TIME	SHOULDER		THIGH		KNEE		PX	PY				
		X	Y	X	Y	X	Y						
60 0	.0000	15.61	27.19	.00-	.00	32.57	6.92	.00-	.00	40.34	8.15	.00-	.00
60 1	.0200	15.84	27.15	.23	.04	32.69	6.61	.12	.31	40.53	7.65	.19	.50
60 2	.0400	15.76	25.96	.15	1.23	32.69	6.15	.12	.77	40.53	7.19	.19	.96
60 3	.0600	15.46	24.96	.15-	2.23	32.88	6.38	.31	.54-	40.88	7.38	.54	.77
60 4	.0800	15.19	24.46	.42-	2.73	33.00	6.11	.43	.81	41.15	7.46	.81	.69
60 5	.1000	15.07	24.73	.54-	2.46	32.92	6.03	.35	.89	41.03	7.30	.69	.87
60 6	.1200	15.38	24.80	.23-	2.39	32.96	6.03	.39	.89	41.11	7.15	.77	1.00
60 7	.1400	15.73	24.65	.12	2.54	33.00	6.07	.43	.85	41.03	7.34	.69	.61
60 8	.2025	15.26	26.92	.35-	.27	32.46	7.46	.11-	.54-	40.15	9.11	.19-	.96-
60 9	.2650	15.84	27.42	.23	.23-	31.76	7.95	.81-	1.04-	40.00	9.23	.34-	1.08-
60 10	.3275	15.73	26.57	.12	.62	32.34	6.65	.23-	.27	40.61	7.23	.27	.92
60 11	.3900	15.65	26.53	.04	.66	32.39	6.6	.19-	.23	40.69	7.50	.35	.65
60 12	.4525	15.50	26.88	.11-	.31	32.15	7.1	.42-	.65-	39.96	9.15	.38-	1.00
60 13	.5150	15.76	26.96	.15	.23	32.38	6.6	.11-	.08	40.30	7.84	.04-	.31
60 14	.5775	15.73	25.92	.12	.27	32.45	7.1	.11-	.31-	40.34	8.23	.00-	.00
60 15	.6400	15.53	26.80	.08-	.39	32.34	7.2	.23-	.31-	40.19	8.34	.15-	.19-

TEST SUBJECT 95%til • DUMMY

TEST NO	PT NO	TIME	TEMPLE			EYE			NOSE					
			X	Y	DX	HY	BY	Y	DX	BY	Y	DX	BY	
60	0	.0000	19.26	31.50	.00-	.00	19.65	30.23	.00-	.00	20.92	28.42	.00-	.00
60	1	.0200	19.38	30.92	.12	.58	19.92	29.65	.27	.58	20.92	27.96	.00-	.46
60	2	.0400	19.42	29.96	.16	.54	20.11	28.61	.46	1.62	21.00	26.84	.08	1.58
60	3	.0600	19.88	29.30	.62	2.20	20.34	27.84	.69	2.39	21.11	26.15	.19	2.27
60	4	.0800	20.57	29.00	1.31	2.50	20.73	27.73	1.08	2.50	21.23	25.50	.31	2.92
60	5	.1000	20.80	28.69	1.54	2.81	20.80	27.23	1.15	3.00	21.34	25.50	.42	2.92
60	6	.1200	21.26	28.65	2.00	2.85	21.34	27.00	1.69	3.23	21.57	25.07	.65	3.35
60	7	.1400	21.19	28.11	1.93	3.39	21.34	27.03	1.69	3.20	21.61	25.23	.69	3.19
60	8	.2025	21.42	24.53	2.16	1.97	21.26	28.26	1.61	1.97	21.57	26.07	.65	2.35
60	9	.2650	21.61	24.80	2.35	1.70	21.76	28.19	2.11	2.04	22.11	26.57	1.19	1.85
60	10	.3275	21.61	29.15	2.35	2.35	21.88	27.61	2.23	2.62	22.00	25.65	1.08	2.77
60	11	.3900	21.65	29.15	2.39	2.35	21.65	27.65	2.00	2.58	21.96	25.65	1.04	2.77
60	12	.4525	21.57	29.73	2.31	1.77	21.61	28.11	1.96	2.12	21.84	26.38	.92	2.04
60	13	.5150	21.55	29.34	2.39	2.16	21.80	27.65	2.15	2.58	21.88	25.84	.96	2.56
60	14	.5775	21.73	29.53	2.47	1.97	21.80	28.03	2.15	2.20	22.07	26.07	1.15	2.35
60	15	.6400	21.50	29.65	2.24	1.85	21.69	28.00	2.04	2.23	22.07	26.07	1.15	2.35

TEST NO	PT NO	TIME	SHOULDR			THIGH			KNEE					
			X	Y	DX	BY	BY	Y	DX	BY	Y	DX	BY	
60	0	.0000	16.96	24.19	.00-	.00	30.30	6.69	.00-	.00	38.00	7.11	.00-	.00
60	1	.0200	16.92	23.61	.04-	.58	30.30	6.15	.00-	.54	38.07	6.61	.07	.50
60	2	.0400	16.84	22.73	.12-	1.46	30.50	5.73	.20	.96	37.96	6.34	.04-	.77
60	3	.0600	16.38	22.69	.58-	1.50	30.46	6.00	.16	.69	38.11	6.84	.11	.27
60	4	.0800	16.30	22.96	.66-	1.23	30.42	6.00	.12	.69	37.88	6.80	.12-	.31
60	5	.1000	16.46	22.76	.50-	1.43	30.38	5.88	.08	.81	37.84	6.65	.16-	.46
60	6	.1200	16.69	22.73	.27-	1.46	30.53	6.03	.23	.66	37.92	6.69	.08-	.42
60	7	.1400	16.57	22.88	.39-	1.31	30.53	5.96	.23	.73	38.11	6.69	.11	.42
60	8	.2025	16.84	24.38	.12-	.19-	30.38	7.03	.08	.34-	38.07	7.53	.07	.42-
60	9	.2650	16.88	24.53	.08-	.34-	29.92	7.19	.38-	.50-	37.53	7.88	.47-	.77-
60	10	.3275	16.84	23.46	.12-	.73	30.30	5.92	.00-	.77	38.15	6.42	.15	.69
60	11	.3900	16.80	23.46	.16-	.73	30.26	5.92	.04-	.77	38.03	6.50	.03	.61
60	12	.4525	16.57	24.19	.39-	.00	30.07	6.63	.23-	.00	37.76	7.30	.24-	1.0
60	13	.5150	16.82	23.69	.04-	.50	30.26	6.10	.04-	.50	37.80	6.57	.20-	.54
60	14	.5775	16.84	23.56	.12-	.23	30.23	6.50	.07-	.19	37.32	7.00	.03-	1.1
60	15	.6400	16.96	23.92	.00-	.27	30.30	6.46	.00-	.23	38.00	18.65	.00-	11.56-



TEST SUBJECT AME-3 C. BROOKS

TEST PT NO	TIME	TEMPLE				EYE				NOSE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
61 0	.0000	18.6	32.90	.00-	.00	19.27	31.85	.00-	.00	21.13	30.69	.07-	.00
61 1	.0200	18.3	32.59	.35-	.31	19.16	31.39	.11-	.46	20.70	30.38	.43-	.31
61 2	.0400	18.1	31.70	.50-	1.20	19.39	30.30	.12	1.55	21.13	29.18	.00-	1.51
61 3	.0600	18.8	31.00	.16-	1.90	19.85	29.65	.58-	2.20	21.44	28.45	.31-	2.24
61 4	.0800	19.0	31.43	.31	1.47	19.89	29.84	.62	2.01	21.60	28.60	.47	2.09
61 5	.1000	18.9	31.31	.27	1.59	19.81	30.03	.54	1.82	21.48	28.91	.35	1.78
61 6	.1200	19.0	31.50	.31	1.40	19.70	30.03	.43	1.82	21.40	28.95	.27	
61 7	.1400	18.6	31.35	.00-	1.59	19.62	30.03	.35	1.82	21.44	28.80	.31	1.89
61 8	.2025	18.8	31.81	.12	1.09	19.58	30.65	.31	1.20	21.32	29.38	.17	1.51
61 9	.2650	18.6	31.42	.04-	.62	19.27	32.32	.00-	.47	21.36	31.31	.23	1.62
61 10	.3275	18.8	32.94	.20	.04-	19.85	32.01	.58	.16-	21.21	30.73	.08	.04-
61 11	.3900	18.8	32.24	.16	.62	19.62	31.08	.35	.77	21.17	29.96	.04	.73
61 12	.4525	18.5	32.82	.19-	.08	19.43	31.58	.16	.27	21.05	30.65	.08-	.04
61 13	.5150	18.6	32.59	.04-	.31	19.31	31.50	.04	.35				
61 14	.5775	18.5	32.67	.15-	.23	19.43	31.27	.15	.58	21.29	30.46	.10	.23
61 15	.6400	18.6	32.63	.04-	.27	19.35	31.43	.08	.42	21.29	30.39	.16	.31

TEST PT NO	TIME	SHOULDER				THIGH				KNEE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
61 0	.0000	15.7	27.17	.00-	.00	32.49	7.70	.00-	.00	40.91	7.97	.00-	.00
61 1	.0200	15.7	26.82	.00-	.35	32.28	7.16	.15-	.54	40.87	7.50	.04-	.47
61 2	.0400	15.7	25.54	.00-	1.63	32.51	7.04	.08	.66	40.95	7.08	.04	.89
61 3	.0600	15.9	24.61	.11	2.56	32.67	7.16	.24	.54	41.22	7.15	.31	.62
61 4	.0800	15.5	24.89	.27-	2.28	32.55	7.20	.12	.50	40.99	7.74	.08	.23
61 5	.1000	15.6	25.04	.16-	2.13	32.55	7.00	.12	.70	41.18	7.16	.27	.81
61 6	.1200	16.0	25.27	.23	1.90	32.67	6.96	.24	.74	41.14	7.21	.23	.70
61 7	.1400	16.1	25.04	.31	2.13	32.55	7.20	.12	.50	41.11	7.50	.20	.47
61 8	.2025	15.7	25.97	.04-	1.20	32.31	7.50	.08	.20	41.11	7.93	.20	.04
61 9	.2650	16.1	27.95	.31	.81-	32.00	8.51	.34-	.81-	40.37	9.44	.54-	1.47-
61 10	.3275	16.1	27.44	.39	.27-	32.36	7.47	.07-	.23	40.94	8.01	.04	.04-
61 11	.3900	15.8	26.74	.08	.63	32.28	8.12	.15-	.62-	40.60	8.82	.31-	.85-
61 12	.4525	15.9	27.13	.11	.06	32.32	8.06	.11-	.55-	40.68	8.47	.23-	.50-
61 13	.5150	16.1	26.98	.31	.19	32.51	7.43	.08	.27	41.07	7.54	.15	.47
61 14	.5775	16.1	26.08	.31	.10	32.40	7.74	.07-	.00-	40.94	8.16	.04	.10
61 15	.6400	16.2	26.94	.62	.23	32.55	7.67	.12	.23	41.14	7.98	.23	.39

TEST SUBJECT 95% 11. DUMMY

TEST PT NO	TIME	TEMPLE				EYE				NOSE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
61 0	.0000	19.5	31.58	.00-	.00-	19.85	30.23	.00-	.00-	21.17	28.60	.00-	.00-
61 1	.0200	19.5	31.12	-.08-	-.08-	20.16	29.88	-.31	-.31	21.09	28.10	-.08-	-.50
61 2	.0400	19.7	30.00	.24	.24	20.16	28.76	.31	.31	21.32	27.01	.15	1.59
61 3	.0600	20.1	29.69	.62	.62	20.43	28.25	.58	.58	21.17	26.28	.00-	2.32
61 4	.0800	20.9	29.14	1.40	1.40	20.90	27.83	1.05	1.05	21.44	25.89	.27	2.71
61 5	.1000	21.2	29.10	1.75	1.75	21.25	27.69	1.40	1.40	21.63	25.66	.48	2.90
61 6	.1200	21.4	28.95	1.94	1.94	21.48	27.29	1.63	1.63	21.60	25.20	.43	2.77
61 7	.1400	21.0	28.60	1.55	1.55	21.01	27.17	1.15	1.15	21.60	25.16	.43	2.77
61 8	.2025	21.4	30.00	1.90	1.90	21.52	28.41	1.67	1.67	21.79	26.09	.62	2.21
61 9	.2650	21.6	30.42	2.13	2.13	21.79	29.07	1.94	1.94	22.41	27.40	1.24	1.20
61 10	.3275	21.5	29.69	2.02	2.02	21.83	28.14	1.98	1.98	21.94	25.89	.77	2.71
61 11	.3900	21.6	30.42	2.13	2.13	21.79	28.68	1.94	1.94	22.18	26.59	1.01	2.01
61 12	.4525	21.5	29.84	2.02	2.02	21.52	28.37	1.67	1.67	22.21	26.43	1.04	2.17
61 13	.5150	21.4	29.80	1.90	1.90	21.79	28.45	1.94	1.94	22.14	26.47	.97	2.12
61 14	.5775	21.7	29.53	2.29	2.29	21.67	28.33	1.82	1.82	22.18	26.47	1.01	2.12
61 15	.6400	21.7	29.96	2.29	2.29	21.87	28.21	2.02	2.02	22.10	26.43	.93	2.17

TEST PT NO	TIME	SHOULDER				THIGH				KNEE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
61 0	.0000	17.0	24.27	.00-	.00-	30.42	6.61	.00-	.00-	38.09	7.04	.00-	.00-
61 1	.0200	17.0	23.76	.00-	.00-	30.50	6.11	.08	.08	38.01	6.54	.08-	.50
61 2	.0400	16.9	22.80	-.16-	-.16-	30.55	5.72	.23	.23	38.16	6.38	.07	.66
61 3	.0600	16.4	22.83	.66-	.66-	30.54	5.92	.12	.12	37.93	6.81	.16-	.23
61 4	.0800	16.4	23.03	.66-	.66-	30.38	6.00	.04-	.04-	37.89	6.75	.20-	.31
61 5	.1000	16.6	23.87	.39-	.39-	30.61	5.76	.19	.19	37.97	6.54	.12-	.50
61 6	.1200	16.6	22.95	.43-	.43-	30.54	5.88	.12	.12	38.01	6.54	.08-	.50
61 7	.1400	16.6	22.83	.43-	.43-	30.54	5.76	.12	.12	37.93	6.58	.16-	.40
61 8	.2025	16.6	24.11	.43-	.43-	30.50	6.61	.08	.08	37.97	7.27	.12-	.23-
61 9	.2650	16.9	24.92	.16-	.16-	30.03	7.39	.39-	.39-	37.74	8.09	.35-	1.05-
61 10	.3275	16.7	23.76	.31-	.31-	30.34	6.11	.00-	.00-	38.01	6.85	.08-	.19-
61 11	.3900	16.8	24.23	.24-	.24-	30.19	6.73	.23-	.23-	37.89	7.39	.20-	.35-
61 12	.4525	16.9	24.00	.16-	.16-	30.34	6.34	.08-	.08-	38.01	6.77	.08-	.27
61 13	.5150	16.9	24.00	.08-	.08-	30.30	6.34	.12-	.12-	37.97	7.00	.12-	.24
61 14	.5775	17.0	23.96	.00-	.00-	30.38	6.34	.24-	.24-	37.97	6.89	.12-	.15
61 15	.6400	16.9	24.00	.08-	.08-	30.38	6.34	.04-	.04-	38.12	6.85	.03	.19

MADC-AC-5808

TABLE III

TABULATED DISPLACEMENT DATA SHOWING BODY MOVEMENT OF  
D. BRICE AND 50 PERCENTILE DUMMY

TEST SUBJECT - HM-2 D. BRICE

TEST NO	PT	TIME	TEMPLE			EYE			NOSE					
			X	Y	OX	X	Y	OX	X	Y	OX			
36	0	.0000	19.36	29.61	.00-	.60	19.51	29.01	.00-	.60	20.84	27.56	.00-	.00
36	1	.0200	19.48	29.43	.12	.38	19.03	28.36	.12	.65	20.96	27.19	.12	.37
36	2	.0400	19.51	28.82	.15	.99	19.74	28.10	.23	.91	20.96	26.65	.12	.91
36	3	.0600	19.74	28.67	.38	1.14	19.97	27.95	.46	1.03	21.11	26.62	.27	.94
36	4	.0800	19.82	28.7	.46	1.11	19.97	28.06	.46	.95	21.19	26.65	.35	.91
36	5	.1000	19.75	29.93	.42	.88	20.05	28.10	.54	.91	21.26	26.64	.42	.74
36	6	.1200	19.67	29.05	.31	.76	19.93	28.17	.42	.84	21.1	26.84	.31	.72
36	7	.1400	19.74	29.05	.38	.76	19.89	28.10	.38	.91	21.22	26.84	.38	.72
36	8	.2025	20.01	28.78	.65	1.03	20.31	27.87	.80	1.14	21.41	26.59	.57	1.17
36	9	.2650	19.97	28.59	.61	1.22	20.27	27.70	.76	1.22	21.30	26.34	.46	1.17
36	10	.3275	20.24	28.51	.86	1.30	20.46	27.56	.95	1.45	21.53	26.08	.69	1.48
36	11	.3900	20.46	28.67	1.10	1.14	20.52	27.58	1.11	1.33	21.68	26.27	.84	1.29
36	12	.4525	20.50	29.81	1.14	.00	20.73	28.89	1.22	.12	21.87	27.45	1.03	.11
36	13	.5150	20.27	29.65	.91	.16	20.50	28.78	.95	.23	21.56	27.11	.72	.45
36	14	.5775	20.01	29.58	.65	.23	20.16	28.74	.65	.27	21.45	27.19	.61	.37
36	15	.6400	19.70	30.19	.34	.38-	19.97	29.24	.46	.23-	21.30	27.72	.46	.16-

TEST NO	PT	TIME	SHOULDER			THIGH			KNEE					
			X	Y	OX	X	Y	OX	X	Y	OX			
36	0	.0000	15.94	24.68	.00-	.00					39.94	6.37	.00-	.00
36	1	.0200	16.13	24.41	.19	.27					39.94	6.03	.00-	.34
36	2	.0400	15.83	23.88	.11-	.80					39.98	5.65	.04	.72
36	3	.0600	15.98	23.54	.04	1.14					40.02	5.65	.08	.72
36	4	.0800	15.75	23.73	.19-	.95					39.91	5.92	.03-	.45
36	5	.1000	15.75	23.88	.19-	.80					40.13	5.73	.19	.64
36	6	.1200	15.94	23.81	.00-	.87					48.83	5.46	.18	.91
36	7	.1400	16.36	23.77	.42	.91					40.10	5.43	.15	.94
36	8	.2025	16.51	23.43	.57	1.25					39.98	5.27	.04	1.10
36	9	.2650	16.40	23.27	.46	1.41					39.87	5.31	.07-	1.06
36	10	.3275	15.51	23.27	.57	1.41					39.91	5.20	.03-	1.17
36	11	.3900	16.40	23.01	.46	1.67					39.87	5.39	.07-	.98
36	12	.4525	16.48	24.26	.54	.42					39.87	6.49	.07-	.12-
36	13	.5150	16.29	24.07	.35	.61					39.64	6.37	.30-	.00
36	14	.5775	16.40	23.54	.46	1.14					39.98	5.39	.04	.96
36	15	.6400	15.83	23.88	.11-	.80					40.02	5.16	.03	1.21

TEST SUBJECT- 50% t11. DUMMY

TEST NO	PT NO	TIME	TEMPLE			EYE			NOSE				
			X	Y	DX	X	Y	DX	X	Y	DX		
36	0	.0000				19.74	28.74	.00-	.00-	20.92	27.22	.00-	.00
36	1	.0200				19.86	28.48	.12	.26	21.03	26.77	.11	.45
36	2	.0400				19.78	28.17	.04	.37	20.96	26.54	.04	.68
36	3	.0600				19.97	27.49	.23	1.25	21.00	25.97	.08	1.22
36	4	.0800				20.12	27.26	.38	1.48	20.92	25.59	.00-	1.63
36	5	.1000				20.05	27.19	.31	1.55	20.92	25.48	.00-	1.74
36	6	.1200				20.05	27.15	.31	1.59	21.00	25.51	.08	1.71
36	7	.1400				20.16	27.15	.42	1.59	21.03	25.67	.11	1.55
36	8	.2025				19.97	27.30	.23	1.44	21.03	25.67	.11	1.55
36	9	.2650				20.20	27.22	.46	1.52	20.96	25.78	.04	1.44
36	10	.3275				20.16	27.11	.42	1.63	20.96	25.51	.04	1.71
36	11	.3900				19.93	27.79	.19	.95	20.92	26.24	.00-	.98
36	12	.4525				20.27	28.21	.53	.53	21.07	26.50	.15	.72
36	13	.5150				20.65	27.56	.91	1.18	21.37	25.97	.45	1.25
36	14	.5775				20.12	28.02	.38	.72	21.00	26.27	.08	.95
36	15	.6400				20.27	27.94	.53	.80	21.19	26.24	.27	.98

TEST NO	PT NO	TIME	SHOULDER			THIGH			KNEE				
			X	Y	DX	X	Y	DX	X	Y	DX		
36	0	.0000	16.44	23.27	.30-	30.72	5.69	.00-	.00	38.06	5.50	.00-	.00
36	1	.0200	16.51	22.74	.07	30.56	5.39	.16-	.30	38.01	5.16	.07-	.34
36	2	.0400	16.44	22.29	.00-	30.68	5.01	.04-	.68	38.16	4.86	.08	.64
36	3	.0600	16.32	21.91	.12-	30.83	5.05	.11	.64	38.12	5.05	.04	.45
36	4	.0800	15.98	21.98	.16-	30.68	5.31	.04-	.38	37.97	5.43	.11-	.07
36	5	.1000	16.02	21.94	.42-	30.68	5.24	.04-	.45	37.86	5.24	.22-	.26
36	6	.1200	16.02	21.94	.42-	30.60	5.16	.12-	.53	37.93	5.20	.15-	.30
36	7	.1400	16.10	22.02	.34-	30.60	5.27	.12-	.42	37.93	5.27	.15-	.23
36	8	.2025	16.17	22.21	.27-	30.68	5.27	.04-	.42	38.12	5.27	.04	.23
36	9	.2650	16.06	22.10	.38-	30.75	5.27	.03	.42	37.97	5.27	.11-	.23
36	10	.3275	16.10	21.87	.34-	30.60	5.08	.12-	.61	38.01	5.16	.07-	.34
36	11	.3900	16.10	22.78	.34-	30.56	5.73	.16-	.04-	37.86	5.73	.22-	.23-
36	12	.4525	16.21	23.39	.23-	30.68	6.00	.04-	.31-	38.01	5.65	.07-	.15-
36	13	.5150	16.36	22.51	.08-	30.64	5.31	.08-	.38	38.16	5.24	.08	.26
36	14	.5775	16.10	22.97	.34-	30.72	5.67	.00-	.00	37.97	5.38	.11-	.08-
36	15	.6400	16.25	22.78	.19-	30.37	5.46	.15	.23	38.08	5.16	.00-	.34

TEST SUBJECT - HM-2 D. BRI

TEST PT NO	TIME	TEMPLE				EYE				NOSE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
37 0	.0000	18.87	30.83	.00-	.00	19.51	29.16	.00-	.00	20.46	27.94	.00-	.00
37 1	.0200	19.17	30.34	.30	.49	19.48	28.62	.03-	.34	20.65	27.26	.19	.68
37 2	.0400	19.17	29.58	.27	1.25	19.63	28.06	.12	1.10	20.73	26.62	.27	1.32
37 3	.0600	19.44	29.43	.57	1.40	19.67	27.94	.16	1.22	20.77	26.35	.31	1.59
37 4	.0800	19.51	29.35	.64	1.46	19.78	28.02	.27	1.14	20.88	26.46	.42	1.48
37 5	.1000	19.48	29.62	.61	1.21	19.86	28.17	.35	.99	20.88	26.46	.42	1.48
37 6	.1200	19.48	29.77	.61	1.06	19.78	28.29	.27	.87	20.92	26.73	.46	1.21
37 7	.1400	19.55	29.62	.68	1.21	19.86	28.13	.35	1.03	20.92	26.54	.46	1.40
37 8	.2025	19.82	29.21	.95	1.52	20.08	27.87	.57	1.29	21.15	26.20	.69	1.74
37 9	.2650	19.73	29.50	1.06	1.33	20.19	26.10	.65	1.06	21.07	26.35	.61	1.59
37 10	.3275	19.51	30.56	.64	.27	19.78	29.35	.27	.23	20.77	27.91	.31	.03
37 11	.3900	19.17	30.72	.30	.11	19.59	29.39	.08	.23	20.73	27.91	.27	.03
37 12	.4525	19.25	30.07	.38	.76	19.55	28.82	.04	.34	20.58	27.41	.12	.53
37 13	.5150	19.25	30.79	.38	.04	19.55	29.43	.04	.27	20.77	27.79	.31	.15
37 14	.5775	19.17	30.87	.30	.04	19.59	29.31	.08	.15	20.69	27.79	.23	.15
37 15	.6400	19.17	30.83	.30	.00	19.40	29.35	.11	.19	20.69	27.91	.23	.03

TEST PT NO	TIME	SHOULDER				THIGH				KNEE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
37 0	.0000	16.06	24.37	.00-	.00	25.70	4.70	.00-	.00	39.38	5.43	.00-	.00
37 1	.0200	16.10	23.88	.04	.49	25.70	4.02	.00-	.68	39.38	4.78	.00-	.65
37 2	.0400	16.13	23.05	.07	1.32	25.89	3.91	.19	.79	39.60	4.70	.22	.73
37 3	.0600	15.83	22.67	.23-	1.70	26.08	4.13	.38	.57	39.72	5.08	.34	.35
37 4	.0800	15.72	22.82	.34-	1.55	26.01	3.94	.31	.76	39.68	4.74	.30	.69
37 5	.1000	15.83	22.82	.23-	1.55	26.01	3.98	.31	.72	39.72	4.63	.34	.20
37 6	.1200	15.83	22.89	.23-	1.48	26.01	4.02	.31	.68	39.79	4.70	.41	.73
37 7	.1400	16.10	22.67	.04	1.70	26.01	4.10	.31	.60	39.72	4.70	.34	.73
37 8	.2025	16.25	22.25	.19	2.12	26.08	4.10	.38	.60	39.72	4.63	.34	.60
37 9	.2650	16.36	22.59	.30	1.78	26.05	4.29	.35	.41	39.75	4.97	.37	.46
37 10	.3275	16.29	24.15	.23	.22	25.70	4.86	.00-	.16	39.34	5.96	.04-	.53-
37 11	.3900	16.29	23.88	.23	.49	25.48	4.82	.22-	.12	39.22	5.84	.16-	.41-
37 12	.4525	16.10	22.78	.04	1.59	25.97	4.63	.27	.07	39.79	4.63	.41	.60
37 13	.5150	16.10	23.35	.04	1.02	25.93	4.63	.23	.07	39.45	5.27	.07	.16
37 14	.5775	16.21	23.39	.15	.98	25.97	4.51	.27	.19	39.75	4.89	.37	.24
37 15	.6400	16.07	23.35	.04-	1.02	25.82	4.67	.12	.03	39.56	5.12	.18	.31

TEST SUBJECT - 50% tilo DUMMY

TEST PT NO	TIME	TEMPLE		EYE		NOSE	
		X	Y	X	Y	X	Y
37 0	.0000			19.93	27.87	.00-	.00-
37 1	.0200			20.08	27.34	.15	.53
37 2	.0400			19.93	26.77	.00-	1.10
37 3	.0600			20.01	25.82	.08	2.05
37 4	.0800			20.50	25.17	.57	2.70
37 5	.1000			20.43	25.40	.50	2.47
37 6	.1200			21.07	25.48	1.14	2.39
37 7	.1400			21.26	25.32	1.33	2.55
37 8	.2025						
37 9	.2650						
37 10	.3275						
37 11	.3900						
37 12	.4525						
37 13	.5150						
37 14	.5775						
37 15	.6400						

TEST PT NO	TIME	SHOULDER		THIGH		KNEE	
		X	Y	X	Y	X	Y
37 0	.0000	16.17	22.89			37.74	5.46
37 1	.0200	16.29	22.51			37.82	4.89
37 2	.0400	16.13	21.64			37.78	4.67
37 3	.0600	15.75	21.26			37.78	5.31
37 4	.0800	15.60	21.49			37.63	5.58
37 5	.1000	15.68	21.60			37.59	5.69
37 6	.1200	15.87	21.53			37.63	5.24
37 7	.1400	16.06	21.41			37.74	5.08
37 8	.2025	15.94	21.53			37.63	5.31
37 9	.2650	15.67	21.94			37.74	5.46
37 10	.3275	16.06	23.62			37.59	6.03
37 11	.3900	15.98	23.46			37.25	5.35
37 12	.4525	16.02	23.46			37.29	5.27
37 14	.5150	16.10	22.55			37.63	5.31
37 14	.5775	16.10	23.05			37.74	5.46
37 15	.6400	16.13	22.93			37.59	6.03

TEST SUBJECT HM-2 D. BRICE

TEST PT NO	TIME	TFMPLF		EYE		NOSE	
		X	Y	X	Y	X	Y
45 0	0000						
45 1	0200	20.58	27.87				
45 2	0400	20.69	27.37				
45 3	0600	20.69	26.58				
45 4	0800	20.81	25.70				
45 5	1000	21.00	25.63				
45 6	1200	21.19	25.97				
45 7	1400	21.68	25.74				
45 8	2025	21.68	25.89				
45 9	2650	22.06	26.73				
45 10	3275	21.68	27.83				
45 11	3900	21.00	27.07				
45 12	4525	21.00	26.92				
45 13	5150	21.34	27.75				
45 14	5775	21.26	27.68				
45 15	6400	21.19	27.53				
		20.84	28.29				

TEST PT NO	TIME	SHOULDER		THIGH		KNEE	
		X	Y	X	Y	X	Y
45 0	0000	15.94	24.03	32.96	4.32	39.26	4.97
45 1	0200	15.91	23.69	33.07	4.06	39.30	4.67
45 2	0400	15.91	22.59	33.15	4.06	39.49	4.06
45 3	0600	16.06	21.72	33.34	4.06	39.75	4.29
45 4	0800	16.13	21.45	33.38	4.10	39.83	4.40
45 5	1000	16.13	21.79	33.34	4.06	39.83	4.36
45 6	1200	16.36	21.49	33.34	3.91	39.79	4.13
45 7	1400	16.67	21.26	33.34	4.13	39.83	4.40
45 8	2025	16.48	23.43	33.03	4.70	39.26	5.46
45 9	2650	16.87	24.75	31.89	5.16	38.54	6.26
45 10	3275	16.29	23.24	32.39	4.32	39.11	4.86
45 11	3900	16.13	22.93	32.92	4.48	39.38	4.63
45 12	4525	16.40	23.54	32.69	4.70	39.00	4.67
45 13	5150	16.44	23.31	32.73	4.36	39.15	4.40
45 14	5775	16.21	23.20	32.81	4.48	39.30	4.67
45 15	6400	16.07	23.58	32.77	4.74	39.22	4.82



TEST SUBJECT - 50% LIL • DUMPS

TEST NO	TIME	TEMPLE		EYE		MUSL					
		X	Y	DX	DY	X	Y	DX	DY		
45	0										
45	1	16.63	22.86	.00-	.00	31.10	5.43	.00-	.00	37.63	5.54
45	2	16.32	22.32	.00-	.54	31.10	5.08	.00-	.35	37.55	5.12
45	3	16.32	21.22	.31-	1.64	31.13	4.70	.03	.73	37.51	4.82
45	4	15.94	21.00	.69-	1.86	30.98	4.85	.12-	.57	37.44	5.54
45	5	15.91	21.34	.72-	1.52	30.94	5.08	.16-	.35	37.29	5.62
45	6	16.06	21.15	.57-	1.71	30.94	4.86	.16-	.57	37.22	5.12
45	7	16.29	20.92	.34-	1.94	31.13	4.53	.03	.80	37.48	5.05
45	8	16.25	21.22	.38-	1.64	31.02	4.78	.08-	.65	37.51	5.31
45	9	16.40	23.35	.23-	.53-	31.10	6.18	.00-	.75-	37.67	6.26
45	10	16.48	23.09	.15-	.83-	30.56	6.07	.54-	.64-	37.17	6.26
45	11	16.25	22.21	.38-	.65	30.98	4.89	.12-	.54	37.63	4.97
45	12	16.36	22.93	.27-	.07-	30.75	5.58	.35-	.15-	37.32	5.69
45	13	16.55	22.63	.08-	.23	31.02	5.24	.08-	.19	37.59	5.20
45	14	16.51	22.63	.12-	.23	30.98	5.12	.12-	.31	37.59	5.27
45	15	16.36	22.70	.27-	.16	30.91	5.39	.19-	.04	37.55	5.46
45	16	16.44	22.55	.19-	.31	30.94	5.27	.16-	.16	37.51	5.27

TEST NO	TIME	SHOULDER		THIGH		KNEE					
		X	Y	DX	DY	X	Y	DX	DY		
45	0										
45	1	16.63	22.86	.00-	.00	31.10	5.43	.00-	.00	37.63	5.54
45	2	16.32	22.32	.00-	.54	31.10	5.08	.00-	.35	37.55	5.12
45	3	16.32	21.22	.31-	1.64	31.13	4.70	.03	.73	37.51	4.82
45	4	15.94	21.00	.69-	1.86	30.98	4.85	.12-	.57	37.44	5.54
45	5	15.91	21.34	.72-	1.52	30.94	5.08	.16-	.35	37.29	5.62
45	6	16.06	21.15	.57-	1.71	30.94	4.86	.16-	.57	37.22	5.12
45	7	16.29	20.92	.34-	1.94	31.13	4.53	.03	.80	37.48	5.05
45	8	16.25	21.22	.38-	1.64	31.02	4.78	.08-	.65	37.51	5.31
45	9	16.40	23.35	.23-	.53-	31.10	6.18	.00-	.75-	37.67	6.26
45	10	16.48	23.09	.15-	.83-	30.56	6.07	.54-	.64-	37.17	6.26
45	11	16.25	22.21	.38-	.65	30.98	4.89	.12-	.54	37.63	4.97
45	12	16.36	22.93	.27-	.07-	30.75	5.58	.35-	.15-	37.32	5.69
45	13	16.55	22.63	.08-	.23	31.02	5.24	.08-	.19	37.59	5.20
45	14	16.51	22.63	.12-	.23	30.98	5.12	.12-	.31	37.59	5.27
45	15	16.36	22.70	.27-	.16	30.91	5.39	.19-	.04	37.55	5.46
45	16	16.44	22.55	.19-	.31	30.94	5.27	.16-	.16	37.51	5.27

TEST SUBJECT HM-2 D. BRICE

TEST NO	TIME	TEMPLE			CYC			NOSE		
		X	Y	Z	X	Y	Z	X	Y	Z
46	00	19.13	30.45	.00-				20.81	27.75	.07-
46	01	19.13	29.92	.00-				20.81	27.37	.07-
46	02	19.75	28.82	.12				20.62	26.31	.19-
46	03	19.55	28.21	.62				20.81	25.51	.00-
46	04	19.88	28.35	.76				21.19	25.48	.38
46	05	19.86	28.48	.73				21.15	25.86	.34
46	06	20.24	28.36	1.11				21.45	25.70	.64
46	07	20.65	28.17	1.42				21.79	25.59	.98
46	08	21.26	29.50	2.13				22.29	26.81	1.48
46	09	20.84	30.45	1.71				22.17	27.87	1.22
46	10	19.17	30.34	.04				20.77	27.66	.04-
46	11	19.48	29.96	.35				21.03	27.41	.22
46	12	19.56	30.26	.46				21.15	27.75	.34
46	13	19.40	30.30	.27				20.96	27.68	.15
46	14	19.02	30.49	.11-				20.69	28.02	.12-
46	15	19.02	30.60	.11-				20.81	28.02	.00-

TEST NO	PT	TIME	SHOULDER			THIGH			KNEE					
			X	Y	Z	X	Y	Z	X	Y	Z			
46	0	00	16.32	24.30	.00-				33.15	5.43	.00-	39.38	5.77	.00-
46	1	00	16.21	23.92	.11-				33.26	5.16	.11	39.45	5.58	.07
46	2	00	16.17	22.82	.15-				33.34	5.01	.19	39.75	4.59	.37
46	3	00	15.87	21.79	.45-				33.75	4.89	.60	39.98	4.74	.60
46	4	00	15.94	22.10	.38-				33.75	4.86	.60	39.91	4.93	.53
46	5	00	15.91	22.32	.41-				33.75	4.97	.60	39.94	5.05	.56
46	6	00	16.25	22.40	.03-				33.38	5.12	.23	39.79	4.89	.41
46	7	00	16.48	22.02	.16				33.60	4.82	.45	39.94	4.51	.56
46	8	25	16.51	24.49	.17				33.03	6.07	.12-	39.19	6.91	.19-
46	9	50	17.08	24.94	.76				31.82	6.64	1.33-	38.43	7.32	.55-
46	10	75	16.32	24.00	.00-				32.65	5.02	.50-	39.07	5.96	.31-
46	11	00	16.29	23.58	.03-				33.22	5.46	.07	39.56	5.20	.18
46	12	25	16.48	23.92	.16				32.58	5.77	.57-	39.07	5.39	.31-
46	13	50	16.32	23.88	.00-				33.03	5.35	.12-	39.38	5.24	.00-
46	14	75	16.02	23.77	.30-				33.03	5.58	.12-	39.45	5.43	.07
46	15	00	16.17	23.81	.15-				32.96	5.62	.19-	39.30	5.08	.08-

TEST SUBJECT 50% till DURING

TEST NO	PT NO	TIME	TEMPLE		EYE		NOSE		
			X	Y	X	Y	X	Y	
46	1	.0000							
46	1	.0200							
46	2	.0400							
46	3	.0600							
46	4	.0800							
46	5	.1000							
46	6	.1200							
46	7	.1400							
46	8	.2025							
46	9	.2650							
46	10	.3275							
46	11	.3900							
46	12	.4525							
46	13	.5150							
46	14	.5775							
46	15	.6400							

TEST NO	PT NO	TIME	SHOULDER		THIGH		KNEE			
			X	Y	X	Y	X	Y		
46	0	.0000	16.32	22.86	30.79	5.43	37.36	5.27	37.36	5.27
46	1	.0200	16.40	21.91	30.83	4.70	37.29	4.70	37.29	4.70
46	2	.0400	15.91	20.69	30.83	4.36	37.17	4.70	37.17	4.70
46	3	.0600	15.64	20.73	30.79	4.70	37.17	5.35	37.17	5.35
46	4	.0800	15.64	21.00	30.60	4.82	37.13	5.31	37.13	5.31
46	5	.1000	16.10	20.84	30.75	4.63	37.21	5.01	37.21	5.01
46	6	.1200	16.06	20.84	30.68	4.63	37.06	5.01	37.06	5.01
46	7	.1400	15.98	21.64	30.64	5.20	37.13	5.84	37.13	5.84
46	8	.2025	16.10	24.22	30.53	6.51	37.06	7.13	37.06	7.13
46	9	.2650	15.79	23.46	30.22	6.30	36.83	6.60	36.83	6.60
46	10	.3275	15.98	22.10	30.98	4.89	37.48	4.97	37.48	4.97
46	11	.3900	16.10	22.89	30.64	5.81	37.17	6.00	37.17	6.00
46	12	.4525	16.40	22.48	30.87	5.31	37.44	5.24	37.44	5.24
46	13	.5150	16.21	22.64	30.83	5.35	37.32	5.39	37.32	5.39
46	14	.5775	16.25	22.51	30.87	5.27	37.48	5.27	37.48	5.27
46	15	.6400	16.10	22.60	30.83	5.31	37.40	5.27	37.40	5.27

MADC-AC-6808

TABLE IV

TABULATED DISPLACEMENT DATA SHOWING BODY MOVEMENT OF  
L. REED AND 5 PERCENTILE DUMMY

PROJECT ANH-2 L. REED

TEST NO	PT	TIME	SAMPLE			CYP			KNEE						
			X	Y	EX	BY	DX	Y	EX	BY	DX	Y	EX	BY	
41	0	0000	19.67	25.67	.00-	.00-	.00-	21.00	27.00	.00-	.00-	21.00	27.00	.00-	.00-
41	1	0210	19.75	25.65	.00-	.00-	.00-	21.00	27.00	.00-	.00-	21.00	27.00	.00-	.00-
41	2	0340	19.59	25.69	.00-	.00-	.00-	21.00	27.00	.00-	.00-	21.00	27.00	.00-	.00-
41	3	0400	19.70	27.77	.00-	.00-	.00-	21.11	26.77	.00-	.00-	21.11	26.77	.00-	.00-
41	4	0500	19.87	27.87	.00-	.00-	.00-	21.22	26.76	.00-	.00-	21.22	26.76	.00-	.00-
41	5	0500	19.70	28.07	.00-	.00-	.00-	21.15	26.96	.00-	.00-	21.15	26.96	.00-	.00-
41	6	0600	19.55	26.25	.00-	.00-	.00-	21.03	27.19	.00-	.00-	21.03	27.19	.00-	.00-
41	7	0600	19.59	26.29	.00-	.00-	.00-	21.07	27.11	.00-	.00-	21.07	27.11	.00-	.00-
41	8	0650	19.74	27.96	.00-	.00-	.00-	20.54	27.07	.00-	.00-	20.54	27.07	.00-	.00-
41	9	0775													
41	10	0900													
41	11	0900													
41	12	0925													
41	13	0950													
41	14	0975													

TEST NO	PT	TIME	SHOULDER			THIGH			KNEE						
			X	Y	EX	BY	DX	Y	EX	BY	DX	Y	EX	BY	
41	0	0000	15.94	24.22	.00-	.00-	.00-	25.78	4.22	.00-	.00-	39.30	5.73	.00-	.00-
41	1	0200	15.87	23.96	.07-	.07-	.07-	25.78	3.94	.00-	.00-	39.30	5.24	.00-	.49
41	2	0400	15.70	23.43	.15-	.15-	.15-	25.86	3.49	.08-	.08-	39.41	5.01	.11-	.72
41	3	0600	15.94	23.01	.00-	.00-	.00-	26.12	3.56	.34	.34	39.77	4.93	.42	.00
41	4	0800	15.98	21.16	.04	.04	.04	25.82	3.37	.04	.04	39.49	5.12	.14	.61
41	5	1000	15.94	23.01	.00-	.00-	.00-	26.08	3.56	.30	.30	39.49	5.12	.19	.61
41	6	1200	15.87	23.12	.07-	.07-	.07-	25.82	3.65	.04	.04	39.38	4.89	.08	.84
41	7	1400	15.91	22.93	.03-	.03-	.03-	25.97	3.60	.17	.17	37.34	4.93	.04	.80
41	8	1600	16.13	22.79	.19	.19	.19	26.05	3.41	.27	.27	39.45	5.02	.15	.68
41	9	1800	16.15	27.10	.02	.02	.02	26.01	3.07	.23	.23	39.60	5.08	.30	.63
41	10	2000	16.78	21.72	.04	.04	.04	25.97	3.15	.17	.17	39.60	5.08	.22	.68
41	11	2200	16.06	21.91	.02	.02	.02	25.67	3.77	.17	.17	39.41	5.69	.11	.04
41	12	2400	17.01	23.16	.11	.11	.11	25.76	6.71	.04	.04	39.11	6.64	.19	.55
41	13	2600	16.93	22.87	.09	.09	.09	25.70	6.77	.08	.08	39.22	5.86	.08	.11
41	14	2800	16.97	23.31	.03	.03	.03	25.93	2.87	.15	.15	39.56	5.69	.26	.04

SUBJECT- 5511. DUNNY

TEST PT NO	TIME	TEMPLE			EYE			NOSE					
		X	Y	OX	OX	OY	K	Y	OX	Y	OX	OY	
41	0000	2.25	28.06	.00-	.00	21.00	26.46	.00-	.00	21.72	24.91	.00-	.00
41	0200	20.35	27.49	.00-	.57								
41	0400												
41	0600												
41	0800												
41	1000												
41	1200												
41	1400												
41	1600												
41	1800												
41	2000												
41	2200												
41	2400												
41	2600												
41	2800												
41	3000												
41	3200												
41	3400												
41	3600												
41	3800												
41	4000												
41	4200												
41	4400												
41	4600												
41	4800												
41	5000												
41	5200												
41	5400												
41	5600												
41	5800												
41	6000												

TEST PT. NO	TIME	SHOULDER			THIGH			KNEE				
		X	Y	OX	OX	OY	X	Y	OX	Y	OX	OY
41	0000	17.24	19.13	.00-	.00				36.87	5.81	.09-	.00
41	0200	17.27	18.87	.03	.26				36.79	5.27	.08-	.54
41	0400	17.35	18.00	.11	1.13				36.94	4.82	.07	.99
41	0600	17.31	18.03	.07	1.10				36.91	4.89	.04	.92
41	0800	17.27	17.69	.03	1.44				36.87	5.12	.00-	.69
41	1000	17.08	17.77	.16-	1.36				36.87	5.08	.00-	.73
41	1200	17.05	17.62	.19-	1.51				36.83	4.89	.04-	.72
41	1400	17.08	17.88	.16-	1.25				36.79	5.08	.08-	.73
41	1600	17.27	17.77	.03	1.36				36.75	5.08	.12-	.73
41	1800	17.24	17.61	.00-	1.32				36.72	5.12	.15-	.69
41	2000	17.16	17.77	.08-	1.36				36.79	5.12	.08-	.69
41	2200	17.24	18.11	.00-	1.02				36.87	5.31	.00-	.50
41	2400	17.12	19.25	.12-	.12-				36.75	5.69	.12-	.12
41	2600	17.35	18.94	.11	.19				36.94	5.12	.07	.69
41	2800	17.27	18.53	.03	.60				36.72	5.46	.15-	.35

SUBJECT : AMH-2 L. REED

TEST PT NO	TIME	TEMPLE				EYE				NOSE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
42 0	.0000					20.77	27.60	.00-	.00-				
42 1	.0200					20.85	27.00	.11	.60				
42 2	.0400					20.77	26.12	.00-	1.48				
42 3	.0600					21.00	25.67	.23	1.53				
42 4	.0800					21.37	25.87	.60	1.71				
42 5	.1000					21.30	26.08	.55	1.24				
42 6	.1200					21.15	26.31	.50	1.27				
42 7	.1400					21.07	26.20	.50	1.10				
42 8	.2025					21.19	26.08	.42	1.52				
42 9	.2650					21.11	27.11	.24	.49				
42 10	.3275					21.26	28.21	.49	.61-				
42 11	.3900					20.88	27.56	.11	.04				
42 12	.4525					21.11	26.39	.34	1.21				
42 13	.5150					21.24	27.07	.57	.52				
42 14	.5775					20.96	27.15	.19	.45				

TEST PT NO	TIME	SHOULDER				THIGH				KNEE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
42 0	.0000	14.77	23.96	.00-	.00-	33.11	5.24	.00-	.00-	38.92	5.36	.00-	.00
42 1	.0200	14.73	23.46	.04-	.50	33.19	4.78	.08	.46	39.03	5.58	.11	.38
42 2	.0400	14.84	22.63	.07	1.33	33.22	4.55	.11	.69	39.26	4.97	.34	.99
42 3	.0600	15.03	21.87	.26	2.09	33.41	4.74	.30	.50	39.53	5.08	.61	.68
42 4	.0800	15.25	21.60	.49	2.36	33.49	4.82	.38	.42	39.56	5.46	.64	.50
42 5	.1000	15.49	21.64	.72	2.32	33.53	4.82	.42	.42	39.49	5.54	.57	.42
42 6	.1200	15.53	21.68	.75	2.28	33.38	4.89	.27	.35	39.41	5.39	.49	.57
42 7	.1400	15.49	21.37	.72	2.59	33.45	4.67	.34	.57	39.53	5.16	.61	.60
42 8	.2025	15.87	21.22	1.10	2.74	33.34	4.75	.23	.46	39.41	5.27	.49	.69
42 9	.2650	15.79	22.02	1.02	1.94	33.30	5.16	.19	.08	39.30	6.03	.36	.07
42 10	.3275	15.91	23.69	1.14	.27	32.84	6.22	.27-	.98-	38.54	7.29	.34-	1.33
42 11	.3900	15.94	23.35	1.17	.61	32.65	5.88	.46-	.64-	38.58	6.65	.54-	.72
42 12	.4525	15.91	22.06	1.14	1.50	33.07	5.01	.04-	.23	39.38	5.43	.46	.53
42 13	.5150	16.32	22.44	1.55	1.52	33.11	5.20	.00-	.04	39.22	6.11	.30	.15
42 14	.5775	16.06	22.03	1.29	1.33	32.96	5.27	.15-	.03-	39.11	5.96	.19	.00

SUBJECT 581110 DUMAY

TEST PT NO	TIME	TEMPLE				EYE				NOSE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
42 0	.0000												
42 1	.0200												
42 2	.0400												
42 3	.0600												
42 4	.0800												
42 5	.1000												
42 6	.1200												
42 7	.1400												
42 8	.2025												
42 9	.2650												
42 10	.3275												
42 11	.3900												
42 12	.4525												
42 13	.5150												
42 14	.5775												

TEST PT NO	TIME	SHOULDER				THIGH				KNEE			
		X	Y	DX	DY	X	Y	DX	DY	X	Y	DX	DY
42 0	.0000	18.22	19.59	.00-	.00-	30.22	5.46	.00-	.00-	36.15	5.39	.00-	.00-
42 1	.0700	18.25	19.10	.04	.49	30.26	4.97	.04	.49	36.22	4.97	.07	.42
42 2	.0400	18.30	18.07	.08	1.52	30.45	4.86	.23	.60	36.34	5.01	.19	.38
42 3	.0600	18.11	18.11	.11-	1.48	30.41	4.86	.19	.60	36.26	4.97	.11	.42
42 4	.0800	17.88	18.26	.34-	1.33	30.26	4.86	.04	.60	36.19	5.01	.04	.38
42 5	.1000	18.07	18.07	.15-	1.52	30.38	4.82	.16	.64	36.15	4.93	.00-	.46
42 6	.1200	18.07	18.22	.15-	1.37	30.38	4.89	.16	.57	36.19	5.01	.04	.38
42 7	.1400	18.00	18.19	.22-	1.40	30.38	4.86	.16	.60	36.19	4.93	.04	.46
42 8	.2025	18.00	18.11	.22-	1.48	30.38	4.82	.16	.64	36.26	4.93	.11	.46
42 9	.2650	18.07	18.94	.15-	.65	30.30	5.27	.08	.19	36.07	5.24	.08-	.15
42 10	.3275	16.03	19.74	.19-	.15-	29.96	5.43	.26-	.03	35.84	5.31	.31-	.08
42 11	.3900	18.00	19.10	.22-	.49	30.19	5.01	.03-	.45	35.92	5.20	.23-	.19
42 12	.4525	18.19	19.10	.03-	.49	30.15	5.35	.07-	.11	35.92	5.39	.23-	.00
42 13	.5150	18.03	19.02	.19-	.57	30.15	5.20	.07-	.26	36.00	5.27	.15-	.12
42 14	.5775	18.15	19.06	.07-	.53	30.22	5.27	.00-	.19	36.11	5.39	.04-	.00



SUBJECT AHH-2 L. REED

TEST NO	PT NO	TIME	TEMPLE			EYE			NOSE					
			X	Y	PX	PY	PX	PY	PX	PY	PX	PY		
43	0	.0000												
43	1	.0200												
43	2	.0400												
43	3	.0600												
43	4	.0800												
43	5	.1000												
43	6	.1200												
43	7	.1400												
43	8	.2025												
43	9	.2650												
43	10	.3275												
43	11	.3900												
43	12	.4525												
43	13	.5150												
43	14	.5775												

TEST NO	PT NO	TIME	SHOULDER			THIGH			KNEE					
			X	Y	PX	PY	PX	PY	PX	PY	PX	PY		
43	0	.0000	15.41	23.46	.00-	.00	33.45	5.01	.00-	.00	38.88	5.54	.00-	.00
43	1	.0200	15.37	22.97	.04-	.49	33.26	4.44	.19-	.57	38.64	5.16	.04-	.38
43	2	.0400	15.45	21.49	.04	1.97	33.38	4.06	.07-	.95	39.34	4.17	.46	1.37
43	3	.0600	15.87	20.05	.46	3.41	33.72	3.91	.27	1.10	39.60	3.91	.72	1.63
43	4	.0800	16.48	19.78	1.07	3.68	33.72	4.06	.27	.95	39.56	4.29	.68	1.25
43	5	.1000	16.86	20.12	1.45	3.34	33.75	4.06	.50	.95	39.60	4.17	.72	1.37
43	6	.1200	17.01	20.16	1.60	3.30	33.67	4.06	.42	.95	40.21	4.44	1.33	1.10
43	7	.1400	16.93	19.93	1.52	3.53	33.75	4.13	.30	.88	39.91	4.29	1.03	1.25
43	8	.2025	16.67	22.78	1.26	.68	33.49	5.05	.04	.04-	39.26	6.22	.38	.68-
43	9	.2650	16.59	24.37	1.18	.91-	32.50	6.41	.95-	1.40-	38.35	7.36	.53-	1.82-
43	10	.3275	16.67	22.89	1.26	.57	33.03	4.82	.42-	.19	39.07	5.50	.19	.04
43	11	.3900	16.74	22.51	1.33	.95	33.22	4.97	.23-	.04	39.19	5.46	.31	.08
43	12	.4525	16.89	22.82	1.48	.64	33.30	5.31	.15-	.30-	39.26	5.73	.38	.19-
43	13	.5150	16.74	22.67	1.33	.79	33.30	4.67	.15-	.34	39.22	4.86	.54	.68
43	14	.5775	16.67	22.44	1.26	1.02	33.22	4.74	.23-	.27	39.22	5.01	.34	.53



SUBJECT AMH-2 L. REED

TEST NO	PT	TIME	TEMPLE		EYE		NOSE						
			X	Y	OX	OY	X	Y	OX	OY			
44	0	.0000											
44	1	.0200											
44	2	.0400											
44	3	.0600											
44	4	.0800											
44	5	.1000											
44	6	.1200											
44	7	.1400											
44	8	.2025											
44	9	.2650											
44	10	.3275											
44	11	.3900											
44	12	.4525											
44	13	.5150											
44	14	.5775											

TEST NO	PT	TIME	SHOULDER		THIGH		KNEE						
			X	Y	OX	OY	X	Y	OX	OY			
44	0	.0000	15.56	23.50	.00-	.00-	.00-	.00-	38.81	5.77	.00-	.00-	
44	1	.0200	15.56	22.78	.00-	.72	.04-	.83	.83	38.81	4.78	.00-	.99
44	2	.0400	15.56	21.75	.00-	1.75	.30	1.14	1.14	39.41	3.94	.60	1.83
44	3	.0600	15.94	20.50	.38	3.00	.34	1.29	1.29	39.49	3.98	.82	1.79
44	4	.0800	16.55	20.39	.59	3.11	.42	1.14	1.14	39.64	4.51	.83	1.26
44	5	.1000	17.08	20.31	1.52	3.19	.38	.91	.91	39.64	4.11	.83	1.60
44	6	.1200	17.05	20.16	1.49	3.34	.27	1.14	1.14	39.41	4.29	.60	1.48
44	7	.1400	17.08	20.73	1.52	2.77	.30	.91	.91	39.53	4.70	.72	1.07
44	8	.2025	18.19	22.93	2.53	.57	.34-	1.22-	1.22-	38.82	6.98	.19-	1.21
44	9	.2650	16.63	24.41	1.07	.91-	.91-	1.10-	1.10-	38.24	7.40	.57-	1.63
44	10	.3275	17.16	23.24	1.60	.26	.23-	.45	.45	39.15	5.31	.34	.46
44	11	.3900	16.78	23.65	1.22	.15-	.08	.64	.64	38.92	4.97	.11	.80
44	12	.4525	16.74	23.73	1.18	.23-	.19-	.31-	.31-	39.03	5.35	.22	.42
44	13	.5150	17.04	23.35	1.49	.15	.19	.49	.49	39.15	4.89	.34	.88
44	14	.5775	16.97	23.39	1.41	.11	.15	.76	.76	39.30	4.36	.49	1.41

TEST SUBJECT 58411 DUMMY

TEST PT NO	TIME	TEMPLE		EYE		NOSE	
		X	Y	X	Y	X	Y
44 0	.0000						
44 1	.0200						
44 2	.0400						
44 3	.0600						
44 4	.0800						
44 5	.1000						
44 6	.1200						
44 7	.1400						
44 8	.2025						
44 9	.2650						
44 10	.3275						
44 11	.3900						
44 12	.4525						
44 13	.5150						
44 14	.5775						

TEST PT NO	TIME	SHOULDER		THIGH		KNEE	
		X	Y	X	Y	X	Y
44 0	.0000	18.30	19.10	30.38	5.08	36.26	5.08
44 1	.0200	19.10	18.07	31.44	4.44	37.44	4.40
44 2	.0400	19.29	17.50	31.70	4.55	37.44	4.67
44 3	.0600	18.11	17.92	30.53	4.63	36.38	4.63
44 4	.0800	18.15	18.00	30.64	4.59	36.38	4.74
44 5	.1000	18.34	17.73	30.68	4.67	36.53	4.67
44 6	.1200	18.19	17.96	30.45	4.82	36.30	4.82
44 7	.1400	18.26	18.60	30.41	5.08	36.38	5.12
44 8	.2025	18.37	19.57	30.07	5.46	36.00	5.31
44 9	.2650	18.15	19.63	30.26	5.16	36.15	5.20
44 10	.3275	17.56	18.53	30.30	4.89	36.19	5.05
44 11	.3900	16.22	19.29	30.19	5.31	35.96	5.35
44 12	.4525	16.75	18.67	30.83	5.08	36.72	5.24
44 13	.5150	18.15	18.79	30.53	5.01	36.41	5.01
44 14	.5775	18.24	18.68	30.45	5.01	36.26	5.05

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R&D		
<i>(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)</i>		
1. ORIGINATING ACTIVITY (Corporate suffix) AEROSPACE CREW EQUIPMENT DEPARTMENT NAVAL AIR DEVELOPMENT CENTER JOHNSVILLE, WARMINSTER, PENNSYLVANIA 18974		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED
		2b. GROUP
3. REPORT TITLE COMPARATIVE STUDY OF BODY DISPLACEMENTS IN BOTH HUMANS AND ANTHROPOMORPHIC DUMMIES WHEN SIMULTANEOUSLY SUBJECTED TO CONTROLLED VERTICAL IMPACT TYPE DECELERATIONS		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
5. AUTHOR(S) (Last name, first name, initial) SCHWARTZ, MARCUS		
6. REPORT DATE 8 APRIL 1968	7a. TOTAL NO. OF PAGES 147	7b. NO. OF REFS
8a. CONTRACT OR GRANT NO.	8b. ORIGINATOR'S REPORT NUMBER(S) RADC-AC-6808	
a. SUBJECT NO. FOUNDATIONAL RESEARCH PROJECT #15	9a. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
c.		
d.		
10. AVAILABILITY/LIMITATION NOTICES THIS DOCUMENT HAS BEEN APPROVED FOR PUBLIC RELEASE AND SALE; ITS DISTRIBUTION IS UNLIMITED.		
11. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY ACTIVITY	
13. ABSTRACT This interim report concerns Phase I of a research program to determine if a correlation in displacements exists between humans and anthropomorphic dummies of like proportions when subjected to vertical crash type forces for extrapolation into the high impact region where only dummies can be utilized. Although similarities were found when comparing the displacements in the leg area, the upper torso could not be correlated in any but a highly complex way. Although direct correlation is not practical, much useful information has been gained. The dynamics of the human body as it affects the performance of pilot ejection systems is considered to be very significant, and as yet undetermined.		

DD FORM 1473  
1 JAN 64

UNCLASSIFIED

Security Classification

UNCLASSIFIED

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
1. anthropomorphic dummy						
2. correlation						
3. vertical impact						
4. peak displacements						
5. dynamic response						

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report.
- 2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.
- 2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.
3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.
4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.
5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.
6. **REPORT DATE:** Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.
- 7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.
- 7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.
- 8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.
- 8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.
- 9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.
- 9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s).
10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through \_\_\_\_\_."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through \_\_\_\_\_."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through \_\_\_\_\_."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.
12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.
13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.



DEPARTMENT OF THE NAVY  
NAVAL AIR DEVELOPMENT CENTER  
JOHNSVILLE  
WARMINSTER, PA. 18974

ACCA

92071

19 AUG 1968

AD 669 466

From: Commander, Naval Air Development Center Johnsville, Warminster, Pa. 18974  
To: DISTRIBUTION LIST

Subj: Report No. NADC-AC-6808; correction of

Ref: (a) Report No. NADC-AC-6808, "Comparative Study of Body Displacements in Both Humans and Anthropomorphic Dummies When Simultaneously Subjected to Controlled Vertical Impact Type Decelerations" of 8 Apr 1968

Encl: (1) Three separation pages for Figures 2 through 65  
(2) Pages vii and viii

1. Because of an error in the figures contained in the reference (a) report, it is requested that the following action be taken:

a. Replace the three separation cover sheets that indicate Figures 2 through 106 with the corresponding pages contained in enclosure (1), which contain the correct number of figures 2 through 65.

b. Place the figures in the proper consecutive order.

c. Replace pages vii and viii with enclosure (2).

d. Page 3, paragraph 2, last sentence, change "(Figures 2 through 106)" to "(Figures 2 through 65)".

L. W. MEAKIN  
By direction

NADC-AC-6808

LIST OF FIGURES

Figures	Title
2-31	Data Plots of AME-3 C. BROOKS and 95 Percentile Dummy
32-46	Data Plots of AMH-2 L. REED and 5 Percentile Dummy
47-65	Data Plots of HM-2 D. BRICE and 50 Percentile Dummy



RECEIVED  
OCT 2 1968  
INPUT SECTION  
CLEARINGHOUSE

LIST OF TABLES

Table	Title
I	Anthropometric Data of Humans and Dummies
II	Tabulated Displacement Data Showing Body Movement of AME-3 C. BROOKS and 95 Percentile Dummy
III	Tabulated Displacement Data Showing Body Movement of HM-2 D. BRICE and 50 Percentile Dummy
IV	Tabulated Displacement Data Showing Body Movement of AMH-2 L. REED and 5 Percentile Dummy

NADC-AC-6808

FIGURES 2 THROUGH 31  
DATA PLOTS OF C. BROOKS AND 95 PERCENTILE DUMME

<u>TEST NO.</u>	<u>G LEVEL</u>	<u>IMPACT VELOCITY</u>
34	4.9	44 FPS
39	9.0	33 FPS
40	10.0	33 FPS
60	8.4	33 FPS
61	8.1	44 FPS

NADC-AG-6808

FIGURES 32 THROUGH 46  
DATA PLOTS OF L. REED AND 5 PERCENTILE DUMMY

<u>TEST NO.</u>	<u>G LEVEL</u>	<u>IMPACT VELOCITY</u>
41	4.9	44 FPS
42	7.1	44 FPS
43	9.6	33 FPS
44	10.0	33 FPS

NADC-AC-6808

FIGURES 47 THROUGH 65  
DATA PLOTS OF D. BRICE AND 50 PERCENTILE DURRY

<u>TEST NO.</u>	<u>G LEVEL</u>	<u>IMPACT VELOCITY</u>
36	4.9	44 FPS
37	7.1	44 FPS
45	9.0	33 FPS
46	10.0	33 FPS