

AD

AD 676105

MISCELLANEOUS PUBLICATION 20

IMMUNOFLUORESCENCE,
AN ANNOTATED BIBLIOGRAPHY

V. DIAGNOSTIC APPLICATIONS
AND REVIEW ARTICLES

Warren R. Sanborn

DDC

OCT 18 1968

MARCH 1968

DEPARTMENT OF THE ARMY
Fort Detrick
Frederick, Maryland

UNCLASSIFIED
DATE 10/18/68 BY [illegible]

75

DEPARTMENT OF THE ARMY
Fort Detrick
Frederick, Maryland 21701

MISCELLANEOUS PUBLICATION 20

IMMUNOFLUORESCENCE, AN ANNOTATED BIBLIOGRAPHY
V. DIAGNOSTIC APPLICATIONS AND REVIEW ARTICLES

Warren R. Sanborn

March 1968

Technical Information Division
AEROBIOLOGY AND EVALUATION LABORATORY

FA	fluorescent antibody
FIC	fluorescein isocyanate
FITC	fluorescein isothiocyanate
FTA	fluorescent treponemal antibody
FTA abs	fluorescent treponemal antibody absorbed
FTA-200	a modification of the above based on serum dilution
PAP	primary atypical pneumonia
PAS	para-aminosalicylic acid
PBS	phosphate-buffered saline
RB 200	a. lissamine rhodamine RB 200 b. lissamine rhodamine B 200 c. lissamine rhodamine B d. sulphorhodamine B e. acid rhodamine B
TPFA	<u>Treponema pallidum</u> fluorescent antibody
TPI	<u>Treponema pallidum</u> immobilization

Generally, the citations follow the format prescribed by the second edition of Style Manual for Biological Journals, American Institute of Biological Sciences, 2000 P Street, N.W., Washington, D.C., 20036. Abbreviations follow "American Standard for Periodical Title Abbreviations," Z39.5-1963, American Standards Association Incorporated, New York.

The compiler began to collect this immunofluorescence literature in 1957 while he was stationed at U.S. Navy Preventive Medicine Unit No. 2, Norfolk, Virginia. The literature collection became more intense and organized after 1959 when he was transferred to Fort Detrick, Frederick, Maryland. Following his further transfer to the Microbiology Department of the Naval Medical Research Institute, Bethesda, Maryland, in 1963, he continued this work with the encouragement and support of both of these latter installations. Work on the second edition began in 1964, and it has continued through support from both the U.S. Army and the Bureau of Medicine and Surgery of the U.S. Navy. This volume was completed while the compiler was assigned to U.S. Navy Medical Research Unit No. 3, FPO, New York, 09527, where he is currently serving as head of the Bacteriology Department.

The information in these volumes was originally recorded on coded marginal punch cards. With the compilation of this publication, the citations and annotations have been transcribed on punched tape for conversion to automatic data processing and for use in updating later editions. Each entry is coded for recall by authors, date, title, and source publication to allow compilation of more selective listings.

Readers are invited to report errors or suggest added entries to the compiler or to Editorial Branch, Technical Information Division, Fort Detrick, Frederick, Maryland, 21701, for improvement of the subsequent editions. Reader assistance in this area will be deeply appreciated.

ACKNOWLEDGMENTS

The essential team effort required for development of this immunofluorescence bibliography cannot be overstressed. As with many projects of this nature, the talents, advice, guidance, and assistance of many people led to the completion of this second edition. The compiler is deeply grateful to the many people who have contributed.

Financial support for this project at first was absorbed by the Pathology Division and the Walter Reed Army Medical Unit, Fort Detrick. However, completion of the first edition (through 1962) was made possible by special financial assistance from Physical Defense Division, Fort Detrick, under Dr. Charles R. Phillips. I am extremely grateful to him for his aid. Expenses for this second edition were primarily met through a generous grant from U.S. Navy Bureau of Medicine and Surgery, Preventive Medicine Division, under CAPT J. Millar, MC, USN. Many administration expenses also were borne by the Naval Medical Research Institute and by Fort Detrick.

A number of libraries kindly donated their services. In spite of the unusual requests required by this project, these libraries were very helpful and willingly assisted, often providing valuable suggestions. Libraries primarily involved were the Technical Library, Fort Detrick, under Mr. Charles N. Bebee and later Miss Joyce A. Wolfe, and the Technical Reference Library, Naval Medical Research Institute, Mrs. T.P. Robinson, librarian. Much valuable assistance was also rendered by the National Institutes of Health Library, Miss R. Connelly, reference librarian, the National Library of Medicine, and the library of the Walter Reed Army Medical Unit, Fort Detrick. The staff members of these libraries were both helpful and patient. Without such fine assistance, the work could not have been completed.

It is a pleasure to acknowledge the highly competent secretarial help. Secretaries providing their capable and untiring talents were: Miss Sandra Rosenblatt, Miss Linda L. Zimmerman, Mrs. Marguerite M. Matovich, Mrs. Gene Heaven, Mrs. Linda Franklin, Mrs. Alberta Brown, Mrs. Margaret Raheb, and a number of others. Valuable assistance in double-checking problem references was provided by Mrs. Catherine F. Eaves and Mrs. Mary J. Gretzinger. Dr. George H. Nelson was a willing consultant for classification problems. Dr. Harold W. Batchelor provided an essential key to the development of this work by introducing the compiler to marginal punch card systems and guiding him in their application.

The Technical Information Division, under Mr. Gerald W. Beveridge, continually provided all types of assistance in addition to a home base from which to work. My gratitude for this cannot be fully expressed.

Last, but by no means least, the essential editorial work receives my highest praise. The tireless efforts, patience, and driving force supplied by these people were the prime factors in bringing this edition to completion. Mrs. Madeline Warnock Harp, in charge, Mrs. Mary D. Nelson, and Mrs. Ruth P. Zmudzinski all spent many hard weeks of work on this project. I shall always be indebted to them.

ABSTRACT

This volume is one of a series of six in the second edition of an annotated bibliography on various aspects of immunofluorescence and its use. The first six-volume edition was published in 1965 and included citations for the period 1905 through 1962. The present edition covers the period 1963 through 1965; Volume V is divided into two major sections. The first section contains 104 annotated citations to review articles on immunofluorescence arranged according to major subject areas. The second section is devoted to diagnostic techniques. It contains 321 cross-references to citations in the other volumes of this series, arranged to correspond with subject matter areas in those volumes. A complete author index to the 425 citations is included.

CONTENTS

Foreword	3
Acknowledgments	7
Abstract	8
I. REVIEWS	11
A. General Reviews	11
B. Applicable to Diagnosis	14
C. Applicable to Physiology	27
D. Applicable to Microbial Diseases and Parasitic Infections	33
II. REFERENCES TO DIAGNOSTIC APPLICATIONS	37
A. Bacteria	37
1. Actinomycetales	37
2. Bacillaceae	37
3. <u>Bedsonia (Miyagawanella)</u>	37
4. Brucellaceae	38
5. Corynebacteriaceae	40
6. Enterobacteriaceae	42
7. Lactobacillaceae	46
8. Micrococcaceae	48
9. <u>Mycoplasma (PPLO)</u>	48
10. Neisseriaceae	49
11. Pseudomonadales	51
12. Spirillaceae	51
13. Spirochaetales	52
B. Viruses	57
1. Adenovirus	57
2. Arbovirus	57
3. Herpesvirus	58
4. Influenza	58
5. Myxovirus	60
6. Picornavirus	61
7. Poxvirus	61
8. Rabiesvirus	62
9. Other Virus Groups	63
C. Fungi, Metazoa, Protozoa, Rickettsiae	64
1. Fungi	64
2. Metazoa	65
3. Protozoa	67
4. Rickettsiae	69
D. Autoimmune Factors in Disease	70
E. Miscellaneous Applications	71
Author Index	73
Distribution List	81
DD Form 1473	89

I. REVIEWS

A. GENERAL REVIEWS

7011

Anonymous. 1963. Illuminating antigens. Glaxo 26:34-42.

Basic procedures for using the direct and indirect methods of FA are outlined. Application in the rapid diagnosis of pathogenic bacteria and viruses is great. Among experimental applications, important advances have been made in intracellular detection of antibody and the immunoglobulins, localization of hormones, and the understanding of auto-immune phenomena. The specificity, versatility, and speed of the FA method should benefit many lines of work.

7012

Bauza, C.A. 1964. Fluorescent microscopy in pediatrics: Description and possibilities. Arch. Pediat. Urug. 35:244-248. In Spanish.

This is a review.

7013

Cherchenko, I.I. 1963. Fluorescent antibodies in microbiology. Zh. Mikrobiol. Epidemiol i Immunobiol. 40:2:93-101. In Russian.

This is a review.

7014

Federlin, K. 1965. Immunofluorescence. Deut. Med. Wochensch. 90:667-670. In German.

The reviewed method offers a valuable and dependable aid in experimental and clinical immunology.

7015

Geck, P.; Horvath, S.; Karasszon, D. 1963. Experience in immunofluorescent investigations using fluorescein isothiocyanate. Kiserl. Orv. 15:513-518. In Hungarian.

Immunofluorescence studies with fluorescein isothiocyanate are described. This is a review of methods.

12

7016

Giunti, G. 1963. On the theme of fluorescent histoimmunology. Riv. Anat. Patol. Oncol. 24:813-819. In Italian.

A review.

7017

Grundboeck, M. 1964. Fluorescent antibody method and its application in veterinary medicine. Med. Weter. 20:36-41. In Polish.

The use of fluorescein-labeled antibodies to detect antigens in tissues and cells is presented. The method has provided a useful contribution to the understanding of such diverse problems as the pathogenesis of infectious diseases, the fate of injected antigens, the formation of antibodies, the synthesis of hormones, etc. In the veterinary field, this method has been employed to study numerous diseases caused by viruses, bacteria, rickettsiae, fungi, and protozoa. Many reports on the application of immunofluorescent staining deal with potential diagnostic uses of the method.

7018

Gulmezoglu, E. 1964. Fluorescent antibody techniques. Turk. Ij. Tetr. Biyol. Derg. 24:181-197. In Turkish.

This is a technique and application review.

7019

Husain, S.S. 1964. Quality control in fluorescent antibody technique in the clinical lab. Hosp. Progr. 45:68-72.

This is a review.

7020

Mancini, L.; Rossi, M.; Beni, G. 1964. Present knowledge of immunofluorescence in medical microbiology. Med. Clin. Sperim. 14:517-568. In Italian.

This is a review.

7021

Marquez-Monter, H. 1963. Fluorescence microscopy in medicine. Rev. Med. Hosp. Gen. 26:109-132. In Spanish.

This is a review.

7022

Martin, R.S. 1963. Fluorescent microscopy. Can. J. Med. Technol. 25:115-122.

The historical background of the development of the FA technique and the theory of fluorescence as an electronic phenomenon are discussed. Fluorescence is the absorption of light energy by a molecule (exciting or activating light) and its subsequent re-radiation within 1×10^{-7} seconds. Fluorescent emission of a molecule is sensitive to the physical and chemical conditions of its environment. Quantitative reports of the degree of brilliance of fluorescence obtained may be misleading. Requirements for fluorescent microscopic examination are discussed, including the optic system, filters, and preparation of the specimens. Very bright point sources of illumination are necessary; high pressure mercury arcs enclosed in quartz envelopes are recommended. Schematic representations of direct and indirect FA methods and the inhibition reaction that occasionally occurs are given.

7023

Schultz-Haudt, S.D. 1964. Immunohistochemistry. Tidsskr. Norske Laegeforen. 84:34-35. In Norwegian.

Immunohistochemical techniques are reviewed.

7024

Weir, D.M. 1963. Antigen-antibody reactions. Mod. Trends Immunol. 1:53-85.

In this review of the usefulness of various serologic tests, FA is included as a valuable tool for immunologic tracing.

B. APPLICABLE TO DIAGNOSIS

7025

Artenstein, M.S.; Demis, D.J. 1964. Recent advances in the diagnosis and treatment of viral diseases of the skin. *New Engl. J. Med.* 270:1101-1111.

A number of important disease-producing viruses remain to be propagated in the laboratory. Hepatitis, infectious mononucleosis, and, of course, tumor viruses head the list. The next decade may see the solution to these problems. The availability of effective viral chemotherapy will, in turn, result in greater emphasis on accurate and rapid diagnostic methods such as FA.

7026

Ashihara, Y. 1964. Recent advances in serodiagnosis of virus disease. *Rinsho Byori* 13:21-26. In Japanese.

Methods of serodiagnosis by detection of antigen (immunofluorescent staining and complement-fixation) and detection of antibody (neutralization test, red blood cell agglutination, complement-fixation, and immune adherence hemagglutination test) are discussed. Practical uses of fluorescent techniques in experimental diagnosis of 20 diseases are tabulated. A model for the technique is also presented. Advances in the other diagnostic methods are summarized.

7027

Babuderi, B. 1965. Tests for the diagnosis of toxoplasmosis with special reference to immunofluorescence. *G. Mal. Infetc.* 17:119-129. In Italian.

A review.

7028

Berrier, H.H. 1964. Diagnostic aids for mycotic infections. *Lab. Anim. Care* 14:195-199.

In this general review of mycosis, the FA inhibition test for histoplasmosis is included as a suggested diagnostic tool.

7029

Blundell, G.P. 1963. International Congress of Clinical Pathology: Immunofluorescence. Brit. Med. J. 2:1258.

This is a brief report of a discussion by Dr. Blundell related to the employment of FA in diagnosis of microbial diseases.

7030

Brown, G.C. 1963. Fluorescent antibody techniques for the diagnosis of enteric infections. Arch. Ges. Virusforsch. 13:3-34.

This is a review giving specific directions for application of FA to viral diagnosis from clinical specimens.

7031

Cheever, F.S. 1964. Labeling techniques in diagnosis of enterovirus infection. Bacteriol. Rev. 28:400-401.

This is a brief review of successful FA tests with enteroviruses. The author speculates on diagnostic and pathologic applications.

7032

Cherry, W.B.; Moody, M.D. 1965. Fluorescent antibody techniques in diagnostic bacteriology. Bacteriol. Rev. 29:222-250.

This review presents a critical evaluation of the current status of immunofluorescence as a technique for the diagnosis of bacterial infections in public health laboratories. As with other new techniques, specific tests that succeed must offer better diagnostic service without increased cost, or diagnostic service equal in reliability to other tests but at reduced cost. Some of the applications have fulfilled the criteria. Outstanding are applications of FA to identification of Group A streptococci, serogrouping of enteropathogenic *E. coli* in fecal smears, identification of gonococcus in exudates, and use of indirect FA to detect the presence of syphilitic antibody. Less advanced are applications of immunofluorescence to detection of the typhoid bacillus, identification of whooping cough bacillus, and screening of spinal fluid sediments for agents of bacterial meningitis. FA reagents aid the clinician in making a rapid presumptive diagnosis of diphtheria in acute cases. Some examples of the massive use of FA tests in certain diagnostic public health laboratories are cited. Two major problems impeding implementation of immunofluorescence in diagnostic work are those of unsatisfactory life of the mercury-arc lighting source and the scarcity of reliable diagnostic reagents. Neither of these problems is insoluble.

7033

Coons, A.H. 1963. Fluorescent antibody method gains wider use in diagnosing infectious diseases. J. Amer. Med. Ass. 183:36.

This report of a talk by Dr. Coons indicates the future diagnostic possibilities of FA. The need for good standard reagents is emphasized.

7034

Coons, A.H. 1964. Labeling techniques in the diagnosis of viral diseases. Bacteriol. Rev. 28:397-399.

This is a brief review of diagnostic FA applications to virus diseases, present and potential. Rabies and smallpox are the two prime candidates for routine FA diagnosis. The nature of these diseases has successfully spurred efforts to put FA to use on them. It is suggested that to find a new virus, one need only bleed a convalescent patient, prepare a highly purified conjugate from this serum, and apply this FA reagent to buffy coats obtained from acutely ill patients. This approach is suggested for infectious mononucleosis and infectious hepatitis.

7035

Cruchaud, A. 1964. Immunofluorescence: Its origin, possibilities and limitations. Schweiz. Med. Wochensch. 94:1153-1157. In French.

The origins, principles, and standard techniques of immunofluorescence are reviewed. Although this technique was limited to experimental immunology at first, it soon became apparent that it could constitute a valuable aid to diagnosis in microbiological as well as in immune and autoimmune diseases. The different areas of application for immunofluorescence are discussed.

7036

de Azevedo, J.F.; Rombert, P.C. 1964. Immunofluorescent reaction applied to parasitological diagnosis. Rev. Inst. Med. Trop. Sao Paulo 6:35-45. In Portuguese.

The use of FA to diagnose schistosome and hydatid infections is described.

7037

Deinhardt, F. 1964. Diagnosis, prevention and treatment of virus disease. Chicago Med. 67:521-525

This resume includes mention of the use of FA in laboratory diagnosis of viral diseases.

7038

Gelfand, M. 1964. Criteria for making a diagnosis of schistosomiasis. J. Trop. Med. Hyg. 67:114-116.

A diagnosis of schistosomiasis can be made on any of the defined major criteria of the disease, viz. the presence of ova in either the stool or rectum, a positive appearance of the bladder mucosa on cytoscopy, and calcified bladder on X-ray. In the absence of these, at least two of the minor criteria must be present, provided that there is a definite history of exposure to infection. FA has a place in the recognition of the disease, and work up to the present time tends to indicate that it is one of the most valuable tests. At this point it would be safe to say it is a valuable indication of the presence of the disease.

7039

Gerbec, M. 1961. Rapid laboratory diagnosis by means of fluorescent antibodies. Vojnosanit Pregl. 18:574-579. In Serbo-Croatian.

This is a review of procedures and applications.

7040

Graber, C.D.; Higgins, L.S.; Davis, J.S. 1965. Seldom-encountered agents of bacterial meningitis. J. Amer. Med. Ass. 192:956-960.

In five cases of bacterial meningitis (one associated with a brain abscess) four seldom-encountered bacteria were identified as causative agents. Mima polymorpha, Listeria monocytogenes, Corynebacterium acnes, and Serratia marcescens. Various methods for culture of certain problem bacteria are suggested. FA conjugates for some of these agents can speed diagnosis.

7041

Gustafson, A.A.; Hundley, J B. 1962. Fluorescence microscopy: A new diagnostic tool in North Dakota. Proc. N. Dakota Acad. Sci. 16:75-78.

The method has greatly facilitated diagnosis in streptococcal cases but has not been sufficiently tested for rabies and enteropathic Escherichia coli. BA-44-7351.

7042

Hamashima, Y. 1963. Rapid diagnosis by fluorescent antibody. Jap. J. Clin. Pathol. 11:467-475. In Japanese.

Streptococcus, Staphylococcus, Treponema pallidum and Toxoplasma gondii can be specifically detected by the fluorescent antibody technique. This technique is applicable for clinical use. This technique, if some related problems are solved, can also be applied to the detection of other pathogenic bacteria.

7043

Hers, J.F.Ph. 1963. Fluorescent antibody technique in respiratory viral diseases. Amer. Rev. Resp. Dis. 88:316-338.

Fluorescent antibody diagnosis of respiratory viral disease is rapid and sensitive. It also provides a tool for pathogenesis study. Among the diseases discussed are influenza, Eaton's agent, and psittacosis. The discussion is particularly informative.

7044

Hodgson, C.H.; Weed, L.A. 1964. Pulmonary mycosis: Diagnosis. Minn. Med. 47:1041-1045.

In detecting fungi, the value of the fluorescent antibody technique is limited. It is necessary to have on hand specific antisera for each organism to be tested, and these are not always available and often are not sufficiently sensitive or specific to give reliable information. In addition, organisms in the specimen may be too few for identification. The procedure is not available in all microbiology laboratories. When used properly, however, it may prove rapid and specific in its results.

7045

Holmes, A.W.; Deinhardt, F. 1965. Fluorescence microscopy: Some clinical and research applications. Presbyterian - St. Luke's Hosp. Med. Bull. 4:56-58.

The techniques of fluorescein tagging of antibodies and acridine orange staining are described briefly and some of their uses are discussed. These procedures, originating in the microbiology laboratory, are coming into ever-increasing use in the diagnosis and study of both infectious and noninfectious disease.

7046

Jeanes, A.L. 1964. The application of immunofluorescence techniques to the diagnosis of infection. *Guys Hosp. Rep.* 113:136-142.

In review, it has been shown that the fluorescent antibody tests may be applied to the investigation of all classes of microbiological infection. In practice, however, it is found that some infections are more suited than others to this form of study. Among the disadvantages of the methods, and in common with all other immunological procedures, is the occurrence of nonspecific and false-positive reactions. The incorporation of rigid controls is therefore essential.

7047

Jentzsch, K.D. 1963. The significance of fluorescent antibody in diagnosis and research. *Monatsschr. Veterinaermed.* 18:123-128. In German.

The advantages of fluorescent antibody use in diagnosis and research are listed. Examples and suggestions are cited to show that the procedure is well suited for practical diagnosis in special cases, and may also be used successfully in research. However, for practical application, tested methods must be established for bacteriological test sites and corresponding marked immune sera must be at hand so that the procedure can meet expectations with regard to time and material economy.

7048

Kagan, I.G. 1965. Evaluation of routine serologic testing for parasitic diseases. *Amer. J. Public Health* 55:1820-1829.

As one of the tests used for serodiagnosis of certain parasitic diseases, FA is discussed and analyzed. FA has found use in schistosomiasis, ascariasis, trichinosis, filariasis, Chagas' disease, leishmaniasis, toxoplasmosis, amebiasis, and malaria. Application of some of these tests approaches routine use.

7049

Koch, R.A. 1964. Late syphilis: Modern concepts and treatment. *J. Amer. Geriat. Soc.* 12:255-261.

The FTA test is briefly mentioned as new and perhaps better than the TPI test for syphilis diagnosis.

7050

Kunkel, H.G.; Tan, E.M. 1964. Autoantibodies and disease, p. 351-395. In *Advances in Immunology*, Vol. 4. Academic Press, New York.

In this general discussion of the nature and pathogenesis of autoantibodies, FA is frequently cited as a major tool for study and diagnosis of these diseases.

7051

Lipnicki, B.; Reiss, J. 1964. On the use of immunofluorescent diagnosis in infectious diseases. *Postepy Hig. Med. Dosw.* 18:663-680. In Polish.

This is a review. The authors feel that FA has not replaced any conventional diagnostic test.

7052

Liu, C. 1963. Immunofluorescent technique: Application in the study and diagnosis of infectious diseases. *Clin. Pediat.* 2:490-497.

In this review an effort has been made to summarize some of the results of the fluorescent antibody technique in the study of infectious diseases in pediatric practice. Although the FA technique is a competent tool in combining serological specificity and morphological identification of antigens sought in microorganisms, its application must be carefully controlled to avoid cross-reactions and its results must be cautiously interpreted after meticulous comparisons with conventional methods. At present, its usefulness is still largely confined to investigators highly trained in serological and immunological disciplines. As information is gradually accumulated, contributions to the understanding of infectious disease, both in basic studies and clinical applications for rapid diagnosis, will be invaluable.

7053

Manikowska-Lesinska, W. 1964. Immunofluorescence test in the diagnosis of syphilis. *Pol. Tyg. Lek.* 19:1833-1834. In Polish.

An immunofluorescent test for specific antibodies in syphilitic sera is described. Due to its sensitivity, replicability, high specificity, and rather low cost, the procedure is useful in mass serological examinations.

7054

Marmion, B.P. 1963. Applications of immunofluorescence in virology. Proc. Roy. Soc. Med. 56:481.

This is a review of applications and some comment on methods. Reasons are advanced for the relative lack of progress in practical diagnostic virology: (1) With most virus infections diagnosis by the cheap and sensitive retrospective serological method provides all the information required. (2) Simpler, sensitive, and reasonably quick serological or cultural methods of diagnosis already exist with some viral infections, viz.: poliomyelitis, smallpox. (3) The collection of adequate specimens from the site of infection requires careful timing and technique.

7055

Miller, J.N.; Boak, R.A.; Carpenter, C.M.; Fazzan, F. 1963. Immunofluorescent methods in the diagnosis of infectious diseases. Amer. J. Med. Technol. 29:25-32.

This is a review of basic principles and some applications of FA.

7056

Miller, J.N.; Boak, Ruth A.; Carpenter, C.M.; Fazzan, F. 1963. Immunofluorescent methods in the diagnosis of infectious diseases. Laboratorio 18:223-232. In Spanish.

This is a technique and procedure review.

7057

Nahmias, A.J.; Brahen, L.; Luce, C. 1965. Fluorescent-antibody technique in the rapid diagnosis of clinical bacterial infections. Antimicrobial Agents and Chemotherapy 1965:84-90.

To date only limited application of FA as a clinically useful, rapid diagnostic test has been reported in bacterial infections affecting hospitalized patients. A continuing evaluation of this technique, with comparison with standard bacteriological procedures and correlation with clinical data, has been conducted in a large general hospital. Specimens from more than 1500 patients suspected of having a variety of bacterial infections have been studied over a 10-month period. These specimens included: spinal fluids; petechial smears; joint, tracheal, and pleural aspirates; sputa; exudates; and rectal and throat swabs. The following FA conjugates were used: Haemophilus influenzae (pool of six types), Diplococcus pneumoniae (pool of 31 types), Neisseria

meningitidis (pool of three groups), N. gonorrhoeae, Group A streptococci, Corynebacterium diphtheriae, Bordetella pertussis and B. parapertussis, Staphylococcus aureus, and enteropathogenic Escherichia coli (pool of nine serogroups). The FA technique has been particularly effective when the specimen examined usually contains only one organism. FA technique will be a valuable adjunct in the rapid and specific diagnosis of certain clinical bacterial infections. FA should not supplant the Gram stain and cultural procedures.

7058

Naumann, G.; Wildfuhr, G. 1965. The significance of immunofluorescence for serodiagnosis of infectious diseases. Munchen Med. Wochensch. 107:1384-1386. In German.

The author discusses the results obtained by the immunofluorescence method in serodiagnosis of various infectious diseases. Comparative studies with standard methods show that this method is of greater significance in serological diagnosis of syphilis, toxoplasmosis, pseudotuberculosis, cryptococcosis, and trichinellosis.

7059

Nicholas, L.; Beerman, J. 1965 Present-day serodiagnosis of syphilis: A review of some of the recent literature. Amer. J. Med. Sci 249:466-483.

This is a review including FA.

7060

Petzoldt, D. 1964 The FTA test. Principles, methodology, and results. Med. Weltkongr. 6:282-290. In German.

The FTA test for syphilis is described. Previously published test results place the FTA test equal to the TPI test. The results of the FTA tests are absolutely comparable with those of the TPI test and excel those of the classic serological reactions. The relatively simple FTA test allows its use even in small laboratories and will assure it a firm place in serological syphilis diagnosis in the future.

7061

Poetschke, G. 1964. Fluorescence-labeled antibodies in research and diagnosis: I. Materials and methods. *Arztl. Lab.* 10:353-360. In German.

This short review given an introduction into the principles and possibilities of the application of fluorescent antibodies for research and diagnosis. The fluorescent dyes generally used for labeling protein, the microscope equipment, and the usual methods for demonstrating antigens or antibodies, including different controls, are discussed briefly.

7062

Riggs, J.L. 1965. Application of fluorescent antibody techniques to viral infections. *Ind. Med. Surg.* 34:269-277.

This is a brief review of some viral diagnostic applications of FA.

7063

Rosenblum, B.F. 1963. Recent advances in diagnosis and treatment of venereal diseases. *Public Health Re.* 78:611-617.

In this review of the over-all problem, FTA is mentioned as a laboratory tool.

7064

Schaeffer, M.; Orsi, E.V.; Widelock, D. 1964. Applications of immunofluorescence in public health virology. *Bacteriol. Rev.* 28:402-408.

This is an up-to-date review of the status of viral diagnostic FA tests, including those being actively employed by public health laboratories and some with potential for the near future. A consideration of nonspecific fluorescence problems and solutions is included. Virus diseases discussed include rabies, smallpox, varicella, and rubella.

7065

Sherris, J.C. 1963. Some recent advances in diagnostic medical bacteriology. *Annu. Rev. Microbio.* 17:565-592.

Among other methods, FA is given considerable discussion. Origins, preparative procedures, and applications are discussed.

7066

Smyth, C.J. 1964. Rheumatism and arthritis: Review of American and English literature of recent years (Sixteenth Rheumatism Review). *Ann. Intern. Med.* 61:Suppl. 6:3-102.

In this general review, FA is mentioned for the various roles it has played in research and diagnosis of rheumatoid diseases. These uses include demonstration of the cellular origin of rheumatoid factors.

7067

Stadtsbaeder, S. 1964. Immunofluorescence in clinical biology. *Acta Clin. Belg.* 19:212-216. In French.

This is a review of FA applications in serologic diagnosis of syphilis, demonstration of ANF, and the study of anticellular antibodies.

7068

Taylor, C.E.D. 1965. Techniques in immuno-chemistry: Fluorescent antibodies. *Brit. Med. J.* 2:227.

This is a brief review of the FA test and some diagnostic applications. FA tests for syphilis and toxoplasmosis are simpler and quicker than standard procedures. Provisional identification with more than 95 per cent reliability is available in FA tests for many microorganisms, including viruses of rabies and smallpox.

7069

Thiago de Mello, M. 1964. Advances in the diagnosis of brucellosis in man and other animals. *Rev. Med. Hosp. Gen.* 27:301-307. In Spanish.

Isolation and culture of brucellae are reviewed. The following diagnostic tests are evaluated: agglutination tests, complement fixation test, other serological tests, surface fixation, direct and indirect fluorescent antibody tests, 'label' (card) test, milk tests, and allergy tests. The major problems encountered in diagnosis of brucellosis in man and animals are absence of standardization of antigens and procedures and an insufficient number of comparative tests related to clinical evidence.

7070

Thivolet, J.; Kratchko, A.; Sepetdjian, M. 1963. Use of immunofluorescence method in immunological diagnosis: Practical applications. *Presse Med.* 71:2740-2742. In French.

This brief review of the applications of the immunofluorescence method in immunological diagnosis indicates the gap still existing between the rather numerous preliminary studies and their extension to broad practical use. The field of application could well be expanded to confirm basic premises.

7071

Thomason, B.M.; Cherry, W.B. 1963. Immunofluorescence techniques in the diagnosis of infections due to enteropathogenic Escherichia coli. *Rev. Latinoamer. Microbiol.* 6:63-76.

Technical aspects of FA are reviewed. The greatest value of this procedure is in rapid detection of symptomatic or asymptomatic individuals. This procedure is of great value in the monitoring of pediatric hospital admissions, in the management of institutional outbreaks, and in surveys of community population groups.

7072

Wallace, A.L. 1965. Trends and uses of various tests in syphilis serology today. *Amer. J. Clin. Pathol.* 44:712-719.

Definite trends in syphilis serology are seen in the replacement of lipoidal antigens with cardiolipin antigens, the use of nontreponemal slide test instead of tube tests, routine quantitation of all reactive specimens, and the adoption of the simpler treponemal antigen tests for use in public health, private, and hospital laboratories. The background, reagents, techniques, and uses of nontreponemal and treponemal tests are discussed. Modifications of FTA are compared. Efforts directed toward the standardization of test techniques and improvement of test performance have included training, laboratory consultations, and evaluation studies. Manuals of test procedures and films have been developed as training aids.

7073

Wood, R.M. 1964. Identification of viruses. *Int. Ophthalmol. Clin.* 4:301-310.

This summary and review of techniques includes FA. The advantages of FA are discussed with reference to virus disease diagnosis, principally early results.

7074

Young, R.M. 1965. New diagnostic techniques: Fluorescent antibody; fluorescent dyes attached to antibodies offer promising new approach to immunological diagnosis and research. *Rhode Island Med. J.* 48:372-374.

This review discusses principles and some diagnostic applications of FA.

C. APPLICABLE TO PHYSIOLOGY

7075

Anonymous. 1963. Coombs' test and variants. *Bibl. Haematol.* 14:3-30.

Fluorescent antiglobulin tests are reported in their application to study of antinuclear factor, Hashimoto's disease, and experimental aspermatogenesis.

7076

Asherson, G.L. 1964. Experimental production of autoantibody to gut antigens. *Proc. Roy. Soc. Med.* 57:813-814.

This is a review of methods. Autoantibody in ulcerative colitis may be due to bacterial immunizations.

7077

Benacerraf, B.; McCluskey, R.T. 1963. Methods of immunologic injury to tissues. *Annu. Rev. Microbiol.* 17:263-284.

The morphologic relationship of various antigens to damaged tissues, as revealed by FA, is discussed. Hetero-antibodies and autoimmune situations are among the topics included.

7078

Bonomo, L. 1964. A study of rheumatoid factor in various tissues by immunofluorescence. *Riv. Ist. Microterap. Ital.* 39:201-203. In Italian.

A review.

7079

Burrell, R.G. 1963. Autoantibodies in pulmonary disease. *Amer. Rev. Resp Dis* 87:389-394

As a portion of this review, FA studies of kidney, lung, and other tissues are discussed

7080

Couchman, K.G.; Wigley, R.D. 1965. The antinuclear factor test in diagnostics. *New Zeal. Med. J.* 64:151-152.

This is a review of diagnostic tests for SLE. FA was used as a diagnostic test.

7081

Del Giacco, G.S. 1964. The contribution of immunofluorescence to some fields of physiopathology. Policlinico 71:913-928. In Italian.

This is a review of FA applications to various collagen and autoimmune diseases.

7082

Fink, M.A.; Malmgren, R.A.; Karon, M.; Orr, H.C. 1965. Immunofluorescence studies in human leukemia. Wistar Inst. Symp. Monogr. (4):187-196.

This is a review of published works on leukemia using FA as a study method. Techniques for reagent preparation are given. Problems in use of FA and interpretation of results are discussed.

7083

Franklin, E.C. 1963. The immune globulins. Arth. Rheum. 6:381-385.

In recent years the complex and biologically important group of antibody proteins has been united into a structurally, functionally, and genetically closely related protein group. The group term is immune globulins. FA has been useful in studying this group by localizing sites of gamma globulin synthesis in plasma cells, and in some instances in lymphocytes and transitional cells.

7084

Friou, G.J. 1964. Immunofluorescence and antinuclear antibodies. Arth. Rheum. 7:161-166.

The search for anti-tissue antibodies in human disease started early in the history of immunology, but for many years there was little progress. Development of the immunofluorescent technique has been the single factor of greatest importance. Specificity of FA reactions is discussed. Future extensions of FA in this area may be tracing antigenic sites of specific globulins and relating them to disease problems.

7085

Heimpel, H.; Mueller, W. 1963. Immunothyroiditis. *Ergeb. Inn. Med. Kinderheilk.* 19:380-445. In German.

This is a comprehensive review. FA is discussed and described in its role in diagnosis and research.

7086

Kaplar, M.H. 1965. Immunologic mechanisms in injury or disease of vascular, renal, and cardiac tissue: Introductory remarks. *Federation Proc.* 23:93

As a portion of this introduction the observation is made that the use of labeling methods, employing immunohistochemical reagents, has provided new investigative approaches to identification of anatomic sites where immune reactants may be localized.

7087

Kornstad, L. 1964. Immunopathology of the thyroid gland. *Tidsskr. Norske Laegeforen.* 84:74-79. In Norwegian.

Chronic thyroiditis in man is one of the few illnesses which comes close to meeting the criteria for an autoimmune disease. Experimental autoimmune thyroiditis production in animals is reviewed. Although the antibodies found in experimental autoimmune thyroiditis are directed, as far as known, against only thyroglobulin, it seems that in human illness there are many thyroid-specific antigens which are effective. The immunofluorescence technique can be used to demonstrate antibodies against a variety of thyroid-specific antigens. Some antibodies can occur in other thyroid illnesses, as well as in presumptively healthy individuals. Clinically diagnosable autoimmune thyroiditis is more frequent in females than in males. Speculation is made on the mechanism for the production of thyroid autoantibodies in man. Genetic factors may play the largest part in development of autoimmune thyroiditis.

7088

Kraft, S.C.; Kirsher, J.B. 1964. Immunofluorescent studies of chronic nonspecific ulcerative colitis. *Gastroenterology* 46:329-332.

This review is a valuable general reference on the subject.

7089

Lipnicki, B. 1965. Application of fluorescent antibodies in examining the structure of the eyeball. *Postepy Hig. Med. Dosw.* 19:459-467. In Polish.

The literature discussing application of fluorescent antibody techniques to study of the eyeball encompasses three areas: search for infection factors, in particular bacteria such as Leptospira pomona and Streptococcus pyogenes, smallpox viruses, Toxoplasma gondii, and agents in cold sores and trachoma; the localization of local production of antibodies; and the antigen structure of the fibers of the eye of mature individuals and in the phase of embryogenesis. Specific examples drawn from the literature are described.

7090

Luporini, G. 1964. Biological and clinical foundations of autoimmune diseases: Methods of testing for autoantibody; criteria for selection and evaluation. *Riv. Ist. Sieroterap. Ital.* 39:191-199. In Italian.

In demonstrating autoantibodies, none of the techniques available fully meets all of the requirements; therefore, 'screening,' including the following methods, is desirable: precipitation, agglutination, complement fixation, LE cell test, and immunofluorescence.

7091

Marmont, A. 1964. Theoretical and practical aspects of antinuclear autoimmunity. *Riv. Ist. Sieroterap. Ital.* 39:147-165. In Italian.

This is a general review of antinuclear reactions and related diseases. FA was used in the ANF test.

7092

Marmont, A.; Damasio, E. 1963. The antinuclear factors in so-called malignant rheumatoid arthritis. *Reumatismo* 15:163-186. In Italian.

This review mentions FA tests for ANF.

7093

Möller, G. 1964. Fluorescent antibody technique for demonstration of isoantigens in mice. *Methods Med. Res.* 10:58-69.

FA applications in this area of investigation are generally reviewed. Various reactions are categorized.

7094

Sherman, W.B. 1964. Autoimmune mechanism. Penn. Med. J. 67:25-31.

This is a review of autoimmune phenomena. Reference is made to the use of FA in the study of this problem.

7095

Smyth, C.J. 1963. Rheumatism and arthritis: Review of American and English literature of recent years (Fifteenth Rheumatism Review). Ann. Intern. Med. 59:Suppl. 4:3-125.

As a part of this review, FA is mentioned for its role in demonstrating rheumatoid factor and autoimmune reactions.

7096

Strauss, A.J.L. 1965. Autoimmunity in myasthenia gravis. Brit. Med. J. 1965:1245-1246.

This paper reviews work on myasthenia gravis and discusses implications. It is felt that autoimmune processes, although present, are not a prime factor.

7097

Szulman, A.E. 1965. The ABH antigens in human tissues and secretions during embryonal development. J. Histochem. Cytochem. 13:752-754.

This review outlines the methods and results thus far obtained in tracing distribution of blood group antigens.

7098

Torrigiani, G. 1963. Methods for the detection of auto-antibodies. Acta Allergol. 18:489-494.

FA is one of the methods discussed.

7099

Waller, E. 1964. Pathological-anatomical changes in diseases with possible immunological pathogenesis. Tidsskr. Norske Laegeforen. 84:55-60. In Norwegian.

Etiology and pathogenesis of four diseases of possible immunological nature are discussed. Among methods used to study these diseases, the fluorescent method is invaluable. Pathologic and immunologic features of polyarteritis nodosa, glomerulonephritis, acute rheumatic disease, and rheumatoid arthritis are reviewed and discussed. The significance of the role played by auto-immunity is uncertain. Strong evidence exists toward implicating a hypersensitivity reaction in all these four conditions. The biologically active substance is an antigen-antibody complex with an antigen surplus, pointing toward a hyp immunity mechanism.

D. APPLICABLE TO MICROBIAL DISEASES AND PARASITIC INFECTIONS

7100

Apted, F.I.C. 1964. Summary of recent abstracts: VIII. Rickettsial diseases. Trop. Dis. Bull. 61:981-988.

This is a review in which FA identification is mentioned.

7101

Bryan, W.R. 1965. Discussion of: A survey of the tumor virus problem from an epidemiologic standpoint. Cancer Res. 25:1283-1285.

As a portion of this review of tumor virus epidemiology, the usefulness of FA in detection and identification of virus antigen is discussed.

7102

Fulton, J.D. 1963. Acquired immunity: Protozoal infections, p. 145-160. In Modern Trends in Immunology, Vol. 1. Butterworth & Co., London.

As a portion of this review, the applications of FA to study of certain protozoan diseases are discussed. These include amebiasis, trypanosomiasis, trichomoniasis, and malaria.

7103

Rayflick, L.; Chanock, R.M. 1965. Mycoplasma species of man. Bacteriol. Rev. 29:185-221.

As a portion of this review covering all important aspects of the subject, FA is mentioned in its role of antibody titration and use in defining Mycoplasma infections of tissue cultures.

7104

Herstmann, D.M. 1965. Clinical virology. Amer. J. Med. 38:738-750.

As a part of this procedure and application review, FA techniques are discussed for rapid presumptive diagnosis of generalized vaccinia infection from skin lesion specimens.

7105

Mathe, G. 1964. Virus and human leukemia. Presse Med. 72:2831-2832. In French.

Abundant data concerning the relationship between the presence of intracellular carcinogenic particles or factors in some tissues or fluids of leukemia or lymphosarcoma patients were obtained in 1964. Observations on this relationship here cover the most important points. Difficulties and limits of data interpretation are discussed. The principal stumbling block is that difficulties are more of method than of technique. Progress in epidemiology, electron microscopy, immunology, culture and heterospecific transmission of virus is amazing. However, no one method is actually available to cause cancer in a particular cellular structure and to attribute this cancer to the specific introduced agent with certainty. It is possible that the use of organ culture techniques or those of heterospecific nature can offer a solution to this problem.

7106

McKhann, C.F. 1965. Methods of detecting cancer antigens and antitumor antibody. Federation Proc. 24:1033-1036.

FA is an important method for studying virus-induced cancers. A number of the principles demonstrated by FA are pointed out before the author goes on to discuss other methods that are the prime point of the report.

7107

Mihail, A. 1963. Immunofluorescence in inframicrobiological research. Stud. Cercet. Inframicrobiol. 14:481-489. In Rumanian.

This is a review.

7108

Mims, C.A. 1964. Aspects of the pathogenesis of virus diseases. Bacteriol. Rev. 28:30-71.

In this survey of the pathogenesis of virus infections, the usefulness of the fluorescent antibody technique has been emphasized and certain neglected topics are discussed. The poxviruses figure prominently because the fluorescent antibody technique works well for these viruses. A large section deals with macrophages in virus diseases. Macrophages phagocytize virus particles. Because they are widely distributed throughout the body and monitor the main body fluids and tissue spaces, they encounter virus particles early in infection. All possible types of virus-macrophage interaction have been shown to occur in the liver, and macrophages play

an important part in the growth of viruses in this organ. Most of the experimental evidence implicating macrophages has been obtained from fluorescent antibody studies of mice infected with ectromelia virus. The conditions for the establishment and maintenance of viremia have to be considered in relation to the clearance of virus from the blood by macrophages. If viruses that infect capillary endothelium are also cleared from the blood by macrophages, the infection of capillary endothelium will be influenced by the activity of macrophages. Experiments on the growth of ectromelia virus in spleen and lymph nodes are described. The immune response is discussed. Short accounts are given of virus infections of certain other organs and tissues.

7109

Moore, A.E. 1963. Consideration of means for determining if viruses are causally related to cancer in man. *Progr. Med. Virol.* 5:295-306.

This is a review of the relation of viruses to certain cancers. FA tests are briefly mentioned.

7110

Petty, C.S. 1965. Botulism: The disease and the toxin. *Amer. J. Med. Sci.* 249:345-359.

As a portion of this extensive review of botulism, FA is mentioned as a method for identifying the organism.

7111

Rowe, W.P. 1965. Fluorescent antibody studies of virus-induced tumors. *J. Histochem. Cytochem.* 13:755-758.

This review details the development of FA application to tumor virus detection and localization. It places in perspective many of the relationships between certain tumors and viruses.

7112

Sadun, E.H. 1963. Seminar on immunity to parasitic helminths: VII. Fluorescent antibody technique for helminth infections. *Exp. Parasitol.* 13:72-82.

The fluorescent antibody test has great possibilities in the field of helminthology. However, this subject will be really fruitful only if scientists will keep in mind that it should not be exploited just as a research spectacular. If it is regarded as an adventure of the human spirit, as an artistic enterprise stimulated by curiosity and served by disciplined imagination, research can be successful. FA applications, present and potential, for helminth serological study are discussed.

7113

Voller, A. 1964. Comments on the detection of malaria antibodies. Amer. J. Trop. Med. Hyg. 13:Suppl.:204-208.

Various serologic procedures used to detect malaria antibodies, including FA, are discussed. Specificity and cross-reaction problems receive comment. The hope is expressed that some of these methods may be refined to a point where they may be used diagnostically, perhaps before appearance of circulating stages.

7114

Voller, A. 1964. Fluorescent antibody methods and their use in malaria research. Bull. WHO 30:343-354.

This is a review of applications. It contains detailed instruction for the use of FA in malarial studies.

II. REFERENCES TO DIAGNOSTIC APPLICATIONS

A. BACTERIA

1. Actinomycetales

7115

Cottenot, F. 1964. Quantitative evaluation of murine leprosy bacillus for detection of serum antibody in human leprosy. See MP 20, Vol. I, No. 5006.

2. Bacillaceae

7116

Batty, I.; Walker, P.D. 1964. The identification of Clostridium novyi (Clostridium oedematiens) and Clostridium tetani by the use of fluorescent labeled antibodies. See MP 20, Vol. I, No. 5020.

7117

Franek, J. 1965. Use of fluorescent antibodies for the rapid diagnosis of infections caused by B. anthracis and P. tularensis. See MP 20, Vol. I, No. 5030.

7118

Nikitin, V.M. 1964. The use of immunofluorescent paper disks for the rapid detection of pathogenic microbes. See MP 20, Vol. I, No. 5036.

7119

Ponomareva, T.N. 1963. On bacteriological diagnosis of anthrax. See MP 20, Vol. I, No. 5038.

3. Bedsonia (Miyagawanella)

7120

Goldin, R.B.; Krasnik, F.I. 1963. Use of complete and incomplete fluorescent antibodies for detection of virus of ornithosis (experimental material). See MP 20, Vol. I, No. 5049.

7121

Hahon, N.; Nakamura, R.M. 1964. Quantitative assay of psittacosis virus by the fluorescent cell-counting technique. See MP 20, Vol. I, No. 5050.

7122

Hanna, L.; Okumoto, M.; Thygeson, P.; Rose, L.; Dawson, C.R. 1965. TRIC agents isolated in the United States: X. Immunofluorescence in the diagnosis of TRIC agent infection in man. See MP 20, Vol. I, No. 5054.

7123

Tokarevich, K.N.; Krasnik, F.I.; Goldin, R.B. 1963. The use of fluorescent antibody technique in serological diagnosis of ornithosis. See MP 20, Vol. I, No. 5064.

7124

Tokarevich, K.N.; Krasnik, F.I.; Goldin, R.B. 1963. Serodiagnosis of ornithosis infection by the immunofluorescent method. See MP 20, Vol. I, No. 5065.

7125

Zelenkova, L.; Strause, J. 1963. Fluorescent antibody tests in the diagnosis of ornithosis. See MP 20, Vol. I, No. 5066.

4. Brucellaceae

7126

Ananova, Ye.V.; Yemelyanova, O.S. 1964. Application of the fluorescence serological method for detection of the tularemia microbe. See MP 20, Vol. I, No. 5067.

7127

Biegeleisen, J.Z., Jr.; Mitchell, M.S.; Marcus, B.B.; Rhoden, D.L.; Blumberg, R.W. 1965. Immunofluorescence techniques for demonstrating bacterial pathogens associated with cerebrospinal meningitis: I. Clinical evaluation of conjugates on smears prepared directly from cerebrospinal fluid sediments. See MP 20, Vol. I, No. 5072.

7128

Franek, J. 1965. Use of fluorescent antibodies for the rapid diagnosis of infections caused by E. anthracis and P. tularensis. See MP 20, Vol. I, No. 5073.

7129

Franek, J.; Prochazka, O. 1965. Fluorescent antibody demonstration of Pasteurella tularensis. See MP 20, Vol. I, No. 5074.

7130

Franek, J.; Wolfova, J. 1965. Use of the immunofluorescence method in an epidemic focus of tularemia. See MP 20, Vol. I, No. 5075.

7131

Grossman, M.; Sussman, S.; Gottfried, D.; Quock, C.; Ticknor, W. 1964. Immunofluorescent techniques in bacterial meningitis: Identification of Neisseria meningitidis and Hemophilus influenzae. See MP 20, Vol. I, No. 5076.

7132

Holwerda, J.; Eldering, G. 1963. Culture and fluorescent antibody methods in diagnosis of whooping cough. See MP 20, Vol. I, No. 5078.

7133

Jentzsch, K.D. 1963. Study of brucellae with fluorescent antibody: 3. Indirect staining of Brucella antibody in bovine serum with fluorescent conjugates. See MP 20, Vol. I, No. 5079.

7134

Jentzsch, K.D.; Axt, J. 1965. Study of brucellae with fluorescent antibodies: 2. Proof of the specificity of labeled antisera. See MP 20, Vol. I, No. 5081.

7135

Karakawa, W.W.; Sedgwick, A.K.; Borman, E.K. 1964. Typing of Haemophilus influenzae with fluorescent antibody reagent. See MP 20, Vol. I, No. 5082.

7136

Marie, J.; Herzog, F.; Badillet, M.; Gaiffe, M. 1964. Diagnosis of whooping cough by the immunofluorescence technique. See MP 20, Vol. I, No. 5086.

7137

Mitchell, M.S.; Marcus, B.B.; Biegeleisen, J.Z., Jr. 1965. Immunofluorescence techniques for demonstrating bacterial pathogens associated with cerebrospinal meningitis: II. Growth, viability, and immunofluorescent staining of Hemophilus influenzae, Neisseria meningitidis, and Diplococcus pneumoniae in cerebrospinal fluid. See MP 20, Vol. I, No. 5090.

7138

Nelson, J.D.; Hempstead, B.; Tanaka, R.; Pauls, F.P. 1964. Fluorescent antibody diagnosis of infections. See MP 20, Vol. I, No. 5091.

7139

Nikitin, V.M. 1964. The use of immunofluorescent paper disks for the rapid detection of pathogenic microbes. See MP 20, Vol. I, No. 5092.

7140

Ocklitz, H.W.; Boigk, J.; Hahn, M. 1965. The clinical picture of pertussis diagnosed with immunofluorescence and culture methods. See MP 20, Vol. I, No. 5093.

7141

Ocklitz, H.W.; Weppe, C.-M., Hahn, M. 1964. The bacteriological diagnosis of pertussis; fluorescence serology and culturing compared: III. Results of the comparison of both methods. See MP 20, Vol. I, No. 5095.

7142

Pittman, B.; Cherry, W.B. 1965. Study of factors which affect the identification of Bordetella pertussis obtained by nasopharyngeal swabs. See MP 20, Vol. I, No. 5096.

7143

Redmond, D.L.; Kotcher, F. 1963. Comparison of cultural and immunofluorescent procedures in the identification of Haemophilus vaginalis. See MP 20, Vol. I, No. 5100.

7144

Schmidt, J. 1965. Studies on fluorescence serologic detection of Pasteurella pseudotuberculosis antibodies. See MP 20, Vol. I, No. 5103.

7145

Schmidt, J. 1965. Comparative studies on the detection of Pasteurella pseudotuberculosis antibodies by indirect fluorescent serological methods and by the Widal reaction. See MP 20, Vol. I, No. 5104.

7146

van Drimmelen, C.C.; Botes, H.J.W.; Claassen, N.; Ross, W.P.; Viljoen, M. 1963. Fluorescent antibody for the diagnosis of Br. ovigenitalium infection in sheep semen smears. See MP 20, Vol. I, No. 5110.

7147

White, L.A.; Deacon, W.E. 1964. Identification of Haemophilus ducreyi by the fluorescent antibody technique. See MP 20, Vol. I, No. 5113.

7148

Zak, K.; Vesnik, Z. 1963. The possibilities of detection of Brucella antigens by fluorescent antibodies in gynecology. See MP 20, Vol. I, No. 5114.

5. Corynebacteriaceae

7149

Allen, J.C.; Cluff, L.E. 1963. Identification of toxinogenic C. diphtheriae with fluorescent antitoxin: Demonstration of its nonspecificity. See MP 20, Vol. I, No. 5115.

7150

Biegeleisen, J.Z., Jr. 1964. Immunofluorescence techniques in retrospective diagnosis of human listeriosis. See MP 20, Vol. I, No. 5117.

7151

Biegeleisen, J.Z., Jr.; Mitchell, M.S.; Marcus, B.B.; Rhoden, D.L.; Blumberg, R.W. 1965. Immunofluorescence techniques for demonstrating bacterial pathogens associated with cerebrospinal meningitis: I. Clinical evaluation of conjugates on smears prepared directly from cerebrospinal fluid sediments. See MP 20, Vol. I, No. 5118.

7152

Eveland, W.C. 1963. Fluorescent antibody studies on Listeria monocytogenes. See MP 20, Vol. I, No. 5121.

7153

Eveland, W.C. 1963. Demonstration of Listeria monocytogenes in direct examination of spinal fluid by fluorescent antibody technique. See MP 20, Vol. I, No. 5122.

7154

Gulmezoglu, E.; Sayre, J.W. 1964. The use of fluorescent labelled diphtheria antitoxin for the diagnosis of diphtheria cases. See MP 20, Vol. I, No. 5123.

7155

Moody, M.D.; Jones, W.L. 1963. Identification of Corynebacterium diphtheriae with fluorescent antibacterial reagents. See MP 20, Vol. I, No. 5128.

7156

Nelson, J.D.; Shelton, S. 1963. Immunofluorescent studies of Listeria monocytogenes and Erysipelothrix insidiosa: Application to clinical diagnosis. See MP 20, Vol. I, No. 5130.

7157

Scarpa, B. 1963. Immunofluorescent reaction in the diagnosis of diphtheria: II. Practical applications. See MP 20, Vol. I, No. 5133.

58

Allella, R.L.; Halling, L.W.; Biegeleisen, J.Z., Jr. 1963. A case of listeriosis of the newborn with fluorescent antibody histologic studies. See MP 20, Vol. I, No. 5136.

6. Enterobacteriaceae

7159

Biegeleisen, J.Z., Jr.; Mitchell, M.S.; Marcus, B.B.; Rhoden, D.I.;
Blumberg, R.W. 1965. Immunofluorescence techniques for demonstrating bacterial
pathogens associated with cerebrospinal meningitis: I. Clinical evaluation
of conjugates on smears prepared directly from cerebrospinal fluid sediments.
See MP 20, Vol. I, No. 5144.

7160

Boris, M.; Thomason, B.M.; Hines, V.D.; Montague, T.S.; Sellers, T.F., Jr.
1964. A community epidemic of enteropathogenic Escherichia coli 0126:B16:NM
gastroenteritis associated with asymptomatic respiratory infection. See MP 20,
Vol. I, No. 5145.

7161

Bradstreet, C.M.P. 1965. Immunofluorescence in the diagnosis of enteropathogenic
Escherichia coli infections. See MP 20, Vol. I, No. 5146.

7162

Cowart, G.S.; Thomason, B.M. 1965. Immunofluorescent detection of
Escherichia coli: Incidence of certain serogroups suspected of being patho-
genic. See MP 20, Vol. I, No. 5158.

7163

Danielsson, D.; Laurell, G.; Sjolín, S. 1965. An outbreak of diarrhea due
to enteropathogenic Escherichia coli studied by means of fluorescent antibody
identification and conventional bacteriological culture. See MP 20, Vol. I,
No. 5163.

7164

Davis, B.R.; Ewing, W.H. 1963. Serologic relations that may lead to
erroneous diagnoses of Escherichia coli infections by means of fluorescent
antibody technics. See MP 20, Vol. I, No. 5164.

7165

de la Vaissiere, C.; Goiffon, B. 1963. Diagnosis of toxic gastroenteritis
due to pathogenic colibacilli in infants by means of immunofluorescence.
See MP 20, Vol. I, No. 5165.

7166

Demissie, A. 1965. Immunofluorescence identification of Salmonella in fecal
specimens. See MP 20, Vol. I, No. 5167.

7167

Freid, M.A.; Lepper, M. 1965. Endemicity of enteropathogenic Escherichia coli: Studies of screening procedures. See MP 20, Vol. I, No. 5172.

7168

Geck, P.; Gago, G.; Kovacs, S. 1965. Immunofluorescent tests and their significance in controlling dyspepsia coli. See MP 20, Vol. I, No. 5173.

7169

Geck, P.; Osvath, P.; Voltay, B.; Backhausz, R.; Losonczy, G.; Vigh, G.; Bogнар, S. 1963. Immunofluorescence and passive haemagglutination in infantile enterocolitis. See MP 20, Vol. I, No. 5174.

7170

Geck, P.; Szanto, R. 1964. Comparative examination of chronic typhoid carriers with immunofluorescent and cultural methods. See MP 20, Vol. I, No. 5175.

7171

Guardiola-Rotger, A.; Lopez, V.A. 1964. An outbreak of diarrhea at the San Juan City Hospital Department of Pediatrics. See MP 20, Vol. I, No. 5180.

7172

Hornung, J.E. 1965. Immunofluorescent studies of Shigella in infants and young children. See MP 20, Vol. I, No. 5190.

7173

Hornung, J.; Weiner, L.M. 1964. Diagnosis of human shigella infections by fluorescent antibody. See MP 20, Vol. I, No. 5191.

7174

Ivanova, S.P.; Bochorishvili, V.C. 1963. Accelerated diagnosis of typhoid-paratyphoid infections. See MP 20, Vol. I, No. 5193.

7175

Kramar, R. 1965. Attempt to use the method of immunofluorescence in the identification of enteropathogenic E. coli. See MP 20, Vol. I, No. 5195.

7176

Laurell, G. 1963. Serologic typing of E. coli. See MP 20, Vol. I, No. 5197.

7177

Linz, R.; Lejour, M. 1964. Diagnosis of enteropathogenic Escherichia coli by immunofluorescence. See MP 20, Vol. I, No. 5199.

7178

Marsden, H.B.; Hyde, W.; Bracegirdle, E. 1965. Immunofluorescence in the diagnosis of enteropathogenic Escherichia coli infections. See MP 20, Vol. I, No. 5202.

7179

Marsden, H.B.; Hyde, W.A.; Bracegirdle, E. 1965. Immunofluorescence in the diagnosis of enteropathogenic Escherichia coli infections. See MP 20, Vol. I, No. 5203.

7180

Martin, A.J.; O'Brien, M. 1965. Detection of enteropathogenic Escherichia coli in fecal cultures by use of a modified fluorescent antibody technique. See MP 20, Vol. I, No. 5204.

7181

Nelson, J.D.; Hempstead, B.; Tanaka, R.; Pauls, F.P. 1964. Fluorescent antibody diagnosis of infections. See MP 20, Vol. I, No. 5209.

7182

Nikitin, V.M. 1964. The use of immunofluorescent paper disks for the rapid detection of pathogenic microbes. See MP 20, Vol. I, No. 5210.

7183

Olarte, J.; Ramos-Alvarez, M; Galindo, E. 1964. The use of fluorescent antibodies in the study of some infectious diseases: IV. Results obtained with the fluorescent antibodies method and with cultures in the study of enteropathogenic Escherichia coli infections. See MP 20, Vol. I, No. 5212.

7184

Opferkuch, W.; Huth, E. 1963. Diagnosis of enteropathogenic Escherichia coli by fluorescent antibody. See MP 20, Vol. I, No. 5213.

7185

Reimers, E. 1965. Demonstration of the antigens of enteropathogenic Escherichia coli by fluorescence microscopy. See MP 20, Vol. I, No. 5215.

7186

Schaffer, J.; Lewis, V.; Nelson, J.; Walcher, D. 1963. Antepartum survey for enteropathogenic Escherichia coli: Detection by cultural and fluorescent antibody methods. See MP 20, Vol. I, No. 5216.

7187

Shingu, K. 1964. On the detection of dysentery bacilli in feces by the fluorescent antibody technique. See MP 20, Vol. I, No. 5218.

7188

Stulberg, C.S.; Caldwell, W.J.; Kennedy, D.W.; Page, R.H. 1964. Application of immunofluorescence to an epidemic due to Salmonella typhimurium. See MP 20, Vol. I, No. 5220.

7189

Taylor, C.E.D.; Heimer, G.V. 1964. Rapid diagnosis of Sonne dysentery by means of immunofluorescence. See MP 20, Vol. I, No. 5222.

7190

Taylor, C.E.D.; Heimer, G.V.; Lea, D.J.; Tomlinson, A.J.H. 1964. A comparison of a fluorescent antibody technique with a cultural method in the detection of infections with Shigella sonnei. See MP 20, Vol. I, No. 5223.

7191

Taylor, C.E.D.; Lea, D.J.; Heimer, G.V.; Tomlinson, A.J.H. 1963. Fluorescent antibody techniques in diagnostic bacteriology. See MP 20, Vol. I, No. 5224.

7192

Thomason, B.M.; Boris, M.; Hines, V.D.; Cowart, G.S.; Davis, B.R.; Dixon, O.P. 1963. Fluorescent antibody detection of respiratory carriers of enteropathogenic Escherichia coli 0126:B16:NM during a community epidemic. See MP 20, Vol. I, No. 5225.

7193

Thomason, B.M.; Cowart, G.S.; Cherry, W.B. 1965. Current status of immunofluorescence techniques for rapid detection of shigellae in fecal specimens. See MP 20, Vol. I, No. 5226.

7194

Thomason, B.M.; Cowart, G.S.; Cherry, W.B. 1965. Fluorescent antibody detection of Shigella sonnei in fecal specimens. See MP 20, Vol. I, No. 5227.

7195

Thomason, B.M.; McWhorter, A.C. 1965. Rapid detection of typhoid carriers by means of fluorescent antibody techniques. See MP 20, Vol. I, No. 5228.

7196

Thomason, B.M.; McWhorter, A.C.; Sanders, E. 1964. Rapid detection of typhoid carriers by means of fluorescent antibody techniques. See MP 20, Vol. I, No. 5229.

7197

Trabulsi, L.R.; Camargo, M.E. 1965. Comparative study between immunofluorescence and coproculture in the diagnosis of intestinal infections by enteropathogenic Escherichia coli. See MP 20, Vol. I, No. 5230.

7. Lactobacillaceae

7198

Ayoub, E.M.; Wannamaker, L.W. 1964. Identification of Group A streptococci: Evaluation of the use of the fluorescent antibody technique. See MP 20, Vol. I, No. 5233.

7199

Biegeleisen, J.Z., Jr.; Mitchell, M.S.; Marcus, B.B.; Rhoden, D.L.; Blumberg, R.W. 1965. Immunofluorescence techniques for demonstrating bacterial pathogens associated with cerebrospinal meningitis: I. Clinical evaluation of conjugates on smears prepared directly from cerebrospinal fluid sediments. See MP 20, Vol. I, No. 5234.

7200

Estela, L.A.; Shuey, H.E. 1963. Comparison of fluorescent antibody, precipitin, and bacitracin disk methods in the identification of Group A streptococci. See MP 20, Vol. I, No. 5241.

7201

Grover, A.A.; Spoerk, K.; Evans, A.S. 1965. Streptococcal infections: Observations from a public health laboratory. See MP 20, Vol. I, No. 5245.

7202

Hosty, T.S.; Johnson, M.B.; Freear, M.A.; Gaddy, R.E.; Hunter, F.R. 1964. Evaluation of the efficiency of four different types of swabs in the recovery of Group A streptococci. See MP 20, Vol. I, No. 5249.

7203

Jablon, J.M.; Brust, B. 1963. Suppression of cross-reactions in fluorescent antibody identification of Group A streptococci. See MP 20, Vol. I, No. 5252.

7204

Karakawa, W.W.; McFarland, C.R.; Borman, E.K. 1963. Typing of Group A streptococci by the FA method. See MP 20, Vol. I, No. 5268.

7205

Lazarus, J.M.; Sellers, D.P.; Marine, W.M. 1965. Meningitis due to the Group B beta-hemolytic streptococcus. See MP 20, Vol. I, No. 5270.

7206

Mitchell, M.S.; Marcus, B.B.; Biegeleisen, J.Z., Jr. 1965. Immuno-fluorescence techniques for demonstrating bacterial pathogens associated with cerebrospinal meningitis: II. Growth, viability, and immunofluorescent staining of Hemophilus influenzae, Neisseria meningitidis, and Diplococcus pneumoniae in cerebrospinal fluid. See MP 20, Vol. I, No. 5277.

7207

Moody, M.D.; Lambert, M.A.; Baker, C. 1965. Identification of Group B streptococci by fluorescent antibody and precipitin tests. See MP 20, Vol. I, No. 5278.

7208

Moody, M.D.; Siegel, A.C.; Pittman, B.; Winter, C.C. 1963. Fluorescent antibody identification of Group A streptococci from throat swabs. See MP 20, Vol. I, No. 5279.

7209

Mverburg, R.J.; Jablon, J.M.; Mazzarella, J.A.; Saslaw, M.S. 1964. Evaluation of FA and conventional techniques for identifying Group A beta-hemolytic streptococci. See MP 20, Vol. I, No. 5280.

7210

Preston, J.A. 1964. The rapid identification of Group A streptococci in throat swabs: A comparative study of two methods. See MP 20, Vol. I, No. 5283.

7211

Rauch, H.C.; Rantz, L.A. 1963. Immunofluorescent identification of Group A streptococci in direct throat smears. See MP 20, Vol. I, No. 5284.

7212

Redys, J.J.; Parzick, A.B.; Berman, F.K. 1963. Detection of Group A streptococci in throat cultures by immunofluorescence. See MP 20, Vol. I, No. 5285.

7213

Roberts, C.E., Jr.; Sherris, J.C. 1965. Direct fluorescent antibody staining of Group A streptococci in clinical material. See MP 20, Vol. I, No. 5286.

7214

Saslaw, M.S.; Jablon, J.M.; Mazzarella, J.A. 1963. Prevention of initial attacks of rheumatic fever. See MP 20, Vol. I, No. 5288.

7215

Schimmeipfennig, H. 1964. The use of fluorescence serology in bacteriological diagnosis: II. Demonstration and differentiation of Streptococcus agalactiae by fluorescent antibody. See MP 20, Vol. I, No. 5290.

7216

Smith, T.B. 1965. Clinical application of immunofluorescence: I. Grouping beta-hemolytic streptococci. See MP 20, Vol. I, No. 5293.

7217

Truant, J.P.; Hadley, I.K.; Boyd, T.T. 1965. A comparison of the immunofluorescence technique with conventional methods for the identification of Group A beta hemolytic streptococci. See MP 20, Vol. I, No. 5294.

8. Micrococcaceae

7218

Philpot, W.N. 1965. Identification of Staphylococcus aureus from the bovine udder by the fluorescent antibody technique. See MP 20, Vol. I, No. 5317.

9. Mycoplasma (PPLO)

7219

Corstvet, R.E.; Sadler, W.W. 1964. The diagnosis of certain avian diseases with the fluorescent antibody technique. See MP 20, Vol. I, No. 5327.

7220

Goodburn, G.M.; Marmion, B.P.; Kendall, E.J.C. 1963. Infection with Eaton's primary atypical pneumonia agent in England. See MP 20, Vol. I, No. 5332.

7221

Hers, J.F.Ph.; van der Kuip, L.; Masurel, N.; Mulder, J. 1963. The diagnosis of primary atypical pneumonia by fluorescent-labeled antibody technique. See MP 20, Vol. I, No. 5334.

7222

Noel, J.K.; DeVolt, H.M.; Faber, J.E. 1964. Identification of Mycoplasma gallisepticum in lesion tissue by immunofluorescence. See MP 20, Vol. I, No. 5342.

7223

Thivolet, J.; Sohler, R.; Picard, M.; Blanc, G. 1963. Application of the immunofluorescence technique to the immunological diagnosis of the pneumopathy induced by Eaton's mycoplasma. See MP 20, Vol. I, No. 5344.

7224

van der Veen, J.; van Nunen, M.C.J. 1963. Role of Mycoplasma pneumoniae in acute respiratory disease in military population. See MP 20, Vol. I, No. 5347.

7225

van Nunen, M.C.J.; van der Veen, J. 1963. Examination for Mycoplasma pneumoniae (Eaton's agent). See MP 20, Vol. I, No. 5343.

10. Neisseriaceae

7226

Biegeleisen, J.Z., Jr.; Mitchell, M.S.; Marcus, B.B.; Rhoden, I.L.; Blumberg, R.W. 1965. Immunofluorescence techniques for demonstrating bacterial pathogens associated with cerebrospinal meningitis: I. Clinical evaluation of conjugates on smears prepared directly from cerebrospinal fluid sediments. See MP 20, Vol. I, No. 5349.

7227

Danielsson, D. 1963. The demonstration of N. gonorrhoea with the aid of fluorescent antibodies: I. Immunological studies of antigenococcal sera and their fluorescein-labeled globulins, with particular regard to specificity. See MP 20, Vol. I, No. 5350.

7228

Danielsson, D. 1965. The demonstration of Neisseria gonorrhoeae with the aid of fluorescent antibodies: 5. A comparison of different techniques--absorption, one-step inhibition, and counterstaining--for elimination of cross reactions. See MP 20, Vol. I, No. 5355.

7229

Danielsson, D. 1965. The demonstration of Neisseria gonorrhoeae with the aid of fluorescent antibodies: 6. A comparison of conventional methods and fluorescent antibody (FA) techniques with counterstaining for the demonstration of N. gonorrhoeae. See MP 20, Vol. I, No. 5356.

7230

Fry, C.S.; Wilkinson, A.E. 1964. Immunofluorescence techniques as an aid to the diagnosis of gonorrhoea. See MP 20, Vol. I, No. 5358.

7231

Hirschberg, N. 1964. Hemagglutination tests in the detection of antibodies to Neisseria gonorrhoeae. See MP 20, Vol. I, No. 5360.

7232

Grossman, M.; Sussman, S.; Gottfried, D.; Quock, C.; Ticknor, W. 1964. Immunofluorescent techniques in bacterial meningitis: Identification of Neisseria meningitidis and Hemophilus influenzae. See MP 20, Vol. I, No. 5363.

7233

Kellogg, D.S., Jr.; Deacon, W.E. 1964. A new rapid immunofluorescent staining technique for identification of Treponema pallidum and Neisseria gonorrhoeae. See MP 20, Vol. I, No. 5364.

7234

Migulina, V.M. 1961. Employment of the method of fluorescent antibodies for the diagnosis of gonococcus. See MP 20, Vol. I, No. 5366.

7235

Mitchell, M.S.; Marcus, B.B.; Biegeleisen, J.Z., Jr. 1965. Immunofluorescence techniques for demonstrating bacterial pathogens associated with cerebrospinal meningitis: II. Growth, viability, and immunofluorescent staining of Hemophilus influenzae, Neisseria meningitidis, and Diplococcus pneumoniae in cerebrospinal fluid. See MP 20, Vol. I, No. 5368.

7236

Moore, M.B., Jr.; VanderStoep, E.M.; Wende, R.D.; Knox, J.M. 1963. Fluorescent gonococcal antibody technique in gonorrhoea in the male. See MP 20, Vol. I, No. 5370.

7237

Mukobayashi, H. 1964. Immunohistochemical studies of the site of human chorionic gonadotropin production. See MP 20, Vol. I, No. 5371.

7238

Ocinnikov, N.M. 1963. An appraisal of the fluorescent antibody method in gonorrhoea. See MP 20, Vol. I, No. 5372.

7239

Ovchinnikov, N.M. 1964. Immunofluorescent method in the diagnosis of gonorrhoea. See MP 20, Vol. I, No. 5373.

7240

Pariser, H.; Farmer, A.D.; Marino, A.F. 1964. Asymptomatic gonorrhoea in the male. See MP 20, Vol. I, No. 5374.

7241

Peacock, W.L.; Thayer, J.D. 1964. Direct FA technique using Flazo orange counterstain in identification of Neisseria gonorrhoeae. See MP 20, Vol. I, No. 5376.

7242

Prince, L.N.; Randall, E.L.; Lentz, J.W.; Shapiro, L.H. 1964. The evaluation of oxytetracycline in the treatment of gonorrhea in the prenatal patient: A preliminary report. See MP 20, Vol. I, No. 5377.

7243

Reyn, A. 1963. Current problems in the diagnosis and therapy of gonorrhea from the laboratory point of view. See MP 20, Vol. I, No. 5378.

7244

Shapiro, L.H. 1963. Gonorrhea in females. See MP 20, Vol. I, No. 5379.

7245

Shapiro, L.H.; Lentz, J.W. 1963. Fluorescent antibody technique in diagnosis of gonorrhea in females. See MP 20, Vol. I, No. 5380.

7246

Vickers, F.N.; Maloney, P.J. 1964. Gonococcal perihepatitis: Report of three cases with comments on diagnosis and treatment. See MP 20, Vol. I, No. 5381.

7247

White, L.A.; Kellogg, D.S., Jr. 1965. Neisseria gonorrhoeae identification in direct smears by a fluorescent antibody counterstain method. See MP 20, Vol. I, No. 5382.

11. Pseudomonadales

7248

Biegeleisen, J.Z., Jr.; Mitchell, M.S.; Marcus, B.B.; Rhoden, D.L.; Blumberg, R.W. 1965. Immunofluorescence techniques for demonstrating bacterial pathogens associated with cerebrospinal meningitis: I. Clinical evaluation of conjugates on smears prepared directly from cerebrospinal fluid sediments. See MP 20, Vol. I, No. 5383.

7249

Biegeleisen, J.Z., Jr.; Mosquera, R.; Cherry, W. 1964. A case of human melioidosis: Clinical, epidemiological, and laboratory findings. See MP 20, Vol. I, No. 5384.

12. Spirillaceae

7250

Mellick, P.W.; Winter, A.J.; McEntee, K. 1965. Diagnosis of vibriosis in the bull by use of the fluorescent antibody technic. See MP 20, Vol. I, No. 5388.

7251

Sack, R.B.; Barua, D. 1964. The fluorescent antibody technique in the diagnosis of cholera. See MP 20, Vol. I, No. 5391.

13. Spirochaetales

7252

Argonza, W.S.; Jue, R.F.; Puffer, J.; Bodily, H.L.; Wood, R.M. 1965. A useful adaptation of the fluorescent treponemal antibody test for syphilis: The simultaneous use of the FTA-5 and the FTA-200 (FTA-5-200). See MP 20, Vol. I, No. 5399.

7253

Bellone, A.G.; Leigher, G. 1964. Observations on the FTA test with particular regard to untreated primary syphilis. See MP 20, Vol. I, No. 5400.

7254

Beurey, J.; Morel, J.; Gury, C. 1964. Our experience with immunofluorescence. Relating to 250 sera studied at the Nancy Dermatological Clinic. See MP 20, Vol. I, No. 5401.

7255

Bradford, L.L.; Bodily, H.L.; Ketterer, W.A.; Puffer, J.; Thomas, J.E.; Tuffanelli, D.L. 1965. FTA-200, FTA-ABS, and TPI tests in serodiagnosis of syphilis. See MP 20, Vol. I, No. 5402.

7256

Buck, A.A.; Spruyt, D.J. 1964. Seroreactivity in the Venereal Disease Research Laboratory slide test and the fluorescent treponemal antibody test: A study of patterns in selected disease and control groups in Ethiopia. See MP 20, Vol. I, No. 5406.

7257

Bugiardini, G.; Ferrucci, M.; Docimo, C. 1964. Fluorescence microscopy in serologic diagnosis of syphilis. See MP 20, Vol. I, No. 5407.

7258

Carpenter, C.M.; Boak, R.A.; Miller, J.N.; Le Clair, R.A. 1965. Serologic diagnosis of syphilis. See MP 20, Vol. I, No. 5408.

7259

Colombani, J.; Ripault, J. 1964. The immunofluorescence test applied to the diagnosis of syphilis: comparison with the Nelson test and classical serology: I. Study of 3,156 sera. See MP 20, Vol. I, No. 5410.

7260

Eng, J.; Nielsen, H.A.; Wereide, K. 1963. A comparative study of fluorescent treponemal antibody (FTA) and Treponema pallidum immobilization (TPI) testing in 50 untreated syphilitic patients. See MP 20, Vol. I, No. 5412.

7261

Evans, A.J.; Summerly, R. 1964. Pseudo-chancere redux with negative serology: A case report. See MP 20, Vol. I, No. 5413.

7262

Fegeler, F.; Schoessler, H. 1965. The fluorescence treponema antibody test (FTA) in the framework of specific luesserology. See MP 20, Vol. I, No. 5414.

7263

Fiumara, N.J. 1963. Biologic false-positive reaction for syphilis. See MP 20, Vol. I, No. 5415.

7264

Fiumara, N.J. 1963. Diagnosis of neurosyphilis. See MP 20, Vol. I, No. 5416.

7265

Fry, C.S.; Wilkinson, A.E. 1963. A note on the use of Evans blue as a background stain in the fluorescent treponemal antibody test. See MP 20, Vol. I, No. 5418.

7266

Garbin, S.; Piacentini, I. 1964. The importance of immunofluorescence in the serodiagnosis of syphilis. See MP 20, Vol. I, No. 5419.

7267

Garbin, S.; Piacentini, I. 1965. Contribution to the study of passage of antitreponemal antibodies from the mother to the fetus. See MP 20, Vol. I, No. 5420.

7268

Guarguaglini, M. 1964. Evaluation of the treponema agglutination (TPA) test as compared with the Nelson-Mayer (TPI) test and immunofluorescence (FTA) test in serodiagnosis of syphilis. See MP 20, Vol. I, No. 5422.

7269

Hadida, M.E.; Allinne, M.; Orfila, J. 1963. New serological reactions in syphilis. See MP 20, Vol. I, No. 5423.

7270

Huan-Ying, L. 1964. The use of fluorescent antibody in the serodiagnosis of syphilis. See MP 20, Vol. I, No. 5426.

7271

Hunter, E.F., Deacon, W.E.; Meyer, P.E. 1964. An improved FTA test for syphilis, the absorption procedure FTA-ABS. See MP 20, Vol. I, No. 5427.

7272

Kellogg, D.S., Jr.; Deacon, W.E. 1964. A new rapid immunofluorescent staining technique for identification of Treponema pallidum and Neisseria gonorrhoeae. See MP 20, Vol. I, No. 5428.

7273

Kellogg, D.S., Jr.; Deacon, W.E. 1965. Fluorescent antibody darkfield detection of Treponema pallidum. See MP 20, Vol. I, No. 5429.

7274

Kiraly, K.; Jobbagy, A.; Mecher, T. 1965. Fluorescent treponemal antibody testing. See MP 20, Vol. I, No. 5431.

7275

Leibovitz, A.; Oberhofer, T.R.; Meacham, J.T.; Diestelhorst, T.N. 1963. Enhancement of specificity of the fluorescent treponemal antibody test as compared with the TPI test. See MP 20, Vol. I, No. 5432.

7276

Longhi, A. 1964. The FTA immunofluorescence test for syphilis. See MP 20, Vol. I, No. 5435.

7277

Longhi, A.; Caleffi, M.L.; Toniutti, M. 1964. Observations on the value and significance of the FA test in the serological study of syphilis. See MP 20, Vol. I, No. 5436.

7278

Manikowska-Lesinska, W. 1963. Investigations into a simplified modification of the immunofluorescence test for treponemes (IFTT). See MP 20, Vol. I, No. 5433.

7279

Manikowska-Lesinska, W. 1965. Studies on a simplified modification of treponema immunofluorescence reaction. See MP 20, Vol. I, No. 5434.

7280

Meyer-Rohn, J. 1964. First trials and results of the FTA test. See MP 20, Vol. I, No. 5439.

7281

Miller, J.N.; Whang, S.J.; Boak, R.A.; Carpenter, C.M. 1964. Complexities of the fluorescent treponemal antibody test, and its preliminary evaluation in the serologic diagnosis of syphilis. See MP 20, Vol. I, No. 5440.

7282

Niel, G.; Fribourg-Blanc, A. 1963. Immunofluorescence and syphilis serology. See MP 20, Vol. I, No. 5444.

7283

Niel, G.; Fribourg-Blanc, A. 1965. Quantitative immunofluorescence and syphilis serology: A recent statistical study. See MP 20, Vol. I, No. 5445.

7284

Nielsen, H.A.; Idsoe, O. 1963. Evaluation of the fluorescent treponemal antibody test. See MP 20, Vol. I, No. 5446.

7285

Ninu, E. 1964. Value of the immunofluorescence test (FTA) on the identification of biologically false positive reactions in the serological diagnosis of syphilis. See MP 20, Vol. I, No. 5447.

7286

Orhel, I. 1964. Treponema antibody fluorescence in the diagnosis of syphilis. See MP 20, Vol. I, No. 5448.

7287

Ovchinnikov, N.M.; Lur'e, S.S.; Bednova, V.N. 1961. Immunofluorescence method in the serological diagnosis of syphilis. See MP 20, Vol. I, No. 5450.

7288

Ovchinnikov, N.M.; Lur'e, S.S.; Sazonova, L.V.; Bednova, V.N. 1964. Fluorescent method in the diagnosis of syphilis. See MP 20, Vol. I, No. 5451.

7289

Ovchinnikov, N.M.; Lur'e, S.S.; Sazonova, I.V.; Bednova, V.N. 1964. Fluorescence serological method in the diagnosis of syphilis. See MP 20, Vol. I, No. 5452.

7290

Pagnes, P. 1963. The influence of complement in the FTA. See MP 20, Vol. I, No. 5453.

7291

Petzoldt, V.D.; Tupath-Barniske, R. 1965. On specific syphilis serodiagnosis: FTA test and TPI test. See MP 20, Vol. I, No. 5454.

7292

Puccinelli, V. 1961. The value and significance of the fluorescent antibody test in the serology of syphilis. See MP 20, Vol. I, No. 5455.

7293

Ripault, J.; Colombani, J. 1964. The immunofluorescence test applied to the diagnosis of syphilis, comparison with the Nelson test and classical serology: II. Study of all cerebrospinal fluids. See MP 20, Vol. I, No. 5456.

7294

Ruczkowska, J. 1965. The fluorescent treponemal antibody inhibition test as a new method for the diagnosis of syphilis. See MP 20, Vol. I, No. 5457.

7295

Sasahira, T. 1963. Serodiagnosis of syphilis by fluorescent treponemal antibody test: I. On fluorescent treponemal antibody test using the Reiter treponeme, RFTA test. See MP 20, Vol. I, No. 5458.

7296

Sasahira, T. 1965. Serological diagnosis of syphilis by fluorescent antibody technique: II. Changes in 7S antibody in different stages of syphilis and specificity of fluorescein treponemal antibody test. See MP 20, Vol. I, No. 5459.

7297

Sedati, P.; Mancini, L.; Rossi, M. 1962. The use of immunofluorescence technique in the serological diagnosis of syphilis. See MP 20, Vol. I, No. 5461.

7298

Smith, J.L.; Singer, J.A.; Moore, M.B., Jr.; Yobs, A.R. 1965. Seronegative ocular and neurosyphilis. See MP 20, Vol. I, No. 5462.

7299

Stout, G.W.; Falcone, V.H.; Moore, M.B., Jr. 1964. Protocols for testing reagents employed in serologic tests for syphilis. See MP 20, Vol. I, No. 5464.

7300

Thivolet, J.; Sepetdjian, M. 1963. Endo-urethral ulcer; problems of diagnosis. See MP 20, Vol. I, No. 5466.

7301

Tomizawa, T.; Kasamatsu, S.; Yamaya, S.; Murata, R. 1964. Studies on the fluorescent antibody technique applied to the serodiagnosis of syphilis. See MP 20, Vol. I, No. 5467.

7302

Vaisman, A.; Hamelin, A.; Guthe, T. 1963. Use of the fluorescent antibody technique for dried blood eluents: Comparison of the FTA, TPI, and the improved lipoid antigen application to serum. See MP 20, Vol. I, No. 5468.

7303

Vaisman, A.; Paris-Hamelin, A.; Guthe, T. 1963. Treponema immunofluorescence test applied to dry blood. See MP 20, Vol. I, No. 5469.

7304

Wilkinson, A.E. 1963. The fluorescent treponemal antibody test in the serological diagnosis of syphilis. See MP 20, Vol. I, No. 5470.

7305

Yobs, A.P.; Brown, L.; Hunter, E.F. 1964. Fluorescent antibody technique in early syphilis: As applied to the demonstration of T. pallidum in lesions in the rabbit and in the human. See MP 20, Vol. I, No. 5471.

B. VIRUSES

1. Adenovirus

7306

Ketiladze, E.S.; Zhilina, N.N.; Mekler, L.B.; Naumova, V.K.; Lozhkina, A.N.; Orlova, N.N.; Nisevich, L.L. 1964. Use of the fluorescent antibody method for rapid differential diagnosis of influenza, parainfluenza, and adenovirus illnesses. See MP 20, Vol. II, No. 5710.

7307

Ketiladze, E.S.; Zhilina, N.N.; Mekler, L.B.; Naumova, V.K.; Orlova, N.N.; Lozhkina, A.N.; Nisevich, L.L. 1964. The significance of the fluorescent antibodies method for rapid etiological diagnosis of acute respiratory viral affections in children. See MP 20, Vol. II, No. 5711.

2. Arbovirus

7308

Easterday, B.C.; Jaeger, R.F. 1963. The detection of Rift Valley fever virus by a tissue culture fluorescein-labeled antibody method. See MP 20, Vol. II, No. 5495.

3. Herpesvirus

7309

Braune, M.O. 1964. Standardization and application of the fluorescent antibody technique in the diagnosis of avian viral respiratory diseases. See MP 20, Vol. II, No. 5663.

7310

Griffin, J.W. 1963. Fluorescent antibody study of herpes simplex virus lesions and recurrent aphthae. See MP 20, Vol. II, No. 5669.

7311

Griffin, J.W. 1965. Recurrent intraoral herpes simplex virus infection. See MP 20, Vol. II, No. 5670.

7312

Gurvich, E.B.; Roihel, V.M. 1965. Use of the fluorescent antibody technique in the detection and differential diagnosis of smallpox. See MP 20, Vol. II, No. 5671.

7313

Pettit, T.H.; Kimura, S.J.; Peters, . 1964. The fluorescent antibody technique in diagnosis of herpes simplex keratitis. See MP 20, Vol. II, No. 5684.

7314

Schmidt, N.J.; Lennette, E.H.; Woodie, J.D.; Ho, H.H. 1965. Immunofluorescent staining in the laboratory diagnosis of varicella-zoster virus infections. See MP 20, Vol. II, No. 5692.

7315

Uchida, Y.; Kimura, S.J. 1965. Fluorescent antibody localization of herpes simplex virus in the conjunctiva. See MP 20, Vol. II, No. 5697.

4. Influenza

7316

Baratawidjaja, R.K.; Hewson, A.; Labzoffsky, S.A. 1963. Application of immunofluorescence in the diagnosis of influenza from throat washings. See MP 20, Vol. II, No. 5865.

7317

Blaskovic, D.; Albrecht, P.; Lackovic, V.; Lesco, J.; Rathova, V.; Styk, B. 1963. Rapid diagnosis of influenza by the fluorescent antibody method. See MP 20, Vol. II, No. 5866.

7318

Blaskovic, D.; Albrecht, P.; Lackovic, V.; Lesso, J.; Rathova, V.; Styk, B. 1963. Use of fluorescent antibody method for the rapid diagnosis of influenza during an epidemic. See MP 20, Vol. II, No. 5867.

7319

Fedova, D.; Zelenkova, L. 1965. The use of the fluorescent antibody method for the rapid identification of the A2 influenza virus: II. The identification of influenza virus in nasal smears by the fluorescent antibody technique. See MP 20, Vol. II, No. 5872.

7320

Hinuma, Y. 1964. Some problems associated with the application of FA technique to the rapid diagnosis of influenza. See MP 20, Vol. II, No. 5874.

7321

Ishida, N. 1963. Analysis of the nature of infectious virus disease by the fluorescent antibody method. See MP 20, Vol. II, No. 5876.

7322

Ishida, N.; Hinuma, Y.; Sekino, K.; Shiratori, T.; Kudo, H. 1963. Experimental human influenza infections studied by means of immunofluorescent staining of nasal smears. See MP 20, Vol. II, No. 5877.

7323

Ketiladze, E.S.; Zhilina, N.N.; Mekler, L.B.; Naumova, V.K.; Lozhkina, A.N.; Orlova, N.N.; Nisevich, L.L. 1964. Use of the fluorescent antibody method for rapid differential diagnosis of influenza, parainfluenza, and adenovirus illnesses. See MP 20, Vol. II, No. 5879.

7324

Ketiladze, E.S.; Zhilina, N.N.; Mekler, L.B.; Naumova, V.K.; Orlova, N.N.; Lozhkina, A.N.; Nisevich, L.L. 1964. The significance of the fluorescent antibodies method for rapid etiological diagnosis of acute respiratory viral affections in children. See MP 20, Vol. II, No. 5880.

7325

Isteno, I.; Kitamoto, O. 1965. Rapid diagnosis of influenza by means of fluorescent antibody technic: III. Some new aspects of influenza virus infection revealed by fluorescent antibody technic. See MP 20, Vol. II, No. 5887.

7326

Tateno, I.; Kitamoto, O.; Makino, M.; Takeuchi, Y.; Sonoguchi, T. 1965. Rapid diagnosis of influenza by means of fluorescent antibody technic: II. Relation between immunocytologic, serological, and clinical findings. See MP 20, Vol. II, No. 5888.

7327

Tateno, I.; Suzuki, S.; Nakamura, S.; Kawamura, A., Jr. 1965. Rapid diagnosis of influenza by means of fluorescent antibody technic: I. Some basic information. See MP 20, Vol. II, No. 5889.

7328

Zhilina, N.N.; Ketiladze, E.S.; Mekler, L.B.; Orlova, N.N.; Lozhkina, A.N. 1964. Early diagnosis of influenza by the fluorescent antibody method. See MP 20, Vol. II, No. 5890.

5. Myxovirus

7329

Blaskovic, D.; Szanto, J.; Albrecht, P.; Sadecky, E.; Lackovic, V. 1964. Demonstration of swine influenza virus in pigs by the fluorescent antibody method. See MP 20, Vol. II, No. 5793.

7330

Braune, M.O. 1964. Standardization and application of the fluorescent antibody technique in the diagnosis of avian viral respiratory diseases. See MP 20, Vol. II, No. 5794.

7331

Ishida, N. 1963. Analysis of the nature of infectious virus disease by the fluorescent antibody method. See MP 20, Vol. II, No. 5814.

7332

Ketiladze, E.S.; Zhilina, N.N.; Mekler, L.B.; Naumova, V.K.; Lozhkina, A.N.; Orlova, N.N.; Nisevich, L. L. 1964. Use of the fluorescent antibody method for rapid differential diagnosis of influenza, parainfluenza, and adenovirus illnesses. See MP 20, Vol. II, No. 5820.

7333

Ketiladze, E.S.; Zhilina, N.N.; Mekler, L.B.; Naumova, V.K.; Orlova, N.N.; Lozhkina, A.N.; Nisevich, L. L. 1964. The significance of the fluorescent antibodies method for rapid etiological diagnosis of acute respiratory viral affections in children. See MP 20, Vol. II, No. 5821.

7334

Lesso, J.; Voskebova, M. 1965. Diagnosis of mumps and parotitic meningitis by the fluorescent antibody technique. See MP 20, Vol. II, No. 5824.

6. Picornavirus

7335

Hatch, M.H. 1963. Identification of Coxsackie and ECHO virus isolates with fluorescent antibody. See MP 20, Vol. II, No. 5768.

7336

Ishida, N. 1963. Analysis of the nature of infectious virus disease by the fluorescent antibody method. See MP 20, Vol. II, No. 5770.

7337

Kovacs, E.; Baratawidjaja, R.K.; Walmsley-Hewson, A.; Labzoffsky, N.A. 1963. Demonstration of poliovirus in isolated leucocytes, blood and C.S.F. smears of infected monkey by immunofluorescence and biological means. See MP 20, Vol. II, No. 5775.

7338

Sommerville, R.G.; MacFarlane, P. 1964. The rapid diagnosis of virus infections by immunofluorescent techniques applied to blood leukocytes. See MP 20, Vol. II, No. 5783.

7. Poxvirus

7339

Bals, M.; Caruntu, F. 1965. Contribution to the rapid diagnosis by immunofluorescence of infection and immunity in variola-vaccinia. See MP 20, Vol. II, No. 5527.

7340

Baratawidjaja, R.K.; Morrissey, L.P.; Labzoffsky, N.A. 1965. Demonstration of vaccinia, lymphocytic choriomeningitis and rabies viruses in the leucocytes of experimentally infected animals. See MP 20, Vol. II, No. 5528.

7341

Carter, G.B. 1965. The rapid detection, titration, and differentiation of variola and vaccinia viruses by a fluorescent antibody - cover slip cell monolayer system. See MP 20, Vol. II, No. 5530.

7342

Curvich, E.B.; Reihel, V.M. 1965. Use of the fluorescent antibody technique in the detection and differential diagnosis of smallpox. See MP 20, Vol. II, No. 5532.

7343

Kato, S. 1964. Diagnosis of smallpox and cowpox by fluorescent antibody technique. See MP 20, Vol. II, No. 5535.

7344

Kirsh, D.; Kissling, R. 1963. The use of immunofluorescence in the rapid presumptive diagnosis of variola. See MP 20, Vol. II, No. 5537.

7345

Kratchko, A.; Netter, R.; Thivolet, J. 1964. A rapid method for demonstration of vaccinia virus by means of direct immunofluorescence. See MP 20, Vol. II, No. 5539.

7346

Mastyukova, Yu.N.; Sumarokov, A.A.; Sarayeva, N.T.; Gutkina, A.V.; Kulikov, Yu.M. 1963. On the mechanism of smallpox immunity: I. The role of leukocytes in smallpox immunity experiments in vivo. See MP 20, Vol. II, No. 5542.

7347

Murray, H.G.S. 1963. The diagnosis of smallpox by immunofluorescence. See MP 20, Vol. II, No. 5543.

7348

Nicoli, J.; Jolibois, C.; Bords, J.; Demarchi, J. 1964. Poxvirus soluble antigens: II. Rapid diagnosis of small-pox; studies on agar precipitation and immunofluorescence test. See MP 20, Vol. II, No. 5544.

8. Rabiesvirus

7349

Baratawidjaja, R.K.; Morrissey, L.P.; Labzoffsky, N.A. 1965. Demonstration of vaccinia, lymphocytic choriomeningitis and rabies viruses in the leucocytes of experimentally infected animals. See MP 20, Vol. II, No. 5730.

7350

Beauregard, M.; Boulanger, P.; Webster, W.A. 1965. The use of fluorescent antibody staining in the diagnosis of rabies. See MP 20, Vol. II, No. 5731.

7351

Campillo-Sainz, C. 1964. The use of fluorescent antibodies in the study of some infectious diseases. III. The immunofluorescence technique in the study of rabies. See MP 20, Vol. II, No. 5732.

7352

Frederickson, L.E. 1963. Rabies in an endemic area and the value of the fluorescent antibody technique. See MP 20, Vol. II, No. 5738.

7353

Lennette, E.H.; Woodie, J.D., Nakamura, K.; Magoffin, R.L. 1965. The diagnosis of rabies by fluorescent antibody method employing immune hamster serum. See MP 20, Vol. II, No. 5748.

7354

Schaap, G.J.P.; Velthoen, A.A. 1962. Technical remarks on the application of the fluorescent antibody test (FA test) in the diagnosis of rabies. See MP 20, Vol. II, No. 5753.

7355

Thomas, J.B.; Sikes, R.K., Ricker, A.S. 1963. Evaluation of indirect fluorescent antibody technique for detection of rabies antibody in human sera. See MP 20, Vol. II, No. 5755.

9. Other Virus Groups

7356

Aiken, J.M.; Hoopes, K.H.; Stair, E.L. Rhodes, M.B. 1964. Rapid diagnosis of hog cholera: A tissue-impression fluorescent antibody technique. See MP 20, Vol. II, No. 5891.

7357

Baratawidjaja, R.K.; Morrissey, L.P.; Labzoffsky, N.A. 1965. Demonstration of vaccinia, lymphocytic choriomeningitis and rabies viruses in the leucocytes of experimentally infected animals. See MP 20, Vol. II, No. 5892.

7358

Braune, M.O. 1964. Standardization and application of the fluorescent antibody technique in the diagnosis of avian viral respiratory diseases. See MP 20, Vol. II, No. 5896.

7359

Johnson, G.D., Holberow, E.J. 1963. Immunofluorescent test for infectious mononucleosis. See MP 20, Vol. II, No. 5901.

7360

Sirbu, Z.; Ieremia, D.; Bona, C. 1964. Immunofluorescent microscopy in the diagnosis of swine fever. See MP 20, Vol. II, No. 5912.

7361

Stair, E.L.; Rhodes, M.B.; Aiken, J.M.; Underdahl, N.R.; Young, G.A. 1963. A hog colera virus-fluorescent antibody system: Its potential use in study of embryonic infection. See MP 20, Vol. II, No. 5913.

C. FUNGI, METAZOA, PROTOZOA, RICKETTSIAE

1. Fungi

7362

Gonzalez-Ochoa, A.; Felix, D.; Araya, M. 1964. Immunofluorescence in sporotrichosis: Comparative study of the different diagnostic procedures. See MP 20, Vol. III, No. 5971.

7363

Gonzalez-Ochoa, A.; Kaplan, W. 1964. The use of fluorescent antibodies in the study of some infectious diseases: II. Fast diagnosis of sporotrichosis. See MP 20, Vol. III, No. 5972.

7364

Kaplan, W.; Clifford, M.K. 1964. Production of fluorescent antibody reagents specific for the tissue form of Coccidioides immitis. See MP 20, Vol. III, No. 5936.

7365

Kaplan, W.; Gonzalez-Ochoa, A. 1963. Application of the fluorescent antibody technique to the rapid diagnosis of sporotrichosis. See MP 20, Vol. III, No. 5975.

7366

Kaufman, L.; Brandt, B.; McLaughlin, D. 1964. Evaluation of the fluorescent antibody and agar gel precipitin tests for detecting Histoplasma antibodies in anticomplementary sera. See MP 20, Vol. III, No. 5941.

7367

Lehner, T. 1965. Immunofluorescent investigation of Candida albicans antibodies in human saliva. See MP 20, Vol. III, No. 5966.

7368

Mizuno, S.; Yodate, H. 1963. Rapid diagnostic method for fungi by means of fluorescent antibody technique. See MP 20, Vol. III, No. 5962.

7369

Porter, B.M.; Thomas, B.K.; Furcolow, M.L.; Varga, D.T. 1963. Comparison of two Histoplasma capsulatum fluorescent antibody conjugates based on 800 clinical specimens. See MP 20, Vol. III, No. 5946.

7370

Ryschenkow, F.; Wertlake, P.T. 1965. Visualization of fungi and other microorganisms on Millipore filter by fluorescent antibody technique. See MP 20, Vol. III, No. 5980.

7371

Schamschula, R.G. 1964. The application of the fluorescent antibody technique to the detection of Candida albicans in oral pathological material. See MP 20, Vol. III, No. 5963.

7372

Thomas, B.K.; Porter, B.M.; Varga, D.T.; Furcolow, M.L.; Brandsberg, J.W. 1963. Correlation of fluorescent antibody and culture on 1489 sputa examined for Histoplasma capsulatum. See MP 20, Vol. III, No. 5951.

7373

Yodate, H. 1963. Application of the fluorescent antibody technique in obstetrics and gynecology with emphasis on fundamental and clinical studies in immunological and mycological diagnosis. See MP 20, Vol. III, No. 5965.

2. Metazoa

7374

Baratawidjaja, R.K.; Hewson, A.; Labzofsky, N.A. 1963. Fluorescent antibody staining in the serodiagnosis of trichinosis. See MP 20, Vol. III, No. 5992.

7375

Buck, A.A.; Sadun, E.H.; Anderson, R.I.; Shaffa, E. 1964. Comparative studies of some immunologic screening tests for schistosomiasis in Ethiopia. See MP 20, Vol. III, No. 6010.

7376

Cookson, L.O.C. 1963. Some investigations with the fluorescent antibody technique: I. Schistosomiasis. See MP 20, Vol. III, No. 6011.

7377

Cookson, L.O.C. 1963. Some investigations with the fluorescent antibody technique: II. Experiments with advanced fluorescent equipment. See MP 20, Vol. III, No. 5984.

7378

Cookson, L.O.C.; Clarke, V.; Pirie, E. 1964. Some investigations with the fluorescent antibody technique: III. The threshold fluorescent antibody test in schistosomiasis. See MP 20, Vol. III, No. 6014.

7379

Foster, R. 1965. Skin antigen tests and the fluorescent antibody technique in the diagnosis of schistosomiasis. See MP 20, Vol. III, No. 6123.

7380

Gane, N.F.C.; Hunt, A.L.C.; Booth, R.L. 1964. Some aspects of the fluorescent antibody test for bilharziasis. See MP 20, Vol. III, No. 6017.

7381

Kagan, I.C.; Sulzer, A.J.; Carver, K. 1965. An evaluation of the fluorescent antibody test for the diagnosis of schistosomiasis. See MP 20, Vol. III, No. 6019.

7382

Labzoffsky, N.A.; Baratawidjaja, R.K.; Kuitunen, E.; Lewis, F.N.; Kavelman, D.A.; Morrissey, L.P. 1964. Immunofluorescence as an aid in the early diagnosis of trichinosis. See MP 20, Vol. III, No. 5997.

7383

Pellgrino, J.; Biocca, E. 1963. Serological diagnosis of schistosomiasis mansoni: II. The immunofluorescence reaction with cercaria of Schistosoma bovis and Cercaria caratinguensis. See MP 20, Vol. III, No. 6020.

7384

Sadun, E.H.; Anderson, R.I.; DeWitt, W.; Jachowski, L.A., Jr. 1963. Serologic reactions to Schistosoma mansoni: II. Quantitative studies in human patients treated with stibophen. See MP 20, Vol. III, No. 6024.

7385

Thorpe, E. 1965. An immunocytochemical study with Fasciola hepatica. See MP 20, Vol. III, No. 5989.

7386

Yokogawa, M. 1964. Immunological study of parasites. See MP 20, Vol. III, No. 5990.

7387

Andreoni, G.; Guratolo, D.; Rocchi, G.; Testi, M.; Velli, V. 1965. Serological diagnosis of toxoplasmosis by the indirect immunofluorescence test. See MP 20, Vol. III, No. 6082.

7388

Camargo, M.F. 1964. Improved technique of indirect immunofluorescence for serological diagnosis of toxoplasmosis. See MP 20, Vol. III, No. 6083.

7389

Duxbury, R.E.; Sadun, E.H. 1963. Fluorescent antibody test for serological diagnosis of visceral leishmaniasis in humans. See MP 20, Vol. III, No. 6050.

7390

Duxbury, R.E.; Sadun, E.H. 1964. Fluorescent antibody test for the serodiagnosis of visceral leishmaniasis. See MP 20, Vol. III, No. 6051.

7391

Fletcher, S. 1964. Serology of toxoplasmosis. See MP 20, Vol. III, No. 6085.

7392

Frezzotti, R.; Berengo, A. 1963. Identification of Toxoplasma gondii with fluorescein-labeled antibodies in the cerebrospinal fluid of patients with neuro-ophthalmic toxoplasmosis. See MP 20, Vol. III, No. 6087.

7393

Garin, J.-P.; Ambroise-Thomas, P. 1963. Serological diagnosis of toxoplasmosis with the indirect fluorescent antibody method. See MP 20, Vol. III, No. 6089.

7394

Gebbie, D.A.; Hamilton, P.; Hutt, M.; Marsden, P.; Voller, A.; Wilks, N. 1964. Malarial antibodies in idiopathic splenomegaly in Uganda. See MP 20, Vol. III, No. 6068.

7395

Gill, B.S. 1965. Studies on the serological diagnosis of Trypanosoma evansi. See MP 20, Vol. III, No. 6104.

7396

Jeanes, A.L. 1964. Immunofluorescent diagnosis of amoebiasis. See MP 20, Vol. III, No. 6032.

7397

Kramar, J.; Cerna, Z.; Chalupsky, J. 1964. Immunofluorescence reactions in the serological diagnosis of toxoplasmosis. See MP 20, Vol. III, No. 6091.

7398

Kramarzh, Y. 1963. Fluorescent antibodies in the serological diagnosis of toxoplasmosis. See MP 20, Vol. III, No. 6092.

7399

Kuvín, S.F.; Voller, A. 1963. Malarial antibody titers of West Africans in Britain. See MP 20, Vol. III, No. 6072.

7400

Lucasse, C. 1964. Fluorescent antibody test as applied to cerebrospinal fluid in human sleeping sickness. See MP 20, Vol. III, No. 6105.

7401

McGregor, I.A.; Williams, K.; Voller, A.; Billewicz, W.Z. 1965. Immunofluorescence and the measurement of immune response to hyperendemic malaria. See MP 20, Vol. III, No. 6073.

7402

Oddo, F.G.; Cascio, G. 1963. The immunofluorescent test in visceral and cutaneous leishmaniasis. See MP 20, Vol. III, No. 6054.

7403

Ristic, M.; Sibinovic, S. 1964. Equine babesiosis: Diagnosis by a precipitation in gel and by a one-step fluorescent antibody inhibition test. See MP 20, Vol. III, No. 6121.

7404

Romana, C. 1964. Adaptation of the fluorescent antibody technique (inhibition test of Goldman) to the diagnosis of Chagas's disease. See MP 20, Vol. III, No. 6106.

7405

Ruckerbauer, G.M.; Robertson, A.; Bannister, G.L.; Boulanger, P.; Beauregard, M. 1963. Toxoplasmosis: I. Studies by the fluorescein-labelled antibody technique. See MP 20, Vol. III, No. 6096.

7406

Sadun, E.H.; Duxbury, R.E.; Williams, J.S.; Anderson, R.I. 1963. Fluorescent antibody test for the serodiagnosis of African and American trypanosomiasis in man. See MP 20, Vol. III, No. 6107.

7407
Stadtlander, S.; Teller-Verheijden, N.; Weber, M. 1964. Serologic diagnosis of toxoplasmosis by immunofluorescence. See MP 20, Vol. III, No. 6097.

7408
Toussaint, A.J.; Tarrant, C.J.; Anderson, R.I. 1965. An indirect fluorescent antibody technique using soluble antigens for serodiagnosis of Trypanosoma cruzi infection. See MP 20, Vol. III, No. 6109.

7409
Toussaint, A.J.; Tarrant, C.J.; Anderson, R.I. 1965. Soluble antigen fluorescent antibody (SAFA) test for the serorecognition of infection with Trypanosoma cruzi. See MP 20, Vol. III, No. 6110.

7410
van Nunen, M.C.J.; van der Veen, J. 1965. Examination for toxoplasmosis by the fluorescent antibody technique. See MP 20, Vol. III, No. 6099.

7411
Williams, J.S.; Duxbury, R.E.; Anderson, R.I.; Sadun, E.H. 1963. Fluorescent antibody reactions in Trypanosoma rhodesiense and T. gambiense in experimental animals. See MP 20, Vol. III, No. 6113.

7412
Zardi, C. 1963. Fluorescent antibodies in the diagnosis of toxoplasmosis. See MP 20, Vol. III, No. 6101.

4. Rickettsiae

7413
Alkan, W.J.; Evenchik, Z.; Eshchar, J. 1965. Q fever and infectious hepatitis. See MP 20, Vol. III, No. 6125.

7414
Balaeva, N.M.; Levina, E.N.; Korn, M.Ya. 1965. Fluorescent antibodies for Rickettsia detection. See MP 20, Vol. III, No. 6128.

7415
Bozeman F.M.; Elisberg, B.L. 1963. Serological diagnosis of scrub typhus by indirect immunofluorescence. See MP 20, Vol. III, No. 6129.

7416
Krasnik, F.I. 1963. Demonstration of Rickettsia prowazekii in cell cultures by the fluorescent antibody method. See MP 20, Vol. III, No. 6133.

7417

Lesso, J.; Brezina, R. 1964. Demonstration of Coxiella burneti in mice and guinea pigs by the fluorescent antibody method. See MP 20, Vol. III, No. 6138.

7418

Needv, C.F. 1964. The indirect fluorescent antibody technique in scrub typhus studies. See MP 20, Vol. III, No. 6139.

D. AUTOIMMUNE FACTORS IN DISEASE

7419

Anonymous. 1964. Laboratory tests in systemic lupus erythematosus. See MP 20, Vol. IV, No. 6162.

7420

Bernhardt, H.; Burkett, L.L.; Fields, M.L.; Killian, J. 1965. The diagnostic significance of the parietal cell immunofluorescent test. See MP 20, Vol. IV, No. 6357.

7421

Casals, S.P.; Friou, G.J.; Myers, L.L. 1964. Significance of antibody to DNA in systemic lupus erythematosus. See MP 20, Vol. IV, No. 6184.

7422

Casals, S.P.; Friou, G.J.; Teague, P.O. 1963. Specific nuclear reaction pattern of antibody to DNA in lupus erythematosus sera. See MP 20, Vol. IV, No. 6185.

7423

Condemni, J.J.; Barnett, E.V.; Atwater, E.C.; Jacox, R.F.; Mongan, E.S.; Vaughan, J.H. 1965. The significance of antinuclear factors in rheumatoid arthritis. See MP 20, Vol. IV, No. 6320.

7424

Faber, V.; Elling, P. 1964. Antinuclear factor: A new serological reaction. See MP 20, Vol. IV, No. 6196.

7425

Faber, V.; Elling, P. 1965. Antinuclear factors (ANF) as determined by the immunofluorescent antibody technique. See MP 20, Vol. IV, No. 6197.

7426

Mazzei, D.; Luporini, G.; Del Giacco, G.S. 1964. Antinuclear factors in collagen diseases. See MP 20, Vol. IV, No. 6217.

7427

Peterson, W.C., Jr.; Fusaro, R.M. 1963. Antinuclear factor in light sensitivity and lupus erythematosus. See MP 20, Vol. IV, No. 6223.

7428

Ritchie, R.F.; Bayles, T.B.; Harter, J.G. 1965. The significance of a negative and a false negative test for antinuclear factors in the diagnosis of rheumatic disease. See MP 20, Vol. IV, No. 6336.

7429

Schafer, H.E. 1964. Possibilities of diagnosing immunologically induced renal diseases. See MP 20, Vol. IV, No. 6431.

7430

Solheim, B.G. 1963. Antinuclear factors: Demonstration by means of fluorescent antibodies. See MP 20, Vol. IV, No. 6233.

7431

Wells, H. 1964. The use of immunofluorescent techniques as a diagnostic aid in rheumatic heart diseases. See MP 20, Vol. IV, No. 6308.

E. MISCELLANEOUS APPLICATIONS

7432

Hartl, W. 1963. Fluorescent serological demonstration of leukocyte-specific antibodies. See MP 20, Vol. IV, No. 6561.

7433

Morris, R.H.; Vassalli, P.; Beller, F.K.; McCluskey, R.T. 1964. Immunofluorescent studies of renal biopsies in the diagnosis of toxemia of pregnancy. See MP 20, Vol. IV, No. 6640.

7434

Querci, V. 1965. Medicolegal interest of the immunofluorescent pregnancy test. See MP 20, Vol. IV, No. 6897.

7435

Querci, V.; D'Antona, N. 1964. Utilization of immunofluorescence in the diagnosis of pregnancy. See MP 20, Vol. IV, No. 6898.

AUTHOR INDEXA

Aiken, J.M. 7356*, 7361
 Albrecht, P. 7317, 7318, 7329
 Alkan, W.J. 7413*
 Allen, J.C. 7149*
 Allinne, M. 7269
 Ambroise-Thomas, P. 7393
 Ananova, Ye.V. 7126*
 Anaya, M. 7362
 Anderson, R.I. 7375, 7384, 7406
 7408, 7409, 7411
 Andreoni, G. 7387*
 Apted, F.I.C. 7100*
 Argonza, W.S. 7252*
 Artenstein, M.S. 7025*
 Asherson, G.L. 7076*
 Ashihara, Y. 7026*
 Atwater, E.C. 7423
 Axt, J. 7134
 Ayoub, E.M. 7198*

B

Babudieri, B. 7027*
 Backhausz, R. 7169
 Badillet, M. 7136
 Baker, C. 7207
 Balaeva, N.M. 7414*
 Bals, M. 7339*
 Bannister, G.L. 7405
 Baratawidjaja, R.K. 7316*, 7337, 7340*,
 7349*, 7357*, 7374*,
 7382
 Barnett, E.V. 7423
 Barua, D. 7251
 Batty, I. 7116*
 Bauza, C.A. 7012*
 Bayles, T.B. 7428
 Beauregard, M. 7350*, 7405
 Bednova, V.N. 7287, 7288, 7289
 Beerman, J. 7059
 Beller, F.K. 7433
 Bellone, A.G. 7253*
 Benacerraf, B. 7077*
 Beni, G. 7020
 Berengo, A. 7392
 Bernhardt, H. 7420*
 Berrier, H.H. 7028*
 Beurey, J. 7254*
 Biegeleisen, J.Z., Jr. 7127*, 7137, 7150*,
 7151*, 7158, 7159*,
 7199*, 7206, 7226*,
 7235, 7248*, 7249*
 Billewicz, W.Z. 7401
 Biocca, E. 7383

Blanc, G. 7223
 Blaskovic, D. 7317*, 7318*, 7329*
 Blumberg, R.W. 7127, 7151, 7159,
 7199, 7226, 7248
 Blundell, G.P. 7029*
 Boak, R.A. 7055, 7056, 7258,
 7281
 Bochorishvili, V.G. 7174
 Bodily, H.L. 7252, 7255
 Bognar, S. 7169
 Boigk, J. 7140
 Bona, C. 7360
 Bonomo, L. 7078*
 Booth, R.L. 7380
 Bordas, J. 7348
 Boris, M. 7160*, 7192
 Borman, E.K. 7135, 7204, 7212
 Botes, H.J.W. 7146
 Boulanger, P. 7350, 7405
 Boyd, T.T. 7217
 Bozeman, F.M. 7415*
 Bracegirdle, E. 7178, 7179
 Bradford, L.L. 7255*
 Bradstreet, C.M.P. 7161*
 Brahen, L. 7057
 Brandsberg, J.W. 7372
 Brandt, B. 7366
 Braune, M.O. 7309*, 7330*, 7358*
 Brezina, R. 7417
 Brown, G.C. 7030*
 Brown, L. 7305
 Brust, B. 7203
 Bryan, W.R. 7101*
 Buck, A.A. 7256*, 7375*
 Bugiardini, G. 7257*
 Burkett, L.L. 7420
 Burrell, R.G. 7079*

C

Caldwell, W.J. 7188
 Caleffi, M.L. 7277
 Camargo, M.E. 7197, 7388*
 Campillo-Sainz, C. 7351*
 Carpenter, C.M. 7055, 7056, 7258*,
 7281
 Carter, G.B. 7341*
 Caruntu, F. 7339
 Carver, K. 7381
 Casals, S.P. 7421*, 7422*
 Cascio, G. 7402
 Cerna, Z. 7397
 Chalupsky, J. 7397
 Chanock, R.M. 7103
 Cheever, F.S. 7031*

* Indicates senior author.

Cherchenko, I.I. 7013*
 Cherry, W.B. 7032*, 7071, 7142,
 7193, 7194, 7249
 Claassen, N. 7146
 Clarke, V. 7378
 Clifford, M.K. 7364
 Cluff, L.E. 7149
 Colombani, J. 7259*, 7293
 Condemi, J.J. 7423*
 Cookson, L.O.C. 7376*, 7377*, 7378*
 Ccons, A.H. 7033*, 7034*
 Corstvet, R.E. 7219*
 Cottenot, F. 7115*
 Couchman, K.G. 7080*
 Cowart, G.S. 7162*, 7192, 7193,
 7194
 Cruchaud, A. 7035*
 Curatolo, D. 7387

D

Damasio, E. 7092
 Danielsson, D. 7163*, 7227*, 7228*,
 7229*
 D'Antona, N. 7435
 Davis, B.R. 7164*, 7192
 Davis, J.S. 7040
 Dawson, C.R. 7122
 Deacon, W.E. 7147, 7233, 7271,
 7272, 7273
 de Azevedo, J.F. 7036*
 Deinhardt, F. 7037*, 7045
 de la Vaissiere, C. 7165*
 Del Giacco, G.S. 7081*, 7426
 Demarchi, J. 7348
 Demis, D.J. 7025
 Demissie, A. 7166*
 DeVolt, H.M. 7222
 DeWitt, W. 7384
 Diestelhorst, T.N. 7275
 Dixon, G.P. 7192
 Docimo, C. 7257
 Duxbury, R.E. 7389*, 7390*, 7406,
 7411

E

Easterday, B.C. 7308*
 Eldering, G. 7132
 Elisberg, B.L. 7415
 Elling, P. 7424, 7425
 Eng, J. 7260*
 Eshchar, J. 7413
 Estela, L.A. 7200*
 Evans, A.J. 7261*
 Evans, A.S. 7201
 Eveland, W.C. 7152*, 7153*
 Evenchik, Z. 7413
 Ewing, W.H. 7164

F

Faber, J.E. 7222
 Faber, V. 7424*, 7425*
 Falcone, V.H. 7299
 Farmer, A.D. 7240
 Fazzan, F. 7055, 7056
 Federlin, K. 7014*
 Fedova, D. 7319*
 Fegeler, F. 7262*
 Felix, D. 7362
 Ferrucci, M. 7257
 Fields, M.L. 7420
 Fink, M.A. 7082*
 Fiumara, N.J. 7263*, 7264*
 Fletcher, S. 7391*
 Foster, R. 7379*
 Franek, J. 7117*, 7128*, 7129*,
 7130*
 Franklin, E.C. 7083*
 Frederickson, L.E. 7352*
 Freear, M.A. 7202
 Freid, M.A. 7167*
 Frezzotti, R. 7392*
 Fribourg-Blanc, A. 7282, 7283
 Friou, G.J. 7084*, 7421, 7422
 Fry, C.S. 7230*, 7265*
 Fulton, J.D. 7102*
 Furcolow, M.L. 7369, 7372
 Fusaro, R.M. 7427

G

Gaddy, R.E. 7202
 Gago, G. 7168
 Gaiffe, M. 7136
 Galindo, E. 7183
 Gane, N.F.C. 7380*
 Garbin, S. 7266*, 7267*
 Garin, J.-P. 7393*
 Gebbie, D.A. 7394*
 Geck, P. 7015*, 7168*, 7169*,
 7170*
 Gelfand, M. 7038*
 Gerber, M. 7039*
 Gill, B.S. 7395*
 Giunti, G. 7016*
 Giffon, B. 7165
 Goldin, R.B. 7120*, 7123, 7124
 Gonzalez-Ochoa, A. 7362*, 7363*, 7365
 Goodburn, G.M. 7220*
 Gottfried, D. 7131, 7232
 Graber, C.D. 7040*
 Griffin, J.W. 7310*, 7311*
 Grossman, M. 7131*, 7232*
 Grover, A.A. 7201*
 Grundboeck, M. 7017*
 Guardiola-Rotger, A. 7171*
 Guarguaglini, M. 7268*
 Gulmezoglu, E. 7018*, 7154*
 Gurvich, E.B. 7312*, 7342*
 Gury, C. 7254

Gustafson, A.A. 7041*
 Guthe, T. 7302, 7303
 Gurkina, A.V. 7346

H

Hadida, M.E. 7269*
 Hadley, I.K. 7217
 Hahn, M. 7140, 7141
 Hahn, N. 7121*
 Halling, L.W. 7158
 Hamashima, Y. 7042*
 Hamelin, A. 7302
 Hamilton, P. 7394
 Hanna, L. 7122*
 Harter, J.G. 7428
 Hartl, W. 7432*
 Hatch, M.H. 7335*
 Hayflick, L. 7103*
 Heimer, G.V. 7189, 7190, 7191
 Heimpel, H. 7085*
 Hempstead, B. 7138, 7181
 Hers, J.F.Ph. 7043*, 7221*
 Herzog, F. 7136
 Hewson, A. 7316, 7374
 Higgins, L.S. 7040
 Hines, V.D. 7160, 7192
 Hinuma, Y. 7320*, 7322
 Hirschberg, N. 7231*
 Ho, H.H. 7314
 Hodgson, C.H. 7044*
 Holberow, E.J. 7359
 Holmes, A.W. 7045*
 Holwerda, J. 7132*
 Hoopes, K.H. 7356
 Hornung, I.E. 7172*, 7173*
 Horstmann, D.M. 7104*
 Horvath, S. 7015
 Hosty, T.S. 7202*
 Huaa-Ying, L. 7270*
 Hunt, A.L.C. 7380
 Hunter, J.B. 7041
 Hunter, E.F. 7271*, 7305
 Hunter, J.R. 7202
 Husain, S.S. 7019*
 Huth, E. 7184
 Hutt, M. 7394
 Hyde, W.A. 7178, 7179

I

Idsoe, O. 7284
 Ieremia, D. 7360
 Ishida, N. 7321*, 7322*, 7331*,
 7336*
 Ivanova, S.P. 7174*

J

Jablon, J.M. 7203*, 7209, 7214
 Jachowski, L.A., Jr. 7384
 Jacob, R.F. 7423
 Jaeger, R.F. 7308
 Jeanes, A.L. 7046*, 7396*
 Jentzsch, K.D. 7047*, 7133*, 7134*
 Jobbagy, A. 7274
 Johnson, G.D. 7359*
 Johnson, M.B. 7202
 Jolibois, C. 7348
 Jones, W.L. 7155
 Jue, R.F. 7252

K

Kagan, I.G. 7048*, 7381*
 Kaplan, M.H. 7086*
 Kaplan, W. 7363, 7364*, 7365*
 Karakawa, W.W. 7135*, 7204*
 Karasszon, D. 7015
 Karon, M. 7082
 Kasamatsu, S. 7301
 Kato, S. 7343*
 Kaufman, L. 7366*
 Kavelman, D.A. 7382
 Kawamura, A., Jr. 7327
 Kellogg, D.S., Jr. 7233*, 7247, 7272*,
 7273*
 Kendall, E.J.C. 7220
 Kennedy, D.W. 7188
 Ketiladze, E.S. 7306*, 7307*, 7323*,
 7324*, 7328, 7332*,
 7333*
 Ketterer, W.A. 7255
 Killian, J. 7420
 Kimura, S.J. 7313, 7315
 Kiraly, K. 7274*
 Kirsh, D. 7344*
 Kirsher, J.B. 7088
 Kissling, R. 7344
 Kitamoto, O. 7325, 7326
 Knox, J.M. 7236
 Koch, R.A. 7049*
 Korn, M.Ya. 7414
 Kornstad, L. 7087*
 Kotcher, E. 7143
 Kovacs, E. 7337*
 Kovacs, S. 7168
 Kraft, S.C. 7088*
 Kramar, J. 7397*
 Kramar, R. 7175*
 Kramarzh, Y. 7398*
 Krasnik, F.I. 7120, 7123, 7124,
 7416*
 Kratchko, A. 7070, 7345*

Kudo, H. 7322
 Kuitunen, E. 7382
 Kulikovn, Yu.M. 7346
 Kunkel, H.G. 7050*
 Kuvin, S.F. 7399*

L

Labzoffsky, N.A. 7316, 7337, 7340,
 7349, 7357, 7374,
 7382*
 Lackovic, V. 7317, 7318, 7329
 Lambert, M.A. 7207
 Laurell, G. 7163, 7176*
 Lazarus, J.M. 7205*
 Lea, D.J. 7190, 7191
 Le Clair, R.A. 7258
 Lehner, T. 7367*
 Leibovitz, A. 7275*
 Leighor, G. 7253
 Lejour, M. 7177
 Lennette, E.H. 7314, 7353*
 Lentz, J.W. 7242, 7245
 Lepper, M. 7167
 Lesso, J. 7317, 7318, 7334*,
 7417*
 Levina, E.N. 7414
 Lewis, F.N. 7382
 Lewis, V. 7186
 Linz, R. 7177*
 Lipnicki, B. 7051*, 7089*
 Liu, C. 7052*
 Longhi, A. 7276*, 7277*
 Lopez, V.A. 7171
 Losonczy, G. 7169
 Lozhkina, A.N. 7306, 7307, 7323,
 7324, 7328, 7332,
 7333
 Lucasse, C. 7400*
 Luce, C. 7057
 Luporini, G. 7090*, 7426
 Lur'e, S.S. 7287, 7288, 7289

M

MacFarlane, P. 7338
 Magoffin, R.L. 7353
 Makino, M. 7326
 Malmgren, R.A. 7082
 Maloney, P.J. 7246
 Mancini, L. 7020*, 7297
 Manikowska-Lesinska, W. 7053*, 7278*, 7279*
 Marcus, B.B. 7127, 7137, 7151,
 7159, 7199, 7206,
 7226, 7235, 7248
 Marie, J. 7136*
 Marine, W.M. 7205
 Marino, A.F. 7240

Marmion, B.P. 7054*, 7220
 Marmont, A. 7091*, 7092*
 Marquez-Monter, H. 7021*
 Marsden, H.B. 7178*, 7179*
 Marsden, P. 7394
 Martin, A.J. 7180*
 Martin, R.S. 7022*
 Mastjukova, Yu.N. 7346*
 Masarel, N. 7221
 Mathe, G. 7105*
 Mazzarella, J.A. 7209, 7214
 Mazzel, D. 7426*
 McCluskey, R.T. 7077, 7433
 McEntee, K. 7250
 McFarland, C.R. 7204
 McGregor, I.A. 7401*
 McKhanna, C.F. 7106*
 McLaughlin, D. 7366
 McWhorter, A.C. 7195, 7196
 Meacham, J.T. 7275
 Mecher, T. 7274
 Mekler, L.B. 7306, 7307, 7323,
 7324, 7328, 7332,
 7333
 Mellick, P.W. 7250*
 Meyer, P.E. 7271
 Meyer-Rohn, J. 7280*
 Migulina, V.M. 7234*
 Mihail, A. 7107*
 Miller, J.N. 7055*, 7056*, 7258,
 7281*
 Mims, C.A. 7108*
 Mitchell, M.S. 7127, 7137*, 7151,
 7159, 7199, 7206*,
 7226, 7235*, 7248
 Mizuno, S. 7368*
 Moeller, G. 7093*
 Mongan, E.S. 7423
 Montague, T.S. 7160
 Moody, M.D. 7032, 7155*, 7207*,
 7208*
 Moore, A.E. 7109*
 Moore, M.B., Jr. 7236*, 7298, 7299
 Morel, J. 7254
 Morris, R.H. 7433*
 Morrissey, L.P. 7340, 7349, 7357,
 7382
 Mosquera, R. 7249
 Mueller, W. 7085
 Mukobayashi, H. 7237*
 Mulder, J. 7221
 Murata, R. 7301
 Murray, H.G.S. 7347*
 Myerburg, R.J. 7209*
 Myers, L.L. 7421

N

Nahmias, A.J.	7057*	Petzoldt, D.	7060*
Nakamura, K.	7353	Petzoldt, V.D.	7291*
Nakamura, R.M.	7121	Philpot, W.N.	7218*
Nakamura, S.	7327	Piacentini, I.	7266, 7267
Naumann, G.	7058*	Picard, M.	7223
Naumova, V.K.	7306, 7307, 7323, 7324, 7332, 7333	Pirie, E.	7378
Needy, C.F.	7418*	Pittman, B.	7142*, 7208
Nelson, J.	7186	Poetschke, G.	7061*
Nelson, J.D.	7138*, 7156*, 7181*	Ponomareva, T.N.	7119*
Netter, R.	7345	Porter, B.M.	7369*, 7372
Nicholas, L.	7059*	Preston, J.A.	7210*
Nicoli, J.	7348*	Prince, L.N.	7242*
Niel, G.	7282*, 7283*	Prochazka, O.	7129
Nielsen, P.A.	7260, 7284*	Puccinelli, V.	7292*
Nikitin, V.M.	7118*, 7139*, 7182*	Puffer, J.	7252, 7255
Ninu, E.	7285*		
Nisevich, L.L.	7306, 7307, 7323, 7324, 7332, 7333	<u>Q</u>	
Noel, J.K.	7222*	Querci, V.	7434*, 7435*
		Quock, C.	7131, 7232

O

Oberhofer, T.R.	7275	Ramos-Alvarez, M.	7183
O'Brien, M.	7180	Randall, E.L.	7242
Ocinnikov, N.M.	7238*	Rantz, L.A.	7211
Ocklitz, H.W.	7140*, 7141*	Rathova, V.	7317, 7318
Oddo, F.G.	7402*	Rauch, H.C.	7211*
Okumoto, M.	7122	Redmond, D.L.	7143*
Olarte, J.	7183*	Redys, J.J.	7212*
Opferkuch, W.	7184*	Reimers, E.	7185*
Orfila, J.	7269	Reiss, J.	7051
Orhel, I.	7286*	Reyn, A.	7243*
Orlova, S.N.	7306, 7307, 7323, 7324, 7328, 7332, 7333	Rhoden, D.L.	7127, 7151, 7159, 7199, 7226, 7248
Orr, H.C.	7082	Rhodes, M.B.	7356, 7361
Orsi, E.V.	7064	Ricker, A.S.	7355
Osvath, P.	7169	Riggs, J.L.	7062*
Ovchianikov, N.M.	7239*, 7287*, 7288*, 7289*	Ripault, J.	7259, 7293*
		Ristic, M.	7403*
		Ritchie, R.F.	7428*
		Roberts, C.E., Jr.	7213*
		Robertson, A.	7405
		Rocchi, G.	7387
		Roihel, V.M.	7312, 7342
		Romana, C.	7404*
		Rombert, F.C.	7036
		Rose, L.	7122
		Rosenblum, B.F.	7063*
		Ross, W.F.	7146
		Rossi, M.	7020, 7297
		Rowe, W.P.	7111*
		Ruckerbauer, G.M.	7405*
		Ruczowska, J.	7244*
		Ryschenkow, E.	7370*

P

Page, R.H.	7188		
Pagnes, P.	7290*		
Pariser, H.	7240*		
Paris-Hamelin, A.	7303		
Parzick, A.B.	7212		
Pauls, F.F.	7138, 7181		
Peacock, W.L.	7241*		
Pellegrino, S.	7383*		
Peters, H.	7313		
Peterson, W.C., Jr.	7427*		
Pettit, T.H.	7313*		
Petty, C.S.	7110*		

S

Sack, R.B.	7251*	Sulzer, A.J.	7381
Sadecky, E.	7329	Sumarokov, A.A.	7346
Sadler, W.W.	7219	Summerly, R.	7261
Sadun, E.H.	7112*, 7375, 7384*, 7389, 7390, 7406*, 7411	Sussman, S.	7131, 7232
Sanders, E.	7196	Suzuki, S.	7327
Sarayeva, N.T.	7346	Szanto, J.	7329
Sasahira, T.	7295*, 7296*	Szanto, R.	7170
Saslaw, M.S.	7209, 7214*	Szulman, A.E.	7097*
Sayre, J.W.	7154		
Sazonova, L.V.	7288, 7289	<u>I</u>	
Scarpa, B.	7157*	Takeuchi, Y.	7326
Schaap, G.J.P.	7354*	Tan, E.M.	7050
Schaeffer, M.	7064*	Tanaka, R.	7138, 7181
Schafer, H.E.	7429*	Tarrant, C.J.	7408, 7409
Schaffer, J.	7186*	Tateno, I.	7325*, 7326*, 7327*
Schamschula, R.G.	7371*	Taylor, C.E.D.	7068*, 7189*, 7190*, 7191*
Schimmelpfennig, H.	7215*	Teague, P.O.	7422
Schmidt, J.	7144*, 7145*	Teitelbaum, W.	7407
Schmidt, N.J.	7314*	Thayer, J.D.	7241
Schoessler, H.	7262	Thiago de Mello, M.	7069*
Schultz-Haudt, S.D.	7023*	Thivolet, J.	7070*, 7223*, 7300*, 7345
Sedati, P.	7297*	Thomas, B.K.	7369, 7372*
Sedgwick, A.K.	7135	Thomas, J.B.	7355*
Sekino, K.	7322	Thomas, J.E.	7255
Sellers, D.P.	7205	Thomason, B.M.	7071*, 7160, 7162, 7192*, 7193*, 7194*, 7195*, 7196*
Sellers, T.F., Jr.	7160	Thorpe, E.	7385*
Sepetdjian, M.	7070, 7300	Thygeson, P.	7122
Shaffa, E.	7375	Ticknor, W.	7131, 7232
Shapiro, L.H.	7242, 7244*, 7245*	Tokarevich, K.N.	7123*, 7124*
Shelton, S.	7156	Tomizawa, T.	7301*
Sherman, W.B.	7094*	Tomlinsen, A.J.H.	7190, 7191
Sherris, J.C.	7065*, 7213	Toniutti, M.	7277
Shingu, K.	7187*	Torrigiani, G.	7098*
Shiratori, T.	7322	Tosti, U.	7387
Shuey, H.E.	7200	Toussaint, A.J.	7408*, 7409*
Sibinovic, S.	7403	Trabuisi, L.R.	7197*
Siegel, A.C.	7208	Truant, J.P.	7217*
Sikes, R.K.	7355	Tuffanelli, D.L.	7255
Singer, J.A.	7298	Tupath-Barniske, R.	7291
Sirbu, Z.	7360*		
Sjolin, S.	7163	<u>U</u>	
Smith, T.B.	7216*	Uchida, Y.	7315*
Smith, J.L.	7298*	Undordahl, N.R.	7361
Smyth, C.J.	7066*, 7095*		
Sohier, R.	7223	<u>V</u>	
Solheim, B.G.	7430*	Vaisman, A.	7302*, 7303*
Sommerville, R.G.	7338*	van der Kuip, L.	7221
Sonoguchi, T.	7326	VanderStroep, E.M.	7236
Spoerk, K.	7201	van der Veen, J.	7224*, 7225, 7410
Spruyt, D.J.	7256	van Drimmelen, G.C.	7146*
Stadtsbaeder, S.	7067*, 7407*	van Lunen, M.C.J.	7224, 7225*, 7410*
Stair, E.L.	7356, 7361*		
Strauss, A.J.L.	7096*		
Strauss, J.	7125		
Stout, G.W.	7299*		
Stulberg, C.S.	7188*		
Styk, B.	7317, 7318		

Varga, D.I. 7369, 7372
 Vassalli, P. 7433
 Vaughan, J.H. 7423
 Velli, V. 7387
 Velthoen, A.A. 7354
 Vesnik, Zd. 7148
 Vickers, F.N. 7246*
 Vigh, G. 7169
 Viljoen, M. 7146
 Villella, R.L. 7158*
 Voller, A. 7113*, 7114*, 7394,
 7399, 7401
 Voltay, E. 7169
 Voskebova, M. 7334

W

Wadler, E. 7222*
 Walcher, D. 7186
 Walker, P.D. 7116
 Wallace, A.L. 7072*
 Walmsley-Hewson, A. 7337
 Wannamaker, L.W. 7198
 Weber, M. 7407
 Webster, W.A. 7350
 Weed, L.A. 7044
 Weiner, L.M. 7173
 Weir, D.M. 7024*
 Wells, H. 7431*
 Wende, R.D. 7236
 Weppe, C.-M. 7141
 Wereide, K. 7260
 Wertlake, P.T. 7370
 Whang, S.I. 7281
 White, L.A. 7147*, 7247*
 Widelock, D. 7064
 Wigley, R.D. 7080
 Wiidfuhr, G. 7058
 Wilkinson, A.E. 7230, 7265, 7304*
 Wilks, N. 7394
 Williams, J.S. 7406, 7411*
 Williams, K. 7401
 Winter, A.J. 7250
 Winter, C.C. 7208
 Wolfova, J. 7130
 Wood, R.M. 7073*, 7252
 Woodie, J.D. 7314, 7353

Y

Yamaya, S. 7301
 Yemeljanova, O.S. 7126
 Yobs, A.R. 7298, 7305*
 Yokogawa, M. 7486*
 Young, C.A. 7361
 Young, R.M. 7074*
 Yudate, H. 7368, 7373*

Z

Zak, K. 7148*
 Zardi, C. 7412*
 Zelenkova, L. 7125*, 7319
 Zhilina, N.N. 7306, 7307, 7323,
 7324, 7328*, 7332,
 7333

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R & D		
<i>(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)</i>		
1. ORIGINATING ACTIVITY (Corporate author) Department of the Army Fort Detrick Frederick, Maryland 21701		2a. REPORT SECURITY CLASSIFICATION Unclassified
		2b. GROUP
3. REPORT TITLE IMMUNOFLUORESCENCE, AN ANNOTATED BIBLIOGRAPHY: V. DIAGNOSTIC APPLICATIONS AND REVIEW ARTICLES		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
5. AUTHOR(S) (First name, middle initial, last name) Warren R. Sanborn		
6. REPORT DATE March 1966	7a. TOTAL NO. OF PAGES 59	7b. NO. OF REFS 425
8a. CONTRACT OR GRANT NO. b. PROJECT NO. None c. d.		8b. ORIGINATOR'S REPORT NUMBER(S) Miscellaneous Publication 20
8c. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)		
10. DISTRIBUTION STATEMENT Distribution of this publication is unlimited; it has been cleared for release to the general public. Non-DOD agencies may purchase this publication from Clearinghouse, ATTN: Storage and Dissemination Section, Springfield, Virginia, 22151.		
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Department of the Army Fort Detrick Frederick, Maryland 21701
13. ABSTRACT This volume is one of a series of six in the second edition of an annotated bibliography on various aspects of immunofluorescence and its use. The first six-volume edition was published in 1965 and included citations for the period 1905 through 1962. The present edition covers the period 1963 through 1965; Volume V is divided into two major sections. The first section contains 104 annotated citations to review articles on immunofluorescence arranged according to major subject areas. The second section is devoted to diagnostic techniques. It contains 321 cross-references to citations in the other volumes of this series, arranged to correspond with subject matter areas in those volumes. A complete author index to the 425 citations is included.		

DD FORM 1473

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE

Unclassified

Security Classification