

AFCA 17-0200  
MARCH 1970  
ENVIRONMENTAL RESEARCH PAPERS, (W), 310





**AIR FORCE CAMBRIDGE RESEARCH LABORATORIES**  
L. G. HANCOM FIELD, BEDFORD, MASSACHUSETTS

AD 707488

## Vertical-Attenuation Model With Eight Surface Meteorological Ranges 2 to 13 Kilometers


LOUIS ELTERMAN

**OFFICE OF AEROSPACE RESEARCH**  
United States Air Force



66

# DISCLAIMER NOTICE



THIS DOCUMENT IS BEST  
QUALITY AVAILABLE. THE COPY  
FURNISHED TO DTIC CONTAINED  
A SIGNIFICANT NUMBER OF  
PAGES WHICH DO NOT  
REPRODUCE LEGIBLY.

REPRODUCED FROM  
BEST AVAILABLE COPY

THIS DOCUMENT CONTAINED  
BLANK PAGES THAT HAVE  
BEEN DELETED

REPORT NUMBER DTIC REPORT NUMBER		
AUTHOR		
TITLE		
PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)		
AUTHORING ORGANIZATION NAME(S) AND ADDRESS(ES)		
DISTRIBUTION STATEMENT (If this report is for sale, indicate the distribution code.)		
1	2	3

This document has been approved for public release and sale; its distribution is unlimited.

Qualified requesters may obtain additional copies from the Defense Documentation Center. All others should apply to the Clearinghouse for Federal Scientific and Technical Information.

AF CRD 70-0200  
MARCH 1970  
ENVIRONMENTAL RESEARCH PAPERS, NO. 118

OPTICAL PHYSICS LABORATORY      PROJECT 7621

**AIR FORCE CAMBRIDGE RESEARCH LABORATORIES**

L. G. HANSCOM FIELD, BEDFORD, MASSACHUSETTS

## **Vertical-Attenuation Model With Eight Surface Meteorological Ranges 2 to 13 Kilometers**

LOUIS ELTERMAN

This document has been approved for public  
release and sale; its distribution is unlimited

**OFFICE OF AEROSPACE RESEARCH**  
**United States Air Force**



## Abstract

An examination of the haze regime shows that : (1) the aerosol properties of a surface meteorological range generally affect a mixing layer to 5 km altitude, and (2) the lower and upper visibility limits of a haze regime are defined by meteorological ranges 1.2 km and 15 km respectively. Within these limits eight meteorological ranges are selected for developing uv, visible, and ir aerosol attenuation coefficients. An aerosol scale height is derived for each meteorological range. Finally, the computed aerosol attenuation coefficients are presented as tabulations, which include previously published attenuation parameters (aerosols, molecules and ozone) to 50 km altitude.

## Contents

1. INTRODUCTION	1
2. SPECTRAL METEOROLOGICAL RANGES	4
3. STATEMENT OF OBJECTIVES	6
4. AEROSOL MIXING LAYER	6
5. THE USE AND JUSTIFICATION FOR A SCALE HEIGHT FAMILY	8
6. THE OPTICAL THICKNESS COMPUTATION	10
7. SUMMARY AND CONCLUDING REMARKS	11
8. TABULATIONS	12
ACKNOWLEDGMENTS	54
REFERENCES	55

## Illustrations

1. Defined Limits of the Haze Regime	2
2. Wavelength Distributions of the Aerosol Attenuation Coefficient for Several Meteorological Ranges	4
3. An Aerosol Scale Height Family	9
4. Comparison of Optical Thickness and Transmission in the Aerosol Mixing Layer	10

## Tables

1. Meteorological Ranges and Corresponding Parameters	3
2. Surface Aerosol Attenuation Coefficients Corresponding to Figure 2	5
3.1. Parameters at 0.27 Microns	14
3.2. Parameters at 0.28 Microns	16
3.3. Parameters at 0.30 Microns	18
3.4. Parameters at 0.32 Microns	20
3.5. Parameters at 0.34 Microns	22
3.6. Parameters at 0.36 Microns	24
3.7. Parameters at 0.38 Microns	26
3.8. Parameters at 0.40 Microns	28
3.9. Parameters at 0.45 Microns	30
3.10. Parameters at 0.50 Microns	32
3.11. Parameters at 0.55 Microns	34
3.12. Parameters at 0.60 Microns	36
3.13. Parameters at 0.65 Microns	38
3.14. Parameters at 0.70 Microns	40
3.15. Parameters at 0.80 Microns	42
3.16. Parameters at 0.90 Microns	44
3.17. Parameters at 1.06 Microns	46
3.18. Parameters at 1.26 Microns	48
3.19. Parameters at 1.67 Microns	50
3.20. Parameters at 2.17 Microns	52

## Symbols

$d$	Horizontal path length (km)
$H_p$	Aerosol scale height (km)
$h$	Altitude (km)
$m$	Aerosol index of refraction
$N_p$	Aerosol number density ( $\text{cm}^{-3}$ )
$N_o$	Constant proportional to total number of particles between $r_1$ and $r_2$
$N_r$	Molecular number density ( $\text{cm}^{-3}$ )
$V_\eta$	Meteorological range (km)
$r$	Particle radius (microns)
$T_h$	Horizontal transmission
$T_{0-h}$	Transmission between sea level and altitude $h$
$T_{h-\infty}$	Transmission between altitude $h$ and space
$T_{\Delta h}$	Transmission between two altitudes above sea level
$\beta_3$	Atmospheric ozone absorption coefficient ( $\text{km}^{-1}$ )
$\beta_p$	Aerosol attenuation coefficient ( $\text{km}^{-1}$ )
$\beta_r$	Rayleigh (molecular) attenuation coefficient ( $\text{km}^{-1}$ )
$\beta_{\text{ext}}$	Extinction coefficient ( $\text{km}^{-1}$ )
$\theta$	Zenith angle
$\lambda$	Wavelength (microns)
$\sigma_p$	Aerosol scattering cross section ( $\text{cm}^2$ )
$\sigma_r$	Rayleigh scattering cross section ( $\text{cm}^2$ )
$\tau_3$	Ozone optical thickness from sea level to altitude $h$ (0-h)
$\tau_3'$	Ozone optical thickness from altitude $h$ to space ( $h-\infty$ )
$\tau_p$	Aerosol optical thickness from sea level to altitude $h$ (0-h)
$\tau_p'$	Aerosol optical thickness from altitude $h$ to space ( $h-\infty$ )
$\tau_r$	Rayleigh optical thickness from sea level to altitude $h$ (0-h)
$\tau_r'$	Rayleigh optical thickness from altitude $h$ to space ( $h-\infty$ )



- $\tau_{\text{ext}}$  Extinction optical thickness (molecular + ozone + aerosol) from sea level to altitude  $h$  ( $0-h$ )
- $\tau'_{\text{ext}}$  Extinction optical thickness (molecular + ozone + aerosol) from altitude  $h$  to infinity ( $h-\infty$ )
- $\psi$  Aerosol size distribution function

## Vertical-Attenuation Model With Eight Surface Meteorological Ranges 2 to 13 Kilometers

### 1. INTRODUCTION

A series of atmospheric attenuation parameters which vary with wavelength and altitude are useful for carrying out a variety of exploratory calculations. Such information can take the form of curves, tabulations, or analytic expressions. It is recognized, however, that limitations exist due to variability of the atmosphere's constituents, especially the aerosol content of the lower troposphere, which contributes extensively to the optical thickness. For example, in the photopic region, assuming a representative wavelength  $\lambda = 0.55 \mu$  and a meteorological range of 23 km near the surface, the aerosol content in the first 3 km above sea level accounts for about 70 percent of the total optical thickness. If surface conditions are hazy or polluted, the aerosol content accounts for a larger percentage. This suggests that the treatment of atmospheric attenuation can be improved by introducing aerosol parameters related to the easily measured meteorological range, that is, by introducing quantitatively a haze regime which is considered as encompassing a series of meteorological ranges between those associated with normally clear conditions and fog. See Figure 1.

Near the surface and at low altitudes, the aerosol constituent is ubiquitous and highly variable, and an aerosol component is present even for a very clear atmo-

---

(Received for publication 5 March 1970)




Figure 1. Defined limits of the haze regime. Arrows designate the meteorological ranges selected for developing attenuation parameters. Also shown is the Rayleigh limit which corresponds to the Rayleigh attenuation coefficient,  $\beta_r = 1.102 \times 10^{-2} \text{ km}^{-1}$ , and the related meteorological range 336 km;  $\lambda = 0.55 \mu$  represents the photopic region.

spheric condition. Thus, the boundaries of the haze regime (used in the sense of diminished meteorological range) must be defined. The haze limits will be based on the Koschmieder (1924) definition,

$$V_{\eta} = \frac{3.01}{\beta_{\text{ext}}} \quad (1a)$$

where

$$\beta_{\text{ext}} = \beta_p + \beta_r \quad (1b)$$

$V_{\eta}$  is the meteorological range (km) and  $\beta_{\text{ext}}$ ,  $\beta_r$ ,  $\beta_p$  are the extinction, Rayleigh, and aerosol attenuation coefficients ( $\text{km}^{-1}$ ) respectively. Equations (1a) and (1b) apply to sea level conditions and the photopic region represented by  $\lambda = 0.55 \mu$ . When converted to a log-log trace (Figure 1), several boundaries can be designated conveniently. The Rayleigh limit, 336 km, is based on the standard atmosphere (15°C, 1013 mb). Foitzik (1938) found that the haze-fog transition is relatively abrupt, and, therefore, can be readily identified; and that  $V_{\eta} \approx 1.2 \text{ km}$  represents the

transition. Foltak's result is confirmed adequately by Nelburger and Chien (1960), Hulbert (1963), Coen (1963, 1964) and the analysis by Eldridge (1969).

In contrast, the literature pertaining to a boundary condition between a clear and hazy atmosphere is meager. Since no abrupt changes occur in this region, the requirement is tantamount to dealing quantitatively with psycho-physical observations. Hulbert (1941) correlated meteorological range with atmospheric conditions such as dense fog, light fog, haze, clear, and so forth, using a telescopic photometer, the measurements being made in the vicinity of Washington, D. C. His results led him to propose  $V_{\eta} \approx 15$  km as the haze-clear boundary condition. Despite the subjective element in this result, it provides some guidance. In conjunction with Foltak's observations, it permits defining the haze regime as  $1.2 \leq V_{\eta} \leq 15$  km. The meteorological ranges and corresponding parameters shown in Figure 1 and Table 1 will be used in the material to follow because they are spaced at convenient

Table 1. Meteorological Ranges and Corresponding Parameters  
(Representative Photopic Wavelength  $\lambda = 0.55\mu$ )

$V_{\eta}$ (km)	$\beta_{ext}$ ( $km^{-1}$ )	$\beta_r$ ( $km^{-1}$ )	$\beta_p$ ( $km^{-1}$ )	$H_p$ (km)
2	1.955	0.0116	1.943	0.84
3	1.303	0.0116	1.291	0.90
4	0.978	0.0116	0.966	0.95
5	0.782	0.0116	0.770	0.99
6	0.652	0.0116	0.640	1.03
8	0.489	0.0116	0.476	1.10
10	0.391	0.0116	0.379	1.15
13	0.301	0.0116	0.289	1.23

$V_{\eta}$  - meteorological range  
 $\beta_{ext}$  - extinction coefficient  
 $\beta_r$  - Rayleigh attenuation coefficient  
 $\beta_p$  - aerosol attenuation coefficient  
 $H_p$  - aerosol scale height

logarithmic intervals, are adequately separated from the haze-fog transition, and are within the haze regime characterized by diminished meteorological range. The scale height in the last column of the tabulation will be discussed later.

## 2. SPECTRAL METEOROLOGICAL RANGES

The concept of photopic meteorological range can be widened spectrally if concurrent measurements of attenuation coefficients at other wavelengths are available. The work of Curcio, Knestrick, and Cosden (1961), which is the basis for Figure 2, is an example where  $\beta_p(V_4, \lambda)$  was obtained through a series of concurrent measurements. Because of the quantity of data obtained, the results for the meteorological range  $V_\eta = 4$  km are considered representative by these authors. A family of distributions,  $\beta_p(V_\eta, \lambda)$ , can be computed if the  $\beta_p(V_4, \lambda)$  values are used in conjunction with Eq. (1) so that

$$\beta_p(V_\eta, \lambda) = \beta_p(V_4, \lambda) \cdot \left[ \frac{3.91}{V_\eta} - \beta_r(\lambda, 0.55) \right] / \left[ \frac{3.91}{V_4} - \beta_r(\lambda, 0.55) \right] \quad (2)$$

$V_\eta$  (km) being the photopic ( $\lambda = 0.55\mu$ ) meteorological ranges of interest. Using Eq. (2), the aerosol attenuation coefficient is found for various combinations of meteorological range and wavelength, 0.27 to  $2.17\mu$  (Table 2), that is, 160 surface values,  $\beta_p(V_\eta, \lambda)$ . The shapes of the distributions so determined (Figure 2) conform rigorously to the distribution for  $V_\eta = 4$  km, on which they are based.

Because of the functional importance of Eq. (2), it would be in order to examine its implications, especially those related to particle size considerations. If we




Figure 2. Wavelength Distributions of the Aerosol Attenuation Coefficient for  $V_\eta = 6$  km and  $V_\eta = 10$  km Derived From  $V_\eta = 4$  km Using Eq. (2). The  $V_\eta = 4$  km curve is obtained from measurements by Curcio, Knestrick and Cosden (1961), which included the wavelength region  $0.40 \leq \lambda \leq 2.17\mu$ . An extrapolation to  $0.27\mu$  permits computations for an overall 20 selected wavelengths,  $0.27 < \lambda < 2.17\mu$ , and 8 meteorological ranges  $2 \leq V_\eta \leq 13$  km. The dash portion of the top curve represents extrapolation

consider a real atmosphere the aerosol sizes within unit volume determine the aerosol attenuation coefficient described by

Table 2. Surface Aerosol Attenuation Coefficients Corresponding to Figure 2

$\lambda$ ( $\mu$ )	$\beta_p(h_0, \lambda, V_\eta)$		
	$V_4$	$V_6$	$V_{10}$
0.27	2.00	1.33	$7.85 \times 10^{-1}$
0.28	1.89	1.25	$7.42 \times 10^{-1}$
0.30	1.78	1.18	$6.98 \times 10^{-1}$
0.32	1.67	1.11	$6.55 \times 10^{-1}$
0.34	1.56	1.03	$6.12 \times 10^{-1}$
0.36	1.45	$9.61 \times 10^{-1}$	$5.69 \times 10^{-1}$
0.38	1.40	$9.28 \times 10^{-1}$	$5.49 \times 10^{-1}$
0.40	1.30	$8.61 \times 10^{-1}$	$5.10 \times 10^{-1}$
0.45	1.15	$7.62 \times 10^{-1}$	$4.51 \times 10^{-1}$
0.50	1.05	$6.96 \times 10^{-1}$	$4.12 \times 10^{-1}$
0.55	$9.66 \times 10^{-1}$	$6.40 \times 10^{-1}$	$3.79 \times 10^{-1}$
0.60	$8.60 \times 10^{-1}$	$5.70 \times 10^{-1}$	$3.37 \times 10^{-1}$
0.65	$7.80 \times 10^{-1}$	$5.17 \times 10^{-1}$	$3.06 \times 10^{-1}$
0.70	$7.30 \times 10^{-1}$	$4.84 \times 10^{-1}$	$2.86 \times 10^{-1}$
0.80	$6.40 \times 10^{-1}$	$4.24 \times 10^{-1}$	$2.51 \times 10^{-1}$
0.90	$5.80 \times 10^{-1}$	$3.84 \times 10^{-1}$	$2.28 \times 10^{-1}$
1.06	$5.20 \times 10^{-1}$	$3.45 \times 10^{-1}$	$2.04 \times 10^{-1}$
1.26	$4.70 \times 10^{-1}$	$3.11 \times 10^{-1}$	$1.84 \times 10^{-1}$
1.67	$4.00 \times 10^{-1}$	$2.65 \times 10^{-1}$	$1.57 \times 10^{-1}$
2.17	$3.60 \times 10^{-1}$	$2.39 \times 10^{-1}$	$1.41 \times 10^{-1}$

$$\beta_p(m, \lambda) = \int_{r_1}^{r_2} \sigma_p(m, r, \lambda) n(r) dr, \quad (3)$$

$$n(r) = N_o(V_\eta) \psi(r) \quad (4)$$

and when combined

$$\beta_p(r, \lambda, V_\eta) = N_o(V_\eta) \int_{r_1}^{r_2} \sigma_p(r, \lambda) \psi(r) dr. \quad (5)$$

In these expressions,  $\beta_p$  is the aerosol attenuation coefficient; the index of refraction is  $m$  (to be omitted following Eq. (3) because subsequent considerations will assume  $m$  invariable);  $r_1$  and  $r_2$  are the lower and upper radii limits of the size distribution  $n(r)$ ;  $N_o$  is a constant proportional to the total number of particles between  $r_1$  and  $r_2$ ;  $\psi$  is the size distribution function (the same for all selected meteorological ranges).

It is implicit in Eq. (5) that  $\beta_p$  and correspondingly the aerosol number density determine the meteorological range ( $V_\eta$ ). The integral in Eq. (5) is a wavelength function independent of the meteorological range, which accounts for the conformity in shape of the curves in Figure 2.

### 3. STATEMENT OF OBJECTIVES

The material thus far has dealt with: (1) the limits of the haze regime (in terms of meteorological range), (2) derivation of spectral aerosol attenuation coefficients ( $0.27 \leq \lambda \leq 2.17\mu$ ) for a series of meteorological ranges, and (3) an examination of the assumptions implicit in the derivation of these coefficients. Now, a statement of objectives can be made. Specifically, aerosol scale heights will be determined for the coefficients in accordance with their meteorological range and their vertical distribution. Then values of the coefficients for km intervals (0-5 km) will be computed. To the coefficients will be added previously published Rayleigh, ozone, and aerosol parameters for altitudes to 50 km (Elterman, 1968) in order to formulate an attenuation model for a haze regime with eight meteorological ranges ( $2 \leq V_\eta \leq 13$  km).

### 4. AEROSOL MIXING LAYER

The procedure for assessing the aerosol attenuation coefficient above the surface can parallel that used for a clear atmosphere (Elterman, 1968), which entails the ap-

plication of a suitable aerosol scale height. As an introduction to scale height considerations, it is noted that, meteorologically, a significant role is assigned to the altitude interval up to several km above the surface. This is a region of strong vertical mixing determined by such factors as heat-transfer across the earth-air interface, advective winds, and consequent turbulence attributable to the region's topography. The resultant vertical flow, mechanical and convective, is characterized, meteorologically, as a mixing depth equivalent to the vertical extent of the mixing layer. When dealing with aerosol attenuation coefficients, aerosol conditions in this layer can be examined in terms of mixing ratios such that for a selected altitude  $h$

$$\frac{\beta_p(h, \lambda)}{\beta_r(h, \lambda)} = \frac{\sigma_p(\lambda)}{\sigma_r(\lambda)} \cdot \frac{N_p(h)}{N_r(h)}, \quad (6)$$

where  $\beta_p$  and  $\beta_r$  are respectively the aerosol and Rayleigh attenuation coefficients ( $\text{cm}^{-1}$ ); and  $N_p$  and  $N_r$  are respectively the aerosol and molecular number densities ( $\text{cm}^{-3}$ ). The terms  $\sigma_p$  and  $\sigma_r$ , which are respectively the aerosol and Rayleigh cross sections ( $\text{cm}^2$ ), tend to remain constant with altitude (a reasonable assumption). Eq. (6) then asserts that  $\beta_p(h, \lambda) / \beta_r(h, \lambda)$ , known as the optical mixing ratio, is proportional to the number density mixing ratio  $N_p(h) / N_r(h)$ . The size distribution for  $N_p$  comprises aerosols sufficiently small to be responsive to the usual factors conducive to mixing. Meteorologically, the mixing depth is considered to be 3 km or less, so that an aerosol mixing depth determined from an optical mixing ratio or a number density mixing ratio or even by direct (in-situ) measurement of  $N_p(h)$  should be in agreement.

The conclusion, however, based on aerosol measurements sufficient to provide a meaningful average, is that the mixing depth normally extends to a greater altitude. Siedentopf's (1944) sky luminance measurements (18 aircraft flights) show that on the average, the aerosol concentration decreases exponentially with altitude and that the scale height undergoes a significant change between 5 and 6 km. Penndorf's (1954) analysis of solar attenuation observations (8 aircraft flights) shows the scale height change to occur at 4.5 km. An examination of Rosen's (1967) balloon photoelectric countermeasurements, selecting only those profiles where the surface layer is readily discerned (37 profiles obtained on ascent, descent and for 2 wavelengths), shows that the average mixing depth is 5.4 km. An analysis of optical probing measurements (Elterman, Wexler, and Chang, 1969) yielded optical mixing ratios which show that the depth of the surface layer averages 5.3 km (79 profiles at  $0.55\mu$  wavelength). Blifford and Renger (1969) completed a series of 22 aerosol collections using an aircraft-mounted impactor. Samples obtained to 9.1 km provide mixing ratios that indicate the mixing depth to be in the range 3-6 km.



Measurement of the atmospheric aerosol distribution has received considerable emphasis in the USSR, for example, in the work of Farapova (1965), who conducted more than 60 aircraft flights in cloudless weather (solar atmospheric attenuation) to 6.5 km altitude, and in the summary by Kondratiev (1969). In general, the USSR findings are compatible with those previously described.

An overall assessment of the results shows that the aerosol content for the low altitudes is characterized by a mixing depth between 4.5 and 5.5 km. As has been mentioned, it is somewhat higher than the mixing depth of the meteorology discipline. However, the difference is understandable when it is considered that in almost all instances, aerosol measurements were conducted over the continent and with cloudless skies, whereas the mixing layer in the meteorological sense represents less limited conditions. Accordingly, the designation "aerosol mixing layer" will be used, and will be assigned a depth of 5 km (considered representative). Within the aerosol mixing layer, considerable variation and stratification (frequently due to inversions) can occur but, on the average, the particle distribution,  $N_p(h)$ , and correspondingly the aerosol attenuation coefficient,  $\beta_p(h)$ , decreases exponentially for the altitude region 0-5 km. The rate of decrease can be expressed as a constant scale height although, as will be shown, not necessarily the same scale height for each meteorological range. At 5 km, effects of mixing are substantially diminished.

##### 5. THE USE AND JUSTIFICATION FOR A SCALE HEIGHT FAMILY

If aerosol conditions at the upper terminus of the aerosol mixing layer are relatively stable compared to those at lower altitudes, as discussed, it suggests that the scale height characterizing the aerosol mixing layer is related to the meteorological range. The existence of such a relationship was examined by means of Figure 3, using  $\lambda = 0.55\mu$ . Specifically, the scale heights were determined by: (1) utilizing the surface values,  $\beta_p(\lambda_{.55}, V_\eta)$ , for the meteorological ranges of interest derived from Eq. (2); and (2) taking from published tabulations (Elterman, 1968) at 5 km the aerosol attenuation coefficient,  $\beta_p(h_5, \lambda_{.55}) = 5.0 \times 10^{-3} \text{ km}^{-1}$ . This quantity (assumed representative because the tabulations are based on 79 sets of measurements) is considered relatively independent of the meteorological range for reasons already given. With surface values and the 5 km value established, the aerosol scale height ( $H_p$ ) was derived for each meteorological range by using

$$\beta_p(h_5, \lambda_{.55}) = \beta_p(h_0, \lambda_{.55}) e^{-h/H_p} \quad (7)$$




Figure 3. Relationships of Four Aerosol Scale Heights ( $H_p$ ) With Meteorological Ranges ( $V_\eta$ ), Aerosol Attenuation Coefficients ( $\beta_p$ ) and Aerosol Mixing Layer Altitudes (0-5 km). The aerosol scale height family was computed using  $\lambda = 0.55\mu$ . The dash line represents values of  $\beta_p(h)$  above 5 km (Elterman, 1968)

It is implicit in this procedure that the derived scale height family is independent of wavelength. With  $H_p$  known, the values for  $\beta_p(h, \lambda)$  can be calculated (using Eq. (7)) for each km interval up to 5 km (the aerosol mixing layer). To summarize, the decrease of  $\beta_p$  with altitude is represented by a family of scale heights and each scale height depends on the meteorological range of interest (Table 1).

The validity of this procedure depends not only on the value but also on the variability of  $\beta_p(h_5, \lambda)$  as it affects the related parameters of interest. In this respect, we note that the aerosol optical thickness up to 5 km,  $\tau_p(h_{0-5}, \lambda)$ , is an important objective; and also that it is obtained by integration, which makes it sensitive to change of its composite elements, especially at low altitudes. Thus, a suitable evaluation of the aerosol scale height family derived in accordance with Figure 3, is to vary  $\beta_p(h_5, \lambda_{.55})$  significantly and to examine the optical thickness and transmission change for the first 5 km and for the several meteorological ranges indicated. This was done by changing  $\beta_p(h_5, \lambda_{.55}) = 5.0 \times 10^{-3} \text{ km}^{-1}$  by a standard deviation,  $\sigma = \pm 3.4 \times 10^{-3}$ . For this calculation, as previously mentioned, the mean  $\beta_p$  and  $\sigma$  values at 5 km altitude were obtained from 79 selected optical probing measurements (Elterman, 1968). The resulting aerosol optical thickness and transmission changes are shown in Figure 4. For the eight meteorological




Figure 4. Comparison of Vertical Optical Thickness and Transmission for  $\pm\sigma$  (Standard Deviation) and a Mean Aerosol Attenuation Coefficient  $\beta_p(h_5, \lambda, 55)$  at the Top of an Aerosol Mixing Layer Having 5 km Depth.  $T$  and  $\tau$  represent the transmission and optical thickness based on  $\beta_p(h_5, \lambda, 55) = 5.0 \times 10^{-3} \text{ km}^{-1}$ , the mean of 79 measurements.  $T_1$  and  $\tau_1$  represent the transmission and optical thickness based on  $\beta_p(h_5, \lambda, 55) - \sigma$ , where  $\sigma = 3.4 \times 10^{-3}$ .  $T_2$  and  $\tau_2$  represent the transmission and optical thickness based on  $\beta_p(h_5, \lambda, 55) + \sigma$ .

ranges, a  $+\sigma$  of the aerosol attenuation coefficient corresponds to an average of 3.6 percent change in vertical transmission (attributable to aerosols only). Similarly, a  $-\sigma$  corresponds to a 6.4 percent vertical transmission change. The changes are unequal due to exponential relationships. These changes are relatively modest especially when it is considered that the aerosol attenuation coefficients representing the meteorological ranges 2 km to 13 km extend over an order of magnitude. Based on this discussion, it is concluded that for conditions of diminished meteorological range in the aerosol mixing layer, there is sufficient justification for the use of an aerosol scale height family, and that the scale height selected is best determined from the meteorological range of interest.

## 6. THE OPTICAL THICKNESS COMPUTATION

Since the aerosol attenuation coefficients,  $\beta_p(h, \lambda, V_\eta)$ , as well as the aerosol scale heights,  $H_p$  (constant for each meteorological range) are known, an analytical expression for the aerosol optical thickness,  $\tau_p$ , was derived as follows:

$$\tau_p(h, \lambda, V_\eta) = \int_0^h \beta_p(h, \lambda, V_\eta) dh. \quad (8)$$

For a given wavelength, the aerosol scale height expression applicable to the haze regime depends on the meteorological range and the vertical distribution of the aerosol attenuation coefficient. Accordingly,

$$\beta_p(h, \lambda, V_\eta) = \beta_p(h_0, \lambda, V_\eta) e^{-h/H_p(V_\eta)}. \quad (9)$$

Combining Eqs. (8) and (9) and integrating,

$$\tau_p(h, \lambda, V_\eta) = H_p(V_\eta) \cdot \beta_p(h_0, \lambda, V_\eta) - H_p(V_\eta) \left[ \beta_p(h_0, \lambda, V_\eta) \cdot e^{-h/H_p(V_\eta)} \right]. \quad (10)$$

Applying Eq. (9) to the bracketed factor in Eq. (10),

$$\tau_p(h, \lambda, V_\eta) = H_p(V_\eta) [\beta_p(h_0, \lambda, V_\eta) - \beta_p(h, \lambda, V_\eta)]. \quad (11)$$

Equation (11) was used to compute the aerosol optical thickness for the combinations of wavelength, altitude, and meteorological range required for Figure 4, and the twenty tabulations (surface to 5 km) in Tables 3.1 to 3.20.

## 7. SUMMARY AND CONCLUDING REMARKS

To formulate an atmospheric attenuation model with meteorological ranges for a haze regime, it was necessary first to define the limits of the haze regime. Following this, eight meteorological ranges were selected within the regime and the surface aerosol attenuation coefficient distribution in wavelength was determined for each meteorological range. From the surface aerosol attenuation coefficients, the  $\beta_p(h, \lambda, V_\eta)$  then were computed for km intervals to 5 km altitude (typical depth of the aerosol mixing layer) by applying a scale height derived for each meteorological range. Optical thickness values required for the model were computed with Eq. (11). Finally, parameters from an earlier published attenuation model (Elterman, 1968) were combined with those derived in this paper, in order to provide continuity to 50 km altitude.

The shortest wavelength used in this model is 0.27 microns. The use of shorter wavelengths would require the treatment of  $O_2$  absorption and its attendant uncertainties. The longest wavelength used is 2.17 microns. Calculations for longer wavelengths are complicated by the presence of absorption bands of  $H_2O$ ,  $CO_2$  and their wings. Also, at longer wavelengths and low altitude haze conditions, absorption by the aerosol itself is an unknown factor. In between, a total of 20 wavelengths is chosen, within the atmospheric windows and for the ultraviolet region where ozone absorption is important (Table 2). If required, a satisfactory interpolation for the optical parameters can be made between wavelengths in the region 0.27 to

about  $1\mu$  because light extinction in this spectral region is caused primarily by scattering and ozone absorption and both processes are slowly varying functions of the wavelength. This is true of the extinction coefficients,  $\beta_{\text{ext}}(\lambda)$ , as well as their components,  $\beta_p(\lambda)$ ,  $\beta_r(\lambda)$ , and generally  $\beta_3(\lambda)$ .

Beyond  $1\mu$ , the computations did not include molecular absorption. Therefore, the tables for wavelengths  $1.06$ ,  $1.26$ ,  $1.67$ , and  $2.17\mu$  represent the IR windows only. The presence of absorption bands due to  $\text{H}_2\text{O}$  and other gases does not permit interpolation between  $1.06 \leq \lambda \leq 2.17\mu$ , the near IR region considered in this model, unless the interpolation is limited to the Rayleigh and aerosol parameters (no ozone absorption present).

## 8. TABULATIONS

The tabulations that follow are in computer notation. For example, read  $5.96 - 2 = 5.96 \times 10^{-2}$  and  $5.96 \ 2 = 5.96 \times 10^2$ .

The format deals systematically with a multiplicity of variables, thus permitting a variety of exploratory calculations. As an example, the extinction coefficients can be used for exploratory transmission calculations. The atmospheric extinction coefficient is the sum of all the attenuating components:

$$\beta_{\text{ext}}(h, \lambda, V_\eta) = \beta_r(h, \lambda) + \beta_3(h, \lambda) + \beta_p(h, \lambda, V_\eta) . \quad (12)$$

For horizontal transmission over a path length ( $d$ ) at selected altitude, wavelength, and meteorological range

$$T_h(h, \lambda, V_\eta) = \exp [-\beta_{\text{ext}}(h, \lambda, V_\eta) \cdot d] . \quad (13)$$

For vertical and slant path transmission from sea level to an altitude of interest at zenith angle  $\theta$ ,

$$T_{0-h}(h, \lambda, V_\eta) = \exp [-\tau_{\text{ext}}(h, \lambda, V_\eta) \cdot \sec \theta] . \quad (14)$$

For vertical and slant path transmission between two altitudes ( $h_1$  and  $h_2$ ) above sea level,

$$T_{\Delta h}(h, \lambda, V_\eta) = \exp -[\tau_{\text{ext}}(h_2, \lambda, V_\eta) - \tau_{\text{ext}}(h_1, \lambda, V_\eta)] \sec \theta . \quad (15)$$

For a vertical and slant path transmission from a selected altitude out into space,

$$T_{h-\infty}(h, \lambda, V_{\eta}) = \exp[-\tau_{\text{ext}}^{\lambda}(h, \lambda, V_{\eta}) \sec \theta]. \quad (16)$$

When used individually, Rayleigh, aerosol, and ozone parameters are formulated similarly.

Table 3.1. Parameters at 0.27 Microns

Wt. Age (hr)	Alt. (km)	Rayleigh atten. (km <sup>-1</sup> )		Rayleigh optical thick. (h-m)		Aerosol atten. coeff. (km <sup>-1</sup> )		Aerosol optical thick. (h-m)		Ozone absorp. coeff. (km <sup>-1</sup> )		Ozone optical thick. (h-m)		Err. coeff. (km <sup>-1</sup> )		Err. optical thick. (h-m)	
		$\beta$	$\tau$	$\tau_r$	$\tau_t$	$\beta$	$\tau$	$\tau_r$	$\tau_t$	$\beta_3$	$\tau_3$	$\beta_3$	$\tau_3$	$\beta_{ext}$	$\tau_{ext}$	$\beta_{ext}$	$\tau_{ext}$
2	0	2.282	-1	-0.000	1.928	6.02	0	-0.000	3.392	7.68	-1	-0.000	73.954	5.50	0	-0.000	76.276
	1	2.071	-1	-0.217	1.710	1.19	0	2.378	1.064	6.85	-1	-0.716	73.244	2.88	0	2.282	73.915
	2	1.875	-1	-0.416	1.513	3.54	-1	3.018	-0.374	6.15	-1	1.164	69.272	1.16	0	6.798	71.678
	3	1.694	-1	-0.593	1.335	1.05	-1	3.223	-1.69	5.25	-1	2.238	64.829	7.99	-1	5.751	73.525
	4	1.526	-1	-0.753	1.174	3.11	-2	3.283	-1.89	4.75	-1	2.536	60.525	6.56	-1	6.473	69.825
	5	1.377	-1	-0.898	1.030	9.21	-3	3.301	-0.91	4.04	-1	2.895	68.051	6.11	-1	7.105	69.171
	10	7.703	-2	1.622	0.505	5.82	-3	3.333	-0.59	7.55	-1	5.596	65.661	2.13	0	12.254	66.274
	15	3.628	-2	1.696	-0.231	4.86	-3	3.360	-0.32	2.89	0	12.261	57.995	3.46	0	14.918	58.754
	20	1.656	-2	1.822	1.06	7.73	-3	3.382	-0.18	3.64	0	25.765	65.191	3.46	0	30.968	65.538
	25	7.467	-3	1.879	-0.69	7.62	-4	3.389	-0.03	3.78	0	65.389	25.367	3.78	0	50.853	25.619
30	1.577	-3	1.917	-0.81	6.06	-5	3.392	-0.00	9.25	-1	66.373	6.576	9.25	-1	71.608	6.508	
30	1.913	-4	1.926	-0.02	1.10	-6	3.392	-0.00	3.91	-2	73.337	-0.025	3.91	-2	76.255	-0.021	
3	0	2.282	-1	-0.000	1.928	2.67	0	-0.000	2.648	7.68	-1	-0.000	73.954	3.65	0	-0.000	76.324
	1	2.071	-1	-0.217	1.710	0.60	-1	1.599	-0.841	6.85	-1	-0.716	73.244	1.75	0	2.532	72.762
	2	1.875	-1	-0.416	1.513	2.77	-1	2.113	-2.327	6.15	-1	1.164	69.272	1.20	0	3.093	71.432
	3	1.694	-1	-0.593	1.335	6.90	-2	2.276	-1.61	5.25	-1	2.238	64.829	7.83	-1	6.087	72.516
	4	1.526	-1	-0.753	1.174	2.86	-2	2.332	-1.08	6.75	-1	2.536	60.525	6.56	-1	5.521	68.825
	5	1.377	-1	-0.898	1.030	9.21	-3	2.349	-0.91	7.55	-1	5.596	65.661	6.11	-1	6.152	69.171
	10	7.703	-2	1.622	0.505	5.82	-3	2.381	-0.59	2.89	0	12.261	57.995	2.13	0	17.299	66.274
	15	3.628	-2	1.696	-0.231	4.86	-3	2.408	-0.32	3.64	0	23.765	65.191	3.46	0	30.968	65.538
	20	1.656	-2	1.822	1.06	7.73	-3	2.429	-0.18	3.78	0	65.389	25.367	3.78	0	69.964	25.619
	25	7.467	-3	1.879	-0.69	7.62	-4	2.436	-0.03	9.25	-1	66.373	6.576	9.25	-1	75.736	6.508
30	1.577	-3	1.917	-0.81	6.06	-5	2.436	-0.00	3.91	-2	73.337	-0.025	3.91	-2	76.305	-0.021	
4	0	2.282	-1	-0.000	1.928	2.00	0	-0.000	1.941	7.68	-1	-0.000	73.954	2.78	0	-0.000	76.425
	1	2.071	-1	-0.217	1.710	6.82	-1	1.225	-0.716	6.85	-1	-0.716	73.244	1.24	0	2.532	72.867
	2	1.875	-1	-0.416	1.513	2.32	-1	1.843	-2.08	6.15	-1	1.164	69.272	1.24	0	3.423	71.602
	3	1.694	-1	-0.593	1.335	7.93	-2	1.785	-1.56	5.25	-1	2.238	64.829	7.24	-1	5.384	73.511
	4	1.526	-1	-0.753	1.174	2.70	-2	1.836	-1.07	6.75	-1	2.536	60.525	6.56	-1	5.823	69.171
	5	1.377	-1	-0.898	1.030	9.21	-3	1.850	-0.91	7.55	-1	5.596	65.661	6.11	-1	6.264	69.171
	10	7.703	-2	1.622	0.505	5.82	-3	1.887	-0.59	2.89	0	12.261	57.995	2.13	0	16.567	66.274
	15	3.628	-2	1.696	-0.231	4.86	-3	1.905	-0.32	3.64	0	25.765	65.191	3.46	0	30.967	65.538
	20	1.656	-2	1.822	1.06	7.73	-3	1.930	-0.18	3.78	0	65.389	25.367	3.78	0	69.968	25.619
	25	7.467	-3	1.879	-0.69	7.62	-4	1.936	-0.03	9.25	-1	66.373	6.576	9.25	-1	73.731	6.508
30	1.577	-3	1.917	-0.81	6.06	-5	1.941	-0.00	3.91	-2	73.337	-0.025	3.91	-2	76.305	-0.021	
5	0	2.282	-1	-0.000	1.928	1.59	0	-0.000	1.629	7.68	-1	-0.000	73.954	2.57	0	-0.000	76.513
	1	2.071	-1	-0.217	1.710	5.89	-1	0.995	-0.84	6.85	-1	-0.716	73.244	1.46	0	2.532	72.504
	2	1.875	-1	-0.416	1.513	2.03	-1	1.350	-2.79	6.15	-1	1.164	69.272	1.20	0	3.132	71.362
	3	1.694	-1	-0.593	1.335	7.26	-2	1.427	-1.52	5.25	-1	2.238	64.829	7.42	-1	6.089	73.527
	4	1.526	-1	-0.753	1.174	2.58	-2	1.522	-1.07	6.75	-1	2.536	60.525	6.56	-1	6.711	69.802
	5	1.377	-1	-0.898	1.030	9.21	-3	1.538	-0.91	7.55	-1	5.596	65.661	6.11	-1	7.384	69.171
	10	7.703	-2	1.622	0.505	5.82	-3	1.570	-0.59	2.89	0	12.261	57.995	2.13	0	16.488	66.274
	15	3.628	-2	1.696	-0.231	4.86	-3	1.577	-0.32	3.64	0	25.765	65.191	3.46	0	30.973	65.538
	20	1.656	-2	1.822	1.06	7.73	-3	1.577	-0.18	3.78	0	65.389	25.367	3.78	0	69.973	25.619
	25	7.467	-3	1.879	-0.69	7.62	-4	1.575	-0.03	9.25	-1	66.373	6.576	9.25	-1	73.731	6.508
30	1.577	-3	1.917	-0.81	6.06	-5	1.575	-0.00	3.91	-2	73.337	-0.025	3.91	-2	76.305	-0.021	

1	2-740	-1	-000	1-826	1-33	2	1-415	7-64	-1	-320	73-954	2-30	5	73-279
1	2-071	-1	-217	1-710	4-91	-1	-840	5-05	-1	-716	70-240	1-36	5	72-525
2	1-875	-1	-414	1-513	1-82	-1	1-351	6-15	-1	1-340	69-593	9-06	-1	71-308
3	1-896	-1	-593	1-335	8-72	-2	1-260	5-25	-1	1-236	69-823	7-82	-1	73-506
4	1-576	-1	-753	1-176	2-49	-2	1-302	6-75	-1	2-336	68-523	6-52	-1	69-891
5	1-372	-1	-898	1-030	9-21	-3	1-424	6-84	-1	2-325	68-051	6-11	-1	69-171
6	7-703	-2	1-577	5-35	5-82	-2	1-358	7-35	-1	5-596	65-641	6-12	-1	5-128
7	3-628	-2	1-696	2-31	4-06	-3	1-303	2-89	3	1-361	57-995	2-13	0	36-044
8	1-656	-2	1-422	1-06	2-74	-3	1-465	3-54	3	2-765	57-995	3-66	0	28-976
9	7-667	-3	1-879	5-49	7-82	-4	1-612	3-78	3	6-589	25-367	3-79	3	65-086
10	1-577	-3	1-917	0-11	6-04	-5	1-615	9-25	-1	66-380	4-576	9-07	-1	69-711
11	1-915	-4	1-926	0-02	1-10	-6	1-615	3-91	-2	73-337	0-020	3-95	-2	73-278

6

1	2-740	-1	-000	1-926	9-46	-1	-000	7-64	-1	-320	73-954	1-36	0	73-279
1	2-071	-1	-217	1-710	3-07	-1	-640	6-05	-1	-716	73-240	1-28	0	72-525
2	1-875	-1	-414	1-513	1-52	-1	-982	5-15	-1	1-336	69-590	9-95	-1	71-308
3	1-896	-1	-593	1-335	5-37	-2	1-260	5-25	-1	1-336	69-820	7-54	-1	70-506
4	1-576	-1	-753	1-176	2-35	-2	1-302	6-75	-1	2-336	68-520	6-54	-1	69-891
5	1-372	-1	-898	1-030	9-21	-3	1-424	6-84	-1	2-325	68-051	6-11	-1	69-171
6	7-703	-2	1-577	5-35	5-82	-3	1-358	7-35	-1	5-596	65-641	6-12	-1	5-128
7	3-628	-2	1-696	2-31	4-06	-3	1-303	2-89	3	1-361	57-995	2-13	0	36-044
8	1-656	-2	1-422	1-06	2-74	-3	1-465	3-54	3	2-765	57-995	3-66	0	28-976
9	7-667	-3	1-879	5-49	7-82	-4	1-612	3-78	3	6-589	25-367	3-79	3	65-086
10	1-577	-3	1-917	0-11	6-04	-5	1-615	9-25	-1	66-380	4-576	9-07	-1	69-711
11	1-915	-4	1-926	0-02	1-10	-6	1-615	3-91	-2	73-337	0-020	3-95	-2	73-278

8

1	2-740	-1	-000	1-926	7-85	-1	-000	7-64	-1	-320	73-954	1-76	0	73-279
1	2-071	-1	-217	1-710	3-23	-1	-520	6-05	-1	-716	73-240	1-21	0	72-525
2	1-875	-1	-414	1-513	1-33	-1	-736	5-15	-1	1-336	69-590	9-35	-1	71-308
3	1-896	-1	-593	1-335	5-45	-2	-821	5-25	-1	1-336	69-820	7-43	-1	70-506
4	1-576	-1	-753	1-176	2-26	-2	-858	6-75	-1	2-336	68-520	6-50	-1	69-891
5	1-372	-1	-898	1-030	9-21	-3	-932	6-84	-1	2-325	68-051	6-11	-1	69-171
6	7-703	-2	1-577	5-35	5-82	-3	-955	7-35	-1	5-596	65-641	6-12	-1	5-128
7	3-628	-2	1-696	2-31	4-06	-3	-932	2-89	3	1-361	57-995	2-13	0	36-044
8	1-656	-2	1-422	1-06	2-74	-3	-953	3-54	3	2-765	57-995	3-66	0	28-976
9	7-667	-3	1-879	5-49	7-82	-4	-960	3-78	3	6-589	25-367	3-79	3	65-086
10	1-577	-3	1-917	0-11	6-04	-5	-963	9-25	-1	66-380	4-576	9-07	-1	69-711
11	1-915	-4	1-926	0-02	1-10	-6	-963	3-91	-2	73-337	0-020	3-95	-2	73-278

10

1	2-740	-1	-000	1-926	5-98	-1	-000	7-64	-1	-320	73-954	1-57	0	73-279
1	2-071	-1	-217	1-710	2-60	-1	-640	6-05	-1	-716	73-240	1-15	0	72-525
2	1-875	-1	-414	1-513	1-13	-1	-582	5-15	-1	1-336	69-590	9-16	-1	71-308
3	1-896	-1	-593	1-335	6-89	-2	-636	5-25	-1	1-336	69-820	7-63	-1	70-506
4	1-576	-1	-753	1-176	2-12	-2	-691	6-75	-1	2-336	68-520	6-48	-1	69-891
5	1-372	-1	-898	1-030	9-21	-3	-766	6-84	-1	2-325	68-051	6-11	-1	69-171
6	7-703	-2	1-577	5-35	5-82	-3	-736	7-35	-1	5-596	65-641	6-12	-1	5-128
7	3-628	-2	1-696	2-31	4-06	-3	-765	2-89	3	1-361	57-995	2-13	0	36-044
8	1-656	-2	1-422	1-06	2-74	-3	-786	3-54	3	2-765	57-995	3-66	0	28-976
9	7-667	-3	1-879	5-49	7-82	-4	-751	3-78	3	6-589	25-367	3-79	3	65-086
10	1-577	-3	1-917	0-11	6-04	-5	-746	9-25	-1	66-380	4-576	9-07	-1	69-711
11	1-915	-4	1-926	0-02	1-10	-6	-747	3-91	-2	73-337	0-020	3-95	-2	73-278

13



Table 3.2. Parameters at 0.28 Microns

Met. Age (km)	Alt. (km)	Rayleigh atten. ( $\text{km}^{-1}$ )	Rayleigh optical thick. (0-h)	Rayleigh optical thick. (h $\rightarrow$ )	Aerosol atten. ( $\text{km}^{-1}$ )	Aerosol optical thick. (0-h)	Aerosol optical thick. (h $\rightarrow$ )	Aerosol optical thick. (h $\rightarrow$ )	Ozone absorp. coeff. ( $\text{km}^{-1}$ )	Ozone optical thick. (0-h)	Ozone optical thick. (h $\rightarrow$ )	Ext. coeff. ( $\text{km}^{-1}$ )	Ext. optical thick. (0-h)	Ext. optical thick. (h $\rightarrow$ )		
$V_n$	$h$	$B$	$T$	$T'$	$P$	$T$	$T'$	$T''$	$\epsilon_3$	$\tau_3$	$\tau_3'$	$\tau_{\text{ext}}$	$\tau_{\text{ext}}$	$\tau_{\text{ext}}$		
2	0	1.948	-1	-0.00	1.665	3.80	0	-0.00	3.197	3.77	-1	35.816	6.37	0	40.658	
	1	1.767	-1	-1.86	1.460	1.12	0	2.197	1.000	3.66	-1	35.655	1.65	0	2.764	37.916
	2	1.600	-1	-3.54	1.231	3.32	-1	2.847	3.50	3.11	-1	35.126	6.03	-1	2.890	36.748
	3	1.446	-1	-5.06	1.139	9.82	-2	3.039	-1.58	2.65	-1	34.039	5.08	-1	4.522	36.136
	4	1.303	-1	-6.63	1.002	2.90	-2	3.055	-0.01	2.40	-1	34.586	3.99	-1	4.982	35.690
	5	1.171	-1	-7.67	0.879	8.58	-3	3.112	-0.85	2.34	-1	34.350	3.60	-1	5.345	35.313
	10	6.576	-2	1.216	0.431	5.42	-3	3.142	-0.55	3.71	-1	33.042	4.62	-1	7.130	33.528
	15	3.096	-2	1.448	0.197	4.53	-3	3.167	-0.29	1.05	0	29.274	1.09	0	11.157	29.501
	20	1.414	-2	1.555	0.090	2.55	-3	3.187	-0.03	1.74	0	22.911	1.76	0	17.747	22.911
	25	6.373	-3	1.603	0.042	7.09	-4	3.194	-0.03	1.91	0	12.804	1.92	0	27.809	12.849
30	1.346	-3	1.636	0.009	5.62	-5	3.156	-0.00	4.57	-1	2.310	4.58	-1	38.338	2.320	
35	1.633	-4	1.644	0.01	1.03	-6	3.157	-0.00	1.97	-2	0.010	1.99	-2	40.667	0.01	
3	0	1.948	-1	-0.00	1.665	2.53	0	-0.00	2.299	3.77	-1	35.816	3.13	0	39.760	
	1	1.767	-1	-1.86	1.460	8.10	-1	1.509	-0.790	3.46	-1	35.455	1.33	0	2.056	37.704
	2	1.600	-1	-3.54	1.231	2.60	-1	1.593	-0.306	3.11	-1	35.126	7.31	-1	2.036	36.724
	3	1.446	-1	-5.06	1.139	8.34	-2	2.148	-1.150	2.65	-1	34.039	4.93	-1	3.631	36.128
	4	1.303	-1	-6.63	1.002	2.67	-2	2.198	-0.101	2.40	-1	34.586	3.97	-1	4.071	35.689
	5	1.171	-1	-7.67	0.879	8.58	-3	2.214	-0.85	2.34	-1	34.350	3.60	-1	4.447	35.313
	10	6.576	-2	1.216	0.431	5.42	-3	2.244	-0.55	3.71	-1	33.042	4.62	-1	6.232	33.528
	15	3.096	-2	1.448	0.197	4.53	-3	2.269	-0.29	1.05	0	29.274	1.09	0	10.259	29.501
	20	1.414	-2	1.555	0.090	2.55	-3	2.289	-0.03	1.74	0	22.911	1.76	0	16.849	22.911
	25	6.373	-3	1.603	0.042	7.09	-4	2.286	-0.03	1.91	0	12.804	1.92	0	26.931	12.849
30	1.346	-3	1.636	0.009	5.62	-5	2.288	-0.00	4.57	-1	2.310	4.58	-1	37.440	2.320	
35	1.633	-4	1.644	0.01	1.03	-6	2.289	-0.00	1.97	-2	0.010	1.99	-2	39.749	0.01	
4	0	1.948	-1	-0.00	1.665	1.89	0	-0.00	1.828	3.77	-1	35.815	2.46	0	39.289	
	1	1.767	-1	-1.86	1.460	6.42	-1	1.156	-0.72	3.46	-1	35.455	1.16	0	1.703	37.584
	2	1.600	-1	-3.54	1.231	2.18	-1	1.549	-0.279	3.11	-1	35.126	6.89	-1	2.592	36.697
	3	1.446	-1	-5.06	1.139	7.42	-2	1.683	-1.45	2.62	-1	34.039	4.84	-1	3.166	36.124
	4	1.303	-1	-6.63	1.002	2.52	-2	1.728	-1.00	2.40	-1	34.586	3.95	-1	3.401	35.369
	5	1.171	-1	-7.67	0.879	8.58	-3	1.744	-0.85	2.34	-1	34.350	3.63	-1	3.977	35.313
	10	6.576	-2	1.216	0.431	5.42	-3	1.774	-0.55	3.71	-1	33.042	4.62	-1	5.761	33.528
	15	3.096	-2	1.448	0.197	4.53	-3	1.799	-0.29	1.05	0	29.274	1.09	0	9.789	29.501
	20	1.414	-2	1.555	0.090	2.55	-3	1.818	-0.03	1.74	0	22.911	1.76	0	16.378	22.911
	25	6.373	-3	1.603	0.042	7.09	-4	1.825	-0.03	1.91	0	12.804	1.92	0	26.443	12.849
30	1.346	-3	1.636	0.009	5.62	-5	1.828	-0.00	4.57	-1	2.310	4.58	-1	36.970	2.320	
35	1.633	-4	1.644	0.01	1.03	-6	1.828	-0.00	1.97	-2	0.010	1.99	-2	39.278	0.01	
5	0	1.948	-1	-0.00	1.665	1.51	0	-0.00	1.534	3.77	-1	35.16	2.08	0	38.995	
	1	1.767	-1	-1.86	1.460	5.36	-1	0.939	-0.595	3.46	-1	35.455	1.04	0	1.486	37.509
	2	1.600	-1	-3.54	1.231	1.91	-1	1.213	-0.261	3.11	-1	35.126	6.61	-1	2.316	36.619
	3	1.446	-1	-5.06	1.139	6.78	-2	1.392	-1.42	2.65	-1	34.039	4.77	-1	2.875	36.120
	4	1.303	-1	-6.63	1.002	2.41	-2	1.434	-1.00	2.40	-1	34.586	3.94	-1	3.307	35.688
	5	1.171	-1	-7.67	0.879	8.58	-3	1.449	-0.85	2.34	-1	34.350	3.60	-1	3.682	35.313
	10	6.576	-2	1.216	0.431	5.42	-3	1.479	-0.55	3.71	-1	33.042	4.62	-1	5.467	33.528
	15	3.096	-2	1.448	0.197	4.53	-3	1.504	-0.29	1.05	0	29.274	1.09	0	9.494	29.501
	20	1.414	-2	1.555	0.090	2.55	-3	1.524	-0.03	1.74	0	22.911	1.76	0	16.064	22.911
	25	6.373	-3	1.603	0.042	7.09	-4	1.531	-0.03	1.91	0	12.804	1.92	0	26.146	12.849
30	1.346	-3	1.636	0.009	5.62	-5	1.534	-0.00	4.57	-1	2.310	4.58	-1	36.675	2.320	
35	1.633	-4	1.644	0.01	1.03	-6	1.534	-0.00	1.97	-2	0.010	1.99	-2	38.984	0.01	

0	1.948	-1	-0.00	1.665	1.25	0	-0.00	1.332	3.77	-1	.200	35.816	1.82	0	.000	38.794
1	1.767	-1	-1.86	1.653	4.62	-1	.793	.540	3.66	-1	.361	35.855	9.86	-1	1.340	37.454
2	1.600	-1	-3.54	1.271	1.71	-1	1.085	.247	3.11	-1	.590	35.126	6.41	-1	2.128	36.665
3	1.446	-1	-5.06	1.139	6.30	-2	1.493	.139	2.65	-1	.977	34.839	4.73	-1	2.076	36.117
4	1.303	-1	-6.63	1.002	2.32	-2	1.833	.099	2.40	-1	1.230	34.586	3.93	-1	3.106	35.688
5	1.171	-1	-8.27	.879	4.58	-3	1.248	.085	2.34	-1	1.667	34.350	3.60	-1	3.481	35.313
6	0.574	-2	-1.214	.631	6.58	-3	1.278	.055	3.71	-1	2.774	33.042	4.42	-1	5.266	33.528
7	3.096	-2	1.548	.197	4.52	-3	1.303	.029	1.05	0	6.542	29.274	1.09	0	9.293	29.501
8	6.414	-2	1.555	.090	6.55	-3	1.323	.010	1.74	0	13.205	22.811	1.76	0	15.883	22.911
9	6.373	-3	1.603	.042	7.09	-4	1.329	.003	1.91	0	23.312	12.804	1.92	0	25.944	12.849
10	1.346	-3	1.636	.009	5.62	-5	1.332	.000	4.57	-1	33.306	2.310	4.58	-1	36.474	2.320
11	1.633	-4	1.644	.001	1.03	-6	1.332	.000	1.97	-2	35.306	.010	1.99	-2	38.782	.011

6

3	1.948	-1	-0.00	1.645	9.31	-1	-0.00	1.069	3.77	-1	.200	35.816	1.50	0	.000	38.530
4	1.767	-1	-1.86	1.653	3.65	-1	.604	.464	3.66	-1	.361	35.855	8.87	-1	1.151	37.379
5	1.600	-1	-3.54	1.271	1.43	-1	.841	.228	3.11	-1	.590	35.126	6.13	-1	1.884	36.646
6	1.446	-1	-5.06	1.139	5.59	-2	.934	.135	2.65	-1	.977	34.839	4.65	-1	2.417	36.113
7	1.303	-1	-6.63	1.002	2.19	-2	.970	.099	2.40	-1	1.230	34.586	3.92	-1	2.843	35.687
8	1.171	-1	-8.27	.879	8.58	-3	.584	.085	2.34	-1	1.667	34.350	3.60	-1	3.2. .	35.313
9	0.574	-2	-1.214	.631	5.42	-3	1.014	.055	3.71	-1	2.774	33.042	4.42	-1	5.002	33.528
10	3.096	-2	1.548	.197	4.55	-3	1.039	.029	1.05	0	6.542	29.274	1.09	0	9.029	29.501
11	6.414	-2	1.555	.090	6.55	-3	1.059	.010	1.74	0	13.205	22.811	1.76	0	15.619	22.911
12	6.373	-3	1.603	.042	7.09	-4	1.066	.003	1.91	0	23.312	12.804	1.92	0	25.681	12.849
13	1.346	-3	1.636	.009	5.62	-5	1.069	.000	4.57	-1	33.306	2.310	4.58	-1	36.210	2.320
14	1.633	-4	1.644	.001	1.03	-6	1.069	.000	1.97	-2	35.306	.010	1.99	-2	38.519	.011

8

0	1.948	-1	-0.00	1.645	7.42	-1	-0.00	.906	3.77	-1	.200	35.816	1.31	0	.000	38.368
1	1.767	-1	-1.86	1.653	3.04	-1	.451	.416	3.66	-1	.361	35.855	8.26	-1	1.038	37.330
2	1.600	-1	-3.54	1.271	1.25	-1	.652	.215	3.11	-1	.590	35.126	5.95	-1	1.735	36.633
3	1.446	-1	-5.06	1.139	5.11	-2	.716	.132	2.65	-1	.977	34.839	4.61	-1	2.257	36.110
4	1.303	-1	-6.63	1.002	2.09	-2	.818	.098	2.40	-1	1.230	34.586	3.91	-1	2.681	35.687
5	1.171	-1	-8.27	.879	8.58	-3	.822	.085	2.34	-1	1.667	34.350	3.60	-1	3.055	35.313
6	0.574	-2	-1.214	.631	5.42	-3	.852	.055	3.71	-1	2.774	33.042	4.42	-1	4.840	33.528
7	3.096	-2	1.548	.197	4.55	-3	.877	.029	1.05	0	6.542	29.274	1.09	0	8.867	29.501
8	6.414	-2	1.555	.090	6.55	-3	.857	.010	1.74	0	13.205	22.811	1.76	0	15.457	22.911
9	6.373	-3	1.603	.042	7.09	-4	.903	.003	1.91	0	23.312	12.804	1.92	0	25.518	12.849
10	1.346	-3	1.636	.009	5.62	-5	.906	.000	4.57	-1	33.306	2.310	4.58	-1	36.048	2.320
11	1.633	-4	1.644	.001	1.03	-6	.906	.000	1.97	-2	35.306	.010	1.99	-2	38.356	.011

10

0	1.948	-1	-0.00	1.645	5.65	-1	-0.00	.749	3.77	-1	.200	35.816	1.14	0	.000	38.211
1	1.767	-1	-1.86	1.653	2.45	-1	.383	.366	3.66	-1	.361	35.855	7.67	-1	.920	37.281
2	1.600	-1	-3.54	1.271	1.06	-1	.549	.201	3.11	-1	.590	35.126	5.76	-1	1.592	36.619
3	1.446	-1	-5.06	1.139	4.58	-2	.620	.129	2.65	-1	.977	34.839	4.55	-1	2.103	36.107
4	1.303	-1	-6.63	1.002	1.98	-2	.651	.078	2.40	-1	1.230	34.586	3.90	-1	2.524	35.687
5	1.171	-1	-8.27	.879	8.58	-3	.665	.085	2.34	-1	1.667	34.350	3.60	-1	2.898	35.313
6	0.574	-2	-1.214	.631	5.42	-3	.695	.055	3.71	-1	2.774	33.042	4.42	-1	4.683	33.528
7	3.096	-2	1.548	.197	4.55	-3	.720	.029	1.05	0	6.542	29.274	1.09	0	8.710	29.501
8	6.414	-2	1.555	.090	6.55	-3	.740	.010	1.74	0	13.205	22.811	1.76	0	15.300	22.911
9	6.373	-3	1.603	.042	7.09	-4	.746	.003	1.91	0	23.312	12.804	1.92	0	25.361	12.849
10	1.346	-3	1.636	.009	5.62	-5	.749	.000	4.57	-1	33.306	2.310	4.58	-1	35.891	12.849
11	1.633	-4	1.644	.001	1.03	-6	.749	.000	1.97	-2	35.306	.010	1.99	-2	38.199	.011

13

Table 3.3. Parameters at 0.30 Microns

Met. Rge	Alt. (km)	h	Rayleigh atten. coeff. (km <sup>-1</sup> )	Rayleigh optical thick. (0-h)	Rayleigh optical thick. (h-e)	Aerosol atten. coeff. (km <sup>-1</sup> )	Aerosol optical thick. (0-h)	Aerosol optical thick. (h-e)	Uzone absorp. coeff. (km <sup>-1</sup> )	Ozone optical thick. (0-h)	Ozone optical thick. (h-e)	Ext. coeff. (km <sup>-1</sup> )	Ext. optical thick. (0-h)	Ext. optical thick. (h-e)
V <sub>n</sub>			β	τ	τ'	β	τ <sub>p</sub>	τ' <sub>p</sub>	β <sub>3</sub>	τ <sub>3</sub>	τ' <sub>3</sub>	β <sub>ext</sub>	τ <sub>ext</sub>	τ' <sub>ext</sub>
2	3		1.446 -1	-0.000	1.222	3.58 0	-0.000	3.023	3.63 -2	.300	3.413	3.76 0	-0.000	7.657
	1		1.317 -1	-1.138	1.084	1.06 0	2.023	-0.203	3.29 -2	.334	3.378	1.23 0	2.245	5.412
	2		1.184 -1	-2.63	.959	3.16 -1	2.688	-0.335	2.96 -2	.366	3.347	4.64 -1	3.017	4.640
	3		1.073 -1	-4.76	.846	9.37 -2	2.471	-0.452	2.72 -2	.393	3.320	2.26 -1	3.340	4.317
	4		9.672 -2	-6.77	.744	2.18 -2	2.925	-0.598	2.28 -2	.417	3.295	1.47 -1	3.520	4.137
	5		4.693 -2	-5.69	.652	8.26 -3	2.942	-0.81	2.23 -2	.440	3.273	1.18 -1	3.650	4.007
	10		4.481 -2	-9.01	.520	5.22 -3	2.970	-0.53	3.53 -2	.464	3.168	8.94 -2	4.136	3.521
	15		2.749 -2	-1.075	.467	4.36 -3	2.995	-0.28	1.00 -1	.489	2.789	1.28 -1	4.136	2.964
	20		1.050 -2	-1.154	.367	7.45 -3	3.014	-0.09	1.66 -1	.513	2.789	1.79 -1	4.603	2.250
	25		4.737 -3	-1.191	.331	6.83 -3	3.020	-0.03	1.82 -1	.529	1.220	1.87 -1	6.403	1.254
3	30		4.940 -4	-1.214	.307	5.41 -3	3.023	-0.00	4.35 -2	3.193	1.220	1.87 -1	7.430	.227
	35		1.717 -4	-1.221	.301	9.91 -7	3.023	-0.00	1.88 -3	3.512	.001	2.00 -3	7.655	.002
	40		1.446 -1	-0.000	1.222	2.38 0	-0.000	2.175	3.60 -2	.300	3.413	2.56 0	-0.000	6.809
	1		1.317 -1	-1.138	1.084	7.66 -1	1.424	-0.751	3.29 -2	.334	3.378	9.31 -1	1.596	5.213
	2		1.184 -1	-2.63	.959	2.47 -1	1.882	-0.292	2.96 -2	.366	3.320	4.95 -1	2.211	4.598
	3		1.073 -1	-4.76	.846	7.96 -2	2.030	-0.144	2.52 -2	.393	3.273	2.12 -1	2.499	4.310
	4		9.672 -2	-6.77	.744	2.56 -2	2.078	-0.097	2.28 -2	.417	3.295	1.45 -1	2.672	4.136
	5		4.693 -2	-5.69	.652	8.26 -3	2.053	-0.81	2.23 -2	.440	3.168	1.16 -1	2.802	4.007
	10		4.481 -2	-9.01	.520	5.22 -3	2.122	-0.53	3.53 -2	.464	3.168	8.94 -2	3.288	3.521
	15		2.749 -2	-1.075	.467	4.36 -3	2.146	-0.28	1.00 -1	.489	2.789	1.28 -1	3.844	2.964
4	20		1.050 -2	-1.154	.367	7.45 -3	2.165	-0.05	1.66 -1	.513	2.789	1.79 -1	4.559	2.250
	25		4.737 -3	-1.191	.331	6.83 -3	2.172	-0.00	1.82 -1	.529	1.220	1.87 -1	5.555	1.254
	30		4.940 -4	-1.214	.307	5.41 -3	2.174	-0.00	4.35 -2	3.193	1.220	1.87 -1	6.581	.227
	35		1.717 -4	-1.221	.301	9.91 -7	2.175	-0.00	1.88 -3	3.512	.001	2.00 -3	6.807	.002
	40		1.446 -1	-0.000	1.222	2.38 0	-0.000	1.730	3.60 -2	.300	3.413	1.96 0	-0.000	6.364
	1		1.317 -1	-1.138	1.084	6.08 -1	1.091	-0.639	2.96 -2	.334	3.378	7.72 -1	1.263	5.101
	2		1.184 -1	-2.63	.959	7.08 -1	1.463	-0.267	2.96 -2	.366	3.347	3.56 -1	1.792	4.573
	3		1.073 -1	-4.76	.846	7.09 -2	1.591	-0.140	2.52 -2	.393	3.320	2.03 -1	2.059	4.305
	4		9.672 -2	-6.77	.744	2.42 -2	1.634	-0.096	2.28 -2	.417	3.295	1.44 -1	2.229	4.136
	5		4.693 -2	-5.69	.652	8.26 -3	1.649	-0.81	2.23 -2	.440	3.168	1.18 -1	2.358	4.007
5	10		4.481 -2	-9.01	.520	5.22 -3	1.678	-0.53	3.53 -2	.464	3.168	8.94 -2	2.843	3.521
	15		2.749 -2	-1.075	.467	4.36 -3	1.678	-0.28	1.00 -1	.489	2.789	1.28 -1	3.400	2.964
	20		1.050 -2	-1.154	.367	7.45 -3	1.721	-0.00	1.66 -1	.513	2.789	1.79 -1	4.114	2.250
	25		4.737 -3	-1.191	.331	6.83 -3	1.727	-0.00	1.82 -1	.529	1.220	1.87 -1	5.111	1.254
	30		4.940 -4	-1.214	.307	5.41 -3	1.730	-0.00	4.35 -2	3.193	1.220	1.87 -1	6.137	.227
	35		1.717 -4	-1.221	.301	9.91 -7	1.730	-0.00	1.88 -3	3.512	.001	2.00 -3	6.362	.002
	40		1.446 -1	-0.000	1.222	2.38 0	-0.000	1.730	3.60 -2	.300	3.413	1.96 0	-0.000	6.364
	1		1.317 -1	-1.138	1.084	5.07 -1	1.084	-0.686	2.96 -2	.334	3.378	7.72 -1	1.263	5.101
	2		1.184 -1	-2.63	.959	6.41 -1	1.203	-0.366	2.96 -2	.366	3.347	3.30 -1	1.058	4.555
	3		1.073 -1	-4.76	.846	6.47 -2	1.316	-0.196	2.52 -2	.393	3.320	1.97 -1	1.784	4.302
4		9.672 -2	-6.77	.744	2.31 -2	1.356	-0.096	2.28 -2	.417	3.295	1.43 -1	1.951	4.135	
5		4.693 -2	-5.69	.652	8.26 -3	1.371	-0.81	2.23 -2	.440	3.168	1.18 -1	2.079	4.007	
10		4.481 -2	-9.01	.520	5.22 -3	1.359	-0.53	3.53 -2	.464	3.168	8.94 -2	2.965	3.521	
15		2.749 -2	-1.075	.467	4.36 -3	1.424	-0.28	1.00 -1	.489	2.789	1.28 -1	3.122	2.964	
20		1.050 -2	-1.154	.367	7.45 -3	1.443	-0.09	1.66 -1	.513	2.789	1.79 -1	3.836	2.250	
25		4.737 -3	-1.191	.331	6.83 -3	1.443	-0.00	1.82 -1	.529	1.220	1.87 -1	4.832	1.254	
30		4.940 -4	-1.214	.307	5.41 -3	1.452	-0.00	4.35 -2	3.193	1.220	1.87 -1	5.859	.227	
35		1.717 -4	-1.221	.301	9.91 -7	1.452	-0.00	1.88 -3	3.512	.001	2.00 -3	6.084	.002	

1	1.444	-1	.000	1.222	1.118	0	-000	1.262	3.60	-2	.200	3.613	1.36	0	.000	5.896
2	1.312	-1	-136	1.084	4.37	-1	.748	.516	3.29	-2	.234	3.378	6.01	-1	.920	4.976
3	1.188	-1	-263	.959	1.62	-1	1.025	.236	2.96	-2	.366	3.347	3.11	-1	1.353	4.542
4	1.073	-1	-376	.846	6.01	-2	1.124	.134	2.52	-2	.493	3.320	1.91	-1	1.597	4.299
5	9.672	-2	-677	.744	2.23	-2	1.164	-.096	2.28	-2	.624	3.295	1.62	-1	1.761	4.135
6	8.693	-2	-569	.652	8.26	-3	1.180	.081	2.23	-2	.840	3.273	1.18	-1	1.889	4.007
7	8.681	-2	-901	.520	5.22	-3	1.209	-.028	3.53	-2	1.064	3.168	0.94	-2	2.375	3.924
8	2.799	-2	1.075	.167	4.36	-3	1.233	-.028	1.00	-1	1.239	2.789	1.28	-1	2.932	2.964
9	1.050	-2	1.154	.067	2.85	-3	1.252	-.009	1.86	-1	1.239	2.173	1.79	-1	3.646	2.250
10	4.737	-3	1.191	.031	6.83	-4	1.259	-.003	1.82	-1	2.193	1.220	1.87	-1	4.642	1.254
11	9.990	-4	1.214	.007	5.41	-5	1.261	-.000	4.35	-2	3.193	.220	4.46	-2	5.669	.227
12	1.212	-4	1.221	.001	9.91	-7	1.262	-.000	1.88	-3	3.412	.001	2.00	-3	5.894	.002

1	1.444	-1	.000	1.222	8.77	-1	.600	1.013	3.60	-2	.200	3.613	1.06	0	.000	5.667
2	1.312	-1	-136	1.084	3.45	-1	.570	.442	3.29	-2	.324	3.378	5.09	-1	.742	4.904
3	1.188	-1	-263	.959	1.36	-1	.755	.218	2.96	-2	.466	3.347	2.84	-1	1.123	4.524
4	1.073	-1	-376	.846	5.36	-2	.885	-.130	2.52	-2	.593	3.320	1.86	-1	1.352	4.295
5	9.672	-2	-677	.744	2.10	-2	.918	-.095	2.28	-2	.840	3.273	1.41	-1	1.512	4.135
6	8.693	-2	-569	.652	8.26	-3	.931	-.081	2.23	-2	1.117	3.295	1.61	-1	1.640	4.007
7	8.681	-2	-901	.520	5.22	-3	.960	-.053	3.53	-2	1.264	3.168	0.94	-2	2.126	3.521
8	2.799	-2	1.075	.167	4.36	-3	.984	-.028	1.00	-1	1.239	2.789	1.28	-1	2.683	2.964
9	1.050	-2	1.154	.067	2.85	-3	1.003	-.009	1.86	-1	1.239	2.173	1.79	-1	3.397	2.250
10	4.737	-3	1.191	.031	6.83	-4	1.010	-.003	1.82	-1	2.193	1.220	1.87	-1	4.393	1.254
11	9.990	-4	1.214	.007	5.41	-5	1.012	-.000	4.35	-2	3.193	.220	4.46	-2	5.420	.227
12	1.212	-4	1.221	.001	9.91	-7	1.013	-.000	1.88	-3	3.412	.001	2.00	-3	5.645	.002

1	1.444	-1	.000	1.222	6.98	-1	.000	.859	3.60	-2	.000	3.613	6.79	-1	.000	5.493
2	1.312	-1	-136	1.084	2.88	-1	.463	.396	3.29	-2	.234	3.378	4.52	-1	.635	4.858
3	1.188	-1	-263	.959	1.18	-1	.654	-.206	2.96	-2	.366	3.347	2.67	-1	.982	4.511
4	1.073	-1	-376	.846	4.87	-2	.732	-.127	2.52	-2	.493	3.320	1.81	-1	1.201	4.293
5	9.672	-2	-677	.744	2.01	-2	.764	-.095	2.28	-2	.624	3.295	1.40	-1	1.359	4.134
6	8.693	-2	-569	.652	8.26	-3	.778	-.081	2.23	-2	.840	3.273	1.18	-1	1.486	4.007
7	8.681	-2	-901	.520	5.22	-3	.807	-.053	3.53	-2	1.064	3.168	0.94	-2	1.972	3.921
8	2.799	-2	1.075	.167	4.36	-3	.831	-.028	1.00	-1	1.239	2.789	1.28	-1	2.529	2.964
9	1.050	-2	1.154	.067	2.85	-3	.850	-.009	1.86	-1	1.239	2.173	1.79	-1	3.283	2.250
10	4.737	-3	1.191	.031	6.83	-4	.856	-.003	1.82	-1	2.193	1.220	1.87	-1	4.239	1.254
11	9.990	-4	1.214	.007	5.41	-5	.859	-.000	4.35	-2	3.193	.220	4.46	-2	5.266	.227
12	1.212	-4	1.221	.001	9.91	-7	.859	-.000	1.88	-3	3.412	.001	2.00	-3	5.491	.002

1	1.444	-1	.000	1.222	5.33	-1	.000	.711	3.60	-2	.200	3.613	7.13	-1	.000	5.345
2	1.312	-1	-136	1.084	2.31	-1	.341	.349	3.29	-2	.334	3.378	3.95	-1	.594	4.811
3	1.188	-1	-263	.959	1.01	-1	.516	.192	2.96	-2	.466	3.347	2.49	-1	.847	4.498
4	1.073	-1	-376	.846	4.37	-2	.587	-.124	2.52	-2	.593	3.320	1.76	-1	1.055	4.290
5	9.672	-2	-677	.744	1.90	-2	.616	-.094	2.28	-2	.840	3.295	1.39	-1	1.211	4.134
6	8.693	-2	-569	.652	8.26	-3	.629	-.081	2.23	-2	1.117	3.273	1.18	-1	1.338	4.007
7	8.681	-2	-901	.520	5.22	-3	.658	-.053	3.53	-2	1.264	3.168	0.94	-2	1.824	3.521
8	2.799	-2	1.075	.167	4.36	-3	.682	-.028	1.00	-1	1.239	2.789	1.28	-1	2.381	2.964
9	1.050	-2	1.154	.067	2.85	-3	.701	-.009	1.86	-1	1.239	2.173	1.79	-1	3.095	2.250
10	4.737	-3	1.191	.031	6.83	-4	.708	-.003	1.82	-1	2.193	1.220	1.87	-1	4.091	1.254
11	9.990	-4	1.214	.007	5.41	-5	.710	-.000	4.35	-2	3.193	.220	4.46	-2	5.118	.227
12	1.212	-4	1.221	.001	9.91	-7	.711	-.000	1.88	-3	3.412	.001	2.00	-3	5.343	.002

6

8

10

13

Table 3.4. Parameters at 0.32 Microns

Met. Rge (km)	Rayleigh atten. (km <sup>-1</sup> )		Rayleigh optical thick. (h-s)		Aerosol atten. (km <sup>-1</sup> )		Aerosol optical thick. (h-s)		Aerosol optical thick. (h-s)		Ozone absorp. coeff. (km <sup>-1</sup> )		Ozone optical thick. (h-s)		Ozone optical thick. (h-s)		Ext. coeff. (km <sup>-1</sup> )		Ext. optical thick. (h-s)	
	$\tau$	$\beta$	$\tau$	$\beta$	$\tau$	$\beta$	$\tau$	$\beta$	$\tau$	$\beta$	$\tau$	$\beta$	$\tau$	$\beta$	$\tau$	$\beta$	$\tau$	$\beta$	$\tau$	$\beta$
2	1	1.098	-1	3.36	0	1.00	0	2.849	2.849	2.849	3.20	0	3.00	3.00	3.47	0	4.080	4.080	4.080	4.080
	2	4.967	-2	1.00	1.949	0	1.949	0	1.949	1.949	2.93	-3	3.03	3.03	1.10	0	2.056	2.056	2.056	2.056
	3	9.070	-2	2.99	-1	2.530	-3	3.19	3.19	3.19	2.63	-3	3.06	3.06	3.92	-1	2.735	2.735	2.735	2.735
	4	8.148	-2	8.92	-2	2.704	-1	1.46	1.46	1.46	2.24	-3	3.04	3.04	1.73	-1	2.997	2.997	2.997	2.997
	5	7.567	-2	3.67	-2	2.755	-2	0.94	0.94	0.94	2.03	-3	3.10	3.10	1.02	-1	3.128	3.128	3.128	3.128
	6	6.599	-2	4.93	-3	2.731	-3	0.78	0.78	0.78	1.98	-3	3.12	3.12	7.59	-2	3.215	3.215	3.215	3.215
	7	4.705	-2	5.02	-3	2.799	-3	0.51	0.51	0.51	3.14	-3	3.24	3.24	4.52	-2	3.506	3.506	3.506	3.506
	8	1.745	-2	4.19	-3	2.822	-2	0.27	0.27	0.27	8.93	-3	3.55	3.55	3.06	-2	3.693	3.693	3.693	3.693
	9	1.967	-4	2.36	-3	2.846	-3	0.09	0.09	0.09	1.67	-2	3.24	3.24	2.51	-2	3.827	3.827	3.827	3.827
	10	3.597	-3	6.57	-4	2.846	-3	0.03	0.03	0.03	1.62	-2	3.24	3.24	2.04	-2	3.945	3.945	3.945	3.945
3	1	1.098	-1	3.36	0	1.00	0	2.849	2.849	2.849	3.20	0	3.00	3.00	3.47	0	4.080	4.080	4.080	4.080
	2	4.967	-2	1.00	1.949	0	1.949	0	1.949	1.949	2.93	-3	3.03	3.03	1.10	0	2.056	2.056	2.056	2.056
	3	9.070	-2	2.99	-1	2.530	-3	3.19	3.19	3.19	2.63	-3	3.06	3.06	3.92	-1	2.735	2.735	2.735	2.735
	4	8.148	-2	8.92	-2	2.704	-1	1.46	1.46	1.46	2.24	-3	3.04	3.04	1.73	-1	2.997	2.997	2.997	2.997
	5	7.567	-2	3.67	-2	2.755	-2	0.94	0.94	0.94	2.03	-3	3.10	3.10	1.02	-1	3.128	3.128	3.128	3.128
	6	6.599	-2	4.93	-3	2.731	-3	0.78	0.78	0.78	1.98	-3	3.12	3.12	7.59	-2	3.215	3.215	3.215	3.215
	7	4.705	-2	5.02	-3	2.799	-3	0.51	0.51	0.51	3.14	-3	3.24	3.24	4.52	-2	3.506	3.506	3.506	3.506
	8	1.745	-2	4.19	-3	2.822	-2	0.27	0.27	0.27	8.93	-3	3.55	3.55	3.06	-2	3.693	3.693	3.693	3.693
	9	1.967	-4	2.36	-3	2.846	-3	0.09	0.09	0.09	1.67	-2	3.24	3.24	2.51	-2	3.827	3.827	3.827	3.827
	10	3.597	-3	6.57	-4	2.846	-3	0.03	0.03	0.03	1.62	-2	3.24	3.24	2.04	-2	3.945	3.945	3.945	3.945
4	1	1.098	-1	3.36	0	1.00	0	2.849	2.849	2.849	3.20	0	3.00	3.00	3.47	0	4.080	4.080	4.080	4.080
	2	4.967	-2	1.00	1.949	0	1.949	0	1.949	1.949	2.93	-3	3.03	3.03	1.10	0	2.056	2.056	2.056	2.056
	3	9.070	-2	2.99	-1	2.530	-3	3.19	3.19	3.19	2.63	-3	3.06	3.06	3.92	-1	2.735	2.735	2.735	2.735
	4	8.148	-2	8.92	-2	2.704	-1	1.46	1.46	1.46	2.24	-3	3.04	3.04	1.73	-1	2.997	2.997	2.997	2.997
	5	7.567	-2	3.67	-2	2.755	-2	0.94	0.94	0.94	2.03	-3	3.10	3.10	1.02	-1	3.128	3.128	3.128	3.128
	6	6.599	-2	4.93	-3	2.731	-3	0.78	0.78	0.78	1.98	-3	3.12	3.12	7.59	-2	3.215	3.215	3.215	3.215
	7	4.705	-2	5.02	-3	2.799	-3	0.51	0.51	0.51	3.14	-3	3.24	3.24	4.52	-2	3.506	3.506	3.506	3.506
	8	1.745	-2	4.19	-3	2.822	-2	0.27	0.27	0.27	8.93	-3	3.55	3.55	3.06	-2	3.693	3.693	3.693	3.693
	9	1.967	-4	2.36	-3	2.846	-3	0.09	0.09	0.09	1.67	-2	3.24	3.24	2.51	-2	3.827	3.827	3.827	3.827
	10	3.597	-3	6.57	-4	2.846	-3	0.03	0.03	0.03	1.62	-2	3.24	3.24	2.04	-2	3.945	3.945	3.945	3.945
5	1	1.098	-1	3.36	0	1.00	0	2.849	2.849	2.849	3.20	0	3.00	3.00	3.47	0	4.080	4.080	4.080	4.080
	2	4.967	-2	1.00	1.949	0	1.949	0	1.949	1.949	2.93	-3	3.03	3.03	1.10	0	2.056	2.056	2.056	2.056
	3	9.070	-2	2.99	-1	2.530	-3	3.19	3.19	3.19	2.63	-3	3.06	3.06	3.92	-1	2.735	2.735	2.735	2.735
	4	8.148	-2	8.92	-2	2.704	-1	1.46	1.46	1.46	2.24	-3	3.04	3.04	1.73	-1	2.997	2.997	2.997	2.997
	5	7.567	-2	3.67	-2	2.755	-2	0.94	0.94	0.94	2.03	-3	3.10	3.10	1.02	-1	3.128	3.128	3.128	3.128
	6	6.599	-2	4.93	-3	2.731	-3	0.78	0.78	0.78	1.98	-3	3.12	3.12	7.59	-2	3.215	3.215	3.215	3.215
	7	4.705	-2	5.02	-3	2.799	-3	0.51	0.51	0.51	3.14	-3	3.24	3.24	4.52	-2	3.506	3.506	3.506	3.506
	8	1.745	-2	4.19	-3	2.822	-2	0.27	0.27	0.27	8.93	-3	3.55	3.55	3.06	-2	3.693	3.693	3.693	3.693
	9	1.967	-4	2.36	-3	2.846	-3	0.09	0.09	0.09	1.67	-2	3.24	3.24	2.51	-2	3.827	3.827	3.827	3.827
	10	3.597	-3	6.57	-4	2.846	-3	0.03	0.03	0.03	1.62	-2	3.24	3.24	2.04	-2	3.945	3.945	3.945	3.945

0	1-098 -1	-000	-927	1-11 0	-000	1-191	3-20 -3	-300	-303	1-22 0	-000	2-422
1	9-962 -2	-105	-823	4-12 -1	-703	-688	2-93 -3	-303	-300	5-15 -1	-011	1-611
2	9-070 -2	-199	-728	1-56 -1	-226	-226	2-63 -3	-306	-298	2-46 -1	1-170	1-251
3	8-148 -2	-285	-642	5-72 -2	1-063	-128	2-24 -3	-308	-295	1-41 -1	1-356	1-066
4	7-342 -2	-362	-565	2-13 -2	1-099	-092	2-03 -3	-310	-293	9-48 -2	1-472	-950
5	6-599 -2	-432	-495	7-96 -3	1-113	-078	1-98 -3	-312	-291	7-59 -2	1-957	-865
10	3-705 -2	-684	-243	5-02 -3	1-140	-051	3-14 -3	-324	-280	4-52 -2	1-848	-574
15	1-745 -2	-816	-111	4-19 -3	1-164	-027	8-93 -3	-355	-248	3-06 -2	2-035	-387
20	7-967 -3	-876	-051	2-36 -3	1-182	-009	1-47 -2	-110	-193	2-51 -2	2-168	-253
25	3-592 -3	-904	-024	6-57 -4	1-188	-003	1-62 -2	-195	-108	2-04 -2	2-287	-135
35	7-584 -4	-922	-005	5-21 -5	1-191	-000	3-87 -3	-284	-020	4-68 -3	2-397	-025
50	9-202 -5	-927	-001	9-53 -7	1-191	-000	1-67 -4	-303	-000	2-60 -4	2-421	-001

6

0	1-098 -1	-000	-927	8-23 -1	-000	-956	3-20 -3	-300	-303	9-36 -1	-000	2-187
1	9-962 -2	-105	-823	3-25 -1	-536	-620	2-93 -3	-303	-300	4-28 -1	-000	1-543
2	9-070 -2	-199	-728	1-29 -1	-748	-208	2-43 -3	-308	-298	2-21 -1	-953	1-234
3	8-148 -2	-285	-642	5-08 -2	-832	-125	2-49 -3	-308	-295	1-35 -1	1-125	1-062
4	7-342 -2	-362	-565	2-01 -2	-865	-091	2-03 -3	-310	-293	9-95 -2	1-238	-949
5	6-599 -2	-432	-495	7-94 -3	-878	-078	1-98 -3	-312	-291	7-59 -2	1-323	-865
10	3-705 -2	-684	-243	5-02 -3	-906	-051	3-14 -3	-324	-280	4-52 -2	1-614	-574
15	1-745 -2	-816	-111	4-19 -3	-929	-027	8-93 -3	-355	-248	3-06 -2	1-801	-387
20	7-967 -3	-876	-051	2-36 -3	-947	-009	1-47 -2	-110	-193	2-51 -2	1-934	-253
25	3-592 -3	-904	-024	6-57 -4	-954	-003	1-62 -2	-195	-108	2-04 -2	2-052	-135
35	7-584 -4	-922	-005	5-21 -5	-956	-000	3-87 -3	-284	-020	4-68 -3	2-162	-025
50	9-202 -5	-927	-001	9-53 -7	-956	-000	1-67 -4	-303	-000	2-60 -4	2-186	-001

8

0	1-098 -1	-000	-927	6-55 -1	-000	-812	3-20 -3	-300	-303	7-68 -1	-000	2-042
1	9-962 -2	-105	-823	2-71 -1	-635	-376	2-93 -3	-303	-300	3-74 -1	-543	1-500
2	9-070 -2	-199	-728	1-12 -1	-615	-196	2-63 -3	-306	-298	2-05 -1	-821	1-222
3	8-148 -2	-285	-642	4-64 -2	-690	-122	2-24 -3	-308	-295	1-30 -1	-983	1-059
4	7-342 -2	-362	-565	1-92 -2	-721	-091	2-03 -3	-310	-293	9-47 -2	1-094	-949
5	6-599 -2	-432	-495	7-96 -3	-733	-078	1-98 -3	-312	-291	7-59 -2	1-178	-865
10	3-705 -2	-684	-243	5-02 -3	-761	-051	3-14 -3	-324	-280	4-52 -2	1-469	-574
15	1-745 -2	-816	-111	4-19 -3	-784	-027	8-93 -3	-355	-248	3-06 -2	1-656	-387
20	7-967 -3	-876	-051	2-36 -3	-803	-009	1-47 -2	-110	-193	2-51 -2	1-789	-253
25	3-592 -3	-904	-024	6-57 -4	-809	-003	1-62 -2	-195	-108	2-04 -2	1-908	-135
35	7-584 -4	-922	-005	5-21 -5	-812	-000	3-87 -3	-284	-020	4-68 -3	2-017	-025
50	9-202 -5	-927	-001	9-53 -7	-812	-000	1-67 -4	-303	-000	2-60 -4	2-042	-001

10

0	1-098 -1	-000	-927	5-00 -1	-000	-672	3-20 -3	-300	-303	6-13 -1	-000	1-903
1	9-962 -2	-105	-823	2-18 -1	-340	-332	2-93 -3	-303	-300	3-21 -1	-000	1-455
2	9-070 -2	-199	-728	9-53 -2	-438	-184	2-63 -3	-306	-298	1-88 -1	-693	1-209
3	8-148 -2	-285	-642	4-16 -2	-553	-119	2-24 -3	-308	-295	1-25 -1	-846	1-056
4	7-342 -2	-362	-565	1-82 -2	-581	-091	2-03 -3	-310	-293	9-36 -2	-954	-949
5	6-599 -2	-432	-495	7-94 -3	-594	-078	1-98 -3	-312	-291	7-59 -2	1-038	-865
10	3-705 -2	-684	-243	5-02 -3	-621	-051	3-14 -3	-324	-280	4-52 -2	1-329	-574
15	1-745 -2	-816	-111	4-19 -3	-645	-027	8-93 -3	-355	-248	3-06 -2	1-516	-387
20	7-967 -3	-876	-051	2-36 -3	-663	-009	1-47 -2	-110	-193	2-51 -2	1-649	-253
25	3-592 -3	-904	-024	6-57 -4	-669	-003	1-62 -2	-195	-108	2-04 -2	1-768	-135
35	7-584 -4	-922	-005	5-21 -5	-672	-000	3-87 -3	-284	-020	4-68 -3	1-878	-025
50	9-202 -5	-927	-001	9-53 -7	-672	-000	1-67 -4	-303	-000	2-60 -4	1-902	-001

13

Table 3.5. Parameters at 0.34 Microns

Met. Age	Alt. (km)	h	Rayleigh atten. coeff. (km <sup>-1</sup> )	Rayleigh optical thick. (0-h)	Rayleigh optical thick. (h-w)	Aerosol atten. coeff. (km <sup>-1</sup> )	Aerosol optical thick. (0-h)	Aerosol optical thick. (h-w)	Ozone absorp. coeff. (km <sup>-1</sup> )	Ozone thick. (0-h)	Ozone thick. (h-w)	Ext. coeff. (km <sup>-1</sup> )	Ext. optical thick. (0-h)	Ext. optical thick. (h-w)
V <sub>n</sub>	V <sub>n</sub>	V <sub>n</sub>	β <sub>r</sub>	τ <sub>r</sub>	τ <sub>r</sub>	β <sub>p</sub>	τ <sub>p</sub>	τ <sub>p</sub>	β <sub>3</sub>	τ <sub>3</sub>	τ <sub>3</sub>	β <sub>ext</sub>	τ <sub>ext</sub>	τ <sub>ext</sub>
2	0	0	8.492	-2	-0.00	3.14	0	2.675	2.28	-4	-0.00	3.22	0	3.414
	1	1	7.707	-2	-0.01	9.41	-1	1.824	2.09	-4	-0.00	1.02	0	1.905
	2	2	6.978	-2	-0.01	2.82	-1	2.372	1.88	-4	-0.00	3.52	-1	1.505
	3	3	6.303	-2	-0.01	8.47	-2	2.536	1.60	-4	-0.01	1.48	-1	2.526
	4	4	5.640	-2	-0.01	2.80	-2	2.565	1.45	-4	-0.01	8.24	-2	2.757
	5	5	5.105	-2	-0.01	7.63	-3	2.600	1.41	-4	-0.01	5.88	-2	2.866
	6	6	4.667	-2	-0.01	2.82	-3	2.627	1.24	-4	-0.02	3.37	-2	2.935
	7	7	4.350	-2	-0.01	4.03	-3	2.649	1.05	-3	-0.04	1.82	-2	3.157
	8	8	4.144	-3	-0.01	2.26	-3	2.666	1.05	-3	-0.08	9.48	-3	3.284
	9	9	3.979	-3	-0.01	6.30	-4	2.672	1.15	-3	-0.14	9.48	-3	3.352
3	0	0	8.492	-2	-0.00	2.08	0	1.926	2.28	-4	-0.00	2.17	0	2.665
	1	1	7.707	-2	-0.01	6.79	-1	1.253	2.09	-4	-0.00	7.56	-1	1.334
	2	2	6.978	-2	-0.01	2.21	-1	1.641	1.88	-4	-0.00	2.91	-1	1.816
	3	3	6.303	-2	-0.01	7.19	-2	1.754	1.60	-4	-0.01	1.35	-1	2.015
	4	4	5.640	-2	-0.01	2.84	-2	1.837	1.45	-4	-0.01	8.04	-2	2.118
	5	5	5.105	-2	-0.01	7.63	-3	1.851	1.41	-4	-0.01	5.88	-2	2.186
	6	6	4.667	-2	-0.01	4.02	-3	1.878	1.24	-4	-0.02	3.37	-2	2.409
	7	7	4.350	-2	-0.01	6.03	-3	1.900	1.05	-3	-0.04	1.82	-2	2.535
	8	8	4.144	-3	-0.01	2.26	-3	1.918	1.05	-3	-0.08	9.48	-3	2.603
	9	9	3.979	-3	-0.01	6.30	-4	1.924	1.15	-3	-0.14	9.48	-3	2.637
4	0	0	8.492	-2	-0.00	1.56	0	1.534	2.28	-4	-0.00	1.65	0	2.273
	1	1	7.707	-2	-0.01	5.38	-1	0.960	2.09	-4	-0.00	6.15	-1	1.041
	2	2	6.978	-2	-0.01	1.86	-1	1.291	1.88	-4	-0.00	2.56	-1	1.446
	3	3	6.303	-2	-0.01	6.41	-2	1.406	1.60	-4	-0.01	1.27	-1	1.627
	4	4	5.640	-2	-0.01	2.21	-2	1.445	1.45	-4	-0.01	7.90	-2	1.726
	5	5	5.105	-2	-0.01	7.63	-3	1.459	1.41	-4	-0.01	5.88	-2	1.794
	6	6	4.667	-2	-0.01	4.02	-3	1.485	1.24	-4	-0.02	3.37	-2	2.016
	7	7	4.350	-2	-0.01	6.03	-3	1.508	1.05	-3	-0.04	1.82	-2	2.143
	8	8	4.144	-3	-0.01	2.26	-3	1.525	1.05	-3	-0.08	9.48	-3	2.211
	9	9	3.979	-3	-0.01	6.30	-4	1.531	1.15	-3	-0.14	9.48	-3	2.244
5	0	0	8.492	-2	-0.00	1.24	0	1.288	2.28	-4	-0.00	1.33	0	2.027
	1	1	7.707	-2	-0.01	6.49	-1	0.700	2.09	-4	-0.00	5.24	-1	1.166
	2	2	6.978	-2	-0.01	1.62	-1	1.041	1.88	-4	-0.00	2.32	-1	1.215
	3	3	6.303	-2	-0.01	5.85	-2	1.163	1.60	-4	-0.01	1.22	-1	1.384
	4	4	5.640	-2	-0.01	2.11	-2	1.200	1.45	-4	-0.01	7.81	-2	1.481
	5	5	5.105	-2	-0.01	7.63	-3	1.213	1.41	-4	-0.01	5.88	-2	1.548
	6	6	4.667	-2	-0.01	4.02	-3	1.240	1.24	-4	-0.02	3.37	-2	1.771
	7	7	4.350	-2	-0.01	6.03	-3	1.262	1.05	-3	-0.04	1.82	-2	1.897
	8	8	4.144	-3	-0.01	2.26	-3	1.280	1.05	-3	-0.08	9.48	-3	1.965
	9	9	3.979	-3	-0.01	6.30	-4	1.286	1.15	-3	-0.14	9.48	-3	1.999

3	8-492-7	-000	-717	1-03-3	-000	1-120	2-28-4	-300	-022	1-12-0	-000	1-859
1	7-707-7	-081	-636	3-87-1	-658	-662	2-39-4	-300	-021	4-64-1	-000	1-120
2	6-978-7	-156	-563	1-45-1	-907	-215	1-88-4	-300	-021	2-15-1	1-060	-799
3	6-303-7	-221	-597	5-43-2	-907	-215	1-88-4	-300	-021	1-18-1	1-218	-641
4	5-680-7	-280	-637	2-04-2	1-032	-084	1-45-4	-301	-021	7-73-2	1-313	-566
5	5-105-7	-336	-683	7-63-3	1-045	-075	1-45-4	-301	-021	5-88-2	1-380	-479
6	2-867-7	-529	-186	4-82-3	1-045	-075	1-45-4	-301	-021	3-37-2	1-603	-257
7	1-350-7	-631	-086	4-03-3	1-094	-026	6-36-4	-304	-018	1-82-2	1-130	-130
8	6-164-3	-678	-039	2-26-3	1-111	-009	1-05-3	-308	-014	9-48-3	1-797	-062
9	2-779-3	-699	-018	6-30-4	1-117	-003	1-45-3	-314	-008	4-56-3	1-830	-029
10	5-867-6	-713	-004	5-00-5	1-120	-000	2-76-4	-320	-001	9-13-4	1-853	-006
11	7-119-5	-717	-001	9-14-7	1-120	-000	1-19-5	-322	-000	8-40-5	1-858	-001

6

1	6-492-7	-000	-717	7-69-1	-000	-900	2-28-4	-300	-022	8-54-1	-000	1-639
2	7-707-7	-081	-636	3-06-1	-502	-398	2-09-4	-300	-021	3-83-1	-583	1-056
3	6-978-7	-156	-563	1-21-1	-702	-199	1-88-4	-300	-021	1-91-1	-856	-783
4	6-303-7	-221	-597	4-83-2	-781	-119	1-60-4	-301	-021	1-11-1	1-002	-637
5	5-680-7	-280	-637	1-92-2	-812	-088	1-45-4	-301	-021	7-61-2	1-093	-546
6	5-105-7	-336	-683	7-63-3	-825	-075	1-41-4	-301	-021	5-88-2	1-160	-479
7	2-867-7	-529	-186	4-82-3	-852	-049	2-24-4	-302	-020	3-37-2	1-383	-257
8	1-350-7	-631	-086	4-03-3	-814	-026	6-36-4	-304	-018	1-82-2	1-509	-130
9	6-164-3	-678	-039	2-26-3	-891	-009	1-05-3	-308	-014	9-48-3	1-577	-062
10	2-779-3	-699	-018	6-30-4	-897	-003	1-15-3	-314	-008	4-56-3	1-610	-029
11	5-867-6	-713	-004	5-00-5	-900	-000	2-76-4	-320	-001	9-13-4	1-633	-006
12	7-119-5	-717	-001	9-14-7	-960	-000	1-19-5	-322	-000	8-40-5	1-638	-001

8

1	8-492-7	-000	-717	6-17-1	-000	-764	2-28-4	-300	-022	6-97-1	-000	1-503
2	7-707-7	-081	-636	2-55-1	-408	-357	2-09-4	-300	-021	3-32-1	-489	1-015
3	6-978-7	-156	-563	1-06-1	-577	-187	1-88-4	-300	-021	1-76-1	-732	-772
4	6-303-7	-221	-597	4-41-2	-648	-117	1-60-4	-301	-021	1-07-1	-869	-635
5	5-680-7	-280	-637	1-83-2	-677	-087	1-45-4	-301	-021	7-53-2	-958	-545
6	5-105-7	-336	-683	7-63-3	-689	-075	1-41-4	-301	-021	5-88-2	1-024	-479
7	2-867-7	-529	-186	4-82-3	-716	-049	2-24-4	-302	-020	3-37-2	1-247	-257
8	1-350-7	-631	-086	4-03-3	-738	-026	6-36-4	-304	-018	1-82-2	1-373	-130
9	6-164-3	-678	-039	2-26-3	-756	-009	1-05-3	-308	-014	9-48-3	1-442	-062
10	2-779-3	-699	-018	6-30-4	-762	-003	1-15-3	-314	-008	4-56-3	1-475	-029
11	5-867-6	-713	-004	5-00-5	-764	-000	2-76-4	-320	-001	9-13-4	1-698	-006
12	7-119-5	-717	-001	9-14-7	-764	-000	1-19-5	-322	-000	8-40-5	1-503	-001

10

1	8-492-7	-000	-717	6-67-1	-000	-633	2-28-4	-300	-022	5-52-1	-000	1-372
2	7-707-7	-081	-636	2-05-1	-318	-315	2-09-4	-300	-021	2-82-1	-399	-973
3	6-978-7	-156	-563	9-00-2	-438	-175	1-88-4	-300	-021	1-60-1	-612	-760
4	6-303-7	-221	-597	3-95-2	-519	-114	1-60-4	-301	-021	1-03-1	-740	-632
5	5-680-7	-280	-637	1-76-2	-546	-087	1-45-4	-301	-021	7-43-2	-827	-545
6	5-105-7	-336	-683	7-63-3	-558	-075	1-41-4	-301	-021	5-88-2	-893	-479
7	2-867-7	-529	-186	4-82-3	-565	-049	2-24-4	-302	-020	3-37-2	1-116	-257
8	1-350-7	-631	-086	4-03-3	-607	-026	6-36-4	-304	-018	1-82-2	1-242	-130
9	6-164-3	-678	-039	2-26-3	-624	-009	1-05-3	-308	-014	9-48-3	1-310	-062
10	2-779-3	-699	-018	6-30-4	-630	-003	1-15-3	-314	-008	4-56-3	1-344	-029
11	5-867-6	-713	-004	5-00-5	-633	-000	2-76-4	-320	-001	9-13-4	1-366	-006
12	7-119-5	-717	-001	9-14-7	-633	-000	1-19-5	-322	-000	8-40-5	1-372	-001

13



Table 3.6. Parameters at 0.36 Microns

Wavelength (nm)	Rayleigh atten. coeff. (km <sup>-1</sup> )	Rayleigh optical thick. (0-h)	Rayleigh optical thick. (h-h)	Aerosol atten. coeff. (km <sup>-1</sup> )	Aerosol optical thick. (0-h)	Aerosol optical thick. (h-h)	Ozone absorp. coeff. (km <sup>-1</sup> )	Ozone optical thick. (0-h)	Ozone optical thick. (h-h)	Ext. coeff. (km <sup>-1</sup> )	Ext. optical thick. (0-h)	Ext. optical thick. (h-h)
$\lambda$	$\beta_r$	$\tau_r$	$\tau_r'$	$\beta_p$	$\tau_p$	$\tau_p'$	$\beta_3$	$\tau_3$	$\tau_3'$	$\beta_{ext}$	$\tau_{ext}$	$\tau_{ext}'$
0	6.678 -2	-0.00	-5.64	2.92 0	-0.00	2.521	6.61 -6	-3.00	-0.01	2.98 C	-0.00	3.086
1	6.040 -2	-0.64	-5.01	8.08 -1	1.786	-8.15	5.87 -6	-3.00	-0.01	9.48 -1	1.769	1.316
2	5.487 -2	-1.21	-4.43	2.70 -1	2.225	-2.96	5.27 -6	-0.00	-0.01	3.25 -1	2.346	-0.739
3	4.937 -2	-1.73	-3.91	8.23 -2	2.383	-1.38	4.50 -6	-0.00	-0.01	1.32 -1	2.556	-0.529
4	4.447 -2	-2.20	-3.44	2.50 -2	2.431	-0.90	4.07 -6	-0.00	-0.01	6.97 -2	2.652	-0.434
5	4.015 -2	-2.63	-3.01	7.63 -3	2.446	-0.75	3.98 -6	-0.00	-0.01	4.78 -2	2.709	-0.377
6	3.725 -2	-3.16	-2.68	4.82 -3	2.432	-0.69	6.30 -6	-0.00	-0.01	2.74 -2	2.889	-0.197
7	3.487 -2	-3.66	-2.48	4.03 -3	2.495	-0.26	1.79 -5	-0.00	-0.00	1.67 -2	2.991	-0.094
8	3.285 -2	-4.16	-2.31	2.26 -3	2.512	-0.09	2.95 -5	-0.00	-0.00	7.14 -3	3.046	-0.040
9	3.114 -2	-4.61	-2.14	6.30 -4	2.518	-0.03	3.24 -5	-0.00	-0.00	2.85 -3	3.089	-0.017
10	2.968 -2	-5.01	-2.03	5.00 -5	2.521	-0.00	7.76 -6	-0.00	-0.00	5.19 -4	3.082	-0.003
11	2.838 -2	-5.34	-1.94	9.14 -7	2.521	-0.00	3.35 -7	-0.01	-0.00	5.72 -5	3.085	-0.000
12	2.720 -2	-5.64	-1.86	1.94 0	-0.00	1.818	6.61 -6	-0.00	-0.01	2.00 0	-0.00	2.383
13	2.612 -2	-5.94	-1.79	6.40 -1	1.172	-6.66	5.87 -6	-0.00	-0.01	7.01 -1	1.235	1.147
14	2.514 -2	-6.24	-1.71	2.11 -1	1.559	-2.59	5.27 -6	-0.00	-0.01	2.66 -1	1.640	-0.703
15	2.426 -2	-6.54	-1.63	6.99 -2	1.647	-1.31	4.50 -6	-0.00	-0.01	1.19 -1	1.840	-0.523
16	2.347 -2	-6.84	-1.55	2.31 -2	1.729	-0.89	4.07 -6	-0.00	-0.01	6.78 -2	1.949	-0.433
17	2.276 -2	-7.14	-1.48	7.63 -3	1.743	-0.75	3.98 -6	-0.00	-0.01	4.78 -2	2.006	-0.377
18	2.212 -2	-7.44	-1.41	4.82 -3	1.769	-0.69	6.30 -6	-0.00	-0.01	2.74 -2	2.186	-0.197
19	2.154 -2	-7.74	-1.34	4.03 -3	1.752	-0.26	1.79 -5	-0.00	-0.00	1.67 -2	2.288	-0.094
20	2.102 -2	-8.04	-1.27	2.26 -3	1.809	-0.09	2.95 -5	-0.00	-0.00	7.14 -3	2.343	-0.040
21	2.054 -2	-8.34	-1.20	6.30 -4	1.815	-0.03	3.24 -5	-0.00	-0.00	2.85 -3	2.365	-0.017
22	2.011 -2	-8.64	-1.14	5.00 -5	1.818	-0.00	7.76 -6	-0.01	-0.00	5.19 -4	2.379	-0.003
23	1.972 -2	-8.94	-1.08	9.14 -7	1.818	-0.00	3.35 -7	-0.01	-0.00	5.72 -5	2.382	-0.000
24	1.937 -2	-9.24	-1.02	1.65 0	-0.00	1.449	6.61 -6	-0.00	-0.01	1.52 0	-0.00	2.014
25	1.905 -2	-9.54	-0.96	5.08 -1	-8.86	-5.82	5.87 -6	-0.00	-0.01	5.68 -1	-9.61	1.053
26	1.876 -2	-9.84	-0.91	1.78 -1	1.212	-2.37	5.27 -6	-0.00	-0.01	2.33 -1	1.333	-0.681
27	1.849 -2	-1.01	-0.86	6.22 -2	1.322	-1.27	4.50 -6	-0.00	-0.01	1.12 -1	1.496	-0.518
28	1.824 -2	-1.07	-0.81	2.18 -2	1.361	-0.89	4.07 -6	-0.00	-0.01	6.65 -2	1.581	-0.433
29	1.801 -2	-1.13	-0.76	7.63 -3	1.374	-0.75	3.98 -6	-0.00	-0.01	4.78 -2	1.637	-0.377
30	1.779 -2	-1.19	-0.71	4.82 -3	1.401	-0.69	6.30 -6	-0.00	-0.01	2.74 -2	1.817	-0.197
31	1.759 -2	-1.26	-0.66	4.03 -3	1.423	-0.26	1.79 -5	-0.00	-0.00	1.67 -2	1.920	-0.094
32	1.740 -2	-1.33	-0.61	2.26 -3	1.441	-0.09	2.95 -5	-0.00	-0.00	7.14 -3	1.974	-0.040
33	1.722 -2	-1.40	-0.56	6.30 -4	1.447	-0.03	3.24 -5	-0.00	-0.00	2.85 -3	1.997	-0.017
34	1.705 -2	-1.47	-0.51	5.00 -5	1.449	-0.00	7.76 -6	-0.01	-0.00	5.19 -4	2.011	-0.003
35	1.689 -2	-1.54	-0.46	9.14 -7	1.449	-0.00	3.35 -7	-0.01	-0.00	5.72 -5	2.014	-0.000
36	1.674 -2	-1.61	-0.41	1.16 0	-0.00	1.219	6.61 -6	-0.00	-0.01	1.22 0	-0.00	1.783
37	1.660 -2	-1.68	-0.36	4.23 -1	-7.29	-6.89	5.87 -6	-0.00	-0.01	4.84 -1	-7.93	-0.990
38	1.647 -2	-1.75	-0.31	1.55 -1	-9.96	-2.22	5.27 -6	-0.00	-0.01	2.10 -1	1.118	-0.645
39	1.635 -2	-1.82	-0.26	5.48 -2	1.094	-1.24	4.50 -6	-0.00	-0.01	1.06 -1	1.268	-0.515
40	1.624 -2	-1.89	-0.21	2.08 -2	1.130	-0.88	4.07 -6	-0.00	-0.01	6.55 -2	1.351	-0.433
41	1.614 -2	-1.96	-0.16	7.63 -3	1.143	-0.75	3.98 -6	-0.00	-0.01	4.78 -2	1.406	-0.377
42	1.604 -2	-2.03	-0.11	4.82 -3	1.170	-0.69	6.30 -6	-0.00	-0.01	2.74 -2	1.586	-0.197
43	1.595 -2	-2.10	-0.06	4.03 -3	1.192	-0.26	1.79 -5	-0.00	-0.00	1.67 -2	1.689	-0.094
44	1.587 -2	-2.17	-0.01	2.26 -3	1.210	-0.09	2.95 -5	-0.00	-0.00	7.14 -3	1.743	-0.040
45	1.579 -2	-2.24	0.04	6.30 -4	1.216	-0.03	3.24 -5	-0.00	-0.00	2.85 -3	1.766	-0.017
46	1.572 -2	-2.31	0.09	5.00 -5	1.218	-0.00	7.76 -6	-0.01	-0.00	5.19 -4	1.780	-0.003
47	1.565 -2	-2.38	0.14	9.14 -7	1.219	-0.00	3.35 -7	-0.01	-0.00	5.72 -5	1.783	-0.000

0	6-678 -2	.000	9.61 -1	1.061	6.41 -6	.000	6.41 -6	.001	1.03 0	.000	1.625
1	6-360 -2	.084	3.65 -1	.616	5.87 -6	.000	5.87 -6	.001	4.26 -1	.000	.946
2	6-487 -2	.121	1.39 -1	.850	5.27 -6	.000	5.27 -6	.001	1.94 -1	.000	.654
3	6-957 -2	.173	5.28 -2	.939	4.50 -6	.000	4.50 -6	.001	1.02 -1	.000	.513
4	6-667 -2	.220	7.01 -2	.972	4.07 -6	.000	4.07 -6	.001	6.47 -2	.000	.632
5	6-015 -2	.263	7.63 -3	.985	3.98 -6	.000	3.98 -6	.001	4.78 -2	.000	.377
6	6-015 -2	.616	4.82 -3	1.012	6.30 -6	.000	6.30 -6	.001	2.74 -2	.000	.197
7	2-754 -2	.696	4.03 -3	1.034	1.79 -5	.000	1.79 -5	.001	1.47 -2	.000	.094
8	1-062 -2	.533	2.26 -3	1.052	2.95 -5	.000	2.95 -5	.001	7.14 -3	.000	.040
9	6-487 -3	.550	6.30 -4	1.058	3.24 -5	.000	3.24 -5	.001	2.85 -3	.000	.017
10	2-185 -3	.561	5.00 -5	1.060	7.76 -6	.000	7.76 -6	.001	5.19 -4	.000	.003
11	6-614 -4	.564	9.14 -7	1.061	3.35 -7	.000	3.35 -7	.001	5.72 -5	.000	.000

6

0	6-678 -2	.000	7.14 -1	.854	6.41 -6	.000	6.41 -6	.001	7.01 -1	.000	1.418
1	6-060 -2	.084	2.88 -1	.670	5.87 -6	.000	5.87 -6	.001	3.49 -1	.000	.885
2	6-487 -2	.121	1.16 -1	.659	5.27 -6	.000	5.27 -6	.001	1.71 -1	.000	.638
3	6-957 -2	.173	6.69 -2	.735	4.50 -6	.000	4.50 -6	.001	9.64 -2	.000	.510
4	6-667 -2	.220	1.89 -2	.766	4.07 -6	.000	4.07 -6	.001	6.36 -2	.000	.432
5	6-015 -2	.263	7.63 -3	.778	3.98 -6	.000	3.98 -6	.001	4.78 -2	.000	.377
6	6-015 -2	.616	4.82 -3	.865	6.30 -6	.000	6.30 -6	.001	2.74 -2	.000	.197
7	2-754 -2	.696	4.03 -3	.827	1.79 -5	.000	1.79 -5	.001	1.47 -2	.000	.094
8	1-062 -2	.533	2.26 -3	.845	2.95 -5	.000	2.95 -5	.001	7.14 -3	.000	.040
9	6-487 -3	.550	6.30 -4	.851	3.24 -5	.000	3.24 -5	.001	2.85 -3	.000	.017
10	2-185 -3	.561	5.00 -5	.853	7.76 -6	.000	7.76 -6	.001	5.19 -4	.000	.003
11	6-614 -4	.564	9.14 -7	.854	3.35 -7	.000	3.35 -7	.001	5.72 -5	.000	.000

8

0	6-678 -2	.000	5.69 -1	.660	6.41 -6	.000	6.41 -6	.001	6.36 -1	.000	1.291
1	6-060 -2	.084	2.40 -1	.381	5.87 -6	.000	5.87 -6	.001	3.01 -1	.000	.866
2	6-487 -2	.121	1.01 -1	.542	5.27 -6	.000	5.27 -6	.001	1.56 -1	.000	.627
3	6-957 -2	.173	4.28 -2	.610	4.50 -6	.000	4.50 -6	.001	9.24 -2	.000	.507
4	6-667 -2	.220	1.81 -2	.639	4.07 -6	.000	4.07 -6	.001	6.27 -2	.000	.432
5	6-015 -2	.263	7.63 -3	.651	3.98 -6	.000	3.98 -6	.001	4.78 -2	.000	.377
6	6-015 -2	.616	4.82 -3	.677	6.30 -6	.000	6.30 -6	.001	2.74 -2	.000	.197
7	2-754 -2	.696	4.03 -3	.700	1.79 -5	.000	1.79 -5	.001	1.47 -2	.000	.094
8	1-062 -2	.533	2.26 -3	.717	2.95 -5	.000	2.95 -5	.001	7.14 -3	.000	.040
9	6-487 -3	.550	6.30 -4	.723	3.24 -5	.000	3.24 -5	.001	2.85 -3	.000	.017
10	2-185 -3	.561	5.00 -5	.726	7.76 -6	.000	7.76 -6	.001	5.19 -4	.000	.003
11	6-614 -4	.564	9.14 -7	.726	3.35 -7	.000	3.35 -7	.001	5.72 -5	.000	.000

10

0	6-678 -2	.000	4.34 -1	.602	6.41 -6	.000	6.41 -6	.001	5.01 -1	.000	1.167
1	6-060 -2	.084	1.93 -1	.298	5.87 -6	.000	5.87 -6	.001	2.54 -1	.000	.806
2	6-487 -2	.121	8.62 -2	.430	5.27 -6	.000	5.27 -6	.001	1.41 -1	.000	.616
3	6-957 -2	.173	3.84 -2	.489	4.50 -6	.000	4.50 -6	.001	8.80 -2	.000	.505
4	6-667 -2	.220	1.71 -2	.516	4.07 -6	.000	4.07 -6	.001	6.18 -2	.000	.431
5	6-015 -2	.263	7.63 -3	.527	3.98 -6	.000	3.98 -6	.001	4.78 -2	.000	.377
6	6-015 -2	.616	4.82 -3	.554	6.30 -6	.000	6.30 -6	.001	2.74 -2	.000	.197
7	2-754 -2	.696	4.03 -3	.576	1.79 -5	.000	1.79 -5	.001	1.47 -2	.000	.094
8	1-062 -2	.533	2.26 -3	.568	2.95 -5	.000	2.95 -5	.001	7.14 -3	.000	.040
9	6-487 -3	.550	6.30 -4	.600	3.24 -5	.000	3.24 -5	.001	2.85 -3	.000	.017
10	2-185 -3	.561	5.00 -5	.602	7.76 -6	.000	7.76 -6	.001	5.19 -4	.000	.003
11	6-614 -4	.564	9.14 -7	.602	3.35 -7	.000	3.35 -7	.001	5.72 -5	.000	.000

13

Table 3.7. Parameters at 0.38 microns

Met. Age (hr)	Alt. (km)	Rayleigh atten. coeff. (km <sup>-1</sup> )	Rayleigh optical thick. (0-h)	Rayleigh optical thick. (h-m)	Aerosol atten. coeff. (km <sup>-1</sup> )	Aerosol optical thick. (0-h)	Aerosol optical thick. (h-m)	Ozone absorp. coeff. (km <sup>-1</sup> )	Ozone optical thick. (0-h)	Ozone optical thick. (h-m)	Ext. coeff. km <sup>-1</sup>	Ext. optical thick. (0-h)	Ext. optical thick. (h-m)
V <sub>0</sub>	h	τ	τ	τ	ρ	τ	τ	τ <sub>3</sub>	τ <sub>2</sub>	τ <sub>1</sub>	τ <sub>ext</sub>	τ <sub>ext</sub>	τ <sub>ext</sub>
2	0	5.327 -2	-000	650	2.82 0	-000	2.431	0.	-200	-000	2.87 2	-000	2.881
	1	6.854 -2	-051	399	4.56 -1	1.646	-725	0.	-200	-200	9.04 1	1.607	1.104
	2	4.377 -2	-097	353	2.60 -1	2.146	-265	0.	-000	-000	3.24 1	2.263	4.98
	3	3.954 -2	-136	312	1.91 -2	2.296	-132	0.	-000	-000	1.19 -1	2.437	4.44
	4	3.563 -2	-176	274	2.40 -2	2.345	-086	0.	-000	-000	5.97 -2	2.525	3.43
	5	3.202 -2	-210	243	7.31 -3	2.359	-072	0.	-000	-000	3.93 -2	2.568	3.12
	6	1.798 -2	-232	119	6.81 -3	2.386	-046	0.	-200	-200	2.28 -2	2.716	1.64
	7	8.669 -3	-306	054	3.86 -3	2.406	-025	0.	-000	-000	1.23 -2	2.801	0.79
	8	3.866 -3	-425	025	2.17 -3	2.422	-006	0.	-200	-200	6.24 -3	2.843	0.33
	9	1.743 -3	-639	-011	6.04 -4	2.428	-963	0.	-200	-200	2.75 -3	2.867	0.16
3	0	3.640 -6	-447	-203	6.79 -5	2.440	-960	0.	-200	-200	6.15 -4	2.878	0.23
	1	6.665 -5	-650	-290	8.76 -7	2.431	-208	0.	-000	-000	6.55 -5	2.888	0.002
	2	3.327 -2	-000	650	1.87 0	-000	1.752	0.	-200	-200	1.82 0	-000	2.282
	3	6.854 -2	-051	399	6.17 -1	1.131	-752	0.	-000	-000	9.65 -1	1.181	1.321
	4	4.377 -2	-097	353	7.84 -1	1.503	-249	0.	-000	-000	2.47 -1	1.600	0.62
	5	3.954 -2	-136	312	6.72 -2	1.626	-126	0.	-000	-000	1.37 -1	1.765	0.30
	6	3.563 -2	-176	274	2.72 -2	1.667	-085	0.	-000	-000	5.78 -2	1.893	0.63
	7	3.202 -2	-210	243	7.31 -3	1.688	-872	0.	-000	-000	3.93 -2	1.890	0.312
	8	1.798 -2	-232	119	6.81 -3	1.708	-846	0.	-000	-000	2.28 -2	2.078	0.16
	9	8.669 -3	-306	054	3.86 -3	1.727	-825	0.	-000	-000	1.23 -2	2.123	0.39
4	0	3.640 -6	-447	-203	6.79 -5	2.440	-960	0.	-200	-200	6.15 -4	2.878	0.23
	1	6.665 -5	-650	-290	8.76 -7	2.431	-208	0.	-000	-000	6.55 -5	2.888	0.002
	2	3.327 -2	-000	650	1.87 0	-000	1.752	0.	-200	-200	1.82 0	-000	2.282
	3	6.854 -2	-051	399	6.17 -1	1.131	-752	0.	-000	-000	9.65 -1	1.181	1.321
	4	4.377 -2	-097	353	7.84 -1	1.503	-249	0.	-000	-000	2.47 -1	1.600	0.62
	5	3.954 -2	-136	312	6.72 -2	1.626	-126	0.	-000	-000	1.37 -1	1.765	0.30
	6	3.563 -2	-176	274	2.72 -2	1.667	-085	0.	-000	-000	5.78 -2	1.893	0.63
	7	3.202 -2	-210	243	7.31 -3	1.688	-872	0.	-000	-000	3.93 -2	1.890	0.312
	8	1.798 -2	-232	119	6.81 -3	1.708	-846	0.	-000	-000	2.28 -2	2.078	0.16
	9	8.669 -3	-306	054	3.86 -3	1.727	-825	0.	-000	-000	1.23 -2	2.123	0.39
5	0	3.640 -6	-447	-203	6.79 -5	2.440	-960	0.	-200	-200	6.15 -4	2.878	0.23
	1	6.665 -5	-650	-290	8.76 -7	2.431	-208	0.	-000	-000	6.55 -5	2.888	0.002
	2	3.327 -2	-000	650	1.87 0	-000	1.752	0.	-200	-200	1.82 0	-000	2.282
	3	6.854 -2	-051	399	6.17 -1	1.131	-752	0.	-000	-000	9.65 -1	1.181	1.321
	4	4.377 -2	-097	353	7.84 -1	1.503	-249	0.	-000	-000	2.47 -1	1.600	0.62
	5	3.954 -2	-136	312	6.72 -2	1.626	-126	0.	-000	-000	1.37 -1	1.765	0.30
	6	3.563 -2	-176	274	2.72 -2	1.667	-085	0.	-000	-000	5.78 -2	1.893	0.63
	7	3.202 -2	-210	243	7.31 -3	1.688	-872	0.	-000	-000	3.93 -2	1.890	0.312
	8	1.798 -2	-232	119	6.81 -3	1.708	-846	0.	-000	-000	2.28 -2	2.078	0.16
	9	8.669 -3	-306	054	3.86 -3	1.727	-825	0.	-000	-000	1.23 -2	2.123	0.39



Table 3.8. Parameters at 0.40 Microns

Met. Age	Alt. (km)	Rayleigh atten. coeff. (km <sup>-1</sup> )	Rayleigh optical thick. (0.4)	Rayleigh atten. coeff. (km <sup>-1</sup> )	Aerosol optical thick. (0.4)	Aerosol atten. coeff. (km <sup>-1</sup> )	Aerosol optical thick. (0.4)	Ozone absorp. coeff. (km <sup>-1</sup> )	Ozone optical thick. (0.4)	Ozone optical thick. (0.4)	Ext. coeff. (km <sup>-1</sup> )	Ext. optical thick. (0.4)	Ext. optical thick. (0.4)
<b>2</b>	0	6.403	0.00	2.41	0.00	2.279	0.00	0.00	0.00	0.00	2.46	0.00	2.593
	1	3.935	0.41	7.44	1.528	0.789	0.00	0.00	0.00	0.00	6.24	1.561	1.931
	2	3.546	0.78	7.35	1.976	0.753	0.00	0.00	0.00	0.00	2.71	2.075	5.348
	3	3.196	1.12	7.46	2.113	0.716	0.00	0.00	0.00	0.00	1.40	2.275	3.648
	4	2.878	1.47	7.47	2.154	0.675	0.00	0.00	0.00	0.00	5.29	2.376	2.746
	5	2.587	1.89	7.48	2.197	0.633	0.00	0.00	0.00	0.00	3.22	2.536	2.737
	6	2.341	2.36	7.49	2.240	0.592	0.00	0.00	0.00	0.00	1.85	2.697	1.136
	7	2.141	2.84	7.50	2.282	0.551	0.00	0.00	0.00	0.00	1.82	2.857	0.665
	8	1.988	3.34	7.51	2.324	0.510	0.00	0.00	0.00	0.00	5.31	3.017	0.277
	9	1.881	3.84	7.52	2.366	0.469	0.00	0.00	0.00	0.00	1.93	3.177	0.111
	10	1.817	4.34	7.53	2.408	0.428	0.00	0.00	0.00	0.00	3.39	3.337	0.092
	11	1.791	4.84	7.54	2.450	0.387	0.00	0.00	0.00	0.00	3.68	3.497	0.065
<b>3</b>	0	6.403	0.00	1.74	0.00	1.695	0.00	0.00	0.00	0.00	1.75	0.00	1.949
	1	3.905	0.41	5.66	1.644	0.61	0.00	0.00	0.00	0.00	6.85	1.875	0.806
	2	3.546	0.78	5.66	1.846	0.561	0.00	0.00	0.00	0.00	2.29	1.442	5.466
	3	3.196	1.12	5.66	1.975	0.518	0.00	0.00	0.00	0.00	9.19	1.687	3.642
	4	2.878	1.47	5.66	2.131	0.474	0.00	0.00	0.00	0.00	6.83	1.673	2.746
	5	2.587	1.89	5.66	2.295	0.433	0.00	0.00	0.00	0.00	3.22	1.712	2.757
	6	2.341	2.36	5.66	2.465	0.393	0.00	0.00	0.00	0.00	1.85	1.833	1.136
	7	2.141	2.84	5.66	2.639	0.353	0.00	0.00	0.00	0.00	1.82	1.983	0.645
	8	1.988	3.34	5.66	2.817	0.313	0.00	0.00	0.00	0.00	5.01	2.133	0.277
	9	1.881	3.84	5.66	2.999	0.273	0.00	0.00	0.00	0.00	1.93	2.282	0.111
	10	1.817	4.34	5.66	3.181	0.233	0.00	0.00	0.00	0.00	3.39	2.431	0.092
	11	1.791	4.84	5.66	3.363	0.193	0.00	0.00	0.00	0.00	3.68	2.581	0.065
<b>4</b>	0	6.403	0.00	1.36	0.00	1.278	0.00	0.00	0.00	0.00	1.34	0.00	1.642
	1	3.905	0.41	4.69	1.608	0.78	0.00	0.00	0.00	0.00	6.88	1.861	0.801
	2	3.546	0.78	4.69	1.876	0.722	0.00	0.00	0.00	0.00	1.80	1.154	4.487
	3	3.196	1.12	4.69	2.171	0.671	0.00	0.00	0.00	0.00	6.53	1.283	3.548
	4	2.878	1.47	4.69	2.494	0.620	0.00	0.00	0.00	0.00	4.72	1.416	2.755
	5	2.587	1.89	4.69	2.836	0.570	0.00	0.00	0.00	0.00	3.22	1.555	2.757
	6	2.341	2.36	4.69	3.191	0.520	0.00	0.00	0.00	0.00	1.85	1.694	1.136
	7	2.141	2.84	4.69	3.558	0.470	0.00	0.00	0.00	0.00	1.82	1.833	0.665
	8	1.988	3.34	4.69	3.936	0.420	0.00	0.00	0.00	0.00	5.01	1.973	0.277
	9	1.881	3.84	4.69	4.323	0.370	0.00	0.00	0.00	0.00	1.93	2.112	0.111
	10	1.817	4.34	4.69	4.719	0.320	0.00	0.00	0.00	0.00	3.39	2.251	0.092
	11	1.791	4.84	4.69	5.124	0.270	0.00	0.00	0.00	0.00	3.68	2.390	0.065
<b>5</b>	0	6.403	0.00	1.04	0.00	1.073	0.00	0.00	0.00	0.00	1.08	0.00	1.537
	1	3.905	0.41	3.74	1.608	0.50	0.00	0.00	0.00	0.00	6.13	1.861	0.801
	2	3.546	0.78	3.74	1.846	0.451	0.00	0.00	0.00	0.00	1.70	1.154	4.487
	3	3.196	1.12	3.74	2.113	0.400	0.00	0.00	0.00	0.00	8.07	1.283	3.548
	4	2.878	1.47	3.74	2.408	0.350	0.00	0.00	0.00	0.00	4.64	1.416	2.755
	5	2.587	1.89	3.74	2.729	0.300	0.00	0.00	0.00	0.00	3.22	1.555	2.757
	6	2.341	2.36	3.74	3.071	0.250	0.00	0.00	0.00	0.00	1.85	1.694	1.136
	7	2.141	2.84	3.74	3.434	0.200	0.00	0.00	0.00	0.00	1.82	1.833	0.665
	8	1.988	3.34	3.74	3.817	0.150	0.00	0.00	0.00	0.00	5.01	1.973	0.277
	9	1.881	3.84	3.74	4.219	0.100	0.00	0.00	0.00	0.00	1.93	2.112	0.111
	10	1.817	4.34	3.74	4.641	0.050	0.00	0.00	0.00	0.00	3.39	2.251	0.092
	11	1.791	4.84	3.74	5.084	0.000	0.00	0.00	0.00	0.00	3.68	2.390	0.065

6	1	4-303-7	-000	-364	8-61-1	-000	-933	0	-300	-000	9-06-1	-000	1-297
	2	3-905-7	-041	-323	3-23-1	-549	-385	0	-300	-000	3-62-1	-590	-707
	3	3-536-7	-078	-285	1-21-1	-179	-078	0	-300	-000	1-56-1	-832	-665
	4	3-196-7	-112	-257	4-53-2	-831	-102	0	-300	-000	7-72-2	-943	-354
	5	2-878-7	-142	-221	1-70-2	-860	-073	0	-300	-000	4-57-2	1-002	-295
	6	2-587-7	-169	-194	6-35-3	-831	-063	0	-300	-000	3-22-2	1-040	-257
	7	1-453-7	-204	-095	4-01-3	-893	-040	0	-300	-000	1-85-2	1-161	-136
	8	6-841-3	-320	-044	3-35-3	-912	-022	0	-300	-000	1-02-2	1-231	-065
	9	3-123-3	-344	-020	1-89-3	-926	-007	0	-300	-000	5-01-3	1-270	-027
	10	1-408-3	-354	-009	5-25-4	-931	-002	0	-300	-000	1-93-3	1-285	-011
	11	2-973-4	-361	-002	4-16-5	-933	-000	0	-300	-000	3-39-4	1-295	-002
	12	3-607-5	-363	-000	7-62-7	-933	-000	0	-300	-000	3-68-5	1-297	-000

8	1	4-303-7	-000	-364	4-41-1	-000	-750	0	-300	-000	6-84-1	-000	1-114
	2	3-905-7	-041	-323	2-55-1	-418	-332	0	-300	-000	2-94-1	-459	-654
	3	3-536-7	-078	-285	1-01-1	-545	-185	0	-300	-000	1-37-1	-663	-651
	4	3-196-7	-112	-257	4-02-2	-631	-099	0	-300	-000	7-22-2	-762	-351
	5	2-878-7	-142	-221	1-60-2	-677	-073	0	-300	-000	4-48-2	-819	-295
	6	2-587-7	-169	-194	6-35-3	-687	-063	0	-300	-000	3-22-2	-857	-257
	7	1-453-7	-204	-095	4-01-3	-710	-040	0	-300	-000	1-85-2	-978	-136
	8	6-841-3	-320	-044	3-35-3	-728	-022	0	-300	-000	1-02-2	1-048	-065
	9	3-123-3	-344	-020	1-89-3	-743	-007	0	-300	-000	5-01-3	1-048	-027
	10	1-408-3	-354	-009	5-25-4	-748	-002	0	-300	-000	1-93-3	1-102	-011
	11	2-973-4	-361	-002	4-16-5	-750	-000	0	-300	-000	3-39-4	1-111	-002
	12	3-607-5	-363	-000	7-62-7	-750	-000	0	-300	-000	3-68-5	1-113	-000

10	1	4-303-7	-000	-364	5-10-1	-000	-637	0	-300	-000	5-53-1	-000	1-000
	2	3-905-7	-041	-323	2-12-1	-340	-297	0	-300	-000	2-51-1	-361	-620
	3	3-536-7	-078	-285	8-83-2	-481	-156	0	-300	-000	1-24-1	-559	-441
	4	3-196-7	-112	-257	3-67-2	-540	-097	0	-300	-000	6-87-2	-651	-349
	5	2-878-7	-142	-221	1-53-2	-564	-073	0	-300	-000	4-41-2	-706	-294
	6	2-587-7	-169	-194	6-35-3	-574	-063	0	-300	-000	3-22-2	-744	-257
	7	1-453-7	-204	-095	4-01-3	-587	-040	0	-300	-000	1-85-2	-865	-136
	8	6-841-3	-320	-044	3-35-3	-615	-022	0	-300	-000	1-02-2	-935	-065
	9	3-123-3	-344	-020	1-89-3	-630	-007	0	-300	-000	5-01-3	-973	-027
	10	1-408-3	-354	-009	5-25-4	-635	-002	0	-300	-000	1-93-3	-989	-011
	11	2-973-4	-361	-002	4-16-5	-637	-000	0	-300	-000	3-39-4	-998	-002
	12	3-607-5	-363	-000	7-62-7	-637	-000	0	-300	-000	3-68-5	1-000	-000

13	1	4-303-7	-000	-364	3-89-1	-000	-528	0	-300	-000	4-32-1	-000	-891
	2	3-905-7	-041	-323	1-71-1	-285	-283	0	-300	-000	2-10-1	-306	-585
	3	3-536-7	-078	-285	7-50-2	-381	-146	0	-300	-000	1-10-1	-460	-631
	4	3-196-7	-112	-257	3-29-2	-433	-095	0	-300	-000	6-49-2	-544	-347
	5	2-878-7	-142	-221	1-45-2	-455	-073	0	-300	-000	4-33-2	-597	-294
	6	2-587-7	-169	-194	6-35-3	-465	-063	0	-300	-000	3-22-2	-634	-257
	7	1-453-7	-204	-095	4-01-3	-487	-040	0	-300	-000	1-85-2	-755	-136
	8	6-841-3	-320	-044	3-35-3	-506	-022	0	-300	-000	1-02-2	-826	-065
	9	3-123-3	-344	-020	1-89-3	-520	-007	0	-300	-000	5-01-3	-864	-027
	10	1-408-3	-354	-009	5-25-4	-525	-002	0	-300	-000	1-93-3	-880	-011
	11	2-973-4	-361	-002	4-16-5	-527	-000	0	-300	-000	3-39-4	-899	-002
	12	3-607-5	-363	-000	7-62-7	-528	-000	0	-300	-000	3-68-5	-891	-000

Table 3.9. Parameters at 0.45 Microns

Met. Rge	Alt. (km)	Rayleigh atten. coeff. (km <sup>-1</sup> )	Rayleigh optical thick. (0-h)	Rayleigh optical thick. (h-a)	Aerosol atten. coeff. (km <sup>-1</sup> )	Aerosol optical thick. (0-h)	Aerosol optical thick. (h-a)	Ozone absorp. coeff. (km <sup>-1</sup> )	Ozone optical thick. (0-h)	Ozone optical thick. (h-a)	Ext. coeff. (km <sup>-1</sup> )	Ext. optical thick. (0-h)	Ext. optical thick. (h-a)
V <sub>h</sub>	h	B <sub>r</sub>	T <sub>r</sub>	T <sub>r</sub>	δ <sub>p</sub>	T <sub>p</sub>	T <sub>p</sub>	β <sub>3</sub>	τ <sub>3</sub>	τ <sub>3</sub>	β <sub>ext</sub>	T <sub>ext</sub>	T <sub>ext</sub>
2	0	2.644	-2	-0.00	2.31	0	-0.00	1.25	-0.00	-0.01	2.34	0	2.203
	1	2.490	-2	-0.25	6.96	-1	1.347	1.14	-5	-0.00	7.20	-1	1.372
	2	2.173	-2	-0.48	2.10	-1	1.752	1.03	-5	-0.00	2.31	-1	1.800
	3	1.963	-2	-0.69	6.31	-2	1.874	8.75	-6	-0.00	8.27	-2	1.943
	4	1.769	-2	-0.87	1.90	-2	1.911	7.91	-6	-0.00	3.67	-2	1.998
	5	1.590	-2	-1.04	5.72	-3	1.922	7.73	-6	-0.00	2.16	-2	2.025
	6	1.426	-3	-1.19	3.61	-3	1.942	1.22	-5	-0.00	1.25	-2	2.107
	7	1.270	-3	-1.35	3.02	-3	1.959	3.48	-5	-0.00	7.26	-3	2.156
	8	1.119	-3	-1.51	1.70	-3	1.972	5.74	-5	-0.00	3.67	-3	2.183
	9	0.972	-4	-1.68	6.73	-4	1.978	6.30	-5	-0.00	1.40	-3	2.195
3	0	2.644	-2	-0.00	6.86	-7	1.978	1.51	-5	-0.00	2.35	-4	2.201
	1	2.490	-2	-0.25	1.54	0	-0.00	1.25	-5	-0.00	2.35	-5	2.203
	2	2.173	-2	-0.48	5.02	-1	1.925	1.14	-5	-0.00	1.56	0	1.650
	3	1.963	-2	-0.69	1.66	-1	1.925	1.03	-5	-0.00	5.26	-1	1.950
	4	1.769	-2	-0.87	6.36	-2	1.927	8.75	-6	-0.00	1.86	-1	1.275
	5	1.590	-2	-1.04	1.75	-2	1.928	7.91	-6	-0.00	7.32	-2	1.395
	6	1.426	-3	-1.19	5.72	-3	1.949	7.73	-6	-0.00	3.52	-2	1.445
	7	1.270	-3	-1.35	3.61	-3	1.969	1.22	-5	-0.00	2.16	-2	1.473
	8	1.119	-3	-1.51	3.02	-3	1.989	3.48	-5	-0.00	1.25	-2	1.554
	9	0.972	-4	-1.68	1.70	-3	1.405	5.74	-5	-0.00	7.26	-3	1.602
4	0	2.644	-2	-0.00	6.86	-7	1.925	1.51	-5	-0.00	2.35	-4	1.642
	1	2.490	-2	-0.25	1.15	0	-0.00	1.25	-5	-0.00	1.18	0	1.360
	2	2.173	-2	-0.48	3.98	-1	1.769	1.14	-5	-0.00	4.22	-1	1.734
	3	1.963	-2	-0.69	1.38	-1	1.954	1.03	-5	-0.00	1.60	-1	1.002
	4	1.769	-2	-0.87	6.77	-2	1.038	8.75	-6	-0.00	6.74	-2	1.108
	5	1.590	-2	-1.04	1.65	-2	1.069	7.91	-6	-0.00	3.42	-2	1.156
	6	1.426	-3	-1.19	5.72	-3	1.079	7.73	-6	-0.00	2.16	-2	1.183
	7	1.270	-3	-1.35	3.61	-3	1.099	1.22	-5	-0.00	1.25	-2	1.264
	8	1.119	-3	-1.51	3.02	-3	1.116	3.48	-5	-0.00	7.26	-3	1.312
	9	0.972	-4	-1.68	1.70	-3	1.129	5.74	-5	-0.00	3.67	-3	1.340
5	0	2.644	-2	-0.00	6.86	-7	1.135	1.51	-7	-0.00	2.35	-5	1.352
	1	2.490	-2	-0.25	9.17	-1	-0.00	1.25	-5	-0.00	2.35	-5	1.358
	2	2.173	-2	-0.48	3.32	-1	1.576	1.14	-5	-0.00	9.43	-1	1.000
	3	1.963	-2	-0.69	1.20	-1	1.764	1.03	-5	-0.00	3.56	-1	1.401
	4	1.769	-2	-0.87	6.36	-2	1.840	8.75	-6	-0.00	6.32	-2	1.832
	5	1.590	-2	-1.04	1.58	-2	1.887	7.91	-6	-0.00	3.35	-2	1.929
	6	1.426	-3	-1.19	5.72	-3	1.917	7.73	-6	-0.00	2.16	-2	1.001
	7	1.270	-3	-1.35	3.61	-3	1.934	1.22	-5	-0.00	1.25	-2	1.082
	8	1.119	-3	-1.51	3.02	-3	1.947	3.48	-5	-0.00	7.26	-3	1.131
	9	0.972	-4	-1.68	1.70	-3	1.962	5.74	-5	-0.00	3.67	-3	1.159

2	2-644	-7	-000	-223	7-62	-1	-020	-829	1-25	-5	-300	-001	7-88	-1	-000	1-054
1	2-600	-2	025	-198	2-86	-1	-486	-343	1-14	-5	-300	-001	3-13	-1	-511	-543
2	2-173	-2	048	-175	1-08	-1	-669	-161	1-03	-5	-300	-001	1-29	-1	-717	-337
3	1-963	-2	089	-155	4-08	-2	-757	-092	8-75	-6	-300	-001	6-04	-2	-806	-248
4	1-769	-2	087	-136	1-52	-2	-763	-066	7-91	-6	-300	-001	3-29	-2	-851	-203
5	1-590	-2	104	-119	5-72	-3	-810	-056	7-73	-6	-300	-001	2-16	-2	-877	-177
10	8-926	-3	165	-059	3-61	-3	-823	-036	1-22	-5	-300	-001	1-25	-2	-958	-096
15	8-704	-3	197	-027	3-02	-3	-830	-029	3-68	-5	-300	-001	7-26	-3	-1-004	-047
20	1-919	-3	211	-012	1-70	-3	-823	-007	5-74	-5	-300	-001	3-67	-3	-1-034	-020
25	8-652	-4	218	-006	4-73	-4	-829	-002	6-30	-5	-301	-000	1-40	-3	-1-046	-008
30	1-827	-4	222	-001	3-75	-5	-829	-000	1-51	-5	-301	-000	2-35	-4	-1-052	-001
35	2-717	-5	223	-000	6-86	-7	-829	-000	6-51	-7	-301	-000	2-35	-5	-1-054	-000

6

3	2-644	-7	-000	-223	5-67	-1	-000	-667	1-25	-5	-300	-001	5-93	-1	-000	-891
1	2-600	-2	025	-198	2-26	-1	-371	-296	1-14	-5	-300	-001	2-50	-1	-396	-495
2	2-173	-2	048	-175	9-01	-2	-518	-148	1-03	-5	-300	-001	1-12	-1	-566	-325
3	1-963	-2	089	-155	3-60	-2	-577	-089	8-75	-6	-300	-001	5-56	-2	-644	-245
4	1-769	-2	087	-136	1-63	-2	-651	-066	7-91	-6	-300	-001	3-20	-2	-688	-203
5	1-590	-2	104	-119	5-72	-3	-610	-056	7-73	-6	-300	-001	2-16	-2	-714	-177
10	8-926	-3	165	-059	3-61	-3	-630	-036	1-22	-5	-300	-001	1-25	-2	-795	-096
15	8-704	-3	197	-027	3-02	-3	-647	-020	3-68	-5	-300	-001	7-26	-3	-844	-047
20	1-919	-3	211	-012	1-70	-3	-640	-007	5-74	-5	-300	-001	3-67	-3	-872	-020
25	8-652	-4	218	-006	4-73	-4	-665	-002	6-30	-5	-301	-000	1-40	-3	-882	-008
30	1-827	-4	222	-001	3-75	-5	-667	-000	1-51	-5	-301	-000	2-35	-4	-890	-001
35	2-717	-5	223	-000	6-86	-7	-667	-000	6-51	-7	-301	-000	2-35	-5	-891	-000

8

3	2-644	-7	-000	-223	6-51	-1	-000	-566	1-25	-5	-300	-001	6-78	-1	-000	-791
1	2-600	-2	025	-198	1-88	-1	-301	-265	1-14	-5	-300	-001	2-12	-1	-326	-465
2	2-173	-2	048	-175	7-86	-2	-426	-140	1-03	-5	-300	-001	1-00	-1	-475	-316
3	1-963	-2	089	-155	3-28	-2	-479	-087	8-75	-6	-300	-001	5-25	-2	-548	-243
4	1-769	-2	087	-136	1-37	-2	-501	-066	7-91	-6	-300	-001	3-16	-2	-588	-203
5	1-590	-2	104	-119	5-72	-3	-510	-056	7-73	-6	-300	-001	2-15	-2	-614	-177
10	8-926	-3	165	-059	3-61	-3	-530	-036	1-22	-5	-300	-001	1-25	-2	-696	-096
15	8-704	-3	197	-027	3-02	-3	-547	-020	3-68	-5	-300	-001	7-26	-3	-763	-047
20	1-919	-3	211	-012	1-70	-3	-540	-007	5-74	-5	-300	-001	3-67	-3	-771	-020
25	8-652	-4	218	-006	4-73	-4	-564	-002	6-30	-5	-301	-000	1-40	-3	-783	-008
30	1-827	-4	222	-001	3-75	-5	-564	-000	1-51	-5	-301	-000	2-35	-4	-789	-001
35	2-717	-5	223	-000	6-86	-7	-566	-000	6-51	-7	-301	-000	2-35	-5	-791	-000

10

3	2-644	-7	-000	-223	3-64	-1	-000	-469	1-25	-5	-300	-001	3-71	-1	-000	-694
1	2-600	-2	025	-198	1-52	-1	-235	-234	1-14	-5	-300	-001	1-76	-1	-260	-434
2	2-173	-2	048	-175	6-68	-2	-338	-185	1-03	-5	-300	-001	8-86	-2	-366	-307
3	1-963	-2	089	-155	7-94	-2	-384	-105	8-75	-6	-300	-001	4-91	-2	-453	-241
4	1-769	-2	087	-136	1-30	-2	-404	-065	7-91	-6	-300	-001	3-07	-2	-491	-202
5	1-590	-2	104	-119	5-72	-3	-413	-056	7-73	-6	-300	-001	2-16	-2	-517	-177
10	8-926	-3	165	-059	3-61	-3	-433	-036	1-22	-5	-300	-001	1-25	-2	-598	-096
15	8-704	-3	197	-027	3-02	-3	-450	-020	3-68	-5	-300	-001	7-26	-3	-646	-047
20	1-919	-3	211	-012	1-70	-3	-463	-007	5-74	-5	-300	-001	3-67	-3	-674	-020
25	8-652	-4	218	-006	4-73	-4	-467	-002	6-30	-5	-301	-000	1-40	-3	-686	-008
30	1-827	-4	222	-001	3-75	-5	-469	-000	1-51	-5	-301	-000	2-35	-4	-692	-001
35	2-717	-5	223	-000	6-86	-7	-469	-000	6-51	-7	-301	-000	2-35	-5	-694	-000

13



Table 3.10. Parameters at 0.50 Microns

Met. Rge (km)	Alt. (km)	Rayleigh atten. ( $\text{km}^{-1}$ )		Rayleigh optical thick. (h-u)		Aerosol atten. ( $\text{km}^{-1}$ )		Aerosol optical thick. (0-h)		Aerosol optical thick. (h-u)		Ozone absorp. ( $\text{km}^{-1}$ )		Ozone optical thick. (0-h)		Ozone optical thick. (h-u)		Ext. coeff. ( $\text{km}^{-1}$ )		Ext. optical thick. (0-h)		Ext. optical thick. (h-u)	
		$\tau$	$\tau_{\text{ext}}$	$\tau$	$\tau_{\text{ext}}$	$\beta$	$\beta_{\text{ext}}$	$\tau$	$\tau_{\text{ext}}$	$\tau$	$\tau_{\text{ext}}$	$\tau$	$\tau_{\text{ext}}$	$\tau$	$\tau_{\text{ext}}$	$\tau$	$\tau_{\text{ext}}$	$\tau$	$\tau_{\text{ext}}$	$\tau$	$\tau_{\text{ext}}$	$\tau$	$\tau_{\text{ext}}$
2	1	1.716 -7	0.000	0.145	0.000	2.11 0	0.000	1.812	1.812	1.23 -4	0.000	0.12	2.13 0	0.000	1.968								
	2	1.557 -2	0.016	0.129	0.031	6.38 -1	1.231	0.581	1.231	1.12 -4	0.300	0.12	6.54 -1	1.248									
	3	1.410 -2	0.031	0.114	0.085	1.93 -1	1.033	0.204	1.033	1.01 -4	0.300	0.11	7.13 -2	1.634									
	4	1.273 -2	0.045	0.100	0.100	5.82 -2	1.155	0.096	1.155	8.63 -5	0.300	0.11	7.13 -2	1.760									
	5	1.144 -2	0.057	0.088	0.100	1.76 -2	1.749	0.063	1.749	7.80 -5	0.300	0.11	2.91 -2	1.806									
	6	1.031 -2	0.068	0.077	0.088	5.31 -3	1.759	0.052	1.759	7.62 -5	0.300	0.11	1.57 -2	1.827									
	7	0.929 -2	0.077	0.068	0.088	3.35 -3	1.778	0.034	1.778	1.21 -4	0.300	0.11	9.28 -3	1.866									
	8	0.836 -2	0.084	0.061	0.088	2.80 -3	1.784	0.018	1.784	3.63 -4	0.300	0.10	5.87 -3	1.923									
	9	0.751 -2	0.088	0.056	0.088	1.57 -3	1.806	0.004	1.806	5.66 -4	0.300	0.07	3.39 -3	1.987									
	10	0.674 -2	0.091	0.051	0.088	0.39 -4	1.810	0.002	1.810	8.21 -4	0.300	0.04	1.82 -3	1.959									
3	1	1.716 -7	0.000	0.145	0.000	6.36 -7	1.812	0.000	1.812	6.42 -6	0.312	0.00	2.14 -5	1.968									
	2	1.557 -2	0.016	0.129	0.000	1.40 0	0.650	1.305	1.305	1.23 -4	0.300	0.12	1.62 0	0.000									
	3	1.410 -2	0.031	0.114	0.016	4.60 -1	1.846	0.660	1.846	1.12 -4	0.300	0.12	4.76 -1	0.862									
	4	1.273 -2	0.045	0.100	0.031	1.51 -1	1.123	0.183	1.123	1.01 -4	0.300	0.11	1.65 -1	1.154									
	5	1.144 -2	0.057	0.088	0.045	4.94 -2	1.214	0.092	1.214	8.63 -5	0.300	0.11	6.22 -2	1.259									
	6	1.031 -2	0.068	0.077	0.057	1.62 -2	1.243	0.062	1.243	7.80 -5	0.300	0.11	2.77 -2	1.300									
	7	0.929 -2	0.077	0.068	0.068	5.31 -3	1.253	0.052	1.253	7.82 -5	0.300	0.11	1.57 -2	1.321									
	8	0.836 -2	0.084	0.061	0.077	3.35 -3	1.272	0.036	1.272	1.21 -4	0.300	0.11	9.28 -3	1.380									
	9	0.751 -2	0.088	0.056	0.077	2.80 -3	1.287	0.018	1.287	3.93 -4	0.300	0.10	5.87 -3	1.417									
	10	0.674 -2	0.091	0.051	0.088	1.57 -3	1.299	0.006	1.299	5.66 -4	0.304	0.07	3.39 -3	1.461									
4	1	1.716 -7	0.000	0.145	0.000	6.36 -7	1.812	0.000	1.812	6.42 -6	0.312	0.00	2.14 -5	1.968									
	2	1.557 -2	0.016	0.129	0.000	1.05 0	0.600	1.040	1.040	1.23 -4	0.300	0.12	1.07 0	0.000									
	3	1.410 -2	0.031	0.114	0.016	3.65 -1	1.846	0.392	1.846	1.12 -4	0.300	0.12	3.80 -1	0.664									
	4	1.273 -2	0.045	0.100	0.031	1.27 -1	1.123	0.183	1.123	1.01 -4	0.300	0.11	1.61 -1	0.904									
	5	1.144 -2	0.057	0.088	0.045	4.40 -2	1.214	0.089	1.214	8.63 -5	0.300	0.11	5.68 -2	1.035									
	6	1.031 -2	0.068	0.077	0.057	1.53 -2	1.243	0.062	1.243	7.80 -5	0.300	0.11	2.68 -2	1.056									
	7	0.929 -2	0.077	0.068	0.068	5.31 -3	1.253	0.052	1.253	7.82 -5	0.300	0.11	1.57 -2	1.056									
	8	0.836 -2	0.084	0.061	0.077	3.35 -3	1.272	0.036	1.272	1.21 -4	0.300	0.11	9.28 -3	1.114									
	9	0.751 -2	0.088	0.056	0.077	2.80 -3	1.287	0.018	1.287	3.93 -4	0.304	0.07	5.87 -3	1.152									
	10	0.674 -2	0.091	0.051	0.088	1.57 -3	1.306	0.006	1.306	5.66 -4	0.304	0.07	3.39 -3	1.187									
5	1	1.716 -7	0.000	0.145	0.000	6.36 -7	1.812	0.000	1.812	6.42 -6	0.312	0.00	2.14 -5	1.968									
	2	1.557 -2	0.016	0.129	0.000	8.37 -1	0.600	0.874	0.874	1.23 -4	0.300	0.12	8.54 -1	0.664									
	3	1.410 -2	0.031	0.114	0.016	3.04 -1	1.846	0.392	1.846	1.12 -4	0.300	0.12	3.20 -1	0.543									
	4	1.273 -2	0.045	0.100	0.031	1.11 -1	1.123	0.183	1.123	1.01 -4	0.300	0.11	1.25 -1	0.749									
	5	1.144 -2	0.057	0.088	0.045	4.02 -2	1.214	0.087	1.214	8.63 -5	0.300	0.11	5.30 -2	0.832									
	6	1.031 -2	0.068	0.077	0.057	1.46 -2	1.243	0.061	1.243	7.80 -5	0.300	0.11	2.62 -2	0.869									
	7	0.929 -2	0.077	0.068	0.068	5.31 -3	1.253	0.052	1.253	7.82 -5	0.300	0.11	1.57 -2	0.890									
	8	0.836 -2	0.084	0.061	0.077	3.35 -3	1.272	0.034	1.272	1.21 -4	0.300	0.11	9.28 -3	0.948									
	9	0.751 -2	0.088	0.056	0.077	2.80 -3	1.287	0.018	1.287	3.93 -4	0.304	0.10	5.87 -3	0.985									
	10	0.674 -2	0.091	0.051	0.088	1.57 -3	1.306	0.006	1.306	5.66 -4	0.304	0.07	3.39 -3	1.009									

0	1-716 -2	-000	-165	6-56 -1	-000	-760	1-23 -4	-300	-012	7-13 -1	-000	-917
1	1-557 -2	-016	-129	2-62 -1	-444	-316	1-12 -4	-300	-012	2-78 -1	-461	-456
2	1-610 -2	-031	-114	9-89 -2	-148	-168	1-01 -4	-300	-011	1-13 -1	-643	-274
3	1-273 -2	-042	-100	3-73 -2	-615	-085	8-63 -5	-300	-011	5-01 -2	-720	-197
4	1-148 -2	-057	-088	1-41 -2	-659	-061	7-80 -5	-300	-011	2-56 -2	-776	-161
5	1-031 -2	-068	-077	5-31 -3	-708	-052	7-62 -5	-300	-011	1-57 -2	-834	-083
6	5-191 -3	-107	-038	3-35 -3	-726	-034	1-21 -4	-300	-011	9-26 -3	-872	-045
7	2-178 -3	-128	-017	2-80 -3	-742	-018	3-63 -4	-304	-010	5-87 -3	-895	-021
8	1-245 -3	-137	-008	1-57 -3	-754	-006	5-66 -4	-304	-007	3-39 -3	-907	-010
9	5-614 -4	-141	-004	4-39 -4	-758	-002	6-21 -4	-307	-004	3-02 -4	-915	-002
10	1-185 -4	-144	-001	3-48 -5	-760	-000	1-59 -4	-311	-000	2-14 -5	-917	-000
11	1-438 -5	-145	-000	6-36 -7	-760	-000	6-42 -6	-312	-000			

6

0	1-716 -2	-000	-165	5-17 -1	-000	-611	1-23 -4	-300	-012	5-35 -1	-000	-758
1	1-557 -2	-016	-129	2-07 -1	-339	-273	1-12 -4	-300	-012	2-23 -1	-355	-413
2	1-610 -2	-031	-114	8-28 -2	-614	-137	1-01 -4	-300	-011	9-70 -2	-506	-262
3	1-273 -2	-042	-100	3-31 -2	-529	-083	8-63 -5	-300	-011	6-60 -2	-574	-194
4	1-148 -2	-057	-088	1-33 -2	-550	-061	7-80 -5	-300	-011	2-48 -2	-607	-161
5	1-031 -2	-068	-077	5-31 -3	-559	-052	7-62 -5	-300	-011	1-57 -2	-627	-161
6	5-191 -3	-107	-038	3-35 -3	-578	-034	1-21 -4	-301	-011	9-26 -3	-665	-083
7	2-178 -3	-128	-017	2-80 -3	-553	-018	3-63 -4	-302	-010	5-87 -3	-723	-045
8	1-245 -3	-137	-008	1-57 -3	-605	-006	5-66 -4	-304	-007	3-39 -3	-747	-021
9	5-614 -4	-141	-004	4-39 -4	-610	-002	6-21 -4	-307	-004	1-62 -3	-758	-010
10	1-185 -4	-144	-001	3-48 -5	-611	-000	1-59 -4	-311	-001	3-02 -4	-766	-002
11	1-438 -5	-145	-000	6-36 -7	-611	-000	6-42 -6	-312	-000	2-14 -5	-768	-000

8

0	1-716 -2	-000	-165	4-12 -1	-000	-520	1-23 -4	-300	-012	4-29 -1	-000	-676
1	1-557 -2	-016	-129	1-73 -1	-275	-244	1-12 -4	-300	-012	1-88 -1	-292	-385
2	1-610 -2	-031	-114	7-22 -2	-390	-129	1-01 -4	-300	-011	8-64 -2	-422	-254
3	1-273 -2	-042	-100	3-03 -2	-439	-081	8-63 -5	-300	-011	6-31 -2	-483	-193
4	1-148 -2	-057	-088	1-27 -2	-459	-061	7-80 -5	-300	-011	2-42 -2	-516	-160
5	1-031 -2	-068	-077	5-31 -3	-487	-052	7-62 -5	-300	-011	1-57 -2	-535	-141
6	5-191 -3	-107	-038	3-35 -3	-486	-034	1-21 -4	-301	-010	9-26 -3	-594	-083
7	2-178 -3	-128	-017	2-80 -3	-501	-018	3-63 -4	-302	-010	5-87 -3	-631	-045
8	1-245 -3	-137	-008	1-57 -3	-513	-006	5-66 -4	-304	-007	3-39 -3	-655	-021
9	5-614 -4	-141	-004	4-39 -4	-518	-002	6-21 -4	-307	-004	1-62 -3	-666	-010
10	1-185 -4	-144	-001	3-48 -5	-519	-000	1-59 -4	-311	-001	3-02 -4	-674	-002
11	1-438 -5	-145	-000	6-36 -7	-520	-000	6-42 -6	-312	-000	2-14 -5	-676	-000

10

0	1-716 -2	-000	-165	3-14 -1	-000	-631	1-23 -4	-300	-012	3-31 -1	-000	-587
1	1-557 -2	-016	-129	1-39 -1	-215	-216	1-12 -4	-300	-012	1-55 -1	-231	-356
2	1-610 -2	-031	-114	6-14 -2	-310	-121	1-01 -4	-300	-011	7-56 -2	-341	-266
3	1-273 -2	-042	-100	2-71 -2	-352	-079	8-63 -5	-300	-011	6-00 -2	-396	-191
4	1-148 -2	-057	-088	1-20 -2	-370	-061	7-80 -5	-300	-011	2-36 -2	-427	-160
5	1-031 -2	-068	-077	5-31 -3	-378	-052	7-62 -5	-300	-011	1-57 -2	-446	-141
6	5-191 -3	-107	-038	3-35 -3	-357	-034	1-21 -4	-301	-011	9-26 -3	-505	-083
7	2-178 -3	-128	-017	2-80 -3	-412	-018	3-63 -4	-302	-010	5-87 -3	-542	-045
8	1-245 -3	-137	-008	1-57 -3	-425	-006	5-66 -4	-304	-007	3-39 -3	-566	-021
9	5-614 -4	-141	-004	4-39 -4	-429	-002	6-21 -4	-307	-004	1-62 -3	-578	-010
10	1-185 -4	-144	-001	3-48 -5	-431	-000	1-59 -4	-311	-001	3-02 -4	-586	-002
11	1-438 -5	-145	-000	6-36 -7	-431	-000	6-42 -6	-312	-000	2-14 -5	-587	-000

13

Table 3.11. Parameters at 0.55 Microns

Met. Rge (km)	h (km)	Rayleigh atten. coeff. (km <sup>-1</sup> )	Rayleigh optical thick. (0-h)	Rayleigh optical thick. (h-h)	Aerosol atten. coeff. (km <sup>-1</sup> )	Aerosol optical thick. (0-h)	Aerosol optical thick. (h-h)	Ozone absorp. coeff. (km <sup>-1</sup> )	Ozone optical thick. (0-h)	Ozone optical thick. (h-h)	Ext. coeff. (km <sup>-1</sup> )	Ext. optical thick. (0-h)	Ext. optical thick. (h-h)
V <sub>n</sub>		β <sub>r</sub>	τ <sub>r</sub>	τ <sub>r</sub>	β <sub>a</sub>	τ <sub>a</sub>	τ <sub>a</sub>	β <sub>3</sub>	τ <sub>3</sub>	τ <sub>3</sub>	β <sub>ext</sub>	τ <sub>ext</sub>	τ <sub>ext</sub>
<b>2</b>													
0	1	1.162	-2	.000	1.94	0	1.676	3.28	.000	.031	1.95	0	1.805
1	1	1.055	-2	.011	5.90	-1	1.135	3.00	.000	.031	6.01	-1	1.147
2	1	9.550	-3	.021	1.79	-1	1.480	2.70	.000	.030	1.89	-1	1.502
3	4	8.677	-3	.030	5.44	-2	1.585	2.30	.001	.030	6.33	-2	1.616
4	4	7.774	-3	.038	1.65	-2	1.617	2.08	.001	.030	2.45	-2	1.656
5	5	6.987	-3	.046	5.02	-3	1.626	2.03	.001	.030	1.22	-2	1.673
6	10	3.923	-3	.072	3.17	-3	1.644	3.22	.002	.029	7.82	-3	1.719
7	15	1.844	-3	.086	7.65	-3	1.658	9.14	.006	.025	5.41	-3	1.751
8	20	8.435	-4	.093	1.49	-3	1.670	1.51	.006	.020	3.84	-3	1.774
9	25	3.803	-4	.096	4.15	-4	1.674	1.66	.002	.011	2.45	-3	1.790
10	30	8.030	-5	.098	3.29	-5	1.676	3.97	.004	.002	5.10	-4	1.802
11	35	9.743	-6	.098	6.02	-7	1.676	1.71	.005	.000	2.75	-5	1.805
<b>3</b>													
0	1	1.162	-2	.000	1.29	0	1.208	3.28	.000	.031	1.30	0	1.337
1	1	1.055	-2	.011	4.25	-1	.780	3.00	.000	.031	4.36	-1	.791
2	1	9.550	-3	.021	1.40	-1	1.037	2.70	.000	.030	1.50	-1	1.058
3	4	8.677	-3	.030	4.62	-2	1.121	2.30	.001	.030	5.51	-2	1.153
4	4	7.774	-3	.038	1.52	-2	1.149	2.08	.001	.030	2.32	-2	1.189
5	5	6.987	-3	.046	5.02	-3	1.159	2.03	.001	.030	1.22	-2	1.206
6	10	3.923	-3	.072	3.17	-3	1.176	3.22	.002	.029	7.82	-3	1.251
7	15	1.844	-3	.086	7.65	-3	1.191	9.14	.006	.025	5.41	-3	1.283
8	20	8.435	-4	.093	1.49	-3	1.202	1.51	.006	.020	3.84	-3	1.306
9	25	3.803	-4	.096	4.15	-4	1.206	1.66	.002	.011	2.45	-3	1.322
10	30	8.030	-5	.098	3.29	-5	1.208	3.97	.004	.002	5.10	-4	1.335
11	35	9.743	-6	.098	6.02	-7	1.208	1.71	.005	.000	2.75	-5	1.337
<b>4</b>													
0	1	1.162	-2	.000	9.66	-1	.000	3.28	.000	.031	9.78	-1	1.092
1	1	1.055	-2	.011	3.37	-1	.598	3.00	.000	.031	3.46	-1	.609
2	1	9.550	-3	.021	1.18	-1	.806	2.70	.001	.030	1.28	-1	.828
3	4	8.677	-3	.030	4.12	-2	.839	2.30	.001	.030	5.00	-2	.910
4	4	7.774	-3	.038	1.44	-2	.905	2.08	.001	.030	2.24	-2	.944
5	5	6.987	-3	.046	5.02	-3	.914	2.03	.001	.030	1.22	-2	.961
6	10	3.923	-3	.072	3.17	-3	.931	3.22	.002	.029	7.82	-3	1.006
7	15	1.844	-3	.086	7.65	-3	.946	9.14	.006	.025	5.41	-3	1.038
8	20	8.435	-4	.093	1.49	-3	.957	1.51	.006	.020	3.84	-3	1.061
9	25	3.803	-4	.096	4.15	-4	.961	1.66	.002	.011	2.45	-3	1.077
10	30	8.030	-5	.098	3.29	-5	.963	3.97	.004	.002	5.10	-4	1.090
11	35	9.743	-6	.098	6.02	-7	.963	1.71	.005	.000	2.75	-5	1.092
<b>5</b>													
0	1	1.162	-2	.000	7.70	-1	.000	3.28	.000	.031	7.62	-1	.939
1	1	1.055	-2	.011	2.81	-1	.465	3.00	.000	.031	2.92	-1	.497
2	1	9.550	-3	.021	1.03	-1	.663	2.70	.001	.030	1.13	-1	.684
3	4	8.677	-3	.030	3.76	-2	.728	2.30	.001	.030	4.64	-2	.759
4	4	7.774	-3	.038	1.37	-2	.751	2.08	.001	.030	2.17	-2	.791
5	5	6.987	-3	.046	5.02	-3	.760	2.03	.001	.030	1.22	-2	.807
6	10	3.923	-3	.072	3.17	-3	.778	3.22	.002	.029	7.82	-3	.852
7	15	1.844	-3	.086	7.65	-3	.782	9.14	.006	.025	5.41	-3	.884
8	20	8.435	-4	.093	1.49	-3	.804	1.51	.006	.020	3.84	-3	.908
9	25	3.803	-4	.096	4.15	-4	.806	1.66	.002	.011	2.45	-3	.923
10	30	8.030	-5	.098	3.29	-5	.809	3.97	.004	.002	5.10	-4	.936
11	35	9.743	-6	.098	6.02	-7	.809	1.71	.005	.000	2.75	-5	.939

0	1.1e7 -7	.000	.098	6.40 -1	.000	.704	3.28 -4	.000	.031	6.52 -1	.000	.834
1	1.055 -7	.011	.087	2.43 -1	.610	.295	3.00 -4	.000	.031	2.54 -1	.421	.613
2	9.550 -4	.021	.077	9.20 -2	.139	.587	2.70 -4	.001	.030	1.02 -1	.587	.247
3	8.027 -3	.030	.068	3.49 -2	.624	.080	2.30 -4	.001	.030	4.38 -2	.655	.179
4	7.774 -3	.038	.060	1.32 -2	.646	.054	2.08 -4	.001	.030	2.12 -2	.686	.148
5	6.987 -3	.046	.052	5.02 -3	.655	.049	2.03 -4	.001	.030	1.22 -2	.702	.132
6	3.923 -3	.072	.026	3.17 -3	.612	.032	2.02 -4	.002	.029	7.42 -3	.747	.086
7	1.444 -3	.086	.012	2.65 -3	.687	.017	9.14 -4	.006	.025	5.41 -3	.779	.054
8	8.435 -6	.093	.005	1.49 -3	.659	.006	1.51 -3	.011	.020	3.84 -3	.803	.031
9	3.803 -4	.096	.002	4.15 -4	.703	.002	1.66 -3	.020	.011	2.45 -3	.818	.015
10	8.030 -5	.098	.001	3.29 -5	.704	.000	3.97 -4	.029	.002	5.10 -4	.831	.003
11	9.743 -6	.098	.000	6.02 -7	.764	.000	1.71 -5	.031	.000	2.75 -5	.834	.000

6

0	1.1e7 -7	.000	.098	6.76 -1	.000	.567	3.28 -4	.000	.031	4.88 -1	.000	.696
1	1.055 -7	.011	.087	1.92 -1	.312	.254	3.00 -4	.000	.031	2.02 -1	.324	.372
2	9.550 -4	.021	.077	7.71 -2	.438	.129	2.70 -4	.001	.030	8.69 -2	.460	.236
3	8.027 -3	.030	.068	3.10 -2	.489	.078	2.30 -4	.001	.030	3.99 -2	.520	.176
4	7.774 -3	.038	.060	1.25 -2	.569	.058	2.08 -4	.001	.030	2.05 -2	.549	.148
5	6.987 -3	.046	.052	5.02 -3	.517	.049	2.03 -4	.001	.030	1.22 -2	.564	.132
6	3.923 -3	.072	.026	3.17 -3	.535	.032	3.22 -4	.002	.029	7.42 -3	.610	.086
7	1.444 -3	.086	.012	2.65 -3	.500	.017	9.14 -4	.006	.025	5.41 -3	.642	.054
8	8.435 -6	.093	.005	1.49 -3	.561	.006	1.51 -3	.011	.020	3.84 -3	.665	.031
9	3.803 -4	.096	.002	4.15 -4	.565	.002	1.66 -3	.020	.011	2.45 -3	.681	.015
10	8.030 -5	.098	.001	3.29 -5	.547	.000	3.97 -4	.029	.002	5.10 -4	.693	.003
11	9.743 -6	.098	.000	6.02 -7	.587	.000	1.71 -5	.031	.000	2.75 -5	.696	.000

8

0	1.1e7 -7	.000	.098	3.79 -1	.000	.482	3.28 -4	.000	.031	3.91 -1	.000	.611
1	1.055 -7	.011	.087	1.60 -1	.254	.228	3.00 -4	.000	.031	1.70 -1	.265	.346
2	9.550 -4	.021	.077	6.72 -2	.361	.121	2.70 -4	.001	.030	7.70 -2	.382	.229
3	8.027 -3	.030	.068	2.83 -2	.406	.076	2.30 -4	.001	.030	3.72 -2	.437	.175
4	7.774 -3	.038	.060	1.19 -2	.424	.057	2.08 -4	.001	.030	1.99 -2	.464	.147
5	6.987 -3	.046	.052	5.02 -3	.442	.049	2.03 -4	.001	.030	1.22 -2	.479	.132
6	3.923 -3	.072	.026	3.17 -3	.450	.032	3.22 -4	.002	.029	7.42 -3	.525	.086
7	1.444 -3	.086	.012	2.65 -3	.485	.017	9.14 -4	.006	.025	5.41 -3	.557	.054
8	8.435 -6	.093	.005	1.49 -3	.476	.006	1.51 -3	.011	.020	3.84 -3	.580	.031
9	3.803 -4	.096	.002	4.15 -4	.480	.002	1.66 -3	.020	.011	2.45 -3	.596	.015
10	8.030 -5	.098	.001	3.29 -5	.482	.000	3.97 -4	.029	.002	5.10 -4	.609	.003
11	9.743 -6	.098	.000	6.02 -7	.482	.000	1.71 -5	.031	.000	2.75 -5	.611	.000

10

0	1.1e7 -7	.000	.098	2.43 -1	.000	.400	3.28 -4	.000	.031	3.01 -1	.000	.529
1	1.055 -7	.011	.087	1.28 -1	.158	.202	3.00 -4	.000	.031	1.34 -1	.209	.320
2	9.550 -4	.021	.077	5.71 -2	.266	.114	2.70 -4	.001	.030	6.69 -2	.308	.221
3	8.027 -3	.030	.068	2.54 -2	.325	.075	2.30 -4	.001	.030	3.43 -2	.356	.173
4	7.774 -3	.038	.060	1.13 -2	.343	.057	2.08 -4	.001	.030	1.93 -2	.382	.147
5	6.987 -3	.046	.052	5.02 -3	.350	.049	2.03 -4	.001	.030	1.22 -2	.397	.132
6	3.923 -3	.072	.026	3.17 -3	.368	.032	3.22 -4	.002	.029	7.42 -3	.443	.086
7	1.444 -3	.086	.012	2.65 -3	.383	.017	9.14 -4	.006	.025	5.41 -3	.475	.054
8	8.435 -6	.093	.005	1.49 -3	.394	.006	1.51 -3	.011	.020	3.84 -3	.498	.031
9	3.803 -4	.096	.002	4.15 -4	.398	.002	1.66 -3	.020	.011	2.45 -3	.514	.015
10	8.030 -5	.098	.001	3.29 -5	.400	.000	3.97 -4	.029	.002	5.10 -4	.526	.003
11	9.743 -6	.098	.000	6.02 -7	.400	.000	1.71 -5	.031	.000	2.75 -5	.529	.000

13

Table 3.12. Parameters at 0.60 Microns

Met. Rge (km)	Alt. (km)	Rayleigh atten. coeff. (km <sup>-1</sup> )	Rayleigh optical thick. (0-h)	Rayleigh optical thick. (h-m)	Aerosol atten. coeff. (km <sup>-1</sup> )	Aerosol optical thick. (0-h)	Aerosol optical thick. (h-m)	Ozone absorp. coeff. (km <sup>-1</sup> )	Ozone optical thick. (0-h)	Ozone optical thick. (h-m)	Ext. coeff. (km <sup>-1</sup> )	Ext. optical thick. (0-h)	Ext. optical thick. (h-m)
V <sub>0</sub>	h	τ <sub>r</sub>	τ <sub>r</sub>	τ <sub>r</sub>	β <sub>p</sub>	τ <sub>p</sub>	τ <sub>p</sub>	β <sub>3</sub>	τ <sub>3</sub>	τ <sub>3</sub>	β <sub>ext</sub>	τ <sub>ext</sub>	τ <sub>ext</sub>
2	1	6-176 -3	-000	-069	1-73 0	-600	1-510	4-73 -4	.200	-045	1-74 0	.000	1-624
	2	7-401 -3	-008	-061	3-32 -1	-1-016	4-94	4-33 -4	.200	-044	5-40 -1	1-024	1-624
	3	6-701 -3	-015	-054	1-64 -1	1-328	-182	3-87 -4	.201	-044	1-71 -1	1-344	1-624
	4	6-056 -3	-021	-048	5-04 -2	1-625	-086	3-30 -4	.201	-043	5-67 -2	1-447	1-624
	5	5-875 -3	-027	-042	1-55 -2	1-654	-056	2-98 -4	.202	-043	2-12 -2	1-483	1-624
	6	5-403 -3	-032	-037	4-77 -3	1-643	-047	2-82 -4	.202	-044	9-98 -3	1-497	1-624
	7	4-753 -3	-037	-031	3-01 -3	1-880	-030	4-82 -4	.203	-041	6-22 -3	1-534	1-624
	8	4-297 -3	-041	-028	2-52 -3	1-694	-016	1-31 -3	.208	-036	5-12 -3	1-563	1-624
	9	3-919 -4	-045	-024	1-61 -3	1-505	-005	2-16 -3	.216	-028	4-17 -3	1-586	1-624
	10	3-689 -4	-047	-022	3-94 -4	1-509	-002	2-38 -3	.229	-016	3-04 -3	1-604	1-624
3	1	6-176 -3	-000	-069	1-73 0	-600	1-510	4-73 -4	.200	-045	1-74 0	.000	1-624
	2	7-401 -3	-008	-061	3-32 -1	-1-016	4-94	4-33 -4	.200	-044	5-40 -1	1-024	1-624
	3	6-701 -3	-015	-054	1-64 -1	1-328	-182	3-87 -4	.201	-044	1-71 -1	1-344	1-624
	4	6-056 -3	-021	-048	5-04 -2	1-625	-086	3-30 -4	.201	-043	5-67 -2	1-447	1-624
	5	5-875 -3	-027	-042	1-55 -2	1-654	-056	2-98 -4	.202	-043	2-12 -2	1-483	1-624
	6	5-403 -3	-032	-037	4-77 -3	1-643	-047	2-82 -4	.202	-044	9-98 -3	1-497	1-624
	7	4-753 -3	-037	-031	3-01 -3	1-880	-030	4-82 -4	.203	-041	6-22 -3	1-534	1-624
	8	4-297 -3	-041	-028	2-52 -3	1-694	-016	1-31 -3	.208	-036	5-12 -3	1-563	1-624
	9	3-919 -4	-045	-024	1-61 -3	1-505	-005	2-16 -3	.216	-028	4-17 -3	1-586	1-624
	10	3-689 -4	-047	-022	3-94 -4	1-509	-002	2-38 -3	.229	-016	3-04 -3	1-604	1-624
4	1	6-176 -3	-000	-069	1-73 0	-600	1-510	4-73 -4	.200	-045	1-74 0	.000	1-624
	2	7-401 -3	-008	-061	3-32 -1	-1-016	4-94	4-33 -4	.200	-044	5-40 -1	1-024	1-624
	3	6-701 -3	-015	-054	1-64 -1	1-328	-182	3-87 -4	.201	-044	1-71 -1	1-344	1-624
	4	6-056 -3	-021	-048	5-04 -2	1-625	-086	3-30 -4	.201	-043	5-67 -2	1-447	1-624
	5	5-875 -3	-027	-042	1-55 -2	1-654	-056	2-98 -4	.202	-043	2-12 -2	1-483	1-624
	6	5-403 -3	-032	-037	4-77 -3	1-643	-047	2-82 -4	.202	-044	9-98 -3	1-497	1-624
	7	4-753 -3	-037	-031	3-01 -3	1-880	-030	4-82 -4	.203	-041	6-22 -3	1-534	1-624
	8	4-297 -3	-041	-028	2-52 -3	1-694	-016	1-31 -3	.208	-036	5-12 -3	1-563	1-624
	9	3-919 -4	-045	-024	1-61 -3	1-505	-005	2-16 -3	.216	-028	4-17 -3	1-586	1-624
	10	3-689 -4	-047	-022	3-94 -4	1-509	-002	2-38 -3	.229	-016	3-04 -3	1-604	1-624
5	1	6-176 -3	-000	-069	1-73 0	-600	1-510	4-73 -4	.200	-045	1-74 0	.000	1-624
	2	7-401 -3	-008	-061	3-32 -1	-1-016	4-94	4-33 -4	.200	-044	5-40 -1	1-024	1-624
	3	6-701 -3	-015	-054	1-64 -1	1-328	-182	3-87 -4	.201	-044	1-71 -1	1-344	1-624
	4	6-056 -3	-021	-048	5-04 -2	1-625	-086	3-30 -4	.201	-043	5-67 -2	1-447	1-624
	5	5-875 -3	-027	-042	1-55 -2	1-654	-056	2-98 -4	.202	-043	2-12 -2	1-483	1-624
	6	5-403 -3	-032	-037	4-77 -3	1-643	-047	2-82 -4	.202	-044	9-98 -3	1-497	1-624
	7	4-753 -3	-037	-031	3-01 -3	1-880	-030	4-82 -4	.203	-041	6-22 -3	1-534	1-624
	8	4-297 -3	-041	-028	2-52 -3	1-694	-016	1-31 -3	.208	-036	5-12 -3	1-563	1-624
	9	3-919 -4	-045	-024	1-61 -3	1-505	-005	2-16 -3	.216	-028	4-17 -3	1-586	1-624
	10	3-689 -4	-047	-022	3-94 -4	1-509	-002	2-38 -3	.229	-016	3-04 -3	1-604	1-624

6	1	4-156 -1	.000	.069	5.70 -1	.000	.638	4.70 -4	.000	.045	5.78 -1	.000	.751
	2	7-401 -3	.008	.061	2.19 -1	.367	.271	4.30 -4	.000	.044	2.27 -1	.375	.176
	3	6-701 -3	.015	.054	8.41 -2	.508	.130	3.87 -4	.001	.044	9.12 -2	.523	.228
	4	6-034 -3	.021	.048	3.23 -2	.562	.076	3.30 -4	.001	.043	3.87 -2	.584	.167
	5	5-455 -3	.027	.042	1.24 -2	.563	.055	2.98 -4	.002	.043	1.82 -2	.611	.140
	6	5-903 -3	.032	.037	6.77 -3	.551	.047	2.92 -4	.002	.043	9.96 -3	.624	.127
	7	2-753 -3	.051	.018	3.01 -3	.607	.030	4.62 -4	.003	.041	6.22 -3	.662	.090
	8	1-747 -3	.061	.008	2.52 -3	.621	.016	1.31 -3	.006	.036	5.12 -3	.690	.061
	9	5-919 -4	.065	.004	1.41 -3	.632	.005	2.16 -3	.008	.028	4.17 -3	.713	.038
	10	2-669 -4	.067	.002	3.94 -4	.636	.002	2.38 -3	.009	.016	3.04 -3	.732	.019
	11	5-635 -5	.068	.000	3.12 -5	.637	.000	5.69 -4	.009	.003	6.57 -4	.748	.003
	12	6-837 -6	.069	.000	5.72 -7	.638	.000	2.46 -5	.009	.000	3.20 -5	.751	.000

6	1	8-156 -4	.000	.069	4.24 -1	.600	.514	4.70 -4	.000	.045	4.32 -1	.600	.627
	2	7-401 -3	.008	.061	1.73 -1	.280	.234	4.30 -4	.000	.044	1.81 -1	.288	.339
	3	6-701 -3	.015	.054	7.04 -2	.354	.120	3.87 -4	.001	.044	7.75 -2	.409	.218
	4	6-034 -3	.021	.048	2.87 -2	.440	.074	3.30 -4	.001	.043	3.51 -2	.463	.165
	5	5-455 -3	.027	.042	1.17 -2	.459	.055	2.98 -4	.002	.043	1.74 -2	.488	.140
	6	5-903 -3	.032	.037	6.77 -3	.467	.047	2.92 -4	.002	.043	9.96 -3	.501	.127
	7	2-753 -3	.051	.018	3.01 -3	.484	.030	4.62 -4	.003	.041	6.22 -3	.538	.090
	8	1-747 -3	.061	.008	2.52 -3	.497	.016	1.31 -3	.008	.036	5.12 -3	.566	.061
	9	5-919 -4	.065	.004	1.41 -3	.518	.005	2.16 -3	.016	.028	4.17 -3	.590	.038
	10	2-669 -4	.067	.002	3.94 -4	.512	.002	2.38 -3	.016	.016	3.04 -3	.608	.019
	11	5-635 -5	.068	.000	3.12 -5	.514	.000	5.69 -4	.016	.003	6.57 -4	.624	.003
	12	6-837 -6	.069	.000	5.72 -7	.514	.000	2.46 -5	.000	.000	3.20 -5	.627	.000

10	1	8-156 -4	.000	.069	3.37 -1	.600	.437	4.70 -4	.000	.045	3.46 -1	.600	.551
	2	7-401 -3	.008	.061	1.44 -1	.227	.210	4.30 -4	.000	.044	1.52 -1	.235	.316
	3	6-701 -3	.015	.054	6.14 -2	.324	.113	3.87 -4	.001	.044	6.85 -2	.340	.211
	4	6-034 -3	.021	.048	2.62 -2	.345	.072	3.30 -4	.001	.043	3.26 -2	.368	.163
	5	5-455 -3	.027	.042	1.12 -2	.383	.055	2.98 -4	.002	.043	1.69 -2	.411	.140
	6	5-903 -3	.032	.037	6.77 -3	.390	.047	2.92 -4	.002	.043	9.96 -3	.424	.127
	7	2-753 -3	.051	.018	3.01 -3	.407	.030	4.62 -4	.003	.041	6.22 -3	.461	.090
	8	1-747 -3	.061	.008	2.52 -3	.421	.016	1.31 -3	.008	.036	5.12 -3	.490	.061
	9	5-919 -4	.065	.004	1.41 -3	.432	.005	2.16 -3	.016	.028	4.17 -3	.513	.038
	10	2-669 -4	.067	.002	3.94 -4	.436	.002	2.38 -3	.016	.016	3.04 -3	.532	.019
	11	5-635 -5	.068	.000	3.12 -5	.437	.000	5.69 -4	.016	.003	6.57 -4	.548	.003
	12	6-837 -6	.069	.000	5.72 -7	.437	.000	2.46 -5	.000	.000	3.20 -5	.551	.000

13	1	8-156 -3	.000	.069	2.57 -1	.600	.384	4.70 -4	.000	.045	2.66 -1	.600	.477
	2	7-401 -3	.008	.061	1.16 -1	.177	.166	4.30 -4	.000	.044	1.24 -1	.185	.292
	3	6-701 -3	.015	.054	5.22 -2	.257	.106	3.87 -4	.001	.044	5.93 -2	.273	.204
	4	6-034 -3	.021	.048	2.35 -2	.293	.070	3.30 -4	.001	.043	2.99 -2	.315	.162
	5	5-455 -3	.027	.042	1.06 -2	.309	.054	2.98 -4	.002	.043	1.63 -2	.338	.139
	6	5-903 -3	.032	.037	6.77 -3	.317	.047	2.92 -4	.002	.043	9.96 -3	.350	.127
	7	2-753 -3	.051	.018	3.01 -3	.333	.030	4.62 -4	.003	.041	6.22 -3	.388	.090
	8	1-747 -3	.061	.008	2.52 -3	.347	.016	1.31 -3	.008	.036	5.12 -3	.416	.061
	9	5-919 -4	.065	.004	1.41 -3	.358	.005	2.16 -3	.016	.028	4.17 -3	.439	.038
	10	2-669 -4	.067	.002	3.94 -4	.362	.002	2.38 -3	.016	.016	3.04 -3	.458	.019
	11	5-635 -5	.068	.000	3.12 -5	.363	.000	5.69 -4	.016	.003	6.57 -4	.474	.003
	12	6-837 -6	.069	.000	5.72 -7	.364	.000	2.46 -5	.000	.000	3.20 -5	.477	.000

Table 3.13. Parameters at 0.65 Microns

Net. Alt. Pge (km)	h	Rayleigh atten. (km <sup>-1</sup> )		Rayleigh optical thick. (0-h)		Aerosol atten. (km <sup>-1</sup> )		Aerosol optical thick. (0-h)		Aerosol absorp. coeff. (km <sup>-1</sup> )		Ozone coeff. (km <sup>-1</sup> )		Ozone optical thick.		EFT (km <sup>-1</sup> )		EFT optical thick.		EFT		
		Y	Z	Y	Z	Y	Z	Y	Z	Y	Z	Y	Z	Y	Z	Y	Z	Y	Z	Y	Z	
2	1	5.893	-3	-000	0.070	1.57	0	-6.00	1.381	2.21	-4	-0.00	1.57	3	-0.21	1.452						
	1	5.898	-3	-006	-0.04	1.57	-1	-4.25	-0.47	2.22	-6	-0.00	1.57	3	-0.21	1.452						
	2	5.897	-3	-011	-0.04	1.57	-1	1.212	-0.47	2.22	-6	-0.00	1.57	3	-0.21	1.452						
	3	5.876	-3	-015	-0.04	1.57	-2	1.301	-0.01	1.82	-6	-0.00	1.57	3	-0.21	1.452						
	4	5.862	-3	-019	-0.07	1.57	-2	1.328	-0.04	1.55	-6	-0.00	1.57	3	-0.21	1.452						
	5	5.863	-3	-027	-0.07	1.57	-3	1.337	-0.04	1.40	-6	-0.00	1.57	3	-0.21	1.452						
	10	5.863	-3	-037	-0.13	1.57	-3	1.353	-0.04	1.37	-6	-0.00	1.57	3	-0.21	1.452						
	15	5.889	-4	-044	-0.06	1.57	-3	1.366	-0.04	0.1	-6	-0.00	1.57	3	-0.21	1.452						
	20	5.277	-6	-047	-0.03	1.57	-3	1.376	-0.05	0.1	-6	-0.00	1.57	3	-0.21	1.452						
	25	5.976	-6	-049	-0.01	1.57	-6	1.360	-0.02	1.14	-3	-0.00	1.57	3	-0.21	1.452						
3	1	5.893	-3	-050	-0.04	1.57	-7	1.381	-0.00	2.07	-6	-0.00	1.57	3	-0.21	1.452						
	1	5.898	-3	-050	-0.04	1.57	0	-6.00	-0.98	2.21	-6	-0.00	1.57	3	-0.21	1.452						
	2	5.897	-3	-056	-0.04	1.57	-1	-6.05	-0.45	2.32	-6	-0.00	1.57	3	-0.21	1.452						
	3	5.876	-3	-061	-0.04	1.57	-1	-6.05	-0.45	1.82	-6	-0.00	1.57	3	-0.21	1.452						
	4	5.862	-3	-069	-0.04	1.57	-2	-6.21	-0.77	1.62	-6	-0.00	1.57	3	-0.21	1.452						
	5	5.863	-3	-073	-0.04	1.57	-2	-6.21	-0.77	1.50	-6	-0.00	1.57	3	-0.21	1.452						
	10	5.863	-3	-077	-0.04	1.57	-3	-6.21	-0.77	1.37	-6	-0.00	1.57	3	-0.21	1.452						
	15	5.889	-4	-084	-0.06	1.57	-3	-6.21	-0.77	0.1	-6	-0.00	1.57	3	-0.21	1.452						
	20	5.277	-6	-087	-0.03	1.57	-3	-6.21	-0.77	0.1	-6	-0.00	1.57	3	-0.21	1.452						
	25	5.976	-6	-089	-0.01	1.57	-6	-6.21	-0.77	1.12	-3	-0.00	1.57	3	-0.21	1.452						
4	1	5.893	-3	-090	-0.04	1.57	-7	-6.05	-0.98	2.07	-6	-0.00	1.57	3	-0.21	1.452						
	1	5.898	-3	-090	-0.04	1.57	0	-6.00	-0.98	2.21	-6	-0.00	1.57	3	-0.21	1.452						
	2	5.897	-3	-096	-0.04	1.57	-1	-6.05	-0.45	2.32	-6	-0.00	1.57	3	-0.21	1.452						
	3	5.876	-3	-101	-0.04	1.57	-1	-6.05	-0.45	1.82	-6	-0.00	1.57	3	-0.21	1.452						
	4	5.862	-3	-109	-0.04	1.57	-2	-6.21	-0.77	1.62	-6	-0.00	1.57	3	-0.21	1.452						
	5	5.863	-3	-113	-0.04	1.57	-2	-6.21	-0.77	1.50	-6	-0.00	1.57	3	-0.21	1.452						
	10	5.863	-3	-117	-0.04	1.57	-3	-6.21	-0.77	1.37	-6	-0.00	1.57	3	-0.21	1.452						
	15	5.889	-4	-124	-0.06	1.57	-3	-6.21	-0.77	0.1	-6	-0.00	1.57	3	-0.21	1.452						
	20	5.277	-6	-127	-0.03	1.57	-3	-6.21	-0.77	0.1	-6	-0.00	1.57	3	-0.21	1.452						
	25	5.976	-6	-129	-0.01	1.57	-6	-6.21	-0.77	1.12	-3	-0.00	1.57	3	-0.21	1.452						
5	1	5.893	-3	-130	-0.04	1.57	-7	-6.05	-0.98	2.07	-6	-0.00	1.57	3	-0.21	1.452						
	1	5.898	-3	-130	-0.04	1.57	0	-6.00	-0.98	2.21	-6	-0.00	1.57	3	-0.21	1.452						
	2	5.897	-3	-136	-0.04	1.57	-1	-6.05	-0.45	2.32	-6	-0.00	1.57	3	-0.21	1.452						
	3	5.876	-3	-141	-0.04	1.57	-1	-6.05	-0.45	1.82	-6	-0.00	1.57	3	-0.21	1.452						
	4	5.862	-3	-149	-0.04	1.57	-2	-6.21	-0.77	1.62	-6	-0.00	1.57	3	-0.21	1.452						
	5	5.863	-3	-153	-0.04	1.57	-2	-6.21	-0.77	1.50	-6	-0.00	1.57	3	-0.21	1.452						
	10	5.863	-3	-157	-0.04	1.57	-3	-6.21	-0.77	1.37	-6	-0.00	1.57	3	-0.21	1.452						
	15	5.889	-4	-164	-0.06	1.57	-3	-6.21	-0.77	0.1	-6	-0.00	1.57	3	-0.21	1.452						
	20	5.277	-6	-167	-0.03	1.57	-3	-6.21	-0.77	0.1	-6	-0.00	1.57	3	-0.21	1.452						
	25	5.976	-6	-169	-0.01	1.57	-6	-6.21	-0.77	1.12	-3	-0.00	1.57	3	-0.21	1.452						









Table 3.15. Parameters at 0.89 Microns

Met. Age (hr)	h (km)	Bayleigh atten. coeff. (km <sup>-1</sup> )	Bayleigh optical thick. (0-h)	Bayleigh optical thick. (h-h)	Aerosol atten. coeff. (km <sup>-1</sup> )	Aerosol optical thick. (0-h)	Aerosol optical thick. (h-h)	Aerosol absorp. coeff. (km <sup>-1</sup> )	Common optical thick. (h-h)	Common optical thick. (0-h)	Common absorp. coeff. (km <sup>-1</sup> )	Common optical thick. (h-h)	Common optical thick. (0-h)	Common absorp. coeff. (km <sup>-1</sup> )	Common optical thick. (h-h)	Common optical thick. (0-h)
2	1	2.544 -5	-0.00	-0.71	1.29	-0.00	1.153	3.56	-0.23	-0.23	1.29	3	1.178	-0.27	-0.27	1.178
	2	2.409 -3	-0.02	-0.19	6.06	-1	-0.24	3.26	-0.30	-0.30	6.06	3	1.302	-0.36	-0.36	1.302
	3	1.489 -3	-0.07	-0.15	1.28	-1	1.865	2.93	-0.30	-0.30	1.30	3	1.003	-0.46	-0.46	1.003
	4	1.702 -3	-0.08	-0.13	4.05	-2	1.881	2.53	-0.30	-0.30	4.24	2	1.114	-0.50	-0.50	1.114
	5	1.540 -3	-0.10	-0.11	1.28	-2	1.165	2.47	-0.30	-0.30	1.44	2	1.123	-0.55	-0.55	1.123
	6	4.589 -4	-0.16	-0.08	9.04	-3	1.113	2.40	-0.30	-0.30	5.59	3	1.143	-0.60	-0.60	1.143
	7	4.045 -4	-0.19	-0.03	2.55	-3	1.127	2.42	-0.30	-0.30	3.44	3	1.154	-0.65	-0.65	1.154
	8	1.847 -4	-0.20	-0.01	7.13	-3	1.139	2.41	-0.30	-0.30	2.85	3	1.175	-0.70	-0.70	1.175
	9	4.326 -5	-0.21	-0.01	1.20	-3	1.148	2.40	-0.30	-0.30	1.95	3	1.175	-0.75	-0.75	1.175
	10	1.758 -5	-0.21	-0.00	3.34	-4	1.151	2.41	-0.30	-0.30	5.97	3	1.177	-0.80	-0.80	1.177
3	1	2.544 -3	-0.00	-0.00	6.84	-7	1.153	1.46	-0.30	-0.30	1.46	3	1.178	-0.85	-0.85	1.178
	2	2.409 -3	-0.03	-0.21	8.55	-1	-0.00	3.56	-0.30	-0.30	3.56	3	1.327	-0.90	-0.90	1.327
	3	1.489 -3	-0.07	-0.17	2.93	-1	1.865	2.93	-0.30	-0.30	1.32	3	1.009	-0.95	-0.95	1.009
	4	1.702 -3	-0.08	-0.13	4.06	-7	1.165	2.53	-0.30	-0.30	2.63	2	1.123	-1.00	-1.00	1.123
	5	1.540 -3	-0.10	-0.11	1.18	-2	1.165	2.47	-0.30	-0.30	1.73	2	1.143	-1.05	-1.05	1.143
	6	4.589 -4	-0.16	-0.06	9.04	-3	1.127	2.42	-0.30	-0.30	5.59	3	1.154	-1.10	-1.10	1.154
	7	4.045 -4	-0.19	-0.03	2.55	-3	1.127	2.42	-0.30	-0.30	3.44	3	1.165	-1.15	-1.15	1.165
	8	1.847 -4	-0.20	-0.01	7.13	-3	1.139	2.41	-0.30	-0.30	2.85	3	1.175	-1.20	-1.20	1.175
	9	4.326 -5	-0.21	-0.01	1.20	-3	1.148	2.40	-0.30	-0.30	1.95	3	1.175	-1.25	-1.25	1.175
	10	1.758 -5	-0.21	-0.00	3.34	-4	1.151	2.41	-0.30	-0.30	5.97	3	1.177	-1.30	-1.30	1.177
4	1	2.544 -3	-0.00	-0.21	6.84	-7	1.153	1.46	-0.30	-0.30	1.46	3	1.178	-0.85	-0.85	1.178
	2	2.409 -3	-0.03	-0.14	8.55	-1	-0.00	3.56	-0.30	-0.30	3.56	3	1.327	-0.90	-0.90	1.327
	3	1.489 -3	-0.07	-0.17	2.93	-1	1.865	2.93	-0.30	-0.30	1.32	3	1.009	-0.95	-0.95	1.009
	4	1.702 -3	-0.08	-0.13	4.06	-7	1.165	2.53	-0.30	-0.30	2.63	2	1.123	-1.00	-1.00	1.123
	5	1.540 -3	-0.10	-0.11	1.18	-2	1.165	2.47	-0.30	-0.30	1.73	2	1.143	-1.05	-1.05	1.143
	6	4.589 -4	-0.16	-0.06	9.04	-3	1.127	2.42	-0.30	-0.30	5.59	3	1.154	-1.10	-1.10	1.154
	7	4.045 -4	-0.19	-0.03	2.55	-3	1.127	2.42	-0.30	-0.30	3.44	3	1.165	-1.15	-1.15	1.165
	8	1.847 -4	-0.20	-0.01	7.13	-3	1.139	2.41	-0.30	-0.30	2.85	3	1.175	-1.20	-1.20	1.175
	9	4.326 -5	-0.21	-0.01	1.20	-3	1.148	2.40	-0.30	-0.30	1.95	3	1.175	-1.25	-1.25	1.175
	10	1.758 -5	-0.21	-0.00	3.34	-4	1.151	2.41	-0.30	-0.30	5.97	3	1.177	-1.30	-1.30	1.177
5	1	2.544 -3	-0.00	-0.21	6.84	-7	1.153	1.46	-0.30	-0.30	1.46	3	1.178	-0.85	-0.85	1.178
	2	2.409 -3	-0.03	-0.14	8.55	-1	-0.00	3.56	-0.30	-0.30	3.56	3	1.327	-0.90	-0.90	1.327
	3	1.489 -3	-0.07	-0.17	2.93	-1	1.865	2.93	-0.30	-0.30	1.32	3	1.009	-0.95	-0.95	1.009
	4	1.702 -3	-0.08	-0.13	4.06	-7	1.165	2.53	-0.30	-0.30	2.63	2	1.123	-1.00	-1.00	1.123
	5	1.540 -3	-0.10	-0.11	1.18	-2	1.165	2.47	-0.30	-0.30	1.73	2	1.143	-1.05	-1.05	1.143
	6	4.589 -4	-0.16	-0.06	9.04	-3	1.127	2.42	-0.30	-0.30	5.59	3	1.154	-1.10	-1.10	1.154
	7	4.045 -4	-0.19	-0.03	2.55	-3	1.127	2.42	-0.30	-0.30	3.44	3	1.165	-1.15	-1.15	1.165
	8	1.847 -4	-0.20	-0.01	7.13	-3	1.139	2.41	-0.30	-0.30	2.85	3	1.175	-1.20	-1.20	1.175
	9	4.326 -5	-0.21	-0.01	1.20	-3	1.148	2.40	-0.30	-0.30	1.95	3	1.175	-1.25	-1.25	1.175
	10	1.758 -5	-0.21	-0.00	3.34	-4	1.151	2.41	-0.30	-0.30	5.97	3	1.177	-1.30	-1.30	1.177

1	2.544	-3	-000	-071	6.74	-1	-000	-491	3.50	-5	-300	-203	6.27	-1	-000	-516
1	2.409	-3	-007	-019	1.47	-1	-216	-215	3.26	-5	-300	-203	1.09	-1	-000	-237
2	2.091	-3	-005	-017	6.59	-2	-305	-106	2.93	-5	-300	-203	6.80	-2	-275	-124
3	1.689	-3	-007	-015	2.40	-2	-628	-063	2.53	-5	-300	-203	2.79	-2	-309	-362
4	1.707	-3	-008	-013	1.02	-2	-644	-046	2.26	-5	-300	-203	1.23	-2	-651	-561
5	1.530	-3	-010	-011	6.04	-3	-651	-040	2.21	-5	-300	-203	5.59	-3	-641	-754
6	6.589	-4	-016	-046	2.55	-3	-665	-324	3.50	-5	-300	-203	2.44	-3	-641	-754
7	6.065	-4	-019	-043	2.13	-3	-677	-014	9.94	-5	-301	-203	2.43	-3	-641	-754
8	1.867	-4	-020	-041	1.20	-3	-680	-005	1.64	-4	-301	-203	1.55	-3	-641	-754
9	6.376	-5	-021	-041	3.34	-4	-690	-001	1.43	-4	-302	-203	5.97	-4	-641	-754
10	1.758	-5	-021	-040	2.64	-5	-691	-001	1.43	-4	-302	-203	6.71	-5	-641	-754
11	2.133	-6	-021	-040	6.84	-7	-691	-000	1.66	-6	-303	-203	6.66	-6	-641	-754

6

1	2.544	-3	-000	-021	9.15	-1	-000	-397	3.50	-5	-300	-203	3.15	-1	-000	-627
1	2.409	-3	-002	-019	1.32	-1	-210	-186	3.26	-5	-300	-203	1.36	-1	-000	-279
2	2.091	-3	-005	-017	5.52	-2	-258	-098	2.93	-5	-300	-203	5.73	-2	-293	-119
3	1.689	-3	-007	-015	2.31	-2	-335	-062	2.53	-5	-300	-203	2.50	-2	-362	-403
4	1.707	-3	-008	-013	9.45	-3	-351	-046	2.26	-5	-300	-203	1.14	-2	-359	-463
5	1.530	-3	-010	-011	6.04	-3	-357	-040	2.21	-5	-300	-203	5.59	-3	-367	-554
6	6.589	-4	-016	-046	2.55	-3	-361	-026	3.50	-5	-300	-203	3.66	-3	-367	-554
7	6.065	-4	-019	-043	2.13	-3	-363	-016	9.94	-5	-301	-203	2.85	-3	-423	-314
8	1.867	-4	-020	-041	1.20	-3	-362	-005	1.64	-4	-301	-203	1.55	-3	-414	-299
9	6.376	-5	-021	-041	3.34	-4	-366	-001	1.43	-4	-302	-203	5.97	-4	-414	-299
10	1.758	-5	-021	-040	2.64	-5	-367	-001	1.43	-4	-302	-203	6.71	-5	-414	-299
11	2.133	-6	-021	-040	6.84	-7	-367	-000	1.66	-6	-303	-203	6.66	-6	-422	-309

8

1	2.544	-3	-000	-021	2.51	-1	-000	-399	3.50	-5	-300	-203	2.64	-1	-000	-344
1	2.409	-3	-002	-019	1.10	-1	-171	-144	3.26	-5	-300	-203	1.12	-1	-175	-140
2	2.091	-3	-005	-017	6.81	-2	-266	-093	2.93	-5	-300	-203	6.82	-2	-250	-113
3	1.689	-3	-007	-015	2.11	-2	-278	-060	2.50	-5	-300	-203	2.30	-2	-266	-179
4	1.707	-3	-008	-013	9.22	-3	-253	-046	2.26	-5	-300	-203	1.29	-2	-309	-262
5	1.530	-3	-010	-011	6.04	-3	-259	-040	2.21	-5	-300	-203	5.59	-3	-309	-262
6	6.589	-4	-016	-046	2.55	-3	-263	-026	3.50	-5	-300	-203	3.66	-3	-325	-314
7	6.065	-4	-019	-043	2.13	-3	-265	-016	9.94	-5	-301	-203	2.83	-3	-325	-314
8	1.867	-4	-020	-041	1.20	-3	-264	-005	1.64	-4	-301	-203	1.55	-3	-325	-314
9	6.376	-5	-021	-041	3.34	-4	-268	-001	1.43	-4	-302	-203	5.97	-4	-325	-314
10	1.758	-5	-021	-040	2.64	-5	-269	-001	1.43	-4	-302	-203	6.71	-5	-325	-314
11	2.133	-6	-021	-040	6.84	-7	-269	-000	1.66	-6	-303	-203	6.66	-6	-325	-314

10

1	2.544	-3	-000	-071	1.91	-1	-000	-283	1.55	-5	-300	-203	1.06	-1	-000	-367
1	2.409	-3	-002	-019	6.85	-2	-133	-149	3.26	-5	-300	-203	6.28	-2	-136	-172
2	2.091	-3	-005	-017	4.09	-2	-155	-084	2.93	-5	-300	-203	6.33	-2	-206	-196
3	1.689	-3	-007	-015	1.89	-2	-274	-102	2.50	-5	-300	-203	2.08	-2	-230	-377
4	1.707	-3	-008	-013	8.73	-3	-237	-044	2.26	-5	-300	-203	1.95	-2	-265	-362
5	1.530	-3	-010	-011	6.04	-3	-253	-040	2.21	-5	-300	-203	5.59	-3	-253	-325
6	6.589	-4	-016	-046	2.55	-3	-257	-026	3.50	-5	-300	-203	3.44	-3	-273	-325
7	6.065	-4	-019	-043	2.13	-3	-249	-016	9.94	-5	-301	-203	2.63	-3	-280	-319
8	1.867	-4	-020	-041	1.20	-3	-248	-005	1.64	-4	-301	-203	1.55	-3	-280	-319
9	6.376	-5	-021	-041	3.34	-4	-251	-001	1.43	-4	-302	-203	5.97	-4	-280	-319
10	1.758	-5	-021	-040	2.64	-5	-251	-001	1.43	-4	-302	-203	6.71	-5	-280	-319
11	2.133	-6	-021	-040	6.84	-7	-251	-000	1.66	-6	-303	-203	6.66	-6	-280	-319

13

Table 3.16. Parameters at 0.90 Microns

Met. Rge (km)	Alt. (km)	Rayleigh atten. coeff. (km <sup>-1</sup> )		Rayleigh optical thick. (h-w)		Aerosol atten. coeff. (km <sup>-1</sup> )		Aerosol optical thick. (h-w)		Aerosol absorp. coeff. (km <sup>-1</sup> )		Scatter optical thick. (h-w)		Ext. opt. thick. (h-w)	
		E	T	E	T	E	T	E	T	E	T	E	T	E	T
2	0	1.383	-3	-0.00	-0.13	1.17	0	-0.00	1.053	0	0	-0.00	1.17	0	1.067
	1	1.436	-3	-0.02	-0.12	3.71	-1	-0.55	-0.59	0	0	-0.00	3.73	-1	-0.30
	2	1.490	-3	-0.03	-0.10	1.18	-1	-0.16	-0.18	0	0	-0.00	1.20	-1	-0.91
	3	1.543	-3	-0.04	-0.09	3.76	-2	-0.68	-0.67	0	0	-0.00	3.88	-2	-0.99
	4	1.597	-3	-0.05	-0.08	1.20	-2	1.009	-0.45	0	0	-0.00	1.30	-2	1.014
	5	1.650	-3	-0.06	-0.07	3.81	-3	1.016	-0.36	0	0	-0.00	4.75	-3	1.022
	6	1.704	-3	-0.07	-0.06	2.61	-3	1.029	-0.24	0	0	-0.00	2.98	-3	1.034
	7	1.757	-3	-0.08	-0.05	7.01	-3	1.040	-0.13	0	0	-0.00	2.25	-3	1.042
	8	1.810	-3	-0.09	-0.04	1.13	-3	1.049	-0.04	0	0	-0.00	1.25	-3	1.049
	9	1.863	-3	-0.10	-0.03	3.15	-4	1.052	-0.01	0	0	-0.00	3.67	-4	1.065
3	0	1.383	-3	-0.00	-0.13	4.57	-7	1.053	-0.00	0	0	-0.00	1.75	-6	1.067
	1	1.436	-3	-0.02	-0.12	7.75	-1	-0.00	-0.63	0	0	-0.00	7.77	-1	-0.00
	2	1.490	-3	-0.03	-0.10	2.68	-1	-0.77	-0.86	0	0	-0.00	2.69	-1	-0.79
	3	1.543	-3	-0.04	-0.09	9.25	-2	-0.42	-0.12	0	0	-0.00	9.30	-2	-0.45
	4	1.597	-3	-0.05	-0.08	3.20	-2	-0.99	-0.64	0	0	-0.00	3.31	-2	-0.73
	5	1.650	-3	-0.06	-0.07	1.10	-2	-0.78	-0.44	0	0	-0.00	1.21	-2	-0.72
	6	1.704	-3	-0.07	-0.06	3.61	-3	-0.26	-0.36	0	0	-0.00	4.76	-3	-0.45
	7	1.757	-3	-0.08	-0.05	2.61	-3	-0.79	-0.24	0	0	-0.00	2.98	-3	-0.49
	8	1.810	-3	-0.09	-0.04	2.01	-3	-0.50	-0.13	0	0	-0.00	2.25	-3	-0.72
	9	1.863	-3	-0.10	-0.03	3.15	-4	-0.79	-0.04	0	0	-0.00	3.67	-4	-0.75
4	0	1.383	-3	-0.00	-0.13	4.57	-7	-0.63	-0.06	0	0	-0.00	1.75	-6	-0.777
	1	1.436	-3	-0.02	-0.12	7.75	-1	-0.00	-0.63	0	0	-0.00	7.77	-1	-0.00
	2	1.490	-3	-0.03	-0.10	2.68	-1	-0.77	-0.86	0	0	-0.00	2.69	-1	-0.79
	3	1.543	-3	-0.04	-0.09	9.25	-2	-0.42	-0.12	0	0	-0.00	9.30	-2	-0.45
	4	1.597	-3	-0.05	-0.08	3.20	-2	-0.99	-0.64	0	0	-0.00	3.31	-2	-0.73
	5	1.650	-3	-0.06	-0.07	1.10	-2	-0.78	-0.44	0	0	-0.00	1.21	-2	-0.72
	6	1.704	-3	-0.07	-0.06	3.61	-3	-0.26	-0.36	0	0	-0.00	4.76	-3	-0.45
	7	1.757	-3	-0.08	-0.05	2.61	-3	-0.79	-0.24	0	0	-0.00	2.98	-3	-0.49
	8	1.810	-3	-0.09	-0.04	2.01	-3	-0.50	-0.13	0	0	-0.00	2.25	-3	-0.72
	9	1.863	-3	-0.10	-0.03	3.15	-4	-0.79	-0.04	0	0	-0.00	3.67	-4	-0.75
5	0	1.383	-3	-0.00	-0.13	4.57	-7	-0.63	-0.06	0	0	-0.00	1.75	-6	-0.777
	1	1.436	-3	-0.02	-0.12	7.75	-1	-0.00	-0.63	0	0	-0.00	7.77	-1	-0.00
	2	1.490	-3	-0.03	-0.10	2.68	-1	-0.77	-0.86	0	0	-0.00	2.69	-1	-0.79
	3	1.543	-3	-0.04	-0.09	9.25	-2	-0.42	-0.12	0	0	-0.00	9.30	-2	-0.45
	4	1.597	-3	-0.05	-0.08	3.20	-2	-0.99	-0.64	0	0	-0.00	3.31	-2	-0.73
	5	1.650	-3	-0.06	-0.07	1.10	-2	-0.78	-0.44	0	0	-0.00	1.21	-2	-0.72
	6	1.704	-3	-0.07	-0.06	3.61	-3	-0.26	-0.36	0	0	-0.00	4.76	-3	-0.45
	7	1.757	-3	-0.08	-0.05	2.61	-3	-0.79	-0.24	0	0	-0.00	2.98	-3	-0.49
	8	1.810	-3	-0.09	-0.04	2.01	-3	-0.50	-0.13	0	0	-0.00	2.25	-3	-0.72
	9	1.863	-3	-0.10	-0.03	3.15	-4	-0.79	-0.04	0	0	-0.00	3.67	-4	-0.75

1	1-283 -3	-000	-013	3-84 -1	-060	-450	0-	-300	-000	3-86 -1	-000	-463
1	1-426 -3	-002	-012	1-53 -1	-251	-199	0-	-300	-000	1-54 -1	-000	-211
2	1-300 -3	-003	-010	6-07 -2	-351	-099	0-	-300	-000	6-20 -2	-000	-394
3	1-175 -3	-004	-009	2-41 -2	-390	-060	0-	-300	-000	2-53 -2	-000	-053
4	1-059 -3	-005	-008	9-54 -3	-466	-064	0-	-300	-000	1-07 -2	-000	-411
5	9-514 -4	-006	-007	3-81 -3	-412	-038	0-	-300	-000	4-76 -3	-000	-045
6	5-347 -4	-010	-004	2-41 -3	-476	-024	0-	-300	-000	2-96 -3	-000	-028
7	2-511 -4	-012	-002	2-01 -3	-437	-013	0-	-300	-000	2-26 -3	-000	-015
8	1-141 -4	-013	-001	1-13 -3	-448	-004	0-	-300	-000	1-25 -3	-000	-395
9	5-178 -5	-013	-000	3-15 -4	-449	-001	0-	-300	-000	3-67 -4	-000	-302
10	1-093 -5	-013	-000	2-50 -5	-450	-000	0-	-300	-000	3-59 -5	-000	-000
11	1-377 -6	-013	-000	4-57 -7	-450	-000	0-	-300	-000	1-78 -6	-000	-000

6

1	1-283 -4	-000	-013	2-86 -1	-060	-364	0-	-300	-000	2-87 -1	-000	-378
1	1-436 -3	-002	-012	1-21 -1	-191	-173	0-	-300	-000	1-22 -1	-000	-185
2	1-300 -3	-003	-010	5-08 -2	-212	-092	0-	-300	-000	5-21 -2	-000	-193
3	1-175 -3	-004	-009	2-14 -2	-308	-058	0-	-300	-000	2-25 -2	-000	-067
4	1-059 -3	-005	-008	3-04 -3	-321	-044	0-	-300	-000	1-01 -2	-000	-052
5	9-514 -4	-006	-007	3-81 -3	-327	-044	0-	-300	-000	4-75 -3	-000	-345
6	5-347 -4	-010	-004	2-41 -3	-340	-024	0-	-300	-000	2-96 -3	-000	-028
7	2-511 -4	-012	-002	2-01 -3	-351	-013	0-	-300	-000	2-26 -3	-000	-015
8	1-141 -4	-013	-001	1-13 -3	-360	-004	0-	-300	-000	1-25 -3	-000	-005
9	5-178 -5	-013	-000	3-15 -4	-363	-001	0-	-300	-000	3-67 -4	-000	-002
10	1-093 -5	-013	-000	2-50 -5	-364	-000	0-	-300	-000	3-59 -5	-000	-000
11	1-377 -6	-013	-000	4-57 -7	-364	-000	0-	-300	-000	1-78 -6	-000	-000

8

1	1-283 -5	-000	-013	2-28 -1	-000	-311	0-	-300	-000	2-29 -1	-000	-325
1	1-446 -3	-002	-012	1-00 -1	-155	-156	0-	-300	-000	1-02 -1	-000	-168
2	1-300 -3	-003	-010	4-43 -2	-224	-087	0-	-300	-000	4-56 -2	-000	-098
3	1-175 -3	-004	-009	1-96 -2	-254	-057	0-	-300	-000	2-07 -2	-000	-066
4	1-059 -3	-005	-008	8-64 -3	-268	-043	0-	-300	-000	9-70 -3	-000	-273
5	9-514 -4	-006	-007	3-81 -3	-274	-038	0-	-300	-000	4-76 -3	-000	-045
6	5-347 -4	-010	-004	2-41 -3	-287	-024	0-	-300	-000	2-96 -3	-000	-028
7	2-511 -4	-012	-002	2-01 -3	-298	-013	0-	-300	-000	2-26 -3	-000	-015
8	1-141 -4	-013	-001	1-13 -3	-307	-004	0-	-300	-000	1-25 -3	-000	-005
9	5-178 -5	-013	-000	3-15 -4	-310	-001	0-	-300	-000	3-67 -4	-000	-002
10	1-093 -5	-013	-000	2-50 -5	-311	-000	0-	-300	-000	3-59 -5	-000	-000
11	1-377 -6	-013	-000	4-57 -7	-311	-000	0-	-300	-000	1-78 -6	-000	-000

10

1	1-283 -4	-000	-013	1-74 -1	-000	-260	0-	-300	-000	1-75 -1	-000	-273
1	1-436 -3	-002	-012	8-09 -2	-121	-138	0-	-300	-000	8-23 -2	-000	-150
2	1-300 -3	-003	-010	3-77 -2	-178	-082	0-	-300	-000	4-94 -2	-000	-092
3	1-175 -3	-004	-009	1-76 -2	-204	-056	0-	-300	-000	1-81 -2	-000	-065
4	1-059 -3	-005	-008	8-18 -3	-217	-044	0-	-300	-000	9-24 -3	-000	-051
5	9-514 -4	-006	-007	3-81 -3	-222	-038	0-	-300	-000	4-76 -3	-000	-045
6	5-347 -4	-010	-004	2-41 -3	-236	-024	0-	-300	-000	2-96 -3	-000	-028
7	2-511 -4	-012	-002	2-01 -3	-247	-013	0-	-300	-000	2-26 -3	-000	-015
8	1-141 -4	-013	-001	1-13 -3	-259	-004	0-	-300	-000	1-25 -3	-000	-005
9	5-178 -5	-013	-000	3-15 -4	-259	-001	0-	-300	-000	3-67 -4	-000	-002
10	1-093 -5	-013	-000	2-50 -5	-260	-000	0-	-300	-000	3-59 -5	-000	-000
11	1-377 -6	-013	-000	4-57 -7	-260	-000	0-	-300	-000	1-78 -6	-000	-000

13

Table 3.17. Parameters at 1.06 Microns

Met. Hgt (km)	Alt. (km)	Rayleigh atten. coeff. (km <sup>-1</sup> )	Rayleigh optical thick. (0-h)	Rayleigh optical thick. (h-h)	Aerosol atten. coeff. (km <sup>-1</sup> )	Aerosol optical thick. (0-h)	Aerosol optical thick. (h-h)	Ozone absorp. coeff. (km <sup>-1</sup> )	Ozone optical thick. (0-h)	Ozone optical thick. (h-h)	Ext. coeff. (km <sup>-1</sup> )	Ext. optical thick. (0-h)	Ext. optical thick. (h-h)
V <sub>n</sub>	h	β <sub>r</sub>	τ <sub>r</sub>	τ <sub>r</sub>	β <sub>a</sub>	τ <sub>a</sub>	τ <sub>a</sub>	ε <sub>3</sub>	τ <sub>3</sub>	τ <sub>3</sub>	ε <sub>ext</sub>	τ <sub>ext</sub>	τ <sub>ext</sub>
2	1	8.192 -4	.000	.007	1.05 0	.650	.354	0.	.300	.000	1.05 0	.000	.951
	1	7.434 -4	.001	.006	3.36 -1	.625	.328	0.	.300	.000	3.37 -1	.000	.835
	2	6.731 -4	.001	.005	1.08 -1	.826	.127	0.	.300	.000	1.09 -1	.828	.133
	3	6.081 -4	.002	.004	3.67 -2	.851	.063	0.	.300	.000	3.56 -2	.873	.065
	4	5.480 -4	.003	.004	1.12 -2	.912	.042	0.	.300	.000	1.17 -2	.914	.046
	5	4.925 -4	.003	.004	3.59 -3	.918	.035	0.	.300	.000	4.08 -3	.922	.039
	6	4.407 -4	.005	.002	2.27 -3	.931	.023	0.	.300	.000	2.56 -3	.935	.025
	7	3.946 -5	.006	.001	1.90 -3	.942	.012	0.	.300	.000	2.03 -3	.948	.013
	8	3.546 -5	.007	.000	1.07 -3	.950	.004	0.	.300	.000	1.13 -3	.956	.004
	9	3.201 -5	.007	.000	2.97 -4	.953	.001	0.	.300	.000	3.26 -4	.959	.001
3	1	8.192 -4	.000	.007	6.95 -1	.000	.692	0.	.300	.000	6.96 -1	.000	.699
	1	7.434 -4	.001	.006	2.42 -1	.430	.262	0.	.300	.000	2.43 -1	.430	.268
	2	6.731 -4	.001	.005	8.45 -2	.580	.112	0.	.300	.000	8.52 -2	.581	.118
	3	6.081 -4	.002	.004	2.95 -2	.632	.060	0.	.300	.000	3.01 -2	.634	.065
	4	5.480 -4	.003	.004	1.03 -2	.650	.042	0.	.300	.000	1.08 -2	.653	.046
	5	4.925 -4	.003	.004	3.59 -3	.656	.035	0.	.300	.000	4.38 -3	.663	.039
	6	4.407 -4	.005	.002	2.27 -3	.669	.023	0.	.300	.000	2.94 -3	.674	.025
	7	3.946 -5	.006	.001	1.90 -3	.680	.012	0.	.300	.000	2.03 -3	.686	.013
	8	3.546 -5	.007	.000	1.07 -3	.688	.004	0.	.300	.000	1.13 -3	.694	.004
	9	3.201 -5	.007	.000	2.97 -4	.651	.001	0.	.300	.000	3.24 -4	.697	.001
4	1	8.192 -4	.000	.007	4.31 -1	.652	.000	0.	.300	.000	4.31 -1	.652	.000
	1	7.434 -4	.001	.006	5.20 -1	.650	.554	0.	.300	.000	5.21 -1	.651	.561
	2	6.731 -4	.001	.005	1.92 -1	.329	.225	0.	.300	.000	1.93 -1	.330	.231
	3	6.081 -4	.002	.004	7.11 -2	.451	.103	0.	.300	.000	7.17 -2	.453	.109
	4	5.480 -4	.003	.004	2.63 -2	.496	.058	0.	.300	.000	2.69 -2	.498	.063
	5	4.925 -4	.003	.004	9.71 -3	.513	.042	0.	.300	.000	1.03 -2	.515	.046
	6	4.407 -4	.005	.002	3.59 -3	.519	.035	0.	.300	.000	4.08 -3	.522	.039
	7	3.946 -5	.006	.001	2.27 -3	.532	.023	0.	.300	.000	2.56 -3	.537	.025
	8	3.546 -5	.007	.000	1.90 -3	.542	.012	0.	.300	.000	2.03 -3	.548	.013
	9	3.201 -5	.007	.000	1.07 -3	.550	.004	0.	.300	.000	1.13 -3	.557	.004
5	1	8.192 -4	.000	.007	4.14 -1	.000	.668	0.	.300	.000	4.15 -1	.000	.675
	1	7.434 -4	.001	.006	1.60 -1	.268	.200	0.	.300	.000	1.61 -1	.268	.207
	2	6.731 -4	.001	.005	6.20 -2	.371	.097	0.	.300	.000	6.27 -2	.373	.102
	3	6.081 -4	.002	.004	2.40 -2	.411	.057	0.	.300	.000	2.46 -2	.413	.062
	4	5.480 -4	.003	.004	9.28 -3	.427	.041	0.	.300	.000	9.83 -3	.429	.046
	5	4.925 -4	.003	.004	3.59 -3	.433	.035	0.	.300	.000	4.08 -3	.436	.039
	6	4.407 -4	.005	.002	2.27 -3	.445	.023	0.	.300	.000	2.56 -3	.450	.025
	7	3.946 -5	.006	.001	1.90 -3	.456	.012	0.	.300	.000	2.03 -3	.462	.013
	8	3.546 -5	.007	.000	1.07 -3	.464	.004	0.	.300	.000	1.13 -3	.470	.004
	9	3.201 -5	.007	.000	2.97 -4	.467	.001	0.	.300	.000	3.26 -4	.474	.001

0	4.192 -4	.000	.007	3.45 -1	.000	.409	0.	.000	.000	3.45 -1	.000	.416
1	7.434 -4	.001	.004	1.38 -1	.224	.183	0.	.000	.000	1.39 -1	.000	.189
2	6.731 -4	.001	.005	5.55 -2	.317	.092	0.	.000	.000	5.62 -2	.000	.098
3	6.081 -4	.002	.005	2.23 -2	.353	.056	0.	.000	.000	2.29 -2	.000	.061
4	5.480 -4	.003	.004	8.94 -3	.368	.041	0.	.000	.000	9.09 -3	.000	.045
5	4.925 -4	.003	.004	3.59 -3	.373	.035	0.	.000	.000	4.08 -3	.000	.039
10	2.765 -4	.005	.002	2.27 -3	.386	.023	0.	.000	.000	2.56 -3	.000	.025
15	1.302 -4	.006	.001	1.90 -3	.397	.012	0.	.000	.000	2.03 -3	.000	.013
20	5.946 -5	.007	.000	1.07 -3	.405	.004	0.	.000	.000	1.13 -3	.000	.004
25	2.681 -5	.007	.000	2.97 -4	.408	.001	0.	.000	.000	3.24 -4	.000	.001
30	5.660 -6	.007	.000	2.35 -5	.409	.000	0.	.000	.000	2.92 -5	.000	.000
35	6.867 -7	.007	.000	4.31 -7	.409	.000	0.	.000	.000	1.12 -6	.000	.000
J	8.192 -4	.000	.007	2.56 -1	.000	.331	0.	.000	.000	2.57 -1	.000	.338
1	7.434 -4	.001	.006	1.09 -1	.172	.159	0.	.000	.000	1.10 -1	.000	.173
2	6.731 -4	.001	.005	4.65 -2	.246	.086	0.	.000	.000	4.71 -2	.000	.091
3	6.081 -4	.002	.005	1.98 -2	.277	.054	0.	.000	.000	2.04 -2	.000	.059
4	5.480 -4	.003	.004	8.43 -3	.290	.041	0.	.000	.000	8.98 -3	.000	.045
5	4.925 -4	.003	.004	3.59 -3	.296	.035	0.	.000	.000	4.08 -3	.000	.039
10	2.765 -4	.005	.002	2.27 -3	.309	.023	0.	.000	.000	2.56 -3	.000	.025
15	1.302 -4	.006	.001	1.90 -3	.319	.012	0.	.000	.000	2.03 -3	.000	.013
20	5.946 -5	.007	.000	1.07 -3	.327	.004	0.	.000	.000	1.13 -3	.000	.004
25	2.681 -5	.007	.000	2.97 -4	.330	.001	0.	.000	.000	3.24 -4	.000	.001
30	5.660 -6	.007	.000	2.35 -5	.331	.000	0.	.000	.000	2.92 -5	.000	.000
35	6.867 -7	.007	.000	4.31 -7	.331	.000	0.	.000	.000	1.12 -6	.000	.000
J	8.192 -4	.000	.007	2.04 -1	.000	.283	0.	.000	.000	2.05 -1	.000	.290
1	7.434 -4	.001	.006	9.09 -2	.140	.144	0.	.000	.000	9.17 -2	.000	.150
2	6.731 -4	.001	.005	4.05 -2	.202	.081	0.	.000	.000	4.12 -2	.000	.087
3	6.081 -4	.002	.005	1.81 -2	.230	.053	0.	.000	.000	1.87 -2	.000	.058
4	5.480 -4	.003	.004	8.05 -3	.243	.041	0.	.000	.000	8.60 -3	.000	.045
5	4.925 -4	.003	.004	3.59 -3	.248	.035	0.	.000	.000	4.08 -3	.000	.039
10	2.765 -4	.005	.002	2.27 -3	.261	.023	0.	.000	.000	2.54 -3	.000	.025
15	1.302 -4	.006	.001	1.90 -3	.271	.012	0.	.000	.000	2.03 -3	.000	.013
20	5.946 -5	.007	.000	1.07 -3	.279	.004	0.	.000	.000	1.13 -3	.000	.004
25	2.681 -5	.007	.000	2.97 -4	.282	.001	0.	.000	.000	3.24 -4	.000	.001
30	5.660 -6	.007	.000	2.35 -5	.283	.000	0.	.000	.000	2.92 -5	.000	.000
35	6.867 -7	.007	.000	4.31 -7	.283	.000	0.	.000	.000	1.12 -6	.000	.000
J	8.192 -4	.000	.007	1.56 -1	.000	.237	0.	.000	.000	1.56 -1	.000	.244
1	7.434 -4	.001	.006	7.32 -2	.109	.128	0.	.000	.000	7.40 -2	.000	.134
2	6.731 -4	.001	.005	3.45 -2	.161	.076	0.	.000	.000	3.51 -2	.000	.082
3	6.081 -4	.002	.005	1.62 -2	.185	.052	0.	.000	.000	1.68 -2	.000	.057
4	5.480 -4	.003	.004	7.63 -3	.194	.041	0.	.000	.000	8.18 -3	.000	.045
5	4.925 -4	.003	.004	3.58 -3	.202	.035	0.	.000	.000	4.08 -3	.000	.039
10	2.765 -4	.005	.002	2.27 -3	.214	.023	0.	.000	.000	2.54 -3	.000	.025
15	1.302 -4	.006	.001	1.90 -3	.225	.012	0.	.000	.000	2.03 -3	.000	.013
20	5.946 -5	.007	.000	1.07 -3	.233	.004	0.	.000	.000	1.13 -3	.000	.004
25	2.681 -5	.007	.000	2.97 -4	.236	.001	0.	.000	.000	3.24 -4	.000	.001
30	5.660 -6	.007	.000	2.35 -5	.237	.000	0.	.000	.000	2.92 -5	.000	.000
35	6.867 -7	.007	.000	4.31 -7	.237	.000	0.	.000	.000	1.12 -6	.000	.000
J	8.192 -4	.000	.007	1.56 -1	.000	.237	0.	.000	.000	1.56 -1	.000	.244
1	7.434 -4	.001	.006	7.32 -2	.109	.128	0.	.000	.000	7.40 -2	.000	.134
2	6.731 -4	.001	.005	3.45 -2	.161	.076	0.	.000	.000	3.51 -2	.000	.082
3	6.081 -4	.002	.005	1.62 -2	.185	.052	0.	.000	.000	1.68 -2	.000	.057
4	5.480 -4	.003	.004	7.63 -3	.194	.041	0.	.000	.000	8.18 -3	.000	.045
5	4.925 -4	.003	.004	3.58 -3	.202	.035	0.	.000	.000	4.08 -3	.000	.039
10	2.765 -4	.005	.002	2.27 -3	.214	.023	0.	.000	.000	2.54 -3	.000	.025
15	1.302 -4	.006	.001	1.90 -3	.225	.012	0.	.000	.000	2.03 -3	.000	.013
20	5.946 -5	.007	.000	1.07 -3	.233	.004	0.	.000	.000	1.13 -3	.000	.004
25	2.681 -5	.007	.000	2.97 -4	.236	.001	0.	.000	.000	3.24 -4	.000	.001
30	5.660 -6	.007	.000	2.35 -5	.237	.000	0.	.000	.000	2.92 -5	.000	.000
35	6.867 -7	.007	.000	4.31 -7	.237	.000	0.	.000	.000	1.12 -6	.000	.000
J	8.192 -4	.000	.007	1.56 -1	.000	.237	0.	.000	.000	1.56 -1	.000	.244

6

8

10

13



Table 3.18. Parameters at 1.26 Microns

Net. Rge (km)	Alt. (km)	Rayleigh atten. coeff. (km <sup>-1</sup> )	Rayleigh optical thick. (0-h)	Rayleigh optical thick. (h-s)	Aerosol atten. coeff. (km <sup>-1</sup> )	Aerosol optical thick. (0-h)	Aerosol optical thick. (h-s)	Aerosol optical thick. (h-s)	Ozone absorp. coeff. (km <sup>-1</sup> )	Ozone optical thick. (0-h)	Ozone optical thick. (h-s)	Ext. coeff. (km <sup>-1</sup> )	Ext. optical thick. (0-h)	Ext. optical thick. (h-s)
V <sub>c</sub>	h	T	T	T	P	P	P	P	B <sub>3</sub>	T <sub>3</sub>	T <sub>3</sub>	k <sub>ext</sub>	T <sub>ext</sub>	T <sub>ext</sub>
2	1	4.091 -4	.000	.003	9.45 -1	.000	.000	.000	0.	.000	.000	9.46 -1	.000	.076
	2	3.713 -4	.000	.003	9.07 -1	.568	.304	.000	0.	.000	.000	3.08 -1	.568	.307
	3	3.367 -4	.001	.003	8.752	.752	.120	.000	0.	.000	.000	1.00 -1	.753	.122
	4	3.037 -4	.001	.002	8.432	.812	.060	.000	0.	.000	.000	3.28 -2	.813	.062
	5	2.737 -4	.001	.002	8.112	.832	.040	.000	0.	.000	.000	1.08 -2	.833	.042
	6	2.460 -4	.002	.002	7.836	.836	.034	.000	0.	.000	.000	3.68 -3	.840	.036
	7	2.206 -4	.003	.001	7.611	.850	.022	.000	0.	.000	.000	2.30 -3	.853	.023
	8	1.981 -4	.003	.000	7.423	.860	.012	.000	0.	.000	.000	1.88 -3	.863	.012
	9	1.794 -4	.003	.000	7.271	.868	.004	.000	0.	.000	.000	1.05 -3	.871	.004
	10	1.647 -4	.003	.000	7.151	.871	.001	.000	0.	.000	.000	2.97 -4	.874	.001
3	1	4.091 -4	.000	.003	4.11 -7	.872	.000	.000	0.	.000	.000	2.53 -5	.875	.000
	2	3.713 -4	.000	.003	3.82 -1	.000	.000	.000	0.	.000	.000	7.54 -7	.876	.000
	3	3.367 -4	.001	.003	3.52 -1	.000	.000	.000	0.	.000	.000	6.29 -1	.000	.637
	4	3.037 -4	.001	.003	3.22 -1	.000	.000	.000	0.	.000	.000	2.22 -1	.000	.391
	5	2.737 -4	.001	.002	2.92 -1	.000	.000	.000	0.	.000	.000	7.55 -2	.529	.108
	6	2.460 -4	.002	.002	2.62 -1	.000	.000	.000	0.	.000	.000	2.79 -2	.577	.059
	7	2.206 -4	.003	.001	2.32 -1	.000	.000	.000	0.	.000	.000	1.00 -2	.595	.042
	8	1.981 -4	.003	.000	2.02 -1	.000	.000	.000	0.	.000	.000	3.68 -3	.601	.036
	9	1.794 -4	.003	.000	1.72 -1	.000	.000	.000	0.	.000	.000	2.30 -3	.614	.023
	10	1.647 -4	.003	.000	1.42 -1	.000	.000	.000	0.	.000	.000	1.88 -3	.625	.012
4	1	4.091 -4	.000	.003	4.11 -7	.872	.000	.000	0.	.000	.000	1.05 -3	.633	.004
	2	3.713 -4	.000	.003	3.82 -1	.000	.000	.000	0.	.000	.000	2.97 -4	.635	.001
	3	3.367 -4	.001	.003	3.52 -1	.000	.000	.000	0.	.000	.000	2.53 -5	.637	.000
	4	3.037 -4	.001	.003	3.22 -1	.000	.000	.000	0.	.000	.000	7.54 -7	.637	.000
	5	2.737 -4	.001	.002	2.92 -1	.000	.000	.000	0.	.000	.000	4.70 -1	.000	.511
	6	2.460 -4	.002	.002	2.62 -1	.000	.000	.000	0.	.000	.000	1.76 -1	.299	.212
	7	2.206 -4	.003	.001	2.32 -1	.000	.000	.000	0.	.000	.000	6.60 -2	.412	.100
	8	1.981 -4	.003	.000	2.02 -1	.000	.000	.000	0.	.000	.000	2.49 -2	.454	.058
	9	1.794 -4	.003	.000	1.72 -1	.000	.000	.000	0.	.000	.000	9.45 -5	.470	.042
	10	1.647 -4	.003	.000	1.42 -1	.000	.000	.000	0.	.000	.000	3.68 -5	.476	.036
5	1	4.091 -4	.000	.003	4.11 -7	.872	.000	.000	0.	.000	.000	2.30 -3	.489	.023
	2	3.713 -4	.000	.003	3.82 -1	.000	.000	.000	0.	.000	.000	1.88 -3	.499	.012
	3	3.367 -4	.001	.003	3.52 -1	.000	.000	.000	0.	.000	.000	1.05 -3	.507	.004
	4	3.037 -4	.001	.003	3.22 -1	.000	.000	.000	0.	.000	.000	2.97 -4	.510	.001
	5	2.737 -4	.001	.002	2.92 -1	.000	.000	.000	0.	.000	.000	4.53 -5	.511	.000
	6	2.460 -4	.002	.002	2.62 -1	.000	.000	.000	0.	.000	.000	7.54 -7	.511	.000
	7	2.206 -4	.003	.001	2.32 -1	.000	.000	.000	0.	.000	.000	3.75 -1	.000	.433
	8	1.981 -4	.003	.000	2.02 -1	.000	.000	.000	0.	.000	.000	1.47 -1	.243	.189
	9	1.794 -4	.003	.000	1.72 -1	.000	.000	.000	0.	.000	.000	5.77 -2	.339	.094
	10	1.647 -4	.003	.000	1.42 -1	.000	.000	.000	0.	.000	.000	2.27 -2	.376	.056

3	4-091 -4	.000	.003	3-11 -1	.000	.375	0.	.300	.000	3-12 -1	.000	.379
1	3-715 -4	.000	.003	1-26 -1	.000	.170	0.	.300	.000	1-27 -1	.000	.173
2	3-167 -4	.001	.003	5-13 -2	.255	.087	0.	.300	.000	3-16 -2	.206	.289
4	3-017 -4	.001	.007	7-08 -2	.284	.087	0.	.300	.000	2-11 -2	.323	.090
5	7-117 -4	.001	.007	8-45 -3	.322	.039	0.	.300	.000	8-73 -3	.337	.042
6	7-860 -4	.002	.007	3-43 -3	.336	.034	0.	.300	.000	3-68 -3	.343	.036
7	1-141 -4	.003	.001	2-17 -3	.342	.022	0.	.300	.000	2-30 -3	.356	.023
10	6-306 -5	.003	.000	1-81 -3	.354	.044	0.	.300	.000	1-88 -3	.367	.012
11	7-308 -5	.003	.000	1-02 -3	.364	.017	0.	.300	.000	1-05 -3	.375	.004
12	7-371 -5	.003	.000	2-84 -4	.371	.004	0.	.300	.000	2-97 -4	.378	.001
13	7-334 -5	.003	.000	2-84 -4	.374	.001	0.	.300	.000	2-53 -5	.379	.000
14	7-477 -6	.003	.000	2-25 -5	.375	.000	0.	.300	.000	7-54 -7	.379	.000
15	3-430 -7	.003	.000	4-11 -7	.375	.000	0.	.300	.000			

6

4	4-091 -4	.000	.003	2-32 -1	.600	.305	0.	.300	.000	2-32 -1	.000	.308
1	3-715 -4	.000	.003	9-97 -2	.157	.148	0.	.300	.000	1-00 -1	.157	.151
5	3-167 -4	.001	.003	4-30 -2	.224	.081	0.	.300	.000	4-33 -2	.225	.083
6	3-017 -4	.001	.007	1-85 -2	.253	.052	0.	.300	.000	1-88 -2	.254	.054
7	7-117 -4	.001	.007	7-97 -3	.265	.039	0.	.300	.000	8-24 -3	.267	.041
10	7-860 -4	.002	.007	3-43 -3	.271	.044	0.	.300	.000	3-68 -3	.272	.036
11	1-141 -4	.003	.001	2-17 -3	.283	.022	0.	.300	.000	2-30 -3	.285	.023
12	6-306 -5	.003	.000	1-81 -3	.293	.012	0.	.300	.000	1-88 -3	.296	.012
13	7-308 -5	.003	.000	1-02 -3	.301	.004	0.	.300	.000	1-05 -3	.304	.004
14	7-371 -5	.003	.000	2-84 -4	.303	.001	0.	.300	.000	2-97 -4	.307	.001
15	7-334 -5	.003	.000	2-25 -5	.305	.000	0.	.300	.000	2-53 -5	.308	.000
16	3-430 -7	.003	.000	4-11 -7	.305	.000	0.	.300	.000	7-54 -7	.308	.000

10

3	4-091 -4	.000	.003	1-84 -1	.000	.261	0.	.300	.000	1-85 -1	.000	.264
1	3-715 -4	.000	.003	8-31 -2	.127	.134	0.	.300	.000	8-35 -2	.127	.137
2	3-167 -4	.001	.003	3-75 -2	.184	.077	0.	.300	.000	3-78 -2	.185	.079
4	3-017 -4	.001	.007	1-89 -2	.210	.051	0.	.300	.000	1-92 -2	.211	.053
5	7-117 -4	.001	.007	7-81 -3	.222	.039	0.	.300	.000	7-89 -3	.223	.041
6	7-860 -4	.002	.007	3-43 -3	.227	.034	0.	.300	.000	3-68 -3	.229	.036
7	1-141 -4	.003	.001	2-17 -3	.239	.022	0.	.300	.000	2-30 -3	.242	.023
10	6-306 -5	.003	.000	1-81 -3	.249	.012	0.	.300	.000	1-88 -3	.252	.012
11	7-308 -5	.003	.000	1-02 -3	.257	.004	0.	.300	.000	1-05 -3	.260	.004
12	7-371 -5	.003	.000	2-84 -4	.250	.001	0.	.300	.000	2-97 -4	.263	.001
13	7-334 -5	.003	.000	2-25 -5	.261	.000	0.	.300	.000	2-53 -5	.264	.000
14	3-430 -7	.003	.000	4-11 -7	.261	.000	0.	.300	.000	7-54 -7	.264	.000

13

1	4-091 -4	.000	.003	1-41 -1	.600	.219	0.	.300	.000	1-41 -1	.000	.222
2	3-715 -4	.000	.003	6-59 -2	.089	.119	0.	.300	.000	6-73 -2	.100	.122
3	3-167 -4	.001	.003	3-18 -2	.146	.074	0.	.300	.000	3-22 -2	.147	.075
4	3-017 -4	.001	.007	1-52 -2	.169	.050	0.	.300	.000	1-55 -2	.170	.052
5	7-117 -4	.001	.007	7-21 -3	.180	.039	0.	.300	.000	7-48 -3	.181	.041
6	7-860 -4	.002	.007	3-43 -3	.185	.044	0.	.300	.000	3-69 -3	.186	.036
7	1-141 -4	.003	.001	2-17 -3	.197	.022	0.	.300	.000	2-30 -3	.199	.023
10	6-306 -5	.003	.000	1-81 -3	.207	.012	0.	.300	.000	1-88 -3	.210	.012
11	7-308 -5	.003	.000	1-02 -3	.215	.004	0.	.300	.000	1-05 -3	.218	.004
12	7-371 -5	.003	.000	2-84 -4	.217	.001	0.	.300	.000	2-97 -4	.221	.001
13	7-334 -5	.003	.000	2-25 -5	.218	.000	0.	.300	.000	2-53 -5	.222	.000
14	3-430 -7	.003	.000	4-11 -7	.219	.000	0.	.300	.000	7-54 -7	.222	.000



1	1-322	-686	-661	7-85	-1	-533	-375	2	-232	-202	2-89	-281	-175
1	1-199	-686	-682	1-24	-1	-176	-176	2	-232	-202	2-89	-281	-175
1	1-086	-686	-681	6-11	-7	-768	-715	2	-232	-202	6-44	-248	-175
3	9-810	-686	-681	1-86	-7	-777	-668	2	-232	-202	6-44	-248	-175
4	8-641	-686	-681	7-57	-5	-760	-668	2	-232	-202	7-88	-279	-175
5	7-968	-686	-681	3-11	-3	-695	-668	2	-232	-202	7-88	-279	-175
12	9-667	-686	-681	1-97	-3	-808	-668	2	-232	-202	3-18	-231	-175
13	7-101	-686	-681	1-86	-3	-808	-668	2	-232	-202	4-21	-388	-175
13	9-593	-686	-681	1-86	-3	-835	-668	2	-232	-202	6-50	-315	-175
13	9-593	-686	-681	9-24	-6	-822	-668	2	-232	-202	9-28	-323	-175
13	9-593	-686	-681	2-57	-6	-826	-668	2	-232	-202	2-57	-323	-175
13	9-593	-686	-681	2-08	-5	-829	-668	2	-232	-202	2-08	-323	-175
13	1-108	-686	-681	3-73	-7	-825	-668	2	-232	-202	3-73	-323	-175

9

1	1-327	-686	-681	1-87	-1	-600	-795	2	-232	-202	1-87	-281	-234
1	1-199	-686	-681	8-60	-2	-184	-131	2	-232	-202	8-60	-281	-234
2	1-068	-686	-681	3-75	-2	-182	-131	2	-232	-202	3-75	-281	-234
3	9-810	-686	-681	1-86	-2	-618	-667	2	-232	-202	1-86	-278	-234
4	8-641	-686	-681	7-14	-3	-729	-667	2	-232	-202	7-14	-278	-234
5	7-968	-686	-681	3-11	-3	-724	-667	2	-232	-202	3-11	-278	-234
12	9-667	-686	-681	1-97	-3	-792	-667	2	-232	-202	2-21	-298	-234
13	7-101	-686	-681	1-86	-3	-694	-667	2	-232	-202	1-86	-295	-234
13	9-593	-686	-681	9-24	-6	-781	-667	2	-232	-202	9-24	-282	-234
13	9-593	-686	-681	2-57	-6	-785	-667	2	-232	-202	2-57	-282	-234
13	9-593	-686	-681	2-08	-5	-786	-667	2	-232	-202	2-08	-282	-234
13	1-108	-686	-681	3-73	-7	-785	-667	2	-232	-202	3-73	-282	-234

10

1	1-327	-686	-681	1-57	-1	-626	-777	2	-232	-202	1-57	-282	-278
1	1-199	-686	-681	7-17	-2	-189	-116	2	-232	-202	7-17	-279	-278
2	1-068	-686	-681	3-27	-2	-156	-268	2	-232	-202	3-27	-279	-278
3	9-810	-686	-681	1-69	-2	-181	-668	2	-232	-202	1-69	-277	-278
4	8-641	-686	-681	8-62	-3	-181	-668	2	-232	-202	8-62	-277	-278
5	7-968	-686	-681	3-11	-3	-186	-668	2	-232	-202	3-11	-277	-278
12	9-667	-686	-681	1-97	-3	-757	-668	2	-232	-202	1-97	-278	-278
13	7-101	-686	-681	1-86	-3	-614	-668	2	-232	-202	1-86	-277	-278
13	9-593	-686	-681	9-24	-6	-623	-668	2	-232	-202	9-24	-277	-278
13	9-593	-686	-681	2-57	-6	-726	-668	2	-232	-202	2-57	-277	-278
13	9-593	-686	-681	2-08	-5	-727	-668	2	-232	-202	2-08	-277	-278
13	1-108	-686	-681	3-73	-7	-727	-668	2	-232	-202	3-73	-277	-278

11

1	1-327	-686	-681	1-23	-1	-626	-180	2	-232	-202	1-23	-283	-272
1	1-199	-686	-681	3-77	-7	-265	-179	2	-232	-202	3-77	-283	-272
2	1-068	-686	-681	2-76	-7	-178	-179	2	-232	-202	2-76	-283	-272
3	9-810	-686	-681	1-86	-7	-146	-365	2	-232	-202	1-86	-283	-272
4	8-641	-686	-681	9-46	-3	-146	-365	2	-232	-202	9-46	-283	-272
5	7-968	-686	-681	3-11	-3	-130	-668	2	-232	-202	3-11	-283	-272
12	9-667	-686	-681	1-97	-3	-771	-668	2	-232	-202	1-97	-272	-272
13	7-101	-686	-681	1-86	-3	-189	-668	2	-232	-202	1-86	-311	-311
13	9-593	-686	-681	9-24	-6	-187	-668	2	-232	-202	9-24	-324	-324
13	9-593	-686	-681	2-57	-6	-189	-668	2	-232	-202	2-57	-324	-324
13	9-593	-686	-681	2-08	-5	-189	-668	2	-232	-202	2-08	-324	-324
13	1-108	-686	-681	3-73	-7	-189	-668	2	-232	-202	3-73	-324	-324

12

1	1-327	-686	-681	1-23	-1	-626	-180	2	-232	-202	1-23	-283	-272
1	1-199	-686	-681	3-77	-7	-265	-179	2	-232	-202	3-77	-283	-272
2	1-068	-686	-681	2-76	-7	-178	-179	2	-232	-202	2-76	-283	-272
3	9-810	-686	-681	1-86	-7	-146	-365	2	-232	-202	1-86	-283	-272
4	8-641	-686	-681	9-46	-3	-146	-365	2	-232	-202	9-46	-283	-272
5	7-968	-686	-681	3-11	-3	-130	-668	2	-232	-202	3-11	-283	-272
12	9-667	-686	-681	1-97	-3	-771	-668	2	-232	-202	1-97	-272	-272
13	7-101	-686	-681	1-86	-3	-189	-668	2	-232	-202	1-86	-311	-311
13	9-593	-686	-681	9-24	-6	-187	-668	2	-232	-202	9-24	-324	-324
13	9-593	-686	-681	2-57	-6	-189	-668	2	-232	-202	2-57	-324	-324
13	9-593	-686	-681	2-08	-5	-189	-668	2	-232	-202	2-08	-324	-324
13	1-108	-686	-681	3-73	-7	-189	-668	2	-232	-202	3-73	-324	-324

Table 3.20. Parameters at 2.17 Microns

Wavelength atmos. (mic)	Wavelength atmos. (mic)	Wavelength atmos. (mic)	Wavelength atmos. (mic)	Absorptivity		Absorptivity		Absorptivity		Absorptivity		Absorptivity		Absorptivity	
				coeff. ( $\mu\text{m}^{-1}$ )	thick. ( $\mu\text{m}^{-1}$ )	coeff. ( $\mu\text{m}^{-1}$ )	thick. ( $\mu\text{m}^{-1}$ )	coeff. ( $\mu\text{m}^{-1}$ )	thick. ( $\mu\text{m}^{-1}$ )	coeff. ( $\mu\text{m}^{-1}$ )	thick. ( $\mu\text{m}^{-1}$ )	coeff. ( $\mu\text{m}^{-1}$ )	thick. ( $\mu\text{m}^{-1}$ )	coeff. ( $\mu\text{m}^{-1}$ )	thick. ( $\mu\text{m}^{-1}$ )
<b>2</b>	1	4.674	-0.03	-0.03	7.24	-1	-0.06	-0.72	3	2.20	-0.20	1.26	-1	-0.93	-0.37
	2	4.700	-0.03	-0.03	7.37	-1	-0.26	-2.36	3	-0.20	-0.03	-0.03	2.37	-1	-0.36
	3	4.803	-0.03	-0.03	1.74	-2	-0.78	-0.93	3	-0.20	-0.03	-0.03	7.74	-2	-0.58
	4	4.836	-0.03	-0.03	2.53	-2	-0.25	-0.97	3	-0.20	-0.03	-0.03	2.53	-2	-0.45
	5	4.948	-0.03	-0.03	8.28	-3	-0.48	-0.32	6	-0.85	-0.06	-0.06	8.28	-3	-0.45
	6	7.74	-0.03	-0.03	2.79	-3	-0.45	-0.27	6	-0.85	-0.06	-0.06	2.79	-3	-0.45
	7	1.567	-0.03	-0.03	1.71	-3	-0.95	-0.17	6	-0.85	-0.06	-0.06	1.71	-3	-0.45
	8	4.559	-0.03	-0.03	1.43	-3	-0.62	-0.94	3	-0.85	-0.06	-0.06	1.43	-3	-0.45
<b>3</b>	1	4.674	-0.03	-0.03	1.71	-3	-0.15	-0.31	3	2.20	-0.20	-0.20	1.71	-3	-0.45
	2	4.700	-0.03	-0.03	8.02	-4	-0.45	-0.93	3	-0.85	-0.06	-0.06	8.02	-4	-0.45
	3	4.803	-0.03	-0.03	2.23	-4	-0.11	-0.21	3	-0.20	-0.03	-0.03	2.23	-4	-0.45
	4	4.836	-0.03	-0.03	1.77	-4	-0.12	-0.26	3	-0.20	-0.03	-0.03	1.77	-4	-0.45
	5	4.948	-0.03	-0.03	3.24	-7	-0.72	-0.38	3	-0.20	-0.03	-0.03	3.24	-7	-0.45
	6	7.74	-0.03	-0.03	4.81	-1	-0.60	-0.68	3	-0.20	-0.03	-0.03	4.81	-1	-0.45
	7	1.567	-0.03	-0.03	1.71	-1	-0.30	-0.48	3	-0.20	-0.03	-0.03	1.71	-1	-0.45
	8	4.559	-0.03	-0.03	0.95	-2	-0.08	-0.16	3	-0.20	-0.03	-0.03	0.95	-2	-0.45
<b>4</b>	1	4.674	-0.03	-0.03	3.40	-1	-0.60	-0.92	3	-0.20	-0.03	-0.03	3.40	-1	-0.45
	2	4.700	-0.03	-0.03	1.35	-1	-0.20	-0.16	3	-0.20	-0.03	-0.03	1.35	-1	-0.45
	3	4.803	-0.03	-0.03	5.04	-2	-0.38	-0.76	3	-0.20	-0.03	-0.03	5.04	-2	-0.45
	4	4.836	-0.03	-0.03	1.91	-2	-0.48	-0.64	3	-0.20	-0.03	-0.03	1.91	-2	-0.45
	5	4.948	-0.03	-0.03	7.19	-3	-0.81	-0.31	3	-0.20	-0.03	-0.03	7.19	-3	-0.45
	6	7.74	-0.03	-0.03	2.70	-3	-0.65	-0.27	3	-0.20	-0.03	-0.03	2.70	-3	-0.45
	7	1.567	-0.03	-0.03	1.71	-3	-0.15	-0.17	3	-0.20	-0.03	-0.03	1.71	-3	-0.45
	8	4.559	-0.03	-0.03	1.43	-3	-0.79	-0.93	3	-0.20	-0.03	-0.03	1.43	-3	-0.45
<b>5</b>	1	4.674	-0.03	-0.03	2.23	-4	-0.91	-0.93	3	-0.20	-0.03	-0.03	2.23	-4	-0.45
	2	4.700	-0.03	-0.03	1.77	-4	-0.68	-0.38	3	-0.20	-0.03	-0.03	1.77	-4	-0.45
	3	4.803	-0.03	-0.03	3.24	-7	-0.68	-0.38	3	-0.20	-0.03	-0.03	3.24	-7	-0.45
	4	4.836	-0.03	-0.03	3.40	-1	-0.60	-0.92	3	-0.20	-0.03	-0.03	3.40	-1	-0.45
	5	4.948	-0.03	-0.03	1.35	-1	-0.20	-0.16	3	-0.20	-0.03	-0.03	1.35	-1	-0.45
	6	4.948	-0.03	-0.03	5.04	-2	-0.38	-0.76	3	-0.20	-0.03	-0.03	5.04	-2	-0.45
	7	7.74	-0.03	-0.03	1.91	-2	-0.48	-0.64	3	-0.20	-0.03	-0.03	1.91	-2	-0.45
	8	1.567	-0.03	-0.03	2.70	-3	-0.65	-0.27	3	-0.20	-0.03	-0.03	2.70	-3	-0.45

1	4-074 -5	-000	-000	2-39 -1	-290	0-	-000	-000	2-39 -1	-200	-290
1	4-200 -5	-000	-000	9-73 -2	-154	0-	-000	-000	9-76 -2	-154	-154
2	3-803 -5	-000	-000	3-97 -2	-227	0-	-000	-000	3-98 -2	-222	-133
3	3-936 -5	-000	-000	6-62 -3	-246	0-	-000	-000	6-62 -2	-249	-342
4	3-096 -5	-000	-000	2-70 -3	-259	0-	-000	-000	2-70 -3	-259	-331
5	2-783 -5	-000	-000	1-71 -3	-483	0-	-000	-000	2-73 -3	-283	-227
6	1-562 -5	-000	-000	1-71 -3	-273	0-	-000	-000	1-72 -3	-273	-317
7	1-359 -6	-000	-000	1-65 -3	-280	0-	-000	-000	1-63 -3	-281	-309
8	3-359 -6	-000	-000	8-02 -4	-287	0-	-000	-000	8-02 -4	-287	-303
9	1-515 -6	-000	-000	2-23 -4	-289	0-	-000	-000	2-25 -4	-289	-301
10	3-198 -7	-000	-000	1-77 -5	-290	0-	-000	-000	1-81 -5	-293	-302
11	3-880 -8	-000	-000	3-24 -7	-290	0-	-000	-000	3-24 -7	-290	-302
12	4-074 -5	-000	-000	1-77 -1	-600	0-	-000	-000	1-77 -1	-600	-234
13	4-200 -5	-000	-000	7-98 -2	-128	0-	-000	-000	7-69 -2	-129	-115
14	3-803 -5	-000	-000	4-33 -2	-172	0-	-000	-000	3-33 -2	-172	-172
15	3-936 -5	-000	-000	1-64 -2	-155	0-	-000	-000	1-64 -2	-155	-172
16	3-096 -5	-000	-000	6-24 -3	-204	0-	-000	-000	6-27 -3	-205	-301
17	2-783 -5	-000	-000	2-70 -3	-204	0-	-000	-000	2-73 -3	-205	-327
18	1-562 -5	-000	-000	1-71 -3	-218	0-	-000	-000	1-72 -3	-216	-317
19	1-359 -6	-000	-000	1-63 -3	-226	0-	-000	-000	1-63 -3	-226	-309
20	3-359 -6	-000	-000	8-02 -4	-232	0-	-000	-000	8-05 -4	-233	-303
21	1-515 -6	-000	-000	2-23 -4	-234	0-	-000	-000	2-25 -4	-235	-301
22	3-198 -7	-000	-000	1-77 -5	-235	0-	-000	-000	1-81 -5	-236	-302
23	3-880 -8	-000	-000	3-24 -7	-235	0-	-000	-000	3-24 -7	-236	-302
24	4-074 -5	-000	-000	1-61 -1	-090	0-	-000	-000	1-61 -1	-090	-271
25	4-200 -5	-000	-000	6-60 -2	-099	0-	-000	-000	6-61 -2	-098	-134
26	3-803 -5	-000	-000	2-90 -2	-142	0-	-000	-000	2-90 -2	-142	-263
27	3-936 -5	-000	-000	1-31 -2	-162	0-	-000	-000	1-32 -2	-162	-062
28	3-096 -5	-000	-000	5-98 -3	-131	0-	-000	-000	5-99 -3	-131	-331
29	2-783 -5	-000	-000	2-70 -3	-175	0-	-000	-000	2-71 -3	-175	-327
30	1-562 -5	-000	-000	1-71 -3	-185	0-	-000	-000	1-72 -3	-185	-317
31	1-359 -6	-000	-000	1-63 -3	-192	0-	-000	-000	1-63 -3	-193	-309
32	3-359 -6	-000	-000	8-02 -4	-199	0-	-000	-000	8-05 -4	-199	-303
33	1-515 -6	-000	-000	2-23 -4	-201	0-	-000	-000	2-25 -4	-201	-301
34	3-198 -7	-000	-000	1-77 -5	-202	0-	-000	-000	1-80 -5	-202	-302
35	3-880 -8	-000	-000	3-24 -7	-202	0-	-000	-000	3-24 -7	-202	-302
36	4-074 -5	-000	-000	1-08 -1	-600	0-	-000	-000	1-08 -1	-600	-149
37	4-200 -5	-000	-000	5-15 -2	-074	0-	-000	-000	5-15 -2	-074	-093
38	3-803 -5	-000	-000	2-67 -2	-113	0-	-000	-000	2-67 -2	-113	-093
39	3-936 -5	-000	-000	1-18 -2	-130	0-	-000	-000	1-18 -2	-130	-093
40	3-096 -5	-000	-000	5-84 -3	-138	0-	-000	-000	5-84 -3	-139	-093
41	2-783 -5	-000	-000	2-70 -3	-142	0-	-000	-000	2-71 -3	-143	-093
42	1-562 -5	-000	-000	1-71 -3	-152	0-	-000	-000	1-72 -3	-152	-093
43	1-359 -6	-000	-000	1-63 -3	-166	0-	-000	-000	1-63 -3	-166	-093
44	3-359 -6	-000	-000	6-02 -4	-166	0-	-000	-000	6-02 -4	-166	-093
45	1-515 -6	-000	-000	2-23 -4	-168	0-	-000	-000	2-25 -4	-169	-093
46	3-198 -7	-000	-000	1-77 -5	-169	0-	-000	-000	1-81 -5	-169	-093
47	3-880 -8	-000	-000	3-24 -7	-169	0-	-000	-000	3-24 -7	-169	-093

6

8

10

12

### **Acknowledgments**

The author would like to acknowledge the helpful review provided by R. W. Fenn and R. Penndorf. Appreciation is extended also to P. Grossman for participation in computer programming.

## References

- Blifford, I. H., Jr., and Renger, L. D. (1969) The size and number distribution of aerosols in the continental troposphere, J. Atm. Sci. 26:716-726.
- Bullrich, K. (1963) Der Beginn der Nebelbildung und seine optische Auswirkung, Z. Angew. Math. & Phys. 14:434-441.
- Curcio, J. S., Knestrick, G. L., and Cosden, T. H. (1961) Atmospheric Scattering in the Visible and Infrared, NRL Report 5567, U. S. Naval Research Laboratory, Washington, D. C.
- Eldridge, R. G. (1969) Mist - the transition from haze to fog, Bull. Am. Meteorol. Soc. 50:No. 6.
- Elterman, L. (1968) UV, Visible and IR Attenuation to 50 km, AFCRL-68-0153.
- Elterman, L., Wexler, R., and Chang, D. T. (1969) Features of tropospheric and stratospheric dust, J. Appl. Optics, 8(No. 5):893-903.
- Faraponova, G. P. (1965) Relation of the Transparency of the Free Atmosphere to Certain Meteorological Characteristics, Izv., Vol. 1, No. 6, Atmospheric and Oceanic Physics Series, pp. 607-614, translated by P. A. Keehn.
- Foitzik, L. (1938) Über die Lichtdurchlässigkeit der stark getrübbten Atmosphäre im sichtbaren Spektralbereich, Wiss. Abh. Reichsamt f. Wetterdienst, Berlin, 4(No. 5).
- Goes, O. W. (1963) Registrierung der Durchlässigkeit in verschiedenen Spektralbereichen in der Atmosphäre, Beitr. zur Phys. der Atmos. 36:127-147.
- Hulbert, E. O. (1941) Optics of atmospheric haze, J. Opt. Soc. Am. 31(No. 7).
- Junge, C. E. (1958) Atmospheric Chemistry, Vol. 4, Advances in Geophysics, Academic Press, New York, N. Y.
- Kondratyev, K. Ya (1969) Radiation in the Atmosphere, Vol. 12, International Geophysics Series, J. Van Mieghem, Ed., Academic Press, New York, p. 291.
- Koschmieder, H. (1924) Theorie der horizontalen Sichtweite, Beitr. Phys. freien Atm. 12:33-53, 171-181.



- Neiburger, M., and Chien, C. W. (1960) Computations of the Growth of Cloud Drops by Condensation Using an Electronic Digital Computer, Physics of Precipitation, Geophys. Monogr. No. 5, Amer. Geophys. Union, Washington, D. C., pp. 191-210.
- Penndorf, R. (1954) The Vertical Distribution of Mie Particles in the Troposphere, AFCRL, Geophysics Research Paper No. 25.
- Rosen, J. M. (1967) Simultaneous Dust and Ozone Soundings over North and Central America, Final Report, Contract No. NONR-710 (22), University of Minnesota.
- Siedentopf, H. (1955) Light in the Troposphere, Translation by Krans, D., AFCRC-TN-55-210.

Unclassified  
Security Classification

DOCUMENT CONTROL DATA - FFD		
<i>(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)</i>		
1. ORIGINATING ACTIVITY <i>(Corporate author)</i> Air Force Cambridge Research Laboratories (CRO) L. G. Hanscom Field Bedford, Massachusetts 01730		2a. REPORT SECURITY CLASSIFICATION Unclassified
		2b. GROUP
3. REPORT TITLE VERTICAL-ATTENUATION MODEL WITH EIGHT SURFACE METEOROLOGICAL RANGES 2 TO 13 KILOMETERS		
4. DESCRIPTIVE NOTES <i>(Type of report and inclusive dates)</i> Scientific, Interim.		
5. AUTHOR(S) <i>(First name, middle initial, last name)</i>  Louis Elterman		
6. REPORT DATE March 1970	7a. TOTAL NO. OF PAGES 72	7b. NO. OF REFS 17
8a. CONTRACT OR GRANT NO.	9a. ORIGINATOR'S REPORT NUMBER(S) AFCRL-70-0200	
b. PROJECT, TASK, WORK UNIT NOS. 7621-08-01		
c. DOD ELEMENT 62101F		
d. DOD SUBELEMENT 681000	9b. OTHER REPORT NO(S) <i>(Any other numbers that may be assigned this report)</i> ERP No. 318	
10. DISTRIBUTION STATEMENT 1—This document has been approved for public release and sale; its distribution is unlimited.		
11. SUPPLEMENTARY NOTES  TECH, OTHER	12. SPONSORING MILITARY ACTIVITY Air Force Cambridge Research Laboratories (CRO) L. G. Hanscom Field Bedford, Massachusetts 01730	
13. ABSTRACT  An examination of the haze regime shows that: (1) the aerosol properties of a surface meteorological range generally affect a mixing layer to 5 km altitude, and (2) the lower and upper visibility limits of a haze regime are defined by meteorological ranges 1.2 km and 15 km respectively. Within these limits eight meteorological ranges are selected for developing uv, visible, and ir aerosol attenuation coefficients. An aerosol scale height is derived for each meteorological range. Finally, the computed aerosol attenuation coefficients are presented as tabulations which include previously published attenuation parameters (aerosols, molecules and ozone) to 50 km altitude.		

DD FORM 1473  
1 NOV 65

Unclassified  
Security Classification

Unclassified  
Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Haze transmission in UV Haze transmission in Visible Haze transmission in IR Vertical aerosol attenuation through haze Haze attenuation model Light scattering in atmospheric haze						

Unclassified  
Security Classification