

NAVAL AEROSPACE MEDICAL RESEARCH LABORATORY

Reproduced by NATIONAL TECHNICAL INFORMATION SERVICE HIS (equilation of the matrix completed states (201)

August 1972

Approved for public release; distribution unlimited.

Security Classification			
DOCUMENT C	ONTROL DATA		
Naval Aerospace Medical Research Enboratory Pensacola, Florida 32512			lassified
ORIENTATION-ERROR ACCIDENTS IN REGU YEAR 1969: RELATIVE INCIDENCE AND CC			N/A T DURING FISCAL
 A conservative root system of report and inclusive dates) Agriculture or First toole, nor die initial, fast names 			
W. Carroll Hixton, Jorma I. Niven, and Emi	l Spezia		
28 August 1972	70, 101AL 100 32	OF PAGES	7 10 100 01 001 5 7 2000 1055
hans to the BuMed	NAME	L-1163	
MF51.524.005-5016BX1J.11	this report)	RL Serial No	other numbers that may be as signed
Approved for public release; distribution unlir	nited.		
Research Laboratory, Fort Rucker, Alabama This report is the third in a longitudinal s pilot disorientation/vertigo accident problem	in Regular Arm	/ UH-1 hell	copter operations. Incl-
dence and cost data presented for fiscal year error accidents (16 of which were fatal), resu \$8,130,297 aircraft damage.			
dence and cost data presented for fiscal year error accidents (16 of which were fatal), resu			
dence and cost data presented for fiscal year error accidents (16 of which were fatal), resu			
dence and cost data presented for fiscal year error accidents (16 of which were fatal), resu			

HEY WORD)			LIN	INK M LINK C		
		ROLE	¥/ T	HOLE	w t	HOLE	*
Army aviation			ł				
Aviation medicine							
Aviation safety							
Aircraft accidents							
Pilot disorientation							
Vertigo							
UH-1 helicopters							
				ļ			
	11						
PORM.1473 (BACK)	<u> </u>		l	assified			_

Approved for public release; distribution unlimited.

ORIENTATION-ERROR ACCIDENTS IN REGULAR ARMY UH-1 AIRCRAFT DURING FISCAL YEAR 1969: RELATIVE INCIDENCE AND COST

W. Carroll Hixson, Jorma I. Niven, and Emil Spezia

Bureau of Medicine and Surgery MF51.524.005-5016BX1J

U. S. Army Aeroniedical Research Laboratory

Approved by

Released by

Ashton Graybiel, M.D. Assistant for Scientific Programs Captain N. W. Allebach, MC USN Officer in Charge

28 August 1972

NAVAL AEROSPACE MEDICAL RESEARCH LABORATORY NAVAL AEROSPACE MEDICAL INSTITUTE NAVAL AEROSPACE AND REGIONAL MEDICAL CEINTER PENSACOLA, FLORIDA 32512

10

on an instantion of the state of the state of the

SUMMARY PAGE

THE PROBLEM

From the military mission viewpoint, the amount of research effort to be expended on the solution of a given aviation medicine problem must be keyed to the operational cost of the problem. Therefore, a necessary first step in the development of a solution is the assimilation of data that define the magnitude of the problem. Though orientationerror accidents involving pilot disorientation and vertigo have been long recognized to exist, little quantitative data are available to describe the actual incidence and cost of such accidents in Army aviation.

FINDINGS

To initiate the action necessary to establish the magnitude of the orientation-error problem in Army aviation, an interservice research program was organized under the joint sponsorship of the U.S. Army Aeromedical Research Laboratory, the U.S. Army Agency for Aviation Safety, and the Naval Aerospace Medical Research Laboratory. The first task was the construction of an operational definition of an orientation-error accident. The assimilation of data pertaining to the incidence and cause of such accidents and their actual and relative costs in terms of fatalities, injuries, and aircraft damage was then set as the working objective of the program. Accordingly, the decision was made to implement a five-year longitudinal study of all major and minor orientationerror accidents involving Regular Army flight operations beginning with fiscal ynar 1967. Findings are being summarized on a fiscal-year basis in three separate lines of reports: The first line is devoted to defining the over-all magnitude of the orientation-error problem in all aircraft types; the second line to the presentation of similar incidence and cost data for accidents involving only the UH-1 aircraft, the predominant rotary wing aircraft in the Army inventory; and the third line to the description of the various causal factors found to be present in the major UH-1 orientation-error accidents.

This specific report is the third in the series dealing with the magnitude of the orientation-error problem in UH-1 aircraft. Incidence and cost data are presented for all major and minor prientation-error accidents involving Regular Army UH-1 flight operations that were detected in the search of the fiscal year 1939 accident files.

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

ii

ACKNOWLEDGMENTS

The authors wish to thank Colonel R. W. Balley, MSC, USA, Commanding Officer, U. S. Army Aeromedical Research Laboratory, for his direction and assistance in the initial setup and structure of the project and for his continued support of its research objectives. The authors wish to thank also the director of the U. S. Army Agency for Aviation Safety and his data processing staff for making the master accident files available for analysis and for compiling the all-accident and pilot-error accident statistics included in this specific report. In addition, we acknowledge the assistance of Mrs. Linda Pearce of the Naval Aerospace Meaical Research Laboratory (NAMRL) in the conduct of the orientation-error accident analysis program and to thank her for the sustained, always cheerful, working support she has devoted to the accomplishment of the project objectives. Other NAMRL personnel whom the authors wish to thank include Mr. A. N. Dennis and Mr. C. A. Lowery, both of the Bionics Branch, who assisted in the compilation and graphical layout of the data; Miss E. C. Marques of the Biostatistics Branch and her staff who checked the clatistical calculations; and Mr. R. C. Barrett of the Visual Aids Branch who photographed the report figures.

LIST OF TABLES

		Page
Table I.	All Accident Types	4
Table II.	Pilot-Error Accidents Only	10
Table III.	Orientation-Error Accidents Only	14
	LIST OF FIGURES	
Figure 1A.	Weighting Factor: Total UH+1 Flying Hours	5
Figure 1B.	Weighting Factor: Total UH-1 Landings	5
Figure 2.	All UH-1 Accident Types: Incidence of Major and Minor Accidents	6
Figure 3A.	All UH-1 Accident Types: Total Number of Fatal Accidents	7
Pigu:+ 3B.	All UH-1 Accident Types: Total Number of Favalities	7
Figure 3C.	All UH-1 Accident Types: Total Number of Nonfatul Injuries	7
Figure 3D.	All UH-1 Accident Types: Total Alicraft Dollar Damage	7
Figure 4A.	All UH-1 Accident Types: Accident Rate per 100,000 Hours	8
Figure 48.	All UH-1 Accident Types: Accident Rate per 100,000 Landings	8
Figure 5.	UH-1 Pllot-Error Accident Types: Incidence of Major and Minor Accidents	11
Figure 6A.	UH-1 Pilot-Error Accident Types: Total Number of Fatal Accidents	12
Figure 68.	UH-1 Pilot-Error Accident Types: Total Number of Fatalities	12
Figure 6C.	UH-1 Pilot-ärror Acaldent Types: Total Number of Nonfatal Injurios	12
Figure 6D.	UH-1 Pilot-Error Accident Types: Total Aircraft Dollar Damage	12
Figure 7A,	UH-1 Pllot-knor Accidenr Types: Accident Rate per 100,000 Hours	13
Figure 78.	UH-1 Pllot-Error Accident Types: Accident Rate per 100,000 Landings	13
Figure 8.	UH-1 Octentation-Error Accidents; Incidence of Major and Minor Accidents	15
Figure 9A,	UH-1 Orientation-Error Accidents: Total Number of Fatal Accidents	16
Figure 9B.	UH-1 Orientation-Error Accidents: Total Number of Fatalities	16
Fljuro 9C .	UH-1 Orientation-Error Accidents: Total Number of Nonfatul Injuries	16
Flguro 9D.	UH-1 Ottentation-Error Accidents: Total Aircraft Dollar Damage	16
Figure 10A	. UH-1 Orlantation-Error Accidents: Accident Rate per 100,000 Hours	17
Figure 10B	, UH-1 Orlentation-Error Accidents: Accident Rate per 100,000 Landings	17

Figure 11.	Comparative Costs: Percent Fatal Accidents	19
Figure 12.	Comparative Costs: Average Number Fatalities per Fatal Accident	20
Figure 13.	Comparative Costs: Average Number Nonfatal Injuries per Accident	2 1
Figure 14.	Comparative Costs: Average Dollar Damage per Accident	22
Figure 15.	UH-1 Orientation-Error Accidents: Percent Total Incidence	23
Figure 16.	UH-1 Orlen atton-Error Accidents: Percent Total Facal Accidents	24
Figure 17.	UH-1 Orler - Non-Error Accidents: Percent Total Fatalities	25
Figure 18.	UH-1 Orlantation-Error Accidents: Percent Total Dollar Cost	26

v

INTRODUCTION

To investigate the operational role of pilot disorientation and vertigo in all orientation-error types of aircraft accidents, the authors have organized an interservice research program under the joint sponsorship of the U.S. Army Aeromedical Research Laboratory (USAARL), the U.S. Army Agency for Aviation Safety (USAAAVS), and the Naval Aerospace Medical Research Laboratory (NAMRL). Since few quantified data were available to describe the actual magnitude of the orientation-error problem in Regular Army flight operations, the decision was made to conduct a five-year longitudinal study, beginning with fiscal year 1967, of all Army aircraft accidents that involved an erroneou, judgment of aircraft motion or attitude on the part of the pilot. Two separate, but related, project objectives were set for the longitudinal study. The first was to extract and assimilate data from the USAAAVS master aircraft-accident files which would define the actual and relative cost of orientation-error accidents to Regular Army flight operations. These data, by defining the operational magnitude of the problem, would then serve to define the extent of the research support that should be devoted to its solution. The second working objective was to extract data on a case-history basis which would describe the various pilot/aircraft/mission/environment factors found to be present in each of the orientation-error accidents. Assimilation and analysis of these data over the study period would result in better knowledge of the most common operational causes of orientation-error accidents and thus point out those research directions which offer the greatest potential toward the reduction of accident incidence.

The results of the longitudinal study are being summarized in three separate lines of reports, with one report in each line prepared for each fiscal year of the five-year study. The first line of reports (for example, refs. 1, 4, and 7) is devoted to defining the incidence and cost of all major and minor orientation-error accidents involving all aircraft types, fixed wing as well as rotary wing, that occurred in Regular Army flight operations for each fiscal year. Since the UH-1 "Huey" helicopter has been, and is, the predominant aircraft in the Army rotary wing inventory, the second line of reports (for example, refs. 2 and 5) is devoted to defining the magnitude of the orientation-error accident problem in only this aircraft. The layout and format of this line of reports are almost identical to those of the first line. The third line of reports (for example, refs. 3 and 6) deals exclusively with the various causal factors found to be present in all of the major UH-1 orientation-error accidents. Typical data to be presented include phase of flight, time of day, type of mission, pilot experience, physiological factors, psychological factors, facility factors, environmental factors, and the like.

This specific report is the third in the series dealing with the magnitude of the orientation-error problem in UH-1 aircraft. Incidence and cost data are presented for all major and minor orientation-error accidents involving Regular Army UH-1 flight operations that were detected in the search of the fiscal year 1969 accident files. In addition, corresponding cost data are presented for both all accident types, regardless of cause, and for pilot-error accident types so as to better establish the relative magnitude of the UH-1 orientation-error accident problem.

PROCEDURE

A basic requirement for the commencement of this study was a workable definition of the class of accident to be defined as involving orientation error. The reader is referred to previous reports (refs. 1-3) for a comprehensive definition and discussion of its rationale. Briefly, orientation is considered to involve the correct determination of the dynamic position and attitude of an aircraft in three-dimensional space. The key word here is dynamic, which implies that full knowledge of the motion as well as static attitude and position is required to define its instantaneous spatial orientation. Accordingly, a pilot is considered to have made an orientation error whenever his perception of the motion and attitude of his aircraft differs from the true motion or attitude; i.e., the true orientation of the aircraft. An orientation-error accident is then defined as one that occurs as a result of an incorrect control or power action taken by a pilot (or a correct action not taken) due to his incorrect perception of the true crientation of his aircraft.

With this definition of orientation-error accidents serving as a classification reference, an experienced classifier read all briefs in the USAAAVS master accident files and selected all major and minor accidents of this type occurring during fiscal year 1969. For redundancy, the entire accident files were also searched by sifting the coded summaries that USAAAVS prepares for each accident for a wide range of indicator terms.

The authors then reviewed the accident briefs independently for the purpose of establishing whether or not an orientation-error accident classification would result. In addition, the comprehensive master file on each suspect accident was obtained and reviewed. Whenever there was serious question as to the contribution of orientation error to the accident or where equally weighted alternative causal factors were present, then the accident was not included in the classification. The net effect of this policy is to give a conservative estimate of the magnitude of the orientation-error accident problem.

RESULTS AND DISCUSSION

To place the operational significance of UH-1 orientation-error accidents in proper perspective, it is necessary to have at least a cursory understanding of the incidence and cost of UH-1 aircraft accidents in general. As with the previous UH-1 reports (refs. 2 and 5) this is accomplished as follows: The lead section below is devoted to describing the over-all cost of all Regular Army UH-1 aircraft accidents, regardless of type or location, that occurred during fiscal year 1969. In a second section, equivalent data in a nearly identical format are presented to isolate those UH-1 accidents in the first section that were classified by USAAAVS as involving one or more pilot-error factors. Incidence and cost statistics pertaining to UH-1 orientation-error accidents only are then presented in a third section. By using these three sets of data as independent references, it then becomes possible to derive some quantitative insight into the relative, as well as actual, cost of UH-1 orientation-error accidents in Regular Army flight operations. Selected comparative relationships are presented in the last section of the report. To facilitate the point-by-point comparison of these fiscal year 1969 UH-1 data with corresponding data derived for other fiscal years of the longitudinal study, the layout and numbering of all tables and figures in this report follows identically those used in the previous UH-1 reports (refs. 2 and 5).

ALL TYPES OF UH-1 AIRCRAFT ACCIDENTS

The data presented in this section describe the incidence and cost of all major and minor UH-1 helicopter accidents involving Regular Army flight operations during fiscal year 1969. Separate data groupings are provided for those accidents that occurred in Vietnam, those accidents that occurred elsewhere, and their combined total. Since the vast majority of the accidents that do not occur in Vietnam (VN) take place within the continental limits of the United States, the abbreviation US is arbitrarily used to denote all accidents that do not occur in Vietnam. It should be realized then that the US data grouping will include a small number of accidents that may have occurred, for example, in Europe, Africa, or elsewhere. A second point to be stressed is that the VN data pertain strictly to accidents, not losses due to enemy action.

In the interpretation of the accident statistics to follow, it becomes possible to compare VN and US accident incidence only when some common measures of aircraft utilization are selected as weighting factors. A similar requirement exists for comparison of accident incidence in one given fiscal year with incidence in other fiscal years. To establish such reference, percent aircraft inventory, total flying hours, and total aircraft landings are used as basic weighting data in this report. These data, as well as the incidence and cost statistics discussed in this section, are summarized in Table 1.

The aircraft inventory data listed in Table I show that for fiscal year 1969, the average number of UH-1 aircraft operating out of VN was 54.94 percent of the total UH-1 inventory. This results in a VN/US inventory ratio of 1.22 to 1. The total flight hours and total landings data listed in Table 1 show an even greater weighting factor for the VN operations; i.e., a VN/US total hours ratio of 2.75 to 1 and a VN/US total landings ratio of 2.14 to 1. Thus for this fiscal year, aircraft utilization in terms of inventory, total hours, and total landings was greater in VN.


With these aircraft utilization data serving as background reference, it becomes possible to make a weighted interpretation of the raw accident data presented in Table 1. Selected excerpts from these data are presented in Figures 2 and 3. The numerical incidence of all major and minor UH-1 aircraft accidents, regardless of type or causal factor, is plotted in Figure 2. The cost of these accidents, as measured by the number of fatal accidents, number of fatalities, number of nonfatal injuries, and aircraft dollar damage is outlined in Figures 3A through 3D, respectively.

In terms of the over-all UH-1 accident problem during fiscal year 1969, there were a total of 545 accidents (81 of which were fatal), resulting in 281 fatalities, 699 nonfatal injuries, and a UH-1 aircraft damage cost of \$82,379,000. The Vietnam contribution to these totals was 479 accidents (72 of which were fatal), resulting in 255 fatalities, 639

TABLE I						
FISCAL YEAR 1969 DATA						
ALL ACCIDENT TYPES UH-1 AIRCRAFT ONLY						
ACCIDENT INDEX	U.S. ACCIDENTS	VIET NAM ACCIDENTS	ALL ACCIDENTS	VN to US RATIO		
Major Accidents	53	451	504	8.51		
Minor Accidents	13	28	41	2.15		
Total Accidents	66	479	545	7.26		
Aircraft Inventory - Percent Total	45.06	54.94	100.00	1.22		
Total Flying Hours	682,762	1,878,250	2,561,012	2.75		
Total Landings	2,735,105	5,843,997	8,579,102	2.14		
Major Accidents per 100,000 Hours	7.76	24.01	19.68	3.09		
Minor Acsidents per 100,000 Hours	1.90	1.49	1.60	0.78		
Total Accidents per 100,000 Hours	9.67	25,50	21.28	2.64		
Major Accidents per 100,000 Landings	1.94	7.72	5.87	3.98		
Minor Accidents per 100,000 Landings	0.47	0.48	0.48	1.01		
Total Accidents per 100,000 Landings	2,41	8.20	6.35	3.40		
Total Dollar Cost	7,920,000	74,459,000	82,379,000	9.40		
Average Dollar Cost per Accident	120,000	155,447	151,154	1.29		
Total Fatalities	26	255	281	9.81		
Average Fatalities per Accident	0.39	0.53	Ú.51	1.35		
Fatal Accidents - Number	9	72	81	8.00		
Fatal Accidents – Percent	13.64	15.03	14.86	1.10		
Average Fatalities per Fatal Accident	2.89	3.54	3.47	1.23		
Total Nonfatal Injuries	60	639	699	10.65		
Average Nonfatal Injuries per Accident	0.91	1.33	1.28	1.47		


4

......






Total flying hours (A) and total landings (B) by location of UH-1 (Huey) helicopter aircraft flown in Regular Army flight operations during fiscal year 1969. In 1A, the right-hand bar indicates total hours flown in Vietnam, the left-hand bar total hours flown elsewhere (primarily in the United States), and the central bar the direct sum of the adjacent data to either side. The format of the total landing data in 1B follows identically. For this year, 2.75 times as many hours were flown in Vietnam as were flown elsewhere. Correspondingly, 2.14 times as many landings were made in Vietnam as were made elsewhere.




F	t	~		r€	•	2
- T.	Ł	u	υ	16		"

All UH-1 Accident Types: Total number of major and minor UH-1 aircraft accidents of all types that occurred in Regular Army flight operations during fiscal year 1969. The righthand bar denotes the number of UH-1 accidents that occurred in Vietnam, while the lefthand bar denotes the number of accidents that occurred elsewhere. This latter bar has been identified as "U. S. Accidents" for convenience since the vast majority of the accidents that do not occur in Vietnam (VN) take place within the continental limits of the United States (US). This convention applies throughout the remaining report figures. The central bar totalizes the adjacent VN and US data. As described in the text, the VN data perrain to accidents, not losses due to enemy action. The number of accidents that occurred in VN was 7.26 times the number of accidents that occurred elsewhere.





All UH-1 Accident Types: Total number of fatal accidents (A), total number of fatalities (B), total number of nonfatal injuries (C), and total dollar cost of resulting UH-1 aircraft damage (D). In all cases, the VN costs were greater.





All UH-1 Accident Types: Normalized incidence data showing the average number of UH-1 accidents per 100,000 flying hours (A) and average number of accidents per 100,000 landings (B). The over-all rates were 21.28 accidents per 100,000 hours and 6.35 accidents per 100,000 landings. The VN rate was 2.64 times the US rate using hours as reference, and 3.40 times the US rate using landings as reference.

nonfatal injuries, and an aircraft damage cost of \$74,459,000. In all cases, the unweighted incidence and cost of accidents occurring in VN exceeded those of accidents occurring elsewhere. That is, the VN/US total accident ratio was 7.26 to 1, the VN/ US fatal accident ratio was 8.00 to 1, the VN/US fatality ratio was 9.81 to 1, the VN/US nonfatal injury ratio was 10.65 to 1, and the VN/US average dollar damage cost per accident ratio was 1.29 to 1. In terms of total dollar damage, the cost of VN accidents was 9.40 times the cost of US accidents.

To facilitate the comparison of these fiscal year 1969 data with accident incidence data presented for other years of the study, the data in Figure 2 have been normalized relative to the total number of flying hours flown in each location and plotted in Figure 4A as the average number of accidents occurring every 100,000 hours. The same normalization using total landings as reference was accomplished for Figure 4B which shows the accident rate for every 100,000 landings. Considering the total number of UH-1 accidents, these data show that, on the average, there were 21.28 accidents per 100,000 hours and 6.35 accidents per 100,000 landings. These rate figures are lower than the corresponding data for both fiscal year 1967 (ref. 2) and fiscal year 1968 (ref. 5). The UH-1 data indicate however, that even after normalization, the accident rate in VN was substantially greater than that elsewhere. That is, the accident rate in VN was 2.64 times greater than the rate elsewhere using total hours as reference, and 3.40 times greater using total landings as reference.

UH-1 PILOT-ERROR ACCIDENTS

In this section, incidence and cost data are presented for all UH-1 accidents that were classified by USAAAVS as involving one or more pilot-error causal factors. It should be observed that this classification does not imply that pilot error was the only, or even the primary, accident causal factor. That is, this grouping includes all UH-1 accidents involving one or more pilot errors even though, for example, material failure, maintenance shortcomings, or poor facilities may also have contributed to the accident. A further point, by definition, is that these pilot-error accidents are a subgroup of the all-accident statistics discussed in the previous section.

Incidence and cost data for these fiscal year 1969 pilot-error accidents are presented in Table II and Figures 5 and 6. These data show that there were a total of 321 major and minor UH-1 pilot-error accidents (49 of which were fatal), resulting in 163 fatalities, 236 nonfatal injuries, and \$45,434,000 aircraft damage. As with the all-accident data, the incidence and cost of pilot-error accidents that occurred in Vietnam were considerably higher than those which occurred elsewhere. From Table II it can be seen that the VN/ US accident incidence ratio was 7.23 to 1, the VN/US fatal accident ratio was 23.50 to 1, the VN/US fatality ratio was 17.11 to 1, the VN/US nonfatal injury ratio was 6.37 to 1, and the VN/US average cost per accident ratio was 1.86 to 1. In terms of total dollar damage, the cost of VN accidents was 13.44 times the cost of US accidents. When compared to the corresponding all-accident data, the VN/US fatal accident ratio, as well as the VN/US fatality ratio, was considerably higher for pilot-error accidents.


PILOT-ERROR ACCIDENTS ONLY	TABLE II FISCAL YEAR 19	69 DATA	UH-1 AIRCRA	
	U.S. ACCIDENTS	VIET NAM ACCIDENTS	ALL ACCIDENTS	VN to US RATIO
Major Accidents	27	259	286	9,59
Minor Accidents	12	23	35	1.92
Total Accidents	39	282	321	7,23
Total Dollar Cost	3,147,000	42,287,000	45,434,000	13.44
Average Dollar Cost per Accident	80,692	149,954	141,539	1.86
Total Fatalities	9	154	163	17.11
Average Fatalities per Accident	0.23	0.55	0.51	2.36
Fatal Accidents - Number	2	47	49	23,50
Faial Accidents - Percent	5,13	16.67	15.26	3.25
Average Fatalities per Fatal Accident	4.50	3.28	3,33	0.73
Total Nonfatal Injuries	32	204	236	6.37
Average Nonfatal Injuries per Accident	0.82	0.72	0.73	0.88

In Figure 7, accident rate data are presented using the total hours and total landings data of Figure 1 as normalization reference. The over-all rates were 12.53 accidents per 100,000 hours and 3.74 accidents per 100,000 landings. These pilot-error accident rates are lower than the corresponding data for both fiscal year 1967 (ref. 2) and fiscal year 1968 (ref. 5). In VN and US, the rates were 15.01 and 5.71 accidents, respectively, per 100,000 hours resulting in a VN/US ratio of 2.63 to 1. With landings as reference, the VN and US rates were 4.83 and 1.43 accidents, respectively, per 100,000 landings, which results in a VN/US ratio of 3.38 to 1.

UH-1 ORIENTATION-ERROR ACCIDENTS

This section summarizes the incidence and cost of all UH-1 major and minor orientation-error accidents detected in our review of the USAAAVS accident files for the stated fiscal year. As detailed with selected qualifications in the procedure section of the first report in this series (ref. 2), this listing includes all accidents that were classified as involving incorrect pilot perception of aircraft motion or attitude. The reader should recognize that the orientation-error accidents discussed herein are a subgroup of the pilot-error accident statistics presented in the previous section.


Incidence and cost data for these fiscal year 1969 orientation-error accidents are presented in Table III and Figures 8 and 9. These data show that there were a total of 46 major UH-1 orientation-error accidents (16 of which were fatal), resulting in 39 fatalities, 67 nonfatal injuries, and \$8,130,297 aircraft damage. For that fiscal year,



UH-1 Pilot-Error Accident Types: Total number of major and minor UH-1 aircraft accidents involving the presence of one or more pilot-error factors as classified by USABAAR. The number of pilot-error accidents that occurred in VN was 7.23 times the number of accidents that occurred elsewhere.


- The second second

ú





UH-1 Pilot-Error Accident Types: Total number of fatal accidents (A), total number of fatalities (B), total number of nonfatal injuries (C), and total dollar cost of resulting UH-1 aircraft damage (D). As with the all accident data, the loss was greatest in VN.



のためのないというないないないないないないないない

Star Law South Star Star Star



UH-1 Pilot-Error Accident Types: Normalized incidence data showing the average number of UH-1 pilot-error accidents per 100,000 flying hours (A) and average number of accidents per 100,000 landings (B). The total hours and total landings data of Figure 1 served as normalization reference. These rate data are intended only as a fiscal year 1969 baseline reference for comparison with similar data for other fiscal years of the longitudinal study. The over-all rates were 12.53 pilot-error accidents per 100,000 hours and 3.74 accidents per 100,000 landings. The VN rate was 2.63 times the US rate using hours as reference, and 3.38 times the US rate using landings as reference.


<u>ى ئەر يەرىكە يەرىكە يەرىكە يەركە ئەركە ئەركە ئەركە ئەركە تەركە يەركە يەركە يەركە يەركە يەركە يەركە يەركە يەركە</u>	TABLE III FISCAL YEAR 19			
ORIENTATION-ERROR ACCIDENTS ONL		67 105115	UH-1 AIRCRAF	T ONLY
ACCIDENT INDEX	U.S. ACCIDENTS	VIET NAM ACCIDENTS	ALL ACCIDENTS	VN to US RATIO
Major Accidents	6	38	44	6.33
Minor Accidents	1	1	2	1.00
Total Accidents	7	39	46	5.57
Total Dollar Cost	1,062,712	7,067,585	8,130,297	6.65
Average Dollar Cost per Accident	151,816	181,220	176,745	1,19
Total Fatalities	8	31	39	3.87
Average Fatalities per Accident	1.14	0.79	0.85	0.69
Fatal Accidents - Number	2	14	16	7.00
Fatal Accidents - Percent	28.57	35.90	34.78	1,26
Average Fatalities per Fatal Accident	4.00	2.21	2.44	0.55
Yotal Nonfatal Injuries	3	64	67	21.33
Average Nonfatal Injuries per Accident	0.43	1.64	1.46	3.83

there ware only two minor accidents. As with the all-accident and pilot-error accident data, the orientation-error data show a much higher accident incidence and personnel cost in VN; i.e., the VN/US accident incidence ratio was 5.57 to 1, the VN/US fatal accident ratio was 7.00 to 1, and the VN/US nonfatal injury ratio was 21.33 to 1. In the case of the VN/US average dollar damage per accident ratio, the 1.19 to 1 value indicates approximately equal cost in each location. With regards to total dollar damage, the cost of orientation-error accidents in VN was 6.65 times greater than the cost in US.


The accident rate data of Figure 10, derived from the total hours (A) and total landings (B) data of Figure 1, indicate that there was an over-all average of 1.80 and 0.54 orientation-error accidents per 100,000 hours and per 100,000 landings, respectively, for fiscal year 1969. These rates are lower than the corresponding rates for both fiscal year 1967 (ref. 2) and fiscal year 1968 (ref. 5). As with the all-accident and pilot-error accident data, the orientation-error accident rate was greatest in VN. Bc. ed on equal flying hours, the VN rate was 2.03 times the US rate; with equal landings as reference, the VN rate was 2.61 times the US rate.

COMPARATIVE INCIDENCE AND COST OF UH-1 ORIENTATION-ERROR ACCIDENTS

The arrangement of the data presented in the preceding sections was selected to differentiate between the actual incidence and cost of all UH-1 accidents, pilot-error



UH-1 Orientation-Error Accident Types: Total number of major and minor UH-1 aircraft accidents involving orientation error that were detected in the search of the USABAAR master accident files for fiscal year 1969. The VN incidence was 5.57 times the US incidence.




Sold Share and the second s

の状況であるというという



UH-1 Orientation-Error Accident Types: Total number of fatal accidents (A), total number of fatalities (B), total number of nonfatal injuries (C), and total dollar cost of resulting UH-1 aircraft damage (D). The higher cost of VN operations is obvious.



UH-1 Orientation-Error Accident Types: Normalized incidence data showing the average number of UH-1 orientation-error accidents per 100,000 flying hours (A) and average number of accidents per 100,000 landings (B). The total hours and total landings data of Figure 1 served as reference. These rate data are intended or ly at a fiscal year 1969 baseline reference for comparison with similar data for other fiscal years of the longitudinal study. The over-all rates were 1.80 orientation-error accidents per 100,000 hours and 0.54 accidents per 100,000 landings. The VN rate was 2.03 times the US rate using hours as reference, and 2.61 times the US rate using landings as reference.

type UH-1 accidents, and orientation-error type UH-1 accidents. In this section, selected incidence and cost data are expressed in percentage figures with the objective of gaining some insight into the relative contribution of orientation-error accidents to the over-all accident problem.

In Figure 11, the total number of fatal accidents occurring within each of the three accident classifications is expressed as the percentage of the total number of accidents occurring within the given classification. For the combined total of VN and US ac idents, 14.86 percent of all accidents were fatal, 15.26 percent of all pilot-error accidents were fatal, and 34.78 percent of all orientation-error accidents were fatal. The probability of a fatal accident was highest when orientation error was present. However, as indicated in Figure 12, when a fatal accident did occur, the average number of fatalities that resulted was about the same for all-accidents and pilot-error accidents, and slightly lower for orientation-error accidents. In terms of the average number of nonfatal injuries resulting from an accident, as indicated in Figure 13, the cost was highest for orientation-error accidents. The average dollar damage of an accident, as shown in Figure 14, was also higher for the orientation-error class of accidents. The relative magnitude of this damage can be assessed on the basis of the replacement cost of a UH-1 which then was slightly greater than \$250,000.


In Figures 15 through 18, orientation-error accident statistics are expressed as their percent contribution to both the all-accident and pilot-error accident statistics. Thus in Figure 15, the total number of orientation-error accidents is expressed as the percent incidence of the total number of all accidents and percent incidence of the total number of pilot-error accidents. For fiscal year 1969, orientation-error accidents accounted for 8.44 percent of all accidents and 14.33 percent of all pilot-error accidents.

見たいというというないないないのないないないというというない


As shown in Figure 16, the contribution of orientation-error fatal accidents to the over-all fatal accident problem was considerable. Of the total number of fatal accidents of all types, orientation-error accidents accounted for 19.75 percent. For fatal pilot-error accidents, 32.65 percent were due to orientation error. The same trend follows for total fatalities, as indicated in Figure 17. Fatalities due to orientation-error accidents accounted for 13.88 percent of all fatalities, and 23.93 percent of all pilot-error fatalities. In terms of the total cost of orientation-error accidents, they contributed 9.87 percent of the total cost of all-accidents, and 17.89 percent of all pilot-error accidents (Figure 18).

As with the previous UH-1 incidence and cost reports (refs. 2 and 5), a related report will be prepared to describe the various accident factors found to be present in each of the fiscal year 1969 major UH-1 orientation-error accidents. The format of this report will be identical to that of the previous factor reports (refs. 3 and 6).

At this point, no attempt will be made to draw any further conclusions as to the over-all significance of the results since corresponding UH-1 data are under preparation for subsequent fiscal years. The long-term value of these data will depend upon whether




Comparative incidence of fatal accidents expressed as the percent of the total number of accidents within the "All Accident Type," "Pilot-Error Accident Type," and "Orientation-Error Accident Type" classifications that resulted in one or more fatalities. Orientation-error accidents had the greatest percent incidence of fatal accidents.



ţ


Figure 12

Average number of fatalities per fatal accident for each of the three basic accident type classifications.







Average number of nonfatal injuries per accident for each of the three basic accident type classifications.




Average dollar cost of aircraft damage per accident for each of the three basic accident classifications. (Strike damage to a UH-1 aircraft approximates \$250,000.) The average cost of orientation-error accidents only slightly exceeds the cost of the other two accident classifications.




Percent contribution of all UH-1 orientation-error accidents to the total number of UH-1 accidents occurring within the "All Accident Type" and "Pilot-Error Accident Type" classifications. Orientation-error accidents accounted for 8.44 percent of all accidents and 14.33 percent of all pilot-error accidents.



Percent contribution of fatal UH-1 orientation-error accidents to the total number of fatal accidents occurring within the "All Accident Type" and "Pilot-Error Accident Type" classifications. Fatal orientation-error accidents accounted for 19.75 percent of all fatal accidents and 32.65 percent of all fatal pilot-error accidents.



Percent contribution of all UH-1 orientation-error accident fatalities to the total number of fatalities occurring within the "All Accident Type" and "Pilot-Error Accident Type" classifications. Fatalities due to orientation-error accidents accounted for 13.88 percent of the total number of accident fatalities and 23.93 percent of the pilot-error accident fatalities.



Percent contribution of the total dollar cost of all UH-1 orientation-error accidents to the total dollar cost of a'l accidents occurring within the "All Accident Type" and "Pilot-Error Accident Type" classifications. The dollar cost of orientation-error accidents accounted for 9.87 percent of the total cost of all accidents and 17.89 percent of the total cost of all pilot-error accidents.

the longitudinal analysis does or does not establish the presence of consistencies or trends in the accident experiences. Moreover, it is the function of this element of the longitudinal study only to provide quantitative UH-1 accident data; the evaluation of the data in terms of their mission implications must remain with those responsible for direction of military aviation operations.

REFERENCES

- Hixson, W. C., Niven, J. I., and Spezia, E., Orientation-error accidents in Regular Army aircraft during fiscal year 1967: Relative incidence and cost. NAMRL-1107 and USAARL Serial No. 70-14. Pensacola, Fla.: Naval Aerospace Medical Research Laboratory, June 1970.
- Hixson, W. C., Niven, J. I., and Spezia, E., Orientation-error accidents in Regular Army UH-1 aircraft during fiscal year 1967: Relative incidence and cost. NAMRL-1108 and USAARL Serial No. 71-1. Pensacola, Fla.: Naval Aerospace Medical Research Laboratory, August 1970.
- Hixson, W. C., Niven, J. I., and Spezia, E., Major orientation-error accidents in Regular Army UH-1 aircraft during fiscal year 1967: Accident factors. NAMRL-1109 and USAARL Serial No. 71-2. Pensacola, Fla.: Naval Aerospace Medical Research Laboratory, October 1970.
- Niven, J. I., Hixson, W. C., and Spezia, E., Orientation-error accidents in Regular Army aircraft during fiscal year 1968: Relative incidence and cost. NAMRL-1143 and USAARL Serial No. 72-4. Pensacola, Fla.: Naval Aerospace Medical Research Laboratory, September 1971.
- Niven, J. I., Hixson, W. C., and Spezia, E., Orientation-error accidents in Regular Army UH-1 aircraft during fiscal year 1968: Relative incidence and cost. NAMRL-1145 and 'USAARL Serial No. 72-5. Pensacola, Fla.: Naval Aerospace Medical Research Laboratory, October 1971.
- Hixson, W. C., Niven, J. I., and Spezia, E., Major orientation-error accidents in Regular Army UH-1 aircraft during fiscal year 1968: Accident factors. NAMRL-1147 and USAARL Serial No. 72-6. Pensacola, Fla.: Naval Aerospace Medical Research Laboratory, October 1971.
- Hixson, W. C., Niven, J. I., and Spezia, E., Orientation-error accidents in Regular Army aircraft during fiscal year 1969: Relative incidence and cost. NAMRL-1161 and USAARL Serial No.72-13. Pensacola, Fla.: Naval Aerospace Medical Research Laboratory, April 1972.