

UNCLASSIFIED

AD NUMBER
AD819320
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational use; 30 June 1967. Other requests shall be referred to Army Medical Research Lab, Fort Knox, KY.
AUTHORITY
USAMRL ltr, 14 June 1971

THIS PAGE IS UNCLASSIFIED

AD

US ARMY MEDICAL RESEARCH LABORATORY

FORT KNOX, KENTUCKY 40121

ANNUAL PROGRESS REPORT, FY 1967

RCS MEDDH-288(R1)


30 June 1967

AD819320

~~_____~~
STATEMENT #2 UNCLASSIFIED

This document is subject to special export controls and each transmittal to foreign governments or foreign nationals may be made only with prior approval of AMRL

~~_____~~
~~_____~~
~~_____~~
UNITED STATES ARMY
MEDICAL RESEARCH AND DEVELOPMENT COMMAND



AD _____

HEADQUARTERS
US ARMY MEDICAL RESEARCH LABORATORY
Fort Knox, Kentucky 40121

ANNUAL PROGRESS REPORT, FY 1967

RCS MEDDH-288(R1)

30 June 1967

FY 1967 Projects:

3A013001A91C - In-House Laboratory Independent Research

3A014501A74D - Military Psychophysiological Studies

3A014501B71P - Basic Research in Support of Military Medicine

3A014501B71R - Research in Biomedical Sciences

3A014501B74C - Basic Research in Performance Effectiveness

3A025601A819 - Army Aviation Medicine

3A025601A821 - Combat Surgery

SUMMARY

The research and development effort at the US Army Medical Research Laboratory, Fort Knox, Kentucky, is devoted to psychological studies of the soldier; laser radiation; methodology relating to the collection, processing, preservation, shipment and transfusion of human blood; the health of laboratory animals; and detoxification of snake venom.

The progress during Fiscal Year 1967 and the current status of the various work units are reported herein.

FOREWORD

The work of the Blood Transfusion Division continued to expand, and during the last half of the year, a Blood Donor Center was established in order to carry out the additional mission of supplying quantities of whole blood to the military.

Accelerated laser research shows promise of opening new areas of increasing importance and value to the combat soldier. More intensive work is being directed toward establishment of safety thresholds.

Research involving snake venoms was somewhat reduced during FY 1967, with a part of the effort of the Biochemistry Division being redirected to studies involving blood chemistries.

The Experimental Psychology Division expanded its research in the Skill Analysis Branch to include testing of candidates for rotary wing pilot training. This work is being carried out in conjunction with Phase I training at Fort Wolters, Texas. Continued progress was made in the other research disciplines of this division, with recent developments in the audition field showing promise of considerable military significance.

Increased emphasis was placed on the study of diseases of laboratory animals, and initial work was begun on establishing acceptable "normal" values for blood chemistries, hematological values and blood groups of several laboratory animal species. The population of the animal colony increased and now totals approximately 4,000.

TABLE OF CONTENTS

	<u>Page No.</u>
Project No. 3A013001A91C - In-House Laboratory Independent Research	
Task No. 00 - In-House Laboratory Independent Research	
Work Unit No. 149 - Production of Polyvalent Antivenins	2
Project No. 3A014501A74D - Military Psychophysiological Studies	
Task No. 00 - Military Psychophysiological Studies	
Work Unit No. 020 - Psychophysics of Visual Perception	6
Work Unit No. 022 - Biomechanical Aspects of Performance and Performance Decrement	9
Project No. 3A014501B71P - Basic Research in Support of Military Medicine	
Task No. 01 - Biochemistry	
Work Unit No. 045 - Biochemistry of Corticosteroid Hormones, Proteins, and Nucleic Acids	15
Work Unit No. 046 - Mechanism of Fibrinolysis	18
Task No. 02 - Biophysics	
Work Unit No. 010 - Models and Mechanisms of the Effects of Laser Radiation on Biological Systems	21
Work Unit No. 013 - Cellular Effects of Laser Radiation	24
Task No. 08 - Physiology	
Work Unit No. 085 - Psychophysiology of Vision	26
Work Unit No. 086 - Vestibular Function and Disorientation	29
Work Unit No. 087 - Chloroquine Retinopathy	33
Task No. 10 - Zoology	
Work Unit No. 020 - The Pathology of Animal Diseases of Military Significance	35
Work Unit No. 023 - Immunology, Toxicology and Hematochemistry of Venoms	39

Project No. 3A014501B71R - Research in Biomedical Sciences

Task No. 01 - Surgery

Work Unit No. 100 - Acute and Chronic Effects of Laser Radiation on Mammalian Tissues.....	44
Work Unit No. 101 - Ocular Effects of Laser Radiation	48
Work Unit No. 102 - Effects of Laser Radiation on Immune Mechanisms	50
Work Unit No. 103 - Cutaneous Burns Induced by Laser Radiation	53
Work Unit No. 104 - Effects of Laser Radiation on the Mammalian Hematopoietic System.....	56
Work Unit No. 105 - Effects of Laser Radiation on Active Transport in Living Membranes.....	58
Work Unit No. 275 - Laser Effects on Performance.	60
Work Unit No. 276 - Instrumentation Design.....	64

Project No. 3A014501B74C - Basic Research in Performance Effectiveness

Task No. 00 - Basic Research in Performance Effectiveness

Work Unit No. 030 - Audition and Auditory Perception	67
--	----

Project No. 3A025601A819 - Army Aviation Medicine

Task No. 00 - Army Aviation Medicine

Work Unit No. 015 - The Measurement, Composition, and Stability of Complex Skills	71
Work Unit No. 016 - Disorientation and Performance	74
Work Unit No. 017 - Traumatic Origins of Hearing Loss	78

Project No. 3A025601A821 - Combat Surgery

Task No. 00 - Combat Surgery

Work Unit No. 155 - Study of Bank Blood Preserved in Acid-Citrate-Dextrose and Acid-Citrate-Dextrose with Adenine After Forty-Two Days of Storage.....	83
--	----

	<u>Page No.</u>
Work Unit No. 156 - Study of Group O Blood Donors in the Military to Delineate Titers and Technic of Natural and Immune Antibodies Applicable to a Safe, Widescale Employment of O Blood to A, B, AB and O Recipients	90
Work Unit No. 157 - Study of Transport and Logistic Problems of Stored Whole Blood and Blood Components in the Military	94
Work Unit No. 158 - Evaluation of Automated, Semiautomated, and Other Techniques Involved in Military Blood Banking.....	96
Work Unit No. 159 - Evaluation of Mass Blood Grouping in the Military Services by Automated and Semiautomated Methods	99
Work Unit No. 160 - Blood Groups, Blood Group Substances and Chromosome Studies of Laboratory Animals	102
Work Unit No. 161 - Biochemical Alterations of Human Red Blood Cells in Cold Storage.....	105
Work Unit No. 162 - Alteration in Protein Components of Stored Red Blood Cells	107
Work Unit No. 163 - <u>Pasteurella pestis</u> and Human Blood Group Cross-Reacting Antigens.....	110
Work Unit No. 164 - Evaluation of Methods and Models for Measuring Transfusion Effects and Practices.....	112
Other USAMRL Publications	114
Distribution List	115
Document Control Data - R and D (DD Form 1473).....	117

Project No. 3A013001A91C

In-House Laboratory Independent
Research

Task No. 00

In-House Laboratory Independent
Research

Work Unit No. 149

Production of Polyvalent Antivenins

Investigators (FY 1967):

#149 W. F. Kocholaty, Ph.D.
M. Edith Ledford, A.B.
T. A. Billings, B.S.
Joyce C. Goetz, B.A.
B. D. Ashley, M.S.

RESEARCH AND TECHNOLOGY RESUME			1 GOVT ACCESSION	1 AGENCY ACCESSION	REPORT CONTROL SYMBOL
2 DATE OF RESUME 01 07 67	3 DATE OF REPORT C. TERMINATED 24 04 67	4 SECURITY U	5 RESEARCH NA	6 RELEASE LIMITATION NL	7 LEVEL OF RESUME A. WORK UNIT
102 CURRENT NUMBER/CODE 61130011 3A013001A91C 00 149			103 PRIOR NUMBER/CODE NO CHANGE		
11. TITLE (U) Production of Polyvalent Antivenins					
12 SCIENTIFIC OR TECH AREA 016800 Toxicology			13 START DATE 07 66	14 CRIT. COMPL DATE NA	15 FUNDING AGENCY OTHER DA
16 PROCURE METHOD C. In-House	17 CONTRACT/GRANT A. NUMBER NA B. TYPE C. DATE D. AMOUNT		18 RESOURCES EST. A. PRIORITY 66 B. CURRENT FY 67	19 PROFESSIONAL MAN YEARS 0	20 FUNDS (in thousands) 0
19 SOC'L LAB INSTALLATION/ACTIVITY NAME ADDRESS HEADQUARTERS US Army Medical Res & Dev Command Washington, D. C. 20315 RES. INDV. Forrester, COL R. H. TEL. 502-41759			21 PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121 INVESTIGATOR Kocholaty, W. F., Ph. D. PRINCIPAL Ledford, M. E. ASSOCIATE TEL. 502-44350 DA		
22 TECHNOLOGY UTILIZATION NA			23 COORDINATION NA		
24 KEYWORDS Detoxify; Venoms; Snakes, Poisonous; Immunization; Venoms, Biochemistry; Photosensitization; Methylene Blue					
25 (U) Tech Objective - To detoxify venoms and other poisons without eliminating their immunogenic properties. To elucidate the enzymology, immunochemistry and chemistry of venoms and venom compounds.					
26 (U) Approach - Venoms are attenuated by photooxidation. The resulting toxoids are tested for immunogenic response in rabbits and in goats. Chemical fractionation of various venoms is carried out.					
27 (U) Progress (1 Apr 67 - 30 Jun 67) - The comparison of the enzymology of Cro-talid venoms was completed and extended to other species. The immunization sched-ule of goats with photooxidized coral snake venom was continued. Several batches of highly active immunoglobulin have been isolated so far. Experiments designed to in-vestigate the influence of the route of administration of various venoms in relation to protection by immune sera in mice revealed that the route of administration is of decisive importance in the demonstration of the protective effect of an antivenin and that it will vary with the type of venom (hemorrhagic-necrogenic or neurotoxic) under study.					
28 COMMUNICATIONS SECURITY <input type="checkbox"/> ESSENTIAL RELATED <input type="checkbox"/> RELATED		29	30 DAB CODE AR	31 BUDGET CODE 1	
32 MISSION OBJECTIVE NA			33 PARTICIPATION NA		
34 REQUESTING AGENCY			35 SPECIAL EQUIPMENT		
36 EST. FUNDS (in thousands)			37		
CPV-1					

A91C 00 149 (cont)

Detail Sheet # 1

(U) Progress:

Several γ -globulins isolated from rabbits following identical immunization schedules with photochemically detoxified venoms gave varying degrees of protection in mice against the unaltered venoms (Crotalus durissus durissus, Bothrops atrox asper, Naja naja). Investigation of these discrepancies in protective action revealed that the route of administration has a decisive influence in the demonstration of the protective effect of a given antivenin. In order to arrive at a rational appraisal of the efficacy of an immune serum, both I. V. and I. P. administration should be given consideration at least as long as one is uncertain of the chemical nature, pharmacological activity and toxicity of the variety of components contained in the venom.

A study of enzymatic activities and toxicities of some thirty representatives of the families of Elapidae, Viperidae and Crotalidae is nearing completion. Electrophoretic separation of these venoms was carried out with the purpose to correlate electrophoretic patterns with enzymatic characteristics and toxicities. Immunoelectrophoretic studies of several venoms were undertaken to characterize certain venom components.

Large-scale separation of C. atrox venom resulted in an accumulation of four distinct fractions with distinct toxic, enzymatic and pharmacological characteristics.

Publications and/or Presentations:

Billings, T. A. A holder to facilitate the intravenous injection of mice. USAMRL Report No. 704, 1966 (DDC AD No. 645927).

Kochlaty, W., B. D. Ashley and T. A. Billings. An immune serum against the North American coral snake (Micrurus fulvius fulvius) venom obtained by photooxidative detoxification. USAMRL Report No. 699, 1966 (DDC AD No. 645108); Toxicon, 5: 43-46, 1967.

Kochlaty, W., T. A. Billings, B. D. Ashley, M. Edith Ledford and Joyce C. Goetz. Effect of the route of administration on the neutralizing potency of antivenins. USAMRL Report No. 745, 1967.

A9.C 03 149 (cont)

Detail Sheet # 2

Kocholaty, W., Joyce C. Goetz, B. D. Ashley, T. A. Billings and M. Edith Ledford. Immunogenic response of the venoms of fer-de-lance (Bothrops atrox asper) and Lacascabella (Crotalus durissus durissus) following photooxidative detoxification. USAMRL Report No. 743, 1967.

Kocholaty, W., M. Edith Ledford, T. A. Billings, Joyce C. Goetz and B. D. Ashley. Immunization studies with Naja naja venom detoxified by photooxidation. USAMRL Report No. 744, 1967.

Selected Bibliography:

Weil, L., W. G. Gordon and A. R. Buchert. Photooxidation of amino acids in the presence of methylene blue. Arch. Biochem. Biophys. 33: 90, 1951.

Kaiser, E. and H. Michl. Die Biochemie der tierischen Gifte. Franz Deuticke Wien, 1958.

Project No. 3A014501A74D

Military Psychophysiological Studies

Task No. 00

Military Psychophysiological Studies

Work Unit No. 020

Psychophysics of Visual Perception

Work Unit No. 022

Biomechanical Aspects of Performance and Performance Decrement

Investigators (FY 1967):

#020 G. S. Harker, Ph.D.
I. Behar, Ph.D.
D. L. Kohfeld, Captain, MSC

#022 L. S. Caldwell, Ph.D.
A. J. Lloyd, Captain, MSC
G. S. Harker, Ph.D.
D. L. Kohfeld, Captain, MSC

RESEARCH AND TECHNOLOGY RESUME				1. GOVT. ACCESSION	2. AGENCY ACCESSION	3. REPORT CONTROL NUMBER
4. DATE OF RESUME		5. KIND OF RESUME		6. SECURITY	7. RESUBMITTING	8. RELEASE LIMITATION
01 07 67		D. CHANGE 24 04 67		U RPT	U RES	NA
100. CURRENT NUMBER/CODE				101. PRIOR NUMBER/CODE		
61145011 3A014501A74D 00 020				NO CHANGE		
11. TITLE:						
(U) Psychophysics of Visual Perception						
12. SCIENTIFIC OR TECH. AREA				13. START DATE	14. CRIT. COMPL. DATE	15. FUNDING AGENCY
013400 Psychology (individual and group behavior)				08 50	NA	OTHER (DA)
16. PROCEDURE METHOD		17. CONTRACT/GRANT		18. RESOURCES EST.		19. PROFESSIONAL MAN-YEARS
C. In-House		NA		PRIOR FY 67		2
				CURRENT FY 68		
20. 8504 LAB/INSTALLATION/ACTIVITY				20. PERFORMING ORGANIZATION		
NAME ADDRESS Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315				NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121		
21. RESP. INDIV.				22. INVESTIGATORS		
Hedlund, LTC James L.				Harker, G. S., Ph.D.		
TEL. 202-OX 66670				Behar, I., Ph.D.		
				TEL. 502-42348		
				TYPE DA		
21. TECHNOLOGY UTILIZATION				22. COORDINATION		
NA				NA		
23. KEYWORDS Perception; Discrimination; Vision; Binocular; Stereoscopic; Form; Eye; Physiological Optics						
24. (U) Tech Objective - To understand the binocular visual function as it relates to visual performance in stereoscopic vision, binocular depth perception, form discrimination, and to the underlying neural, muscular, and CNS components. This understanding is to be utilized in the development and employment of military vision devices.						
(U) Approach - The time interval separating the stimulation of corresponding retinal points on the two retinas, intensities, and repetition intervals will be investigated as will stimulus configurations which induce cyclorotation and influence the operation of the equidistance tendency to determine the interaction of cues to depth in determining the perceived depth location of the objects. Vertically and laterally displaced binocular viewing devices will be used to place in sharp relief the process of binocular viewing.						
(U) Progress (1 Apr 67 - 30 Jun 67) - The saccadic suppression paradigm for the Pulfrich phenomenon was presented for the meeting of the Midwestern Psychological Association. An 1872 reference has been located in which the episcotister was used to generate depth displacement of an oscillating pendulum. Visual acuity determinations are being obtained in three species of Old World monkeys (baboons, mangabeys, and rhesus) with varying target size over a wide range of luminances. Behar, I. and J. S. Warm. Effect of electrocutaneous ready-signal variation on visual reaction-time. USAMRL Rep. No. 731, 31 May 67; Gettys, C. F. and G. S. Harker. Some observations and measurements of the Panum phenomenon. USAMRL Rep. No. 722, 13 Apr 67 (AD 649882); Harker, G. S. and O. L. O'Neal, Jr. Some observations and measurements of the Pulfrich phenomenon. USAMRL Rep. No. 728, 9 May 67.						
27. COMMUNICATIONS SECURITY		28.		29. DPO CODE		30. SUBSET CODE
<input type="checkbox"/> SOURCE RELATED <input type="checkbox"/> NOT RELATED				AR		1
31. MISSION OBJECTIVE				32. PARTICIPATION		
NA				NA		
33. REQUESTING AGENCY				34. SPECIAL EQUIPMENT		
35. EST. FUNDS (in thousands)						
CPV11						

DD FORM 1498A (From 1 to 26 identical to (ASA Form 1122)

A74D 00 020 (cont)

Detail Sheet # 1

(U) Progress:

Response to the saccadic suppression paradigm by the professional community has been excellent. Several individuals have written for further clarification and indicated the intent to initiate follow-on experimentation. A review of current practice in handling amblyopia through the use of cycloplegic drugs has suggested the possibility that an optical system to reduce the interpupillary distance could facilitate the process and the development of stereoscopic vision be induced by the use of the Pulfrich pendulum and its associated filter.

The effects of variation of an electrocutaneous ready-signal upon visual reaction-time were determined. Reaction times were short when the visual signals followed electrocutaneous offset, longer where they followed onset.

The acuity of the baboon and rhesus are comparable while that of the mangabey is inferior. However, the mangabeys tested were older than the other species. To determine whether the finding is a true species difference or one of age, additional young mangabeys are being trained.

Publications and/or Presentations:

Behar, I. Response latency in simian learning set performance. Psychol. Rep. 19: 403-406, 1966; USAMRL Report No. 697, 1966 (DDC AD No. 645077).

Behar, I. and C. K. Adams. Some properties of the reaction-time ready-signal. Amer. J. Psychol. 79(3): 419-426, 1966; USAMRL Report No. 706, 1966 (DDC AD No. 645966).

Behar, I. and J. S. Warm. Effects of electrocutaneous ready-signal variation on visual reaction-time. USAMRL Report No. 731, 1967 (DDC AD No. 652887).

Gettys, C. F. and G. S. Harker. Some observations and measurements of the Panum phenomenon. USAMRL Report No. 722, 1967 (DDC AD No. 649882).

A74D 00 020 (cont)

Detail Sheet # 2

Harker, G. S. Military operations, human capacities and equipment compromises. Presented at the Man/Mobility/Survival Forum, Allison Division, General Motors, Indianapolis, Ind., 11-12 Apr 1967.

Harker, G. S. A saccadic suppression explanation of the Pulfrich phenomenon. USAMRL Report No. 718, 1967 (DDC AD No. 648-389); presented at the Midwestern Psychological Association meeting, Chicago, Ill., 4-6 May 1967.

Harker, G. S. and O. L. O'Neal, Jr. Some observations and measurements of the Pulfrich phenomenon. USAMRL Report No. 728, 1967 (DDC AD No. 652705).

Selected Bibliography:

Brown, J. L., C. H. Graham, H. Leibowitz, and H. B. Ranken. Luminance thresholds for the resolution of visual detail during dark adaptation. J. Opt. Soc. Amer. 43: 197-202, 1953.

Coate, W. B. Monitoring visual acuity in the rhesus monkey. Proceedings of a Contractors' Conference on Behavior Sciences. Special Publication EASP-100-11, Feb 1967, Edgewood Arsenal.

Dvorak, V. Über Analoga der persönlichen Differenzen zwischen beiden Augen und den Netzhautstellen desselben Auges. S. B. böhm. Ges. Wiss. 1872, 65-74.

Yarczower, M., et. al. Visual acuity in a stump-tail macaque. Science, 152: 1392-1393, 1966.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	2. AGENCY ACCESSION	REPORT CONTROL SYMBOL
4. DATE OF RESUME	5. KIND OF RESUME	6. SECURITY	7. RESEARCHING	8. RELEASE LIMITATION	3. LEVEL OF RESUME	
01 07 67	D. CHANGE 24 04 67	U U	NA	NL	A. WORK UNIT	
10. CURRENT NUMBER/COSE				10. PRIOR NUMBER/COSE		
61145011 3A014501A74D 00 022				NO CHANGE		
11. TITLE: (U) Biomechanical Aspects of Performance and Performance Decrement						
12. SCIENTIFIC OR TECH. AREA				13. START DATE	14. CRIT. COMPL. DATE	15. FUNDING AGENCY
007500 Human Factors Engineering				01 56	NA	OTHER DA
16. PROCEDURE METHOD		17. CONTRACT/GRANT		18. RESOURCES EST.	19. PROFESSIONAL MAN-YEARS	20. FUNDS (In thousands)
C. In-House		NA		PRIOR FY 67	2	90
				CURRENT FY 68		
19. GOVT LAB/INSTALLATION/ACTIVITY				20. PERFORMING ORGANIZATION		
NAME: Headquarters				NAME: US Army Medical Res Laboratory		
ADDRESS: US Army Medical Res & Dev Command				ADDRESS: Fort Knox, Ky. 40121		
Washington, D. C. 20315				Caldwell, L. S., Ph. D.		
RESP. INDIV. Hedlund, LTC James L.				INVESTIGATORS: LLOYD, CPT A. J.		
TEL: 202-OX 66670				HARKER, G. S., Ph. D.		
				TEL: 502-43354 TYPE DA		
21. TECHNOLOGY UTILIZATION				22. COORDINATION		
NA				NA		
23. KEYWORDS: Psychology, Experimental; Performance Decrement; Human Factors; Endurance; Drug Effects; Hand Ergonometry; Individual Differences; Work						
24. (U) Tech Objective - To develop techniques to measure human strength and endurance in heavy work situations, study factors in work situation (control design, body positions, supports, etc.) which influence efficiency, derive general principles which would help in understanding and predicting work efficiency, study the contribution of personality factors to individual differences in susceptibility to performance decrement.						
25. (U) Approach - Electrophysiological research is aimed at validating the EMG as a measure of effort or effective load, and resistance to joint rotation is being varied externally to determine its effects on the accuracy of estimating static joint position.						
26. (U) Progress (1 Apr 67 - 30 Jun 67) - Studies relating subjective estimates of effort to variations in relative loading with normal and occluded circulation to the muscles have shown that effort ratings are sensitive to variations in the load, and that at minimum load of 60% to 70%, maximum strength external occlusion of the blood supply has no effect on endurance or the effort ratings, indicating that these tensions produce occlusion of the blood supply.						
Caldwell, L. S. and R. P. Smith, Subjective estimation of effort, reserve, and ischemic pain. USAMRL Rep. No. 730, 12 May 67.						
27. COMMUNICATIONS SECURITY		28.		29. OSD CODE		30. BUDGET CODE
<input type="checkbox"/> COMSEC OR COMSEC RELATED <input checked="" type="checkbox"/> NOT RELATED				BR		1
31. MISSION OBJECTIVE				32. PARTICIPATION		
NA				NA		
33. REQUESTING AGENCY				34. SPECIAL EQUIPMENT		
35. EST. FUNDS (In thousands)				36.		

DD FORM 1498A

(Form 1 to 26 identical to NASA Form 1122)

A74D 00 022 (cont)

Detail Sheet # 1

(U) Progress:

Studies of the effects of repeated static work sessions on performance have shown that the primary determinant of work decrement was the length of the work session, and that for a fixed session length the decrement per trial was relatively constant. Furthermore, recovery from the effects of work was not systematically related to the length of the rest period after the first or second period. Ratings of the effort required to maintain a work load were shown to vary systematically with changes in the load and in the circulatory state of the muscles. In summary, variables which affected endurance were shown to have a commensurate effect upon subjective assessment of the effort required by the task. Thus, the effort scaling procedure may prove useful as a device for assessing reserve capacity well in advance of the point at which the task demands exceed the physical capabilities of the individual and performance is necessarily terminated. Data has been collected on the effect of information feedback and muscle tension on kinesthetic estimation of limb position. Preliminary analyses indicate that individuals given increased knowledge of results overcompensate and the magnitude of the position error does not decrease. There is preliminary evidence of an optimal muscle tension which results in increased kinesthetic precision.

Publications and/or Presentations:

Caldwell, L. S. Laboratory demonstration - dynamometry. Presented at Ergonomics Course, Occupational Health Research and Training Facility, Public Health Service, Cincinnati, Ohio, 15 May 1967.

Caldwell, L. S. and R. P. Smith. Pain and endurance of isometric muscle contractions. J. engng. Psychol. 5(1): 25-32, 1966; USAMRL Report No. 709, 1966 (DDC AD No. 645965).

Caldwell, L. S. and R. P. Smith. Subjective estimation of effort, reserve, and ischemic pain. USAMRL Report No. 730, 1967.

Harker, G. S. Subject controlled treadmill. Presented at the Twelfth Annual Army Human Factors R and D Conference, Fort Benning, Ga., 3-4 Oct 1966.

A74D 00 022 (cont)

Detail Sheet # 2

Holmgren, G. L. Characteristic pace - a potential tool for vascular surgeons. USAMRL Report No. 687, 1966 (DDC AD No. 647537).

Holmgren, G. L. Speaker recognition, speech characteristics, speech evaluation and modification of speech signal--a selected bibliography. IEEE Transactions on Audio and Electroacoustics, AU-14(1): 32-39, 1966; USAMRL Report No. 692, 1966 (DDC AD No. 645074).

Holmgren, G. L. and G. S. Harker. Characteristic pace as determined by the use of a tracking treadmill. J. appl. Psychol. 51: 278-283, 1967; USAMRL Report No. 685, 1966 (DDC AD No. 645454).

Lloyd, A. J. The occurrence of synkinesis during kinesthetic positioning responses. USAMRL Report No. 720, 1967.

Smith, R. P. and L. S. Caldwell. Psychophysical studies of muscular effort, endurance and ischemic pain. Presented (by Smith) at Psychonomic Society meeting, St. Louis, Mo., 27-29 Oct 1966.

Warm, J. S., R. P. Smith, and L. S. Caldwell. Effects of induced muscle tension on judgments of time. Presented (by Warm) at Southern Society for Philosophy and Psychology meeting, Roanoke, Va., 23-25 Mar 1967.

Selected Bibliography:

Albe-Fessard, D., J. Liebeskind, and Y. Lamarre. Projection au niveau du cortex somato-moteur du Singe d'afférences provenant des récepteurs musculaires. C. R. Acad. Sci., Paris, 261: 3891-3894, 1965.

Bartley, S. H. Fatigue: Mechanism and Management. Springfield, Ill.: Charles C. Thomas, 1965.

Beecher, H. K. Pain: One mystery solved. Science, 151: 840-841, 1966.

Evans, W. O. A titration schedule on a treadmill. J. Exper. Anal. Behav. 6: 219-221, 1963.

A74D 00 022 (cont)

Detail Sheet # 3

Muscio, B. Is a fatigue test possible? Brit. J. Psychol. 12: 31-46, 1921.

Rohmert, W. Ermittlung von Erholungspausen für statische Arbeit des Menschen. Arbeitsphysiol. 18: 123-164, 1960.

Project No. 3A014501B71P

Basic Research in Support of Military
Medicine

Task No. 01

Biochemistry

Work Unit No. 045

Biochemistry of Corticosteroid Hor-
mones, Proteins, and Nucleic Acids

Work Unit No. 046

Mechanism of Fibrinolysis

Task No. 02

Biophysics

Work Unit No. 010

Models and Mechanisms of the Effects
of Laser Radiation on Biological Sys-
tems

Work Unit No. 013

Cellular Effects of Laser Radiation

Task No. 08

Physiology

Work Unit No. 085

Psychophysiology of Vision

Work Unit No. 086

Vestibular Function and Disorientation

Work Unit No. 087

Chloroquine Retinopathy

Task No. 10

Zoology

Work Unit No. 021

The Pathology of Animal Diseases of
Military Significance

Work Unit No. 023

Immunology, Toxicology and Hema-
tochemistry of Venoms

Investigators (FY 1967):

#045 F. DeVenuto, Ph.D.
R. J. G. Lange

#046 J. L. Bobbitt, Ph.D.
J. L. Gray, B.S.

()

#010 A. S. Brownell, Ph. D.
F. A. Verser, Lt Colonel, MSC
Dorothy M. Witt, M.S.

#013 E. S. Spoerl, Ph. D.
R. J. Doyle, Ph. D.
G. H. Herbener, M.S.

#085 C. K. Adams, Captain, MSC
G. S. Harker, Ph. D.
J. N. Cronholm, M.S.
J. L. Hatfield, Major, MSC
E. B. McClaskey, M.S.

#086 J. E. Marshall, Captain, MSC
J. W. Wolfe, Ph. D.

#087 A. H. Bryan, Captain, MC
C. K. Adams, Captain, MSC
R. W. Bull, Captain, VC
E. B. McClaskey, M.S.

#021 D. K. Hysell, Captain, VC
R. S. Dedrick, Captain, VC
R. W. Bull, Captain, VC
A. J. Neves, Captain, VC
G. H. Herbener, M.S.

#023 W. F. Kocholaty, Ph. D.
D. E. Reed, Captain, MSC
B. D. Ashley, M.S.
M. Edith Ledford, A.B.
T. A. Billings, B.S.
Joyce C. Goetz, B.A.

RESEARCH AND TECHNOLOGY RESUME				1 GOVT ACCESSION	3 AGENCY ACCESSION	REPORT CONTROL SYMBOL
4. DATE OF RESUME 24 07 67	5. NO. OF RESUME D. CHANGE 01 07 67	6. SECURITY U U	7. REGRADING NA	8. RELEASE LIMITATION NL	DA 0A 6070	CSCRD-103
100. CURRENT NUMBER/CODE 62156011 3A025601A821 00 170				101. PRIOR NUMBER CODE 61145011 3A014501B71P 01 045		
11. TITLE: (U) Biochemistry of Corticosteroid Hormones, Proteins, and Nucleic Acids						
12. SCIENTIFIC OR TECH. AREA 002300 Biochemistry				13. START DATE 11 63	14. CRIT. COMPL. DATE NA	15. FUNDING AGENCY OTHER DA
16. PROCEDURE METHOD C. In-House		17. CONTRACT/GRANT # NUMBER NA # TYPE # DATE # AMOUNT		18. RESOURCES EST. PRIOR FY 67 CURRENT FY 68	19. PROFESSIONAL MAN-YEARS 1	20. FUNDS (In Thousands) 42
19. GOVT LAB/INSTALLATION/ACTIVITY NAME ADDRESS: Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315 RESP. INDV. Rose, LTC L. R. TEL. 202-OX 66082				20. PERFORMING ORGANIZATION NAME ADDRESS: US Army Medical Res Laboratory Fort Knox, Ky. 40121 INVESTIGATOR: DeVenuto, F., Ph. D. PRINCIPAL ASSOCIATE: Ligon, D. F. TEL. 502-42053 TYPE DA		
21. TECHNOLOGY UTILIZATION NA				22. COORDINATION NA		
23. KEYWORDS Hormones; Endocrinology; Biosynthesis; Polyribosomes						
24. (U) Tech Objective - To investigate whether the interaction between corticosteroid hormones and nuclei or mitochondria from rat liver is dependent on the structural integrity of these subcellular fractions and also to single out any specific biological structure responsible for the interaction.						
25. (U) Approach - Nuclei and mitochondria from rat liver cell were prepared by differential centrifugation and subjected to sonoration. Several fractions were obtained and tested for their binding affinity to cortisol and corticosterone by continuous flow electrophoresis and multiple equilibrium dialysis techniques.						
26. (U) Progress (1 Apr 67 - 30 Jun 67) - Nuclei and mitochondria prepared from rat liver cells show a definite activity in protein synthesis in an <u>in vitro</u> system. This activity is less than that obtained with polyribosomes from the same cells. If the preparations are obtained from the liver cells of animals deprived of their endogenous production of corticosteroids, the ability to synthesize protein increases. The concentration of Mg is very critical in the system used for such studies.						
27. COMMUNICATIONS SECURITY <input type="checkbox"/> SCHEME RELATED <input checked="" type="checkbox"/> REL. RELATED		28.		29. ORD CODE BR	30. BUDGET CODE 1	
31. MISSION OBJECTIVE NA				32. PARTICIPATION NA		
33. REQUESTING AGENCY				34. SPECIAL EQUIPMENT		
35. EST. FUNDS (In Thousands)				36.		

DD FORM 1498A

(Items 1 to 14 identical to NASA Form 1122)

B71P 01 045 (cont)

Detail Sheet # 1

(U) Progress:

Rat liver nuclei were separated in five fractions and they interact differently with corticosterone. The acid protein and the globulin fraction show the highest binding. A very small amount of steroid is associated with the histone fraction. In the mitochondrial fractions, the uptake of cortisol or corticosterone is associated almost entirely with the particulate fractions. Three electrophoretic peaks are obtained from mitochondria and two of these peaks display combining affinity for corticosterone. The disruption of the subcellular fractions does not destroy their binding affinity for corticosteroid hormones.

Publications and/or Presentations:

DeVenuto, F. Interaction of progesterone and aldosterone with red blood cells of the rat. USAMRL Report No. 677, 1966 (DDC AD No. 645109); Proc. Soc. Exper. Biol. and Med. 124: 478, 1967.

DeVenuto, F. and G. Chader. Interactions between cortisol or corticosterone and fractions of rat thymus, brain and heart cell. Biochim. Biophys. Acta, 121: 151, 1966.

DeVenuto, F. and R. J. G. Lange. Amino acid incorporation by fractions of liver cells from normal and adrenalectomized rats. USAMRL Report No. 703, 1966 (DDC AD No. 645453).

DeVenuto, F. and R. J. G. Lange. Effect of adrenalectomy on amino acid incorporation into protein by cell-free preparation from liver and kidney of rats at various time after the operation. Biochim. Biophys. Acta, 134: 443, 1967.

DeVenuto, F. and R. J. G. Lange. Effect of corticosteroids on amino acid incorporation into protein by rat liver ribonucleoprotein particles. Proc. Soc. Exper. Biol. and Med. 124: 793, 1967.

DeVenuto, F. and T. Muldoon. Interactions between corticosteroids and fractions of mitochondria and nuclei from normal rat liver cells. USAMRL Report No. 674, 1966 (DDC AD No. 806463).

B71P 01 045 (cont)

Detail Sheet # 2

Selected Bibliography:

Korner, A. The role of the adrenal gland in the control of amino acid incorporation into protein of isolated rat liver microsomes. J. Endocrinol. 21: 177, 1960.

Liao, S. and H. G. Williams-Ashman. An effect of testosterone on amino-acid incorporation by prostatic ribonucleoprotein particles. Proc. N.A.S. 48: 1956, 1962.

Florini, J. R. and C. B. Brewrer. Amino acid incorporation into protein by cell-free preparation from rat skeletal muscle. III. Comparison of activity of muscle and liver ribosomes. Biochemistry, 4: 253, 1965.

Pena, A., B. Dvorkin, and A. White. Acute effect of a single in vivo injection of cortisol on in vitro amino acid incorporating activity of rat liver and thymic preparations. J. Biol. Chem. 241: 2144, 1966.

RESEARCH AND TECHNOLOGY RESUME				2. GOVT ACCESSION	3. AGENCY ACCESSION	4. REPORT CONTROL SYMBOL
5. DATE OF RESUME 24 07 67	6. KIND OF RESUME D. CHANGE 01 07 67	7. SECURITY U U	8. RESTRICTION NA	9. AGENCY ACCESSION DA OA 6071	10. REPORT CONTROL SYMBOL CSCRD-103	11. LEVEL OF RESUME A. WORK UNIT
12. CURRENT NUMBER/CODE 62156011 3A025601A821 00 171				13. PRIOR NUMBER/CODE 61145011 3A014501B71P 01 046		
14. TITLE (U) Mechanism of Fibrinolysis						
15. SCIENTIFIC OR TECH. AREA 002300 Biochemistry				16. START DATE 12 64	17. ENIT. COMPL. DATE NA	18. FUNDING AGENCY OTHER DA
19. PROCURE. METHOD C. In-House	20. CONTRACT/GRANT A. NUMBER NA	21. DATE	22. RESOURCES EST. A. PRIOR FY 67	23. PROFESSIONAL MAN-YEARS 1	24. FUNDS (In thousands) 38	
25. GOVT LAB INSTALLATION ACTIVITY A. NAME Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315 B. RESP. INDV Rose, LTC L. R. C. TEL 202-OX 66082			26. PERFORMING ORGANIZATION A. NAME US Army Medical Res Laboratory Fort Knox, Ky. 40121 Kocholaty, W. F., Ph. D. B. INVESTIGATORS PRINCIPAL Gray, J. L. ASSOCIATE Ashley, B. D. C. TEL 502-44350 D. TYPE DA			
27. TECHNOLOGY UTILIZATION NA			28. COORDINATION NA			
29. KEYWORDS Fibrinolysis; Fibrinolysin; Plasmin; Streptokinase; Activation						
30. (U) Tech Objective - To determine the chemical reactions which take place during the activation of plasminogen to plasmin, thus increasing understanding of dissolution and prevention of blood clots.						
31. (U) Approach - Adequately purified plasminogen and plasmin, activated by streptokinase or urokinase, will be subjected to gel filtration and N-terminal analyses to detect changes in the primary structure of the molecule. Split products, if any, will be separated and characterized by their amino acid composition.						
32. (U) Progress (1 Apr 67 - 30 Jun 67) - The technique of upward flow on Sephadex gel columns has been adapted to the preparative columns employed in obtaining plasminogen and plasmin free of low molecular weight material and suitable for studies on the activation process. The ratio of activator to enzyme precursor influences the process and varying amounts of streptokinase have been employed in activation mixtures to provide low molecular weight products for examination by amino acid analysis.						
33. COMMUNICATIONS SECURITY <input type="checkbox"/> SOME DELAYED <input checked="" type="checkbox"/> DELAYED		34. ORG CODE BR	35. BUDGET CODE 1		36. PARTICIPATION NA	
37. REQUESTING AGENCY			38. SPECIAL EQUIPMENT			
39. EST. FUNDS (In thousands)			40.			
41. FORM 1498A (Items 1 to 26 identical to NASA Form 1133)						

B71P 01 046 (cont)

Detail Sheet # 1

(U) Progress:

Mixtures of plasminogen and varying amounts of streptokinase were separated by gel filtration and the apparent split products examined by use of a peptide survey system. Partially separated products of activation were subjected to amino acid analysis.

Studies employing N-terminal amino acid analyses of plasminogen, plasmin and activation mixtures of the proenzyme indicated that the gel filtration process may leave a number of contaminating proteins or peptides in the preparations examined. The technique of upward flow on Sephadex G-200 columns was adapted to the preparative-size column and used in obtaining plasminogen and plasmin of suitable purity for studies on the activation process. This system also provided a separation of the low molecular weight split products produced in the activation of plasminogen by streptokinase.

A peptide survey system incorporating a Bio-Gel P-2 column was utilized to examine the separated low molecular weight constituents. The presence of substances the size of amino acids, dipeptides and tripeptides has been reasonably well established, but a constituent with a molecular weight above 2,000 remains to be characterized.

It would appear that the ratio of activator to enzyme precursor has an important influence on the process of activation and the appearance of any split products, therefore, varying amounts of streptokinase purified by gel filtration have been used in activation mixtures. The split products are being separated by column chromatography for determination of molecular weight and amino acid composition. Preliminary studies on the amino acid content show presence of lysine and alanine with smaller amounts of arginine, histidine and glutamic acid.

Publications and/or Presentations:

Bobbitt, J. L. Factors affecting resolution and reproducibility of gradient elution automatic amino acid chromatograms. USAMRL Report No. 693, 1966 (DDC AD No. 645925).

B71P 01 046 (cont)

Detail Sheet # 2

Bobbitt, J. L. and D. E. Reed. Differentiation between proteolytic and TAME esterolytic activity in Crotalus atrox venom. USAMRL Report No. 712, 1966 (DDC AD No. 647148); presented (by Reed) at the Southeastern Regional Meeting of the American Chemical Society, Louisville, Ky., 27-29 Oct 1966.

Wabner, C. I., J. L. Gray and W. F. Blatt. Influence of sex and thyroid principles on the antiproteolytic activity of rat serum. Thromb. Diath. Haem. 16: 86, 1966.

Selected Bibliography:

Robbins, K. C., L. Summaria, B. Hsieh and R. J. Shah. The peptide chains of human plasmin. Mechanism of activation of human plasminogen to plasmin. J. Biol. Chem. 242: 2333, 1967.

De Renzo, E. C., E. Boggiano, W. F. Barg, Jr. and F. F. Buck. Interaction of streptokinase and human plasminogen. J. Biol. Chem. 242: 2428, 1967.

Taylor, F. B., Jr. Purification and characterization of streptokinase and its interaction with plasminogen. Fed. Proc. 26: 647, 1967.

RESEARCH AND TECHNOLOGY RESUME			1. GOVT ACCESSION	2. AGENCY ACCESSION	3. REPORT CONTROL SYMBOL
4. DATE OF RESUME	5. KIND OF RESUME	6. SECURITY	7. REGRADING	8. RELEASE LIMITATION	9. LEVEL OF RESUME
01 07 67	D. CHANGE 24 04 67	U U	NA	NL	A. WORK UNIT
10. ELEMENT NUMBER/CODE			11. PRIORITY NUMBER/CODE		
61145011 3A014501B71P 02 010			NO CHANGE		
12. TITLE: (U) Models and Mechanisms of the Effects of Laser Radiation on Biological Systems					
13. SCIENTIFIC OR TECH. AREA		14. START DATE	15. CRIT. COMPL. DATE	16. FUNDING AGENCY	
009600 Masers and Lasers		11 62	NA	OTHER DA	
17. PROCURE. METHOD	18. CONTRACT/GRANT	19. RESOURCES EST.	20. PROFESSIONAL MAN-YEARS	21. FUNDS (In thousands)	
C. In-House	NA	PRIOR FY 67	3	64	
22. GOVT LAB/INSTALLATION/ACTIVITY		23. PERFORMING ORGANIZATION			
NAME		NAME			
ADDRESS		ADDRESS			
US Army Medical Res & Dev Command		US Army Medical Res Laboratory			
Washington, D. C. 20315		Fort Knox, Ky. 40121			
RESP. INDIV. Rose, LTC L. R.		INVESTIGATORS			
TEL. 202-OX 66082		PRINCIPAL			
		ASSOCIATE			
		TEL. 502-45149			
		TYPE DA			
24. TECHNOLOGY UTILIZATION			25. COORDINATION		
NA			NA		
26. KEYWORDS					
Nucleic Acids; Enzymes; DNA; Laser; Radiation; Biophysics					
27. SUMMARY					
<p>(U) Tech Objective - To isolate and study the various processes of interaction of laser radiation with molecular and subcellular systems in order to understand the biological effects of this radiation.</p> <p>(U) Approach - The initial approach will be to determine the power density and pulse length necessary to produce detectable changes in the molecular structure of selected molecular species. Accurate dosimetry techniques necessary to determine whether the induced changes are thermal or athermal will be developed. The molecular changes produced by laser radiation as a function of such parameters as power density, pulse length, frequency, coherency, etc., will be investigated.</p> <p>(U) Progress (1 Apr 67 - 30 Jun 67) - Study of the thermal denaturation of the intracellular microbial enzyme β-galactosidase by 10.6 micron laser radiation has been continued. The denaturation of this enzyme as a function of time of exposure has been determined for a total of five power densities of radiation. The experiments are designed to evaluate the relations necessary to construct a mathematical model adequate to describe threshold thermal injuries.</p>					
28. COMMUNICATIONS SECURITY		29. ORG CODE		30. BUDGET CODE	
<input type="checkbox"/> - SOURCE RELATED <input checked="" type="checkbox"/> - NOT RELATED		BR		1	
31. MISSION OBJECTIVE			32. PARTICIPATION		
NA			NA		
33. REQUESTING AGENCY		34. SPECIAL EQUIPMENT			
35. EST. FUNDS (In thousands)		36.			
CPY-1					

DD FORM 1408A

(Form 1 to 26 identical to NASA Form 1122)

B71P 02 010 (cont)

Detail Sheet # 1

(U) Progress:

During the first three quarters of FY 1967, the thermal denaturation of the intracellular microbial enzyme β -galactosidase by 10.6 micron laser radiation as a function of time of exposure was determined for two power densities of radiation. The experiments were designed to evaluate the relations necessary to construct a mathematical model adequate to describe threshold thermal injuries.

Publications and/or Presentations:

None.

Selected Bibliography:

Henriques, F. C. Studies of thermal injury. *AMA Arch. Pathol.* 43: 489-502, 1947.

Mixter, G., Jr., G. P. DeLhery, W. L. Derksen, and T. I. Monahom. The influence of time on the death of HeLa cells at elevated temperature. Temperature, Its Measurement and Control in Science and Industry, New York: Reinhold Publishing Corp., Part 3, 1962, pp. 177-182.

Fugitt, C. H. A rate process theory of thermal injury. AF Special Weapons Project Report No. 606, 1955 (DDC AD No. 212660).

Vor, J. J. A theory of retinal burns. *Bull. Math. Biophysics*, 24: 115-128, 1962.

Fine, S., W. P. Hansen, G. R. Peacock, E. Klein, F. Hust, and Y. Laor. Biophysical studies with the CO₂ laser. *NEREM (IEEE) Record*, p. 166, 1966.

Wood, T. H. Lethal effects of high and low temperatures on unicellular organisms. *Adv. Biol. Med. Physics*, 4: 119-165, 1956.

Davies, J. M. The effect of intense thermal radiation on animal skin. A comparison of calculated and observed burns. *Quartermaster*

B71P 02 10 (cont)

Detail Sheet # 2

Research and Engineering Command Report T-24, 1959 (DDC AD No. 456794).

Davis, T. P. A theoretical and experimental investigation of the temperature response of pig skin exposed to thermal radiation. University of Rochester Atomic Energy Project Report UR-553, 1959.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	2. AGENCY ACCESSION	3. REPORT CONTROL SYMBOL
4. DATE OF RESUME 01 07 67	5. KIND OF RESUME D. CHANGE 24 04 67	6. SECURITY U U RPT TRN	7. REGRADING NA	8. AGENCY ACCESSION DA OA 6076	9. RELEASE LIMITATION NL	10. REPORT CONTROL SYMBOL CSCRD-103
11. CURRENT NUMBER/CODE 61145011 3A014501B71P 02 013			12. PRIOR NUMBER/CODE NO CHANGE			13. LEVEL OF RESUME A. WORK UNIT
14. TITLE (U) Cellular Effects of Laser Radiation						
15. SCIENTIFIC OR TECH. AREA 002600 Biology 009600 Masers and Lasers				16. START DATE 07 62	17. CRIT. COMPL. DATE NA	18. FUNDING AGENCY OTHER DA
19. PROCURE. METHOD C. In-House	20. CONTRACT/GRANT # DATE NA		21. RESOURCES EST. PRIOR FY 67 CURRENT FY 68		22. PROFESSIONAL MAN-YEARS 1	23. FUNDS (In thousands) 36
24. GOVT LAB INSTALLATION/ACTIVITY NAME ADDRESS Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315 RESP. INDIV. Rose, LTC L. R. TEL. 202-OX 66082			25. PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121 INVESTIGATORS PRINCIPAL ASSOCIATE Spoerl, E. S., Ph. D. TEL. 502-47145 TYPE DA			
26. TECHNOLOGY UTILIZATION NA			27. COORDINATION NA			
28. KEYWORDS Laser; Physiology, Cell; Biology, Molecular; Cell Division; Radiobiology; Carbohydrate Metabolism; Active Transport; Cornea						
29. (U) Tech Objective - To examine specific cellular reactions and structures which are altered by laser light and other electromagnetic radiations with the object of increasing the limited knowledge of key biochemical and physiological occurrences resulting from absorption of such radiation.						
30. (U) Approach - Cell processes and structures selected for the suitability of their radiation responses will be examined by various techniques. Effects upon sugar transport and catabolism and upon cell division will be studied. Measurements of short circuit current, electrical resistance and transmembrane potential difference, as well as radioisotope distribution, will be used to examine alterations induced in electrolyte transport of <i>in vitro</i> frog corneal and skin preparations.						
31. (U) Progress (1 Apr 67 - 30 Jun 67) - Studies designed to localize and describe a metabolic site in yeast cells involved in the regulation of CO ₂ output and affected by heat and radiation have been continued with comparisons of CO ₂ production and of sugar uptake and efflux in log phase and mature phase cells. CO ₂ production is reduced much less in mature cells than in log phase cells by starvation. The amount of sugar retention or binding appears to be correlated with CO ₂ output as it was when output was stimulated by including certain sugars and hexitols with the cells during a starvation period.						
32. COMMUNICATIONS SECURITY <input type="checkbox"/> COMSEC RELATED <input checked="" type="checkbox"/> NOT RELATED		33. ORG CODE BR		34. BUDGET CODE 1		
35. MISSION OBJECTIVE NA			36. PARTICIPATION NA			
37. REQUESTING AGENCY			38. SPECIAL EQUIPMENT			
39. EST. FUNDS (In thousands)			40.			
CP#11						

B71P 02 013 (cont)

Detail Sheet # 1

(U) Progress:

Studies of the effects on CO₂ output brought about by incubation of cells in various sugars or hexitols were carried out during the early part of the year. Certain of these compounds evidently affect sites also affected by increased temperatures such as laser irradiation generates. Measurements of cofactors in extracts of these cells showed no correlation between NAD levels and the incubating sugar, or CO₂ production. ATP content was generally below average in cells with low CO₂ output. A greatly decreased decarboxylase activity occurred in some cells primarily due to enzyme loss or inhibition rather than to a thiamine pyrophosphate lack. Sugar efflux from these cells showed no differences in rates of facilitated diffusion, but cells with a high CO₂ output were able to bind or compartment, and thus retain, more sorbose.

Publications and/or Presentations:

Doyle, R. J. and E. Spoerl. Sugar retention, cofactor levels and leakage of metabolites in X-irradiated, starved yeast cells. USAMRL Report No. 742, 1967.

Spoerl, E. and R. J. Doyle. The influence of some hexitols and sugars on CO₂ production by starved and X-irradiated, starved yeast cells. USAMRL Report No. 682, 1966 (DDC AD No. 645204).

Spoerl, E. and R. J. Doyle. Modification by hexitols and sugars of changes induced in yeast by starvation. I. Differences in CO₂ production, O₂ use and viability. USAMRL Report No. 726, 1967.

Spoerl, E. and R. J. Doyle. Modification by hexitols and sugars of changes induced in yeast by starvation. II. Cellular depletions and sugar binding. USAMRL Report No. 727, 1967 (DDC AD No. 652704).

Selected Bibliography:

Photophysiology. A. C. Giese (Ed.), Vols. I and II, New York: Academic Press, 1964.

Green, D. E., E. Murer, H. O. Hultin, S. H. Richardson, B. Salmon, G. P. Brierly and H. Baum. Association of integrated metabolic pathways with membranes. I. Glycolytic enzymes of the red blood corpuscle and yeast. Arch. Biochem. Biophys. 112: 675, 1965.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	1. AGENCY ACCESSION	REPORT CONTROL SYMBOL
4. DATE OF RESUME 01 07 67	5. KIND OF RESUME D. CHANGE 24 04 67	6. SECURITY U U	7. RESEARCHING NA	8. RELEASE LIMITATION NL	DA JA 6084	CSCRD-103
100. CURRENT NUMBER/CODE 61145011 3A014501B71P 08 085				100. PRIOR NUMBER/CODE NO CHANGE		
11. TITLE: (U) Psychophysiology of Vision						
12. SCIENTIFIC OR TECH AREA Environmental Biology 012900 Physiology				13. START DATE 09 63	14. CRIT. COMPL. DATE NA	15. FUNDING AGENCY OTHER DA
16. PROCEDURE, METHOD C. In-House		17. CONTRACT/GRANT A. NUMBER NA B. DATE C. TYPE D. AMOUNT		18. RESOURCES EST. PRIOR FY 67 CURRENT FY 68	19. PROFESSIONAL MAN-YEARS 2	20. FUNDS (In thousands) 67
18. GOVT LAB/INSTALLATION/ACTIVITY NAME ADDRESS Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315 RESP. INDIV. Hedlund, LTC James L. TEL. 202-OX 66670				20. PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121 INVESTIGATORS PRINCIPAL Adams, CPT C. K. ASSOCIATE Harker, G. S., Ph. D. Cronholm, J. N. TEL. 502-43354 TYPE DA		
21. TECHNOLOGY UTILIZATION NA				22. COORDINATION NA		
23. KEYWORDS Neural Mechanisms; Optic Nerve; Retina; Monkeys; Primates; Eye; Color Vision; Flicker Fusion; Luminosity; Vision/Brightness; Visual Sensitivity						
24. (U) Tech Objective - To diagnose and classify defective color vision in U.S. Army personnel and to investigate the physiological basis of defective color vision through work with infrahuman primates.						
25. (U) Approach - The Farnsworth Munsell 100 hue test and Rayleigh match equations will be used to diagnose color vision anomalies in humans. Modifications of these tests will be used with monkeys and apes to compare primate vision with human vision. The anatomical organization of the visual system will be studied with light and electron optics. The electrophysiology of the system will be studied with micro- and macroelectrode recordings at the level of the retina and LGN.						
26. (U) Progress (1 Apr 67 - 30 Jun 67) - Behavioral data: Mangabey and baboon behavioral data on effect of retinal area are acceptable and articles being prepared. Chimpanzee and gibbon studies making slow progress. Physiological data: Optical system for small spot ERG and receptive field studies now in final stages of fabrication. Hope to begin data collection on small spot ERG study soon. Program for processing ERG data by computer being written.						
27. COMMUNICATIONS SECURITY <input type="checkbox"/> ^ ESUME RELATED <input checked="" type="checkbox"/> ^ RELATED		28. OSD CODE BR		29. BUDGET CODE 1		
30. MISSION OBJECTIVE NA				31. PARTICIPATION NA		
32. REQUESTING AGENCY				34. SPECIAL EQUIPMENT		
33. EST. FUNDS (In thousands)						
CPV-1						

DD FORM 1498A

(Form 1 to 26 identical to NASA Form 1122)

B71P 08 085 (cont)

Detail Sheet # 1

(U) Progress:

Behavioral: Studies investigating the effect of retinal area (1, 2, 5, and 10°) on photopic spectral sensitivity have been completed on the mangabey and baboon. Definitive human control data for these studies are nearing completion. Similar studies on the chimpanzee and gibbon are making slow but satisfactory progress. Automation of the behavioral system to improve speed and accuracy of data collection is currently underway and fabrication of additional optical systems to investigate hue discrimination and Rayleigh match will be completed as soon as the spectral sensitivity studies are completed.

Physiological: Additional data have been added to the baboon ERG study and the manuscript is in preparation. Additional data were also collected on the mangabey lateral geniculate single unit study and final tabulations of the data are in progress. The development of necessary optics, electronics, etc., required for doing small spot ERG work is essentially complete and pilot data will soon begin. The small spot ERG investigations offer the exciting possibility of doing, for the first time, relatively precise retinal mapping with a physiological measure that could have application not only to understanding basic physiological mechanisms, but also clinically for the evaluation of various visual anomalies. Specifically, one of the purposes for developing this technique was to evaluate discrete experimentally produced laser-induced lesions.

Publications and/or Presentations:

Adams, C. K. and I. Echar. Stimulus change properties of the RT ready signal. *Psychon. Sci.* 6: 389-390, 1966; USAMRL Report No. 676, 1966 (DDC AD No. 645206).

Adams, C. K. and A. E. Jones. Spectral sensitivity of the Sooty mangabey. USAMRL Report No. 737, 1967.

Jones, A. E., C. K. Adams, and A. H. Bryan. The electroretinogram and primate spectral sensitivity. Presented (by Jones) at Psychonomic Society meeting, St. Louis, Mo., 27-29 Oct 1966.

B71P 08 085 (cont)

Detail Sheet # 2

Selected Bibliography:

Brindley, G. S. and G. Westheimer. The spatial properties of the human electroretinogram. *J. Physiol.* 179: 518-537, 1965.

DeValois, R. L., I. Abramov, and G. H. Jacobs. Analysis of response patterns of LGN cells. *J. Opt. Soc. Amer.* 56(7): 966-977, 1966.

DeValois, R. L., I. Abramov, and W. R. Mead. Single cell analysis of wavelength discrimination at the lateral geniculate nucleus in the macaque. *J. Neurophysiol.* 30: 415-433, 1967.

Schrier, A. M. and D. S. Blough. Photopic spectral sensitivity of macaque monkeys. *J. comp. physiol. Psychol.* 62(3): 457-458, 1966.

Sidley, N. A. and H. G. Sperling. Photopic spectral sensitivity in the rhesus monkey. *J. Opt. Soc. Amer.* 57: 816-819, 1967.

Wiesel, T. N. and D. H. Hubel. Spatial and chromatic interactions in the lateral geniculate body of the rhesus monkey. *J. Neurophysiol.* 29: 1115-1156, 1966.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	2. AGENCY ACCESSION	3. REPORT CONTROL SYMBOL
4. DATE OF RESUME		5. KIND OF RESUME		6. SECURITY	7. RESUMING	8. RELEASE LIMITATION
01 07 67		D. CHANGE 24 04 67		U	NA	NL
10. CURRENT NUMBER/CODE				11. PRIORITY NUMBER/CODE		
61145011 3A014501B71P 08 086				NO CHANGE		
11. TITLE:						
(U) Vestibular Function and Disorientation						
12. SCIENTIFIC OR TECH. AREA				13. START DATE	14. CRIT. COMPL. DATE	15. FUNDING AGENCY
012900 Environmental Biology 002600 Biology 002700 Bionics				06 54	NA	OTHER DA
16. PROCUR. METHOD		17. CONTRACT/GRANT		18. RESOURCES EST.		19. FUNDS (In thousands)
C. In-House		NA		PRIOR FY 67		33
				CURRENT FY 68		
19. GOVT LAB/INSTALLATION/ACTIVITY				20. PERFORMING ORGANIZATION		
NAME: Headquarters				NAME: US Army Medical Res Laboratory		
ADDRESS: US Army Medical Res & Dev Command				ADDRESS: Fort Knox, Ky. 40121		
Washington, D. C. 20315				INVESTIGATORS: Wolfe, J. W., Ph. D.		
RESP. INDV. Hedlund, LTC James L.				BROWN, J. H., Ph. D.		
TEL. 202-OX 66670				ASSOCIATE: Marshall, CPT J. E.		
				TEL. 502-43646		
				TYPE DA		
21. TECHNOLOGY UTILIZATION				22. COORDINATION		
NA				NA		
23. KEYWORDS: Vestibular Apparatus; Acceleration/Body Rotation; Habituation; Adaptation/Sensory Nystagmus; Sensation; Electrical Activity; Neurophysiology						
24. (U) Tech Objective - The objective is the thorough understanding of vestibular biophysics and physiology such that appropriate personnel selection, training, and equipment measures may be recommended prior to exposure of man to unusual acceleration environments.						
25. (U) Approach - Psychophysiological and neurophysiological techniques are applied to the critical problems of vestibular function: habituation, adaptation, central nervous system influence on labyrinthine functions, and end-organ biophysics. The specific techniques are electrical recording of eye movements; single cell assessment of electrical activity of specific areas of the brain, neuro-histology, and psychophysical judgments.						
(U) Progress (1 Apr 67 - 30 Jun 67) - Research on the effects of nembutal, amphetamine, and lidocaine upon vestibular responses has been initiated. An important question to be answered is whether habituation is accrued in the absence of a nystagmic motor response. Work to clarify cerebellar and brainstem control of the vestibular system is continuing with a systematic series of implantations of both recording and stimulating electrodes in various sites as well as induction of lesions in the cerebellar tuber vermis. Results to date have been very encouraging.						
Wolfe, J. W. Evidence for cerebellar control over habituation of vestibular nystagmus. Presented at the 38th Annual Meeting of the Eastern Psychological Association, Boston, Mass., 6-8 Apr 67.						
26. COMMUNICATIONS SECURITY				27. OSD CODE		28. BUDGET CODE
<input type="checkbox"/> UNRELATED <input checked="" type="checkbox"/> RELATED				BR		1
29. MISSION OBJECTIVE				30. PARTICIPATION		
NA				NA		
31. REQUESTING AGENCY				32. SPECIAL EQUIPMENT		
33. EST. FUNDS (In thousands)				34.		
CPY 1						

B71P 08 086 (cont)

Detail Sheet # 1

(U) Progress:

Research to investigate the interaction of cerebello-vestibular structures has been initiated. Research on the effects of nembutal, amphetamine, and lidocaine upon vestibular responses is also in progress. An important question to be answered is whether habituation takes place in the absence of a nystagmic motor response. In addition, a systematic series of chronic recording and stimulating electrode implants is continuing with cats, in an attempt to delineate the neurological systems controlling habituation. To complement and hopefully verify this neurological data with anatomical evidence, histological material from cats with chronic lesions in the cerebellum is being sectioned for microscopic analysis of degeneration in the vestibular system.

Due to an almost complete lack of comparative data with reference to habituation and neurological structure, a program of comparative behavioral and physiological study has been initiated. Pilot data from kangaroo rat, and Rattus rattus indicate that rodents do not possess a "normal" nystagmic response to angular acceleration. It is hoped that further work with these animals as well as guinea pigs, cats, and primates will clarify knowledge of present physiological mechanisms.

In this regard, a restraint device has been developed which will permit electrophysiological recordings from infra-human primates while both in an unanesthetized condition and undergoing acceleration. Recording from unanesthetized monkeys trained in operant techniques will make it possible to compare electrophysiological responses with subjective illusions resulting from vestibular stimulation.

A new restraint device was also developed for cat to allow chronic electrode recordings to be taken without struggle artifacts. The cat work is continuing with the prime question related to the interaction of cerebellar and vestibular structures. This has included implanting of electrodes in the reticular formation, fastigial nuclei, vestibular nuclei, and centrum medianum.

An important question to be answered is what neurological role fatigue plays in disorientation and habituation. Since it has been

B71P 08 086 (cont)

Detail Sheet # 2

shown that the descending and medial vestibular nuclei are responsible (necessary) for the rapid eye movement (REM) phase of sleep, the interaction of fatigue with vestibular responses would appear to be a most meaningful neurophysiological question. This is further supported by the fact that one of the prime physiological changes after continued slow rotation is fatigue. The operation of fixed and rotary wing aircraft and the subsequent interaction of fatigue and vestibular stimulation, may be an important problem in the field. However, little behavioral and no physiological data are presently available on this subject. Nystagmic and electrophysiological studies in both cat and man are presently underway to investigate their relationships.

Publications and/or Presentations:

Crampton, G. H. Psychophysical and nystagmic thresholds for angular acceleration derived from 100 men. Presented at the Psychonomic Society meeting, St. Louis, Mo., 27-29 Oct 1966.

Wolfe, J. W. Evidence for cerebellar control over habituation of vestibular nystagmus. Presented at the 38th annual meeting of the Eastern Psychological Association, Boston, Mass., 6-8 Apr 1967.

Selected Bibliography:

Brodal, A. Anatomical observations on the vestibular nuclei, with special reference to their relations to the spinal cord and the cerebellum. *Acta Oto-laryng. Suppl.* 192, 1964.

Carpenter, M. B. Lesions of the fastigial nuclei in the rhesus monkey. *Amer. J. Anat.* 104: 1-34, 1959.

Cohen, B., K. Goto, G. Shanzer, and A. H. Weiss. Eye movements induced by electric stimulation of the cerebellum in the alert cat. *J. exp. Psychol.* 63: 191-197, 1962.

Deura, S. and R. S. Snider. The interaction of various impulses in the cerebellum. *J. Neurol. Sci.* 1: 178-196, 1964.

B71P 08 086 (cont)

Detail Sheet # 3

Devito, R. V., A. Brusa, and A. Arduini. Cerebellar and vestibular influences on deitersian units. *J. Neurophysiol.* 19: 214-253, 1965.

DiGiorgio, A. M. and G. Pestellini. Inibizione acquista dei riflessi vestibolari: significato degli emisfere cerebrali e del cervelletto. *Arch. fisiol.* 48: 86-110, 1948.

Halstead, W., G. Yacorzynski, and F. Fearing. Further evidence of cerebellar influence in the habituation of after-nystagmus in pigeons. *Amer. J. Physiol.* 120: 350-355, 1937.

RESEARCH AND TECHNOLOGY RESUME				1.	2. DUTY ASSIGNMENT	3. AGENCY ACCESSION	REPORT CONTROL SYMBOL	
4. DATE OF RESUME	5. KIND OF RESUME	6. SECURITY	7. RESEARCHING		DA 0A 6101	CSCRD-103		
24 04 67	C. TERMINATED 20 12 66	U U RPT WTR	NA		8. REL. TARE LIMITATION NL	9. LEVEL OF RESUME A. WORK UNIT		
10. CURRENT NUMBER/CODE 61145011 3A014501B71P 08 087				10. PRIOR NUMBER/CODE NO CHANGE				
11. TITLE: (U) Chloroquine Retinopathy								
12. SCIENTIFIC OR TECH. AREA 012900 Physiology				13. START DATE 08 66	14. CRIT. COMPL. DATE 08 67	15. FUNDING AGENCY OTHER DA		
16. PROCUR. METHOD	17. CONTRACT/GRANT	18. RESOURCES EST.	19. PROFESSIONAL	20. FUNDS (\$ in thousands)				
C. In-House	A. NUMBER NA	PRIOR FY 66	0	0				
	B. TYPE	CURRENT FY 67	1	11				
18. DUTY LAB/INSTALLATION/ACTIVITY				20. PERFORMING ORGANIZATION				
NAME ADDRESS Headquarters US Army Medical Res' Dev Command Washington, D. C. 20 5				NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121				
RESP. INDV. Hedlund, LTC James				INVESTIGATORS PRINCIPAL Adams, CPT C. K.				
TEL. 202-OX 66670				ASSOCIATE Bull, CPT R. W. McClaskey, E. E.				
21. TECHNOLOGY UTILIZATION NA				22. COORDINATION NA				
23. KEYWORDS Pathophysiology; Vision; Chloroquine; Retinopathy; Primates; Malaria; Electrorretinograph								
24. (U) Tech Objective - To study chloroquine induced retinopathy in infrahuman primates attempting to correlate dose rate, total dosage, clinical testing and histopathological changes. To investigate the systemic changes induced by the various dosages.								
25. (U) Approach - The mangabey <u>Cercocebus torquatus atys</u> will be used for this study. An appropriate number of animals will be divided into subgroups. Each subgroup will receive different doses of chloroquine. At regular intervals the animals will undergo funduscopy, fundus photography, electrorretinography, electrorretinographic profiles, slit lamp examinations, and dark adaptation studies. Blood will be obtained for spectrophotometric quantitative determinations of chloroquine concentrations in serum and erythrocytes, complete blood counts, serum electrolytes and serum enzymes. Individual animals will be selected at judicious time intervals for unilateral enucleation. The enucleated animal will be taken off chloroquine and at a later date the other eye will be taken. By this method we hope to elucidate the reversibility or irreversibility of a retinal lesion at a known dose level. Post-mortem examinations will be done on all animals.								
26. (U) Progress (20 Dec 66 - 31 Mar 67) - Pilot work was suspended due to lack of adequate personnel capability due to departure of involved personnel.								
27. COMMUNICATIONS SECURITY		28.	29. OSD CODE		30. BUDGET CODE			
<input type="checkbox"/> * SECURE RELATED <input checked="" type="checkbox"/> ** RELATED			BR		I			
31. DIVISION OBJECTIVE				32. PARTICIPATION				
NA				NA				
33. REQUESTING AGENCY				34. SPECIAL EQUIPMENT				
35. EST. FUNDS (\$ in thousands)				36.				
CPY:1								

DD FORM 1498A

(Form 1 to 26 identical to NASA Form 1122)

B71P 08 087 (cont)

Detail Sheet # 1

Publications and/or Presentations:

None.

Selected Bibliography:

Carr, R. E., P. Gouras, and R. D. Gunkel. Chloroquine retinopathy. Arch. Ophthal. 75: 171, 1966.

Henkind, P., R. E. Carr, and I. M. Siegel. Early chloroquine retinopathy: clinical and functional findings. Arch. Ophthal. 71: 157, 1964.

Jones, A. E., Martha C. Polson and R. L. DeValois. Mangabey x and b wave electroretinogram components: their dark-adapted luminosity functions. Science, 146: 1486-1487, 1964.

Merwin, C. G. and R. K. Winkelmann. Anti-malarial drugs in the therapy of lupus erythematosus. Mayo Clin. Proc. 37: 253, 1959.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	2. AGENCY ACCESSION	REPORT CONTROL SYMBOL	
4. DATE OF RESUME 24 07 67		5. KIND OF RESUME D. CHANGE 01 07 67		6. SECURITY U U	7. REGRADING NA	8. RELEASE LIMITATION NL	9. LEVEL OF RESUME A. WORK UNIT
10. CURRENT NUMBER/CODE 61145011 3A014501B71P 02 020				10. PRIOR NUMBER/CODE 61145011 3A014501B71P 10 021			
11. TITLE: (U) The Pathology of Animal Diseases of Military Significance							
12. SCIENTIFIC OR TECH. AREA 002600 Biology				13. START DATE 07 61	14. CRIT. COMPL. DATE NA	15. FUNDING AGENCY OTHER DA	
16. PROCEDURE METHOD C. In-House		17. CONTRACT/GRANT a. NUMBER b. TYPE .NA		18. RESOURCES EST. a. PRIOR FY 67 b. CURRENT FY 68		19. FUNDS (in thousands) a. PROFESSIONAL 1 b. OTHER 24	
15. GOVT LAB/INSTALLATION/ACTIVITY NAME ADDRESS Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315 RESP. INOV. Rose, LTC L. R. TEL. 202-OX 66082				20. PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121 INVESTIGATOR Hysell, CPT D. K. PRINCIPAL Dedrick, CPT R. S. ASSOCIATE Bull, CPT R. W. TEL. 502-43937 TYPE DA			
21. TECHNOLOGY UTILIZATION NA				22. COORDINATION NA			
23. RESEARCH Animals; Animals, Laboratory; Diseases of Animals; Parasitic Diseases; Primates; Virus Diseases							
24. (U) Tech Objective - To identify, characterize and treat the sporadically occurring diseases encountered in the laboratory animals utilized, with particular attention to those diseases that may be communicable to man. (U) Approach - The animal colonies of the laboratory (primate, cats, dogs, rabbits, rats, mice) will be continually scrutinized for the presence of disease agents or processes. When recognized as such, the pathogenesis of the disease state will be investigated. (U) Progress (1 Apr 67 - 30 Jun 67) - The use, in newly acquired cats, of endogenous plasma from our feline colony residences has reduced the 50% panleukopenia mortality in these animals to nil. Presently, evaluation of the efficiency and economics of such a prophylactic procedure is being compared to the commercially available panleukopenia antiserum. The continuous temperature monitoring procedures for pyrogen testing in rabbits is ready for use by the Blood Transfusion Division, USAMRL. Our cytogenic techniques for mitotic chromosomes are standardized and we are developing tissue culture and direct cytological procedures for mitotic chromosome configurations. The progressive bacteriology capabilities of the clinical laboratory, coupled with animal inoculation, has enabled the isolation of a small pleomorphic organism associated with a granulomatous hepatitis of rabbits. Efforts are continuing to identify the organism. All animal handlers have completed a continuing education course in laboratory animal care.							
25. COMMUNICATIONS SECURITY <input type="checkbox"/> UNCLASSIFIED <input checked="" type="checkbox"/> RELATED <input type="checkbox"/> UNRELATED		26. ORG CODE BR		27. BUDGET CODE 1		28. PARTICIPATION NA	
29. REQUESTING AGENCY				30. SPECIAL EQUIPMENT			
31. EST. FUNDS (in thousands)				32.			
CPY 11							

DD FORM 1498A

(Form 1 to 26 identical to AFSA Form 1198)

B71P 10 021 (cont)

Detail Sheet # 1

(U) Progress:

Feline panleukopenia in previous years has caused up to 50% mortality in newly arrived, random source, nonconditioned cats. This year we have carefully evaluated the efficacy of endogenous serum in protecting against the disease. Of the 81 cats included in this study, 37 received endogenous serum, 6 cats received commercially available serum and 38 received no serum. There were 14 deaths in the latter group which were diagnosed as panleukopenia on the basis of clinical signs, hematologic values and necropsy findings. Work is continuing in this area to collect more data and a publication is anticipated.

The decreased fecundity in the hairless mouse colony last year was partially due to improper husbandry procedures which have been corrected; however, it stimulated our interest in the genetics of these mice. As a result, we have adapted a squash preparation for male mitotic chromosomes to our laboratory and are currently developing our techniques for tissue culture of somatic cells for evaluation of mitotic figures. Our early results would indicate some abnormality in the end to end association of the X and Y chromosomes in a number of mitotic metaphase figures in hairless males. Further work is needed to substantiate or refute this observation.

We are continuing our efforts in the attempt to determine the pathogenesis of the granulomatous hepatitis noted in newly received rabbits. Current findings would indicate a small intracytoplasmic coccobacillus as the etiologic agent. This organism may be seen occasionally in hematoxylin and eosin stained sections. When visible in gram stained tissue sections, the organism assumes a gram positive to purplish appearance. It is most apparent when stained with a modified Machiavello's method.

A sporadic disease has been noted recently in young mice in our white mouse colony. Clinically one sees swollen joints which eventually progress to auto-amputation of an extremity as is present in mouse pox or infection with *Streptobacillus moniliformis*. Histologic preparations tend to rule out the viral etiology and attempts are being made to culture a causative agent. Pathogenic streptococci and staphylococci

B71P 10 021 (cont)

Detail Sheet # 2

have been isolated from internal organs and hearts blood of those animals moribund and dead.

Several new techniques and capabilities have been added to our clinical pathology section. The most important of these would be a functioning bacteriology ability. This has greatly improved our ability to monitor the health status of the animal colony.

Publications and/or Presentations:

Ross, M. A. and W. G. Sheldon. Hematological data on the Sooty mangabey monkey (Gercocebus torquates atys). USAMRL Report No. 679, 1966 (DDC AD No. 645448).

Sheldon, W. G. Pulmonary blastomycosis in a cat. USAMRL Report No. 690, 1966 (DDC AD No. 643609); Lab. Animal Care, 16: 280, 1966.

Sheldon, W. G. Psorergatic mange in the Sooty mangabey (Cercocebus torquates atys) monkey. USAMRL Report No. 691, 1966 (DDC AD No. 643608); Lab. Animal Care, 16: 276, 1966.

Sheldon, W. G. Fibrous gingival hyperplasia of a mustache guenon monkey (Cercopithecus cephus). USAMRL Report No. 736, 1967; Lab. Animal Care, 17: 140, 1967.

Sheldon, W. G. and M. A. Ross. A generalized herpes virus infection in owl monkeys. USAMRL Report No. 670, 1966 (DDC AD No. 645081).

Treviño, G. S. Pathologic study of a case of canine blastomycosis with ocular involvement. USAMRL Report No. 725, 1967 (DDC AD No. 649984); Path. Vet. 3: 652, 1966.

Selected Bibliography:

Krise, G. M., Jr. and N. Wald. Normal blood picture of the Macaca mulatta monkey. J. Appl. Physiol. 12: 482, 1958.

B71P 10 021 (cont)

Detail Sheet # 3

Gardner, M. V. The blood picture of normal laboratory animals. A review of the literature, 1936-1949. J. Franklin Institute, 244: 155, 1947.

Hunt, R. D. and L. V. Melendez. Spontaneous herpes-T infection in the owl monkey (Aotus trivirgatus). Path. Vet. 3: 1-26, 1966.

Melnick, J. L., M. Midulla, J. Wimberly, J. G. Barrera-Ora and B. M. Levy. A new member of the herpes virus group isolated from South American marmosets. J. Immunol. 92: 596-601, 1964.

Rivers, T. M. Viral and Rickettsial Infections of Man. Philadelphia, Pennsylvania: J. P. Lippincott, 2nd Ed., 1952.

Easton, K. L. Cutaneous North American blastomycosis in a Siamese cat. Can. Vet.J. 2: 350-351, 1961.

Menges, R. W. Blastomyces in animals. Vet. Med. 55: 45-54, 1960.

Ohno, S., W. D. Kaplan and R. Kinosita. On the end-to-end association of the X and Y chromosomes of *Mus musculus*. Exper. Cell Res. 18: 282-290, 1959.

Van Leeuwenhoek, Antonie. Virus pneumonia (sniffling disease) in laboratory rats and in wild rats due to an agent probably related to grey lung virus of mice. J. Microbiol. Serol. 23: 172-183, 1957.

Nelson, John B. Infectious catarrh of the albino rat. J. Exper. Med. 72: 655-662, 1940.

RESEARCH AND TECHNOLOGY RESUME		1. GOVT ACCESSION	7. AGENCY ACCESSION	REPORT CONTROL SYMBOL
3. DATE OF RESUME 24 07 67	4. TYPE OF RESUME C. TERMINATED 01 07 67	5. SECURITY U	6. SEPARATION NA	8. RELATIONSHIP NL
9. CURRENT NUMBER/CODE 61145011 3A014501B71P 10 023			10. PRIORITY NUMBER CODE NO CHANGE	9. LEVEL OF RESUME A. WORK UNIT
11. TITLE: (U) Immunology, Toxicology and Hematochemistry of Venoms				
12. SCIENTIFIC OR TECH AREA 002300 Biochemistry		13. START DATE 12 63	14. CRIT. COMPL. DATE NA	15. FUNDING AGENCY OTHER DA
16. WR. CONC. METHOD C. In-House	17. CONTRACT/GRANT A. NUMBER NA B. TYPE C. DATE D. AMOUNT	18. RESOURCES EST. PRIOR FY 67 CURRENT FY 68	19. PROFESSIONAL MAN-YEARS 2 0	20. FUNDS (In thousands) 51 0
21. GOVT LAB/INSTALLATION/ACTIVITY NAME ADDRESS Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315 RESP. INDV. Murdoch, LTC Wallace P. TEL 202-OX 65237		22. PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121 Kocholaty, W. F., Ph. D. INVESTIGATOR Ledford, M. E. PRINCIPAL ASSOCIATE Billings, T. A. TEL 502-44350 TYPE DA		
23. TECHNOLOGY UTILIZATION NA		24. COORDINATION NA		
25. KEYWORDS Crotalus atrox; Lethal Protein; Proteolytic Activity				
26. (U) Tech Objective - To isolate, purify and identify the lethal protein constituents of <u>Crotalus atrox</u> venom.				
27. (U) Approach - The venom, either in an untreated form or after reaction with diisopropylfluorophosphate, has been resolved by column chromatography on DEAE-cellulose. The biologic activities of the separated proteins were then determined.				
28. (U) Progress (1 Apr 67 - 30 Jun 67) - Lethal proteins with LD ₅₀ values as toxic as 7 µg per 20-25 g mouse were found to be mixtures of probably two or more proteins. On molecular sieve filtration, these proteins behaved as comparatively large molecules (greater than 300,000). However, preliminary evidence from an ultracentrifugation run indicated a much smaller molecule being present. The slides developed after immunoelectrophoresis suggested that, to some extent, a large molecule was breaking down to smaller sub-units, which could explain the disparity between the elution results with either Sephadex G-150, Biogel P-300 or Sepharose 4 B, and with the rate of sedimentation in the ultracentrifuge. A residual amount of proteolytic activity of low specific activity has remained associated with the lethal protein, despite the relatively high degree of purification with respect to other enzymatic activities. Work is in progress in an effort to establish if the lethal protein is this proteinase whose unique specificity is poorly suited to the usual proteolytic substrates--casein, collagen dyes and hemoglobin.				
29. COMMUNICATIONS SECURITY <input type="checkbox"/> - COMSEC RELATED <input checked="" type="checkbox"/> - NOT RELATED		30. OSO CODE BR	31. SUBJECT CODE I	
32. BIRTH OBJECTIVE NA		33. PARTICIPATION NA		
34. REQUESTING AGENCY		35. SPECIAL EQUIPMENT		
36. EST. FUNDS (In thousands)		37.		
38. FORM 1498A (From 1 to 26 identical to RASA Form 1122)				

DD FORM 1498A

(From 1 to 26 identical to RASA Form 1122)

B71P 10 023 (cont)

Detail Sheet # 1

(U) Progress:

Column chromatography on fibrous DEAE-cellulose in TRIS-HCl-buffer pH 7.2 with an altered elution gradient permitted the fractionation of the major portion of the lethal protein of C. atrox from other biologically active material. Limited degrees of resolution of the lethal protein were found to occur using molecular sieve filtration (sephadex, sepharose, biogel) or ammonium sulfate fractionation. Inhibition of esterolytic activity with DFP did not lead to the isolation of a more toxic lethal protein, although contaminant biologic activity other than toxicity was minimized. A homogeneous lethal protein was not achieved. There is no evidence to date to suggest that the lethal protein corresponds to any degradative enzyme to be present in C. atrox venom. A USAMRL report, "Further observations on the properties of the lethal protein in Crotalus atrox venom," has been written and is presently undergoing minor revisions.

Publications and/or Presentations:

Ashley, B. D. and P. M. Burchfield. Maintaining a snake colony for venom collection. USAMRL Report No. 696, 1966 (DDC AD No. 647149).

Ashley, B. D. and P. M. Burchfield. Biology of snakes. Lecture given to the Meeting of the 4th District Education Association Science Teachers, Elizabethtown, Ky., 14 Oct 1966.

Ashley, B. D. and P. M. Burchfield. Current recommendations for first aid and medical care of victims of snake envenomation and prevention of bites. Lecture given to the Hardin-LaRue County Medical Society Meeting, Elizabethtown, Ky., 5 Jan 1967.

Ashley, B. D. and D. P. Thompson. Snakes and snakebite. Lecture given to the Pre-Medical Fraternity Meeting, University of Louisville, Louisville, Ky., 20 Mar 1967.

Ashley, B. D., P. M. Burchfield and D. P. Thompson. Venomous snakes and snakebites in Kentucky. Lecture given to the Ky. State Association of Medical Assistants, Park City, Ky., 13 May 1967.

B71F 10 023 (cont)

Detail Sheet # 2

Bobbitt, J. L. and D. E. Reed. Differentiation between proteolytic and TAME esterolytic activity in Crotalus atrox venom. USAMRL Report No. 712, 1966 (DDCAD No. 647148); presented (by Reed) at Southeastern Regional Meeting of the American Chemical Society, Louisville, Ky., 27-29 Oct 1966.

Burchfield, P. M. Instruction of personnel departing for Vietnam. Lecture given to the POR/POM Course, 4th Battalion (Mechanized), 54th Infantry, Fort Knox, Ky., Nov 1966.

Reed, D. E. The resolution of enzymatic activities in Crotalus atrox venom by chromatography on DEAE-cellulose. USAMRL Report No. 705, 1966 (DDC AD No. 645904).

Selected Bibliography:

Pfleiderer, G. and G. Sumyk. Separation of rattlesnake venom proteinases by cellulose ion-exchange chromatography. *Biochim. Biophys. Acta*, 51: 482, 1961.

Peterson, E. A. and H. A. Sober. Variable gradient device for chromatography. *Anal. Chem.* 31: 857, 1959.

Reed, L. J. and H. Muench. A simple method of estimating fifty per cent end points. *Amer. J. Hyg.* 21: 493, 1938.

Project No. 3A014501B71R

Research in Biomedical Sciences

Task No. 01

Surgery

Work Unit No. 100

Acute and Chronic Effects of Laser Radiation on Mammalian Tissues

Work Unit No. 101

Ocular Effects of Laser Radiation

Work Unit No. 102

Effects of Laser Radiation on Immune Mechanisms

Work Unit No. 103

Cutaneous Burns Induced by Laser Radiation

Work Unit No. 104

Effects of Laser Radiation on the Mammalian Hematopoietic System

Work Unit No. 105

Effects of Laser Radiation on Active Transport in Living Membranes

Work Unit No. 275

Laser Effects on Performance

Work Unit No. 276

Instrumentation Design

Investigators, FY 1967:

#100

W. H. Farn, Ph.D.
R. W. Bull, Captain, VC
R. S. Fisher, Captain, MC
D. K. Hysell, Captain, VC
G. R. Peacock, Captain, MSC
H. M. Leibowitz, Captain, MC

#101

A. H. Bryan, Captain, MC
G. H. Herbener, M.S.

#102

A. J. Luzzio, Ph.D.

#103 A. S. Brownell, Ph.D.
W. H. Parr, Ph.D.
R. S. Fisher, Captain, MC
D. K. Hysell, Captain, VC
R. S. Dedrick, Captain, VC

#104 R. S. Fisher, Captain, MC
W. H. Parr, Ph.D.
R. S. Dedrick, Captain, VC

#105 T. L. Davis, Captain, MC

#275 S. H. Revusky, Ph.D.

#276 J. C. Rosenbaum, Jr., M.S.
J. F. Medley

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	2. AGENCY ACCESSION	3. REPORT CONTROL SYMBOL
4. DATE OF RESUME 01 07 67		5. KIND OF RESUME D. CHANGE 24 04 67		6. SECURITY U U RPT WFO	7. RESUBDIVISION NA	8. RELEASE LIMITATION NL
100. CURRENT NUMBER/CODE 61145011 3A014501B71R 01 100				105. PRIOR NUMBER/CODE NO CHANGE		
11. TITLE: (U) Acute and Chronic Effects of Laser Radiation on Mammalian Tissues						
12. SCIENTIFIC OR TECH. AREA 002600 Biology 009600 Masers and Lasers				13. START DATE 07 63	14. CRIT. COMPL. DATE NA	15. FUNDING AGENCY OTHER DA
16. PROCURE. METHOD C. In-House		17. CONTRACT/GRANT A. NUMBER NA B. TYPE C. DATE D. AMOUNT		18. RESOURCES EST. PRIOR FY 67 CURRENT FY 68		19. PROFESSIONAL MAN-YEARS 3
19. GOVT LAB/INSTALLATION/ACTIVITY NAME ADDRESS HEADQUARTERS US Army Medical Res & Dev Command Washington, D. C. 20315 RESP. INDIV. Rose, LTC L. R. TEL. 202-OX 66082		20. PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121 Parr, W. H., Ph.D. Peacock, CPT G. R. Leibowitz, CPT H. M. TEL. 502-45149 TYPE DA				
21. TECHNOLOGY UTILIZATION NA				22. COORDINATION NA		
23. KEYWORDS Laser, Animal Studies; Laser Injury, Biological; Acute; Chronic; Radiation, Thermal; Retina; Eye; Eye Burns; Eye Injuries; Hazard						
24. (U) Tech Objective - To appraise effects of laser irradiation on various tissues and organs and biological materials with emphasis on acute and long-term effects. (U) Approach - Changes occurring in rat corneal epithelial cells due to ruby and CO ₂ laser irradiation will be investigated and correlated with absorbed dose. Effects of high doses of ruby, Nd, and CO ₂ laser radiation on animal eyes will be studied and related to whole body effects. Studies of modes of interaction of laser radiation with bio-materials will be conducted. (U) Progress (1 Apr 67 - 30 Jun 67) - Previous experiments in which aberrant cells were produced in the cornea of rats by ruby laser radiation have been repeated. Other preliminary studies indicate that the number of aberrant cells produced using a constant power density will depend on the pulse length of the beam. A laboratory report of kidney damage as a consequence of laser irradiation and the subsequent effects in the body as a whole is being prepared. A model, based on surface temperature increases, has been formulated and compared with experimental laser injury data reported in the literature and gathered in this laboratory. Peacock, G. R. Surface temperature as a parameter in estimating laser injury thresholds. USAMRL Rep. No. 733, 1967.						
27. COMMUNICATIONS SECURITY <input type="checkbox"/> ESSENTIAL RELATED <input checked="" type="checkbox"/> NOT RELATED		28. OSD CODE BR		29. BUDGET CODE 1		
31. MISSION OBJECTIVE NA				32. PARTICIPATION NA		
33. REQUESTING AGENCY		34. SPECIAL EQUIPMENT				
35. EST. FUNDS (in thousands)		36.				
CPY-1						

DD Form 1498A

(Form 1 to 34 identical to NASA Form 1122)

B71R 01 100 (cont)

Detail Sheet # 1

(U) Progress:

Laser irradiation of renal and ocular structures in animals revealed the following: a) Biweekly lasing (6943 Å) at 12.5 j/cm² and 6.0 j/cm² of translocated kidneys in rats resulted in gross damage to overlying skin and kidneys at the higher energy level and in microscopic damage at the lower level. A decrease in urinary output with proteinuria and loss of body weight was also noted. b) Studies using a small number of animals indicate that atypical cells may still persist in the corneal epithelium of the rat 180 days after exposure to ruby laser radiation (4 j/cm²). On the basis of comparison with CO₂ laser effects, the production of atypical cells are thought to be a thermal effect. Preliminary threshold values obtained for the production of these aberrant cells are between 0.5 and 1.0 j/cm² for a 3 msec pulse of ruby laser radiation and approximately the same for a 40 msec pulse of CO₂ laser radiation.

Gross in vivo evaluation of rat eyes immediately after exposure to 4 j, 8 j and 12 j/cm², showed hemorrhages and bubbles in the anterior chamber and a steamy opacity of the cornea which appeared to be dose dependent. After 30 days, nearly complete recovery from ocular inflammation had occurred at the lower dose level while at the higher levels massive hemorrhages were seen in the anterior chamber. In pigmented rabbit eyes, energy densities as low as 0.1 j/cm² (normal pulse, collimated, 6943 Å) incident on the cornea caused retinal destruction and vitreous hemorrhage.

Publications and/or Presentations:

Bull, R. W. Ruby laser's biological effect on the kidney and skin of hooded Long-Evans rats. Presented at the Gordon Research Conference, Lasers in Medicine and Biology, Andover, N. H., 19-23 Jun 1967.

Fine, S., E. Klein, W. H. Parr, B. Fine, R. S. Fisher and G. R. Peacock. Hazard studies with laser radiation. Presented (by S. Fine) at the Third DOD Laser Conference on Laser Technology, Pensacola, Fla., 18 Apr 1967.

B71R 01 100 (cont)

Detail Sheet # 2

Fisher, R. S. and W. H. Parr. The fundamental concepts of laser radiation and the biological effects of laser radiation. Presented (by Fisher) at the Health Physics Society - Midwest Chapter's Joint Meeting, Cumberland Falls, Ky., 9-11 Sep 1966.

Jones, A. E. and A. J. McCartney. Ruby laser effects on the monkey eye. Invest. Opth. 5(5): 474-483, 1966.

Leibowitz, H. M. Medical aspects of incapacitation. Presented at the US Army Conference on Laser Eye Protection, Natick, Mass., 24 May 1967.

Parr, W. H. and R. S. Fisher. Aberrant corneal epithelial cells produced by ruby laser irradiation. USAMRL Report No. 698, 1966 (DDC AD No. 645452); presented (by Fisher) at the Northeast Electronics Research and Engineering Meeting, Boston, Mass., 2-4 Nov 1966.

Parr, W. H. and G. R. Peacock. Corneal damage from laser radiation. Presented (by Parr) at the Gordon Research Conference, Lasers in Medicine and Biology, Andover, N. H., 19-23 Jun 1967.

Parr, W. H., G. R. Peacock and R. S. Fisher. Laser effects on the corneal epithelium. Presented (by Parr) at the IEEE Ninth Annual Symposium on Electron, Ion, and Laser Beam Technology, Berkeley, Calif., 9-11 May 1967; presented (by Parr) at the US Atomic Energy Test Site, Mercury, Nev., 12 May 1967.

Peacock, G. R. Laser hazards and safety. Presented at the Junior Science and Humanities Symposium, Fort Knox, Ky., 1 Apr 1967.

Peacock, G. R. Medical aspects of incapacitation. Presented at the US Army Conference on Laser Eye Protection, Natick, Mass., 24 May 1967.

Peacock, G. R. Surface temperature model for laser injury. Presented at the Gordon Research Conference, Lasers in Medicine and Biology, Andover, N. H., 19-23 Jun 1967.

B71R 01 100 (cont)

Detail Sheet # 3

Peacock, G. R. Surface temperature as a parameter in estimating laser injury thresholds. USAMRL Report No. 733, 1967.

Selected Bibliography:

Proceedings of the First Annual Conference on Biological Effects of Laser Radiation. Fed. Proc. 24: Suppl. 14(2), Jan-Feb 1965.

Staff of Wilmer Institute. Studies on the physiology, biochemistry, and cytopathology of the cornea in relation to injury by mustard gas and allied toxic agents. Bull. Johns Hopkins Hosp. 82: 51, 1945.

Ransom, R. G. The influence of ionizing radiation on mitosis in the corneal epithelium of the rat. USAMRL Report No. 110, 1953 (DDC AD No. 20875).

Gay, H. and B. P. Kaufman. The corneal epithelium as a source of mammalian somatic mitoses. Stain Tech. 25: 209, 1950.

NEREM Record, Boston, Mass., Nov 1966.

Laor, Y., C. Simpson, E. Klein and S. Fine. The pathology of laser irradiation of the skin and body wall of the mouse. Amer. J. Path. 47(4), Oct 1965.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	3. AGENCY ACCESSION	REPORT CONTROL SYMBOL
4. DATE OF RESUME	5. DATE OF REPORT	6. SECURITY	7. RESUMING	8. RECHASE LIMITATION	9. LEVEL OF RESUME	
14 09 66	C. TERMINATED 01 07 66	U U	NA	NL	A. WORK UNIT	
10. CURRENT NUMBER/CODE			10. PRIOR NUMBER/CODE			
61145011 3A014501B71R 01 101			NO CHANGE			
11. TITLE						
(U) Ocular Effects of Laser Radiation						
12. SCIENTIFIC OR TECH. AREA			13. START DATE	14. CRIT. COMPL. DATE	15. FUNDING AGENCY	
009600 Biology 009600 Masers and Lasers			07 65	NA	OTHER DA	
16. PROCURE. METHOD		17. CONTRACT/GRANT	18. RESOURCES EST.		19. FUNDS (In thousands)	
C. In-House		NA	PRIOR FY 66		PROFESSIONAL 1	
			CURRENT FY 67		16	
20. GOVT LAB/INSTALLATION/ACTIVITY			20. PERFORMING ORGANIZATION			
NAME			NAME			
ADDRESS: Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315			ADDRESS: US Army Medical Res Laboratory Fort Knox, Ky. 40121			
RESP. INDV: Rose, LTC L. R.			INVESTIGATORS: PRINCIPAL: Bryan, CPT A. H.			
TEL: 202-OX 66082			ASSOCIATE: Herbener, G. S.			
21. TECHNOLOGY UTILIZATION			22. COORDINATION			
NA			NA			
23. KEYWORDS						
Laser; Retina; Primates; Eye; Neurophysiology; Visual Sensitivity; Vision/Brightness						
24.						
<p>(U) Tech Objective - To investigate the effects on retinal structure, and visual electrophysiology, of varying the retinal area, the energy density, and power of laser pulses on the primate retina.</p> <p>(U) Approach - An optical path using an integrating sphere to achieve pulse homogeneity, and appropriate field stops has been designed to yield retinal laser doses of rigidly controlled energy density and area. Pulse forming networks to control pulse duration are being installed. Pre- and post-exposure ocular examinations including fundus photographs and pre- and post-exposure ERG are carried out on each animal. Histological analysis of retina and brain are carried out on each exposed animal.</p> <p>(U) Progress (1 Jul 65 - 30 Jun 67) - This work unit was terminated on 14 Sep 66 because of the transfer of the principal investigator.</p>						
25. COMMUNICATIONS SECURITY		26. ORG CODE	27. BUDGET CODE			
<input type="checkbox"/> - SOURCE RELATED <input checked="" type="checkbox"/> - RELATED		BR	1			
28. MISSION OBJECTIVE			29. PARTICIPATION			
NA			NA			
30. REQUESTING AGENCY			31. SPECIAL EQUIPMENT			
32. EST. FUNDS (In thousands)			33.			

B71R 01 101 (cont)

Detail Sheet # 1

Publications and/or Presentations:

None.

Selected Bibliography:

Jones, A. E. and A. J. McCartney. Ruby laser effects on the monkey eye. Invest. Ophth. 5: 474, 1966.

Ham, W. T., H. Weisinger, F. H. Schmidt, R. C. Williams, R. S. Ruffin, M. C. Schaffer and D. Guerry, III. Flash burns in the rabbit retina. Amer. J. Ophth. 46: 700, 1958.

Jacobson, J. H., Blossom Cooper and H. W. Najac. Effects of thermal energy on retinal function. Technical Documentary Report No. AMRL-TDR-62-96-1962.

Foulds, W. E. Experimental retinal detachment. Tr. Ophth. Soc. U. Kingdom, 83: 153, 1963.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	2. AGENCY ACCESSION	3. REPORT CONTROL SYMBOL
4. DATE OF RESUME	5. KIND OF RESUME	6. SECURITY	7. RESEARCHING	8. RELEASE LIMITATION	9. LEVEL OF RESUME	
01 07 67	D. CHANGE 24 04 67	U U	NA	NL	A. WORK UNIT	
10. CURRENT NUMBER/CODE				11. PRIORITY NUMBER/CODE		
61145011 3A014501B71R 01 102				NO CHANGE		
12. TITLE						
(U) Effects of Laser Radiation on Immune Mechanisms						
13. SCIENTIFIC OR TECH. AREA				14. START DATE	15. CRIT. COMPL. DATE	16. FUNDING AGENCY
009600 Masers and Lasers 002600 Biology				10 59	NA	OTHER DA
17. PRODU. METHOD	18. CONTRACT/GRANT		19. RESOURCES EST.		20. PERIODICAL MAN-YEARS	
C. In-House	NA		PRIOR FY 67		1	
			CURRENT FY 68		23	
21. GOVT LAB/INST/ALLIANCE/ACTIVITY				22. PERFORMING ORGANIZATION		
NAME				NAME		
ADDRESS				ADDRESS		
Headquarters				US Army Medical Res Laboratory		
US Army Medical Res & Dev Command				Fort Knox, Ky. 40121		
Washington, D. C. 20315				INVESTIGATORS		
RESP. INOV. Rose, LTC L. R.				Luzzio, A. J., Ph. D.		
TEL. 202-OX 66082				PRINCIPAL ASSOCIATE		
				Leibowitz, CPT H. M.		
				TEL. 502-46645		
				TYPE DA		
23. TECHNOLOGY UTILIZATION				24. COORDINATION		
NA				NA		
25. KEYWORDS						
Laser; Antibody; Antigen; Immunity						
26.						
(U) Tech Objective - To determine the effects of laser energy on immune mechanisms, thus evaluating laser radiation as a possible deterrent of immunity.						
(U) Approach - This research is divided into two phases: 1) The study of the direct effect of laser energy on blood serum proteins. Electrophoresis analyses will ascertain whether blood proteins will maintain their original electrophoretic and molecular identity after laser exposure <u>in vitro</u> . 2) The study of the effects of lasing the spleen on the primary and secondary antibody responses. Serum separated from blood taken from rabbits at periodic intervals after antigen injection will be measured quantitatively for antibody. Antibody produced from laser exposed and non-exposed controls can then be plotted against time.						
(U) Progress (1 Apr 67 - 30 Jun 67) - Several groups of intact rabbits immunized with bovine serum albumin (BSA) were exposed to laser energies ranging from 100 to 800 joules in the splenic area. Thus far, the results are inconclusive; however, definite trends are apparent which suggest that the primary and secondary immune responses are enhanced when the antigen is injected one hour after laser treatment. No gross skin lesions were observed at the target area other than a very slight erythema. Total serum protein was not affected. The animals have been sacrificed and microscopic sections of spleens will be examined for histological study. The above experiments are currently being repeated for confirmation of the data.						
27. COMMUNICATIONS SECURITY		28.		29. GEO CODE		30. SUBJECT CODE
<input type="checkbox"/> - SOURCE RELATED <input type="checkbox"/> - RELATED				BR		1
31. UNDER OBJECTIVE				32. PARTICIPATION		
NA				NA		
33. REQUESTING AGENCY		34. SPECIAL EQUIPMENT				
35. EST. FUNDS (in thousands)		36.				
37.						

DD FORM 1498A

(Form 1 - 26 identical to RASA Form 113.)

B71R 01 102 (cont)

Detail Sheet # 1

(U) Progress:

Measurements on a number of rabbits showed that the spleen of a rabbit could be located accurately with the xiphoid process as a reference point. Several groups of rabbits were exposed to various levels of ruby laser radiation through the intact skin at the splenic site determined by the method briefly described above. One hour after exposure, each animal was injected subcutaneously with bovine serum albumin (BSA). Unlased rabbits were also injected and served as a control group. All animals were bled at periodic intervals before and after exposure and serum anti-BSA levels were determined by the quantitative precipitation method. Forty days after initial exposure and injection, a second laser exposure was given each animal at the same site followed by a second BSA injection one hour later. Anti-BSA concentrations were determined for each animal at periodic intervals following radiation.

Thus far, the results show that no significant differences occurred in the primary and secondary immune responses of rabbits exposed to 100-200 joules of ruby laser radiation. Anti-BSA appeared to increase in the primary immune response after 400 joules of radiation and a greater increase in anti-BSA occurred during the secondary response after an additional 400 joules, or a total of 800 joules, had been delivered.

The laser injury to the rabbits was restricted to a circular area 1 cm in diameter and was marked by a slight erythema with no swelling of the skin. At autopsy, 60 days after exposure, gross and microscopic pathology showed no evidence of injury to the spleen or surrounding organs, nor any suggestions of repair.

At this time, due to wide variations in immune responses between individual animals, a statistical analysis of the data does not support the final conclusion that laser radiation of the spleen enhances the immune response. However, since trend effects are apparent, these experiments are being repeated, with some modifications, to reduce biological variations so that a valid statistical analysis can be made.

B71R 01 102 (cont)

Detail Sheet # 2

Publications and/or Presentations:

None.

Selected Bibliography:

Kabat, E. A. and M. M. Mayer. Experimental Immunochemistry.
Springfield, Ill.: Charles C. Thomas, 1948.

Litwin, M. S. and K. M. Earle (eds.). First Annual Conference on
Biologic Effects of Laser Radiation. Fed. Proc. Suppl. No. 14, 1965.

RESEARCH AND TECHNOLOGY RESUME				7 GOVT ACCESSION	8 AGENCY ACCESSION	9 REPORT CONTROL SERVICE
1 DATE OF RESUME 01 07 67	2 KIND OF RESUME D. CHANGE 24 04 67	3 SECURITY U U	4 REG. NO. NA	5 FILE NO. NL	6 DA 0A 6103	CSCRD-103
10 CURRENT NUMBER/CODE 61145011 5A014501B71R 01 103				11 PRIOR NUMBER/CODE NO CHANGE		
12 TITLE (U) Cutaneous Burns Induced by Laser Radiation						
13 SCIENTIFIC OR TECH. AREA 002600 Biology 009600 Masers and Lasers				14 START DATE 07 66	15 CRIT. COMPL. DATE NA	16 FUNDING AGENCY OTHER DA
17 CONTRACT/GRANT A. NUMBER C. In-House		B. DATE NA		18 RESOURCES EST. A. PRIOR FY 67		B. PROFESSIONAL MAN-YEARS 1
C. AMOUNT		D. FUNDS (in thousands) 31		19 CURRENT FY 68		
19 GOVT LAB/INSTALLATION/ACTIVITY NAME ADDRESS Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315				20 PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121		
21 RESP. INDIV. Rore, LTC L. R.				22 INVESTIGATOR PRINCIPAL Brownell, A. S., Ph. D.		
TEL. 202-OK 66092				ASSOCIATE Parr, W. H., Ph. D.		
23 TECHNOLOGY UTILIZATION NA				24 COORDINATION NA		
25 KEYWORDS Laser; Thermal Burns; Skin; Radiation Biology; Radiation						
26 (U) Tech Objective - To investigate the potential of high intensity laser radiation to induce cutaneous and deeper burns as a function of power density, time of exposure and frequency.						
27 (U) Approach - The initial approach will be to quantitatively relate the extent of thermal damage in porcine skin to power density and time of exposure to 10.6 micron laser radiation. The severity of the lesions will be varied from threshold injury to extensive destruction of the skin and underlying tissues. Radiation parameters will be varied over the range limited by the CO ₂ laser available. Subsequent studies will be extended to other wavelengths of interest.						
28 (U) Progress (1 Apr 67 - 30 Jun 67) - The dose-response relationship for threshold burns induced by 10.6 micron laser radiation has been determined for power densities within the range of 1 to 8 watts/cm ² and exposure times 0.4 to 18 sec. In the range from 1.5 to 8 watts/cm ² the data fit the equation $H = 4.13t - .067$ where H = incident power density (watts/cm ²) and t = median effective exposure time (sec). Limited data suggest that below 1.5 watts/cm ² this relationship changes. Brownell, A. S., W. H. Parr, D. K. Mysell, and R. S. Dedrick. Threshold lesions induced in porcine skin by CO ₂ laser radiation. USAMRL Rep. No. 730, 1967.						
29 COMMUNICATIONS SECURITY <input type="checkbox"/> A. COMSEC OR CONTROL OR REL. INFO <input type="checkbox"/> B. MISSION SENSITIVE NA		30 USE CODE BR		31 BUDGET CODE 1		
32 REQUESTING AGENCY		33 PARTICIPATION NA				
34 SPECIAL ROUSMENT						
35 EST. FUNDS (in thousands)						
36						

DD FORM 1496A

(Clone to be attached to 1496 Form 117)

B71R 01 103 (cont)

Detail Sheet # 1

(U) Progress:

The dose-response relationship for cutaneous burns, ranging from minimally detectable erythema to partial tissue coagulation, has been determined for a limited range of CO₂ laser radiation power densities and exposure times. The data to date indicate that the dose-response relationship for all measured degrees of injury within this power density range (1 to 8 watts) may reasonably be described by simple power functions. However, limited data suggest that these relationships may change outside this power density range. The best mathematical fit of the data will be determined after experiments at high and lower power densities. Numerous biopsies are now being processed and analyzed by histochemical methods to evaluate depth of tissue change as a function of power density and exposure time.

Publications and/or Presentations:

Brownell, A. S., W. H. Parr, D. K. Hysell, and R. S. Dedrick. Threshold lesions induced in porcine skin by CO₂ laser radiation. USA-MRL Report No. 732, 1967; presented (by Brownell) at the Gordon Conference on Lasers in Medicine and Biology, Andover, N. H., 19 Jun 1967.

Selected Bibliography:

Henriques, F. C., Jr. and A. R. Moritz. Studies of thermal injury. I. The conduction of heat to and through skin and the temperatures attained therein. A theoretical and an experimental investigation. Amer. J. Pathol. 23: 531, 1947.

Moritz, A. R. and F. C. Henriques, Jr. Studies of thermal injury. II. The relative importance of time and surface temperature in the causation of cutaneous burns. Amer. J. Pathol. 23: 695, 1947.

Moritz, A. R. Studies of thermal injury. III. The pathology and pathogenesis of cutaneous burns. An experimental study. Amer. J. Pathol. 23: 915, 1947.

B71R 01 103 (cont)

Detail Sheet # 2

Perkins, J. B., H. E. Pearse, and H. D. Kingsley. Studies on flash burns: the relation of the time and intensity of applied thermal energy to the severity of burns. University of Rochester Atomic Energy Project Report UR-217, 1952.

Lyon, J. L., T. P. David and H. E. Pearse. Studies of flash burns. The relation of thermal energy applied and exposure time to burn severity. University of Rochester Atomic Energy Report UR-394, 1955.

Davies, J. M. The effect of intense radiation on animal skin. A comparison of calculated and observed burns. Quartermaster Research and Engineering Command Report T-24, 1959 (DDC AD No. 456794).

Derksen, W. L., J. Bracciavanti and G. Mixter, Jr. Burns to skin by millisecond light pulses. NAVAPLSCIENLAB Project 9400-12, Report 1, 1964.

Fine, S., W. P. Hanson, G. R. Peacock, E. Klein and Y. Laor. Biophysical studies with the CO₂ laser. NEREM Record, p. 166, 1966.

Helevig, E. B., W. A. Jones, J. R. Hayes and E. H. Zeitler. Anatomic and histochemical changes in skin after laser irradiation. First Annual Conference on Biological Effects of Laser Radiation, Fed. Amer. Soc. Exper. Biol. Proc. Suppl. 14, 1965.

RESEARCH AND TECHNOLOGY RESUME				1 GOVT ACCESSION	1 AGENCY ACCESSION	REPORT CONTROL SYMBOL
1 DATE OF RESUME 01 07 67	2 TIME OF ISSUE C. TERMINATED 24 04 67	3 SECURITY U REF	4 SECURITY U WHK	5 RESUME NA	6 RELEASE LIMITATION NL	7 CSTRD-103 A, WORK UNIT
10 CURRENT NUMBER/ CODE 61145011 3A014501B71R 01 104				11 PRIOR NUMBER/ CODE NO CHANGE		
12 TITLE (U) Effects of Laser Radiation on the Mammalian Hematopoietic System						
13 SCIENTIFIC OR TECH AREA 002600 Biology 009600 Masers and Lasers				14 START DATE 07 66	15 CRIT. COMPL. DATE NA	16 FUNDING AGENCY OTHER DA
17 PROCEDURE METHOD C. In-House		18 CONTRACT/GRANT # DATE NA		19 RESOURCES EST. PRIOR FY 67 CURRENT FY 68		20 PROFESSIONAL MAN YEARS 1 0
21 FUND (In thousands) 18		22 AMOUNT		23 FUNDS (In thousands) 0		24
19 GOVT LAB/INSTALLATION ACTIVITY NAME ADDRESS Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315 RESP. INDV. Rose, LTC L. R. TEL. 202-OX 66082				20 PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121 INVESTIGATOR/PRINCIPAL ASSOCIATE Parr, W. H., Ph. D. Dedrick, CPT R. S. TEL. 502-45149 TYPE DA		
21 TECHNOLOGY UTILIZATION NA				22 COORDINATION NA		
23 KEYWORDS Laser; Anemia; Leukopenia; Fracture; Radiation Biology; Radiation						
24 (U) Tech Objective - To investigate the acute and chronic effects of laser irradiation on the mammalian hematopoietic and related systems.						
25 (U) Approach - An attempt will be made to describe the mechanism by which individual blood elements are altered by exposure to a 6943 Å laser beam. Changes will be related to power density and time of exposure in order to determine specific threshold values. The results of these studies will be applied in <u>in vivo</u> studies by utilizing an extracorporeal circuit. The mechanism by which marrow containing bones are fractured by an incident laser beam will be investigated and an effort will be made to quantify this phenomenon.						
26 (U) Progress (1 Apr 67 - 30 Jun 67) - None. This work was terminated because of the transfer of one of the principal investigators.						
27 COMMUNICATIONS SECURITY <input type="checkbox"/> COMSEC OR COMINT RELATED <input checked="" type="checkbox"/> NOT RELATED		28		29. OLD CODE BR		30. BUDGET CODE 1
31 MISSION OBJECTIVE NA				32 PARTICIPATION NA		
33 REQUESTING AGENCY				34 SPECIAL EQUIPMENT		
35. COST FUNDS (In thousands)				36		
CPY-1						

B71R 01 104 (cont)

Detail Sheet # 1

(U) Progress:

1) Investigations appraising the side effects associated with lased blood in the circulatory system indicate that a large percentage of in vitro lased (13 j/cm^2) red cells reinjected into the donor dog are cleared from the peripheral circulation within the first two hours or less. Preliminary studies showed little or no effect on whole blood lased with energy densities from $5 - 10 \text{ j/cm}^2$. 2) Isolated rat bones were fractured with energy densities of 190 j/cm^2 , and bone marrow extruded from the ends of the bones (no fractures evident) at approximately one-half the preceding dose. Discoloration of the bone occurred at 40 j/cm^2 . Transducers were acquired and calibrated to measure intramedullary pressure produced by the incident laser energy.

Publications and/or Presentations:

None.

Selected Bibliography:

Goldman, L., D. Blaney, D. Kindel, D. Richfield, P. Owens and E. Homan. Effect of the laser beam on the skin. III. Exposure of cytological preparations. *J. Invest. Dermatol.* 42: 247, 1964.

Weissman, S. M., T. A. Waldmann, and N. I. Berlin. Quantitative measurement of erythropoiesis in the dog. *Amer. J. Physiol.* 198: 183, 1960.

Herbert, J. C. and N. P. Page. The sequestration of erythrocytes in irradiated dogs. USNRDL-TR-1051, 29 Jul 1966.

Cooper, M. and C. A. Owens. Labeling human erythrocytes with radiochromium. *J. Lab. Clin. Med.* 47: 67, 1956.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	2. AGENCY ACCESSION	3. REPORT CONTROL SYMBOL
4. DATE OF RESUME 14 09 66	5. KIND OF RESUME C. TERMINATED 12 08 66	6. SECURITY U U	7. RECORDING NA	8. AGENCY ACCESSION DA OA 6105	9. RELEASE LIMITATION NL	10. REPORT CONTROL SYMBOL CSCRD-103
10a. CURRENT NUMBER/CODE 61145011 3A014501B71R 01 105				10b. PRIOR NUMBER/CODE NO CHANGE		
11. TITLE (U) Effects of Laser Radiation on Active Transport in Living Membranes						
12. SCIENTIFIC OR TECH AREA 009600 Masers and Lasers 002600 Biology				13. START DATE 07 66	14. CRIT. COMPI. DATE 08 67	15. FUNDING AGENCY OTHER DA
16. PROCURE. METHOD C. In-House		17. CONTRACT/GRANT # DATE NA		18. RESOURCES EST. PRIORITY 66 CURRENT FY 67		19. FUNDS (In thousands) PROFESSIONAL MAN-YEARS 0 7
19. GOVT LAB/INSTALLATION/ACTIVITY NAME ADDRESS Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315 REMP. INDIV. Rose, LTC L. R. TEL. 202-OX 66082				20. PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121 INVESTIGATOR PRINCIPAL Davis, CPT T. L. ASSOCIATE TEL. 502-45749 TYPE DA		
21. TECHNOLOGY UTILIZATION NA				22. COORDINATION NA		
23. KEYWORDS Laser; Membranes; Active Transport						
24. (U) Tech Objective - Effect of laser exposure on ion transport in living membranes. (U) Approach - Isolated frog corneas and segments of frog skin are mounted in Ussing type chambers and the electrical potential difference and short circuit current measured. The tissues are then lased with a ruby laser (6943 Å). (U) Progress (1 Jul 66 - 12 Aug 66) - 1) Cornea. Immediately post-lasing there are large increases in the short circuit current (which is equivalent to the active chloride transport) and a transient decrease in the potential difference. In the steady state 1 hour post-lasing the short circuit current was still an average of 18% above control levels. These increases in current appear to be cumulative with repeated lasing of the same cornea. 2) Frog skin. There is a net increase in the short circuit current (which is equivalent to the active sodium transport) following lasing of the endothelial side of the skin with little effect on the potential difference. Lasing of the epithelial side produces a 60% average decrease in potential differences with no effect on the short circuit current. These changes are of a different nature from those of simply heating the tissue and bathing fluids which give a linear decrease in short circuit current and potential difference. Recovery from heating is to about 60% of control levels. It appears that ruby laser radiation is producing a sustained increase in the active transport of chloride ions in the cornea and sodium and potassium ions in the frog skin. These findings are consistent with reversible and irreversible alteration in the permeability of the membranes involved. This work was terminated on the transfer of the investigator.						
25. COMMUNICATIONS SECURITY <input type="checkbox"/> ESSENTIAL RELATED <input checked="" type="checkbox"/> NOT RELATED		26. OSD COOP BR		27. SUBJECT CODE 1		
28. MISSION OBJECTIVE NA				29. PARTICIPATION NA		
30. REQUESTING AGENCY				31. SPECIAL EQUIPMENT		
32. EST. FUNDS (In thousands)				33.		
COPY 1						

DD FORM 1498A

(Form 1 to 30 (Rev. 4-10-65) (GPO: 1965-1-112))

B71R 01 105 (cont)

Detail Sheet # 1

Publications and/or Presentations:

None.

Selected Bibliography:

Photophysiology, edited by A. C. Giese, Vols. I and II. New York: Academic Press, 1964.

Rehm, W. S., T. L. Davis, C. Chandler, E. Gohmann, Jr. and A. Bashirelahi. Frog gastric mucosae bathed in chloride-free solutions. Amer. J. Physiol. 204: 233-242, 1963.

RESEARCH AND TECHNOLOGY RESUME				GOVT ACCESSION	AGENCY ACCESSION	REPORT CONTROL SYMBOL
1. DATE OF RESUME	2. KIND OF RESUME	3. SECURITY	4. REGARDING	5. RELEASE LIMITATION	6. LEVEL OF RESUME	
01 07 67	D. CHANGE 24 04 67	U U	NA	NJ	A. WORK UNIT	
100. CURRENT NUMBER/CODE			101. PRIOR NUMBER CODE			
61145011 3A014501B71R 01 275			NO CHANGE			
11. TITLE						
(U) Laser Effects on Performance						
12. SCIENTIFIC OR TECH. AREA			13. START DATE	14. CRIT. COMPL. DATE	15. FUNDING AGENCY	
002600 Biology 007600 Masers and Lasers			12 66	NA	OTHER DA	
16. PROCURE METHOD		17. CONTRACT/GRANT		18. RESOURCES EST.		19. FUNDS (in thousands)
C. In-House		NA		PRIOR FY 67		33
				CURRENT FY 68		
20. GOVT LAB/INSTALLATION ACTIVITY			21. PERFORMING ORGANIZATION			
NAME			NAME			
ADDRESS			ADDRESS			
Headquarters			US Army Medical Res Laboratory			
US Army Medical Res & Dev Command			Fort Knox, Ky. 40121			
Washington, D. C. 20315			Investigator: Revusky, S. H., Ph. D.			
EMP. INDIV. Rose, LTC L. R.			Principal Associate			
TEL 202-OX 6608Z			TEL 502-43145 TYPE DA			
22. TECHNOLOGY UTILIZATION			23. COORDINATION			
NA			NA			
24. KEYWORDS						
Laser, Animal Studies; Discrimination Learning; Injury, Poisoning, Allergy, Shock and Related Conditions						
25.						
(U) Tech Objective - To detect effects of laser irradiation on performance.						
(U) Approach - To develop stimulus discrimination techniques which will be sensitive to laser irradiation utilizing those techniques apparently sensitive to other stressors as a starting point.						
(U) Progress (1 Apr 67 - 30 Jun 67) - Our first hypothesis was that low doses of laser irradiation would increase rate of response in the presence of cues which indicate that reward will not be received. It has not been substantiated. It did seem that there was a reduction in rate of response to cues which indicate the availability of reward, but further investigation indicated that this apparent effect was an artifact of the anesthesia required to subdue the animal prior to laser exposure. Thus, we will have to proceed in two directions. We will use higher doses of laser irradiation and the training of animals will be much more extensive in order to secure more sensitive and reliable pre-irradiation baselines. About five rats should be ready for irradiation after another 3 weeks of daily 70 minute sessions of training. By September, we hope to have tested about a dozen rats.						
26. COMMUNICATIONS SECURITY		27.		28. OSD CODE		29. BUDGET CODE
<input type="checkbox"/> ESSENTIALLY RELATED <input checked="" type="checkbox"/> NOT RELATED				BR		1
30. MISSION OBJECTIVE				31. PARTICIPATION		
NA				NA		
32. REQUESTING AGENCY			33. SPECIAL EQUIPMENT			
34. EST. FUNDS (in thousands)			35.			
CFR-11						

B71R 01 275 (cont)

Detail Sheet # 1

(U) Progress:

If an animal becomes sick after it eats something, it will develop an aversion to whatever it ate. In the case of X-irradiation, such food aversions are the single most sensitive behavioral technique for the detection of symptomatology in animals since such aversions occur if irradiation at 10% of the LD-50 follows food consumption. Thus, it seemed possible that a similar technique might permit detection of laser injury. Pilot work on this possibility has provided basic experimental design data. Edema, a frequent consequence of laser injury, was produced in rats by intraperitoneal injection of isotonic glucose after they had consumed saccharin solution. This alone did not produce aversion. Sodium pentobarbital injection into rats after they had consumed saccharin solution also did not produce aversion. Thus, anesthesia can probably be used in conjunction with detection of laser injury by means of food aversions. (The failure of some potent physiological assaults to produce food aversions led us to make sure we could obtain X-ray produced aversion under the setting factors in our laboratory; we could obtain them.) Thus, this technique used with scheduled laser irradiations conceivably will detect specific behavioral responses to laser irradiation as well as general stress disturbances.

Publications and/or Presentations:

Revusky, S. H. Cold acclimatization in hairless mice measured by behavioral thermoregulation. *Psychon. Sci.* 6: 209-210, 1966; USA-MRL Report No. 673, 1966 (DDC AD No. 645084).

Revusky, S. H. An electro-mechanical flip-flop with applications to counting, timing, and randomization. *J. exp. Anal. Behav.* 9: 431-434, 1966; USAMRL Report No. 675, 1966 (DDC AD No. 643607).

Revusky, S. H. Aversions to saccharin produced by post-ingestive nausea; implications to drive theory. Presented at the Psychonomic Society meeting, St. Louis, Mo., 29 Oct 1966.

Revusky, S. H. Some inferential statistics which are relatively compatible with an individual organism methodology. Army Office of Research and Development Report 66-2: 299-312, 1966.

B71R 01 275 (cont)

Detail Sheet # 2

Revusky, S. H. Hunger level during food consumption: effects on subsequent preference. *Psychom. Sci.* 7: 109-110, 1967; USAMRL Report No. 681, 1966 (DDC AD No. 645207).

Revusky, S. H. and E. W. Bedarf. Association of illness with the prior consumption of novel foods. *Science*, 155: 219-220, 1967; USAMRL Report No. 694, 1966 (DDC AD No. 645205).

Revusky, S. H. Hunger: its relationship to an amount-of-reinforcement discrimination. Presented at the Psychology Colloquium of Emory University, Atlanta, Ga., 23 Jan 1967.

Revusky, S. H. Control of feeding behavior by the delayed consequences of ingestion. Presented at the Psychology Colloquium of the Mental Health Research Institute, University of Michigan, Ann Arbor, Mich., 3 Feb 1967.

Revusky, S. H. Some statistical treatments compatible with individual organism methodology. *J. exp. Anal. Behav.* 10: 319-330, 1967; USAMRL Report No. 716, 1967 (DDC AD No. 646751).

Revusky, S. H. Glucagon injection as an aversion event. Presented at the Midwestern Psychological Association meeting, Chicago, Ill., 5 May 1967; USAMRL Report No. 723, 1967.

Revusky, S. H. and Frank DeVenuto. Attempt to transfer aversion to saccharin solution by injection of RNA from trained to naive rats. USAMRL Report No. 724, 1967 (DDC AD No. 649985).

Revusky, S. H. Aversion to sucrose produced by subsequent X-irradiation: temporal and dosage parameters. Presented at the Eastern Psychological Association meeting, Boston, Mass., 7 Apr 1967; USAMRL Report No. 740, 1967.

Revusky, S. H. A feedback theory of hunger. Presented at the Psychology Colloquium, University of Louisville, Louisville, Ky., 13 Apr 1967.

B71R 01 275 (cont)

Detail Sheet # 3

Revusky, S. H. Feeding behavior conceived as a multiple schedule. Presented at the Psychology Colloquim, Arizona State University, Tempe, Ariz., 15 Apr 1967.

Revusky, S. H. Reward value theory of the effects of deprivation on performance. Presented at the Psychology Colloquim, University of Washington, Seattie, Wash., 16 Apr 1967.

Selected Bibliography:

Garcia, J., F. R. Ervin, and R. A. Koelling. Learning with prolonged delay of reinforcement. *Psychon. Sci.* 5: 121-122, 1966.

Garcia, J. and R. A. Koelling. Radiation of cue to consequence in avoidance learning. *Psychon. Sci.* 4: 123-124, 1966.

LeMagnen, J. Le control sensorial dah la regulation de l'apport alimentaire. *L'Obesite*, Expansion Scientifique, Paris, 1963, pp. 147-171.

Revusky, S. H. and E. W. Bedarf. Association of illness with prior consumption of novel food. *Science*, 155: 219-220, 1967.

Revusky, S. H. Some statistical treatments compatible with individual organism methodology. *J. exper. Anal. Behav.* 10: 319-330, 1967.

RESEARCH AND TECHNOLOGY RESUME			1 GOVT ACCESSION	3 AGENCY ACCESSION	REPORT COVERED STATUS
4 DATE OF RESUME	5 KIND OF RESUME	6 SECURITY	7 REGRADING	8 RELEASE LIMITATION	9 LEVEL OF RESUME
01 07 67	D. CHANGE 24 04 67	U U	NA	NL	A. WORK UNIT
100 CURRENT NUMBER/CODE			105 PRIOR NUMBER/CODE		
61145011 3A014501B71R 01 276			NO CHANGE		
11 TITLE					
(U) Instrumentation Design					
12 SCIENTIFIC OR TECH. AREA		13 START DATE	14 CRIT. COMPL. DATE	15 FUNDING AGENCY	
002400 Bioengineering		07 65	NA	OTHER DA	
16 PROCEDURE METHOD		17 CONTRACT/GRANT		18 RESOURCES EST.	
C. In-House		NA		PRIOR FY 67	
				CURRENT FY 68	
19 GOVT LAB/INSTALLATION/ACTIVITY		20 PERFORMING ORGANIZATION			
NAME		NAME			
ADDRESS		ADDRESS			
Headquarters		US Army Medical Res Laboratory			
US Army Medical Res & Dev Command		Fort Knox, Ky. 40121			
Washington, D. C.		INVESTIGATORS			
RESP. INDIV. Rose, LTC L. R.		PRINCIPAL			
TEL. 202-OX 66082		ASSOCIATE			
		TEL. 502-45749			
		TYPE DA			
21 TECHNOLOGY UTILIZATION			22 COORDINATION		
NA			NA		
23 KEYWORDS					
Laser; Instrumentation; Electromagnetic Radiation; Energy Transducers					
24					
(U) Tech Objective - To design and develop specialized instruments for use in research on the biological effects of radiations, and to provide instrumentation, measurement techniques, calibrations and specialized instrument maintenance in support of such research.					
25 (U) Approach - 1) To develop techniques for the application of transducers and associated instrumentation in order to monitor instantaneous thermal transients and pressure changes in biological systems resulting from absorbed laser energy. 2) To develop a device for the absolute measurement and continuous monitoring of laser energy. 3) To incorporate modifications to improve the versatility and over-all laser system efficiency.					
26 (U) Progress (1 Apr 67 - 30 Jun 67) - 1) A constant flow calorimeter using a glass body and a silver chloride window has been developed to monitor CW laser output at 10.6 μ . Additional calorimeters are in various stages of design and development with absolute calibration pending delivery of ordered standards. 2) Mechanisms to control and measure pulsed outputs, approximately .3 - 60 sec in length, to .01 sec, have been installed in the CO ₂ laser. 3) Modifications to include neodymium and CO ₂ "Q" switching are awaiting delivery of ordered components. 4) Pulse forming networks have been installed providing a selection of 12 flash lamp pulse lengths varying from approximately 1 millisecond to 5 milliseconds.					
27 COMMUNICATIONS SECURITY		28 OSD CODE		29 BUDGET CODE	
<input type="checkbox"/> SCHEME RELATED <input checked="" type="checkbox"/> NOT RELATED		BR		1	
31 MISSION OBJECTIVE			32 PARTICIPATION		
NA			NA		
33 REQUESTING AGENCY		34 SPECIAL EQUIPMENT			
35 EST. FUNDS (In thousands)		36			
CPVA:					

B71R 01 276 (cont)

Detail Sheet # 1

(U) Progress:

1) Calorimeters of various design, with and without constant flow capabilities, incorporating such features as modified metallic cones, selective window material and absorbing fluids for specific spectral response have been constructed. Additional calorimeters are in various stages of design and development with absolute calibration pending delivery of ordered standards. 2) Mechanisms to control and measure pulsed outputs, approximately 0.1 - 60 sec in length have been installed in the CO₂ laser. 3) Modifications providing a "Q" switch mode for the ruby laser have been completed. "Q" switch capabilities at neodymium and CO₂ wavelengths are awaiting delivery of ordered components. 4) Pulse forming networks have been installed providing a selection of 12 pulse lengths varying, for ruby, from approximately 0.4 to 4.0 msec with a peak power of approximately 85 kw.

Publications and/or Presentations:

None.

Selected Bibliography:

Eisenman, W. L., R. L. Bates and J. D. Merriam. Black radiation detector. J. Opt. Soc. Amer. 53: 729-734, 1963.

Scott, B. F. Fabrication and performance of cone calorimeters for laser energy measurements. J. Sci. Inst. 43: 685-687, 1966.

Forsythe, W. E. Measurement of Radiant Energy. New York: McGraw-Hill, 1937.

Project No. 3A014501B74C

Basic Research in Performance Ef-
fectiveness

Task No. 00

Basic Research in Performance Ef-
fectiveness

Work Unit No. 030

Audition and Auditory Perception

Investigators (FY 1967):

#030 M. Loeb, Ph.D.
J. L. Fletcher, Lt Colonel, MSC
W. J. Gunn, B.S.
J. N. Cronholm, M.S.
J. L. Hatfield, Major, MSC
D. L. Kohfeld, Captain, MSC

RESEARCH AND TECHNOLOGY RESUME			1. GOVT ACCESSION	2. AGENCY ACCESSION	3. REPORT CONTROL SYMBOL
4. DATE OF RESUME 01 07 67	5. KIND OF RESUME D. CHANGE 24 04 67	6. SECURITY U U	7. REGRADING NA	8. RELEASE LIMITATION NL	9. LEVEL OF RESUME A. WORK UNIT
10. CONTRACT NUMBER/CODE 61145011 3A014501B74C 00 030			11. PRIOR NUMBER/CODE NO CHANGE		
12. TITLE (U) Audition and Auditory Perception					
13. SCIENTIFIC OR TECH. AREA 013400 Psychology (individual & group behavior) 012900 Physiology			14. START DATE 01 55	15. CRIT. COMPL. DATE TIA	16. FUNDING AGENCY OTHER I DA
17. PROCEDURE METHOD C. In-House	18. CONTRACT/GRANT NUMBER NA	19. DATE	20. FM SOURCE EST PRIOR FY 67 CURRENT FY 68	21. FIRST REGIONAL MONTH/YEAR 2	22. FUNDS (in thousands) 58
23. GOVT LAB/INSTALLATION/ACTIVITY NAME ADDRESS: Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315 RESP. INDV.: Hedlund, LTC James L. TEL: 202-0X 66670			24. PERFORMING ORGANIZATION NAME ADDRESS: US Army Medical Res Laboratory Fort Knox, Ky. 40121 Loeb, M., Ph. D. Fletcher, LTC J. L. Hatfield, MAJ J. L. TEL: 502-42052 TYPE DA		
25. TECHNOLOGY UTILIZATION NA			26. COORDINATION NA		
27. KEYWORDS: Audition; Perception; Physiological; Acoustics; Psychoacoustics; Psychophysics; Electrophysiology; Middle Ear Function; Vigilance					
28. (U) Tech Objective - To determine the mechanisms by which the human observer processes auditory information and to identify optimum auditory displays.					
29. (U) Approach - Research is in two areas; 1) middle ear function; 2) auditory perception, e.g., vigilance, the utilization of intensity and temporal cues, the role of prior experience, auditory localization, and masking.					
30. (U) Progress (1 Apr 67 - 30 Jun 67) - Experiments on conditioning and inhibition of the acoustic reflex have generally been negative. This is some evidence that attention to a contra-aural stimulus changes the magnitude of the acoustic reflex. Apparatus for localization study has been completed and a first stage of evaluation is complete. Experiments on effects of signal and stimulus rate on vigilance suggest that the latter is more important. Subjects responding to several signal levels perform similarly to those responding to one. An experiment on changing signal rate is completed, and data are being analyzed. A model for vigilance is being constructed. Loeb, M. and R. P. Smith. The relation of induced tinnitus to physical characteristics of the inducing stimuli. USAMRL Rep. No. 729, 10 May 67--in press, J. Acoust. Soc. Amer. Cronholm, J. N. Information as a criterion of goodness of fit: exact critical values for the case of equiprobable alternatives. USAMRL Rep. No. 689, 19 Apr 67 (AD 650324); Tsuchitani, Chiyeko and J. C. Boudreau. Single unit analysis of cat superior olive S-segment with tonal stimuli. USAMRL Rep. No. 734, 9 Jun 67--J. Neurophysiol. 29: 684-697, 1966.					
31. COMMUNICATIONS SECURITY <input type="checkbox"/> UNCLASSIFIED RELATED <input checked="" type="checkbox"/> RELATED		32. ORG CODE NA	33. BUDGET CODE 1		
34. REQUESTING AGENCY NA		35. SPECIAL EQUIPMENT			
36. EST. FUNDS (in thousands)		37.			

DD FORM 1498A

(Form 1 to 26 identical to (GSA) Form 1132)

B74C 00 030 (cont)

Detail Sheet # 1

(U) Progress:

Recent experiments on auditory vigilance suggest that performance while attending to signals of several intensities closely resembles that while attending to a single level. Experiments on changes of signal rate within a session are continuing. Preliminary studies of the effect on acoustic reflex (AR) function of attending to a faint auditory stimulus indicate that AR functioning is enhanced. In a study on relationships for detection of auditory and visual stimuli, it was concluded that there are correlations of indices of criteria for responding and of sensitivity when the tasks were made sufficiently similar. An experiment on the role of the pinna in auditory localization is planned for the near future.

Publications and/or Presentations:

Binford, J. R. and M. Loeb. Changes within and over repeated sessions in criterion and effective sensitivity in an auditory vigilance task. *J. exp. Psychol.* 72: 339-345, 1966.

Cronholm, J. N. Information and criterion of goodness of fit: exact critical values for the case of equiprobable alternatives. USA-MRL Report No. 689, 1967 (DDC AD No. 650324); presented at Psychonomic Society meeting, St. Louis, Mo., 27-29 Oct 1966.

Cronholm, J. N. The chi square test of goodness of fit: exact critical values for the case of equiprobable alternatives. USAMRL Report No. 710, 1966 (DDC AD No. 645905).

Gunn, W. J. and M. Loeb. Correlation of performance on visual and auditory detection tasks. *Amer. J. Psychol.* 80: 236-242, 1967; USAMRL Report No. 713, 1967 (DDC AD No. 647539).

Loeb, M., I. Behar, and J. S. Warm. Cross-modal correlations of the perceived durations of auditory and visual stimuli. *Psychon. Sci.* 6(2): 87, 1966; USAMRL Report No. 695, 1966 (DDC AD No. 645076).

B74C 00 030 (cont)

Detail Sheet # 2

Loeb, M. and R. P. Smith. The relation of induced tinnitus to physical characteristics of the inducing stimulus. USAMRL Report No. 729, 1967 (DDC AD No. 652706).

Loeb, M. and J. R. Binford. Variation in performance on auditory and visual monitoring tasks as a function of signal and carrier frequencies. Presented (by Loeb) at Psychonomic Society meeting. St. Louis, Mo., 27-29 Oct 1966.

Smith, R. P., M. Loeb, J. L. Fletcher, and D. M. Thomas. The effect of moderate doses of curare on certain auditory functions. Acta Oto-laryngol. 62: 101-108, 1966.

Warm, J. S., E. Foulke, and M. Loeb. The influence of stimulus modality and duration on changes in temporal judgments over trials. Amer. J. Psychol. 79: 628-631, 1966.

Tsuchitani, Chiyeko, and J. C. Boudreau. Single unit analysis of cat superior olive S-segment with tonal stimuli. J. Neurophysiol. 29: 684-697, 1966; USAMRL Report No. 734, 1967.

Selected Bibliography:

Broadbent, D. E. Perception and Communication. Los Angeles: Pergamon, 1958.

Green, D. M. and J. A. Swets. Signal Detection and Psychophysics. New York: John Wiley and Sons, 1966

Jerger, J. F. (Ed.). Modern Developments in Audiology. New York: Academic Press, 1963.

Rosenblith, W. A. (Ed.). Sensory Communication. New York: John Wiley and Sons, 1961.

von Békésy, Georg. Experiments in Hearing. New York: McGraw-Hill, 1960.

Wever, E. G. and M. Lawrence. Physiological Acoustics. Princeton, N. J.: Princeton University Press, 1954.

Project No. 3A025601A819

Army Aviation Medicine

Task No. 00

Army Aviation Medicine

Work Unit No. 015

The Measurement, Composition,
and Stability of Complex Skills

Work Unit No. 016

Disorientation and Performance

Work Unit No. 017

Traumatic Origins of Hearing Loss

Investigators (FY 1967):

- #015 M. J. Herbert, Ph. D.
M. R. Harris, Captain, MSC
J. L. Hatfield, Major, MSC
- #016 J. H. Brown, Ph. D.
J. E. Marshall, Captain, MSC
- #017 J. L. Fletcher, Lt Colonel, MSC
M. Loeb, Ph. D.
I. Behar, Ph. D.
W. J. Gunn, B. S.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	2. AGENCY ACCESSION	3. REPORT CONTAIN NUMBER
4. DATE OF RESUME 01 07 67	5. KIND OF RESUME D. CHANGE 24 04 67	6. SECURITY U U	7. REGRADING NA	8. DA 0A 6087	9. RELEASE LIMITATION NL	10. CSCRD-103
12a. CURRENT NUMBER/CODE 62156011 3A025601A819 00 015				12b. PRIOR NUMBER/CODE NO CHANGE		
11. TITLE (U) The Measurement, Composition, and Stability of Complex Skills						
13. SCIENTIFIC OR TECH. AREA 007500 Human Factors Engineering				14. START DATE 06 56	15. CRIT. COMPL. DATE NA	16. FUNDING AGENCY OTHER DA
17. PROCURE. MECH. 65 C. In-House		17. CONTRACT/GRANT # NUMBER NA # TYPE NA # AMOUNT		18. RESOURCES EST. PRIOR FY 67 CURRENT FY 68	19. PROFESSIONAL MAN YEARS 2	20. FUNDS (in thousands) 52
19. SOV. LAB/INSTALLATION/ACTIVITY NAME ADDRESS Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315 RESP. INDV. Cutting, LTC R. T. TEL. 202-OX 64458				20. PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121 Herbert, M. J., Ph. D. Harris, CPT M. R. Hatfield, MAJ J. L. TEL. 502-47545 TYPE DA		
21. TECHNOLOGY UTILIZATION NA				22. COORDINATION NA		
23. KEYWORDS Ability; Aptitude; Driving; Factor Analysis; Fatigue; Human Factors; Motor Skills; Performance Decrement; Psychomotor; Skill Analysis						
24. (U) Tech Objective - To develop procedures for measuring the components of complex skills; to identify basic abilities both general and specific to a variety of skills; to observe revealed ability patterns under conditions of practice and stress to test the regression hypothesis in performance decrement.						
25. (U) Approach - The major skill under investigation is vehicle driving. A cross-validation design utilizing a field-based driving test battery permits the correlation of actual vehicle manipulation, with laboratory apparatus and printed-test measures to provide a more stringently controlled check on field performance. Performance variation associated with practice and with extended task exposure is programmed for both vehicle driving and for the artificial tasks in the laboratory.						
26. (U) Progress (1 Apr 67 - 30 Jun 67) - Data from 35 laboratory skill tests are at Purdue Computing Science Center. Subject N on above tests, plus the revised Driving Performance Battery, has increased to 60. Sixty-three of a projected 200 Transportation drivers have been tested on the Battery in the study of traffic violators and accident involvement. An inexpensive and trouble-free performance task as a reference measure of Spatial Orientation has been developed. A limited version of the Driving Performance Battery has been constructed at the Primary Helicopter Training School at Fort Wolters, Texas, and is now operational. This will be used to investigate the relationship of driving skills to helicopter flying skills.						
27. COMMUNICATIONS SECURITY <input type="checkbox"/> EQUIP. RELATED <input checked="" type="checkbox"/> REL. RELATED		28. OSD CODE AR		29. BUDGET CODE 1		
31. MISSION OBJECTIVE NA				32. PARTICIPATION NA		
33. REQUESTING AGENCY		34. SPECIAL EQUIPMENT				
35. EST. FUNDS (in thousands)		36.				
CPYAT						

DD FORM 1498A

(Form 1 to 26 (Identical to NAS Form 1132))

A819 00 015 (cont)

Detail Sheet # 1

(U) Progress:

Performance by 107 subjects on 35 lab-based apparatus and printed tests of a number of skill aptitudes has been correlated and factor-analyzed. From the analysis, two papers are in preparation. One reports a new and more effective measure of response orientation; the other reports on a new, simple test of aptitudes best measured by the SAM two-hand coordination apparatus in the past. The second phase of a hand-steadiness study was aborted because of a failure in recording apparatus. This completion is programmed for FY 1968. A test of kinesthetic sensitivity was evaluated on an N of 60. Test reliability was considered too low, and led to a change in test procedure from simultaneous to successive judgment of presented weights. An N of 61 subjects has been reached at reporting date. A subject N of 73 has been reached in the vehicle-skill study based on performance on the lab-based reference measures and the revised driving performance battery. Ninety-one transportation drivers have been tested on the driving battery in the study of traffic violation. A limited version of the driving performance battery was constructed at the US Primary Helicopter Center at Fort Wolters, Texas. One-hundred three student pilots showing satisfactory flying proficiency, and 32 "failures" or "set-backs" have completed performance on the battery and on ten lab-based skill reference tests.

Publications and/or Presentations:

Herbert, M. J. Job sample skill analysis program at USAMRL. Presented at the Army Avionics Instrumentation Meeting, Philadelphia, Pa., 26-27 Oct 1966.

Selected Bibliography:

Bartlett, F. C. The measurement of human skill. Brit. Med. J. 1: 835-877, 1947.

Fleishman, E. A. Testing for psychomotor abilities by means of apparatus tests. Psych. Bull. 50: 241-262, 1953.

A819 00 015 (cont)

Detail Sheet # 2

Fleishman, E. A. and G. N. Ornstein. An analysis of pilot flying performance in terms of component abilities. *J. appl. Psychol.* 44: 146-155, 1960.

Floyd, W. J. and A. T. Welford. Symposium on Fatigue. London: H. K. Lewis and Co., Ltd., 1953.

Parker, J. F. and E. A. Fleishman. Ability factors and component performance measures as predictors of complex tracking behavior. *Psych. Monogr.* 74: 36, 1960.

Zovala, A., E. A. Locke, H. P. Van Cott, and E. A. Fleishman. The analysis of helicopter pilot performance. Amer. Inst. for Research, Washington, D. C., 1965.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	2. AGENCY ACCESSION	3. REPORT CONTROL SYMBOL	
4. DATE OF RESUME		5. KIND OF RESUME		6. SECURITY	7. REGRADING	8. RELEASE LIMITATION	9. LEVEL OF RESUME
01 07 67		D. CHANGE 24 04 67		U U	NA	NL	A. WORK UNIT
10. CURRENT NUMBER/CODE				10. PRIOR NUMBER/CODE			
62156011 3A025601A819 00 016				NO CHANGE			
11. TITLE							
(U) Disorientation and Performance							
12. SCIENTIFIC OR TECH AREA				13. START DATE	14. CRIT. COMPL. DATE	15. FUNDING AGENCY	
012900 Environmental Biology 002600 Biology 002700 Bionics				07 65	NA	OTHER, DA	
16. PROCEDURE METHOD		17. CONTRACT/GRANT		18. RESOURCES EST.		19. PROFESSIONAL MAN-YEARS	
C. In-House		NA		PRIORITY 67		31	
20. GOVT LAB INSTALLATION/ACTIVITY		21. GOVT LAB INSTALLATION/ACTIVITY		22. PERFORMING ORGANIZATION			
NAME		NAME		NAME			
ADDRESS		ADDRESS		ADDRESS			
US Army Medical Res & Dev Command		US Army Medical Res & Dev Command		US Army Medical Res Laboratory			
Washington, D. C. 20315		Washington, D. C. 20315		Fort Knox, Ky. 40121			
RESP. INDIV		RESP. INDIV		INVESTIGATOR			
Cutting, LTC R. T.		Cutting, LTC R. T.		Brown, J. H., Ph. D.			
TEL		TEL		PRINCIPAL ASSOCIATE			
202-OX 64458		202-OX 64458		Wolfe, J. W., Ph. D.			
23. TECHNOLOGY UTILIZATION		23. TECHNOLOGY UTILIZATION		24. COORDINATION			
NA		NA		NA			
25. KEYWORDS							
Vestibular Apparatus; Caloric Stimulation; Angular Acceleration/Body Rotation; Psychophysiology; Visual Interaction; Disorientation; Space Perception							
26. (U) Tech Objective - The disorienting effects of angular and linear accelerations are a disruptive influence to performance of various kinds during military operations. This project is a long-range effort to provide the fundamental information required to anticipate future problems and to solve contemporary problems stemming from spatial disorientation.							
(U) Approach - The important problems of spatial disorientation and performance are approached via psychophysiological and behavioral techniques. Specific dependent variables include the electrical recording of eye movements, computer analysis of the vestibulo-ocular reflex, and psychophysical judgments. Stimulation of the vestibular apparatus is accomplished by both accelerative and caloric stimulation under experimental conditions emphasizing interaction with vision and other sensory systems.							
(U) Progress (1 Apr 67 - 30 Jun 67) - Two experiments related to the generalization of habituation between different acceleration environments were completed. An experiment specifying the nature and extent of adaptation has also been completed. These data clearly show that disorientation (erroneous perceptions of movement) can result not only from very intense stimulation of the vestibular system, but also from very weak stimulation. Several baseline studies utilizing aviator personnel assigned to Ft Knox have been initiated. In addition, normal subjects are presently being tested to determine if significant threshold shifts occur concomitant with habituation. Brown, J. H. Facts and theories of vertigo. Presented at Symposium on Vertigo as a Problem in Aerospace Medicine, Johnsville, Pa., 7-9 Feb 67; Marshall, J. E. Generalization of nystagmic habituation as a function of stimulus intensity. Presented at the 38th Annual Meeting of the Eastern Psychological Association, Boston, Mass., 6-8 Apr 67.							
27. COMMUNICATIONS SECURITY				28. ORD CODE		29. BUDGET CODE	
<input type="checkbox"/> SOURCE OR SOURCE RELATED <input checked="" type="checkbox"/> NOT RELATED				AR		1	
30. MISSION OBJECTIVE				31. PARTICIPATION			
NA				NA			
32. REQUESTING AGENCY		33. SPECIAL EQUIPMENT					
34. EST. FUNDS (in thousands)		35.					
CPV-1							

A819 00 016 (cont)

Detail Sheet # 1

(U) Progress:

The assessment of subjective velocity via psychophysical techniques is continuing and a study utilizing auditory cross-modality matching was completed and has been submitted for publication. The habituation of vestibular responses to interacting stimuli was examined and found to provide a reliable means of assessing asymmetry. Two experiments determining the degree to which habituation will generalize to higher and lower intensities of angular acceleration were completed. Experiments specifying the nature and extent of adaptation in both nystagmic and subjective responses to angular acceleration have also been completed. Several baseline studies utilizing aviation personnel assigned to Fort Knox have been initiated. In addition, subjects are presently being tested to determine if threshold shifts occur with habituation.

Psychophysical scaling of subjective velocity (auditory cross-modality estimates of angular velocity during constant angular acceleration) validated the exponent of 1.0 found previously with numerical magnitude estimates. Comparable adaptation was found and it was concluded that this adaptation is a real phenomenon and of potential significance as one form of disorientation.

The extent to which habituation will transfer or generalize to higher and lower stimulus intensities and durations was determined. As with other parameters of habituation, a high degree of specificity of habituation was found. That is, there appears to be only limited generalization of habituation to stimuli that are either more or less intense or longer or shorter in duration than the habituating stimulus. However, there was an asymmetrical generalization gradient such that relatively more transfer was found from higher intensity and longer duration stimuli to accelerations of lower intensity and shorter duration than vice versa.

Arrangements have been made with the Aviation Group presently assigned to Fort Knox for volunteers to serve as subjects in several baseline studies comparing the vestibular sensitivity of Army rotary and fixed wing pilots with the sensitivity of both normal subjects and pilots of high-performance aircraft. Both nystagmic and a variety of subjective responses, including threshold judgments and magnitude

A819 00 016 (cont)

Detail Sheet # 2

estimates, are being recorded under several experimental conditions. These data will be related to total hours flight experience, present flying activity, and a number of other measures to be taken from the Army Disorientation Questionnaire currently being sent to all aviation units by USABAR.

In a study recently completed and currently being analyzed, subjects were tested to determine if threshold shifts are evident after extensive exposure to an accelerative environment.

Modifications of the large turntable are in progress in order to experimentally approach the question of whether "fatigue" increases one's susceptibility to disorientation. A classical view of fatigue is that it represents a regression from a state in which the individual functions primarily with reflex-like motor skills to a condition where he is more dependent upon his perceptual environment. Since disorientation is primarily a perceptual phenomenon, it is anticipated that a fatigued individual will be more likely to become disoriented.

Publications and/or Presentations:

Brown, J. H. Magnitude estimation of angular velocity during passive rotation. *J. exp. Psychol.* 72(2): 169-172, 1966; USAMRL Report No. 701, 1966 (DDC AD No. 645075).

Brown, J. H. and J. E. Marshall. Drug control of arousal and nystagmic habituation in cat. Presented (by Brown) at Psychonomic Society meeting, St. Louis, Mo., 27-29 Oct 1966.

Brown, J. H. Facts and theories of vertigo. Presented at Symposium on Vertigo as a Problem in Aerospace Medicine, Johnsville, Pa., 7-9 Feb 1967.

Brown, J. H. Interacting vestibular stimuli and nystagmic habituation. *Acta Oto-laryngol.* 62: 341-350, 1966; USAMRL Report No. 715, 1967.

A819 00 016 (cont)

Detail Sheet # 3

Brown, J. H. Cross-modality estimation of angular velocity. USAMRL Report No. 738, 1967.

Marshall, J. E. and J. H. Brown. Visual-arousal interaction and specificity of nystagmic habituation. *Aerospace Med.* 38(6): 597-599, 1967; USAMRL Report No. 688, 1966 (DDC AD No. 645926).

Marshall, J. E. and J. H. Brown. Generalization of nystagmic habituation as a function of stimulus intensity. Presented (by Marshall) at the 38th annual meeting of the Eastern Psychological Association, Boston, Mass., 6-8 Apr 1967.

Selected Bibliography:

Aschan, G. Response to rotatory stimuli in fighter pilots. *Acta Oto-laryngol.* (Stockh.); Suppl. 116, 1954.

Brown, J. H. and G. H. Crampton. Quantification of the human nystagmic response to angular acceleration. Prediction formulae and nomograph. *Acta Oto-laryngol.* (Stockh.), 58: 555-564, 1964.

Collins, W. E. Effects of mental set upon vestibular nystagmus. *J. exp. Psychol.* 63: 191-197, 1962.

Mowrer, O. H. The modification of vestibular nystagmus by means of repeated elicitation. *Comp. Psychol. Monogr.* 9: 1-48, 1934.

Stevens, S. S. On the operation known as judgment. *Amer. Scient.* 54: 385-401, 1966.

Wendt, G. R. Vestibular functions. In: S. S. Stevens (Ed.), Handbook of Experimental Psychology. New York: Wiley, 1951

Wood, C. D. Antimotion sickness drugs for aerospace. NASA SP-77, The Role of the Vestibular Organs in the Exploration of Space, 1965, pp. 365-371.

RESEARCH AND TECHNOLOGY RESUME		1.	2. GOVT ACCESSION	3. AGENCY ACCESSION	4. REPORT CONTROL SYMBOL
5. DATE OF RESUME	6. KIND OF RESUME	7. SECURITY	8. REGRADING	9. RELEASE LIMITATION	10. LEVEL OF RESUME
01 07 67	D. CHANGE 24 04 67	U U	NA	NL	A. WORK UNIT
11. CURRENT NUMBER/CODE			12. PRIOR NUMBER/CODE		
62156011 3A025601A819 00 017			NO CHANGE		
13. TITLE:					
(U) Traumatic Origins of Hearing Loss					
14. SCIENTIFIC OR TECH. AREA		15. START DATE	16. CRIT. COMPL. DATE	17. FUNDING AGENCY	
007500 Human Factors Engineering 012900 Physiology		01 55	NA	OTHER DA	
18. PROCURE. METHOD		19. CONTRACT/GRANT		20. RESOURCES EST.	
C. In-House		NA		PRIOR FY 67	
A. NUMBER		B. DATE		C. PROFESSIONAL MAN-YEARS	
TYPE NA		AMOUNT		2	
21. GOVT LAB/INSTALLATION/ACTIVITY		22. PERFORMING ORGANIZATION		23. FUNDS (in thousands)	
NAME		NAME		42	
ADDRESS: Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315		ADDRESS: US Army Medical Res Laboratory Fort Knox, Ky. 40121 Fletcher, LTC J. L.			
RESP. INDV: Cutting, LTC R. T.		INVESTIGATOR: PRINCIPAL: Loeb, M., Ph. D.			
TEL: 202-OX 66458		ASSOCIATE: Behar, I., Ph. D.			
		TEL: 502-42052		TYPE DA	
24. TECHNOLOGY UTILIZATION			25. COORDINATION		
NA			NA		
26. KEYWORDS: Noise Exposure; Hearing Loss; Acoustic Trauma; Audition; Psychophysiology; Impulse Noise; Continuous Noise; Susceptibility; Ear Protection					
27. (U) Tech Objective - To determine and study the relations between noise exposure and hearing loss to predict susceptibility to noise induced hearing loss.					
28. (U) Approach - Method has involved experimental investigation of parameters of sound as related to production of temporary threshold shifts (TTS) in humans; permanent threshold shifts (PTS) are being investigated in human and animal subjects.					
29. (U) Progress (1 Apr 67 - 30 Jun 67) - Work is continuing on TTS from impulse noise, varying pulse duration while holding SPL constant. Consultation is underway with White Sands Missile Test Center on noise-missile problems. A study has just been completed comparing monkey and human TTS following exposure to octave band noise. Preliminary results indicate that the monkeys are more sensitive to noise exposure. Impulse noise exposure will be studied next. Study is beginning with hospital patients, on temporary and permanent effects on human hearing of certain ototoxic drugs. Preliminary reports on central effects on auditory fatigue and on the monkey experiments were presented at the Acoustical Society meeting in April 1967.					
30. COMMUNICATIONS SECUR. TY		31. OSD CODE		32. BUDGET CODE	
<input type="checkbox"/> - SECUR. RELATED <input checked="" type="checkbox"/> - NOT RELATED		AR		1	
33. MISSION OBJE. TIME		34. PARTICIPATION			
NA		NA			
35. REQUESTING AGENCY		36. SPECIAL EQUIPMENT			
37. EST. FUNDS (in thousands)		38.			
CPVH					

A819 00 017 (cont)

Detail Sheet # 1

(U) Progress:

Data are being collected on TTS from impulse exposure with SPL held constant while varying pulse duration. Field evaluation of the CHAPARRAL missile system is underway at White Sands Missile Test Center. Effect of meningitis on high frequency hearing was studied and reported. Work continues on monkey and human TTS from octave band exposure. Investigation is being started of high frequency effects of ototoxic drug therapy in humans, joint research with University of Colorado Medical Center. Some experiments on central effects on TTS are being completed and experiments on recovery from high frequency hearing loss are underway.

Publications and/or Presentations:

Fletcher, J. L. and A. B. Cairns. Recovery from impulse noise induced acoustic trauma. J. aud. Res. 7: 35-39, 1967; USAMRL Report No. 686, 1966 (DDC AD No. 645898).

Fletcher, J. L. and M. Loeb. An exploratory study on the effect of pulse duration on temporary threshold shift produced by impulse noise. USAMRL Report No. 680, 1967 (DDC AD No. 647540); presented (by Fletcher) at Acoustical Society of America meeting, Los Angeles, Calif., 2-5 Nov 1966.

Fletcher, J. L., A. B. Cairns, F. G. Collins, and J. Endicott. High frequency hearing following meningitis. USAMRL Report No. 711, 1966 (DDC AD No. 645906).

Fletcher, J. L., M. Loeb, and J. L. Hatfield. Noise evaluation of the 20-ton rough terrain crane. USAMRL Letter Report No. 12, 1966.

Loeb, M., J. L. Fletcher, and C. E. Guthrie. A preliminary evaluation of the hazard to hearing produced by the CHAPARRAL missile, Feb 1967.

Loeb, M. and I. Behar. Temporary threshold shifts in rhesus monkeys produced by exposure to octave bands of noise. Presented

A819 00 017 (cont)

Detail Sheet # 2

(by Loeb) at Acoustical Society of America meeting, Washington, D. C., 19-22 Apr 1967.

Smith, R. P. and M. Loeb. Several experiments on central factors in auditory fatigue. Presented (by Smith) at Acoustical Society of America meeting, New York, N. Y., 5 Apr 1967.

Zislis, T. and J. L. Fletcher. Relation of high frequency thresholds to age and sex. J. aud. Res. 6: 189-198, 1966; USAMRL Report No. 702, 1966 (DDC AD No. 645082).

Selected Bibliography:

Harris, C. M. (Ed.). Handbook of Noise Control. New York: McGraw-Hill, 1957.

Kryter, K. D. Exposure to steady-state noise and impairment of hearing. J. acoust. Soc. Amer. 35: 1515-1525, 1963.

Kryter, K. D. and G. R. Garinther. Auditory effects of acoustic impulses from firearms. Acta Oto-laryngol. Suppl. 211, 1966.

Kryter, K. D., W. D. Ward, J. D. Miller, and D. H. Eldredge. Hazardous exposure to intermittent and steady-state noise. J. acoust. Soc. Amer. 39: 451-464, 1966.

Murray, N. E. and G. Reid. Experimental observations on the dual effects of gunblast. Med. J. Australia, 1: 611-617, 1946.

Murray, N. E. and G. Reid. Hearing loss due to gunblast. Med. J. Australia, 611: 1946.

Ward, W. D. Effect of temporal spacing on temporary threshold shift from impulses. J. acoust. Soc. Amer. 34: 1230-1232, 1962.

Project No. 3A025601A821

Combat Surgery

Task No. 00

Combat Surgery

Work Unit No. 155

Study of Bank Blood Preserved in Acid-Citrate-Dextrose and Acid-Citrate-Dextrose with Adenine After Forty-Two Days of Storage

Work Unit No. 156

Study of Group O Blood Donors in the Military to Delineate Titers and Technic of Natural and Immune Antibodies Applicable to a Safe, Wide-scale Employment of O Blood to A, B, AB and O Recipients

Work Unit No. 157

Study of Transport and Logistic Problems of Stored Whole Blood and Blood Components in the Military

Work Unit No. 158

Evaluation of Automated, Semiautomated, and Other Techniques Involved in Military Blood Banking

Work Unit No. 159

Evaluation of Mass Blood Grouping in the Military Services by Automated and Semiautomated Methods

Work Unit No. 160

Blood Groups, Blood Group Substances and Chromosome Studies of Laboratory Animals

Work Unit No. 161

Biochemical Alterations of Human Red Blood Cells in Cold Storage

Work Unit No. 162

Alteration in Protein Components of Stored Red Blood Cells

Work Unit No. 163

Pasteurella pestis and Human Blood Cross-Reacting Antigens

Work Unit No. 164

Evaluation of Methods and Models for Measuring Transfusion Effects and Practices

Investigators (FY 1967):

- #155 C. E. Shields, Lt Colonel, MC
F. R. Camp, Jr., Lt Colonel, MSC
L. J. Reed, Captain, MC
L. G. Dauber, Captain, MC
H. F. Bunn, Captain, MC
R. W. Bull, Captain, VC
S. D. Litwin, Captain, MC
- #156 F. R. Camp, Jr., Lt Colonel, MSC
C. E. Shields, Lt Colonel, MC
L. J. Reed, Captain, MC
L. G. Dauber, Captain, MC
S. D. Litwin, Captain, MC
- #157 C. E. Shields, Lt Colonel, MC
F. R. Camp, Jr., Lt Colonel, MSC
L. J. Reed, Captain, MC
L. G. Dauber, Captain, MC
- #158 F. R. Camp, Jr., Lt Colonel, MSC
C. E. Shields, MC
- #159 F. R. Camp, Jr., Lt Colonel, MSC
C. E. Shields, Lt Colonel, MC
- #160 R. W. Bull, Captain, VC
R. S. Dedrick, Captain, VC
H. F. Bunn, Captain, MC
- #161 F. DeVenuto, Ph. D.
- #162 W. F. Kocholaty, Ph. D.
J. L. Gray, B.S.
M. Edith Ledford, A.B.
- #163 A. J. Luzzio, Ph. D.
- #164 H. F. Bunn, Captain, MC
S. D. Litwin, Captain, MC
C. E. Shields, Lt Colonel, MC

RESEARCH AND TECHNOLOGY RESUME				2. GOVT ACCESSION	3. AGENCY ACCESSION	4. REPORT CONTROL SYMBOL
1. DATE OF RESUME 01 07 67	5. TITLE OF RESUME D. CHANGE 24 04 67	6. SECURITY U U	7. RECLASSIFY NA	8. RELEASE LIMITATION NL	9. DA OA 6095	10. CSCRD-103
11. CURRENT NUMBER/CODE 62156011 3A025601A821 00 155				12. PRIOR NUMBER/CODE NO CHANGE		
13. TITLE (U) Study of Bank Blood Preserved in Acid-Citrate-Dextrose and Acid-Citrate-Dextrose with Adenine After Forty-Two Days of Storage						
14. SCIENTIFIC OR TECH. AREA 003500 Clinical Medicine				15. START DATE 11 65	16. CRIT. COMPL. DATE NA	17. FUNDING AGENCY OTHER DA
18. PROCURE METHOD C. In-House		19. CONTRACT/GRANT # NUMBER NA # TYPE # AMOUNT		20. RESOURCES EST. PRIOR FY 67 CURRENT FY 68	21. PROFESSIONAL MAN-YEARS 3	22. FUNDS (In Thousands) 152
23. GOVT LAB INSTALLATION, ACTIVITY NAME ADDRESS Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315 RESP. INDIV Rose, LTC L. R. TEL 202-OX 66082				24. PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121 INVESTIGATOR: Shields, LTC C. E. PRINCIPAL ASOCIATE Camp, LTC F. R., Jr. REC. CPT L. J. TEL 502-43046 TYPE DA		
25. TECHNOLOGY UTILIZATION NA				26. COORDINATION NA		
27. KEYWORDS Blood Preservation; Blood Transfusion; Adenine						
28. (U) Tech Objective - Research activities will examine the effects of adenine added to ACD (acid-citrate-dextrose) stored blood on cell survival as measured in the recipient. Whole, human blood stored at 6°C in ACD solution has a shelf life of 21 days. Extension of this dating period to 42 days or more is anticipated in this study with ACD and adenine.						
29. (U) Approach - Various programs will involve study of volunteer donors and recipients who will receive various combinations of anticoagulants with and without adenine. Studies will include measurement of survival, various biochemical facets in the stored units, donors and recipients.						
30. (U) Progress (1 Apr 67 - 30 Jun 67) - One program has been completed in which ACD and CPD anticoagulant with and without adenine have been compared after storage for 28, 35 or 42 days. This was prepared for publication and presented at the American Association of Blood Banks Meeting in Oct 1966. A second program consisting of autologous and homologous transfusions under varied conditions representing type specific and/or universal donor transfusion is in progress. The first portion involving 186 recipients receiving blood collected in ACD has been completed. On the basis of these findings, a report has been submitted supporting the extension of shelf life of ACD blood from 21 to 28 days. The second phase of the program is studying the properties of adenine in ACD solution. An additional program has been added to evaluate different collection volumes, as part of the over-all program involved in whole blood preservation and also as a factor in the transport of blood. This latter program has been planned and extended to include other areas and hospitals in this country and overseas.						
31. COMMUNICATIONS SECURITY 31.1 SOURCE RELATED <input type="checkbox"/> 31.2 NOT RELATED <input checked="" type="checkbox"/>				32. OED CODE AR	33. BUDGET CODE 1	
34. MISSION OBJECTIVE NA				35. PARTICIPATION NA		
36. REQUESTING AGENCY				37. SPECIAL EQUIPMENT		
38. EST. FUNDS (In Thousands)				39.		
CV 781						

DD FORM 1498A

(Items 1 to 36 identical to NASA Form 1122)

A821 00 155 (cont)

Detail Sheet # 1

(U) Progress:

A study comparing ACD and CPD anticoagulant with and without adenine following storage for 28, 35 or 42 days has been carried out. Results of the investigation were presented at the American Association of Blood Banks meeting in October 1966 and have been prepared for publication. This study is also described in USAMRL Report No. 719, dated 21 March 1967. A second program has consisted of giving autologous and homologous transfusions under varied conditions representing type specific and/or universal donor transfusions. A total of 185 recipients are in the process of being studied and reports are being prepared. A program to investigate blood transfusions with and without adenine in Vietnam was initiated and scheduled to be carried out in April; however, this was postponed. Supplementary and ancillary studies are being planned in preparation for patient studies in various hospitals in the country.

Publications and/or Presentations:

Bunn, Howard F. A proposed mechanism for the glomerular filtration of hemoglobin. Presented at the American Society of Clinical Investigation meeting, Atlantic City, N. J., 30 Apr - 3 May 1967.

Bunn, Howard F. The effect of sulfhydryl reagents on the binding of human hemoglobin to haptoglobin. USAMRL Report No. 735, 1967.

Camp, Frank R., Jr. and Charles E. Shields. Comparison of blood preservation after storage in ACD or CPD solutions supplemented with adenine. Presented (by Shields) at American Association of Blood Banks meeting, Los Angeles, Calif., 25-28 Oct 1966.

Camp, Frank R., Jr. Served as instructor at course entitled "Advances in Medical Laboratory Procedures;" presented talk on "Blood Bank Operations," Walter Reed Army Institute of Research, 15 Nov 1966.

Camp, Frank R., Jr. Comparison of blood preservation after storage in ACD or CPD solutions supplemented with adenine. Presented

A821 00 155 (cont)

Detail Sheet # 2

before the Interdepartmental Committee on National Blood Program Research, The Pentagon, Washington, D. C., 12 Dec 1966.

Camp, Frank R., Jr. "The Universal Donor." Presented at a meeting on Preventive Medicine and Laboratory Officers' Symposium, Walter Reed Army Institute of Research, 6 Apr 1967.

Shields, Charles E. and Frank R. Camp, Jr. Effect of immunizations on blood group antibody production. USAMRL Report No. 708, 1966 (DDC AD No. 647146).

Shields, Charles E. "Basic Concept of Red Cell Symposium." Represented the Army in a review of the Armed Forces blood program, Chelsea, Mass., 17-18 Nov 1966.

Shields, Charles E. Role of Fort Knox adenine studies in the Army blood program. Presented at Conference on Adenine, Chicago, Ill., for Surgical Research Branch, USAMRDC, 18-19 Jan 1967; presented at the combined conference with WRAIR and USAMRDC, 5-7 Feb 1967; presented at the AdHoc Committee and Symposium by the National Resource Committee, 23 Mar 1967.

Shields, Charles E. and Frank R. Camp, Jr. Comparison studies of whole blood stored in ACD and CPD and with adenine. USAMRL Report No. 719, 1967.

Shields, Charles E. Survival of ACD blood after serial storage. USAMRL Report No. 741, 1967.

Shields, Charles E. Progress of Fort Knox adenine studies. Presented in San Juan, Puerto Rico, 13-16 Jun 1967.

Werline, Madonna M., Charles E. Shields, and Frank R. Camp, Jr. A safe crossmatch of whole blood with an extended shelf life. Read by title at the American Association of Blood Banks meeting, Los Angeles, Calif., 25-28 Oct 1966.

A821 00 155 (cont)

Detail Sheet # 3

Selected Bibliography:

Berlin, N. I. Quantitation of erythropoiesis. In: Sunderman, F. W. and F. W. Sunderman, Jr. (Eds.). Hemoglobin. Its Precursors and Metabolites. Philadelphia: J. B. Lippincott Co., 1964.

Bishop, C. Damage to red cells due to their collection and storage in ACD. Transfusion, 3: 263, 1963.

Bishop, C. Some in vitro effects of adenine added to stored blood. Transfusion, 4: 265, 1964.

Bowman, H. S. Red cell preservation in citrate phosphate dextrose and in ACD. Transfusion, 3: 364, 1963.

Bunag, R. D. Influence of a pyrimidopyrimidine derivative on deamination of adenosine by blood. Circ. Res. 15: 83, 1964.

Burke, J. S. Radio-isotopic measurement of erythrocyte life span. In: Sunderman, F. W. and F. W. Sunderman, Jr. (Eds.). Hemoglobin. Its Precursors and Metabolites. Philadelphia: J. B. Lippincott, Co., 1964.

Button, L. N., J. G. Bigson, and C. W. Walter. Simultaneous determination of red cell mass and plasma volume for in vivo survival studies. Transfusion, 3: 423, 1963.

Cline, M. J. and N. I. Berlin. Simultaneous measurement of the survival of a population of erythrocytes with the use of labelled diisopropylfluorophosphate. J. Lab. Clin. Med. 61: 249, 1963.

Crouch, S. K. and C. Bishop. Maintenance of ATP in stored blood by adenosine and inosine. Transfusion, 3: 349, 1963.

Crowley, L. V. Variations in levels of transaminases and lactic dehydrogenase in bank blood. Clin. Chem. 8: 626, 1962.

de Verdier, C. H., L. Garby, J. Killander, M. Hjelm, and C. F. Hogman. Relation between the age of red cells labelled with

A821 00 155 (cont)

Detail Sheet # 4

radio-iron and hemolysis induced by mechanical trauma and rapid freezing-thawing. *Vox Sang.* 8: 660, 1963.

de Verdier, C. H., L. Garby, M. Hjelm, and C. G. Hogman. Adenine in blood preservation: post-transfusion viability after transfusion. *Transfusion*, 3: 356, 1963.

Eadie, G. S., I. W. Brown and W. W. Smith. Relation between storage time of erythrocytes and their percent viability after transfusion. *Transfusion*, 3: 356 1963.

Garby, L. and L. Thoren. Transfer of magnesium and citrate between red cells and plasma during storage in acid citrate-glucose solution. *J. Clin. Lab. Invest.* 14: 392, 1962.

Gibson, J. G., W. P. Murphy, W. A. Scheitlin, and S. B. Rees. Influence of extracellular fractions involved in the collection of blood in ACD on maintenance of red cell viability during refrigerated storage. *Amer. J. Clin. Path.* 26: 855, 1956.

Gibson, J. G. and W. A. Scheitlin. Method employing radioactive chromium for assaying the viability of human erythrocytes returned to the circulation after refrigerated storage. *J. Lab. Clin. Med.* 46: 679, 1955.

Haut, A., G. R. Tudhope, G. E. Cartwright, and M. M. Wintrobe. Studies on the osmotic fragility of incubated normal and abnormal red blood cells. *J. Clin. Invest.* 41: 1766, 1962.

Lange, R. D., W. H. Crosby, D. M. Donohue, C. A. Finch, J. G. Gibson, T. J. McManus, and M. A. Strumia. Effect of inosine on red cell preservation. *J. Clin. Invest.* 37: 1485, 1958.

Milles, G., H. Langston, and W. Dalessandro. Experiences with auto-transfusion. *Surg. Gynec. Obstet.* 115: 689, 1962.

Mollison, P. L. Improved method of labelling red cells with radioactive phosphorus. *Lancet*, 1: 766, 1958.

A821 00 155 (cont)

Detail Sheet # 5

Ponder, E. Hemolysis and Related Phenomena. New York: Grune and Stratton, 1948.

Read, R. C. Studies of red-cell volume and turnover using radiochrome. New Eng. J. Med. 250: 1021, 1954.

Sacks, J. Isotopic Tracers in Biochemistry and Physiology. New York: McGraw-Hill, 1953.

Sandler, J. L., T. F. Nealon, and J. H. Gibbon. Restoration of stored bank blood to biochemical normalcy. J.A.M.A. 179: 115, 1962.

Schecter, D. C. and H. Swan. Biochemical alterations of preserved blood. Arch. Surg. 84: 269, 1962.

Schrier, S. L. Studies of the metabolism of human erythrocyte membrane. J. Clin. Invest. 42: 756, 1963.

Shafer, A. W. and G. Bartlett. Phosphorylated carbohydrate intermediates of the human erythrocytes during storage in ACD. J. Clin. Invest. 41: 690, 1962.

Shafer, A. W. and J. S. Trombold. Phosphorylated carbohydrate intermediates of the human erythrocytes during storage in acid citrate dextrose. Transfusion, 4: 120, 1964.

Silver, S. Radioactive Isotopes in Medicine. Philadelphia: Lea and Febiger, 2d Ed., 1962.

Simon, E. R. Red cell preservation. Further studies with adenine. Blood, 20: 485, 1962.

Simon, E. R., R. G. Chapman, and C. A. Finch. Adenine in red cell preservation. J. Clin. Invest. 41: 351, 1962.

Smith, E. L., R. A. Huggins, L. Kraitz, R. A. Seibert, and S. Deavers. Determination of cell volume in massive transfusions using Fe⁵⁹ and Cr⁵¹. Amer. J. Physiol. 186: 97, 1956.

A821 00 155 (cont)

Detail Sheet # 6

Strumia, M. M. (Ed.). General Principles of Blood Transfusion. Republished from Transfusion, 1963.

The Technical Method and Procedures of the American Association of Blood Banks.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	3. AGENCY ACCESSION	REPORT CONTROL SYMBOL
4. DATE OF RESUME 01 07 67	5. KIND OF RESUME D. CHANGE 24 04 67	6. SECURITY U U	7. RESEARCH NA	8. RELEASE LIMITATION NL	9. LEVEL OF RESUME A. WORK UNIT	
10. CURRENT NUMBER/CODE 62156011 3A025601A821 00 156			10B. PRIOR NUMBER/CODE NO CHANGE			
11. TITLE (U) Study of Gp O Blood Donors in the Mil to Delineate Titers & Technic of Natural & Immune Antibodies Appl to a Safe, Widescale Empl of O Blood to A, E, AB & O Recipients						
12. SCIENTIFIC OR TECH. AREA 003500 Clinical Medicine				13. START DATE 04 66	14. CRIT. COMPL. DATE NA	15. FUNDING AGENCY OTHER DA
16. PROCUR. METHOD C. In-House		17. CONTRACT/GRANT # DATE # AMOUNT NA		18. RESOURCES EST. PRIOR FY 67 CURRENT FY 68	19. PROFESSIONAL MAN/YEARS 1	20. FUNDS (In thousands) 62
19. GOVT LAB/INSTALLATION/ACTIVITY NAME ADDRESS US Army Medical Res & Dev Command Washington, D. C. 20315 RESP. INDIV. Rose, LTC L. R. TEL. 202-OX 66082				20. PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121 INVESTIGATORS PRINCIPAL Camp, LTC F. R., Jr. ASSOCIATE Shields, LTC C. E. TEL. 502-41251 TYPE DA		
21. TECHNOLOGY UTILIZATION NA				22. COORDINATION NA		
23. KEYWORDS Blood; Blood Banks; Blood Donors; Blood Groups; Blood Transfusion						
24. (U) Tech Objective - To identify the group O donor whose blood can be transfused indiscriminately in battlefield and/or other emergency situations. Identification of substances interfering with group O blood will be carried out and once these are identified they will be monitored to eliminate the contaminating substance.						
(U) Approach - 1st Stage: Blood will be collected from a representative military population and the presence of and titers of natural and immune anti-A and anti-B hemolysins in this blood will be assayed. Calculations of antibody titers will be based on standard blood group serology procedures. 2d Stage: After being assayed, these bloods will be transfused into A, B, and AB recipients and monitored for adverse reactions. The titers causing no reactions will be declared safe.						
(U) Progress (1 Apr 67 - 30 Jun 67) - Identification of several levels of group O interference has been made in various portions of the military population. This has been clearly related to the plague immunizations and has been reported at the AMA and the Int. Soc. of Blood Transfusion. During the course of investigation of other vaccines, hemolysins to group A were also found in influenza. This is planned for presentation at the AABB, Oct 67, with the following conclusion: Hemolysin inhibition assays of influenza and plague vaccines revealed A substance concentrations of 12 µg/ml and 68 µg/ml, respectively. These results suggest that: 1) minute amounts of A substance stimulate ABO antibody production, 2) since influenza vaccine is freely and frequently prescribed, resultant antibody production may contribute to the "naturally-occurring" ABO antibodies, 3) hemolysins may be the most sensitive of the ABO antibodies to immune stimulation, 4) administration of these vaccines to potential universal donors, young females and particularly pregnant women may be undesirable. The identification of the primary substance as plague vaccine has allowed rescheduling of the immunization program, providing a greater pool of useful group O donors of the Army Blood Program. Preliminary studies of transfusion of group O blood into non-group O recipient is in progress with subsequent work extending these studies using blood with known antibody levels.						
27. COMMUNICATIONS SECURITY <input type="checkbox"/> * * * * * <input type="checkbox"/> * * * * *		28. * * * * *		29. OIG CODE AR		30. BUDGET CODE 1
31. MISSION OBJECTIVE NA				32. PARTICIPATION NA		
33. REQUESTING AGENCY			34. SPECIAL EQUIPMENT			
35. EST. FUNDS (In thousands)			36. * * * * *			
CP 441						

A821 00 156 (cont)

Detail Sheet # 1

(U) Progress:

Identification of several levels of group O interference has been made in various portions of the military population. This has been clearly related to the plague immunizations and has been reported at the American Medical Association meeting and the International Society of Blood Transfusion. The identification of the primary substance as plague vaccine has allowed rescheduling of the immunization program providing a greater pool of useful group O donors of the Army Blood Program. Transfusion of group O blood into non-group O recipients has been carried out in the first phase and is still under analysis.

Publications and/or Presentations:

Camp, Frank R., Jr. and Charles E. Shields. Military blood banking - identification of the group O Universal Donor for transfusion of A, B and AB recipients - an enigma of two decades. Presented (by Camp) at the 11th Congress of the International Society of Blood Transfusion, Sydney, Australia, 24-29 Aug 1966; USAMRL Report No. 678, 1966 (DDC No. 645447); Mil. Med. 132(6): 426-429, 1967.

Camp, Frank R., Jr. and Charles E. Shields. The Universal Donor in the military - a reappraisal. Presented (by Camp) at the 11th Congress of the International Society of Blood Transfusion, Sydney, Australia, 24-29 Aug 1966.

Camp, Frank R., Jr. and Charles E. Shields. Alteration of blood group titers in group O soldiers and the effect on the "Universal Donor" pool. Read by title at the American Association of Blood Banks meeting, Los Angeles, Calif., 25-28 Oct 1966.

Camp, Frank R., Jr. Military blood banking and immunohematology - continuous training for service through research. Presented at the Fort Knox Junior Science and Humanities Symposium, 31 Mar - 1 Apr 1967.

Camp, Frank R., Jr. Observations, training, and research programs in military blood banking and immunohematology. Presented

A821 00 156 (cont)

Detail Sheet # 2

at the Kentucky Association of Blood Banks meeting, Lexington, Ky.,
20 May 1967.

Shields, Charles E. and Frank R. Camp, Jr. Immune anti-
bodies - their production and fate (effect of immunizations on blood
group antibody production). Presented (by Camp) at the 11th Congress
of the International Society of Blood Transfusion, Sydney, Australia,
24-29 Aug 1966.

Shields, Charles E. Role of Fort Knox adenine studies in the
Army blood program. Presented at the combined conference with
WRAIR and USAMRDC, 5-7 Feb 1967.

Selected Bibliography:

Goudswaait, R. and H. W. Krijnen. Increased destruction of
"compatible" red cells. Vox Sang. 2: 357, 1957.

Adner, P. L. and S. Sjölin. Unexpected blood group incompat-
ibility, revealed by ⁵¹Cr-labelled red cells. Scand. J. Clin. Lab.
Invest. 9: 265-269, 1957.

Jandl, James H., A. Richardson Jones, and William B. Castle.
The destruction of red cells by antibodies in man. I. Observations on
the sequestration and lysis of red cells altered by immune mechanisms.
J. Clin. Invest. 36: 1428-1459, 1957.

Jones, N. C. Hughes, P. L. Mollison, and N. Veall. Removal
of incompatible red cells by the spleen. Brit. J. Haemat. 3: 125-133,
1957.

Jones, N. C. Hughes and L. Szur. Determination of the sites of
red-cell destruction using ⁵¹Cr-labelled cells. Brit. J. Haemat. 3:
320-331, 1957.

Mollison, P. L. Blood-group antibodies and red-cell destruction.
Brit. Med. J. 2(5159): 1035-1041, 1959.

A821 00 156 (cont)

Detail Sheet # 3

Mollison, P. L. Blood-group antibodies and red-cell destruction. Brit. Med. J. 2(5160): 1123-1130, 1959.

Stewart, J. W. and P. L. Mollison. Rapid destruction of apparently compatible red cells. Brit. Med. J. 1(5132): 1274-1275, 1959.

Mollison, P. L. Incompatibility: or shortening of the life-span of red cells by iso-antibodies. Blood Transfusion in Clinical Medicine. Springfield, Ill.: Thomas Publishing Co., 3d Ed., 1961, pp. 437-504.

Bowman, Herbert S., F. Wells Brason, James F. Mohn, and Reginald M. Lambert. Experimental transfusion of donor plasma containing blood-group antibodies into incompatible normal human recipients. II. Induction of iso-immune haemolytic anaemia by a transfusion of plasma containing exceptional anti-CD antibodies. Brit. J. Haemat. 7: 130-145, 1961.

Levine, Philip, M. J. Celano, and F. Falkowski. The specificity of the antibody in paroxysmal cold hemoglobinuria (P.C.H.). Transfusion, 3: 278-280, 1963.

Sears, David A., Robert I. Weed, and Scott N. Swisher. Differences in the mechanism of in vitro immune hemolysis related to antibody specificity. J. Clin. Invest. 43(5): 975-985, 1964.

Borsos, T., R. R. Dourmashkin, and J. H. Humphrey. Lesions in erythrocyte membranes caused by immune haemolysis. Nature, 202: 251-252, 1964.

Currie, Julius A., John D. Marshall, Jr., and Dan Crozier. The detection of Pasteurella pseudotuberculosis antibodies by the microhemagglutination test. J. Infect. Dis. 116(2): 117-122, 1965.

Jandl, James H. Mechanisms of antibody-induced red cell destruction. Haematologica, 9: 35-46, 1965.

RESEARCH AND TECHNOLOGY RESUME			1. GOVT ACCESSION	3. AGENCY AT	REPORT CONTROLS SYMBOL
				DA OA 60	CSCRD-103
4. DATE OF RESUME	5. KIND OF RESUME	6. SECURITY	7. RESTRICTIONS	8. RELEASE CATEGORIZATION	9. LEVEL OF RESUME
01 07 67	D. CHANGE 24 04 67	U U	NA	NL	A. WORK UNIT
10. CURRENT NUMBER/CODE			11. PRIOR NUMBER/CODE		
62156011 3A025607A821 00 157			NO CHANGE		
11. TITLE: (U) Study of Transport and Logistic Problems of Stored Whole Blood and Blood Components in the Military					
12. SCIENTIFIC OR TECH. AREA			13. START DATE	14. CRIT. COMPL. DATE	15. FUNDING AGENCY
003500 Clinical Medicine			04 66	NA	OTHER DA
16. PROCURE. METHOD	17. CONTRACT/GRANT	18. RESOURCES EST.		19. FUNDS (In thousands)	
C. In-House	.NA	PRIOR FY	PROFESSIONAL MAN-YEARS	A. FUNDS (In thousands)	
		67	1	36	
20. GOVT LAB/INSTALLATION ACTIVITY		21. PERFORMING ORGANIZATION			
NAME		NAME			
ADDRESS		ADDRESS			
Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315		US Army Medical Res Laboratory Fort Knox, Ky. 40121			
RESP. INDV. Rose, LTC L. R.		INVESTIGATORS			
TEL. 202-OX 66082		PRINCIPAL			
		ASSOCIATE			
		TEL. 502-43046		TYPE DA	
22. TECHNOLOGY UTILIZATION			23. COORDINATION		
NA			NA		
24. KEYWORDS					
Blood; Blood Banks; Blood Donors; Equipment and Supplies; Transportation					
25. (U) Tech Objective - To establish improvements in logistical practices for the handling of and supply of blood and components to military field units.					
26. (U) Approach - 1st Stage: a. A systematic and comprehensive survey will be made of methods being utilized in current military operations. b. This information will be scrutinized and evaluated with a view of defining problem areas. 2d Stage: Fieldwork units will be established for the express purpose of attempting to clarify and develop improvements in the problem areas specifically delineated in Stage 1.					
27. (U) Progress (1 Apr 67 - 30 Jun 67) - Shipments of blood and plasma have been received from Viet Nam, transported through channels of the Military Blood Program Agency. Every unit was inspected visually and examined using in vitro tests. It was clearly apparent that shipping damage had occurred both involving the exterior package and the internal contents. This was a particular problem with the frozen plasma because of the cracking of the plastic container. Because of demand to ship such materials, extensive study has been undertaken to study new containers and protective envelopes. This will partly include testing the materials during weekly shipments of fresh frozen plasma to Walter Reed General Hospital. The results of the Viet Nam shipments are being prepared in a formal laboratory report, though the initial first shipment report has been reported already to the Military Blood Program Agency. Studies are continuing on the survival of wet ice in shipping containers at various temperature ranges. Red cell survival will be measured following stationary exposure to temperature, short range transport and long range transport. As part of the transportation program, different methods of delivery, including air drop, are being evaluated. One system involving cushioning the blood with water was without significant success. Newly designed containers introduced by a manufacturer to compete with the standard container has been studied, yielding approximately 70-90% survival of box contents.					
28. COMMUNICATIONS SECURITY		29. OGD CODE		30. BUDGET CODE	
<input type="checkbox"/> - ESCRIBED RELATED <input type="checkbox"/> - NOT RELATED		AR		1	
31. MISSION OBJECTIVE			32. PARTICIPATION		
NA			NA		
33. REQUESTING AGENCY		34. SPECIAL EQUIPMENT			
35. EST. FUNDS (In thousands)		36.			
CPY11					

A821 00 157 (cont)

Detail Sheet # 1

(U) Progress:

Equipment: Special cards containing specific dried blood group identification reagents produced by an American manufacturer were tested. Tests of veracity, avidity and reliability of reagents and packaging were made under simulated combat conditions, such as high heat-high humidity; high heat-low humidity; and various cold environments as well as following prolonged storage in high heat or total water immersion. The data indicated that the use of the equipment was not simple and was subject to environmental effects as well as being inefficient in terms of technician time. The major blood group reagents were satisfactory, but the Rh factor identification was unsatisfactory.

These cards were compared to those obtained from an European manufacturer. A report on this has been prepared and accepted for publication in Military Medicine.

Publications and/or Presentations:

Camp, Frank R., Jr. and Charles E. Shields. Blood components - their preparation and use. J. Ky. Med. Assoc. 64: 873-877, 1966.

Shields, Charles E. and Frank R. Camp, Jr. Testing of blood grouping cards under field-type conditions. USAMRL Report No. 739, 1967.

Selected Bibliography:

Kendrick, D. B., Brigadier General, MC, USA. Blood Program in World War II. Office of The Surgeon General, Department of the Army, Washington, D. C., 1964.

Camp, Frank R., Jr. Blood banking: retrospection of people, problems and progress gained from a decade of experience in an overseas military operation. Mil. Med. 128(12): 1222-1236, 1963.

Spencer, L. E. and M. S. Nix, Jr. Evaluation of "Tuffy" air lock container for free fall delivery of whole blood. USAARU Report No. 66-4, US Army Aeromedical Research Unit, Fort Rucker, Ala., Apr 1966.

RESEARCH AND TECHNOLOGY RESUME				2. GOVT ACCESSION	3. AGENCY ACCESSION	4. REPORT CONTROL SYMBOL
1. DATE OF RESUME 01 07 67	5. KIND OF RESUME D. CHANGE 24 04 67	6. SECURITY U U	7. REUSABLE NA	8. RELEASE CATEGORIZATION NL	DA OA 6098 CSCRD-103	
10a. CURRENT NUMBER/CODE 62156011 3A025601A821 00 158				10b. PRIOR NUMBER/CODE NO CHANGE		
11. TITLE: (U) Evaluation of Automated, Semiautomated, and Other Techniques Involved in Military Blood Banking						
12. SCIENTIFIC OR TECH. AREA 003500 Clinical Medicine				13. START DATE 04 66	14. CRIT. COMPL. DATE NA	15. FUNDING AGENCY OTHER DA
16. PROCEDURE METHOD C. In-House		17. CONTRACT/GRANT # NUMBER NA # TYPE NA		18. RESOURCES EST. PRIOR FY 67 CURRENT FY 68	19. PROFESSIONAL MAN-YEARS 1	20. FUNDS (In thousands) 13
21. GOVT LAB/INSTALLATION/ACTIVITY NAME ADDRESS Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315 RESP. INDIV Rose, LTC L. R. TEL. 202-OX 66082				22. PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121 INVESTIGATORS Camp, LTC F. R., Jr. PRINCIPAL Shields, LTC C. E. ASSOCIATE TEL. 502-41251 TYPE DA		
23. TECHNOLOGY UTILIZATION NA				24. COORDINATION NA		
25. KEYWORDS Blood; Blood Banks; Blood Groups; Automation; Automatic Data Processing; Data Acquisition; Equipment and Supplies						
26. (U) Tech Objective - To facilitate and improve routine blood banking practices by utilizing automated and semiautomated technics.						
<p>(U) Approach - <u>1st Stage</u>: A systematic and comprehensive survey will be made of available automated laboratory technics which might conceivably be utilized in blood banking practices. <u>2d Stage</u>: Laboratory test situations will be employed to evaluate the usefulness and reliability of each automated technic which suggests promise.</p>						
<p>(U) Progress (1 Apr 67 - 30 Jun 67) - Standardization of determining blood group O donors having anti-A and anti-B natural occurring agglutinins lower than a titer of 1:200 has long been a problem among serological laboratories. A technic employing a semiautomated dilution system has been devised, tested and found to be simple and reliable at the Blood Transfusion Division, USAMRL, Fort Knox. The system employs precision microcapillaries calibrated to contain 10 ml (microliters) or lambdas. They are manufactured by the Drummond Scientific Co., Broomhall, Pa., and come as 100 disposable micro-pipettes called "MICROCAPS."</p>						
27. COMMUNICATIONS SECURITY <input type="checkbox"/> EQUIP. RELATED <input checked="" type="checkbox"/> NOT RELATED		28. ORG CODE AR		29. SUBJECT CODE 1		
30. MISSION OBJECTIVE NA				31. PARTICIPATION NA		
32. REQUESTING AGENCY		33. SPECIAL EQUIPMENT				
34. EST. FUNDS (In thousands)		35.				
CPYs						

DD FORM 1498A

(Form 1 to 26 identical to NASA Form 112)

A821 00 158 (cont)

Detail Sheet # 1

(U) Progress:

A system for control, distribution and prediction of requirements for blood logistics has been investigated. An applicable system of data retrieval using small computers and data processing systems in the field and in headquarters units for control, distribution and prediction of requirements of critical medical supplies, such as blood, appears capable of programming with modification, so that it performs the blood inventory control and prediction operations required at field stations and headquarters units.

Publications and/or Presentations:

Camp, Frank R., Jr. and Charles E. Shields. Screening procedures employing semiautomated and fully automated technics. Presented (by Camp) at the 11th Congress of the International Society of Blood Transfusion, Sydney, Australia, 24-29 Aug 1966.

Shields, Charles E. and Frank R. Camp, Jr. Testing of blood grouping cards under field-type conditions. USAMRL Report No. 739, 1967.

Selected Bibliography:

Rosenfield, R. E., I. O. Szymanski and S. Kochwa. Quantitative hemagglutination that is relatively independent of Rh antigens and antibodies. Cold Spring Harbor Symposium on Quantitative Biology, Vol. 29, 1964.

Vargues, Robert. Use of the autoanalyzer for study and understanding of complement fixation reactions. International Technicon Symposium, Paris, Oct 1964.

Vargues, Robert. Automation in complement fixation reactions. Technicon Symposium, New York City, Sep 1965.

A821 00 158 (cont)

Detail Sheet # 2

Rosenfield, Richard E. and Gladys V. Haber. Detection and measurement of homologous human hemagglutinins. Technicon Symposium, New York City, Sep 1965.

Unger, P. and O. Ramgren. Automated analysis in blood-group serology and haematology. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 959-963, 1965.

Allen, F. H., Jr. The use of automatic data processing in blood bank procedures. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 964-969, 1965.

Pickrel, J. C. Electronic computer simulation of some blood bank operations. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 970-974, 1965.

Sturgeon, Ph. and Dorothy T. McQuiston. The status of routine blood typing with the auto-analyzer. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 975-982, 1965.

Schmitt, H. Zur Frage der Automatisierung von Blutgruppenbestimmungen (diskussion). Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 983-984, 1965.

Rosenfield, R. E., Irma O. Szymanski, Gladys V. Haber, and S. Kochwa. Automated methods for the detection and measurement of hemagglutination. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 985-991, 1965.

Hughes-Jones, N. C. Automation of blood group determinations using radioactively labelled antibodies. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 992-996, 1965.

Masouredis, S. P., Mary Edith Dupuy, and Margaret Elliot. Estimation of the D-antigen content of individual red cells with autoradiography. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 997-1001, 1965.

RESEARCH AND TECHNOLOGY RESUME		7. GOVT ACCESSION	8. AGENCY ACCESSION	9. REPORT CONTROL SYMBOL
1. DATE OF RESUME 01 07 67	2. KIND OF RESUME D. CHANGE 24 04 67	SECURITY U U	6. REGARDING NA	5. RELEASE LIMITATION NL
10. CURRENT NUMBER/CODE 62156011 3A025601A821 00 159		10. PRIOR NUMBER/CODE NO CHANGE		
11. TITLE: (U) Evaluation of Mass Blood Grouping in the Military Services by Automated and Semiautomated Methods				
12. SCIENTIFIC OR TECH. AREA 003500 Clinical Medicine		13. START DATE 04 66	14. CRIT. COMPL. DATE NA	15. FUNDING AGENCY OTHER DA
16. PROCURE. METHOD C. In-House	17. CONTRACT/GRANT A. NUMBER NA B. TYPE NA C. DATE NA D. AMOUNT NA	18. RESOURCES EST. PRIOR FY 67 CURRENT FY 68	19. PROFESSIONAL MAN-YEARS 1	20. FUNDS (in thousands) 10
19. GOVT LAB/INSTALLATION/ACTIVITY NAME ADDRESS Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315 RESP. INDIV Rose, LTC L. R. TEL. 202-OX 66082		20. PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121 INVESTIGATORS PRINCIPAL Shields, LTC G. E. ASSOCIATE Shields, LTC G. E. TEL. 502-41251 TYPE DA		
21. TECHNOLOGY UTILIZATION NA		22. COORDINATION NA		
23. KEYWORDS Blood; Blood Banks; Blood Groups; Automation; Automatic Data Processing; Data Acquisition				
24. (U) Tech Objective - To evaluate present automated methods for use in mass blood grouping. (U) Approach - Set up apparatus and run simultaneous determinations using new and standard methods to compare accuracy and efficiency. Conduct a variable and continuing evaluation of blood grouping operations carried out at post and field locations separate from fixed blood bank facilities. (U) Progress (1 Apr 67 - 30 Jun 67) - In view of changes to AR 40-3, which now requires ABO blood grouping, serum confirmation of the blood group by back typing with known A and B erythrocytes and determination of the Rh factor, places a sense of urgency in developing accurate blood grouping automation, as well as training in the acceptable system. A 15-channel autoanalyzer (Technicon) will be placed in operation at the Reception Center, Ft Knox, to perform the ABO blood group and Rh type of 1200 inductees per week. Another automated system is being studied requiring joint studies and effort by the Blood Transfusion Division, USAMRL, and Berkeley Scientific Laboratories, Berkeley, Calif. Evaluation continues of a quantitative hemagglutinating autoanalyzer (Technicon) in screening for hemagglutinins. Parallel manual testing is conducted employing saline, high-protein and anti-human globulin techniques. Some antigen-antibody reactions require special conditions on the autoanalyzer for detection. The mechanical collection of whole blood has been studied to eliminate "short-fills" and "over-fills" which result in improper ACD to blood ratios. The study in progress involves evaluation of a semiautomatic blood collection apparatus employing a vacuum system to regulate both blood flow and volume.				
27. COMMUNICATIONS SECURITY <input type="checkbox"/> COMSEC RELATED <input checked="" type="checkbox"/> NOT RELATED		28.	29. OSU CODE AR	30. BUDGET CODE 1
31. MISSION OBJECTIVE NA		32. PARTICIPATION NA		
33. REQUESTING AGENCY		34. SPECIAL EQUIPMENT		
35. EST. FUNDS (in thousands)		36.		
CFY61				

DD FORM 1498A

(Form 1 to 30 identical to NASA Form 1122)

A821 00 159 (cont)

Detail Sheet # 1

(U) Progress:

The Technicon Autoanalyzer system of blood grouping has been studied for accuracy and reproducibility. Certain parts have been found to be delicate in construction and require constant replacement. Many critical parts must be kept on hand for immediate replacement to keep the autoanalyzer in operation.

Cooperative studies with Dade Reagents, Inc., are continuing to produce standard reagents for the autoanalyzer that are licensed by the Division of Biologics Standards, National Institutes of Health.

In view of changes to AR 40-3, which now require ABO blood grouping, serum confirmation of the blood group by back typing with known A and B erythrocytes and determination of the Rh factor places a sense of urgency in developing accurate blood grouping automation, as well as training in the acceptable system.

Another automated system is being studied requiring joint studies and effort by the Blood Transfusion Division, USAMRL, and Berkeley Scientific Laboratories, Berkeley, California.

Publications and/or Presentations:

Camp, Frank R., Jr. and Charles E. Shields. Screening procedures employing semiautomated and fully automated technics. Presented (by Camp) at the 11th Congress of the International Society of Blood Transfusion, Sydney, Australia, 24-29 Aug 1966; USAMRL Report No. 707, 1966 (DDC AD No. 647538).

Selected Bibliography:

Reissigl, H. Fortschritte durch die Verwendung von Plastikmaterial zur Blutkonservierung. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 1006-1015, 1965.

A821 00 159 (cont)

Detail Sheet # 2

Steigner, K. F. Zusammensetzbare geschlossene Kunststoffbeutelssysteme zur Konservierung und Aufbereitung von Erythrozyten. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 1016-1021, 1965.

Gibbs, Mary B. and F. R. Camp, Jr. A simple device for washing erythrocytes for the antiglobulin test. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 1022-1029, 1965.

Dybkjaer, E. Enzyme methods for the demonstration of incomplete antibodies. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 1030-1035, 1965.

Polak, A. Experiences with a simple modification of the slide technique of Rh testing with Papain. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 1036-1039, 1965.

Fotino, Marilena, Marcela Boia, and Marie Danielescu. A new simple slide test for salivary secretor status. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 1040-1042, 1965.

Brun, G. C. Twelve years' experience with the Eldoncard methods. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 1043-1046, 1965.

Hansen, P. An apparatus for measurement of 25 μ l blood for routine haemoglobin determination. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 1047, 1965.

Langfelder, M., G. Sik, and K. Zs. nsky. Über gewaschene Erythrozytensedimente. Proc. 10th Congress Int. Soc. Blood Transfusion, Stockholm, 1964; pp. 1048-1050, 1965.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	3. AGENCY ACCESSION	REPORT CONTROL SYMBOL	
4. DATE OF RESUME		5. KIND OF RESUME		6. SECURITY	7. REGRADING	8. RELEASE LIMITATION	9. LEVEL OF RESUME
01 07 67		D. CHANGE 24 04 67		U U	NA	NL	A. WORK UNIT
10. CURRENT NUMBER/CODE				10B. PRIOR NUMBER/CODE			
62156011 3A025601A821 00 160				NO CHANGE			
11. TITLE (U) Blood Groups, Blood Group Substances and Chromosome Studies of Laboratory Animals							
12. SCIENTIFIC OR TECH. AREA				13. START DATE	14. CRIT. COMPL. DATE	15. FUNDING AGENCY	
003500 Clinical Medicine (Lab Animal)				08 66	NA	OTHER DA	
16. PROCEDURE METHOD		17. CONTRACT/GRANT		18. RESOURCES EST.		19. PROFESSIONAL MAN-YEARS	
C. In-House		NA		PRIOR FY 67		1	
				CURRENT FY 68		5	
20. GOVT LAB/INSTALLATION/ACTIVITY				20. PERFORMING ORGANIZATION			
NAME Address Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315				NAME Address US Army Medical Res Laboratory Fort Knox, Ky. 40121 Bull, CPT R. W. Hysell, CPT D. K. Neves, CPT A. J.			
RESP. INDIV. Rose, LTC L. R.				INVESTIGATORS PRINCIPAL ASSOCIATE			
TEL. 202-OX 66082				TEL. 502-43937			
21. TECHNOLOGY UTILIZATION				22. COORDINATION			
NA				NA			
23. KEYWORDS							
Animal. Laboratory; Blood; Blood Groups; Chromosomes							
24. (U) Tech Objective - To investigate the blood groups, blood group substances, carbohydrate metabolism, erythropoietic mechanisms and endocrine blood and body fluid levels of laboratory animals, with particular emphasis on the canine and subhuman primate. Establish chromosome karyotypes of laboratory animals. Knowledge of this nature is imperative for the use of laboratory animals in transfusion studies.							
25. (U) Approach - Blood samples will be taken from subhuman primates and other laboratory animals as they reside in this laboratory's colony. Production of specific primate, canine and other laboratory animal erythrocyte antiserum will be instigated in either their respective species by isoimmunization or by immunization of rabbits. Biochemical assay of blood and body fluid endocrine levels as associated with carbohydrate and erythropoietic pathways will be conducted on selected laboratory animals. Tissue culture and direct cytological will be used for elucidation of chromosome karyotypes.							
26. (U) Progress (1 Apr 67 - 30 Jun 67) - A paper is in preparation on the hematological, blood chemistry values and osmotic fragilities of subhuman primates. Selected <i>Papio spp.</i> are to be immunized for the production of species specific RBC antiserum. The isoimmunization of selected dogs is nearing completion for the production of canine A ₁ , A and D RBC typing serum. A survey is underway on RBC glucose-6-phosphate dehydrogenase, as well as true blood glucose levels, in subhuman primates.							
27. COMMUNICATIONS SECURITY		28.		29. OSD CODE		30. BUDGET CODE	
<input type="checkbox"/> * ESCHEE RELATED <input checked="" type="checkbox"/> * NOT RELATED				AR		1	
31. MISSION OBJECTIVE				32. PARTICIPATION			
NA				NA			
33. REQUESTING AGENCY				34. SPECIAL EQUIPMENT			
35. EST. FUNDS (In thousands)				36.			
CFY41							

DD FORM 1498A

(Items 1 to 2. Identical to NATS Form 1222)

A821 00 160 (cont)

Detail Sheet # 1

(U) Progress:

The progress in FY 1967 on the hematological values, blood chemistry values and osmotic fragilities of Cercocebus spp. and Papio spp. of primates has been quite successful. The manuscript and bibliography of the results is in preparation for publication. As a result of this work, normal clinical laboratory values for this colony's primates are established and employed in routine and experimental evaluation of the animal committed to current project work.

Several areas of further interest have come to light as a result of this study. The comparison of primate leukocyte morphology to human leukocytes indicates that the primates commonly have hypersegmentation of polymorphonuclear (pmns) leukocytes. The significance of such findings is that hypersegmentation of pmns is a criteria in the diagnosis of vitamin B₁₂ and Folic Acid deficiencies in man. It is hoped that next year we will be able to determine if our primates either have a B₁₂ deficiency or a different control on leukocyte maturation which could normally lead to hypersegmentation. During the tabulation and comparison of the blood glucose levels of baboons, it was found that the animals were divided into those with extremely high blood glucose level or lower than normal levels. A study of the situation indicates that quite possibly there is an impaired glucose tolerance in primates. This, coupled with a pilot survey on glucose-6-phosphate dehydrogenase content of erythrocytes, further indicates that subhuman primates carbohydrate metabolism possibly follows different pathways and should be investigated for numerous reasons.

In the past year, this division has been able to produce an erythrocyte antiserum in rabbits against the cells of one baboon. The utilization of this antiserum in various immunohematologic techniques has enabled the separation of the rest of the baboon colony into two groups. Those groups having an erythrocyte factor similar to the baboon used to produce the antiserum or those lacking the factor. With this foundation and current investigations, it will be possible to iso-immunize baboons which are deficient in the erythrocyte factor and thereby increase the specificity of the antiserum. Concurrently with

A821 00 160 (cont)

Detail Sheet # 2

the erythrocyte antiserum production has been the production of anti-serum against whole baboon serum. It is now hoped that by fractionation of the baboon serum and further rabbit immunization with the components to be able to produce specific antiserum which will be of value in detection of possible incomplete blood groups of baboons.

With the assistance of Dr. Scott N. Swisher, Rochester Medical School, this laboratory's canine colony was typed for the four known canine blood groups (A₂, A, C, and D). This information was subsequently utilized in the production of canine erythrocyte typing serum which is presently ready to be harvested and purified for distribution to individuals in need of this typing serum.

The results of all of these investigations have been twofold. First, it furthered our basic knowledge of this laboratory's animal colony and secondly, as this laboratory progresses in the study of transfusion complications, baseline data of this nature will be imperative for the utilization of laboratory animal models.

Publications and/or Presentations:

None.

Selected Bibliography:

Allen, J. R. and L. M. Siegfried. Hematologic alterations in pregnant rhesus monkeys. *Lab. Animal Care*, 16(6): 465-471, 1966.

Garcia, Felix G. and Ronald D. Hunt. The hematogram of the squirrel monkey. *Lab. Animal Care*, 16(1): 50-51, 1966.

Krise, George M. Hematology of the normal monkey. *Ann. N. Y. Acad. Sci.* 85: 805-810, 1960.

Ponder, Eric, J. Franklin Yeager, and H. A. Charipper. Studies in comparative haematology. II. Primates. *Quart. J. Exper. Physiol.* 19: 181-195, 1929.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	2. AGENCY ACCESSION	3. REPORT CONTROL SYMBOL
4. DATE OF RESUME	5. KIND OF RESUME	6. SECURITY	7. RESEARCHING	8. RELEASE LIMITATION	9. LEVEL OF RESUME	
01 07 67	D. CHANGE 14 03 67	U U	NA	NL	A. WORK UNIT	
10. CURRENT NUMBER/CODE				10. PRIOR NUMBER/CODE		
62156011 3A025601A821 00 161				NO CHANGE		
11. TITLE						
(U) Biochemical Alterations of Human Red Blood Cells in Cold Storage						
12. SCIENTIFIC OR TECH. AREA				13. START DATE	14. CRIT. COMPL. DATE	15. FUNDING AGENCY
003500 Clinical Medicine				03 67	NA	OTHER DA
16. PROCEDURE METHOD				17. CONTRACT/GRANT		18. FUNDS (In thousands)
C. In-House				NA		15
19. GOVT LAB/INSTALLATION/ACTIVITY				20. PERFORMING ORGANIZATION		
NAME				NAME		
ADDRESS				ADDRESS		
Headquarters				US Army Medical Res Laboratory		
US Army Medical Res & Dev Command				Fort Knox, Ky. 40121		
Washington, D. C. 20315				INVESTIGATORS		
RESP. INDIV. Rose, LTC L. R.				DeVenuto, F., Ph. D.		
TEL. 202-OX 66082				Morse, S. S.		
				Ligon, D. F.		
				502-42053		
21. TECHNOLOGY UTILIZATION				22. COORDINATION		
NA				NA		
23. KEYWORDS						
Blood, Red Cells; Steroid Hormones						
24.						
(U) Tech Objective - To investigate whether anti-hemolytic steroid hormones, such as corticosterone interaction with lipoproteins of the cell membrane of erythrocytes, are able to preserve the structure integrity of such membrane and prevent or limit the breakdown of red blood cells during storage.						
25.						
(U) Approach - Alterations of biochemical parameters of red blood cells will be studied; these will include changes in pH and protein synthetic ability and also changes in ATP, protein, hemoglobin and nucleic acid concentrations occurring in red blood cells during cold storage in acid-citrate-dextrose solutions. These data will be correlated to one another and to the time period of storage. In parallel experiments, in which corticosterone is added to the RBC suspension, the effect of this steroid in preventing or limiting such alterations will be investigated.						
26.						
(U) Progress (14 Mar 67 - 30 Jun 67) - The effect of corticosterone on the biochemical alterations of human red blood cells during cold storage has been studied. It has been found that corticosterone inhibits the hemolysis of red blood cells but does not influence the preservation of ATP in the system. Other biochemical parameters, such as changes in hemoglobin, nucleic acids and ability to incorporate amino acids into proteins, have been investigated; the results show that the precipitate obtained at 100,000 x g from red blood cells hemolysates catalyze the incorporation of labeled amino acid into protein at a rate proportional with the time of storage. Other data are in the process of being evaluated.						
27. COMMUNICATIONS SECURITY				28. ORD CODE		29. BUDGET CODE
<input type="checkbox"/> UNCLASSIFIED OR <input checked="" type="checkbox"/> CONFIDENTIAL				AR		1
30. MISSION OBJECTIVE				31. PARTICIPATION		
NA				NA		
32. REQUESTING AGENCY				33. SPECIAL EQUIPMENT		
34. EST. FUNDS (In thousands)				35.		
COPY:						

DD FORM 1498A

(Issue 1 to 26 Modified to NASA Form 1122)

A821 00 161 (cont)

Detail Sheet # 1

Publications and/or Presentations:

None.

Selected Bibliography:

Agarwal, K. N. and L. Garby. Inhibition by corticosteroids of red cell lysis in vitro. Acta Endocrinol. Suppl. 93: 3, 1964.

DeVenuto, F. Interaction of progesterone and aldosterone with red blood cells of the rat. Proc. Soc. Exper. Biol. and Med. 124: 478, 1967.

Bakerman, S. and G. Wasemiller. Studies on structural units of human erythrocyte membrane. I. Separation, isolation and partial characterization. Biochemistry, 6: 1100, 1967.

Rose, I. A. and V. B. Warms. Control of glycolysis in the human red blood cell. J. Biol. Chem. 241: 4848, 1966.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	2. AGENCY ACCESSION	3. REPORT CONTROL SYMBOL
4. DATE OF RESUME	5. KIND OF RESUME	6. SECURITY	7. REGRADING	8. RESTATE LIMITATION	9. LEVEL OF RESUME	
01 07 67	D. CHANGE 21 03 67	U U RPT USE	NA	NL	A. WORK UNIT	
10. CURRENT NUMBER/CODE				10. PRIOR NUMBER/CODE		
62156011 3A025601A821 00 162				NO CHANGE		
11. TITLE:						
(U) Alteration in Protein Components of Stored Red Blood Cells						
12. SCIENTIFIC OR TECH. AREA				13. START DATE	14. CRIT. COMPL. DATE	15. FUNDING AGENCY
002300 Biochemistry 003500 Clinical Medicine 016200 Stress Physiology				03 67	NA	OTHER (DA)
16. PROCURE. METHOD	17. CONTRACT/GRANT		18. RESOURCES EST.		19. PROFESSIONAL MAN-YR ABS	
C. In-House	D. NUMBER	E. DATE	PRIOR FY	CURRENT FY		F. FUNDS (In thousands)
	NA		67	68		11
18. GOVT LAB/INSTALLATION/ACTIVITY			20. PERFORMING ORGANIZATION			
NAME			NAME			
ADDRESS			ADDRESS			
Headquarters			US Army Medical Res Laboratory			
US Army Medical Res & Dev Command			Fort Knox, Ky. 40121			
Washington, D. C. 20315			Kocholaty, W. F., Ph. D.			
RESP. INDIV.			INVESTIGATORS			
Rose, LTC L. R.			PRINCIPAL			
TEL.			ASSOCIATE			
202-OX 66082			Gray, J. L., B.S.			
TECHNOLOGY UTILIZATION			LEDFOUR, M. E., A. B.			
NA			502-44350			
			TYPE DA			
21. KEYWORDS						
Blood Preservation; Cells and Cell Constituents; Blood Proteins; Hemolysis; Protein Purification; Electrophoresis; Chromatography						
22. (U) Tech Objective - To investigate the nature of hemolysates obtained from red blood cells stored under a variety of conditions. To separate and characterize the major components of these hemolysates, and to correlate changes observed with time of storage.						
23. (U) Approach - Hemolysates will be obtained from red cells of whole blood stored for varying periods of time under a variety of experimental conditions. The hemolysates will be subjected to moving-boundary electrophoresis to establish changes in the concentration patterns of the components. Gel or cellulose acetate electrophoresis also will be employed, as well as chromatographic techniques to separate the major components for analysis by ultracentrifugation, diffusion and amino acid content.						
24. (U) Progress (21 Mar 67 - 30 Jun 67) - Hemolysates of stored red blood cells have been subjected to fractionation procedures and the soluble protein preparations chromatographed. A procedure employing pH gradient elution on a DEAE-cellulose column has been established for the separation of different types of hemoglobin and the non-hemoglobin proteins. Hemolysates of red blood cells stored for varying periods of time were investigated and the separated components examined by disc gel electrophoresis.						
25. COMMUNICATIONS SECURITY		26.	27. ORD CODE	28. BUDGET CODE		
<input type="checkbox"/> ESSENTIAL RELATED <input checked="" type="checkbox"/> RELATED			AR	1		
29. MISSION OBJECTIVE			30. PARTICIPATION			
NA			NA			
31. REQUESTING AGENCY		32. SPECIAL EQUIPMENT				
33. EST. FUNDS (In thousands)		34.				

A821 00 162 (cont)

Detail Sheet # 1

(U) Progress:

Hemolysates of stored red blood cells and the supernates obtained from high speed centrifugation of the hemolysates have been subjected to fractionation by anion-exchange chromatography utilizing a microgranular DEAE-cellulose column. The system employs gradient elution with a Tris-HCl buffer of decreasing pH and constant molarity. Modification of this gradient reported in studies on the heterogeneity of hemoglobin has reduced considerably the time required for elution of the constituents of the hemolysate with no apparent loss in resolution. At least two types of hemoglobin, as well as two non-hemoglobin proteins in low concentration, have been separated employing this chromatographic procedure. Small analytical columns have been used to date, and the procedure will be scaled up to preparative size to provide sufficient amounts of the separated components for more extensive analysis.

Concentration of the separated constituents has permitted preliminary examination with respect to electrophoretic mobility and homogeneity by means of disc gel electrophoresis.

Hemolysates prepared from red blood cells stored 0 to 28 days, with or without corticosterone added, have been subjected to column chromatography. No significant quantitative change attributable to time of storage has been observed in the hemolysates or their chromatographically separated constituents.

Publications and/or Presentations:

None.

Selected Bibliography:

Huisman, Titus H. J. and Andree M. Dozy. Studies on the heterogeneity of hemoglobin. IX. The use of tris-HCl buffers in the anion-exchange chromatography of hemoglobins. J. Chromatography, 19: 160, 1965.

A821 00 162 (cont)

Detail Sheet # 2

Chanutin, Alfred and R. R. Curnish. Factors influencing the electrophoretic patterns of red cell hemolysates analyzed in cacodylate buffers. Arch. Biochem. Biophys. 106: 433, 1964.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	2. AGENCY ACCESSION	3. REPORT CONTROL SYMBOL
4. DATE OF RESUME		5. KIND OF RESUME		6. SECURITY	7. RESTRINGS	8. RELEASE LIMITATION
01 07 67		D. CHANGE 24 04 67		U U	NA	NL
9. CURRENT NUMBER/CODE				10. PRIOR NUMBER/CODE		
62156011 5A025601A821 00 163				NO CHANGE		
11. TITLE: (U) Pasteurella pestis and Human Blood Group Cross-Reacting Antigens						
12. SCIENTIFIC OR TECH. AREA				13. START DATE	14. CRIT. COMPL. DATE	15. FUNDING AGENCY
010100 Microbiology				03 67	NA	OTHER, DA
16. PROCEDURE METHOD		17. CONTRACT/GRANT		18. RESOURCES EST.		19. FUNDS (in thousands)
C. In-House		NA		PRIOR FY 67		11
				CURRENT FY 68		
20. PERFORMING ORGANIZATION				21. COORDINATION		
NAME ADDRESS US Army Medical Res & Dev Command Washington, D. C. 20315				NAME ADDRESS US Army Medical Res Laboratory Fort Knox, Ky. 40121		
22. RESP. INDIV. Rose, LTC L. R.				23. INVESTIGATORS PRINCIPAL ASSOCIATE Luzzio, A. J., Ph. D.		
24. TEL. 202-OX 66082				25. TEL. 502-46645 TYPE DA		
26. TECHNOLOGY UTILIZATION				27. COORDINATION		
NA				NA		
28. KEYWORDS Immunology; Blood Groups; Pasteurella pestis; Antigens						
29. (U) Tech Objective - To determine the occurrence and location of human blood group-like-antigens in <u>P. pestis</u> , and to quantitate the hemolytic potency of serums from mammals immunized with isolated fractions of <u>P. pestis</u> .						
30. (U) Approach - Sera of rabbits immunized with isolated gross fractions from <u>P. pestis</u> will be quantitatively assayed for groups A, B and O human red blood cell hemolysins. The analysis of samples collected at various times following immunization will establish immune response curves that will determine the induction period, peak titers, and persistence of hemolysins for each of the antigen-antibody systems studied. In addition, the data will determine whether blood group-like-antigens of <u>P. pestis</u> occur in the capsular or somatic portion of the cell.						
31. (U) Progress (1 Apr 67 - 30 Jun 67) - Rabbits pre-immunized with human Group A Blood cells are currently being immunized with gross fractions prepared from commercial <u>Pasteurella pestis</u> vaccine. Sera from normal rabbits and rabbits injected with human Group A red blood cells have been quantitatively assayed to determine the immune response curves that will be basic in characterizing the systems being studied.						
32. COMMUNICATIONS SECURITY		33.		34. ORG CODE		35. BUDGET CODE
<input type="checkbox"/> SCHEME DELAYED <input checked="" type="checkbox"/> RELATE				AR		1
36. MISSION OBJECTIVE				37. PARTICIPATION		
NA				NA		
38. REQUESTING AGENCY				39. SPECIAL EQUIPMENT		
40. EST. FUNDS (in thousands)				41.		

A821 00 163 (cont)

Detail Sheet # 1

Publications and/or Presentations:

None.

Selected Bibliography:

Kabat, E. A. and M. M. Mayer. Experimental Immunochemistry. Springfield Ill.: Charles C. Thomas, 1948.

Raffel, S. Immunity. New York: Appleton-Century-Crofts, Inc., 1961.

RESEARCH AND TECHNOLOGY RESUME				1. GOVT ACCESSION	2. AGENCY ACCESSION	3. REPORT CONTROL SYMBOL
4. DATE OF RESUME 24 07 67	5. KIND OF RESUME D. CHANGE 24 04 67	6. SECURITY U U RNY VNA	7. MARKING NA	8. RELEASE LIMITATION NL	9. DA 0A 6110	10. CSCRD-103
11a. CURRENT NUMBER/CODE 62156011 3A025601A821 00 164				11b. PRIOR NUMBER/CODE NO CHANGE		
11. TITLE: (U) Evaluation of Methods and Models for Measuring Transfusion Effects and Practices						
12. SCIENTIFIC OR TECH. AREA 002300 Biochemistry 003500 Clinical Medicine 012900 Physiology				13. START DATE 04 67	14. CRIT. COMPL. DATE NA	15. FUNDING AGENCY OTHER DA
16. PROCEDURE METHOD C. In-House	17. CONTRACT/GRANT a. NUMBER NA b. TYPE		18. RESOURCES EST. a. PRIOR FY 67 b. CURRENT FY 68		19. PROFESSIONAL MAN-YEARS 1	20. FUNDS (In thousands) 30
18. GOVT LAB/INSTALLATION/ACTIVITY NAME ADDRESS Headquarters US Army Medical Res & Dev Command Washington, D. C. 20315 RESP. INDV. Rose, LTC L. R. TEL. 202-OX 66082			19. PERFORMING ORGANIZATION NAME ADDRESS US Army Medical Res Laborator Fort Knox, Ky. 40121 Bunn, CPT H. F. Litwin, CPT S. D. Shields, LTC C. E. TEL. 502-45348 TYPE DA			
21. TECHNOLOGY UTILIZATION NA			22. COORDINATION NA			
23. KEYWORDS Blood; Blood Transfusion; Transfusion Effects; Transfusion Test Methods						
24. (U) Tech Objective - Develop a generally applicable testing system to measure the effects of transfusion, with and without selected additives, and to test methods and equipment used in transfusion therapy. (U) Approach - Biochemical tests available will be compared to new programs and baseline values on selected animal species will be obtained. Correlation will be made between <u>in vitro</u> tests and <u>in vivo</u> survival. Once baselines are established, experimental variations will be studied. Tests in areas of immunohematology and coagulation will also be included where applicable. (U) Progress (24 Apr 67 - 30 Jun 67) - Very preliminary experimentation has been carried out defining the effects of hemoglobin in the renal system suggesting that hemoglobin per se is excreted in several forms.						
27. COMMUNICATIONS SECURITY <input type="checkbox"/> SOURCE RELATED <input checked="" type="checkbox"/> NOT RELATED		28.	29. FED CODE A		30. BUDGET CODE 1	
31. MISSION OBJECTIVE NA			32. PARTICIPATION NA			
33. REQUESTING AGENCY		34. SPECIAL EQUIPMENT				
35. EST. FUNDS (In thousands) CPV41						

DD FORM 1498A

(Items 1 to 26 identical to NASA Form 1193)

112

A821 00 164 (cont)

Detail Sheet # 1

Publications and/or Presentations:

None.

Selected Bibliography:

Bunn, H. F. and G. D. Lubash. A controlled study of induced diuresis in barbiturate intoxication. *Ann. Int. Med.* 62: 246-251, 1965.

Bunn, H. F., G. D. Lubash, K. H. Stenzel, and A. Rubin. Limited success of intermittent dialysis in chronic renal disease. *JAMA*, 188: 785-790, 1964.

Bunn, H. F. and J. H. Jandl. Dynamic exchange of hemes between hemoglobins. *J. Clin. Invest.* 45: 993, 1966.

Bunn, H. F. and J. H. Jandl. Exchange of heme among hemoglobin molecules. *National Acad. Sci.* 56(3): 974-978, 1966.

OTHER USAMRL PUBLICATIONS*

Cadwallader, T. C. The effects of increased CS duration in extinction of a conditioned avoidance response. USAMRL Report No. 721, 1967 (DDC AD No. 649257).

Evans, W. O. "Emergence" as opposed to "the proliferation of constructs." USAMRL Report No. 684, 1966 (DDC AD No. 647147).

Flick, D. F., J. B. Scott, and R. A. Hardin. Preliminary observations on the reversal of hypovolemia with intravenous fat emulsion. Proc. Soc. Exper. Biol. and Med. 124: 793, 1967.

Flowers, H. H. A comparison of the neutralization ability of a heterologous vs. homologous coral snake (Micrurus fulvius) venom. USAMRL Report No. 714, 1967; Amer. J. Trop. Med. Hyg. 15: 1003, 1966.

Luzzio, A. J. Inhibitory properties of serum proteins on the enzymatic sequence leading to lysis of red blood cells by snake venom. USAMRL Report No. 717, 1967 (DDC AD No. 647597).

Spoerl, E. S. and W. S. Pfeiffer. Iodoacetate inhibition of galactoside transport. USAMRL Report No. 683, 1966 (DDC AD No. 645187).

*Work done under projects/tasks/work units of prior years; articles published in FY 1967.

DISTRIBUTION LIST

20 copies:

Defense Documentation Center, Cameron Station, Alexandria,
Virginia 22314

10 copies:

US Army Medical Research and Development Command, De-
partment of the Army, Washington, D. C. 20315

1 copy:

US Army Combat Development Command, Medical Service
Agency, Brooke Army Medical Center, Fort Sam Houston,
Texas 78234

Walter Reed Army Institute of Research, WRAMC, Washington,
D. C. 20012

US Army Medical Equipment Research and Development Lab-
oratory, Fort Totten, Flushing, Long Island, New York 11359

US Army Medical Biomechanical Research Laboratory, WRAMC,
Forest Glen Section, Washington, D. C. 20012

US Army Medical Research and Nutrition Laboratory, Fitzsimons
General Hospital, Denver, Colorado 80240

US Army Research Institute of Environmental Medicine, US
Army Natick Laboratories, Natick, Massachusetts 01762

US Army Aeromedical Research Unit, US Army Aviation Center,
Fort Rucker, Alabama 36362

The Historical Unit, US Army Medical Service, Forest Glen
Section, WRAMC, Washington, D. C. 20012

Technical Director of Research, Armed Forces Institute of
Pathology, Washington, D. C. 20012

Commanding Officer, US Army Environmental Health Agency,
Edgewood Arsenal, Maryland 21041

Director of Medical Research, US Army Chemical Research
and Development Laboratories, Edgewood Arsenal, Maryland
21041

US Continental Army Command, ATTN: Surgeon, Fort Monroe,
Virginia 23351

First United States Army Medical Laboratory, Fort George G.
Meade, Maryland 20755

Third United States Army Medical Laboratory, Fort McPherson,
Georgia 30330

Fourth United States Army Medical Laboratory, BAMC, Fort
Sam Houston, Texas 78234

Fifth United States Army Medical Laboratory, 12th and Spruce
Streets, St. Louis, Missouri 63102

Sixth United States Army Medical Laboratory, Fort Baker,
California 94965

Commanding Officer, Medical General Laboratory (406), APO,
San Francisco, California 96343

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) US Army Medical Research Laboratory Fort Knox, Kentucky 40121		6a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
2. REPORT TITLE ANNUAL PROGRESS REPORT, FY 1967			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Progress Report (1 July 1966 - 30 June 1967)			
5. AUTHOR(S) (First name, middle initial, last name)			
6. REPORT DATE 30 June 1967	7a. TOTAL NO. OF PAGES 118	7b. NO. OF REFS -	
14. CONTRACT OR GRANT NO. A. PROJECT NO. C. D.		8b. ORIGINATOR'S REPORT NUMBER(S) Annual Progress Report, FY 1967 RCS MEDDH-288(R1)	
8c. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)			
10. DISTRIBUTION STATEMENT D			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY US Army Medical Research and Development Command, Washington, D.C. 20315	
13. ABSTRACT The research and development effort at the US Army Medical Research Laboratory, Fort Knox, Kentucky, is devoted to psychological studies of the soldier; laser radiation; methodology relating to the collection, processing, preservation, shipment and transfusion of human blood; the health of laboratory animals; and detoxification of snake venom. (U) The progress during Fiscal Year 1967 and the current status of the various work units are reported herein. (U)			

DD FORM 1473

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

UNCLASSIFIED

Security Classification

UNCLASSIFIED

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Vision						
Human Factors						
Audition						
Animals						
Fibrinolysis						
Laser						
Hearing Loss						
Hormones						
Enzyme Synthesis						
Antibody						
Snake Bites						
Snakes, Poisonous						
Color Vision						
Vestibular Apparatus						
Biophysics						
Instrumentation						
Diseases of Animals						
Blood Banks						
Blood Donors						
Blood Groups						
Blood Transfusion						
Adenine						
Automation						
Disorientation						
Neurophysiology						
Annual Progress Report						

UNCLASSIFIED

Security Classification