

DOCUMENTS

D203. 26/2


69-37

Ad 854 734

IR NO. 69-37

INFORMAL REPORT

OCEANOGRAPHIC CRUISE SUMMARY  
BAFFIN BAY-DAVIS STRAIT-  
LABRADOR SEA, SUMMER 1968



80070 122032

LIBRARY

JUL 27 1971

MAY 1969

U. S. NAVAL ACADEMY

This document has been approved for public release and sale; its distribution is unlimited.

NAVAL OCEANOGRAPHIC OFFICE  
WASHINGTON, D. C. 20390

## INFORMAL REPORT

The Informal Report (IR) as produced at the Naval Oceanographic Office is a means for personnel to issue timely scientific and technical preliminary reports of their investigations. These are primarily informal documents used to report preliminary findings or useful byproducts of investigations and work to members of the scientific and industrial communities.

Informal Reports are assigned sequential numbers for each calendar year; the digits preceding the dash indicate the year.

The distribution made of this report is determined primarily by the author. Information concerning obtaining additional copies or being placed on a distribution list for all future Informal Reports in a given area of interest or specialty field, should be obtained from:

Distribution Control Department  
Code 4420  
Naval Oceanographic Office  
Washington, D. C. 20390

**ABSTRACT**

The USCGC EASTWIND made an oceanographic survey of the Baffin Bay area during the summer of 1968. Ice potential stations were occupied in support of NAVOCEANO's East Arctic Ice Forecasting Program. Additional Nansen cast stations were taken to assist the U.S. Coast Guard in their continual monitoring of the Labrador Current.

A comparison of the temperature and salinity data obtained on the EASTWIND survey with data obtained on a similar cruise by USCGC EDISTO in 1967 seems to indicate that during both years the cooling season had begun prior to the survey.

**KENNETH A. COUNTRYMAN**  
Nearshore Surveys Division  
Oceanographic Surveys Department

This report has been reviewed and is approved for release as an UNCLASSIFIED Informal Report.

  
**L. B. BERTHOLF**  
Director, Nearshore Surveys Division

## CONTENTS

Page

I.	PREVIOUS KNOWLEDGE OF THE REGION.....	1
II.	OBJECTIVES OF THE SURVEY.....	1
III.	NARRATIVE OF THE SURVEY.....	1
IV.	METHODS OF COLLECTION AND ANALYSIS.....	1
	1. Temperature.....	1
	2. Sample Depth.....	1
	3. Bathythermographs.....	1
	4. Salinity.....	2
V.	DISPOSITION OF DATA.....	2
VI.	PRELIMINARY ANALYSES.....	2
VII.	RECOMMENDATIONS FOR ADDITIONAL WORK.....	2

## FIGURES

1.	Oceanographic Station Locations occupied by EASTWIND.....	3
2.	Comparison of Temperature and Salinity Data obtained by EASTWIND and EDISTO.....	5
3.	Comparison of Temperature and Salinity Data obtained by EASTWIND and EDISTO.....	6
4.	Comparison of Temperature and Salinity Data obtained by EASTWIND and EDISTO.....	6
5.	Comparison of Temperature and Salinity Data obtained by EASTWIND and EDISTO.....	7

## TABLE

EASTWIND Data Collection Summary.....	4
---------------------------------------	---

## I. PREVIOUS KNOWLEDGE OF THE REGION

The Labrador Sea, Baffin Bay, and Davis Strait areas are characterized by relatively warm, north setting surface currents in their eastern reaches and cold, south setting currents near their western shores. Towards the center of these areas, surface currents tend to be zonal and not as well developed as those found in the eastern and western boundaries. Waters originating in the Arctic Basin flow into the Labrador Sea-Baffin Bay area through Hudson Strait, Lancaster Sound, Jones Sound, and Smith Sound. Strong currents are sometimes encountered in the vicinity of Lancaster Sound and Hudson Strait.

Surface temperatures and salinities generally are low throughout most of the region. Maximum temperatures and salinities are associated with waters from the Atlantic Ocean. However, temperatures higher than 6°C are not common, and north of Davis Strait salinities rarely exceed 35 ‰.

## II. OBJECTIVES OF THE SURVEY

Established ice potential stations in the Labrador Sea, Baffin Bay, and Davis Strait areas were to be occupied in support of NAVOCEANO's continuing East Arctic Ice Forecasting Program and additional Nansen cast stations were to be taken to assist the U.S. Coast Guard in their continual monitoring of the Labrador Current.

## III. NARRATIVE OF THE SURVEY

The NAVOCEANO survey team boarded USCGC EASTWIND (WAGB 279) at Thule, Greenland, on 27 September 1968. A total of 59 oceanographic stations (Fig. 1) was occupied between 29 September and 28 October (operation number 929015). During this time, a 10-day delay occurred when EASTWIND assisted in a submarine cable repair. Data collected at each station are shown in Table I.

## IV. METHODS OF COLLECTION AND ANALYSIS

1. Temperature. Protected deep sea reversing thermometers, with a range of -2° to 10°C, were used to obtain in situ water temperatures. Agreement between temperature readings of the paired thermometers was normally 0.06°C or better.

2. Sample Depth. Thermometric depths were determined by the L-Z method described in N.O.O. Pub. 607 using meter wheel readings, wire angles, and unprotected thermometers with a range of -2° to 30°C.

3. Bathythermographs. A deep range (900 ft) mechanical BT was used to obtain temperature versus depth profiles before each ice forecast station.

4. Salinity. Salinities were determined with a Bisset-Berman (Model 6220) inductive salinometer. Duplicate determinations were run on each sample, and if the difference between determinations was greater than 0.004‰ additional runs were made. The salinometer was standardized with standard sea water before and after each series of determinations. The salinity analyses are estimated to have an accuracy of +0.01‰ in most instances.

#### V. DISPOSITION OF DATA

All data have been filed at the National Oceanographic Data Center, under cruise reference number 311353.

#### VI. PRELIMINARY ANALYSES

Salinity and temperature versus depth diagrams (Figs. 2 through 5) were drawn for selected stations to compare the hydrographic conditions encountered by EASTWIND with those of the 1967 ice forecasting survey done by USCGC EDISTO (WAGB 284). Each of the comparative figures show lower surface temperatures on the station occupied at the later date. At stations 28 and 39, lower temperatures existed throughout the water column (Figs. 3 and 5).

Overall, variations in the data appear to be the result of local conditions, and no annual variations can be readily deduced. The data seem to indicate that during both years the cooling season had begun prior to the survey period.

#### VII. RECOMMENDATIONS FOR ADDITIONAL WORK

The NAVOCEANO ice forecasters have recommended that additional studies be made of the currents and water masses entering the Baffin Bay area to assist them in the prognostication of ice conditions for their annual ice outlook. Davis Strait was surveyed in July and August 1968 (IR-68-117), but yet to be investigated are Hudson Strait, Lancaster Sound, Jones Sound, and Smith Sound. Seasonal data on both the currents and water structure also would be helpful.




FIGURE 1. OCEANOGRAPHIC STATION LOCATIONS OCCUPIED BY EASTWIND

TABLE 1. EASTWIND DATA COLLECTION SUMMARY

Stat. No.	Sonic Depth (Meters)	Sample Depth (Meters)	Temp. Sal.	BT
1	683	468	✓	
2	279	270	✓	✓
3	649	350	✓	✓
4	603	300	✓	✓
5	950	262	✓	✓
6	900	300	✓	✓
7	815	300	✓	✓
8	1,060	300	✓	✓
9	1,646	300	✓	✓
10	155	140	✓	✓
11	205	183	✓	✓
12	759	292	✓	✓
13	744	289	✓	✓
14	292	211	✓	✓
15	300	200	✓	✓
16	190	150	✓	✓
17	190	150	✓	✓
18	660	317	✓	✓
19	2,200	216	✓	✓
20	795	317	✓	✓
21	2,000	287	✓	✓
22	2,330	308	✓	✓
23	677	290	✓	✓
24	137	104	✓	✓
25	330	264	✓	✓
26	420	300	✓	✓
27	731	275	✓	✓
28	90	75	✓	✓
29	442	265	✓	✓
30	2,222	325	✓	✓
31	538	300	✓	✓
32	365	271	✓	✓
33	137	100	✓	✓
34	118	110	✓	✓
35	3,000	280	✓	✓
36	242	223	✓	✓
37	2,470	310	✓	✓
38	201	181	✓	✓
39	219	197	✓	✓
40*	164	143	✓	✓
41*	164	145	✓	✓
42*	201	185	✓	✓
43*	385	400	✓	✓
44*	3,063	2,569	✓	✓
45*	3,475	3,254	✓	✓
46*	3,658	3,629	✓	✓
47*	3,658	3,497	✓	✓
48*	3,475	3,405	✓	✓
49*	3,383	3,350	✓	✓
50*	2,853	2,758	✓	✓
51*	2,560	2,540	✓	✓
52*	2,434	2,382	✓	✓
53*	1,829	1,399	✓	✓
54*	128	102	✓	✓
55	2,195	323	✓	✓
56	1,350	325	✓	✓
57	475	306	✓	✓
58	823	312	✓	✓
59	421	274	✓	✓

\* Coast Guard Station






FIGURE 2. COMPARISON OF TEMPERATURE AND SALINITY DATA OBTAINED BY EASTWIND AND EDISTO




FIGURE 3. COMPARISON OF TEMPERATURE AND SALINITY DATA OBTAINED BY EASTWIND AND EDISTO




FIGURE 4. COMPARISON OF TEMPERATURE AND SALINITY DATA OBTAINED BY EASTWIND AND EDISTO




FIGURE 5. COMPARISON OF TEMPERATURE AND SALINITY DATA OBTAINED BY EASTWIND AND EDISTO

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)  U.S. NAVAL OCEANOGRAPHIC OFFICE	2a. REPORT SECURITY CLASSIFICATION  UNCLASSIFIED
	2b. GROUP

3. REPORT TITLE  
  
OCEANOGRAPHIC CRUISE SUMMARY  
BAFFIN BAY - DAVIS STRAIT - LABRADOR SEA. SUMMER 1968

4. DESCRIPTIVE NOTES (Type of report and inclusive dates)  
Oceanographic Cruise Summary Informal Report 29 September - 28 October 1968

5. AUTHOR(S) (First name, middle initial, last name)  
  
KENNETH A. COUNTRYMAN

6. REPORT DATE May 1969	7a. TOTAL NO. OF PAGES 7	7b. NO. OF REFS
----------------------------	-----------------------------	-----------------

8a. CONTRACT OR GRANT NO.  b. PROJECT NO. 102  c.  d.	9a. ORIGINATOR'S REPORT NUMBER(S)  IR No. 69-37
	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)

10. DISTRIBUTION STATEMENT  
  
Distribution of this document is unlimited.

11. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY ACTIVITY  U.S. Naval Oceanographic Office
-------------------------	---

13. ABSTRACT

The USCGC EASTWIND made an oceanographic survey of the Baffin Bay area during the summer of 1968. Ice potential stations were occupied in support of NAVOCEANO's East Arctic Ice Forecasting Program. Additional Nansen cast stations were taken to assist the U.S. Coast Guard in their continual monitoring of the Labrador Current.

A comparison of the temperature and salinity data obtained on the EASTWIND survey with data obtained on a similar cruise by USCGC EDISTO in 1967 seems to indicate that during both years the cooling season had begun prior to the survey.

14.

KEY WORDS

LINK A

LINK B

LINK C

ROLE

WT

ROLE

WT

ROLE

WT

OCEANOGRAPHIC CRUISE SUMMARY  
BAFFIN BAY - DAVIS STRAIT - LABRADOR SEA  
USCGC EASTWIND (WAGB 279)  
EAST ARCTIC ICE FORECASTING PROGRAM  
LABRADOR CURRENT