

AFRL-AFOSR-VA-TR-2015-0380

Computational Imaging in Demanding Conditions

Peyman Milanfar UNIVERSITY OF CALIFORNIA SANTA CRUZ

11/18/2015 Final Report

DISTRIBUTION A: Distribution approved for public release.

Air Force Research Laboratory AF Office Of Scientific Research (AFOSR)/ RTB1 Arlington, Virginia 22203 Air Force Materiel Command

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188		
maintaining the data needed, and completing and reviewing the suggestions for reducing the burden, to the Department of Department of Department of a person shall be subject to any penalty for failing to comply with a PLEASE DO NOT RETURN YOUR FORM TO	e collection of information. Send co fense, Executive Service Directora a collection of information if it does ITHE ABOVE ORGANIZAT	mments regarding thi ate (0704-0188). Res not display a currently	s burden estir pondents sho			
1. REPORT DATE (<i>DD-MM-YYYY</i>) 2. REF 14-11-2015	PORT TYPE Final			3. DATES COVERED (From - To) 08-14-2010 to 08-14-2015		
4. TITLE AND SUBTITLE	1 Indi		5a. CONTRACT NUMBER			
Computational Imaging in Demanding Condition	ons			FA9550-11-1-0227		
			5b. GRANT NUMBER			
			FA9550-11-1-0227			
			5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)			5d PRO	JECT NUMBER		
Peyman Milanfar						
Department of Electrical Engineering			5e. TAS	SKNUMBER		
University of California, Santa Cruz			5f. WORK UNIT NUMBER			
7. PERFORMING ORGANIZATION NAME(S) A				8. PERFORMING ORGANIZATION		
University of California, Santa Cruz,				REPORT NUMBER		
1156 High Street, Santa Cruz, CA 95064				1		
				1		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)			
				AFOSR		
				11. SPONSOR/MONITOR'S REPORT		
				NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMEN	IT					
OK for public release. DISTRIBUTION A						
13. SUPPLEMENTARY NOTES						
None						
14. ABSTRACT In this project, we addressed some of the most	challenging vet seldom s	tudied open pro	blems in i	image and video enhancement of interest to the		
In this project, we addressed some of the most challenging, yet seldom studied, open problems in image and video enhancement of interest to the Air Force; namely, the removal of disturbances due to demanding physical and environmental conditions. We considered degradations of interest						
that can be caused by a number of different physical phenomena (often occurring simultaneously) which are commonly encountered in practice.						
15. SUBJECT TERMS Image processing, Computational imaging, turbulence, blur, enhancement						
hings processing, computational integring, taroateneo, otar, ennancement						
16. SECURITY CLASSIFICATION OF:	17. LIMITATION OF		19a. NAM	IE OF RESPONSIBLE PERSON		
a. REPORT b. ABSTRACT c. THIS PAGE	ABSTRACT	OF PAGES	Deirdre Beach, Grants Officer, UC Santa Cruz			
			19b. TELEPHONE NUMBER (Include area code) (831)459-2778			
				Standard Form 298 (Rev. 8/98)		
				Reset Prescribed by ANSI Std. Z39.18 Adobe Professional 7.0		

INSTRUCTIONS FOR COMPLETING SF 298

1. REPORT DATE. Full publication date, including day, month, if available. Must cite at least the year and be Year 2000 compliant, e.g. 30-06-1998; xx-06-1998; xx-xx-1998.

2. REPORT TYPE. State the type of report, such as final, technical, interim, memorandum, master's thesis, progress, quarterly, research, special, group study, etc.

3. DATES COVERED. Indicate the time during which the work was performed and the report was written, e.g., Jun 1997 - Jun 1998; 1-10 Jun 1996; May - Nov 1998; Nov 1998.

4. TITLE. Enter title and subtitle with volume number and part number, if applicable. On classified documents, enter the title classification in parentheses.

5a. CONTRACT NUMBER. Enter all contract numbers as they appear in the report, e.g. F33615-86-C-5169.

5b. GRANT NUMBER. Enter all grant numbers as they appear in the report, e.g. AFOSR-82-1234.

5c. PROGRAM ELEMENT NUMBER. Enter all program element numbers as they appear in the report, e.g. 61101A.

5d. PROJECT NUMBER. Enter all project numbers as they appear in the report, e.g. 1F665702D1257; ILIR.

5e. TASK NUMBER. Enter all task numbers as they appear in the report, e.g. 05; RF0330201; T4112.

5f. WORK UNIT NUMBER. Enter all work unit numbers as they appear in the report, e.g. 001; AFAPL30480105.

6. AUTHOR(S). Enter name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. The form of entry is the last name, first name, middle initial, and additional qualifiers separated by commas, e.g. Smith, Richard, J, Jr.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES). Self-explanatory.

8. PERFORMING ORGANIZATION REPORT NUMBER. Enter all unique alphanumeric report numbers assigned by the performing organization, e.g. BRL-1234; AFWL-TR-85-4017-Vol-21-PT-2.

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES). Enter the name and address of the organization(s) financially responsible for and monitoring the work.

10. SPONSOR/MONITOR'S ACRONYM(S). Enter, if available, e.g. BRL, ARDEC, NADC.

11. SPONSOR/MONITOR'S REPORT NUMBER(S). Enter report number as assigned by the sponsoring/ monitoring agency, if available, e.g. BRL-TR-829; -215.

12. DISTRIBUTION/AVAILABILITY STATEMENT. Use agency-mandated availability statements to indicate the public availability or distribution limitations of the report. If additional limitations/ restrictions or special markings are indicated, follow agency authorization procedures, e.g. RD/FRD, PROPIN, ITAR, etc. Include copyright information.

13. SUPPLEMENTARY NOTES. Enter information not included elsewhere such as: prepared in cooperation with; translation of; report supersedes; old edition number, etc.

14. ABSTRACT. A brief (approximately 200 words) factual summary of the most significant information.

15. SUBJECT TERMS. Key words or phrases identifying major concepts in the report.

16. SECURITY CLASSIFICATION. Enter security classification in accordance with security classification regulations, e.g. U, C, S, etc. If this form contains classified information, stamp classification level on the top and bottom of this page.

17. LIMITATION OF ABSTRACT. This block must be completed to assign a distribution limitation to the abstract. Enter UU (Unclassified Unlimited) or SAR (Same as Report). An entry in this block is necessary if the abstract is to be limited.

Final Report

AFOSR Grant FA9550-11-1-0227

"Computational Imaging in Demanding Conditions"

Peyman Milanfar, Principal Investigator University of California, Santa Cruz, 95064

Summary:

In this project, we addressed some of the most challenging, yet seldom studied, open problems in image and video enhancement of interest to the Air Force; namely, the removal of disturbances due to demanding physical and environmental conditions. We considered degradations of interest that can be caused by a number of different physical phenomena (often occurring simultaneously) which are commonly encountered in practice. Such degradations include

- air turbulence, resulting in pictures which suffer from random, spatially varying, blur,
- complex motion blur due to the non-stationarity of the imaging platform or the objects being imaged, resulting in pictures with highly variable blur characteristics, and
- non-ideal lighting and depth-of-focus conditions, resulting in images containing variable blur and significant levels of noise.

To address these problems, we proposed a novel adaptive framework. Specifically, in the case when multiple images are available (such as turbulence imaging), we automatically select isoplanatically blurred regions (i.e., those blurred with short-support point-spread functions,) which can approximately be viewed as space-invariant. From these a sharp image can be estimated through adaptive non-parametric fusion, followed by deconvolution. Experiments proved that this method could significantly reduce the effect of turbulence in the acquired imagery. More generally, a special case of this technique is also applicable when only a single image is available, and hence the general idea is applicable to the other scenarios as well. Finally, although spatial deblurring is relatively well-understood by assuming that the blur kernel is shift-invariant, spatially varying motion blur is not so when we attempt to deconvolve this motion blur on a frame-by-frame basis: this is because, in general, videos include complex, multi-layer transitions. Indeed, we face an exceedingly difficult problem in motion deblurring of a single frame when the scene contains multiple motions or occlusions. Instead of deblurring video frames individually, a fully 3-D deblurring method is proposed here. Most importantly, due

to its inherent locally adaptive nature, the proposed approach is capable of automatically deblurring the parts of the sequence which are motion blurred, without segmentation, and without adversely affecting the rest of the spatiotemporal domain where such blur is not present.

Detailed Accomplishments:

- Removing Atmospheric Turbulence via Space-Invariant Deconvolution:
 - To correct geometric distortion and reduce space and time-varying blur, a new approach is proposed capable of restoring a single high-quality image from a given image sequence distorted by atmospheric turbulence. This approach reduces the space and time-varying deblurring problem to a shift invariant one. It first registers each frame to suppress geometric deformation through B-spline-based nonrigid registration. Next, a temporal regression process is carried out to produce an image from the registered frames, which can be viewed as being convolved with a space invariant near-diffraction-limited blur. Finally, a blind deconvolution algorithm is implemented to deblur the fused image, generating a final output. Experiments using real data illustrate that this approach can effectively alleviate blur and distortions, recover details of the scene, and significantly improve visual quality
 - Also see related talk , Project page , Software package



- Estimating Spatially Varying Defocus Blur from A Single Image
 - Estimating the amount of blur in a given image is important for computer vision applications. More specifically, the spatially varying defocus point-spread-functions (PSFs) over an image reveal geometric information of the scene, and their estimate can also be used to recover an all-in-focus image. A

PSF for a defocus blur can be specified by a single parameter indicating its scale. Most existing algorithms can only select an optimal blur from a finite set of candidate PSFs for each pixel. Some of those methods require a coded aperture filter inserted in the camera. In this paper, we present an algorithm estimating a defocus scale map from a single image, which is applicable to conventional cameras. This method is capable of measuring the probability of local defocus scale in the continuous domain. It also takes smoothness and color edge information into consideration to generate a coherent blur map indicating the amount of blur at each pixel. Simulated and real data experiments illustrate excellent performance and its successful applications in foreground/background segmentation.



- Robust Flash Denoising/Deblurring by Iterative Guided Filtering
 - A practical problem addressed recently in computational photography is that of 0 producing a good picture of a poorly lit scene. The consensus approach for solving this problem involves capturing two images and merging them. In particular, using a flash produces one (typically high signal-to-noise ratio [SNR]) image and turning off the flash produces a second (typically low SNR) image. In this article, we present a novel approach for merging two such images. Our method is a generalization of the guided filter approach of He et al., significantly improving its performance. In particular, we analyze the spectral behavior of the guided filter kernel using a matrix formulation, and introduce a novel iterative application of the guided filter. These iterations consist of two parts: a nonlinear anisotropic diffusion of the noisier image, and a nonlinear reaction-diffusion (residual) iteration of the less noisy one. The results of these two processes are combined in an unsupervised manner. We demonstrate that the proposed approach outperforms state-of-the-art methods for both flash/no-flash denoising, and deblurring.
 - Also see related project page.

Flash

No Flash



Proposed



Nonlocal Image Editing

- We introduce a new image editing tool based on the spectrum of a global filter computed from image affinities. Recently, it has been shown that the global filter derived from a fully connected graph representing the image can be approximated using the Nyström extension. This filter is computed by approximating the leading eigenvectors of the filter. These orthonormal eigenfunctions are highly expressive of the coarse and fine details in the underlying image, where each eigenvector can be interpreted as one scale of a data-dependent multiscale image decomposition. In this filtering scheme, each eigenvalue can boost or suppress the corresponding signal component in each scale. Our analysis shows that the mapping of the eigenvalues by an appropriate polynomial function endows the filter with a number of important capabilities, such as edge-aware sharpening, denoising, tone manipulation, and abstraction, to name a few. Furthermore, the edits can be easily propagated across the image.
- Also see related (<u>Project Webpage</u>)



- A General Framework for Regularized, Similarity-based Image Restoration
 - Any image can be represented as a function defined on a weighted graph, in which the underlying structure of the image is encoded in kernel similarity and associated Laplacian matrices. We developed an iterative graph-based framework for image restoration based on a new definition of the normalized graph Laplacian. We proposed a cost function, which consists of a new data fidelity term and regularization term derived from the specific definition of the normalized graph Laplacian. The normalizing coefficients used in the definition of the Laplacian and associated regularization term are obtained using fast symmetry preserving matrix balancing. This results in some desired spectral properties for the normalized Laplacian such as being symmetric, positive semidefinite, and returning zero vector when applied to a constant image. The proposed approach is general in the sense that we have shown its effectiveness for different restoration problems, including deblurring, denoising, and sharpening. Experimental results verify the effectiveness of the proposed algorithm on both synthetic and real examples.



- Pushing back the limits of Raman imaging by coupling super-resolution and chemometrics for aerosols characterization
 - 0 The increasing interest in nanoscience in many research fields like physics, chemistry, and biology, including the environmental fate of the produced nano-objects, requires instrumental improvements to address the sub-micrometric analysis challenges. The originality of our approach is to use both the super-resolution concept and multivariate curve resolution (MCR-ALS) algorithm in confocal Raman imaging to surmount its instrumental limits and to characterize chemical components of atmospheric aerosols at the level of the individual particles. We demonstrate the possibility to go beyond the diffraction limit with this algorithmic approach. Indeed, the spatial resolution is improved by 65% to achieve 200 nm for the considered far-field spectrophotometer. A multivariate curve resolution method is then coupled with super-resolution in order to explore the heterogeneous structure of submicron particles for describing physical and chemical processes that may occur in the atmosphere. The proposed methodology provides new tools for sub-micron characterization of heterogeneous samples using far-field (i.e. conventional) Raman imaging spectrometer.



Super-resolution image of Si @ 520,7 cm⁻¹



Additional Synergistic Activities and Accomplishments

- Distinguished Lecturer, IEEE Signal Processing Society
- Elected Fellow of the IEEE
- Supported and Graduated 5 Ph.D. Students, 2 M.S. Students
- Presented many plenary and keynote speeches, including:
 - (2015) *Plenary*, International Conference on Multimedia and Exposition, Torino
 - (2015) *Keynote*, SPIE Conference on Digital Image Processing, San Francisco
 - $\circ~$ (2014) Keynote, Workshop on Co-design of hybrid imaging systems, Paris
 - (2014) *Plenary*, SPIE Optics and Photonics Symposium, San Diego
 - o (2014) *Plenary*, Technion's TCE Symposium, Haifa
 - (2013) *Plenary*, Picture Coding Symposium
 - (2012) *Plenary*, Mathematics and Image Analysis Conference, Paris
 - o (2010) Keynote, Pacific Rim Symp. on Image and Video Technology, Singapore

1.

1. Report Type

Final Report

Primary Contact E-mail

Contact email if there is a problem with the report.

peyman.milanfar@gmail.com

Primary Contact Phone Number

Contact phone number if there is a problem with the report

6507431155

Organization / Institution name

University of California, Santa Cruz

Grant/Contract Title

The full title of the funded effort.

Computational Imaging in Demanding Conditions

Grant/Contract Number

AFOSR assigned control number. It must begin with "FA9550" or "F49620" or "FA2386".

FA9550-11-1-0227

Principal Investigator Name

The full name of the principal investigator on the grant or contract.

Peyman Milanfar

Program Manager

The AFOSR Program Manager currently assigned to the award

Arje Nachman

Reporting Period Start Date

08/14/2010

Reporting Period End Date

08/14/2015

Abstract

In this project, we addressed some of the most challenging, yet seldom studied, open problems in image and video enhancement of interest to the Air Force; namely, the removal of disturbances due to demanding physical and environmental conditions. We considered degradations of interest that can be caused by a number of different physical phenomena (often occurring simultaneously) which are commonly encountered in practice.

Distribution Statement

This is block 12 on the SF298 form.

Distribution A - Approved for Public Release

Explanation for Distribution Statement

If this is not approved for public release, please provide a short explanation. E.g., contains proprietary information.

SF298 Form

Please attach your SF298 form. A blank SF298 can be found here. Please do not password protect or secure the PDF The maximum file size for an SF298 is 50MB.

AFD-070820-035.pdf

Upload the Report Document. File must be a PDF. Please do not password protect or secure the PDF. The maximum file size for the Report Document is 50MB.

AFOSRFinalReport.pdf

Upload a Report Document, if any. The maximum file size for the Report Document is 50MB.

Archival Publications (published) during reporting period:

Changes in research objectives (if any):

Change in AFOSR Program Manager, if any:

Extensions granted or milestones slipped, if any:

AFOSR LRIR Number

LRIR Title

Reporting Period

Laboratory Task Manager

Program Officer

Research Objectives

Technical Summary

Funding Summary by Cost Category (by FY, \$K)

	Starting FY	FY+1	FY+2
Salary			
Equipment/Facilities			
Supplies			
Total			

Report Document

Report Document - Text Analysis

Report Document - Text Analysis

Appendix Documents

2. Thank You

E-mail user

Nov 06, 2015 19:46:06 Success: Email Sent to: peyman.milanfar@gmail.com