

#### Files are in Adobe format. Download the newest version from Adobe.

#### 46th Annual Gun & Missile Systems Conference & Exhibition

"Shaping Weapon Systems for Rapid Deployment: Development, Interoperability & Flexible Response"

Miami, FL

29 August - 1 September 2011

Agenda

Monday, August 29, 2011

#### **TUTORIAL B**

"Ready or not? Using Readiness Levels to Reduce Risk on the Path to Production", Mr. Dan Chien, Vice President, Engineering, General Dynamics Armament and Technical Products

#### Tuesday, August 30, 2011

#### **DIVISION UPDATE/2012 JOINT ARMAMENTS SYMPOSIUM**

Mr. Dave Broden, NDIA Armaments Division Chair; Broden Resource Solutions

#### **KEYNOTE ADDRESS:**

"Air and Missile Defense Overview", COL Cavalier, USA, Program Executive Officer, Missile and Space, U.S. Army

#### **KEYNOTE ADDRESS:**

"Close Air Support and Joint Operations", Mr. Andrew K. Balding, Associate, Booz Allen Hamilton

#### **KEYNOTE ADDRESS:**

"The Role of the Government Laboratory in Shaping Weapon Systems Development; An ARDEC Perspective", Mr. Anthony J. Sebasto, Senior Associate for Munitions, U.S. Army ARDEC

#### CONCURRENT SESSIONS

#### MONROE

#### - INDIRECT FIRES

- 11503 An Analysis of the Indirect Fires Portfolio of Munitions, Mr. Jim Rodrigue, Raytheon Land Combat
- 11830 Development of an Extended Range, Large Caliber, Modular Payload Projectile, Mr. Pierre-Antoine Rainville, GD-OTS, Canada
- 11528 XM1128 155mm Insensitive Munition (IM) High Explosive (HE) Extended Range Artillery Projectile, Mr. Ductri Nguyen, U.S. Army ARDEC
- 11511 Technologies Utilizing the M483 Carrier, Mr. George Kurzik, GD-OTS, Red Lion

#### - EMERGING TECHNOLOGIES: SYSTEMS

• 11586 - Introduction of Wireless and MEMs based MDevices into Fire Control Systems, Mr. Ralph Tillinghast, U.S. Army ARDEC

- 11641 Extended Area Protection and Survivability Program (EAPS), Mr. Manfredi Luciano, U.S. Army ARDEC
- 11720 Development of the Interceptor System for the Extended Area Protection & Survivability (EAPS), Mr. E. Mitchell Danielson, ATK, Plymouth

#### - REQUIREMENTS & PROGRAM TRENDS

- 11786 Naval Forces Capabilities Gap Against Swarm Attacks, Mr. Andrew Bradick, Rheinmetall
- 11861 U.S. Forces Light and Medium Mortar Ammunition Insensitive Munitions Path, Mr. Nick Baldwin, U.S. Army RDECOM-ARDEC
- 11863 IM Compliance for Mortar Illumination Cartridges, Mr. Thomas Peter, U.S. Army RDECOM-ARDEC
- 11482 Precision Guided Indirect Munitions Operational Evolution, Mr. Justin Skaret, Raytheon, Missile Systems
- 11792 Enhancing Convoy Security by Means of Rapid Deployable Weapons, Mr. Gerrie Van der Merwe, BAE Land Systems, South Africa

#### TUTTLE

#### – MODELING & SIMULATION I – DESIGN

- 11791 Gun Launch Dynamics Modeling-Benchmarking the State of the Art, Mr. Rollie Dohrn, ATK, Plymouth
- 11774 Gun Launch Dynamics and Aeroballistic Analysis via Onboard Laser Diode, Mr. Rollie Dohrn, ATK, Plymouth
- GD-OTS/Nammo 25 mm JSF Combat Ammunition, Mr. Zack Kemp, GD-OTS
- 11824 Design, Analysis and Weight Optimization Techniques for Joint Strike Fighter Missionized Gun Pod Support Equipment, Mr. Gary Miller, GD-ATP

#### - MODELING & SIMULATION II: TEST METHODS

- 11838 A Method for Assessing the Effects of Overpressure from Small/Medium Caliber Weapons Fire, Mr. Steven Backer, NSWC-Crane
- 11793 The Challenge of Environmental Testing of the Expeditionary Fighting Vehicle Ammunition Feed System Separate from the Expeditionary Fighting Vehicle, Mr. Ron Hopkins, GDATP

#### - TACTICAL ROCKETS & MISSILES

- 11808 Design Synthesis for Large Shaped Charges: From Requirements to Qualification, Mr. Jason Shire, Raytheon
- 11802 Use of COTS O-rings as a Pyrotechnic Safety Barrier in a Rocket Motor Ignition Safety Device, Mr. Brian Erickson, ATK, Plymouth
- 11756 Hellfire Integrated Blast Fragmentation Sleeve Multipurpose Warhead, Mr. Jonathan Thomas, GD-OTS

#### Wednesday, August 31, 2011

#### AWARDS LUNCHEON

#### 2011 Robert Trifiletti Award Winner

• Dr. Norbert D'Souza

#### **Combat Archer**

• Capt Jesse "Magoo" Proctor

#### CONCURRENT SESSIONS

#### MONROE

#### - ENERGETICS I

- 11822 Novel ARDEC Igniters for Gun Systems, Dr. Eugene Rozumov, U.S. Army ARDEC
- 11787 The Effects of Igniter Design on the Interior Ballistic Performance of Deterrent Coated Propellants, Dr. Thelma Manning, U.S. Army, RDECOM-ARDEC

#### – ENERGETICS II

- 11867 IM in the Field—Experience of Reduced Sensitivity Mortar Cartridges to Actual Combat Threat Stimuli, Ms. Pamela Ferlazzo, U.S. Army RDECOM-ARDEC
- 11537 Development and Manufacture of an Insensitive Composition B Replacement Explosive IMX-104 for Mortar Applications, Mr. Virgil Fung, BAE Systems Ordnance Systems Inc
- 11832 Development and Characterization of IM Gun Propellant for the 120mm Tank System, Mr. Duncan Park, U.S. Army RDECOM-ARDEC
- 11821 The Advance Case System (ACS) Program for 120mm Tank Training Ammo- Phase 2, Mr. Jeff Berg, ATK, Plymouth
- 11761 High Explosives Charges for Insensitive Artillery and Mortar Ammunitions: Performances, Technology, Producibility, Affordability, Dr. Bernard Zeller, SNPE

#### - DIRECT FIRES I

- 11747 Direct Fires & Precision Weapons for Rapid Deployment at the Modern Battlefield, Mr. Danny Schirding, Israel Military Industries, Ltd.
- 11725 Medium Calibre Goes in a New Direction, Mr. David Leslie, BAE Systems Global Combat Systems
- 11572 The Development and Testing of the Improved Kinetic Energy Electronic Time (IKE-ET) Round, Mr. Geoffrey Bland, NSWC Dahlgren
- 11809 Composite Sabot Technology for the 105mm Rifled Tank Gun System, Mr. Velan Mudaliar, U.S. Army RDECOM-ARDEC

#### - PRECISION WEAPONS

11719 - Common GPS: Development of the Subsystem Specification and ICD for the Common GPS Subsystem for the Family of Precision Guided Projectiles, Dr. Karl Flueckiger, Draper Laboratory

- 11635 Very Affordable Precision Projectile (VAPP) System and Flight Experiments, Mr. Christopher Stout, U.S. Army ARDEC
- 11459 Evolution of the EXCALIBUR Guided Projectile, Mr. Chris Geswender, Raytheon Missile Systems
- 11526 Precision Urban Mortar Attack (PUMA), Mr. Luke Steelman, NSWC Dahlgren
- 11788 Leveraging Proven Systems to Develop a Guided Mortar for APMI, Ms. Kelly Hanink, Program Manager, Projectile Systems ATK Advanced Weapons Division, Plymouth

#### TUTTLE

#### - EMERGING TECHNOLOGIES: MATERIALS & PROCESSES

- 11583 New PVD Processes for Durable Pollution-Free Ordnance, Dr. Sabrina Lee, U.S. Army, ARDEC
- 12179 The "Perfect" Time for an Upgrade to US Propellant, Mr. Donald Messner, ATK, Radford

#### - MODELING & SIMULATION III: SYSTEMS & MANUFACTURING

- 11648 System Analysis with Integrated Modeling and Optimization, Mr. Philip Brislin, U.S. Army ARDEC RDAR-MEM-L
- 11502 A Virtual Learning Environment for Precision Indirect Fires, Mr. Jon Peoble, Raytheon
- 11779 Next Generation Manufacturing & Modeling Technology, Mr. David Smith, U.S. Army Benet Laboratories

#### - NON-TRADITIONAL WEAPONS I

- 11840 Development of a Large Caliber Naval EM Railgun, Mr. Roger Ellis, Office of Naval Research
- 11841 Electromagnetic Railgun, a Multi-Mission Weapon System, Mr. Alan Kull, General Atomics
- 11828 Scalable Gen-Set for Directed Energy Weapons: Resolving the Power Problem, Mr. Bryan Bockmon, Rocky Mountain Scientific Laboratory

#### - NON-TRADITIONAL WEAPONS II

- 11509 Aggressor Suppression via the Use of Non-Lethal Projectiles and Launcher Systems, Mr. Dan Hartman, GD-OTS
- 11697 Netted Smart Precision Engagement Autonomous Rounds (NetSpears) for Navy and Army Weapons, Mr. Allan Vanuga, Raytheon Missile Systems
- 11781 Gun-Launched Aerial Precision Munition, Mr. Jay Canela & Mr. Lloyd Khuc, U.S. Army RDECOM-ARDEC
- 11525 Cannon Cluster Munition Replacement for 155mm Artillery Systems, Mr. Ryan Gorman, U.S. Army ARDEC
- 11644 Determination of the Shelf Life of MEMS Navigation- Grade Sensors through Use of Accelerated Aging Principles, Mr. James Sarruda, U.S. Army ARDEC

#### Thursday, September 1, 2011

#### CONCURRENT SESSIONS

#### MONROE

#### - EMERGING TECHNOLOGIES: AMMUNITION

- 11581 Precision Air Dropped Guided Munition (PADGM) System, Mr. Asad Khan, U.S. Army ARDEC
- 11759 Scalable Airburst Fuze Technology-Shaping the Future, Mr. Paul Reynolds, GD-OTS, Marion
- 11790 LW25 Programmable Air Burst Munitions, Mr. Donavan Gloude, ATK, Plymouth
- PRODAS GNC Trajectory System Simulation, Mr. Jeff Siewert, ArrowTech

#### - DIRECT FIRES II

- 11611 USMC EFV Program Cartridge Qualification and Integration Program Status, Maj Ian McDuffie, USMC, PM AAA
- 11615 30mm MK317 TPDS-T Cartridge Development and Qualification, Mr. James McConkie, ND5, Office of the Program Manager
- 11758 30mm x 173 Ammunition Suite—The Appropriate Response for Any Target, Mr. Rick Wright, GD-OTS
- 11800 LW30 Target Practice-Traced (TP-T) Ammunition, Mr. Kyle Nerison, ATK, Plymouth
- 11819 30 x 173mm TPDS-T Development, Mr. Donavan Gloude, ATK, Plymouth

#### TUTTLE

#### - PLATFORM & WEAPON SYSTEM INTEGRATION

- 11681 Next-Gen Fire Control: Free Software & Video Game Math, Mr. Marc Santoro, NSWC Dahlgren
- 11777 Development of a Moveable Weapon Mount System for the CH47 Helicopter, Mr. Michael Colonnello, U.S. Army ARDEC
- 11584 Rapid Integration of the M197 onto the MH-60S, Mr. Joseph Burkart, NSWC Crane
- 11660 Gun Weapon System (GWS) MK 48 for USCG Legends Class Cutters, Ms. Kaye Aswegan, NSWC Dahlgren

#### - ARMAMENT SUBSYSTEMS

- 11799 Developing Reliable Software in a Rapid Deployment Product, Mr. Steve Gunderson, ATK, Plymouth
- 11823 M197 Weapon Command and Control System for the MH-60S, Mr. William Reed, U.S. Navy
- 11804 Pivoting Coupling—Army's Greatest Invention, Mr. Steve Kotefski, Savit Corporation

Untitled Document



**PROMOTING NATIONAL SECURITY SINCE 1919** 

# 46<sup>TH</sup> ANNUAL GUN & MISSILE SYSTEMS CONFERENCE & EXHIBITION "Shaping Weapon Systems for Rapid Deployme

"Shaping Weapon Systems for Rapid Deployment: Development, Interoperability & Flexible Response"



AUGUST 29 -SEPTEMBER 1, 2011 www.ndia.org/meetings/1590

HYATT REGENCY MIAMI 📉 MIAMI, FLORIDA

# GUN & MISSILE SYSTEMS CONFERENCE INFORMATION

## **Conference Chair:**

Mr. Jim Talley General Dynamics Armament and Technical Products, Inc. jtalley@gdatp.com (802) 662-6013

### Armament Division Chair:

Mr. Dave Broden Broden Resource Solutions dbroden@brsbis.com (952) 476-4301

### Gun & Missile Committee Chair:

Mr. Steve French BAE Systems Steven.French@baesystems.com (763) 572-6551

### **Conference Planning Team**

Mr. Sam Campagna Assistant Vice President, Operations, NDIA (703) 247-2544 scampagna@ndia.org

### Ms. Allison Doherty

Meeting Planner, NDIA (703) 247-2570 adoherty@ndia.org

## Ms. Taryn Crowder

Exhibits Manager, NDIA (703) 247-2566 tcrowder@ndia.org

# **ANNOUNCEMENT**

The 46th Annual NDIA Armament Systems: Gun and Missile Conference and Exhibition will be held August 29-September 1, 2011 in Miami, Florida. The conference will address the theme, "Shaping Weapon Systems for Rapid Deployment: Development, Interoperability & Flexible Response." The conference will provide a forum for discussing methods to enhance defense-related capabilities, not only through available technology, but also through development of personnel. A broad range of topics related to design and development of technology and training, and development of people in the gun and missile system industry will be presented.

The full scope of gun and missile tactical weaponry and related components will be discussed including: direct/indirect/precision fire systems, tactical rockets and missiles, energetics, effectiveness, modeling and simulation, platform integration and emerging technologies. Representatives of the U.S. and International defense communities including both government and industry members are invited to participate.

# **SESSION CHAIRS**

### **Indirect Fires:**

Mr. John Altrichter, *BAE Systems*; Mr. Scott Martin, *Raytheon* **Modeling & Simulation I - Design** 

Mr. Jeff Siewert, *Arrow Tech*; Ms. Shellie Clift, *NSWC-Dahlgren* Emerging Technologies - Systems:

Mr. Mark Serben, U.S. Army ARDEC; Mr. Joe Buzzett, GD-OTS

Modeling & Simulation II - Test Methods:

Mr. Jeff Siewert, Arrow Tech

**Requirements and Program Trends:** 

Mr. Steve French, *BAE Systems;* Mr. Jay Brannam, *ATK* 

Tactical Rockets and Missiles:

Mr. Ed DePasqual, *Nammo Talley*; Mr. John Bednarz, *Raytheon* Energetics I:

Mr. Matt Solverson, *GD-OTS*; Mr. Ric Mutascio, *Esterline Defense Technologies* Emerging Technologies - Materials & Processes:

Mr. Bob Glantz, *ATK*; Mr. Jeff Caratelli, *Alcoa* Energetics II:

Mr. Matt Solverson, GD-OTS; Mr. Ric Mutascio, Esterline Defense Technologies Modeling & Simulation III - Systems & Manufacturing

Mr. Jeff Siewert, *Arrow Tech*; Mr. Steve Piper, *Piper Pacific* **Direct Fires I:** 

Mr. Tony Gabriele, *Benet Labs*; Mr. Doug Wong, *PM-MAS* Non-Traditional I:

Mr. Scott Martin, *Raytheon*; Mr. Dave Panhorst, *U.S. Army ARDEC* **Precision Weapons:** 

Mr. Bill Beard, *LMMFC*; Mr. Rollie Dohrn, *ATK* **Non-Traditional II:** 

Mr. Scott Martin, *Raytheon*; Mr. Dave Panhorst, *U.S. Army ARDEC* Emerging Technologies - Ammunition:

Mr. Mark Serben, U.S. Army ARDEC; Mr. Joe Buzzett, GD-OTS Platform & Weapon System Integration:

Mr. Rob Brewer, *NAVAIR*; Mr. Greg Hill, *Meggitt Defense Systems* **Direct Fires II:** 

Mr. Tony Gabriele, *Benet*; Mr. Doug Wong, *PM-MAS* Armament Subsystems:

Mr. Steve Kelley, *BAE Systems*; Mr. Greg Hill, *Meggitt Defense Systems* **Poster Sessions:** 

Mr. Rob Brewer, *NAVAIR* 

# **ATTENDEE INFORMATION**

### REGISTRATION

| CONFERENCE<br>REGISTRATION FEES     | EARLY<br>(ON/BEFORE 2/19) | <b>REGULAR</b><br>(2/20-8/19) | LATE<br>(AFTER 8/19) |
|-------------------------------------|---------------------------|-------------------------------|----------------------|
| GOVERNMENT/<br>ACADEMIA/ALLIED GOV. | \$720                     | \$800                         | \$880                |
| INDUSTRY<br>NDIA MEMBER             | \$820                     | \$900                         | \$990                |
| INDUSTRY<br>Non-Ndia member         | \$900                     | \$990                         | \$1,090              |

Register online at the event website: www.ndia.org/meetings/1590

### Mail Registration To:

NDIA - Event #1590 2111 Wilson Boulevard, Suite 400 Arlington, VA 22201

### Fax Registration to: (703) 522-1885

Please do not fax or mail any registration forms after August 19, 2011

**Cancellation Policy:** All cancellations on or before August 19, 2011 will receive a refund minus a cancellation fee of \$75. Refunds will not be given for cancellations after August 19, 2011. Please be sure you are registering with the correct credit card or form of payment, as a \$25 fee will be applied to registrations switching credit cards or forms of payment. Substitutions welcome in lieu of cancellations! Please make your cancellation or substitution in writing to Allison Doherty at adoherty@ndia.org.

## **HOTEL INFORMATION**

A block of rooms has been reserved at the Hyatt Regency Miami. In order to ensure the discounted rate, you must make your reservations early and ask for the National Defense Industrial Association (NDIA) room block. Rooms will not be held after Saturday, March 19, 2011 and may sell out before then. Rates are also subject to change after this date.

Hyatt Regency Miami 400 SE Second Avenue Miami, Florida 33131

To make your reservation, please call the hotel directly at (305) 358-1234.

- Industry Rate \$149 (single/double)
- Government Rate\* \$104 (single/double) or the prevailing government per diem

Note: The government per diem rate is available only to active duty or civilian government employees. ID will be required upon check-in.

Any active U.S. Military attendee with ID and travel order will be tax exempt (subject to state's regulation of tax exemption). Any U.S. Government employee paying with U.S. Government check or credit card will be tax exempt (with supporting documentation as required by some states). Check with the hotel for specific state and local requirements when booking hotel reservations.

### ATTIRE

During conference registration and check in, each participant will be issued an identification badge. Please be prepared to present picture ID. Badges must be worn at all conference functions. Appropriate dress for this conference is business casual for civilians and Class B uniform or uniform of the day for military.

### **SPECIAL NEEDS**

NDIA supports the Americans with Disabilities Act of 1990. Attendees with special needs should contact Ms. Allison Doherty, Meeting Planner, NDIA, at adoherty@ndia.org.

### **TRAVEL INFORMATION** From Miami International Airport (8 miles)

Take 836 East, go through tolls and stay to right side. Take I-95 South Exit - Downtown. Once on I-95, stay in left hand lane and take Exit 2A / Biscayne Boulevard. Stay in right hand lane at the end of the ramp, the hotel will be on your immediate right side.

### Super Shuttle service from Miami International Airport:

(fees apply): 24 hour service to hotel. \$18.00 per person. The Super Shuttle station is located at the Van/Limo booth directly outside of the lower level baggage claim area near curbside pick-up.

# Taxi from Miami International

**Airport:** Approximately \$20.00-\$25.00 one-way.

### PARKING

Valet parking charges: 0-2 hours \$10.00, 2-3 hours \$12.00, 3-4 hours \$16.00, 4-5 hours \$20.00, overnight \$30.00. Valet parking charges include in and out privileges. No vans, trucks or large vehicles.

Self parking: \$12.75 with a validation sticker provided by the front desk staff upon request for the discounted rate. Self parking is in a garage with no in/out privilege.

# **MONDAY, AUGUST 29, 2011**

10:00 AM - 3:00 PM EXHIBITOR MOVE-IN — RIVERFRONT HALL

12:00 PM - 5:00 PM REGISTRATION — LOWER PROMENADE

| 2:00 PM - 4:00 PM | TUTORIALS   |
|-------------------|---|
| 2:00 PM - 3:00 PM | <b>TUTORIAL A - TUTTLE</b><br><b>"Legislative Update"</b><br>Mr. Pete Steffes, <i>Vice President, Government Policy, NDIA</i> |
| 3:00 PM - 4:00 PM | TUTORIAL B - TUTTLE<br>"Ready or not? Using Readiness Levels to Reduce Risk on the Path                                       |
|                   | <b>to Production"</b><br>Mr. Dan Chien, Vice President, Engineering, General Dynamics Arma-<br>ment and Technical Products    |

5:00 PM - 6:00 PM

WELCOME RECEPTION IN EXHIBIT HALL

# TUESDAY, AUGUST 30, 2011

| 7:00 AM - 5:00 PM   | REGISTRATION — LOWER PROMENADE   |  |
|---------------------|--|--|
| 7:00 AM - 8:00 AM   | CONTINENTAL BREAKFAST — REGENCY BALLROOM PREFUNCTION   |  |
| 8:00 AM - 8:15 AM   | WELCOME REMARKS & CONFERENCE OVERVIEW — TUTTLE/MONROE BALLROOM   |  |
|                     | <ul> <li>Mr. Sam Campagna, Assistant Vice President, Operations, NDIA</li> <li>Mr. Jim Talley, NDIA Conference Chair; General Dynamics Armament and Technical Products, Inc.</li> <li>Mr. Steve French, NDIA Gun &amp; Missile Committee Chair; BAE Systems</li> </ul> |  |
| 8:15 AM - 8:30 AM   | DIVISION UPDATE/2012 JOINT ARMAMENTS SYMPOSIUM   |  |
|                     | Mr. Dave Broden, NDIA Armaments Division Chair; Broden Resource Solutions  |  |
| 8:30 AM - 9:00 AM   | KEYNOTE ADDRESS:<br>"Air and Missile Defense Overview"   |  |
|                     | BG Ole Knudson, USA, Program Executive Officer, Missile and Space, U.S. Army   |  |
| 9:00 AM - 9:30 AM   | KEYNOTE ADDRESS:<br>"Close Air Support and Joint Operations"   |  |
|                     | Mr. Andrew K. Balding, Associate, Booz Allen Hamilton  |  |
| 9:30 AM - 10:00 AM  | KEYNOTE ADDRESS:<br>"The Role of the Government Laboratory in Shaping Weapon Systems Development; An ARDEC<br>Perspective"   |  |
|                     | Mr. Anthony J. Sebasto, Senior Associate for Munitions, U.S. Army ARDEC  |  |
| 10:00 AM - 6:30 PM  | EXHIBIT HALL OPEN - RIVERFRONT HALL  |  |
| 10:00 AM - 10:35 AM | BREAK IN EXHIBIT HALL  |  |

# GUN & MISSILE SYSTEMS TUESDAY, AUGUST 30, 2011

# 10:35 AM - 12:15 PM

**CONCURRENT SESSIONS** 

|                           | USS AM - 12.15 FM  |  |  |
|---------------------------|--|--|--|
|                           | MONROE<br>INDIRECT FIRES   | TUTTLE<br>MODELING &<br>SIMULATION I - DESIGN  |  |
| 10:35 AM<br>-<br>10:55 AM | 11503 - <b>An Analysis of the</b><br>Indirect Fires Portfolio of<br>Munitions<br>Mr. Jim Rodrigue, <i>Raytheon</i><br>Land Combat                        | 11791 - Gun Launch Dynamics<br>Modeling—Benchmarking the<br>State of the Art<br>Mr. Rollie Dohrn, <i>ATK, Plymouth</i>   |  |
| 10:55 AM<br>-<br>11:15 AM | 11830 - Development of an<br>Extended Range, Large Caliber,<br>Modular Payload Projectile<br>Mr. Pierre-Antoine Rainville,<br><i>GD-OTS, Canada</i>      | Guided Projectile Simulation<br>Mr. Jeff Siewert,<br>Arrow Tech  |  |
| 11:15 AM<br>-<br>11:35 AM | 11528 - XM1128 155mm<br>Insensitive Munition (IM) High<br>Explosive (HE) Extended Range<br>Artillery Projectile<br>Mr. Ductri Nguyen, U.S. Army<br>ARDEC | 11774 - Gun Launch Dynamics<br>and Aeroballistic Analysis via<br>Onboard Laser Diode<br>Mr. Rollie Dohrn, <i>ATK, Plymouth</i>   |  |
| 11:35 AM<br>-<br>11:55 AM | 11463 - <b>155mm HE Projectile</b><br>Qualification Program<br>Mr. Charlie Patel, <i>U.S. Army</i><br><i>ARDEC</i>                                       | GD-OTS/Nammo 25 mm JSF<br>Combat Ammunition<br>Mr. Zack Kemp,<br><i>GD-OTS</i>   |  |
| 11:55 AM<br>-<br>12:15 PM | <ul> <li>11511 - Technologies Utilizing<br/>the M483 Carrier</li> <li>Mr. George Kurzik, <i>GD-OTS</i>,<br/><i>Red Lion</i></li> </ul>                   | 11824 - Design, Analysis and<br>Weight Optimization Techniques<br>for Joint Strike Fighter<br>Missionized Gun Pod Support<br>Equipment<br>Mr. Gary Miller, <i>GD-ATP</i> |  |

12:15 PM - 1:30 PM

# LUNCHEON SPEAKER

# "Changes in the World of ITAR"

Mr. Larry Christensen, *Miller Chevalier Chartered* 

1:30 PM - 2:50 PM

# **CONCURRENT SESSIONS**

|                         | MONROE<br>EMERGING<br>TECHNOLOGIES:<br>SYSTEMS | TUTTLE<br>MODELING &<br>SIMULATION<br>II: TEST METHODS   |
|-------------------------|--|--|
| 1:30 PM<br>-<br>1:50 PM |  | 11692 - AFRL Munitions<br>Directorate Fuze<br>Experimentation Research<br>Activities<br>Mr. Scott Turner, AF Munitions<br>Directorate, Eglin AFB |



# GUN & MISSILE SYSTEMS TUESDAY, AUGUST 30, 2011



| 1:50 PM<br>-<br>2:10 PM | 11586 - Introduction of<br>Wireless and MEMs based<br>Devices into Fire Control<br>Systems<br>Mr. Ralph Tillinghast, U.S.<br>Army ARDEC                       | 11838 - A Method for Assessing<br>the Effects of Overpressure<br>from Small/Medium Caliber<br>Weapons Fire<br>Mr. Steven Backer, <i>NSWC-Crane</i>   |
|-------------------------|---|--|
| 2:10 PM<br>-<br>2:30 PM | 11641 - Extended Area<br>Protection and Survivability<br>Program (EAPS)<br>Mr. Manfredi Luciano, U.S.<br>Army ARDEC   | 11793 - The Challenge of<br>Environmental Testing of the<br>Expeditionary Fighting Vehicle<br>Ammunition Feed System<br>Separate from the Expeditionary<br>Fighting Vehicle<br>Mr. Ron Hopkins, <i>GDATP</i> |
| 2:30 PM<br>-<br>2:50 PM | 11720 - Development of the<br>Interceptor System for the<br>Extended Area Protection &<br>Survivability (EAPS)<br>Mr. E. Mitchell Danielson,<br>ATK, Plymouth | 11668 - Design and Fabrication<br>of a Novel High-g Soft Recovery<br>System for 155mm Precision<br>Munitions and Components<br>Mr. Greg Hader, U.S. Army<br>ARDEC  |

# 2:50 PM - 3:30 PM

# BREAK IN EXHIBIT HALL

### 3:30 PM - 5:10 PM

### **CONCURRENT SESSIONS**

|                         | MONROE<br>REQUIREMENTS &<br>PROGRAM TRENDS  | TUTTLE<br>TACTICAL ROCKETS &<br>MISSILES   |
|-------------------------|---|--|
| 3:30 PM<br>-<br>3:50 PM | 11786 - Naval Forces<br>Capabilities Gap Against<br>Swarm Attacks<br>Mr. Andrew Bradick,<br><i>Rheinmetall</i>                              | 11808 - Design Synthesis for<br>Large Shaped Charges: From<br>Requirements to Qualification<br>Mr. Jason Shire,<br><i>Raytheon</i>                     |
| 3:50 PM<br>-<br>4:10 PM | 11861 - U.S. Forces Light and<br>Medium Mortar Ammunition<br>Insensitive Munitions Path<br>Mr. Nick Baldwin, U.S. Army<br>RDECOM-ARDEC      | 11842 - Advanced Aluminum Alloys<br>Enabling High Performance Missile<br>Components<br>Mr. Travis Schmidt, <i>Alcoa</i>                                |
| 4:10 PM<br>-<br>4:30 PM | 11863 - <b>IM Compliance for</b><br><b>Mortar Illumination Cartridges</b><br>Mr. Thomas Peter, U.S. Army<br>RDECOM-ARDEC                    | 11802 - Use of COTS O-rings as<br>a Pyrotechnic Safety Barrier in a<br>Rocket Motor Ignition Safety Device<br>Mr. Brian Erickson, <i>ATK, Plymouth</i> |
| 4:30 PM<br>-<br>4:50 PM | 11482 - Precision Guided<br>Indirect Munitions —<br>Operational Evolution<br>Mr. Justin Skaret, <i>Raytheon</i><br><i>Missile Systems</i>   | 11756 - Hellfire Integrated Blast<br>Fragmentation Sleeve Multipurpose<br>Warhead<br>Mr. Jonathan Thomas, <i>GD-OTS</i>                                |
| 4:50 PM<br>-<br>5:10 PM | 11792 - Enhancing Convoy<br>Security by Means of Rapid<br>Deployable Weapons<br>Mr. Gerrie Van der Merwe,<br>BAE Land Systems, South Africa |  |

**RECEPTION IN EXHIBIT HALL** 

GUN & MISSILE SYSTEMS WEDNESDAY, AUGUST 31, 2011

# WEDNESDAY, AUGUST 31, 2011

7:00 AM - 5:00 PM

REGISTRATION

7:00 AM - 8:10 AM

**CONTINENTAL BREAKFAST** 

8:10 AM - 9:30 AM

**CONCURRENT SESSIONS** 

|                         | MONROE<br>ENERGETICS I   | TUTTLE<br>EMERGING<br>TECHNOLOGIES:<br>MATERIALS &<br>PROCESSES   |
|-------------------------|--|---|
| 8:10 AM<br>-<br>8:30 AM | 11822 - Novel ARDEC Igniters<br>for Gun Systems<br>Dr. Eugene Rozumov, U.S. Army<br>ARDEC  | 11813 - Potting of Electronic<br>Components for High-G Gun<br>Environments<br>Dr. Peter Vo,<br>Raytheon Missile Systems         |
| 8:30 AM<br>-<br>8:50 AM | 11787 - <b>The Effects of Igniter</b><br><b>Design on the Interior Ballistic</b><br><b>Performance of Deterrent</b><br><b>Coated Propellants</b><br>Dr. Thelma Manning, U.S. Army<br><i>RDECOM-ARDEC</i> | 11829 - <b>Investment Cast</b><br><b>Titanium in Gun and Missile</b><br><b>Systems</b><br>Mr. Chris Jensen, <i>Alcoa Howmet</i> |
| 8:50 AM<br>-<br>9:10 AM | 11590 - <b>Foamed Celluloid</b><br><b>Technology</b><br>Mr. Mohammed Elalem, <i>U.S.</i><br><i>Army ARDEC</i>  | 11583 - New PVD Processes for<br>Durable Pollution-Free Ordnance<br>Dr. Sabrina Lee, U.S. Army<br>ARDEC                         |
| 9:10 AM<br>-<br>9:30 AM |  | 12179 - <b>The "Perfect" Time for</b><br><b>an Upgrade to US Propellant</b><br>Ms. Kelly Moran, <i>ATK, Radford</i>             |

9:30 AM - 3:30 PM

**EXHIBIT HALL OPEN** 

9:30 AM - 10:15 AM

10:15 AM - 11:55 AM

CONCURRENT SESSIONS

**BREAK IN EXHIBIT HALL** 

|                           | MONROE<br>ENERGETICS II   | TUTTLE<br>MODELING &<br>SIMULATION<br>III: SYSTEMS &<br>MANUFACTURING   |
|---------------------------|---|---|
| 10:15 AM<br>-<br>10:35 AM | 11867 - IM in the Field—<br>Experience of Reduced<br>Sensitivity Mortar Cartridges to<br>Actual Combat Threat Stimuli<br>Ms. Pamela Ferlazzo, U.S. Army<br>RDECOM-ARDEC | 11648 - <b>System Analysis</b><br>with Integrated Modeling and<br>Optimization<br>Mr. Philip Brislin, U.S. Army<br>ARDEC RDAR-MEM-L |



## GUN & MISSILE SYSTEMS WEDNESDAY, AUGUST 31, 2011

# THE TRIFILETTI AWARD

The Trifiletti Award is presented by the NDIA Gun & Missile Executive Committee to recognize and honor an individual who has made a significant contribution benefiting the warfighter, thus strengthening national defense. This contribution can be in the areas of the advancement of technology, systems, system integration or to someone who through his/her work provided unique leadership resulting in changes and progress in the community.

The award is named in honor of Mr. Robert Trifiletti who made significant contributions to the advancement of technology, and by whose leadership many other accomplishments benefiting the warfighter came to fruition. The award is open to anyone in the gun and ammunition or rocket and missile community.

# MILITARY OPERATIONS AWARD

The Military Operations Award is presented to recognize an individual, crew or unit who in the opinion of the NDIA Gun & Missile Executive Committee has made significant contributions in operational employment, tactics or combat applications of guns and ammunition and/or rockets and missiles which have impacted the readiness, capabilities or results of U.S. military activity. A significant contribution is considered to be superior performance in an operational environment, development of tactics, training or leadership.

| 10:35 AM<br>-<br>10:55 AM | 11537 - Development and<br>Manufacture of an Insensitive<br>Composition B Replacement<br>Explosive IMX-104 for Mortar<br>Applications<br>Mr. Virgil Fung, BAE Systems<br>Ordanance Systems Inc. | 11502 - A Virtual Learning<br>Environment for Precision<br>Indirect Fires<br>Mr. Jon Peoble, <i>Raytheon</i>          |
|---------------------------|---|---|
| 10:55 AM<br>-<br>11:15 AM | 11832 - Development and<br>Characterization of IM Gun<br>Propellant for the 120mm Tank<br>System<br>Mr. Duncan Park, U.S. Army<br>RDECOM-ARDEC  | 11779 - Next Generation<br>Manufacturing & Modeling<br>Technology<br>Mr. David Smith, U.S. Army<br>Benet Laboratories |
| 11:15 AM<br>-<br>11:35 AM | 11821 - The Advance Case<br>System (ACS) Program for<br>120mm Tank Training Ammo-<br>Phase 2<br>Mr. Jeff Berg, <i>ATK, Plymouth</i>   |   |
| 11:35 AM<br>-<br>11:55 AM | 11761 - High Explosives<br>Charges for Insensitive Artillery<br>and Mortar Ammunitions:<br>Performances, Technology,<br>Producibility, Affordability<br>Dr. Bernard Zeller, SNPE                |   |

### 11:55 AM - 1:15 PM

### AWARDS LUNCH

1:15 AM - 2:35 PM

**CONCURRENT SESSIONS** 

|                         | MONROE<br>DIRECT FIRES I   | TUTTLE<br>NON-TRADITIONAL<br>WEAPONS I   |
|-------------------------|--|--|
| 1:15 PM<br>-<br>1:35 PM | 11747 - Direct Fires & Precision<br>Weapons for Rapid Deployment<br>at the Modern Battlefield<br>Mr. Danny Schirding, Israel<br>Military Industries, Ltd.                          | 11840 - <b>Development of a Large</b><br><b>Caliber Naval EM Railgun</b><br>Mr. Roger Ellis, <i>Office of Naval</i><br><i>Research</i>   |
| 1:35 PM<br>-<br>1:55 PM | 11725 - <b>Medium Calibre Goes in</b><br><b>a New Direction</b><br>Mr. David Leslie, <i>BAE Systems</i><br><i>Global Combat Systems</i>  | 11841 - <b>Electromagnetic</b><br><b>Railgun, a Multi-Mission</b><br><b>Weapon System</b><br>Mr. Alan Kull, <i>General Atomics</i>   |
| 1:55 PM<br>-<br>2:15 PM | 11572 - <b>The Development and</b><br><b>Testing of the Improved Kinetic</b><br><b>Energy Electronic Time (IKE-ET)</b><br><b>Round</b><br>Mr. Geoffrey Bland, <i>NSWC-Dahlgren</i> | <ul> <li>11828 - Scalable Gen-Set for<br/>Directed Energy Weapons:</li> <li>Resolving the Power Problem<br/>Mr. Bryan Bockmon, Rocky<br/>Mountain Scientific Laboratory</li> </ul> |
| 2:15 PM<br>-<br>2:35 PM | 11809 - Composite Sabot<br>Technology for the 105mm Rifled<br>Tank Gun System<br>Mr. Velan Mudaliar, <i>U.S. Army</i><br><i>RDECOM-ARDEC</i>                                       |  |

# GUN & MISSILE SYSTEMS WEDNESDAY, AUGUST 31, 2011

2:35 PM - 2:55 PM

**BREAK IN EXHIBIT HALL** 

3:00 PM - 7:00 PM

**EXHIBIT HALL CLOSES & EXHIBITOR MOVE OUT** 

2:55 PM - 4:55 PM

### **CONCURRENT SESSIONS**

|                         | MONROE<br>PRECISION WEAPONS  | TUTTLE<br>NON-TRADITIONAL<br>WEAPONS II  |
|-------------------------|--|--|
| 2:55 PM<br>-<br>3:15 PM | 11810 - Inherent Reliability<br>and Affordability of Ballistic<br>Solutions and Their Operational<br>Benefits<br>Mr. Larry Linde, <i>ATK, Plymouth</i>   | 11805 - Electronic Ballistics<br>Systems: A Scalable Integrated<br>Weapons Systems with<br>Applications Footprint for Fixed<br>and Mobile Platforms and<br>Delivery of Same Caliber Lethal<br>and Non-Lethal Munitions or<br>Payloads<br>Mr. George Orrison, Metal Storm<br>Inc. |
| 3:15 PM<br>-<br>3:35 PM | 11719 - Common GPS:<br>Development of the Subsystem<br>Specification and ICD for the<br>Common GPS Subsystem for<br>the Family of Precision Guided<br>Projectiles<br>Dr. Karl Flueckiger, Draper<br>Laboratory | 11509 - Aggressor Suppression<br>via the Use of Non-Lethal<br>Projectiles and Launcher Systems<br>Mr. Dan Hartman, <i>GD-OTS</i>   |
| 3:35 PM<br>-<br>3:55 PM | 11635 - Very Affordable<br>Precision Projectile (VAPP)<br>System and Flight Experiments<br>Mr. Christopher Stout, U.S. Army<br>ARDEC   | 11697 - Netted Smart Precision<br>Engagement Autonomous Rounds<br>(NetSpears) for Navy and Army<br>Weapons<br>Mr. Allan Vanuga, <i>Raytheon Missile</i><br><i>Systems</i>  |
| 3:55 PM<br>-<br>4:15 PM | 11459 - <b>Evolution of the</b><br><b>EXCALIBUR Guided Projectile</b><br>Mr. Chris Geswender, <i>Raytheon</i><br><i>Missile Systems</i>  | 11781 - <b>Gun-Launched Aerial</b><br><b>Precision Munition</b><br>Mr. Jay Canela &<br>Mr. Lloyd Khuc, <i>U.S. Army</i><br><i>RDECOM-ARDEC</i>   |
| 4:15 PM<br>-<br>4:35 PM | 11526 - <b>Precision Urban Mortar</b><br>Attack (PUMA)<br>Mr. Luke Steelman, <i>NSWC-</i><br><i>Dahlgren</i>   | 11525 - Cannon Cluster Munition<br>Replacement for 155mm Artillery<br>Systems<br>Mr. Ryan Gorman, U.S. Army<br>ARDEC   |
| 4:35 PM<br>4:55 PM      | 11788 - Leveraging Proven<br>Systems to Develop a Guided<br>Mortar for APMI<br>Mr. Nicholas Ward, ATK,<br>Plymouth   | 11644 - Determination of the<br>Shelf Life of MEMS Navigation-<br>Grade Sensors through Use of<br>Accelerated Aging Principles<br>Mr. James Sarruda, U.S. Army<br>ARDEC  |

# **GUN & MISSILE SYSTEMS** THURSDAY, SEPTEMBER 1, 2011



# **THURSDAY, SEPTEMBER 1, 2011**

7:00 AM - 12:00 PM

REGISTRATION

7:00 AM - 8:00 AM

**CONTINENTAL BREAKFAST** 

8:00 AM - 10:00 AM

**CONCURRENT SESSIONS** 

|                         | MONROE<br>EMERGING<br>TECHNOLOGIES:<br>AMMUNITION   | TUTTLE<br>PLATFORM & WEAPON<br>SYSTEM INTEGRATION  |
|-------------------------|---|--|
| 8:00 AM<br>-<br>8:20 AM | 11581 - <b>Precision Air Dropped</b><br><b>Guided Munition (PADGM)</b><br><b>System</b><br>Mr. Asad Khan, <i>U.S. Army</i><br><i>ARDEC</i>    | 11681 - Next-Gen Fire Control:<br>Free Software & Video Game<br>Math<br>Mr. Marc Santoro, NSWC-<br>Dahlgren  |
| 8:20 AM<br>-<br>8:40 AM | 11759 - <b>Scalable Airburst Fuze</b><br><b>Technology—Shaping the</b><br><b>Future</b><br>Mr. Paul Reynolds, <i>GD-OTS,</i><br><i>Marion</i> | 11777 - <b>Development of a</b><br><b>Moveable Weapon Mount</b><br><b>System for the CH47 Helicopter</b><br>Mr. Adam Jacob, <i>U.S. Army</i><br><i>ARDEC</i> |
| 8:40 AM<br>-<br>9:00 AM | 11790 - <b>LW25 Programmable Air</b><br><b>Burst Munitions</b><br>Mr. Donavan Gloude, <i>ATK</i> ,<br><i>Plymouth</i>                         | 11584 - <b>Rapid Integration of the</b><br><b>M197 onto the MH-60S</b><br>Mr. Joseph Burkart, <i>NSWC-</i><br><i>Crane</i>                                   |
| 9:00 AM<br>-<br>9:20 AM |   | 11660 - Gun Weapon System<br>(GWS) MK 48 for USCG Legends<br>Class Cutters<br>Ms. Kaye Aswegan, NSWC-<br>Dahlgren  |
| 9:20 AM<br>-<br>9:40 AM | 11784 - Non-Traditional<br>Impact Detection Using<br>Triboluminescence<br>Mr. William Hollerman,<br>University of Louisiana at<br>Lafayette   | 1869 - <b>Digitized M119A2 105mm</b><br><b>Howitzer</b><br>Mr. John Allen, <i>U.S. Army</i><br><i>ARDEC</i>  |

9:40 AM - 10:00 AM

BREAK

# GUN & MISSILE SYSTEMS THURSDAY, SEPTEMBER 1, 2011

10:00 AM - 12:20 PM

**CONCURRENT SESSIONS** 

|                           | MONROE<br>DIRECT FIRES II  | TUTTLE<br>ARMAMENT<br>SUBSYSTEMS  |
|---------------------------|--|---|
| 10:00 AM<br>-<br>10:20 AM | 11611 - <b>USMC EFV Program</b><br>Cartridge Qualification and<br>Integration Program Status<br>Maj Ian McDuffie, USMC, <i>PM</i><br><i>AAA</i>            | 11799 - Developing Reliable<br>Software in a Rapid<br>Deployment Product<br>Mr. Steve Gunderson, ATK,<br>Plymouth   |
| 10:20 AM<br>-<br>10:40 AM |  | 11775 - Development of a Field<br>Inspection Vehicle Designed to<br>Autonomously Analyze Large-<br>Bore Tubes for Fatigue and<br>Wear<br>Mr. Cory Mettler, American<br>Science & Technology |
| 10:40 AM<br>-<br>11:00 AM | 11615 - <b>30mm MK317 TPDS-T</b><br>Cartridge Development and<br>Qualification<br>Mr. James McConkie, <i>ND5</i> ,<br>Office of the Program Manager        | 11823 - <b>M197 Weapon</b><br>Command and Control System<br>for the MH-60S<br>Mr. William Reed, <i>U.S. Navy</i>  |
| 11:00 AM<br>-<br>11:20 AM | 11839 - <b>Rheinmetall 30mm x</b><br>173 Weapon Systems: Two Guns,<br>Two Solutions<br>Mr. Stephan Kerk, <i>Rheinmetall</i><br>Waffe Munition              | 11804 - <b>Pivoting Coupling—</b><br>Army's Greatest Invention<br>Mr. Steve Kotefski, <i>Savit</i><br><i>Corporation</i>  |
| 11:20 AM<br>-<br>11:40 AM | 11837 - The Rheinmetall<br>30mm x 173 Ammunition<br>Family: Lethality and Urban<br>Effectiveness<br>Mr. Stephan Kerk, <i>Rheinmetall</i><br>Waffe Munition |   |
| 11:40 AM<br>-<br>12:00 PM | 11758 - <b>30mm x 173</b><br><b>Ammunition Suite—The</b><br><b>Appropriate Response for Any</b><br><b>Target</b><br>Mr. Rick Wright, <i>GD-OTS</i>         |   |
| 12:00 PM<br>-<br>12:20 PM | 11800 - <b>LW30 Target Practice-<br/>Traced (TP-T) Ammunition</b><br>Mr. Kyle Nerison, <i>ATK</i> ,<br><i>Plymouth</i>                                     |   |

12:20 PM

**CONFERENCE ADJOURNS** 

# PROCEEDINGS

Proceedings will be available on the web one to two weeks after the conference through the Defense Technical Information Center (DTIC). You will receive notification via email that proceedings are posted and available.

| ABSTRACT<br>ID | ABSTRACT TITLE  | ADDITIONAL AUTHORS  |  |  |
|----------------|---|---|--|--|
| 11463          | IM testing and Initiation Trials of the IMX-101 Explosive in the M795 projectile  | Mr. Philip Samuels, Mr. Anthony<br>Di Stasio, Mr. Ductri Nquyen                   |  |  |
| 11482          | Precision Guided Indirect Munitions – Operational Evolution   | Mr. Conan Davis   |  |  |
| 11502          | A Virtual Learning Environment for Precision Indirect Fires   | Mr. Jim Rodrigue  |  |  |
| 11503          | An Analysis of the Indirect Fires Portfolio of Munitions  | Mr. Jon Peoble  |  |  |
| 11506          | Advanced Cannon Bore Cleaning System  | Mr. Jonghyun Shim, Mr. Seil Jeon  |  |  |
| 11509          | Aggressor Suppression via the Use of Non-Lethal Projectiles and Launcher Systems  | Mr. Dan Hartman, Mr. Steve Broussard  |  |  |
| 11528          | XM1128 155mm Insensitive Munition (IM) High Explosive (HE) Extended Range<br>Artillery Projectile   | Mr. John Magrogan   |  |  |
| 11537          | Development and Manufacture of an Insensitive Composition B Replacement<br>Explosive IMX-104 for Mortar Applications                          | Mr. Brian Alexander, Mr. Mike Ervin,<br>Mr. Philip Samuels, Mr. Charlie Patel     |  |  |
| 11572          | The Development and Testing of the Improved Kinetic Energy Electronic Time (IKE-<br>ET) Round   | Mr. James Barnes, Mr. Todd Cloutier   |  |  |
| 11581          | Precision Air Dropped Guided Munition (PADGM) System  | Mr. Marc Ritt   |  |  |
| 11583          | New PVD Processes for Durable Pollution-Free Ordnance Based on Ionized PVD<br>Technology  | Mr. Dan Schmitt, Mr. Fang Yee, Mr.<br>Mick Cipollo                                |  |  |
| 11586          | Introduction of Wireless and MEMs Based Devices into Fire Control Systems   | Mr. Michael Wright  |  |  |
| 11609          | 30MMX173 310 MOD 0 PABM-T Cartridge Qualification Program   | Mr. Jay Fitzsimmons   |  |  |
| 11644          | Determination of the Shelf Life of MEMS Navigation-Grade Sensors Through Use of Accelerated Aging Principles                                  | Mr. Scott Gift  |  |  |
| 11657          | Modeling of the Autofrettage Processes of a Gun Barrel  | Mr. Sudhir Puttagunta, Mr. Chandra<br>Penumarthy                                  |  |  |
| 11668          | Design and Fabrication of a Novel High-g Soft Recovery System for 155mm Precision<br>Munitions and Components                                 | Mr. Nigel Gray, Mr. Brian DeFranco,<br>Mr. Donald Carlucci                        |  |  |
| 11670          | Versatile Electromagnetic Mortar Launcher for the JLTV-B  | Mr. Ronald Kaye, Mr. Steven Dron  |  |  |
| 11681          | Next-Gen Fire Control: Free Software & Video Game Math  | Mr. Anthony D'Alessandro  |  |  |
| 11692          | AFRL Munitions Directorate Fuze Experimentation Research Activities   | Mr. James Cross, Mr. Don Clabaugh   |  |  |
| 11697          | Netted Smart Precision Engagement Autonomous Rounds (NetSpears) for Navy and Army Weapons   | Mr. Sam Ghaleb, Mr. Mark Elkanick   |  |  |
| 11719          | Common GPS: Development of the Subsystem Specification and ICD for the<br>Common GPS Subsystem for the family of Precision Guided Projectiles | Mr. Paul Manz, Mr. Brian London<br>Mr. Tim Easterly                               |  |  |
| 11761          | High Explosives Charges for Insensitive Artillery and Mortar Ammunitions:<br>Ferformances, Technology, Producibility, Affordability           | Mr. Jacques Cardin, Mr. Pierre Vignaud  |  |  |
| 11775          | Development of a Field Inspection Vehicle Designed to Autonomously Analyze Large-<br>Bore Tubes for Fatigue and Wear                          | Mr. John Duffy, Mr. Jesse VanOverbeke<br>Dr. Fereidoon Delfanian                  |  |  |
| 11781          | Gun-Launched Aerial Precision Munition  | Mr. Daniel Vo, Mr. Hjalmar Canela,<br>Mr. Lloyd Khuc                              |  |  |
| 11784          | Non-Traditional Impact Detection Using Triboluminescence  | Dr. Shawn Goedeke, Mr. Ross<br>Fontenot, Mrs. Kamala Bhat, Mr. Brady<br>Broussard |  |  |
| 11787          | The Effects of Igniter Design on the Interior Ballistic Performance of Deterrent Coated<br>Propellants  | Dr. Eugene Rozumov, Mr. Carlton<br>Adam, Mr. Duncan Park, Dr. Joseph<br>Laquidara |  |  |
| 11790          | LW25 Programmable Air Burst Munitions   | Mr. Erik Elmer  |  |  |
| 11791          | Gun Launch Dynamics Modeling – Benchmarking the State of the Art  | Dr. Donald Carlucci, Dr. James Newill   |  |  |
| 11802          | Use of COTS O-rings as a Pyrotechnic Safety Barrier in a Rocket Motor Ignition<br>Safety Device   | Mr. Tom Larson  |  |  |

| 11807 | Using JLOC (GPS Jammer Detection and Location System) to Improve the<br>Effectiveness of Mission Planning for GPS Guided Weapons and to Support Flexible<br>Response | Mr. Rick Edwards  |  |
|-------|--|---|--|
| 11809 | Composite Sabot Technology for the 105MM Rifled Tank Gun System  | Mr. Saif Musalli, Dr. William Drysdale,<br>Mr. Michael Minnicino                    |  |
| 11811 | Cartridge Case Venting Technologies, 25mm M910 Ctg Test Vehicle  | Mr. Philip Abbate   |  |
| 11814 | Structural Integrity Evaluation of Composite Cylinders   | Mr. Ajay Srinivasa, Dr. Fereidoon<br>Delfanian                                      |  |
| 11819 | 30mm Target Practice Discarding Sabot, Traced (TPDS-T) Ammunition Development  | Mr. Don Gloude  |  |
| 11822 | Novel ARDEC Igniters for Gun Systems   | Dr. Thelma Manning, Dr. Joseph<br>Laquidara, Mr. Duncan Park, Dr.<br>Kimberly Chung |  |
| 11823 | M197 Weapon Command and Control System for the MH-60S  | Mr. Alan Ford, Mr. John Proctor   |  |
| 11828 | Scalable Gen-Set for Directed Energy Weapons: Resolving the Power Problem  | Mr. Travis Swanson  |  |
| 11829 | Investment Cast Titanium in Gun and Missile Systems  | Mr. Eric Foos, Mr. David Lee  |  |
| 11832 | Development and Characterization of IM Gun Propellant for the 120mm Tank System  | Mr. Sam Moy, Dr. Thelma Manning<br>Mr. Donald Chiu, Dr. Eugene Rozumov              |  |
| 11837 | The Rheinmetall 30mm x 173 Ammunition Family: Lethality and Urban Effectiveness  | Mr. Brian Sullivan  |  |
| 11839 | Rheinmetall 30mm x 173 Weapon Systems: Two Guns, Two Solutions   | Mr. Brian Sullivan  |  |
| 11840 | Development of a Large Caliber Naval EM Railgun  | Mr. Ryan Hoffman  |  |
| 11841 | Electromagnetic Railgun, A Multi-Mission Weapon System (Non-Traditional Armaments Category)  | Mr. Thomas Hurn   |  |
| 11842 | Advanced Aluminum Alloys Enabling High Performance Missile Components  | Mr. Les Yocum, Mr. Dustin Bush, Mr.<br>Jeff Caratelli                               |  |
| 11861 | US Forces Light and Medium Mortar Ammunition Insensitive Munitions Path  | Mr. Roger Wong, Mr. John Niles, Mr.<br>William Kuhnle, Mr. Rei Martinez             |  |
| 11863 | IM Compliance for Mortar Illumination Cartridges   | Mr. Eli Martinez, Mr. John Niles, Mr.<br>Sal Ghazi, Mr. Jeffrey Smith               |  |
| 11867 | IM in the Field – Experience of Reduced Sensitivity Mortar Cartridges to Actual Combat Threat Stimuli  | Mr. Roger Wong, Mr. John Niles, Mr.<br>William Kuhnle, Mr. Jeffrey Smith            |  |
| 11869 | Digitized M119A2 105mm Howitzer  | Mr. Ray Espinosa, Mr. Jose Santiago,<br>Mr. Norm Lionetti                           |  |
| 11877 | Acoustic Emissions Measured on the Outer Portion of a Composite Barrel   | Ms. Rushie Ghimire  |  |

### SPONSORSHIP INFORMATION

Increase your company or organization's exposure by becoming a Sponsor! With a Sponsorship of \$5000, you will receive your organization's name on the back cover of the onsite brochure, a 350-word company description in the onsite brochure, main podium recognition, signage throughout the conference, and a hotlink to your organization's website.

For more information, please contact Taryn Crowder, Exhibits Manager at (703) 247-2566 or tcrowder@ndia.org.

# 2011 Exhibit Schedule:

Move In: Monday, August 29, 2011 10:00 AM – 3:00 PM (Must be set by 3:00 PM)

Show Hours: Monday, August 29, 2011 5:00 PM - 6:00 PM (Opening Reception in Exhibit Hall)

Tuesday, August 30, 2011 10:00 AM - 5:00 PM (Breaks in Exhibit Hall)

Tuesday Night Reception 5:00 PM - 6:30 PM Reception in Exhibit Hall)

Wednesday, August 31, 2011 9:30 AM - 3:30 PM (Breaks in Exhibit Hall)

Move Out: Wednesday, August 31, 2011 3:00 PM - 7:00 PM

# **EXHIBIT INFORMATION**

# **EXHIBIT RATE INCLUDES**

- Networking social functions in the exhibit hall
- Food Functions and Receptions
- Two exhibitor/conference registrations for exhibit personnel, per 10' x 10' booth
- Company profile online
- 24 hour security
- Booth 7"x44" ID Sign and Fabric back and side walls

Purchase your booth in real time! Visit: www.ndia.org/exhibits/1590.

## REMINDERS

- Booths are sold in 10x10 sq. ft. increments and multiples thereof
- NDIA does not charge for corner or island fees
- No "end cap" booths are permitted
- Booth furnishings are not included and floor covering is required unless the hall is carpeted

# **COST TO EXHIBIT**

**Corporate Member Rate**\*: \$24.50 / sq. ft. (Note: your corporate member dues must be current to be able to get the member rate).

\*Rate also applies to bona-fide government agencies

Non-Corporate Member Rate: \$29.50 / sq. ft.

# **MEMBERSHIP DISCOUNT**

To qualify for the member rate on booths, or the small business package, your company has to join NDIA first as a Corporate Member. For more information on joining, contact Michael Kibler, 703-247-2571 or Erica Utegaard, 703-247-2549.



## EVENT #1590 ► NDIA REGISTRATION FORM

| NATIONAL DEFENSE INDUSTRIA<br>(703) 522-1820 ► (703) 522-            |  | G  | VARD, SUITE 400 ► ARLIN                           |                            |
|--|--|--|---|----------------------------|
| 46TH ANNUAL GUN & I<br>► HYATT REGENCY MIA                           |  | NFEREN   | CE & EXHIBITION                                   |                            |
| <b>BAYS TO</b><br>SIGN UP:   | 1. Online with a credi<br>2. By fax with a credi<br>3. By mail with a cheo | t card - Fa  | ix: (703) 522-1885                                | > Address<br>Change Needed |
| NDIA Master ID/Membership #<br>(If known - hint: on mailing label ab | ove your name)   |  | _ Social Security #<br>(Last 4 digits - optional) |                            |
| Prefix <i>(e.g. RADM, COL, Mr., Ms., I</i>                           | Dr., etc.)   |  |   |                            |
| Name: First  |  | MI   | _ Last  |                            |
| Military Affiliation<br>(e.g. USMC, USA (Ret.) etc.)                 |  |  | Nickname<br>(For meeting badges)                  |                            |
| Title  |  |  |   |                            |
| Organization   |  |  |   |                            |
| Street Address   |  |  |   |                            |
| Address (Suite, PO Box, Mail Stop,                                   | Building, etc.)  |  |   |                            |
| City   | State  |  | Zip   | Country                    |
| Phone  | Ext  |  | _ Fax   |                            |
| E-Mail   |  |  |   |                            |
| Signature*   |  |  |   | Date                       |
|  |  | nate (Print address below)<br>nate (Print address below) | ⊳E-mail   |                            |
| Alternate Street Address   |  |  |   |                            |
| Alternate Address (Suite, PO Box                                     | Mail Stop, Building, etc.)   |  |   |                            |
| City   | State  |  | _ Zip   | Country                    |

A, AFEI, PSA, WID) through regular mail, e-mail, telephone or fax. NDIA, its Chapters, Divisions and affiliates do not sell data to vendors or other companies.

> <sup>1</sup> Includes a free three-year NDIA membership and subscription to National Defense magazine for military

▷ No, do not sign me up for the free government membership.

<sup>2</sup> Registration fees for non-NDIA (or affiliate) members include a one-year non-refundable NDIA membership

-\$15.00 will be applied for your 12 month

subscription to National Defense magazine.

and government employees.

| CONFERENCE<br>REGISTRATION FEES   | Early<br>(Through 7/8/11) | Regular<br>(7/9/11-8/19/11) | Late<br>(After 8/20/11) |
|---|---------------------------|-----------------------------|-------------------------|
| Government/Academia1  | \$720                     | \$800                       | \$880                   |
| Industry NDIA Member and<br>affiliates (AFEI, NTSA, PSA, V<br>Industry non-NDIA member <sup>2</sup> |                           | \$900<br>\$990              | \$990<br>\$1090         |

Cancellations received before 8/20/11 will receive a refund minus a cancellation fee of \$75. No refunds for cancellations received after 8/20/11.

Substitutions welcome in lieu of cancellations! Cancellations and substitutions must be made in writing to adoherty@ndia.org.

#### **PAYMENT OPTIONS**

| Check (Payable to NDIA - Event #1590)                              |           |     |        | > Government PO/Training Form # |     |               |      |
|--|-----------|-----|--------|---------------------------------|-----|---------------|------|
| ⊳ VISA   | ⊳ MasterC | ard | ⊳ Amer | ican Express                    | ; D | > Diners Club | Cash |
| If paying by credit card, you may return by fax to (703) 522-1885. |           |     |        |                                 |     |               |      |
| Credit Card Nu   | mber      |     |        |                                 |     | Exp. Dat      | e    |
|  |           |     |        |                                 |     |               |      |
| Signature  |           |     |        | Da                              | te  |               |      |



#### BY COMPLETING THE FOLLOWING, YOU HELP US UNDERSTAND WHO IS ATTENDING OUR EVENTS.

### **PRIMARY OCCUPATIONAL**

- CLASSIFICATION. Check ONE.
- Defense Business/Industry
- ➢ R&D/Laboratories
- > Army
- > Navy
- ▷ Air Force
- Marine Corps
- Coast Guard
- > DOD/MOD Civilian
- ➢ Government Civilian (Non-DOD/MOD)
- > Trade/Professional Assn.
- Educator/Academia
- Professional Services
- ▷ Non-Defense Business
- > Other

#### **CURRENT JOB/TITLE/POSITION.**

#### Check ONE.

- > Senior Executive
- Executive
- Manager
- ➢ Engineer/Scientist
- > Professor/Instructor/Librarian
- Ambassador/Attaché
- Legislator/Legislative Aide
- ▷ General/Admiral
- Colonel/Navy Captain
- ▷ Lieutenant Colonel/Commander/ Major/Lieutenant Commander
- Captain/Lieutenant/Ensign
- Enlisted Military
- Other \_\_\_\_

Year of birth (optional)

#### **QUESTIONS, CONTACT:**

#### ALLISON DOHERTY, **MEETING PLANNER**

PHONE: (703) 247-2570 E-MAIL: ADOHERTY@NDIA.ORG

#### MAIL REGISTRATION TO:

NDIA - EVENT #1590 2111 WILSON BOULEVARD SUITE 400 ARLINGTON, VA 22201

FAX TO: (703) 522-1885



NATIONAL DEFENSE INDUSTRIAL ASSOCIATION 2111 WILSON BOULEVARD, SUITE 400 ARLINGTON, VA 22201-3061 (703) 522-1820 (703) 522-1885 FAX WWW.NDIA.ORG

# 46<sup>TH</sup> ANNUAL GUN & MISSILE SYSTEMS CONFERENCE & EXHIBITION

"Shaping Weapon Systems for Rapid Deployment: Development, Interoperability & Flexible Response"



AUGUST 29-SEPTEMBER 1, 2011 HYATT REGENCY MIAMI MIAMI, FLORIDA

TO REGISTER, VISIT: WWW.NDIA.ORG/MEETINGS/1590 WWW.NDIA.ORG/EXHIBITS/1590



# U.S. ARMY ARMAMENT RESEARCH, DEVELOPMENT, & ENGINEERING CENTER (ARDEC)



# TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

NDIA, 46<sup>th</sup> Annual Gun & Missile Systems Conference & Exhibition, Miami, FL 14 April 2011 Asad Khan ARDEC Project Officer U.S. Army RDECOM-ARDEC RDAR-MEM-S Picatinny Arsenal, NJ 07806 973-724-5075 asad.khan@us.army.mil

**DISTRIBUTION STATEMENT A**. This presentation is unclassified and approved for public release







- ARDEC Overview
- PADGM Project Objective
- System Description
- Warfighter Payoff
- Accomplishments to date
- Summary





# Armament Research, Development & Engineering Center



# Research



Development



Production



**Field Support** 



Demilitarization





Innovative Armaments Solutions for Today and Tomorrow

# Mission:

To develop and maintain a customer focused, world-class workforce that will execute, manage and continuously improve integrated life cycle engineering processes required for the research, development, production, field support and demilitarization of munitions, weapons, fire control and associated items.

<u>Advanced Weapons</u> – line of sight/beyond line of sight fire; non line of sight fire; scalable effects; non-lethal; directed energy; autonomous weapons

<u>Ammunition</u> – small, medium, large caliber; propellants; explosives; pyrotechnics; warheads; insensitive munitions; logistics; packaging; fuzes; environmental technologies and explosive ordnance disposal

<u>Fire Control</u> – battlefield digitization; embedded system software; aero ballistics and telemetry


ARDEC provides the Technology for Over 90% of the Army's lethality; Significant support to other services' lethality

Mateoim Bathri Nationa Quality Award 2007 Award Recipient



# ARDEC Organization -Chain of Command







Unclassified

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.





# Objectives


- Provide a low cost, small, light weight and near term precision strike weapon capability for unmanned (and manned) aircraft systems
- Modify the 81mm mortar ammunition by replacing the standard fuze with a nose kit that includes GPS based Guidance, Navigation & Control (GN&C) elements including a fuze designed for air drop applications
  - Partner with General Dynamics Ordnance Tactical Systems (GD-OTS) for development of the GN&C system, including their innovative Roll Controlled Fixed Canard (RCFC) technology
  - Design, develop and integrate an electronic proximity fuzing system to address air dropped environments – considered critical path item to rapid fielding





# Notional Concept of Operation for PADGM System





Aircraft positioned above targets of interest determines GPS coordinates, fed from ground/air observers, and passes to mortar round via umbilical data link which once released is guided by the on board GN&C system to target. The control concept utilizes a unique braking system to reorient fixed canted canards to provide the necessary maneuvers to the mortar round in flight for precision target engagement

Reduced sensor to shooter timeline. 'See it, Kill it' capability.





81mm mortar round comparison Standard vs. Air Drop

81 mm Mortar Ammunition





for Extended Range

Guidance Kit & integrated Electronic Fuzing

Unclassified

調播





# Why PADGM?



- Low cost GPS based precision munition capability
- Small and Light Weight suitable for Shadow class UAS platforms
- Soft Release of kill munition from aircraft dropped vs. launched
- Reduced collateral damage and soldier exposure near vertical and precision engagement
- Reversible arming capability electronic fuze disarms if round misguides
- No warhead development proven lethality
- Warhead high weight ratio vs. total weight
- Reduced logistics burden lethal effectiveness with fewer rounds
- Effective engagement against stationary soft targets sets light vehicles, dismounted enemy personnel
- Future warhead enhancement capability Mortar Anti-personnel Anti-Material (MAPAM)



# **PADGM Fuzing System**




• Electronic Safety and Arming Device (ESAD) and Height of Burst (HOB) sensor integrated with the Guidance and Control System

• ESAD designed to operate independently from the guidance electronics to satisfy the fuze safety requirements

• Three function modes – proximity, impact and delay after impact

- ESAD Module Booster
- Two independent arming events/environments
  - Time sequenced umbilical release
  - In-flight round spin induced by tail fin cant





US ARMY

RDECOM

Unclassified



# Guide-to-Target Air Drop Flight Demonstration - Dec 08

Unclassified

• Two Flight Test Units air dropped from C-123


25

- FTU #1 impacted ground < 10 meters from intended target
- FTU #2 impacted ground < 11 meters from intended target
- Demonstrated accuracy within the accuracy of the GPS (9 10.5 meters)

Target Point








WARFIGHTER FOCUSED

DRIVE

'OLOGY





81mm Mortar RCFC Guide-to-Target Flight Demonstration Test Results (Air Drop Testing, December '08, Kingman, AZ)



Unclassified



# Guide-to-Target Air Drop Flight Demonstration - Mar 10







Tiger Shark UAV with 81mm Guided Air Drop Munition and GD-OTS Rack System

- First ever PADGM air drop demonstration from tactical class Unmanned Aircraft System
- Air drop from 8,000 ft AGL with 75m lateral offset
- Demonstrated 40m range and 80m cross-range correction landing within 2m of target
- Improved algorithms resulted in improved accuracy
- Test validated UAV integration, system functionality and aero coefficients








RDECON

# PADGM Technology Roadmap







TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



- ARDEC initiative to develop a low cost, small and light weight weapon option for unmanned/manned aircraft platforms
- Munition Guidance Kit technology, with ESAD fuze and GN&C components, replaces existing M734A1 mortar round fuze nose for air drop application
- Very successful 'guide to target' flight demonstrations
- Path forward mature 81mm air drop munition to a fully integrated tactical configuration and conduct live fire flight demonstrations






# RDECOM

# **Questions?**







Unclassified

### TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



D

# SPECIAL MISSIONS

RAPID RESPONSE

# Harnessing the Power of Technology for the Warlighter 🏐

**ONS** 





# Rapid Integration of the M197 onto the MH-60S – Abstract 11584

# 31 August 2011

**Joseph Burkart** 

Crane Division, Naval Surface Warfare Center (NSWC Crane)


Com (812) 854-1654 DSN 482-1654 joseph.burkart@navy.mil

Approved for Public Release; Distribution is unlimited.



### **NSWC Crane Division**





Approved for Public Release; Distribution is unlimited.

3



## **Small Arms Air Platform Integration**





- Who are we?
  - We are a team of engineers, logisticians, and technicians with vast crew served weapons and electronics integration experience.
  - We have the capability to support the full life cycle of the systems we deploy.
  - We support multiple platform offices and team with industry partners.
  - We take great pride in providing high quality support to our customers in a timely manner.

- What do we do?
  - Design and integrate weapon systems for various aircraft.
  - Fabricate prototype parts for fit checks and testing.
  - Support flight certification process through the NAVAIR Performance Monitors.
  - Provide Finite Element Analysis (FEA) modeling for fatigue and crash loads.
  - Procure production hardware through GOV contracts.
  - Receive, inspect, kit, and deploy high quality systems.
  - Provide interim supply support.



### **Various Air Platforms Supported**









 How can we rapidly integrate weapon systems at a reduced cost that will provide enhanced capability for the fleet?

Process

**Artifacts** 

• How are we using Systems Engineering to solve this?


Approved for Public Release; Distribution is unlimited.

**Execution** 



## **Systems Engineering Plan**










8

- The use of 'Tailor' instead of 'Cut' was key to our systems engineering process
  - Tailor: to fit to a particular circumstance
  - Cut: reduction; break off
- Key Questions:
  - How can we apply guides and instructions written for an ACAT I program to a small rapid development effort?
  - What is the purpose of the process/document?
  - Does the purpose add value to the program?
  - How can we benefit from the purpose within cost and schedule?
- Readdressed how we 'Tailor' the Guides and Instructions to ensure we're meeting the intent of the document
- Putting 'Pen to Paper' forces tough decisions to be made early and greatly aid in the planning process and gets everyone on the same page






- Scoped the Project and Defined <u>Artifacts</u>
- The WBS was created to capture the total effort to support the development, integration and fielding of the 20mm Gun System.
- Based on MIL-HDBK-881A
- Contains a WBS Dictionary for each element.
- Established Common Terms.
- Assigned each WBS Element to a Functional Lead



#### **Team Structure**

CRANE





- Established a Team that could execute the work
- Involved Non-Design Functional Areas from the start of the project



### Areas of Responsibility



Electrical Lead

•Electrical Design

Fabrication

•Electrical Component

#### Project Lead

•Stakeholder Mgt

Decision Analysis

Technical Assessment

Configuration Mgt

•Data Mgt

Contract Mgt

Risk Mgt

Validation

Test Lead

Test Planning
 Component Testing
 Subsystem Testing
 System Functional Checkout

•Test Execution

Test Coordination

Systems Engineer •Technical Planning •Requirements Mgt •Requirements Analysis •Architecture Design •Implementation •Interface Mgt •Verification

System Safety Lead

•WSESRB Data Package•LSRB Data Package•System Safety Planning

Mechanical Lead

Logistics Lead

Logistics Documents

•Training

Mechanical DesignHardware Fabrication



### **Death by Meetings?**



12



- Enforce Time Limits
- Working Meetings
- Follow an Agenda
- Stay Focused
- Low Preparation Workload
  - Most Preparation is Day-to-Day Tasking
- Follow Up
- Clear Expectations
- IPT Meeting
  - Weekly
- Sponsor Meeting
  - Weekly
- Integration WIPT Lead Meeting
  - Daily
- Integration WIPT Meeting
  - Weekly
- Functional Lead Meeting
  - Weekly






- Systems Engineering Plan
- Product Performance Specification
- System/Subsystem
   Specification
- System/Subsystem Design Description
- Interface Control Document
- Initial Functional Analysis
- Test and Evaluation Strategy
- Test and Evaluation Program Plan
- System Requirements
   Verification Matrix

- Team Work Plan
- Configuration Management Plan
- Risk Management Plan
- Work Breakdown Structure
- System Safety Program Plan
- System/Subsystem Hazard Analysis
- Interim Support Plan
- User's Logistics Support Summary
- Acquisition Logistics
   Support Plan



#### **Document Traceability**



Approved for Public Release; Distribution is unlimited.





15

- Don't Micro-Manage
  - Allowed the Leads to Lead
    - Helped Leads Identify Risks and Solutions
    - Didn't 'Trump' Functional Lead Decisions
      - 'Maybe sometimes'
  - Allowed Creativity
    - "My" Design would have looked vastly different
    - Is the system meeting requirements?
- Paperwork increased up the chain





- At what point do we draw the line for integration
  - COTS System onto Platform?
  - COTS Subsystems into a System onto Platform?
  - COTS Components into Subsystems into Systems onto Platforms?
  - The higher the better, within Performance, Schedule and Cost
- Use of Analysis of Alternatives and Trade Studies to identifying level of integration
  - Risk vs. Benefit Chart
    - This places the priority on the performance of the end item
  - Cost and Lead Time
    - Often COTS lead times are longer than entire project schedule





### **Key Documents**




- System Subsystem Specification
  - Allocated Requirements to WBS Elements
  - Assigned to Functional Leads
- Interface Control Document
  - Defined External and Internal Functional, Physical, Human Interfaces
  - Established Interface Nomenclature
  - Assigned to Functional Leads
- System Subsystem Design Description
  - Established System Architecture
  - Documented System Wide Design Decisions
    - Quality Factors Allocation
    - Fire Controls Design Decisions
    - Power Subsystem Design Decisions
    - Weapons Ammunition Handling System Design Decisions
    - Aircraft Gun Mounting Adapter Design Decisions
  - Consolidated Trade Studies and Analyses to one Location
    - Alternative System Design Analysis
    - Gun Drive Motor Alternative Design Trade Study
    - Booster Motor Assembly Alternative Design Trade Study
    - M197 Assembly Alternative Design Trade Study
    - Firing Rate Selection and Vibration Analysis
    - System Faults Analysis
    - Hardware vs. Firmware Justification White Paper
    - Booster Motor Requirement Analysis
    - Dispersion/Boresight Analysis



#### **System Architecture**







## NSWC Crane as the System Integrator



- RAPID RESPONSE
  - As a DoD Activity funding can be provided immediately avoiding contract lead times
  - This allows us to be fully engaged from the start of the program, working with the sponsor and end user to solidify requirements
  - No contract mods when requirements change
  - Flexibility to adjust to SE process changes
    - Drop non-value added tasks
    - Add emerging tasks to meet goals





# Thank you for your time and attention!



For more information on NSWC Crane, please visit www.crane.navy.mil

Images were downloaded via publically accessible websites



1

#### 30-mm X 173 MK310 MOD0 PABM-T FCT Program and Cartridge Qualification Status

46th Annual NDIA Armament Systems: Guns & Missile Conference

Jay Fitzsimmons & Susan Broad Naval Surface Warfare Center Dahlgren Division

14 April 2011



Agenda

- MK46 GWS & Application
- Foreign Comparison Test (FCT) Program
- Joint Cartridge Qualification Program
- Cartridge Qualification Status
  - Overall Test Program
  - Tests Completed
  - WSESRB Status



## MK46 GWS







#### MK44 Bushmaster II Chain Gun

#### MK46 GWS Characteristics

- Firing Rate: 200 rpm
- Single Shot or Burst Fire
- Magazine Size: 400 Ctgs
- FLIR / ELRF



## MK46 GWS Applications



#### LPD-17 Class Transport Dock



Expeditionary Fighting Vehicle (EFV)



#### LCS 1 USS Freedom



LCS 2 USS Independance



5

## Joint USN / USMC FCT for 30mm PABM-T

- USN as the lead service, teamed with the USMC, submitted a joint FCT program for 30mm Programmable Air Burst Munition (PABM) (January 2005)
- 30mm PABM Program was the number one priority of the FCT program within the USN (May 2005)
- 30mm PABM FCT Program was selected for funding by the Office of Secretary of Defense (September 2005)
- Request For Proposals (Solicitation) requested interested candidates/vendors to supply cartridges for lethality evaluation
- Three candidates/vendors provided cartridges for evaluation
  - All were Non-Developmental Items (NDI) Cartridges
  - Fragmenting High Explosive (HE) & Kinetic Energy (KE) Type Projectiles



# FCT Lethality Evaluation

- FCT Lethality Objective:
  - Evaluate Single Shot, Terminal Lethality of 30mm PABM against representative land and naval targets (USN, USMC, & US Army Rqmts)
- Lethality Analysis:
  - Personnel Kill Operational Requirements based Casualty Assessment (ORCA) & Joint Technical Coordination Group (JTCG) Modeling
  - FirePower Kill Operational (Technical Assessment) and Advanced Joint Effectiveness Model (AJEM) Analysis
  - Mobility Kill Operational (Technical Assessment) and Supporting AJEM Analysis



## Naval Targets Evaluated



#### 42' Aluminum Hull FIAC

- 2 Man Crew
- 1500m

#### 24' Fiberglass Hull USMC Raider Boat

- 2 Man Crew
- 1500m
- 3 Jet Ski Targets
  - 1 Man Per Jet Ski
  - 1500m





## Infantry Targets Evaluated

- Infantry Squad (1500m)
  - 8-Man Standing and Prone
- Anti-Tank Guided Munitions (1500m)
  - Two Man Fighting Position without Overhead cover
- Lightly Fortified Infantry Encampment (600m)
  - Two Man Fighting Position with Overhead cover
- BTR-60 (1500m)
  - Three Man Crew (scored) with 6 mounted infantry (not scored)







Wall Targets Evaluated

- Concrete Block and Terra Cotta Walls w/ Room Behind
  - 2-man behind wall



600 meter Target

600 meter Target



## FCT Down Select

- ATK/Diehl Cartridge recommended by Source Selection Panel for Down Select
  - Selection Based on Performance and Cost
  - Cartridge selected required safety qualification
- General PABM-T Cartridge Information
  - High Explosive Warhead with Air Burst Base Fuze
  - PBXN-5 Explosive with Zirconium Incendiary
  - Inductive Fuze Setting Required for Gun Feed
  - Aluminum Cartridge Case
  - Single Base Propellant
  - M36A2 Percussion Primer






## Cartridge Qualification Program




## 30-mm Ammunition Qualification Tests





## 30-mm Ammunition Conditioning Series






30-mm Ammunition Conditioning Series

- Purpose: To assess energetics and fuze safety devices against lifecycle threats
  - Package, Handling, Storage & Transportation
  - Loading
  - Gun Fire to Barrel Exit
  - After Barrel Exit
- Passing: Fuze safety devices remain safe; safe for disposal or safe for firing and operational depending on the specific test



## 40 FT Drop

• Purpose: Satisfies UN Test Series 4(c); assess safety after free fall. 5 Drop Orientations.



• Passing: No reaction or escape of explosive material; safe for disposal



## Insensitive Munitions Tests

- Joint Requirements Oversight Committee (JROC) harmonized testing requirements between Hazard Classification and Insensitive Munitions
- Tests Conducted & Associated Reaction:
  - Fast Cook-Off TYPE I
  - Slow Cook-Off TYPE III
  - Bullet Impact TYPE I
  - Fragment Impact TYPE I
  - Sympathetic Reaction PASS
  - Shaped Charge Jet Impact Not Conducted; high order failure anticipated



Static Arena Test

Purpose: To satisfy safe separation safety analysis requirements and characterize projectile fragmentation to develop lethality and effectiveness assessments





Lightning – Direct & Near Strike

- Purpose: Subject PABM-T Cartridges Magnetic and Electric Fields IAW MIL-STD-464A Direct Strike: A: 200kA, B: 2kA, C: 200-800A, D: 100kA
  - Near Strike (E-Field)
  - Near Strike (M-Field)
- Pass Criteria:
  - Near Strike: Safe to Handle & Safe to Dispose
  - Direct Strike: Fully Operational
- Post Test Analysis: Perform post test inspection to verify safety & operability



## Lightning – Direct Strike

#### Strike Number 2: Side of Container





Post Test Cartridges & Dunnage



Post Test Container & Linked Cartridges




Post Test Linked Cartridges

Approved for Public Release. Distribution is Unlimited.



# Lightning – Near Strike Magnetic and Electric Fields


• Magnetic Field





• Electric Field





Approved for Public Release. Distribution is Unlimited.



ESD Personnel and Helicopter Bourne

- Purpose: Subject PABM-T Cartridges to Electro-Static Discharge IAW MIL-STD-331C
  - Personnel Bourne: 25kV exposure (+/- polarities)
    - 22 cartridges @ 3 test points / ctg (Nose, projectile seam, primer)
  - Helicopter Bourne: 300kV exposure (+/- polarities)
    - 3 containers (different test point on each container)
- Pass Criteria: Cartridges must be fully operational after exposure (per Mil-Spec)
- Post Test Analysis: Perform post test inspection to verify safety & operability



## Fuze Testing

- Purpose: Assess safety and reliability of fuze S&A
- Testing Completed:
  - Jolt, Jumble, Numerical Effectiveness of the Interrupter, Primary Explosive Safety
- Passing: Safety devices (S&A) remain in safe condition; assess degree of inline rotation necessary for propagation; no propagation of explosive train when S&A out of line



### Fuze Testing



#### Jolt Fixture



### Primary Explosive Safety

#### Numerical Effectiveness





Approved for Public Release. Distribution is Unlimited.




### Summary

- Complete All Qualification Testing July 2011
- Finalize Safety Documentation:
  - SSSTRP
  - FISTRP
  - Final Type Qualification (FTQ)
- Submit Letter Data Package to US Navy WSESRB with Recommendation for Final Operational Capability (FOC) – Sept 2011



### Questions / Comments



Approved for Public Release. Distribution is Unlimited.



1

## Status of 30mm MK317 MOD 0 TPDS-T **USMC/USN** Qualification Program Presented to the 46th Annual Gun & Missile Systems **Conference & Exhibition** Miami, Florida 11-14 April 2011 Prepared By NSWCDD, Code G32 Jim McConkie



- Background of Selection of the 30mm MK317 TPDS-T
  - Trainer Ctg for Combat APFSDS-T Ctg
  - From FCT to USMC Lead Program
  - NATO Qualification of 30mm TPDS-T
- Qualification by Analogy & Test
- Qualification Testing
  - Hawthorne Test Range SDZ & Ranging Tests in Dec 2010
  - NSWCDD Test Range Future Qualification Tests ?
- Summary & Future Work



# Background of 30mm MK317 TPDS-T

- 30mm Target Practice Discarding Sabot (TPDS-T) was submitted as a Foreign Comparative Test (FCT) Proposal in 2007 & 2008 (Not Selected)
  - Joint USMC, US Navy, and US Army Effort
  - Flight Characteristics similar to APFSDS-T out to 1500m
- Qualification of 30mm MK317 as "Not New Item" – RWM-S TPDS-T Qualified by Analogy to the MK268 MOD 0 APFSDS-T Combat Cartridge - 2009

Plan to Qualify ATK, GD-OTS and NAMMO 30mm TPDS-T variants in 2010 & 2011 for Increased Competition

• USMC/USN & NATO Qualification of MK317 in FY2011



# 30mm MK317 SDZ & Ranging Ballistics TPDS-T Requirements


- 30mmx173 TPDS-T Cartridge (Ctg) Compatible for use in the 30mm MK44 Chain Gun (Loading, Firing, and Ejecting)
- Ballistic Match (1 mrad) to the 30mmx173 MK258 APFSDS-T Ctg from 100 meter (m) to 1500 m Range

   Projectile trajectory time-of-flight (ToF) within 0.5 second of the MK258 projectile ToF out to 2500 meters Range
- Surface Danger Zone (SDZ) of less than 8,300 meters
  - Max Sabot Debris Distance 400m
  - Sabot Discard Angle Less than 30° off Line-of-Fire
- Compliant with USN Insensitive Munitions





# 30mm TPDS-T SDZ & Ranging Test at Hawthorne, Nevada





# 30mm MK317 SDZ Berm Setup

#### 12.5 Degree Berm with Steel Plates





# 30mm MK317 TPDS-T SDZ Test Berms

#### Earth & Steel Berms





#### **5 degree**



12.5 degree





# 30mm MK317 Ranging Test Set-up

#### 30mm Mann Barrel & Tracking Radar





# 30mm SDZ Test Matrix

#### • 30mm TPDS-T SDZ Test Requirement – 10 Valid Ricochets per Test Event

| Impact<br>Media | Range (m) | Impact<br>Angle(deg) | ATK<br>(Rds) | GD-OTS<br>(Rds) | NAMMO<br>(Rds) |
|-----------------|-----------|----------------------|--------------|-----------------|----------------|
| Armor Plate     | 500       | 12.5                 | 15           | 15              | 15             |
| Earth           | 500       | 12.5                 | 15           | 15              | 15             |
| Armor Plate     | 500       | 8.5                  | 15           | 15              | 15             |
| Earth           | 500       | 8.5                  | 15           | 15              | 15             |
| Armor Plate     | 500       | 5                    | 15           | 15              | 15             |
| Earth           | 500       | 5                    | 15           | 15              | 15             |
| Armor Plate     | 800       | 5                    | 15           | 15              | 15             |
| Earth           | 800       | 5                    | 15           | 15              | 15             |
| Total           |           |                      | 120          | 120             | 120            |



# 30mm Ranging Test Matrix

#### • 30mm TPDS-T SDZ Test Requirement – 10 Valid Ricochets per Test Event

|       | Gun<br>Super<br>Elevation<br>Angle<br>(deg) | Temp<br>Condition<br>of Ammo<br>(°F) | ATK<br>(Rds Fired) | GD-OTS<br>(Rds Fired) | NAMMO<br>(Rds Fired) |
|-------|---|--------------------------------------|--------------------|-----------------------|----------------------|
|       | 5   | -25                                  | 15                 | 15                    | 15                   |
|       | 5   | +125                                 | 15                 | 15                    | 15                   |
|       | 25  | +125                                 | 15                 | 15                    | 15                   |
|       | 5   | +70                                  | 15                 | 15                    | 15                   |
| Total |   |                                      | 60                 | 60                    | 60                   |



# 30mm MK310 Ranging Test Results

#### • 30mm MK317 TPDS-T Data by Manufacturer

| Data Parameter                  | (ATK)  | (GD-OTS) | NAMMO  |
|---------------------------------|--------|----------|--------|
| Avg MV (m/s)<br>(5°SE, +70°)    | 1632.5 | 1603.9   | 1490.6 |
| MV SD (m/s)                     | 8.8    | 6.88     | 3.02   |
| Avg Range (m)<br>(5°SE, +70°)   | 6542.5 | 4942.9   | 4544.8 |
| Avg ToF (sec) (5°SE,<br>+70°)   | 15.9   | 13.2     | 12.9   |
| Max Range (m)<br>(24°SE, +125°) | 7613.8 | 6854.8   | 8416.5 |
| Avg ToF(sec)<br>for Max Range   | 25.6   | 33.3     | 36.1   |

Note: MV SD – Muzzle Velocity Standard Deviation; Avg ToF – Average Time of Flight, SE – Gun Tube Super Elevation



30mm MK317TPDS-T SDZ Results

## 30mm MK317 TPDS-T Data by Manufacturer

| Manufacturer | Range<br>(m) | Avg<br>Impact<br>Velocity<br>(m/s) | Impact<br>Velocity<br>SD | Avg<br>Impact<br>ToF | Impact<br>Time<br>SD |
|--------------|--------------|------------------------------------|--------------------------|----------------------|----------------------|
| ATK          | 500          | 1447                               | 16.8                     | 0.327                | 0.023                |
|              | 800          | 1346                               | 16.1                     | 0.538                | 0.018                |
| GD-OTS       | 500          | 1349                               | 15.6                     | 0.340                | 0.017                |
|              | 800          | 1193                               | 28.4                     | 0.575                | 0.014                |
| NAMMO        | 500          | 1388                               | 5.4                      | 0.344                | 0.006                |
|              | 800          | 1331                               | 6.3                      | 0.561                | 0017                 |
|              |              |                                    |                          |                      |                      |



# Summary of SDZ & Ranging Test

- 30mm TPDS-T SDZ and Ballistic Ranging Data Has Been Submitted US Army Aeroballistics Branch, ARDEC for SDZ Analysis and Final SDZ Report
- All three Manufacturers Provide TPDS-T Variants that Meet SDZ Requirements Based upon Preliminary Data
- Three Other Qualified Manufactures will Provide Competition with the Current Single Qualified MK317 TPDS-T Cartridge Made by RWM-S



Future Plans

- Current Plans for USMC & NATO Qualification On Hold Due to Cancellation of EFV Program
- USMC Is In Process of Developing Requirement for the Follow-On Amphibious Combat Vehicle (ACV) Program.
- Completion of the 30mm TPDS-T Qualification will be Based Upon USMC and/or USN Requirement for Realistic Training Ammunition for a 30mm Main Gun



# Questions?







# Gun Weapon System MK 48 for the United States Coast Guard Large Maritime Security Cutters (WMSL 750-757)

COAST GUARD

repared by: Mr. Henry T. Rowland

MK 48 System Engineer aval Surface Warfare Center, G34 Dahlgren, VA Presented by: Ms. Kaye Aswegan


MK 48 Project Manager Naval Surface Warfare Center, G34 Dahlgren, VA



## Subject and Purpose



- The GWS MK 48 was developed in response to the urgent gun fire control needs of the US Coast Guard for its newest Homeland Security Maritime Platform
- Adaptation of existing Naval lethal tactics into US Coast Guard Law Enforcements non-lethal actics
- ntegration of a foreign gun mount terminology and operation into a US Gun Weapon System



#### **Rapid Development Timeline**



#### Gun Computer System (GCS) Description



- approved for development in 1982 for S DDG-51 Class Destroyers.
- orms
- DG and CG
- SCG Deepwater WMSL
- alone or Fully Integrated into AEGIS bat Systems
- tegrated with Air Defense, Anti-Surface and NSFS unctionality
- se of non-dedicated sensors, gyros and clocks
- rocess Engagement Orders
- ilter Track Data for Gun Engagements
- CS track initiation based on OSS data
- Allows C&D engagement
- evelops Ballistic Solution for 5" and 57mm rojectiles
- evelops Stabilized Gun Pointing Orders
- upports Destructive, Warning and Disabling Fire



DDG/CG



WMSL






5"/54 & 5"/62 Conventional / ERM




57mm









### Fire Control Enterprise Architecture









# GWS MK 48 Disabling Fire Operation

ical Sight tracks some point on the target ets the GWS Console track ball and aim point ame position. The GWS Console Operator can e aim point from the point of tracking by e trackball. There are three aiming strategies ed:

where the optical sight line of sight is pointed at the afe laser range finder-provided range.

e vessels trim by the stern or have an odd stern e, making it difficult to maintain a stable optical at the desired point of aim. Allow the optical sight ator to target a convenient "fat" (sizable exposed ice area) portion of the target and allow the aim t to be adjusted from the optical sight-tracked point e desired location

ly, because it may have been a while since the gun last fired, allow the Disabling Fire aim point to be t from the optical sight track to a position pletely aft of the target and then walked back onto arget after gun firing accuracy has been established



SYSTEM



Adaptation to 57mm Design: Loading Next Round to Fire and Point Detonation 3P Fuze Backup

S.C.G. Maritime Law Enforcement al states "inert ammunition must be or Warning Shots and Disabling Fire"; the 57mm, TP projectile.

Tring, the 57mm design will always ot to load a projectile at the ram on(next to be fired). If none of the ed type is available, it will load ver ammunition type is available.

se of this, a 3P, high explosive tile may be at the ram position when xt mission requires inert, TP nition.

D Adaptation: If a high-explosive tile is at the ram position while the s using restrained-response warning or ng fire, a warning is displayed to the Console Operator which must be Unless the target is physically hit, shallow projectile angles of fall on short range targets will likely result in fuze non-function if the fuze is set to Impact mode. The MK160 avoids this by setting the fuze to function on Time and detonating the projectile at the computed time of intercept. The result is a Point Detonation using the 3P backup fuze function if the target is struck ,or close aboard fragmentation on the target if not directly struck.





# Assimilation of a Foreign Gun Mount

### into U.S. Service

es of Foreign Influences/Priorities Imm Design

by design, the first High-Explosive projectile of any 57mm salvo is non-settable and uses he default proximity fuze function. In the J.S., however, this design results in the nisemployment of that first projectile in rarious tactical circumstances. For example, when the operator orders an Air Burst at a particular height and range, or when armor piercing is ordered.

The 57mm design assumed no need for a puilt-in simulation capability. The U.S. places high value on training. The lack of a 57MM built-in simulation capability makes GWS training less effective.

The 57mm, 3P high-explosive ammunition is lesigned with a Point Detonation Back Up function. This is a positive feature and is used to advantage in the U.S. design. 57mm Units and Terminology Examples

- Units:
  - (57mm) Meters/Second vs. (U.S.) Feet/Second
  - (57mm) Radians and Radians/Second used for Gun Resolver Display vs. (U.S.) No use of Radians for Gun Position-related displays
  - (57mm) 0 to +/-180 Degrees Convention vs. (U.S.) 0-to-360 Degrees Convention
- 57mm Terminology: "Unsafe" is an action (verb) taken on the 57mm Gun prior to firing. The operator is "unsafing" the gun.
- 57mm Terminology: "Disturbing" Errors are errors that do not prevent the accomplishment of a critical function.



### MK 160 Approach to Terminology Differences



C.G. decision to man a gunner's ation using the Gun Control Panel

IK 160 to adopt 57mm terminology GWS Console with exceptions such isplay of train from 0 to 360

. This supports common, precise ary between the gunner's mate and controlman.

160 assists the fire controlman by ent display of 57mm units and U.S.

U.S.: Degrees and Decimal Minutes

U.S.: Decimal Degrees


57mm: Decimal Radians

GWS CONSOLE AN/UYQ-70(V)11











|              | System Time:<br>Link Status: | 14:39:20<br>Up |           |
|--------------|------------------------------|----------------|-----------|
| Gun Position | Order                        | Actual         | Error     |
| Train        | 102 D 20.1 M                 | 102 D 20.1 M   | 0 D 0.0 M |
|              | 102.335 D                    | 102.335 D      | 0.000 D   |
|              | 1.7861 R                     | 1.7861 R       | 0.0000 R  |
| Elevation    | 0 D 22.4 M                   | 0 D 22.4 M     | 0 D 0.0 M |
|              | 0.374 D                      | 0.374 D        | 0.000 D   |
|              | 0.0065 R                     | 0.0065 R       | 0.0000 R  |

🔷 Hold Display 🔶 Start Display





## GWS MK 48 Summary



VS MK 48 – Being installed on (8) S.C.G. Large Maritime Security tters leverages off our U.S.N. MK34 VS product family.

oven MK 34 GWS tailored to oport rapid development.

VS MK 48 Integration of Warning d Disabling Fire uses graphical ethods and engagement processing oporting warning, disabling, and struction methods of engagement thin a single engagement for xible response.

e use of a Foreign Gun Mount ove MK 160 design decisions ated to terminology differences d influences of the country of












## BACKUPS



## Prior Ad Hoc Warning Fire Problems: **Motivation for MK 160 Design**



- CO orders a warning shot 80 s ahead of the target.
- arget is engaged and prior ration systems aimed by It to hit the target after of flight.
- ire controlman has to late a deflection spot in mils itary milliradian) to move im point forward in the ion of the target's course by rds. Problem A: What part e target is being tracked-Amidships? This must be d to the 80 yards.
- using the target range, the ontrolman enters a spot in vhich results in 80 yards d setting the stage for em B: the distance enclosed





Sentric Recorder

## Evidence Collection and Event Playback within MK 48 GWS



1000 N

Video Control: crightner Decay Time


Range Scale Graphics B-Scan Size

ns that may arise from gun use are serious. It is ve to document what the GWS Operator saw and ng the use of the gun.

S Console includes a console-integrated accessory, ric Media Recorder, to capture all GWS Console nd the Optical Sight Video, for evidence and event .

ally, the MK160 records all digital interface data ery internal and external interface for data





Adaptation to 57mm Design:



EA

rn is designed to lay a wall of ation across the target using 10 projectiles. host GWS hold the height of a surface the surface, and the gun makes no target ated offset, if firing is normal then at least attern will be short. There are holes in the



daptation: When the surface firing pattern target height is used to enable the entire ttern to detonate in the air as a supportive The MK160 implements aiming and firing limits in addition to the 57mm software-designed limits. This provides an "Or'd" safety check and a way of tailoring limits. For example, MK160 does not allow pointing in the direction of the superstructure while the gun mount allows pointing over and across the superstructure





## Other Key MK 160 Adaptations to 57mm Design



ovided the gun magazine is loaded, the MK160 can complete all the steps of target engagement id readiness to fire without moving the gun mount ,including transitions from local gun mount introl to MK 160 control ,thus concealing the Captain's intentions.

e MK 160 system provides a built-in 57mm simulator that allows simulated pointing and firing.

NE MK 160 has developed a method of testing the analog firing order and the analog unsafe gnals without requiring a sailor to go top side to physically load a primer or test case for that arpose.

nytime communications with the gun are restored, the MK 160 will warn the GWS Console perator if the gun has gone from a loaded condition to being unloaded.

the 57mm does not take local control of pointing when communications with fire control have filed. This can result in mount motion when communications with the fire control system are retablished. Such events, while technically correct, can catch the officer of the watch off-guard. To event this, when communications with the gun mount are restored after being down for a gnificant period of time, the GWS Console operator must approve the coupling of the MK160 gun ount orders to the gun.

the compartmentalization of 57mm ammunition can hurry the operator's reload order to the point that premature orders to reload while firing is in progress are likely- interrupting the salvo in ogress. The MK160 precludes this by holding off orders to reload or load until any currently fired by a sended.



## Next-Gen Fire Control: Free Software & Video Game Math Marc Santoro

Anthony D'Alessandro

Special Mission Weapon Systems

Naval Surface Warfare Center, Dahlgren Division

> Distribution Statement: (A) Approved for public release; distribution is unlimited.



# Outline

- Developing a Fire Control System
- Integrating New Approaches
- The Tools
- Video Game Math
- Roadmap of Future Technology
- Conclusions



# The System

- Medium-Caliber Fire Control System
- Non-Traditional Customer
  - Airborne
  - Rapid Development
- Existing system inappropriate
  - Physically large
  - Developed using legacy tools
- Concept to delivery in 1/3 time for typical system
- Significant COTS components



# Open Approach

- Open Source tools are high quality
- NSWCDD gradually introduced open source into Naval Fire Control
- New software architecture based on Open Source
- Hardware Interfaces
  - DoD Mount, Wescam EO/IR, ATK Gun, C2/C4ISR
- Ballistics Simulation 4-DOF MPM
- Servo Control Discrete PID
- State Estimation/Filtering Alpha-Beta, R-C



# The Tools

- Linux
- GNU Toolchain (C++)
- TRAC
- Git
- Python
- Sage
- Octave

- KST
- OpenJava
- R
- Open/LibreOffice



# Video Game Math

- Fire Control overlaps video game technology goals
  - Accurate Simulations
  - High Performance
    - Processing
    - Networking
- Strong commercial demand
  - Technical Expertise & Resources
- Linear Algebra
- Signal Processing



# Linear Algebra

- Strong overlap between FC and games
- Parallax
  - Direct solution derived from fundamental math
- Ballistics
  - 1:1 match between implemented ballistics model and idealized 4DOF model



# Graphics Cards

- Contain integrated processors with massive capacity
- Used to accelerate certain signal processing operations
- Real-time Video Decoding; 3D (georectified) overlays
- Developers use a C-like language



## State Estimation

- Analogies between commercial sector & DoD interests
- Alignment (Parallax)
  - Computer Vision
- Target Tracking
  - Video Games



# The Future

- Utilize application-specific COTS components
  - Digital Signal Processing
  - Graphics Processing Units
  - COTS I/O
- Minimization
  - Small-form-factor rugged platforms
- Simplification
  - Identify and reuse analogous technology
  - Obsolescence



# Conclusions

- Investing in knowledge capital
  - Identify trends in commercial technology that parallel DoD needs
  - Prioritize technical subject-matter expertise
- Minimized investment in specialized technology
  - Long-term reuse potential is over-estimated
  - Extensive investment in component reuse is inefficient
    - Components end up specialized anyway
    - Focus on capturing knowledge

## GD-OTS/Nammo 30mm Combat and Training Ammunition

46th Annual Armament Systems: Gun & Missile Conference & Exhibition

August 29-September 1, 2011

Miami, FL

Nammo PRECISION, PEOPLE AND TECHNOLOGY

Approved for Public Release

**GENERAL DYNAMICS** Ordnance and Tactical Systems



## Agenda

- Nammo/GD-OTS Team Information
- 30mm MK317 TPDS-T
- 30mm MK266 HEI-T
- 30mm MPAB-T
- 30mm MK264 MP-T/SD
- 30mm MK258 APFSDS-T
- 30mm MK320 APDS-T
- 30mm P-SRTA-T Trainer
- 30mm Blank
- Questions/Comments



### **GD-OTS/Nammo Partnership**

- Since 1981, GD-OTS and Nammo have been working together on the development of advanced Medium Caliber Ammunition (MCA). In 2000, the relationship was further strengthened with the signing of a new Strategic Alliance Agreement (SAA) extending to 2020.
- Numerous cooperative efforts have been conducted on both domestic and international production sales as well as joint development efforts including:
  - Kinetic Energy (KE) Cartridges
  - Airburst (MPAB-T) Technology
  - Multipurpose (MPC) Cartridges









Namme

- 6 Strategic Business Units
  - Large Caliber Ammunition
  - Medium Caliber Ammunition
  - Small Caliber Ammunition
  - Precision Systems
  - St. Marks Powder
  - GD-OTS Canada

•3,927 Employees

•17 Operating Facilities

### **GD-OTS Marion Operations Facility**

#### 631 acres leased for Manufacturing



Propelling charge, solid propellant products, Advanced Development




**Ammunition Manufacturing** 

Roadway: Buildings: 10 miles 224 76 Magazines

Operating Buildings: (Area, Square Feet)

159,290

#### 290 acres owned



Test Range

#### GENERAL DYNAMICS Ordnance and Tactical Systems

## **GD-OTS Medium Caliber Ammunition Product Portfolio**

**20mm Ammunition** 







30mm Lightweight



25mm Ammunition



30mm x 173



25mm - 57mm Airburst




40mm Grenades




Approved for Public Release

### 30mm x 173 GD-OTS/Nammo Family





### **30mm Team Solutions**



Target distance

The GD/Nammo team can provide a 30mmx173mm family of ammunition capable of satisfying all military requirements!



## 30mm X 173 MK317 TPDS-T





•GD-OTS has developed a low cost 30mm Target Practice Discarding Sabot-Trace (TPDS-T) round that is ballistically matched to the qualified MK258 and MK268.

- •Time of flight to 2000m <0.5 second delta to 30mm MK258 and MK268.
- •Max range <8,000m using "Fort Bliss Hot Day" conditions.
- •Trace visible for >3000 meters (5 sec.).
- •TRL-7 design included in recent US Navy qualification testing.

## 30mm x 173 MK266 Mod 3 HEI-T



•GD has been working with the USN to qualify the MK266 Mod 3, High Explosive Incendiary-Trace (HEI-T) cartridge.


•Cartridge pairs current GD-OTS qualified MK266 projectile and cartridge design with proven M505 fuze.

•All testing successfully completed in 2010.

•USN currently putting into place a Final Operation Classification (FOC) for the MK-266 Mod 3.

•FOC approval expected in 2011 with US Navy/USMC.

### 30x173mm MPAB-T



•GD-OTS/Nammo team has a 30mm Multi Purpose Air Burst-Trace (MPAB-T) solution.

Time based fuze operates with both contact and inductive fuze setting methods.
Nammo will be demonstrating Radio Frequency (RF) communication in June 2011.

•Fuze has been subjected to US Army fuze safety board reviews and is scalable across 25-57mm.

•The munition has demonstrated effectiveness against hard armor targets, troops in the open and defilade, and light skin targets at multiple ranges.

•GD-OTS under contract for further fuze development.

### GENERAL DYNAMICS Ordnance and Tactical Systems

Nammo PRECISION, PEOPLE AND TECHNOLOGY

### Nammo's Business Units

Medium & Large Caliber Talley Defense Systems Small Caliber **Missile Products** Demil EXOCET MM40 Block 3 












12

#### Approved for Public Release

## 30mm X 173 MK264 MP-T/SD



•The USG qualified MK264 Multi Purpose-Traced round with Self Destruct (MP-T/SD), is combat proven and is the choice for multispectral target defeat ammunition for 30mm users.


•Based on the well proven Nammo MP concept.

•Characteristics:

Muzzle Velocity-1070m/s
Dispersion- <0,4 mils</li>
Self Destruct-4,7s, approx 3500m
Impact delay-0,4ms
Low velocity drop due to the low drag shape.
Penetration with high volume of fragmentation (50-60 ea) with blast and incendiary effects.



### 30x173mm MK258 APFSDS-T



•Armor Piercing Fin Stabilized Discarding Sabot-Trace (APFSDS-T) round for hard armor defeat at extended ranges.

•Design features super cavitating nose tip for below water line missions.

•Nammo currently in production with the qualified MK258 Mod 0 and Mod 1.

•GD-OTS Americanized version (Mod 2) meets all US requirements and leverages high rate APFSDS-T manufacturing experience.



## 30mm X 173 MK320 APDS-T





•Nammo has developed a 30mm Armor Piercing Discarding Sabot-Trace (APDS-T) round, ballistically matched to the qualified MK258, that can be used in both tactical and training environments.

- •Tactical tungsten penetrator with no cobalt defeats urban targets. (walls, hard armor)
- •Training window 100-1500m; Max range less than 8000m.
- •Tracer identical to APFSDS-T.
- •Serial production-June 2008.

## 30mmX173 P-SRTA-T

•Plastic Short Range Trainer Ammunition-Trace (P-SRTA-T)

- •Trainer has a max range <1200m.
- •Effective training range=300m
- Trainer round includes:

   Day/Night Tracer
   Plastic Link
   Non Toxic Plastic
   UV-Degradable Materials
   Used by Food Industry

•Qualified by FLO in Nov-08





## **30mm Plastic Blank Ammunition**

Items used for:
 Force-on-force exercises.
 Implemented in Battle Training Systems.

•Round Safety Distance: 015m / 50 ft in front of muzzle.

•Cartridge color is either red or black.

•Cartridge utilizes plastic link.

#### •Status:

Delivered 10,000 rds in 2005 to Norway.
Delivered 20,520 rds in 2006 to SE Asia.
Delivered 25,000 rds in 2009 to SE Asia.





## Summary

- GD-OTS/Nammo has ready for USG use an extensive suite of 30mm tactical and training ammunition.
- With a new/strengthened relationship, the Team is now focused on strategies that best reduce manufacturing cost while continuing to develop new higher effectiveness products.

The GD/Nammo team stands ready to support the USG with state-of-the-art 30mm products!

### S40x180mm Ammunition for the MK44 Weapon

46th Annual Armament Systems: Gun and Missile Systems Conference & Exhibition Event #1590 August 29 – September 1, 2011 Miami, FL

*"Shaping Weapon Systems for Rapid Deployment: Development, Interoperability & Flexible Response"* 

#### THE STRENGTH OF THE NATION



GENERAL DYNAMICS Ordnance and Tactical Systems

Approved for Public Release

# S40x180mm MK44 Ammunition

- Brief S40mm ammunition history
  - US Army Contract Efforts
  - Internal Research and Development (IRAD) Efforts
- S40mm Ammunition Family
  - Armor Piercing Fin Stabilized Discarding Sabot with Tracer (APFSDS-T)
  - Multi Purpose Air Burst with Tracer (MPAB-T)
- Summary

### GD-OTS and ATK working together to further S40mm technology

# S40x180mm - Introduction

The S40mm MK44 capable weapon and ammunition solution is ready for U.S. Army study and test.

- The 30mm MK44 weapon is a battle proven system with a complete family of qualified ammunition ranging from target practice, armor piercing and high explosive cartridges.
- The proven MK44 weapon contains growth provisions for S40mm cartridges
  - Increasing lethality over 30mm where...bigger is better.
  - Minimal up-gun cost impacts due to a combination of MK44 weapon part commonality and interchangeability.

### 30mm to S40mm Projectile Growth Placing more Lethality on Target



GENERAL DYNAMICS Ordnance and Tactical Systems

Approved for Public Release

# S40mm - Introduction

- Maintains lethality overmatch against the most common/capable threat.
- Leverages existing scalable 30mm cartridge technologies and qualified explosive items.
- Can use existing and established US supplier base to meet growth objective needs.
- Allows use of common 30mm MK44 and S40mm MK44 weapon parts

30mm,S40mm, and larger caliber commonalities = Lower Cost

# **Brief S40mm Ammunition History**

- US Army Contract Efforts
- Internal Research and Development (IRAD) Efforts





Approved for Public Release

# S40mm – US Army Contract Efforts

2001-2005 – US Army Contract for the Advanced Light Armaments Combat Vehicle (ALACV):

- Propellant development for:
  - Multi Purpose Air Burst with Trace (HEAB-T)
  - Target Practice with Trace (TP-T)
- Cartridge development:
  - S40mm x 218 APFSDS-T
  - S40mm x 165 HEAB-T
- Live fire demonstrations at High Rate Bursts (HRB) out of the MK44 mounted in a Bradley Fighting Vehicle.
- Successful APFSDS-T ballistic penetration performed.
- Successful HEAB-T ballistic function demonstrated.



# S40mm–Internal Research and Development (IRAD)

#### 2001-Present –IRAD:

- Common S40mm x 180mm case design, development, tooling and manufacture complete for S40mm ammunition family.
- S40mm APFSDS-T Cartridge Design:
  - Successful aluminum sabot ballistic testing with common case.
  - Composite material sabot solution in progress.
  - Propellant solutions from GD-OTS St. Marks and GD-OTS Canada very near objective.
- S40mm MPAB-T Cartridge Design
  - Induction or contact set fuze with:
    - > PD/PD delay
    - Self destruct
    - Selectable short/long fuze arming ranges
- S40mm TP-T Cartridge Design
  - Simple two piece metal projectile design for low cost production.





Approved for Public Release

# S40mm Ammunition Family

- APFSDS-T for armor targets. Features include:
  - Cobalt free penetrator
  - Composite sabot assembly
- MPAB-T for urban and troop targets.
   Features include:
  - PD/PD delay
  - Short or long selectable arming ranges
  - Airburst function
  - Self destruct function
  - Induction or contact communication fuze



### MPAB-T TP-T APFSDS-T

Projectile technology is scalable to larger calibers for increased requirements.

**Approved for Public Release** 

# S40mm Armor Piercing Fin Stabilized Discarding Sabot with Tracer (APFSDS-T)




Approved for Public Release

# S40mm APFSDS-T – Design Characteristics

**Projectile Features:** 


 S40mm provides ~50% higher flight weight (penetrator, fin, and windscreen) than the 30mm APFSDS-T.




GENERAL DYNAMICS Ordnance and Tactical Systems

Approved for Public Release

### S40mm Composite Sabot Ballistic Test: Down Muzzle and Sideline Projectile Views



Successful composite sabot ballistic testing using St. Marks Powder Hybrid® Propellant



#### GENERAL DYNAMICS Ordnance and Tactical Systems

**Approved for Public Release** 

# S40mm APFSDS Composite Sabot

### Objective:

Transition from aluminum to composite sabot decreasing sabot mass by 43% for a lighter weight projectile translating to higher velocity, kinetic energy, and penetration capability

### Status:

- Design work complete
- Composite sabot mold fabricated and producing test parts
- Initial testing complete

### Next Steps:

- Additional ballistic testing at temperatures
- MK44 weapon testing




# S40mm Multi Purpose Air Burst with Tracer (MPAB-T)



**Approved for Public Release** 



# S40mm MPAB-T Cartridge



GENERAL DYNAMICS Ordnance and Tactical Systems


Approved for Public Release

# S40mm Air Burst – Fuze Characteristics

- Inductive or contact set, time-based, programmable electronic fuze.
- Airburst function
- PD/PD Delay feature to:
  - Increase capability of the ammunition and eliminate the need for HEI PD ammunition.
  - Defeat light materiel targets
  - Provide PD function in the unlikely event that PD is preferred or an air burst communication signal fails.
- Selectable arming: allows user to select an arming range of short or long.
- Self destruct function

GENERAL DYNAMICS

Ordnance and Tactical Systems



# Summary

- The S40mm cartridges offer greater lethality than 30mm without reducing the number of stowed rounds:
  - APFSDS-T design provides more kinetic energy on target vs. 30mm
  - MPAB-T design is up to 3 times more lethal than 30mm
- APFSDS-T sabot and GD-OTS propellant development will yield goal muzzle velocity by end of 2011.
- The S40mm APFSDS-T and MPAB-T munitions have been successfully demonstrated out of the MK44 cannon
- S40mm technology is scalable to larger calibers as required

### S40mm Family



THE STRENGTH OF THE NATION

TP

KE





### TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

# Development of a Moveable Weapon Mount System for the CH47 Helicopter

Michael Colonnello 1 September 2011

DISTRIBUTION STATEMENT A: Approved for public release. Distribution is unlimited.

### **Background – M24E1 Program**



RDECOM

ationa Duality ward

Recipient



•The current machine gun mount for the CH47 is the M24 -astationary bar mount that mounts in the door and window of the aircraft and accepts the M240H machine gun.

•A need arose for a new mount to eliminate some deficiencies that are present in the M24.



2007 Award DISTRIBUTION STATEMENT A: Approved for public release.

GY DRIVEN. WARFIGHTER FOCUSED.

### M24 Machine Gun Mount -**Deficiencies**



#### Ammunition **Capacity/Retention**

o Only 200 Round Capacity Per Can o Can Held in Place by Bungee Cord

#### **Case/Link Collection**

 Only 200 Round Capacity • Bag is Very Weak – Tears Easily o Bag Interferes with Bar When Full

#### **Rigid Cradle**

RDECOM

o Cradle is Solid Steel Transfers Force and Vibration to Mount/Aircraft Inaccurate Fire From Gunners

Malcolm Baldrige

National

Quality Award

Recipient

Hard Mounted in **Door/Window** 

 Makes Egress Difficult o Makes Hot Refueling Impossible Without Removing the Mount Puts Soldiers at Risk in **Emergency Situations** 

2007 Award TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED. DISTRIBUTION STATEMENT A: Approved for public release.



### M24E1 Machinegun Mount



#### Flex-Mount Cradle

✓ Cradle Features Buffers
 That Flex with Weapon Recoil
 ✓ Allows Gunners to be More
 Accurate

#### Improved Catch Bag/Frame

✓ 450 Case/Link Capacity
 ✓ Reversible Zipper for
 Outboard or Inboard Emptying

#### Lightweight Construction

- ✓ Hollow Tube Construction
   ✓ Aluminum Ammunition Cans
   ✓ Titanium Used Where Possible to
- Reduce Weight

#### Modular Design

- ✓ Mounts in Existing Mount Points
- ✓ Improved Field of Fire
- ✓Two Ammunition Can Choices Cradle Mounted and Cross-bar Mounted
- ✓ Only Four Bolts Need to be Removed to Change Ammo Can Type



#### Pivoting Cross-bar

- ✓ Cross-bar Pivots into Aircraft
- ✓ Quick Breaking Articulation Point
- ✓Allows Easy Egress and Ingress
- ✓Can be Pivoted into Aircraft with Weapon Installed



#### Cross-bar Mounted Ammunition Can

- ✓ 400 Round Capacity
- ✓ Anti-Siphon Spring
- ✓ Opens up Gunner's Field of View on Left Side of Weapon
- ✓ Smooth Functioning Nobles
- Ammunition Chute

DISTRIBUTION STATEMENT A: Approved for public release.

#### Cradle Mounted Ammunition Can

- ✓ 400 Round Capacity
- ✓Anti-Siphon Spring
- ✓Fewer Components
- ✓Fast Loading
- ✓ Fast Ammo Can Swap

#### M24E2 Future Improvements:

- ✓ Inboard and Outboard Articulation
- ✓ Fold-Flat Inboard Articulation
- ✓ Decreased Number of Moving Parts

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



### **Flex Mount Cradle**





#### **Rigid Cradle** Standard Aircraft Cradle -Steel Construction -Rigid – Transfers all shock to mount, aircraft, gunner

olm Baldrige National

Quality Award

Recipient



#### **Flexible Cradle**

#### •FN Manufacturing, LLC, Columbia, SC

- -FN is also the designer of the M240H
- -Cradle features spring damper system to dampen recoil
- -Aluminum construction
- -Positions ammunition can mounts, case collection system, weapon in the same location as rigid mount

2007 Award TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED. DISTRIBUTION STATEMENT A: Approved for public release.



### M24E1 Machine Gun Mount











### **Operation – Articulation**





## 1) Pull Aft Hinge Pin


### 2) Pull Safety Pin





### **Operation – Articulation**





3) Slide Handle to Release

### 4) Swing Mount Inside Aircraft





### **Operation – Articulation**



# Just a few simple steps to go from Deployed to Open to Stowed





DISTRIBUTION STATEMENT A: Approved for public release.






Locking Pin

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.







RDECOM

Recipient

•Finite Element Analysis (FEA) was used to ensure that the M24E1 was structurally sound

- -8 G crash loads in positive and negative X, Y, Z directions
  -Recoil loads simulated in worst case position to predict fatigue of critical components
- Extensive testing performed at Picatinny's Armament Technology Facility to ensure reliability of the M24E1 system
  - -Ammunition Can Loading Configurations
  - -Blank Firing
  - -Integrity of the Structure
  - -Operation of Recoil Mount

### Analysis and Testing – Ft. **Rucker and Ft. Drum**



 Flight Test at Ft. Rucker -Vibration

RDECOM

Juality Award

Recipient

- -System reliability through flight operations •Ft. Drum/Ft. Indiantown Gap Operational Testing and Evaluation.
  - -Traveled to Ft. Drum/Ft. Indiantown Gap throughout the process as upgrades and changes were made to get Soldiers to test them



2007 Award DISTRIBUTION STATEMENT A: Approved for public release.

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.






- Production of M24E1 currently complete and Operational Evaluation has begun
  - Imperial Machine and Tool, LLC is the prime contractor
    - Located in Columbia, NJ
    - Manufactured the prototype mounts
    - Have expertise in titanium machining, welding
  - 120 Shipsets (240 Mounts), and applicable spare parts and assemblies manufactured
- In Theater Operational Evaluation
  - Beginning In December 2010, Units deploying to Theater have been outfitted with these mounts
  - Each Unit going into Theater will be fully equipped, trained, and outfitted with the M24E1 system
  - Throughout their Tour, they will be asked to use this system and provide feedback to the design team, which will be used to help tune the design of the M24E1Mod1, which will go into production in FY2012





Recipient


M24E1Mod1 – Added Features






# M24E1Mod1 – Added Features







Stowed Inside Aircraft for Regular Egress or Hot Refueling Pushed Outside Aircraft for Emergency Egress





### **Applicability of Technology**



- How can we apply this technology to other systems, or allow additional weapon systems to be mounted to the CH47
  - Recoil System The Recoil Cradle that is used on the M24E1 is a simple system that allows the recoil of the weapon to be absorbed through the use of a spring-damper system. Larger versions of this system could allow weapons with higher recoil forces to be mounted on aircraft that typically use the M240H. Special Forces are already mounting additional weapon systems on their aircraft.
  - Structural Rigidity M24E1 cross bars are essentially thin-walled titanium tubes.
     Stronger tubes, larger diameter, and thicker cross sections will improve the system's structural integrity, as could the use of different cross sectional profiles.
  - Aircraft Hardpoints While the system itself could easily be modified to allow the use of heavier or higher recoil weapons, the aircraft hardpoints may not be able to hold up over time. As such, the design team would likely need to beef up these hardpoints in order to allow prolonged use of higher recoil systems.
  - Foreign Military Sales Many other countries have CH47 aircraft Great Britain, Australia, Netherlands, Japan, Canada, etc.
  - Additional Applicability to CH47 Different Locations in Aircraft (Rear Windows, etc.)





### **Applicability to Other Aircraft/Services**













M107

Jationa

Quality ward

### Applicability to Other Weapon Systems

M2

Mk19



M134


Many other weapons could be desirable on aircraft
Special Forces are already using some of these weapons in their aircraft with less than ideal mounting solutions

•Technologies used in the M24E1 and M24E1Mod1 could make this possible



### QUESTIONS





Michael Colonnello, (973) 724-9748, michael.colonnello@us.army.mil Adam M. Jacob, (973) 724-0535, adam.jacob@us.army.mil





### References



Photographs of Aircraft and Weapons taken from:

- http://www.gdatp.com
- http://www.dillonaero.com
- •http://www.minihelicopter.net
- http://www.barrett.net
- •http://en.wikipedia.org
- http://www.sikorsky.com
- http://www.boeing.com





2011 NDIA Gun & Missile Systems Conference Aug. 29 – Sept. 1, 2011

# 25 x 59mm LW25 Programmable Air Burst Munition

Don Gloude Chief Design Engineer ATK Integrated Weapon Systems 763-744-5253 Don.Gloude@ATK.com

Approved for Public Release 11-S-1844 dated 20 April 2011



# Contents




- Project Summary
- Cartridge Description
- System Description
- Common Fuze
- Capabilities
- Summary





Leverage ATK's PABM (Programmable Air Burst Munition) experience across multiple calibers to develop 25 x 59mm LW25 PABM ammunition. Develop and demonstrate a scalable common fuze for airburst munitions capable of integration into 25mm and larger cartridges.



## Design

- Requirements Development and Management
- ✓ Trade Studies
- Design for production
- Lethality Modeling
- Gun Integration
- 🖌 Analysis & Modeling
- Preliminary Design Review

#### PHASE COMPLETED



# Build & Verification Testing

- 🗹 Design Verification
- 🖌 Lab Test
- Warhead Evaluation
- Softcatch Testing
- ✓ Integrate System Test
  - Airburst Test

COMPLETE 2011



## Qualification


- Safety Testing
- Arena Testing
- Environmental Testing
- Performance Testing

COMPLETE 2011/2012

- Complete

# **LW25 PABM Cartridge Overview**

- Initial design concepts included base fuze, mid-body fuze, and nose fuze airburst projectiles
- Trade study completed which reviewed key aspects of the design such as Cost, Producibility, and Performance/Lethality to down select to mid-body fuzed projectile
- Emphasis on modeling and analysis to reduce risk and time to market. Tools such as Pro-E, PRODAS, ANSYS, CTH, and Matrix Evaluator were used
- The final design incorporates ATK's common/scalable medium caliber airburst fuze
- Lethality optimized through use of controlled fragmenting dual warheads; projectile is highly effective against defilade targets
- Common LW25 projectile profile and cartridge case components
- Inductive programming that is common with ATK's 30mm PABM-T Mk310; reliable and simple to integrate.





# **LW25 PABM Requirements Summary**

- **Programmable modes** Airburst, Point Detonate (PD), PD-delay (PD-D)
- **Backup Mode** In the event of no communication or improper communication with the fuze setter, the fuze shall default to the PD mode
- No-Arm Distance 35 meters
- All-Arm Distance 50 meters
- **Self-Destruct** 6.25 +1.0/-0.0 seconds
- Muzzle Velocity 436 m/sec (mean) ٠
- Airburst Range 2,000 meters (Objective) .
- **PD and PD-D Range** 2,000 meters (Objective) ٠
- **PD Sensitivity (min)** 0.063" thick aluminum plate
- Safety: .
  - MIL-STD-1316 compliant S&A Mechanical setback lock and spin lock
  - Electronic spin rate test
  - Environmentally induced power source with Mechanical lock
- **Producibility** modular fuze and common production process with 30mm and IAWS (25mm)

#### Requirements are flexible and can be adjusted during development to meet user specific requirements



Example of 25mm Air Burst Function







# LW25 PABM Fuze – Scalable Airburst Fuze

- Demonstrated to survive setback loads up to 100kg's for LW25 application •
- Turns count range estimation option to upgrade to hybrid turns/time estimation •
- Command arm electro-mechanical fuze •
- Safety Out-of-line safe MIL-STD-1316 compliant S&A with spin and setback locks ٠
- Airburst, PD, PD-D modes of operation
- Quick-arm compatible, expandable to additional modes •
- Environmentally induced power •
- Defaults to PD backup with no programming •
- Self-neutralization and self-destruct features
- **Designed for production Modular fuze stack** ٠
- Inductively programmable common with Mk310 •
- Integrates into aft, mid, or forward body of projectile



Scalable Airburst Fuze for Mid-body Projectile



25mm IAWS (XM25)



PABM


25mm PABM 25 x 137mm

**TT** 

LW30 PABM 30 x 113mm

30mm Mk310 MOD1 PABM 30 x 173mm

Super 40 PABN 40 x 180mm






# **Scalable Airburst Fuze Components**





**Mid-body Airburst Projectile Components** 

#### Scalable Airburst Fuze Components for Mid-body Projectile




# **System Description**




## The following components comprise a typical LW25 PABM System:

- PAWS
- LW25 Chain Gun
- Gun Control Unit (GCU)
- Fire Control
- Laser rangefinder
- Sensors for air temperature and pressure
- Gunner display to assist and confirm target aiming









# **Ammunition Modes and Capabilities**





## AIRBURST FUZING = OPERATIONAL VERSATILITY PERFORMANCE AGAINST DEFILADE AND BEHIND WALL TARGETS



# Summary



- ATK has developed and demonstrated a common scalable PABM fuze which can be easily integrated across the medium caliber family of ammunition.
- Using precision fuzing and controlled fragmentation, the LW25 PABM offers a significant performance increase over conventional ammunition when engaging:
  - Targets in defilade position
  - Area targets squad formations
  - Light armor
  - Light skin targets
  - Air targets such as UAV's and helicopters

## Contacts



- Robert Schmitz (ATK Market Segment Director)
  - (763) 744-5724
  - Bob.Schmitz@ATK.com
- Clay Bringhurst (ATK Medium Caliber Ammunition Business Development)
  - (480) 324-8649
  - Clay.Bringhurst@ATK.com
- Lee Olson (ATK Chief Engineer LW25 Ammunition)
  - (763) 744-5721
  - <u>Lee.Olson@ATK.com</u>
- Don Gloude (ATK Chief Design Engineer (ABM))
  - (763) 744-5253
  - <u>Don.Gloude@ATK.com</u>



# Developing Reliable Software For A Rapid Deployment Product

ATK Advanced Weapons





# Challenge:

Develop reliable software while minimizing risk for a rapid deployment product.

## **Approach/Goal:**

Apply simple strategies to the following standard software activities.

- > Process
- Design/Implementation
- Integration
- Field Test

# **Process: Simplify**




## Use a consistent, rigorous software process that allows flexibility.

#### > Simplifying process when risk is low expedites development.

- Generate thorough requirements without over specifying, simplify scope if possible
  - Missed requirements results in errors while excessive requirements add overhead in maintenance and testing
  - Challenge questionable requirements
- Hold "appropriate" peer reviews
  - Broad review team for requirements, focused review for code
- Allow parallel effort
- Don't apply process formality too early
- Perform thorough integration test and analysis, focusing on most likely scenarios
  - Ensure implementation of requirements and handling of possible failure situations

### Develop complex software incrementally

• Focusing on a single functionality makes it easier to specify, implement, debug, and integrate





Simple and effective Configuration Management is critical when development is progressing quickly. Incorrect software in a product build leads to disaster.

- Manage software configurations without invoking a complex change control process too early
- Use diligent configuration management throughout software development whether software is prototype, test, intermediate distributed version, lab configuration, tactical, etc
- Provide unique <u>readable</u> version/build number and checksum in each software release

#### > What we do...

- Provide lab checkout software with unique ID but not released to CM
- Release flight test software to CM system along with a version control document
- Document all software version(s) in a TRR package prior to flight test

### Change Control formality must increase as software matures

- Early: Fix anomalies and add functionality per test schedule / build plan, review, debug, and integrate. Limited approval required.
- Later: Obtain CCB approval, implement and test

## **Process: Example**



# There can be several steps to the final software product while software process formality increases with software maturity.

- High level software architectural design concurrent with software requirement development
- > Early prototype software developed for interfacing with external components
- > Test software developed for integration and checkout of external components
- Major functionality added incrementally
  - 1: Perform pre-programmed controlled maneuvers
  - 2: Add Navigation/Guidance algorithms, program mission "manually"
    - 2a: Disable Navigation and Guidance, use for data recording purposes only
    - 2b: Enable Navigation and Guidance
  - 3: Program mission "tactically"
- Unique version ID and CRC for each build, identified in TRR package and readable from the embedded software at test site
- Requirement change control initiated after requirements baseline, tactical code change control initiated after unit test complete.



# Early and close involvement in all aspects of program design and development reduces risk.

- > Ensure well-justified decisions and obtain robust system understanding
  - Participate in proposal and planning
  - Participate in processor selection
  - Interact closely with other engineering disciplines
    - Systems
    - Electrical
    - Simulation/algorithm

### Perform early risk mitigation activities

- Perform trade studies for concept validation
- Prototype software before requirements complete

### Create environment for smooth software transitions

- Obtain all stakeholder input (e.g., Safety, Field Test, Production Test, Electrical)
- Develop software on tactical breadboards
- Involve simulation/algorithm team implementation and test of embedded software
- Participate in system integration

## **Design: Software Re-use**



## Field tested and/or qualified software re-use is especially beneficial.

### Benefits of continuing re-use

- Reuse avoids reinventing/redesign/learning time
- Software quality increases with reuse
- Repository of reusable software increases with design for re-use

### Several types of re-usability

- Software design architecture
- Tool and knowledge (when same family processor used)
- External factors driving software: algorithm, electronics
- Software: embedded, external test and maintenance, data reduction and analysis tools, subcontractor software
- > Modular design and functional decomposition promotes re-use
  - Design for re-use

# But, be careful. Drive for robustness in re-usable software without over complicating it.

## Airburst derivatives

- Four similar programs
- Same processor family
- Common messaging and arming/detonation
- Same test environment



30mm ABM Fuze





Most weapons systems contain safety critical software for fuzing and arming functions. Isolate safety critical software into a small single purpose and well defined Software Item (SI).

- Stanag 4404 and other safety related requirements are applied to fewer lines of code
  - Safety related requirements result in additional lines of code and added complexity
- Smaller SI usually means fewer future updates required
  - Updates to safety critical software are sensitive, requiring more analysis and testing
- Safety analysis for safety board approval is simplified
- > Safety critical software is typically not re-programmable when fielded
  - Software cannot be easily modified



# Use a thorough set of lab integration tests prior to each field test to help ensure success. Variety of testing is a key.

- > Ensure all requirements are tested during development or integration
- > Specifically test all updates to the release and all field test objectives
- Perform end-to-end functional testing
  - Processor-in-the-loop test gives a high level of confidence that all components are integrated correctly
  - Hardware-in-the-loop testing visually demonstrates closed loop control
- Duplicate subcontractor development/test environment for parallel integration and smooth transition
- Perform component test during product assembly, integrating and testing software with hardware

## While integration testing is comprehensive, it is not Formal Qualification Test (FQT). FQT must be performed prior to product delivery.

# Integration Example




# Three subcontractors provided software that required integration with ATK software. Integration continued through product build.

- > Well defined system timeline and interface specifications
  - Software items integrated relatively smooth first time
- Replicate development environments at all sites
  - Facilitated working in parallel
  - Eliminated need for emulated subsystems
  - Allowed periodic integration as functionality added
  - Allowed timely delivery of software fixes as needed, key when debugging
- > Systematic detailed set of product build integration tests
  - Ensured communication between subsystems during assembly



Effective field tests are critical to rapid deployment. Software results are necessary for analysis, whether test success or failure is declared.

- Process control, design, and sufficient integration/test/analysis are keys to avoiding software induced test failure
  - Tests limited in number
  - Data is crucial
- > Robust and detailed ground interface/telemetry/on-board recording is essential
  - Thorough self test and detailed reporting
    - Key factor in go/no-go decisions for effective flight test
  - Telemetry provides on-site real-time evaluation
    - Key factor in go/no-go decisions for subsequent flight test
  - On-board recorder (OBR)/Telemetry
    - Provides invaluable 'real' flight data for system performance
    - Allows visibility into software, algorithms, and interface functions
    - Provides insight into software and/or system anomalies





It is possible to develop reliable software in a rapid deployment environment.

# **Approach Summary:**

Process – simplify/streamline

Design/implementation – re-use, eliminate complexity

Integration – don't shortchange

➢ Field Test – get the data



**PGK Field Test** 



#### **Steve Gunderson**

Software Design ATK – Advanced Weapons Division Plymouth, Minnesota (763) 744-5106 <u>Steven.Gunderson@atk.com</u>

### **Mary Linman**

Sr. Manager, Software Design ATK – Advanced Weapons Division Plymouth, Minnesota (763) 744-5120 <u>mary.linman@atk.com</u>



# 30mm x 113mm (LW30) Target Practice Tracer (TP-T) Ammunition

Kyle Nerison Mechanical Design Engineer ATK Integrated Weapon Systems 763-744-5519 Kyle.Nerison@ATK.com 14 April 2011

Approved for Public Release 11-S-1841 dated 7 April 2011



# Outline



- Applications
- Performance Objectives
- Initial Development Phase
- Final Development Phase
- Summary

2



# **Applications**



#### M230 Gun

3

Currently on Apache helicopter


### M230LF (Link Fed) Gun

- Based on proven M230 gun
- Low-recoil design makes gun adaptable to many systems
- Being implemented for ground applications


#### **ATK System Application Examples for M230LF**

- Modular Advanced Weapon System (MAWS)
- Palletized Autonomous Weapon System (PAWS)
- Nobles Engineering Viper Gun System

#### Ground & shipboard applications require traced ammo







M230LF PAWS

**Flight Characteristics** 

## Desire direct drop-in addition to current LW30 ammo family


#### Tracer

4

- Trace distance to 2000 meters
- Daylight & infrared visible









ATK

5



ATK




ATK >


7

### ANSYS Finite Element Analysis at Setback / Max Base Pressure at 71°C (390 MPa)


• Option 1: Localized projectile body deformation – Fracture not anticipated



Option 2: No projectile body deformation – Robust



Option 3: Localized nose and projectile body deformation – Fracture not anticipated



8

9


## **Initial FEA Analysis – Tracer**


ANSYS FEA for tracer consolidation in Opt 1

Outcome: Tracer boom will support consolidation

## ANSYS FEA for pressure leak for Opt 2 and 3

- Outcome: Tracer will fail mechanically if gun pressure leakage occurs (red arrows)
  - Led to development of more robust assembly process to prevent leakage






LW30 TPT-T Option #02 - xy Shear Stress in Tracer Pellets


264.75 353







#### PRODAS ballistics analysis of match to M789 out to 2000 meters



Outcome: Option 1, 2, & 3 ballistic match (drop) is within objective requirements



#### **PRODAS** ballistics analysis

| Projectile | Gyro Stab<br>Factor (2-3) | Muzzle<br>Jump Factor | Predicted<br>Yaw (deg) |
|------------|---------------------------|-----------------------|------------------------|
| M789       | 2.94                      | .025                  | 3.5                    |
| M788       | 2.86                      | .028                  | 3.5                    |
| Option 1   | 2.28                      | .023                  | 2.5                    |
| Option 2   | 2.75                      | .021                  | 4.5                    |
| Option 3   | 1.93                      | .026                  | 4.5                    |

• Outcomes: Stability, dispersion, and yaw all predicted to be acceptable

# **Initial Fabrication & Assembly**





Option 1





Option 2



Option 2 & 3 Tracer Assembly

Option 3 Approved for Public Release 11-S-1841 dated 7 April 2011



- Radar and drag profile data collected and analyzed
  - Outcome: 'Tracer effect' less significant than estimated, resulting in slightly higher drag and longer flight times to 2000 meters than predicted
- PRODAS model updated based on empirical data
  - Outcome: Ballistic match and required muzzle velocity predictions updated

| Projectile | Original QE Match<br>(Drop in mils) @<br>Req'd Muzzle Velocity | Updated QE Match<br>(Drop in mils) @<br>Req'd Muzzle Velocity |  |
|------------|--|---|--|
| M788       | 0.69 @ 805 m/s   | same  |  |
| Option 1   | 0.30 @ 783 m/s   | 0.47 @ 817 m/s  |  |
| Option 2   | 0.29 @ 801 m/s   | 0.28 @ 850 m/s  |  |
| Option 3   | 0.14 @ 816 m/s   | 0.79 @ 856 m/s  |  |

13

## **Initial Test Results – Tracer – Option 1**




- Ambient: 18/20 successful
  - Both failures ignited but were short burns (failures averaged 9 meters short)
- Cold: 20/20 successful
- Hot: 11/20 successful

14

- All failures ignited but were short burns (failures averaged 152 meters short)
- High burn time variation



| 2km Flight  | Ambient | Cold | Hot  |
|-------------|---------|------|------|
| Time (sec)≈ | 6.41    | 6.60 | 6.15 |




## **Initial Test Results – Tracer – Option 2**



- Ambient: 17/20 successful
  - All failures ignited but were short burns (failures averaged 10 meters short)
- Cold: 15/20 successful
  - 4 failures ignited but were short burns (failures averaged 15 meters short)
  - 1 failure did not ignite
- Hot: 19/21 successful
  - 1 failure ignited but was a short burn (42 meters short)
  - 1 failure did not ignite
- All had consistent burn time variation




| 2km Flight  | Ambient | Cold | Hot  |
|-------------|---------|------|------|
| Time (sec)≈ | 6.12    | 6.50 | 6.04 |




## **Initial Test Results – Tracer – Option 3**



- Ambient: 7/20 successful
  - All failures ignited but were short burns (failures averaged 33 meters short)
- Cold: 4/20 successful
  - 14 failures ignited but were short burns (failures averaged 41 meters short)
  - 2 failures did not ignite
- Hot: 2/21 successful
  - All failures ignited but were short burns (failures averaged 62 meters short)
- All had consistent burn time variation



| 2km Flight  | Ambient | Cold | Hot  |
|-------------|---------|------|------|
| Time (sec)≈ | 6.55    | 6.83 | 6.43 |



## ATK

#### **Structural Integrity**

- All designs survived gun launch at all temperatures
- Risk areas identified during FEA

#### Aeroballistic Performance

• All designs met threshold ballistic match objectives

#### **Tracer Performance**

All designs must have longer tracer burn times to reliably meet objective trace distance
 of 2000 meters

#### Producibility

• Many improvement opportunities identified

#### An updated design was required to meet performance objectives


#### **Threshold (Primary) Requirements:**

- Continue to meet ballistic match and dispersion objectives
- Reliably meet tracer burn distance requirements
- Added requirement for **compatibility in alternate barrel design** 
  - 42" with 6.5° rifling exit angle (most common barrel for M230 on Apache)
    - This is design used for all previous PRODAS simulations
  - 60" barrel with 6.2° rifling exit angles (most common barrel for M230LF)

#### **Objective (Secondary) Requirements:**

- Method to improve tracer ignition reliability
- Improve producibility & affordability





ATK)

19




#### **ANSYS Analysis Input Summary**

- Body & Nose Materials:
  - Minimum allowable material properties
- Base Pressure:

20

- 350 MPa pressure (greater than predicted pressure at hot) applied to aft exterior




## Final FEA Analysis (cont'd) – Robust Design



#### **ANSYS Analysis**


21

Outcome: Localized projectile body deformation
 – Fracture not anticipated





#### **ANSYS FEA for tracer consolidation**



Outcome: Projectile body will support tracer consolidation



#### **PRODAS** ballistics analysis of match to M789 out to 2000 meters

• Simulations completed for both 42" and 60" barrel designs, and updated to account for radial match (a function of both drop and drift)

|            | 42" Barrel, 6.5º Exit Angle                          | 60" Barrel, 6.2º Exit Angle                          |
|------------|--|--|
| Projectile | QE Match (Radial in mils)<br>@ Req'd Muzzle Velocity | QE Match (Radial in mils)<br>@ Req'd Muzzle Velocity |
| M788       | 0.10 @ 800 m/s                                       | 0.16 @ 839 m/s                                       |
| Final      | 0.64 @ 769 m/s                                       | 0.60 @ 804 m/s                                       |

Outcome: Final design within objective requirements



#### **PRODAS** ballistics analysis

|            | 42" Barrel,<br>6.5º Twist | 60" Barrel,<br>6.2º Twist | Either Barrel         |                        |
|------------|---------------------------|---------------------------|-----------------------|------------------------|
| Projectile | Gyro Stab<br>Factor (2-3) | Gyro Stab<br>Factor (2-3) | Muzzle<br>Jump Factor | Predicted<br>Yaw (deg) |
| M789       | 2.94                      | 2.74                      | .025                  | 3.5                    |
| M788       | 2.86                      | 2.66                      | .028                  | 3.5                    |
| Option 1   | 2.28                      | -                         | .023                  | 2.5                    |
| Option 2   | 2.75                      | -                         | .021                  | 4.5                    |
| Option 3   | 1.93                      | -                         | .026                  | 4.5                    |
| Final      | 3.01                      | 2.74                      | .012                  | 4.0                    |

• Outcomes: Stability, dispersion, and yaw all predicted to be acceptable

24

#### **Completed:**

- Nose caps
- Projectile Bodies (Figure 1), through banding (Figure 2), band trim, and plate/paint
- Tracer & igniter pellets
- Metering Discs

#### **On-Going:**

25

• Final Assembly to be completed in near future






ATK


- Charge Establishment
- Charge Verification
- PVAT, Dispersion, Yaw, Mann Barrel Function & Casualty
- Max Range Tracer & Radar
- Autogun Function & Casualty
- Environmental then PVAT

26

Testing to be conducted in near future







## Summary




#### **Initial 3 Designs**

- Met ballistic match and flight objectives
- Could not reliably meet tracer objectives
- Had producibility and assembly concerns

#### Final Design

- Simulations indicate this will meet ballistic and flight requirements
- Additional tracer mix capacity and metering ring expected to provide reliable tracing to 2km
- Structurally robust design
- Improved producibility and cost savings



### **Questions?**

?



#### Clay Bringhurst (ATK Medium Caliber Ammunition Business Development)

- (480) 324-8649
- <u>Clay.Bringhurst@ATK.com</u>

#### Tim Graves (ATK LW30 Program Manager)

- (480) 324-8767
- <u>Tim.Graves@ATK.com</u>

#### Kyle Nerison (ATK LW30 Design Engineer)

- (763) 744-5519
- <u>Kyle.Nerison@ATK.com</u>



# 40mm PIVOTING COUPLING

Army Invention of the Year

- Presented By;
  - Steve Kotefski, Savit Corporation

# MK 19 Weapon

- Choice Weapon System of the Warrior
  - Close Combat Scenario
  - Effective Lethality

- Drawback of Weapon System
  - 32 Round Belt Needs To Be Reloaded
    - Causes a Weapon Re-Load Requirement
       POTENTIAL DANGER TO WARRIOR

# WARRIOR FIELD FEEDBACK

- ELIMINATE RELOAD ISSUE
- ADDITIONAL FEEDBACK
  - Partial Belts from Engagement and/or Practice become useless
  - Single Rounds From Charged Weapons become useless

# FIELD ISSUE TO SOLUTION

- Warrior Feedback Issues
  - Warrior Needs-
    - Continuous Firepower from Weapon System-MK19
    - Salvage Partial Belt and Single Round Ammunition
- Solution
  - Achieve the Warriors Needs

# FIELD FEEDBACK TO SOLUTION


- Warriors Needs Defined
  - Field Feedback
- Potential Solutions-
  - Analyze Given Issues- WARRIOR FIELD FEEDBACK
  - Solution = Warrior Needs + Technical Innovation
    - INNOVATION = PATENT = ARMY's GREATEST INVENTION RECIPIENT for 2009 =

## THE PIVOTING COUPLING


## THE PIVOTING COUPLING DEVELOPMENT

- From Field Issue to Solution
  - Gather Field Issues
  - Gather Design Issues
    - Function- Ammunition, Linkage and Weapon System
    - Weapon System Limitations- Rate of Fire, Over Heating
  - Search for Solution-
    - Brainstorming
    - Analysis
    - Innovation

# **Ammunition Belt Assembly**



# **Basics of Design**



# CONCLUSION

- PIVOTING COUPLING
  - Field Problem Success
  - User Issue Success
  - Cost Savings Success
  - Army Invention of the Year Recipient



2011 NDIA Gun & Missile Systems Conference Aug. 29 – Sept. 1, 2011

# 30 x 173mm TPDS-T Development

Don Gloude Chief Design Engineer ATK Integrated Weapon Systems 763-744-5253 Don.Gloude@ATK.com

Approved for Public Release 11-S-1846 dated 7 April 2011





- Project Objectives/Summary
- Cartridge Concept
- Cartridge Development
- Testing Summary
- Go Forward Plans





**Project Objective:** Develop a 30 x 173mm TPDS-T training cartridge (MK317) that provides a ballistic match to the 30 x 173mm MK258 and MK268 APFSDS-T tactical cartridges. Deliver 1200 rounds to the USMC for qualification testing.

#### Project Summary:

- Evaluate projectile designs for function, ballistic match and producibility
- Evaluate tracer designs for retention, visibility and burn time
- Testing to refine and verify design
- Manufacture and deliver 1200 rounds to the USMC for MK317 qualification testing




| • | Muzzle Velocity  | 1615   |
|---|------------------|--|
| • | Chamber Pressure | X-bar = 61.4 kpsi (+21C)<br>X-bar + 3SD = 66.6 kpsi (-54C/+71C)  |
| • | Action Time      | 5.3 msec (+21C/+71C)<br>7.7 msec (-54C)<br>8 msec max individual |
| • | Trace            | 3.5 sec min (all temps)<br>Visible against light background      |
| • | Dispersion       | 0.40 x 0.40 milliradian (+21C @1000 inches)                      |
| • | Max Range        | 8000 meters  |

- Ballistic match to MK258/MK268 from 1500 to 2000 meter range
- Existing qualified ignition train

### **30mm TPDS-T Cartridge Concept**






- M910E1 (25mm) projectile scaled to 30mm
  - Aluminum pusher
  - Steel sub-projectile core w/tracer
  - Aluminum press-fit nose
  - Plastic molded sabot
- Existing qualified 30x173 ignition system
  - M36A2 primer
  - Flashtube assembly (IB52 pellets)
  - AFP-001 propellant
  - Aluminum cartridge case

## **30mm TPDS-T Projectile Baseline Concept**







#### M910E1 Steel Sub-Projectile with Tracer

#### **4-Petal Molded Sabot**

- M910E1 steel sub-projectile with aluminum nose and tracer
- · Solid aluminum pusher
- 4-petal (slot) molded sabot (20% glass filled nylon 6/6)
  - Different rotating band diameters and tapers were evaluated



#### **Baseline Pusher**

### **Alternate Projectile Concepts Considered**





Scalloped 3-Petal Sabot




**Segmented Pusher** 

- Stress analysis of scalloped 3-petal sabot design said that it would survive in-bore loads and discard but lower risk 4-petal design was incorporated.
- Segmented pusher yielded higher dispersion than solid pusher. This concept may be pursued in follow-on design optimization work.




#### Preliminary PRODAS model of cartridge as analyzed by Arrow Tech



|                                 | Mass,<br>gm. | Transverse<br>Inertia,<br>gm-cm² | Axial<br>Inertia,<br>gm-cm² | CG from<br>Nose,<br>cm. | Diameter,<br>cm. |
|---------------------------------|--------------|----------------------------------|-----------------------------|-------------------------|------------------|
| Projectile                      | 123.5        | 497.5                            | 93.6                        | 6.06                    |                  |
| Sub-projectile<br>w/tracer      | 66.3         | 170.3                            | 21.5                        | 5.24                    | 1.62             |
| Sub-projectile<br>after burnout | 62           | 157.4                            | 21                          | 5.16                    |                  |

Table 1. Physical Properties of M910E1 (TPDS-T) Variant



#### Vertical Mismatch 30mm TPDS-T at 1600 m/s vs MK258 and MK268 APFSDS-T USMC EFV


Range (m)

• Initial interior ballistic modeling of AFP-001 indicated that design goal of 1600 m/sec should be achievable.

| Code Used                      | Projectile Weight<br>Grams | Chamber Pressure<br>Kpsi | Predicted Muzzle<br>Velocity, m/s |
|--------------------------------|----------------------------|--------------------------|-----------------------------------|
| PRODAS, Baer-<br>Frankle model | 128                        | 60.9                     | 1570                              |
| CONPRESS                       | 122                        | 58                       | 1600                              |

- Charge establishment testing was only able to achieve a max velocity of 1154 m/sec at 19.6 Kpsi case mouth pressure
- AFP-001 burn rate was too slow to develop adequate pressure with a 122 126 gram projectile.





1620 m/sec muzzle velocity provided the best overall ballistic match to 2000 meters.



• Radford RP-910, with tailoring of grain geometries, was recommended as a viable solution based upon the modeling.

| Charge Weight | Velocity  | Pressure  |  |
|---------------|-----------|-----------|--|
| 12E grame     | 1527 m/s  | 59.8 Kpsi |  |
| 125 grams     | 1527 11/5 | 53.6 Kpsi |  |
| 140 grams     | 1590 m/s  | 61.5 Kpsi |  |
| 150           | 1624      |           |  |
| 150 grams     | 1624 m/s  | 61.5 Kpsi |  |

- Initial results still had lower velocity than model but pressures were also lower.
- Final charge establishment test results met the velocity design requirements with margin.

| Group | Charge  | Quantity | Muzzle    | Pressure, | Action | Dispersion  | Dispersion |
|-------|---------|----------|-----------|-----------|--------|-------------|------------|
| No.   | Weight, |          | Velocity, | Kpsi      | Time,  | horizontal, | vertical,  |
|       | grams   |          | m/s       |           | msec   | mils        | mils       |
|       |         |          |           |           |        |             |            |
| 1     | 145     | 10       | 1571      | 41.2      | 3.44   | 0.33        | 0.27       |
|       |         |          |           |           |        |             |            |
| 2     | 151     | 10       | 1619      | 45.4      | 3.18   | 0.18        | 0.19       |
|       |         |          |           |           |        |             |            |
| 3     | 157     | 8        | 1670      | 50.3      | 3.04   | 0.33        | 0.31       |



| Тетр | Velocity | SD  | Pressure  | SD  | DISP<br>X | DISP<br>Y | Trace<br>Time | SD   |
|------|----------|-----|-----------|-----|-----------|-----------|---------------|------|
| 21C  | 1630 m/s | 6.4 | 46.6 Kpsi | 0.7 | 0.42      | 0.55      | -             | -    |
| -25F | -        | -   | -         | -   | -         | -         | 7.11 sec      | 0.59 |
| -65F | -        | -   | -         | -   | -         | -         | 7.33 sec      | 0.58 |

LAT results for the first sub-lot met most of the design requirements.

- Velocity above target
- Pressure has significant margin
- Trace times were very good at extreme temperatures
- Dispersion slightly exceeded design requirements
- Autogun F&C had no metal parts security issues

## **Final 30mm TPDS-T Cartridge Design**





- Cartridge Weight (422 grams)
- Projectile (123 grams)
  - Aluminum pusher
  - Steel sub-projectile core w/tracer
  - Aluminum press-fit nose
  - Plastic molded sabot
- Ignition system
  - M36A2 primer
  - Flashtube assembly (IB52 pellets)
  - RP-910 propellant (151 grams)
  - Aluminum cartridge case



ATK stands ready with our remaining 30mm TPDS-T hardware to support the USMC qualification effort whenever it resumes.

## Contacts



- Robert Schmitz (ATK Market Segment Director)
  - (763) 744-5724
  - Bob.Schmitz@ATK.com
- Will Wennberg (ATK Medium Caliber Ammunition Business Development)
  - (480) 324-8612
  - William.Wennberg@ATK.com
- Larry Douma(ATK Ammunition Engineering Manager)
  - (763) 744-5252
  - Larry.Douma@ATK.com
- Don Gloude (ATK Chief Design Engineer)
  - (763) 744-5253
  - <u>Don.Gloude@ATK.com</u>



# SPECIAL MISSIONS

## M197 Weapon Command/Control System MH-60S

# RAPID RESPONSE PROVEN SOLUTIONS



# Agenda

- Design objectives
- System Overview
- System Communication
- Weapon Control Panel
- Weapon Control Unit




# **Design Objectives**

- Isolate system from aircraft systems except for power, safety interlocks, and weapon triggers
- No microcontroller or embedded software
- Make the system as safe as possible in the presence of electrical interference, mechanical failure, human induced faults
- Minimize system weight
- Minimize cost
- Maximize reliability
- Rapid development schedule




## M197 20 mm Gun System Overview





## **System Communication**





# Weapon Control Panel





# Weapon Control Panel

- Provides four state machines to maintain safe/arm states for one or two weapons and one or two laser target markers
  - State machines are implemented with Dual Field
     Programmable Gate Arrays for safety critical operations
- Utilizes a proprietary multi-wire connection to each weapon and laser installation.
  - Safety critical protection is provided by sensing shorts to ground, power and each other
- Maintains ammunition count




# Weapon Control Panel

- Prevents arming if required interlocks are not detected or if a wiring/component error is detected on inputs
  - Other system components may communicate their non-readiness/fault by interrupting the continuity loop
  - Fault lock-out is enabled upon detection of system fault, preventing arming and enabling fault light
  - Troubleshooting mode integrated to aid diagnosis



CRANE






## Weapon Control Panel System Fault Handling

| System Fault Description                | When Detected?   | Reset Method                 |
|---|--|------------------------------|
| GCP FPGA Weapon States Differ           | Whenever Powered   | Cycle System Power           |
| Weapon Trigger without Laser<br>Trigger | When Weapon trigger is operated  | Press System Fault Indicator |
| Loss of Continuity Loop                 | When GCP is Powered and GCU is Powered by either Laser or Weapon Power | Press System Fault Indicator |



# Weapon Control Unit



# Weapon Control Unit

- Responds to commands received over safety critical interfaces from the WCP
- WCU utilizes state machines to verify correct operating sequence steps are received
- If faulty sequence is detected, the WCP opens the continuity loop to communicate fault to the WCP and safes the associated weapon or laser system
- System clearing procedures are provided to allow operators to correct and clear faults which may be corrected in flight




- 20mm gun integration required:
  - Speed Control of gun system via feedback loop, PID controller, and high current pulse width modulated output
  - 200V output for priming of ammunition
  - Output for activation of Feeder
  - Robust Input Power Circuit Regulation (MIL-STD-704A and additional capacitance for excessive current draw)



## Weapon Control Unit 20mm gun integration

## Modular Circuit Cards utilized for flexibility





## Weapon Control Unit System Fault Handling

| System Fault Description          | When Detected?   | Reset Method   |
|-----------------------------------|--|--|
| GCU Loss of Power                 | When GCP is Powered and GCU<br>is Powered by either Laser or<br>Weapon Power                                     | Press System Fault Indicator                             |
| Excessive Gun Motor Drive         | When Gun Motor is being Run  | Cycle GCU Power and then<br>Press System Fault Indicator |
| Erroneous Arm or Fire<br>Commands | Shorts to ground or Power<br>whenever the System is<br>Powered; Shorts to other signal<br>lines only when firing | Cycle GCU Power and then<br>Press System Fault Indicator |









### **PRODAS GNC Trajectory System Simulation**

Jeff Siewert

August 2011 NDIA Guns & Missiles

## **GN&C** System Simulation Development Options

Legacy Software Simulation

PRODAS GN&C Prototype Tool MATLAB/ Simulink Simulation

**ARROW TECH** 

If you can't get a bigger target...

## **GN&C System Simulation Development Options**

Legacy Software Simulation

- Pros
  - Detail only limited by developer
  - Very fast simulation
- Cons
  - Tough to validate
  - Can get very complex

PRODAS GN&C Prototype Tool

#### Pros

- Trajectory Engine transparent to User
- Very fast simulation
- Simulation Data provided by PRODAS
- Can be driven by a Macro
- Validated Trajectory codes
- Cons
  - Limited detail

### MATLAB/ Simulink Simulation


ARROW TE

If you can't get a bigger target...

- Pros
  - Almost unlimited details can be included
  - Internal equations and variables visible
  - GN&C can transition easily into Hardware
- Cons
  - User must build and validate Trajectory Engine
  - User must provide inputs and build outputs

## The New Combined Option





- Pros
  - Validated Trajectory Engine
  - Simulation inputs provided by PRODAS
  - Unlimited details can be included
  - GN&C can transition easily into Hardware


## **PRODAS – MATLAB/Simulink Simulation**

#### ARROW TECH > If you can't get a bigger target...

### **PRODAS Environment**


#### Modeling

- Projectile Modeler
- Aero Prediction
- Mass Properties
- Rocket Motor
- Initial Conditions
- Error Budgets
- MET



#### Visualization

- 3D Animations
- Extensive Plotting



### MATLAB/Simulink Environment

| M m_ONCTre_V0.2*  |
|---|
| File Edit View Simulation Format Tools Help<br>D (과 및 4월 3 No 185) 수 다 수 12 스() + = 2001 Format · 및 4월 20 등 등 등 등 중 |
|   |
| P<br>PRODAS   |
| Data Control Force  |
| Fin Deploy Times  |
| Blade Deflections   |
| Grub Firings Stability Stability  |
|   |
|   |
| Control Force   |
| Control Moment  |
| Fin Deploy Times x_600  |
| Squb Firings Vie<br>GNC   |

#### Development

- Leverage All MATLAB/Simulink Toolboxes and Blocksets
- Focused Effort on GNC Design

#### Simulation

- Validated 6+DOF Trajectory Engine
- Seamless Data Interface and Execution Between PRODAS and MATLAB

### **Product Tests**

#### Hardware-In-the-Loop (HIL)

• Use the same simulation to drive the HIL fixture



#### Embedded Code Generation

 Automatically generate flight code from the Simulink model



#### Fire Control


 Simulation software is the basis of fire control software



## Arrow Tech Software

## *<b>EPRODAS*


- Industry standard projectile design and analysis environment
- 65+ integrated analysis modules
  - System simulation
  - Aerodynamic prediction and stability
  - Trajectory simulation and flight Dynamics
  - Guidance, navigation, and control
  - In-bore balloting and interior ballistics simulation
  - Aero-ballistic test data reduction
  - Software development kit
- Over 500 Users at Government and prime contractors
- In use in over 25 countries





### Guided Projectile Development with PRODAS






## How Does It Work?




- Illustrate with a simple transformation
- Add nose and tail kit to a 60mm Mortar




## Design the Air Vehicle





**Stability Evaluation** 



- Design the air vehicle:
  - Add control surfaces
  - Update mass properties
  - Estimate Aerodynamics
  - Evaluate Stability
  - Repeat as Necessary

PRODAS

| 50mm_M7                   | 20 with canards Only.p        | r3 - Mass Properties          |                                      | _ 0      |
|---------------------------|-------------------------------|-------------------------------|--------------------------------------|----------|
|                           |                               |                               | emental Properties   Formatted Resul | ts       |
| Before Burnout            |                               |                               |                                      |          |
| 0mm_M720 with car         | ards Only.pr3 - Mass Pr       |                               |                                      | ×        |
| ng Projectile As Launches | Sabot/Carrier Total w/Car     | tridge   Supplemental Propert | ies Formatted Results                | 3        |
| ore Burnout               |                               |                               |                                      |          |
| Calculated Values         |                               | Baseline Values Used for A    | Analysis                             | <b>N</b> |
| Weight                    | 1.67439 kg                    | Flight Weight                 | 1.67439 kg                           |          |
| Avial Inertia             | 0.00072 kgm*2                 | Axial Inertia                 | 0.00072 kgm^2                        |          |
| Transverse Inertia        | 0.01059 kgm^2                 | Transverse Inertia            | 0.01059 kgm*2                        |          |
| CG from Nose              | 145.0040 mm                   | CG from Nose                  | 145.4950 mm                          |          |
| Reference Diameter        | 59.9440 mm                    | Reference Diameter            | 59.9440 mm 🔊                         |          |
|                           |                               |                               |                                      |          |
| er Burnout                |                               | Baseline Values Used for J    | Analusia                             |          |
| Weight                    | 1.67439 kg                    | Flight Weight After           | 1.67439 kg                           |          |
| Avial Inertia             | 0.00072 kgm <sup>*</sup> 2 kg | Burnout<br>Axial Inertia      | 0.00072 kpm*2                        |          |
| Transverse Inertia        | 0.01059 kgm <sup>2</sup>      | Transverse Inertia            | 0.01059 kgm*2                        |          |
| CG from Nose              | 145.0040 mm                   | CG from Nose                  | 145.0040 mm                          |          |
|                           |                               |                               |                                      |          |
|                           | Calc M                        | ass Props                     |                                      |          |

**Mass Properties** 


Aero Prediction

Fornatted Results Tabular Results Fin Aeros Potted Results Aero Fore Factors Geometry Isputs Fin-Mare Data Fin Configuration Geore Data Aero Model Adv. User 20 Shift

## Build a Simple Open Loop Controller




- Open Loop Controller to:
  - Deploy canards at apogee
  - Extend Range
    - Dither with roll angle



## Simple Open Loop Controller




- Validated trajectory engine
- Automatic interface to aeros and IC's
- Design the GNC in Simulink
  - Use any Block Set
  - Inputs Body states
  - Output canard angle
- Model contained in PR3 file





### **Run Simulation Review Results**



- Use MATLAB plot functions or
- Use built in PRODAS plots and visualizations
- Cross plot against other codes







## Trade Studies and Error Budget

- Setup trade study scenarios varying:
  - Body states
  - Mass properties
  - Aerodynamics
  - **Rocket Motor**
  - Environment (MET)
  - 50 custom GNC parameters —

康 junk12

PRODAS

- Add system errors to any • variable
  - Mission-to-mission
  - Weapon-to-weapon
  - Round-to-round


| junk123.pr3 - MATLAB Trajectory (6DOF-  | 7DOF)  |                                 |   |   | - • •   |
|---|--|---------------------------------|---|---|---|
| etup   Output Setup   Initial Conditions   Aero   | Form Factors   Squibs   MATLAB   | Trade Studies   Trade St        | udy Scenarios   Trade Study Results   | Tabular Results   Plotted Results   |   |
| ritem Simulation T No Edit Model Load and Open MATLAB Update PRODAS inputs Return Data frm MATLAB | Scenario Generator<br>Add error Runs<br>Start at Row #<br>End at Row #<br>Append to Table<br>User Entered Spin | □ No<br>1<br>20<br>□ No<br>□ No | Load PRIDDAS Defaults<br>Set All Trades to Single<br>Generate Scenerios                             | Initial Conditions Generator           No 01 Missions         100           No. Weapont/Mission         1           No. Rounds//Weapon         1           Use Stale Met Table         No           Generate Error Table         Generate Error Table |   |
| rade Space Variables  States  Y  Z  P  ph  theta(DE)  pp(M/)  V                                   | Single Interation  | 250 m/sec 🔊                     | Range and Increment<br>C Use Range<br>Beginning Value<br>u 0.00<br>Increment<br>u 0.00<br>End Value | u   | e 100 m/sec 250 m/sec 400 m/sec 100 |
| w E<br>q<br>q<br>r<br>phib<br>p,b<br>fass Properties<br>erodynamics<br>tocket Motor               | Error Levels   | s to the Scenarios              | u 0.00  | Mission Error in u  | 0.0000 m/sec<br>0.0000 m/sec<br>0 m/sec   |
| nvironment<br>INC 1-10<br>INC 11-20   | u  | □ No                            |   | /eapon Error in u<br>Round Error in u   | 5 m/sec   |



## System Error Budget



- Example entered errors for:
  - Muzzle Velocity
  - Mass
  - Winds
  - Temperature
  - Quadrant Elevation
- Monte Carlo Runs
  - Ballistic to validate errors
  - Open loop guidance to check control authority




PRODAS

### Where To Go From Here

- Close Loop GNC
- Sensor Models
- Use 6DOF and GNC model for HIL
- Generate code for embedded
   processor

This then becomes the system simulation for the program







### Conclusion



- The PRODAS tool set has been enhanced with the inclusion of the MATLAB/Simlink Trajectory Code
- Now PRODAS can be your tool from concept to final production.

- For more information on the PRODAS MATLAB/Simulink Trajectory Engine contact:
  - Dr. Mike Wilson
     (802) 865-3460 ext.14
     mike@prodas.com
  - Mark Steinhoff
     (802) 865-3460 ext.18
     mark@prodas.com

### GENERAL DYNAMICS Armament and Technical Products

### Ready or Not? Using Readiness Levels to Reduce Risk on the Path to Production

August, 2011

## Are You Ready ...

- To adopt a new technology?
- To incorporate a new technology into a design?
- To integrate subsystems?
- To transition to production?

The Answers to these Questions Have Critical Implications to the Product Developer, Acquirer and User



- Introduction to Readiness Levels
- DoD Policy & Guidance
- Readiness Methods Survey
  - Technology Readiness
  - Manufacturing Readiness
  - Integration Readiness
  - > System Readiness
- Implementation Suggestions

## Introduction


- A management method
- Informs risk management
- A measurement scale and vocabulary
  - Technology Readiness
  - Manufacturing Readiness
  - Integration Readiness

  - And others...

     And others...

     ■
- Used in various forms
  - Multiple Federal departments/agencies
  - → Multiple industries

# **An Approximate History**



## **DoD Policy – Technology Readiness** Assessment, TRA

- Required by DoD 5000.01 (directive) and DoD 5000.02 (instruction)
- TRA are required for ALL MDAP at Milestone B (before EMD phase).
- TRA not required for non-MDAP or MAIS
- TRA should focus on "technology maturity as opposed to engineering and integration *risk*"...memo: Improving Technology Readiness Assessment Effectiveness; Ashton Carter, May 2011.

# **Technology Readiness**

- Approximate measure of technical maturity
- Technology Readiness Assessment (TRA) Deskbook, July 2009
- Applicable to 'critical' hardware and software technology elements (CTEs)
  - Identified during material solution analysis
  - Depend on element to meet op requirements
  - > New, novel or poses 'major technological risk'
  - Assessment criteria for hardware, software; aircraft, ground vehicles, missiles, ships...

# **Technology Readiness, Continued**

|                                      | Level | Definition   |
|--------------------------------------|-------|--|
| Increasing Maturity, Decreasing Risk | TRL 1 | Basic principles observed and reported                                       |
|                                      | TRL 2 | Technology concept and/or application formulated                             |
|                                      | TRL 3 | Analytical and experimental critical function and/or characteristic proof of |
|                                      |       | concept  |
|                                      | TRL 4 | Component and/or breadboard validation in a laboratory environment           |
|                                      | TRL 5 | Component and/or breadboard validation in a relevant environment             |
|                                      | TRL 6 | System/subsystem model or prototype demonstration in a relevant              |
|                                      |       | environment(required to start EMD)   |
|                                      | TRL 7 | System prototype demonstration in an operational environment (required to    |
|                                      |       | start LRIP)  |
|                                      | TRL 8 | Actual system completed and qualified through test and demonstration         |
|                                      | TRL 9 | Actual system proven through successful mission operations                   |

Source: Technology Readiness Assessment (TRA) Deskbook, July 2009

# **DoD Policy**, Manufacturing Readiness

- Manufacturing Readiness Requirements
   Implied by DoD 5000.02
  - Requires assessment of manufacturing capabilities and risks
  - Not institutionalized to degree TRLs are
    - Lack of consensus on use across services
    - Not currently required by DoD acquisition policy
  - Ise growing in DoD and defense industry
  - Analogs used routinely in other industries

# **Manufacturing Readiness**

- Approximate measure of manufacturing maturity
- Resource: Manufacturing Readiness Level Deskbook, July 2010 (OSD Mfg Tech Program)
- Threads used to assess risk areas
  - Technology & Industrial Base

  - Cost and Funding

  - Process Capability and Control
  - A Quality Management
  - Manufacturing Personnel

  - Manufacturing Management

# Manufacturing Readiness, Cont

|  | Level  | Definition   |
|--|--------|--|
|  | MRL 1  | Basic Manufacturing Implications Identified                                    |
|  | MRL 2  | Manufacturing Concepts Identified  |
|  | MRL 3  | Manufacturing Proof of Concept Developed                                       |
|  | MRL 4  | Capability to Produce the Technology in a Laboratory Environment               |
|  | MRL 5  | Capability to produce prototype components in a production relevant            |
|  |        | environment  |
|  | MRL 6  | Capability to produce a prototype system or subsystem in a production          |
|  |        | relevant environment   |
|  | MRL 7  | Capability to produce systems, subsystems or components in a production        |
|  |        | representative environment   |
|  | MRL 8  | Pilot line capability demonstrated; Ready to begin low rate initial production |
|  | MRL 9  | Low rate production demonstrated; Capability in place to begin full rate       |
|  |        | production   |
|  | MRL 10 | Full rate production demonstrated and lean production practices in place       |


Source: Manufacturing Readiness Level Deskbook, July 2010

Increasing Maturity, Decreasing Risk

## **Role in DoD Acquisition**


**GENERAL DYNAMICS** 

Armament and Technical Products



12

## What About Interfaces?



#### **GENERAL DYNAMICS** Armament and Technical Products

 $\mathcal{\Sigma}$ 

# **Integration Readiness**

- Approximate measure of integration maturity


   ¬ Between two or more items or subsystems
- Work on integration measures, assessments and indices culminated in Integration Readiness Levels (IRLs) proposed by Gove et al., at Stevens Institute of Technology, School of Systems & Enterprises
- Resources: No deskbook equivalent, multiple papers and briefings on subject

# Integration Readiness, Continued

|                        | Lev   | el    | Definition  |
|------------------------|-------|-------|---|
|                        | IRL 1 | 1     | An interface between technologies has been identified with sufficient detail  |
| _                      |       | . 1   | to allow characterization of the relationship                                 |
| Increasing Maturity, I | IDI   | IRL 2 | There is some level of specificity to characterize the interaction between    |
|                        | INL   |       | technologies through their interface  |
|                        | IRL 3 | С     | There is compatibility between technologies to orderly and efficiently        |
|                        |       |       | integrate and interact  |
|                        | IRL 4 | л     | There is sufficient detail in the quality and assurance of the integration    |
|                        |       | .4    | between technologies  |
|                        | IDI   | 5     | There is sufficient control between technologies necessary to establish,      |
| De                     | IRL 5 | . ว   | manage, and terminate the integration   |
| Decreasing             | IRL 6 | 6     | The integrating technologies can accept, translate, and structure information |
| asi                    |       | .0    | for its intended application  |
|                        | IRL 7 | 7     | The integration of technologies has been verified and validated with          |
| Risk                   |       | . /   | sufficient detail to be actionable  |
| ۶×                     | IRL 8 | Q     | Actual integration completed and Mission Qualified through test and           |
|                        |       | .0    | demonstration, in the system environment                                      |
| $\checkmark$           | IRL   | .9    | Integration is Mission Proven through successful mission operations           |

Source: A Systems Approach to Expanding the Technology Readiness Level within Defense Acquisition, International Journal of Defense Acquisition Management, Volume 1 2008

## **Example: F35JSF and Gun System**




# **System Readiness**

- Approximate measure of system maturity
- Aggregated measure of technology and integration readiness across elements and interfaces of a product/system
- Based on the outcome of TRL and IRL assessments
   ¬ SRL = f(technology readiness, integration readiness)
- Matrix of pair wise comparisons of IRLs & TRLs


   ¬ [SRL]<sub>nx1</sub> = [IRL]<sub>nxn</sub> x [TRL]<sub>nx1</sub>; IRL & TRL normalized

   ¬ SRL composite = f(SRLn)
- Resources: No deskbook equivalent, many papers

Source: A Systems Approach to Expanding the Technology Readiness Level within Defense Acquisition, International Journal of Defense Acquisition Management, Volume 1 2008



### Implementation Model One Perspective



# **Implementation Methods**

- Concurrent product & mfg process development
- Engineering & manufacturing professionals working together closely and early
- Risk management
- Standard but tailorable work products
- Work product check lists
- Gate exit criteria
- Lessons learned
- Product & process prototyping
- Assessment & risk management tools

### Conclusion

- Readiness assessments can reduce risk and improve program outcomes
- Technology & manufacturing readiness assessment methods are most mature
- Integration and system readiness assessment methods hold potential for use in future
- Meaningful assessments and relevant actions depend on experience and judgment
- Best used with concurrent development of product and manufacturing process

# **Select Resources**

- Motivation for Readiness Assessments
  - GAO/NSIAD-99-162 Better Management of Technology Development Can Improve Weapon System Outcomes, July 1999
  - GAO-10-439 DOD Can Achieve Better Outcomes by Standardizing the Way Manufacturing Risks Are Managed, April 2010
- Assessment Methods & Guidance
  - DoD Technology Readiness Assessment Deskbook
  - ↗ DoD Manufacturing Readiness Level Deskbook, July 2010
- Papers on Advanced Assessment Methods
  - Fernandez (2010) Contextual Role of TRLs and MRLs in Technology Management, Sandia Report SAND2010-7595
  - Sauser, et all (2008) A Systems Approach to Expanding the Technology Readiness Level within Defense Acquisition, International Journal of Defense Acquisition Management, Volume 1, 2008
  - earrow Other references identified in the papers above

# **Contact Information**

Daniel Chien Vice President, Engineering General Dynamics Armament and Technical Products, Inc. 248.840.7077 dchien@gdatp.com

## **GENERAL DYNAMICS**




### **GENERAL DYNAMICS** Ordnance and Tactical Systems



### 2011 Robert Trifiletti Award Winner Dr. Norbert D'Souza

August 31, 2011 Brian Berger



This contribution can be in the areas of the advancement of technology, systems, system integration or to someone who through his work provided unique leadership resulting in changes and progress in the community.

07MKT0125\_CHINN AWARD\_BBERGER.ppt (2)



### **Dr. Norbert D'Souza Professional Experience**

- Ph D in Mechanical Engineering McGill University, Montreal, Quebec with specialization in high speed aerodynamics.
- 29 years of Mechanical Engineering and 18 years of Business
   Development and Marketing Experience
  - Senior Scientific Officer, Directorate of Tech. Developments, New Delhi
  - Program Manager and Senior Project Research, Space Research Corp.
    - Mechanical Design, Compression Design of solid propellants, wind tunnel testing of projectiles
  - Director of R&D at Canadian Arsenals Ltd
  - Director R&D, SNC Defense Products
  - Corporate Director of Technologies at SNC Industrial Technologies

GENERAL DYNAMICS Ordnance and Tactical Systems 07MKT0125\_CHINN AWARD\_BBERGER.ppt (3)



### **Dr. Norbert D'Souza Professional Experience**

### • Corporate Director of Technologies, SNC Technologies Inc.

- Set up Strategic Alliances between Canadian, US and International Companies
- Promoted partnerships with Dept of National Defence, Canada
- Participated in NATO Industry Advisory Group Studies involving members from nine NATO countries.

### • Vice President Business Development, US Programs

- Worked on the development of the capability to produce the following products to the US TDP for production at GD-OTS Canada
  - 60mm and 81mm Mortar HE LAP
  - 120mm Mortar HE and FRPC LAP
  - 105mm PGU 43/B TP and PGU 44 /B HE
  - 105mm Illuminating M314A3
  - 105mm M67 Propelling Charges
  - 20mm M103 Cartridge Cases
  - .50 cal MK 263 Cartridges
  - M31A2 Propelling Charges

**GENERAL DYNAMICS** Ordnance and Tactical Systems 07MKT0125\_CHINN AWARD\_BBERGER.ppt (4)



### **Dr. Norbert D'Souza Professional Experience**

### Publications

- Technical papers on aerodynamics at American Institute of Aeronautics and Astronautics Proceedings and Journals
- Technical papers on heat transfer at American Society of Mechanical Engineers
- Publications on flight dynamics of projectiles International Ballistics
   Symposium
- Participated in the drafting of Technical Reports / Studies while working on the NATO Technical Committees

### Memberships

- National Defense Industrial Association, AUSA, American Institute of Aeronautics and Astronautics, American Society of Mechanical Engineers

**GENERAL DYNAMICS** Ordnance and Tactical Systems 07MKT0125\_CHINN AWARD\_BBERGER.ppt (5)



### Summary – Dr. Norbert D'Souza

- Dr. Norbert D'Souza has devoted 47 years to making significant contributions in the field of developing technologies for use by the American Soldier
- He starts each day thinking of ways to improve the equipment in the hands of our soldiers
- Even at the age of (70), following his retirement in December 2010, Norbert remains active, working closely with ARDEC, PM CAS and PM MAS on products that are fielded to soldiers in harms way.
- Dr. Norbert D'Souza's <u>life-long commitment to Large Caliber</u> <u>Ammunition Design and Development</u> is evident and he will continue to contribute significant achievements during his retirement. Therefore, he is a deserving recipient of the 2011 Robert Trifiletti Award.

**GENERAL DYNAMICS** Ordnance and Tactical Systems 07MKT0125\_CHINN AWARD\_BBERGER.ppt (6)



### Letters of Commendation – Dr. Norbert D'Souza

- Received many Letters of Commendation during his career. I have attached two letters received in support of Norbert's nomination for the 2011 Trifiletti Award:
  - Ms. Barbara J. Machak,
    - Executive Director, Enterprise and Systems Integration Ctr
  - Mr. William J. Sanville
    - Deputy Project Manager, Maneuver Ammunition Systems



07MKT0125\_CHINN AWARD\_BBERGER.ppt (7)





DEPARTMENT OF THE ARMY ENTERPRISE & SYSTEMS INTEGRATION CENTER US ARMY RESEARCH, DEVELOPMENT AND ENGINEERING COMMAND ARMAMENT RESEARCH, DEVELOPMENT AND ENGINEERING CENTER PICATINNY ARSENAL, NEW JERSEY 07806-5000



11 January 2011

Project Integration Division

SUBJECT: 2011 Trifiletti Award by the NDIA Guns & Missiles Executive Committee

Sam Campagna National Defense Industrial Association 2111 Wilson Blvd Suite 400 Arlington, VA 22201

Dear Mr. Campagna:

This letter serves as an endorsement of the nomination of Dr. Norbert D'Souza by General Dynamics Ordnance and Tactical Systems for the 2011 NDIA Trifiletti Award.

Dr. D'Souza's contributions to technology development over his 47-year career in the area of large caliber ammunition design and manufacture has benefitted the warfighter and strengthened national defense.

During his tenure as the Vice President Business Development at SNC Technologies and then General Dynamics Ordnance and Tactical Systems-Canada, Dr. D'Souza's unique leadership was instrumental in establishing and directing collaborative R&D projects. He embodies the phrase "the customer is always right" and his calm, fair and professional demeanor was an asset in promoting teamwork, maintaining objective focus, performing due diligence, and building consensus in pursuing the best solution.

In summary, Dr. Norbert D'Souza is a deserving recipient of the 2011 NDIA Guns & Missiles Trifiletti Award.

Sincerely,

Barbara J. Machak Executive Director, ESIC



DEPARTMENT OF THE ARMY

OFFICE OF THE PROJECT MANAGER MANEUVER AMMUNITION SYSTEM PICATINNY ARSENAL, NEW JERSEY 07806-5000

January 26, 2011

Award Committee: Robert Trifiletti Award

To Whom It May Concern:

Subject: Nomination for 2011 Robert Trifiletti Award

As the Deputy Project Manager for Maneuver Ammunition Systems, I would like to wholeheartedly express my support for the nomination of Dr. Norbert D'Souza for the 2011 Robert Trifiletti Award.

I have personally had the honor and privilege of working with Dr. D'Souza for over 20 years. I have worked with Dr D'Souza as a team leader in ARDEC, and have had the privilege to continue working with him as my career progressed through management positions and ultimately as either the PM or the DPM of Maneuver Ammunition Systems. Through this entire span, I can state that whether I was a team leader in charge of one artillery systems project, or a DPM running hundreds of projects in small, medium and large caliber ammunition, my interfacing with Dr D'Souza has never changed. He worked with me in the most professional, consistent and honorable way. Our significant communications over the years was always straight forward and candid (even on tough problems). I valued his technical knowledge and commitment when he gave his word that either he or his company would complete a task, as he always kept his word. I learned instantly that Dr. D'Souza is a man of integrity and vast knowledge; He is a man that first and foremost measured success of a project or item as to how the warfighter would benefit. There were even times over my career when I sought Norberts counsel and advice even on projects he was not even involved in; and he never hesitated to give me the benefit of his experience and advice.

I am extremely grateful that I was asked to write this letter of support. In my opinion, Dr. Norbert D'Souza is the best and most outstanding candidate who could be chosen to receive this award and I recommend him without hesitation. If I can be of any further assistance please contact me at 973-724-5309.

William J. Sanville Deputy Project Manager, Maneuver Ammunition Systems



Please join me in welcoming to the podium, the 2011 Robert Trifiletti Award Winner

### Dr. Norbert D'Souza



07MKT0125\_CHINN AWARD\_BBERGER.ppt (8)

