

REPORT DOCUMENTATION PAGE			Form Approved OMB NO. 0704-0188		
<p>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA, 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</p>					
1. REPORT DATE (DD-MM-YYYY) 04-02-2016		2. REPORT TYPE Final Report		3. DATES COVERED (From - To) 1-Jul-2013 - 31-Mar-2014	
4. TITLE AND SUBTITLE Final Report: Nonequilibrium Floquet States in Topological Kondo Insulators			5a. CONTRACT NUMBER W911NF-13-1-0227		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER 611102		
6. AUTHORS Johnpierre Paglione			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAMES AND ADDRESSES University of Maryland - College Park Research Administration 3112 Lee Building College Park, MD 20742 -5141			8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS (ES) U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211			10. SPONSOR/MONITOR'S ACRONYM(S) ARO		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S) 63981-PH-II.1		
12. DISTRIBUTION AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited					
13. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.					
14. ABSTRACT This project aimed to design and implement an experiment intended to stabilize and test a newly proposed state of matter: the non-equilibrium Floquet topological metal. By performing electrical transport measurements while simultaneously propagating ultrasonic waves into the first known topological Kondo insulator, Samarium Hexaboride, we investigated the possibility of realizing a moving cascade of topological insulator-to-metal transitions to obtain bulk-like conduction through the Kondo insulator. Experiments in collaboration with Prof. T. Yanagisawa at Sanyo University, Japan, and Prof. T. McQueen at Johns Hopkins University resulted in a					
15. SUBJECT TERMS floquet Kondo topological ultrasound					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	15. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON Johnpierre Paglione
a. REPORT UU	b. ABSTRACT UU	c. THIS PAGE UU			19b. TELEPHONE NUMBER 301-405-7115

Report Title

Final Report: Nonequilibrium Floquet States in Topological Kondo Insulators

ABSTRACT

This project aimed to design and implement an experiment intended to stabilize and test a newly proposed state of matter: the non-equilibrium Floquet topological metal. By performing electrical transport measurements while simultaneously propagating ultrasonic waves into the first known topological Kondo insulator, Samarium Hexaboride, we investigated the possibility of realizing a moving cascade of topological insulator-to-metal transitions to obtain bulk-like conduction through the Kondo insulator. Experiments in collaboration with Prof. T. Yanagisawa at Sapporo University, Japan, and Prof. T. McQueen at Johns Hopkins University resulted in a successful experimental observation of a positive effect. Further work is required to understand the origin of the anomalous effect of ultrasound propagation on electrical transport in SmB₆.

Enter List of papers submitted or published that acknowledge ARO support from the start of the project to the date of this printing. List the papers, including journal references, in the following categories:

(a) Papers published in peer-reviewed journals (N/A for none)

Received

Paper

TOTAL:

Number of Papers published in peer-reviewed journals:

(b) Papers published in non-peer-reviewed journals (N/A for none)

Received

Paper

TOTAL:

Number of Papers published in non peer-reviewed journals:

(c) Presentations

Number of Presentations: 0.00

Non Peer-Reviewed Conference Proceeding publications (other than abstracts):

Received Paper

TOTAL:

Number of Non Peer-Reviewed Conference Proceeding publications (other than abstracts):

Peer-Reviewed Conference Proceeding publications (other than abstracts):

Received Paper

TOTAL:

Number of Peer-Reviewed Conference Proceeding publications (other than abstracts):

(d) Manuscripts

Received Paper

TOTAL:

Number of Manuscripts:

Books

Received Book

TOTAL:

Received Book Chapter

TOTAL:

Patents Submitted

Patents Awarded

Awards

Graduate Students

<u>NAME</u>	<u>PERCENT_SUPPORTED</u>
FTE Equivalent:	
Total Number:	

Names of Post Doctorates

<u>NAME</u>	<u>PERCENT_SUPPORTED</u>
Tyler Drye	0.25
FTE Equivalent:	0.25
Total Number:	1

Names of Faculty Supported

<u>NAME</u>	<u>PERCENT SUPPORTED</u>	National Academy Member
Johnpierre Paglione	0.08	
Victor Galitski	0.08	
FTE Equivalent:	0.16	
Total Number:	2	

Names of Under Graduate students supported

<u>NAME</u>	<u>PERCENT SUPPORTED</u>
FTE Equivalent:	
Total Number:	

Student Metrics

This section only applies to graduating undergraduates supported by this agreement in this reporting period

The number of undergraduates funded by this agreement who graduated during this period: 0.00

The number of undergraduates funded by this agreement who graduated during this period with a degree in science, mathematics, engineering, or technology fields:..... 0.00

The number of undergraduates funded by your agreement who graduated during this period and will continue to pursue a graduate or Ph.D. degree in science, mathematics, engineering, or technology fields:..... 0.00

Number of graduating undergraduates who achieved a 3.5 GPA to 4.0 (4.0 max scale):..... 0.00

Number of graduating undergraduates funded by a DoD funded Center of Excellence grant for Education, Research and Engineering:..... 0.00

The number of undergraduates funded by your agreement who graduated during this period and intend to work for the Department of Defense 0.00

The number of undergraduates funded by your agreement who graduated during this period and will receive scholarships or fellowships for further studies in science, mathematics, engineering or technology fields: 0.00

Names of Personnel receiving masters degrees

<u>NAME</u>
Total Number:

Names of personnel receiving PHDs

<u>NAME</u>
Total Number:

Names of other research staff

<u>NAME</u>	<u>PERCENT SUPPORTED</u>
FTE Equivalent:	
Total Number:	

Sub Contractors (DD882)

Inventions (DD882)

Scientific Progress

Technology Transfer

See Attachment

FINAL REPORT

BAA-12-R-0012 SHORT-TERM INNOVATIVE RESEARCH (STIR) PROGRAM

Agreement Number: W911NF-13-1-0227

Institutional Number: 09071492

Program Manager: M.D. Ulrich, Army Research Office

Title: *Nonequilibrium Floquet States in Topological Kondo Insulators*

Principal Investigator and Technical Point of Contact:

Johnpierre Paglione

Department of Physics

University of Maryland

College Park, MD 20742

Tel: 301-405-7115

Fax: 301-405-3779

Email: paglione@umd.edu

Summary:

This project aimed to design and implement an experiment intended to stabilize and test a newly proposed state of matter: the non-equilibrium Floquet topological metal. By performing electrical transport measurements while simultaneously propagating ultrasonic waves into the first known topological Kondo insulator, Samarium Hexaboride, we investigated the possibility of realizing a moving cascade of topological insulator-to-metal transitions to obtain bulk-like conduction through the Kondo insulator. Experiments in collaboration with Prof. T. Yanagisawa at Sapporo University, Japan, and Prof. T. McQueen at Johns Hopkins University resulted in a successful experimental observation of a positive effect. Further work is required to understand the origin of the anomalous effect of ultrasound propagation on electrical transport in SmB₆.

Background and Approach

This project brought together the concepts of the Topological Kondo Insulator (TKI) and Floquet dynamical systems to design and execute a targeted experimental study of a new proposed state: the non-equilibrium Floquet topological metal. The main idea relies on the knowledge that the low-temperature insulating state of SmB_6 is readily transformed to a metallic state by application of external pressure [Cooley 1995]. With low-temperature topological conduction occurring in SmB_6 due to the opening of the Kondo insulator gap at higher temperatures [Zhang 2013], this metallization likely occurs because the induced distortion of the lattice renormalizes the band structure where the Fermi level crosses over into the hybridization-induced “conduction band.”

By propagating an elastic wave through a crystalline sample of SmB_6 , the idea is to attempt to induce a moving cascade of such topological insulator-to-metal transitions thereby stabilizing a non-equilibrium topological metallic state that can be controlled using the parameters of the elastic wave propagation. An instantaneous snapshot of such a system would reveal segregated regions in the material where a topological insulator-to-metal transition is induced by the local strain field, yielding highly conducting layers in the sample akin to a bulk-like conduction state. We attempted this by using an ultrasound transducer to propagate phonon modes of controllable wavelength, amplitude and polarization, thereby locally inducing strained and expanded regions in the crystal of controllable spread, amplitude and direction. Through the manipulation of the polarization orientation of the propagating ultrasonic wave (ie. by attaching different cuts of LiNbO_3 piezoelectric transducers to the SmB_6 crystal) to change the direction of the propagating strain, the directional nature of the effect can be probed by comparing the resulting electrical conduction (measured simultaneously) in the presence of strain waves both parallel and perpendicular to the applied current direction. Any enhancement of conductance due to the non-equilibrium state should thus be controllably switched on or off by changing the polarization orientation, providing a simple yet thorough identification of the proposed phenomenon.




Figure 1: Experimental setup for simultaneous ultrasound/resistivity experiment on SmB_6 single crystal provided by T. McQueen, Johns Hopkins University.

Experimental Results

The experiment was designed in collaboration with Tatsuya Yanagisawa of the Goto ultrasound group in Sapporo, Japan, using standard LiNbO_3 piezoelectric transducers and a high-frequency vector network analyzer to both produce and measure ultrasonic wave propagation, while simultaneously measuring its electrical conduction with a four-wire contact geometry. The

experiment was performed at the base temperature of a He-3 cryostat (300 mK), where the TKI state is fully developed in SmB₆, using standard AC resistance bridge electronics.

As shown in Figure 2, there is a notable effect of the ultrasound propagation on the measured electrical resistance below 2 K. This is an outstanding result if proven intrinsic, as it implies that propagation of ultrasonic waves induces a notable conductivity increase in an insulating crystal of SmB₆. However, extrinsic heating effects are a potential source of the observation, which would act to reduce the absolute resistance at given bath temperature due to direct sample heating. In effect, if the sample temperature is much higher than the bath temperature, then the resistance will be reduced to match the value at that temperature in the nominal $R(T)$ dependence without ultrasound applied.

While this is indeed possible, there are several reasons to believe that so-called “self-heating” is not taking place extrinsically. First, reflecting on years of experience in performing low-temperature ultrasound measurements on single-crystal samples, both the Sapporo and UMD groups agree that such a phenomenon has never been previously witnessed. This is easy to understand, as there are no electrical connections (or current flowing) in or to the sample in a typical ultrasound experiment, and the only energy being intentionally introduced is the mechanical energy of the transducer when energized and oscillating. Estimates of this energy place it far below any observable effect, even when such experiments are performed at lower temperatures in a dilution fridge (i.e. down to 20 mK). Second, we performed Joule heating tests to determine the amount of power required to mimic the presumed self-heating effect. As shown in Figure 3, one can indeed increase the excitation current of the resistivity measurement to mimic the reduction in resistance, but one needs to apply upwards of 200 mA (AC current, ~15 Hz) to mimic a 5 V transducer excitation. This translates to approximately 200 mW of power (given ~5 ohm sample




Figure 2: Longitudinal resistance measured in SmB₆ crystal with simultaneous ultrasound propagation. All curves taken with 10V transducer amplitude employed, with polarizations (T-transverse; L-longitudinal) and ultrasound frequencies indicated.




Figure 3: Joule heating tests for comparison to ultrasound-induced resistance reduction. Blue curve is resistance measured with very small excitation current and ultrasound amplitude set at 5 V. Green curve is resistance measured with intentionally large excitation current of 200 mA and no voltage on the ultrasound transducer.

resistance), which is a significant amount of power that is required to overpower the cryostat cooling power and raise the temperature of the sample significantly (up to approximately 2 K). Therefore, we find it very difficult to explain the ultrasonic resistance reduction effect in SmB₆ with an extrinsic self-heating explanation; there is simply no source of heater power sufficient to induce the observation with the given experimental conditions.

Future Work

The observation of a controllable non-equilibrium Floquet state would provide an immediate stepping stone to many other related ideas. Our initial observations hold great promise to be confirmed as a new phenomenon related to our aims in this project. Further work is required to better understand all potential sources of error in the experiment and the intrinsic nature of the observed phenomenon. This will require additional ultrasound experiments and systematic tests, including variations in transducer design and coupling, sample dependence, geometry dependence, and cryostat cooling power dependence. In addition, theoretical work is required to understand the energy landscape of ultrasound propagation in this material in the insulating state. All such activities are currently on hold until further funding is acquired to continue activities.

Finally, Galitski has predicted the effects of other perturbations, such as magnetic fields, that would easily find their place in follow-up work stemming from this project. The combination of theory and experiment follow-up for this project has potential to lead not only to the discovery of a new and very elegant physical effect predicted in this application, but also to the possible development of new devices. Because the conduction would naturally depend on the parameters of the perturbation, such as the wavelength and polarization for example, it potentially will allow precise control of the phenomenon. Depending on the sensitivity of the observed phenomenon, strain sensors based on the non-equilibrium Floquet topological metal may be conceivable. This would provide a completely new approach to sensitive strain detectors that may find niche applications of interest to the DoD.

References

- J. C. Cooley, M. C. Aronson, Z. Fisk, P. C. Canfield, “SmB₆: Kondo Insulator or Exotic Metal?”, *Phys. Rev. Lett.* 74, 1629 (1995).
- X. Zhang, N. P. Butch, P. Syers, S. Ziemak, R. L. Greene, J. Paglione, “Hybridization, Inter-Ion Correlation, and Surface States in the Kondo Insulator SmB₆”, *Phys. Rev. X* 3, 011011 (2013).