



AFRL-AFOSR-VA-TR-2017-0017

Optimal Mass Transport for Statistical Estimation, Image Analysis,
Information Geometry, and Control

Tryphon Georgiou
REGENTS OF THE UNIVERSITY OF MINNESOTA MINNEAPOLIS
200 OAK ST SE
MINNEAPOLIS, MN 55455-2009

01/10/2017
Final Report

DISTRIBUTION A: Distribution approved for public release.

Air Force Research Laboratory
AF Office Of Scientific Research (AFOSR)/RTA2

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
<p>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Service Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ORGANIZATION.</p>					
1. REPORT DATE (DD-MM-YYYY) 08-01-2017		2. REPORT TYPE Final Progress Report		3. DATES COVERED (From - To) 06/15/2012 — 09/15/2016	
4. TITLE AND SUBTITLE Optimal Mass Transport for Statistical Estimation, Image Analysis, Information Geometry, and Control				5a. CONTRACT NUMBER FA9550-12-1-0319	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Tryphon T. Georgiou (Univ. of Minnesota, and UC Irvine) and Allen R. Tannenbaum (Stony Brook University)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Regents of the University of Minnesota Office Sponsored Projects ADM 200 Oak st SE Minneapolis MN 55455-2009				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AF Office of Scientific Research 875 N Randolph st Room 3112 Arlington VA 22203				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT DISTRIBUTION A: Distribution approved for public release.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT We developed several new directions in the theory and applications of Optimal Mass Transport (OMT). OMT has its origins in civil engineering (Monge 1781) and economics (Kantorovich 1942), but in recent years has increasingly impacted a large number of other fields (probability theory, partial differential equations, physics, meteorology). We have addressed computational aspects of the problem and the need for further expanding the arsenal of computational tools. We considered a wide range of generalizations and insights for the purpose of tackling problems of AFOSR interest. These include matrix-valued statistics and fusion of information, optical flow, controlled active vision, tracking and dynamic textures.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (Include area code)

INSTRUCTIONS FOR COMPLETING SF 298

1. REPORT DATE. Full publication date, including day, month, if available. Must cite at least the year and be Year 2000 compliant, e.g. 30-06-1998; xx-06-1998; xx-xx-1998.

2. REPORT TYPE. State the type of report, such as final, technical, interim, memorandum, master's thesis, progress, quarterly, research, special, group study, etc.

3. DATES COVERED. Indicate the time during which the work was performed and the report was written, e.g., Jun 1997 - Jun 1998; 1-10 Jun 1996; May - Nov 1998; Nov 1998.

4. TITLE. Enter title and subtitle with volume number and part number, if applicable. On classified documents, enter the title classification in parentheses.

5a. CONTRACT NUMBER. Enter all contract numbers as they appear in the report, e.g. F33615-86-C-5169.

5b. GRANT NUMBER. Enter all grant numbers as they appear in the report, e.g. AFOSR-82-1234.

5c. PROGRAM ELEMENT NUMBER. Enter all program element numbers as they appear in the report, e.g. 61101A.

5d. PROJECT NUMBER. Enter all project numbers as they appear in the report, e.g. 1F665702D1257; ILIR.

5e. TASK NUMBER. Enter all task numbers as they appear in the report, e.g. 05; RF0330201; T4112.

5f. WORK UNIT NUMBER. Enter all work unit numbers as they appear in the report, e.g. 001; AFAPL30480105.

6. AUTHOR(S). Enter name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. The form of entry is the last name, first name, middle initial, and additional qualifiers separated by commas, e.g. Smith, Richard, J, Jr.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES). Self-explanatory.

8. PERFORMING ORGANIZATION REPORT NUMBER. Enter all unique alphanumeric report numbers assigned by the performing organization, e.g. BRL-1234; AFWL-TR-85-4017-Vol-21-PT-2.

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES). Enter the name and address of the organization(s) financially responsible for and monitoring the work.

10. SPONSOR/MONITOR'S ACRONYM(S). Enter, if available, e.g. BRL, ARDEC, NADC.

11. SPONSOR/MONITOR'S REPORT NUMBER(S). Enter report number as assigned by the sponsoring/monitoring agency, if available, e.g. BRL-TR-829; -215.

12. DISTRIBUTION/AVAILABILITY STATEMENT. Use agency-mandated availability statements to indicate the public availability or distribution limitations of the report. If additional limitations/ restrictions or special markings are indicated, follow agency authorization procedures, e.g. RD/FRD, PROPIN, ITAR, etc. Include copyright information.

13. SUPPLEMENTARY NOTES. Enter information not included elsewhere such as: prepared in cooperation with; translation of; report supersedes; old edition number, etc.

14. ABSTRACT. A brief (approximately 200 words) factual summary of the most significant information.

15. SUBJECT TERMS. Key words or phrases identifying major concepts in the report.

16. SECURITY CLASSIFICATION. Enter security classification in accordance with security classification regulations, e.g. U, C, S, etc. If this form contains classified information, stamp classification level on the top and bottom of this page.

17. LIMITATION OF ABSTRACT. This block must be completed to assign a distribution limitation to the abstract. Enter UU (Unclassified Unlimited) or SAR (Same as Report). An entry in this block is necessary if the abstract is to be limited.

**Final progress report for:
“Optimal Mass Transport for Statistical Estimation,
Image Analysis, Information Geometry, and Control”
Grant/Contract Number: AFOSR/FA9550-12-1-0319**

PI: Tryphon T. Georgiou co-PI: Allen R. Tannenbaum
University of Minnesota Stony Brook University

Abstract

We developed several new directions in the theory and applications of Optimal Mass Transport (OMT). OMT has its origins in civil engineering (Monge 1781) and economics (Kantorovich 1942), but in recent years has increasingly impacted a large number of other fields (probability theory, partial differential equations, physics, meteorology). We have addressed computational aspects of the problem and the need for further expanding the arsenal of computational tools. We considered a wide range of generalizations and insights for the purpose of tackling problems of AFOSR interest. These include matrix-valued statistics and fusion of information, optical flow, controlled active vision, tracking and dynamic textures.

Duration:

06/15/2012 — 09/15/2016

Status/Progress

We have accomplished the following in our program and proposed research:

- (i) ***Computational Tools for Optimal Mass Transport (OMT)***: We developed a number of tools allowing us to solve several problems, including the construction of geodesics, computation of metric distances, and transportation means. Such constructions are motivated by a variety of engineering applications. Further, we have exploited the beautiful connection between the Boltzmann entropy and the heat equation. The latter arises as the steepest descent when maximizing the Boltzmann entropy “potential” in the Riemannian metric inherited on the space of probability densities via OMT. The rate of ascent, since entropy increases, is given by the Fisher information metric. The same paradigm has been used to recover/generate other gradient flows (PDEs) and thereby link via suitable information potentials to corresponding metrics for distributions.
- (ii) ***Power spectra***: Our work on high resolution signal analysis has led to a number of novel notions of distance between power spectra with applications to prediction theory. We have investigated the topic of matrix-valued power spectra as it relates to several DoD interests. In this regard, prediction theory is juxtaposed with developments in quantum information theory, creating a synergy of methodologies for signal analysis.

- (iii) ***Tracking and Mesh Generation***: We have continued our work in visual tracking and controlled active vision. Mass transport is being used as a comparison metric on shapes as part of a feedback loop for tracking in conjunction with statistical filtering. Further, for various problems in computational fluid dynamics, biomechanics, and CAD, we have developed novel techniques based on OMT that may be employed for the automatic generation of hexahedral meshes for three dimensional volumes.
- (iv) ***Optimal transport on networks***: We have made significant advances on formulating and solving optimal transport problems on discrete spaces (networks) while ensuring robustness of the transportation plan. This work makes contact with a probabilistic formalism of bridging two probability distributions along path of a random walker that displays the two given marginals. The development builds on the theory of the so-called Schrödinger bridges and opens up new directions for investigating geometries of mass and probability distributions.

Acknowledgement/Disclaimer

This work was sponsored (in part) by the Air Force Office of Scientific Research, USAF, under grant/contract number AFOSR/FA9550-12-1-0319. The views and conclusions contained herein are those of the authors and should not be interpreted as necessarily representing the official policies or endorsements, either expressed or implied, of the Air Force Office of Scientific Research or the U.S. Government.

Personnel Supported During Duration of Grant

Romeil Sandhu (Ph.D. student-graduated; now assistant professor at Stony Brook University)
Ivan Kolesov (Ph.D. student-graduated; now working in a start-up)
Lipeng Ning (Ph.D. student - graduated)
Yongxin Chen (Ph.D. student)
Francesca Carli (Postdoctoral Fellow)
Kaoru Yamamoto (Postdoctoral Fellow)
Tryphon Georgiou (Professor)
Allen Tannenbaum (Professor)

AFOSR Publications of Tryphon Georgiou Since 2012 in Refereed Journals and Conference Proceedings

1. “Geometric Methods for Spectral Analysis,” (with X. Jiang, Zhi-Quan (Tom) Luo) *IEEE Trans. on Signal Processing*, 60(3): 1064-1074, 2012; DOI 10.1109/TSP.2011.2178601
2. “Distances and Riemannian metrics for multivariate spectral densities,” (with X. Jiang, L. Ning) *IEEE Trans. on Automatic Control*, 57(7): 1723-1735, 2012; DOI 10.1109/TAC.2012.2183171

3. "The Separation Principle in Stochastic Control, Redux," (with A. Lindquist) *IEEE Trans. on Automatic Control*, **58(10)**: 2481-2494, October 2013; DOI 10.1109/TAC.2013.2259207
4. "Uncertainty bounds for spectral estimation," (with J.Karlsson) *IEEE Trans. on Automatic Control*, **58(7)**: 1659-1673, July 2013; DOI 10.1109/TAC.2013.2251775
5. Geometric methods for estimation of structured covariances, (with L. Ning, X. Jiang) *IEEE Signal Processing Letters*, **20(8)**: 787-790, August 2013.
6. "Coping with model error in variational data assimilation using optimal mass transport," (with L. Ning, F.P. Carli, A.M. Ebtehaj, E. Foufoula) *Water Resources Research*, **50(7)**: 5817-5830, July 2014; doi:10.1002/2013WR014966
7. "Matrix-valued Monge-Kantorovich Optimal Mass Transport," (with L. Ning and A. Tannenbaum) *IEEE Trans. on Automatic Control*, **60(2)**: 373-382, February 2015; DOI 10.1109/TAC.2014.2350171
8. "Positive contraction mappings for classical and quantum Schrödinger systems," (with M. Pavon) *Journal of Mathematical Physics*, **56** 033301 (2015); DOI: 10.1063/1.4915289
9. "Linear models based on noisy data and the Frisch scheme," *SIAM Reviews*, (with L. Ning, A. Tannenbaum, S.P. Boyd), **57.2**: 167-197, 2015; <http://dx.doi.org/10.1137/130921179>
10. Optimal steering of a linear stochastic system to a final probability distribution, Part I, (with Y. Chen and M. Pavon) *IEEE Trans. on Automatic Control*, **61 (5)**: 1158 - 1169, May 2016; DOI: 10.1109/TAC.2015.2457784
11. Optimal steering of a linear stochastic system to a final probability distribution, Part II, (with Y. Chen and M. Pavon) *IEEE Trans. on Automatic Control*, **61 (5)**: 1170 - 1180, May 2016; DOI: 10.1109/TAC.2015.2457791
12. Stochastic bridges of linear systems, (with Y. Chen) *IEEE Trans. on Automatic Control*, **61 (2)**: 526 - 531, February 2016; DOI: 10.1109/TAC.2015.2440567
13. "Fast cooling for a system of stochastic oscillators," (with Y. Chen and M. Pavon) *J. of Physics A*, vol. 56, 113302 (2015); DOI: 10.1063/1.4935435
14. "On the relation between optimal transport and Schrödinger bridges: A stochastic control viewpoint" (with Y. Chen and M. Pavon) *Journal of Optimization Theory and Applications*, **169**: 671 - 691, 2016; DOI: 10.1007/s10957-015-0803-z
15. Ricci Curvature: An Economic Indicator for Market Fragility and Systemic Risk (with R. Sandhu, A. Tannenbaum) *Science Advances*, 2016; 2:e1501495 *published: 27 May 2016*; DOI: 10.1126/sciadv.1501495

16. Graph Curvature for Differentiating Cancer Networks, (with R. Sandhu, E. Reznik, L. Zhu, I. Kolesov, Y. Senbabaoglu, A. Tannenbaum) *Nature*, Scientific Reports, 5:12323 *Published: Published: 14 July 2015*; DOI: 10.1038/srep12323
17. Robust transport over networks (with Y. Chen, M. Pavon, A. Tannenbaum), to appear in *IEEE Transactions Automatic Control*, 2016. <http://arxiv.org/abs/1603.08129>
18. The rôle of the time-arrow in mean-square estimation of stochastic processes, (with Y. Chen and J. Karlsson) *IEEE Trans. on Automatic Control*, under revision
19. “Optimal transport over a linear dynamical system,” (with Y. Chen, M. Pavon) *IEEE Trans. on Automatic Control*, **61:2** February 2016; DOI: 10.1109/TAC.2016.2602103
20. “Geometric methods for structured covariance estimation,” (with X. Jiang, L. Ning) American Control Conf., pp. 1877-1882, 2012; DOI: 10.1109/ACC.2012.6315639
21. Metric Uncertainty for Spectral Estimation based on Nevanlinna-Pick Interpolation, (with J. Karlsson) Intern. Symp. on the Math. Theory of Networks and Systems, Melbourne 2012.
22. Geometric tools for the estimation of structured covariances, (with L. Ning, X. Jiang) Intern. Symposium on the Math. Theory of Networks and Systems, Melbourne 2012.
23. Metrics for multivariate power spectra, (with L. Ning, X. Jiang) IEEE Conf. on Decision and Control, pp. 4727-4732, 2012; DOI: 10.1109/CDC.2012.6426046
24. Revisiting the Separation Principle in Stochastic Control, (with A. Lindquist) IEEE Conf. on Decision and Control, pp. 1459-1465, 2012; DOI: 10.1109/CDC.2012.6426721
25. The Wasserstein metric in Factor Analysis, (with L. Ning) SIAM Conference on Control and Its Applications, San Diego, California, July 8-10, 2013; DOI 10.1137/1.9781611973273.2
26. Matrix-valued Monge-Kantorovich Optimal Mass Transport, (with L. Ning and A. Tannenbaum) IEEE Conf. on Decision and Control, December 2013; DOI 10.1109/TAC.2014.2350171
27. An ADMM algorithm for matrix completion, (with F. Lin, M. Jovanović) IEEE Conf. on Decision and Control, 2013; 978-1-4673-5716-6/13
28. State covariances and the matrix completion problem, (with Y. Chen, M. Jovanovic) IEEE Conf. on Decision and Control, 2013; 978-1-4673-5716-6/13
29. Completion of partially known turbulent flow statistics, (with A. Zare, Mihailo R. Jovanović) American Control Conference, June 2014; DOI: 10.1109/ACC.2014.6859504
30. The flatness of power spectral zeros and their significance in quadratic estimation, (with Y. Chen) Proceedings of the IEEE Conf. on Decision and Control, December 2014; DOI: 10.1109/CDC.2014.7040038

31. Metrics for Matrix-valued Measures via test functions, (with L. Ning) Proceedings of the IEEE Conf. on Decision and Control, December 2014; DOI: 10.1109/CDC.2014.7039793
32. The rôle of past and future in estimation and the reversibility of stochastic processes, (with Y. Chen, J. Karlsson) Proc. Int. Symp. on Math. Theory of Networks and Syst., July 2014.
33. On time-reversibility of linear stochastic models, (with A. Lindquist) Proceedings of the 19th World Congress of the Intern. Fed. of Automatic Control, pp. 10403-10408, August 2014.
34. "Alternating direction optimization algorithms for covariance completion problems," (with A. Zare, M. Jovanovic) Proceedings of the American Control Conference, to appear, July 2015.
35. "Optimal steering of inertial particles diffusing anisotropically with losses," (with Y. Chen, M. Pavon) Proceedings of the American Control Conference, July 2015.
36. Optimal estimation with missing observations via balanced time-symmetric stochastic models, (with A. Lindquist), in review, <http://arxiv.org/abs/1503.06014>
37. Entropic and displacement interpolation: a computational approach using the Hilbert metric, (with Y. Chen, M. Pavon), SIAM J. Appl. Math., 76(6), 2375-2396, DOI:10.1137/16M1061382
38. Color of turbulence, (with A. Zare, M.R. Jovanović), submitted, <http://arxiv.org/abs/1602.05105>
39. Low-Complexity Stochastic Modeling of Turbulent Flows, (with A. Zare and M.R. Jovanović), SIAM conference, Paris, 2015
40. Low-complexity Modeling of Partially Available Second-order Statistics via Matrix Completion, (with A. Zare, Y. Chen and M.R. Jovanović), SIAM conference, Paris, 2015
41. On Cooling of Stochastic Oscillators, (with Y. Chen and M. Pavon), SIAM conference, Paris, 2015
42. Optimal control of the state statistics for a linear stochastic system, (with Y. Chen and M. Pavon), IEEE Decision and Control (CDC), 2015 IEEE 54th Annual Conference on, DOI: 10.1109/CDC.2015.7403245.
43. Steering state statistics with output feedback, (with Y. Chen and M. Pavon), Decision and Control (CDC), 2015 IEEE 54th Annual Conference on, DOI: 10.1109/CDC.2015.7403244
44. On the definiteness of graph Laplacians with negative weights: Geometrical and passivity-based approaches, (with Y. Chen, S.Z. Khong), ACC 2016.
45. Optimal steering of Ensembles, (with Y. Chen and M. Pavon), Proceedings of the Intern. Symposium on the Mathematical Theory of Networks and Systems, Minneapolis, 2016, ISBN: 978-1-5323-1358-5

46. Noncommutative Sinkhorn theorem and generalizations, (with Y. Chen and M. Pavon), Proceedings of the Intern. Symposium on the Mathematical Theory of Networks and Systems, Minneapolis, 2016, ISBN: 978-1-5323-1358-5
47. Stochastic control, entropic interpolation and gradient flows on Wasserstein product spaces, (with Y. Chen and M. Pavon), Proceedings of the Intern. Symposium on the Mathematical Theory of Networks and Systems, Minneapolis, 2016, ISBN: 978-1-5323-1358-5
48. Laplacian Global Similarity of Networks, (with R.I Sandhu and A. Tannenbaum), Proceedings of the Intern. Symposium on the Mathematical Theory of Networks and Systems, Minneapolis, 2016, ISBN: 978-1-5323-1358-5
49. Matricial Wasserstein and Unsupervised Tracking (with L. Ning, R. Sandhu, A. Tannenbaum), Proceedings of the Intern. Symposium on the Mathematical Theory of Networks and Systems, Minneapolis, 2016, ISBN: 978-1-5323-1358-5
50. Bakry-Émery Ricci Curvature on Weighted Graphs with Applications to Biological Networks, (with M. Pouryahya, R. Elkin, R. Sandhu S. Tannenbaum, A. Tannenbaum), Proceedings of the Intern. Symposium on the Mathematical Theory of Networks and Systems, Minneapolis, 2016, ISBN: 978-1-5323-1358-5
51. "Geometry of Correlation Networks for Studying the Biology of Cancer", (with R. Sandhu, S. Tannenbaum, A. Tannenbaum), Decision and Control (CDC), 2016 IEEE 55th Conference on, DOI 10.1109/CDC.2016.7798637
52. A new approach to robust transportation over networks, (with Y. Chen, M. Pavon, A. Tannenbaum), Decision and Control (CDC), 2016 IEEE 55th Conference on, DOI 10.1109/CDC.2016.7799447
53. Some geometric ideas for feature enhancement of diffusion tensor fields (with H. Farooq, Y. Chen, C. Lenglet), Decision and Control (CDC), 2016 IEEE 55th Conference on, 10.1109/CDC.2016.7798851
54. "Likelihood Analysis of Power Spectra and Generalized Moment Problems" (with A. Lindquist), submitted for publication, <https://arxiv.org/pdf/1605.03652.pdf>
55. "Steering state statistics with output feedback" (with Y. Chen and M. Pavon), in *Geometric Science of Information*, edited by F. Nielsen and F. Barbaresco, Springer, ISSN 0302-9743, DOI 10.1007/978-3-319-25040-3

AFOSR Publications of Allen Tannenbaum

Since 2012 in Refereed Journals and Conference Proceedings

1. "Particle filtering with region-based matching for tracking of partially occluded and scaled targets" (with A. Nakhmani), *SIAM Journal Imaging Science* **4** (2011), pp. 220-242.

2. "Automatic quantification of filler dispersion in polymer composites" (with Zhuo Lia, Yi Gao, Kyoung-Sik Moon, Yagang Yao, C.P. Wong), *Polymer* **53:7** (2012), pp. 1571-1580.
3. "3D automatic segmentation of the hippocampus using wavelets with applications to radiotherapy planning" (with Y. Gao, B. Corn, D. Schifter), *MedIA* **16:2** (2012), pp. 374-85.
4. "Self-crossing detection and location for parametric active contours" (with Arie Nakhmani), *IEEE Trans. Image Processing* **21:7** (2012), pp. 3150-3156.
5. "Clinical decision support and closed-loop control for cardiopulmonary management and intensive care unit sedation using expert systems" (with B. Gholami, W. Haddad, J. Bailey), *IEEE Transactions on Information Technology in Biomedicine* **20:5** (2012), pp. 1343-1350.
6. "Filtering in the diffeomorphism group and the registration of point sets" (with Y. Gao, Y. Rathi, and S. Bouix), *IEEE Transactions Image Processing* **21:10** (2012), pp. 4383-4396 .
7. "A 3D interactive multi-object segmentation tool using local robust statistics driven active contours" (with Y. Gao, S. Bouix, M. Shenton, and R. Kikinis), *MedIA* **16:6** (2012), pp. 1216-1227.
8. "Optimal mass transport for problems in control, statistical estimation, and image analysis" (with E. Tannenbaum and T. Georgiou), *Operator Theory: Advances and Applications* **222** (2012), pp. 311-324.
9. "Optimal drug dosing control for intensive care unit sedation using a hybrid deterministic-stochastic pharmacokinetic and pharmacodynamic model" (with Wassim M. Haddad, James M. Bailey, Behnood Gholami), published online in *Optimal Control, Applications and Methods*, June 28, 2012, DOI: 10.1002/oca.2038.
10. "A new distance measure based on generalized image normalized cross-correlation for robust video tracking and image recognition" (with Arie Nakhmani), *Pattern Recognition Letters* **34:3** (2013), pp. 315-321.
11. "Joint CT/CBCT deformable registration and CBCT enhancement for cancer radiotherapy" (with Y. Lou, L. Zhu, P. Vela, X. Jia), *MedIA* **17:3** (2013), pp. 387-400
12. "Clinical decision support and closed-loop control for intensive care unit sedation" (with Wassim M. Haddad, James M. Bailey, Behnood Gholami), *Asian Journal of Control* **15:2** (2013), pp. 317-339.
13. "Particle filters and occlusion handling for rigid 2D-3D pose tracking" (with J. Lee and R. Sandhu), *Computer Vision and Image Understanding* **117:8** (2013), pp. 922-933.
14. "Sparse texture active contours" (with Y. Gao, S. Bouix, and M. Shenton), *IEEE Trans. Image Processing*, **22:10** (2013), pp. 3866-3878.

15. "Multimodal deformable registration of traumatic brain injury MR volumes via the Bhattacharyya distance" (with Y. Lou, P. Vela, J. van Horn, A. Irimia), *IEEE Trans. Biomedical Engineering* **60:9** (2013), pp. 2511–2520.
16. "Optical flow estimation for fire detection in videos" (with M. Mueller, P. Karasev, and I. Kolesov), *IEEE Trans. Image Processing* **22:7** (2013), pp. 2786-2797.
17. "Automatic segmentation of the left atrium from MR images via variational region growing with a moments-based shape prior"(with L. Zhu and Y. Gao), *IEEE Trans. Image Processing* **22:12** (2013), pp. 5111-5122.
18. "Automated skin segmentation in ultrasonic evaluation of skin toxicity in breast-cancer radiotherapy" (with Y. Gao, H. Chen, M. Torres, E. Yoshida, X. Yang, W. Curran, and T. Liu), *Ultrasound in Medicine and Biology*, doi: 10.1016/j.ultrasmedbio.2013.04.006, 2013.
19. "Automatic delineation of the myocardial wall from CT images via shape segmentation and variational region growing" (with L. Zhu, Y. Gao, A. Stillman, T. Faber, Y. Yezzi), *IEEE Trans. Biomedical Engineering* **60:10** (2013), pp. 2887-2895.
20. "Interactive medical image segmentation using PDE control of active contours" (with P. Karasev, I. Kolesov, K. Frischter, P. Vela), *IEEE Trans. on Medical Imaging* **32:11** (2013), pp. 2127-2139.
21. "Multimodal deformable registration of traumatic brain injury MR volumes via the Bhattacharyya distance" (with Y. Lou, P. Vela, J. van Horn, A. Irimia), *IEEE Trans. Biomedical Engineering* **60:9** (2013), pp. 2511–2520.
22. "Optical flow estimation for fire detection in videos" (with M. Mueller, P. Karasev, and I. Kolesov), *IEEE Trans. Image Processing* **22:7** (2013), pp. 2786-2797.
23. "Automatic segmentation of the left atrium from MR images via variational region growing with a moments-based shape prior"(with L. Zhu and Y. Gao), *IEEE Trans. Image Processing* **22:12** (2013), pp. 5111-5122.
24. "Automated skin segmentation in ultrasonic evaluation of skin toxicity in breast-cancer radiotherapy" (with Y. Gao, H. Chen, M. Torres, E. Yoshida, X. Yang, W. Curran, and T. Liu), *Ultrasound in Medicine and Biology* **39:11** (2013), pp. 2166-2175. 2013.
25. "Automatic delineation of the myocardial wall from CT images via shape segmentation and variational region growing" (with L. Zhu, Y. Gao, A. Stillman, T. Faber, Y. Yezzi), *IEEE Trans. Biomedical Engineering* **60:10** (2013), pp. 2887-2895.
26. "Interactive medical image segmentation using PDE control of active contours" (with P. Karasev, I. Kolesov, K. Frischter, P. Vela), *IEEE Trans. on Medical Imaging* **32:11** (2013), pp. 2127-2139.

27. “A complete system for automatic extraction of left ventricular myocardium from CT images using shape segmentation and contour evolution” (with L. Zhu, Y. Gao, V. Appia, C. Arepalli, A. Stillman, T. Faber, Y. Yezzi), *IEEE Trans. on Image Processing* **23** (2014), pp. 1340-1351.
28. “Matrix-valued Monge-Kantorovich optimal mass transport” (with L. Ning and T. Georgiou), *IEEE Transactions on Automatic Control* **60** (2015), pp. 373-382.
29. “A Kalman filtering perspective to multi-atlas segmentation” (with Y. Gao, L. Zhu, and S. Bioux), *SIAM Imaging Science* **8** (2015), pp. 1007 – 1029.
30. “Linear models based on noisy data and the Frisch scheme” (with L. Ning, T. Georgiou, S. Boyd), *SIAM Review* **57(2)** (2015), pp. 167-197.
31. “Graph curvature and the robustness of cancer networks” (with R. Sandhu, T. Georgiou, E. Reznik, L. Zhu, I. Kolesov, Y. Senbabaoglu), *Scientific Reports (Nature)* **5**, Article number: 12323, doi:10.1038/srep12323.
32. “A stochastic approach for diffeomorphic point set registration With landmark constraints” (with I. Kolesov and P. Vela), *IEEE PAMI* **38(2)** (2016), pp. 238-251.
33. “Market fragility, systemic risk, and Ricci curvature” (with R. Sandhu and T. Georgiou), *Science Advances*, 2016; 2 : e1501495 27 May 2016.
34. “Robust transport over networks,” (with Yongxin Chen, Tryphon T. Georgiou, Michele Pavon), to appear in *IEEE Transactions Automatic Control*, 2016. <http://arxiv.org/abs/1603.08129>
35. “Cerebrospinal fluid and interstitial fluid motion via the glymphatic pathway modeled by optimal mass transport,” (with V Ratner, Y Gao, H Lee, M Nedergaard, H Benveniste), <http://www.biorxiv.org/content/biorxiv/early/2016/03/11/043281.full.pdf>, 2016. Submitted to *NeuroIMMge*.
36. “Matricial optimal mass transport: a quantum mechanical approach,” (with Y. Chen and T. Georgiou), <https://arxiv.org/abs/1610.03041>, 2016. Submitted to *Communications in Mathematical Physics*.
37. “Regularization and interpolation of positive matrices,” (with K. Yamamoto, Y. Chen, L. Ning, T. Georgiou). Submitted to *IEEE Trans. Automatic Control*.
38. “Guiding image segmentation on the fly: interactive segmentation from a feedback control perspective” (with L. Zhu, I. Kolesov, P. Karasev, and R. Sandhu), submitted to *IEEE Trans. Automatic Control*.
39. “An analytical approach for Insulin-like Growth Factor Receptor 1 and Mammalian Target of Rapamycin Blockades in Ewing Sarcoma” (with R. Sandhu, S. Lamhamedi-Cherradi, S. Tannenbaum, J. Ludwig), <http://arxiv.org/abs/1509.03642>, September 2015.

40. "A quantitative analysis of localized robustness of MYCN in neuroblastoma," (with R. Sandhu, S. Tannenbaum, D. Diolaiti, A. Ambesi-Impiombato, A. Kung)
<http://biorxiv.org/content/early/2016/01/21/037465.full-text.pdf+html>.
41. "Volumetric mapping of genus 0 volumes via mass preservation" (with A. Dominitz and R. Sandhu), <http://arxiv.org/abs/1205.1225>.
42. "Detection of human-initiated vehicle maneuvers via group-sparsity," (with P. Karasev, P. Vela, A. Vela), *MTNS*, 2012.
43. "Recursive feature elimination for brain tumor classification using desorption electrospray ionization mass spectrometry imaging," (with B. Gholami, I. Norton, and N. Agar), *EMBS*, 2012.
44. "Automatic segmentation of the left atrium from MRI images using salient feature and contour evolution" (L. Zhu, Y. Gao, A. Yezzi, R. MacLeod, and J. Cates), *EMBS*, 2012.
45. "A stochastic approach for non-rigid image registration" (with I. Kolosev, J. Lee, P. Vela), *SPIE Image Processing Algorithms and Systems*, 2012.
46. "Nano-filler dispersion in polymer composites for electronic packaging" (with Z. Li, Y. Gao, K.S. Moon, and C.P. Wong), *IEEE 62nd Electronic Components and Technology Conference (ECTC)*, 2012.
47. "Longitudinal 3D morphometry study using the optimal mass transport" (with Y. Gao), *SPIE Medical Imaging*, 2012.
48. "Scar segmentation in DE-MRI" (with Y. Gao, L. Zhu, A. Yezzi, S. Bouix, A. Tannenbaum), cDEMRS challenge, ISBI 2012.
49. "Needle extraction for the intraoperative MR image guided brachytherapy" (Y. Gao, N. Farhat, N. Agrawal, G. Pernelle, X. Chen, J. Egger, S. Blevins, S. Bouix, W. Wells, R. Kikinis, E. Schmidt, A. Viswanathan, and T. Kapur), *5th Image Guided Therapy Workshop*, 2012.
50. "IMU-compensated image segmentation for improved vision-based control performance" (with P. Karasev and P. Vela) *IEEE International Systems Conference*, 2013.
51. "Dynamical systems framework for anomaly detection in surveillance videos" (with A. Surana and A. Nakhmnai), *CDC*, 2013.
52. "Interactive segmentation of structures in the head and neck using steerable active contours" (with I. Kolesov, P. Karasev, P. Vela, G. Sharp), *AAPM*, 2013.
53. "Matrix-valued Monge-Kantorovich optimal transport" (with L. Ning and T. Georgiou), *CDC*, 2013.

54. "Stochastic image registration with user constraints" (with I. Kolesov, J. Lee, P. Vela), *SPIE*, 2013.
55. "Compressive sensing for mass spectrometry" (with N. Agar and Y. Gao), *SPIE Medical Imaging*, 2013.
56. "MRI brain tumor segmentation and necrosis detection using adaptive Sobolev snakes" (with A. Nakhmani and R. Kikinis), *SPIE Medical Imaging*, 2014
57. "Reconstruction and feature selection for desorption electrospray ionization mass spectroscopy imagery" (with Y. Gao, R. Kikinis, I. Norton, N. Agar), *SPIE Medical Imaging*, 2014.
58. "Interpolation of longitudinal shape and image data via optimal mass transport" (with Y. Gao, L. Zhu, S. Bouix), *SPIE Medical Imaging*, 2014.
59. "A framework for joint image-and-shape analysis" (with Y. Gao and S. Bouix), *SPIE Medical Imaging*, 2014.
60. "Hydrodynamical limiting behaviors of stochastic systems" (with S. Angenent and T. Georgiou), *ACC*, 2013.
61. "An effective interactive medical image segmentation method using fast GrowCut" (with L. Zhu, Y. Gao, R. Kikinis), *MICCAI*, 2014.
62. "Macroscopic analysis of crowd motion in video sequences" (with A. Nakhmani and A. Surana), *IEEE CDC*, 2014.
63. "A control framework for interactive deformable image registration" (with I. Kolesov and L. Zhu), *MICCAI*, 2014.
64. "Interactive image segmentation framework based on control theory" (with L. Zhu, I. Kolesov, V. Ratner, P. Karasev), *SPIE*, 2015.
65. "Optimal mass transfer based estimation of glymphatic transport in living brain," (with V. Ratner, L. Zhu, I. Kolesov, M. Nedergaard, Helene Benveniste), *SPIE*, 2015.
66. "Multi-scale learning based segmentation of glands in digital colonrectal pathology images," (with Yi Gao, William Liu, Shipra Arjun, Liangjia Zhu, Vadim Ratner, Tahsin Kurc, Joel Saltz), *SPIE*, 2016.
67. "Matricial Wasserstein and unsupervised tracking," (with L. Ning, R. Sandhu, T. Goergiou), *MTNS*, 2016.
68. "Bakry-Emery Ricci curvature on weighted graphs with applications to biological networks," (with M. Pouryahya, R. Elkin, R. Sandhu, S. Tannenbaum, T. Georgiou), *MTNS*, 2016.
69. "Laplacian global similarity of networks," (with R. Sandhu and T. Georgiou), *MTNS*, 2016.

70. "Multi-scale learning based segmentation of glands in digital colonrectal pathology images," (with Yi Gao, William Liu, Shipra Arjun, Liangjia Zhu, Vadim Ratner, Tahsin Kurc, Joel Saltz), Proc. SPIE 9791, Medical Imaging 2016: Digital Pathology, (March 23, 2016); doi:10.1117/12.2216790.
71. "Hierarchical nucleus segmentation in digital pathology images," (with Yi Gao, Vadim Ratner, Liangjia Zhu, Tammy Diprima, Tahsin Kurc, Joel Saltz) Proc. SPIE 9791, Medical Imaging 2016: Digital Pathology, (March 23, 2016); doi:10.1117/12.2217029.
72. "A new approach to robust transportation over networks," (with Yongxin Chen, Tryphon T. Georgiou, Michele Pavon), *IEEE CDC*, 2016.
73. "Geometry of Correlation Networks for Studying the Biology of Cancer," (with Romeil Sandhu, Sarah Tannenbaum, Tryphon T. Georgiou), *IEEE CDC*, 2016.

Books Written Under AFOSR Support

1. *Feedback Control Theory* (with John Doyle and Bruce Francis), MacMillan Company, New York, 1991.
2. *Robust Control of Distributed Parameter Systems* (with Ciprian Foias and Hitay Özbay), *Lecture Notes in Control and Information Sciences* **209**, Springer-Verlag, New York, 1995.
3. *Feedback Control, Uncertainty, and Complexity*, edited by Bruce Francis and Allen Tannenbaum, *Lecture Notes in Control and Information Sciences* **202**, Springer-Verlag, New York, 1995.
4. *Curvature Flows, Visual Tracking, and Computational Vision*, to be published by *SIAM*.

Patents Granted Based on past AFOSR Projects

"Conformal Geometry and Texture Mappings," (co-inventors Sigurd Angenent, Steven Haker, Allen Tannenbaum, and Ron Kikinis), U.S. Patent Number 6,697,538, issued February 24, 2004.

Other Related Patents Granted During previous AFOSR Projects

- (a) "4D Kappa5 Gaussian Noise Reduction," (co-inventors Harvey Cline and Allen Tannenbaum), U.S. Patent Number 6,204,853 B1, issued March 20, 2001.
- (b) "Curvature Based System for the Segmentation and Analysis of Cardiac Magnetic Resonance Imagery," (co-inventors Allen Tannenbaum and Anthony Yezzi), U.S. Patent Number 6,535,623 B1, issued March 18, 2003.
- (c) "Bayesian Methods for Noise Reduction in Image Processing," (co-inventors Allen Tannenbaum and Ben Fitzpatrick), U.S. Patent Number 7,813,581, issued October 12, 2010.

AFRL Points of Contact

Program director prior to 2016:

Dr. Fariba Farhoo, AFOSR Dynamics and Control, Phone (703) 526-2706

Current program director:

Dr. Frederick A. Leve AFOSR Dynamics and Control, Phone (703) 696-7305

Transitions

Performer: Allen Tannenbaum, Stony Brook University, (404) 394-3224.

Customer: Polaris/Lockheed Martin, Art Lompado/Moses Chan.

Result: Tracking algorithms for multiple unresolved targets in noisy environments.

Application/Military Utility: Detection and tracking of maneuvering missiles.

Performer: Allen Tannenbaum, Stony Brook University, (404) 394-3224.

Customer: UTRC, Amit Surana.

Result: Video analytics algorithms.

Application/Military Utility: Studying anomalous behaviors in groups in people.

1 Introduction

Optimal mass transport is a major research area with applications for numerous disciplines including econometrics, fluid dynamics, automatic control, transportation, statistical physics, shape optimization, expert systems, and meteorology [52, 68]. The problem was first formulated by the civil engineer Gaspar Monge in 1781, and concerned finding the optimal way, in the sense of minimal transportation cost, of moving a pile of soil from one site to another. Much later the problem was extensively analyzed by the Soviet mathematician Kantorovich [35] with a focus on economic resource allocation, and so is now known as the Monge–Kantorovich (MK) or optimal mass transport (OMT) problem.

A major problem that elucidates how OMT is employed is image registration [28]. Since this appears in many practical systems, tracking, and vision applications, we will briefly explain how OMT may be used to treat this problem. Registration is the process of establishing a common geometric reference frame between two or more data sets obtained by possibly different imaging modalities and at different times. Registration typically proceeds in several steps. First, a measure of similarity between the data sets is established, so that one can quantify how close an image is from another after transformations are applied. Such a measure may include the similarity between pixel intensity values, as well as the proximity of predefined image features such as implanted fiducials, anatomical landmarks, surface contours, and ridge lines. Then the transformation that maximizes the similarity between the transformed images is found. Many times this transformation is given as the solution of an optimization problem where the transformations to be considered are constrained to be members of a predetermined class. Lastly, once an optimal transformation is obtained, it is used to fuse the image data sets. Registration has a huge literature devoted to it with numerous approaches ranging from statistical to computational fluid dynamics to various types of warping methodologies; see [66, 70]. One way of defining density is via “intensity,” and in such a case the method explicated in this proposal can be considered an intensity-driven one. The method we devised as part of our AFOSR funded research, is also in the class of warping strategies based on continuum and fluid mechanics, in which one tries to use properties of elastic materials to determine the deformation. Here one defines a (typically quadratic) cost functional that penalizes the mismatch between the deforming template and target. A key fact that will be employed when we describe a Riemannian metric on the space of probability densities is that the optimal warping map of OMT may be regarded as the velocity vector field which minimizes a standard energy integral subject to the Euler continuity (mass preservation) equation [4]. Thus, the theory of OMT allows a natural geometry on the space of distributions and suitable warping maps and geodesics which establish correspondence between distributions and may be used suitably in applications.

With this background, we have investigated the following problems in our just completed AFOSR research program:

- (i) ***Riemannian Metrics and Gradient Flows***: There is a beautiful connection between the Boltzmann entropy and the heat equation. The latter arises as the steepest descent when maximizing the Boltzmann entropy “potential” in the Riemannian metric inherited by the

OMT. The rate of ascent, since entropy increases, is given by the Fisher information metric. The same paradigm can be used to recover/generate other gradient flows (PDEs) and thereby link via suitable information potentials to corresponding metrics for distributions. In particular, we recover the affine invariant heat equation and draw connections with metrics on power spectra. This topic is primarily of theoretical interest with potentially important insights into the qualities of various alternative metrizations for the space of distributions.

- (ii) ***Optical Flow, Tracking, and Mesh Generation***: Optical flow is a key problem in controlled active vision and thus in visual tracking. The optical flow field is defined as the velocity vector field of apparent motion of brightness patterns in a sequence of images. There have been many methods proposed for its computation. We have shown that ideas from optimal mass transport are ideal for the computation of the optical flow field for scenarios involving *dynamic textures*, that is, for objects that have internal dynamics such as fire and smoke. Further, for various problems in computational fluid dynamics, biomechanics, and CAD, we have shown that techniques from OMT may be employed for the automatic generation of hexahedral meshes for three dimensional volumes.

2 Summary of Work

We summarize some of the key results developed as part of our AFOSR research program. Optimal mass transport (OMT) and the mathematics that were spawned from the Monge-Kantorovich problem have impacted a number of fields including probability theory, statistics, physics, the atmospheric sciences, economics, and functional analysis; e.g., see [2, 4, 52]. Our research focused around around problems in information fusion and control, and image registration.

2.1 Geometry of optimal mass transport

Consider once again the OMT problem. In our program, we studied, in particular, costs of the form $\rho(u, x) = |u - x|^p$ ($p \geq 1$), giving rise to the L^p *Kantorovich–Wasserstein metric*

$$d_p(\mu_0, \mu_1)^p := \inf_{u \in MP} \int \mu_0(x) |u(x) - x|^p dx. \quad (1)$$

Thus, an *optimal MP-map*, when it exists, is one which minimizes the above integral. The integral represents a cost on the distance the map u moves each bit of material, weighted by the respective mass.

The case $p = 2$ has been extensively studied in recent years. A fundamental result by Yann Brenier [10] is that *there is a unique optimal $u \in MP$ transporting μ_0 to μ_1 , and that this u is characterized as the gradient of a convex function w , i.e., $u = \nabla g$ where g can be thought as a convex potential*. The geometric significance of this can be traced to the fact that for a transference plan to be optimal, there should be no “crossing” of paths that individual specs of mass take. This insight [13, 40] forces the graph of the optimal plan to have a certain *cyclically monotone* property, which then, by a theorem of Rockafeller [59], implies that it is the (sub-)differential of a convex

function. The novelty of this result is that very much like the Riemann mapping theorem in the plane, OMT singles out particular maps with preferred geometry.

It is interesting to speculate whether a similar geometric insight is relevant in optimal multivariable couplings amongst more than one distribution. Such problems will be motivated later on in the context of fusion of information from various sources/sensors. Recent works [60, 24] motivate analogous questions but rather from an economics perspective. Thus, a question of potential great relevance is to study in a similar manner (**research direction**) the geometric properties of solutions to the multi-transport problem $\min_{\mu} \sum_{i=1}^n d_p(\mu, \mu_i)$ for a given set of distributions μ_i , and develop computational tools for this problem.

2.1.1 Optimal mass transport as an optimal control problem

The Monge-Kantorovich problem for $p = 2$ may be formulated as follows [4]. Consider

$$\inf \int \int_0^1 \mu(t, x) \|\nabla g(t, x)\|^2 dt dx \quad (2)$$

over all time varying densities μ and functions g satisfying

$$\begin{aligned} \frac{\partial \mu}{\partial t} + \operatorname{div}(\mu \nabla g) &= 0, \\ \mu(0, \cdot) &= \mu_0, \mu(1, \cdot) = \mu_1. \end{aligned} \quad (3)$$

The integrand in (2) may be thought to represent kinetic energy with $u = \nabla g$ representing velocity. Thus, (2) is an ‘‘action’’ integral in the way understood in the physics literature. One may then show that the infimum is attained for some μ_{min} and g_{min} ; accordingly we set $u_{min} = \nabla g_{min}$. Further, define the flow

$$X(x, t) = x + t(u_{min}(x) - x).$$

Note that when $t = 0$, X is the identity map and when $t = 1$, it is the solution u_{min} to the Monge–Kantorovich problem. This analysis provides appropriate justification for using (2.1.1) to *define* a continuous (nonlinear) warping map X between the densities μ_0 and μ_1 . Besides the relevance of such a warping for applications such as image registration [28], voice morphing [33], etc., the analysis above provides a Riemannian structure on the space of distributions that we take up next.

2.1.2 Riemannian structure of density functions

Define the space of density functions as

$$\mathcal{C} := \{\mu \geq 0 : \int \mu = 1\}.$$

The tangent space at a given ‘‘point’’ μ may be identified with

$$T_{\mu}\mathcal{C} \cong \{v : \int v = 0\}.$$

Thus, inspired by the Benamou-Brenier framework [4], given two “points” $\mu_0, \mu_1 \in \mathcal{C}$, the geodesic distance is:

$$\begin{aligned} & \inf_{\mu, g} \left\{ \int_0^1 \int \mu(t, x) \|\nabla g(t, x)\|^2 dt dx \right. \\ & \text{subject to } \frac{\partial \mu}{\partial t} + \operatorname{div}(\mu \nabla g) = 0, \\ & \left. \mu(0, \cdot) = \mu_0, \mu(1, \cdot) = \mu_1 \right\} \end{aligned} \quad (4)$$

In other words, we look at all curves in \mathcal{C} connecting μ_0 and μ_1 , and take the shortest one with respect to the Wasserstein metric. This leads us to give \mathcal{C} a Riemannian structure, which will induce the Wasserstein distance. This idea is in fact due to Jordan *et al.* [34]. Namely, under suitable assumptions on differentiability for $\mu \in \mathcal{C}$, and $v \in T_\mu \mathcal{C}$, one solves the Poisson equation

$$v = -\operatorname{div}(\mu \nabla g). \quad (5)$$

This allows us to identify the tangent space with functions g up to additive constant. Thus, for any given v we denote the solution of (5) by g_v . Then given, $v_1, v_2 \in T_\mu \mathcal{C}$, we can define the inner product

$$\langle v_1, v_2 \rangle_\mu := \int \mu \nabla g_{v_1} \cdot \nabla g_{v_2}. \quad (6)$$

An integration by parts argument, shows that this inner product will exactly induce the Wasserstein distance given by Equation (4). It is very suggestive to also note that

$$\begin{aligned} \langle v, v \rangle_\mu &= \int \mu \nabla g_v \cdot \nabla g_v = - \int g_v \operatorname{div}(\mu \nabla g_v) \text{ (integration by parts)} \\ &= \int v g_v. \end{aligned} \quad (7)$$

Several interesting questions were explored in detail. For instance, typically, action integrals $\int(T - V)$ in physics have both a term corresponding to the kinetic energy T and one corresponding to a potential V . In our AFOSR work, in several publications, we have studied the implication of a potential term to the action integral (2) and how this affected the induced geometry.

2.2 Riemannian metrics & gradient flows

The availability of a natural metric structure on the space \mathcal{C} of distributions suggested a range of interesting theoretical questions that were investigated in our program. This line of research has led to the rather deep and surprising fact that gradient flows of the Boltzmann entropy in the geometry of Wasserstein-Kantorovich metric give rise to the *heat equation* [34]. A similar approach gives rise to the *affine-invariant nonlinear heat equation* (co-discovered by one of the PI’s (AT)) which has been of great significance and popularity in image processing [61, 62], and connections are drawn with our recent work on a differential-geometric structure based on *optimal prediction theory* for spectral density functions [21]. Thus, the geometry of OMT links together the

Boltzmann entropy, the heat equation and, as we will see in the next section, the Fisher information metric. In a similar way, the use of an information potential other than the Boltzmann entropy can give rise to alternative gradient flows and metrics that relate to affine-invariance [61], prediction theory [21], flow in porous media and many other important paradigms in physics [68]. In our AFOSR research, we have elucidated the relationship between mass transport, conservation laws, entropy functionals, on one hand and probability and power distributions and related metrics on the other. This was a significant undertaking that was a focus of the project and has been accomplished and reported in several of the publications that resulted under the present grant (see e.g., [63, 46, 8]).

2.2.1 Boltzmann Entropy and the heat equation

We consider the Boltzmann entropy

$$S := - \int \mu \log \mu$$

as an “information” potential and evaluate S along a 1-parameter family in \mathcal{C} , $\mu(t, x)$ or simply μ , reserving μ_t for its derivative. Integrals are with respect to the spatial variable x . The derivative of S with respect to t is

$$\frac{dS}{dt} = - \int (\mu_t \log \mu + \mu_t) = - \int (\mu_t \log \mu), \quad (8)$$

since $\int \mu = 1$. In view of the characterization of the Wasserstein norm from Equation (7), we see that the steepest gradient direction (*with respect to the Wasserstein metric*) is given by

$$\mu_t = \operatorname{div}(\mu \nabla \log \mu) = \Delta \mu,$$

which is precisely the **linear heat equation**. Finally, if we substitute $\mu_t = \Delta \mu$ into Equation (8), and integrate by parts, we get

$$\frac{dS}{dt} = \int \frac{\|\nabla \mu\|^2}{\mu} = \int \|\nabla \log \mu\|^2 \mu. \quad (9)$$

Hence the rate of entropy increase is given by the **Fisher information metric!**

2.2.2 Information metrics

In an analogous manner we have explored the implications of the OMT geometry on the space of power spectra of stochastic processes. For simplicity we assume herein that power spectra have the same total energy and thence are normalized to have integral 1. The principal reason why the OMT geometry is natural in the spectral domain is that the Wasserstein metric is weak*-continuous (generating the natural topology, like the Lévy-Prohorov metric¹) and computationally tractable [23].

¹Note that in probability “weak” often refers to “weak*”. The latter terminology is the correct one from a functional analysis viewpoint.

We now let μ represent the power spectral density of a discrete-time random process, though extension to being a non-absolutely-continuous spectral measure is also possible. Thus, μ is taken to be non-negative on the unit circle – herein identified with $[0, 1)$, with $\mu(0) = \mu(1)$. The integral $\int \mu$ which represents the variance of the underlying random process is normalized to 1. It is natural to take as “information” potential the *differential entropy*

$$S_d := - \int \log \mu$$

as this relates to the variance of the optimal one-step-ahead prediction error which is simply $e^{\int \log \mu}$. We evaluate S_d along a 1-parameter family and take the derivative

$$\frac{dS_d}{dt} = - \int \frac{\mu_t}{\mu}. \quad (10)$$

The steepest gradient direction with respect to the Wasserstein metric is now given by

$$\mu_t = -\operatorname{div}(\mu \nabla \frac{1}{\mu}) = \operatorname{div}(\frac{\nabla \mu}{\mu}) = \frac{\Delta \mu}{\mu} - \frac{\|\nabla \mu\|^2}{\mu^2}. \quad (11)$$

This is yet another ***nonlinear heat equation***. We specialize to one (spatial) dimension ($\nabla \mu =: \mu_x$ is now simply the partial derivative with respect to x) and we write Equation (11) explicitly using partials with respect to this one dimension

$$\mu_t = \frac{\mu \mu_{xx} - (\mu_x)^2}{\mu^2}.$$

Upon substitution into (10), and integration by parts we obtain that

$$\frac{dS_d}{dt} = \int \frac{(\mu_x)^2}{\mu^3}. \quad (12)$$

2.2.3 Affine-invariant heat equation

It is natural to consider the general class of potentials

$$S_g = - \int f(\mu),$$

where f is a suitable differentiable increasing function. Then the exact computation given earlier shows that the corresponding gradient flow with respect to the Wasserstein metric is

$$\mu_t = \operatorname{div}(\mu \nabla f'(\mu)). \quad (13)$$

Moreover,

$$\frac{dS_g}{dt} = \int \mu \|f'(\mu)\|^2.$$

As an application, if we take $f(x) = \frac{1}{n-1}x^n$, $n \geq 0$, then (13) becomes $\mu_t = \Delta\mu^n$, which in one spatial variable reduces to

$$\mu_t = (\mu^n)_{xx}.$$

Interestingly, this can now be turned into an equation of the form

$$u_t = (u_{xx})^n \tag{14}$$

as follows. Simply apply $-\Delta^{-1}$ (i.e., the negative inverse of the Laplacian) to both sides, and set $u = -\Delta\mu$. For $n = 1/3$, we get the 1-dimensional ***affine invariant heat equation*** [61, 3] of great popularity in image processing. While this equation is known not to be derivable via any L^2 -based gradient flow [50, 51], we have just shown that it can also be derived as such via the Wasserstein geometric structure. The Euclidean invariant geometric heat equation may be derived via an L^2 gradient descent flow [26].

Our main interest however is in natural metrics between distributions. To this end, we have explored several new metrics that may be derived using the framework introduced here. Indeed, following [4] again, we can devise geodesic distances analogous to *action integrals* (for “pressure-less fluid flow”). Such integrals may be taken in the form:

$$\inf \int \int_0^1 \mu(t, x) h(v(t, x)) dt dx \tag{15}$$

over all time-varying densities μ and vector fields v satisfying

$$\begin{aligned} \frac{\partial \mu}{\partial t} + \operatorname{div}(\mu v) &= 0, \\ \mu(0, \cdot) &= \mu_0, \mu(1, \cdot) = \mu_1. \end{aligned}$$

Here h is a strictly convex even function. (In [4], $h(v) = \|v\|^2/2$.) One can show that this leads to the flow

$$\mu_t = \operatorname{div}(\mu \nabla h^*(\nabla f'(\mu))), \tag{16}$$

where h^* is the Legendre transform of h . We have considered and detailed this framework and its connections with fundamental concepts of information and prediction theory in [63].

2.2.4 Unbalanced densities

General distributions (histograms, power spectra, spatio-temporal energy densities, images) may not necessarily be normalized to have the same integral. Thus, it is very important to devise appropriate metrics and theory. Our aim is to provide constructions for “interpolating” data in the form of distributions. Thus, we seek to view such in a natural metric space. The first candidate is the space of L^2 -integrable functions. However, as we will note next, geodesics are simply linear intervals and fail to have a number of desirable properties [23, 33]. In particular, the “linear average” of two *unimodal* distributions is typically *bimodal*. Thus, important features are typically “written over”. It is instructive for us to consider this first.

One can show that

$$d_{L^2}(\mu_0, \mu_1)^2 = \inf_{\mu, v} \int_0^1 \int_0^1 |\partial_t \mu(t, x)|^2 dt dx \quad (17)$$

over all time varying densities μ and vector fields v satisfying

$$\begin{aligned} \frac{\partial \mu}{\partial t} + \operatorname{div}(\mu v) &= 0, \\ \mu(0, \cdot) &= \mu_0, \quad \mu(1, \cdot) = \mu_1. \end{aligned} \quad (18)$$

The optimality condition for the path is then given by

$$\partial_{tt} \mu(t, x) = 0,$$

which gives as optimal path the “interval” ($t \in [0, 1]$)

$$\mu(t, x) = [\mu_1(x) - \mu_0(x)]t + \mu_0(x).$$

Our claim about bi-modality of a mix of two unimodal distributions is evident. On the other hand, OMT geodesics represent nonlinear mixing and have a considerably different character [33].

Yet, the L^2 problem may be used in conjunction with OMT in case of unbalanced mass distributions. Indeed, given the two unbalanced densities μ_0 and μ_1 it is natural to seek a distribution $\tilde{\mu}_1$ the closest density to μ_1 in the L^2 sense, which minimizes the Wasserstein distance $d_{\text{wass}}(\mu_0, \tilde{\mu}_1)^2$. The L^2 perturbation can be interpreted as “noise.” One can then show that this problem amounts to minimizing

$$\inf_{\mu, v, \tilde{\mu}_1} \int_0^1 \int_0^1 \mu(t, x) \|v\|^2 dt dx + \alpha/2 \int |\mu_1(x) - \tilde{\mu}_1(x)|^2 dx \quad (19)$$

over all time varying densities μ and vector fields v satisfying

$$\begin{aligned} \frac{\partial \mu}{\partial t} + \operatorname{div}(\mu v) &= 0, \\ \mu(0, \cdot) &= \mu_0, \quad \mu(1, \cdot) = \tilde{\mu}_1. \end{aligned} \quad (20)$$

This idea has been taken further in [23, 33] where the two end points μ_0, μ_1 are allowed to be perturbed slightly into $\tilde{\mu}_0, \tilde{\mu}_1$ while the perturbation equalizes their integrals and is accounted for in the metric. This leads to a modified Monge-Kantorovich problem which is best expressed in terms of its dual. Recall that the original OMT-problem of transferring (balanced) μ_0 into μ_1 has the following dual (see e.g., [68])

$$\max_{\phi(x) + \psi(y) \leq \rho(x, y)} \int \phi(x) \mu_0(x) dx + \int \psi(y) \mu_1(y) dy, \quad (21)$$

which for the case $\rho(x, y) = |x - y|$ can be shown to be

$$\max_{\|\phi\|_{\text{Lip}} \leq 1} \int \phi(\mu_0 - \mu_1)$$

with $\|\phi\|_{\text{Lip}} = \sup \frac{|g(x)-g(y)|}{|x-y|}$ the Lipschitz norm (see [68]). Replacing μ_0, μ_1 by $\tilde{\mu}_0, \tilde{\mu}_1$ in the OMT problem while penalizing the magnitude of the errors $\|\mu_i - \tilde{\mu}_i\|$ leads to the following metric [23]:

$$\inf_{\tilde{\mu}_0(\Omega)=\tilde{\mu}_1(\Omega)} d_1(d\tilde{\mu}_0, d\tilde{\mu}_1) + \kappa \sum_{i=1}^2 d_{\text{TV}}(d\mu_i, d\tilde{\mu}_i). \quad (22)$$

This metric in fact ‘‘interpolates’’ the total variation (which is not weak* continuous) and the Wasserstein distance. The above expression has an interesting physical interpretation, where μ_i ’s are noisy version of the $\tilde{\mu}_i$ ’s and considerable practical significance, as it allows comparing distributions of unequal mass in a natural way. Further, this is weak* continuous. The dual formulation is particularly simple:

$$d_{\text{unbalanced}}(\mu_0, \mu_1) := \max_{\substack{\|\phi\|_{\text{Lip}} \leq 1 \\ \|\phi\|_{\infty} \leq c}} \int \phi(\mu_0 - \mu_1). \quad (23)$$

The constant c depends on how much penalty κ is placed on $\|\mu_i - \tilde{\mu}_i\|_2$. Geodesics of this metric retain several of the features at the end points [23, 33] but, it is also substantially more difficult to compute (distances, geodesics, etc.). Parallel work on the geometry for unbalanced mass distributions using substantially different tools and direction has been pursued in [5, 14]. Besides our interest in developing natural metrics for unbalanced mass distributions, our work exemplifies the focus in this respect: develop computational tools for (weak*) metrics between unbalanced mass distributions and, in particular, for (23). See also [47] for our recent development of a general framework and specific results under the grant for transport of matrix-valued distributions.

2.2.5 Tracking

One of the benefits of a geometric framework is the availability of geodesics and geodesic paths for linking together time-varying spectra. This is in complete analogy with the usage of approximation techniques in tracking dynamic changes in traditional system identification. Herein, spectral geodesics represent a tool for tracking changes in the spectral domain. There are several possible natural geometries. Here we continue on the one which we discussed in the previous section.

It can be shown (see [31]) that the geodesic distance between two matrix-valued power spectral density functions μ_0, μ_1 is

$$\sqrt{\frac{1}{2\pi} \int \|\log \mu_0^{-1/2} \mu_1 \mu_0^{-1/2}\|_{\text{Fr}}^2}, \quad (24)$$

with $\|\cdot\|_{\text{Fr}}$ denoting the Frobenius norm. Thus, (24) is a matricial generalization of the commonly used logarithmic deviation, and shows that the latter is in fact a meaningful geometric quantity. Further, the geodesic path between the two is

$$\mu_t = \mu_0^{1/2} (\mu_0^{-1/2} \mu_1 \mu_0^{-1/2})^t \mu_0^{1/2}, \quad (25)$$

where $t \in [0, 1]$. Likewise, using (25) we can construct geodesics between matrix-valued power spectra. Spectral geodesics represent an effective non-parametric model for nonstationarity [33]. Recent results along this line for matrix-valued geometric transport are reported in [46, 15].

2.2.6 Matricial Fisher information

Metrics between matrix-valued distributions which generalize the Fisher information have also been developed for the purposes of assessing information in the setting of quantum mechanics. Briefly, the scalar Fisher information metric is of the form $\int \frac{\delta^2}{\mu}$. The “quantum” analog, where the perturbation Δ is a matrix as is the distribution M , the Fisher information metric takes the form

$$\text{trace}(\Delta \cdot \mathbb{D}_M(\Delta))$$

where $\mathbb{D}_M(\Delta)$ is a “super-operator” representing division of Δ by M . Several options for this “non-commutative” division exist. For instance, $Y = \mathbb{D}_M(\Delta)$ can be selected to satisfy $\frac{1}{2}(YM + MY) = \Delta$, but also $Y = M^{-\frac{1}{2}}\Delta M^{-\frac{1}{2}}$, or $\int_0^\infty (I + \sigma M)^{-1}\Delta(I + \sigma M)^{-1}d\sigma$ (see e.g., [56, 38], and [16, Appendix] and the references therein). There are strong connections between these metrics, which constitute a family “*non-commutative*” *Fisher information metrics*, and the “predictive geometry” we discuss in the previous section. Our relevant work that focuses on multivariable covariance statistics, under AFOSR support, is [17, 18, 19, 20] and our more recent development is detailed in [31, 48, 32, 49, 15].

2.3 Unbalanced OMT optical flow for dynamic textures

Optical flow is a computational procedure to compute the motion between a set of images, taken within a short time difference. The main idea is that the gray values of each image do not change between two images. This leads to the *optical flow constraint*

$$I_t + \vec{u} \cdot \nabla I = 0. \tag{26}$$

where I is the image and $\vec{u} = [u, v]$ is the flow field. Given two images taken in a short time interval, it is possible to solve for the optical flow field \vec{u} by solving the following optimization problem

$$\min_{\vec{u}} \|I_t + \vec{u} \cdot \nabla I\|^2 + \alpha R(\vec{u}) \tag{27}$$

where $R(\vec{u})$ is a regularization operator, typically chosen to be the gradient of \vec{u} and α is a regularization parameter.

The underlying assumption this model is one of intensity constancy. Under this assumption an objects brightness is constant from frame to frame. This assumption holds for rigid objects with a Lambertian surface, but fails for fluid and gaseous materials. In computer vision, these are modeled by so-called *dynamic textures* (see [11]). The dynamic textures typical of smoke and fire possess intrinsic dynamics and so cannot be reliably captured by the standard optical flow method. Also, the fire/smoke region tends to flow much faster than the area around it which again may cause the model to produce erroneous results.

Our goal in this research program has been to obtain better optical flow field models for fire and smoke modeled as *dynamic textures*. One way to do so is to base the optical flow on the physical attributes of these processes. One simple attribute is that fire and smoke tends to approximately

conserve intensity taken as a generalized mass and move the mass in an optimal way. Thus, an appropriate mathematical optical constraint is not intensity preserving but rather mass preserving. This model can be written as

$$I_t + \operatorname{div} \vec{u}I = 0. \quad (28)$$

Our model for optimal flow is the one that minimizes the total energy defined as follows:

$$\inf_{\vec{u}, \mu_1, \tilde{\mu}} \int_{\Omega} \int_0^1 \mu(x, t) |\vec{u}|^2 dx dt + \alpha/2 \int (\tilde{\mu}_1(x) - \mu_1(x))^2 dx + \beta/2 \int_{\Omega} \int_0^1 (\mu_t + \operatorname{div} \vec{u}\mu)^2 dx dt. \quad (29)$$

subject to

$$\mu(x, 0) = \mu_0(x), \quad \mu(x, 1) = \tilde{\mu}_1(x).$$

Our results have been presented in several publications, see e.g., [43].

2.4 Mass Preserving Maps of Minimal Distortion

Both conformal (angle preserving) and mass preserving diffeomorphisms are of great interest in surface deformations, and therefore in image registration and template-based tracking algorithms; see [1, 30]. It is obviously very important to preserve as much geometric structure (both local and global) in the deformation map. We have considered ways of finding area preserving maps which distort shape minimally in the following sense.

Let \mathcal{M} and \mathcal{N} be two compact surfaces of genus 0 equipped with Riemannian metrics h and g , respectively, and let $\phi : \mathcal{M} \rightarrow \mathcal{N}$ be an area preserving map (i.e., if Ω_g and Ω_h are the area forms, then $\phi^*(\Omega_g) = \Omega_h$). Once you have ϕ there are many other area preserving maps from \mathcal{M} to \mathcal{N} (just compose ϕ with any other area preserving $\psi : \mathcal{N} \rightarrow \mathcal{N}$). We are interested in finding the one which has *minimal distortion*.

One possible answer is to try to find a map $\psi \circ \phi$ which minimizes the Dirichlet integral

$$\mathcal{D}[\phi] = \frac{1}{2} \int_{\mathcal{M}} \|D\phi\|^2 \Omega_h. \quad (30)$$

We have already written down possible steepest descent flows which would deform an area preserving map $\phi : \mathcal{M} \rightarrow \mathcal{N}$ within the class of area preserving maps to a critical point (most likely a local minimum) of \mathcal{D} . In the classical Dirichlet problem, one derives a conformal map as the minimizer of such an integral. In the present case, we are minimizing the Dirichlet integral over a more restrictive class of maps to get area preservation with the least angular distortion.

We have considered gradient descent flows for minimizing (30) including existence and uniqueness. Indeed, even though short time existence does not follow from the standard theory on parabolic systems, Hamilton's approach using the Nash-Moser implicit function theorem is applicable, and leads to the soughtafter result.

References

- [1] S. Angenent, S. Haker, A. Tannenbaum, R. Kikinis, "Laplace-Beltrami operator and brain flattening," *IEEE Trans. Medical Imaging*, vol. 18, pp. 700–711, 1999.

- [2] S. Angenent, S. Haker, and A. Tannenbaum, “Minimizing flows for the Monge–Kantorovich problem,” *SIAM J. Math. Analysis*, vol. 35, pp. 61–97, 2003.
- [3] S. Angenent, G. Sapiro, and A. Tannenbaum, “On the affine heat equation for non-convex curves,” *Journal of the American Mathematical Society*, vol. 11, pp. 601–634, 1998.
- [4] J.-D. Benamou and Y. Brenier, “A computational fluid mechanics solution to the Monge–Kantorovich mass transfer problem,” *Numerische Mathematik* **84** (2000), pp. 375–393.
- [5] J.D. Benamou, “Numerical resolution of an unbalanced mass transport problem,” *Mathematical Modelling and Numerical Analysis*, **37(5)**, 851–862 , 2003.
- [6] G. Ben-Arous, A. Tannenbaum, and A. Tannenbaum, “Stochastic approximations of curvature flows,” *Journal of Differential Equations*, vol. 195, pp. 119–142, 2003.
- [7] ‘Y. Chen, T.T. Georgiou and M. Pavon, ‘Optimal transport over a linear dynamical system,” *IEEE Trans. on Automatic Control*, **61:2** February 2016.
- [8] Y. Chen, T.T. Georgiou and M. Pavon, ”On the relation between optimal transport and Schrödinger bridges: A stochastic control viewpoint”*Journal of Optimization Theory and Applications*, **169**: 671 - 691, 2016
- [9] Y. Chen, T.T. Georgiou, M. Pavon, A. Tannenbaum, Robust transport over networks, to appear in *IEEE Transactions Automatic Control*, 2016. <http://arxiv.org/abs/1603.08129>
- [10] Y. Brenier, “Polar factorization and monotone rearrangement of vector-valued functions,” *Com. Pure Appl. Math.* **64** (1991), pp. 375–417.
- [11] G. Doretto, A. Chiuso, Y.N. Wu and S. Soatto, “Dynamic textures,” *International Journal of Computer Vision*, **51(2)**: 91109, 2003.
- [12] A. Dominitz, R. Sandhu, and A. Tannenbaum, “Volumetric mapping of genus zero objects via mass preservation,” submitted for publication to *IEEE Trans. Visualization and Computer Graphics*, 2011.
- [13] L.C. Evans, “Partial differential equations and Monge-Kantorovich mass transfer,” unpublished notes, 2001.
- [14] A. Figalli, “The optimal partial transport problem,” *Archive for rational mechanics and analysis*, **195(2)**: 533–560, 2010.
- [15] T.T. Georgiou and M. Pavon, “Positive contraction mappings for classical and quantum Schrödinger systems,” *Journal of Mathematical Physics, Journal of Mathematical Physics*, **56** 033301 (2015)
- [16] T.T. Georgiou, “Relative entropy and the multi-variable multi-dimensional moment problem,” *IEEE Trans. on Information Theory*, **52(3)**: 1052 - 1066, March 2006.
- [17] T.T. Georgiou, “Toeplitz covariance matrices and the von Neumann relative entropy,” in *Control and Modeling of Complex Systems: Cybernetics in the 21st Century: Festschrift volume for Professor H. Kimura*, K. Hashimoto, Y. Oishi, and Y. Yamamoto, Eds. Boston, MA: Birkhauser, 2003.

- [18] T.T. Georgiou, “Structured covariances and related approximation questions,” in *Lecture Notes in Control and Information Sciences*, **286**, pp. 135-140, Springer Verlag, 2003.
- [19] T.T. Georgiou, “The mixing of state covariances,” in *Lecture Notes in Control and Information Sciences*, **289**, pp. 207-212, Springer Verlag, 2003.
- [20] T.T. Georgiou, “Distances between time-series and their autocorrelation statistics,” in *Lecture Notes in Control and Information Sciences*, **364**, pp. 113-122, Springer Verlag, 2007.
- [21] T. Georgiou, “Distances and Riemannian metrics for spectral density functions,” *IEEE Trans. Signal Processing* **55** (2007), pp. 3995-4004.
- [22] T.T. Georgiou, “An intrinsic metric for power spectral density functions,” *IEEE Signal Proc. Letters* **14** (August 2007), 561–563.
- [23] T.T. Georgiou, J. Karlsson, and S. Takyar, “Metrics for power spectra: an axiomatic approach,” *IEEE Trans. on Signal Processing*, **57(3)**: 859 - 867, March 2009.
- [24] P. Glasserman and D. D. Yao, “Optimal Couplings are totally positive and more,” *J. Applied Probability*, **41**: 321-332, 2004.
- [25] W. Gangbo and R. McCann, “The geometry of optimal transportation,” *Acta Math.* **177** (1996), pp. 113–161.
- [26] M. Grayson, “The heat equation shrinks embedded plane curves to round points,” *J. Differential Geometry* **26** (1987), pp. 285–314.
- [27] E. Haber, T. Rehman, and A. Tannenbaum, “An efficient numerical method for the solution of the L^2 optimal mass transfer problem” *SIAM Journal on Scientific Computation* **32** (2010), pp. 197-211.
- [28] S. Haker, L. Zhu, A. Tannenbaum, and S. Angenent, “Optimal mass transport for registration and warping,” *IJCV* **60(3)** (2004), pp. 225–240.
- [29] S. Haker, A. Tannenbaum, and R. Kikinis, “Mass preserving mappings and surface registration,” *MICCAI’01*, October 2001.
- [30] S. Haker, L. Zhu, S. Angenent, and A. Tannenbaum, “Optimal mass transport for registration and warping” *Int. Journal Computer Vision*, vol. 60, pp. 225–240, 2004.
- [31] X. Jiang, L. Ning, and T.T. Georgiou, “Distances and Riemannian metrics for multivariate spectral densities,” *IEEE Trans. on Automatic Control*, 2012; <http://arxiv.org/abs/1107.1345>
- [32] X. Jiang, L. Ning, T.T. Georgiou “Geometric methods for structured covariance estimation,” *American Control Conf.*, pp. 1877-1882, 2012.
- [33] X. Jiang, Z.Q. Luo and T.T. Georgiou, “Geometric Methods for Spectral Analysis,” *IEEE Trans. on Signal Processing*, submitted, 2011; earlier version presented as: “Spectral geodesics and tracking,” *47th IEEE Conference on Decision and Control*, Cancun, Mexico, December 2008.
- [34] R. Jordan, D. Kinderlehrer, and F. Otto, “The variational formulation of the Fokker-Planck equation,” *SIAM J. Math. Anal.* **29** (1998), pp. 1-17.

- [35] L. V. Kantorovich, "On a problem of Monge," *Uspekhi Mat. Nauk.* **3** (1948), pp. 225–226.
- [36] S. Kichenassamy, A. Kumar, P. Olver, A. Tannenbaum, and A. Yezzi, "Conformal curvature flows: from phase transitions to active vision," *Archive for Rational Mechanics and Analysis*, vol. 134, pp. 275–301, 1996.
- [37] A. Kumar, A. Tannenbaum, and G. Balas, "Optical flow: a curve evolution approach," *IEEE Transactions on Image Processing*, vol. 5, pp. 598–611, 1996.
- [38] Lesniewski, A. and Ruskai, M.B., "Monotone Riemannian metrics and relative entropy on noncommutative probability spaces," *Journal of Mathematical Physics*, **40**: 5702–5724, 1999.
- [39] J. Moser, "On the volume elements on a manifold," *Trans. Amer. Math. Soc.* **120** (1965), pp. 286-294.
- [40] R. McCann, "Existence and uniqueness of monotone measure-preserving maps," *Duke Math. J.*, **80**: 309-323, 1995.
- [41] O. Michailovich, Y. Rathi, and A. Tannenbaum, "Image segmentation using active contours driven by the Bhattacharyya gradient flow," *IEEE Trans. Image Processing*, vol. 16, pp. 2787–2801, 2007).
- [42] M. Niethammer, P. Vela, and A. Tannenbaum, "Geometric observers for dynamically evolving curves," to appear in *IEEE PAMI*, 2008. A short version of this work appeared in in *IEEE CDC*, 2005.
- [43] M. Mueller, P. Karasev, I. Kolesov, A. Tannenbaum, "Optical flow estimation for fire detection in videos" , *IEEE Trans. Image Processing* **22:7** (2013), pp. 2786-2797.
- [44] M. Niethammer, A. Tannenbaum, and P. Vela, "On the evolution of closed curves by means of vector distance functions" *Int. Journal Computer Vision*, vol. 65, pp. 5–27, 2005.
- [45] M. Niethammer, A. Tannenbaum, and S. Angenent, "Dynamic geodesic snakes for visual tracking," *IEEE Transactions on Automatic Control*, vol. 51, pp. 562–579, 2006.
- [46] L. Ning, T.T. Georgiou, and A. Tannenbaum, Matrix-valued Monge-Kantorovich Optimal Mass Transport, IEEE Conf. on Decision and Control, December 2013
- [47] L. Ning and T.T. Georgiou, Metrics for Matrix-valued Measures via test functions, Proceedings of the IEEE Conf. on Decision and Control, December 2014.
- [48] L. Ning, X. Jiang, T.T. Georgiou Geometric tools for the estimation of structured covariances, (with L. Ning, X. Jiang) Intern. Symposium on the Math. Theory of Networks and Systems, Melbourne 2012.
- [49] L. Ning, X. Jiang, T.T. Georgiou Metrics for multivariate power spectra, IEEE Conf. on Decision and Control, pp. 4727-4732, 2012.
- [50] P. Olver, *Applications of Lie Groups to Differential Equations*, Springer, New York, 1993.
- [51] P. Olver, *Equivalence, Invariance, Symmetry*, Cambridge University Press, Cambridge, UK, 1995.

- [52] S. Rachev and L. Rüschendorf, *Mass Transportation Problems*, Vol. I, Probab. Appl., Springer-Verlag, New York, 1998.
- [53] L. Rüschendorf, L. and L. Uckelmann, “On the n-coupling problem,” *Journal of multivariate analysis* **81(2)**, pp. 242–258, 2002.
- [54] L. Rüschendorf, L. and L. Uckelmann, *On Optimal Multivariate Couplings*, Kluwer Academic, New York, 1997.
- [55] L. Rüschendorf, “On the distributional transform, Sklar’s theorem, and the empirical copula process,” *Journal of Statistical Planning and Inference*, **139(11)**, pp. 3921–3927, 2009.
- [56] Petz, D. and Sudár, C., “Geometries of quantum states,” *Journal of Mathematical Physics*, **37(6)**, pp. 2662–2673, 1996.
- [57] Y. Rathi, N. Vaswani, A. Tannenbaum, and A. Yezzi, “Tracking moving and deforming shapes using a particle filter,” *Proceedings of CVPR*, 2005.
- [58] Y. Rathi, N. Vaswani, and A. Tannenbaum, “A generic framework for tracking using particle filter with dynamic shape prior,” *IEEE Trans. Image Processing*, vol. 16, pp. 1370–1382, 2007.
- [59] T. Rockafeller, “Characterization of the subdifferentials of convex functions,” *Pacific J. of Math.*, **17**, pp. 497-510, 1966.
- [60] L. Rüschendorf, “Comparison of multivariable risks and positive dependence,” *Journal of Applied Prob.*, **41**, pp. 391-406, 2004.
- [61] G. Sapiro and A. Tannenbaum, “On affine plane curve evolution,” *Journal of Functional Analysis*, vol. 119, pp. 79–120, 1994.
- [62] G. Sapiro and A. Tannenbaum, “Affine invariant scale-space,” *International Journal of Computer Vision*, vol. 11, pp. 25–44, 1993.
- [63] E. Tannenbaum, T. Georgiou, A. Tannenbaum, “Optimal mass transport for problems in control, statistical estimation, and image analysis” , *Operator Theory: Advances and Applications* **222** (2012), pp. 311-324.
- [64] A. Tannenbaum, *Invariance and System Theory: Algebraic and Geometric Aspects*, Lecture Notes in Mathematics **845**, Springer-Verlag, 1981.
- [65] A. Tannenbaum, “Three snippets of curve evolution in computer vision,” *Mathematical and Computer Modelling Journal*, vol. 24, pp. 103–119, 1996.
- [66] A. Toga, *Brain Warping*, Academic Press, San Diego, 1999.
- [67] A. Tsai, Anthony Yezzi, W. Wells, and C. Tempany et. al., “A shape based approach to the segmentation of medical imagery using level sets,” in *IEEE Tran. On Medical Imaging*, vol. 22, 2003.
- [68] C. Villani, *Topics in Optimal Transportation*, Graduate Studies in Mathematics, vol. 58, AMS, Providence, RI, 2003.

- [69] L. Zhu, Y. Yang, S. Haker, and A. Tannenbaum, "Optimal mass transport for registration and warping," *Int. Journal Computer Vision* **60** (2004), pp. 225–240.
- [70] S. Warfield *et al.*, "Advanced nonlinear registration algorithms for image fusion," in *Brain Mapping: The Methods, Second Edition* edited by Arthur Toga and John Mazziotta, Academic Press, pages 661-690, 2003.

AFOSR Deliverables Submission Survey

Response ID:7462 Data

1.

Report Type

Final Report

Primary Contact Email

Contact email if there is a problem with the report.

tryphon@uci.edu

Primary Contact Phone Number

Contact phone number if there is a problem with the report

+1 949-824-9966

Organization / Institution name

University of Minnesota

Grant/Contract Title

The full title of the funded effort.

Optimal Mass Transport for Statistical Estimation, Image Analysis, Information Geometry and Control

Grant/Contract Number

AFOSR assigned control number. It must begin with "FA9550" or "F49620" or "FA2386".

FA9550-12-1-0319

Principal Investigator Name

The full name of the principal investigator on the grant or contract.

Tryphon T. Georgiou and Allen Tannenbaum

Program Officer

The AFOSR Program Officer currently assigned to the award

Frederick Leve

Reporting Period Start Date

06/15/2012

Reporting Period End Date

09/15/2016

Abstract

We developed several new directions in the theory and applications of Optimal Mass Transport (OMT). OMT has its origins in civil engineering (Monge 1781) and economics (Kantorovich 1942), but in recent years has increasingly impacted a large number of other fields (probability theory, partial differential equations, physics, meteorology). We have addressed computational aspects of the problem and the need for further expanding the arsenal of computational tools. We considered a wide range of generalizations and insights for the purpose of tackling problems of AFOSR interest. These include matrix-valued statistics and fusion of information, optical flow, controlled active vision, tracking and dynamic textures.

Distribution Statement

This is block 12 on the SF298 form.

Distribution A - Approved for Public Release

Explanation for Distribution Statement

If this is not approved for public release, please provide a short explanation. E.g., contains proprietary information.

SF298 Form

DISTRIBUTION A: Distribution approved for public release.

Please attach your [SF298](#) form. A blank SF298 can be found [here](#). Please do not password protect or secure the PDF. The maximum file size for an SF298 is 50MB.

[form.pdf](#)

Upload the Report Document. File must be a PDF. Please do not password protect or secure the PDF . The maximum file size for the Report Document is 50MB.

[final.report.georgiou.tannenbaum_FA9550-12-1-0319.pdf](#)

Upload a Report Document, if any. The maximum file size for the Report Document is 50MB.

Archival Publications (published) during reporting period:

AFOSR Publications of Tryphon Georgiou Since 2012 in Archival Refereed Journals

1. "Geometric Methods for Spectral Analysis," (with X. Jiang, Zhi-Quan (Tom) Luo) IEEE Trans. on Signal Processing, 60(3): 1064-1074, 2012; DOI 10.1109/TSP.2011.2178601
2. "Distances and Riemannian metrics for multivariate spectral densities," (with X. Jiang, L. Ning) IEEE Trans. on Automatic Control, 57(7): 1723-1735, 2012; DOI 10.1109/TAC.2012.2183171
3. "The Separation Principle in Stochastic Control, Redux," (with A. Lindquist) IEEE Trans. on Automatic Control, 58(10): 2481-2494, October 2013; DOI 10.1109/TAC.2013.2259207
4. "Uncertainty bounds for spectral estimation," (with J.Karlsson) IEEE Trans. on Automatic Control, 58(7): 1659-1673, July 2013; DOI 10.1109/TAC.2013.2251775
5. Geometric methods for estimation of structured covariances, (with L. Ning, X. Jiang) IEEE Signal Processing Letters, 20(8): 787-790, August 2013.
6. "Coping with model error in variational data assimilation using optimal mass transport," (with L. Ning, F.P. Carli, A.M. Ebtehaj, E. Foufoula) Water Resources Research, 50(7): 5817-5830, July 2014; doi:10.1002/2013WR014966
7. "Matrix-valued Monge-Kantorovich Optimal Mass Transport," (with L. Ning and A. Tannenbaum) IEEE Trans. on Automatic Control, 60(2): 373-382, February 2015; DOI 10.1109/TAC.2014.2350171
8. "Positive contraction mappings for classical and quantum Schrödinger systems," (with M. Pavon) Journal of Mathematical Physics, Journal of Mathematical Physics, 56 033301 (2015); DOI: 10.1063/1.4915289
9. "Linear models based on noisy data and the Frisch scheme," SIAM Reviews, (with L. Ning, A. Tannenbaum, S.P. Boyd), 57.2: 167-197, 2015; <http://dx.doi.org/10.1137/130921179>
10. Optimal steering of a linear stochastic system to a final probability distribution, Part I, (with Y. Chen and M. Pavon) IEEE Trans. on Automatic Control, 61 (5): 1158 - 1169, May 2016; DOI: 10.1109/TAC.2015.2457784
11. Optimal steering of a linear stochastic system to a final probability distribution, Part II, (with Y. Chen and M. Pavon) IEEE Trans. on Automatic Control, 61 (5): 1170 - 1180, May 2016; DOI: 10.1109/TAC.2015.2457791
12. Stochastic bridges of linear systems, (with Y. Chen) IEEE Trans. on Automatic Control, 61 (2): 526 - 531, February 2016; DOI: 10.1109/TAC.2015.2440567
13. "Fast cooling for a system of stochastic oscillators," (with Y. Chen and M. Pavon) J. of Physics A, vol. 56, DISTRIBUTION A: Distribution approved for public release.

113302 (2015); DOI: 10.1063/1.4935435

14. "On the relation between optimal transport and Schrödinger bridges: A stochastic control viewpoint" (with Y. Chen and M. Pavon) *Journal of Optimization Theory and Applications*, 169: 671 - 691, 2016; DOI: 10.1007/s10957-015-0803-z

15. Ricci Curvature: An Economic Indicator for Market Fragility and Systemic Risk (with R. Sandhu, A. Tannenbaum) *Science Advances*, 2016; 2:e1501495 published: 27 May 2016; DOI: 10.1126/sciadv.1501495

16. Graph Curvature for Differentiating Cancer Networks, (with R. Sandhu, E. Reznik, L. Zhu, I. Kolesov, Y. Senbabaoglu, A. Tannenbaum) *Nature, Scientific Reports*, 5:12323 Published: 14 July 2015; DOI: 10.1038/srep12323

17. Robust transport over networks (with Y. Chen, M. Pavon, A. Tannenbaum), to appear in *IEEE Transactions Automatic Control*, 2016. <http://arxiv.org/abs/1603.08129>

18. "Optimal transport over a linear dynamical system," (with Y. Chen, M. Pavon) *IEEE Trans. on Automatic Control*, 61:2 February 2016; DOI: 10.1109/TAC.2016.2602103

AFOSR Publications of Allen Tannenbaum Since 2012 in Archival Refereed Journals

1. "Particle filtering with region-based matching for tracking of partially occluded and scaled targets" (with A. Nakhmani), *SIAM Journal Imaging Science* 4, pp. 220-242.

2. "Automatic quantification of filler dispersion in polymer composites" (with Zhuo Lia, Yi Gao, Kyoung-Sik Moon, Yagang Yao, C.P. Wong), *Polymer* 53:7 (2012), pp. 1571-1580.

3. "3D automatic segmentation of the hippocampus using wavelets with applications to radio-therapy planning" (with Y. Gao, B. Corn, D. Schifter), *MedIA* 16:2 (2012), pp. 374-85.

4. "Self-crossing detection and location for parametric active contours" (with Arie Nakhmani), *IEEE Trans. Image Processing* 21:7 (2012), pp. 3150-3156.

5. "Clinical decision support and closed-loop control for cardiopulmonary management and intensive care unit sedation using expert systems" (with B. Gholami, W. Haddad, J. Bailey), *IEEE Transactions on Information Technology in Biomedicine* 20:5 (2012), pp. 1343-1350.

6. "Filtering in the diffeomorphism group and the registration of point sets" (with Y. Gao, Y. Rathi, and S. Bouix), *IEEE Transactions Image Processing* 21:10 (2012), pp. 4383-4396 .

7. "A 3D interactive multi-object segmentation tool using local robust statistics driven active contours" (with Y. Gao, S. Bouix, M. Shenton, and R. Kikinis), *MedIA* 16:6 (2012), pp. 1216-1227.

8. "Optimal mass transport for problems in control, statistical estimation, and image analysis" (with E. Tannenbaum and T. Georgiou), *Operator Theory: Advances and Applications* 222 (2012), pp. 311-324.

9. "Optimal drug dosing control for intensive care unit sedation using a hybrid deterministic- stochastic pharmacokinetic and pharmacodynamic model" (with Wassim M. Haddad, James M. Bailey, Behnood Gholami), published online in *Optimal Control, Applications and Methods*, June 28, 2012, DOI: 10.1002/oca.2038.

10. "A new distance measure based on generalized image normalized cross-correlation for robust video tracking and image recognition" (with Arie Nakhmani), *Pattern Recognition Letters* 34:3 (2013), pp. 315-321.
11. "Joint CT/CBCT deformable registration and CBCT enhancement for cancer radiotherapy" (with Y. Lou, L. Zhu, P. Vela, X. Jia), *MedIA* 17:3 (2013), pp. 387-400
12. "Clinical decision support and closed-loop control for intensive care unit sedation" (with Wassim M. Haddad, James M. Bailey, Behnood Gholami), *Asian Journal of Control* 15:2 (2013), pp. 317-339.
13. "Particle filters and occlusion handling for rigid 2D-3D pose tracking" (with J. Lee and R. Sandhu), *Computer Vision and Image Understanding* 117:8 (2013), pp. 922-933.
14. "Sparse texture active contours" (with Y. Gao, S. Bouix, and M. Shenton), *IEEE Trans. Image Processing*, 22:10 (2013), pp. 3866-3878.
15. "Multimodal deformable registration of traumatic brain injury MR volumes via the Bhat-tacharyya distance" (with Y. Lou, P. Vela, J. van Horn, A. Irímia), *IEEE Trans. Biomedical Engineering* 60:9 (2013), pp. 2511-2520.
16. "Optical flow estimation for fire detection in videos" (with M. Mueller, P. Karasev, and I. Kolesov), *IEEE Trans. Image Processing* 22:7 (2013), pp. 2786-2797.
17. "Automatic segmentation of the left atrium from MR images via variational region growing with a moments-based shape prior" (with L. Zhu and Y. Gao), *IEEE Trans. Image Processing* 22:12 (2013), pp. 5111-5122.
18. "Automated skin segmentation in ultrasonic evaluation of skin toxicity in breast-cancer radiotherapy" (with Y. Gao, H. Chen, M. Torres, E. Yoshida, X. Yang, W. Curran, and T. Liu), *Ultrasound in Medicine and Biology*, doi: 10.1016/j.ultrasmedbio.2013.04.006, 2013.
19. "Automatic delineation of the myocardial wall from CT images via shape segmentation and variational region growing" (with L. Zhu, Y. Gao, A. Stillman, T. Faber, Y. Yezzi), *IEEE Trans. Biomedical Engineering* 60:10 (2013), pp. 2887-2895.
20. "Interactive medical image segmentation using PDE control of active contours" (with P. Karasev, I. Kolesov, K. Frischter, P. Vela), *IEEE Trans. on Medical Imaging* 32:11 (2013), pp. 2127-2139.
21. "Multimodal deformable registration of traumatic brain injury MR volumes via the Bhat-tacharyya distance" (with Y. Lou, P. Vela, J. van Horn, A. Irímia), *IEEE Trans. Biomedical Engineering* 60:9 (2013), pp. 2511-2520.
22. "Optical flow estimation for fire detection in videos" (with M. Mueller, P. Karasev, and I. Kolesov), *IEEE Trans. Image Processing* 22:7 (2013), pp. 2786-2797.
23. "Automatic segmentation of the left atrium from MR images via variational region growing with a moments-based shape prior" (with L. Zhu and Y. Gao), *IEEE Trans. Image Processing* 22:12 (2013), pp. 5111-5122.
24. "Automated skin segmentation in ultrasonic evaluation of skin toxicity in breast-cancer radiotherapy" (with Y. Gao, H. Chen, M. Torres, E. Yoshida, X. Yang, W. Curran, and T. Liu), *Ultrasound in Medicine and Biology* 39:11 (2013), pp. 2166-2175. 2013.
25. "Automatic delineation of the myocardial wall from CT images via shape segmentation and variational region growing" (with L. Zhu, Y. Gao, A. Stillman, T. Faber, Y. Yezzi), *IEEE Trans. Biomedical Engineering* 60:10 (2013), pp. 2887-2895.

26. "Interactive medical image segmentation using PDE control of active contours" (with P. Karasev, I. Kolesov, K. Frischter, P. Vela), IEEE Trans. on Medical Imaging 32:11 (2013), pp. 2127-2139.
27. "A complete system for automatic extraction of left ventricular myocardium from CT images using shape segmentation and contour evolution" (with L. Zhu, Y. Gao, V. Appia, C. Arepalli, A. Stillman, T. Faber, Y. Yezzi), IEEE Trans. on Image Processing 23 (2014), pp. 1340-1351.
28. "Matrix-valued Monge-Kantorovich optimal mass transport" (with L. Ning and T. Georgiou), IEEE Transactions on Automatic Control 60 (2015), pp. 373-382.
29. "A Kalman filtering perspective to multi-atlas segmentation" (with Y. Gao, L. Zhu, and S. Bioux), SIAM Imaging Science 8 (2015), pp. 1007 – 1029.
30. "Linear models based on noisy data and the Frisch scheme" (with L. Ning, T. Georgiou, S. Boyd), SIAM Review 57(2) (2015), pp. 167-197.
31. "Graph curvature and the robustness of cancer networks" (with R. Sandhu, T. Georgiou, E. Reznik, L. Zhu, I. Kolesov, Y. Senbabaoglu), Scientific Reports (Nature) 5, Article number: 12323, doi:10.1038/srep12323.
32. "A stochastic approach for diffeomorphic point set registration With landmark constraints" (with I. Kolesov and P. Vela), IEEE PAMI 38(2) (2016), pp. 238-251.
33. "Market fragility, systemic risk, and Ricci curvature" (with R. Sandhu and T. Georgiou), Science Advances, 2016; 2 : e1501495 27 May 2016.
34. "Robust transport over networks," (with Yongxin Chen, Tryphon T. Georgiou, Michele Pavon), to appear in IEEE Transactions Automatic Control, 2016. <http://arxiv.org/abs/1603.08129>

New discoveries, inventions, or patent disclosures:

Do you have any discoveries, inventions, or patent disclosures to report for this period?

No

Please describe and include any notable dates

Do you plan to pursue a claim for personal or organizational intellectual property?

Changes in research objectives (if any):

None

Change in AFOSR Program Officer, if any:

Dr. Frederick A. Leve AFOSR Dynamics and Control, Phone (703) 696-7305

Extensions granted or milestones slipped, if any:

Extended granted to September 15, 2016.

AFOSR LRIR Number

LRIR Title

Reporting Period

Laboratory Task Manager

Program Officer

Research Objectives

Technical Summary

Funding Summary by Cost Category (by FY, \$K)

	Starting FY	FY+1	FY+2
Salary			
Equipment/Facilities			
Supplies			
Total			

Report Document

Report Document - Text Analysis

Report Document - Text Analysis

Appendix Documents

2. Thank You

E-mail user

Jan 08, 2017 14:34:15 Success: Email Sent to: tryphon@uci.edu