UpTempO buoys for Understanding and Prediction

Michael Steele

Applied Physics Laboratory, University of Washington, 1013 NE 40th St, Seattle, WA 98105 phone: (206) 543-6586 fax: (206) 616-3142 email: <u>mas@apl.washington.edu</u>

> Award Number: N00014-12-1-0224 http://psc.apl.washington.edu/UpTempO

MAJOR GOALS

Our long-term goal was to better understand the evolution of heat content in the upper Arctic Ocean within the Seasonal Ice Zone (SIZ), both seasonally during summer warming and fall cooling, and interannually as sea ice retreats and the warming season lengthens. The effort was a contribution to the multi-investigator ONR-sponsored SIZRS project (SIZ Reconnaissance Surveys).

Our main objectives were to:

- (1) Develop the capability to observe upper ocean warming and cooling using air-deployed ocean drifting buoys.
- (2) Better understand the time and space scales of summer warming in the SIZ.
- (3) Investigate the relationships between sea ice retreat and upper ocean warming.

ACCOMPLISHED

I. Buoy deployments and data:

We worked with the Pacific Gyre (PG) buoy company (Oceanside, CA) to re-start an air-drop buoy capability that had grown dormant over the past several years. This program was initiated by Professor Peter Niiler at Scripps (UCSD) to drop 200 m long thermistor string buoys ahead of hurricanes in the Gulf of Mexico via Air Force C130 planes, the so-called "hurricane hunters." In recent years, a surplus of buoys developed which coincided with a lack of technological updating. Thus our approach was to work with PG to develop a state-of-the-art air-drop buoy for polar applications. At the same time, we worked with the US Coast Guard (USCG) to deploy these buoys from the Alaskan USCG C130 planes based out of Kodiak, Alaska as part of the SIZRS program.

All SIZRS air-deployed UpTempO buoys have a surface hull with sensors for (i) surface air pressure, (ii) sea surface temperature, and (iii) submergence detection. The hull also contains alkaline batteries, Iridium and GPS antennae, and electronics. Below the hull hangs a 25 m or 60 m string of temperature and ocean pressure sensors, and a CT cell at 4 m depth. Some have an anemometer to measure surface wind speed and direction.

Coast Guard approval to deploy by air was finalized in late spring 2013. ONR funding to deploy buoys expired before the 2016 field season. Thus SIZRS activity during 2013-2015 was as follows: 2013: One buoy deployed by air, three by ship; 2014 & 2015: Four buoys deployed by air in each year.

SIZRS buoys are typically deployed in challenging environments, i.e., in mixed ice/open water conditions. We experienced some technical difficulties in the first two years with regard to design (epoxy leakages, sensor string malfunctions) but by 2015 we had good success in measuring summer warming and fall cooling of the surface mixed layer (which is our main goal). In that year, buoys survived 1, 2, 4, and 10 months, generally failing owing to ice ridging or rafting. Since then, we have continued to improve the buoy design via ship-based deployments sponsored by NSF, in the hopes of re-starting our SIZRS air deployments.

Buoy data are available from our web site (<u>http://psc.apl.washington.edu/UpTempO/Data.php</u>) and from NSF's Arctic Data Center (<u>https://arcticdata.io</u>; search for UpTempO). The data are provided as Level 1 (Raw data) and Level 2 (quality control + enhanced parameters). A paper is in preparation that describes the buoy (Steele et al., 2017a). A separate paper was published that describes how UpTempO buoys can be used to validate large-scale gridded sea surface temperature (SST) data sets in seasonally open water areas of the Beaufort Sea (Castro et al., 2016). Another paper in review describes the formation of a Near-Surface Temperature Maximum (NSTM) layer during fall in the Makarov Basin (Takeda et al., 2017).

III. Scientific analysis:

SIZRS UpTempO buoys have provided fascinating data on upper ocean thermal structure. The data were used in preparation of a recent paper (Steele and Dickinson, 2016) to develop our idea of the Late Summer Transition (LST). The LST is a transition in surface mixed layer properties when a shallow, stratified, and warm mixed layer experiences enhanced wind and wave mixing in August so that surface heat is redistributed downward and sea surface temperatures (SSTs) cool even while the net surface heat flux is still downward.

SIZRS UpTempO buoy data were also used, in combination with SIZRS AxCTD and ONR MIZ DRI glider data to examine the variation of SSTs across the Marginal Ice Zone (MIZ). We find that the most popular global gridded SST data set in use today (NOAA's dOISST a.k.a. "Reynolds SST") is overly warm at higher ice concentrations (Steele et al., 2017b).

Our SIZRS grant also supported our ground-breaking work on "ice edge loitering" (Steele and Ermold, 2015). Simply put, we have for the first time investigated the daily variation in ice edge retreat speed from a pan-arctic perspective. We have found that the pace of ice edge retreat is not constant through the spring and summer: on some days it is moving quite rapidly, while during other times its northward retreat stalls, or "loiters" for periods of typically 4-12 days. Loitering happens when the wind blows ice floes southward into warm open water, where they melt, and is thus exactly analogous to the situation at the winter maximum ice edge, i.e., in the North Atlantic and North Pacific Oceans. We expect that this result will provide interesting avenues of new research on ice-edge ecosystems, on submesoscale variability and instability, and on sea ice forecasting. For example, if an ice edge has maintained its position for ~1 week, one might forecast with some accuracy that it is likely to move northward within a few days.

TRAINING

Nothing to report

DISSEMINATION

- Castro, S., G. Wick, and <u>M. Steele</u>, Validation of satellite sea surface temperature analyses in the Beaufort Sea using UpTempO buoys, *Rem. Sens. Environ.*, 187, doi:10.1016/j.rse.2016.10.035, **2016**.
- Steele, M., W. Ermold, K. Colburn, and I. Rigor, The UpTempO buoy, J. Ocean. Atmos. Technol., in preparation, 2017a.
- Steele, M., W. Ermold, S. Dewey, L. Rainville, et al., "SST across the Arctic summer MIZ," J. Geophys. Res., in preparation, 2017b.
- Steele, M. and S. Dickinson, The phenology of Arctic Ocean surface warming, J. Geophys. Res., 121, doi:10.1002/2016JC012089, 2016.
- Steele, M. and W. Ermold, Loitering of the retreating sea ice edge in the Arctic Seas, J. Geophys. Res., doi:10.1002/2015JC011182, 2015.
- Takeda, H., Y. Kawaguchi, <u>M. Steele</u>, S. Nishino, J. Inoue, K. Colburn, Quantification and characterization of turbulent heat transfer within the surface mixed layer of the Pacific-side Arctic Ocean, *J. Oceanogr., in review*, **2017**.

HONORS & AWARDS

Nothing to report

TECH TRANSFER

Nothing to report

	Form Approved				
REPORT DU	OMB No. 0704-0188				
Public reporting burden for this collection of information is data needed, and completing and reviewing this collection this burden to Department of Defense, Washington Head 4302. Respondents should be aware that notwithstanding valid OMB control number. PLEASE DO NOT RETURN Y	estimated to average 1 hour per response, including the time for reviewing instru of information. Send comments regarding this burden estimate or any other as uarters Services, Directorate for Information Operations and Reports (0704-018 any other provision of law, no person shall be subject to any penalty for failing t OUR FORM TO THE ABOVE ADDRESS.	Ictions, searching existing data sources, gathering and maintaining the sect of this collection of information, including suggestions for reducing 8), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202- o comply with a collection of information if it does not display a currently			
1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE	3. DATES COVERED (From - To)			
	Final Technical	12/01/2011 - 2/28/2016			
4. HILE AND SUBITLE UpTempO Buoys for Unders					
	56. GRANT NUMBER N00014-12-1-0224				
	5c. PROGRAM ELEMENT NUMBER				
6.AUTHOR(S) Michael Steele	5d. PROJECT NUMBER				
		5e. TASK NUMBER			
	5f. WORK UNIT NUMBER				
7. PERFORMING ORGANIZATION NAME(University of Washington 4333 Brooklyn Avenue NE Seattle, WA 98105-6613	8. PERFORMING ORGANIZATION REPORT NUMBER				
9. SPONSORING / MONITORING AGENCY					
0111Ce OI Navai Research	((ONR 3 2 2)	ONR			
875 North Randolph Stree					
Arlington, VA 22203-199	5	NUMBER(S)			
12. DISTRIBUTION / AVAILABILITY STAT	EMENT				
Distribution Statement A: Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
Sea ice is retreating more Arctic Ocean. The role of quite recently using numer in these results. This pr cooling of the upper Arcti buoys. For this project, buoys. In particular, we seek to (early June) and then foll contribution to the SIZRS coordinated by Dr. J. Mori the Alaskan Coast Guard C1 instruments in the Seasona buoys into leads on an ADA gaps late in the season on with buoy drops and overfl into a larger framework. With these data, we seek t	in recent years, resulting in unpr this warming on sea ice retreat an ical models, but a lack of observat oposal is designed to gather data o c Ocean, using UpTempO (Upper Tempe we will for the first time build an determine the state of upper ocean ow its evolution through the follow (Seasonal Ice Zone Reconnaissance S son at the University of Washington 30 Arctic Domain Awareness flights 1 Ice Zone (SIZ) of the Beaufort an a flight in early June, and then dro a flight in October. We will coor ights through the summer and fall,	ecedented warming of the upper d advance has been explored ional data limits our confidence n the summer warming and fall rature of the arctic Ocean) d deploy air-dropped UpTempO heat at the very start of summer ing year. This project is a urveys) program to be . SIZRS will take advantage of to deploy a variety of d Chukchi Seas. We will drop 3 p 2 more to fill in buoy network dinate other SIZRS data programs in order to place our program			
these correlations depend on geography and environmental conditions. We will provide our data to users such as modelers and large-scale gridded SST data producers for validation					

14. ABSTRACT cont'd

activities, both in raw form, in standardized level format, and in the context of a multiplatform database we will create for this project. We will also determine statistical relationships between ice retreat/advance and ocean thermal properties in order to better understand the details of ice-albedo feedback.

15. SUBJECT TERMS

Sea ice, retreat, Arctic Ocean, UpTempO, Upper Temperature of the arctic Ocean, buoy, SIZRS, Seasonal Ice Zone Reconnaissance Surveys, sea ice prediction

16. SECURITY CLASSIFICATION OF:		17. LIMITATION	18. NUMBER	19a. NAME OF RESPONSIBLE PERSON	
		OF ABSTRACT	OF PAGES	Michael Steele	
a.REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified	υυ	4	19b. TELEPHONE NUMBER (include area code) 206-543-1300

Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std. Z39.18