#### AWARD NUMBER: W81XWH-16-1-0410

TITLE: Targeting Mitochondrial Inhibitors for Metastatic Castrate-Resistant Prostate Cancer

PRINCIPAL INVESTIGATOR: Dr. John T. Isaacs

CONTRACTING ORGANIZATION:

Johns Hopkins University Baltimore MD 21218

REPORT DATE: September 2017

TYPE OF REPORT: Annual

#### PREPARED FOR: U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012

#### DISTRIBUTION STATEMENT: Approved for Public Release; Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188
data needed, and completing and review this burden to Department of Defense, W	ng this collection of ir ashington Headquart t notwithstanding any	nformation. Send comments rega ers Services, Directorate for Infor r other provision of law, no persor	arding this burden estimate or any mation Operations and Reports ( n shall be subject to any penalty f	y other aspect of this 0704-0188), 1215 J	arching existing data sources, gathering and maintaining the collection of information, including suggestions for reducing afferson Davis Highway, Suite 1204, Arlington, VA 22202- ith a collection of information if it does not display a currently
1. REPORT DATE		2. REPORT TYPE		-	DATES COVERED
September 2017		Annual			5 AUG 2016 - 14 AUG 2017
4. TITLE AND SUBTITLE Targeting Mitochondrial	nhibitors for	Metastatic Castrate	-Resistant Prostate	-	a. CONTRACT NUMBER
				-	b. GRANT NUMBER /81XWH-16-1-0410
				5	C. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)				5	I. PROJECT NUMBER
Dr. John T. Isaacs					
				5	e. TASK NUMBER
isaacjo@jhmi.edu				5	. WORK UNIT NUMBER
7. PERFORMING ORGANIZA	TION NAME(S)	AND ADDRESS(ES)		8	PERFORMING ORGANIZATION REPORT NUMBER
Johns Hopkins Universit Baltimore MD 21218	/				
9. SPONSORING / MONITOR	NG AGENCY N	AME(S) AND ADDRESS	S(ES)	1	). SPONSOR/MONITOR'S ACRONYM(S)
U.S. Army Medical Rese	arch and Ma		-()		
Fort Detrick, Maryland 2	1702-5012			1	I. SPONSOR/MONITOR'S REPORT NUMBER(S)
12. DISTRIBUTION / AVAILAI Approved for Public Rele	-				
13. SUPPLEMENTARY NOTE	S				
studies needed to initiate clinical de innovative and effective therapeutic human serum albumin (HSA) via a released only via enzymatically act	velopment of thes approach is poss PSA specific pepti ve PSA within extr plifies the level of	e agents for metastatic castr ible by covalently coupling ni de linker sequence to syster acellular fluid (ECF) at sites liberated cell penetrant MTs	ate resistant prostate cance closamide and 7 hydroxy-β- nically deliver these novel ag of mCRPC. The advantage	r (mCRPC). The l Lapachone (7OH gents via the bloo of ECF hydrolysis	herapeutic agents and validate these in pre-clinical hypothesis of the present proposal is that an $\beta$ -Lap) analog lipophilic mitochondria toxins (MT) to d so that these cell penetrant MTs are restrictively is that only a fraction of cancer cells need to secrete hetastatic site overcoming the problem of tumor cell
15. SUBJECT TERMS-	None provided				
	•				
16. SECURITY CLASSIFICAT	ION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON USAMRMC
a. REPORT b. AB U	U U	c. THIS PAGE U	UU	8	<b>19b. TELEPHONE NUMBER</b> (include area code)

#### **Table of Contents**

## Page

1. Introduction	3
2. Keywords	3
3. Accomplishments	3-5
4. Impact	6
5. Changes/Problems	6
6. Products	6
7. Participants & Other Collaborating Organizations	6-7
8. Special Reporting Requirements	7
9. Appendices	7

#### **Introduction**

The overarching challenge and focus area for this Partnering PI-Idea Development Award proposal is to rapidly develop novel therapeutic agents and validate these in pre-clinical studies needed to initiate clinical development of these agents for metastatic castrate resistant prostate cancer (mCRPC). The hypothesis of the present proposal is that an innovative and effective therapeutic approach is possible by covalently coupling niclosamide and 7 hydroxy- $\beta$ -Lapachone (70H  $\beta$ -Lap) analog lipophilic mitochondria toxins (MT) to human serum albumin (HSA) via a PSA specific peptide linker sequence to systemically deliver these novel agents via the blood so that these cell penetrant MTs are restrictively released only via enzymatically active PSA within extracellular fluid (ECF) at sites of mCRPC. The advantage of ECF hydrolysis is that only a fraction of cancer cells need to secrete PSA since its enzymatic activity amplifies the level of liberated cell penetrant MTs within the ECF shared by all cells within the metastatic site overcoming the problem of tumor cell heterogeneity by inducing a substantial "bystander effect".

#### **Keywords**

Metastatic castration resistant prostate cancer, mitochondria toxins, human serum albumin, PSA-activated prodrugs

#### **Accomplishments**

#### • What were the major goals of the project?

**Specific Aim 1.** Synthesis of HSA-coupled PSA cleavable niclosamide payload-1. **Specific Aim 2.** Synthesis of HSA-coupled PSA cleavable 7OH- $\beta$ -Lapachone Payload-2 **Specific Aim 3.** Evaluate each of HSA-couple PSA cleavable MT payloads for: 1) efficiency of PSA cleavage; 2) *in vitro* therapeutic efficacy as monotherapy vs. combinational therapy against a series of human mCRPC cell lines, 3) *in vivo* therapeutic efficacy vs. host toxicity as monotherapy vs. combinational therapy against a series of human mCRPC xenografts growing both subcutaneously and within the tibia; and 4) plasma vs. tissue biodistribution.

#### • What was accomplished under these goals?

During the first year of support we have made significant progress with regard to **specific aim 1** in synthesizing a PSA activated prodrug of niclosamide coupled to human serum albumin (HSA) to obtain the final drug-HSA conjugate (i.e. **A15 in figure 2**). This requires initial synthesis of HSSKLQLP-(SCL)-Niclosamide (i.e. **payload 1** aka **A14 in Figure 2**) and human serum albumin (HSA) covalently bound via its cysteine residue in position 34 to a PEG based linker ending in a trivalent azide side chain (i.e. **A13 in Figure 2**) followed by coupling of 3 molecules of **A14** per molecule of **A13** to produce **HSA-coupled payload 1**(i.e. **A15 in Figure2**).


We have synthesized LP-(SCL)-Niclosamide in good yield using ethylene diamine derivatives as the self-cleaving linkers (SCL) and LP as dipeptide substrate for DPPIV and have scaled up the synthesis of LP-(SCL)-Niclosamide to obtain gram quantities that have been coupled to the PSA substrate HSSKLQLP (i.e. HSSKLQLP-(SCL)-Niclosamide aka **A14 in figure 2**).

To synthesize A13, the stable maleimide component A3 in Figure 1 was prepared. Also, the azide transfer reagent A6 was prepared. Both A3 and A6 were synthesized in good yield, and very reproducible. They were characterized with proton and carbon-13 NMR. Using a chlorotrityl resin solid phase support system, we synthesized the tripeptide molecule containing three lysine molecules. While the  $\alpha$ -amino acid was protected with Fmoc, the  $\varepsilon$ -amino terminal of the lysine

was protected with Boc. The Fmoc of the N-terminal of the tripeptide was also removed with 20% piperidine in DMF to give **A9**. The tripeptide **A9** was characterized with MALDI-MS. To the N-terminal of **A9** was coupled {2-[2(Fmoc-amino)ethoxy]ethoxy}acetic acid using DIC and HOBt as the coupling reagent. The purpose of this is to incorporate a PEG like molecule as a linker/spacer to provide room for the coupling of the **A9** to HSA without any steric hindrance. We have used 2 to 6 units of these PEG-2 units between **A9** and the maleimide molecule **A3** so that we can investigate the effect of the length on both the coupling reaction and the kinetics of the cleavage/activation of the final bioconjugate prodrug.

To accomplish this, we began by incorporating two units of the PEG-2 derivative,  $\{2-[2(Fmoc-amino)ethoxy]ethoxy\}$  acetic acid, followed by Fmoc removal, and then the coupling of maleimide derivative **A3** to obtain **A11** where n = 1. This was followed by the deprotection of Boc with 30% TFA in dichloromethane, and the purified molecule was treated with the azide transfer reagent **A6** to obtain **A12** with n = 1. **A12** was characterized with MALDI-MS and HPLC. The reaction system for the **A12** synthesis is reproducible and has been scaled up to obtain gram quantity as stock for conjugation to HSA.

Currently we are conjugating A12 to the Cysteine-34 of HSA to produce A13 which is being coupled to A14 to produce A15 aka HSA-coupled PSA activated niclosamide (i.e. Payload-1).



#### Figure 1




Figure 2

• What opportunities for training and professional development has the project provided?

Nothing to Report

• How were the results disseminated to communities of interest?

Nothing to Report

• What do you plan to do during the next reporting period to accomplish the goals?

During the next year 7OH- $\beta$ -Lapachone (7OH- $\beta$ -Lap) will be synthesized as described previously, authenticity documented by <sup>1</sup>H and <sup>13</sup>C NMR and mass spectrometry, and coupled using ethylene diamine derivatives as the self-cleaving linkers (SCL) and LP as dipeptide substrate for DPPIV as described above to obtain gram quantities of LP-(SCL)- 7OH- $\beta$ -Lap for coupling to the PSA substrate HSSKLQLP (i.e. HSSKLQLP-(SCL)-7OH- $\beta$ -Lap.

Three molecules of resulting HSSKLQLP-(SCL)-7OH-β-Lap will be coupled to one molecule of A13 as outlined above to produce **HSA-coupled PSA activated 7OH-β-Lapachone (Payload-2).** 

Each of the HSA-couple PSA activated MT payloads will be evaluated for: 1) efficiency of PSA hydrolysis; 2) *in vitro* therapeutic efficacy as monotherapy vs. combinational therapy against a series of human mCRPC cell lines, 3) *in vivo* therapeutic efficacy vs. host toxicity as monotherapy vs. combinational therapy against a series of human mCRPC xenografts; and 4) plasma vs. tissue biodistribution.

#### **Impact**

• What was the impact on the development of the principal discipline(s) of the project? Nothing to Report

• What was the impact on other disciplines?

Nothing to Report

• What was the impact on technology transfer?

Nothing to Report

• What was the impact on society beyond science and technology?

Nothing to Report

### **Changes/Problems**

Nothing to Report

#### **Products**

Nothing to Report

#### Participants & Other Collaborating Organizations

Name:	John Isaacs
Project Role:	Principal Investigator
Nearest person month worked:	3
Contribution to Project:	Dr. Isaacs has coordinated/ supervised all aspects of this project on a daily basis.
Funding Support:	Not applicable

Name:	Samuel Denmeade
Project Role:	Partnering Principal Investigator
Nearest person month worked:	1
Contribution to Project:	Dr. Denmeade is a collaborator in coordinating supervising all aspects of this project, including the collection and analyzes of the data. He mentors Dr. Akinboye.
Funding Support:	Not applicable

Name:	Susan Dalrymple
Project Role:	Sr. Research Specialist
Nearest person month worked:	6

Contribution to Project:	Ms. Dalrymple performs all routine quality assurance testing on cell lines used in this study. In addition, she has coordinated all aspects of the animal studies.
Funding Support:	Not applicable

Name:	Emmanuel Akinboye
Project Role:	Postdoctoral Fellow
Nearest person month worked:	12
Contribution to Project:	Dr. Akinboye synthesizes all of the compounds proposed in this application. He uses 1H and 13C NMR and mass spectrometry for the quality assurance for each compound. He also performs the mass spect analysis in the drug biodistribution studies.
Funding Support:	Not applicable

Special Reporting Requirements Partnering PI will submit his separate progress report.

# Appendices None