

AFRL-AFOSR-VA-TR-2019-0336

Stochastic Algorithms in Sparse Antisymmetrized Hilbert Spaces

George Booth KING'S COLLEGE LONDON

11/15/2019 Final Report

DISTRIBUTION A: Distribution approved for public release.

Air Force Research Laboratory AF Office Of Scientific Research (AFOSR)/ RTA2 Arlington, Virginia 22203 Air Force Materiel Command

DISTRIBUTION A: Distribution approved for public release.

Г

REPORT DO	Form Approved OMB No. 0704-0188			
data sources, gathering and maintaining the do any other aspect of this collection of information	Ita needed, and completing and reviewin n, including suggestions for reducing the b ling any other provision of law, no person rol number.	g the collection of informati ourden, to Department of De	the time for reviewing instructions, searching existing on. Send comments regarding this burden estimate or fense, Executive Services, Directorate (0704-0188). alty for failing to comply with a collection of information	
1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE		3. DATES COVERED (From - To)	
15-11-2019 Final Performance 4. TITLE AND SUBTITLE Stochastic Algorithms in Sparse Antisymmetrized Hilbert Spaces		5a.	30 Sep 2016 to 29 Sep 2018 5a. CONTRACT NUMBER	
		5b.	GRANT NUMBER FA9550-16-1-0256	
			PROGRAM ELEMENT NUMBER 61102F	
6. AUTHOR(S) George Booth			PROJECT NUMBER	
			TASK NUMBER	
		5f.	WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME KING'S COLLEGE LONDON THE STRAND LONDON, WC2R 2LS GB	AE(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION REPORT NUMBER	
 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AF Office of Scientific Research 875 N. Randolph St. Room 3112 			10. SPONSOR/MONITOR'S ACRONYM(S) AFRL/AFOSR RTA2	
Arlington, VA 22203			11. SPONSOR/MONITOR'S REPORT NUMBER(S) AFRL-AFOSR-VA-TR-2019-0336	
12. DISTRIBUTION/AVAILABILITY STATE A DISTRIBUTION UNLIMITED: PB Public				
13. SUPPLEMENTARY NOTES				
14. ABSTRACT The final report of grant FA9550-16-1- computational challenge posed by matter fields of research. The work for thermal and response properties of s state-of-the-art calculations on a nur systems, spin correlations of graphen thermal and response properties, the limitations on such an approach det investigated a novel approach to sto This work draws on inspiration from the which can be considered in this way sample the response of a quantum s literature based on alternative (inexcon highly flexible and complex non-lineor subspace sampling, which has found 15. SUBJECT TERMS quantum physics simulations, Quantum	quantum many-body problems to cused on the development of for ystems in these fields, via novel so mber of key correlated electron e sheets, and thermal calculations e ability to stochastically project in ailed. As an alternate stochastic pochastically sampling a compress to optimization of neural network. Key successes of the work inclu- ystem to perturbations, the demi- act) methods, the development ar wave function ansatze, and the use in some proposed quantum	throughout chemistry, ast randomized iterati tochastic sampling m systems. These includ ons on strongly correlo into appropriate subs compression, the wo ssed, non-linear parar as in order to hugely in de the development onstration of this algo of a new computatio ne thorough analysis of	, materials science and condensed on approaches for computing nethods, which enabled beyond ed the polarizability of molecular sted lattice models. In addition to paces was considered, and the rk enabled by this grant has also neterization of the solution vector. Increase the complexity of states of a new algorithm to stochastically withm to resolve a discrepancy in the inal approach to sample and optimize of the limitation of stochastic	
			Standard Form 298 (Rev. 8/98)	
			Prescribed by ANSI Std. Z39.18	

DISTRIBUTION A: Distribution approved for public release.

16. SECURITY CLASSIFICATION OF:		17. LIMITATION OF	18. NUMBER	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT	b. ABSTRACT	c. THIS PAGE	ABSTRACT	OF PAGES	FAHROO, FARIBA
Unclassified	Unclassified	Unclassified	UU		19b. TELEPHONE NUMBER (Include area code) 703-696-8429

Standard Form 298 (Rev. 8/98) Prescribed by ANSI Std. Z39.18

DISTRIBUTION A: Distribution approved for public release.

Stochastic Algorithms in Sparse Antisymmetrized Hilbert Spaces

Outputs

This 2-year grant (covering Sept. 2016 – Sept. 2018) has seen a research output of **4 published papers** derived from the work directly enabled by this grant, along with **14 invited talks** by the PI which were (wholly or partially) based on work achieved during the grant. The four research papers, including one in the high-profile 'general-physics' journal '*Physical Review Letters*', were:

[1] "Projector Quantum Monte Carlo for Nonlinear Wavefunctions"

Schwarz, Alavi, Booth, Physical Review Letters, 118, 176403 (2017).

[2] "Density Matrices in Full Configuration Interaction Quantum Monte Carlo: Excited States, transition dipole moments and parallel distribution",

Blunt, **Booth**, Alavi, *J. Chem. Phys.*, **146**, 244105 (2017). [3] "Response Formalism within Full Configuration Interaction Ouantum Monte

Carlo: Static Properties and Electrical Response",

Samanta, Blunt, **Booth**, *J. Chem. Theory Comput.* **14**, 3532 (2018). [4] "Non-linear Biases, Stochastically Sampled Effective Hamiltonians, and spectral functions in quantum Monte Carlo methods",

Blunt, Booth, Physical Review B, 98, 085118 (2018).

High-profile invited presentations over this period included a workshop at the Schrödinger Institute in Vienna (titled: Synergies between mathematical and computational approaches to quantum many-body physics), and a presentation at the opening of the Simons' Institute in computational quantum physics in the Flatiron, New York. Below, we discuss the work and advances made from the grant in the context of the original objectives of the project; where success was achieved, the avenues of further research which have opened, as well as in which areas of the initial project proposal we were not as entirely successful. This will also cover the content and highlights of the published papers acknowledging the grant above.

Successes

The project proposal focused on developing fast randomized iteration methods for quantum many-body problems. Quantum many-body problems arise in a number of areas, from nuclear physics to condensed matter and quantum chemistry, however it is mainly these last two areas that were focused on. Quantum problems suffer from an exponential scaling bottleneck, whereby any state is represented as a linear superposition of an exponentially large Hilbert space. Furthermore, when dealing with Fermions (such as electrons, the objects of primary interest for chemical, materials or condensed matter problems), the overall state has to obey antisymmetry with respect to exchange of any two particle coordinates. The setting for the work was then to exploit the duality between fast randomized iteration methods for linear algebra, and the solution to quantum many-body problems in exponentially large, antisymmetric Hilbert spaces. Previous work (by the PI and others) had focused on finding the ground state solution to a given problem, which maps down to finding an extremal eigenvalue to a matrix. The progress in this grant was to develop alternate descriptions of these systems, which exploited the mapping to other linear algebra operations, which could similarly be solved by fast randomized iteration methods, building on the success in exploiting this duality for the ground state. For instance, the solution to a system of linear equations can be mapped to the response of a system to an external perturbation - the fundamentals of spectroscopy. Similarly, the exponentiation of an exponentially large matrix is required to compute thermal (finite-temperature) properties of an interacting electron system, can this be treated in a similar fashion? Coupled to these challenges, it was necessary to also investigate transformations in the underlying representation of the problem, to aid efficiency, and to allow for these quantities to be easily extracted. The four main aims of the original proposal, along with the outputs that particularly pertain to them, were therefore as follows:

- Development of stochastic methods for solution of **linear equations**, giving the response of an interacting system to an external perturbation [Refs. 2, 3, 4]
- Development of stochastic methods for a **matrix exponential**, allowing for the extraction of thermal and temperature-dependent observables [Refs. 4]
- **Stochastic transformations** in representation of problems for the above thermal and response states [Refs. 1, 3, 4]
- **Applications** to problems in materials science and quantum chemistry [Refs. 1, 2, 3, 4]

These represented ambitious aims for the project, but were all at least partially successful, leading to development of new methods, which are now finding application areas in diverse areas of quantum simulation. The challenge of solving for linear equations to calculate response properties of systems (**Objective 1**) was taken up primarily in Ref. 3, where a stochastic algorithm was developed which sampled the full, exponential Hilbert space of classical electron solutions, which allowed for a stationary and stable sampling of the *response* of a system to a static perturbation. The application of this newly developed method was to the area of quantum chemistry, and next-level accuracy in quantities such as the polarizability of a molecule, i.e. the response of a molecule to an external electric field. In the method, we demonstrated the ability of the developed stochastic method to sample in spaces of dimension up to 10¹⁴, in order to solve these linear equations, far beyond the capability of existing deterministic methods. This allowed for the resolution of a long-standing disagreement in the literature about the polarizability of the nitric oxide molecule, where existing methods diverged from one another.

The development of this method required a further technical development, which was detailed in Ref. 2. While sampling the response of the wave function

was possible with the stochastic dynamic, an additional complication came from the fact that the polarizability is computed as the contraction of this wave function with the ground state. This quadratic form required a new sampling to avoid errors resulting from the non-linear function of stochastic variables. This technical challenge was overcome in Ref. 2, with the computation of *transition density matrices*. In addition to computing these, a demonstration of large-scale parallelism on distributed memory architecture was also detailed and benchmarked, showing impressive scalability to larger systems.

Future research directions building on this objective that were not completed include the extension to *dynamic* perturbations. For instance, while the polarizability is the response of a system to an applied, static electric field, a key further quantity will be the dynamic polarizability, which is the response to a time-varying electric field, namely light. We believe that the method can be further extended in this direction to compute spectral properties which will further increase the scope of the developed method.

Objective 2 involved the sampling of finite-temperature quantities via the matrix exponentiation in these antisymmetric Hilbert spaces. This was achieved via a stochastic transformation (**Objective 3**), which allowed for the stochastic projection of the exponentially large Hilbert space into a space that could then be readily manipulated in a standard deterministic fashion. In order to compute these thermal quantities, a set of statistical snapshots from the thermal state distributions at different temperatures was used to form a stochastically generated Krylov subspace into which the Hamiltonian of the system was projected. While this allowed finite temperature results to be extracted, Ref. 4 also highlights and examines the difficulty in controlling the biases that are inherent in this type of stochastic projection. Overall, while the algorithm was shown able to go beyond the state-of-the-art in computing these quantities for application to condensed matter systems, it also found a scaling for introduction in sampling bias which rapidly limited the application of the approach to everlarger systems. Analysis of these types of limitation are also finding application now in quantum computing algorithms, where stochastic sampling is also employed. Therefore, even though the developed method was only partially successful, a thorough analysis of the deficiencies of the approach has been illuminating for a range of methods in other areas with similar characteristics of stochastically derived subspace projection.

Objective 3 was concerned with stochastically transforming the representation of the problem. In combination with objective 2 (described above), this was performed in the context of thermal and spectral states in solid-state systems. However, in an alternative approach detailed in Ref. 1, this stochastic sampling was instead used to transform the solution vector into a non-linear parameterization of the space. This new sampling of *non-linear* wave function forms in these spaces allowed for a huge compression in the wave function, such that the parameters could now be stored exactly, but that the sampling of the space was now performed using the stochastic dynamics previously developed for ground state quantities. This entered the realm of 'variational Quantum Monte Carlo' methods, and the approach formulated a new approach within a now restricted Ansatze class. The new methodology was shown able to optimize many millions of parameters, by drawing on algorithms developed for the optimization of deep neural networks. This represented a significant jump in the

complexity of states which could be considered, and was applied to both strongly-correlated lattice models, as well as *ab initio* materials science problems such as the spin correlations in graphene. This approach has been subsequently picked up in a number of other research groups internationally, which now are looking into these techniques for the stochastic optimization of many-variable quantum states.

Objective 4 concerned the application to a broad range of systems, especially those in predictive quantum chemistry. All publications contained application to systems from a diverse range of fields, in order to try to disseminate the information to as broad an audience as possible. Particular highlights include the significant step in accuracy achieved in demonstrating the polarizability of nitric oxide [Ref. 3], as well as in the spin correlations of Graphene [Ref. 1].