

COMPUTER PROGRAM PROJECTING FICTITIOUS LONGITUDE AND LATITUDE SYSTEMS ONTO STANDARD MERCATOR GRIDS

By

PETER P. K. WONG, CHRISTOPHER GREGORY,
and DAVID W. HANDSCHUMACHER

DECEMBER 1975

Prepared for
OFFICE OF NAVAL RESEARCH
under Contract N00014-75-C-0209,
Project NR 083-603

Distribution of this document is unlimited.
Reproduction of this report in whole or in part is
permitted for any purpose of the United States Government.



HAWAII INSTITUTE OF GEOPHYSICS
UNIVERSITY OF HAWAII



**Best
Available
Copy**

COMPUTER PROGRAM PROJECTING FICTITIOUS
LONGITUDE AND LATITUDE SYSTEMS
ONTO STANDARD MERCATOR GRIDS

By


Peter P.K. Wong, Christopher Gregory,
and David W. Handschumacher

See 1423

December 1975

ACCESSION NO.	
DTIC	WALL: Section <input checked="" type="checkbox"/>
DDC	WALL: Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. CODE/SP. CODE
A	

Prepared for
Office of Naval Research
under Contract N00014-75-C-0209,
Project NR 083-603



Distribution of this document is unlimited.
Reproduction of this report in whole or in part is
permitted for any purpose of the United States Government.

Approved by Director

George P. Woodland

Date: 30 December 1975

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

ABSTRACT

△ A computer program has been written in Fortran language that plots fictitious latitudes and longitudes about an arbitrary polar system onto standard Mercator projections. The mathematical development of this program is presented along with a complete program description and program listing. Several example plots generated by the program are included to demonstrate its option characteristics.

△

TABLE OF CONTENTS

	<u>Page</u>
ABSTRACT	iii
INTRODUCTION	1
MATHEMATICAL DEVELOPMENT	5
PROGRAM DESCRIPTION	13
DIMENSIONS	14
INPUT PREPARATION AND OPTIONS	15
PROGRAM LISTING	17
ACKNOWLEDGMENTS	25
REFERENCES	25

LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
1	Global to Mercator transfer of standard latitudes and longitudes	2
2	Projection of fictitious latitudes and longitudes about $P_1(60^\circ N, 180^\circ)$ and $P_2(60^\circ S, 0^\circ)$ onto the standard global and Mercator plots of Figure 1	3
3	Nomenclature for spherical and cylindrical vectors	5
4	Schematic representation of fictitious pole system	10

INTRODUCTION

This report describes a computer program that plots latitudes and longitudes about any fictitious polar system onto standard Mercator grids of geographic latitudes and longitudes. The principle of this program is shown schematically in Figures 1 and 2. Figure 1A shows the geographic latitude and longitude system for one-half of the earth, 0° to 180° longitude. Figure 1B is the standard Mercator projection at 10° intervals of latitudes and longitudes for 70°N to 70°S latitude, and 0° to 180° longitude. In Figure 2A, one-half of the earth is shown schematically again with geographic latitudes and longitudes, only this time with the addition of a second latitude-longitude system for a second polar pair, P_1 (60°N , 180°) and P_2 (60°S , 0°). In Figure 2B, the fictitious polar system of latitudes and longitudes is shown projected onto a standard Mercator grid.

The mathematical development of the program, presented in the following section, should allow the reader to adapt the program to other computer languages, such as PL/1, Assembly, or Basic. The program description, which includes detailed instructions for the use of job control cards, allows the program to be utilized by workers with limited experience on an IBM/360 computer. A complete program listing is included in the final section of the report, and examples of several plots generated with the program are presented in the Appendix.




Fig. 1. A. Global schematic of standard longitudes for one-half of the earth (0°-180° longitude).
B. Mercator projection for 70°N-70°S latitude and 0°-180° longitude.




Fig. 2. A. Fictitious latitudes-longitudes about fictitious polar system P_1 (60°N , 180°), P_2 (60°S , 0°) on standard latitudes-longitudes of Fig. 1A.

B. Fictitious latitudes-longitudes about P_1 , P_2 projected onto standard Mercator plot of Fig. 1B.

4.

Although this program was developed for utilization in geotectonic studies seeking to describe the surface kinematics of the earth's crust (for an example see Figure 15 of Handschumacher, 1976), its applicability to numerous other scientific investigations is apparent. The authors are interested in learning of such application and would appreciate receiving information on how this program was used in other areas of study.

MATHEMATICAL DEVELOPMENT

Consider that the axis of the cylinder tangent to the sphere of radius R points in the direction of the unit vector

$$\underline{\underline{K}} = \underline{\underline{i}} \sin \theta_p \cos \phi_p + \underline{\underline{j}} \sin \theta_p \sin \phi_p + \underline{\underline{k}} \cos \theta_p, \quad (1)$$

where θ_p is the polar angle of the axis and ϕ_p is the azimuth angle. Here the z-axis is the earth's axis passing through the poles.




FIG. 3.

We may find two other vectors perpendicular to $\underline{\underline{K}}$ and to one another by using an analogy with the spherical coordinate mutually perpendicular vectors. If $\underline{\underline{K}}$ corresponds to $\underline{\underline{e}}_r$ and $\underline{\underline{J}}$ to $\underline{\underline{e}}_\phi$ and $\underline{\underline{I}}$ to $\underline{\underline{e}}_\theta$, we have

6.

$$\begin{aligned} \hat{I} &= \hat{i} \cos \theta_p \cos \phi_p + \hat{j} \cos \theta_p \sin \phi_p - \hat{k} \sin \theta_p \\ \hat{J} &= -\hat{i} \sin \phi_p + \hat{j} \cos \phi_p \\ \hat{K} &= \hat{i} \sin \theta_p \cos \phi_p + \hat{j} \sin \theta_p \sin \phi_p + \hat{k} \cos \theta_p \end{aligned} \quad (2)$$

\hat{I} , \hat{J} , and \hat{K} establish another rectangular coordinate system X, Y, and Z as shown in Figure 3.

Every point on the cylinder of radius R with axis Z has position vector

$$\hat{r}_c = R \cos \phi \hat{I} + R \sin \phi \hat{J} + Z \hat{K}, \quad (3)$$

where ϕ is the azimuth angle in the X, Y, Z system. The radial line with parameter t with azimuth angle ϕ the same as equation (3) is

$$\hat{r}_M = (\sin \theta \cos \phi \hat{I} + \sin \theta \sin \phi \hat{J} + \cos \theta \hat{K}) t. \quad (4)$$

Equations (3) and (4) intersect when

$$\begin{aligned} t \sin \theta \cos \phi &= R \cos \phi \\ t \sin \theta \sin \phi &= R \sin \phi \\ t \cos \theta &= Z \end{aligned} \quad (4a)$$

Equation (4a) gives us

$$\begin{aligned}
 t \sin \theta &= R \\
 t \cos \theta &= Z \\
 \text{or } \cot \theta &= Z/R \\
 t &= R/\sin \theta
 \end{aligned} \tag{5}$$

Thus from equation (3) and (4) equivalently, we obtain using equation (5)

$$\begin{aligned}
 \vec{r}_M &= R/\sin \theta (\sin \theta \cos \phi \vec{i} + \sin \theta \sin \phi \vec{j} + \cos \theta \vec{k}) \\
 &= R \cos \phi \vec{i} + R \sin \phi \vec{j} + \vec{k} Z
 \end{aligned} \tag{6}$$

$$\cot \theta = Z/R .$$

Now if we consider the cylinder of radius R whose axis is the z -axis and the radial line with parameter S , we have similar to the above in the x, y, z system

$$\begin{aligned}
 \vec{r}_m &= (\sin \theta \cos \phi \vec{i} + \sin \theta \sin \phi \vec{j} + \cos \theta \vec{k})S \\
 \vec{r}_c &= R \cos \phi \vec{i} + R \sin \phi \vec{j} + z \vec{k} .
 \end{aligned} \tag{7}$$

So, similar to equation (6), the position vector of intersection is:

8.

$$\begin{aligned} \vec{r}_m &= R/\sin \theta (\sin \theta \cos \phi \vec{i} + \sin \theta \sin \phi \vec{j} + \cos \theta \vec{k}) \\ &= R \cos \phi \vec{i} + R \sin \phi \vec{j} + \vec{k} z \end{aligned} \quad (8)$$

$$\cot \theta = z/R$$

Now \vec{r}_M is parallel to \vec{r}_m since we are trying to find a correspondence with points on the sphere to its projection on the cylinders by radial lines. Since \vec{r}_M is parallel to \vec{r}_m , we must have

$$\vec{r}_M = C \vec{r}_m \quad (\text{where } C \text{ is a constant}). \quad (9)$$

Thus, $\vec{r}_M = C \vec{r}_m$. So, from equation (6) and equation (8)

$$\frac{R}{\sin \theta} = C \frac{R}{\sin \theta} \quad \text{or} \quad C = \frac{\sin \theta}{\sin \theta} .$$

Therefore, equation (9) may be written

$$\sin \theta \vec{r}_M = \sin \theta \vec{r}_m . \quad (10)$$

On introducing the second equations of (6) and (8) in equation (10), we obtain

$$\begin{aligned} \text{SIN } \theta (R \text{ COS } \phi \underset{\sim}{I} + R \text{ SIN } \phi \underset{\sim}{J} + \underset{\sim}{K} Z) \\ = \text{SIN } \theta (R \text{ COS } \phi \underset{\sim}{i} + R \text{ SIN } \phi \underset{\sim}{j} + \underset{\sim}{k} z) . \end{aligned} \quad (11)$$

If equation (11) is dotted in turn by $\underset{\sim}{i}$, $\underset{\sim}{j}$, $\underset{\sim}{k}$, with the use of equation (2), we obtain the following:

$$\begin{aligned} R \text{ SIN } \theta \text{ COS } \phi &= \text{SIN } \theta (R \text{ COS } \phi \text{ COS } \theta_p \text{ COS } \phi_p \\ &\quad - R \text{ SIN } \phi \text{ SIN } \phi_p + Z \text{ SIN } \theta_p \text{ COS } \phi_p) \\ R \text{ SIN } \theta \text{ SIN } \phi &= \text{SIN } \theta (R \text{ COS } \phi \text{ COS } \theta_p \text{ SIN } \phi_p \\ &\quad + R \text{ SIN } \phi \text{ COS } \phi_p + Z \text{ SIN } \theta_p \text{ SIN } \phi_p) \end{aligned} \quad (12)$$

$$z \text{ SIN } \theta = \text{SIN } \theta (-R \text{ COS } \phi \text{ SIN } \theta_p + 0 + Z \text{ COS } \theta_p)$$

If the first two equations above are squared and added together, we obtain

$$\begin{aligned} \text{SIN } \theta = \text{SIN } \theta (\text{COS}^2 \phi \text{ COS}^2 \theta_p + \text{SIN}^2 \phi + (Z/R)^2 \text{ SIN}^2 \theta_p \\ + 2(Z/R) \text{ COS } \phi \text{ SIN } \theta_p \text{ COS } \theta_p)^{1/2} \end{aligned} \quad (13)$$

Thus from equation (12) we obtain

10.

$$\begin{aligned} \cos \phi &= \frac{\cos \phi \cos \theta_p \cos \phi_p - \sin \phi \sin \phi_p + (Z/R) \sin \theta_p \sin \phi_p}{\sqrt{\cos^2 \phi \cos^2 \theta_p + \sin^2 \phi + (Z/R) \sin^2 \theta_p + 2(Z/R) \cos \phi \sin \theta_p \cos \theta_p}} \\ \sin \phi &= \frac{\cos \phi \cos \theta_p \sin \phi_p + \sin \phi \cos \phi_p + (Z/R) \sin \theta_p \sin \phi_p}{\sqrt{\cos^2 \phi \cos^2 \theta_p + \sin^2 \phi + (Z/R)^2 \sin^2 \theta_p + 2(Z/R) \cos \phi \sin \theta_p \cos \theta_p}} \\ z/R &= \frac{-\cos \phi \sin \theta_p + (Z/R) \cos \theta_p}{\sqrt{\cos^2 \phi \cos^2 \theta_p + \sin^2 \phi + (Z/R)^2 \sin^2 \theta_p + 2(Z/R) \cos \phi \sin \theta_p \cos \theta_p}} \end{aligned} \quad (14)$$

Equation (14) enables the (ϕ, z) to be expressed in terms of (ϕ, Z) .

Let us make the following conventions:




Fig. 4.

where θ_p = latitude of fictitious pole referring to True North Pole

ϕ_p = longitude of the fictitious pole referring to True North Pole

$\phi_p = 0$ passes through Greenwich

$$\theta_p = 0 \text{ North Pole}$$

$$\theta_p = \pi \text{ South Pole}$$

is measured from west to east.

Thus 53°W has for ϕ_p , $\phi_p = 360^\circ - 53^\circ$.

Also 53°N corresponds to $\theta_p = 90^\circ - 53^\circ$.

Notice that if the fictitious pole is south of the equator then 53°S would correspond to $\theta_p = 90^\circ + 53^\circ$.

The simplest way to generate the map of fictitious longitude and latitude curves on the Mercator map is to use equation (14).

Define

$$A \equiv \cos \phi \cos \theta_p \cos \phi_p - \sin \phi \sin \phi_p + \cot \theta \sin \theta_p \cos \phi_p$$

$$B \equiv \cos \phi \cos \theta_p \sin \phi_p + \sin \phi \cos \phi_p + \cot \theta \sin \theta_p \sin \phi_p \quad (15)$$

$$R \equiv \sqrt{\cos^2 \phi \cos^2 \theta_p + \sin^2 \phi + \cot^2 \theta \sin^2 \theta_p + 2 \cot \theta \cos \phi \sin \theta_p \cos \theta_p}$$

$$\equiv \sqrt{A^2 + B^2}$$

where we have put $Z/R = \cot \theta$.

To generate the maps of the fictitious longitudes put $\phi = \phi_p$ into (15) where ϕ_p is varied over the fictitious meridians.

Then from equation (14) we have

12.

$$\phi_p = \text{TAN}^{-1}(B/A) \quad \text{or} \quad \text{SIN}^{-1}(B/(A^2 + B^2)^{1/2})$$

$$\text{COT } \theta = z/R = \frac{-\text{COS } \phi_p \text{ SIN } \theta_p + \text{COT } \theta \text{ COS } \theta_p}{\sqrt{A^2 + B^2}} \quad (16)$$

and vary θ through $0 < \theta < \pi$ to generate the map. Equation (16) is the parametric equation for the map with parameter being θ .

To generate the maps of the fictitious latitudes we put $\theta = \theta_p$ into equation (15) above and let ϕ range through $0 < \phi < 2\pi$ to generate the maps corresponding to each θ_p .

Note that if $\text{Tan}^{-1} \frac{B}{A}$ is used we must put

$$\phi = \text{TAN}^{-1}(B/A) + [1 - H(A)] * \pi + H(A) * [1 - H(B)] * 2\pi$$

where

$$\begin{aligned} H(X) &= 0 \quad \text{if } X < 0 \\ &= 1 \quad \text{if } X \geq 0 \end{aligned}$$

However, if the above convention is not used, the following can be considered:

$$\phi = \text{TAN}^{-1}(B/A) \leq 0 \quad \text{WEST}$$

$$\phi = \text{TAN}^{-1}(B/A) > 0 \quad \text{EAST}$$

PROGRAM DESCRIPTION

The program listed in this report is written in Fortran IV at a sufficiently generalized level to be compatible with or easily adapted to most computers and plotters. It has been compiled and executed successfully on IBM 370 and IBM 360 computer systems, and the plotting has been tested on Calcomp and XYNETICS plotters as well. The program is subdivided into a Main program, and three subroutines, FICT, EDGEPT, DEGREE, and also a function program YMER.

The function of the Main program is to enter the input data. It computes the required constants, converts the coordinates, and checks the map for the size in Y-axis. It calls in subroutine DEGREE to develop latitude-longitude annotation at the left and the bottom for the Mercator map. The arrangement of data cards and various options are discussed in the section on data input preparation. Once the Mercator map has been completed, it calls the subroutine FICT to generate all the fictitious curves on that particular Mercator map, and last, it either looks for another set of data for Pole projection or terminates its operation.

Subroutine EDGEPT is called by the subroutine FICT to extrapolate the fictitious curve to the edge of the Mercator map if a data point is being found outside the map.

Function program YMER is called by the Main program and subroutine FICT to calculate the displacement from the equator to transform the point found on a sphere into a point as if on an ellipsoid.

14.

Dimensions

The program is dimensioned so that fictitious longitude and fictitious latitude curves are obtainable for up to 160 parameters. This number is arbitrary; however, it may be made larger by increasing the dimensions for the appropriate program variable, FPLON. No other changes in the program are necessary.

If one wants to process additional plots in one execution time, another set of input cards is necessary and should be included, as shown below, after the comment card of the previous set of data.

```
//MERPLOT JOB (9999, 1M, 3KI, 3KL), PETER
```

```
// EXEC FORTCLG
```

```
//SYSIN DD *
```

```
-----FORTRAN SOURCE PROGRAM-----
```

```
//GO.PLOTTAPE DD UNIT=(7TRK, ,DEFER),LABEL=(,NL),
```

```
// VOL=SER=PLOT,DISP=(NEW,KEEP)
```

```
//GO.SYSIN DD *
```

```
40.00N 110.00W 10 10
```

```
50N 50S 70W 130E .063 10 1 1
```

```
POLE PROJECTION 40N 110W
```

```
/*
```

Minor modifications to the program are necessary for a successful compilation and execution on the other computers. Statements like CALL PLOTS, CALL PLOT, CALL SYMBOL, have to be changed if the plotter used is not the Calcomp or XYNETICS plotter. The size of Y-maximum can be increased more than the 10-inch limit if the allowable size on Y-axis is bigger than that of the 11-inch Calcomp plotter.

Input Preparation and Options

<u>CARD 1</u>	READS IN LOCATION OF THE POLE AND THE FICTITIOUS GRID SPACING (DEGREE/INTERVAL)	
COL. 1-5	LATITUDE OF POLE	F5.2
COL. 6	NORTH OR SOUTH (N OR S)	A1
COL. 8-13	LONGITUDE OF POLE	F6.2
COL. 14	EAST OR WEST (E OR W)	A1
COL. 15-17	GRID SPACING IN FICTITIOUS LONGITUDE CURVES	F3.0
COL. 18-20	GRID SPACING IN FICTITIOUS LATITUDES	F3.0
<u>CARD 2</u>	READS IN THE SIZE OF THE MAP	
COL. 1-5	TOP OF THE MERCATOR MAP	F5.0
COL. 6	NORTH OR SOUTH (N OR S)	A1
COL. 8-12	BOTTOM OF THE MERCATOR MAP	F5.0
COL. 13	NORTH OR SOUTH (N OR S)	A1
COL. 15-19	RIGHT LONGITUDE OF THE MERCATOR MAP	F5.0

16.

COL. 21	EAST OR WEST (E OR W)	A1
COL. 22-26	LEFT LONGITUDE OF THE MERCATOR MAP	F5.0
COL. 27	EAST OR WEST INFORMATION (E OR W)	A1
COL. 29-34	MERCATOR SCALE (INCH/DEGREE)	F6.3
COL. 36-41	MERCATOR GRID SPACING (DEGREE/INTERVAL)	F6.3
COL. 55	IF=1 FICTITIOUS LONGITUDES ARE DRAWN ON THE MERCATOR MAP	I1
COL. 59	IF=1 FICTITIOUS LATITUDES ARE DRAWN ON THE MAP	I1

CARD 3

COL. 1-64	TITLE OF THE PLOT	16A4
-----------	-------------------	------

PROGRAM LISTING

```

C .....00000010
C .....00000020
C .....00000030
C .....00000040
C .....00000050
C .....00000060
C .....00000070
C .....00000080
C .....00000090
C .....00000100
C .....00000110
C .....00000120
C .....00000130
C .....00000140
C .....00000150
C .....00000160
C .....00000170
C .....00000180
C .....00000190
C .....00000200
C .....00000210
C .....00000220
C .....00000230
C .....00000240
C .....00000250
C .....00000260
C .....00000270
C .....00000280
C .....00000290
C .....00000300
C .....00000310
C .....00000320
C .....00000330
C .....00000340
C .....00000350
C .....00000360
C .....00000370
C .....00000380
C .....00000390
C .....00000400
C .....00000410
C .....00000420
C .....00000430
C .....00000440
C .....00000450
C .....00000460
C .....00000470
C .....00000480
C .....00000490
C .....00000500
C .....00000510
C .....00000520
C .....00000530
C .....00000540
C .....00000550
C .....00000560
C .....00000570
C .....00000580
C .....00000590
C .....00000600
C .....00000610
C .....00000620
C .....00000630
C .....00000640
C .....00000650
C .....00000660
C .....00000670
C .....00000680
C .....00000690
C .....00000700
C .....00000710
C .....00000720
C .....00000730
C .....00000740
C .....00000750
C .....00000760
C .....00000770
C .....00000780
C .....00000790
C .....00000800
C .....00000810
C .....00000820
C .....00000830
C .....00000840
C .....00000850
C .....00000860
C .....00000870
C .....00000880
C .....00000890
C .....00000900
C .....00000910
C .....00000920
C .....00000930
C .....00000940
C .....00000950
C .....00000960
C .....00000970
C .....00000980
C .....00000990
C .....00001000
C .....00001010
C .....00001020
C .....00001030
C .....00001040
C .....00001050
C .....00001060
C .....00001070
C .....00001080
C .....00001090
C .....00001100
C .....00001110
C .....00001120
C .....00001130
C .....00001140
C .....00001150
C .....00001160
C .....00001170
C .....00001180
C .....00001190
C .....00001200
C .....00001210
C .....00001220
C .....00001230
C .....00001240
C .....00001250
C .....00001260
C .....00001270
C .....00001280
C .....00001290
C .....00001300
C .....00001310
C .....00001320
C .....00001330
C .....00001340
C .....00001350
C .....00001360
C .....00001370
C .....00001380
C .....00001390
C .....00001400
C .....00001410
C .....00001420
C .....00001430
C .....00001440
C .....00001450
C .....00001460
C .....00001470
C .....00001480
C .....00001490
C .....00001500
C .....00001510
C .....00001520
C .....00001530
C .....00001540
C .....00001550
C .....00001560
C .....00001570
C .....00001580
C .....00001590
C .....00001600
C .....00001610
C .....00001620
C .....00001630
C .....00001640
C .....00001650
C .....00001660
C .....00001670
C .....00001680
C .....00001690
C .....00001700
C .....00001710
C .....00001720
C .....00001730
C .....00001740
C .....00001750
C .....00001760
C .....00001770
C .....00001780
C .....00001790
C .....00001800
C .....00001810
C .....00001820
C .....00001830
C .....00001840
C .....00001850
C .....00001860
C .....00001870
C .....00001880
C .....00001890
C .....00001900
C .....00001910
C .....00001920
C .....00001930
C .....00001940
C .....00001950
C .....00001960
C .....00001970
C .....00001980
C .....00001990
C .....00002000

```

```

C*****IF SCALE TOO SMALL AND GRIDS TOO CLOSE EVERY OTHER
C*****LONGITUDINAL GRID IS ANNOTATED TO AVOID INVISIBILITY
C
      IF (SCALE.LT.0.02 .AND. GRID.LT.10.) GO TO 21
      CALL DEGREE(XPLOT,XRW,1)
      21 CONTINUE
      NYA=(YMT-YMR)/(NO.*GRID)+1.5
      YM=(YMT-YMR)/(NYA-1)
      DO 22 I=1,NYA
      YPOT=(YMR+(YMR*YM*(I-1))-YPOT)*SSC
      YNS=YM*(I-1)*GRID*60.
      IF (MOD(I,2).EQ.0) GO TO 20
C
C*****DRAW HORIZONTAL GRIDS AND ANNOTATE IN DEGREES.
C
      CALL PLOT(XRIGH,YPOT,3)
      CALL PLOT(0.,YPOT,2)
      CALL DEGREE(YPOT,YNS,2)
      GO TO 22
      20 CALL DEGREE(YPOT,YNS,2)
      CALL PLOT(0.,YPOT,3)
      CALL PLOT(XPLOT,YPOT,2)
      22 CONTINUE
C
C*****IF CARD 2, COL. 55 = 1, FICTITIOUS LONGITUDE CURVES ARE DRAWN.
C*****OTHERWISE ONLY REGULAR MERCATOR MAP IS PROVIDED.
C
      IF (IST(1).NE.0) CALL FICT(FLAT,NS,FLON,FW,SCLON,SCLAT)
      YAX=-0.75
      GO TO 14
      33 PRINT 55,YTOP
      55 FORMAT(///'SCALE',I2F,6,' PLOT TOO LARGE VERTICALLY. YTOP=',
      6F7.2,' INCHES, MAX = 10.0 INCHES.//)
C
C*****CALL END PLOT TO CLOSE THE ROUTINE
C
      7 CALL PLOT(0.,0.,999)
      STOP
      END

```

0000090
00000900
00000910
00000920
00000930
00000940
00000950
00000960
00000970
00000980
00000990
0001000
0001000
0001010
0001020
0001030
0001040
0001050
0001060
0001070
0001080
0001090
0001100
0001110
0001120
0001130
0001140
0001150
0001160
0001170
0001180
0001190
0001200
0001210
0001220
0001230
0001240
0001250
0001260
0001270

```

SUBROUTINE FICT(FLAT,NS,FLON,FW,SCLON,SCLAT)
C
C*****
C
C ***** THIS SUBROUTINE IS TO CALCULATE THE FICTITIOUS MERIDIANS AND
C ***** PARALLELS SUPERIMPOSED ON THE MERCATOR.
C *****
C *****
C *****
COMMON XMT,XMR,YMT,YMR,YTOP,YBOT,SSC,XRIGH,IST(7)
DIMENSION NST(2),EWT(4),FPLON(160)
INTEGER N,N1/E/E1/NS,FW,NST/N1,'S'/,EWT/E1,'W','N','S'/
INTEGER SN,FLAG,FWF,IO/O/,KP/O/
REAL RAD/.01745329/,DEG/57.2957795/,PI/3.141592654/,HPI/1.5707963/
REAL LON,LAT
IF ((XMT.EQ.10800.) .AND. (XMR.EQ.0.)) KP=1
IF ((XMT.GE.9600.) .AND. (XMR.LE.-9600.)) KP=2
PRINT *,FLAT,NS,FLON,FW
8 FORMAT(1H*,5X,'FICTITIOUS POLE = ',F5.2,A1,3X,F6.2,A1///)
IF (NS.EQ.N) GO TO 2
FLAT=90.+FLAT
GO TO 3
2 FLAT=90.-FLAT
3 IF (EW.NE.E) FLON=360.-FLON
FLATR=RAD*FLAT
FLONP=RAD*FLON
C
C*****NO. OF POINTS GENERATED IN BOTH LONGITUDINAL AND
C*****LATITUDINAL DIRECTIONS
C
      NLON=(360./SCLON)
      NLAT=(175./SCLAT)
      CH=SCLON*60.*2.
      CPLON=-SCLON
      FLAG=0
      200 SCLAT=SCLAT/2.
      LO=NLON
      LA=NLAT*2+1
      IF (FLAG.EQ.1) CPLON=0.
      DO 10 I=1,LO
      CPLON=CPLON+SCLON
      FPLON(I)=CPLON
C
C*****FICTITIOUS LATITUDE CURVES ARE DRAWN WHEN FLAG=1
C
      IF (FLAG.EQ.1) GO TO 203
      IF (FPLON(I).GE.180.) GO TO 38
      EWF=EWT(1)
      GO TO 39

```

00001280
00001290
00001300
00001310
00001320
00001330
00001340
00001350
00001360
00001370
00001380
00001390
00001400
00001410
00001420
00001430
00001440
00001450
00001460
00001470
00001480
00001490
00001500
00001510
00001520
00001530
00001540
00001550
00001560
00001570
00001580
00001590
00001600
00001610
00001620
00001630
00001640
00001650
00001660
00001670
00001680
00001690
00001700
00001710
00001720
00001730
00001740
00001750
00001760

```

38 FWT=FWT(1)
   FPLON(1)=100.-FPLON(1)
   GO TO 19
203 IF (FPLON(1).GE.20.) GO TO 205
   FPLON(1)=20.-FPLON(1)
   FWT=FWT(1)
   GO TO 19
205 LAT=LAT(1)
   FPLON(1)=FPLON(1)+20.
   C=CPLON+RAD*FPLON
   CPLAT=0.
   IF (FLAG.FO.1) CPLAT=-SCLAT
   KKK=0
   KKK=0
   KKK=0
   NW=0
   DJ=20-J*1.4
   KKK=KKK+1
   IF (FLAG.FO.1) KKK=K*1
   CPLAT=CPLAT+SCLAT
   CPLATR=LAT+CPLAT
   A=CPLONR
   IF (FLAG.FO.1) A=CPLATR
   B=CPLATR
   IF (FLAG.FO.1) B=CPLONR
C
C*****EQUATIONS USED FOR GENERATING FICTITIOUS POINTS IN THE MERCATOR
C
   A1=COS(A)*COS(FLATR)*COS(FLONR)
   A2=SIN(A)*SIN(FLONR)
   A3=COTAN(R)*SIN(FLATR)*COS(FLONR)
   AA=A1-A2+A3
   B1=COS(A)*COS(FLATR)*SIN(FLONR)
   B2=SIN(A)*COS(FLONR)
   B3=COTAN(R)*SIN(FLATR)*SIN(FLONR)
   BB=B1+B2+B3
   C=SQRT(AA**2+BB**2)
   D=(-COS(A)*SIN(FLATR)+COTAN(R)*COS(FLATR))
   LAT=ATAN2(C,D)
   LON=ATAN2(BB,AA)
C
C*****CALCULATE THE LATITUDE OF POINT Q IN MERCATOR SYSTEM
C
   IF (LAT.GE.NPI) GO TO 35
   LAT=NPI-LAT
   ALAT=LAT*60.*DEG
   SN=NST(1)
   GO TO 36
35 LAT=LAT-NPI
   ALAT=-LAT*60.*DEG
   SN=NST(2)
36 RLAT=LAT*DEG
C
C*****CALCULATE THE LONGITUDE OF POINT Q IN MERCATOR SYSTEM
C
   IF (LON.GT.0.) GO TO 37
   FWT=FWT(2)
   HLON=ABS(LON)*DEG
   ALON=10800.-HLON*60.
   GO TO 12
37 FWT=FWT(1)
   HLON=LON*DEG
   ALON=HLON*60.-10800.
12 IF (J.GT.1) GO TO 13
   ALOS1=ALON
   ALAS1=ALAT
13 ALOS2=ALOS1
   ALAS2=ALAS1
   ALOS1=ALON
   ALAS1=ALAT
   FPT=XMT-ALOS2
   FPI=XMI-ALOS1
   IF (K.GT.1) GO TO 16
C
C*****CHECK IF POINT IS OUTSIDE THE MERCATOR MAP
C
   IF (ALAT.GT.YMT.OR.ALAT.LT.YMB) GO TO 21
   IF (ALON.GT.XMT.OR.ALON.LT.XMB) GO TO 21
   IF (J.FO.1) GO TO 5
   IF (K.GE.1) GO TO 16
C
C*****EXTRAPOLATE THE CURVE TO THE EDGE IF DATA POINT IS FOUND
C*****OUTSIDE THE MAP
C
C*****SPECIAL CASE WHEN PLOTTING IS HANDLED FROM OW TO OF OR OW TO 180W
C
   IF (KP.FO.0) GO TO 71
   IF (KP.GE.1.AND.NW.FO.1) GO TO 72

```

```

00001770
00001780
00001790
00001800
00001810
00001820
00001830
00001840
00001850
00001860
00001870
00001880
00001890
00001900
00001910
00001920
00001930
00001940
00001950
00001960
00001970
00001980
00001990
00002000
00002010
00002020
00002030
00002040
00002050
00002060
00002070
00002080
00002090
00002100
00002110
00002120
00002130
00002140
00002150
00002160
00002170
00002180
00002190
00002200
00002210
00002220
00002230
00002240
00002250
00002260
00002270
00002280
00002290
00002300
00002310
00002320
00002330
00002340
00002350
00002360
00002370
00002380
00002390
00002400
00002410
00002420
00002430
00002440
00002450
00002460
00002470
00002480
00002490
00002500
00002510
00002520
00002530
00002540
00002550
00002560
00002570
00002580
00002590
00002600
00002610
00002620
00002630
00002640

```



```

      IF (ALOS2.GE.0..AND.ALOS2.LE.XMT.AND.ALON.LE.XMT.AND.ALON.GE.0.)GO 00002650
      6 TO 71
      IF (ALOS2.LE.0..AND.ALOS2.GE.XMB.AND.ALON.LE.0..AND.ALON.GE.XMB)GO 00002660
      6 TO 71
      IF ABS(ALOS2).LE.CH.AND.ABS(ALON).LE.CH) GO TO 71 00002670
      IF (ALOS2.GE.XMB.AND.ALON.GT.0..AND.ALOS2.LE.0.)ALOS2=XMT 00002680
      IF (ALON.GE.0.AND.ALOS2.LE.XMT.AND.ALON.LE.0.)ALOS2=XMB 00002690
      GO TO 71 00002700
72 IF (ALOS2.EQ.XMT.OR.ALOS2.EQ.XMB) NW=0 00002710
      IF (ALOS2.EQ.XMT) GO TO 77 00002720
      IF (ALOS2.EQ.XMB) ALOS2=XMT 00002730
      GO TO 71 00002740
77 ALOS=XMB 00002750
71 IF (ALAS2.GE.YMT) CALL EDGPT(ALAS2,ALOS2,ALAT,ALON,PLAS,PLOS,1) 00002760
      IF (ALOS2.LE.XMB) CALL EDGPT(ALAS2,ALOS2,ALAT,ALON,PLAS,PLOS,2) 00002770
      IF (ALAS2.LE.YMB) CALL EDGPT(ALAS2,ALOS2,ALAT,ALON,PLAS,PLOS,1) 00002780
      IF (ALOS2.GE.XMT) CALL EDGPT(ALAS2,ALOS2,ALAT,ALON,PLAS,PLOS,2) 00002790
      K=K+1 00002800
      ALONI=(PLOS-XMB)*SSC 00002810
      ALATI=(YMBR(PLAS)-YBOT)*SSC 00002820
      CALL PLOT(ALONI,ALATI,3) 00002830
      GO TO 6 00002840
C 00002850
C*****CHECK IF POINT IS OUTSIDE THE MERCATOR MAP 00002860
C 00002870
16 IF (ALAT.GT.YMT.OR.ALAT.LT.YMB) GO TO 21 00002880
      IF (ALON.GT.XMT.OR.ALON.LE.XMB) GO TO 21 00002890
C 00002900
C*****SPECIAL CASE MERCATOR PLOT FROM 0W TO 0E 00002910
C 00002920
      IF (KP.EQ.2.AND.FPT.LE.CH.AND.ALON.GE.XMB.AND.ALON.LE.0.)ALON=XMT 00002930
      IF (KP.EQ.2.AND.FPT.GE.-CH.AND.ALON.GT.0..AND.FPT.LE.0.)ALON=XMB 00002940
      IF (ALON.EQ.XMT)ALOS1=XMT 00002950
      IF (ALON.EQ.XMB)ALOS1=XMB 00002960
5 K=K+1 00002970
      IO=IO+1 00002980
      IF (FLAG.NE.1.AND.IO.EQ.1) PRINT 17,FPLON(1),EWF 00002990
      IF (FLAG.EQ.1.AND.IO.EQ.1) PRINT 18,FPLON(1),EWF 00003000
18 FORMAT(5X,'FICTITIOUS LATITUDE ',F6.2,A1,' HAS THE FOLLOWING DATA 00003010
      6 POINTS:~/') 00003020
17 FORMAT(5X,'FICTITIOUS LONGITUDE ',F6.2,A1,' HAS THE FOLLOWING DATA 00003030
      6 POINTS:~/') 00003040
      PRINT 11,BLAT,SN,BLON,EW 00003050
11 FORMAT(20X,' LATITUDE = ',F6.2,A1,10X,' LONGITUDE = ',F6.2,A1) 00003060
      ALONI=(ALON-XMB)*SSC 00003070
      ALATI=(YMBR(ALAT)-YBOT)*SSC 00003080
      IC=2 00003090
      IF (O.EQ.1) IC=3 00003100
      CALL PLOT(ALONI,ALATI,IC) 00003110
      IF (KP.EQ.2.AND.(ALON.EQ.XMT.OR.ALON.EQ.XMB)) K=0 00003120
      IF (KP.EQ.2.AND.(ALON.EQ.XMT.OR.ALON.EQ.XMB))NW=1 00003130
      GO TO 20 00003140
21 IF (K) 20,20,6 00003150
20 CONTINUE 00003160
      PRINT 115 00003170
115 FORMAT(1/1) 00003180
      IO=0 00003190
      GO TO 10 00003200
C 00003210
C*****EXTRAPOLATE THE CURVE TO THE EDGE IF DATA POINT IS FOUND 00003220
C*****OUTSIDE THE MAP 00003230
C 00003240
6 IF (KP.EQ.1.AND.ALON.EQ.XMT) GO TO 23 00003250
      IF (KP.EQ.1.AND.FPT.LE.CH.AND.ALON.LE.XMB) ALON=XMT 00003260
      IF (KP.EQ.2.AND.FPT.LE.CH.AND.ALON.GE.XMB.AND.ALON.LE.0.)ALON=XMT 00003270
      IF (KP.EQ.2.AND.FPT.GE.-CH.AND.ALON.GT.0..AND.FPT.LE.0.)ALON=XMB 00003280
      IF (ALAT.GE.YMT) CALL EDGPT(ALAT,ALON,ALAS2,ALOS2,PLAS,PLOS,1) 00003290
      IF (ALON.GE.XMT) CALL EDGPT(ALAT,ALON,ALAS2,ALOS2,PLAS,PLOS,2) 00003300
      IF (ALAT.LE.YMB) CALL EDGPT(ALAT,ALON,ALAS2,ALOS2,PLAS,PLOS,1) 00003310
      IF (ALON.LE.XMB) CALL EDGPT(ALAT,ALON,ALAS2,ALOS2,PLAS,PLOS,2) 00003320
      PRINT 112 00003330
112 FORMAT(1/1) 00003340
      ALONI=(PLOS-XMB)*SSC 00003350
      ALATI=(YMBR(PLAS)-YBOT)*SSC 00003360
      CALL PLOT(ALONI,ALATI,2) 00003370
23 K=0 00003380
      IF (KK.LT.LA.OF.KKK.LT.LA) GO TO 20 00003390
10 CONTINUE 00003400
C 00003410
C*****IF CARD 2 COL.59 NE. 0,FICTITIOUS LATITUDE CURVES ARE DRAWN. 00003420
C*****OTHERWISE RETURN TO MAIN PROGRAM. 00003430
C 00003440
      IF (IST(7).EQ.0) GO TO 15 00003450
      FLAG=FLAG+1 00003460
      IF (FLAG.GT.1) GO TO 15 00003470
      PNLON=NLON 00003480
      NLON=NLAT 00003490
      NLON=NLAT 00003500
      NLON=NLAT 00003510

```

```

NLAT=FMN LN
SCLAT=SCLAT*2.
ISCLAT=SCLEON
SCLINE=SCLAT
SCLAT=ISCLAT
PRINT 112
GO TO 200
15 RETURN
END
00003520
00003530
00003540
00003550
00003560
00003570
00003580
00003590
00003600

```

```

SUBROUTINE EDGEPY(ALAS2,ALOS2,ALAT,ALON,PLAS,PLON,N)
C .....
C *
C * EDGEPY IS TO EXTRAPOLATE THE FICTITIOUS CURVES TO THE EDGE OF
C * THE MAP IF THERE IS ANOTHER POINT GENERATED OUTSIDE THE MAP.
C *
C .....
C
COMMON XMT,XMH,YMT,YMH,YTOP,YBOT,SSC,XRIGH,IST(7)
AH=ABS(ALON-ALOS2)
CH=ABS(ALAS2-ALAT)
IF(N.GT.1) GO TO 3
IF(ALOS2-XMT) 102,102,103
102 IF(ALOS2-XMH) 103,104,104
104 PLAS=YMT
IF(ALAS2.LE.YMH) PLAS=YMH
PLCS=ALOS2+(ALON-ALOS2)*(ALAS2-PLAS)/(ALAS2-ALAT)
GO TO 17
103 IF(AH.GE.CH) GO TO 109
GO TO 104
3 IF(ALAS2-YMT) 106,106,107
106 IF(ALAS2-YMH) 107,109,109
109 PLCS=XMT
IF(ALOS2.LE.XMH) PLOS=XMH
PLAS=ALAS2+(ALAT-ALAS2)*(ALOS2-PLOS)/(ALOS2-ALON)
GO TO 17
107 IF(AH.GE.CH) GO TO 109
GO TO 104
17 RETURN
END
00003610
00003620
00003630
00003640
00003650
00003660
00003670
00003680
00003690
00003700
00003710
00003720
00003730
00003740
00003750
00003760
00003770
00003780
00003790
00003800
00003810
00003820
00003830
00003840
00003850
00003860
00003870
00003880
00003890
00003900
00003910

```

```

SUBROUTINE DEGREE(XYLOC,XY,ND)
C .....
C *
C * DEGREE DEVELOPS LAT-LON ANNOTATION FOR THE MERCATOR MAP.
C *
C .....
C
INTEGER*2 A,N/'N'/'S'/'S'/'W'/'W'/'E'/'E'/'
REAL*4 XYLOC,XY,DEG
IF(ND.EQ.2) GO TO 10
IF(XY.LT.0.) GO TO 1
DEG=(10800.-XY)/60.
A=W
GO TO 6
1 DEG=(10800.+XY)/60.
A=E
GO TO 6
10 IF(XY.LT.0) GO TO 2
DEG=XY/60.
A=N
GO TO 7
2 DEG=-XY/60.
A=S
GO TO 7
6 CALL NUMBFR(XYLOC,-.25,0.07,DEG,0.,0)
CALL SYMPL(999.,-.25,0.07,A,0.0,2)
RETURN
7 CALL NUMBFR(-.4,XYLOC,0.07,DEG,0.,0)
CALL SYMPL(999.,XYLOC,0.07,A,0.0,2)
RETURN
END
00003920
00003930
00003940
00003950
00003960
00003970
00003980
00003990
00004000
00004010
00004020
00004030
00004040
00004050
00004060
00004070
00004080
00004090
00004100
00004110
00004120
00004130
00004140
00004150
00004160
00004170
00004180
00004190
00004200
00004210
00004220
00004230
00004240

```


PLOT LIMITS: 70.000N 70.000S 0.0 W 0.0 E
 SCALE = 0.012 INCH/DEGREE
 GRID SPACING = 10.000 DEGREES/INTERVAL

1	2	3	4	5	6	7
0	0	1	0	0	0	1
53	54	55	56	57	58	59

POLE PROJECTION 60N 180W

MAP SIZE IN INCHES X: 11.520 Y: 6.340

FICTITIOUS POLE = 60.00N 180.00W

FICTITIOUS LONGITUDE 0.0 E HAS THE FOLLOWING DATA POINTS:-

LATITUDE = 55.00N	LONGITUDE = 180.00E
LATITUDE = 50.00N	LONGITUDE = 180.00E
LATITUDE = 45.00N	LONGITUDE = 180.00E
LATITUDE = 40.00N	LONGITUDE = 180.00E
LATITUDE = 35.00N	LONGITUDE = 180.00E
LATITUDE = 30.00N	LONGITUDE = 180.00E
LATITUDE = 25.00N	LONGITUDE = 180.00E
LATITUDE = 20.00N	LONGITUDE = 180.00E
LATITUDE = 15.00N	LONGITUDE = 180.00E
LATITUDE = 10.00N	LONGITUDE = 180.00E
LATITUDE = 5.00N	LONGITUDE = 180.00E
LATITUDE = 0.00S	LONGITUDE = 180.00E
LATITUDE = 5.00S	LONGITUDE = 180.00E
LATITUDE = 10.00S	LONGITUDE = 180.00E
LATITUDE = 15.00S	LONGITUDE = 180.00E
LATITUDE = 20.00S	LONGITUDE = 180.00E
LATITUDE = 25.00S	LONGITUDE = 180.00E
LATITUDE = 30.00S	LONGITUDE = 180.00E
LATITUDE = 35.00S	LONGITUDE = 180.00E
LATITUDE = 40.00S	LONGITUDE = 180.00E
LATITUDE = 45.00S	LONGITUDE = 180.00E
LATITUDE = 50.00S	LONGITUDE = 180.00E
LATITUDE = 55.00S	LONGITUDE = 180.00E
LATITUDE = 60.00S	LONGITUDE = 180.00E
LATITUDE = 65.00S	LONGITUDE = 180.00E
LATITUDE = 65.00S	LONGITUDE = 0.00W

FICTITIOUS LONGITUDE 10.00E HAS THE FOLLOWING DATA POINTS:-

LATITUDE = 55.07N	LONGITUDE = 174.49W
LATITUDE = 50.12N	LONGITUDE = 177.10W
LATITUDE = 45.16N	LONGITUDE = 176.15W
LATITUDE = 40.19N	LONGITUDE = 175.54W
LATITUDE = 35.22N	LONGITUDE = 174.85W
LATITUDE = 30.25N	LONGITUDE = 174.23W
LATITUDE = 25.28N	LONGITUDE = 173.68W
LATITUDE = 20.30N	LONGITUDE = 173.17W
LATITUDE = 15.32N	LONGITUDE = 172.69W
LATITUDE = 10.34N	LONGITUDE = 172.23W
LATITUDE = 5.36N	LONGITUDE = 171.79W
LATITUDE = 0.38N	LONGITUDE = 171.35W
LATITUDE = 4.60S	LONGITUDE = 170.92W
LATITUDE = 9.59S	LONGITUDE = 170.47W
LATITUDE = 14.57S	LONGITUDE = 170.02W
LATITUDE = 19.55S	LONGITUDE = 169.54W
LATITUDE = 24.52S	LONGITUDE = 169.04W
LATITUDE = 29.50S	LONGITUDE = 168.49W
LATITUDE = 34.47S	LONGITUDE = 167.89W
LATITUDE = 39.44S	LONGITUDE = 167.21W
LATITUDE = 44.41S	LONGITUDE = 166.42W
LATITUDE = 49.37S	LONGITUDE = 165.49W
LATITUDE = 54.32S	LONGITUDE = 164.45W
LATITUDE = 59.26S	LONGITUDE = 163.39W
LATITUDE = 64.17S	LONGITUDE = 162.25W
LATITUDE = 69.05S	LONGITUDE = 161.06W
LATITUDE = 69.78S	LONGITUDE = 5.01W
LATITUDE = 64.91S	LONGITUDE = 2.05W

FICTITIOUS LONGITUDE 20.00E HAS THE FOLLOWING DATA POINTS:-

LATITUDE = 55.26N	LONGITUDE = 177.00W
LATITUDE = 50.47N	LONGITUDE = 174.65W
LATITUDE = 45.64N	LONGITUDE = 172.73W
LATITUDE = 40.74N	LONGITUDE = 171.11W
LATITUDE = 35.00N	LONGITUDE = 169.72W
LATITUDE = 31.00N	LONGITUDE = 168.49W
LATITUDE = 26.10N	LONGITUDE = 167.18W
LATITUDE = 21.19N	LONGITUDE = 166.16W
LATITUDE = 16.27N	LONGITUDE = 165.41W
LATITUDE = 11.35N	LONGITUDE = 164.50W
LATITUDE = 6.42N	LONGITUDE = 163.62W
LATITUDE = 1.50N	LONGITUDE = 162.76W
LATITUDE = 3.43S	LONGITUDE = 161.91W
LATITUDE = 8.76S	LONGITUDE = 161.04W
LATITUDE = 13.28S	LONGITUDE = 160.16W
LATITUDE = 18.20S	LONGITUDE = 159.23W
LATITUDE = 23.12S	LONGITUDE = 158.26W
LATITUDE = 28.02S	LONGITUDE = 157.20W
LATITUDE = 32.93S	LONGITUDE = 156.05W
LATITUDE = 37.81S	LONGITUDE = 154.76W
LATITUDE = 42.69S	LONGITUDE = 153.29W
LATITUDE = 47.54S	LONGITUDE = 151.57W
LATITUDE = 52.76S	LONGITUDE = 149.50W
LATITUDE = 57.13S	LONGITUDE = 146.92W
LATITUDE = 61.84S	LONGITUDE = 143.59W
LATITUDE = 66.43S	LONGITUDE = 139.06W
LATITUDE = 69.14S	LONGITUDE = 9.60W
LATITUDE = 64.65S	LONGITUDE = 3.99W

ACKNOWLEDGMENTS

The authors thank Rita Pujalet for editorial assistance and Jean Taga for manuscript preparation.

This work was funded by the Office of Naval Research under contract N00014-75-C-0209.

REFERENCES


Handschumacher, David, 1976, Post-Eocene plate tectonics of the eastern Pacific, in The Geophysics of the Pacific Ocean Basin and its Margin: A Volume in Honor of George P. Woollard, Geophys. Monogr. Ser., vol. 19, edited by George H. Sutton, Murli H. Manghnani, and Ralph Moberly, AGU, Washington, D.C. (in press).

PRECEDING PAGE BLANK NOT FILMED


A P P E N D I X

Sample Plots


A-1.




POLE 60N 180W FICT




POLE 60N 180W FICT




POLE 70N 145W FICT



POLE 40N 110W FICT



POLE 50N 170W FICT



FICT. POLE ON 80W

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1 REPORT NUMBER HIG-75-19, Data Report #30	2 GOVT ACCESSION NO	3 RECIPIENT'S CATALOG NUMBER
4 TITLE (and Subtitle) Computer Program Projecting Fictitious Longitude and Latitude Systems onto Standard Mercator Grids.		5 TYPE OF REPORT & PERIOD COVERED Data Report No. 30
7 AUTHOR(s) Peter P.K./Wong, Christopher/Gregory David W./Handschumacher		6 PERFORMING ORG. REPORT NUMBER HIG-75-19, HIS-Data-26
9 PERFORMING ORGANIZATION NAME AND ADDRESS Hawaii Institute of Geophysics 2525 Correa Road Honolulu, HI 96822		8 CONTRACT OR GRANT NUMBER(s) N00014-75-C-0209
11 CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research (Code 480) Ocean Science & Technology Division Arlington, VA 22217		10 PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR-083-603
14 MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Dec 15		12 REPORT DATE November 1975
		13 NUMBER OF PAGES
		18 SECURITY CLASS. (of this report) Unclassified
		18a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16 DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17 DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18 SUPPLEMENTARY NOTES		
19 KEY WORDS (Continue on reverse side if necessary and identify by block number) Cartography Computer program		
20 ABSTRACT (Continue on reverse side if necessary and identify by block number) A computer program has been written in Fortran language that plots fictitious latitudes and longitudes about an arbitrary polar system onto standard Mercator projections. The mathematical development of this program is presented along with a complete program description and program listing. Several example plots generated by the program are included to demonstrate its option characteristics.		

MANDATORY DISTRIBUTION LIST

FOR UNCLASSIFIED TECHNICAL REPORTS, REPRINTS, & FINAL REPORTS
PUBLISHED BY OCEANOGRAPHIC CONTRACTORS
OF THE OCEAN SCIENCE AND TECHNOLOGY DIVISION
OF THE OFFICE OF NAVAL RESEARCH
(REVISED JAN 1975)

1	Director of Defense Research and Engineering Office of the Secretary of Defense Washington, D. C. 20301 ATTN: Office, Assistant Director (Research)	12**	Defense Documentation Center Cameron Station Alexandria, Virginia 22314
	Office of Naval Research Arlington, Virginia 22217		Commander Naval Oceanographic Office Washington, D. C. 20390
3	ATTN: (Code 480)*		
1	ATTN: (Code 460)	1	ATTN: Code 1040
1	ATTN: (Code 102-OS)	1	ATTN: Code 70
6	ATTN: (Code 102IP)		
1	ONR ResRep (if any)	1	NODC/NOAA Rockville, MD 20882
	Director Naval Research Laboratory Washington, D. C. 20375		
6	ATTN: Library, Code 2620		

TOTAL REQUIRED - 35 copies

* Add one separate copy of
Form DD-1473

** Send with these 12 copies
two completed forms DDC-50,
one self addressed back to
contractor, the other ad-
dressed to ONR, Code 480