

**U.S. DEPARTMENT OF COMMERCE
National Technical Information Service**

AD-A030 949

Surface Gravity Effects of Subterranean Tunnels

Analytic Sciences Corp Reading Mass

16 Jul 76

BEST SELLERS

FROM NATIONAL TECHNICAL INFORMATION SERVICE



Deep Oil Shale Deposits, Phase I.
PB-250 525/PSU 260p PC\$9.00/MF\$3.00

Fire Fighter Mortality Report
PB-253 588/PSU 170p PC\$6.75/MF\$3.00

Gas and Leachate from Landfills: Formation, Collection, and Treatment
PB-251 161/PSU 196p PC\$7.50/MF\$3.00

Nuclear Power, Coal, and Energy Conservation
PB-251 262/PSU 35p PC\$4.00/MF\$3.00

Low Cost Solar Augmented Heat Pump System for Residential Heating and Cooling
SAND-75 5272/PSU 28p PC\$4.00/MF\$3.00

Computer Communication Networks: Approaches, Objectives, and Performance Considerations
ADA-023 710/PSU 45p PC\$4.00/MF\$3.00

On-Line Services Reference Manual (Including Update I, July 1975, and Update II, March 1975)
PB-253 557/PSU 381p PC\$10.75/MF\$3.00

Communications Processors: Categories, Applications, and Trends
ADA-023 692/PSU 54p PC\$4.50/MF\$3.00

Technical and Economic Study of an Integrated Single Pass Mining System for Open Pit Mining of

A User's Manual for Optical Waveguide Communications
PB-252 901/PSU 293p PC\$9.25/MF\$3.00

Environmental Problem Definition for Petroleum Refineries, Synthetic Natural Gas Plants, and Liquefied Natural Gas Plants
PB-252 245/PSU 476p PC\$12.50/MF\$3.00

Analysis of Large Scale Non-Coal Underground Mining Methods
PB-234 555/PSU 581p PC\$13.75/MF\$3.00

Urban Stormwater Runoff: Determination of Volumes and Flowrates
PB-253 410/PSU 253p PC\$9.00/MF\$3.00

National Marine Fisheries Service: Processed Products. Wholesale Dealers of Fishery Products in U.S., 1974
PB-250 590/PSU 257p PC\$9.00/MF\$3.00

Protection of Slopes Against Rainfall Erosion
ADA-016 147/PSU 41p PC\$4.00/MF\$3.00

Net Energy from Nuclear Power
PB-254 059/PSU 118p PC\$5.50/MF\$3.00

The Long-Run Marginal Costs of Energy
PB-252 504/PSU 277p PC\$9.25/MF\$3.00

HOW TO ORDER

When you indicate the method of payment, please note if a purchase order is not accompanied by payment, you will be billed an addition \$5.00 ship and bill charge. And please include the card expiration date when using American Express.

Normal delivery time takes three to five weeks. It is vital that you order by number

or your order will be manually filled, insuring a delay. You can opt for *airmail delivery* for a \$2.00 charge per item. Just check the *Airmail Service* box. If you're really pressed for time, call the NTIS Rush Order Service. (703) 557-4700. For a \$10.00 charge per item, your order will be airmailed within 48 hours. Or, you can pick up your order in the Washington Information Center & Bookstore or at our Springfield Operations Center within 24 hours for a \$6.00 per item charge.

You may also place your order by telephone or TELEX. The order desk number is (703) 557-4650 and the TELEX number is 89-9405.

Whenever a foreign sales price is NOT specified in the listings, all foreign buyers must add the following charges to each order: \$2.50 for each paper copy; \$1.50 for each microfiche; and \$10.00 for each Published Search.

Thank you for your interest in NTIS. We appreciate your order.

METHOD OF PAYMENT

- Charge my NTIS deposit account no. _____
- Purchase order no. _____
- Check enclosed for \$_____
- Charge on my American Express Card account number

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Card expiration date _____

Signature _____

- Airmail Services requested

Clip and mail to

NTIS

National Technical Information Service
U.S. DEPARTMENT OF COMMERCE
Springfield, Va. 22161
(703) 557-4650 TELEEX 89-9405

NAME _____


ADDRESS _____

CITY STATE, ZIP _____

Item Number	Quantity		Unit Price*	Total Price
	Paper Copy (PC)	Microfiche (MF)		
All Prices Subject to Change				Sub Total
12/76				Additional Charge
				Enter Grand Total

AD A 030949

①




DDC
RECEIVED
OCT 19 1978
RECEIVED
D

TASC

6 JACOB WAY/READING, MASSACHUSETTS 01867/(617) 944-8850

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited



REVERSE OF FRONT COVER

Destroy this report when no longer needed.
Do not return it to the originator.

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

The citation in this report of trade names of commercially available products does not constitute official endorsement or approval of the use of such products.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DTIC-0069	2. GOVT ACCESSION NO.	3. RECIPIENT'S CAT. LOG NUMBER
4. TITLE (and Subtitle) SURFACE GRAVITY EFFECTS OF SUBTERRANEAN TUNNELS		5. TYPE OF REPORT & PERIOD COVERED Contract Report
7. AUTHOR(s)		6. PERFORMING ORG. REPORT NUMBER SP-988-1
9. PERFORMING ORGANIZATION NAME AND ADDRESS The Analytic Sciences Corporation 6 Jacob Way Reading, Massachusetts 01867		8. CONTRACT OR GRANT NUMBER(s) DAAG53-76-M-5908 <i>New</i>
11. CONTROLLING OFFICE NAME AND ADDRESS U.S. Army Engineer Topographic Laboratories Fort Belvoir, Virginia 22060		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE July 1976
		13. NUMBER OF PAGES
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract) entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report determines the change of six components of the symmetric second order tensor associated with the earth's gravity field as a result of the following mass changes and conditions: (1) A tunnel 16 km long is excavated 6m below the earth's surface; (2) A vehicle traveling at a constant speed crosses the tunnel at the earth's surface; (3) The resulting tensor component changes are computed and plotted; (4) The computations are repeated for tunnel depths of 30 and 90 m; and (5) The problem may be inverted from one of subsurface mass removal to one of mass addition above the earth's surface. The results of the report		

20. Continued.

determine that (1) gradiometric detection of large tunnels to a depth of 30 m is feasible, (2) reliable detection of large tunnels deeper than 30 m imposes moderately sophisticated data processing requirements, and (3) detection of tunnels deeper than 90 m is difficult.

..22.

THE ANALYTIC SCIENCES CORPORATION

ETL - 0069

**SURFACE GRAVITY EFFECTS OF
SUBTERRANEAN TUNNELS**

16 July 1976

Prepared for:
U.S. ARMY ENGINEER TOPOGRAPHIC LABORATORIES
Fort Belvoir, Virginia 22060

Submitted in fulfillment of
Contract No. DAAG53-76-M-5908

Approved For Public Release
Distribution Unlimited

DDC
R
OCT 15 1976
R
D

THE ANALYTIC SCIENCES CORPORATION
Six Jacob Way
Reading, Massachusetts 01867

R-23002

PROBLEM STATEMENT AND METHOD OF APPROACH

1

OVERVIEW

R-23801

- PROBLEM STATEMENT AND METHOD OF APPROACH
- ERROR SOURCES WHICH REDUCE DETECTABILITY
- RESULTS
- SUMMARY AND CONCLUSIONS

v

TASC
THE ANALYTICAL SCIENCE CORPORATION

Contract Number DAAG53-76M-5509 dated 8 June 1976

Work Statement for Purchasing Order

DETERMINATION OF SECOND ORDER TENSOR CHANGE
AS A RESULT OF SPECIFIED MASS CHANGES

Determine the change of the six components of the symmetric second order tensor associated with the earth's gravity field as a result of the following mass changes and conditions:

1. A tunnel 16 km long and having a diameter of 5 m is excavated 6 m below the earth's surface, and the resulting mass with density $\rho = 2.6 \text{ g cm}^{-3}$ is removed to infinity.
2. A vehicle traveling at the constant speed of 10 km h^{-1} crosses the tunnel at the earth's surface 7 km from a tunnel end point at intersection angles of 90° , 60° , and 30° .
3. The resulting tensor component changes should be computed and plotted as a function of time and for changes equal or greater than 10^{-2} Eotvos.
4. The computations specified above should be repeated for the tunnel depths of 30 m and 90 m.
5. For the purpose of computational simplicity, the problem may be inverted from one of subsurface mass removal to one of mass addition above the earth's surface.

GRADIOMETRIC DETECTION OF HORIZONTAL SUBTERRANEAN TUNNELS — PROBLEM DEFINITION


R-23872

HOW FEASIBLE IS TUNNEL DETECTION BASED ON SURFACE GRAVITY
GRADIENT MEASUREMENTS?

"QUICK LOOK" ANALYSIS INPUTS (SPECIFIED IN SOW)

- CYLINDRICAL TUNNEL DEPTH (y) = 6 m, 30 m, 90 m
- TUNNEL RADIUS (a) = 2.5 m
- TUNNEL LENGTH ($2z_0 + \Delta z$) = 16 km
- GRADIOMETER VEHICLE VELOCITY = 10 km/hr
- ANGLE BETWEEN VEHICLE TRACK AND TUNNEL AXIS
(HORIZONTAL PROJECTION) = 30° , 60° , 90°
- DISTANCE TO NEAREST TUNNEL END FROM AXIAL POINT BELOW THE
SURFACE POINT AT WHICH VEHICLE CROSSES (z_0) = 7 km
(Figure on next page.)
- FLAT TERRAIN

GRADIOMETRIC TUNNEL DETECTION GEOMETRY



R 23870

METHOD OF ANALYSIS

R-23876

- DIVIDE PROBLEM INTO EQUAL LENGTH CYLINDERS ON EACH SIDE OF CROSSING POINT. TREAT ASYMMETRICAL EXTENSION TO ONE END SEPARATELY
- TAKE ADVANTAGE OF FAVORABLE AXIAL ASPECT RATIO VIA GAUSS' LAW TO FIND THE SYMMETRICAL GRAVITY FIELD BY SURFACE INTEGRATION
- MODEL THE (FAR-REMOVED) ASYMMETRICAL END EXTENSION AS A POINT MASS
- FIND THE GRADIENT FIELDS BY ANALYTIC DIFFERENTIATION
- POINT MASS MODEL PROVIDES UPPER BOUND ON EFFECT OF ASYMMETRICAL CYLINDER END SINCE ACTUAL FIELD ATTENUATES MORE SLOWLY THAN POINT MASS FIELD (DUE TO PRESENCE OF HIGHER ORDER SPHERICAL HARMONICS)
- USE ASYMMETRICAL FIELD CALCULATION TO MEASURE END EFFECTS NOT MODELED IN GAUSS' LAW SOLUTION OF SYMMETRICAL PROBLEM
- EXPRESS TOTAL GRADIENT AS SUM OF "SYMMETRICAL" AND "ASYMMETRICAL" TERMS
- TRANSFORM RESULTS INTO "ALONG-TRACK, UP, CROSS-TRACK" COORDINATES

EQUATIONS OF THE GRAVITY FIELD

R-23985

SYMMETRICAL PORTION ($-z_0$ TO $+z_0$)

$$g_{\text{sym}} = \frac{2\pi a^2 \rho G}{x^2 + y^2} \begin{bmatrix} x \\ y \\ 0 \end{bmatrix}^*$$

ASYMMETRICAL PORTION (z_0 TO $z_0 + \Delta z_0$)

$$g_{\text{asy}} = \frac{\pi a^2 \Delta z \rho G}{\left[x^2 + y^2 + \left(z - z_0 - \frac{\Delta z}{2} \right)^2 \right]^{3/2}} \begin{bmatrix} x \\ y \\ z - z_0 - \frac{\Delta z}{2} \end{bmatrix}$$

WHERE G IS THE UNIVERSAL GRAVITATIONAL CONSTANT

*x, y, z COORDINATES

PREVIEW OF RESULTS FOR OPTIMAL ENCOUNTER GEOMETRY (MAGNITUDES ONLY)

R-23880

TUNNEL DEPTH (meters)	MAXIMUM GRAVITY DISTURBANCE COMPONENT (mgal)		MAXIMUM GRAVITY GRADIENT ELEMENT (EU)	
	<u>SYMMETRIC</u>	<u>ASYMMETRIC</u>	<u>SYMMETRIC</u>	<u>ASYMMETRIC</u>
6	1.1×10^{-1}	1.1×10^{-5}	190	2.8×10^{-5}
30	2.3×10^{-2}	1.2×10^{-5}	7.6	3.2×10^{-5}
90	7.6×10^{-3}	1.6×10^{-5}	0.84	4.8×10^{-5}

ERROR SOURCES WHICH REDUCE DETECTABILITY

R-23883

POSSIBLE ERROR SOURCES ADVERSE TO TUNNEL DETECTION

R-23873

ERROR SOURCE	ERROR MAGNITUDE	IMPACT ON GRADIOMETRIC MEASUREMENT
GRADIOMETER ERROR WHITE NOISE (10 sec avg)	1* - 10 EU [†]	NONE IF VEHICLE MOVES VERY SLOWLY OR HALTS FOR GRADIENT MEASUREMENT
LOW FREQUENCY RANDOMNESS	1 - 20 [†] EU	SIGNIFICANT REDUCTION PROBABLE WITH OPTIMAL FILTERING
TUNNEL DEVIATION FROM HORIZONTAL, CYLINDRICAL GEOMETRY	UNKNOWN	PROBABLY NOT SEVERE EXCEPT FOR RIGHT ANGLE TURNS (GRADIENTS OF FINE STRUCTURE ATTENUATE RAPIDLY)
EARTH'S ANOMALOUS GRADIENT FIELD	10 - 30 EU	EFFECT WILL BE REDUCED SOMEWHAT DUE TO SHORT TRACK LENGTH
RMS VARIATION HIGH DENSITY LOCAL GRADIENT ANOMALIES (ORE BODIES, NATURAL CAVES)	POSSIBLY > 100 EU	MAY REQUIRE SIGNATURE CORRELATION TECHNIQUES FOR DISCRIMINATION

* GOAL FOR CURRENT GRADIOMETER DEVELOPMENT PROGRAMS

† BEST DEMONSTRATED TO DATE IN LABORATORY

‡ ONE EOTVOS UNIT (EU) = 10⁻⁹ sec⁻²

APPROXIMATE EFFECT OF EARTH'S BACKGROUND GRADIENT FIELD

R-23870

TRACK LENGTH (meters)	RMS GRADIENT VARIATION (AVERAGED OVER TRACK - EU)
10	1 EU
50	2.2 EU
200	4.5 EU

BASED ON SIMPLIFIED ANALYSIS USING

- FIRST-ORDER MARKOV GRADIENT MODEL
- RMS GRADIENT = 20 EU
- GRADIENT CORRELATION DISTANCE = 4 km


R-23884

RESULTS

11

TASC

DEFINITIONS AND NOTATION



R-23869

$$\underline{g} = \text{GRAVITY VECTOR} = \begin{pmatrix} g_\lambda \\ g_y \\ g_\mu \end{pmatrix}$$

$$\Gamma = \text{GRAVITY GRADIENT TENSOR} = \begin{bmatrix} \gamma_{\lambda\lambda} & \gamma_{\lambda y} & \gamma_{\lambda\mu} \\ \gamma_{y\lambda} & \gamma_{yy} & \gamma_{y\mu} \\ \gamma_{\mu\lambda} & \gamma_{\mu y} & \gamma_{\mu\mu} \end{bmatrix}$$

WHERE

$$\gamma_{\lambda\lambda} = \frac{\partial g_\lambda}{\partial y}$$

$$\gamma_{yy} = \frac{\partial g_y}{\partial y}$$

$$\gamma_{\mu\mu} = \frac{\partial g_\mu}{\partial y}$$

$$\gamma_{\lambda y} = \frac{\partial g_\lambda}{\partial y} = \frac{\partial g_y}{\partial \lambda}$$

$$\gamma_{\lambda\mu} = \frac{\partial g_\lambda}{\partial \mu} = \frac{\partial g_\mu}{\partial \lambda}$$

$$\gamma_{y\mu} = \frac{\partial g_y}{\partial \mu} = \frac{\partial g_\mu}{\partial y}$$


**GRAVITY VECTOR COMPONENTS
DEPTH = 6 METERS
0° AND 30° ENCOUNTER ANGLES**

R-22926

SURFACE GRAVITY VECTOR COMPONENT FROM TUNNEL

R-23925


DEPTH TO TUNNEL AXIS = 6m
 GRAVITY COMPONENT ELEMENT = g_A
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY VECTOR COMPONENT FROM TUNNEL

R-23926


DEPTH TO TUNNEL AXIS = 6m
 GRAVITY COMPONENT ELEMENT = g_y
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY VECTOR COMPONENT FROM TUNNEL

R-23927


DEPTH TO TUNNEL AXIS = 6 m
 GRAVITY COMPONENT ELEMENT = 9μ
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY VECTOR COMPONENT FROM TUNNEL

R-23924


DEPTH TO TUNNEL AXIS = 6 m
GRAVITY COMPONENT ELEMENT = g_{λ}
ENCOUNTER ANGLE (θ) = 30°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY VECTOR COMPONENT FROM TUNNEL

R-23023


DEPTH TO TUNNEL AXIS = 6m
GRAVITY COMPONENT ELEMENT = g_y
ENCOUNTER ANGLE (θ) = 30°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



R-23922

SURFACE GRAVITY VECTOR COMPONENT FROM TUNNEL

DEPTH TO TUNNEL AXIS = 6m
GRAVITY COMPONENT ELEMENT = 9μ
ENCOUNTER ANGLE (θ) = 30°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



TIME SINCE TUNNEL AXIS CROSSING (mins)



R-23987


**DEPTH = 6 METERS
0° ENCOUNTER ANGLE
(GRAVITY GRADIENTS)**

20

SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23929

DEPTH TO TUNNEL AXIS = 6m
GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda\lambda}$
ENCOUNTER ANGLE (θ) = 0°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRYSTAL DENSITY = 2.6 g/cm³
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km




21

SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23930


DEPTH TO TUNNEL AXIS = 6 m
 GRAVITY GRADIENT ELEMENT = γ_{yy}
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23943

DEPTH TO TUNNEL AXIS = 6m
 GRAVITY GRADIENT ELEMENT = $\gamma\mu\mu$
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km




TIME SINCE TUNNEL AXIS CROSSING (mins)

SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23937


DEPTH TO TUNNEL AXIS = 6 m
GRAVITY GRADIENT ELEMENT = $\gamma \lambda y$
ENCOUNTER ANGLE (θ) = 0°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23947


DEPTH TO TUNNEL AXIS = 6m
GRAVITY GRADIENT ELEMENT = $\gamma \lambda \mu$
ENCOUNTER ANGLE (θ) = 0°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23944

DEPTH TO TUNNEL AXIS = 6 m
 GRAVITY GRADIENT ELEMENT = γ_{yu}
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



TASC

R-23992

DEPTH = 6 METERS
30° ENCOUNTER ANGLE


27

TASC
THE ANALYTICAL & SCIENTIFIC CORPORATION

SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23936


DEPTH TO TUNNEL AXIS = 6m
GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda\lambda}$
ENCOUNTER ANGLE (θ) = 30°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23936


DEPTH TO TUNNEL AXIS = 6m
 GRAVITY GRADIENT ELEMENT = γ_{yy}
 ENCOUNTER ANGLE (θ) = 30°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23935


DEPTH TO TUNNEL AXIS = 6 m
GRAVITY GRADIENT ELEMENT = γ_{uu}
ENCOUNTER ANGLE (θ) = 30°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



R-23941

SURFACE GRAVITY GRADIENT FROM TUNNEL


DEPTH TO TUNNEL AXIS = 6m
GRAVITY GRADIENT ELEMENT = $\gamma \lambda y$
ENCOUNTER ANGLE (θ) = 30°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL.

R-23942


DEPTH TO TUNNEL AXIS = 6 m
 GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda u}$
 ENCOUNTER ANGLE (θ) = 30°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.8 g/cm³
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23966

DEPTH TO TUNNEL AXIS = 6m
 GRAVITY GRADIENT ELEMENT = γ_{yu}
 ENCOUNTER ANGLE (θ) = 30°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



R-23993

DEPTH = 6 METERS
60° ENCOUNTER ANGLE


34

TASC
THE ANALYTICAL SERVICES COMPANY

SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23940


DEPTH TO TUNNEL AXIS = 6m
GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda\lambda}$
ENCOUNTER ANGLE (θ) = 60°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL


R-23939

DEPTH TO TUNNEL AXIS = 6 m
GRAVITY GRADIENT ELEMENT = γ_{yy}
ENCOUNTER ANGLE (θ) = 60°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23933




TIME SINCE TUNNEL AXIS CROSSING (mins)

R-23957

SURFACE GRAVITY GRADIENT FROM TUNNEL


DEPTH TO TUNNEL AXIS = 6 m
GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda y}$
ENCOUNTER ANGLE (θ) = 60°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23954


DEPTH TO TUNNEL AXIS = 6m
 GRAVITY GRADIENT ELEMENT = $\gamma \lambda^4$
 ENCOUNTER ANGLE (θ) = 60°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23946

DEPTH TO TUNNEL AXIS = 6m
GRAVITY GRADIENT ELEMENT = γ_{yu}
ENCOUNTER ANGLE (θ) = 60°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



DEPTH = 30 METERS
0° ENCOUNTER ANGLE

R-23994


93

TASC
THE ANALYTICAL SCIENTIFIC CORPORATION

SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23926


DEPTH TO TUNNEL AXIS = 30m
GRAVITY GRADIENT ELEMENT = $\gamma \lambda \lambda$
ENCOUNTER ANGLE (θ) = 0°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23931


DEPTH TO TUNNEL AXIS = 30m
 GRAVITY GRADIENT ELEMENT = γ_{yy}
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23950


- DEPTH TO TUNNEL AXIS = 30m
- GRAVITY GRADIENT ELEMENT = $7\mu\mu$
- ENCOUNTER ANGLE (θ) = 0°
- VEHICLE VELOCITY = 10 km/hr
- UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
- TUNNEL LENGTH = 16 km
- DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23932


DEPTH TO TUNNEL AXIS = 30m
 GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda y}$
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23934


DEPTH TO TUNNEL AXIS = 30m
 GRAVITY GRADIENT ELEMENT = $\gamma \lambda_u$
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23949

DEPTH TO TUNNEL AXIS = 30 m
 GRAVITY GRADIENT ELEMENT = γ_{yu}
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



R-23994


**DEPTH = 30 METERS
0° ENCOUNTER ANGLE**

48

SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23928


DEPTH TO TUNNEL AXIS = 30 m
 GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda\lambda}$
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23931


DEPTH TO TUNNEL AXIS = 30 m
GRAVITY GRADIENT ELEMENT = γ_{γ}
ENCOUNTER ANGLE (θ) = 0°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



R-23950

SURFACE GRAVITY GRADIENT FROM TUNNEL


DEPTH TO TUNNEL AXIS = 30m
GRAVITY GRADIENT ELEMENT = $\gamma \mu\mu$
ENCOUNTER ANGLE (θ) = 0°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23932


DEPTH TO TUNNEL AXIS = 30m
 GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda y}$
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23934


DEPTH TO TUNNEL AXIS = 30m
GRAVITY GRADIENT ELEMENT = $\gamma \lambda_u$
ENCOUNTER ANGLE (θ) = 0°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R:23949

DEPTH TO TUNNEL AXIS = 30 m
 GRAVITY GRADIENT ELEMENT = γ_{yu}
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km




**DEPTH = 30 METERS
30° ENCOUNTER ANGLE**

R-23995

SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23967


DEPTH TO TUNNEL AXIS = 30m
 GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda\lambda}$
 ENCOUNTER ANGLE (ϕ) = 30°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23975


DEPTH TO TUNNEL AXIS = 30m
GRAVITY GRADIENT ELEMENT = γ_{yy}
ENCOUNTER ANGLE (θ) = 30°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23973


DEPTH TO TUNNEL AXIS = 30m
GRAVITY GRADIENT ELEMENT = $\gamma \mu\mu$
ENCOUNTER ANGLE (θ) = 30°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



R-23971


SURFACE GRAVITY GRADIENT FROM TUNNEL

DEPTH TO TUNNEL AXIS = 30m
GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda y}$
ENCOUNTER ANGLE (θ) = 30°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23970



TIME SINCE TUNNEL AXIS CROSSING (mins)


60

TASC

SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23955

DEPTH TO TUNNEL AXIS = 30m
 GRAVITY GRADIENT ELEMENT = γ_{yz}
 ENCOUNTER ANGLE (θ) = 30°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km




R-23991

**DEPTH = 30 METERS
60° ENCOUNTER ANGLE**

SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23956


DEPTH TO TUNNEL AXIS = 30m
GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda\lambda}$
ENCOUNTER ANGLE (θ) = 60°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23953


DEPTH TO TUNNEL AXIS = 30m
 GRAVITY GRADIENT ELEMENT = γ_{yy}
 ENCOUNTER ANGLE (θ) = 60°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23952


DEPTH TO TUNNEL AXIS = 30 m
GRAVITY GRADIENT ELEMENT = $\gamma_{\mu\mu}$
ENCOUNTER ANGLE (θ) = 60°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23951


DEPTH TO TUNNEL AXIS = 30m
GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda y}$
ENCOUNTER ANGLE (θ) = 60°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23965


DEPTH TO TUNNEL AXIS = 30m
GRAVITY GRADIENT ELEMENT = γ_{μ}
ENCOUNTER ANGLE (θ) = 60°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23969

DEPTH TO TUNNEL AXIS = 30m
 GRAVITY GRADIENT ELEMENT = γ_{gr}
 ENCOUNTER ANGLE (θ) = 60°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



**DEPTH = 90 METERS
0° ENCOUNTER ANGLE**


R-23990

182

R-23963

SURFACE GRAVITY GRADIENT FROM TUNNEL


DEPTH TO TUNNEL AXIS = 90m
GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda\lambda}$
ENCOUNTER ANGLE (θ) = 0°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23958


DEPTH TO TUNNEL AXIS = 90m
GRAVITY GRADIENT ELEMENT = γ_{yy}
ENCOUNTER ANGLE (θ) = 0°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23945


DEPTH TO TUNNEL AXIS = 90m
 GRAVITY GRADIENT ELEMENT = $\gamma_{\mu\mu}$
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23962


DEPTH TO TUNNEL AXIS = 90m
GRAVITY GRADIENT ELEMENT = $\gamma \lambda y$
ENCOUNTER ANGLE (θ) = 0°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23960


DEPTH TO TUNNEL AXIS = 90m
 GRAVITY GRADIENT ELEMENT = $\gamma \lambda$
 ENCOUNTER ANGLE (θ) = 0°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



R-23948

SURFACE GRAVITY GRADIENT FROM TUNNEL

DEPTH TO TUNNEL AXIS = 90 m
GRAVITY GRADIENT ELEMENT = $\gamma_{y\mu}$
ENCOUNTER ANGLE (θ) = 0°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



R-23989

DEPTH = 90 METERS
30° ENCOUNTER ANGLE


76

TASC
THE ANALYTICAL SCIENCES CORPORATION

SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23968

DEPTH TO TUNNEL AXIS = 90m
GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda\lambda}$
ENCOUNTER ANGLE (θ) = 30°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km




22

SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23977


DEPTH TO TUNNEL AXIS = 90m
 GRAVITY GRADIENT ELEMENT = γ_{yy}
 ENCOUNTER ANGLE (θ) = 30°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23964


DEPTH TO TUNNEL AXIS = 90m
GRAVITY GRADIENT ELEMENT = $\gamma_{\mu\mu}$
ENCOUNTER ANGLE (θ) = 30°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



R-23981

SURFACE GRAVITY GRADIENT FROM TUNNEL


DEPTH TO TUNNEL AXIS = 90m
GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda y}$
ENCOUNTER ANGLE (θ) = 30°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23979


DEPTH TO TUNNEL AXIS = 90m
GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda\mu}$
ENCOUNTER ANGLE (θ) = 30°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23961

DEPTH TO TUNNEL AXIS = 90m
GRAVITY GRADIENT ELEMENT = γ_{yu}
ENCOUNTER ANGLE (θ) = 30°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



R-23988

DEPTH = 90 METERS 60° ENCOUNTER ANGLE


83

TASC
THE AUSTRIAN THERMAL SCIENCE CENTER

SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23921


DEPTH TO TUNNEL AXIS = 90m
GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda\lambda}$
ENCOUNTER ANGLE (θ) = 60°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23980


DEPTH TO TUNNEL AXIS = 90m
 GRAVITY GRADIENT ELEMENT = γ_{yy}
 ENCOUNTER ANGLE (θ) = 60°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23978


DEPTH TO TUNNEL AXIS = 90m
GRAVITY GRADIENT ELEMENT = γ_{uu}
ENCOUNTER ANGLE (θ) = 60°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23976


DEPTH TO TUNNEL AXIS = 90m
GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda y}$
ENCOUNTER ANGLE (θ) = 60°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23-74


DEPTH TO TUNNEL AXIS = 90m
 GRAVITY GRADIENT ELEMENT = $\gamma_{\lambda\mu}$
 ENCOUNTER ANGLE (θ) = 60°
 VEHICLE VELOCITY = 10 km/hr
 UNIFORM CRUSTAL DENSITY = 2.6 g/cm^3
 TUNNEL LENGTH = 16 km
 DISTANCE TO NEAREST END = 7 km



SURFACE GRAVITY GRADIENT FROM TUNNEL

R-23972

DEPTH TO TUNNEL AXIS = 90m
GRAVITY GRADIENT ELEMENT = γ/μ
ENCOUNTER ANGLE (θ) = 60°
VEHICLE VELOCITY = 10 km/hr
UNIFORM CRUSTAL DENSITY = 2.6 g/cm³
TUNNEL LENGTH = 16 km
DISTANCE TO NEAREST END = 7 km



SCALING OF RESULTS TO DIFFERENT TUNNEL SIZES

R-23874

- GRAVITY AND GRAVITY GRADIENTS DEPEND LINEARLY ON THE AMOUNT OF SOURCE MASS
- TOTAL MASS OF A UNIFORM, CONSTANT LENGTH CYLINDRICAL BODY VARIES AS THE RADIUS SQUARED
- FOR CYLINDER OF RADIUS r (METERS), GRADIENTS AND GRAVITY VECTOR COMPONENTS DETERMINED IN THIS STUDY APPLY IF MULTIPLIED BY THE FACTOR
$$\left(\frac{r}{2.5}\right)^2$$
- SIMILARLY FOR A DENSITY OF THE SURROUNDING MEDIUM OTHER THAN 2.6 g/cm^3 , RESULTS SHOULD BE MULTIPLIED BY THE FACTOR

$$\frac{\rho}{2.6}$$

WHERE ρ IS THE DENSITY IN g/cm^3

R-23885

SUMMARY AND CONCLUSIONS

91

TASC

SUMMARY

PEAK GRADIENT SIGNAL STRENGTH AT BEST AND WORST* ENCOUNTER GEOMETRY

R-23875

GRAVITY GRADIENT ELEMENT	VALUES OF θ FOR BEST AND WORST DETECTION		MAXIMUM VALUE OF GRADIENT (EU)					
	BEST	WORST	6 m DEPTH		30 m DEPTH		90 m DEPTH	
			BEST	WORST	BEST	WORST	BEST	WORST
INLINE GRADIENTS $\left\{ \begin{array}{l} \gamma_{\lambda\lambda} \text{ (ALONG-TRACK)} \\ \gamma_{\mu\mu} \text{ (CROSS-TRACK)*} \\ \gamma_{yy} \text{ (VERTICAL)*} \end{array} \right.$	0°	60°	189	47	7.6	1.9	0.84	0.21
	60°	0°	142	<10 ⁻⁵	5.7	<10 ⁻⁵	0.63	<10 ⁻⁵
	ALL θ		189	189	7.6	7.6	0.84	0.84
CROSS GRADIENTS $\left\{ \begin{array}{l} \gamma_{\lambda y} \text{ (ALONG-TRACK, VERTICAL)} \\ \gamma_{\lambda\mu} \text{ (HORIZONTAL PLANE)} \\ \gamma_{\mu y} \text{ (CROSS-TRACK, VERTICAL)*} \end{array} \right.$	0°	60°	123	61	4.9	2.5	0.55	0.27
	45°	0°	95	<10 ⁻⁵	3.8	<10 ⁻⁵	0.42	<10 ⁻⁵
	60°	0°	106	<10 ⁻⁵	4.3	<10 ⁻⁵	0.47	<10 ⁻⁵

* ENCOUNTER ANGLES (θ) CONSIDERED ARE 0°, 30°, 45°, 60°.
 (NOTE: PEAK SIGNAL STRENGTH BECOMES EXCEEDINGLY SMALL FOR $\theta = 90^\circ$)

CONCLUSIONS

R-23878

- GRADIOMETRIC DETECTION OF LARGE TUNNELS TO A DEPTH OF 30 m IS FEASIBLE USING MOVING BASE GRADIOMETERS WITH AN ACCURACY OF 1-10 EU (10 sec AVERAGING TIME)
- RELIABLE DETECTION OF LARGE TUNNELS DEEPER THAN 30 m IMPOSES MODERATELY SOPHISTICATED DATA PROCESSING REQUIREMENTS (e.g., MULTIPLE COMPARISONS AMONG GRADIENTS, OPTIMAL FILTERING, SIGNATURE MATCHING, etc.)
- DETECTION OF TUNNELS DEEPER THAN 90 m IS DIFFICULT
- SINGLE GRADIENT ELEMENT WITH GREATEST CONSISTENT SIGNAL STRENGTH REGARDLESS OF ENCOUNTER ANGLE IS THE VERTICAL, IN-LINE TERM
- AXIAL DIRECTION OF SHALLOW OR LARGE TUNNELS CAN BE ESTABLISHED IN A SINGLE PASS BY COMPARING MAGNITUDES OF ELEMENTS IN THE GRADIENT TENSOR (SUBJECT TO TUNNEL'S DEPARTURE FROM IDEAL GEOMETRY)
- MODERATE SHIFTS OF SURFACE CROSSING POINT TOWARD ONE END HAVE AN INSIGNIFICANT EFFECT UPON DETECTABILITY

ADDITIONAL TOPICS OF INTEREST

R-23877

- MAXIMUM DETECTABLE DEPTH USING OPTIMAL FILTERING AND TAKING ALL RELEVANT ERROR SOURCES INTO ACCOUNT
- QUANTIFICATION OF CLOSENESS OF DETECTOR VEHICLE TRACK TO AXIAL DIRECTION BEFORE ONSET OF UNOBSERVABILITY
- DISTANCE BETWEEN CROSSOVER POINT AND TUNNEL END WHERE MODELED GRADIENTS (GAUSS' LAW + POINT MASS) DEVIATE SUBSTANTIALLY FROM ACTUAL GRADIENTS
- MORE COMPLICATED TUNNEL GEOMETRIES, VERTICAL SHAFTS
- OTHER DEPTHS AND ENCOUNTER ANGLES