


AD-A034 246

MCDERMOTT (J RAY) CO INC NEW ORLEANS LA
ENGINEERING DESIGN CALCULATIONS MONO-MOORING SYSTEM. VOLUME 5. --ETC(U)
1966

F/G 13/10
DA-44-009-AMC-841(T)
NL


UNCLASSIFIED

1 OF 3
ADA034246



1 OF 3

ADA034246



DDC
RECEIVED
JAN 11 1977
RECEIVED
D

①

White Section	<input checked="" type="checkbox"/>
Buff Section	<input type="checkbox"/>
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. and/or SPECIAL

ADA 034246

⑥ ENGINEERING
 DESIGN CALCULATIONS
 MONO-MOORING SYSTEM,

 VOLUME 5.

APPENDIX A,
 TO
 ⑨ FINAL REPORT, *on Phase 1.*

⑮ Contract No. DA-44-009-AMC-841(T)

U. S. ARMY
 ENGINEER RESEARCH AND DEVELOPMENT LABORATORIES
 FORT BELVOIR, VIRGINIA

COPY AVAILABLE TO DDC DOES NOT
 PERMIT FULLY LEGIBLE PRODUCTION

J. RAY McDERMOTT & CO., INC.
 NEW ORLEANS, LOUISIANA

⑪ 1966
 ⑫ 326 p.

DDC
 RECEIVED
 JAN 11 1977
 D

Copy available to DDC does not
 permit fully legible reproduction

DC 821

DISTRIBUTION STATEMENT A
 Approved for public release;
 Distribution Unlimited

ENGINEERING
DESIGN CALCULATIONS
MONO-MOORING SYSTEM

VOLUME 5

APPENDIX A
to
FINAL REPORT

Contract No. DA-44-009-AMC-841(T)
U. S. ARMY MATERIEL COMMAND
ENGINEER RESEARCH AND DEVELOPMENT LABORATORIES
FORT BELVOIR, VIRGINIA

J. RAY McDERMOTT & CO., INC.
Saratoga Building
New Orleans, Louisiana

1966

SECTION 1

PRELIMINARY.

WIND AND CURRENT
RESISTANCE CALCULATIONS

COMPANY	SHEET NO
---------	----------

SUBJECT	WIND RESISTANCE
---------	-----------------

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
	NdB		3-28-66

22,500 DWT TANKER LOADED

WIND AREA

$$X=0^\circ \quad 770 \times (13.8 + 25.0) = 2,987.6$$

$$X=10^\circ \quad 579.2 \times 0.1737 \times 13.8 + 770 \times 0.9889 \times 25.0 + 579.2 \times 0.2 \times 0.1737 \times 25.0 = 3,785.8$$

1388.3 1,895.0 502.5

$$X=20^\circ \quad 579.2 \times 0.3980 \times 13.8 + 770 \times 0.9397 \times 25.0 + 579.2 \times 0.2 \times 0.3980 \times 25.0 = 5,533.8$$

2,733.8 1,810.0 990.0

$$X=30^\circ \quad 579.2 \times 0.5 \times 13.8 + 770 \times 0.8660 \times 25.0 + 579.2 \times 0.2 \times 0.5 \times 25.0 = 7,111.5$$

3,996.5 1,667.5 1,447.5

22,500 DWT TANKER LIGHT

WIND AREA

$$X=0^\circ \quad 77.0 (31.4 + 25.0) = 7,342.8$$

$$X=10^\circ \quad 579.2 \times 0.1737 \times 31.4 + 1,895.0 + 502.5 = 5,556.3$$

3,158.8

$$X=20^\circ \quad 579.2 \times 0.3920 \times 31.4 + 1,810.0 + 990.0 = 9,020.3$$

6,220.3

$$X=30^\circ \quad 579.2 \times 0.5 \times 31.4 + 1,667.5 + 1,447.5 = 12,208.4$$

9,093.4

46,000 DWT TANKER LOADED

WIND AREA

$$X=0^\circ \quad 102.0 \times (15.2 + 25.0) = 4,100.4$$

$$X=10^\circ \quad 736.0 \times 0.1737 \times 15.2 + 102.0 \times 0.9889 \times 25.0 + 736.0 \times 0.2 \times 0.1737 \times 25.0 = 5,092.6$$

1,972.6 2,510.0 690.0

$$X=20^\circ \quad 736.0 \times 0.3920 \times 15.2 + 102.0 \times 0.9397 \times 25.0 + 736.0 \times 0.2 \times 0.3920 \times 25.0 = 7,478.3$$

3,825.6 2,395.0 1,257.5

$$X=30^\circ \quad 736.0 \times 0.5 \times 15.2 + 102.0 \times 0.8660 \times 25.0 + 736.0 \times 0.2 \times 0.5 \times 25.0 = 9,691.1$$

5,593.6 2,207.5 1,840.0

46,000 DWT TANKER LIGHT

WIND AREA

$$X=0^\circ \quad 102.0 \times (36.8 + 25.0) = 6,303.6$$

$$X=10^\circ \quad 736.0 \times 0.1737 \times 36.8 + 2,510.0 + 690.0 = 7,789.1$$

4,639.1

COMPANY	SHEET NO
---------	----------

SUBJECT

DRAWING NUMBER	COMPUTER N d B	CHECKED BY	DATE 3-28-66
----------------	----------------	------------	--------------

22,500 DWT TANKER LOADED

2 KNT CURRENT DRAG

$$X = 0^\circ \quad \frac{0.01 \times 1 \times 18,766.1 \times 3^2}{1000} = 1.7^k$$

$$X = 10^\circ \quad \frac{0.06 \times 1 \times 18,766.1 \times 3^2}{1000} = 10.1^k$$

$$X = 20^\circ \quad \frac{0.16 \times 1 \times 18,766.1 \times 3^2}{1000} = 27.0^k$$

$$X = 30^\circ \quad \frac{0.38 \times 1 \times 18,766.1 \times 3^2}{1000} = 64.2^k$$

22,500 DWT TANKER LIGHT

2 KNT CURRENT DRAG

$$X = 0^\circ \quad \frac{0.01 \times 1 \times 6,545.0 \times 3^2}{1000} = 0.6^k$$

$$X = 10^\circ \quad \frac{0.06 \times 1 \times 6,545.0 \times 3^2}{1000} = 3.5^k$$

$$X = 20^\circ \quad \frac{0.16 \times 1 \times 6,545.0 \times 3^2}{1000} = 9.4^k$$

$$X = 30^\circ \quad \frac{0.38 \times 1 \times 6,545.0 \times 3^2}{1000} = 22.4^k$$

46,000 DWT TANKER LOADED

2 KNT CURRENT DRAG

$$X = 0^\circ \quad \frac{0.01 \times 1 \times 27,140.4 \times 3^2}{1000} = 2.4^k$$

$$X = 10^\circ \quad \frac{0.06 \times 1 \times 27,140.4 \times 3^2}{1000} = 19.7^k$$

$$X = 20^\circ \quad \frac{0.16 \times 1 \times 27,140.4 \times 3^2}{1000} = 39.1^k$$

$$X = 30^\circ \quad \frac{0.38 \times 1 \times 27,140.4 \times 3^2}{1000} = 92.8^k$$

VOID

COMPANY	SHEET NO
---------	----------

SUBJECT

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

46,000 DWT TANKER LIGHT
2 KMT CURRENT DRAG

$X=0^\circ \quad \frac{0.01 \times 1 \times 9.4776 \times 3^2}{1000} = 0.9^k$

$X=10^\circ \quad \frac{0.06 \times 1 \times 9.4776 \times 3^2}{1000} = 5.1^k$

$X=20^\circ \quad \frac{0.16 \times 1 \times 9.4776 \times 3^2}{1000} = 13.6^k$

$X=30^\circ \quad \frac{0.38 \times 1 \times 9.4776 \times 3^2}{1000} = 32.4^k$

70,000 DWT TANKER LOADED
2 KMT CURRENT DRAG

$X=0^\circ \quad \frac{0.01 \times 1 \times 36,920.4 \times 3^2}{1000} = 3.3^k$

$X=10^\circ \quad \frac{0.06 \times 1 \times 36,920.4 \times 3^2}{1000} = 19.9^k$

$X=20^\circ \quad \frac{0.16 \times 1 \times 36,920.4 \times 3^2}{1000} = 53.2^k$

$X=30^\circ \quad \frac{0.38 \times 1 \times 36,920.4 \times 3^2}{1000} = 126.3^k$

70,000 DWT TANKER LIGHT
2 KMT CURRENT DRAG

$X=0^\circ \quad \frac{0.01 \times 1 \times 11,076.1 \times 3^2}{1000} = 1.0^k$

$X=10^\circ \quad \frac{0.06 \times 1 \times 11,076.1 \times 3^2}{1000} = 6.0^k$

$X=20^\circ \quad \frac{0.16 \times 1 \times 11,076.1 \times 3^2}{1000} = 15.9^k$

$X=30^\circ \quad \frac{0.38 \times 1 \times 11,076.1 \times 3^2}{1000} = 37.9^k$

VDP

3-28-66

COMPANY	SHEET NO
---------	----------

SUBJECT

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

NdB

3-22-66

~~22,500 DWT TANKER LOADED
TOTAL WIND & CURRENT DRAG (40 KPH WIND)~~

VOID

~~$X=0^\circ \quad 1.7 + 2,987.6 \times 0.0063 = 20.5^k$~~

~~$X=10^\circ \quad 10.1 + 3,785.8 \times 0.0063 = 34.0^k$~~

~~$X=20^\circ \quad 27.0 + 5,533.8 \times 0.0063 = 61.9^k$~~

~~$X=30^\circ \quad 64.2 + 7,111.5 \times 0.0063 = 109.0^k$~~

~~22,500 DWT TANKER LIGHT
TOTAL WIND & CURRENT DRAG~~

~~$X=0^\circ \quad 0.6 + 4,347.8 \times 0.0063 = 28.0^k$~~

~~$X=10^\circ \quad 3.5 + 5,556.3 \times 0.0063 = 38.5^k$~~

~~$X=20^\circ \quad 9.4 + 9,020.3 \times 0.0063 = 66.2^k$~~

~~$X=30^\circ \quad 22.4 + 12,202.4 \times 0.0063 = 99.3^k$~~

~~46,000 DWT TANKER LOADED
TOTAL WIND & CURRENT DRAG~~

~~$X=0^\circ \quad 2.4 + 4,100.4 \times 0.0063 = 28.2^k$~~

~~$X=10^\circ \quad 14.7 + 5,092.6 \times 0.0063 = 46.8^k$~~

~~$X=20^\circ \quad 39.1 + 7,478.3 \times 0.0063 = 86.2^k$~~

~~$X=30^\circ \quad 72.8 + 9,641.1 \times 0.0063 = 153.5^k$~~

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

NdB

3-28-66

46,000 DWT TANKER LIGHT
TOTAL WIND & CURRENT DRAG

X=0° 0.9 + 6,303.6 x 0.0063 = 40.6^k

X=10° 5.1 + 7,782.1 x 0.0063 = 54.2^k

X=20° 13.6 + 12,915.1 x 0.0063 = 95.0^k

X=30° 32.9 + 17,583.9 x 0.0063 = 146.2^k

70,000 DWT TANKER LOADER
TOTAL WIND & CURRENT DRAG

X=0° 3.3 + 5,060.0 x 0.0063 = 35.2^k

X=10° 19.9 + 6,412.3 x 0.0063 = 60.3^k

X=20° 53.2 + 9,754.7 x 0.0063 = 114.7^k

X=30° 126.3 + 12,798.0 x 0.0063 = 206.9^k

70,000 DWT TANKER LIGHT
TOTAL WIND & CURRENT DRAG

X=0° 1.0 + 8,399.0 x 0.0063 = 53.6^k

X=10° 6.0 + 10,679.9 x 0.0063 = 73.3^k

X=20° 15.9 + 18,157.4 x 0.0063 = 130.3^k

X=30° 37.9 + 25,081.7 x 0.0063 = 195.9^k

COMPANY			SHEET NO		
SUBJECT COMPUTED INPUT FOR BUOY MOTION STUDY 0° HEADING					
DRAWING NUMBER		COMPUTER	CHECKED BY	DATE	
		NDC		3-28-66	

22,500 DWT TANKER LOADED MOORED IN 60' WD
PROPERTIES OF MOORING BUOY

X = 0°
 $T_h = 9.65$ $T_p = 11.4$ $T_R = 12.8$ $T_{su} = 83.7$ $T_{sw} = 83.7$ $T_y =$

X = 10°
 $T_h = 9.65$ $T_p = 10.3$ $T_R = 12.8$ $T_{su} = 83.7$ $T_{sw} = 83.7$ $T_y =$

X = 20°
 $T_h = 9.65$ $T_p = 10.1$ $T_R = 12.8$ $T_{su} = 83.7$ $T_{sw} = 83.7$ $T_y =$

X = 30°
 $T_h = 9.65$ $T_p = 9.1$ $T_R = 12.8$ $T_{su} = 83.7$ $T_{sw} = 83.7$ $T_y =$

22,500 DWT TANKER LIGHT MOORED IN 60' WD
PROPERTIES OF MOORING BUOY

X = 0°
 $T_h = 9.65$ $T_p = 11.1$ $T_R = 12.8$ $T_{su} = 83.7$ $T_{sw} = 83.7$ $T_y =$

X = 10°
 $T_h = 9.65$ $T_p = 10.75$ $T_R = 12.8$ $T_{su} = 83.7$ $T_{sw} = 83.7$ $T_y =$

X = 20°
 $T_h = 9.65$ $T_p = 10.0$ $T_R = 12.8$ $T_{su} = 83.7$ $T_{sw} = 83.7$ $T_y =$

X = 30°
 $T_h = 9.65$ $T_p = 9.3$ $T_R = 12.8$ $T_{su} = 83.7$ $T_{sw} = 83.7$ $T_y =$

COMPANY	SHEET NO.
---------	-----------

SUBJECT

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

NdB

3.28.66

22,500 DWT TANKER LOADED MOORED IN 150' WD
PROPERTIES OF MOORING BODY.

$X = 0^\circ$
 $T_h = 9.8$ $T_p = 9.9$ $T_R = 10.8$ MASS SU MASS SW
 $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

$X = 10^\circ$
 $T_h = 9.8$ $T_p = 9.55$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

$X = 20^\circ$
 $T_h = 9.8$ $T_p = 9.2$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

$X = 30^\circ$
 $T_h = 9.8$ $T_p = 8.25$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

22,500 DWT TANKER LIGHT MOORED IN 150' WD
PROPERTIES OF MOORING BODY

$X = 0^\circ$
 $T_h = 9.8$ $T_p = 9.7$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

$X = 10^\circ$
 $T_h = 9.8$ $T_p = 9.45$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

$X = 20^\circ$
 $T_h = 9.8$ $T_p = 8.95$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

$X = 30^\circ$
 $T_h = 9.8$ $T_p = 8.4$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

COMPANY	SHEET NO
---------	----------

SUBJECT

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

46,000 DWT TANKER LOADED MOORED IN 150' WD
PROPERTIES OF MOORING BUOY

$X = 0^\circ$ MASS SU MASS SW
 $T_n = 9.8$ $T_p = 9.7$ $T_R = 10.8$ $T_{SU} = 89.3$ $T_{SW} = 89.3$ $T_y =$

$X = 10^\circ$
 $T_n = 9.8$ $T_p = 9.3$ $T_R = 10.8$ $T_{SU} = 89.3$ $T_{SW} = 89.3$ $T_y =$

$X = 20^\circ$
 $T_n = 9.8$ $T_p = 8.6$ $T_R = 10.8$ $T_{SU} = 89.3$ $T_{SW} = 89.3$ $T_y =$

$X = 30^\circ$
 $T_n = 9.8$ $T_p = 7.7$ $T_R = 10.8$ $T_{SU} = 89.3$ $T_{SW} = 89.3$ $T_y =$

46,000 DWT TANKER LIGHT MOORED IN 150' WD
PROPERTIES OF MOORING BUOY

$X = 0^\circ$
 $T_n = 9.8$ $T_p = 9.95$ $T_R = 10.8$ $T_{SU} = 89.3$ $T_{SW} = 89.3$ $T_y =$

$X = 10^\circ$
 $T_n = 9.8$ $T_p = 9.15$ $T_R = 10.8$ $T_{SU} = 89.3$ $T_{SW} = 89.3$ $T_y =$

$X = 20^\circ$
 $T_n = 9.8$ $T_p = 8.45$ $T_R = 10.8$ $T_{SU} = 89.3$ $T_{SW} = 89.3$ $T_y =$

$X = 30^\circ$
 $T_n = 9.8$ $T_p = 7.8$ $T_R = 10.8$ $T_{SU} = 89.3$ $T_{SW} = 89.3$ $T_y =$

COMPANY	SHEET NO
---------	----------

SUBJECT

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

NdB

3-22-66

70,000 DWT TANKER LOADED MOORED IN 60' WD
PROPERTIES OF MOORING BUOY

$X = 0^\circ$ MASS SU MASS SW
 $T_h = 9.65$ $T_p = 12.85$ $T_R = 12.8$ $T_{SU} = 83.7$ $T_{SW} = 83.7$ $T_y =$

$X = 10^\circ$
 $T_h = 9.65$ $T_p = 10.15$ $T_R = 12.8$ $T_{SU} = 83.7$ $T_{SW} = 83.7$ $T_y =$

$X = 20^\circ$
 $T_h = 9.65$ $T_p = 9.0$ $T_R = 12.8$ $T_{SU} = 83.7$ $T_{SW} = 83.7$ $T_y =$

$X = 30^\circ$
 $T_h = 9.65$ $T_p = 7.75$ $T_R = 12.8$ $T_{SU} = 83.7$ $T_{SW} = 83.7$ $T_y =$

70,000 DWT TANKER LIGHT MOORED IN 60' WD
PROPERTIES OF MOORING BUOY

$X = 0^\circ$
 $T_h = 9.65$ $T_p = 10.3$ $T_R = 12.8$ $T_{SU} = 83.7$ $T_{SW} = 83.7$ $T_y =$

$X = 10^\circ$
 $T_h = 9.65$ $T_p = 9.8$ $T_R = 12.8$ $T_{SU} = 83.7$ $T_{SW} = 83.7$ $T_y =$

$X = 20^\circ$
 $T_h = 9.65$ $T_p = 8.7$ $T_R = 12.8$ $T_{SU} = 83.7$ $T_{SW} = 83.7$ $T_y =$

$X = 30^\circ$
 $T_h = 9.65$ $T_p = 7.85$ $T_R = 12.8$ $T_{SU} = 83.7$ $T_{SW} = 83.7$ $T_y =$

COMPANY	SHEET NO
---------	----------

SUBJECT

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

NAD

3-28-66

70,000 DWT TANKER LOADED MOORED IN 150' WP
PROPERTIES OF MOORING BUOY

$X = 0^\circ$
 $T_h = 9.8$ $T_p = 9.5$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

MASS SU

MASS SW

$X = 10^\circ$
 $T_h = 9.8$ $T_p = 9.0$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

$X = 20^\circ$
 $T_h = 9.8$ $T_p = 8.15$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

$X = 30^\circ$
 $T_h = 9.8$ $T_p = 7.2$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

70,000 DWT TANKER LIGHT MOORED IN 150' WP
PROPERTIES OF MOORING BUOY

$X = 0^\circ$
 $T_h = 9.8$ $T_p = 9.15$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

$X = 10^\circ$
 $T_h = 9.8$ $T_p = 8.8$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

$X = 20^\circ$
 $T_h = 9.8$ $T_p = 8.0$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

$X = 30^\circ$
 $T_h = 9.8$ $T_p = 7.3$ $T_R = 10.8$ $T_{SU} = 84.3$ $T_{SW} = 84.3$ $T_y =$

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & Co., INC.

COMPANY _____ SHEET NO _____

SUBJECT _____

DRAWING NUMBER _____ COMPUTER **NdB** CHECKED BY _____ DATE **3-28-66**

PERIOD OF SURGE 150'WD
22,500 DWT TANKER LOADED LIGHT

X = 0°	TSU = 17.1	TSU = 16.2
X = 10°	TSU = 15.6	TSU = 15.2
X = 20°	TSU = 13.35	TSU = 13.1
X = 30°	TSU = 10.8	TSU = 11.2

46,000 DWT TANKER LOADED LIGHT

X = 0°	TSU = 16.1	TSU = 15.05
X = 10°	TSU = 14.5	TSU = 13.9
X = 20°	TSU = 11.9	TSU = 11.15
X = 30°	TSU = 8.85	TSU = 9.25

70,000 DWT TANKER LOADED LIGHT

X = 0°	TSU = 15.5	TSU = 14.0
X = 10°	TSU = 13.5	TSU = 12.6
X = 20°	TSU = 10.5	TSU = 9.6
X = 30°	TSU = 7.0	TSU = 7.4

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

COMPANY _____ SHEET NO _____

SUBJECT _____

DRAWING NUMBER _____ COMPUTER **N 113** CHECKED BY _____ DATE **3-22-66**

BUOY PROPERTIES $L = B = 40'$
 \triangle 60' WD = 1,347.9 \llcorner
 \triangle 150' WD = 1,357.0 \llcorner

PERIOD OF SWAY 60' WD = 19.6 SEC.
 PERIOD OF SWAY 150' WD = 21.7 SEC
 PERIOD OF SURGE 60' WD

22,500 DWT TANKER LOADED

LIGHT

$X = 0^\circ$	$T_{SU} = 15.25$	$T_{SU} = 14.3$
$X = 90^\circ$	$T_{SU} = 13.8$	$T_{SU} = 13.4$
$X = 20^\circ$	$T_{SU} = 11.8$	$T_{SU} = 11.5$
$X = 30^\circ$	$T_{SU} = 9.25$	$T_{SU} = 9.75$

46,000 DWT TANKER LOADED

LIGHT

$X = 0^\circ$	$T_{SU} = 14.3$	$T_{SU} = 13.2$
$X = 10^\circ$	$T_{SU} = 12.7$	$T_{SU} = 12.2$
$X = 20^\circ$	$T_{SU} = 10.4$	$T_{SU} = 10.0$
$X = 30^\circ$	$T_{SU} = 7.3$	$T_{SU} = 7.7$

70,000 DWT TANKER LOADED

LIGHT

$X = 0^\circ$	$T_{SU} = 13.7$	$T_{SU} = 12.3$
$X = 10^\circ$	$T_{SU} = 11.85$	$T_{SU} = 11.1$
$X = 20^\circ$	$T_{SU} = 9.0$	$T_{SU} = 8.3$
$X = 30^\circ$	$T_{SU} = 5.7$	$T_{SU} = 6.0$

COMPANY	SHEET NO
---------	----------

SUBJECT

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

NdB

3-31-66

$X = 0^\circ \quad C_L = 0.00$

OK

$X = 10^\circ \quad C_L = 0.60$

$X = 20^\circ \quad C_L = 1.20$

$X = 30^\circ \quad C_L = 1.00$

22,500 DWT TANKER LOADED

60'WD

150'WD

2 KNT CURRENT LIFT

$X = 0^\circ \quad 0.0 \times 1 \times 18,766.1 \times 3^3 \times 0.001 = 0^k$

$T_{sw} = 19.10 \quad T_{sw} = 21.7$

$X = 10^\circ \quad 0.6 \times 1 \times 18,766.1 \times 3^3 \times 0.001 = 101.3^k$

$T_{sw} = 8.75 \quad T_{sw} = 11.10$

$X = 20^\circ \quad 1.2 \times 1 \times 18,766.1 \times 3^3 \times 0.001 = 202.7^k$

$T_{sw} = 5.8 \quad T_{sw} = 7.15$

$X = 30^\circ \quad 1.0 \times 1 \times 18,766.1 \times 3^3 \times 0.001 = 168.9^k$

$T_{sw} = 6.8 \quad T_{sw} = 8.3$

22,500 DWT TANKER LIGHT

2 KNT CURRENT LIFT

$X = 0^\circ \quad = 0^k$

$T_{sw} = 19.10 \quad T_{sw} = 21.7$

$X = 10^\circ \quad 0.6 \times 1 \times 6,545.0 \times 3^3 \times 0.001 = 35.3^k$

$T_{sw} = 13.60 \quad T_{sw} = 15.50$

$X = 20^\circ \quad 1.2 \times 1 \times 6,545.0 \times 3^3 \times 0.001 = 70.9^k$

$T_{sw} = 11.2 \quad T_{sw} = 12.80$

$X = 30^\circ \quad 1.0 \times 1 \times 6,545.0 \times 3^3 \times 0.001 = 58.9^k$

$T_{sw} = 11.9 \quad T_{sw} = 13.60$

46,000 DWT TANKER LOADED

2 KNT CURRENT LIFT

$X = 0^\circ \quad = 0^k$

$T_{sw} = 19.10 \quad T_{sw} = 21.7$

$X = 10^\circ \quad 0.6 \times 27,140.4 \times 3^3 \times 0.001 = 146.6^k$

$T_{sw} = 7.55 \quad T_{sw} = 9.10$

$X = 20^\circ \quad 1.2 \times 27,140.4 \times 3^3 \times 0.001 = 293.1^k$

$T_{sw} = 4.05 \quad T_{sw} = 5.00$

$X = 30^\circ \quad 1.0 \times 27,140.4 \times 3^3 \times 0.001 = 244.3^k$

$T_{sw} = 4.80 \quad T_{sw} = 6.05$

46,000 DWT TANKER LIGHT

2 KNT CURRENT LIFT

$X = 0^\circ \quad = 0^k$

$T_{sw} = 19.10 \quad T_{sw} = 21.70$

$X = 10^\circ \quad 0.6 \times 9,477.6 \times 3^3 \times 0.001 = 51.2^k$

$T_{sw} = 12.45 \quad T_{sw} = 14.20$

$X = 20^\circ \quad 1.2 \times 9,477.6 \times 3^3 \times 0.001 = 102.4^k$

$T_{sw} = 3.60 \quad T_{sw} = 11.10$

$X = 30^\circ \quad 1.0 \times 9,477.6 \times 3^3 \times 0.001 = 85.3^k$

$T_{sw} = 10.45 \quad T_{sw} = 12.00$

COMPANY	SHEET NO
---------	----------

SUBJECT	OK
---------	----

DRAWING NUMBER	COMPUTER NdB	CHECKED BY	DATE 3-31-66
----------------	--------------	------------	--------------

70,000 DWT TANKER LOADED
2 KNT CURRENT LIFT

$X = 0^\circ$	$= 0^k$	60'WD TSW = 19.10	150'WD TSW = 21.70
$X = 10^\circ$	$0.6 \times 36,920.4 \times 3^3 \times 0.001 = 199.4^k$	TSW = 5.00	TSW = 7.25
$X = 20^\circ$	$1.2 \times 36,920.4 \times 3^3 \times 0.001 = 398.7^k$	TSW = 2.00	TSW = 3.50
$X = 30^\circ$	$1.0 \times 36,920.4 \times 3^3 \times 0.001 = 332.3^k$	TSW = 3.55	TSW = 4.30

70,000 DWT TANKER LIGHT
2 KNT CURRENT LIFT

$X = 0^\circ$	$= 0^k$	60'WD TSW = 19.10	150'WD TSW = 21.70
$X = 10^\circ$	$0.6 \times 11,076.1 \times 3^3 \times 0.001 = 59.8^k$	TSW = 11.90	TSW = 13.55
$X = 20^\circ$	$1.2 \times 11,076.1 \times 3^3 \times 0.001 = 119.6^k$	TSW = 8.75	TSW = 10.30
$X = 30^\circ$	$1.0 \times 11,076.1 \times 3^3 \times 0.001 = 99.7^k$	TSW = 9.80	TSW = 11.20

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
	NAB		4-1-66
22,500 DWT TANKER LOADED			
X = 0°	P = 0 ^k	60'WD	150WP
X = 10°	P = 101.3 ^k	TR = 12.80	TR = 10.80
X = 20°	P = 202.7 ^k	= 9.75	= 9.75
X = 30°	P = 168.9 ^k	= 8.25	= 7.65
		= 8.70	= 7.95
22,500 DWT TANKER LIGHT			
X = 0°	P = 0	TR = 12.80	TR = 10.80
X = 10°	P = 35.3	= 11.30	= 9.90
X = 20°	P = 70.9	= 10.40	= 9.25
X = 30°	P = 58.9	= 10.70	= 9.95
46,000 DWT TANKER LOADED			
X = 0	P = 0	TR = 12.80	TR = 10.80
X = 10	P = 146.6	= 9.00	= 8.20
X = 20	P = 293.1	= 7.90	= 6.95
X = 30	P = 249.3	= 7.80	= 7.30
46,000 DWT TANKER LIGHT			
X = 0	P = 0	TR = 12.80	TR = 10.80
X = 10	P = 51.2	= 10.90	= 9.60
X = 20	P = 102.4	= 9.75	= 8.75
X = 30	P = 85.3	= 10.05	= 9.00
70,000 DWT TANKER LOADED			
X = 0	P = 0	TR = 12.80	TR = 10.80
X = 10	P = 199.4	= 8.35	= 7.70
X = 20	P = 398.7	= 6.70	= 6.40
X = 30	P = 332.3	= 7.15	= 6.75
70,000 DWT TANKER LIGHT			
X = 0	P = 0	TR = 12.80	TR = 10.80
X = 10	P = 59.8	= 10.65	= 9.95
X = 20	P = 119.6	= 9.40	= 8.50
X = 30	P = 99.7	= 9.80	= 8.80

COMPANY		SHEET NO.	
SUBJECT		DATE	
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
D = 40.0		(22,500 DWT TANKER LIGHT)	
W.D. 60'			
DISPL 1,347.4	M ₁ = 83.7	M ₂ = 83.7	M ₃ = 1.0
T _w = 10.0		H = 10.0	
E = 0.0	X = -16.0	Y = 0.0	A = 389.6
T _{s1} = 9.65	T _{s2} = 11.1	T _{s3} = 12.8	T _{s4} = 14.3
			T _{s5} = 19.16
			T _{s6} = 1.0
E = 10.0	X = 0.0	Y = -16.0	A = 217.2
T _{s1} = 9.65	T _{s2} = 10.75	T _{s3} = 11.30	T _{s4} = 13.4
			T _{s5} = 13.60
			T _{s6} = 1.0
E = 20.0	X = 0.0	Y = -16.0	A = 144.8
T _{s1} = 9.65	T _{s2} = 10.0	T _{s3} = 10.90	T _{s4} = 11.5
			T _{s5} = 11.20
			T _{s6} = 1.0
E = 30.0	X = 0.0	Y = -16.0	A = 72.4
T _{s1} = 9.65	T _{s2} = 9.3	T _{s3} = 10.70	T _{s4} = 9.75
			T _{s5} = 11.90
			T _{s6} = 1.0

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 0.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-
MAXIMUM AMPLITUDE	8.06	6.61	0.00	2.39	0.00
0.0 DEGREE AMPLITUDE	-5.57	1.13	0.00	-1.12	0.00
30.0 DEGREE AMPLITUDE	-1.90	4.24	0.00	.08	0.00
60.0 DEGREE AMPLITUDE	2.26	6.20	0.00	1.26	0.00
90.0 DEGREE AMPLITUDE	5.83	6.51	0.00	2.11	0.00
120.0 DEGREE AMPLITUDE	7.84	5.07	0.00	2.39	0.00
150.0 DEGREE AMPLITUDE	7.74	2.27	0.00	2.02	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-1.1226	0.0000	-5.89
30.0 DEGREE DISPLACEMENT	.0848	0.0000	-3.09
60.0 DEGREE DISPLACEMENT	1.2695	0.0000	.53
90.0 DEGREE DISPLACEMENT	2.1141	0.0000	4.01
120.0 DEGREE DISPLACEMENT	2.3922	0.0000	6.42
150.0 DEGREE DISPLACEMENT	2.0293	0.0000	7.11

MOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

BY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

.000 FEET

ONDS WAVE HEIGHT 10.000 FEET

GREES

HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
8.06	6.61	0.00	2.39	0.00	0.00
-5.57	1.13	0.00	-1.12	0.00	0.00
-1.90	4.24	0.00	.08	0.00	0.00
2.26	6.20	0.00	1.26	0.00	0.00
5.83	6.51	0.00	2.11	0.00	0.00
7.84	5.07	0.00	2.39	0.00	0.00
7.74	2.27	0.00	2.02	0.00	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

ENT	-1.1226	0.0000	-5.8905
ENT	.0848	0.0000	-3.0925
ENT	1.2695	0.0000	.5340
ENT	2.1141	0.0000	4.0175
ENT	2.3922	0.0000	6.4245
ENT	2.0293	0.0000	7.1101

2

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.07	6.95	1.11	2.89	.48	0.00
0.0 DEGREE AMPLITUDE	-1.80	-6.62	-.99	-1.54	-.25	0.00
30.0 DEGREE AMPLITUDE	-5.49	-6.79	-1.11	-2.55	-.42	0.00
60.0 DEGREE AMPLITUDE	-7.71	-5.14	-.92	-2.88	-.48	0.00
90.0 DEGREE AMPLITUDE	-7.86	-2.11	-.49	-2.43	-.41	0.00
120.0 DEGREE AMPLITUDE	-5.90	1.48	.06	-1.33	-.23	0.00
150.0 DEGREE AMPLITUDE	-2.36	4.67	.61	.11	.01	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-1.5429	-.2525	-1.5307
30.0 DEGREE DISPLACEMENT	-2.5541	-.4257	-5.1892
60.0 DEGREE DISPLACEMENT	-2.8809	-.4849	-7.4574
90.0 DEGREE DISPLACEMENT	-2.4357	-.4141	-7.7273
120.0 DEGREE DISPLACEMENT	-1.3379	-.2324	-5.9267
150.0 DEGREE DISPLACEMENT	.1183	.0116	-2.5380

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 20.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-
MAXIMUM AMPLITUDE	8.07	7.31	2.57	4.55	1.80
0.0 DEGREE AMPLITUDE	5.37	3.88	-1.05	.38	0.00
30.0 DEGREE AMPLITUDE	1.63	6.46	-2.08	-1.94	-.90
60.0 DEGREE AMPLITUDE	-2.53	7.30	-2.55	-3.74	-1.36
90.0 DEGREE AMPLITUDE	-6.02	6.19	-2.34	-4.54	-1.80
120.0 DEGREE AMPLITUDE	-7.90	3.42	-1.50	-4.12	-1.55
150.0 DEGREE AMPLITUDE	-7.66	-.26	-.26	-2.60	-.89

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	.3807	-.0026	5.6648
30.0 DEGREE DISPLACEMENT	-1.9422	-.9030	2.2192
60.0 DEGREE DISPLACEMENT	-3.7448	-1.5615	-1.8210
90.0 DEGREE DISPLACEMENT	-4.5440	-1.8016	-5.3732
120.0 DEGREE DISPLACEMENT	-4.1255	-1.5569	-7.4857
150.0 DEGREE DISPLACEMENT	-2.6017	-.8985	-7.5924

DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

BODY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

60.000 FEET

SECONDS WAVE HEIGHT 10.000 FEET

0 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
	8.07	7.31	2.57	4.55	1.80	0.00
TUDE	5.37	3.88	-1.05	.38	0.00	0.00
TUDE	1.63	6.46	-2.08	-1.94	-.90	0.00
TUDE	-2.53	7.30	-2.55	-3.74	-1.56	0.00
TUDE	-6.02	6.19	-2.34	-4.54	-1.80	0.00
TUDE	-7.90	3.42	-1.50	-4.12	-1.55	0.00
TUDE	-7.66	-.26	-.26	-2.60	-.89	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

ACEMENT	.3807	-.0026	5.6648
ACEMENT	-1.9422	-.9030	2.2192
ACEMENT	-3.7448	-1.5615	-1.8210
ACEMENT	-4.5440	-1.8016	-5.3732
ACEMENT	-4.1255	-1.5589	-7.4857
ACEMENT	-2.6017	-.8985	-7.5924

2

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 30.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-
MAXIMUM AMPLITUDE	8.08	6.86	3.59	5.86	2.17
0.0 DEGREE AMPLITUDE	8.06	-0.57	1.95	-1.75	1.91
30.0 DEGREE AMPLITUDE	7.21	2.92	.18	1.27	1.14
60.0 DEGREE AMPLITUDE	4.42	5.63	-1.63	3.96	.06
90.0 DEGREE AMPLITUDE	.45	6.84	-3.01	5.59	-1.02
120.0 DEGREE AMPLITUDE	-3.64	6.21	-3.58	5.72	-1.84
150.0 DEGREE AMPLITUDE	-6.76	3.92	-3.20	4.31	-2.16

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-1.7577	1.9109	7.5216
30.0 DEGREE DISPLACEMENT	1.2731	1.1400	7.1614
60.0 DEGREE DISPLACEMENT	3.9628	.0635	4.8822
90.0 DEGREE DISPLACEMENT	5.5907	-1.0298	1.2949
120.0 DEGREE DISPLACEMENT	5.7206	-1.8473	-2.6394
150.0 DEGREE DISPLACEMENT	4.3176	-2.1698	-5.8665

RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

PLACEMENT, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

T BUDY 60.000 FEET

10.000 SECONDS WAVE HEIGHT 10.000 FEET

30.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
TUDE	8.08	6.86	3.59	5.86	2.17	0.00
AMPLITUDE	8.06	-0.57	1.95	-1.75	1.91	0.00
AMPLITUDE	7.21	2.92	.18	1.27	1.14	0.00
AMPLITUDE	4.42	5.63	-1.63	3.96	.06	0.00
AMPLITUDE	.45	6.84	-3.01	5.59	-1.02	0.00
AMPLITUDE	-3.64	6.21	-3.58	5.72	-1.84	0.00
AMPLITUDE	-6.76	3.92	-3.20	4.31	-2.16	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
DISPLACEMENT	-1.7577	1.9109	7.5216
DISPLACEMENT	1.2731	1.1400	7.1614
DISPLACEMENT	3.9628	.0635	4.8822
DISPLACEMENT	5.5907	-1.0298	1.2949
DISPLACEMENT	5.7206	-1.8473	-2.6394
DISPLACEMENT	4.3176	-2.1698	-5.8665

J

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

COMPANY _____ SHEET NO. CAES

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

$D = 40'$ (22,500 DWT TANKER LOADER)
 $W.D. = 60'$
 $DISPL = 1,347.4$ $M_1 = 83.7$ $M_2 = 83.7$ $M_3 = 1.0$
 $TW = 10.0$ $H = 10.0$

$E = 0.0$
 $TS_1 = 9.65$ $TS_2 = 11.4$ $TS_3 = 12.8$ $TS_4 = 15.25$ $TS_5 = 19.10$ $TS_6 = 1.0$
 $x = -16.0$ $y = 0$ $A = 389.6$

$E = 10.0$
 $TS_1 = 9.65$ $TS_2 = 10.9$ $TS_3 = 9.75$ $TS_4 = 13.8$ $TS_5 = 8.75$ $TS_6 = 1.0$
 $x = 0.0$ $y = -16.0$ $A = 217.2$

$E = 20.0$
 $TS_1 = 9.65$ $TS_2 = 10.1$ $TS_3 = 8.25$ $TS_4 = 11.8$ $TS_5 = 5.8$ $TS_6 = 1.0$
 $x = 0.0$ $y = -16.0$ $A = 144.8$

$E = 30.0$
 $TS_1 = 9.65$ $TS_2 = 9.1$ $TS_3 = 8.70$ $TS_4 = 9.25$ $TS_5 = 6.8$ $TS_6 = 1.0$
 $x = 0.0$ $y = -16.0$ $A = 72.4$

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 0.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-
MAXIMUM AMPLITUDE	8.06	6.21	0.00	1.98	0.00
0.0 DEGREE AMPLITUDE	-5.57	.59	0.00	-1.00	0.00
30.0 DEGREE AMPLITUDE	-1.90	3.61	0.00	-.01	0.00
60.0 DEGREE AMPLITUDE	2.26	5.65	0.00	.98	0.00
90.0 DEGREE AMPLITUDE	5.83	6.18	0.00	1.71	0.00
120.0 DEGREE AMPLITUDE	7.84	5.05	0.00	1.98	0.00
150.0 DEGREE AMPLITUDE	7.74	2.57	0.00	1.72	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-1.0037	0.0000	-5.7400
30.0 DEGREE DISPLACEMENT	-.0119	0.0000	-2.9168
60.0 DEGREE DISPLACEMENT	.9831	0.0000	.6880
90.0 DEGREE DISPLACEMENT	1.7147	0.0000	4.1085
120.0 DEGREE DISPLACEMENT	1.9863	0.0000	5.4281
150.0 DEGREE DISPLACEMENT	1.7266	0.0000	7.0253

AY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

ATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

BUOY 60.000 FEET

0.000 SECONDS WAVE HEIGHT 10.000 FEET

0.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG--
BUOY	8.06	6.21	0.00	1.98	0.00	0.00
AMPLITUDE	-5.57	.59	0.00	-1.00	0.00	0.00
AMPLITUDE	-1.90	3.61	0.00	-.01	0.00	0.00
AMPLITUDE	2.26	5.65	0.00	.98	0.00	0.00
AMPLITUDE	5.83	6.18	0.00	1.71	0.00	0.00
AMPLITUDE	7.84	5.05	0.00	1.98	0.00	0.00
AMPLITUDE	7.74	2.57	0.00	1.72	0.00	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
DISPLACEMENT	-1.0037	0.0000	5.7400
DISPLACEMENT	-.0119	0.0000	2.9168
DISPLACEMENT	.9831	0.0000	.6880
DISPLACEMENT	1.7147	0.0000	4.1085
DISPLACEMENT	1.9868	0.0000	8.4281
DISPLACEMENT	1.7266	0.0000	7.0253

2

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-
MAXIMUM AMPLITUDE	8.07	6.76	1.38	2.62	1.08
0.0 DEGREE AMPLITUDE	-1.80	-6.34	1.38	-1.33	.99
30.0 DEGREE AMPLITUDE	-5.49	-6.66	1.17	-2.28	.64
60.0 DEGREE AMPLITUDE	-7.71	-5.20	.65	-2.62	.12
90.0 DEGREE AMPLITUDE	-7.86	-2.34	-.04	-2.26	-.42
120.0 DEGREE AMPLITUDE	-5.90	1.14	-.73	-1.29	-.86
150.0 DEGREE AMPLITUDE	-2.36	4.32	-1.22	.02	-1.07
		LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT	
0.0 DEGREE DISPLACEMENT		-1.3335	.9931	-2.1955	
30.0 DEGREE DISPLACEMENT		-2.2872	.6463	-5.8276	
60.0 DEGREE DISPLACEMENT		-2.6281	.1263	-7.8982	
90.0 DEGREE DISPLACEMENT		-2.2647	-.4275	-7.8525	
120.0 DEGREE DISPLACEMENT		-1.2945	-.8668	-5.7027	
150.0 DEGREE DISPLACEMENT		.0224	-1.0738	-2.0248	

RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

LATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

T BUOY 60.000 FEET

10.000 SECONDS WAVE HEIGHT 10.000 FEET

10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
TUDE	8.07	6.76	1.38	2.62	1.08	0.00
AMPLITUDE	-1.80	-6.34	1.38	-1.33	.99	0.00
AMPLITUDE	-5.49	-6.66	1.17	-2.28	.64	0.00
AMPLITUDE	-7.71	-5.20	.65	-2.62	.12	0.00
AMPLITUDE	-7.86	-2.34	-.04	-2.26	-.42	0.00
AMPLITUDE	-5.90	1.14	-.73	-1.29	-.86	0.00
AMPLITUDE	-2.36	4.32	-1.22	.02	-1.07	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
DISPLACEMENT	-1.3335	.9931	-2.1955
DISPLACEMENT	-2.2872	.6463	-5.8276
DISPLACEMENT	-2.6281	.1263	-7.8982
DISPLACEMENT	-2.2647	-.4275	-7.8525
DISPLACEMENT	-1.2945	-.8668	-5.7027
DISPLACEMENT	.0224	-1.0738	-2.0248

2

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY, 60.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 20.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-
MAXIMUM AMPLITUDE	8.07	7.24	2.49	4.19	1.23
0.0 DEGREE AMPLITUDE	5.37	-3.63	2.27	.65	1.23
30.0 DEGREE AMPLITUDE	1.63	-6.28	2.47	-1.50	1.07
60.0 DEGREE AMPLITUDE	-2.53	-7.24	2.02	-3.26	.63
90.0 DEGREE AMPLITUDE	-6.02	-6.27	1.02	-4.14	.01
120.0 DEGREE AMPLITUDE	-7.90	-3.61	-.24	-3.91	-.60
150.0 DEGREE AMPLITUDE	-7.66	0.00	-1.45	-2.63	-1.06

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	.6507	1.2368	4.7375
30.0 DEGREE DISPLACEMENT	-1.5073	1.0783	.9451
60.0 DEGREE DISPLACEMENT	-3.2615	.6309	-3.1003
90.0 DEGREE DISPLACEMENT	-4.1418	.0143	-6.3151
120.0 DEGREE DISPLACEMENT	-3.9123	-.6059	-7.8378
150.0 DEGREE DISPLACEMENT	-2.6345	-1.0639	-7.2603

Y MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

ITION. BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

BUOY 60.000 FEET

0.000 SECONDS WAVE HEIGHT 10.000 FEET

0.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
IDE	8.07	7.24	2.49	4.19	1.23	0.00
AMPLITUDE	5.37	-3.63	2.27	.65	1.23	0.00
AMPLITUDE	1.63	-6.28	2.47	-1.50	1.07	0.00
AMPLITUDE	-2.53	-7.24	2.02	-3.26	.63	0.00
AMPLITUDE	-6.02	-6.27	1.02	-4.14	.01	0.00
AMPLITUDE	-7.90	-3.61	-.24	-3.91	-.60	0.00
AMPLITUDE	-7.66	0.00	-1.45	-2.63	-1.06	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
DISPLACEMENT	.6507	1.2368	4.7375
DISPLACEMENT	-1.5073	1.0783	.9451
DISPLACEMENT	-3.2615	.6309	-3.1003
DISPLACEMENT	-4.1418	.0143	-6.3151
DISPLACEMENT	-3.9123	-.6059	-7.8378
DISPLACEMENT	-2.6345	-1.0639	-7.2603

2

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BODY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 30.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.08	6.81	3.84	5.76	2.13	0.00
0.0 DEGREE AMPLITUDE	8.06	-.09	.45	-.43	1.14	0.00
30.0 DEGREE AMPLITUDE	7.21	3.32	2.29	2.49	1.88	0.00
60.0 DEGREE AMPLITUDE	4.42	5.85	3.53	4.75	2.12	0.00
90.0 DEGREE AMPLITUDE	.45	6.81	3.81	5.74	1.79	0.00
120.0 DEGREE AMPLITUDE	-3.64	5.94	3.08	5.19	.98	0.00
150.0 DEGREE AMPLITUDE	-6.76	3.48	1.51	3.25	-.08	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-.4374	1.1423	7.9421
30.0 DEGREE DISPLACEMENT	2.4940	1.8890	6.5717
60.0 DEGREE DISPLACEMENT	4.7571	2.1296	3.4405
90.0 DEGREE DISPLACEMENT	5.7456	1.7996	-.6126
120.0 DEGREE DISPLACEMENT	5.1946	.9873	-4.5015
150.0 DEGREE DISPLACEMENT	3.2516	-.0894	-7.1843

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

COMPANY _____ SHEET NO **CASE 8**

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

D = 40.0 (70,000 DWT TANKER LIGHT)

M.P. = 60.0
DISPL = 1,347.4 M₁ = 83.7 M₂ = 83.7 M₃ = 1.0

T_w = 12.0 H = 10.0

E = 0.0 X = -16.0 Y = 0.0 A = 519.55
T_{S1} = 9.65 T_{S2} = 10.30 T_{S3} = 12.80 T_{S4} = 12.30 T_{S5} = 19.10 T_{S6} = 1.0

E = 10.0 X = 0.0 Y = -16.0 A = 314.66
T_{S1} = 9.65 T_{S2} = 9.8 T_{S3} = 10.65 T_{S4} = 11.1 T_{S5} = 11.90 T_{S6} = 1.0

E = 20.0 X = 0.0 Y = -16.0 A = 209.77
T_{S1} = 9.65 T_{S2} = 8.7 T_{S3} = 9.40 T_{S4} = 8.3 T_{S5} = 8.75 T_{S6} = 1.0

E = 30.0 X = 0.0 Y = -16.0 A = 109.89
T_{S1} = 9.65 T_{S2} = 7.85 T_{S3} = 9.80 T_{S4} = 6.0 T_{S5} = 9.80 T_{S6} = 1.0

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 0.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.04	5.23	0.00	6.49	0.00	0.00
0.0 DEGREE AMPLITUDE	-5.70	-3.23	0.00	-.15	0.00	0.00
30.0 DEGREE AMPLITUDE	-2.09	-4.85	0.00	3.10	0.00	0.00
60.0 DEGREE AMPLITUDE	2.06	-5.18	0.00	5.54	0.00	0.00
90.0 DEGREE AMPLITUDE	5.67	-4.12	0.00	6.49	0.00	0.00
120.0 DEGREE AMPLITUDE	7.76	-1.95	0.00	5.70	0.00	0.00
150.0 DEGREE AMPLITUDE	7.77	.73	0.00	3.38	0.00	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-.1592	0.0000	-4.7995
30.0 DEGREE DISPLACEMENT	3.1086	0.0000	-.7432
60.0 DEGREE DISPLACEMENT	5.5436	0.0000	3.5121
90.0 DEGREE DISPLACEMENT	6.4931	0.0000	6.8265
120.0 DEGREE DISPLACEMENT	5.7029	0.0000	8.3117
150.0 DEGREE DISPLACEMENT	3.3845	0.0000	7.5698

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.04	4.89	.94	6.56	1.16	0.00
0.0 DEGREE AMPLITUDE	-4.33	4.12	.88	6.40	1.16	0.00
30.0 DEGREE AMPLITUDE	-7.14	2.25	.59	4.82	1.05	0.00
60.0 DEGREE AMPLITUDE	-8.03	-.21	.15	1.94	.66	0.00
90.0 DEGREE AMPLITUDE	-6.77	-2.62	-.33	-1.44	.09	0.00
120.0 DEGREE AMPLITUDE	-3.69	-4.33	-.72	-4.45	-.49	0.00
150.0 DEGREE AMPLITUDE	.36	-4.88	-.92	-6.26	-.95	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	6.4033	1.1641	-4.5848
30.0 DEGREE DISPLACEMENT	4.8226	1.0576	-7.3123
60.0 DEGREE DISPLACEMENT	1.9496	.6678	-8.0803
90.0 DEGREE DISPLACEMENT	-1.4456	.0990	-6.6833
120.0 DEGREE DISPLACEMENT	-4.4536	-.4962	-3.4955
150.0 DEGREE DISPLACEMENT	-6.2682	-.9585	.6289

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 20.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.04	4.05	1.62	4.10	1.60	0.00
0.0 DEGREE AMPLITUDE	3.06	3.97	1.54	4.07	1.58	0.00
30.0 DEGREE AMPLITUDE	-1.07	3.84	1.59	3.75	1.50	0.00
60.0 DEGREE AMPLITUDE	-4.91	2.68	1.20	2.43	1.02	0.00
90.0 DEGREE AMPLITUDE	-7.44	.79	.50	.45	.26	0.00
120.0 DEGREE AMPLITUDE	-7.97	-1.29	-.34	-1.64	-.56	0.00
150.0 DEGREE AMPLITUDE	-6.37	-3.04	-1.09	-3.30	-1.23	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	4.0761	1.5816	2.6279
30.0 DEGREE DISPLACEMENT	3.7571	1.5026	-1.5157
60.0 DEGREE DISPLACEMENT	2.4314	1.0209	-5.2533
90.0 DEGREE DISPLACEMENT	.4542	.2657	-7.5833
120.0 DEGREE DISPLACEMENT	-1.6446	-.5607	-7.8813
150.0 DEGREE DISPLACEMENT	-3.3029	-1.2369	-6.0675

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 30.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.05	3.35	2.49	2.82	2.80	0.00
0.0 DEGREE AMPLITUDE	7.74	1.80	.67	1.84	.86	0.00
30.0 DEGREE AMPLITUDE	5.61	2.97	1.78	2.66	2.08	0.00
60.0 DEGREE AMPLITUDE	1.97	3.34	2.42	2.77	2.73	0.00
90.0 DEGREE AMPLITUDE	-2.19	2.82	2.40	2.14	2.66	0.00
120.0 DEGREE AMPLITUDE	-5.77	1.54	1.74	.93	1.87	0.00
150.0 DEGREE AMPLITUDE	-7.80	-.15	.61	-.52	.58	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

0.0 DEGREE DISPLACEMENT	1.8426	.8629	7.5583
30.0 DEGREE DISPLACEMENT	2.6680	2.0801	5.1118
60.0 DEGREE DISPLACEMENT	2.7784	2.7399	1.2956
90.0 DEGREE DISPLACEMENT	2.1444	2.6655	-2.8677
120.0 DEGREE DISPLACEMENT	.9357	1.8769	-5.2627
150.0 DEGREE DISPLACEMENT	-.5236	.5854	-7.9796

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

COMPANY _____ SHEET NO. CASE 7

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

$D = 40.0$ (20000 DWT TANKER LOADED)

$W.D. = 60.0$

$DISPL. = 1397.4$ $M_1 = 83.7$ $M_2 = 83.7$ $M_3 = 110$

$TW = 12.0$ $H = 10.0$

$E = 0.0$ $X = -16.0$ $Y = 0.0$ $A = 519.55$
 $TS_1 = 9.65$ $TS_2 = 10.85$ $TS_3 = 12.90$ $TS_4 = 13.7$ $TS_5 = 19.10$ $TS_6 = 1.0$

$E = 10.0$ $X = 0.0$ $Y = -16.0$ $A = 314.66$
 $TS_1 = 9.65$ $TS_2 = 10.15$ $TS_3 = 8.35$ $TS_4 = 11.85$ $TS_5 = 5.90$ $TS_6 = 1.0$

$E = 20.0$ $X = 0.0$ $Y = -16.0$ $A = 209.77$
 $TS_1 = 9.65$ $TS_2 = 9.0$ $TS_3 = 6.20$ $TS_4 = 9.0$ $TS_5 = 2.90$ $TS_6 = 1.0$

$E = 30.0$ $X = 0.0$ $Y = -16.0$ $A = 109.89$
 $TS_1 = 9.65$ $TS_2 = 7.75$ $TS_3 = 7.15$ $TS_4 = 5.7$ $TS_5 = 3.55$ $TS_6 = 1.0$

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.04	5.08	.72	6.64	.56	0.00
0.0 DEGREE AMPLITUDE	-4.33	4.48	.49	6.62	.29	0.00
30.0 DEGREE AMPLITUDE	-7.14	2.69	.17	5.95	.02	0.00
60.0 DEGREE AMPLITUDE	-8.03	.18	-.20	3.69	-.26	0.00
90.0 DEGREE AMPLITUDE	-6.77	-2.38	-.52	.43	-.47	0.00
120.0 DEGREE AMPLITUDE	-3.69	-4.30	-.70	-2.93	-.56	0.00
150.0 DEGREE AMPLITUDE	.36	-5.07	-.69	-5.52	-.49	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	6.6285	.2998	-4.4777
30.0 DEGREE DISPLACEMENT	5.9574	.0226	-7.1930
60.0 DEGREE DISPLACEMENT	3.6900	-.2606	-7.9810
90.0 DEGREE DISPLACEMENT	.4338	-.4740	-6.6304
120.0 DEGREE DISPLACEMENT	-2.9384	-.5604	-3.5032
150.0 DEGREE DISPLACEMENT	-5.5235	-.4967	.5626

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 0.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.04	5.45	0.00	4.97	0.00	0.00
0.0 DEGREE AMPLITUDE	-5.70	-2.69	0.00	-2.15	0.00	0.00
30.0 DEGREE AMPLITUDE	-2.09	-4.70	0.00	.37	0.00	0.00
60.0 DEGREE AMPLITUDE	2.06	-5.45	0.00	2.80	0.00	0.00
90.0 DEGREE AMPLITUDE	5.67	-4.73	0.00	4.48	0.00	0.00
120.0 DEGREE AMPLITUDE	7.76	-2.75	0.00	4.96	0.00	0.00
150.0 DEGREE AMPLITUDE	7.77	-.03	0.00	4.11	0.00	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-2.1599	0.0000	-4.9483
30.0 DEGREE DISPLACEMENT	.3719	0.0000	-.7857
60.0 DEGREE DISPLACEMENT	2.8041	0.0000	3.5874
90.0 DEGREE DISPLACEMENT	4.4850	0.0000	6.9992
120.0 DEGREE DISPLACEMENT	4.9641	0.0000	8.5357
150.0 DEGREE DISPLACEMENT	4.1130	0.0000	7.7850

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 30.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.05	3.31	1.79	2.74	1.35	0.00
0.0 DEGREE AMPLITUDE	7.74	1.81	1.05	1.81	.93	0.00
30.0 DEGREE AMPLITUDE	5.61	2.95	1.63	2.60	1.30	0.00
60.0 DEGREE AMPLITUDE	1.97	3.30	1.78	2.69	1.32	0.00
90.0 DEGREE AMPLITUDE	-2.19	2.77	1.44	2.06	.98	0.00
120.0 DEGREE AMPLITUDE	-5.77	1.49	.72	.88	.38	0.00
150.0 DEGREE AMPLITUDE	-7.80	-.18	-.19	-.53	-.32	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	1.8119	.9386	7.4527
30.0 DEGREE DISPLACEMENT	2.6017	1.3047	5.1542
60.0 DEGREE DISPLACEMENT	2.6943	1.3213	1.4747
90.0 DEGREE DISPLACEMENT	2.0650	.9838	-2.5999
120.0 DEGREE DISPLACEMENT	.8823	.3827	-5.9779
150.0 DEGREE DISPLACEMENT	-.5367	-.3209	-7.7541

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 20.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.04	4.22	1.10	4.59	.90	0.00
0.0 DEGREE AMPLITUDE	3.06	4.09	1.10	4.49	.89	0.00
30.0 DEGREE AMPLITUDE	-1.07	4.05	.94	4.35	.73	0.00
60.0 DEGREE AMPLITUDE	-4.91	2.92	.53	3.05	.36	0.00
90.0 DEGREE AMPLITUDE	-7.44	1.01	-.02	.92	-.09	0.00
120.0 DEGREE AMPLITUDE	-7.97	-1.16	-.57	-1.44	-.52	0.00
150.0 DEGREE AMPLITUDE	-6.37	-3.04	-.97	-3.43	-.82	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	4.4991	.8970	2.7512
30.0 DEGREE DISPLACEMENT	4.3590	.7314	-1.3359
60.0 DEGREE DISPLACEMENT	3.0509	.3699	-5.0652
90.0 DEGREE DISPLACEMENT	.9253	-.0907	-7.4372
120.0 DEGREE DISPLACEMENT	-1.4482	-.5271	-7.8165
150.0 DEGREE DISPLACEMENT	-3.4337	-.8222	-6.1012

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY MCDERMOTT & CO., INC.

COMPANY _____ SHEET NO. **CASE 10**

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

$D = 40.0$ (22,500 DWT TANKER LIGHT)

$W.D. = 150$
 $DISP = 1350.7$ $M_1 = 84.3$ $M_2 = 84.3$ $M_3 = 1.0$

$TW = 10.0$ $H = 10.0$

$E = 0.0$ $X = -16.0$ $Y = 0.0$ $A = 389.6$
 $TS_1 = 9.8$ $TS_2 = 9.7$ $TS_3 = 10.80$ $TS_4 = 16.2$ $TS_5 = 21.7$ $TS_6 = 1.0$

$E = 10.0$ $X = 0.0$ $Y = -16.0$ $A = 217.2$
 $TS_1 = 9.8$ $TS_2 = 9.45$ $TS_3 = 9.9$ $TS_4 = 15.2$ $TS_5 = 15.5$ $TS_6 = 1.0$

$E = 20.0$ $X = 0.0$ $Y = -16.0$ $A = 144.8$
 $TS_1 = 9.8$ $TS_2 = 8.95$ $TS_3 = 9.25$ $TS_4 = 13.1$ $TS_5 = 12.8$ $TS_6 = 1.0$

$E = 30.0$ $X = 0.0$ $Y = -16.0$ $A = 72.9$
 $TS_1 = 9.8$ $TS_2 = 8.40$ $TS_3 = 9.45$ $TS_4 = 11.2$ $TS_5 = 13.6$ $TS_6 = 1.0$

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 0.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.01	7.91	0.00	1.67	0.00	0.00
0.0 DEGREE AMPLITUDE	-5.71	-4.69	0.00	-.88	0.00	0.00
30.0 DEGREE AMPLITUDE	-2.13	-7.24	0.00	-.05	0.00	0.00
60.0 DEGREE AMPLITUDE	2.01	-7.86	0.00	.79	0.00	0.00
90.0 DEGREE AMPLITUDE	5.62	-6.36	0.00	1.42	0.00	0.00
120.0 DEGREE AMPLITUDE	7.72	-3.16	0.00	1.67	0.00	0.00
150.0 DEGREE AMPLITUDE	7.75	.87	0.00	1.47	0.00	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-.8831	0.0000	-4.4005
30.0 DEGREE DISPLACEMENT	-.0511	0.0000	-.1105
60.0 DEGREE DISPLACEMENT	.7946	0.0000	4.2091
90.0 DEGREE DISPLACEMENT	1.4274	0.0000	7.4009
120.0 DEGREE DISPLACEMENT	1.6777	0.0000	8.6097
150.0 DEGREE DISPLACEMENT	1.4785	0.0000	7.5114

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.01	7.82	1.37	1.96	.32	0.00
0.0 DEGREE AMPLITUDE	-1.55	7.73	1.37	-.87	-.14	0.00
30.0 DEGREE AMPLITUDE	-5.27	6.14	1.20	-1.63	-.27	0.00
60.0 DEGREE AMPLITUDE	-7.58	2.89	.71	-1.96	-.32	0.00
90.0 DEGREE AMPLITUDE	-7.86	-1.12	.02	-1.76	-.29	0.00
120.0 DEGREE AMPLITUDE	-6.03	-4.84	-.66	-1.08	-.18	0.00
150.0 DEGREE AMPLITUDE	-2.58	-7.26	-1.17	-.12	-.02	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-.8735	-.1430	-1.9378
30.0 DEGREE DISPLACEMENT	-1.6370	-.2716	-5.6137
60.0 DEGREE DISPLACEMENT	-1.9619	-.3274	-7.7855
90.0 DEGREE DISPLACEMENT	-1.7610	-.2954	-7.8711
120.0 DEGREE DISPLACEMENT	-1.0883	-.1843	-5.8476
150.0 DEGREE DISPLACEMENT	-.1240	-.0238	-2.2573

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 20.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG
MAXIMUM AMPLITUDE	8.01	7.31	2.73	2.94	1.15	0.0
0.0 DEGREE AMPLITUDE	5.51	5.88	2.02	1.03	.36	0.0
30.0 DEGREE AMPLITUDE	1.86	7.27	2.66	-.48	-.22	0.0
60.0 DEGREE AMPLITUDE	-2.28	6.70	2.60	-1.87	-.76	0.0
90.0 DEGREE AMPLITUDE	-5.91	4.33	1.83	-2.75	-1.09	0.0
120.0 DEGREE AMPLITUDE	-7.79	.81	.58	-2.90	-1.13	0.0
150.0 DEGREE AMPLITUDE	-7.68	-2.93	-.83	-2.27	-.86	0.0

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	1.0373	.3694	4.9526
30.0 DEGREE DISPLACEMENT	-.4808	-.2284	1.1226
60.0 DEGREE DISPLACEMENT	-1.8702	-.7651	-3.0082
90.0 DEGREE DISPLACEMENT	-2.7585	-1.0968	-6.3330
120.0 DEGREE DISPLACEMENT	-2.9076	-1.1346	-7.9609
150.0 DEGREE DISPLACEMENT	-2.2776	-.8684	-7.4556

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 20.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.01	7.31	2.73	2.94	1.15	0.00
0.0 DEGREE AMPLITUDE	5.51	5.88	2.02	1.03	.36	0.00
30.0 DEGREE AMPLITUDE	1.86	7.27	2.66	-.48	-.22	0.00
60.0 DEGREE AMPLITUDE	-2.28	6.70	2.60	-1.87	-.76	0.00
90.0 DEGREE AMPLITUDE	-5.81	4.33	1.83	-2.75	-1.09	0.00
120.0 DEGREE AMPLITUDE	-7.79	.81	.58	-2.90	-1.13	0.00
150.0 DEGREE AMPLITUDE	-7.68	-2.93	-.83	-2.27	-.86	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	1.0373	.3694	4.9526
30.0 DEGREE DISPLACEMENT	-.4808	-.2284	1.1226
60.0 DEGREE DISPLACEMENT	-1.8702	-.7651	-3.0082
90.0 DEGREE DISPLACEMENT	-2.7585	-1.0968	-6.3330
120.0 DEGREE DISPLACEMENT	-2.9076	-1.1346	-7.9609
150.0 DEGREE DISPLACEMENT	-2.2776	-.8684	-7.4556

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BODY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 30.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.02	6.37	4.00	4.54	1.39	0.00
0.0 DEGREE AMPLITUDE	7.99	1.30	-.55	3.55	1.34	0.00
30.0 DEGREE AMPLITUDE	7.27	4.25	1.50	1.66	.98	0.00
60.0 DEGREE AMPLITUDE	4.60	6.05	3.16	-.67	.35	0.00
90.0 DEGREE AMPLITUDE	.69	6.24	3.97	-2.83	-.36	0.00
120.0 DEGREE AMPLITUDE	-3.39	4.75	3.71	-4.22	-.98	0.00
150.0 DEGREE AMPLITUDE	-6.57	1.98	2.46	-4.49	-1.34	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	3.5526	1.3431	8.1488
30.0 DEGREE DISPLACEMENT	1.6603	.9806	6.8514
60.0 DEGREE DISPLACEMENT	-.6769	.3554	3.7181
90.0 DEGREE DISPLACEMENT	-2.8328	-.3650	-.4114
120.0 DEGREE DISPLACEMENT	-4.2296	-.9876	-4.4307
150.0 DEGREE DISPLACEMENT	-4.4931	-1.3456	-7.2628

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.01	7.81	1.34	1.82	.93	0.00
0.0 DEGREE AMPLITUDE	-1.55	7.77	1.24	-.79	-.77	0.00
30.0 DEGREE AMPLITUDE	-5.27	6.31	.82	-1.51	-.93	0.00
60.0 DEGREE AMPLITUDE	-7.58	3.16	.18	-1.82	-.83	0.00
90.0 DEGREE AMPLITUDE	-7.86	-.83	-.50	-1.64	-.51	0.00
120.0 DEGREE AMPLITUDE	-6.03	-4.61	-1.05	-1.03	-.05	0.00
150.0 DEGREE AMPLITUDE	-2.58	-7.15	-1.32	-.13	.41	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-.7927	-.7795	-1.9015
30.0 DEGREE DISPLACEMENT	-1.5103	-.9326	-5.5083
60.0 DEGREE DISPLACEMENT	-1.8241	-.8359	-7.6390
90.0 DEGREE DISPLACEMENT	-1.6486	-.5152	-7.7229
120.0 DEGREE DISPLACEMENT	-1.0314	-.0564	-5.7374
150.0 DEGREE DISPLACEMENT	-.1378	.4174	-2.2146

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

COMPANY _____ SHEET NO. **CASE 9**

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

D = 40.0

(22,500 DWT TANKER LOADED)

W.D. = 150.0

DISPL = 1350.7

M₁ = 84.3

M₂ = 84.3

M₃ = 1.0

T_w = 10.0

H = 10.0

E = 0.0

X = -16.0

Y = 0.0

A = 389.6

TS₁ = 9.83

TS₂ = 10.03

TS₃ = 10.83

TS₄ = 17.1

TS₅ = 21.7

TS₆ = 1.0

E = 10.0

X = 0.0

Y = -16.0

A = 217.2

TS₁ = 9.83

TS₂ = 9.55

TS₃ = 8.75

TS₄ = 15.6

TS₅ = 11.1

TS₆ = 1.0

E = 20.0

X = 0.0

Y = -16.0

A = 144.8

TS₁ = 9.83

TS₂ = 9.20

TS₃ = 7.65

TS₄ = 13.35

TS₅ = 7.15

TS₆ = 1.0

E = 30.0

X = 0.0

Y = -16.0

A = 72.4

TS₁ = 9.83

TS₂ = 8.25

TS₃ = 7.95

TS₄ = 10.8

TS₅ = 8.3

TS₆ = 1.0

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 0.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.01	7.77	0.00	1.46	0.00	0.00
0.0 DEGREE AMPLITUDE	-5.71	-3.90	0.00	-.78	0.00	0.00
30.0 DEGREE AMPLITUDE	-2.13	-6.74	0.00	-.06	0.00	0.00
60.0 DEGREE AMPLITUDE	2.01	-7.77	0.00	.67	0.00	0.00
90.0 DEGREE AMPLITUDE	5.62	-6.72	0.00	1.23	0.00	0.00
120.0 DEGREE AMPLITUDE	7.72	-3.87	0.00	1.46	0.00	0.00
150.0 DEGREE AMPLITUDE	7.75	.01	0.00	1.29	0.00	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-.7852	0.0000	-4.6210
30.0 DEGREE DISPLACEMENT	-.0636	0.0000	-.2515
60.0 DEGREE DISPLACEMENT	.6750	0.0000	4.1852
90.0 DEGREE DISPLACEMENT	1.2328	0.0000	7.5006
120.0 DEGREE DISPLACEMENT	1.4602	0.0000	8.8063
150.0 DEGREE DISPLACEMENT	1.2964	0.0000	7.7522

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUDY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUDY 150.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 20.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.01	7.42	2.27	2.77	1.54	0.00
0.0 DEGREE AMPLITUDE	5.51	5.57	2.18	1.04	1.53	0.00
30.0 DEGREE AMPLITUDE	1.86	7.27	2.21	-.38	1.44	0.00
60.0 DEGREE AMPLITUDE	-2.28	7.02	1.64	-1.70	.97	0.00
90.0 DEGREE AMPLITUDE	-5.81	4.89	.63	-2.57	.23	0.00
120.0 DEGREE AMPLITUDE	-7.79	1.45	-.54	-2.74	-.55	0.00
150.0 DEGREE AMPLITUDE	-7.68	-2.38	-1.57	-2.18	-1.20	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	1.0402	1.5301	4.9056
30.0 DEGREE DISPLACEMENT	-.3841	1.4439	1.2497
60.0 DEGREE DISPLACEMENT	-1.7056	.9709	-2.7410
90.0 DEGREE DISPLACEMENT	-2.5700	.2377	-5.9973
120.0 DEGREE DISPLACEMENT	-2.7458	-.5591	-7.6466
150.0 DEGREE DISPLACEMENT	-2.1858	-1.2062	-7.2470

ENGINEERING DEPARTMENT
COMPUTATION SHEET
MCD 5015

J. RAY McDERMOTT & Co., INC.

COMPANY _____ SHEET NO. **CASE 14**

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

$D = 40.0$

(70,000 DWT TANKER LIGHT)

W.D. = 150.0

DISPL. = 1,350.7

$M_1 = 84.3$

$M_2 = 84.3$

$M_3 = 1.0$

$T_w = 12.0$

$H = 10.0$

$E = 0.0$

$X = -16.0$

$Y = 0.0$

$A = 519.55$

$T_{S1} = 9.8$

$T_{S2} = 9.15$

$T_{S3} = 10.8$

$T_{S4} = 14.0$

$T_{S5} = 21.70$

$T_{S6} = 1.0$

$E = 10.0$

$X = 0.0$

$Y = -16.0$

$A = 319.66$

$T_{S1} = 9.8$

$T_{S2} = 8.8$

$T_{S3} = 9.45$

$T_{S4} = 12.6$

$T_{S5} = 13.55$

$T_{S6} = 1.0$

$E = 20.0$

$X = 0.0$

$Y = -16.0$

$A = 209.77$

$T_{S1} = 9.8$

$T_{S2} = 8.0$

$T_{S3} = 8.5$

$T_{S4} = 9.8$

$T_{S5} = 10.30$

$T_{S6} = 1.0$

$E = 30.0$

$X = 0.0$

$Y = -16.0$

$A = 104.89$

$T_{S1} = 9.8$

$T_{S2} = 7.3$

$T_{S3} = 8.8$

$T_{S4} = 7.4$

$T_{S5} = 11.20$

$T_{S6} = 1.0$

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.08	4.30	.83	6.10	.89	0.00
0.0 DEGREE AMPLITUDE	-4.19	3.15	.66	-5.74	-.72	0.00
30.0 DEGREE AMPLITUDE	-7.09	1.27	.33	-6.00	-.88	0.00
60.0 DEGREE AMPLITUDE	-8.08	-.95	-.09	-4.66	-.81	0.00
90.0 DEGREE AMPLITUDE	-6.91	-2.92	-.49	-2.07	-.52	0.00
120.0 DEGREE AMPLITUDE	-3.88	-4.11	-.76	1.07	-.09	0.00
150.0 DEGREE AMPLITUDE	.17	-4.20	-.82	3.93	.36	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

0.0 DEGREE DISPLACEMENT	-5.7437	-.7210	-4.3859
30.0 DEGREE DISPLACEMENT	-6.0098	-.8856	-7.1864
60.0 DEGREE DISPLACEMENT	-4.6656	-.8130	-8.0612
90.0 DEGREE DISPLACEMENT	-2.0713	-.5224	-6.7760
120.0 DEGREE DISPLACEMENT	1.0780	-.0919	-3.6752
150.0 DEGREE DISPLACEMENT	3.9385	.3632	.4103

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 0.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.08	4.57	0.00	4.62	0.00	0.00
0.0 DEGREE AMPLITUDE	-5.86	-3.60	0.00	-2.26	0.00	0.00
30.0 DEGREE AMPLITUDE	-2.29	-4.53	0.00	.05	0.00	0.00
60.0 DEGREE AMPLITUDE	1.88	-4.24	0.00	2.35	0.00	0.00
90.0 DEGREE AMPLITUDE	5.56	-2.82	0.00	4.02	0.00	0.00
120.0 DEGREE AMPLITUDE	7.75	-.64	0.00	4.62	0.00	0.00
150.0 DEGREE AMPLITUDE	7.86	1.70	0.00	3.97	0.00	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

0.0 DEGREE DISPLACEMENT	-2.2669	0.0000	-4.8605
30.0 DEGREE DISPLACEMENT	.0503	0.0000	1.0301
60.0 DEGREE DISPLACEMENT	2.3540	0.0000	3.0762
90.0 DEGREE DISPLACEMENT	4.0270	0.0000	5.3583
120.0 DEGREE DISPLACEMENT	4.6209	0.0000	7.9367
150.0 DEGREE DISPLACEMENT	3.9767	0.0000	7.3885

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 20.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.09	3.70	1.44	5.23	2.06	0.00
0.0 DEGREE AMPLITUDE	3.25	3.68	1.42	4.91	1.83	0.00
30.0 DEGREE AMPLITUDE	-.88	3.39	1.35	5.16	2.06	0.00
60.0 DEGREE AMPLITUDE	-4.78	2.19	.92	4.02	1.74	0.00
90.0 DEGREE AMPLITUDE	-7.40	.41	.24	1.81	.95	0.00
120.0 DEGREE AMPLITUDE	-8.04	-1.48	-.50	-.88	-.09	0.00
150.0 DEGREE AMPLITUDE	-6.52	-2.98	-1.11	-3.35	-1.11	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	4.9150	1.8335	2.8558
30.0 DEGREE DISPLACEMENT	5.1624	2.0641	-1.2656
60.0 DEGREE DISPLACEMENT	4.0266	1.7416	-5.0480
90.0 DEGREE DISPLACEMENT	1.8119	.9525	-7.4778
120.0 DEGREE DISPLACEMENT	-.8883	-.0918	-7.9039
150.0 DEGREE DISPLACEMENT	-3.3505	-1.1116	-6.2121

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUDY WITH SQUID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUDY 150.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 30.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.09	3.13	2.20	3.30	3.34	0.00
0.0 DEGREE AMPLITUDE	7.83	1.81	.96	1.96	-.36	0.00
30.0 DEGREE AMPLITUDE	5.77	2.85	1.82	3.03	1.34	0.00
60.0 DEGREE AMPLITUDE	2.16	3.12	2.19	3.28	2.69	0.00
90.0 DEGREE AMPLITUDE	-2.02	2.55	1.97	2.66	3.32	0.00
120.0 DEGREE AMPLITUDE	-5.67	1.30	1.23	1.32	3.05	0.00
150.0 DEGREE AMPLITUDE	-7.80	-.29	.15	-.37	1.97	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	1.9648	-.3602	7.5702
30.0 DEGREE DISPLACEMENT	3.0319	1.3493	5.2686
60.0 DEGREE DISPLACEMENT	3.2866	2.6974	1.5553
90.0 DEGREE DISPLACEMENT	2.6606	3.3227	-2.5746
120.0 DEGREE DISPLACEMENT	1.3217	3.0576	-6.0148
150.0 DEGREE DISPLACEMENT	-.3713	1.9733	-7.8433

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY MCDERMOTT & CO., INC.

COMPANY

SHEET NO.

CASE 13

SUBJECT

DRAWING NUMBER

COMPUTER

CHECKED BY

DATE

D = 40.0

(70,000 DWT TANKER LOADED)

W.D. = 150

DISPL = 1,350.7

$M_1 = 84.3$

$M_2 = 84.3$

$M_3 = 1.0$

TW = 12.0

H = 10.0

E = 0.0

X = -16.0

Y = 0.0

A = 519.55

$T_{S1} = 9.8$

$T_{S2} = 9.5$

$T_{S3} = 10.8$

$T_{S4} = 15.5$

$T_{S5} = 21.7$

$T_{S6} = 1.0$

E = 10.0

X = 0.0

Y = -16.0

A = 314.66

$T_{S1} = 9.8$

$T_{S2} = 9.0$

$T_{S3} = 7.7$

$T_{S4} = 13.5$

$T_{S5} = 7.25$

$T_{S6} = 1.0$

E = 20.0

X = 0.0

Y = -16.0

A = 209.77

$T_{S1} = 9.8$

$T_{S2} = 8.15$

$T_{S3} = 6.4$

$T_{S4} = 10.5$

$T_{S5} = 3.5$

$T_{S6} = 1.0$

E = 30.0

X = 0.0

Y = -16.0

A = 104.89

$T_{S1} = 9.8$

$T_{S2} = 7.2$

$T_{S3} = 6.75$

$T_{S4} = 7.0$

$T_{S5} = 4.3$

$T_{S6} = 1.0$

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION: BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 0.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.08	4.78	0.00	3.29	0.00	0.00
0.0 DEGREE AMPLITUDE	-5.86	-3.57	0.00	-2.18	0.00	0.00
30.0 DEGREE AMPLITUDE	-2.29	-4.68	0.00	-0.66	0.00	0.00
60.0 DEGREE AMPLITUDE	1.88	-4.54	0.00	1.03	0.00	0.00
90.0 DEGREE AMPLITUDE	5.56	-3.18	0.00	2.46	0.00	0.00
120.0 DEGREE AMPLITUDE	7.75	-0.97	0.00	3.22	0.00	0.00
150.0 DEGREE AMPLITUDE	7.86	1.50	0.00	3.12	0.00	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-2.1872	0.0000	-4.8688
30.0 DEGREE DISPLACEMENT	-0.6638	0.0000	-0.9868
60.0 DEGREE DISPLACEMENT	1.0374	0.0000	3.1596
90.0 DEGREE DISPLACEMENT	2.4607	0.0000	6.4594
120.0 DEGREE DISPLACEMENT	3.2246	0.0000	8.0284
150.0 DEGREE DISPLACEMENT	3.1245	0.0000	7.4462

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.08	4.42	.66	5.10	.64	0.00
0.0 DEGREE AMPLITUDE	-4.19	3.33	.42	-4.17	.38	0.00
30.0 DEGREE AMPLITUDE	-7.09	1.43	.11	-5.08	.06	0.00
60.0 DEGREE AMPLITUDE	-8.08	-.84	-.23	-4.63	-.26	0.00
90.0 DEGREE AMPLITUDE	-6.91	-2.90	-.51	-2.94	-.52	0.00
120.0 DEGREE AMPLITUDE	-3.88	-4.16	-.65	-.46	-.64	0.00
150.0 DEGREE AMPLITUDE	.17	-4.34	-.62	2.14	-.59	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-4.1722	.3833	-4.3175
30.0 DEGREE DISPLACEMENT	-5.0860	.0695	-7.1252
60.0 DEGREE DISPLACEMENT	-4.6371	-.2627	-8.0235
90.0 DEGREE DISPLACEMENT	-2.9456	-.5247	-6.7719
120.0 DEGREE DISPLACEMENT	-.4649	-.6460	-3.7057
150.0 DEGREE DISPLACEMENT	2.1404	-.5943	.3533

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUDY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUDY 150.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 30.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.09	3.10	1.71	3.14	1.41	0.00
0.0 DEGREE AMPLITUDE	7.83	1.81	1.04	1.93	.96	0.00
30.0 DEGREE AMPLITUDE	5.77	2.83	1.58	2.91	1.35	0.00
60.0 DEGREE AMPLITUDE	2.16	3.08	1.69	3.11	1.37	0.00
90.0 DEGREE AMPLITUDE	-2.02	2.51	1.35	2.47	1.03	0.00
120.0 DEGREE AMPLITUDE	-5.67	1.26	.65	1.17	.41	0.00
150.0 DEGREE AMPLITUDE	-7.80	-.31	-.22	-.43	-.32	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	1.9329	.9665	7.5475
30.0 DEGREE DISPLACEMENT	2.9132	1.3533	5.3357
60.0 DEGREE DISPLACEMENT	3.1129	1.3774	1.6943
90.0 DEGREE DISPLACEMENT	2.4785	1.0324	-2.4011
120.0 DEGREE DISPLACEMENT	1.1799	.4108	-5.8532
150.0 DEGREE DISPLACEMENT	-.4347	-.3208	-7.7369

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 30.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.02	6.25	3.48	5.02	2.85	0.00
0.0 DEGREE AMPLITUDE	7.99	1.53	1.10	3.47	.76	0.00
30.0 DEGREE AMPLITUDE	7.27	4.35	2.61	1.18	2.03	0.00
60.0 DEGREE AMPLITUDE	4.60	6.01	3.41	-1.41	2.76	0.00
90.0 DEGREE AMPLITUDE	.69	6.06	3.30	-3.63	2.75	0.00
120.0 DEGREE AMPLITUDE	-3.39	4.48	2.31	-4.88	2.00	0.00
150.0 DEGREE AMPLITUDE	-6.57	1.70	.69	-4.82	.71	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	3.4714	.7648	7.6854
30.0 DEGREE DISPLACEMENT	1.1885	2.0384	6.5425
60.0 DEGREE DISPLACEMENT	-1.4129	2.7658	3.6465
90.0 DEGREE DISPLACEMENT	-3.6358	2.7521	-.2264
120.0 DEGREE DISPLACEMENT	-4.8844	2.0010	-4.0388
150.0 DEGREE DISPLACEMENT	-4.8242	.7137	-6.7690

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUDY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUDY 150.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 20.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.09	3.77	1.13	5.84	.92	0.00
0.0 DEGREE AMPLITUDE	3.25	3.74	1.13	5.01	.91	0.00
30.0 DEGREE AMPLITUDE	-.88	3.48	.97	5.84	.75	0.00
60.0 DEGREE AMPLITUDE	-4.78	2.29	.55	5.09	.38	0.00
90.0 DEGREE AMPLITUDE	-7.40	.48	-.01	2.99	-.08	0.00
120.0 DEGREE AMPLITUDE	-8.04	-1.45	-.57	.07	-.53	0.00
150.0 DEGREE AMPLITUDE	-6.52	-3.00	-.98	-2.85	-.83	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

0.0 DEGREE DISPLACEMENT	5.0195	.9186	2.9385
30.0 DEGREE DISPLACEMENT	5.8422	.7512	-1.1580
60.0 DEGREE DISPLACEMENT	5.0995	.3826	-4.9442
90.0 DEGREE DISPLACEMENT	2.9903	-.0885	-7.4057
120.0 DEGREE DISPLACEMENT	.0799	-.5360	-7.8828
150.0 DEGREE DISPLACEMENT	-2.8519	-.8398	-6.2477

COMPANY	RELATIVE MOTION BETWEEN BUDY &		SHEET NO
SUBJECT	SHIP FOR 0° HEADING		
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
	NdB		4-7-66

22,500 DWT TANKER LIGHT 60' WD $\chi = 0^\circ$ $T_w = 10$ SEC

$$\text{AMPLITUDE} = \sqrt{(100 + x_{SHIP} - x_{BUDY})^2 + (z_{SHIP} - z_{BUDY})^2} - 100.00$$

- 0° $\sqrt{(100 - 0.88 + 1.12)^2 + (17.42 + 5.89)^2} - 100.00 = \sqrt{100.24^2 + 23.31^2} - 100 = +2.91$
- 30° $\sqrt{(100 - 1.20 - 0.08)^2 + (12.02 + 3.09)^2} - 100.00 = \sqrt{98.72^2 + 15.11^2} - 100 = -0.13$
- 60° $\sqrt{(100 - 1.20 - 1.27)^2 + (3.39 - 0.53)^2} - 100.00 = \sqrt{97.53^2 + 2.86^2} - 100 = -2.43$
- 90° $\sqrt{(100 - 0.88 - 2.11)^2 + (-6.13 - 4.02)^2} - 100.00 = \sqrt{97.01^2 + (-10.15)^2} - 100 = -2.46$
- 120° $\sqrt{(100 - 0.32 - 2.39)^2 + (-14.02 - 6.42)^2} - 100.00 = \sqrt{97.29^2 + (-20.44)^2} - 100 = -0.59$
- 150° $\sqrt{(100 + 0.32 - 2.03)^2 + (-18.16 - 7.11)^2} - 100.00 = \sqrt{98.29^2 + (-25.27)^2} - 100 = +1.49$
- 180° $\sqrt{(100 + 0.88 - 1.12)^2 + (-17.42 - 5.89)^2} - 100.00 = \sqrt{99.76^2 + (-23.31)^2} - 100 = +2.45$
- 210° $\sqrt{(100 + 1.20 + 0.08)^2 + (-12.02 - 3.09)^2} - 100.00 = \sqrt{101.28^2 + (-15.11)^2} - 100 = +2.40$
- 240° $\sqrt{(100 + 1.20 + 1.27)^2 + (-3.39 + 0.53)^2} - 100.00 = \sqrt{102.47^2 + (-2.86)^2} - 100 = +2.51$
- 270° $\sqrt{(100 + 0.88 + 2.11)^2 + (6.13 + 4.02)^2} - 100.00 = \sqrt{102.99^2 + 10.15^2} - 100 = +3.49$
- 300° $\sqrt{(100 + 0.32 + 2.39)^2 + (14.02 + 6.42)^2} - 100.00 = \sqrt{102.71^2 + 20.44^2} - 100 = +4.72$
- 330° $\sqrt{(100 - 0.32 + 2.03)^2 + (18.16 + 7.11)^2} - 100.00 = \sqrt{101.71^2 + 25.27^2} - 100 = +4.80$

$$\text{MAX AMPLITUDE } Z = (4.80 + 2.46) / 2 = 3.63'$$

$$\text{ACCELERATION } a = \left(\frac{2\pi}{T_w}\right)^2 \times Z = 0.628^2 \times 3.63 = 1.43 \text{ FT/SEC}^2$$

$$\text{WAVE FORCE MOORING LOAD} = a \times M = 1.43 \times 83.7 = 119.7 \text{ K}$$

$$\text{WIND \& CURRENT MOORING LOAD} = 28.0 \text{ K}$$

$$\text{DESIGN LOAD FOR MOORING CONNECTION} = \text{W.F. MOORING LOAD} + \text{W/C MOORING LOAD} = 119.7 + 28.0 = \underline{147.7 \text{ K}}$$

$$\text{DESIGN LOAD FOR SPACER} = \text{W.F. MOORING LOAD} - \text{W/C MOORING LOAD} = 119.7 - 28.0 = \underline{91.7 \text{ K}}$$

COMPANY		SHEET NO	
---------	--	----------	--

SUBJECT			
---------	--	--	--

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

22,500 DWT TANKER LOADED 60' WD $\alpha = 0^\circ$ TW = 10 SEC

0°	$\sqrt{(100 - 0.89 + 1.00)^2 + (17.66 + 5.74)^2} - 100 = \sqrt{100.11^2 + 23.40^2} - 100 = +2.81$
30°	$\sqrt{(100 - 1.22 + 0.01)^2 + (12.54 + 2.92)^2} - 100 = \sqrt{98.79^2 + 15.46^2} - 100 = -0.01$
60°	$\sqrt{(100 - 1.22 - 0.98)^2 + (4.05 - 0.69)^2} - 100 = \sqrt{97.80^2 + 3.36^2} - 100 = -2.14$
90°	$\sqrt{(100 - 0.89 - 1.71)^2 + (-5.51 - 4.11)^2} - 100 = \sqrt{97.40^2 + 9.62^2} - 100 = -2.13$
120°	$\sqrt{(100 - 0.32 - 1.99)^2 + (-13.61 - 6.43)^2} - 100 = \sqrt{97.69^2 + 20.04^2} - 100 = -0.28$
150°	$\sqrt{(100 + 0.32 - 1.73)^2 + (-18.05 - 7.02)^2} - 100 = \sqrt{98.59^2 + 25.07^2} - 100 = +1.73$
180°	$\sqrt{(100 + 0.89 - 1.00)^2 + (-17.66 - 5.74)^2} - 100 = \sqrt{99.89^2 + 23.40^2} - 100 = +2.59$
210°	$\sqrt{(100 + 1.22 - 0.01)^2 + (-12.54 - 2.92)^2} - 100 = \sqrt{100.21^2 + 15.46^2} - 100 = +1.40$
240°	$\sqrt{(100 + 1.22 + 0.98)^2 + (-4.05 + 0.69)^2} - 100 = \sqrt{102.20^2 + 3.36^2} - 100 = +2.26$
270°	$\sqrt{(100 + 0.89 + 1.71)^2 + (5.51 + 4.11)^2} - 100 = \sqrt{102.60^2 + 9.62^2} - 100 = +3.05$
300°	$\sqrt{(100 + 0.32 + 1.99)^2 + (13.61 + 6.43)^2} - 100 = \sqrt{102.31^2 + 20.04^2} - 100 = +4.25$
330°	$\sqrt{(100 - 0.32 + 1.73)^2 + (18.05 + 7.02)^2} - 100 = \sqrt{101.41^2 + 25.07^2} - 100 = +4.47$

MAX AMPLITUDE $Z = \frac{4.47 + 2.14}{2} = 3.31$ FT

ACCELERATION $a = 0.628^2 \times 3.31 = 1.29$ FT/SEC²

WAVE FORCE MOORING LOAD = $a \times M = 1.29 \times 83.7 = 108.0$ K

WIND & CURRENT MOORING LOAD = 20.5

DESIGN LOAD FOR MOORING CONNECTION = $108.0 + 20.5 = \underline{128.5}$ K

DESIGN LOAD FOR SPACER = $108.0 - 20.5 = \underline{87.5}$ K

COMPANY		SHEET NO	
SUBJECT			

DRAWING NUMBER	COMPUTER NdB	CHECKED BY	DATE 4-7-66
----------------	--------------	------------	-------------

70,000 DWT TANKER LIGHT 60' WD $\alpha=0^\circ$ $TW=12$ SEC

$$\begin{aligned}
 0^\circ & \sqrt{(100 - 0.84 + 0.86)^2 + (15.67 + 4.80)^2} - 100 = \sqrt{33.37^2 + 20.47^2} - 100 = + 1.39 \\
 30^\circ & \sqrt{(100 - 1.16 - 3.11)^2 + (11.14 + 0.79)^2} - 100 = \sqrt{95.73^2 + 11.88^2} - 100 = - 3.54 \\
 60^\circ & \sqrt{(100 - 1.16 - 5.54)^2 + (3.62 - 3.51)^2} - 100 = \sqrt{93.30^2 + 0.11^2} - 100 = - 6.70 \\
 90^\circ & \sqrt{(100 - 0.84 - 6.49)^2 + (-4.86 - 6.83)^2} - 100 = \sqrt{92.67^2 + 11.69^2} - 100 = - 6.60 \\
 120^\circ & \sqrt{(100 - 0.31 - 5.70)^2 + (-12.05 - 8.31)^2} - 100 = \sqrt{93.99^2 + 20.36^2} - 100 = - 3.83 \\
 150^\circ & \sqrt{(100 + 0.31 - 3.38)^2 + (-16.01 - 7.57)^2} - 100 = \sqrt{96.73^2 + 23.58^2} - 100 = - 0.24 \\
 180^\circ & \sqrt{(100 + 0.84 - 0.16)^2 + (-15.67 - 4.80)^2} - 100 = \sqrt{100.68^2 + 20.47^2} - 100 = + 2.74 \\
 210^\circ & \sqrt{(100 + 1.16 + 3.11)^2 + (-11.14 - 0.79)^2} - 100 = \sqrt{109.27^2 + 11.88^2} - 100 = + 4.94 \\
 240^\circ & \sqrt{(100 + 1.16 + 5.54)^2 + (-3.62 + 3.51)^2} - 100 = \sqrt{106.70^2 + 0.11^2} - 100 = + 6.70 \\
 270^\circ & \sqrt{(100 + 0.84 + 6.49)^2 + (4.86 + 6.83)^2} - 100 = \sqrt{107.33^2 + 11.69^2} - 100 = + 7.96 \\
 300^\circ & \sqrt{(100 + 0.31 + 5.70)^2 + (12.05 + 8.31)^2} - 100 = \sqrt{106.01^2 + 20.36^2} - 100 = + 7.95 \\
 330^\circ & \sqrt{(100 - 0.31 + 3.38)^2 + (16.01 + 7.57)^2} - 100 = \sqrt{103.07^2 + 23.58^2} - 100 = + 5.37
 \end{aligned}$$

MAX AMPLITUDE $Z = \frac{6.70 + 7.96}{2} = 7.33'$

ACCELERATION $a = \left(\frac{2\pi}{12}\right)^2 \times 7.33^2 = 2.01 \text{ F/SEC}^2$

WAVE FORCE MOORING LOAD = $a \times M = 2.01 \times 83.7 = 168.2^k$

WIND & CURRENT MOORING LOAD = 53.6^k

DESIGN LOAD FOR MOORING CONNECTION = $168.2 + 53.6 = \underline{\underline{221.8^k}}$

DESIGN LOAD FOR BRACE = $168.2 - 53.6 = \underline{\underline{114.6^k}}$

ENGINEERING DEPARTMENT
COMPUTATION SHEET
MCD 9015

J. RAY McDERMOTT & CO., INC.

COMPANY		SHEET NO.	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

70,000 DWT TANKER LOADED 60'WD $\chi = 0^\circ$ TW = 12 SEC

0°	$\sqrt{(100 - 0.85 + 2.16)^2 + (15.90 + 4.95)^2} - 100 = \sqrt{101.31^2 + 20.85^2} - 100 = + 3.43$
30°	$\sqrt{(100 - 1.17 - 0.37)^2 + (11.63 + 0.79)^2} - 100 = \sqrt{98.46^2 + 12.42^2} - 100 = - 0.76$
60°	$\sqrt{(100 - 1.17 - 2.80)^2 + (4.24 - 3.59)^2} - 100 = \sqrt{96.03^2 + 0.65^2} - 100 = - 3.97$
90°	$\sqrt{(100 - 0.85 - 4.49)^2 + (-4.28 - 7.00)^2} - 100 = \sqrt{94.66^2 + 11.28^2} - 100 = - 4.67$
120°	$\sqrt{(100 - 0.31 - 4.96)^2 + (-11.65 - 8.54)^2} - 100 = \sqrt{94.73^2 + 20.19^2} - 100 = - 3.14$
150°	$\sqrt{(100 + 0.31 - 4.11)^2 + (-15.91 - 7.79)^2} - 100 = \sqrt{96.20^2 + 23.70^2} - 100 = - 0.92$
180°	$\sqrt{(100 + 0.85 - 2.16)^2 + (-15.90 - 4.95)^2} - 100 = \sqrt{98.69^2 + 20.85^2} - 100 = + 0.87$
210°	$\sqrt{(100 + 1.17 + 0.37)^2 + (11.63 - 0.79)^2} - 100 = \sqrt{101.54^2 + 12.42^2} - 100 = + 2.30$
240°	$\sqrt{(100 + 1.17 + 2.80)^2 + (-4.24 + 3.59)^2} - 100 = \sqrt{103.97^2 + 0.65^2} - 100 = + 3.97$
270°	$\sqrt{(100 + 0.85 + 4.49)^2 + (4.28 + 7.00)^2} - 100 = \sqrt{105.34^2 + 11.28^2} - 100 = + 5.99$
300°	$\sqrt{(100 + 0.31 + 4.96)^2 + (11.65 + 8.54)^2} - 100 = \sqrt{105.27^2 + 20.19^2} - 100 = + 7.19$
330°	$\sqrt{(100 + 0.31 + 4.11)^2 + (15.91 + 7.79)^2} - 100 = \sqrt{103.80^2 + 23.70^2} - 100 = + 6.47$

MAX AMPLITUDE $Z = 7.19 + 4.67 = 5.93'$
 ACCELERATION $a = \left(\frac{2\pi}{12}\right)^2 \times 5.93^2 = 1.62 \text{ FT/SEC}^2$

WAVE FORCE MOORING LOAD = $a \times M = 1.62 \times 83.7 = 135.6^k$
 WIND & CURRENT MOORING LOAD = 35.2^k

DESIGN LOAD FOR MOORING CONNECTION = $135.6 + 35.2 = 170.8^k$

DESIGN LOAD FOR SPACER = $135.6 - 35.2 = 100.4^k$

COMPANY		SHEET NO.	
---------	--	-----------	--

SUBJECT			
---------	--	--	--

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

22,500 DWT TANKER LOADED 150' W.D. $\chi = 0^\circ$ $TW = 10 \text{ Sec}$

- $0^\circ \sqrt{(100 - 0.89 + 0.79)^2 + (17.66 + 4.62)^2} - 100 = \sqrt{99.90^2 + 22.28^2} - 100 = +2.35$
- $30^\circ \sqrt{(100 - 1.22 + 0.06)^2 + (12.54 + 0.25)^2} - 100 = \sqrt{98.84^2 + 12.79^2} - 100 = -0.34$
- $60^\circ \sqrt{(100 - 1.22 - 0.68)^2 + (4.05 - 4.19)^2} - 100 = \sqrt{98.10^2 + 0.14^2} - 100 = -1.90$
- $90^\circ \sqrt{(100 - 0.89 - 1.23)^2 + (-5.51 - 7.50)^2} - 100 = \sqrt{97.88^2 + 13.01^2} - 100 = -1.26$
- $120^\circ \sqrt{(100 - 0.32 - 1.46)^2 + (-13.61 - 8.81)^2} - 100 = \sqrt{98.22^2 + 22.42^2} - 100 = +0.75$
- $150^\circ \sqrt{(100 + 0.32 - 1.30)^2 + (-18.05 - 7.75)^2} - 100 = \sqrt{99.02^2 + 25.80^2} - 100 = +2.33$
- $180^\circ \sqrt{(100 + 0.89 - 0.79)^2 + (-17.66 - 4.62)^2} - 100 = \sqrt{101.10^2 + 22.28^2} - 100 = +2.55$
- $210^\circ \sqrt{(100 + 1.22 - 0.06)^2 + (-12.54 - 0.25)^2} - 100 = \sqrt{101.16^2 + 12.79^2} - 100 = +1.97$
- $240^\circ \sqrt{(100 + 1.22 - 0.68)^2 + (-4.05 + 4.19)^2} - 100 = \sqrt{100.57^2 + 0.14^2} - 100 = +0.54$
- $270^\circ \sqrt{(100 + 0.89 + 1.23)^2 + (5.51 + 7.50)^2} - 100 = \sqrt{107.12^2 + 13.01^2} - 100 = +2.95$
- $300^\circ \sqrt{(100 + 0.32 + 1.46)^2 + (13.61 + 8.81)^2} - 100 = \sqrt{101.78^2 + 22.42^2} - 100 = +4.22$
- $330^\circ \sqrt{(100 - 0.32 + 1.30)^2 + (18.05 + 7.75)^2} - 100 = \sqrt{100.98^2 + 25.80^2} - 100 = +4.22$

MAX AMPLITUDE = $\frac{4.22 + 0.90}{2} = 3.06'$
 ACCELERATION = $\left(\frac{2\pi}{10}\right)^2 \times 3.06^2 = 1.21 \text{ /SEC}^2$

WAVE FORCE MOORING LOAD = $MMA = 1.21 \times 84.3 = 102.0^k$
 WIND & CURRENT MOORING LOAD = 20.5^k

DESIGN LOAD FOR MOORING CONNECTION = $102 + 20.5 = \underline{\underline{122.5^k}}$

DESIGN LOAD FOR SPACER = $102.0 - 20.5 = \underline{\underline{81.5^k}}$

COMPANY	SHEET NO		
---------	----------	--	--

SUBJECT			
---------	--	--	--

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

22,500 DWT TANKER LIGHT 150' WD $\chi = 0^\circ$ $T_w = 10 \text{ SEC}$

- $0^\circ \sqrt{(100 - 0.89 + 0.89)^2 + (17.66 + 4.49)^2} - 100 = \sqrt{99.99^2 + 22.06^2} - 100 = +2.39$
- $30^\circ \sqrt{(100 - 1.22 + 0.05)^2 + (17.59 + 0.11)^2} - 100 = \sqrt{98.83^2 + 17.65^2} - 100 = -0.36$
- $60^\circ \sqrt{(100 - 1.22 - 0.77)^2 + (4.05 - 4.21)^2} - 100 = \sqrt{97.99^2 + 0.16^2} - 100 = -2.01$
- $90^\circ \sqrt{(100 - 0.89 - 1.43)^2 + (-5.51 - 7.40)^2} - 100 = \sqrt{97.68^2 + 12.91^2} - 100 = -1.47$
- $120^\circ \sqrt{(100 - 0.32 - 1.68)^2 + (-13.61 - 8.61)^2} - 100 = \sqrt{98.00^2 + 22.22^2} - 100 = +0.49$
- $150^\circ \sqrt{(100 + 0.32 - 1.48)^2 + (-18.05 - 7.51)^2} - 100 = \sqrt{94.84^2 + 25.56^2} - 100 = +2.09$
- $180^\circ \sqrt{(100 + 0.89 - 0.88)^2 + (-17.66 - 4.49)^2} - 100 = \sqrt{100.01^2 + 22.06^2} - 100 = +2.41$
- $210^\circ \sqrt{(100 + 1.22 + 0.05)^2 + (-12.54 - 0.11)^2} - 100 = \sqrt{101.27^2 + 12.65^2} - 100 = +2.06$
- $240^\circ \sqrt{(100 + 1.22 + 0.77)^2 + (-4.05 + 4.21)^2} - 100 = \sqrt{102.01^2 + 0.16^2} - 100 = +2.01$
- $270^\circ \sqrt{(100 + 0.89 + 1.43)^2 + (5.51 + 7.40)^2} - 100 = \sqrt{102.32^2 + 12.91^2} - 100 = +3.13$
- $300^\circ \sqrt{(100 + 0.32 + 1.68)^2 + (13.61 + 8.61)^2} - 100 = \sqrt{102.00^2 + 22.22^2} - 100 = +4.39$
- $330^\circ \sqrt{(100 - 0.32 + 1.48)^2 + (18.05 + 7.51)^2} - 100 = \sqrt{101.16^2 + 25.56^2} - 100 = +4.34$

MAX AMPLITUDE $= \frac{2.01 + 4.39}{2} = 3.20'$

ACCELERATION $= \left(\frac{2\pi}{T_w}\right)^2 \times 3.20 = 1.26'/\text{sec}^2$

WAVE FORCE MOORING LOAD: $a_{xM} = 1.26 \times 84.3 = 106.2^k$
 WIND & CURRENT MOORING LOAD = 28.0^k

DESIGN LOAD FOR MOORING CONNECTION = $106.2 + 28.0 = \underline{134.2^k}$

DESIGN LOAD FOR SPACER = $106.2 - 28.0 = \underline{78.2^k}$

COMPANY _____ SHEET NO _____

SUBJECT _____

DRAWING NUMBER _____ COMPUTER **N dB** CHECKED BY _____ DATE **4-11-66**

70,000 DWT TANKER LOADED 150' W.D $\lambda = 0'$ $TW = 12$ SEC

0°	$\sqrt{(100 - 0.85 + 2.19)^2 + (15.90 + 4.87)^2} - 100 = \sqrt{101.39^2 + 20.77^2} - 100 = + 3.45$
30°	$\sqrt{(100 - 1.17 + 0.66)^2 + (11.63 + 0.99)^2} - 100 = \sqrt{99.49^2 + 12.62^2} - 100 = + 0.29$
60°	$\sqrt{(100 - 1.17 - 1.04)^2 + (4.24 - 3.16)^2} - 100 = \sqrt{97.79^2 + 1.08^2} - 100 = - 2.20$
90°	$\sqrt{(100 - 0.85 - 2.46)^2 + (-4.27 - 6.46)^2} - 100 = \sqrt{96.69^2 + 10.73^2} - 100 = - 2.72$
120°	$\sqrt{(100 - 0.31 - 3.22)^2 + (-11.65 - 8.03)^2} - 100 = \sqrt{96.47^2 + 19.68^2} - 100 = - 1.54$
150°	$\sqrt{(100 + 0.31 - 3.12)^2 + (-15.91 - 7.45)^2} - 100 = \sqrt{97.19^2 + 23.36^2} - 100 = - 0.04$
180°	$\sqrt{(100 + 0.85 - 2.19)^2 + (-15.90 - 4.87)^2} - 100 = \sqrt{98.66^2 + 20.77^2} - 100 = + 0.82$
210°	$\sqrt{(100 + 1.17 - 0.66)^2 + (-11.63 - 0.99)^2} - 100 = \sqrt{100.51^2 + 12.62^2} - 100 = + 1.30$
240°	$\sqrt{(100 + 1.17 + 1.04)^2 + (-4.24 + 3.16)^2} - 100 = \sqrt{102.21^2 + 1.08^2} - 100 = + 2.22$
270°	$\sqrt{(100 + 0.85 + 2.46)^2 + (4.27 + 6.46)^2} - 100 = \sqrt{103.31^2 + 10.73^2} - 100 = + 3.87$
300°	$\sqrt{(100 + 0.31 + 3.22)^2 + (11.65 + 8.03)^2} - 100 = \sqrt{103.53^2 + 19.68^2} - 100 = + 5.38$
320°	$\sqrt{(100 - 0.31 + 3.12)^2 + (15.91 + 7.45)^2} - 100 = \sqrt{102.81^2 + 23.36^2} - 100 = + 5.43$

MAX AMPLITUDE = $\frac{2.72 + 5.43}{2} = 4.08'$

ACCELERATION = $\left(\frac{2\pi}{12}\right)^2 \times 4.08 = 1.12' / \text{SEC}^2$

WAVE FORCE MOORING LOAD = $1.12 \times 84.3 = 94.4^k$

WIND & CURRENT MOORING LOAD = 35.2^k

DESIGN LOAD FOR MOORING CONNECTION = $94.4 + 35.2 = \underline{129.6^k}$

DESIGN LOAD FOR SPACER = $94.4 - 35.2 = \underline{59.2^k}$

SECTION II

REVISED CALCULATIONS

COMPANY	SHEET NO
---------	----------

SUBJECT MOORING LINE DESIGN

DRAWING NUMBER	COMPUTER <u>NdB</u>	CHECKED BY	DATE <u>4-7-66</u>
----------------	---------------------	------------	--------------------

TANKER SIZE	DRAFT	W.D.	MOORING LOAD	SPACER LOAD
22,500 DWT	LIGHT	60'	147.7 ^k	91.7 ^k
22,500 DWT	LOADED	60'	128.5 ^k	87.5 ^k
70,000 DWT	LIGHT	60'	221.8 ^k	119.6 ^k
70,000 DWT	LOADED	60'	170.8 ^k	100.4 ^k
22,500 DWT	LIGHT	150'	122.5 ^k	81.5 ^k
22,500 DWT	LOADED	150'	139.2 ^k	78.2 ^k
70,000 DWT	LIGHT	150'	180.9 ^k	78.7 ^k
70,000 DWT	LOADED	150'	129.6 ^k	59.2 ^k

MAX MOORING LOAD 221.8^k
 ADD 35% FOR IMPACT DUE TO SLACK LINES
DESIGN LOAD FOR MOORING LINES = 1.35 x 221.8 = 300^k

MAX SPACER LOAD = 119.6^k
 ADD 35% FOR IMPACT DUE TO SLACK LINES
DESIGN LOAD FOR SPACER = 1.35 x 119.6 = 155^k

COMPANY

SHEET NO

SUBJECT

DRAWING NUMBER

COMPUTER



NdB

CHECKED BY


DATE

4-11-66


1" = 20'



1" = 60'



70,000 DWT TANKER LOADED LIGHT ?



COMPANY		SHEET NO	
SUBJECT SCHEME 1 RIGID ARM DESIGN			
DRAWING NUMBER		COMPUTER NAB	CHECKED BY
			DATE 4-12-66

Copy available to DDC does not permit fully legible reproduction

SCHEME 1

HORIZ. COMPR. LOAD IN ARM 155^K

MIN W.D. OVER ARM	
MAX DRAFT 70,500 DWT TANKER	44.0'
PROBABLE MAX PITCH AMPLITUDE IN 10' SIGN WAVE HEIGHT 1.81 x 17.2	= 32.0'
PROBABLE MAX HEAVE AMPLITUDE IN 10' SIGN WAVE HEIGHT $\frac{1.87 \times 17.6}{2}$	= 8.0'
MIN WATER DEPTH OVER ARM	89.0'
DEPTH OF ARM	26.0'
MAX HEAVE AMPLITUDE	8.0'
CLEARANCE	2.0'
MIN WATER DEPTH @ L.L.W.	110.0'

CHECK 26' DEEP TRIANGULAR ARM

MOM IN ARM = 155^K x 110' = 17,050^K

COMPR IN ARM = 155^K


COMPR LOAD IN TOP CHORD = $\frac{17,050}{26} + 155 = 811^K$

TENSION IN BOT CHORD = $\frac{17,050}{26} = 656^K$

METAL IN TOP CHORD = $\frac{811}{14.5} = 56 \text{ IN}^2 \rightarrow 2 - 20 \text{ F.500 } A_2 = 30.6$

METAL IN BOT CHORD = $\frac{656}{23.7} = 28 \text{ IN}^2 \rightarrow 1 - 20 \text{ F.500}$

WT. 105^{#/ft}



$I_x = 2 \times 30.6 (8.7 \text{ in})^2 + 30.6 (17.3 \text{ in})^2 = 1,985,836 \text{ in}^4$

$S_x = \frac{1,985,836}{8.7 \text{ in}} = 227,107 \text{ in}^3$ $S_y = \frac{1,985,836}{17.3 \text{ in}} = 114,788 \text{ in}^3$

$r_x = \sqrt{\frac{1,985,836}{2 \times 30.6}} = 177.1 \text{ in}$

$I_y = 2 \times 30.6 (15 \text{ in})^2 = 1,354,500 \text{ in}^4$

$r_y = \sqrt{\frac{1,354,500}{2 \times 30.6}} = 147.0 \text{ in}$

$L/r = \frac{600 \times 12}{147} = 49 \rightarrow F_a = 18.44 \text{ KSI}$

$f_a = \frac{155}{3 \times 30.6} = 1.69 \text{ KSI} \quad \frac{f_a}{F_a} \times 100\% = 9.16\%$

$f_{b \text{ BOT}} = \frac{17,050 \times 12}{2,565.7} = 21.38 \text{ KSI}$

$f_{b \text{ TOP}} = \frac{17,050 \times 12}{18,992.7} = 10.77 \text{ KSI}$

$f_{b \text{ TOP}} + f_a = 10.77 + 1.69 = 12.46 \text{ KSI} < 18.44 \text{ KSI} \quad \text{OK}$

$f_{b \text{ BOT}} - f_a = 21.38 - 1.69 = 19.69 \text{ KSI} \quad \text{OK}$

COMPANY		SHEET NO.	
SUBJECT			

DRAWING NUMBER	COMPUTER NAD	CHECKED BY	DATE 4-12-66
----------------	-----------------	------------	-----------------

OVERALL L/r = $\frac{600 \times 12}{147} = 49 \rightarrow F_c = 18.44 \text{ KSI}$

$f_a = \frac{155}{3 \times 30.6} = 1.7 \text{ KSI}$ $\frac{f_a}{F_c} \times 100 = \frac{1.7 \times 100}{18.44} = 9.2\%$ $f_b = \frac{656}{30.6} = 21.4 \text{ KSI}$
 $f_b = \frac{811}{2 \times 30.6} = 13.3 \text{ KSI}$

WT/FT OF ARM

CHORDS = $3 \times 0.1050 =$

LACING = $3 \times 1.9 \times 0.0286 =$

$0.3150 \text{ }^k/\text{FT}$

$0.2059 \text{ }^k/\text{FT}$

$0.5209 \text{ }^k/\text{FT}$

SPACING OF FLOAT = 52'

NET BUOYANCY/FLOAT = $52 \times 0.5209 = 27^k$

DISPL. FLOAT = $30 \times \pi D^2 \times (0.069 - 0.0025) = 1.45 D^2^k$

WT FLOAT = $30 \times \pi D^2 \times 0.0209 = 1.92 D^2$

$27 = 1.45 D^2 - 1.92 D \rightarrow D = \frac{1.92 + \sqrt{1.92^2 + 4 \times 1.45 \times 27}}{2 \times 1.45} = 5'$

CHECK NET BUOYANCY OF FLOAT

DISPL = $30 \times \pi \times 5^2 \times 0.069 = 37.7^k$

WT FOAM = $30 \times \pi \times 5^2 \times 0.0025 = 1.5^k$

WT SHELL = $30 \times \pi \times 5 \times 0.0153 = 7.2^k$

WT ENDS = $2 \times \pi \times 5^2 \times 0.0153 = 0.6^k$

NET BUOYANCY = $37.7 - 1.5 - 7.2 - 0.6 = 28.4^k$

WT OF FLOAT = $9.3^k = 9.3/52 = 0.1788^k/\text{FT}$

WT OF ARM = $(600 + 110) \times (0.5209 + 0.1788) =$

496.8^k

WT OF CONN.

15.0^k

WT OF BUOY (INCL ROT. DECK, EQUIP, SWIVEL & FOAM)

$1,080.0^k$

COST

ARM $496.8 \times 650/2 =$

$161,460$

CONN. $15.0 \times 2000/2 =$

$15,000$

BUOY $1,080.0 \times 1000/2 =$

$540,000$

ANCHOR SYSTEM

$400,000$

SUBMARINE HOSE

$225,000$

LOADING HOSE

$30,000$

MOORING LINES

$25,000$

$1,396,460$

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY MCDERMOTT & CO., INC.

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
	NDR		4-12-66

WEIGHT / FT OF ARM

OROS $3 \times 0.1050 = 0.3150$
 LACING $3 \times 1.415 \times 0.0905 = 0.3799$
 0.4869 k/ft

FLOAT @ 52' ALONG LENGTH OF ARM

NET BUOYANCY / FLOAT = $52.0 \times 0.4869 = 25.3^k$
 DISPL OF FLOAT = $30 \times \pi D^2 \times (0.064 - 0.0025) = 1.45D^2$
 WT FLOAT = $30 \times \pi D^2 \times 0.0153 + 2 \times \pi D^2 \times 10.0153 = 1.44D^2 + 0.02D^2$
 $25.3 = 1.45D^2 - 0.02D^2 - 1.44D^2 = 1.43D^2 - 0.44D$

$D = \frac{1.44 + \sqrt{1.44^2 + 4 \times 1.43 \times 25.3}}{2 \times 1.43} = \frac{1.44 + \sqrt{2.07 + 144.72}}{2.86} = 4.75'$

CHECK NET BUOYANCY OF FLOAT

DISPL = $\frac{1}{4} \times 30 \times \pi \times 4.75^2 \times 0.064 = 34.0^k$
 WT OF FOAM $\frac{0.0025}{9} \times 34.0 = -1.3^k$
 WT OF SHELL $\frac{0.064}{9} \times 34.0 \times 0.0153 = -6.8^k$
 WT OF ENDS $\frac{2}{9} \times \pi \times 4.75^2 \times 10.0153 = -0.5^k$
 25.4^k OK

STEEL WT OF FLOAT = $7.3^k = 7.3/52 = 0.1404 \text{ k/ft}$

WT OF FOAM = $1.3^k = 1.3/52 = 0.0250 \text{ k/ft}$

WT OF ARM = $(600 + 110) \times (0.4869 + 0.1404) =$

WT OF FOAM IN FLOAT = $(600 + 110) \times 0.0250 =$

WT OF COMM.

WT OF BUOY

WT OF FOAM IN BUOY

445.4^k
 17.8^k
 15.0^k
 1,013.0^k
 67.0^k

ENGINEERING DEPARTMENT
COMPUTATION SHEET
MCD 5015

J. RAY MCDERMOTT & CO., INC.

COMPANY		SHEET NO	
SUBJECT <u>COST SCHEME 1</u>			
DRAWING NUMBER	COMPUTER <u>NdB</u>	CHECKED BY	DATE <u>4-12-66</u>

<u>COST</u>		
ARM	495.4 x \$325/K =	\$ 145,000
COMM	20.0 x 1000/K =	20,000
BUOY	1,013.0 x 500/K =	507,500
ANCHOR SYSTEM	=	400,000
SUB MARINE HOSE	=	225,000
LOADING HOSE	=	30,000
MOORING LINES	=	25,000
		<u>1,352,000</u>
	ADD 15%	<u>173,000</u>
TOTAL COST		\$ 1,525,000

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & Co., INC.

MCD 5015

COMPANY

SHEET NO

SUBJECT

DRAWING NUMBER

COMPUTER

CHECKED BY

DATE

EVALUATION

- 1 FLOATING HOSE ELIMINATED
? RIVENT SHIP FROM OVERRIDING BUOY
- 2 NO RIGID ARM EXCESSIVE IN SIZE
- 3
- 4
- 5 YES
- 6 YES
- 7 YES BY VARYING MOORING LINE LENGTH TO BUOY
- 8 NO
- 9 AT RIGID ARM FREE END FOR MOORING & HOSE HANDLING
- 10
- 11
- 12 YES
- 13 APPROX 80'
- 14
- 15 ON HANDLING DECK @ END OF RIGID ARM
- 16 LIMITED MIN W.D. AT LOCATION
RIGID ARM - ANCHOR LEG CLEARANCE
- 17 CONNECTION RIGID ARM TO BUOY
WAVE ACTION ON RIGID ARM
- 18

ENGINEERING DEPARTMENT
COMPUTATION SHEET

M.C.D. 14-103

J. RAY McDERMOTT & CO., INC.

COMPANY

SHEET NO

SUBJECT

SCHEME 3

DRAWING NUMBER

COMPUTER


Ndc

CHECKED BY


DATE

4-14-66

1" = 20'




66



1000
 300 - 2.001 d³
 d³ = 2.001 d³
 d = 13.8

150°



8.2	10'	1.296	13°
10.7	17'	0.524	2°
18.7	20'	0.385	2°
			30°

0.025

4 x 25 x 0.025	3.5
1 x 14 x 5 x 0.025	2.0
4 x 55 x 0.025	5.0
4 x 32 x 1.5 x 0.010	3.5

2

ENGINEERING DEPARTMENT
COMPUTATION SHEET
MCD 5015

J. RAY McDERMOTT & Co., INC.

COMPANY	SHEET NO
---------	----------

SUBJECT

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
	M d B		A. 19. 66

SCHEME 3

BUOY WT $1,080.0 + 2 \times \pi \times (40 \times 8) \times 0.0192 + 6 \times 2 \times 16 \times 0.0192 =$	1,090.0 ^k
ARM WT.	20.0 ^k
CONNECTIONS	45.0 ^k
COUNTER WT	150.0 ^k

COST


BUOY $1,090.0 \times \$500 =$	545,000
ARM $20.0 \times \$325 =$	7,000
CONNECTIONS $45.0 \times 1000 =$	45,000
COUNTER WT $150.0 \times 150 =$	23,000
ANCHOR SYSTEM	200,000
SUB MARINE HOSE	225,000
FLOATING HOSE	300,000
MOORING LINES	30,000
	<u>1,375,000</u>
+ 15%	206,000
TOTAL	<u>\$ 1,581,000</u>
MACH $300,000 + 15\%$	345,000
NO REDUCTION OF HOSES COMPLICATED WITH MOVABLE COUNTERWEIGHT	<u>1,926,000</u>

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & Co., INC.

MCD 14003

COMPANY _____ SHEET NO _____
 SUBJECT _____
 DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____



30x90	30x40	
5x65	5x15	
6x50	-8x25	
8x25	-2x30	
3x20		
3,630 + 102.25k		980
355		
OVM TYPICAL		60k
3.3' GM Δ = 13479'		
Δ x GM x SIN φ = 770		
13479 x 3.3 x SIN φ = 770		

$(1256.6 - 50.3) \times 0.069 = 77.2 \text{ k/ft}$
 $203 - 50 = 143 \text{ k}$
 $\frac{143}{77.2} = 2'$ Buoy 40' φ x 22'

30 x 40
51 x 17
- 81 x 25
- 2 x 30

980

10225

60

M $\Delta = 12479$

GM $\sin \psi = 726$

3.3 $\sin \psi = 710$

$\sin \psi = 2260$
147483 1.63



2

COMPANY _____ SHEET NO. _____

SUBJECT _____

DRAWING NUMBER _____ COMPUTER **NdB** CHECKED BY _____ DATE **4-11-66**

70,000 DWT TANKER LIGHT 150' WD $\alpha = 0^\circ$ $TW = 12$ SEC

- $0^\circ \sqrt{(100 - 0.84 + 2.27)^2 + (15.67 + 4.86)^2} - 100 = \sqrt{101.43^2 + 20.53^2} - 100 = +3.49$
- $30^\circ \sqrt{(100 - 1.16 - 0.05)^2 + (11.19 + 1.03)^2} - 100 = \sqrt{98.79^2 + 12.17^2} - 100 = -0.46$
- $60^\circ \sqrt{(100 - 1.16 - 2.35)^2 + (3.62 - 3.08)^2} - 100 = \sqrt{96.49^2 + 0.54^2} - 100 = -3.51$
- $90^\circ \sqrt{(100 - 0.84 - 4.03)^2 + (-4.86 - 6.36)^2} - 100 = \sqrt{95.13^2 + 11.22^2} - 100 = -4.21$
- $120^\circ \sqrt{(100 - 0.31 - 4.62)^2 + (-12.05 - 7.94)^2} - 100 = \sqrt{95.07^2 + 19.99^2} - 100 = -2.85$
- $150^\circ \sqrt{(100 + 0.31 - 3.98)^2 + (-16.01 - 7.35)^2} - 100 = \sqrt{96.33^2 + 23.40^2} - 100 = -0.87$
- $180^\circ \sqrt{(100 + 0.84 - 2.27)^2 + (-15.67 - 4.86)^2} - 100 = \sqrt{98.57^2 + 20.53^2} - 100 = +0.69$
- $210^\circ \sqrt{(100 + 1.16 + 0.05)^2 + (-11.19 - 1.03)^2} - 100 = \sqrt{101.23^2 + 12.17^2} - 100 = +1.96$
- $240^\circ \sqrt{(100 + 1.16 + 2.35)^2 + (-3.62 + 3.08)^2} - 100 = \sqrt{103.51^2 + 0.54^2} - 100 = +3.51$
- $270^\circ \sqrt{(100 + 0.84 + 4.03)^2 + (4.86 + 6.36)^2} - 100 = \sqrt{104.87^2 + 11.22^2} - 100 = +5.47$
- $300^\circ \sqrt{(100 + 0.31 + 4.62)^2 + (12.05 + 7.94)^2} - 100 = \sqrt{109.23^2 + 19.99^2} - 100 = +6.82$
- $330^\circ \sqrt{(100 - 0.31 + 3.98)^2 + (16.01 + 7.35)^2} - 100 = \sqrt{103.67^2 + 23.40^2} - 100 = +6.28$

MAX AMPLITUDE = $\frac{4.21 + 6.82}{2} = 5.52'$

ACCELERATION = $\left(\frac{2\pi}{12}\right)^2 \times 5.52 = 7.51 \text{ 1/SEC}^2$

WAVE FORCE MOORING LOAD - MAX = $1.51 \times 89.3 = 127.3^k$

WIND & CURRENT MOORING LOAD = 53.6^k

DESIGN LOAD MOORING CONNECTION = $127.3 + 53.6 = \underline{180.9^k}$

DESIGN LOAD SPACER = $127.3 - 53.6 = \underline{73.7^k}$

COMPANY		SHEET NO.	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
	NAB		4-14-66

22,500 DWT TANKER LIGHT 60' WD X = 10° Tw = 10 SEC

0°	$\sqrt{(75-0.87+1.54)^2 + (35-0.16+0.25)^2 + (23.4+9.84+1.53)^2}$	-	$\sqrt{75^2 + 35^2}$	23.4
30°	$\sqrt{(75-1.19+2.55)^2 + (35-0.19+0.43)^2 + (23.4+7.41+5.19)^2}$	-	86.01	$\sqrt{76.0^2 + 34.0^2}$
60°	$\sqrt{(75-1.18+2.88)^2 + (35-0.17+0.48)^2 + (23.4+3.00+7.46)^2}$	-	86.01	$\sqrt{76.0^2 + 34.0^2}$
90°	$\sqrt{(75-0.86+2.44)^2 + (35-0.11+0.41)^2 + (23.4-2.21+7.73)^2}$	-	86.01	$\sqrt{76.0^2 + 34.0^2}$
120°	$\sqrt{(75-0.31+1.34)^2 + (35-0.01+0.23)^2 + (23.4-6.84+5.93)^2}$	-	86.01	$\sqrt{76.0^2 + 34.0^2}$
150°	$\sqrt{(75+0.32-0.12)^2 + (35+0.08-0.01)^2 + (23.4-9.63+2.54)^2}$	-	86.01	$\sqrt{75.20^2 + 34.0^2}$
180°	$\sqrt{(75+0.87-1.54)^2 + (35+0.16-0.25)^2 + (23.4-9.84+1.53)^2}$	-	86.01	$\sqrt{74.33^2 + 34.0^2}$
210°	$\sqrt{(75+1.19-2.55)^2 + (35+0.19-0.43)^2 + (23.4-7.41-5.19)^2}$	-	86.01	$\sqrt{73.64^2 + 34.0^2}$
240°	$\sqrt{(75+1.18-2.88)^2 + (35+0.17-0.48)^2 + (23.4-3.00-7.46)^2}$	-	86.01	$\sqrt{73.30^2 + 34.0^2}$
270°	$\sqrt{(75+0.86-2.44)^2 + (35+0.11-0.41)^2 + (23.4+2.21-7.73)^2}$	-	86.01	$\sqrt{73.47^2 + 34.0^2}$
300°	$\sqrt{(75+0.31-1.34)^2 + (35+0.01-0.23)^2 + (23.4+6.84-5.93)^2}$	-	86.01	$\sqrt{73.97^2 + 34.0^2}$
330°	$\sqrt{(75-0.32+0.12)^2 + (35-0.08+0.01)^2 + (23.4+9.63-2.54)^2}$	-	86.01	$\sqrt{74.80^2 + 34.0^2}$
MAX AMPLITUDE = 5.97 + 3.82 = 4.68		ACCELERATION = $(2\pi/T_w)^2 \times Z$		

22,500 DWT TANKER LOADED 60' WD X = 10° Tw = 10 SEC

0°	$\sqrt{(75-0.88+1.33)^2 + (35-0.12+0.99)^2 + (2.30+12.80+2.20)^2}$	-	82.80	$\sqrt{75.95^2 + 33.8^2}$
30°	$\sqrt{(75-1.20+2.29)^2 + (35-0.15+0.65)^2 + (2.30+9.41+5.83)^2}$	-	82.80	$\sqrt{76.09^2 + 34.26^2}$
60°	$\sqrt{(75-1.19+2.63)^2 + (35-0.14+0.18)^2 + (2.30+3.86+7.90)^2}$	-	82.80	$\sqrt{76.44^2 + 34.7^2}$
90°	$\sqrt{(75-0.87+2.26)^2 + (35-0.10+0.43)^2 + (2.30-2.65+7.85)^2}$	-	82.80	$\sqrt{76.39^2 + 35.33^2}$
120°	$\sqrt{(75-0.31+1.29)^2 + (35-0.02+0.87)^2 + (2.30-8.50+5.70)^2}$	-	82.80	$\sqrt{75.91^2 + 35.85^2}$
150°	$\sqrt{(75+0.32-0.02)^2 + (35+0.05+1.07)^2 + (2.30-12.50+2.02)^2}$	-	82.80	$\sqrt{75.20^2 + 36.12^2}$
180°	$\sqrt{(75+0.88-1.33)^2 + (35+0.12+0.99)^2 + (2.30-12.40-2.20)^2}$	-	82.80	$\sqrt{74.55^2 + 36.11^2}$
210°	$\sqrt{(75+1.20-2.29)^2 + (35+0.15+0.65)^2 + (2.30-9.41-5.83)^2}$	-	82.80	$\sqrt{73.91^2 + 36.80^2}$
240°	$\sqrt{(75+1.19-2.63)^2 + (35+0.14+0.18)^2 + (2.30-3.86-7.90)^2}$	-	82.80	$\sqrt{73.56^2 + 37.27^2}$
270°	$\sqrt{(75+0.87-2.26)^2 + (35+0.10+0.43)^2 + (2.30+2.65-7.85)^2}$	-	82.80	$\sqrt{73.61^2 + 37.67^2}$
300°	$\sqrt{(75+0.31-1.29)^2 + (35+0.02-0.87)^2 + (2.30+8.50-5.70)^2}$	-	82.80	$\sqrt{74.82^2 + 38.15^2}$
330°	$\sqrt{(75+0.32-0.02)^2 + (35+0.05-1.07)^2 + (2.30+12.50-2.02)^2}$	-	82.80	$\sqrt{75.30^2 + 38.86^2}$
MAX AMPLITUDE = 2.43 + 1.38 = 1.91		ACCELERATION = $(2\pi/T_w)^2 \times Z$		

$+35' \quad 23.4' = \sqrt{75.67^2 + 35.02^2 + 39.72^2} - \sqrt{75^2 + 35^2 + 23.4^2} = \sqrt{8,166.21} - \sqrt{7,927.56} = +1.36$
 $= \sqrt{76.96^2 + 35.24^2 + 36.00^2} - 86.01 = \sqrt{8,368.71} - 86.01 = 91.48 - 86.01 = +5.47$
 $\sqrt{76.96^2 + 35.31^2 + 33.86^2} - 86.01 = \sqrt{8,276.19} - 86.01 = 90.97 - 86.01 = +4.96$
 $\sqrt{76.96^2 + 35.30^2 + 28.92^2} - 86.01 = \sqrt{7,996.95} - 86.01 = 89.15 - 86.01 = +3.14$
 $\sqrt{76.03^2 + 35.22^2 + 27.99^2} - 86.01 = \sqrt{7,526.81} - 86.01 = 86.76 - 86.01 = +0.75$
 $\sqrt{75.20^2 + 35.07^2 + 16.34^2} - 86.01 = \sqrt{7,150.96} - 86.01 = 84.56 - 86.01 = -1.45$
 $\sqrt{74.39^2 + 34.91^2 + 15.09^2} - 86.01 = \sqrt{6,971.37} - 86.01 = 83.49 - 86.01 = -2.52$
 $\sqrt{73.54^2 + 34.75^2 + 10.80^2} - 86.01 = \sqrt{6,747.75} - 86.01 = 82.14 - 86.01 = -3.87$
 $\sqrt{73.30^2 + 34.69^2 + 12.94^2} - 86.01 = \sqrt{6,743.73} - 86.01 = 82.12 - 86.01 = -3.89$
 $\sqrt{73.47^2 + 34.70^2 + 12.88^2} - 86.01 = \sqrt{6,914.28} - 86.01 = 83.15 - 86.01 = -2.86$
 $\sqrt{73.97^2 + 34.78^2 + 24.31^2} - 86.01 = \sqrt{7,272.19} - 86.01 = 85.28 - 86.01 = -0.73$
 $\sqrt{74.80^2 + 34.93^2 + 30.19^2} - 86.01 = \sqrt{7,749.79} - 86.01 = 88.00 - 86.01 = +1.99$
 $(27/TW)^2 \times Z = 0.628^2 \times 4.68 = 1.85 \text{ ft/sec}^2 \text{ WAVE FORCE MOVING LOAD} = 1.85 \times 83.7 = 154.8^k$

$75.95^2 + 33.89^2 + 16.90^2 - 82.80 = \sqrt{7,126.84} - 82.80 = 84.42 - 82.80 = +1.62$
 $6.09^2 + 34.20^2 + 17.54^2 - 82.80 = \sqrt{7,266.58} - 82.80 = 85.23 - 82.80 = +2.43$
 $5.44^2 + 34.73^2 + 14.06^2 - 82.80 = \sqrt{7,246.93} - 82.80 = 85.13 - 82.80 = +2.33$
 $3.9^2 + 35.33^2 + 7.50^2 - 82.80 = \sqrt{7,139.89} - 82.80 = 84.50 - 82.80 = +1.70$
 $1^2 + 35.85^2 + 0.50^2 - 82.80 = \sqrt{7,058.43} - 82.80 = 84.01 - 82.80 = +1.21$
 $30^2 + 6.12^2 + 8.18^2 - 82.80 = \sqrt{7,041.66} - 82.80 = 83.91 - 82.80 = +1.11$
 $55^2 + 3.11^2 + 12.30^2 - 82.80 = \sqrt{7,012.92} - 82.80 = 83.74 - 82.80 = +0.94$
 $31^2 + 5.80^2 + 12.94^2 - 82.80 = \sqrt{6,911.77} - 82.80 = 83.14 - 82.80 = +0.34$
 $36^2 + 3.27^2 + 9.46^2 - 82.80 = \sqrt{6,744.54} - 82.80 = 82.13 - 82.80 = -0.67$
 $1^2 + 3.67^2 + 2.90^2 - 82.80 = \sqrt{6,628.85} - 82.80 = 81.42 - 82.80 = -1.38$
 $2^2 + 3.15^2 + 5.10^2 - 82.80 = \sqrt{6,671.19} - 82.80 = 81.68 - 82.80 = -1.12$
 $30^2 + 3.88^2 + 12.78^2 - 82.80 = \sqrt{6,981.27} - 82.80 = 83.55 - 82.80 = +0.75$

$(27/TW)^2 \times Z = 0.628^2 \times 1.91 = 0.75 \text{ ft/sec}^2 \text{ WAVE FORCE LOAD} = 0.75 \times 83.7 = 62.8^k$

2

MCD 14003

COMPANY _____ SHEET NO _____
SUBJECT _____
DRAWING NUMBER _____ COMPUTER NdB CHECKED BY _____ DATE 4-14-66

22,500 DWT TANKER LIGHT 150' WD X = 80° TW = 105F

0°	$\sqrt{(75 - 0.87 + 0.87)^2 + (35 - 0.16 + 0.14)^2 + (23.4 + 9.84 + 1.94)^2} - 86.01 = \sqrt{75.00^2 + 35.00^2}$
30°	$\sqrt{(75 - 1.19 + 1.64)^2 + (35 - 0.19 + 0.27)^2 + (23.4 + 7.41 + 5.61)^2} - 86.01 = \sqrt{75.55^2 + 35.00^2}$
60°	$\sqrt{(75 - 1.18 + 1.96)^2 + (35 - 0.17 + 0.33)^2 + (23.4 + 3.00 + 7.72)^2} - 86.01 = \sqrt{75.76^2 + 35.16^2}$
90°	$\sqrt{(75 - 0.86 + 1.76)^2 + (35 - 0.11 + 0.30)^2 + (23.4 - 2.21 + 7.87)^2} - 86.01 = \sqrt{75.90^2 + 35.11^2}$
120°	$\sqrt{(75 - 0.31 + 1.09)^2 + (35 - 0.01 + 0.18)^2 + (23.4 - 6.84 + 5.85)^2} - 86.01 = \sqrt{75.78^2 + 35.17^2}$
150°	$\sqrt{(75 + 0.32 + 0.12)^2 + (35 + 0.08 + 0.02)^2 + (23.4 - 9.63 + 2.26)^2} - 86.01 = \sqrt{75.44^2 + 35.10^2}$
180°	$\sqrt{(75 + 0.87 - 0.87)^2 + (35 + 0.16 - 0.14)^2 + (23.4 - 9.84 - 1.94)^2} - 86.01 = \sqrt{75.00^2 + 35.00^2}$
210°	$\sqrt{(75 + 1.19 - 1.64)^2 + (35 + 0.19 - 0.27)^2 + (23.4 - 7.41 - 5.61)^2} - 86.01 = \sqrt{74.55^2 + 34.92^2}$
240°	$\sqrt{(75 + 1.18 - 1.96)^2 + (35 + 0.17 - 0.33)^2 + (23.4 - 3.00 - 7.72)^2} - 86.01 = \sqrt{74.22^2 + 34.84^2}$
270°	$\sqrt{(75 + 0.86 - 1.76)^2 + (35 + 0.11 - 0.30)^2 + (23.4 + 2.21 - 7.87)^2} - 86.01 = \sqrt{74.10^2 + 34.81^2}$
300°	$\sqrt{(75 + 0.31 - 1.09)^2 + (35 + 0.01 - 0.18)^2 + (23.4 + 6.84 - 5.85)^2} - 86.01 = \sqrt{74.22^2 + 34.83^2}$
330°	$\sqrt{(75 - 0.32 - 0.12)^2 + (35 - 0.08 - 0.02)^2 + (23.4 + 9.63 - 2.26)^2} - 86.01 = \sqrt{74.56^2 + 34.90^2}$

MAX AMPLITUDE = $\frac{4.88 + 3.06}{2} = 3.94$ ACCELERATION = $\left(\frac{2\pi}{T_w}\right)^2 \times 3.94$

22,500 DWT TANKER LOADED 150' WD X = 10° TW = 105F

0°	$\sqrt{(75 - 0.88 + 0.79)^2 + (35 - 0.12 + 0.78)^2 + (2.30 + 12.4 + 1.90)^2} - 82.80 = \sqrt{74.91^2 + 3.66^2}$
30°	$\sqrt{(75 - 1.20 + 1.51)^2 + (35 - 0.15 + 0.93)^2 + (2.30 + 9.41 + 5.51)^2} - 82.80 = \sqrt{75.31^2 + 3.78^2}$
60°	$\sqrt{(75 - 1.19 + 1.82)^2 + (35 - 0.14 + 0.84)^2 + (2.30 + 3.85 + 7.64)^2} - 82.80 = \sqrt{75.63^2 + 3.70^2}$
90°	$\sqrt{(75 - 0.87 + 1.65)^2 + (35 - 0.10 + 0.57)^2 + (2.30 - 2.65 + 7.72)^2} - 82.80 = \sqrt{75.78^2 + 3.42^2}$
120°	$\sqrt{(75 - 0.31 + 1.03)^2 + (35 - 0.02 + 0.06)^2 + (2.30 - 8.50 + 5.74)^2} - 82.80 = \sqrt{75.72^2 + 3.04^2}$
150°	$\sqrt{(75 + 0.32 + 0.14)^2 + (35 + 0.05 - 0.42)^2 + (2.30 - 12.06 + 2.21)^2} - 82.80 = \sqrt{75.46^2 + 2.63^2}$
180°	$\sqrt{(75 + 0.80 - 0.79)^2 + (35 + 0.12 - 0.78)^2 + (2.30 + 12.40 - 1.90)^2} - 82.80 = \sqrt{75.01^2 + 3.34^2}$
210°	$\sqrt{(75 + 1.20 - 1.51)^2 + (35 + 0.15 - 0.93)^2 + (2.30 - 9.41 - 5.51)^2} - 82.80 = \sqrt{74.62^2 + 3.22^2}$
240°	$\sqrt{(75 + 1.19 - 1.82)^2 + (35 + 0.14 - 0.84)^2 + (2.30 - 3.85 - 7.64)^2} - 82.80 = \sqrt{74.37^2 + 3.02^2}$
270°	$\sqrt{(75 + 0.87 - 1.65)^2 + (35 + 0.10 - 0.57)^2 + (2.30 + 2.65 - 7.72)^2} - 82.80 = \sqrt{74.22^2 + 2.68^2}$
300°	$\sqrt{(75 + 0.31 - 1.03)^2 + (35 + 0.02 - 0.06)^2 + (2.30 + 8.50 + 5.74)^2} - 82.80 = \sqrt{74.28^2 + 2.65^2}$
330°	$\sqrt{(75 - 0.32 - 0.14)^2 + (35 - 0.05 + 0.42)^2 + (2.30 + 12.06 - 2.21)^2} - 82.80 = \sqrt{74.54^2 + 2.67^2}$

MAX AMPLITUDE = $\frac{2.34 + 0.87}{2} = 1.61$ ACCELERATION = $\left(\frac{2\pi}{T_w}\right)^2 \times 1.61$

105E

5.90	34.98	35.18	- 86.01	$\sqrt{8,086.23}$	- 86.01	89.92	- 86.01	+ 3.91
5.75	35.08	35.42	- 86.01	$\sqrt{8,249.73}$	- 86.01	90.83	- 86.01	+ 4.82
5.78	35.16	34.15	- 86.01	$\sqrt{8,197.79}$	- 86.01	90.27	- 86.01	+ 4.26
5.90	35.19	29.06	- 86.01	$\sqrt{7,843.63}$	- 86.01	88.56	- 86.01	+ 2.55
5.78	35.17	22.41	- 86.01	$\sqrt{7,981.75}$	- 86.01	86.50	- 86.01	+ 0.49
5.44	35.10	16.03	- 86.01	$\sqrt{7,180.16}$	- 86.01	84.74	- 86.01	- 1.27
5.00	35.02	11.62	- 86.01	$\sqrt{6,986.42}$	- 86.01	83.58	- 86.01	- 2.43
5.55	34.92	10.38	- 86.01	$\sqrt{6,884.85}$	- 86.01	82.97	- 86.01	- 3.04
5.22	34.84	12.61	- 86.01	$\sqrt{8,881.45}$	- 86.01	82.95	- 86.01	- 3.06
5.10	34.81	17.74	- 86.01	$\sqrt{7,017.25}$	- 86.01	83.77	- 86.01	- 2.29
5.22	34.83	24.39	- 86.01	$\sqrt{7,316.61}$	- 86.01	85.54	- 86.01	- 0.47
5.56	34.90	30.77	- 86.01	$\sqrt{7,729.00}$	- 86.01	87.89	- 86.01	+ 1.88

$\pi) \times 3.94 = 1.55 \text{ ft/sec}^2$ WAVE FORCE MOORING LOAD: $1.55 \times 89.3 = 130.7 \text{ K}$

105E

91	66	16.60	- 82.80	$\sqrt{7,158.70}$	- 82.80	84.63	- 82.80	+ 1.83
31	78	17.22	- 82.80	$\sqrt{7,248.33}$	- 82.80	85.14	- 82.80	+ 2.34
63	70	13.82	- 82.80	$\sqrt{7,185.66}$	- 82.80	84.77	- 82.80	+ 1.97
78	42	7.37	- 82.80	$\sqrt{7,051.50}$	- 82.80	83.97	- 82.80	+ 1.17
72	04	0.46	- 82.80	$\sqrt{6,961.53}$	- 82.80	83.44	- 82.80	+ 0.64
16	63	7.55	- 82.80	$\sqrt{6,950.45}$	- 82.80	83.37	- 82.80	+ 0.57
01	34	12.00	- 82.80	$\sqrt{6,949.79}$	- 82.80	83.37	- 82.80	+ 0.57
62	22	12.62	- 82.80	$\sqrt{6,902.87}$	- 82.80	83.12	- 82.80	+ 0.32
37	30	9.23	- 82.80	$\sqrt{6,792.58}$	- 82.80	82.42	- 82.80	- 0.38
22	68	2.77	- 82.80	$\sqrt{6,712.06}$	- 82.80	81.93	- 82.80	- 0.87
18	6	5.06	- 82.80	$\sqrt{6,765.32}$	- 82.80	82.25	- 82.80	- 0.55
14	37	12.15	- 82.80	$\sqrt{6,959.87}$	- 82.80	83.40	- 82.80	+ 0.60

$\pi) \times 1 = 0.63 \text{ ft/sec}^2$ WAVE FORCE MOORING LOAD: $0.63 \times 89.3 = 53.1 \text{ K}$

2

ENGINEERING DEPARTMENT
COMPUTATION SHEET
MCD 5015

J. RAY McDERMOTT & CO., INC.

COMPANY _____ SHEET NO _____

SUBJECT _____

DRAWING NUMBER _____ COMPUTER **NAB** CHECKED BY _____ DATE **4-15-66**

22,500 DWT TANKER
LIGHT

60' WD

$\chi = 60^\circ$

$TW = 10 \text{ SEC}$

LOADED

0°	-0.16 + 0.25 = +0.09
30°	-0.19 + 0.43 = +0.24
60°	-0.17 + 0.89 = +0.31
90°	-0.11 + 0.41 = +0.30
120°	-0.01 + 0.23 = +0.22
150°	+0.08 - 0.01 = +0.09

-0.12 - 0.99 = -1.11
-0.15 - 0.65 = -0.80
-0.19 - 0.13 = -0.27
-0.10 + 0.93 = +0.33
-0.02 + 0.87 = +0.85
+0.05 + 1.07 = +1.12

MAX AMPLITUDE = 0.31
ACCELERATION = $(\frac{2\pi}{TW})^2 \times 0.31 = 0.12 \text{ } \frac{F}{\text{SEC}^2}$

MAX AMPLITUDE = 1.12
ACCELERATION = $(\frac{2\pi}{TW})^2 \times 1.12 = 0.44$

FENDER LOAD = $0.12 \times 83.7 = 10^k$

FENDER LOAD = $0.44 \times 83.7 = 36.8^k$

22,500 DWT TANKER
LIGHT

150' WD

$\chi = 10^\circ$

$TW = 10 \text{ SEC}$

LOADED

0°	-0.16 + 0.14 = -0.02
30°	-0.19 + 0.27 = +0.08
60°	-0.17 + 0.33 = +0.16
90°	-0.11 + 0.30 = +0.19
120°	-0.01 + 0.18 = +0.17
150°	+0.08 + 0.02 = +0.10

-0.12 + 0.78 = +0.66
-0.15 + 0.93 = +0.78
-0.14 + 0.89 = +0.70
-0.10 + 0.52 = +0.42
-0.02 + 0.06 = +0.04
+0.05 - 0.42 = -0.37

MAX AMPLITUDE = 0.19
ACCELERATION = $(\frac{2\pi}{TW})^2 \times 0.19 = 0.07 \text{ } \frac{F}{\text{SEC}^2}$

MAX AMPLITUDE = 0.78
ACCELERATION = $(\frac{2\pi}{TW})^2 \times 0.78 = 0.31 \text{ } \frac{F}{\text{SEC}^2}$

FENDER LOAD = $0.07 \times 84.3 = 5.9^k$

FENDER LOAD = $0.31 \times 84.3 = 26.1^k$

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

MCD 14003

COMPANY			SHEET NO	
SUBJECT				
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE	
	N46		4-19-66	
70,000 DWT TANKER LIGHT			60' W.D.	$\chi = 10^\circ$ TW-17

0°	$\sqrt{(100 - 0.87 - 6.40)^2 + (35 - 0.16 - 1.16)^2 + (36.6 + 9.71 + 4.58)^2} - 112.09 = \sqrt{97.3^2 + 36.8^2}$
30°	$\sqrt{(100 - 1.18 - 4.82)^2 + (35 - 0.19 - 1.06)^2 + (36.6 + 7.51 + 7.31)^2} - 112.09 = \sqrt{94.0^2 + 36.8^2}$
60°	$\sqrt{(100 - 1.18 - 1.95)^2 + (35 - 0.17 - 0.67)^2 + (36.60 + 3.30 + 8.08)^2} - 112.09 = \sqrt{93.41^2 + 36.8^2}$
90°	$\sqrt{(100 - 0.86 + 1.45)^2 + (35 - 0.10 - 0.10)^2 + (36.60 - 1.79 + 6.68)^2} - 112.09 = \sqrt{100.59^2 + 36.8^2}$
120°	$\sqrt{(100 - 0.91 + 4.45)^2 + (35 + 0.00 + 0.50)^2 + (36.60 - 6.41 + 3.50)^2} - 112.09 = \sqrt{104.19^2 + 36.8^2}$
150°	$\sqrt{(100 + 0.32 + 6.27)^2 + (35 + 0.09 + 0.96)^2 + (36.60 - 9.30 - 0.63)^2} - 112.09 = \sqrt{106.59^2 + 36.8^2}$
180°	$\sqrt{(100 + 0.87 + 6.40)^2 + (35 + 0.16 + 1.16)^2 + (36.60 - 9.71 - 4.58)^2} - 112.09 = \sqrt{107.27^2 + 36.8^2}$
210°	$\sqrt{(100 + 1.18 + 4.82)^2 + (35 + 0.19 + 1.06)^2 + (36.60 - 7.51 - 7.31)^2} - 112.09 = \sqrt{106.00^2 + 36.8^2}$
240°	$\sqrt{(100 + 1.18 + 1.95)^2 + (35 + 0.17 + 0.67)^2 + (36.60 - 3.30 - 8.08)^2} - 112.09 = \sqrt{103.13^2 + 36.8^2}$
270°	$\sqrt{(100 + 0.86 + 1.45)^2 + (35 + 0.10 + 0.10)^2 + (36.60 + 1.79 - 6.68)^2} - 112.09 = \sqrt{99.41^2 + 36.8^2}$
300°	$\sqrt{(100 + 0.31 - 4.45)^2 + (35 + 0.00 - 0.50)^2 + (36.60 + 6.41 - 3.50)^2} - 112.09 = \sqrt{95.86^2 + 36.8^2}$
330°	$\sqrt{(100 - 0.32 + 6.27)^2 + (35 - 0.09 - 0.96)^2 + (36.60 + 9.30 + 0.63)^2} - 112.09 = \sqrt{93.41^2 + 36.8^2}$

MAX AMPLITUDE = $\frac{3.55 + 2.18^2}{2} = 3.19$ ACCELERATION = $\left(\frac{2\pi}{T_w}\right)^2 \times 3.19 = 0$

70,000 DWT TANKER LOADED 60' W.D. $\chi = 10^\circ$ TW-17.5C

0°	$\sqrt{(100 - 0.88 - 6.63)^2 + (35 - 0.13 - 0.30)^2 + (8.0 + 12.30 + 4.48)^2} - 106.25 = \sqrt{97.19^2 + 38.7^2}$
30°	$\sqrt{(100 - 1.20 - 5.96)^2 + (35 - 0.16 - 0.02)^2 + (8.0 + 9.38 + 7.19)^2} - 106.25 = \sqrt{92.4^2 + 38.7^2}$
60°	$\sqrt{(100 - 1.19 - 3.69)^2 + (35 - 0.14 + 0.26)^2 + (8.0 + 3.94 + 7.98)^2} - 106.25 = \sqrt{95.7^2 + 38.7^2}$
90°	$\sqrt{(100 - 0.87 - 0.43)^2 + (35 - 0.09 + 0.47)^2 + (8.0 - 2.54 + 6.63)^2} - 106.25 = \sqrt{98.7^2 + 38.7^2}$
120°	$\sqrt{(100 - 0.31 + 2.94)^2 + (35 - 0.01 + 0.56)^2 + (8.0 - 8.35 + 3.50)^2} - 106.25 = \sqrt{102.6^2 + 38.7^2}$
150°	$\sqrt{(100 + 0.32 + 5.52)^2 + (35 + 0.06 + 0.50)^2 + (8.0 - 11.93 - 0.56)^2} - 106.25 = \sqrt{105.8^2 + 38.7^2}$
180°	$\sqrt{(100 + 0.88 + 6.63)^2 + (35 + 0.13 + 0.30)^2 + (8.0 - 12.30 - 4.48)^2} - 106.25 = \sqrt{107.5^2 + 38.7^2}$
210°	$\sqrt{(100 + 1.20 + 5.96)^2 + (35 + 0.16 + 0.02)^2 + (8.0 - 9.38 - 7.19)^2} - 106.25 = \sqrt{107.16^2 + 38.7^2}$
240°	$\sqrt{(100 + 1.19 + 3.69)^2 + (35 + 0.14 - 0.26)^2 + (8.0 - 3.94 - 7.98)^2} - 106.25 = \sqrt{109.8^2 + 38.7^2}$
270°	$\sqrt{(100 + 0.87 + 0.43)^2 + (35 + 0.09 - 0.47)^2 + (8.0 + 2.54 - 6.63)^2} - 106.25 = \sqrt{101.3^2 + 38.7^2}$
300°	$\sqrt{(100 + 0.31 - 2.94)^2 + (35 + 0.01 - 0.56)^2 + (8.0 + 8.35 - 3.50)^2} - 106.25 = \sqrt{97.3^2 + 38.7^2}$
330°	$\sqrt{(100 - 0.32 - 5.52)^2 + (35 - 0.06 - 0.50)^2 + (8.0 + 11.93 + 0.56)^2} - 106.25 = \sqrt{94.16^2 + 38.7^2}$

MAX AMPLITUDE = $\frac{4.45 + 7.129}{2} = 5.87$ ACCELERATION = $\left(\frac{2\pi}{T_w}\right)^2 \times 5.87$

TW 12 SEC

$\sqrt{97.7^2 + 33.68^2 + 50.89^2} - 112.09 = \sqrt{12,322.95} - 112.09 = 111.01 - 112.09 = -1.08$
$\sqrt{94.0^2 + 33.75^2 + 51.4^2} - 112.09 = \sqrt{12,619.08} - 112.09 = 112.33 - 112.09 = +0.24$
$\sqrt{96.8^2 + 34.16^2 + 47.98^2} - 112.09 = \sqrt{12,852.78} - 112.09 = 113.37 - 112.09 = +1.28$
$\sqrt{100.55^2 + 34.80^2 + 41.93^2} - 112.09 = \sqrt{13,050.81} - 112.09 = 114.24 - 112.09 = +2.15$
$\sqrt{104.14^2 + 35.50^2 + 33.69^2} - 112.09 = \sqrt{13,240.41} - 112.09 = 115.07 - 112.09 = +2.98$
$\sqrt{106.59^2 + 36.05^2 + 26.67^2} - 112.09 = \sqrt{13,372.32} - 112.09 = 115.64 - 112.09 = +3.55$
$\sqrt{107.27^2 + 36.32^2 + 22.31^2} - 112.09 = \sqrt{13,323.73} - 112.09 = 115.43 - 112.09 = +3.34$
$\sqrt{106.00^2 + 36.25^2 + 21.78^2} - 112.09 = \sqrt{13,029.43} - 112.09 = 114.12 - 112.09 = +2.03$
$\sqrt{103.13^2 + 35.84^2 + 25.22^2} - 112.09 = \sqrt{12,556.35} - 112.09 = 112.06 - 112.09 = -0.03$
$\sqrt{99.41^2 + 35.20^2 + 31.71^2} - 112.09 = \sqrt{11,126.91} - 112.09 = 110.12 - 112.09 = -1.97$
$\sqrt{95.86^2 + 34.50^2 + 33.51^2} - 112.09 = \sqrt{11,040.43} - 112.09 = 109.27 - 112.09 = -2.82$
$\sqrt{93.41^2 + 33.95^2 + 46.53^2} - 112.09 = \sqrt{12,043.07} - 112.09 = 109.74 - 112.09 = -2.35$

$\times 3.12 = 0.87 \text{ FT/SEC} \quad \text{WAVE FORCE MOORING LOAD} = 0.87 \times 83.7 = 72.8 \text{ K}$

12 SEC

$\sqrt{97.19^2 + 34.57^2 + 29.78^2} - 106.25 = \sqrt{10,353.52} - 106.25 = 101.80 - 106.25 = -4.45$
$\sqrt{92.4^2 + 34.82^2 + 29.57^2} - 106.25 = \sqrt{10,435.38} - 106.25 = 102.15 - 106.25 = -4.10$
$\sqrt{95.2^2 + 35.12^2 + 19.92^2} - 106.25 = \sqrt{10,608.09} - 106.25 = 103.33 - 106.25 = -2.92$
$\sqrt{98.7^2 + 35.38^2 + 12.09^2} - 106.25 = \sqrt{10,133.60} - 106.25 = 105.54 - 106.25 = -0.71$
$\sqrt{102.6^2 + 35.55^2 + 3.12^2} - 106.25 = \sqrt{11,806.45} - 106.25 = 108.66 - 106.25 = +2.41$
$\sqrt{105.8^2 + 35.58^2 + 4.49^2} - 106.25 = \sqrt{12,486.78} - 106.25 = 111.74 - 106.25 = +5.49$
$\sqrt{107.5^2 + 35.43^2 + 0.78^2} - 106.25 = \sqrt{12,890.77} - 106.25 = 113.54 - 106.25 = +7.29$
$\sqrt{107.16^2 + 35.18^2 + 8.57^2} - 106.25 = \sqrt{12,709.39} - 106.25 = 113.11 - 106.25 = +6.86$
$\sqrt{104.8^2 + 34.88^2 + 3.92^2} - 106.25 = \sqrt{12,231.20} - 106.25 = 110.60 - 106.25 = +4.35$
$\sqrt{101.3^2 + 34.62^2 + 3.91^2} - 106.25 = \sqrt{11,475.52} - 106.25 = 107.12 - 106.25 = +0.87$
$\sqrt{97.3^2 + 34.45^2 + 12.85^2} - 106.25 = \sqrt{10,832.84} - 106.25 = 104.09 - 106.25 = -2.16$
$\sqrt{94.16^2 + 34.44^2 + 20.49^2} - 106.25 = \sqrt{10,472.06} - 106.25 = 102.33 - 106.25 = -3.92$

$\times 1.61 = 1.61 \text{ FT/SEC} \quad \text{WAVE FORCE MOORING LOAD} = 1.61 \times 83.7 = 134.8 \text{ K}$

2

AD-A034 246

MCDERMOTT (J RAY) CO INC NEW ORLEANS LA
ENGINEERING DESIGN CALCULATIONS MONO-MOORING SYSTEM. VOLUME 5. --ETC(U)
1966

DA-44-009-AMC-841(T)

F/G 13/10

NL

UNCLASSIFIED

2 OF 3
ADA034246




The table consists of 12 columns and 10 rows of microfilm frames. The frames contain various technical content, including:

- Diagrams and drawings of mooring systems.
- Tables of numerical data, likely calculations or design parameters.
- Textual descriptions and notes.

2 OF

3

ADA034246



COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
	NdB		4-15-66

70,000 DWT TANKER LIGHT 150' WD $\lambda = 10^\circ$ TW = 12 SEC

0°	$\sqrt{(100 - 0.87 + 5.74)^2 + (35 - 0.16 + 0.72)^2 + (36.6 + 9.71 + 4.39)^2} - 112.09 = \sqrt{109.87 + 35}$
30°	$\sqrt{(100 - 1.18 + 6.01)^2 + (35 - 0.19 + 0.89)^2 + (36.6 + 7.51 + 7.19)^2} - 112.09 = \sqrt{109.83 + 35}$
60°	$\sqrt{(100 - 1.18 + 4.67)^2 + (35 - 0.17 + 0.81)^2 + (36.6 + 3.30 + 8.05)^2} - 112.09 = \sqrt{103.49 + 35}$
90°	$\sqrt{(100 - 0.86 + 2.07)^2 + (35 - 0.10 + 0.52)^2 + (36.6 - 1.79 + 6.78)^2} - 112.09 = \sqrt{101.21 + 35}$
120°	$\sqrt{(100 - 0.31 - 1.05)^2 + (35 - 0.00 + 0.09)^2 + (36.6 - 6.41 + 3.68)^2} - 112.09 = \sqrt{98.61 + 35}$
150°	$\sqrt{(100 + 0.32 - 3.99)^2 + (35 + 0.09 - 0.36)^2 + (36.6 - 9.30 - 0.41)^2} - 112.09 = \sqrt{96.38 + 35}$
180°	$\sqrt{(100 + 0.87 - 5.74)^2 + (35 + 0.16 - 0.72)^2 + (36.6 - 9.71 - 4.39)^2} - 112.09 = \sqrt{95.13 + 35}$
210°	$\sqrt{(100 + 1.18 - 6.01)^2 + (35 + 0.19 - 0.89)^2 + (36.6 - 7.51 - 7.19)^2} - 112.09 = \sqrt{95.17 + 35}$
240°	$\sqrt{(100 + 1.18 - 4.67)^2 + (35 + 0.17 - 0.81)^2 + (36.6 - 3.30 - 8.05)^2} - 112.09 = \sqrt{95.51 + 35}$
270°	$\sqrt{(100 + 0.86 - 2.07)^2 + (35 + 0.10 - 0.52)^2 + (36.6 + 1.79 - 6.78)^2} - 112.09 = \sqrt{98.79 + 35}$
300°	$\sqrt{(100 + 0.31 + 1.05)^2 + (35 + 0.00 - 0.09)^2 + (36.6 + 6.41 - 3.68)^2} - 112.09 = \sqrt{101.39 + 35}$
330°	$\sqrt{(100 - 0.32 + 3.99)^2 + (35 - 0.09 + 0.36)^2 + (36.6 + 9.30 + 0.41)^2} - 112.09 = \sqrt{103.62 + 35}$

MAX AMPLITUDE = $\frac{9.96 + 8.58}{2} = 9.27$ ACCELERATION = $\left(\frac{2\pi}{TW}\right)^2 \times 9.27 =$

70,000 DWT TANKER LOADED 150' WD $\lambda = 10^\circ$ TW = 2 SEC

0°	$\sqrt{(100 - 0.88 + 4.17)^2 + (35 - 0.13 - 0.38)^2 + (8.0 + 17.30 + 4.32)^2} - 106.25 = \sqrt{103.8 + 34}$
30°	$\sqrt{(100 - 1.20 + 5.09)^2 + (35 - 0.16 - 0.07)^2 + (8.0 + 9.38 + 7.13)^2} - 106.25 = \sqrt{103.8 + 34}$
60°	$\sqrt{(100 - 1.19 + 4.64)^2 + (35 - 0.14 + 0.26)^2 + (8.0 + 3.94 + 8.02)^2} - 106.25 = \sqrt{103.4 + 35}$
90°	$\sqrt{(100 - 0.87 + 2.95)^2 + (35 - 0.09 + 0.52)^2 + (8.0 - 2.54 + 6.77)^2} - 106.25 = \sqrt{102.0 + 35}$
120°	$\sqrt{(100 - 0.31 + 0.46)^2 + (35 - 0.01 + 0.65)^2 + (8.0 - 8.35 + 3.71)^2} - 106.25 = \sqrt{100.1 + 35}$
150°	$\sqrt{(100 + 0.32 - 2.14)^2 + (35 + 0.06 + 0.59)^2 + (8.0 - 11.93 - 0.35)^2} - 106.25 = \sqrt{98.1 + 35}$
180°	$\sqrt{(100 + 0.88 - 4.17)^2 + (35 + 0.13 + 0.38)^2 + (8.0 - 17.30 - 4.32)^2} - 106.25 = \sqrt{96.7 + 35}$
210°	$\sqrt{(100 + 1.20 - 5.09)^2 + (35 + 0.16 + 0.07)^2 + (8.0 - 9.38 - 7.13)^2} - 106.25 = \sqrt{95.1 + 35}$
240°	$\sqrt{(100 + 1.19 - 4.64)^2 + (35 + 0.14 - 0.26)^2 + (8.0 - 3.94 - 8.02)^2} - 106.25 = \sqrt{96.5 + 34}$
270°	$\sqrt{(100 + 0.87 - 2.95)^2 + (35 + 0.09 - 0.52)^2 + (8.0 + 2.54 - 6.77)^2} - 106.25 = \sqrt{97.7 + 34}$
300°	$\sqrt{(100 + 0.31 - 0.46)^2 + (35 + 0.01 - 0.65)^2 + (8.0 + 8.35 - 3.71)^2} - 106.25 = \sqrt{99.8 + 34}$
330°	$\sqrt{(100 - 0.32 + 2.14)^2 + (35 - 0.06 + 0.59)^2 + (8.0 + 11.93 + 0.35)^2} - 106.25 = \sqrt{101.8 + 34}$

MAX AMPLITUDE = $\frac{6.01 + 3.53}{2} = 4.77$ ACCELERATION = $\left(\frac{2\pi}{TW}\right)^2 \times 4.7$

1.7 SEC

1.87	+ 35.56 ² + 50.70 ²	- 112.00	= $\sqrt{19,832.72}$	- 112.00	= 121.79 - 112.00	+ 9.70
1.83	+ 35.70 ² + 51.30 ²	- 112.00	= $\sqrt{19,835.51}$	- 112.00	= 122.05 - 112.00	+ 10.05
1.79	+ 35.69 ² + 47.06 ²	- 112.00	= $\sqrt{19,280.55}$	- 112.00	= 119.50 - 112.00	+ 7.50
1.21	+ 35.42 ² + 41.59 ²	- 112.00	= $\sqrt{13,227.77}$	- 112.00	= 115.01 - 112.00	+ 3.01
61	+ 35.09 ² + 33.87 ²	- 112.00	= $\sqrt{12,102.42}$	- 112.00	= 110.01 - 112.00	- 1.99
3.8	+ 34.73 ² + 26.89 ²	- 112.00	= $\sqrt{11,218.55}$	- 112.00	= 105.92 - 112.00	- 6.08
13	+ 34.49 ² + 22.50 ²	- 112.00	= $\sqrt{10,747.08}$	- 112.00	= 103.64 - 112.00	- 8.36
17	+ 34.30 ² + 21.00 ²	- 112.00	= $\sqrt{10,713.93}$	- 112.00	= 103.51 - 112.00	- 8.49
51	+ 34.38 ² + 25.24 ²	- 112.00	= $\sqrt{11,131.85}$	- 112.00	= 105.51 - 112.00	- 6.49
79	+ 34.58 ² + 31.61 ²	- 112.00	= $\sqrt{11,954.43}$	- 112.00	= 109.34 - 112.00	- 2.66
89	+ 34.91 ² + 33.33 ²	- 112.00	= $\sqrt{13,045.49}$	- 112.00	= 114.22 - 112.00	+ 2.22
62	+ 35.27 ² + 46.31 ²	- 112.00	= $\sqrt{19,125.59}$	- 112.00	= 118.85 - 112.00	+ 6.85

$\times 27 = 2.54 \text{ }^F/\text{sec}^2$ WAVE FORCE MOORING LOAD = $2.54 \times 84.3 = 214.1 \text{ K}$

1.2 SEC

03.2	+ 34.99 ² + 24.62 ²	- 106.25	= $\sqrt{12,464.53}$	- 106.25	= 111.64 - 106.25	+ 5.39
3.8	+ 34.72 ² + 24.57 ²	- 106.25	= $\sqrt{12,602.83}$	- 106.25	= 112.26 - 106.25	+ 6.01
3.1	+ 35.12 ² + 19.96 ²	- 106.25	= $\sqrt{12,333.72}$	- 106.25	= 111.06 - 106.25	+ 4.81
2.0	+ 35.43 ² + 12.23 ²	- 106.25	= $\sqrt{11,825.18}$	- 106.25	= 108.74 - 106.25	+ 2.49
1.1	+ 35.64 ² + 3.36 ²	- 106.25	= $\sqrt{11,311.52}$	- 106.25	= 106.36 - 106.25	+ 0.11
1.1	+ 35.65 ² + 4.28 ²	- 106.25	= $\sqrt{10,928.55}$	- 106.25	= 104.54 - 106.25	- 1.71
1.7	+ 35.57 ² + 8.62 ²	- 106.25	= $\sqrt{10,682.09}$	- 106.25	= 103.38 - 106.25	- 2.87
1.1	+ 35.23 ² + 8.51 ²	- 106.25	= $\sqrt{10,550.71}$	- 106.25	= 102.72 - 106.25	- 3.53
3.5	+ 34.88 ² + 3.96 ²	- 106.25	= $\sqrt{10,554.20}$	- 106.25	= 102.73 - 106.25	- 3.52
2.2	+ 34.57 ² + 3.27 ²	- 106.25	= $\sqrt{10,797.62}$	- 106.25	= 103.91 - 106.25	- 2.34
8.1	+ 34.36 ² + 12.64 ²	- 106.25	= $\sqrt{11,310.40}$	- 106.25	= 106.35 - 106.25	+ 0.10
8.2	+ 34.40 ² + 20.28 ²	- 106.25	= $\sqrt{11,951.95}$	- 106.25	= 109.37 - 106.25	+ 3.12

$\times 4.77 = 1.31 \text{ }^F/\text{sec}^2$ WAVE FORCE MOORING LOAD = $1.31 \times 84.3 = 110.4 \text{ K}$

2

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY MCDERMOTT & Co., INC.

MCD 14003

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
22,500 DWT TANKER	L1647	NAB	4-18-66
60' WD		$\lambda = 20^\circ$ TW = 0.5 SEC	

0°	$(75 - 0.96 - 0.38)^2 + (35 - 0.38 + 0.00)^2 + (23.4 + 7.54 - 5.66)^2 - 86.01 = \sqrt{66^2 + 33^2}$
30°	$(75 - 1.30 + 1.94)^2 + (35 - 0.44 + 0.90)^2 + (23.4 + 6.44 - 2.22)^2 - 86.01 = \sqrt{69^2 + 33^2}$
60°	$(75 - 1.29 + 3.74)^2 + (35 - 0.37 + 1.56)^2 + (23.4 + 3.60 + 1.82)^2 - 86.01 = \sqrt{74.5^2 + 33^2}$
90°	$(75 - 0.94 + 4.54)^2 + (35 - 0.21 + 1.80)^2 + (23.4 - 0.18 + 5.37)^2 - 86.01 = \sqrt{76.0^2 + 33^2}$
120°	$(75 - 0.33 + 4.13)^2 + (35 - 0.00 + 1.56)^2 + (23.4 - 3.93 + 7.49)^2 - 86.01 = \sqrt{74.0^2 + 33^2}$
150°	$(75 + 0.36 + 2.50)^2 + (35 + 0.22 + 0.90)^2 + (23.4 - 6.62 + 7.59)^2 - 86.01 = \sqrt{77^2 + 33^2}$
180°	$(75 + 0.96 + 0.38)^2 + (35 + 0.38 + 0.00)^2 + (23.4 - 7.54 + 5.66)^2 - 86.01 = \sqrt{76.7^2 + 33^2}$
210°	$(75 + 1.30 - 1.94)^2 + (35 + 0.44 - 0.90)^2 + (23.4 - 6.44 + 2.22)^2 - 86.01 = \sqrt{74.6^2 + 33^2}$
240°	$(75 + 1.29 - 3.74)^2 + (35 + 0.37 - 1.56)^2 + (23.4 - 3.60 - 1.82)^2 - 86.01 = \sqrt{72.5^2 + 33^2}$
270°	$(75 + 0.94 - 4.54)^2 + (35 + 0.21 - 1.80)^2 + (23.4 + 0.18 - 5.37)^2 - 86.01 = \sqrt{71.4^2 + 33^2}$
300°	$(75 + 0.33 - 4.13)^2 + (35 + 0.00 - 1.56)^2 + (23.4 + 3.93 - 7.49)^2 - 86.01 = \sqrt{71.4^2 + 33^2}$
330°	$(75 - 0.36 + 2.60)^2 + (35 - 0.22 - 0.90)^2 + (23.4 + 6.62 - 7.59)^2 - 86.01 = \sqrt{72.0^2 + 33^2}$

MAX AMPLITUDE $\frac{5.28 + 5.10}{2} = 5.19^{\text{FT}}$ ACCELERATION $\left(\frac{2\pi}{TW}\right)^2 \times 5.19 = 2.05$

22,500 DWT TANKER LOADED 60' WD $\lambda = 20^\circ$ TW = 0.5 SEC

0°	$(75 - 0.97 - 0.65)^2 + (35 - 0.30 - 1.29)^2 + (2.30 + 12.91 - 4.74)^2 - 82.80 = \sqrt{73.3^2 + 33.9^2}$
30°	$(75 - 1.31 + 1.51)^2 + (35 - 0.36 - 1.08)^2 + (2.30 + 10.01 - 0.95)^2 - 82.80 = \sqrt{75.2^2 + 33.9^2}$
60°	$(75 - 1.30 + 2.26)^2 + (35 - 0.31 - 0.63)^2 + (2.30 + 7.92 + 3.10)^2 - 82.80 = \sqrt{76.96^2 + 34.0^2}$
90°	$(75 - 0.95 + 4.14)^2 + (35 - 0.10 - 0.01)^2 + (2.30 - 1.47 + 6.32)^2 - 82.80 = \sqrt{78.19^2 + 34.8^2}$
120°	$(75 - 0.33 + 2.91)^2 + (35 + 0.00 + 0.61)^2 + (2.30 - 7.48 + 7.89)^2 - 82.80 = \sqrt{78.58^2 + 35.61^2}$
150°	$(75 + 0.36 + 2.63)^2 + (35 + 0.17 + 1.06)^2 + (2.30 - 11.48 + 7.26)^2 - 82.80 = \sqrt{77.55^2 + 36.3^2}$
180°	$(75 + 0.97 + 0.65)^2 + (35 + 0.30 + 1.29)^2 + (2.30 - 12.41 + 9.74)^2 - 82.80 = \sqrt{76.62^2 + 36.54^2}$
210°	$(75 + 1.31 - 1.51)^2 + (35 + 0.36 + 1.08)^2 + (2.30 - 10.01 + 0.95)^2 - 82.80 = \sqrt{74.80^2 + 36.44^2}$
240°	$(75 + 0.30 - 3.26)^2 + (35 + 0.31 + 0.63)^2 + (2.30 - 4.92 - 3.10)^2 - 82.80 = \sqrt{73.01^2 + 35.54^2}$
270°	$(75 + 0.95 - 4.14)^2 + (35 + 0.10 + 0.01)^2 + (2.30 + 1.47 - 6.32)^2 - 82.80 = \sqrt{71.81^2 + 35.11^2}$
300°	$(75 + 0.33 - 2.91)^2 + (35 + 0.00 + 0.61)^2 + (2.30 + 7.48 - 7.89)^2 - 82.80 = \sqrt{71.42^2 + 34.33^2}$
330°	$(75 - 0.36 + 2.63)^2 + (35 - 0.17 - 1.06)^2 + (2.30 + 11.48 - 7.26)^2 - 82.80 = \sqrt{72.01^2 + 33.77^2}$

MAX AMPLITUDE $\frac{3.51 + 3.51}{2} = 3.51$ ACCELERATION $\left(\frac{2\pi}{TW}\right)^2 \times 3.51 = 1.38$

66

TW = 0.5 SEC

01 =	$\sqrt{66^2 + 39.62^2 + 25.28^2}$	- 86.01 =	$\sqrt{7,263.42}$	- 86.01 =	85.23 - 86.01 =	- 0.78
02 =	$\sqrt{69^2 + 35.46^2 + 27.62^2}$	- 86.01 =	$\sqrt{7,741.63}$	- 86.01 =	87.90 - 86.01 =	+ 1.89
03 =	$\sqrt{74.5^2 + 36.12^2 + 28.87^2}$	- 86.01 =	$\sqrt{8,135.81}$	- 86.01 =	90.22 - 86.01 =	+ 4.21
04 =	$\sqrt{76.60^2 + 36.60^2 + 28.59^2}$	- 86.01 =	$\sqrt{8,339.18}$	- 86.01 =	91.29 - 86.01 =	+ 5.28
05 =	$\sqrt{74.0^2 + 36.51^2 + 26.71^2}$	- 86.01 =	$\sqrt{8,272.92}$	- 86.01 =	90.96 - 86.01 =	+ 4.95
06 =	$\sqrt{77.5^2 + 36.12^2 + 24.37^2}$	- 86.01 =	$\sqrt{7,976.31}$	- 86.01 =	89.31 - 86.01 =	+ 3.30
07 =	$\sqrt{76.4^2 + 35.38^2 + 21.52^2}$	- 86.01 =	$\sqrt{7,542.65}$	- 86.01 =	86.85 - 86.01 =	+ 0.84
08 =	$\sqrt{74.4^2 + 34.54^2 + 19.18^2}$	- 86.01 =	$\sqrt{7,090.29}$	- 86.01 =	84.20 - 86.01 =	- 1.81
09 =	$\sqrt{72.4^2 + 33.81^2 + 17.98^2}$	- 86.01 =	$\sqrt{6,729.90}$	- 86.01 =	82.04 - 86.01 =	- 3.97
10 =	$\sqrt{71.4^2 + 33.41^2 + 18.21^2}$	- 86.01 =	$\sqrt{6,545.79}$	- 86.01 =	80.91 - 86.01 =	- 5.10
11 =	$\sqrt{71.2^2 + 33.44^2 + 19.89^2}$	- 86.01 =	$\sqrt{6,581.30}$	- 86.01 =	81.13 - 86.01 =	- 4.88
12 =	$\sqrt{72.0^2 + 33.88^2 + 22.43^2}$	- 86.01 =	$\sqrt{6,840.72}$	- 86.01 =	82.71 - 86.01 =	- 3.30

5.19 2.05 F/SEC^2 WAVE FORCE MOORING LOAD = $2.05 \times 83.7 = 171.6^k$

TW = 0.5 SEC

13 =	$\sqrt{73.3^2 + 33.46^2 + 9.97^2}$	- 82.80 =	$\sqrt{6,603.60}$	- 82.80 =	81.26 - 82.80 =	- 1.54
14 =	$\sqrt{75.2^2 + 33.56^2 + 11.36^2}$	- 82.80 =	$\sqrt{6,910.36}$	- 82.80 =	83.13 - 82.80 =	+ 0.33
15 =	$\sqrt{76.96^2 + 34.06^2 + 10.32^2}$	- 82.80 =	$\sqrt{7,185.43}$	- 82.80 =	84.79 - 82.80 =	+ 1.99
16 =	$\sqrt{78.19^2 + 34.89^2 + 7.16^2}$	- 82.80 =	$\sqrt{7,382.11}$	- 82.80 =	85.92 - 82.80 =	+ 3.12
17 =	$\sqrt{78.58^2 + 35.61^2 + 7.66^2}$	- 82.80 =	$\sqrt{7,493.56}$	- 82.80 =	86.31 - 82.80 =	+ 3.51
18 =	$\sqrt{77.55^2 + 36.28^2 + 1.92^2}$	- 82.80 =	$\sqrt{7,398.74}$	- 82.80 =	86.02 - 82.80 =	+ 3.22
19 =	$\sqrt{76.62^2 + 36.54^2 + 5.37^2}$	- 82.80 =	$\sqrt{7,239.63}$	- 82.80 =	85.06 - 82.80 =	+ 2.26
20 =	$\sqrt{74.80^2 + 36.44^2 + 6.76^2}$	- 82.80 =	$\sqrt{6,968.61}$	- 82.80 =	83.48 - 82.80 =	+ 0.68
21 =	$\sqrt{73.04^2 + 35.94^2 + 5.72^2}$	- 82.80 =	$\sqrt{6,659.24}$	- 82.80 =	81.60 - 82.80 =	- 1.20
22 =	$\sqrt{71.81^2 + 35.11^2 + 2.55^2}$	- 82.80 =	$\sqrt{6,395.89}$	- 82.80 =	79.97 - 82.80 =	- 2.83
23 =	$\sqrt{71.42^2 + 34.39^2 + 1.94^2}$	- 82.80 =	$\sqrt{6,287.25}$	- 82.80 =	79.29 - 82.80 =	- 3.51
24 =	$\sqrt{72.01^2 + 33.77^2 + 6.52^2}$	- 82.80 =	$\sqrt{6,368.36}$	- 82.80 =	79.80 - 82.80 =	- 3.00

3.5 1.38 F/SEC^2 WAVE FORCE MOORING LOAD = $1.38 \times 83.7 = 115.5^k$

2

COMPANY _____ SHEET NO _____

SUBJECT _____

DRAWING NUMBER _____ COMPUTER **NdB** CHECKED BY _____ DATE **4-15-66**

70,000 DWT TANKER 60' WD $\chi = 10^\circ$ **TW = 12 SEC**
LIGHT **LOADED**

0°	-0.16 - 1.16 = -1.32	-0.13 - 0.30 = -0.43
30°	-0.19 - 1.06 = -1.25	-0.16 - 0.07 = -0.23
60°	-0.17 - 0.67 = -0.84	-0.14 + 0.26 = +0.12
90°	-0.10 - 0.10 = -0.20	-0.09 + 0.47 = +0.38
120°	0.00 + 0.50 = +0.50	-0.01 + 0.56 = +0.55
150°	0.09 + 0.96 = +1.05	+0.06 + 0.50 = +0.56

MAX AMPLITUDE: 1.32 MAX AMPLITUDE: 0.56
 ACCELERATION = $\left(\frac{2\pi}{TW}\right)^2 \times 1.32 = 0.36$ ACCELERATION = $\left(\frac{2\pi}{TW}\right)^2 \times 0.56 = 0.15$
 FENDER FORCE $0.36 \times 83.7 = 30.1^k$ FENDER FORCE = $0.15 \times 83.7 = 12.6^k$

70,000 DWT TANKER 150' WD $\chi = 10^\circ$ **TW = 17 SEC**
LIGHT **LOADED**

-0.16 + 0.72 = +0.56	-0.13 - 0.38 = -0.51
-0.19 + 0.89 = +0.70	-0.16 - 0.07 = -0.23
-0.17 + 0.81 = +0.64	-0.14 + 0.26 = +0.12
-0.10 + 0.52 = +0.42	-0.09 + 0.52 = +0.43
0.00 + 0.09 = +0.09	-0.01 + 0.65 = +0.64
+0.09 - 0.36 = -0.27	+0.06 + 0.59 = +0.65

MAX AMPLITUDE: 0.70 MAX AMPLITUDE: 0.65
 ACCELERATION = $\left(\frac{2\pi}{TW}\right)^2 \times 0.70 = 0.19$ ACCELERATION = $\left(\frac{2\pi}{TW}\right)^2 \times 0.65 = 0.18$
 FENDER FORCE $0.19 \times 84.3 = 16.0^k$ FENDER FORCE = $0.18 \times 84.3 = 15.2^k$

ENGINEERING DEPARTMENT
COMPUTATION SHEET


MCD 14003

J. RAY McDERMOTT & CO., INC.

COMPANY _____ SHEET NO _____

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____



1/8 L


22,500 DWT

70,000 DWT

2

MANIFOLD

MANIFOLD



ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY MCDERMOTT & CO., INC.

MCD 14003

COMPANY _____ SHEET NO _____

SUBJECT _____

DRAWING NUMBER _____ COMPUTER NAB CHECKED BY _____ DATE 4-10-66

22,500 DWT TANKER LIGHT 150' WD $\chi = 0^\circ$ $T_w =$

0°	$(75 - 0.96 - 1.04)^2 + (35.0 - 0.38 - 0.37)^2 + (23.4 + 7.54 - 4.95)^2 - 86.01 = \sqrt{72.00^2 + 32.25^2 + 1.00^2}$
30°	$(75 - 1.30 + 0.49)^2 + (35.0 - 0.49 + 0.23)^2 + (23.4 + 6.44 - 1.12)^2 - 86.01 = \sqrt{79.18^2 + 34.00^2 + 1.00^2}$
60°	$(75 - 1.29 + 1.87)^2 + (35.0 - 0.37 + 0.77)^2 + (23.4 + 3.60 + 3.01)^2 - 86.01 = \sqrt{75.58^2 + 35.80^2 + 1.00^2}$
90°	$(75 - 0.94 + 2.76)^2 + (35.0 - 0.20 + 1.15)^2 + (23.4 - 0.18 + 6.33)^2 - 86.01 = \sqrt{76.82^2 + 35.00^2 + 1.00^2}$
120°	$(75 - 0.33 + 2.91)^2 + (35.0 + 1.00 + 1.13)^2 + (23.4 - 3.93 + 7.26)^2 - 86.01 = \sqrt{77.58^2 + 36.31^2 + 1.00^2}$
150°	$(75 + 0.36 + 2.28)^2 + (35.0 + 0.22 + 0.87)^2 + (23.4 - 6.52 + 7.46)^2 - 86.01 = \sqrt{77.67^2 + 36.00^2 + 1.00^2}$
180°	$(75 + 0.96 + 1.04)^2 + (35.0 + 0.38 + 0.37)^2 + (23.4 - 7.54 + 4.95)^2 - 86.01 = \sqrt{77.00^2 + 35.25^2 + 1.00^2}$
210°	$(75 + 1.30 - 0.49)^2 + (35.0 + 0.49 - 0.23)^2 + (23.4 - 6.44 + 1.12)^2 - 86.01 = \sqrt{75.87^2 + 35.21^2 + 1.00^2}$
240°	$(75 + 1.29 - 1.87)^2 + (35.0 + 0.37 - 0.77)^2 + (23.4 - 3.60 + 3.01)^2 - 86.01 = \sqrt{74.42^2 + 35.60^2 + 1.00^2}$
270°	$(75 + 0.94 - 2.76)^2 + (35.0 + 0.21 - 1.15)^2 + (23.4 + 0.18 - 6.33)^2 - 86.01 = \sqrt{73.18^2 + 34.11^2 + 1.00^2}$
300°	$(75 + 0.33 - 2.91)^2 + (35.0 + 0.00 - 1.13)^2 + (23.4 + 3.93 - 7.26)^2 - 86.01 = \sqrt{72.42^2 + 33.71^2 + 1.00^2}$
330°	$(75 - 0.36 - 2.28)^2 + (35.0 - 0.22 - 0.87)^2 + (23.4 + 6.52 - 7.46)^2 - 86.01 = \sqrt{72.35^2 + 33.01^2 + 1.00^2}$

MAX AMPLITUDE = $\frac{2.86 + 3.75}{2} = 3.81$ FT ACCELERATION = $\left(\frac{2\pi}{T_w}\right)^2 \times 3.0 = 1.0$

22,500 DWT TANKER LOADED 150' WD $\chi = 20^\circ$ $T_w = 0.5E$

0°	$(75 - 0.97 - 1.04)^2 + (35.0 - 0.30 - 1.53)^2 + (2.30 + 12.41 - 4.91)^2 - 82.80 = \sqrt{72.90^2 + 33.77^2 + 3.00^2}$
30°	$(75 - 1.31 + 0.38)^2 + (35.0 - 0.36 - 1.44)^2 + (2.30 + 10.01 - 1.25)^2 - 82.80 = \sqrt{74.07^2 + 33.00^2 + 1.00^2}$
60°	$(75 - 1.30 + 1.71)^2 + (35.0 - 0.31 - 0.97)^2 + (2.30 + 4.92 + 2.74)^2 - 82.80 = \sqrt{75.91^2 + 33.22^2 + 3.00^2}$
90°	$(75 - 0.95 + 2.57)^2 + (35.0 - 0.18 - 0.24)^2 + (2.30 - 1.47 + 6.00)^2 - 82.80 = \sqrt{76.62^2 + 34.82^2 + 6.00^2}$
120°	$(75 - 0.33 + 2.75)^2 + (35.0 + 0.00 + 0.56)^2 + (2.30 - 7.48 + 7.65)^2 - 82.80 = \sqrt{72.42^2 + 35.00^2 + 2.00^2}$
150°	$(75 + 0.36 + 2.19)^2 + (35.0 + 0.17 + 1.21)^2 + (2.30 - 11.48 + 7.25)^2 - 82.80 = \sqrt{77.55^2 + 36.00^2 + 1.00^2}$
180°	$(75 + 0.97 + 1.04)^2 + (35.0 + 0.30 + 1.53)^2 + (2.30 - 12.41 + 4.91)^2 - 82.80 = \sqrt{77.01^2 + 36.00^2 + 5.00^2}$
210°	$(75 + 1.31 - 0.38)^2 + (35.0 + 0.36 + 1.44)^2 + (2.30 - 10.01 + 1.25)^2 - 82.80 = \sqrt{75.93^2 + 36.00^2 + 6.00^2}$
240°	$(75 + 1.30 - 1.71)^2 + (35.0 + 0.31 + 0.97)^2 + (2.30 - 4.92 - 2.74)^2 - 82.80 = \sqrt{74.59^2 + 36.00^2 + 5.00^2}$
270°	$(75 + 0.95 - 2.57)^2 + (35.0 + 0.18 + 0.24)^2 + (2.30 + 1.47 - 6.00)^2 - 82.80 = \sqrt{73.38^2 + 35.00^2 + 2.00^2}$
300°	$(75 + 0.33 - 2.75)^2 + (35.0 + 0.00 - 0.56)^2 + (2.30 + 7.48 - 7.65)^2 - 82.80 = \sqrt{72.58^2 + 34.00^2 + 2.00^2}$
330°	$(75 - 0.36 - 2.19)^2 + (35.0 - 0.17 - 1.21)^2 + (2.30 + 11.48 - 7.25)^2 - 82.80 = \sqrt{72.45^2 + 33.00^2 + 6.00^2}$

MAX AMPLITUDE = $\frac{2.88 + 2.66}{2} = 2.77$ ACCELERATION = $\left(\frac{2\pi}{T_w}\right)^2 \times 2$

66

$T_w = 10 \text{ SEC}$

$23.00^2 + 25.25^2 + 25.35^2$	$- 86.01 = \sqrt{7,177.54}$	$- 86.01 = 89.72$	$86.01 = - 1.29$
$18^2 + 31.79^2 + 29.72^2$	$- 86.01 = \sqrt{7,537.85}$	$- 86.01 = 86.87$	$86.01 = + 0.81$
$58^2 + 35.10^2 + 30.01^2$	$- 86.01 = \sqrt{7,466.10}$	$- 86.01 = 88.69$	$86.01 = + 2.68$
$82^2 + 35.97^2 + 29.55^2$	$- 86.01 = \sqrt{8,062.51}$	$- 86.01 = 90.79$	$86.01 = + 3.78$
$58^2 + 36.31^2 + 27.43^2$	$- 86.01 = \sqrt{8,025.47}$	$- 86.01 = 89.87$	$86.01 = + 3.86$
$64^2 + 30.07^2 + 29.29^2$	$- 86.01 = \sqrt{7,518.34}$	$- 86.01 = 89.98$	$86.01 = + 2.97$
$00^2 + 25.75^2 + 20.81^2$	$- 86.01 = \sqrt{7,649.12}$	$- 86.01 = 89.41$	$86.01 = + 1.40$
$82^2 + 32.21^2 + 18.08^2$	$- 86.01 = \sqrt{7,315.20}$	$- 86.01 = 88.53$	$86.01 = - 0.48$
$72^2 + 36.0^2 + 16.79^2$	$- 86.01 = \sqrt{7,517.40}$	$- 86.01 = 89.77$	$86.01 = - 2.24$
$8^2 + 34.14^2 + 17.25^2$	$- 86.01 = \sqrt{8,816.37}$	$- 86.01 = 93.56$	$86.01 = - 3.95$
$72^2 + 33.77^2 + 19.37^2$	$- 86.01 = \sqrt{6,767.03}$	$- 86.01 = 89.26$	$86.01 = - 3.75$
$6^2 + 35.07^2 + 22.56^2$	$- 86.01 = \sqrt{6,854.81}$	$- 86.01 = 89.03$	$86.01 = - 2.98$

$\times 3.0 = 1.50 \text{ ft/sec}^2$ WAVE FORCE MORNING LOAD: $1.50 \times 84.3 = 126.5 \text{ K}$

$T_w = 10 \text{ SEC}$

$99^2 + 33.77 + 9.80^2$	$- 82.80 = \sqrt{6,523.83}$	$- 82.80 = 89.77$	$82.80 = - 2.03$
$07^2 + 33.0 + 11.00^2$	$- 82.80 = \sqrt{6,710.33}$	$- 82.80 = 89.92$	$82.80 = - 0.88$
$11^2 + 33.2 + 9.96^2$	$- 82.80 = \sqrt{6,922.91}$	$- 82.80 = 89.20$	$82.80 = + 0.40$
$2^2 + 34.8^2 + 6.83^2$	$- 82.80 = \sqrt{7,113.05}$	$- 82.80 = 89.34$	$82.80 = + 1.54$
$2^2 + 35.1 + 2.97^2$	$- 82.80 = \sqrt{7,264.47}$	$- 82.80 = 89.23$	$82.80 = + 2.43$
$5^2 + 36.3 + 1.98^2$	$- 82.80 = \sqrt{7,341.23}$	$- 82.80 = 89.68$	$82.80 = + 2.88$
$11^2 + 36.8 + 5.20^2$	$- 82.80 = \sqrt{7,314.03}$	$- 82.80 = 89.52$	$82.80 = + 2.72$
$13^2 + 36.8 + 6.46^2$	$- 82.80 = \sqrt{7,167.39}$	$- 82.80 = 89.62$	$82.80 = + 1.82$
$9^2 + 36.8 + 5.36^2$	$- 82.80 = \sqrt{6,908.64}$	$- 82.80 = 89.12$	$82.80 = + 0.32$
$8^2 + 35.1 + 2.23^2$	$- 82.80 = \sqrt{6,544.17}$	$- 82.80 = 89.51$	$82.80 = - 1.29$
$8^2 + 34.1 + 2.13^2$	$- 82.80 = \sqrt{6,438.51}$	$- 82.80 = 89.36$	$82.80 = - 2.44$
$5^2 + 33.7 + 6.53^2$	$- 82.80 = \sqrt{6,921.95}$	$- 82.80 = 89.14$	$82.80 = - 2.66$

$\frac{126}{(T_w)} \times 2.77 = 1.00 \text{ ft/sec}^2$ WAVE FORCE MORNING LOAD = $1.00 \times 84.3 = 91.9 \text{ K}$

2

COMPANY				SHEET NO
---------	--	--	--	----------

SUBJECT				
---------	--	--	--	--

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

22,500 DWT TANKER LIGHT	60' WD	$\chi = 20^\circ$ LOADED	TW = 10SEC
0° - 0.38		- 1.59	
30° + 0.46		- 1.44	
60° + 1.13		- 0.94	
90° + 1.59		- 0.11	
120° + 1.56		+ 0.61	
150° + 1.12		+ 1.23	
MAX AMPLE = 1.59'		MAX AMPLE = 1.59'	
Acc. $\left(\frac{2\pi}{TW}\right)' \times 1.59 = 0.63 \text{ f/sec}^2$		Acc. $\left(\frac{2\pi}{TW}\right)' \times 1.59 = 0.61 \text{ f/sec}^2$	
FENDER LOAD = $0.63 \times 83.7 = 52.7^k$		FENDER LOAD = $0.61 \times 83.7 = 51.1^k$	

22,500 DWT TANKER LIGHT	150' WD	$\chi = 20^\circ$ LOADED	TW = 10SEC
0° - 0.75		- 1.83	
30° - 0.21		- 1.80	
60° + 0.40		- 1.28	
90° + 0.89		- 0.42	
120° + 1.13		+ 0.56	
150° + 1.19		+ 1.38	
MAX AMPLE = 1.19		MAX AMPLE = 1.83'	
Acc. $\left(\frac{2\pi}{TW}\right)' \times 1.19 = 0.47 \text{ f/sec}^2$		Acc. $\left(\frac{2\pi}{TW}\right)' \times 1.83 = 0.72 \text{ f/sec}^2$	
FENDER LOAD = $0.47 \times 84.3 = 39.6^k$		FENDER LOAD = $0.72 \times 84.3 = 60.7^k$	

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

COMPANY _____ SHEET NO _____
 SUBJECT _____
 DRAWING NUMBER _____ COMPUTER NdB CHECKED BY _____ DATE 4-18-66
70,000 DWT TANKER LIGHT 60' WD $\chi = 20^\circ T_w = 12$

0°	$\sqrt{(100 - 0.92 - 4.08)^2 + (35 - 0.38 - 1.58)^2 + (36.60 + 7.02 - 2.63)^2} - 112.09 = \sqrt{35.00^2}$
30°	$\sqrt{(100 - 1.25 - 3.76)^2 + (35 - 0.48 - 1.50)^2 + (36.60 + 6.22 + 1.52)^2} - 112.09 = \sqrt{34.39^2 + 33.1^2 + 44.1^2}$
60°	$\sqrt{(100 - 1.25 - 2.43)^2 + (35 - 0.36 - 1.02)^2 + (36.60 + 3.76 + 5.25)^2} - 112.09 = \sqrt{36.32^2 + 33.6^2 + 45.6^2}$
90°	$\sqrt{(100 - 0.91 - 0.45)^2 + (35 - 0.20 - 0.27)^2 + (36.60 + 0.28 + 7.58)^2} - 112.09 = \sqrt{38.64^2 + 34.5^2 + 44.46^2}$
120°	$\sqrt{(100 - 0.32 + 1.64)^2 + (35 + 0.01 + 0.56)^2 + (36.60 - 3.26 + 7.88)^2} - 112.09 = \sqrt{101.32^2 + 35.5^2 + 41.22^2}$
150°	$\sqrt{(100 + 0.34 + 3.30)^2 + (35 + 0.23 + 1.29)^2 + (36.60 - 5.93 + 6.07)^2} - 112.09 = \sqrt{103.64^2 + 36.4^2 + 36.74^2}$
180°	$\sqrt{(100 + 0.92 + 4.08)^2 + (35 + 0.38 + 1.58)^2 + (36.60 - 7.02 + 2.63)^2} - 112.09 = \sqrt{105.00^2 + 36.36^2 + 32.21^2}$
210°	$\sqrt{(100 + 1.25 + 3.76)^2 + (35 + 0.48 + 1.50)^2 + (36.60 - 6.22 - 1.52)^2} - 112.09 = \sqrt{105.01^2 + 36.53^2 + 28.86^2}$
240°	$\sqrt{(100 + 1.25 + 2.43)^2 + (35 + 0.36 + 1.02)^2 + (36.60 - 3.76 - 5.25)^2} - 112.09 = \sqrt{103.68^2 + 36.38^2 + 27.09^2}$
270°	$\sqrt{(100 + 0.91 + 0.45)^2 + (35 + 0.20 + 0.27)^2 + (36.60 - 0.28 - 7.58)^2} - 112.09 = \sqrt{101.35^2 + 35.47^2 + 28.24^2}$
300°	$\sqrt{(100 + 0.32 - 1.64)^2 + (35 - 0.01 - 0.56)^2 + (36.60 + 3.26 - 7.88)^2} - 112.09 = \sqrt{98.68^2 + 34.43^2 + 21.98^2}$
330°	$\sqrt{(100 - 0.34 - 3.30)^2 + (35 - 0.23 - 1.29)^2 + (36.60 + 5.93 - 6.07)^2} - 112.09 = \sqrt{96.36^2 + 33.53^2 + 6.46^2}$

MAX AMPLITUDE = $\frac{3.79 + 3.74}{2} = 3.77'$ ACCELERATION = $\left(\frac{2\pi}{T_w}\right)^2 \times 3.77 = 1.03$

70,000 DWT TANKER LOADED 60' WD $\chi = 20^\circ T_w = 12 S$

0°	$\sqrt{(100 - 0.93 - 4.50)^2 + (35 - 0.31 - 0.90)^2 + (8.0 + 11.97 - 2.75)^2} - 106.25 = \sqrt{94.57^2 + 33.7^2 + 17.21^2}$
30°	$\sqrt{(100 - 1.27 - 4.36)^2 + (35 - 0.35 - 0.75)^2 + (8.0 + 9.57 + 1.39)^2} - 106.25 = \sqrt{94.37^2 + 33.9^2 + 14.21^2}$
60°	$\sqrt{(100 - 1.26 - 3.05)^2 + (35 - 0.31 - 0.37)^2 + (8.0 + 4.61 + 5.07)^2} - 106.25 = \sqrt{95.69^2 + 34.32^2 + 17.68^2}$
90°	$\sqrt{(100 - 0.91 - 0.93)^2 + (35 - 0.18 + 0.02)^2 + (8.0 - 1.50 + 7.44)^2} - 106.25 = \sqrt{58.76^2 + 34.31^2 + 13.85^2}$
120°	$\sqrt{(100 - 0.32 + 1.45)^2 + (35 + 0.00 + 0.53)^2 + (8.0 - 7.36 + 7.82)^2} - 106.25 = \sqrt{101.13^2 + 35.53^2 + 8.46^2}$
150°	$\sqrt{(100 + 0.35 + 3.43)^2 + (35 + 0.17 + 0.87)^2 + (8.0 - 11.16 + 6.10)^2} - 106.25 = \sqrt{103.78^2 + 35.99^2 + 2.94^2}$
180°	$\sqrt{(100 + 0.93 + 4.50)^2 + (35 + 0.31 + 0.90)^2 + (8.0 - 11.97 + 2.75)^2} - 106.25 = \sqrt{105.43^2 + 36.21^2 + 1.22^2}$
210°	$\sqrt{(100 + 1.27 + 4.36)^2 + (35 + 0.35 + 0.75)^2 + (8.0 - 9.57 - 1.39)^2} - 106.25 = \sqrt{105.63^2 + 36.08^2 + 2.91^2}$
240°	$\sqrt{(100 + 1.26 + 3.05)^2 + (35 + 0.31 + 0.37)^2 + (8.0 - 4.61 - 5.07)^2} - 106.25 = \sqrt{104.31^2 + 35.68^2 + 1.68^2}$
270°	$\sqrt{(100 + 0.91 + 0.93)^2 + (35 + 0.18 - 0.02)^2 + (8.0 + 1.50 - 7.44)^2} - 106.25 = \sqrt{101.89^2 + 35.09^2 + 2.15^2}$
300°	$\sqrt{(100 + 0.32 - 1.45)^2 + (35 + 0.00 - 0.53)^2 + (8.0 + 7.36 - 7.82)^2} - 106.25 = \sqrt{98.87^2 + 34.47^2 + 7.54^2}$
330°	$\sqrt{(100 - 0.35 - 3.43)^2 + (35 + 0.17 - 0.82)^2 + (8.0 + 11.16 - 6.10)^2} - 106.25 = \sqrt{96.22^2 + 34.01^2 + 13.06^2}$

MAX AMPLITUDE = $\frac{4.36 + 5.41}{2} = 4.89'$ ACCELERATION = $\left(\frac{2\pi}{T_w}\right)^2 \times 4.89 = 1$

$T_w = 12 \text{ SEC}$

09	$35.00^2 + 33.04^2 + 40.39^2 - 112.09 = \sqrt{11,796.32} - 112.09 = 108.61 - 112.09 = -3.48$
08	$33.00^2 + 44.34^2 - 112.09 = \sqrt{12,082.76} - 112.09 = 109.97 - 112.09 = -2.17$
07	$33.00^2 + 45.61^2 - 112.09 = \sqrt{12,488.12} - 112.09 = 111.75 - 112.09 = -0.34$
06	$34.50^2 + 44.46^2 - 112.09 = \sqrt{12,838.85} - 112.09 = 113.57 - 112.09 = +1.48$
05	$35.50^2 + 41.22^2 - 112.09 = \sqrt{13,230.05} - 112.09 = 115.02 - 112.09 = +2.93$
04	$36.40^2 + 36.79^2 - 112.09 = \sqrt{13,421.14} - 112.09 = 115.85 - 112.09 = +3.76$
03	$36.36^2 + 32.21^2 - 112.09 = \sqrt{13,428.53} - 112.09 = 115.88 - 112.09 = +3.79$
02	$38.93^2 + 28.86^2 - 112.09 = \sqrt{13,223.82} - 112.09 = 114.99 - 112.09 = +2.90$
01	$36.38^2 + 27.59^2 - 112.09 = \sqrt{12,839.25} - 112.09 = 113.29 - 112.09 = +1.20$
	$35.47^2 + 28.24^2 - 112.09 = \sqrt{12,357.96} - 112.09 = 111.17 - 112.09 = -0.92$
	$37.43^2 + 31.98^2 - 112.09 = \sqrt{11,945.89} - 112.09 = 109.30 - 112.09 = -2.79$
	$33.53^2 + 6.96^2 - 112.09 = \sqrt{11,708.84} - 112.09 = 108.35 - 112.09 = -3.74$

3.77 1.03 Ft/Sec^2 WAVE FORCE MODRING LOAD = $1.03 \times 83.7 = 86.2 \text{ K}$

$T_w = 12 \text{ SEC}$

09	$33.70^2 + 17.22^2 - 106.25 = \sqrt{10,381.78} - 106.25 = 101.89 - 106.25 = -4.36$
08	$33.90^2 + 18.31^2 - 106.25 = \sqrt{10,413.85} - 106.25 = 102.05 - 106.25 = -4.20$
07	$34.92^2 + 17.68^2 - 106.25 = \sqrt{10,697.02} - 106.25 = 103.18 - 106.25 = -3.07$
06	$34.91^2 + 13.85^2 - 106.25 = \sqrt{11,347.32} - 106.25 = 105.11 - 106.25 = -1.14$
05	$35.53^2 + 8.46^2 - 106.25 = \sqrt{11,561.23} - 106.25 = 107.52 - 106.25 = +1.27$
04	$35.95^2 + 2.94^2 - 106.25 = \sqrt{11,974.21} - 106.25 = 109.88 - 106.25 = +3.63$
03	$36.21^2 + 1.22^2 - 106.25 = \sqrt{12,428.14} - 106.25 = 111.98 - 106.25 = +5.73$
02	$36.08^2 + 2.91^2 - 106.25 = \sqrt{12,467.93} - 106.25 = 111.66 - 106.25 = +5.41$
01	$37.68^2 + 1.68^2 - 106.25 = \sqrt{12,156.46} - 106.25 = 110.76 - 106.25 = +4.51$
	$35.09^2 + 2.14^2 - 106.25 = \sqrt{11,607.32} - 106.25 = 107.79 - 106.25 = +1.54$
	$34.47^2 + 7.59^2 - 106.25 = \sqrt{11,020.31} - 106.25 = 104.98 - 106.25 = -1.27$
	$34.01^2 + 13.06^2 + 106.25 = \sqrt{10,585.53} - 106.25 = 102.80 - 106.25 = -3.45$

1.34 Ft/Sec^2 WAVE FORCE MODRING LOAD = $1.34 \times 83.7 = 112.2 \text{ K}$

2

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
70,000 DWT TANKER	NdB	LIGHT	9-18-66
			150' WD $\lambda = 20$

0°	$\sqrt{(100 - 0.97 - 4.92)^2 + (35 - 0.39 - 1.83)^2 + (36.60 + 7.02 - 2.86)^2}$	- 112.09	$\sqrt{91.6^2 + 32.79^2 + 40.76^2}$	- 102.09	$\sqrt{11.0}$
30°	$\sqrt{(100 - 0.25 - 5.16)^2 + (35 - 0.93 - 2.06)^2 + (36.60 + 6.22 + 1.27)^2}$	- 112.09	$\sqrt{93.59^2 + 32.51^2 + 44.05^2}$	- 112.09	$\sqrt{11.0}$
60°	$\sqrt{(100 - 1.25 - 4.03)^2 + (35 - 0.36 - 1.74)^2 + (36.60 + 3.76 + 5.05)^2}$	- 112.09	$\sqrt{94.72^2 + 32.90^2 + 45.41^2}$	- 112.09	$\sqrt{11.0}$
90°	$\sqrt{(100 - 0.91 - 1.81)^2 + (35 - 0.20 - 0.95)^2 + (36.60 + 0.28 + 7.41)^2}$	- 112.09	$\sqrt{97.28^2 + 33.85^2 + 44.56^2}$	- 112.09	$\sqrt{11.0}$
120°	$\sqrt{(100 - 0.37 + 0.89)^2 + (35 + 0.01 + 2.09)^2 + (36.60 - 3.26 + 7.90)^2}$	- 112.09	$\sqrt{100.57^2 + 35.10^2 + 41.29^2}$	- 112.09	$\sqrt{11.0}$
150°	$\sqrt{(100 + 0.34 + 3.35)^2 + (35 + 1.23 + 1.11)^2 + (36.60 - 5.93 + 6.21)^2}$	- 112.09	$\sqrt{103.65^2 + 36.34^2 + 36.88^2}$	- 112.09	$\sqrt{11.0}$
180°	$\sqrt{(100 + 0.97 + 4.92)^2 + (35 + 0.39 + 1.83)^2 + (36.60 - 7.02 + 2.86)^2}$	- 112.09	$\sqrt{105.84^2 + 37.21^2 + 32.44^2}$	- 112.09	$\sqrt{11.0}$
210°	$\sqrt{(100 + 1.25 + 5.16)^2 + (35 + 0.43 + 2.06)^2 + (36.60 - 6.22 - 1.27)^2}$	- 112.09	$\sqrt{106.41^2 + 37.49^2 + 29.11^2}$	- 112.09	$\sqrt{11.0}$
240°	$\sqrt{(100 + 1.25 + 4.03)^2 + (35 + 0.36 + 1.74)^2 + (36.60 - 3.76 - 5.05)^2}$	- 112.09	$\sqrt{105.28^2 + 37.10^2 + 27.79^2}$	- 112.09	$\sqrt{11.0}$
270°	$\sqrt{(100 + 0.91 + 1.81)^2 + (35 + 0.20 + 0.95)^2 + (36.60 - 0.28 - 7.41)^2}$	- 112.09	$\sqrt{102.72^2 + 36.15^2 + 28.84^2}$	- 112.09	$\sqrt{11.0}$
300°	$\sqrt{(100 + 0.37 - 0.89)^2 + (35 - 0.01 - 0.95)^2 + (36.60 + 3.26 - 7.90)^2}$	- 112.09	$\sqrt{99.43^2 + 34.90^2 + 31.96^2}$	- 112.09	$\sqrt{11.0}$
330°	$\sqrt{(100 - 0.34 - 3.35)^2 + (35 - 0.23 - 1.11)^2 + (36.60 + 5.93 - 6.21)^2}$	- 112.09	$\sqrt{96.31^2 + 33.66^2 + 38.31^2}$	- 112.09	$\sqrt{11.0}$

MAX AMPLITUDE $\frac{4.37 + 4.20}{2} = 4.54$ FT ACCELERATION $\left(\frac{2\pi}{T}\right)^2 \times 4.54 = 1$

70,000 DWT TANKER LOADED 150' WD $\lambda = 20$

0°	$\sqrt{(100 - 0.93 - 5.02)^2 + (35 - 0.31 - 0.92)^2 + (8.0 + 11.97 - 2.94)^2}$	- 106.25	$\sqrt{34.05^2 + 33.77^2 + 17.03^2}$	- 106.25	$\sqrt{10.0}$
30°	$\sqrt{(100 - 0.27 - 5.84)^2 + (35 - 0.35 - 0.75)^2 + (8.0 + 9.57 + 1.16)^2}$	- 106.25	$\sqrt{92.83^2 + 33.90^2 + 18.73^2}$	- 106.25	$\sqrt{10.0}$
60°	$\sqrt{(100 - 1.26 - 5.10)^2 + (35 - 0.31 - 0.38)^2 + (8.0 + 4.61 + 4.94)^2}$	- 106.25	$\sqrt{93.64^2 + 34.31^2 + 17.55^2}$	- 106.25	$\sqrt{10.0}$
90°	$\sqrt{(100 - 0.91 - 2.99)^2 + (35 - 0.18 + 0.09)^2 + (8.0 - 1.59 + 7.41)^2}$	- 106.25	$\sqrt{96.10^2 + 34.91^2 + 13.82^2}$	- 106.25	$\sqrt{10.0}$
120°	$\sqrt{(100 - 0.37 - 0.08)^2 + (35 + 0.00 + 1.54)^2 + (8.0 - 7.36 + 7.88)^2}$	- 106.25	$\sqrt{99.66^2 + 35.54^2 + 8.52^2}$	- 106.25	$\sqrt{11.0}$
150°	$\sqrt{(100 + 0.35 + 2.83)^2 + (35 + 0.17 + 0.34)^2 + (8.0 - 11.16 + 6.25)^2}$	- 106.25	$\sqrt{103.20^2 + 36.01^2 + 3.09^2}$	- 106.25	$\sqrt{11.0}$
180°	$\sqrt{(100 + 0.93 + 5.02)^2 + (35 + 0.31 + 0.92)^2 + (8.0 - 11.97 + 2.94)^2}$	- 106.25	$\sqrt{105.55^2 + 36.23^2 + 1.03^2}$	- 106.25	$\sqrt{12.0}$
210°	$\sqrt{(100 + 1.27 + 5.84)^2 + (35 + 0.35 + 0.75)^2 + (8.0 - 9.57 - 1.16)^2}$	- 106.25	$\sqrt{107.11^2 + 36.10^2 + 2.73^2}$	- 106.25	$\sqrt{12.0}$
240°	$\sqrt{(100 + 1.26 + 5.10)^2 + (35 + 0.31 + 0.38)^2 + (8.0 - 4.61 - 4.94)^2}$	- 106.25	$\sqrt{106.36^2 + 35.69^2 + 1.55^2}$	- 106.25	$\sqrt{12.0}$
270°	$\sqrt{(100 + 0.91 + 2.99)^2 + (35 + 0.18 - 0.09)^2 + (8.0 + 1.59 - 7.41)^2}$	- 106.25	$\sqrt{103.90^2 + 35.09^2 + 2.18^2}$	- 106.25	$\sqrt{12.0}$
300°	$\sqrt{(100 + 0.37 + 0.08)^2 + (35 + 0.00 - 0.54)^2 + (8.0 + 7.36 - 7.88)^2}$	- 106.25	$\sqrt{100.40^2 + 34.45^2 + 7.98^2}$	- 106.25	$\sqrt{11.0}$
330°	$\sqrt{(100 - 0.35 - 2.85)^2 + (35 - 0.17 - 0.84)^2 + (8.0 + 11.16 - 6.25)^2}$	- 106.25	$\sqrt{96.80^2 + 33.99^2 + 12.91^2}$	- 106.25	$\sqrt{10.0}$

MAX AMPLITUDE $\frac{5.61 + 5.73}{2} = 5.67$ FT ACCELERATION $= \left(\frac{2\pi}{T}\right)^2 \times 5.67 = 1$

$\alpha = 20^\circ$ TW = 12 SEC

-112.09	$\sqrt{11,602.67}$	-112.09	107.72	-112.09	-4.37
-112.09	$\sqrt{11,759.92}$	-112.09	108.44	-112.09	-3.65
-112.09	$\sqrt{12,116.36}$	-112.09	110.57	-112.09	-2.52
-112.09	$\sqrt{12,577.03}$	-112.09	112.15	-112.09	+0.06
-112.09	$\sqrt{13,047.07}$	-112.09	114.22	-112.09	+2.13
-112.09	$\sqrt{13,432.35}$	-112.09	115.90	-112.09	+3.81
-112.09	$\sqrt{13,639.04}$	-112.09	116.79	-112.09	+4.70
-112.09	$\sqrt{13,575.98}$	-112.09	116.52	-112.09	+4.43
-112.09	$\sqrt{13,232.57}$	-112.09	115.03	-112.09	+2.94
-112.09	$\sqrt{12,683.97}$	-112.09	112.65	-112.09	+0.56
-112.09	$\sqrt{12,125.78}$	-112.09	110.12	-112.09	-1.97
-112.09	$\sqrt{11,727.75}$	-112.09	108.29	-112.09	-3.80

$\times 4.91 = 1.24 \text{ Ft/SEC}$ WAVE FORCE. MOVING LOAD $1.24 \times 84.3 = 104.5^k$

20° TW = 12 SEC

-106.25	$\sqrt{10,275.84}$	-106.25	101.37	-106.25	-4.88
-106.25	$\sqrt{10,126.58}$	-106.25	100.64	-106.25	-5.61
-106.25	$\sqrt{10,253.63}$	-106.25	101.26	-106.25	-4.99
-106.25	$\sqrt{10,644.91}$	-106.25	103.17	-106.25	-3.08
-106.25	$\sqrt{11,255.84}$	-106.25	106.09	-106.25	-0.16
-106.25	$\sqrt{11,956.51}$	-106.25	109.35	-106.25	+3.10
-106.25	$\sqrt{12,529.08}$	-106.25	111.98	-106.25	+5.73
-106.25	$\sqrt{12,783.22}$	-106.25	113.06	-106.25	+6.81
-106.25	$\sqrt{12,588.63}$	-106.25	112.20	-106.25	+5.95
-106.25	$\sqrt{12,031.27}$	-106.25	109.69	-106.25	+3.44
-106.25	$\sqrt{11,323.60}$	-106.25	106.41	-106.25	+0.16
-106.25	$\sqrt{10,692.23}$	-106.25	103.90	-106.25	-3.31


$\times 5.7 = 1.55 \text{ Ft/SEC}$ WAVE FORCE MOVING LOAD $1.55 \times 84.3 = 130.7^k$

2

ENGINEERING DEPARTMENT
ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO. INC
J. RAY McDERMOTT & CO. INC

SHEET NO.

SUBJECT		DRAWING NO.		COMPUTER	ENGINEER BY	DATE	
DRAWING NUMBER		COMPUTER		DATE			
						225	
						100-200-10-100	

1/4 L

22,500 DWT.

170,000 DWT

2

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY MCDERMOTT & CO., INC.

COMPANY		SHEET NO	
---------	--	----------	--

SUBJECT			
---------	--	--	--

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

70,000 DWT TANKER	60' WD	X - 20'	TW = 12 SEC
LIGHT		LOADFD	
0° - 1.96		- 1.21	
30° - 1.93		- 1.08	
60° - 1.38		- 0.68	
90° - 0.47		- 0.00	
120° + 0.57		+ 0.53	
150° + 1.47		+ 0.90	

MAX AMPL = 1.96
 $ACC = \left(\frac{2\pi}{TW}\right)^2 \times 1.96 = 0.54 \text{ /SEC}^2$

MAX AMPL = 1.21
 $ACC = \left(\frac{2\pi}{TW}\right)^2 \times 1.21 = 0.33 \text{ /SEC}^2$

FENDER LOAD = $0.54 \times 83.7 = 45.2^k$

FENDER LOAD = $0.33 \times 83.7 = 27.6^k$

70,000 DWT TANKER	150' WD	X - 20'	TW = 12 SEC
LIGHT		LOADFD	
0° - 2.31		- 1.23	
30° - 2.49		- 1.80	
60° - 2.10		- 0.69	
90° - 1.15		- 0.09	
120° + 0.10		+ 0.54	
150° + 1.34		+ 0.01	

MAX AMPL = 2.31
 $ACC = \left(\frac{2\pi}{TW}\right)^2 \times 2.31 = 0.63 \text{ /SEC}^2$

MAX AMPL = 1.23
 $ACC = \left(\frac{2\pi}{TW}\right)^2 \times 1.23 = 0.34 \text{ /SEC}^2$

FENDER LOAD = $0.63 \times 84.3 = 53.1^k$

FENDER LOAD = $0.34 \times 84.3 = 28.7^k$

COMPANY _____ SHEET NO _____

SUBJECT _____

DRAWING NUMBER _____ COMPUTER NdB CHECKED BY _____ DATE 4-19-66

22,500 DWT TANKER LIGHT 60' WD $\chi = 30^\circ$ T_u =

0°	$\sqrt{(75-1.09+1.76)^2 + (35-0.72-1.01)^2 + (23.4+5.06-7.52)^2}$	- 86.01 =	$\sqrt{75.67^2 + 32.37^2 + 20.94^2}$	- 86.01 =	V
30°	$\sqrt{(75-1.47-1.27)^2 + (35-0.79-1.14)^2 + (23.4+5.37-7.16)^2}$	- 86.01 =	$\sqrt{72.28^2 + 33.07^2 + 21.61^2}$	- 86.01 =	V
60°	$\sqrt{(75-1.46-3.96)^2 + (35-0.65-0.00)^2 + (23.4+4.25-4.88)^2}$	- 86.01 =	$\sqrt{69.58^2 + 34.29^2 + 22.72^2}$	- 86.01 =	V
90°	$\sqrt{(75-1.05-5.53)^2 + (35-0.33+1.03)^2 + (23.4+1.98-1.29)^2}$	- 86.01 =	$\sqrt{68.36^2 + 35.70^2 + 24.09^2}$	- 86.01 =	V
120°	$\sqrt{(75-0.37-5.72)^2 + (35+0.07+1.85)^2 + (23.4-6.81+2.64)^2}$	- 86.01 =	$\sqrt{68.91^2 + 36.92^2 + 25.25^2}$	- 86.01 =	V
150°	$\sqrt{(75+0.41-4.32)^2 + (35+0.46+2.17)^2 + (23.4-3.32+5.87)^2}$	- 86.01 =	$\sqrt{71.09^2 + 37.63^2 + 25.88^2}$	- 86.01 =	V
180°	$\sqrt{(75+1.09-1.76)^2 + (35+0.77+1.91)^2 + (23.4-5.06+7.52)^2}$	- 86.01 =	$\sqrt{74.33^2 + 37.63^2 + 25.86^2}$	- 86.01 =	V
210°	$\sqrt{(75+1.47+1.27)^2 + (35+0.79+1.14)^2 + (23.4-5.37+7.16)^2}$	- 86.01 =	$\sqrt{77.74^2 + 36.93^2 + 25.19^2}$	- 86.01 =	V
240°	$\sqrt{(75+1.46+3.96)^2 + (35+0.65+0.00)^2 + (23.4-4.25+4.88)^2}$	- 86.01 =	$\sqrt{80.42^2 + 35.71^2 + 24.03^2}$	- 86.01 =	V
270°	$\sqrt{(75+1.05+5.53)^2 + (35+0.33-1.03)^2 + (23.4-1.98+1.29)^2}$	- 86.01 =	$\sqrt{81.64^2 + 34.30^2 + 22.71^2}$	- 86.01 =	V
300°	$\sqrt{(75+0.37+5.72)^2 + (35-0.07-1.85)^2 + (23.4+6.81-2.64)^2}$	- 86.01 =	$\sqrt{81.09^2 + 33.08^2 + 22.47^2}$	- 86.01 =	V
330°	$\sqrt{(75-0.41+4.32)^2 + (35-0.46-2.17)^2 + (23.4+3.32-5.87)^2}$	- 86.01 =	$\sqrt{78.91^2 + 32.37^2 + 20.92^2}$	- 86.01 =	V

MAX AMPLITUDE = $\frac{5.21+5.91}{2} = 5.31$ FT ACCELERATION = $\frac{2\pi}{T_u} \times 5.3$

22,500 DWT TANKER LOADED 60' WD $\chi = 30^\circ$ T_u = 10

0°	$\sqrt{(75-1.10+0.44)^2 + (35-0.58-1.14)^2 + (2.30+12.14-7.94)^2}$	- 82.80 =	$\sqrt{74.39^2 + 33.28^2 + 6.50^2}$	- 82.80 =	V
30°	$\sqrt{(75-1.40-2.42)^2 + (35-0.65-1.07)^2 + (2.30+10.53-6.57)^2}$	- 82.80 =	$\sqrt{71.02^2 + 32.46^2 + 6.26^2}$	- 82.80 =	V
60°	$\sqrt{(75-1.47-4.76)^2 + (35-0.53-2.13)^2 + (2.30+6.09-3.44)^2}$	- 82.80 =	$\sqrt{68.77^2 + 32.34^2 + 4.95^2}$	- 82.80 =	V
90°	$\sqrt{(75-1.06-5.75)^2 + (35-0.29-1.80)^2 + (2.30+0.02-0.61)^2}$	- 82.80 =	$\sqrt{68.19^2 + 32.91^2 + 1.71^2}$	- 82.80 =	V
120°	$\sqrt{(75-0.37-5.19)^2 + (35+0.04-0.09)^2 + (2.30-6.05+4.50)^2}$	- 82.80 =	$\sqrt{69.44^2 + 34.05^2 + 0.75^2}$	- 82.80 =	V
150°	$\sqrt{(75+0.42-3.25)^2 + (35+0.36+1.09)^2 + (2.30-10.50+7.18)^2}$	- 82.80 =	$\sqrt{72.17^2 + 35.45^2 + (-1.02)^2}$	- 82.80 =	V
180°	$\sqrt{(75+1.10-0.44)^2 + (35+0.58+1.14)^2 + (2.30-12.14+7.94)^2}$	- 82.80 =	$\sqrt{75.66^2 + 36.72^2 + (-1.92)^2}$	- 82.80 =	V
210°	$\sqrt{(75+1.40+2.42)^2 + (35+0.65+1.07)^2 + (2.30-10.53+6.57)^2}$	- 82.80 =	$\sqrt{78.28^2 + 37.54^2 + (-1.66)^2}$	- 82.80 =	V
240°	$\sqrt{(75+1.47+4.76)^2 + (35+0.53+2.13)^2 + (2.30+6.09+3.44)^2}$	- 82.80 =	$\sqrt{81.23^2 + 37.66^2 + (-0.35)^2}$	- 82.80 =	V
270°	$\sqrt{(75+1.06+5.75)^2 + (35+0.29+1.80)^2 + (2.30-0.02+0.61)^2}$	- 82.80 =	$\sqrt{81.81^2 + 32.09^2 + 2.89^2}$	- 82.80 =	V
300°	$\sqrt{(75+0.37+5.19)^2 + (35-0.04+0.09)^2 + (2.30+6.05-4.50)^2}$	- 82.80 =	$\sqrt{80.56^2 + 35.95^2 + 3.85^2}$	- 82.80 =	V
330°	$\sqrt{(75-0.42+3.25)^2 + (35-0.36-1.09)^2 + (2.30+10.50-7.18)^2}$	- 82.80 =	$\sqrt{77.83^2 + 34.55^2 + 5.62^2}$	- 82.80 =	V

MAX AMPLITUDE $\frac{7.06+7.07}{2} = 7.07$ FT ACCELERATION = $\frac{2\pi}{T_u} \times 7.07$

56

30° $T_w = 10 \text{ SEC}$

1'	86.01	$\sqrt{7,212.25}$	86.01	84.97	86.01	- 1.04
1'	86.01	$\sqrt{6,782.12}$	86.01	82.35	86.01	- 3.66
2'	86.01	$\sqrt{5,535.65}$	86.01	80.84	86.01	- 5.17
3'	86.01	$\sqrt{6,587.91}$	86.01	80.80	86.01	- 5.21
3'	86.01	$\sqrt{6,748.23}$	86.01	82.15	86.01	- 3.86
4'	86.01	$\sqrt{7,139.58}$	86.01	84.50	86.01	- 1.51
5'	86.01	$\sqrt{7,609.71}$	86.01	87.23	86.01	+ 1.22
6'	86.01	$\sqrt{8,091.87}$	86.01	89.68	86.01	+ 3.67
7'	86.01	$\sqrt{8,320.02}$	86.01	91.21	86.01	+ 5.20
8'	86.01	$\sqrt{8,357.32}$	86.01	91.42	86.01	+ 5.41
9'	86.01	$\sqrt{8,174.78}$	86.01	90.41	86.01	+ 4.40
10'	86.01	$\sqrt{7,712.25}$	86.01	87.82	86.01	+ 1.81

$$\frac{2\pi}{T_w} \times 5.31 = 2.09 \text{ F/SEC}$$

$$\text{WAVE FORCE MOORING LOAD} = 2.09 \times 83.7 = 174.9^k$$

 $T_w = 10 \text{ SEC}$

1'	82.80	$\sqrt{6,676.29}$	82.80	81.71	82.80	- 1.09
1'	82.80	$\sqrt{6,136.68}$	82.80	78.39	82.80	- 4.41
2'	82.80	$\sqrt{5,799.69}$	82.80	76.16	82.80	- 6.64
3'	82.80	$\sqrt{5,735.87}$	82.80	75.74	82.80	- 7.06
4'	82.80	$\sqrt{5,981.88}$	82.80	77.39	82.80	- 5.41
5'	82.80	$\sqrt{6,466.25}$	82.80	80.41	82.80	- 2.40
6'	82.80	$\sqrt{7,076.40}$	82.80	84.12	82.80	+ 1.32
7'	82.80	$\sqrt{7,649.85}$	82.80	87.46	82.80	+ 4.66
8'	82.80	$\sqrt{8,066.71}$	82.80	89.54	82.80	+ 6.74
9'	82.80	$\sqrt{8,076.90}$	82.80	89.87	82.80	+ 7.07
10'	82.80	$\sqrt{7,797.14}$	82.80	88.30	82.80	+ 5.50
11'	82.80	$\sqrt{7,282.80}$	82.80	85.34	82.80	+ 2.54

$$\frac{2\pi}{T_w} \times 7.07 = 2.79 \text{ F/SEC}$$

$$\text{WAVE FORCE MOORING LOAD} = 2.79 \times 83.7 = 233.5^k$$

2

ENGINEERING DEPARTMENT
COMPUTATION SHEET
MCD 14003

J. RAY McDERMOTT & CO., INC.

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
	NdB		4-19-66

22,500 DWT TANKER LIGHT 150' WD $\chi = 30^\circ$ Tw

0°	$\sqrt{(75-1.09-3.55)^2 + (35-0.72-1.34)^2 + (23.4+5.06-8.15)^2} - 86.01 = \sqrt{70.36^2 + 37.4^2 + 20.31^2}$
30°	$\sqrt{(75-1.47-1.66)^2 + (35-0.79-0.98)^2 + (23.4+5.37-8.85)^2} - 86.01 = \sqrt{71.8^2 + 33.1^2 + 21.97^2}$
60°	$\sqrt{(75-1.46+0.68)^2 + (35-0.65-0.36)^2 + (23.4+4.25-3.72)^2} - 86.01 = \sqrt{74.22^2 + 33.99^2 + 23.93^2}$
90°	$\sqrt{(75-1.05+2.83)^2 + (35-0.33+0.3)^2 + (23.4+1.98+0.41)^2} - 86.01 = \sqrt{76.78^2 + 35.04^2 + 25.79^2}$
120°	$\sqrt{(75-0.37+4.23)^2 + (35+0.07+0.99)^2 + (23.4-0.81+4.43)^2} - 86.01 = \sqrt{78.86^2 + 36.66^2 + 27.02^2}$
150°	$\sqrt{(75+0.41+4.49)^2 + (35+1.46+1.35)^2 + (23.4-3.39+7.26)^2} - 86.01 = \sqrt{79.90^2 + 36.81^2 + 27.27^2}$
180°	$\sqrt{(75+1.09+3.55)^2 + (35+0.72+1.34)^2 + (23.4-5.06+8.15)^2} - 86.01 = \sqrt{79.69^2 + 37.06^2 + 26.99^2}$
210°	$\sqrt{(75+1.47+1.66)^2 + (35+0.79+0.98)^2 + (23.4-5.37+8.85)^2} - 86.01 = \sqrt{78.13^2 + 35.77^2 + 24.88^2}$
240°	$\sqrt{(75+1.46-0.68)^2 + (35+0.65+0.36)^2 + (23.4-4.25+3.72)^2} - 86.01 = \sqrt{75.78^2 + 36.01^2 + 22.87^2}$
270°	$\sqrt{(75+1.05-2.83)^2 + (35+0.33-0.3)^2 + (23.4-1.98+0.41)^2} - 86.01 = \sqrt{73.22^2 + 34.96^2 + 21.01^2}$
300°	$\sqrt{(75+0.37-4.23)^2 + (35-0.07-0.99)^2 + (23.4+0.81-4.43)^2} - 86.01 = \sqrt{71.14^2 + 33.99^2 + 19.78^2}$
330°	$\sqrt{(75-0.41+4.49)^2 + (35-0.46-1.35)^2 + (23.4+3.39-7.26)^2} - 86.01 = \sqrt{70.00^2 + 33.09^2 + 19.53^2}$

MAX AMPLITUDE $\frac{6.09+6.03}{2} = 6.06'$ ACCELERATION $\left(\frac{2\pi}{T_w}\right) \times 6.06 = 2.3$

22,500 DWT TANKER LOADED 150' WD $\chi = 30^\circ$ Tw-10

0°	$\sqrt{(75-1.10-3.47)^2 + (35-0.58-2.76)^2 + (2.30+12.14-7.69)^2} - 82.80 = \sqrt{70.43^2 + 33.66^2 + 6.75^2}$
30°	$\sqrt{(75-1.49-1.19)^2 + (35-0.65-2.04)^2 + (2.30+10.53-6.54)^2} - 82.80 = \sqrt{72.32^2 + 32.91^2 + 6.29^2}$
60°	$\sqrt{(75-1.47+1.41)^2 + (35-0.53-2.77)^2 + (2.30+6.09-3.65)^2} - 82.80 = \sqrt{74.94^2 + 31.70^2 + 4.74^2}$
90°	$\sqrt{(75-1.06+3.64)^2 + (35-0.28-2.75)^2 + (2.30+0.02+0.23)^2} - 82.80 = \sqrt{77.58^2 + 31.97^2 + 2.55^2}$
120°	$\sqrt{(75-0.37+4.88)^2 + (35+0.04-2.00)^2 + (2.30-6.05+4.09)^2} - 82.80 = \sqrt{79.51^2 + 33.04^2 + 0.29^2}$
150°	$\sqrt{(75+0.42+4.82)^2 + (35+0.36-0.71)^2 + (2.30-10.50+6.77)^2} - 82.80 = \sqrt{80.24^2 + 34.55^2 + (-1.43)^2}$
180°	$\sqrt{(75+1.10+3.47)^2 + (35+0.35+0.76)^2 + (2.30-12.14+7.69)^2} - 82.80 = \sqrt{79.57^2 + 36.11^2 + 2.15^2}$
210°	$\sqrt{(75+1.49+1.19)^2 + (35+0.65+2.04)^2 + (2.30-10.53+6.54)^2} - 82.80 = \sqrt{77.68^2 + 37.69^2 + 1.69^2}$
240°	$\sqrt{(75+1.47-1.41)^2 + (35+0.53+2.77)^2 + (2.30-6.09+3.65)^2} - 82.80 = \sqrt{75.06^2 + 38.30^2 + 0.14^2}$
270°	$\sqrt{(75+1.06-3.64)^2 + (35+0.28+2.75)^2 + (2.30-0.02-0.23)^2} - 82.80 = \sqrt{72.42^2 + 38.03^2 + 0.05^2}$
300°	$\sqrt{(75+0.37-4.88)^2 + (35-0.04+2.00)^2 + (2.30+6.05-4.09)^2} - 82.80 = \sqrt{70.99^2 + 36.96^2 + 0.31^2}$
330°	$\sqrt{(75-0.42+4.82)^2 + (35-0.36+0.71)^2 + (2.30+10.50-6.77)^2} - 82.80 = \sqrt{69.76^2 + 35.35^2 + 6.03^2}$

MAX AMPLITUDE $\frac{4.45+4.61}{2} = 4.53'$ ACCELERATION $\left(\frac{2\pi}{T_w}\right) \times 4.53 = 1.79$

6

Tw 10 SEC

32.1	+ 20.31	- 86.01	= $\sqrt{6,448.07}$	- 86.01	= 80.1	- 86.01	= - 5.71
33.2	+ 21.72	- 86.01	= $\sqrt{6,752.02}$	- 86.01	= 82.1	- 86.01	= - 3.85
33.32	+ 23.93	- 86.01	= $\sqrt{7,236.57}$	- 86.01	= 85.0	- 86.01	= - 1.04
35.04	+ 25.72	- 86.01	= $\sqrt{7,788.03}$	- 86.01	= 88.3	- 86.01	= + 2.29
36.06	+ 27.02	- 86.01	= $\sqrt{8,249.30}$	- 86.01	= 90.8	- 86.01	= + 4.82
36.81	+ 27.27	- 86.01	= $\sqrt{8,482.64}$	- 86.01	= 92.10	- 86.01	= + 6.09
37.06	+ 26.49	- 86.01	= $\sqrt{8,917.63}$	- 86.01	= 91.7	- 86.01	= + 5.74
36.77	+ 24.88	- 86.01	= $\sqrt{8,075.34}$	- 86.01	= 89.8	- 86.01	= + 3.85
36.01	+ 27.87	- 86.01	= $\sqrt{7,562.37}$	- 86.01	= 86.9	- 86.01	= + 0.95
34.96	+ 21.01	- 86.01	= $\sqrt{7,024.79}$	- 86.01	= 83.8	- 86.01	= - 2.20
33.74	+ 19.78	- 86.01	= $\sqrt{6,604.07}$	- 86.01	= 81.2	- 86.01	= - 4.74
33.89	+ 19.53	- 86.01	= $\sqrt{6,397.01}$	- 86.01	= 79.9	- 86.01	= - 6.03

$\times 6.6 = 2.39 \text{ Ft/SEC}^2$ WAVE FORCE MODELING LOAD = $2.39 \times 84.3 = 201.5^k$

Tw - 10 SEC

33.66	+ 6.75	- 82.80	= $\sqrt{6,138.94}$	- 82.80	= 78.3	- 82.80	= - 4.45
32.31	+ 6.29	- 82.80	= $\sqrt{6,313.68}$	- 82.80	= 79.4	- 82.80	= - 3.34
31.70	+ 4.74	- 82.80	= $\sqrt{6,643.36}$	- 82.80	= 81.5	- 82.80	= - 1.29
31.97	+ 2.55	- 82.80	= $\sqrt{7,047.24}$	- 82.80	= 83.95	- 82.80	= + 1.15
33.04	+ 0.29	- 82.80	= $\sqrt{7,413.57}$	- 82.80	= 86.10	- 82.80	= + 3.30
34.55	+ (-1.43)	- 82.80	= $\sqrt{7,641.13}$	- 82.80	= 87.41	- 82.80	= + 4.61
36.11	+ 2.15	- 82.80	= $\sqrt{7,633.94}$	- 82.80	= 87.41	- 82.80	= + 4.61
37.69	+ 1.67	- 82.80	= $\sqrt{7,457.57}$	- 82.80	= 86.36	- 82.80	= + 3.56
33.0	+ 0.14	- 82.80	= $\sqrt{7,100.91}$	- 82.80	= 84.27	- 82.80	= + 1.47
30.3	+ 0.05	- 82.80	= $\sqrt{6,695.14}$	- 82.80	= 81.82	- 82.80	= - 0.98
30.96	+ 0.31	- 82.80	= $\sqrt{6,353.46}$	- 82.80	= 79.71	- 82.80	= - 3.09
33.5	+ 6.03	- 82.80	= $\sqrt{6,152.44}$	- 82.80	= 78.44	- 82.80	= - 4.36

$4.5 = 1.79 \text{ Ft/SEC}^2$ WAVE FORCE MODELING LOAD = $1.79 \times 84.3 = 150.9^k$

2

ENGINEERING DEPARTMENT
COMPUTATION SHEET
MCO 5015

J. RAY McDERMOTT & CO., INC.

COMPANY	SHEET NO
---------	----------

SUBJECT			
---------	--	--	--

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

22 500 DWT TANKER	60' WD	X = 30°	TW = 10 SEC
LIGHT		LOADED	
0°	- 2.63		- 1.72
30°	- 1.93		- 2.54
60°	- 0.71		- 2.66
90°	+ 0.70		- 2.09
120°	+ 1.92		- 0.95
150°	+ 2.63		+ 0.45

MAX AMPL 2.63'
Acc $\left(\frac{2\pi}{T_w}\right)^2 \times 2.63 = 1.09 \text{ f/sec}^2$

MAX AMPL 2.66'
Acc $\left(\frac{2\pi}{T_w}\right)^2 \times 2.66 = 1.05 \text{ f/sec}^2$

FENDER LOAD $1.09 \times 83.7 = 87.0 \text{ k}$

FENDER LOAD $1.05 \times 83.7 = 87.9 \text{ k}$

22,500 DWT TANKER	150' WD	X = 30°	TW = 10 SEC
LIGHT		LOADED	
0°	- 2.06		- 1.34
30°	- 1.77		- 2.69
60°	- 1.01		- 3.30
90°	+ 0.04		- 3.03
120°	+ 1.06		- 1.96
150°	+ 2.01		- 0.35

MAX AMPL 2.06'
Acc $\left(\frac{2\pi}{T_w}\right)^2 \times 2.06 = 0.81 \text{ f/sec}^2$

MAX AMPL 3.30'
Acc $\left(\frac{2\pi}{T_w}\right)^2 \times 3.30 = 1.30 \text{ f/sec}^2$

FENDER LOAD $0.81 \times 84.3 = 68.3 \text{ k}$

FENDER LOAD $1.30 \times 84.3 = 109.6 \text{ k}$

COMPANY _____ SHEET NO _____

SUBJECT _____

DRAWING NUMBER _____ COMPUTER NdB CHECKED BY _____ DATE 4-19-66

70,000 DWT TANKER LIGHT 60' WD $\chi = 30^\circ$ TW=1

0°	$\sqrt{(100 - 1.05 - 1.84)^2 + (35 - 0.71 - 0.86)^2 + (36.60 + 4.33 - 7.56)^2} - 112.09 = \sqrt{97.11^2 + 3.43^2 + 3.00^2}$
30°	$\sqrt{(100 - 1.43 - 2.67)^2 + (35 - 0.78 - 2.08)^2 + (36.60 + 4.33 - 5.11)^2} - 112.09 = \sqrt{95.90^2 + 3.14^2 + 36.00^2}$
60°	$\sqrt{(100 - 1.42 - 2.78)^2 + (35 - 0.63 - 2.74)^2 + (36.60 + 4.21 - 1.30)^2} - 112.09 = \sqrt{95.80^2 + 3.63^2 + 39.00^2}$
90°	$\sqrt{(100 - 1.03 - 2.14)^2 + (35 - 0.37 - 2.67)^2 + (36.60 + 2.35 + 2.87)^2} - 112.09 = \sqrt{96.83^2 + 32.81^2 + 41.00^2}$
120°	$\sqrt{(100 - 0.36 - 0.94)^2 + (35 + 0.08 - 1.88)^2 + (36.60 - 0.12 + 6.26)^2} - 112.09 = \sqrt{98.70^2 + 33.00^2 + 42.00^2}$
150°	$\sqrt{(100 + 0.39 + 0.52)^2 + (35 + 0.46 - 0.59)^2 + (36.60 - 2.57 + 7.98)^2} - 112.09 = \sqrt{100.91^2 + 34.7^2 + 42.00^2}$
180°	$\sqrt{(100 + 1.05 + 1.84)^2 + (35 + 0.71 + 0.86)^2 + (36.60 - 4.33 + 7.56)^2} - 112.09 = \sqrt{102.89^2 + 36.7^2 + 39.8^2}$
210°	$\sqrt{(100 + 1.43 + 2.67)^2 + (35 + 0.78 + 2.08)^2 + (36.60 - 4.33 + 5.11)^2} - 112.09 = \sqrt{104.10^2 + 37.6^2 + 36.2^2}$
240°	$\sqrt{(100 + 1.42 + 2.78)^2 + (35 + 0.63 + 2.74)^2 + (36.60 - 4.21 + 1.30)^2} - 112.09 = \sqrt{104.20^2 + 37.7^2 + 33.69^2}$
270°	$\sqrt{(100 + 1.03 + 2.14)^2 + (35 + 0.37 + 2.67)^2 + (36.60 - 2.35 - 2.87)^2} - 112.09 = \sqrt{103.17^2 + 37.0^2 + 31.36^2}$
300°	$\sqrt{(100 + 0.36 + 0.94)^2 + (35 - 0.08 + 1.88)^2 + (36.60 + 0.12 - 6.26)^2} - 112.09 = \sqrt{101.30^2 + 36.0^2 + 30.46^2}$
330°	$\sqrt{(100 - 0.39 - 0.52)^2 + (35 - 0.46 + 0.59)^2 + (36.60 + 2.57 - 7.98)^2} - 112.09 = \sqrt{99.09^2 + 35.3^2 + 31.19^2}$

MAX AMPLITUDE $\frac{4.59 + 4.63}{2} = 4.61$ ACCELERATION $\left(\frac{2\pi}{T_u}\right) \times 4.61 = 1.26$

70,000 DWT TANKER LOADED 60' WD $\chi = 30^\circ$ TW=12

0°	$\sqrt{(100 - 1.06 - 1.81)^2 + (35 - 0.59 - 0.94)^2 + (8.0 + 11.82 - 7.45)^2} - 106.25 = \sqrt{97.13^2 + 33.0^2 + 12.07^2}$
30°	$\sqrt{(100 - 1.44 - 2.60)^2 + (35 - 0.65 - 1.30)^2 + (8.0 + 9.71 - 5.15)^2} - 106.25 = \sqrt{95.96^2 + 33.0^2 + 12.68^2}$
60°	$\sqrt{(100 - 1.43 - 2.69)^2 + (35 - 0.53 - 1.32)^2 + (8.0 + 5.30 - 1.47)^2} - 106.25 = \sqrt{95.88^2 + 33.1^2 + 11.83^2}$
90°	$\sqrt{(100 - 1.04 - 2.01)^2 + (35 - 0.27 - 0.98)^2 + (8.0 + 0.53 + 2.60)^2} - 106.25 = \sqrt{96.89^2 + 33.7^2 + 10.07^2}$
120°	$\sqrt{(100 - 0.36 - 0.88)^2 + (35 + 0.05 - 0.38)^2 + (8.0 - 5.22 + 5.98)^2} - 106.25 = \sqrt{98.76^2 + 34.6^2 + 7.76^2}$
150°	$\sqrt{(100 + 0.40 + 1.54)^2 + (35 + 0.37 + 0.32)^2 + (8.0 - 10.29 + 7.75)^2} - 106.25 = \sqrt{100.94^2 + 35.6^2 + 6.51^2}$
180°	$\sqrt{(100 + 1.06 + 1.81)^2 + (35 + 0.59 + 0.94)^2 + (8.0 - 11.52 + 7.45)^2} - 106.25 = \sqrt{102.87^2 + 36.52^2 + 3.93^2}$
210°	$\sqrt{(100 + 1.44 + 2.60)^2 + (35 + 0.65 + 1.30)^2 + (8.0 - 9.71 + 5.15)^2} - 106.25 = \sqrt{104.04^2 + 36.9^2 + 3.44^2}$
240°	$\sqrt{(100 + 1.43 + 2.69)^2 + (35 + 0.53 + 1.32)^2 + (8.0 - 5.30 + 1.47)^2} - 106.25 = \sqrt{104.12^2 + 36.8^2 + 3.97^2}$
270°	$\sqrt{(100 + 1.04 + 2.01)^2 + (35 + 0.27 + 0.98)^2 + (8.0 + 0.35 - 2.60)^2} - 106.25 = \sqrt{103.11^2 + 36.25^2 + 5.75^2}$
300°	$\sqrt{(100 + 0.36 + 0.88)^2 + (35 - 0.05 + 0.38)^2 + (8.0 + 6.22 - 5.98)^2} - 106.25 = \sqrt{101.24^2 + 35.3^2 + 8.24^2}$
330°	$\sqrt{(100 - 0.40 - 1.54)^2 + (35 - 0.37 - 0.32)^2 + (8.0 + 10.29 - 7.75)^2} - 106.25 = \sqrt{99.06^2 + 34.31^2 + 10.49^2}$

MAX AMPLITUDE $\frac{4.11 + 4.27}{2} = 4.19$ ACCELERATION $= \left(\frac{2\pi}{T_u}\right) \times 4.19$

30° TW = 17 SEC

$11^2 + 3.43^2 + 33.31^2 - 112.09$	$\sqrt{11,661.47} - 112.09 = 109.99 - 112.09 = -2.10$
$10^2 + 3.14^2 + 36.42^2 - 112.09$	$\sqrt{14,556.21} - 112.09 = 120.52 - 112.09 = +8.43$
$9^2 + 3.63^2 + 39.51^2 - 112.09$	$\sqrt{11,733.79} - 112.09 = 108.35 - 112.09 = -3.74$
$8^2 + 3.25^2 + 41.82^2 - 112.09$	$\sqrt{12,199.60} - 112.09 = 110.23 - 112.09 = -1.86$
$7^2 + 3.30^2 + 42.74^2 - 112.09$	$\sqrt{12,670.64} - 112.09 = 112.56 - 112.09 = +0.47$
$6^2 + 3.47^2 + 42.01^2 - 112.09$	$\sqrt{13,163.59} - 112.09 = 114.73 - 112.09 = +2.64$
$5^2 + 3.67^2 + 39.83^2 - 112.09$	$\sqrt{13,510.15} - 112.09 = 116.3 - 112.09 = +4.21$
$4^2 + 3.76^2 + 36.28^2 - 112.09$	$\sqrt{13,622.96} - 112.09 = 116.72 - 112.09 = +4.63$
$3^2 + 3.7^2 + 33.69^2 - 112.09$	$\sqrt{13,464.31} - 112.09 = 116.49 - 112.09 = +4.40$
$2^2 + 3.70^2 + 31.38^2 - 112.09$	$\sqrt{13,071.99} - 112.09 = 114.83 - 112.09 = +2.74$
$1^2 + 3.6^2 + 30.46^2 - 112.09$	$\sqrt{12,543.74} - 112.09 = 112.00 - 112.09 = -0.09$
$0^2 + 3.5^2 + 31.19^2 - 112.09$	$\sqrt{12,025.76} - 112.09 = 109.66 - 112.09 = -2.43$

4.61 = 1.26 FV/SEC² WAVE FORCE MOVING LOAD = 1.26 x 83.7 = 105.5 k

TW = 12 SEC

$33.7^2 + 12.07^2 - 106.25$	$\sqrt{10,700.16} - 106.25 = 103.44 - 106.25 = -2.81$
$33.0^2 + 12.66^2 - 106.25$	$\sqrt{10,458.38} - 106.25 = 102.2 - 106.25 = -4.05$
$33.1^2 + 11.83^2 - 106.25$	$\sqrt{10,431.85} - 106.25 = 102.1 - 106.25 = -4.15$
$33.7^2 + 10.07^2 - 106.25$	$\sqrt{10,628.14} - 106.25 = 103.2 - 106.25 = -3.05$
$34.6^2 + 7.76^2 - 106.25$	$\sqrt{11,015.76} - 106.25 = 104.9 - 106.25 = -1.35$
$35.6^2 + 6.51^2 - 106.25$	$\sqrt{11,493.02} - 106.25 = 107.21 - 106.25 = +0.96$
$36.5^2 + 3.93^2 - 106.25$	$\sqrt{11,932.12} - 106.25 = 109.23 - 106.25 = +2.98$
$36.9^2 + 3.44^2 - 106.25$	$\sqrt{12,207.46} - 106.25 = 110.46 - 106.25 = +4.21$
$36.8^2 + 3.97^2 - 106.25$	$\sqrt{12,214.36} - 106.25 = 110.5 - 106.25 = +4.25$
$36.2^2 + 5.75^2 - 106.25$	$\sqrt{11,978.80} - 106.25 = 109.45 - 106.25 = +3.20$
$35.3^2 + 8.24^2 - 106.25$	$\sqrt{11,555.64} - 106.25 = 107.5 - 106.25 = +1.25$
$34.31^2 + 10.49^2 - 106.25$	$\sqrt{11,100.10} - 106.25 = 105.3 - 106.25 = -0.95$

$\frac{2\pi}{T_u} \times 4.15 = 1.15 \text{ FV/SEC}^2$ WAVE FORCE MOVING LOAD = 1.15 x 83.7 = 96.3 k

2

ENGINEERING DEPARTMENT
COMPUTATION SHEET
MCD 14003

J. RAY McDERMOTT & Co., INC.

COMPANY		SHEET NO.	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
70,000 DWT TANKER	NMS		4-20-66
LIGHT	150' WD	X = 30'	TW = 12.5

0°	$\sqrt{(100 - 1.05 - 1.96)^2 + (35 - 0.71 + 0.36)^2 + (36.60 + 19.33 - 7.57)^2} - 112.09 = \sqrt{56.99^2 + 34.36^2 + 38.36^2} - 112.09$
30°	$\sqrt{(100 - 1.43 - 3.03)^2 + (35 - 0.78 - 1.35)^2 + (36.60 + 9.93 - 5.27)^2} - 112.09 = \sqrt{95.94^2 + 32.87^2 + 31.26^2} - 112.09$
60°	$\sqrt{(100 - 1.92 - 3.29)^2 + (35 - 0.63 - 2.70)^2 + (36.60 + 4.21 - 1.56)^2} - 112.09 = \sqrt{95.29^2 + 31.67^2 + 30.25^2} - 112.09$
90°	$\sqrt{(100 - 1.03 - 2.66)^2 + (35 - 0.32 - 3.32)^2 + (36.60 + 2.35 + 2.57)^2} - 112.09 = \sqrt{96.31^2 + 31.36^2 + 40.52^2} - 112.09$
120°	$\sqrt{(100 - 0.36 - 1.32)^2 + (35 + 0.08 - 3.06)^2 + (36.60 - 0.12 + 6.01)^2} - 112.09 = \sqrt{98.92^2 + 32.02^2 + 40.95^2} - 112.09$
150°	$\sqrt{(100 + 0.39 + 0.32)^2 + (35 + 0.92 - 1.97)^2 + (36.60 - 2.57 + 7.84)^2} - 112.09 = \sqrt{100.76^2 + 33.95^2 + 41.79^2} - 112.09$
180°	$\sqrt{(100 + 1.05 + 1.96)^2 + (35 + 0.71 - 0.36)^2 + (36.60 - 4.33 + 7.57)^2} - 112.09 = \sqrt{103.01^2 + 33.35^2 + 39.92^2} - 112.09$
210°	$\sqrt{(100 + 1.43 + 3.03)^2 + (35 + 0.78 + 1.35)^2 + (36.60 - 9.93 + 5.27)^2} - 112.09 = \sqrt{104.96^2 + 37.15^2 + 36.91^2} - 112.09$
240°	$\sqrt{(100 + 1.92 + 3.29)^2 + (35 + 0.63 + 2.70)^2 + (36.60 + 4.21 + 1.56)^2} - 112.09 = \sqrt{104.71^2 + 38.33^2 + 33.94^2} - 112.09$
270°	$\sqrt{(100 + 1.03 + 2.66)^2 + (35 + 0.32 + 3.32)^2 + (36.60 - 2.35 - 2.57)^2} - 112.09 = \sqrt{103.69^2 + 38.69^2 + 31.64^2} - 112.09$
300°	$\sqrt{(100 + 0.36 + 1.32)^2 + (35 - 0.08 + 3.06)^2 + (36.60 + 0.12 - 6.01)^2} - 112.09 = \sqrt{101.68^2 + 37.98^2 + 30.72^2} - 112.09$
330°	$\sqrt{(100 - 0.39 + 1.32)^2 + (35 - 0.92 + 1.97)^2 + (36.60 + 2.57 - 7.84)^2} - 112.09 = \sqrt{99.24^2 + 36.55^2 + 31.33^2} - 112.09$

MAX AMPLITUDE = $\frac{4.74 + 4.76}{2} = 4.75'$ ACCELERATION = $\left(\frac{2\pi}{TW}\right) \times 4.75$

70,000 DWT TANKER LOADED 150' WD X = 30' TW = 12.5

0°	$\sqrt{(100 - 1.06 - 1.93)^2 + (35 - 0.59 - 0.97)^2 + (8.0 + 11.52 - 7.55)^2} - 106.25 = \sqrt{97.01^2 + 33.49^2 + 107^2} - 106.25$
30°	$\sqrt{(100 - 1.44 - 2.91)^2 + (35 - 0.65 - 1.35)^2 + (8.0 + 9.71 - 5.33)^2} - 106.25 = \sqrt{95.65^2 + 33.00^2 + 108^2} - 106.25$
60°	$\sqrt{(100 - 1.43 - 3.11)^2 + (35 - 0.63 - 1.38)^2 + (8.0 + 5.30 - 1.65)^2} - 106.25 = \sqrt{95.16^2 + 33.00^2 + 111^2} - 106.25$
90°	$\sqrt{(100 - 1.04 - 2.97)^2 + (35 - 0.27 - 1.03)^2 + (8.0 - 0.53 + 2.40)^2} - 106.25 = \sqrt{96.40^2 + 33.70^2 + 9.7^2} - 106.25$
120°	$\sqrt{(100 - 0.36 - 1.18)^2 + (35 + 0.05 - 0.41)^2 + (8.0 - 6.22 + 5.85)^2} - 106.25 = \sqrt{98.96^2 + 34.64^2 + 7.7^2} - 106.25$
150°	$\sqrt{(100 + 0.40 + 0.43)^2 + (35 + 0.37 + 1.32)^2 + (8.0 - 10.24 + 7.74)^2} - 106.25 = \sqrt{100.83^2 + 35.63^2 + 5.5^2} - 106.25$
180°	$\sqrt{(100 + 1.06 + 1.93)^2 + (35 + 0.59 + 0.97)^2 + (8.0 - 11.52 + 7.55)^2} - 106.25 = \sqrt{102.90^2 + 36.56^2 + 4.8^2} - 106.25$
210°	$\sqrt{(100 + 1.44 + 2.91)^2 + (35 + 0.65 + 1.35)^2 + (8.0 - 9.71 + 5.33)^2} - 106.25 = \sqrt{104.35^2 + 37.00^2 + 3.9^2} - 106.25$
240°	$\sqrt{(100 + 1.43 + 3.11)^2 + (35 + 0.63 + 1.38)^2 + (8.0 - 5.30 + 1.65)^2} - 106.25 = \sqrt{104.54^2 + 36.91^2 + 4.9^2} - 106.25$
270°	$\sqrt{(100 + 1.04 + 2.97)^2 + (35 + 0.27 + 1.03)^2 + (8.0 + 0.53 - 2.40)^2} - 106.25 = \sqrt{103.51^2 + 36.30^2 + 6.1^2} - 106.25$
300°	$\sqrt{(100 + 0.36 + 1.18)^2 + (35 - 0.05 + 0.41)^2 + (8.0 + 6.22 - 5.85)^2} - 106.25 = \sqrt{101.54^2 + 35.36^2 + 8.3^2} - 106.25$
330°	$\sqrt{(100 - 0.40 - 0.43)^2 + (35 - 0.37 - 1.32)^2 + (8.0 + 10.24 - 7.74)^2} - 106.25 = \sqrt{99.17^2 + 35.31^2 + 10.5^2} - 106.25$

MAX AMPLITUDE = $\frac{4.55 + 4.70}{2} = 4.63'$ ACCELERATION = $\left(\frac{2\pi}{TW}\right) \times 4.63$

16

TW = 12 SEC

36' + 3.36'	-112.09	$\sqrt{11,709.56}$	-112.09	108.17	-112.09	- 3.92
37' + 3.26'	-112.09	$\sqrt{11,523.72}$	-112.09	107.35	-112.09	- 4.74
37' + 3.25'	-112.09	$\sqrt{11,623.74}$	-112.09	107.81	-112.09	- 4.28
36' + 4.52'	-112.09	$\sqrt{11,982.98}$	-112.09	109.47	-112.09	- 2.62
32' + 4.39'	-112.09	$\sqrt{12,437.50}$	-112.09	111.79	-112.09	- 2.30
35' + 4.17'	-112.09	$\sqrt{13,029.58}$	-112.09	114.13	-112.09	+ 2.04
35' + 3.92'	-112.09	$\sqrt{13,447.91}$	-112.09	115.97	-112.09	+ 3.88
35' + 3.64'	-112.09	$\sqrt{13,655.09}$	-112.09	116.85	-112.09	+ 4.76
33' + 3.5'	-112.09	$\sqrt{13,585.98}$	-112.09	116.56	-112.09	+ 4.47
34' + 3.16'	-112.09	$\sqrt{13,248.29}$	-112.09	115.10	-112.09	+ 3.01
35' + 3.07'	-112.09	$\sqrt{12,724.41}$	-112.09	112.80	-112.09	+ 0.71
35' + 3.15'	-112.09	$\sqrt{12,166.05}$	-112.09	110.30	-112.09	- 1.79

$\frac{1.27}{TW} \times 4.75 = 1.30 \text{ F/SEC}^2$ WAVE FORCE MOORING LOAD = $1.30 \times 84.3 = 109.6 \text{ K}$

TW = 12 SEC

44' + 10.7'	-106.25	$\sqrt{10,672.45}$	-106.25	103.31	-106.25	- 2.94
40' + 10.8'	-106.25	$\sqrt{10,391.15}$	-106.25	101.94	-106.25	- 4.31
40' + 11.1'	-106.25	$\sqrt{10,342.35}$	-106.25	101.70	-106.25	- 4.55
40' + 9.5'	-106.25	$\sqrt{10,543.43}$	-106.25	102.68	-106.25	- 3.57
41' + 7.2'	-106.25	$\sqrt{10,952.52}$	-106.25	104.65	-106.25	- 1.60
40' + 5.5'	-106.25	$\sqrt{11,470.72}$	-106.25	107.10	-106.25	+ 0.85
36' + 4.8'	-106.25	$\sqrt{11,959.81}$	-106.25	109.36	-106.25	+ 3.11
40' + 3.6'	-106.25	$\sqrt{12,271.03}$	-106.25	110.77	-106.25	+ 4.52
41' + 4.3'	-106.25	$\sqrt{12,310.23}$	-106.25	110.95	-106.25	+ 4.70
40' + 6.1'	-106.25	$\sqrt{12,069.59}$	-106.25	109.86	-106.25	+ 3.61
36' + 8.3'	-106.25	$\sqrt{11,630.76}$	-106.25	107.85	-106.25	+ 1.60
47' + 10.5'	-106.25	$\sqrt{11,054.50}$	-106.25	105.14	-106.25	- 1.11

$\frac{1.27}{TW} \times 4.63 = 1.27 \text{ F/SEC}^2$ WAVE FORCE MOORING LOAD = $1.27 \times 84.3 = 107.1 \text{ K}$

2

COMPANY	SHEET NO
---------	----------

SUBJECT *

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

70,000 DWT TANKER 60' WD X - 30° TW = 12 SEC
 LIGHT LOADER

0°	- 1.57	- 1.53
30°	- 2.86	- 1.95
60°	- 3.37	- 1.85
90°	- 2.99	- 1.25
120°	- 1.80	- 0.83
150°	- 0.13	+ 0.69

MAX AMPL 3.37
 Acc. $\left(\frac{2\pi}{TW}\right)^2 \times 3.37 = 0.92 \text{ } \frac{F}{SEC^2}$

MAX AMPL 1.95
 Acc. $\left(\frac{2\pi}{TW}\right)^2 \times 1.95 = 0.53 \text{ } \frac{F}{SEC^2}$

FENDER LOAD $0.92 \times 83.7 = 77.0^k$

FENDER LOAD $0.53 \times 83.7 = 44.4^k$

70,000 DWT TANKER 150' WD X - 30° TW = 12 SEC
 LIGHT LOADER

0°	- 0.35	- 1.56
30°	- 2.13	- 2.00
60°	- 3.33	- 1.91
90°	- 3.64	- 1.30
120°	- 2.98	- 0.36
150°	- 1.55	+ 0.69

MAX AMPL 3.64
 Acc. $\left(\frac{2\pi}{TW}\right)^2 \times 3.64 = 1.00 \text{ } \frac{F}{SEC^2}$

MAX AMPL 2.00
 Acc. $\left(\frac{2\pi}{TW}\right)^2 \times 2.00 = 0.55 \text{ } \frac{F}{SEC^2}$

FENDER LOAD $1.00 \times 84.3 = 84.3^k$

FENDER LOAD $0.55 \times 84.3 = 46.3^k$

ENGINEERING DEPARTMENT
COMPUTATION SHEET

MCD 14003

J. RAY McDERMOTT & Co., INC.

COMPANY

SHEET NO


SUBJECT

DRAWING NUMBER


COMPUTER

CHECKED BY

DATE




Upper 158-207 = 475
Lower 158-207 = 475



Upper 158-710 = 576
Lower 158-710 = 576



7/8 L



400 117 - 50
400 110 - 400

2

REVISED

CURRENT RESISTANCE
CALCULATIONS

SECTION III

COMPANY		CURENT RESISTANCE		SHEET NO
SUBJECT				
REVISED 0° HEADING				
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE	

$$R_f = C_f \times \frac{L}{2} \times S \times V^2$$

S. WETTED SURFACE = $1.12 \times 136,990 = 153,373$ SQ FT FOR LOADED 70,000 DWT

S = $1.12 \times 61,037 = 68,361$ SQ FT FOR LOADED 27,500 DWT

S = $153,373 - 2 \times 839.1 \times (44 - 24) = 153,373 - 33,564 = 119,809$ SQ FT
FOR 70,000 DWT BALLAST

S = $68,361 - 2 \times 579.2 \times (32.4 - 17.8) = 68,361 - 16,913 = 51,448$ SQ FT
FOR 27,500 DWT BALLAST

70,000 DWT

$$R_c = \frac{VL}{r} = \frac{6.76 \times 839.1}{1.1088 \times 10^{-5}} = \frac{5.6686 \times 10^3}{1.1088 \times 10^{-5}} = 5.11 \times 10^{-8} \quad C_f = 1.666 \times 10^{-3}$$

27,500 DWT

$$R_c = \frac{VL}{r} = \frac{6.76 \times 579.2}{1.1088 \times 10^{-5}} = \frac{3.9086 \times 10^3}{1.1088 \times 10^{-5}} = 3.53 \times 10^{-8} \quad C_f = 1.746 \times 10^{-3}$$

70,000 DWT

LOADED

$$R_f = 1.666 \times 10^{-6} \times 1 \times 153,373 \times 6.76^2 = 11.68^k$$

BALLAST

$$R_f = 1.666 \times 10^{-6} \times 1 \times 119,809 \times 6.76^2 = 9.12^k$$

27,500 DWT

LOADED

$$R_f = 1.746 \times 10^{-6} \times 1 \times 68,361 \times 6.76^2 = 5.45^k$$

BALLAST

$$R_f = 1.746 \times 10^{-6} \times 1 \times 51,448 \times 6.76^2 = 4.11^k$$

COMPANY		SHEET NO	
SUBJECT <u>WIND RESISTANCE</u>			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

WIND RESISTANCE
70,000 DWT TANKER
LOADED

AHEAD WIND AREA HULL $115.0 \times (60.0 - 44.0 + 9.0) \times 0.3 = 862.5 \text{ SQ FT}$
 SUPERSTRUCT $115.0 \times (5 \times 9 + 4 \times 9) = 9,315.0 \text{ SQ FT}$
 TOTAL $A_A = 10,177.5 \text{ SQ FT}$
 BEAM WIND AREA HULL $A_B = 860 \times (60 - 44 + 3.0) = 16,380.0 \text{ SQ FT}$

BALLAST

AHEAD WIND AREA HULL $115.0 \times (60.0 - 24.0 + 9.0) \times 0.3 = 1,552.5 \text{ SQ FT}$
 SUPERSTRUCT $9,315.0 \text{ SQ FT}$
 TOTAL $10,867.5 \text{ SQ FT}$
 BEAM WIND AREA HULL $860 \times (60 - 24 + 3) = 33,540.0 \text{ SQ FT}$

22,500 DWT TANKER
LOADED

AHEAD WIND AREA HULL $72.0 \times (42.7 - 32.4 + 9.0) \times 0.3 = 416.9 \text{ SQ FT}$
 SUPERSTRUCT $72.0 \times (4 \times 9 + 3 \times 9) = 4,536.0 \text{ SQ FT}$
 TOTAL $4,952.9 \text{ SQ FT}$
 BEAM WIND AREA HULL $595 \times (42.7 - 32.4 + 3) = 7,913.5 \text{ SQ FT}$

BALLAST


AHEAD WIND AREA HULL $72.0 \times (42.7 - 17.8 + 9.0) \times 0.3 = 732.2 \text{ SQ FT}$
 SUPERSTRUCT $4,536.0 \text{ SQ FT}$
 TOTAL $5,268.2 \text{ SQ FT}$
 BEAM WIND AREA HULL $595 \times (42.7 - 17.8) = 14,815.5 \text{ SQ FT}$


ENGINEERING DEPARTMENT
COMPUTATION SHEET

MCD 14003

J. RAY McDERMOTT & CO., INC.

COMPANY		SHEET NO	
SUBJECT <i>Cn of CENTER OF EFFORD FOR 5 TO 35° ANGLE</i>			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE





FROM FIG: 6 PAGE 204 PRINCIPLES OF NAVAL ARCHITECTURE

2


ENGINEERING DEPARTMENT
COMPUTATION SHEET

MCD 14003


J. RAY MCDERMOTT & CO., INC.

COMPANY			SHEET NO
SUBJECT			

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------



ANGLE OF ATTACK




ATTACK ANGLE $1^\circ = 30$

2

COMPANY			SHEET NO
---------	--	--	----------

SUBJECT CENTER OF PRESSURE OF WIND RESISTANCE			
--	--	--	--

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------



ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & Co., INC.

MCD 14003

COMPANY		SHEET NO.	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

70,000 DWT TANKER

	LOADED	BALLAST	
5°	$R_f = 11.68^k$ $F_{nc} = 0.04 \times 1 \times 36,920.4 \times 6.76 = 70.15^k$ $CP_c = 0.235 \times 839.1 = 197.2'$ $R_w = 1.18 \times 0.00119 \times 10,177.5 \times 6.76 \times 1.05 = 68.5^k$ $R_{nw} = 0.03 \times 0.00119 \times 16,340.0 \times 6.76 = 2.67^k$ $CP_w = 0.237 \times 839.1 = 199.7'$	$R_f = 9.12^k$ $F_{nc} = 0.03 \times 1 \times 20,306.2 \times 6.76 = 27.84^k$ $CP_c = 0.235 \times 839.1 = 197.2'$ $R_w = 1.18 \times 0.00119 \times 10,867.5 \times 6.76 \times 1.05 = 73.21^k$ $R_{nw} = 0.04 \times 0.00119 \times 33,540.0 \times 6.76 = 7.29^k$ $CP_w = 0.237 \times 839.1 = 199.7'$	5°
10°	$R_f = 11.68$ $F_{nc} = 0.11 \times 45.7 \times 36,920.4 = 185.60^k$ $CP_c = 0.273 \times 839.1 = 229.1'$ $R_w = 6.416 \times 10,177.5 \times 1.12 = 73.13^k$ $R_{nw} = 0.083 \times 5.437 \times 16,340.0 = 7.37^k$ $CP_w = 0.263 \times 839.1 = 220.7'$	$R_f = 9.12^k$ $F_{nc} = 0.083 \times 45.7 \times 20,306.2 = 77.02^k$ $CP_c = 0.273 \times 839.1 = 229.1'$ $R_w = 6.416 \times 10,867.5 \times 1.12 = 78.09^k$ $R_{nw} = 0.11 \times 5.437 \times 33,540.0 = 20.06^k$ $CP_w = 0.263 \times 839.1 = 220.7'$	10°
15°	$R_f = 11.68^k$ $F_{nc} = 0.228 \times 45.7 \times 36,920.4 = 384.70^k$ $CP_c = 0.310 \times 839.1 = 260.1'$ $R_w = 6.416 \times 10,177.5 \times 1.2 = 78.36^k$ $R_{nw} = 0.182 \times 5.437 \times 16,340.0 = 16.17^k$ $CP_w = 0.293 \times 839.1 = 245.9'$	$R_f = 9.12^k$ $F_{nc} = 0.182 \times 45.7 \times 20,306.2 = 168.89^k$ $CP_c = 0.310 \times 839.1 = 260.1'$ $R_w = 6.416 \times 10,867.5 \times 1.2 = 83.67^k$ $R_{nw} = 0.228 \times 5.437 \times 33,540.0 = 41.58^k$ $CP_w = 0.293 \times 839.1 = 245.9'$	15°
20°	$R_f = 11.68^k$ $F_{nc} = 0.381 \times 45.7 \times 36,920.4 = 642.85^k$ $CP_c = 0.332 \times 839.1 = 278.6'$ $R_w = 6.416 \times 10,177.5 \times 1.24 = 80.97^k$ $R_{nw} = 0.312 \times 5.437 \times 16,340.0 = 27.72^k$ $CP_w = 0.322 \times 839.1 = 270.2'$	$R_f = 9.12^k$ $F_{nc} = 0.312 \times 45.7 \times 20,306.2 = 289.53^k$ $CP_c = 0.331 \times 839.1 = 277.7'$ $R_w = 6.416 \times 10,867.5 \times 1.24 = 86.46^k$ $R_{nw} = 0.381 \times 5.437 \times 33,540.0 = 69.48^k$ $CP_w = 0.322 \times 839.1 = 270.2'$	20°

CURRENT

$$R_f = C_f \times \frac{1}{2} \times S \times V^2$$

$$F_{nc} = C_n \times \frac{1}{2} \times L \times T \times V^2$$

$$C_{Pc} = L \times \frac{X}{Z}$$

WIND

$$R_w = C_w \times \frac{1}{2} \times A_A \times V^2 \times K_a$$

$$R_{nw} = C_w \times \frac{1}{2} \times A_B \times V^2$$

$$C_{Pw} = L \times \frac{X}{Z}$$

22,500 DWT TANKER

LOADED

BALLAST

5°

$$R_f = 5.45^k$$

$$F_{nc} = 0.0911 \times 18,766.1 \times 6.76^2 = 34.30^k$$

$$C_{Pc} = 0.235 \times 579.2 = 136.1'$$

$$R_w = 1.18 \times 0.00119 \times 4,952.9 \times 6.76^2 \times 1.05 = 33.40^k$$

$$R_{nw} = 0.03 \times 0.00119 \times 7,913.5 \times 6.76^2 = 1.29^k$$

$$C_{Pw} = 0.232 \times 579.2 = 134.4'$$

$$R_f = 4.11^k$$

$$F_{nc} = 0.03 \times 1 \times 10,302.8 \times 6.76^2 = 14.1^k$$

$$C_{Pc} = 0.235 \times 579.2 = 136.1'$$

$$R_w = 1.18 \times 0.00119 \times 5,768.2 \times 1.05 \times 6.76^2 = 35.49^k$$

$$R_{nw} = 0.04 \times 0.00119 \times 19,815.5 \times 6.76^2 = 3.22^k$$

$$C_{Pw} = 0.232 \times 579.2 = 134.4'$$

10°

$$R_f = 5.45^k$$

$$F_{nc} = 0.11 \times 45.7 \times 18,766.1 = 94.34^k$$

$$C_{Pc} = 0.273 \times 579.2 = 158.1'$$

$$R_w = 6.416 \times 4,952.9 \times 1.12 = 35.59^k$$

$$R_{nw} = 0.083 \times 5,437 \times 7,913.5 = 3.57^k$$

$$C_{Pw} = 0.263 \times 579.2 = 152.3'$$

$$R_f = 4.11^k$$

$$F_{nc} = 0.082 \times 45.7 \times 10,302.8 = 39.11^k$$

$$C_{Pc} = 0.273 \times 579.2 = 158.1'$$

$$R_w = 6.416 \times 5,268.2 \times 1.12 = 37.86^k$$

$$R_{nw} = 0.11 \times 5,437 \times 19,815.5 = 8.86^k$$

$$C_{Pw} = 0.263 \times 579.2 = 152.3'$$

15°

$$R_f = 5.45^k$$

$$F_{nc} = 0.228 \times 45.7 \times 18,766.1 = 195.54^k$$

$$C_{Pc} = 0.310 \times 579.2 = 179.6'$$

$$R_w = 6.416 \times 4,952.9 \times 1.2 = 38.13^k$$

$$R_{nw} = 0.182 \times 5,437 \times 7,913.5 = 7.83^k$$

$$C_{Pw} = 0.293 \times 579.2 = 169.7'$$

$$R_f = 4.11^k$$

$$F_{nc} = 0.182 \times 45.7 \times 10,302.8 = 85.75^k$$

$$C_{Pc} = 0.310 \times 579.2 = 179.6'$$

$$R_w = 6.416 \times 5,268.2 \times 1.2 = 40.56^k$$

$$R_{nw} = 0.228 \times 5,437 \times 19,815.5 = 18.37^k$$

$$C_{Pw} = 0.293 \times 579.2 = 169.7'$$

20°

$$R_f = 5.45^k$$

$$F_{nc} = 0.381 \times 45.7 \times 18,766.1 = 326.75^k$$

$$C_{Pc} = 0.332 \times 579.2 = 192.3'$$

$$R_w = 6,416 \times 4,952.9 \times 1.24 = 39.24^k$$

$$R_{nw} = 0.312 \times 5,437 \times 7,913.5 = 13.24^k$$

$$C_{Pw} = 0.322 \times 579.2 = 186.5'$$

$$R_f = 4.11^k$$

$$F_{nc} = 0.312 \times 45.7 \times 10,302.8 = 147.00^k$$

$$C_{Pc} = 0.331 \times 579.2 = 191.7'$$

$$R_w = 6,416 \times 5,268.2 \times 1.24 = 40.86^k$$

$$R_{nw} = 0.381 \times 5,437 \times 19,815.5 = 40.86^k$$

$$C_{Pw} = 0.322 \times 579.2 = 186.5'$$

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

MCD 14003

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

70,000 DWT TANKER

	LOADED	BALLAST	
25°	$R_f = 11.68^k$ $F_{nc} = 0.547 \times 45.7 \times 36,920.4 = 922.93^k$ $CP_c = 0.337 \times 839.1 = 282.8'$ $R_w = 6.416 \times 10,177.5 \times 1.28 = 83.58^k$ $R_{nw} = 0.462 \times 5.437 \times 16,340.0 = 41.04^k$ $CP_w = 0.348 \times 839.1 = 292.0'$	$R_f = 9.12^k$ $F_{nc} = 0.462 \times 45.7 \times 20,306.2 = 428.73^k$ $CP_c = 0.328 \times 839.1 = 275.2'$ $R_w = 6.416 \times 10,867.5 \times 1.28 = 89.25^k$ $R_{nw} = 0.547 \times 5.437 \times 33,540.0 = 99.75^k$ $CP_w = 0.348 \times 839.1 = 292.0'$	25°
30°	$R_f = 11.88^k$ $F_{nc} = 0.711 \times 45.7 \times 36,920.4 = 1,199.64^k$ $CP_c = 0.329 \times 839.1 = 271.9'$ $R_w = 6.416 \times 10,177.5 \times 1.3 = 84.89^k$ $R_{nw} = 0.611 \times 5.437 \times 16,340.0 = 54.28^k$ $CP_w = 0.372 \times 839.1 = 312.1'$	$R_f = 9.12^k$ $F_{nc} = 0.611 \times 45.7 \times 20,306.2 = 567.00^k$ $CP_c = 0.309 \times 839.1 = 259.3'$ $R_w = 6.416 \times 10,867.5 \times 1.3 = 90.64^k$ $R_{nw} = 0.711 \times 5.437 \times 33,540.0 = 129.66^k$ $CP_w = 0.372 \times 839.1 = 312.1'$	30°
35°	$R_f = 11.68^k$ $F_{nc} = 0.848 \times 45.7 \times 36,920.4 = 1,430.80^k$ $CP_c = 0.301 \times 839.1 = 252.6'$ $R_w = 6.416 \times 10,177.5 \times 1.28 = 83.58^k$ $R_{nw} = 0.737 \times 5.437 \times 16,340.0 = 65.48^k$ $CP_w = 0.303 \times 839.1 = 252.8'$	$R_f = 9.12^k$ $F_{nc} = 0.737 \times 45.7 \times 20,306.2 = 683.93^k$ $CP_c = 0.277 \times 839.1 = 232.4'$ $R_w = 6.416 \times 10,867.5 \times 1.28 = 89.25^k$ $R_{nw} = 0.848 \times 5.437 \times 33,540.0 = 154.64^k$ $CP_w = 0.303 \times 839.1 = 252.8'$	35°
0°	$R_f = 11.68^k$ $R_w = 6.416 \times 10,177.5 \times 1.0 = 65.30^k$	$R_f = 9.12^k$ $R_w = 6.416 \times 10,867.5 \times 1.0 = 69.73^k$	0°

22 500 DWT TANKER

	LOADED	BALLAST
28.73° 25° 75° 25° 75°	25° $R_f = 5.45^k$ $F_{he} = 0.547 \times 45.7 \times 18,766.1 = 469.11^k$ $CP_c = 0.337 \times 579.2 = 195.2'$ $R_w = 6.416 \times 4,952.9 \times 1.28 = 40.68^k$ $R_{hw} = 0.462 \times 5,437 \times 7,913.5 = 19.88^k$ $CP_w = 0.348 \times 579.2 = 201.6'$	$R_f = 4.11^k$ $F_{he} = 0.462 \times 45.7 \times 10,309.8 = 217.67^k$ $CP_c = 0.328 \times 579.2 = 190.0'$ $R_w = 6.416 \times 5,268.2 \times 1.28 = 43.26^k$ $R_{hw} = 0.547 \times 5,437 \times 14,815.5 = 44.06^k$ $CP_w = 0.348 \times 579.2 = 201.6'$
0° 64° 66°	30° $R_f = 5.45^k$ $F_{he} = 0.711 \times 45.7 \times 18,766.1 = 609.76^k$ $CP_c = 0.324 \times 579.2 = 187.7'$ $R_w = 6.416 \times 4,952.9 \times 1.3 = 41.31^k$ $R_{hw} = 0.611 \times 5,437 \times 7,913.5 = 26.29^k$ $CP_w = 0.372 \times 579.2 = 215.5'$	$R_f = 4.11^k$ $F_{he} = 0.611 \times 45.7 \times 10,309.8 = 287.88^k$ $CP_c = 0.300 \times 579.2 = 174.0'$ $R_w = 6.416 \times 5,268.2 \times 1.3 = 43.94^k$ $R_{hw} = 0.711 \times 5,437 \times 14,815.5 = 57.27^k$ $CP_w = 0.372 \times 579.2 = 215.5'$
33° 25° 69°	35° $R_f = 5.45^k$ $F_{he} = 0.848 \times 45.7 \times 18,766.1 = 727.25^k$ $CP_c = 0.301 \times 579.2 = 174.3'$ $R_w = 6.416 \times 4,952.9 \times 1.28 = 40.68^k$ $R_{hw} = 0.737 \times 5,437 \times 7,913.5 = 31.71^k$ $CP_w = 0.393 \times 579.2 = 227.6'$	$R_f = 4.11^k$ $F_{he} = 0.737 \times 45.7 \times 10,309.8 = 347.24^k$ $CP_c = 0.277 \times 579.2 = 160.4'$ $R_w = 6.416 \times 5,268.2 \times 1.28 = 43.26^k$ $R_{hw} = 0.848 \times 5,437 \times 14,815.5 = 68.31^k$ $CP_w = 0.393 \times 579.2 = 227.6'$
0.73°	0° $R_f = 5.15^k$ $R_w = 6.416 \times 4,952.9 \times 1.0 = 31.78^k$	$R_f = 4.11^k$ $R_w = 6.416 \times 5,268.2 \times 1.0 = 33.80^k$

2

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & Co., INC.


MCD 14003

COMPANY _____ SHEET NO _____


SUBJECT MOM ABOUT ϕ BUOY OF WIND & FRICTIONAL RESISTANCE

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

LOADED 0°



LOADED 50°



70,000 PWT


BALLAST 0°

FP + $R_R + R_W = 78.85^k$

MOM ABOUT $\phi_{Buoy} = 78.85 \times 102.5 = 8,082.1^k$

+
 ϕ_{Buoy}

BALLAST 5°



MOM ABOUT $\phi_{Buoy} = 87.2 \times 102.5 = 8,938.0^k$

2

ENGINEERING DEPARTMENT
COMPUTATION SHEET

MD 14003

J. RAY McDERMOTT & CO. INC.


COMPANY		SHEET NO.	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

LOADED 10°



MOM ABOUT \hat{e} Buoy = $210.5 \times 34.2 = 7,199.1 \text{ } ^k$

LOADED 15°



MOM ABOUT \hat{e} Buoy = $411.0 \times 16.5 = -6,781.5 \text{ } ^k$

165

210.5^k

70,000 DWT

BALLAST 10°

FP

R = 131.0^k
46°

MOM ABOUT ϕ Buoy = 131.0 x 62.0 = 8,122.0^k

62.0'

BALLAST 15°

66°
R = 230.5^k

FP

MOM ABOUT ϕ Buoy = 230.5 x 7.5 = 1,728.8^k

7.5'

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY MCDERMOTT & CO., INC.

COMPANY

SHEET NO.

SUBJECT

DRAWING NUMBER


COMPUTER

CHECKED BY

DATE

70,000 DM7
BALLAST 20°

FP



MOM ABOUT ϕ BRISY = $373^K \times 27.5 = -10,257.5^K$


27.5'

COMPANY _____ SHEET NO _____

SUBJECT WIND & FRICTION RESISTANCE MOM. ABOUT ϕ OF BUOY

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

70,000 DWT TANKER



R 1" = 100K
M 1" = 3000K

ANGLE R_{20} ϕ TANKER 1" = 20°

R LOADED

R BALLAST

M LOADED

M BALLAST

R = 317.5^k LOADED

R = 257^k BALLAST

13.75°

15°

16.0°

α BALLAST

α LOADED

α LOADED = 75.25°

α BALLAST = 68.5°

ENGINEERING DEPARTMENT
COMPUTATION SHEET

MCD 14093

J. RAY McDERMOTT & CO., INC.


COMPANY		SHEET NO.	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

LOADED 0°

FP

$$R_H + R_V = 37.23K$$

$$\text{MOM ABOUT } \phi \text{ Buoy. } 37.23 \times 80.0 = 2,978.4'K$$




LOADED 5°

405°

FP

$$R = 55.5'K$$

$$\text{MOM ABOUT } \phi \text{ Buoy. } 55.5 \times 27K = 1,526.3'K$$



22,500 WT

BALLAST 0°

FP

$R_F + W = 37.51^k$

MOM ABOUT \bar{L} BODY, $37.51 \times 800 = 3,032.8^k$

+

BALLAST 5°

23.5'

FP

$= 44.5^k$

MOM ABOUT \bar{L} BODY = $44.5 \times 54.5 = 2,425.3^k$

54.5


2

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY MCDERMOTT & CO., INC.

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

LOADED 10°




MOM ABOUT ϕ Buoy, $107.0 \times 33.2 = -3,552.4$

33.2'

22,500 DWT TANKER

BALLAST 10°




2

ENGINEERING DEPARTMENT
COMPUTATION SHEET


J. RAY McDERMOTT & CO., INC.

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE




COMPANY		SHEET NO.	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

22,500 DWT



70,000 DWT



COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
TANKER PROPERTIES FOR MOTION STUDY			
22,500 DWT LOADED Δ ADD MASS	SURGE 70,099 4,766 <u>74,865</u>		SWAY 70,099 30,549 <u>100,648</u>
	M = 2,325		M = 3,126
BALLAST Δ ADD MASS	35,049 2,618 <u>37,667</u>		35,049 9,219 <u>44,268</u>
	M = 1,170		M = 1,375
LIGHT Δ ADD MASS	21,029 1,662 <u>22,691</u>		21,029 3,716 <u>24,745</u>
	M = 705		M = 768
70,000 DWT LOADED Δ ADD MASS	SURGE 284,985 14,441 <u>219,426</u>		SWAY 284,985 81,699 <u>286,684</u>
	M = 6,814		M = 8,903
BALLAST Δ ADD MASS	102,493 7,942 <u>110,435</u>		102,493 24,712 <u>127,205</u>
	M = 3,430		M = 3,950
LIGHT Δ ADD MASS	61,495 5,054 <u>66,549</u>		61,495 10,010 <u>71,505</u>
	M = 2,067		M = 2,221

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY MCDERMOTT & Co., INC.


COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
22,500 DWT	YAW	LOADED	
J LIGHT SHIP			965,746,311
J LOAD			1,104,075,000
J ADD MASS	30,549 x 45,924.5 =		1,402,947,550
			<u>3,472,768,862</u>
			J = 107,849,965
BALLAST			
J LIGHT SHIP			965,746,311
J BALLAST			315,450,000
J ADD MASS	9,219 x 45,924.5 =		423,377,966
			<u>1,709,574,277</u>
			J = 52,937,089
LIGHT			
J LIGHT SHIP			965,746,311
J ADD MASS	3,716 x 45,924.5 =		170,655,442
			<u>1,136,401,753</u>
			J = 39,291,980
70,000 DWT	YAW		
LOADED			
J LIGHT SHIP			5,926,838,904
J LOAD			6,775,497,357
J ADD MASS	81,699 x 96,379.2 =		7,874,084,261
			<u>20,576,420,522</u>
			J = 639,019,271
BALLAST			
J LIGHT SHIP			5,926,838,904
J BALLAST			1,939,926,661
J ADD MASS	24,712 x 96,379.2 =		2,381,722,790
			<u>10,248,558,355</u>
			J = 318,278,210
LIGHT			
J LIGHT SHIP			5,926,838,904
J ADD MASS	10,210 x 96,379.2 =		964,755,792
			<u>6,891,594,696</u>

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

70,000 LOADED

60' WD
 $T_{S2} = 8.2$
 $T_{S3} = 6.8$
 $T_{S4} = 6.8$
 $T_{S5} = 3.8$


150' WD
 $T_{S2} = 7.6$
 $T_{S3} = 6.5$
 $T_{S4} = 8.5$
 $T_{S5} = 4.8$



70,000 BALLAST

60' WD
 $T_{S2} = 8.4$ $T_{S4} = 7.3$
 $T_{S3} = 7.8$ $T_{S5} = 5.8$

150' WD
 $T_{S2} = 7.7$ $T_{S4} = 8.8$
 $T_{S3} = 7.2$ $T_{S5} = 7.1$



COMPANY			SHEET NO.
---------	--	--	-----------

SUBJECT			
---------	--	--	--

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

22,500 DWT LOADED

60' WD

$T_{S2} = 10.4$

$T_{S3} = 10.4$

$T_{S4} = 12.5$

$T_{S5} = 12.5$

150' WD

$T_{S2} = 9.2$

$T_{S3} = 9.2$

$T_{S4} = 14.3$

$T_{S5} = 14.3$

Roll Sway

52.0k

74.0k

52.0k

PITCH & SURGE

22,500 DWT BALLAST

60' WD

$T_{S2} = 10.4$

$T_{S3} = 10.7$

$T_{S4} = 12.6$

$T_{S5} = 13.3$

150' WD

$T_{S2} = 9.2$

$T_{S3} = 9.4$

$T_{S4} = 14.3$

$T_{S5} = 15.1$

Roll Sway

40.5k

64.5k

50.0k

PITCH & SURGE

COMPANY	SHEET NO.
---------	-----------

SUBJECT	DATE
---------	------

TANKER COMPUTER IN PUT FOR MOTION STUDY

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

DWT 22,500
 LOADED L = 579.2 B = 77.0
 DISPL = 70,099 M₁ = 2,325 M₂ = 3,126 M₃ = 107,849,965
 TW = 10.0 H = 10.0
 E = 7.1°
 TS₁ = 8.20 TS₂ = 10.00 TS₃ = 10.20 TS₄ = 14.14 TS₅ = 14.14 TS₆ = 14.14
 X = 200.00 Y = 25.0 A = 0.00

BALLAST L = 579.2 B = 77.0
 DISPL = 35,049 M₁ = 1,170 M₂ = 1,375 M₃ = 52,937,089
 TW = 10.0 H = 10.0
 E = 10.0°
 TS₁ = 7.00 TS₂ = 10.40 TS₃ = 9.30 TS₄ = 14.14 TS₅ = 14.14 TS₆ = 14.14
 X = 200.00 Y = 25.00 A = 0.00

DWT 70,000
 LOADED L = 839.1 B = 115.0
 DISPL = 204,985 M₁ = 6,814 M₂ = 8,903 M₃ = 639,019,271
 TW = 12.00 H = 10.0
 E = 13.75°
 TS₁ = 9.80 TS₂ = 12.00 TS₃ = 12.00 TS₄ = 14.14 TS₅ = 14.14 TS₆ = 16.97
 X = 200.0 Y = 57.0 A = 0.0

BALLAST L = 839.1 B = 115.0
 DISPL = 102,493 M₁ = 3,430 M₂ = 3,950 M₃ = 318,278,210
 TW = 12.0 H = 10.0
 E = 16.0°
 TS₁ = 8.40 TS₂ = 12.50 TS₃ = 11.80 TS₄ = 14.14 TS₅ = 14.14 TS₆ = 16.97
 X = 200.0 Y = 57.0 A = 0.0

COMPANY	SHEET NO.
---------	-----------

SUBJECT	Buoy COMPUTER INPUT FOR MOTION STUDY
---------	--------------------------------------

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

Buoy (70,000 DWT TANKER LOADED)

D = 40.0
W.D = 60.0
DISPL = 1,347.4 $M_1 = 83.7$ $M_2 = 83.7$ $M_3 = 1.0$
Tw = 12.0 H = 10.0
E = 13.75 X = 0.0 Y = 0.0 A = 200.0
 $T_{S1} = 9.65$ $T_{S2} = 8.2$ $T_{S3} = 6.8$ $T_{S4} = 6.8$ $T_{S5} = 3.8$ $T_{S6} = 16.97$

W.D = 150
DISPL = 1,350.7 $M_1 = 84.3$ $M_2 = 84.3$ $M_3 = 1.0$
Tw = 12.0 H = 10.0
E = 13.75 X = 0.0 Y = 0.0 A = 200.0
 $T_{S1} = 9.80$ $T_{S2} = 7.6$ $T_{S3} = 6.5$ $T_{S4} = 8.5$ $T_{S5} = 4.8$ $T_{S6} = 16.97$

Buoy (20,000 DWT TANKER BALLAST)

D = 40.0
W.D = 60.0
DISPL = 1,347.4 $M_1 = 83.7$ $M_2 = 83.7$ $M_3 = 1.0$
Tw = 12.0 H = 10.0
E = 16.6 X = 0.0 Y = 0.0 A = 200.0
 $T_{S1} = 9.65$ $T_{S2} = 8.1$ $T_{S3} = 7.8$ $T_{S4} = 7.3$ $T_{S5} = 5.8$ $T_{S6} = 16.97$

W.D = 150
DISPL = 1,350.7 $M_1 = 84.3$ $M_2 = 84.3$ $M_3 = 1.0$
Tw = 12.0 H = 10.0
E = 16.0 X = 0.0 Y = 0.0 A = 200.0
 $T_{S1} = 9.80$ $T_{S2} = 7.7$ $T_{S3} = 7.2$ $T_{S4} = 8.8$ $T_{S5} = 7.1$ $T_{S6} = 16.97$

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & Co., INC.

MCD 9015

COMPANY	SHEET NO.
---------	-----------

SUBJECT

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

Buoy (22,500 DWT TANKER LOADED)
 $D = 40.0$
 $W.D. = 60.0$
 $DISPL = 1,347.4$ $M_1 = 83.7$ $M_2 = 83.7$ $M_3 = 1.0$
 $TW = 10.0$ $H = 10.0$
 $E = 7.1$ $X = 0.0$ $Y = 0.0$ $A = 200.0$
 $TS_1 = 9.65$ $TS_2 = 10.40$ $TS_3 = 10.40$ $TS_4 = 12.50$ $TS_5 = 12.50$ $TS_6 = 14.14$

$WD = 150.0$
 $DISPL = 1,350.7$ $M_1 = 84.3$ $M_2 = 84.3$ $M_3 = 1.0$
 $TW = 10.0$ $H = 10.0$
 $E = 7.1$ $X = 0.0$ $Y = 0.0$ $A = 200.0$
 $TS_1 = 9.80$ $TS_2 = 9.2$ $TS_3 = 9.2$ $TS_4 = 14.30$ $TS_5 = 14.30$ $TS_6 = 14.14$

Buoy (22,500 DWT TANKER BALLAST)
 $D = 40.0$
 $W.D. = 60.0$
 $DISPL = 1,347.4$ $M_1 = 83.7$ $M_2 = 83.7$ $M_3 = 1.0$
 $TW = 10.0$ $H = 10.0$
 $E = 10.0$ $X = 0.0$ $Y = 0.0$ $A = 200.0$
 $TS_1 = 9.65$ $TS_2 = 10.40$ $TS_3 = 10.70$ $TS_4 = 12.60$ $TS_5 = 13.30$ $TS_6 = 14.14$

$WD = 150.0$
 $DISPL = 1,350.7$ $M_1 = 84.3$ $M_2 = 84.3$ $M_3 = 1.0$
 $TW = 10.0$ $H = 10.0$
 $E = 10.0$ $X = 0.0$ $Y = 0.0$ $A = 200.0$
 $TS_1 = 9.80$ $TS_2 = 9.20$ $TS_3 = 9.40$ $TS_4 = 14.30$ $TS_5 = 15.10$ $TS_6 = 14.14$

COMPANY _____ SHEET NO. CASE 12

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

D = 40.0 (46,000 DWT TANKER) LIGHT

W.O. = 150
DISPL. = 1350.7 M₁ = 84.3 M₂ = 84.3 M₃ = 1.0

T_w = 11.0 H = 10.0

E = 0.0 X = -16.0 Y = 0.0 A = 459.0
T_{s1} = 9.8 T_{s2} = 9.95 T_{s3} = 10.8 T_{s4} = 15.05 T_{s5} = 21.7 T_{s6} = 1.0

E = 10.0 X = 0.0 Y = -16.0 A = 269.25
T_{s1} = 9.8 T_{s2} = 9.15 T_{s3} = 9.6 T_{s4} = 13.9 T_{s5} = 14.2 T_{s6} = 1.0

E = 20.0 X = 0.0 Y = -16.0 A = 179.5
T_{s1} = 9.8 T_{s2} = 8.45 T_{s3} = 8.75 T_{s4} = 11.45 T_{s5} = 11.1 T_{s6} = 1.0

E = 30.0 X = 0.0 Y = -16.0 A = 89.75
T_{s1} = 9.8 T_{s2} = 7.8 T_{s3} = 9.0 T_{s4} = 9.25 T_{s5} = 12.0 T_{s6} = 1.0

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 0.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.20	6.22	0.00	2.73	0.00	0.00
0.0 DEGREE AMPLITUDE	-5.49	-4.83	0.00	-1.48	0.00	0.00
30.0 DEGREE AMPLITUDE	-1.70	-6.15	0.00	-.13	0.00	0.00
60.0 DEGREE AMPLITUDE	2.53	-5.81	0.00	1.24	0.00	0.00
90.0 DEGREE AMPLITUDE	6.09	-3.92	0.00	2.29	0.00	0.00
120.0 DEGREE AMPLITUDE	8.02	-.97	0.00	2.72	0.00	0.00
150.0 DEGREE AMPLITUDE	7.80	2.23	0.00	2.43	0.00	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

0.0 DEGREE DISPLACEMENT	-1.4817	0.0000	-4.1432
30.0 DEGREE DISPLACEMENT	-.1352	0.0000	.0082
60.0 DEGREE DISPLACEMENT	1.2476	0.0000	4.1575
90.0 DEGREE DISPLACEMENT	2.2961	0.0000	7.1927
120.0 DEGREE DISPLACEMENT	2.7293	0.0000	8.3007
150.0 DEGREE DISPLACEMENT	2.4313	0.0000	7.1845

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.20	5.93	1.10	3.48	.57	0.00
0.0 DEGREE AMPLITUDE	-3.53	4.97	.99	-2.28	-.35	0.00
30.0 DEGREE AMPLITUDE	-6.76	2.69	.61	-3.29	-.53	0.00
60.0 DEGREE AMPLITUDE	-8.18	-.30	.07	-3.41	-.56	0.00
90.0 DEGREE AMPLITUDE	-7.40	-3.23	-.48	-2.63	-.44	0.00
120.0 DEGREE AMPLITUDE	-4.65	-5.28	-.91	-1.13	-.20	0.00
150.0 DEGREE AMPLITUDE	-.64	-5.92	-1.10	.66	.08	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

0.0 DEGREE DISPLACEMENT	-2.2824	-.3596	-3.8105
30.0 DEGREE DISPLACEMENT	-3.2917	-.5339	-6.9370
60.0 DEGREE DISPLACEMENT	-3.4189	-.5651	-8.2047
90.0 DEGREE DISPLACEMENT	-2.6301	-.4449	-7.2740
120.0 DEGREE DISPLACEMENT	-1.1365	-.2054	-4.3942
150.0 DEGREE DISPLACEMENT	.6615	.0890	-.3369

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 11.000 SECONDS , WAVE HEIGHT 10.000 FEET

HEADING ANGLE 30.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.21	4.33	2.98	5.06	2.83	0.00
0.0 DEGREE AMPLITUDE	8.16	2.11	.83	1.28	1.99	0.00
30.0 DEGREE AMPLITUDE	6.58	3.72	2.15	3.56	.72	0.00
60.0 DEGREE AMPLITUDE	3.24	4.33	2.89	4.88	-.73	0.00
90.0 DEGREE AMPLITUDE	-.96	3.72	2.86	4.89	-2.00	0.00
120.0 DEGREE AMPLITUDE	-4.91	2.22	2.06	3.59	-2.73	0.00
150.0 DEGREE AMPLITUDE	-7.54	.06	.70	1.33	-2.73	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	1.2878	1.9973	7.9269
30.0 DEGREE DISPLACEMENT	3.5626	.7261	5.9842
60.0 DEGREE DISPLACEMENT	4.8828	-.7395	2.4381
90.0 DEGREE DISPLACEMENT	4.8946	-2.0071	-1.7613
120.0 DEGREE DISPLACEMENT	3.5949	-2.7368	-5.4888
150.0 DEGREE DISPLACEMENT	1.3319	-2.7332	-7.7456

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 20.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.21	5.16	1.97	5.91	2.25	0.00
0.0 DEGREE AMPLITUDE	4.16	5.00	1.88	-1.94	-1.03	0.00
30.0 DEGREE AMPLITUDE	.07	4.96	1.92	-4.47	-1.89	0.00
60.0 DEGREE AMPLITUDE	-4.04	3.60	1.46	-5.81	-2.25	0.00
90.0 DEGREE AMPLITUDE	-7.07	1.27	.60	-5.59	-2.00	0.00
120.0 DEGREE AMPLITUDE	-8.21	-1.40	-.42	-3.87	-1.21	0.00
150.0 DEGREE AMPLITUDE	-7.14	-3.69	-1.32	-1.11	-.10	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-1.9412	-1.0327	3.6426
30.0 DEGREE DISPLACEMENT	-4.4766	-1.8960	-.4672
60.0 DEGREE DISPLACEMENT	-5.8124	-2.2512	-4.4518
90.0 DEGREE DISPLACEMENT	-5.5908	-2.0032	-7.2436
120.0 DEGREE DISPLACEMENT	-3.8711	-1.2185	-8.0945
150.0 DEGREE DISPLACEMENT	-1.1141	-.1072	-6.7764

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

COMPANY 4. SHEET NO. CASE 6

SUBJECT

DRAWING NUMBER COMPUTER CHECKED BY DATE

$D = 40.0$ (46,000 DWT TANKER LIGHT)

$W.D. = 60.0$
 $DISPL. = 1.3479$ $M_1 = 83.7$ $M_2 = 83.7$ $M_3 = 1.0$

$T_w = 11.0$ $H = 12.0$

$E = 0.0$ $X = -16.0$ $Y = 0.0$ $A = 459.0$
 $TS_1 = 9.65$ $TS_2 = 10.70$ $TS_3 = 12.80$ $TS_4 = 13.2$ $TS_5 = 13.10$ $TS_6 = 1.0$

$E = 10.0$ $X = 0.0$ $Y = -16.0$ $A = 269.25$
 $TS_1 = 9.65$ $TS_2 = 10.3$ $TS_3 = 10.90$ $TS_4 = 12.2$ $TS_5 = 12.45$ $TS_6 = 1.0$

$E = 20.0$ $X = 0.0$ $Y = -16.0$ $A = 170.5$
 $TS_1 = 9.65$ $TS_2 = 9.4$ $TS_3 = 9.75$ $TS_4 = 10.0$ $TS_5 = 9.60$ $TS_6 = 1.0$

$E = 30.0$ $X = 0.0$ $Y = -16.0$ $A = 89.75$
 $TS_1 = 9.65$ $TS_2 = 8.55$ $TS_3 = 10.05$ $TS_4 = 7.7$ $TS_5 = 10.45$ $TS_6 = 1.0$

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 0.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-
MAXIMUM AMPLITUDE	8.20	6.54	0.00	4.22	0.00
0.0 DEGREE AMPLITUDE	-5.31	-3.13	0.00	-1.47	0.00
30.0 DEGREE AMPLITUDE	-1.48	-5.58	0.00	.69	0.00
60.0 DEGREE AMPLITUDE	2.75	-6.54	0.00	2.68	0.00
90.0 DEGREE AMPLITUDE	6.24	-5.74	0.00	3.95	0.00
120.0 DEGREE AMPLITUDE	8.06	-3.40	0.00	4.16	0.00
150.0 DEGREE AMPLITUDE	7.72	-.15	0.00	3.25	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-1.4799	0.0000	-4.4420
30.0 DEGREE DISPLACEMENT	.6963	0.0000	.0781
60.0 DEGREE DISPLACEMENT	2.6859	0.0000	4.5774
90.0 DEGREE DISPLACEMENT	3.9559	0.0000	7.8501
120.0 DEGREE DISPLACEMENT	4.1658	0.0000	9.0194
150.0 DEGREE DISPLACEMENT	3.2596	0.0000	7.7720

DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

BODY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET
60.000 FEET

SECONDS WAVE HEIGHT 10.000 FEET
DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
	8.20	6.54	0.00	4.22	0.00	0.00
RUDE	-5.31	-3.13	0.00	-1.47	0.00	0.00
RUDE	-1.48	-5.58	0.00	.69	0.00	0.00
RUDE	2.75	-6.54	0.00	2.68	0.00	0.00
RUDE	6.24	-5.74	0.00	3.95	0.00	0.00
RUDE	8.06	-3.40	0.00	4.16	0.00	0.00
RUDE	7.72	-.15	0.00	3.25	0.00	0.00

LONGITUDINAL DISPLACEMENT TRANSVERSE DISPLACEMENT VERTICAL DISPLACEMENT

CEMENT	-1.4799	0.0000	-4.4420
CEMENT	.6963	0.0000	.0781
CEMENT	2.6859	0.0000	4.5774
CEMENT	3.9559	0.0000	7.8501
CEMENT	4.1658	0.0000	9.0194
CEMENT	3.2596	0.0000	7.7720

2

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-
MAXIMUM AMPLITUDE	8.20	6.46	1.13	5.34	.88
0.0 DEGREE AMPLITUDE	-3.73	6.28	1.13	-4.64	-.73
30.0 DEGREE AMPLITUDE	-6.88	4.67	.95	-5.34	-.88
60.0 DEGREE AMPLITUDE	-8.19	1.81	.52	-4.61	-.79
90.0 DEGREE AMPLITUDE	-7.30	-1.53	-.04	-2.64	-.49
120.0 DEGREE AMPLITUDE	-4.45	-4.46	-.60	.03	-.05
150.0 DEGREE AMPLITUDE	-.41	-6.20	-1.00	2.70	.39

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-4.6474	-.7388	-4.0547
30.0 DEGREE DISPLACEMENT	-5.3457	-.8853	-7.1563
60.0 DEGREE DISPLACEMENT	-4.6116	-.7945	-8.3403
90.0 DEGREE DISPLACEMENT	-2.6418	-.4908	-7.2895
120.0 DEGREE DISPLACEMENT	.0358	-.0556	-4.2855
150.0 DEGREE DISPLACEMENT	2.7038	.3944	-.1332

DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

60.000 FEET

SECONDS WAVE HEIGHT 10.000 FEET

DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
	8.20	6.46	1.13	5.34	.88	0.00
IDE	-3.73	6.28	1.13	-4.64	-.73	0.00
IDE	-6.88	4.67	.95	-5.34	-.88	0.00
IDE	-8.19	1.81	.52	-4.61	-.79	0.00
IDE	-7.30	-1.53	-.04	-2.64	-.49	0.00
IDE	-4.45	-4.46	-.60	.03	-.05	0.00
IDE	-.41	-6.20	-1.00	2.70	.39	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
EMENT	-4.6474	4. - .7388	-4.0547
EMENT	-5.3457	-.8853	-7.1563
EMENT	-4.6116	-.7945	-8.3403
EMENT	-2.6418	-.4908	-7.2895
EMENT	.0359	-.0556	-4.2855
EMENT	2.7038	.3944	-.1332

J

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 20.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.20	5.82	2.20	6.15	2.12	0.00
0.0 DEGREE AMPLITUDE	3.96	5.20	1.86	4.94	1.86	0.00
30.0 DEGREE AMPLITUDE	-.16	5.81	2.20	6.11	2.12	0.00
60.0 DEGREE AMPLITUDE	-4.24	4.86	1.95	5.65	1.81	0.00
90.0 DEGREE AMPLITUDE	-7.18	2.61	1.18	3.67	1.01	0.00
120.0 DEGREE AMPLITUDE	-8.20	-.33	.09	.70	-.05	0.00
150.0 DEGREE AMPLITUDE	-7.02	-3.19	-1.02	-2.44	-1.10	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	4.9407	1.8674	3.4437
30.0 DEGREE DISPLACEMENT	6.1148	2.1252	-.7755
60.0 DEGREE DISPLACEMENT	5.6504	1.8136	-4.7871
90.0 DEGREE DISPLACEMENT	3.6720	1.0160	-7.5159
120.0 DEGREE DISPLACEMENT	.7097	-.0537	-8.2309
150.0 DEGREE DISPLACEMENT	-2.4427	-1.1092	-6.7403

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 30.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.21	4.82	3.28	3.83	3.38	0.00
0.0 DEGREE AMPLITUDE	8.12	1.79	-.02	2.03	-.57	0.00
30.0 DEGREE AMPLITUDE	6.44	3.79	1.61	3.38	1.17	0.00
60.0 DEGREE AMPLITUDE	3.03	4.77	2.83	3.83	2.60	0.00
90.0 DEGREE AMPLITUDE	-1.19	4.48	3.28	3.25	3.33	0.00
120.0 DEGREE AMPLITUDE	-5.09	2.98	2.85	1.80	3.17	0.00
150.0 DEGREE AMPLITUDE	-7.63	.68	1.66	-.13	2.16	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	2.0319	-.5701	8.1320
30.0 DEGREE DISPLACEMENT	3.3870	1.1741	5.9883
60.0 DEGREE DISPLACEMENT	3.8345	2.6038	2.2401
90.0 DEGREE DISPLACEMENT	3.2545	3.3358	-2.1083
120.0 DEGREE DISPLACEMENT	1.8025	3.1739	-5.8918
150.0 DEGREE DISPLACEMENT	-.1325	2.1616	-8.0966

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & Co., INC.

COMPANY _____ SHEET NO. CASE ✓

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

D. 40.0 (46000 DWT TANKER LOADED)

W.D. = 60.0
DISPL = 1,347.4 $M_1 = 83.7$ $M_2 = 83.7$ $M_3 = 1.0$

TW = 11.0 H = 10.0

E0.0 X = -16.0 Y = 0.0 A = 459.0
TS1 = 9.65 TS2 = 11.10 TS3 = 12.8 TS4 = 14.3 TS5 = 19.10 TS6 = 1.0

E = 10.0 X = 0.0 Y = -16.0 A = 269.25
TS1 = 9.65 TS2 = 10.55 TS3 = 9.00 TS4 = 12.7 TS5 = 7.55 TS6 = 1.0

E = 20.0 X = 0.0 Y = -16.0 A = 179.5
TS1 = 9.65 TS2 = 9.55 TS3 = 7.40 TS4 = 10.4 TS5 = 4.05 TS6 = 1.0

E = 30.0 X = 0.0 Y = -16.0 A = 89.75
TS1 = 9.65 TS2 = 8.4 TS3 = 7.80 TS4 = 7.3 TS5 = 4.80 TS6 = 1.0

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUDY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUDY 60.000 FEET

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 0.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.20	6.38	0.00	3.23	0.00	0.00
0.0 DEGREE AMPLITUDE	-5.31	2.29	0.00	-1.57	0.00	0.00
30.0 DEGREE AMPLITUDE	-1.48	4.96	0.00	.04	0.00	0.00
60.0 DEGREE AMPLITUDE	2.75	6.31	0.00	1.65	0.00	0.00
90.0 DEGREE AMPLITUDE	6.24	5.96	0.00	2.82	0.00	0.00
120.0 DEGREE AMPLITUDE	8.06	4.01	0.00	3.23	0.00	0.00
150.0 DEGREE AMPLITUDE	7.72	.99	0.00	2.77	0.00	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

0.0 DEGREE DISPLACEMENT	-1.5762	0.0000	-5.9578
30.0 DEGREE DISPLACEMENT	.0471	0.0000	-2.8689
60.0 DEGREE DISPLACEMENT	1.6579	0.0000	.9887
90.0 DEGREE DISPLACEMENT	2.8244	0.0000	4.5814
120.0 DEGREE DISPLACEMENT	3.2341	0.0000	6.9465
150.0 DEGREE DISPLACEMENT	2.7772	0.0000	7.4503

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.20	6.46	1.03	4.72	.74	0.00
0.0 DEGREE AMPLITUDE	-3.73	6.38	.84	-3.76	.46	0.00
30.0 DEGREE AMPLITUDE	-6.88	5.02	.43	-4.68	.10	0.00
60.0 DEGREE AMPLITUDE	-8.19	2.32	-.09	-4.35	-.27	0.00
90.0 DEGREE AMPLITUDE	-7.30	-1.00	-.59	-2.85	-.58	0.00
120.0 DEGREE AMPLITUDE	-4.45	-4.06	-.93	-.58	-.74	0.00
150.0 DEGREE AMPLITUDE	-.41	-6.03	-1.03	1.83	-.69	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

0.0 DEGREE DISPLACEMENT	-3.7667	.4634	-3.9748
30.0 DEGREE DISPLACEMENT	-4.6880	.1069	-7.0104
60.0 DEGREE DISPLACEMENT	-4.3532	-.2781	-8.1376
90.0 DEGREE DISPLACEMENT	-2.8519	-.5887	-7.1363
120.0 DEGREE DISPLACEMENT	-.5865	-.7416	-4.1928
150.0 DEGREE DISPLACEMENT	1.8360	-.6957	-.1258

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 20.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.20	5.91	1.63	6.34	.97	0.00
0.0 DEGREE AMPLITUDE	3.96	5.16	1.62	4.42	.97	0.00
30.0 DEGREE AMPLITUDE	-.16	5.91	1.47	6.10	.78	0.00
60.0 DEGREE AMPLITUDE	-4.24	5.07	.93	6.14	.38	0.00
90.0 DEGREE AMPLITUDE	-7.18	2.87	.14	4.54	-.11	0.00
120.0 DEGREE AMPLITUDE	-8.20	-.09	-.68	1.71	-.58	0.00
150.0 DEGREE AMPLITUDE	-7.02	-3.03	-1.33	-1.56	-.89	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

0.0 DEGREE DISPLACEMENT	4.4291	.9715	3.5104
30.0 DEGREE DISPLACEMENT	6.1072	.7852	-.5730
60.0 DEGREE DISPLACEMENT	6.1490	.3885	-4.5029
90.0 DEGREE DISPLACEMENT	4.5431	-.1122	-7.2263
120.0 DEGREE DISPLACEMENT	1.7199	-.5829	-8.0133
150.0 DEGREE DISPLACEMENT	-1.5641	-.8974	-6.6532

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 30.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.21	4.72	2.52	3.59	1.52	0.00
0.0 DEGREE AMPLITUDE	8.12	1.88	1.22	2.03	1.03	0.00
30.0 DEGREE AMPLITUDE	6.44	3.80	2.16	3.24	1.45	0.00
60.0 DEGREE AMPLITUDE	3.03	4.69	2.52	3.57	1.48	0.00
90.0 DEGREE AMPLITUDE	-1.19	4.33	2.20	2.95	1.11	0.00
120.0 DEGREE AMPLITUDE	-5.09	2.81	1.29	1.54	.44	0.00
150.0 DEGREE AMPLITUDE	-7.63	.53	.03	-.28	-.33	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	2.0386	1.0343	7.7819
30.0 DEGREE DISPLACEMENT	3.2435	1.4534	5.8362
60.0 DEGREE DISPLACEMENT	3.5793	1.4831	2.3267
90.0 DEGREE DISPLACEMENT	2.9560	1.1154	-1.8062
120.0 DEGREE DISPLACEMENT	1.5406	.4488	-5.4551
150.0 DEGREE DISPLACEMENT	-.2875	-.3380	-7.6424

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET ,

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 0.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.20	6.37	0.00	2.22	0.00	0.00
0.0 DEGREE AMPLITUDE	-5.49	-4.65	0.00	-1.31	0.00	0.00
30.0 DEGREE AMPLITUDE	-1.70	-6.20	0.00	-.23	0.00	0.00
60.0 DEGREE AMPLITUDE	2.53	-6.09	0.00	.90	0.00	-0.00
90.0 DEGREE AMPLITUDE	6.09	-4.35	0.00	1.79	0.00	0.00
120.0 DEGREE AMPLITUDE	8.02	-1.44	0.00	2.21	0.00	0.00
150.0 DEGREE AMPLITUDE	7.80	1.85	0.00	2.03	0.00	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-1.3144	0.0000	-4.1949
30.0 DEGREE DISPLACEMENT	-.2389	0.0000	.0237
60.0 DEGREE DISPLACEMENT	.9006	0.0000	4.2359
90.0 DEGREE DISPLACEMENT	1.7988	0.0000	7.3131
120.0 DEGREE DISPLACEMENT	2.2150	0.0000	8.4308
150.0 DEGREE DISPLACEMENT	2.0378	0.0000	7.2894

ENGINEERING DEPARTMENT
COMPUTATION SHEET
MCD 5015

J. RAY MCDERMOTT & CO., INC.

COMPANY _____ SHEET NO. **CASE 11**

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

D = 40.0

(46,000 DWT TANKER LOADED)

WD = 150.0

DISPL = 1,350.7

M₁ = 84.3

M₂ = 84.3

M₃ = 1.0

TW = 10.0

H = 10.0

E = 0.0

X = -16.0

Y = 0.0

A = 459.0

TS₁ = 9.8

TS₂ = 9.7

TS₃ = 10.8

TS₄ = 16.1

TS₅ = 21.7

TS₆ = 1.0

E = 10.0

X = 0.0

Y = -16.0

A = 269.25

TS₁ = 9.8

TS₂ = 9.3

TS₃ = 8.2

TS₄ = 14.5

TS₅ = 9.1

TS₆ = 1.0

E = 20.0

X = 0.0

Y = -16.0

A = 179.5

TS₁ = 9.8

TS₂ = 8.6

TS₃ = 6.95

TS₄ = 11.9

TS₅ = 5.0

TS₆ = 1.0

E = 30.0

X = 0.0

Y = -16.0

A = 89.75

TS₁ = 9.8

TS₂ = 7.7

TS₃ = 7.3

TS₄ = 8.85

TS₅ = 6.05

TS₆ = 1.0

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET.

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.20	6.03	.92	3.03	.98	0.00
0.0 DEGREE AMPLITUDE	-3.53	5.18	.66	-1.83	.80	0.00
30.0 DEGREE AMPLITUDE	-6.76	2.94	.25	-2.79	.40	0.00
60.0 DEGREE AMPLITUDE	-8.18	-.08	-.22	-3.00	-.10	0.00
90.0 DEGREE AMPLITUDE	-7.40	-3.09	-.64	-2.41	-.57	0.00
120.0 DEGREE AMPLITUDE	-4.65	-5.27	-.89	-1.17	-.90	0.00
150.0 DEGREE AMPLITUDE	-.64	-6.03	-.89	.38	-.98	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-1.8336	.8004	-3.7185
30.0 DEGREE DISPLACEMENT	-2.7944	.4042	-6.8347
60.0 DEGREE DISPLACEMENT	-3.0064	-.1002	-8.1196
90.0 DEGREE DISPLACEMENT	-2.4129	-.5778	-7.2289
120.0 DEGREE DISPLACEMENT	-1.1728	-.9006	-4.4011
150.0 DEGREE DISPLACEMENT	.3815	-.9820	-.3941

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 20.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.21	5.27	1.53	5.43	1.05	0.00
0.0 DEGREE AMPLITUDE	4.16	5.06	1.53	-0.92	1.05	0.00
30.0 DEGREE AMPLITUDE	.07	5.11	1.35	-3.47	.86	0.00
60.0 DEGREE AMPLITUDE	-4.04	3.78	.82	-5.10	.44	0.00
90.0 DEGREE AMPLITUDE	-7.07	1.44	.06	-5.35	-.09	0.00
120.0 DEGREE AMPLITUDE	-8.21	-1.28	-.71	-4.17	-.60	0.00
150.0 DEGREE AMPLITUDE	-7.14	-3.66	-1.29	-1.87	-.95	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

0.0 DEGREE DISPLACEMENT	-0.9249	1.0500	3.7396
30.0 DEGREE DISPLACEMENT	-3.4794	.8608	-.3080
60.0 DEGREE DISPLACEMENT	-5.1016	.4409	-4.2731
90.0 DEGREE DISPLACEMENT	-5.3568	-.0970	-7.0933
120.0 DEGREE DISPLACEMENT	-4.1767	-.6090	-8.0128
150.0 DEGREE DISPLACEMENT	-1.8774	-.9578	-6.7853

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BODY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUDY 150.000 FEET

WAVE PERIOD 11.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 30.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.21	4.27	2.35	4.70	1.72	0.00
0.0 DEGREE AMPLITUDE	8.16	2.13	1.27	1.65	1.11	0.00
30.0 DEGREE AMPLITUDE	6.58	3.70	2.09	3.63	1.62	0.00
60.0 DEGREE AMPLITUDE	3.24	4.27	2.34	4.64	1.70	0.00
90.0 DEGREE AMPLITUDE	-.96	3.70	1.97	4.40	1.32	0.00
120.0 DEGREE AMPLITUDE	-4.91	2.14	1.07	2.99	.59	0.00
150.0 DEGREE AMPLITUDE	-7.54	0.00	-.11	.77	-.30	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	1.6535	1.1117	7.8050
30.0 DEGREE DISPLACEMENT	3.6357	1.6251	6.0023
60.0 DEGREE DISPLACEMENT	4.6437	1.7030	2.5913
90.0 DEGREE DISPLACEMENT	4.4073	1.3246	-1.5139
120.0 DEGREE DISPLACEMENT	2.9901	.5913	-5.2136
150.0 DEGREE DISPLACEMENT	.7716	-.3004	-7.5163

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET WITH 22,500 DW

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 7.100 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.07	7.39	.92	3.64	.45	0.00
0.0 DEGREE AMPLITUDE	-.29	-6.84	-.86	-1.68	-.21	0.00
30.0 DEGREE AMPLITUDE	-4.29	-7.32	-.92	-3.07	-.38	0.00
60.0 DEGREE AMPLITUDE	-7.13	-5.83	-.73	-3.64	-.45	0.00
90.0 DEGREE AMPLITUDE	-8.06	-2.77	-.34	-3.23	-.40	0.00
120.0 DEGREE AMPLITUDE	-6.83	1.01	.12	-1.95	-.24	0.00
150.0 DEGREE AMPLITUDE	-3.77	4.54	.57	-.15	-.01	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-1.6880	-.2102	-.2978
30.0 DEGREE DISPLACEMENT	-3.0795	-.3835	-4.2904
60.0 DEGREE DISPLACEMENT	-3.6457	-.4541	-7.1334
90.0 DEGREE DISPLACEMENT	-3.2351	-.4029	-8.0650
120.0 DEGREE DISPLACEMENT	-1.9577	-.2438	-6.8356
150.0 DEGREE DISPLACEMENT	-.1556	-.0193	-3.7745

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET WITH 22,500 GWT

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 7.100 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.01	7.83	.98	2.36	.29	0.00
0.0 DEGREE AMPLITUDE	-.04	7.82	.98	-.72	-.09	0.00
30.0 DEGREE AMPLITUDE	-4.04	6.60	.83	-1.75	-.21	0.00
60.0 DEGREE AMPLITUDE	-6.96	3.61	.45	-2.31	-.28	0.00
90.0 DEGREE AMPLITUDE	-8.01	-.34	-.04	-2.25	-.28	0.00
120.0 DEGREE AMPLITUDE	-6.91	-4.21	-.52	-1.58	-.19	0.00
150.0 DEGREE AMPLITUDE	-3.96	-6.95	-.87	-.49	-.06	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-.7237	-.0901	-.0481
30.0 DEGREE DISPLACEMENT	-1.7522	-.2182	-4.0490
60.0 DEGREE DISPLACEMENT	-2.3112	-.2878	-6.9650
90.0 DEGREE DISPLACEMENT	-2.2509	-.2803	-8.0146
120.0 DEGREE DISPLACEMENT	-1.5875	-.1977	-6.9168
150.0 DEGREE DISPLACEMENT	-.4987	-.0621	-3.9656

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET WITH 22,500 DWT

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.07	7.33	1.24	3.52	.52	0.00
0.0 DEGREE AMPLITUDE	-.14	-6.74	-1.09	-1.52	-.18	0.00
30.0 DEGREE AMPLITUDE	-4.16	-7.28	-1.24	-2.91	-.40	0.00
60.0 DEGREE AMPLITUDE	-7.06	-5.86	-1.06	-3.51	-.51	0.00
90.0 DEGREE AMPLITUDE	-8.06	-2.88	-.59	-3.17	-.48	0.00
120.0 DEGREE AMPLITUDE	-6.91	.87	.02	-1.98	-.32	0.00
150.0 DEGREE AMPLITUDE	-3.90	4.39	.64	-.26	-.08	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	-1.5275	-.1865	-.1490
30.0 DEGREE DISPLACEMENT	-2.9122	-.4046	-4.1640
60.0 DEGREE DISPLACEMENT	-3.5165	-.5143	-7.0632
90.0 DEGREE DISPLACEMENT	-3.1785	-.4862	-8.0697
120.0 DEGREE DISPLACEMENT	-1.9889	-.3277	-6.9140
150.0 DEGREE DISPLACEMENT	-.2663	-.0815	-3.9057

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET WITH 28,500 DWT

WATER DEPTH AT BUOY 150.000 FEET

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.01	7.77	1.39	2.34	.35	0.00
0.0 DEGREE AMPLITUDE	.09	7.77	1.39	-.67	-.08	0.00
30.0 DEGREE AMPLITUDE	-3.92	6.63	1.23	-1.70	-.24	0.00
60.0 DEGREE AMPLITUDE	-6.89	3.71	.75	-2.28	-.34	0.00
90.0 DEGREE AMPLITUDE	-8.01	-.19	.06	-2.24	-.34	0.00
120.0 DEGREE AMPLITUDE	-6.99	-4.05	-.64	-1.60	-.25	0.00
150.0 DEGREE AMPLITUDE	-4.09	-6.83	-1.17	-.53	-.09	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

0.0 DEGREE DISPLACEMENT	-.6769	-.0895	.0996
30.0 DEGREE DISPLACEMENT	-1.7097	-.2483	-3.9210
60.0 DEGREE DISPLACEMENT	-2.2843	-.3406	-6.8911
90.0 DEGREE DISPLACEMENT	-2.2469	-.3415	-8.0148
120.0 DEGREE DISPLACEMENT	-1.6074	-.2510	-6.9908
150.0 DEGREE DISPLACEMENT	-.5372	-.0932	-4.0937

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET WITH TOWER

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 13.750 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.04	3.92	.81	3.45	.65	0.00
0.0 DEGREE AMPLITUDE	3.23	3.87	.81	3.45	.65	0.00
30.0 DEGREE AMPLITUDE	-.87	3.66	.72	3.02	.54	0.00
60.0 DEGREE AMPLITUDE	-4.75	2.47	.43	1.77	.28	0.00
90.0 DEGREE AMPLITUDE	-7.36	.61	.03	.05	-.04	0.00
120.0 DEGREE AMPLITUDE	-7.99	-1.40	-.38	-1.67	-.36	0.00
150.0 DEGREE AMPLITUDE	-6.48	-3.04	-.69	-2.96	-.58	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

0.0 DEGREE DISPLACEMENT	3.4549	.6532	3.2397
30.0 DEGREE DISPLACEMENT	3.0211	.5432	-.8771
60.0 DEGREE DISPLACEMENT	1.7778	.2877	-4.7589
90.0 DEGREE DISPLACEMENT	.0581	-.0449	-7.3656
120.0 DEGREE DISPLACEMENT	-1.6771	-.3655	-7.9987
150.0 DEGREE DISPLACEMENT	-2.9630	-.5881	-6.4885

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET WITH 70.000 LWT
 WATER DEPTH AT BUOY 150.000 FEET
 WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET
 HEADING ANGLE 13.750 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.09	3.64	.79	4.35	.69	0.00
0.0 DEGREE AMPLITUDE	3.43	3.62	.79	4.29	.69	0.00
30.0 DEGREE AMPLITUDE	-.69	3.31	.69	4.06	.58	0.00
60.0 DEGREE AMPLITUDE	-4.62	2.11	.40	2.74	.31	0.00
90.0 DEGREE AMPLITUDE	-7.32	.35	.01	.68	-.03	0.00
120.0 DEGREE AMPLITUDE	-8.06	-1.50	-.38	-1.55	-.37	0.00
150.0 DEGREE AMPLITUDE	-6.63	-2.96	-.67	-3.37	-.62	0.00

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	4.2986	.6947	3.4323
30.0 DEGREE DISPLACEMENT	4.0661	.5832	-.6907
60.0 DEGREE DISPLACEMENT	2.7440	.3154	-4.6286
90.0 DEGREE DISPLACEMENT	.6867	-.0368	-7.3264
120.0 DEGREE DISPLACEMENT	-1.5545	-.3792	-8.0610
150.0 DEGREE DISPLACEMENT	-3.3793	-.6200	-6.6356

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40.000 FEET

WATER DEPTH AT BUOY 60.000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 16.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.04	3.98	1.06	3.63	.88	0.00
0.0 DEGREE AMPLITUDE	3.36	3.91	1.05	3.63	.88	0.00
30.0 DEGREE AMPLITUDE	-.73	3.78	.98	3.26	.75	0.00
60.0 DEGREE AMPLITUDE	-4.64	2.63	.65	2.01	.43	0.00
90.0 DEGREE AMPLITUDE	-7.30	.79	.14	.23	0.00	0.00
120.0 DEGREE AMPLITUDE	-8.01	-1.27	-.40	-1.61	-.44	0.00
150.0 DEGREE AMPLITUDE	-6.56	-2.99	-.84	-3.02	-.76	0.00

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

0.0 DEGREE DISPLACEMENT	3.6305	.8820	3.3658
30.0 DEGREE DISPLACEMENT	3.2614	.7597	-.7398
60.0 DEGREE DISPLACEMENT	2.0185	.4339	-4.6472
90.0 DEGREE DISPLACEMENT	.2347	-.0081	-7.3095
120.0 DEGREE DISPLACEMENT	-1.6119	-.4480	-8.0131
150.0 DEGREE DISPLACEMENT	-3.0267	-.7679	-6.5696

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, BUOY WITH SOLID SKIRT WITH DIAMETER OF 40,000 FEET WITH 70,000 LB

WATER DEPTH AT BUOY 150,000 FEET

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 16.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
MAXIMUM AMPLITUDE	8.09	3.65	.99	4.52	1.01	0.00
0.0 DEGREE AMPLITUDE	3.55	3.62	.98	4.41	1.01	0.00
30.0 DEGREE AMPLITUDE	-.55	3.36	.89	4.30	.90	0.00
60.0 DEGREE AMPLITUDE	-4.51	2.20	.56	3.04	.55	0.00
90.0 DEGREE AMPLITUDE	-7.26	.44	.08	.96	.05	0.00
120.0 DEGREE AMPLITUDE	-8.07	-1.42	-.42	-1.37	-.46	0.00
150.0 DEGREE AMPLITUDE	-6.71	-2.91	-.81	-3.34	-.84	0.00

	LUNGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	4.4190	1.0108	3.5577
30.0 DEGREE DISPLACEMENT	4.3089	.9014	-.5523
60.0 DEGREE DISPLACEMENT	3.0443	.5505	-4.5144
90.0 DEGREE DISPLACEMENT	.9640	.0520	-7.2669
120.0 DEGREE DISPLACEMENT	-1.3746	-.4603	-8.0722
150.0 DEGREE DISPLACEMENT	-3.3449	-.8493	-6.7145

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, SHIP WITH DEAD WEIGHT TONNAGE OF 22,500, LENGTH OF 579.2

DRAFT CONDITION, BALLAST

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 10.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-
MAXIMUM AMPLITUDE	.86	2.92	2.69	1.51	.22
0.0 DEGREE AMPLITUDE	.83	2.86	-1.85	1.09	.21
30.0 DEGREE AMPLITUDE	.83	2.19	-.62	1.47	.22
60.0 DEGREE AMPLITUDE	.61	.92	.76	1.45	.17
90.0 DEGREE AMPLITUDE	.22	-.58	1.95	1.05	.07
120.0 DEGREE AMPLITUDE	-.22	-1.93	2.62	.36	-.04
150.0 DEGREE AMPLITUDE	-.61	-2.77	2.58	-.41	-.14

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	1.0623	-.0243	10.0444
30.0 DEGREE DISPLACEMENT	1.4724	.2158	8.2216
60.0 DEGREE DISPLACEMENT	1.4881	.3982	4.1957
90.0 DEGREE DISPLACEMENT	1.1049	.4738	-.9543
120.0 DEGREE DISPLACEMENT	.4257	.4225	-5.8486
150.0 DEGREE DISPLACEMENT	-.3674	.2579	-9.1759

INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

HEAD WEIGHT TONNAGE OF 22,500, LENGTH OF 579.200 FEET AND BEAM OF 77.000 FEET

WAVE HEIGHT 10.000 FEET

VE	PITCH	ROLL	SURGE	SWAY	YAW
T-	-DEG-	-DEG-	-FT-	-FT-	-DEG-
86	2.92	2.69	1.51	.22	.13
83	2.86	-1.85	1.09	.21	.06
83	2.19	-.62	1.47	.22	0.00
81	.92	.76	1.45	.17	-.06
82	-.58	1.95	1.05	.07	-.11
82	-1.93	2.62	.36	-.04	-.13
81	-2.77	2.58	-.41	-.14	-.11

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

1.0623	-.0243	10.0444
1.4724	.2158	8.2216
1.4881	.3982	4.1957
1.1049	.4738	-.9543
.4257	.4225	-5.8486
-.3674	.2579	-9.1759

2

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, SHIP WITH DEAD WEIGHT TONNAGE OF 22,500, LENGTH OF 579.20

DRAFT CONDITION, LOADED

WAVE PERIOD 10.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 7.100 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-
MAXIMUM AMPLITUDE	.99	3.05	2.13	1.51	.14
0.0 DEGREE AMPLITUDE	.87	-2.83	2.13	1.08	.13
30.0 DEGREE AMPLITUDE	.99	-1.88	1.83	1.46	.13
60.0 DEGREE AMPLITUDE	.85	-.43	1.05	1.45	.10
90.0 DEGREE AMPLITUDE	.48	1.13	-.01	1.05	.04
120.0 DEGREE AMPLITUDE	-.01	2.39	-1.07	.36	-.02
150.0 DEGREE AMPLITUDE	-.51	3.02	-1.85	-.41	-.09
		LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT	
0.0 DEGREE DISPLACEMENT		1.0663	-.0338	-8.0890	
30.0 DEGREE DISPLACEMENT		1.4658	.1320	-4.7871	
60.0 DEGREE DISPLACEMENT		1.4726	.2625	-.2026	
90.0 DEGREE DISPLACEMENT		1.0847	.3226	4.4362	
120.0 DEGREE DISPLACEMENT		.4062	.2963	7.8863	
150.0 DEGREE DISPLACEMENT		-.3810	.1905	9.2234	

WEIGHT TONNAGE OF 22,500. LENGTH OF 579.200 FEET AND BEAM OF 77.000 FEET

HEIGHT 10.000 FEET

PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
3.05	2.13	1.51	.14	.09
-2.83	2.13	1.08	.13	.04
-1.88	1.83	1.46	.13	0.00
-.43	1.05	1.45	.10	-.04
1.13	-.01	1.05	.04	-.07
2.39	-1.07	.36	-.02	-.09
3.02	-1.85	-.41	-.09	-.08

LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
1.0663	-.0338	-8.0890
1.4658	.1320	-4.7871
1.4726	.2625	-.2026
1.0847	.3226	4.4362
.4062	.2963	7.8863
-.3810	.1905	9.2234

TYPE OF CALCULATION, SHIP WITH DEAD WEIGHT TONNAGE OF 70,000, LENGTH OF 839.10

DRAFT CONDITION, LOADED

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 13.750 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-
MAXIMUM AMPLITUDE	1.11	2.16	2.95	3.10	.47
0.0 DEGREE AMPLITUDE	.98	-2.00	-2.89	2.73	.47
30.0 DEGREE AMPLITUDE	1.11	-1.33	-2.22	3.10	.42
60.0 DEGREE AMPLITUDE	.95	-.30	-.94	2.63	.25
90.0 DEGREE AMPLITUDE	.53	.80	.57	1.46	.02
120.0 DEGREE AMPLITUDE	-.02	1.69	1.95	-.09	-.21
150.0 DEGREE AMPLITUDE	-.58	2.13	2.80	-1.63	-.39
		LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT	
0.0 DEGREE DISPLACEMENT		2.6698	.2415	-8.9104	
30.0 DEGREE DISPLACEMENT		3.1014	.4137	-5.7599	
60.0 DEGREE DISPLACEMENT		2.7019	.4750	-1.0660	
90.0 DEGREE DISPLACEMENT		1.5785	.4090	3.9134	
120.0 DEGREE DISPLACEMENT		.0321	.2334	7.8443	
150.0 DEGREE DISPLACEMENT		-1.5228	-.0046	9.6733	

INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

AD WEIGHT TONNAGE OF 70.000, LENGTH OF 839.100 FEET AND BEAM OF 115.000 FEET

AVE HEIGHT 10.000 FEET

	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
1	2.16	2.95	3.10	.47	.12
8	-2.00	-2.89	2.73	.47	.06
1	-1.33	-2.22	3.10	.42	0.00
3	-.30	-.94	2.63	.25	-.06
3	.80	.57	1.46	.02	-.11
2	1.69	1.95	-.09	-.21	-.12
8	2.13	2.80	-1.63	-.39	-.11

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

2.6698	.2415	-8.9104
3.1014	.4137	-5.7599
2.7019	.4750	-1.0660
1.5785	.4090	3.9134
.0321	.2334	7.8443
-1.5228	-.0046	9.6733

J

AD-A034 246

MCDERMOTT (J RAY) CO INC NEW ORLEANS LA
ENGINEERING DESIGN CALCULATIONS MONO-MOORING SYSTEM. VOLUME 5. --ETC(U)
1966


F/G 13/10

DA-44-009-AMC-841(T)

NL

UNCLASSIFIED

3 OF 3
ADA034246



END

DATE
FILMED
2 - 77

OF 3
34246

J. RAY MC DERMOTT CO., INC. ENGINEERS AND GENERAL CONTRACTORS NEW ORLEANS, LA.

TYPE OF CALCULATION, SHIP WITH DEAD WEIGHT TONNAGE OF 70,000, LENGTH OF 839.10

DRAFT CONDITION, BALLAST

WAVE PERIOD 12.000 SECONDS WAVE HEIGHT 10.000 FEET

HEADING ANGLE 16.000 DEGREES

	HEAVE -FT-	PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-
MAXIMUM AMPLITUDE	1.01	2.08	3.43	3.14	.63
0.0 DEGREE AMPLITUDE	.98	2.04	-3.21	2.76	.63
30.0 DEGREE AMPLITUDE	.98	1.57	-2.17	3.14	.56
60.0 DEGREE AMPLITUDE	.72	.67	-.55	2.67	.34
90.0 DEGREE AMPLITUDE	.26	-.40	1.21	1.48	.03
120.0 DEGREE AMPLITUDE	-.26	-1.36	2.65	-.09	-.29
150.0 DEGREE AMPLITUDE	-.71	-1.97	3.39	-1.65	-.53

	LONGITUDINAL DISPLACEMENT	TRANSVERSE DISPLACEMENT	VERTICAL DISPLACEMENT
0.0 DEGREE DISPLACEMENT	2.6916	.3642	4.9253
30.0 DEGREE DISPLACEMENT	3.1389	.5581	4.3028
60.0 DEGREE DISPLACEMENT	2.7451	.6023	2.5273
90.0 DEGREE DISPLACEMENT	1.6158	.4852	.0747
120.0 DEGREE DISPLACEMENT	.0535	.2381	-2.3979
150.0 DEGREE DISPLACEMENT	-1.5231	-.0728	-4.2280

WEIGHT TONNAGE OF 70,000. LENGTH OF 839.100 FEET AND BEAM OF 115.000 FEET

VE HEIGHT 10.000 FEET

PITCH -DEG-	ROLL -DEG-	SURGE -FT-	SWAY -FT-	YAW -DEG-
2.08	3.43	3.14	.63	.15
2.04	-3.21	2.76	.63	.07
1.57	-2.17	3.14	.56	0.00
.67	-.55	2.67	.34	-.07
-.40	1.21	1.48	.03	-.12
-1.36	2.65	-.09	-.29	-.15
-1.97	3.39	-1.65	-.53	-.13

LONGITUDINAL
DISPLACEMENT

TRANSVERSE
DISPLACEMENT

VERTICAL
DISPLACEMENT

2.6916	.3642	4.9253
3.1389	.5581	4.3028
2.7451	.6023	2.5273
1.6158	.4852	.0747
.0535	.2381	-2.3979
-1.5231	-.0728	-4.2280

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY MCDERMOTT & CO., INC.

MCD 5015

COMPANY

3395

SHEET NO

SUBJECT

DRAWING NUMBER

COMPUTER

CHECKED BY

DATE

9

DWT 22,500
 LOADED
 DISPL. 70,000
 TW = 10.0
 E = 7.1°
 TS₁ = 8.20 TS₂ = 10.00 TS₃ = 10.20 TS₄ = 14.14 TS₅ = 14.14 TS₆ = 14.14
 X = 200.00 Y = 25.0 A = 0.00

L = 570.2 B = 77.0
 M₁ = 2,325 M₂ = 3,126 M₃ = 107,849,965
 H = 10.0

10

BALLAST
 DISPL. 35,049
 TW = 10.0
 E = 10.0°
 TS₁ = 7.00 TS₂ = 10.40 TS₃ = 9.30 TS₄ = 14.14 TS₅ = 14.14 TS₆ = 14.14
 X = 200.00 Y = 25.00 A = 0.00

L = 579.2 B = 77.0
 M₁ = 1,170 M₂ = 1,375 M₃ = 52,937,089
 H = 10.0

11

DWT 70,000
 LOADED
 DISPL. = 209,985
 TW = 12.00
 E = 13.75°
 TS₁ = 9.80 TS₂ = 12.00 TS₃ = 12.00 TS₄ = 14.14 TS₅ = 14.14 TS₆ = 16.97
 X = 200.0 Y = 57.0 A = 0.0

L = 839.1 B = 115.0
 M₁ = 6,814 M₂ = 8,903 M₃ = 639,019,271
 H = 10.0

12

BALLAST
 DISPL. = 102,495
 TW = 12.0
 E = 18.0°
 TS₁ = 8.4 TS₂ = 12.5 TS₃ = 11.8 TS₄ = 14.14 TS₅ = 14.14 TS₆ = 16.97
 X = 200.0 Y = 57.0 A = 0.0

L = 839.1 B = 115.0
 M₁ = 3,430 M₂ = 3,950 M₃ = 318,278,210
 H = 10.0

COMPANY	SHEET NO
---------	----------

SUBJECT			
---------	--	--	--

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

5 Buoy (70,000 DWT TANKER LOADED)

D = 40.0
W.D = 60.0
DISPL = 1,347.4 $M_1 = 83.7$ $M_2 = 83.7$ $M_3 = 1.0$
TW = 12.0 H = 10.0
E = 13.75 X = 0.0 Y = 0.0 A = 200.0
 $T_{S1} = 9.65$ $T_{S2} = 8.2$ $T_{S3} = 6.8$ $T_{S4} = 6.8$ $T_{S5} = 3.8$ $T_{S6} = 16.97$

6 W.D = 150
DISPL = 1,350.7 $M_1 = 84.3$ $M_2 = 84.3$ $M_3 = 1.0$
TW = 12.0 H = 10.0
E = 13.75 X = 0.0 Y = 0.0 A = 200.0
 $T_{S1} = 9.80$ $T_{S2} = 7.6$ $T_{S3} = 6.5$ $T_{S4} = 8.5$ $T_{S5} = 4.8$ $T_{S6} = 16.97$

7 Buoy (20,000 DWT TANKER BALLAST)

D = 40.0
W.D = 60.0
DISPL = 1,347.4 $M_1 = 83.7$ $M_2 = 83.7$ $M_3 = 1.0$
TW = 12.0 H = 10.0
E = 16.0 X = 0.0 Y = 0.0 A = 200.0
 $T_{S1} = 9.65$ $T_{S2} = 8.4$ $T_{S3} = 7.8$ $T_{S4} = 7.3$ $T_{S5} = 5.8$ $T_{S6} = 16.97$

8 W.D = 150
DISPL = 1,350.7 $M_1 = 84.3$ $M_2 = 84.3$ $M_3 = 1.0$
TW = 12.0 H = 10.0
E = 16.0 X = 0.0 Y = 0.0 A = 200.0
 $T_{S1} = 9.80$ $T_{S2} = 7.7$ $T_{S3} = 7.2$ $T_{S4} = 8.8$ $T_{S5} = 7.1$ $T_{S6} = 16.97$

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

COMPANY **COMPUTER INPUT** SHEET NO

SUBJECT

DRAWING NUMBER COMPUTER CHECKED BY DATE

1 BUOY (22,500 DWT TANKER LOADED)
 $D = 40.0$
 $W.D. = 60.0$
 $DISPL = 1,347.4$ $M_1 = 83.7$ $M_2 = 83.7$ $M_3 = 1.0$
 $TW = 10.0$ $H = 10.0$
 $E = 7.1$ $X = 0.0$ $Y = 0.0$ $A = 200.0$
 $TS_1 = 9.65$ $TS_2 = 10.40$ $TS_3 = 10.40$ $TS_4 = 12.50$ $TS_5 = 12.50$ $TS_6 = 14.14$

2 $W.D. = 150.0$
 $DISPL = 1,350.7$ $M_1 = 84.3$ $M_2 = 84.3$ $M_3 = 1.0$
 $TW = 10.0$ $H = 10.0$
 $E = 7.1$ $X = 0.0$ $Y = 0.0$ $A = 200.0$
 $TS_1 = 9.80$ $TS_2 = 9.2$ $TS_3 = 9.2$ $TS_4 = 14.30$ $TS_5 = 14.30$ $TS_6 = 14.14$

3 BUOY (22,500 DWT TANKER BALLAST)
 $D = 40.0$
 $W.D. = 60.0$
 $DISPL = 1,347.4$ $M_1 = 83.7$ $M_2 = 83.7$ $M_3 = 1.0$
 $TW = 10.0$ $H = 10.0$
 $E = 10.0$ $X = 0.0$ $Y = 0.0$ $A = 200.0$
 $TS_1 = 9.65$ $TS_2 = 10.40$ $TS_3 = 10.70$ $TS_4 = 12.60$ $TS_5 = 13.30$ $TS_6 = 14.14$

4 $W.D. = 150.0$
 $DISPL = 1,350.7$ $M_1 = 84.3$ $M_2 = 84.3$ $M_3 = 1.0$
 $TW = 10.0$ $H = 10.0$
 $E = 10.0$ $X = 0.0$ $Y = 0.0$ $A = 200.0$
 $TS_1 = 9.80$ $TS_2 = 9.20$ $TS_3 = 9.40$ $TS_4 = 14.30$ $TS_5 = 15.10$ $TS_6 = 14.14$

DATE	PROGRAM NO.	USER GROUP NUMBER	PAGE	OF
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80	2			
	1			
	40.0			
	150.0			
	1350.7			
	84.3	1.0		
	10.0			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80	7.1			
	200.0			
	0.0			
	9.80	9.2	14.30	14.14
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80				

SUBMITTED BY

PUNCHED BY

VERIFIED BY

DATE	PROGRAM NO.	USER GROUP NUMBER	PAGE	OF
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80	12			
	1			
	40.0			
	60.0			
	1397.4			
	83.7	1.0		
	10.0			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80	7.1			
	200.0			
	0.0			
	9.65	10.40	12.50	14.14
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80				

SUBMITTED BY

PUNCHED BY

VERIFIED BY

J. RAY "CDL" .OTI & CO., INC.
COMPUTER PROGRAM DOCUMENTATION

DATE	PROGRAM NO	USER GROUP NUMBER	PAGE	OF
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80	2			
	70.0			
	60.0			
	1347.4			
	83.7	1.0		
	10.0			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80	10.0			
	200.0			
	0.0			
	9.65	10.70	12.60	14.14
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80				

SUBMITTED BY

PUNCHED BY

VERIFIED BY

DATE	PROGRAM NO.	USER GROUP NUMBER	PAGE	OF
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80				
	2			
	1			
	40.0			
	1			
	150.0			
	1350.7			
	84.3	1.0		
	1			
	12.0	10.0		
	1			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80				
	13.75			
	200.0			
	0.0			
	9.80	7.6	8.5	7.8
				16.97
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80				

SUBMITTED BY

PUNCHED BY

VERIFIED BY

J. RAY MCDERMOTT & CO., INC.
COMPUTER PROGRAM DOCUMENTATION

DATE	PROGRAM NO	USER GROUP NUMBER	PAGE	OF
	JOB-60511 PROJECT-3440			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80	10.0	10.0	10.0	10.0
	0.00018	0.00018	0.00018	0.00018
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80				
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80				

SUBMITTED BY

PUNCHED BY

VERIFIED BY

COMPANY _____ SHEET NO _____

SUBJECT RELATIVE MOTION BETWEEN BUOY & SHIP

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

22,500 DWT TANKER LOADED 60' WD $\lambda = 7.1'$ TW = 10 SEC

0°	$\sqrt{(100 + 1.69 + 1.07)^2 + (55 + 0.21 - 0.03)^2 + (5 + 0.30 - 8.09)^2}$	- 114.24 =	$\sqrt{102.7 + 55}$
30°	$\sqrt{(100 + 3.08 + 1.47)^2 + (55 + 0.38 + 0.13)^2 + (5 + 4.29 - 4.79)^2}$	- 114.24 =	$\sqrt{104.53 + 55}$
60°	$\sqrt{(100 + 3.65 + 1.47)^2 + (55 + 0.45 + 0.26)^2 + (5 + 7.13 - 0.20)^2}$	- 114.24 =	$\sqrt{105.18 + 55}$
90°	$\sqrt{(100 + 3.24 + 1.08)^2 + (55 + 0.40 + 0.32)^2 + (5 + 8.07 + 4.44)^2}$	- 114.24 =	$\sqrt{104.31 + 55}$
120°	$\sqrt{(100 + 1.96 + 0.41)^2 + (55 + 0.24 + 0.30)^2 + (5 + 6.84 + 7.89)^2}$	- 114.24 =	$\sqrt{102.91 + 55}$
150°	$\sqrt{(100 + 0.16 - 0.38)^2 + (55 + 0.02 + 0.19)^2 + (5 + 3.77 + 9.22)^2}$	- 114.24 =	$\sqrt{99.70 + 55}$
180°	$\sqrt{(100 - 1.69 - 1.07)^2 + (55 - 0.21 - 0.03)^2 + (5 - 0.30 + 8.09)^2}$	- 114.24 =	$\sqrt{97.28 + 55}$
210°	$\sqrt{(100 - 3.08 - 1.47)^2 + (55 - 0.38 - 0.13)^2 + (5 - 4.29 + 4.79)^2}$	- 114.24 =	$\sqrt{95.45 + 55}$
240°	$\sqrt{(100 - 3.65 - 1.47)^2 + (55 - 0.45 - 0.26)^2 + (5 - 7.13 + 0.20)^2}$	- 114.24 =	$\sqrt{94.88 + 55}$
270°	$\sqrt{(100 - 3.24 - 1.08)^2 + (55 - 0.40 - 0.32)^2 + (5 - 8.07 - 4.44)^2}$	- 114.24 =	$\sqrt{95.68 + 55}$
300°	$\sqrt{(100 - 1.96 - 0.41)^2 + (55 - 0.24 - 0.30)^2 + (5 - 6.84 - 7.89)^2}$	- 114.24 =	$\sqrt{97.63 + 55}$
330°	$\sqrt{(100 - 0.16 + 0.38)^2 + (55 - 0.02 - 0.19)^2 + (5 - 3.77 - 9.22)^2}$	- 114.24 =	$\sqrt{100.23 + 55}$

MAX FREE AMPL. $\frac{5.334 + 4.91}{2} = 5.12'$ MAX BUOY EXCITING FORCE FOR 1' AMPL = 0.62

WAVE FORCE MOORING LOAD = 2.05 x 33.01 = 67.67

22,500 DWT TANKER LOADED 850' WD $\lambda = 7.1'$ TW = 10 SEC

0°	$\sqrt{(100 + 0.72 + 1.07)^2 + (55 + 0.07 - 0.03)^2 + (5 + 0.05 - 8.09)^2}$	- 114.24 =	$\sqrt{101.70 + 55}$
30°	$\sqrt{(100 + 1.75 + 1.47)^2 + (55 + 0.22 + 0.13)^2 + (5 + 4.05 - 4.79)^2}$	- 114.24 =	$\sqrt{103.27 + 55}$
60°	$\sqrt{(100 + 2.31 + 1.47)^2 + (55 + 0.29 + 0.26)^2 + (5 + 6.77 - 0.20)^2}$	- 114.24 =	$\sqrt{113.78 + 55}$
90°	$\sqrt{(100 + 2.25 + 1.08)^2 + (55 + 0.28 + 0.32)^2 + (5 + 0.01 + 4.44)^2}$	- 114.24 =	$\sqrt{103.33 + 55}$
120°	$\sqrt{(100 + 1.59 + 0.41)^2 + (55 + 0.20 + 0.30)^2 + (5 + 6.97 + 7.89)^2}$	- 114.24 =	$\sqrt{102.00 + 55}$
150°	$\sqrt{(100 + 0.50 - 0.38)^2 + (55 + 0.06 + 0.19)^2 + (5 + 3.97 + 9.22)^2}$	- 114.24 =	$\sqrt{100.18 + 55}$
180°	$\sqrt{(100 - 0.72 - 1.07)^2 + (55 - 0.07 + 0.03)^2 + (5 - 0.05 + 8.09)^2}$	- 114.24 =	$\sqrt{98.21 + 55}$
210°	$\sqrt{(100 - 1.75 - 1.47)^2 + (55 - 0.22 - 0.13)^2 + (5 - 4.05 + 4.79)^2}$	- 114.24 =	$\sqrt{96.70 + 55}$
240°	$\sqrt{(100 - 2.31 - 1.47)^2 + (55 - 0.29 - 0.26)^2 + (5 - 6.77 + 0.20)^2}$	- 114.24 =	$\sqrt{96.27 + 55}$
270°	$\sqrt{(100 - 2.25 - 1.08)^2 + (55 - 0.28 - 0.32)^2 + (5 - 0.01 - 4.44)^2}$	- 114.24 =	$\sqrt{96.67 + 55}$
300°	$\sqrt{(100 - 1.59 - 0.41)^2 + (55 - 0.20 - 0.30)^2 + (5 - 6.97 - 7.89)^2}$	- 114.24 =	$\sqrt{98.06 + 55}$
330°	$\sqrt{(100 - 0.50 + 0.38)^2 + (55 - 0.06 - 0.19)^2 + (5 - 3.97 - 9.22)^2}$	- 114.24 =	$\sqrt{99.88 + 55}$

MAX FREE AMPL. $\frac{4.39 + 3.65}{2} = 4.02$ MAX BUOY EXCITING FORCE FOR 1' AMPL = 1.3994

WAVE FORCE MOORING LOAD = 1.59 x 33.48 = 53.23

10 SEC

$\sqrt{102.7^2 + 55.11^2 + (-3.06)^2}$	- 114.24 =	$\sqrt{13,613.81}$	- 114.24 =	116.68	- 114.24 =	+ 2.44
$\sqrt{104.5^2 + 55.51^2 + 4.50^2}$	- 114.24 =	$\sqrt{14,032.31}$	- 114.24 =	118.46	- 114.24 =	+ 4.22
$\sqrt{105.1^2 + 55.71^2 + 11.93^2}$	- 114.24 =	$\sqrt{14,296.14}$	- 114.24 =	119.57	- 114.24 =	+ 5.33
$\sqrt{104.3^2 + 55.72^2 + 12.51^2}$	- 114.24 =	$\sqrt{14,293.98}$	- 114.24 =	119.56	- 114.24 =	+ 5.32
$\sqrt{102.5^2 + 55.54^2 + 19.73^2}$	- 114.24 =	$\sqrt{13,953.58}$	- 114.24 =	118.13	- 114.24 =	+ 3.89
$\sqrt{99.70^2 + 55.21^2 + 17.99^2}$	- 114.24 =	$\sqrt{13,327.83}$	- 114.24 =	115.45	- 114.24 =	+ 1.21
$\sqrt{97.2^2 + 54.82^2 + 12.79^2}$	- 114.24 =	$\sqrt{12,624.43}$	- 114.24 =	112.36	- 114.24 =	- 1.88
$\sqrt{95.4^2 + 54.49^2 + 5.50^2}$	- 114.24 =	$\sqrt{12,110.11}$	- 114.24 =	110.05	- 114.24 =	- 4.19
$\sqrt{94.8^2 + 54.29^2 + 1.93^2}$	- 114.24 =	$\sqrt{11,953.34}$	- 114.24 =	109.33	- 114.24 =	- 4.91
$\sqrt{95.6^2 + 54.28^2 + (-1.75)^2}$	- 114.24 =	$\sqrt{12,157.28}$	- 114.24 =	110.26	- 114.24 =	- 3.98
$\sqrt{97.63^2 + 54.46^2 + (-10.73)^2}$	- 114.24 =	$\sqrt{12,615.64}$	- 114.24 =	112.32	- 114.24 =	- 1.92
$\sqrt{100.23^2 + 54.79^2 + (-7.99)^2}$	- 114.24 =	$\sqrt{13,109.83}$	- 114.24 =	114.50	- 114.24 =	+ 0.26

AMPL = $0.62^{\circ} \times 83.7 = 33.01^{\circ}$ MORNING LINE $22^{\circ} 47'$ BODY AMPLITUDE $\frac{22}{53.21} \times 5.12 = 2.05'$

DI = 62.67° MORNING LINE = $(5.12 - 2.05) \times 22 = 67.54^{\circ}$

10 SEC

$\sqrt{101.70^2 + 55.06^2 + (-3.04)^2}$	- 114.24 =	$\sqrt{13,402.05}$	- 114.24 =	115.77	- 114.24 =	+ 1.53
$\sqrt{103.2^2 + 55.35^2 + 4.26^2}$	- 114.24 =	$\sqrt{13,735.14}$	- 114.24 =	117.20	- 114.24 =	+ 2.96
$\sqrt{113.2^2 + 55.55^2 + 11.77^2}$	- 114.24 =	$\sqrt{13,994.62}$	- 114.24 =	118.30	- 114.24 =	+ 4.06
$\sqrt{103.33^2 + 55.60^2 + 12.95^2}$	- 114.24 =	$\sqrt{14,072.95}$	- 114.24 =	118.63	- 114.24 =	+ 4.39
$\sqrt{102.00^2 + 55.50^2 + 19.81^2}$	- 114.24 =	$\sqrt{13,876.39}$	- 114.24 =	117.80	- 114.24 =	+ 3.56
$\sqrt{100.1^2 + 55.25^2 + 18.19^2}$	- 114.24 =	$\sqrt{13,907.45}$	- 114.24 =	115.79	- 114.24 =	+ 1.55
$\sqrt{98.2^2 + 54.94^2 + 13.04^2}$	- 114.24 =	$\sqrt{12,833.65}$	- 114.24 =	113.29	- 114.24 =	- 0.95
$\sqrt{96.7^2 + 54.65^2 + 5.71^2}$	- 114.24 =	$\sqrt{12,385.94}$	- 114.24 =	111.29	- 114.24 =	- 2.95
$\sqrt{96.2^2 + 54.45^2 + (-1.77)^2}$	- 114.24 =	$\sqrt{12,226.22}$	- 114.24 =	110.57	- 114.24 =	- 3.67
$\sqrt{96.6^2 + 54.40^2 + (-2.95)^2}$	- 114.24 =	$\sqrt{12,359.95}$	- 114.24 =	111.18	- 114.24 =	- 3.06
$\sqrt{98.0^2 + 54.50^2 + (-2.81)^2}$	- 114.24 =	$\sqrt{12,570.49}$	- 114.24 =	112.56	- 114.24 =	- 1.68
$\sqrt{99.8^2 + 54.75^2 + (-8.19)^2}$	- 114.24 =	$\sqrt{13,090.65}$	- 114.24 =	114.20	- 114.24 =	- 0.04

AMPL = $1.3994 \times 84.3 = 93.46^{\circ}$ MORNING LINE $22^{\circ} 07'$ BODY AMPL = $\frac{22}{55.48} \times 4.02 = 1.59'$

53.23^{\circ} MORNING LINE (4.02 - 1.59) \times 22 = 53.24^{\circ}

2

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

MCD 14003

COMPANY

SHEET NO

SUBJECT

DRAWING NUMBER

COMPUTER

CHECKED BY

DATE

22,500 DWT TANKER BALLAST 60'WD X=10° TW: 10SEC

0°	$\sqrt{(100+1.53+1.06)^2 + (55+0.19-0.02)^2 + (32+0.15+10.09)^2}$	- 118.56 =	$\sqrt{102.5^2 + 55.17^2}$
30°	$\sqrt{(100+2.91+1.47)^2 + (55+0.40+0.22)^2 + (32+9.16+8.22)^2}$	- 118.56 =	$\sqrt{104.3^2 + 55.62^2}$
60°	$\sqrt{(100+3.57+1.47)^2 + (55+0.51+0.40)^2 + (32+7.06+4.20)^2}$	- 118.56 =	$\sqrt{105.01^2 + 55.91^2}$
90°	$\sqrt{(100+3.18+1.10)^2 + (55+0.49+0.47)^2 + (32+8.07-0.95)^2}$	- 118.56 =	$\sqrt{104.28^2 + 55.96^2}$
120°	$\sqrt{(100+1.99+0.43)^2 + (55+0.33+0.42)^2 + (32+6.21-5.85)^2}$	- 118.56 =	$\sqrt{102.42^2 + 55.75^2}$
150°	$\sqrt{(100+0.27-0.37)^2 + (55+0.08+0.26)^2 + (32+3.91-9.18)^2}$	- 118.56 =	$\sqrt{99.90^2 + 55.34^2}$
180°	$\sqrt{(100-1.53-1.06)^2 + (55-0.19+0.02)^2 + (32-0.15-10.09)^2}$	- 118.56 =	$\sqrt{97.41^2 + 54.84^2}$
210°	$\sqrt{(100-2.91-1.47)^2 + (55-0.40-0.22)^2 + (32-4.16-8.22)^2}$	- 118.56 =	$\sqrt{95.62^2 + 54.38^2}$
240°	$\sqrt{(100-3.57-1.47)^2 + (55-0.51-0.40)^2 + (32-7.06-4.20)^2}$	- 118.56 =	$\sqrt{94.99^2 + 54.09^2}$
270°	$\sqrt{(100-3.18-1.10)^2 + (55-0.49-0.47)^2 + (32-8.07+0.95)^2}$	- 118.56 =	$\sqrt{95.92^2 + 54.04^2}$
300°	$\sqrt{(100-1.99-0.43)^2 + (55-0.33-0.42)^2 + (32-6.21+5.85)^2}$	- 118.56 =	$\sqrt{97.58^2 + 54.25^2}$
330°	$\sqrt{(100-0.27+0.37)^2 + (55-0.08-0.26)^2 + (32-3.91+9.18)^2}$	- 118.56 =	$\sqrt{100.10^2 + 54.66^2}$

MAX FREE AMPL. $\frac{8.03+7.30}{2} = 7.66'$ MAX BUOY EXCITING FORCE FOR 1' = 0.999×83

WAVE FORCE MOORING LOAD = $2.89 \times 3301 = 95.40^k$

22,500 DWT TANKER BALLAST 150'WD X=10° TW: 10SEC

0°	$\sqrt{(100+0.68+1.06)^2 + (55+0.09-0.02)^2 + (32-0.10+10.09)^2}$	- 118.56 =	$\sqrt{101.79^2 + 55.07^2}$
30°	$\sqrt{(100+1.71+1.47)^2 + (55+0.25+0.22)^2 + (32+3.97+8.22)^2}$	- 118.56 =	$\sqrt{103.18^2 + 55.47^2}$
60°	$\sqrt{(100+2.28+1.47)^2 + (55+0.34+0.40)^2 + (32+6.89+4.20)^2}$	- 118.56 =	$\sqrt{103.77^2 + 55.74^2}$
90°	$\sqrt{(100+2.25+1.10)^2 + (55+0.34+0.47)^2 + (32+8.01+0.95)^2}$	- 118.56 =	$\sqrt{103.35^2 + 55.81^2}$
120°	$\sqrt{(100+1.61+0.43)^2 + (55+0.25+0.42)^2 + (32+6.99-5.85)^2}$	- 118.56 =	$\sqrt{102.04^2 + 55.67^2}$
150°	$\sqrt{(100+0.54-0.37)^2 + (55+0.09+0.26)^2 + (32+4.09-9.18)^2}$	- 118.56 =	$\sqrt{100.17^2 + 55.35^2}$
180°	$\sqrt{(100-0.68-1.06)^2 + (55-0.09+0.02)^2 + (32+0.10-10.09)^2}$	- 118.56 =	$\sqrt{98.26^2 + 54.93^2}$
210°	$\sqrt{(100-1.71-1.47)^2 + (55-0.25-0.22)^2 + (32-3.97-8.22)^2}$	- 118.56 =	$\sqrt{96.82^2 + 54.53^2}$
240°	$\sqrt{(100-2.28-1.47)^2 + (55-0.34-0.40)^2 + (32-6.89-4.20)^2}$	- 118.56 =	$\sqrt{96.23^2 + 54.26^2}$
270°	$\sqrt{(100-2.25-1.10)^2 + (55-0.34-0.47)^2 + (32-8.01+0.95)^2}$	- 118.56 =	$\sqrt{96.65^2 + 54.19^2}$
300°	$\sqrt{(100-1.61-0.43)^2 + (55-0.25-0.42)^2 + (32-6.99+5.85)^2}$	- 118.56 =	$\sqrt{97.96^2 + 54.33^2}$
330°	$\sqrt{(100-0.54+0.37)^2 + (55-0.09-0.26)^2 + (32-4.09+9.18)^2}$	- 118.56 =	$\sqrt{99.83^2 + 54.65^2}$

MAX FREE AMPL. $\frac{6.87+6.13}{2} = 6.50'$ MAX BUOY EXCITING FORCE FOR 1' AMPL = 0.994×83.3

WAVE FORCE MOORING LOAD = $2.44 \times 83.3 = 81.13^k$

40 SEC

102.5	$55.17^2 + 42.19^2$	- 118.56	$\sqrt{15,348.43}$	118.56	123.89	- 118.56	+ 5.93
104.36	$55.62^2 + 44.38^2$	- 118.56	$\sqrt{15,958.95}$	118.56	126.93	- 118.56	+ 7.77
105.01	$55.91^2 + 42.26^2$	- 118.56	$\sqrt{16,029.46}$	118.56	126.59	- 118.56	+ 8.03
104.28	$55.96^2 + 39.12^2$	- 118.56	$\sqrt{15,536.21}$	118.56	124.64	- 118.56	+ 6.08
102.42	$55.75^2 + 33.06^2$	- 118.56	$\sqrt{14,690.88}$	118.56	121.21	- 118.56	+ 2.65
99.90	$55.34^2 + 26.73^2$	- 118.56	$\sqrt{13,757.02}$	118.56	117.29	- 118.56	- 1.27
97.41	$54.84^2 + 21.81^2$	- 118.56	$\sqrt{12,971.81}$	118.56	113.89	- 118.56	- 4.67
95.62	$54.38^2 + 19.62^2$	- 118.56	$\sqrt{12,485.31}$	118.56	111.74	- 118.56	- 6.82
94.99	$54.09^2 + 20.74^2$	- 118.56	$\sqrt{12,378.98}$	118.56	111.26	- 118.56	- 7.30
95.82	$54.04^2 + 24.88^2$	- 118.56	$\sqrt{12,701.65}$	118.56	112.70	- 118.56	- 5.86
97.58	$54.25^2 + 30.94^2$	- 118.56	$\sqrt{13,422.20}$	118.56	115.85	- 118.56	- 7.71
10.10	$54.66^2 + 37.27^2$	- 118.56	$\sqrt{14,396.78}$	118.56	119.99	- 118.56	+ 1.43

1' = 0.9991 x 837 - 33.51^K MORNING LINE - 20^K/FT BOOY AMPLE - $\frac{20}{53.01} \times 7.66 = 2.89'$

33.01 95.40^K MORNING LINE - (7.66 - 2.89) x 20 = 95.40^K

01.74	$55.07^2 + 41.94^2$	- 118.56	$\sqrt{15,142.70}$	118.56	123.06	- 118.56	+ 4.50
03.18	$55.47^2 + 44.14^2$	- 118.56	$\sqrt{15,671.37}$	118.56	125.19	- 118.56	+ 6.63
03.77	$55.74^2 + 43.09^2$	- 118.56	$\sqrt{15,731.91}$	118.56	125.43	- 118.56	+ 6.87
03.55	$55.81^2 + 39.06^2$	- 118.56	$\sqrt{15,321.66}$	118.56	123.78	- 118.56	+ 5.22
02.04	$55.67^2 + 33.14^2$	- 118.56	$\sqrt{14,609.57}$	118.56	120.87	- 118.56	+ 2.31
00.17	$55.35^2 + 26.91^2$	- 118.56	$\sqrt{13,821.80}$	118.56	117.57	- 118.56	- 0.99
0.26	$54.93^2 + 22.06^2$	- 118.56	$\sqrt{13,158.38}$	118.56	114.71	- 118.56	- 3.85
0.82	$54.53^2 + 19.86^2$	- 118.56	$\sqrt{12,742.05}$	118.56	112.88	- 118.56	- 5.68
0.23	$54.26^2 + 20.91^2$	- 118.56	$\sqrt{12,641.59}$	118.56	112.43	- 118.56	- 6.13
0.65	$54.19^2 + 24.94^2$	- 118.56	$\sqrt{12,899.78}$	118.56	113.58	- 118.56	- 4.98
0.96	$54.33^2 + 30.86^2$	- 118.56	$\sqrt{13,500.25}$	118.56	116.19	- 118.56	- 2.37
0.83	$54.65^2 + 37.09^2$	- 118.56	$\sqrt{14,328.32}$	118.56	119.70	- 118.56	+ 1.14

1' = 0.9994 x 843 = 33.25^K MORNING LINE - 20^K/FT BOOY AMPLE - $\frac{20}{53.25} \times 6.50 = 2.44'$

x 83.2^K 81.13^K MORNING LINE - (6.50 - 2.44) x 20 = 81.20^K

2.1

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & Co., INC.

MCD 14003

COMPANY _____ SHEET NO _____

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

70,000 DWT TANKER LOADED 60' W.D X = 13.75° TW =

0°	$\sqrt{(90-3.45+2.67)^2 + (52-0.65+0.24)^2 + (14-3.24-8.91)^2}$	- 104.88 =	$\sqrt{89.22^2 + 51.55^2 + 1.66^2}$
30°	$\sqrt{(90-3.02+3.10)^2 + (52-0.54+0.41)^2 + (14+0.88-5.76)^2}$	- 104.88 =	$\sqrt{90.08^2 + 51.8^2 + 8.9^2}$
60°	$\sqrt{(90-1.78+2.70)^2 + (52-0.29+0.47)^2 + (14+4.76-1.07)^2}$	- 104.88 =	$\sqrt{91.92^2 + 52.1^2 + 17.6^2}$
90°	$\sqrt{(90-0.06+1.58)^2 + (52+0.04+0.41)^2 + (14+7.37+3.91)^2}$	- 104.88 =	$\sqrt{91.52^2 + 52.4^2 + 25.2^2}$
120°	$\sqrt{(90+1.68+0.03)^2 + (52+0.37+0.23)^2 + (14+8.00+7.84)^2}$	- 104.88 =	$\sqrt{91.71^2 + 52.6^2 + 29.84^2}$
150°	$\sqrt{(90+2.96-1.52)^2 + (52+0.59-0.00)^2 + (14+6.49+9.67)^2}$	- 104.88 =	$\sqrt{91.44^2 + 52.5^2 + 30.16^2}$
180°	$\sqrt{(90+3.45-2.67)^2 + (52+0.65-0.24)^2 + (14+3.24+8.91)^2}$	- 104.88 =	$\sqrt{90.78^2 + 52.4^2 + 26.15^2}$
210°	$\sqrt{(90+3.02-3.10)^2 + (52+0.54-0.41)^2 + (14-0.88+5.76)^2}$	- 104.88 =	$\sqrt{89.92^2 + 52.1^2 + 18.88^2}$
240°	$\sqrt{(90+1.78-2.70)^2 + (52+0.29-0.47)^2 + (14-4.76+1.07)^2}$	- 104.88 =	$\sqrt{89.08^2 + 51.8^2 + 10.31^2}$
270°	$\sqrt{(90+0.06-1.58)^2 + (52-0.04-0.41)^2 + (14-7.37-3.91)^2}$	- 104.88 =	$\sqrt{88.48^2 + 51.55^2 + 2.72^2}$
300°	$\sqrt{(90-1.68-0.03)^2 + (52-0.37-0.23)^2 + (14-8.00-7.84)^2}$	- 104.88 =	$\sqrt{88.22^2 + 51.4^2 + (-1.84)^2}$
330°	$\sqrt{(90-2.96+1.52)^2 + (52-0.59+0.00)^2 + (14-6.49-9.67)^2}$	- 104.88 =	$\sqrt{88.55^2 + 51.41^2 + (-2.16)^2}$

MAX FREE AMPL. $\frac{4.98 + 2.70}{2} = 3.84'$ MAX EXCITING FORCE FOR 1' AMP OF BUOY = $\frac{6.27}{12} \times 183.7 = 9.58$
 WAVE FORCE MOORING LOAD = $18 \times 22.5 = 405$

70,000 DWT TANKER LOADED 150' W.D X = 13.75° TW = 12.5

0°	$\sqrt{(90-4.30+2.67)^2 + (52-0.69+0.24)^2 + (14-3.43-8.91)^2}$	- 104.88 =	$\sqrt{88.37^2 + 51.55^2 + 1.66^2}$
30°	$\sqrt{(90-4.07+3.10)^2 + (52-0.58+0.41)^2 + (14+0.69-5.76)^2}$	- 104.88 =	$\sqrt{89.03^2 + 51.8^2 + 8.9^2}$
60°	$\sqrt{(90-2.74+2.70)^2 + (52-0.32+0.47)^2 + (14+4.63-1.07)^2}$	- 104.88 =	$\sqrt{89.96^2 + 52.1^2 + 17.5^2}$
90°	$\sqrt{(90-0.69+1.52)^2 + (52+0.04+0.41)^2 + (14+7.33+3.91)^2}$	- 104.88 =	$\sqrt{90.89^2 + 52.4^2 + 25.2^2}$
120°	$\sqrt{(90+1.55+0.03)^2 + (52+0.38+0.23)^2 + (14+8.06+7.84)^2}$	- 104.88 =	$\sqrt{91.58^2 + 52.6^2 + 29.9^2}$
150°	$\sqrt{(90+2.98-1.52)^2 + (52+0.62-0.00)^2 + (14+6.64+9.67)^2}$	- 104.88 =	$\sqrt{91.86^2 + 52.6^2 + 30.3^2}$
180°	$\sqrt{(90+4.30-2.67)^2 + (52+0.69-0.24)^2 + (14+3.43+8.91)^2}$	- 104.88 =	$\sqrt{91.63^2 + 52.4^2 + 26.3^2}$
210°	$\sqrt{(90+4.07-3.10)^2 + (52+0.58-0.41)^2 + (14-0.69+5.76)^2}$	- 104.88 =	$\sqrt{90.97^2 + 52.1^2 + 19.0^2}$
240°	$\sqrt{(90+2.74-2.70)^2 + (52+0.32-0.47)^2 + (14-4.63+1.07)^2}$	- 104.88 =	$\sqrt{90.04^2 + 51.8^2 + 10.4^2}$
270°	$\sqrt{(90+0.69-1.52)^2 + (52-0.04-0.41)^2 + (14-7.33-3.91)^2}$	- 104.88 =	$\sqrt{89.11^2 + 51.55^2 + 2.7^2}$
300°	$\sqrt{(90-1.55-0.03)^2 + (52-0.38-0.23)^2 + (14-8.06-7.84)^2}$	- 104.88 =	$\sqrt{88.42^2 + 51.3^2 + (-1.9)^2}$
330°	$\sqrt{(90-2.98+1.52)^2 + (52-0.62+0.00)^2 + (14-6.64-9.67)^2}$	- 104.88 =	$\sqrt{88.14^2 + 51.3^2 + (-2.31)^2}$

MAX FREE AMPL. $\frac{5.03 + 2.23}{2} = 3.96'$ MAX EXCITING FORCE FOR 1' BUOY AMP = $0.27 \times 184.3 = 49.76$
 WAVE FORCE MOORING LOAD = $3.27 \times 3.09 = 10.10$

TW = 12 SEC

5.50 ² + 1.85 ²	- 104.88	=	$\sqrt{10,625.16}$	- 104.88	=	103.08 - 104.88 = -1.80
5.17 ² + 9.12 ²	- 104.88	=	$\sqrt{10,888.08}$	- 104.88	=	104.35 - 104.88 = -0.53
7.1 ² + 17.69 ²	- 104.88	=	$\sqrt{11,322.13}$	- 104.88	=	106.31 - 104.88 = +1.43
7.9 ² + 25.25 ²	- 104.88	=	$\sqrt{11,765.99}$	- 104.88	=	108.97 - 104.88 = +4.09
7.6 ² + 29.84 ²	- 104.88	=	$\sqrt{12,067.51}$	- 104.88	=	109.86 - 104.88 = +4.98
7.5 ² + 30.16 ²	- 104.88	=	$\sqrt{12,036.61}$	- 104.88	=	109.71 - 104.88 = +4.83
7.4 ² + 26.15 ²	- 104.88	=	$\sqrt{11,671.69}$	- 104.88	=	108.04 - 104.88 = +3.16
7.13 ² + 18.88 ²	- 104.88	=	$\sqrt{11,159.60}$	- 104.88	=	105.64 - 104.88 = +0.76
7.82 ² + 10.31 ²	- 104.88	=	$\sqrt{10,726.85}$	- 104.88	=	103.57 - 104.88 = -1.31
7.5 ² + 2.72 ²	- 104.88	=	$\sqrt{10,493.51}$	- 104.88	=	102.44 - 104.88 = -2.44
7.42 ² + (-1.84) ²	- 104.88	=	$\sqrt{10,440.47}$	- 104.88	=	102.18 - 104.88 = -2.70
7.41 ² + (-2.16) ²	- 104.88	=	$\sqrt{10,490.53}$	- 104.88	=	102.42 - 104.88 = -2.46

$16.28 \times 1.83.7 = 27.93^k$ MOORING LINE 110.0' FT Body AMPL = $\frac{110.0}{133.09} \times 3.84 = 3.18'$
 $17 \times 22.93 = 72.92^k$ MOORING LINE 13.84' 218' 110.0' 72.6'
 W = 12 SEC

1.55 ² + 1.66 ²	- 104.88	=	$\sqrt{10,469.42}$	- 104.88	=	102.32 - 104.88 = -2.56
1.8 ² + 8.93 ²	- 104.88	=	$\sqrt{10,692.43}$	- 104.88	=	103.40 - 104.88 = -1.48
2.1 ² + 17.56 ²	- 104.88	=	$\sqrt{11,120.78}$	- 104.88	=	105.46 - 104.88 = +0.58
2.4 ² + 25.24 ²	- 104.88	=	$\sqrt{11,649.05}$	- 104.88	=	107.93 - 104.88 = +3.05
2.6 ² + 29.90 ²	- 104.88	=	$\sqrt{12,048.72}$	- 104.88	=	109.77 - 104.88 = +4.89
2.6 ² + 30.31 ²	- 104.88	=	$\sqrt{12,092.78}$	- 104.88	=	109.97 - 104.88 = +5.09
2.42 ² + 26.34 ²	- 104.88	=	$\sqrt{11,840.86}$	- 104.88	=	108.82 - 104.88 = +3.94
2.1 ² + 19.07 ²	- 104.88	=	$\sqrt{11,360.91}$	- 104.88	=	106.59 - 104.88 = +1.71
1.8 ² + 10.44 ²	- 104.88	=	$\sqrt{10,904.62}$	- 104.88	=	104.43 - 104.88 = -0.45
1.5 ² + 2.76 ²	- 104.88	=	$\sqrt{10,605.61}$	- 104.88	=	102.98 - 104.88 = -1.90
1.32 ² + (-1.90) ²	- 104.88	=	$\sqrt{10,462.64}$	- 104.88	=	102.29 - 104.88 = -2.59
1.38 ² + (-2.31) ²	- 104.88	=	$\sqrt{10,413.90}$	- 104.88	=	102.05 - 104.88 = -2.83

$27.73 \times 14.84.3 = 23.09^k$ MOORING LINE 110.0' FT Body AMPL = $\frac{110.0}{133.09} \times 3.96 = 3.27'$
 $27.73 \times 3.09 = 75.56^k$ MOORING LINE : (3.96 - 3.27) x 110.0 = 75.90^k

2

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & Co., INC.

MCD 14003

COMPANY

SHEET NO

SUBJECT

DRAWING NUMBER

COMPUTER

CHECKED BY

DATE

70,000 DWT TANKER BALLAST 60' WD X-15° TW=12 SEC

0°	$\sqrt{(90-3.63+2.69)^2 + (52-0.88+0.36)^2 + (43-3.37+4.93)^2}$	- 112.49 =	$\sqrt{89.06^2 + 51.48^2 + 41.12^2}$
30°	$\sqrt{(90-3.26+3.14)^2 + (52-0.6+0.56)^2 + (43+1.74+4.30)^2}$	- 112.49 =	$\sqrt{89.88^2 + 51.80^2 + 41.12^2}$
60°	$\sqrt{(90-2.02+2.75)^2 + (52-0.43+0.60)^2 + (43+4.65+2.53)^2}$	- 112.49 =	$\sqrt{90.73^2 + 52.17^2 + 41.12^2}$
90°	$\sqrt{(90-0.23+1.62)^2 + (52+0.01+0.48)^2 + (43+7.31+0.07)^2}$	- 112.49 =	$\sqrt{91.33^2 + 52.49^2 + 41.12^2}$
120°	$\sqrt{(90+1.61+0.05)^2 + (52+2.45+0.24)^2 + (43+8.01-2.40)^2}$	- 112.49 =	$\sqrt{91.66^2 + 52.69^2 + 41.12^2}$
150°	$\sqrt{(90+3.03-1.52)^2 + (52+0.77-0.07)^2 + (43+6.57-4.23)^2}$	- 112.49 =	$\sqrt{91.51^2 + 52.70^2 + 41.12^2}$
180°	$\sqrt{(90+3.63-2.69)^2 + (52+0.88-0.36)^2 + (43+3.37-4.93)^2}$	- 112.49 =	$\sqrt{90.94^2 + 52.52^2 + 41.12^2}$
210°	$\sqrt{(90+3.26-3.14)^2 + (52+0.76-0.56)^2 + (43-0.74-4.30)^2}$	- 112.49 =	$\sqrt{90.12^2 + 52.20^2 + 41.12^2}$
240°	$\sqrt{(90+2.02-2.75)^2 + (52+0.43-0.60)^2 + (43-4.65-2.53)^2}$	- 112.49 =	$\sqrt{89.27^2 + 51.83^2 + 41.12^2}$
270°	$\sqrt{(90+0.23-1.62)^2 + (52-0.01-0.48)^2 + (43-7.31-0.07)^2}$	- 112.49 =	$\sqrt{88.61^2 + 51.51^2 + 41.12^2}$
300°	$\sqrt{(90-1.61-0.05)^2 + (52-0.45-0.24)^2 + (43-8.01+2.40)^2}$	- 112.49 =	$\sqrt{88.34^2 + 51.31^2 + 41.12^2}$
330°	$\sqrt{(90-3.03+1.52)^2 + (52-0.77+0.07)^2 + (43-6.57+4.23)^2}$	- 112.49 =	$\sqrt{88.49^2 + 51.30^2 + 41.12^2}$

MAX FREE AMPL. $\frac{4.32+3.98}{2} = 4.15'$ MAX EXCITING FORCE FOR 1' BUOY AMPL. $0.2739 \times 8.3 = 2.279$
WAVE FORCE MOORING LOAD $3.18 \times 22.3 = 72.9$

70,000 DWT TANKER BALLAST 150' WD X-16° TW=12 SEC

0°	$\sqrt{(90-4.42+2.69)^2 + (52-1.01+0.36)^2 + (43-3.56+4.93)^2}$	- 112.49 =	$\sqrt{88.27^2 + 51.35^2 + 41.12^2}$
30°	$\sqrt{(90-4.31+3.14)^2 + (52-0.90+0.56)^2 + (43+0.55+4.30)^2}$	- 112.49 =	$\sqrt{88.83^2 + 51.66^2 + 41.12^2}$
60°	$\sqrt{(90-3.04+2.75)^2 + (52-0.55+0.60)^2 + (43+4.51+2.53)^2}$	- 112.49 =	$\sqrt{89.71^2 + 52.05^2 + 41.12^2}$
90°	$\sqrt{(90-0.96+1.62)^2 + (52-0.05+0.48)^2 + (43+7.27+0.07)^2}$	- 112.49 =	$\sqrt{90.66^2 + 52.43^2 + 41.12^2}$
120°	$\sqrt{(90+1.37+0.05)^2 + (52+0.46+0.24)^2 + (43+8.07-2.40)^2}$	- 112.49 =	$\sqrt{91.42^2 + 52.70^2 + 41.12^2}$
150°	$\sqrt{(90+3.34-1.52)^2 + (52+0.85-0.07)^2 + (43+6.71-4.23)^2}$	- 112.49 =	$\sqrt{91.82^2 + 52.78^2 + 41.12^2}$
180°	$\sqrt{(90+4.42-2.69)^2 + (52+1.01-0.36)^2 + (43+3.56-4.93)^2}$	- 112.49 =	$\sqrt{91.73^2 + 52.65^2 + 41.12^2}$
210°	$\sqrt{(90+4.31-3.14)^2 + (52+0.90-0.56)^2 + (43-0.55-4.30)^2}$	- 112.49 =	$\sqrt{91.17^2 + 52.34^2 + 41.12^2}$
240°	$\sqrt{(90+3.04-2.75)^2 + (52+0.55-0.60)^2 + (43-4.51-2.53)^2}$	- 112.49 =	$\sqrt{90.29^2 + 51.95^2 + 41.12^2}$
270°	$\sqrt{(90+0.96-1.62)^2 + (52+0.05-0.48)^2 + (43-7.27-0.07)^2}$	- 112.49 =	$\sqrt{89.34^2 + 51.57^2 + 41.12^2}$
300°	$\sqrt{(90-1.37-0.05)^2 + (52-0.46-0.24)^2 + (43-8.07+2.40)^2}$	- 112.49 =	$\sqrt{88.58^2 + 51.30^2 + 41.12^2}$
330°	$\sqrt{(90-3.34+1.52)^2 + (52-0.85+0.07)^2 + (43-6.71+4.23)^2}$	- 112.49 =	$\sqrt{88.18^2 + 51.22^2 + 41.12^2}$

MAX FREE AMPL. $\frac{3.72+3.53}{2} = 3.63'$ MAX EXCITING FORCE FOR 1' BUOY AMPL. $0.2739 \times 14.3 = 3.91$

WAVE FORCE MOORING LOAD - $2.78 \times 23.4 = 64.19$

TW = 12 EC

89.06 ²	51.48 ² + 44.56 ²	- 112.49 =	$\sqrt{12,567.48}$	- 112.49 =	112.10 - 112.49 =	- 0.39
89.88 ²	51.80 ² + 48.09 ²	- 112.49 =	$\sqrt{13,059.50}$	- 112.49 =	114.32 - 112.49 =	+ 1.83
90.73 ²	52.17 ² + 50.18 ²	- 112.49 =	$\sqrt{13,471.67}$	- 112.49 =	116.61 - 112.49 =	+ 4.12
91.39 ²	52.49 ² + 50.38 ²	- 112.49 =	$\sqrt{13,645.48}$	- 112.49 =	116.81 - 112.49 =	+ 4.32
91.66 ²	52.69 ² + 48.61 ²	- 112.49 =	$\sqrt{13,540.72}$	- 112.49 =	116.36 - 112.49 =	+ 3.87
91.51 ²	52.70 ² + 45.39 ²	- 112.49 =	$\sqrt{13,207.09}$	- 112.49 =	114.92 - 112.49 =	+ 2.43
90.94 ²	52.52 ² + 41.44 ²	- 112.49 =	$\sqrt{12,745.71}$	- 112.49 =	112.90 - 112.49 =	+ 0.41
90.12 ²	52.20 ² + 37.96 ²	- 112.49 =	$\sqrt{12,287.42}$	- 112.49 =	110.85 - 112.49 =	- 1.64
89.27 ²	51.83 ² + 35.82 ²	- 112.49 =	$\sqrt{11,938.55}$	- 112.49 =	109.26 - 112.49 =	- 3.23
89.61 ²	51.51 ² + 35.62 ²	- 112.49 =	$\sqrt{11,773.80}$	- 112.49 =	108.51 - 112.49 =	- 3.98
89.34 ²	51.31 ² + 37.39 ²	- 112.49 =	$\sqrt{11,834.68}$	- 112.49 =	108.79 - 112.49 =	- 3.70
89.99 ²	51.30 ² + 40.66 ²	- 112.49 =	$\sqrt{12,115.41}$	- 112.49 =	110.07 - 112.49 =	- 2.42

07 AMPL $0.2739 \times 83.7 = 22.93^k$ MOORING LINE 75/FT Buoy AMPL $\frac{75}{2733} \times 4.15 = 3.18'$
 18 x 22.3 = 72.92^k MOORING LINE (4.15 + 3.18) x 75 = 72.75^k

7 SEC

88.27 ²	51.35 ² + 44.97 ²	- 112.49 =	$\sqrt{12,397.11}$	- 112.49 =	111.34 - 112.49 =	- 1.15
88.83 ²	51.66 ² + 47.85 ²	- 112.49 =	$\sqrt{12,849.15}$	- 112.49 =	113.35 - 112.49 =	+ 0.86
89.71 ²	52.05 ² + 50.04 ²	- 112.49 =	$\sqrt{13,261.09}$	- 112.49 =	115.16 - 112.49 =	+ 2.67
90.66 ²	52.49 ² + 50.34 ²	- 112.49 =	$\sqrt{13,502.26}$	- 112.49 =	116.20 - 112.49 =	+ 3.71
91.42 ²	52.70 ² + 48.67 ²	- 112.49 =	$\sqrt{13,503.68}$	- 112.49 =	116.21 - 112.49 =	+ 3.72
91.82 ²	52.78 ² + 45.48 ²	- 112.49 =	$\sqrt{13,285.07}$	- 112.49 =	115.26 - 112.49 =	+ 2.77
91.73 ²	52.65 ² + 41.63 ²	- 112.49 =	$\sqrt{12,915.47}$	- 112.49 =	113.66 - 112.49 =	+ 1.17
91.17 ²	52.34 ² + 38.15 ²	- 112.49 =	$\sqrt{12,506.87}$	- 112.49 =	111.83 - 112.49 =	- 0.66
90.29 ²	51.95 ² + 35.96 ²	- 112.49 =	$\sqrt{12,144.21}$	- 112.49 =	110.20 - 112.49 =	- 2.29
89.34 ²	51.57 ² + 35.66 ²	- 112.49 =	$\sqrt{11,912.74}$	- 112.49 =	109.15 - 112.49 =	- 3.34
88.58 ²	51.30 ² + 37.33 ²	- 112.49 =	$\sqrt{11,871.64}$	- 112.49 =	108.96 - 112.49 =	- 3.53
88.18 ²	51.22 ² + 40.57 ²	- 112.49 =	$\sqrt{12,041.07}$	- 112.49 =	109.73 - 112.49 =	- 2.76


AMPL = 0.2739 x 84.3 = 23.09^k MOORING LINE 75/FT Buoy AMPL $\frac{75}{2809} \times 3.63 = 2.78'$
 2 x 23.09 = 64.19^k MOORING LINE (3.63 + 2.78) x 75 = 63.75^k

2

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & Co., INC.


COMPANY			SHEET NO
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE



**ENGINEERING DEPARTMENT
COMPUTATION SHEET**

J. RAY MCDERMOTT & CO., INC.

COMPANY			SHEET NO
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE



REVISED


BUOY DESIGN

SECTION IV

COMPANY			SHEET NO.
SUBJECT BOUY DESIGN			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

AT HORIZ MOORING LOAD OF 735^k
 MAX HORIZ CHAIN LOAD = 625^k TAN CHAIN ANGLE = $\frac{73}{625} = 0.1168$
 MAX VERT CHAIN LOAD = 73^k CHAIN ANGLE = $6^{\circ}40'$ OFF HORIZ
 TOTAL CHAIN LOAD = 629^k < PROOF TEST OK.
 BOUY HEEL ANGLE = 14.0°

TOTAL ANGLE OF CHAIN LOAD TO SKIRT = $14.0 + 6.7 = 20.7^{\circ}$
 HORIZ. LOAD IN SKIRT = $629 \times 0.93565 = 588.5^k$
 VERT. LOAD IN SKIRT = $629 \times 0.35293 = 222.0^k$
 CHAIN STOPPER $\frac{222.0}{2} = 111^k$ SUPPORT



$SREQ'D = \frac{152.6 \times 12}{24} = 76.3 \text{ IN}^3$


$I_{REQ'D} = 76.3 \times 12 = 915.6 \text{ IN}^4$

24x1/2 WEB: $\frac{576.0}{339.6 \text{ IN}^4}$

FLANGES

FLANGE AREA REQ'D: $\frac{339.6}{288} = 1.2 \text{ IN}^2$

OUT BOARD CROSS OVER



$R_B = \frac{55.5 \times 4 + 55.5 \times 6}{11.5} = 48.26^k$

$R_A = \frac{55.5 \times 5.5 + 55.5 \times 7.5}{11.5} = 62.74^k$

$M_{MAX} = 48.26 \times 5.5 = 265.43^k$

$SREQ'D = \frac{265.43 \times 12}{24} = 132.72 \text{ IN}^3$

$I_{REQ'D} = 132.72 \times 12 = 1,592.6 \text{ IN}^4$


I 24x1/2 WEB: $\frac{576.0 \text{ IN}^4}{1,016.6 \text{ IN}^4}$

I FLANGES

FLANGE AREA REQ'D: $\frac{1,016.6}{288} = 3.53 \text{ IN}^2$

COMPANY		SHEET NO.	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

INBOARD CROSSOVER



$$R_A = \frac{55.5 \times 3 + 55.5 \times 5}{9} = 49.33^k$$

$$R_B = \frac{55.5 \times 4 + 55.5 \times 6}{9} = 61.67^k$$

$$M_{MAX} = 49.33 \times 4 = 197.32^k$$

$$S_{REQ'D} = \frac{197.32 \times 12}{24} = 98.66 \text{ IN}^3$$


$$I_{REQ'D} = 98.66 \times 12 = 1,183.92$$

$$I \text{ 29x1/2 WEB} = \frac{576.00}{}$$

$$I \text{ FLANGES} = \frac{607.92}{}$$

$$\text{FLANGE AREA REQ'D} = \frac{607.92}{288} = 2.11 \text{ IN}^2$$

CENTER RADIAL



$$48.26 \times 1.5 = 72.4^k$$

$$M = 92.5 \times 3.5 + 72.4 \times 9.5 = 1,011.55^k$$

$$S_{REQ'D} = \frac{1,011.55 \times 12}{24} = 505.8 \text{ IN}^3$$


$$I_{REQ'D} = 505.8 \times 12 = 6,069.6 \text{ IN}^4$$

$$I \text{ 24x3/4 WEB} = \frac{864.00 \text{ IN}^4}{}$$

$$I \text{ FLANGES} = \frac{5,205.6 \text{ IN}^4}{}$$

$$\text{FLANGE AREA REQ'D} = \frac{5,205.6}{288} = 18 \text{ IN}^2$$

SIDE RADIAL



$$M = 49.33 \times 1.75 + 62.79 \times 7.25 = 541.2^k$$

$$S_{REQ'D} = \frac{541.2 \times 12}{24} = 270.6 \text{ IN}^3$$

$$I_{REQ'D} = 270.6 \times 12 = 3,247.2 \text{ IN}^4$$

$$I \text{ 29x1/2 WEB} = \frac{576.00 \text{ IN}^4}{}$$

$$I \text{ FLANGES} = \frac{2,671.2 \text{ IN}^4}{}$$

$$\text{FLANGE AREA REQ'D} = \frac{2,671.2}{288} = 9.28 \text{ IN}^2$$

TOP & BOTT R 3/4"

COMPANY	SHEET NO
---------	----------

SUBJECT MOORING LINE DESIGN

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

MOORING LINES TO TANKER USE NYLON HEAVY-MARINE LAY

USE S.F. OF 3 FOR MAX STATIC WIND & CURRENT LOAD

22,500 DWT TANKER

LOADED

BOW LINE

42.5^k

STERN LINE

89.0^k

70,000 DWT TANKER

LOADED

BOW LINE

300.0^k

STERN LINE

400.0^k

BALLAST

BOW LINE

33.0^k

STERN LINE

73.0^k

BALLAST

BOW LINE

260^k

STERN LINE

300.0^k

USE 3 1/2" φ NYLON LINE BREAK STRENGTH 300^k

22,500 DWT TANKER

LOADED

BOW LINE

1 - 3 1/2 φ

S.F. 7.0

S.C. 9 1/4 FT

STERN LINE

1 - 3 1/2 φ

S.F. = 3.6

S.C. 22 1/4 FT

70,000 DWT TANKER

LOADED

BOW LINE

3 - 3 1/2 φ

S.F. = 3.0

S.C. = 82.5 FT

STERN LINE

4 - 3 1/2 φ

S.F. = 3.0

S.C. = 110 FT

BALLAST

BOW LINE

1 - 3 1/2 φ

S.F. = 9.0

S.C. 7 1/4 FT

STERN LINE

1 - 3 1/2 φ

S.F. 4.1

S.C. 20 1/4 FT

BOW LINE

3 - 3 1/2 φ

S.F. = 4.5

S.C. = 47 1/4 FT

STERN LINE

4 - 3 1/2 φ

S.F. 4.0

S.C. 75 1/4 FT


DESIGN MOORING SYSTEM FOR BREAKING STRENGTH OF 4 - 3 1/2 φ NYLON MOORING LINES WITH 6" DIFF IN LENGTH OF EACH 100' LINE TOTAL BREAKING STRENGTH = 300 + 240 + 180 + 135 = 855^k IN STERN MOORING LINES → 735^k HORIZONTAL MOORING FORCE AT BUOY

ENGINEERING DEPARTMENT
COMPUTATION SHEET

MCD 14003

J. RAY McDERMOTT & Co., INC.

COMPANY		SHEET NO	
SUBJECT Buoy DESIGN			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE



BHD STIFF TOP LEVEL

$$N = 2.0 \times 10.0 \times 0.83 = 16.6$$

$$L = 10.0 \rightarrow L 5 \times 3\frac{1}{2} \times \frac{5}{16}$$

BOTT. LEVEL

$$N = 2.0 \times 20.0 \times 0.83 = 33.2$$

$$L = 10.0 \rightarrow L 7 \times 4 \times \frac{3}{8}$$

BOTT STIFF INSIDE

$$N = 1.5 \times 25.0 \times 0.83 = 31.1$$

$$L = 8.0 \rightarrow L 6 \times 3\frac{1}{2} \times \frac{5}{16}$$

OUTSIDE

$$N = 1.5 \times 25.0 \times 0.83 = 31.1$$

$$L = 8.7 \rightarrow L 6 \times 3\frac{1}{2} \times \frac{5}{16}$$

SKIRT

$$N = 2.4 \times 25.0 \times 0.66 = 39.6$$

$$L = 10.0 \rightarrow L 7 \times 4 \times \frac{7}{16}$$

$$N = 2.4 \times 23.0 \times 0.66 = 36.9$$

$$L = 10.0 \rightarrow L 7 \times 4 \times \frac{7}{16}$$

2

ENGINEERING DEPARTMENT
COMPUTATION SHEET

MCD 14003

J. RAY McDERMOTT & CO., INC.

COMPANY

SHEET NO


SUBJECT

DRAWING NUMBER


COMPUTER

CHECKED BY

DATE



BOTTOM FRAMING



MACH DEK FRAMING

2

ENGINEERING DEPARTMENT
COMPUTATION SHEET

MCD 14003


J. RAY MCDERMOTT & CO., INC.


COMPANY SHEET NO

SUBJECT

DRAWING NUMBER COMPUTER CHECKED BY DATE

$3/16" = 1'-0"$





2

ENGINEERING DEPARTMENT
COMPUTATION SHEET

MCD 14003


J. RAY MCDERMOTT & CO., INC.

COMPANY SHEET NO

SUBJECT Buoy ALENG LAYOUT

DRAWING NUMBER COMPUTER CHECKED BY DATE

1" = 50'



22,500 DWT



70,000 DWT



2

ENGINEERING DEPARTMENT
COMPUTATION SHEET

MCD 14003

J. RAY McDERMOTT & Co., INC.

COMPANY

SHEET NO

SUBJECT

DRAWING NUMBER


COMPUTER

CHECKED BY


DATE

1" = 50'

22,500 D



70




22,500 DWT TANKER



60'WD

150'WD

70,000 DWT TANKER



60'WD

150'WD

J

ENGINEERING DEPARTMENT
COMPUTATION SHEET

MCD 14003

J. RAY MCDERMOTT & CO., INC.

COMPANY

SHEET NO

SUBJECT

ROTATING DECK DESIGN


DRAWING NUMBER

COMPUTER


CHECKED BY

DATE

1/4" = 1'-0






165
237
472



2

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

VERTICAL BENDING IN GIRDER



\bar{y}	d	Ad	d	Ad^2
31.5	12.4	300.6	11.9	4,843.9
42.0	0	$\frac{1}{2} \times 78 \times 24^2$		2,016.0
31.5	-12.4	-300.6	-12.4	4,843.9
105.0		0		I = 11,702.6

$S = \frac{11,702.6}{12} = 975.2 \text{ in}^3$



$f_b = \frac{1007 \times 12}{975.2} = 12.4 \text{ KSI}$

COMPANY		SHEET NO.	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

LOAD FOR BOUGIE WHEELS

HORIZ. NORMAL MAX OPERATING LOAD = 480^k
 MAX HORIZ LOAD = 855^k (BREAKING MOORING LINES)

VERT. NORMAL MAX OPERATING LOAD = $480 \times \sin 33^\circ = 255^k$
 MAX VERT LOAD = 490^k (BREAKING MOORING LINES)



ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & Co., INC.


COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

HORIZ. ROLLERS

LOAD / SET OF WHEELS 118^k

TRY 18" WHEELS ALLOWABLE LOAD / 1" = $1.22 \times 18 = 21.96^k$

WIDTH REQ'D. $\frac{112}{21.96} = 5.375"$ OR $2.6875" / \text{WHEEL}$



WHEEL EQUALIZER BEAM $l = 2.4'$

$M / \text{BEAM} = \frac{112 \times 1.2}{2} = 70.8^k$ $SREQ'D. \frac{70.8 \times 12}{24} = 35.4 \text{ IN}^3 = \frac{d \times 13^2}{8}$


$d = \frac{35.4 \times 6}{16.9} = 1.25 \rightarrow 2 - 1 \frac{1}{4}" R$

CENTER EQUALIZER BEAM $l = 4.75'$

$M / \text{BEAM} = \frac{236 \times 2.375}{2} = 280.25^k$ $SREQ'D. = \frac{280.25 \times 12}{24} = 140.13 = \frac{d \times 24^2}{6}$

$d = \frac{140.13 \times 6}{141.0} = 1.9 \rightarrow 2 - 2" R$

WHEEL SHAFT



$M = 59 \times 115 = 59 \times 375 = 45,725^k$

$SREQ'D. \frac{45,725 \times 12}{24} = 22,862.5^k = 0.098175 d^3$


$d^3 = \frac{22,862.5}{0.098175} = 232,851 \text{ IN}^3$ $d = 6.16" \rightarrow 6 \frac{1}{4}"$

**ENGINEERING DEPARTMENT
COMPUTATION SHEET**

J. RAY McDERMOTT & CO., INC.

COMPANY		SHEET NO.	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

HORIZ BEND IN GIRDER



24x77	210	12.9	3,229.0
2x36x77	650	46x77x36	6,804.0
24x77	210	12.4	3,229.0
	105.0	0	<u>13,262.0</u>

$$S = \frac{13,262.0}{18} = 736.8 \text{ IN}^3$$

$$f_b = \frac{200 \times 12}{736.8} = 14.7 \text{ KSI}$$


COMPANY		SHEET NO.	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

SHEAR @ EDGE OF WHEEL 59^k
 AREA REQ'D = $\frac{59}{15} = 3.93 \text{ IN}^2 \rightarrow 2" \phi$


BENDING @ EDGE OF WHEEL $59 \times 2.375 = 140.0125^k$
 $SREQ'D = \frac{140.0125}{24} = 5.83 \text{ IN}^3 \cdot 0.098175 d^3$

$d^3 = \frac{5.83}{0.098175} = 59.4 \text{ IN}^3 \quad d = 3.9 \rightarrow 4" \phi$

BEARING LOADING = $\frac{59}{14.25} = 3.47 \text{ KSI}$



CENTER SHAFT WHEEL EQUALIZER Load 118^k /BEAM



$M = 118 \times (1.3 \cdot 0.375) = 109.15^k$
 $SREQ'D = \frac{109.15 \times 12}{24} = 54.575 \text{ IN}^3 \cdot 0.098175 d^3$


$d^3 = \frac{54.575}{0.098175} = 555.90 \text{ IN}^3 \quad d = 8.23 \rightarrow 8 1/4$

M AT EDGE OF BEARING $118 \times 3 = 354^k$ $SREQ'D = \frac{354}{24} = 14.75 \text{ IN}^3 \cdot 0.098175 d^3$


$d^3 = \frac{14.75}{0.098175} = 150.29 \quad d = 5.35 \rightarrow 5 3/8$

BEARING LOADING = $\frac{118}{5 1/4 \times 5 1/4} = 3.99 \text{ KSI}$

COMPANY			SHEET NO.
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE



CENTER SHAFT CENTER EQUALIZER



$$M = 236 \times (1.3 - 0.95) = 82.6 \text{ K}$$

$$S_{REQD} = \frac{82.6 \times 12}{24} = 41.3 \text{ IN}^3 = 0.098175 d^3$$

$$d^3 = \frac{41.3}{0.098175} = 420.7 \quad d = 7.5$$

SHEAR @ EDGE OF BEARING: 236 AREA REQD = $\frac{236}{15.73} = 15.0$ → 4 1/2"

BENDING @ EDGE OF BEARING: $236 \times 2.75 = 649 \text{ K}$ $S_{REQD} = \frac{649 \times 12}{24} = 324.5 \text{ IN}^3 = 0.098175 d^3$


$$d^3 = \frac{324.5}{0.098175} = 3306 \text{ IN}^3 \quad d = 14.9 \text{ φ}$$

BEARING LOADING = $\frac{236}{6.5 \times 3.5} = 10.3 \text{ KSI}$

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & Co., INC.

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE



BEARING IN GIRDER $\frac{236}{1 \times 2} = 9.8 \text{ KSI OK}$

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.


COMPANY	SHEET NO.
---------	-----------

SUBJECT			
---------	--	--	--

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

VERT. ROLLERS 100" / ROLLER → 19φ x 6
 ALLOWABLE = 122 x 14 x 6 = 1025" OK
 BENDING & EDGE OF BEARING = $\frac{100 \times 3.25}{24} = 162.5"$
 STREQD = $\frac{162.5 \times 12}{24} = 81.25 = 0.098175 d^3$

$$d^3 = \frac{81.25}{0.098175} = 827.6 \text{ in}^3 \quad d = 9.4 \rightarrow 9\frac{1}{2}$$




WHEEL	0.5 x 523.1	=	261.6
	0.5 x 241.0	=	120.5
			141.1
SHAFT	1.2 x 384.5	=	461.4
	0.6 x 241.0	=	120.5
			581.9

TOTAL 723.0#

16 REQD 11,568#

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE



$$\begin{aligned}
 2.8 \times 5.5 \times 81.6 &= 1,256.6 \\
 0.785 \times 122.4 &= 96.1 \\
 2 \times 0.91 \times 122.4 &= 132.4 \\
 &= 1,485.1 \\
 - 0.785 \times 209.0 &= 46.9 \\
 - 2 \times 0.159 \times 209.0 &= 69.9 \\
 &= 1,373.3 \#
 \end{aligned}$$

CENTER EQUALIZER BEAM



WHEEL EQUALIZER BEAM

$$\begin{aligned}
 208 \times 3 \times 51 &= 318.2 \\
 2 \times 0.77 \times 1043 &= 164.8 \\
 4 \times 0.46 \times 42.7 &= 78.6 \\
 1.375 \times 781.8 &= 250.0 \\
 2 \times 0.46 \times 77.2 &= 71.0 \\
 &= 882.6 \#
 \end{aligned}$$

$$\begin{aligned}
 \text{CENTER SHAFT } 20 \times 384.5 &= 769.0 \\
 2 \times 0.46 \times 112.8 &= 103.8 \\
 &= 872.6 \#
 \end{aligned}$$

$$\text{WHEEL } \pi \times 0.75 \times 153.0 = 270.8 \#$$


$$\begin{aligned}
 \text{WT OF 1 BOGIE ASSEMBLY } 2 \times 1,373.3 &= 2,746.6 \\
 1 \times 872.6 &= 872.6 \\
 2 \times 882.6 &= 1,765.2 \\
 2 \times 318.2 &= 636.4 \\
 1 \times 270.8 &= 2,166.4 \\
 &= 8,187.2 \# \\
 5 \text{ REQ'D } - 5 \times 8,187.2 &= 40,936.0 \#
 \end{aligned}$$

DONUT BUOY INVESTIGATION

A NIGHT 348

COMPANY			SHEET NO
SUBJECT DONUT BUOY INVESTIGATION			
DRAWING NUMBER	COMPUTER NDB	CHECKED BY	DATE 4-29-66

DONUT BUOY 150' WD
MAX. EXCURSION 40' MAX. MOORING LOAD 300k
40' ϕ β MIN 20°



$$\tan \alpha = \frac{40}{150} = 0.26667 \quad \alpha = 15^\circ$$

$$P = \frac{300}{\sin 15^\circ} = \frac{300}{0.2598} = 1,159.2^k$$

$$\text{COUNTER WT} = 1,159.2 \times \sin 20^\circ = 1,159.2 \times 0.3420 = 396.4^k$$

NET BUOYANCY REQ'D.

$$= 396.4 + 1,159.2 \times \cos 15^\circ = 1,516.1^k$$

$$40' \phi = 40 \times 3.14 = 125.6'$$

$$\text{NET DISPL/FT} = \frac{1,600}{125.6} = 12.74^k$$

$$\text{WT of Buoy/FT} = \pi \times D \times 0.026 = 0.0816D$$

$$\text{DISPL/FT} = \frac{\pi D^2}{4} \times 1.026 = 0.0167D^2 = 0.0502D'$$

$$0.0502D' - 0.0816D - 12.74 = 0$$

$$D = \frac{0.0816 \pm \sqrt{0.0816^2 - 4 \times 0.0502 \times (-12.74)}}{2 \times 0.0502} = \frac{0.0816 \pm \sqrt{0.0067 + 2.5582}}{0.1004}$$

$$= \frac{0.0816 \pm 1.6215}{0.1004} = \frac{1.6831}{0.1004} = 16.76' \text{ SAY } 17' \phi$$

$$L_1 = \frac{150}{\cos \alpha} = \frac{150}{0.9659} = 155.3' \quad \Delta L = 5.3'$$

$$L_2 = \frac{20}{\cos \beta} = \frac{20}{0.7337} = 27.3' \quad L_2' = 21.3 + 5.3 = 26.6'$$

$$\cos \beta' = \frac{20}{26.6} = 0.7519 \quad \beta' = 41^\circ 15'$$

$$P' = \frac{396.4}{\sin \beta} = \frac{396.4}{0.6594} = 601.2^k$$

$$\text{NET BUOYANCY} = 396.4 + 601.2 = 997.6^k$$

$$\Delta \text{ BUOYANCY} = 1,516.1 - 997.6 = 518.5^k$$

COMPANY		SHEET NO.	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE


CHECK DONUT BUOY 150' WD

40' Ø DIAM 17" RING COUNTER WT 400k

PLATE AREA - $\pi^2 \times 40 \times 17 = 6,704.5 \text{ FT}^2$	
78R + 25% STIFF = $6,704.5 \times 1.25 \times 15.3 =$	128.1k
ROTATING DECK	100.0k
SWIVEL	25.0k
SHEAVES	25.0k
ANCHOR CHAIN	25.0k
ANCHOR CHAIN LOAD	1,119.8k
COUNTER WT	400.0k
TOTAL DISPL REQ'D	<u>1,822.9k</u>

DISPL. = $\frac{1}{4} \pi^2 \times 40 \times 17^2 \times 0.064 = 1,825.0 \text{ k}$ OK

USE SAME BUOY FOR 60' WD.



$\tan \alpha = \frac{40}{60} = 0.6667 \quad \alpha = 33^\circ 50'$

$P = \frac{300}{\sin 33^\circ 50'} = \frac{300}{0.5568} = 538.8 \text{ k}$

COUNTER WT = $538.8 \times \sin 20^\circ = 538.8 \times 0.3420 = 184.3 \text{ k}$

NET BUOYANCY REQ'D = $184.3 + 538.8 \times \cos 33^\circ 50' = 184.3 + 538.8 \times 0.8307 = 184.3 + 447.6 = 631.9 \text{ k}$

DISPL. AVAILABLE	1,825.0k
REQ'D	631.9k
TOTAL BUOY WT	278.1k
ANCHOR CHAIN	13.0k
BALLAST	<u>902.0k</u>

$L_1 = \frac{60}{\cos 33^\circ 50'} = \frac{60}{0.8307} = 72.2'$

$L_2 = \frac{20}{\cos 20} = 21.3$ CHAIN 1121213: 93.5'

150' WD	60' WD
BUOY WT 278.1k	278.1k
COUNTER WT 400.0k	185.0k
Nº ANCHOR 100' ANCHOR 12	6"
TOTAL LGTH CHAIN 12x180 = 2,160'	6x95 = 570

COMPANY	SHEET NO
---------	----------

SUBJECT

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

N d B

4-25-66

0° $L_1 = 150'$ $L_2 = 26.6'$ $CW = 400'$

$\cos \beta = \frac{20}{26.6} = 0.7519$ $\beta = 41.15'$
 $P_c = \frac{400}{\sin \beta} = \frac{400}{0.6594} = 606.6'$

$P_H = 606.6 \times \sin 0^\circ = 0$

5° $L_1 = \frac{150}{\cos 5^\circ} = 150.6'$ $L_2 = 26.0'$ $CW = 400'$

$\cos \beta = \frac{20.0}{26.0} = 0.7692$ $\beta = 39^\circ 40'$
 $P_c = \frac{400}{\sin \beta} = \frac{400}{0.6383} = 626.7'$

$P_H = 626.7 \times \sin 5^\circ = 626.7 \times 0.0872 = 54.6'$

$\Delta_H = 150 \tan 5^\circ = 150 \times 0.0875 = 13.1'$

10° $L_1 = \frac{150}{\cos 10^\circ} = 152.3'$ $L_2 = 24.3'$

$\cos \beta = \frac{20}{24.3} = 0.8230$ $\beta = 34^\circ 35'$
 $P_c = \frac{400}{\sin \beta} = \frac{400}{0.5636} = 704.7'$

$P_H = 704.7 \times \sin 10^\circ = 704.7 \times 0.1737 = 122.4'$

$\Delta_H = 150 \tan 10^\circ = 150 \times 0.1763 = 26.4'$

15° $L_1 = \frac{150}{\cos 15^\circ} = 155.3'$ $L_2 = 21.3'$

$\cos \beta = \frac{20.0}{21.3} = 0.9390$ $\beta = 20^\circ$
 $P_c = \frac{400}{\sin 20^\circ} = \frac{400}{0.3420} = 1,169.6'$

$P_H = 1,169.6 \times \sin 15^\circ = 1,169.6 \times 0.2598 = 302.7'$

$\Delta_H = 150 \tan 15^\circ = 150 \times 0.2680 = 40.2'$

COMPANY		SHEET NO.	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
	N d B		4-25-66

60' W/O
BUOY 40' Ø DIAM X 17' H
COUNTER WT 185^k
6 ANCHORS

0° $L_1 = 60'$ $L_2 = 33.5'$ $CW = 185^k$
 $\cos \beta = \frac{20.0}{33.5} = 0.5970$ $\beta = 53^\circ 20'$
 $P_C = \frac{185}{\sin \beta} = \frac{185}{0.8021} = 230.6^k$
 $P_H = 230.6 \times \sin 0^\circ = 0^k$

5° $L_1 = \frac{60}{\cos 5^\circ} = \frac{60}{0.9962} = 60.2'$ $L_2 = 33.3'$ $CW = 185^k$

$\cos \beta = \frac{20}{33.3} = 0.6006$ $\beta = 53^\circ$
 $P_C = \frac{185}{\sin \beta} = \frac{185}{0.7986} = 231.7^k$

$P_H = 231.7 \times \sin 5^\circ = 231.7 \times 0.0872 = 20.2^k$
 $\Delta_H = 60 \times \tan 5^\circ = 60 \times 0.0875 = 5.3'$

10° $L_1 = \frac{60}{\cos 10^\circ} = \frac{60}{0.9848} = 60.9'$ $L_2 = 32.6'$

$\cos \beta = \frac{20}{32.6} = 0.6135$ $\beta = 52^\circ 10'$

$P_C = \frac{185}{\sin \beta} = \frac{185}{0.7898} = 234.2^k$

$P_H = 234.2 \times \sin 10^\circ = 234.2 \times 0.1737 = 40.7'$
 $\Delta_H = 60 \times 0.1763 = 10.6'$

15° $L_1 = \frac{60}{\cos 15^\circ} = \frac{60}{0.9659} = 62.1$ $L_2 = 31.4'$

$\cos \beta = \frac{20}{31.4} = 0.6369$ $\beta = 50^\circ 30'$

$P_C = \frac{185}{\sin \beta} = \frac{185}{0.7716} = 239.8^k$

$P_H = 239.8 \times \sin 15^\circ = 239.8 \times 0.2598 = 62.1^k$
 $\Delta_H = 60 \times 0.2680 = 16.1'$

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
	NAD		4-25-66

$$20^\circ \quad L_1 = \frac{60}{\cos 20^\circ} = \frac{60}{0.9397} = 63.9' \quad L_2 = 29.6'$$

$$\cos \beta = \frac{20.0}{29.6} = 0.6757 \quad \beta = 47^\circ 30'$$

$$P_C = \frac{185}{\sin \beta} = \frac{185}{0.7373} = 250.9$$

$$P_H = 250.9 \times \sin 20^\circ = 250.9 \times 0.3420 = 85.8^k$$

$$\Delta H = 60 \times 0.3640 = 21.8'$$

$$25^\circ \quad L_1 = \frac{60}{\cos 25^\circ} = \frac{60}{0.9063} = 66.2 \quad L_2 = 27.3$$

$$\cos \beta = \frac{20}{27.3} = 0.7326 \quad \beta = 42^\circ 50'$$

$$P_C = \frac{185}{\sin \beta} = \frac{185}{0.6799} = 272.1^k$$

$$P_H = 272.1 \times \sin 25^\circ = 272.1 \times 0.4226 = 115.0^k$$

$$\Delta H = 60 \times 0.4663 = 28.0'$$

$$30^\circ \quad L_1 = \frac{60}{\cos 30^\circ} = \frac{60}{0.8660} = 69.3' \quad L_2 = 29.2$$

$$\cos \beta = \frac{20}{29.2} = 0.6864 \quad \beta = 34^\circ 20'$$

$$P_C = \frac{185}{\sin \beta} = \frac{185}{0.5640} = 328.0^k$$

$$P_H = 328.0 \times \sin 30^\circ = 328.0 \times 0.5000 = 164.0^k$$

$$\Delta H = 60 \times 0.5774 = 34.6'$$

$$34^\circ \quad L_1 = \frac{60}{\cos 34^\circ} = \frac{60}{0.8290} = 72.4' \quad L_2 = 21.1$$

$$\cos \beta = \frac{20}{21.1} = 0.9479 \quad \beta = 18^\circ 40'$$

$$P_C = \frac{185}{\sin \beta} = \frac{185}{0.3228} = 573.1^k$$

$$P_H = 573.1 \times \sin 34^\circ = 573.1 \times 0.5592 = 320.5^k$$

$$\Delta H = 60 \times 0.6745 = 40.5'$$


ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

150' WD
Buoy 40' ϕ DAM x 17' ϕ
COUNTER WT 400K
12 ANCHORS

4-25-66




COMPANY		SHEET NO	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

NdB

4-25-66

60' WD
Buoy 40' L DIAM x 17' ϕ
COUNTER WT 185K
6 ANCHORS



EXCURSION 1" = 6'

COMPANY: CHECKING MOTION STUDY SHEET NO.

SUBJECT: COMPUTER OUTPUT

DRAWING NUMBER COMPUTER CHECKED BY DATE

70,000 DWT TANKER LOADED DRAFT $X = 20^\circ$
 $L = 831.9$ $B = 102$ $\Delta = 204,985$ $T_w = 12$ $A = \frac{831.9 \cdot 210}{7}$
 $\Sigma Z(\gamma) = 0.22$ $\Sigma \psi(\gamma) = 0.30$ $T_{SU} = 6815$ $T_{SW} = 89,03$
 $T_H = 9.8$ $T_P = 12.0$ $T_R = 12.0$ $T_{SY} = 639,019,271$
 $\Sigma Z(\gamma) = 0.22$ $\Sigma \psi(\gamma) = 0.30$ $C_{MP} = 0.0401$ $C_{AR} = 0.0146$

$M_z = 2.0$	$M_\psi = 2.7$	$M_\phi = 5.2$	DOUBLE AMPL.	
$A_{HEAVE} = \frac{5.0 \times 0.22 \times 2.0}{6} = 2.2'$				4.4'
$A_{PITCH} = \frac{0.0401 \times 0.30 \times 2.7}{6} = 0.0325 \text{ RAD} = 1.86^\circ$				3.7°
$A_{ROLL} = 0.0146 \times 5.2 = 0.0759 \text{ RAD} = 4.35^\circ$				8.7°
$A_{SURGE} = \frac{0.0401 \times 0.30 \times 204,985}{6,815 \times 0.27} = \frac{2,460}{1,840} = 1.34'$				2.7'
$A_{SWAY} = \frac{0.0146 \times 204,985}{8,903 \times 0.27} = \frac{898}{2,404} = 0.38'$				0.8'
$A_{YAW} = \frac{0.0146 \times 204,985 \times 210}{639,019,271 \times 0.27} = \frac{628,489}{172,535,203} = 0.0036 \text{ RAD} = 0.21^\circ$				0.4°

AT BUOY 2A HEAVE = 4.8'
 2A PITCH = 13.65'
 2A ROLL = 7.74'
 2A SURGE = 2.7'
 2A YAW = 1.5'

ENGINEERING DEPARTMENT
COMPUTATION SHEET
MCD 5013

J. RAY McDERMOTT & Co., INC.

$K_H = 0.5$ $K_{SO} = 0.3$
 $K_P = 0.9$ $K_{SW} = 0.5$
 $K_R = 0.2$ $K_Y = 0.9$

COMPANY	SHEET NO
---------	----------

SUBJECT			
---------	--	--	--

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

DWT = 22,500 L = 579.2 B = 77.0
 DRAFT LOADED Δ = 70,099 X = 0° A = $\frac{579.2 + 100}{2} = 389.6$
 $T_H = 8.2$ $T_P = 10.0$ $T_R = 10.2$ MSU = 2,325 MSW = 3126
 $J = 107,889,965$ H = 10
 $T_w = 10.0$ $M_H = 2.0$ $M_P = 2.7$ $M_R = \text{---}$

$E_z = 0.17$ $E_\psi = 0.27$ $C_{MP} = 0.0613$ $C_{MR} = 0.0$

$A_{MH} = \frac{10}{2} \times 0.17 \times 2.0 = 1.7'$

$A_{MP} = 0.0613 \times 0.27 \times 2.7 = 0.0447 \text{ RAD}$

$A_{MR} = 0.0 \times 0.0 = 0$

$A_{SU} = \frac{0.0613 \times 0.27 \times 70,099 \times 10^2}{6.28^2 \times 2,325} = \frac{116,020}{21,698} = 5.35'$

$A_{SW} = \frac{0.0 \times 0.27 \times 70,099 \times 10^2}{3126 \times 6.28^2} = 0.0$

$A_{Y} = \frac{0.0 \times 70,099 \times 128.0 \times 10^2}{107,889,965 \times 6.28^2} = 0.0$

$E_H = 70^\circ$ $E_P = 68^\circ$ $E_R = 78^\circ$ $E_{SU} = 72^\circ$ $E_{SW} = 65^\circ$ $E_Y = 68^\circ$

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

MCD 5015

COMPANY	SHEET NO.
---------	-----------

SUBJECT			
---------	--	--	--

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE
----------------	----------	------------	------

SURSE

0	78	78	0.57437	$\times 1.3 = 1.27$
30	108	72	0.95106	= 1.24
60	138	42	0.66913	= 0.87
90	168	12	0.20791	= 0.27
120	198	-18	-0.90902	= -0.40
150	228	-48	-0.74344	= -0.97
180	258	-78	-0.97437	= -1.27
210	288	-72	-0.95106	= -1.24
240	328	-42	-0.66913	= -0.87
270	348	-12	-0.20791	= -0.27
300	28	18	0.30902	= 0.40
330	48	98	0.74344	= 0.97

SWAY - 0.00
YAW = 0.00

	X	Y	Z	P	R	Y
0	1.27	0	17.62	256	0	0
30	1.24	0	18.10			
60	0.87	0	13.72			
90	0.27	0	5.67			
120	-0.40	0	-3.89			
150	-0.97	0	-12.92			
180	-1.27	0	-17.62			
210	-1.24	0	-18.10			
240	-0.87	0	-13.72			
270	-0.27	0	-5.67			
300	0.40	0	3.89			
330	0.97	0	12.92			

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY MCDERMOTT & CO., INC.

COMPANY _____ SHEET NO _____

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

HEAVE

ANGLE	DEPTH	HEIGHT	COEFFICIENT	RESULT
0°	30	30	0.86603	+1.47
30°	60	60	0.50000	+0.85
60°	90	90	0.00000	+0.00
90°	120	60	-0.50000	-0.85
120°	150	30	-0.86603	-1.47
150°	180	0	-1.00000	-1.70
180°	210	30	-0.86603	-1.47
210°	240	60	-0.50000	-0.85
240°	270	90	0.00000	+0.00
270°	300	120	0.50000	+0.85
300°	330	150	0.86603	+1.47
330°	0	180	1.00000	+1.70
360°	30	180		

SIN PITCH

ANGLE	DEPTH	HEIGHT	COEFFICIENT	RESULT
0	68	68	0.92718	× 17.415 = 16.15
30	98	+82	0.99027	= 17.25
60	128	+52	0.78801	= 13.72
90	158	+22	0.37461	= 6.52
120	188	-8	-0.13917	= -2.42
150	218	-38	-0.61566	= -10.72
180	248	-68	-0.92718	= -16.15
210	278	-82	-0.99027	= -17.25
240	308	-52	-0.78801	= -13.72
270	338	-22	-0.37461	= -6.52
300	08	8	0.13917	= 2.42
330	38	38	0.61566	= 10.72

Roll
0.00

COMPANY _____ SHEET NO 22

SUBJECT **VOIDED SHEET**

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE 11-22-65

M 22,500 DWT LIGHT

Tw	A	Mz	A	Mψ	A	Mψ	A	Mx	A	My	A	Mθ
6	1.05	2.1	1.35	1.2	1.67	0.7	1.10	2.6	13.50	0.04		
7	0.90	2.2	1.16	2.5	1.43	1.0	0.99	3.4	11.57	0.05		
8	0.79	2.0	0.01	5.1	1.25	1.5	0.83	2.7	10.13	0.05		
9	0.70	1.7	0.90	4.0	1.11	2.2	0.73	2.1	9.00	0.06		
10	0.63	1.5	0.81	2.6	1.00	2.7	0.66	1.7	8.10	0.07		
11	0.57	1.4	0.74	2.3	0.91	2.7	0.60	1.6	7.36	0.07		
12	0.53	1.3	0.68	1.9	0.83	2.3	0.55	1.5	6.75	0.08		
13	0.48	1.3	0.62	1.7	0.77	2.0	0.51	1.4	6.23	0.09		

M 46000 DWT LOADED

	A	Mz	A	Mψ	A	Mψ	A	Mx	A	My	A	Mθ
6	1.52	0.8	1.82	0.5	1.83	0.5	2.42	0.3	29.13	0.02		
7	1.30	1.2	1.56	0.8	1.57	0.7	2.07	0.4	20.69	0.02		
8	1.14	1.8	1.36	1.2	1.38	1.1	1.81	0.5	18.10	0.03		
9	1.01	2.2	1.21	2.0	1.22	1.7	1.61	0.7	16.99	0.03		
10	0.91	2.2	1.09	3.2	1.10	2.2	1.45	0.9	14.48	0.04		
11	0.83	2.1	0.99	5.1	1.00	2.7	1.32	1.2	13.16	0.04		
12	0.76	1.8	0.91	4.0	0.92	2.7	1.21	1.8	12.07	0.04		
13	0.70	1.7	0.84	3.2	0.85	2.5	1.12	2.5	11.14	0.05		

M 46,000 DWT BALLAST

	A	Mz	A	Mψ	A	Mψ	A	Mx	A	My	A	Mθ
6	1.32	1.2	1.83	0.5	1.82	0.5	1.80	0.5	21.88	0.02		
7	1.13	1.7	1.57	0.7	1.56	0.7	1.54	0.8	18.76	0.03		
8	0.99	2.2	1.38	1.2	1.36	1.2	1.35	1.2	16.41	0.03		
9	0.88	2.2	1.22	1.9	1.21	1.7	1.20	1.9	14.59	0.04		
10	0.79	2.0	1.10	3.2	1.09	2.2	1.08	2.7	13.13	0.04		
11	0.72	1.8	1.00	5.2	0.99	2.7	0.98	3.5	11.94	0.04		
12	0.66	1.6	0.92	4.0	0.91	2.7	0.90	3.2	10.94	0.05		
13	0.61	1.5	0.85	3.2	0.84	2.3	0.83	2.7	10.10	0.05		

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & Co., INC.

COMPANY _____ SHEET NO. 23

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE 11-22-65

46,000 DWT LIGHT

	A	Mz	A	Mφ	A	Mφ	A	Mx	A	My	A	Mθ
6	1.20	1.6	1.60	0.7	1.83	0.5	1.43	0.9	20.43	0.02		
7	1.03	2.1	1.37	1.2	1.57	0.8	1.23	1.6	17.51	0.03		
8	0.90	2.2	1.20	2.1	1.38	1.1	1.08	2.7	15.33	0.03		
9	0.80	2.0	1.07	4.0	1.22	1.7	0.96	3.4	13.62	0.04		
10	0.72	1.8	0.96	5.2	1.10	2.2	0.86	2.8	12.26	0.04		
11	0.65	1.6	0.87	3.5	1.00	2.7	0.78	2.3	11.15	0.05		
12	0.60	1.5	0.80	2.6	0.92	2.7	0.72	2.0	10.22	0.05		
13	0.55	1.4	0.74	2.3	0.85	2.5	0.66	1.7	9.43	0.06		

70000 DWT LOADED

	A	Mz	A	Mφ	A	Mφ	A	Mx	A	My	A	Mθ
6	1.63	0.7	2.00	0.4	2.00	0.4	3.23	0.2	30.67	0.02		
7	1.40	1.0	1.71	0.6	1.71	0.6	2.77	0.2	26.29	0.02		
8	1.23	1.4	1.50	0.8	1.50	0.8	2.43	0.3	23.00	0.02		
9	1.09	1.9	1.33	1.2	1.33	1.2	2.16	0.3	20.44	0.02		
10	0.98	2.2	1.20	2.0	1.20	1.7	1.94	0.4	18.40	0.03		
11	0.89	2.2	1.09	3.2	1.09	2.2	1.76	0.5	16.73	0.03		
12	0.82	2.0	1.00	5.2	1.00	2.7	1.62	0.6	15.33	0.03		
13	0.75	1.7	0.92	4.2	0.92	2.7	1.49	0.8	14.15	0.04		

70000 DWT BALLAST

	A	Mz	A	Mφ	A	Mφ	A	Mx	A	My	A	Mθ
6	1.40	1.0	1.97	0.4	2.08	0.3	2.38	0.3	27.73	0.02		
7	1.20	1.6	1.69	0.6	1.79	0.5	2.04	0.4	23.77	0.02		
8	1.05	2.1	1.48	0.8	1.56	0.7	1.79	0.5	20.80	0.02		
9	0.93	2.2	1.31	1.3	1.39	1.0	1.59	0.7	18.49	0.03		
10	0.84	2.1	1.18	2.1	1.25	1.3	1.43	0.9	16.64	0.03		
11	0.76	1.8	1.07	4.0	1.14	2.0	1.30	1.3	15.13	0.03		
12	0.70	1.7	0.98	5.2	1.04	2.5	1.19	1.9	13.87	0.04		
13	0.65	1.6	0.91	4.0	0.96	2.7	1.10	2.6	12.80	0.04		

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO. INC.

MCD 5015

COMPANY			SHEET NO. 24	
SUBJECT				
DRAWING NUMBER		COMPUTER		CHECKED BY
				DATE 11-22-65

70,000 DWT LIGHT

	A	μz	A	μy	A	μy	A	μx	A	μy	A	μz
6	1.28	1.3	1.72	0.5	2.02	0.5	1.92	0.9	25.93	0.02		
7	1.10	1.8	1.47	0.9	1.73	0.6	1.69	0.7	22.23	0.02		
8	0.96	2.3	1.29	1.4	1.51	0.8	1.44	1.0	19.45	0.03		
9	0.86	2.2	1.14	2.5	1.34	1.2	1.28	1.4	17.29	0.03		
10	0.77	1.8	1.03	4.6	1.21	1.7	1.15	2.2	15.56	0.03		
11	0.70	1.7	0.94	4.8	1.10	2.2	1.05	3.2	14.15	0.04		
12	0.64	1.6	0.86	3.2	1.01	2.7	0.96	3.4	12.97	0.04		
13	0.59	1.5	0.79	2.5	0.93	2.7	0.88	3.1	11.97	0.04		

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY McDERMOTT & CO., INC.

MCD 14003

COMPANY _____ SHEET NO. 25
 SUBJECT _____
 DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE 11-24-65

60' W.D

ΔL 1,5	H_1	H_5	ΔL 2,4,6,8	$0.707 \times (H_{2+8})$	$0.707 \times (H_{4+16})$	ΔL 1,5
0	6.0	-6.0	0	8.5	-8.5	0
2.5	9.0	-5.0	1.8	18.3	-7.1	2.5
5	10.2	-4.5	3.5	14.1	-6.4	5
7.5	18.0	-4.0	5.3	17.0	-5.9	7.5
10	28.0	-3.5	7.1	24.0	-5.5	10
12.5	51.0	-3.0	8.8	32.5	-4.9	12.5
15	117.0	-2.5	10.6	45.2	-4.5	15
16.25	200.0	-2.3	12.5	58.0	-4.2	17.5

ΔL	$F_H 60'$	ΔL	$F_H 150'$
0	0	0	0
2.5	8.2	2.5	11.1
5	13.4	5	25.0
7.5	25.1	7.5	38.0
10	43.0	10	52.5
12.5	75.6	12.5	67.8
15	155.2	15	89.0
16.25	251.5	17.5	111.4
		20	139.0
		22.5	175.5
		25	212.2
		27.5	280.0

HORIZONTAL ANCHOR FORCES IN 60' W.D & 150' W.D

-65

150' WD

$\lambda(H_4 + H_6)$	Δ	H_1	H_5	Δ	$0.707(H_2 + H_8)$	$0.707(H_4 + H_6)$
	1.5			24.68		
8.5	0	24.0	-24.0	0	+33.8	-33.9
7.1	2.5	27.0	-21.5	1.8	+36.0	-30.4
6.4	5	31.0	-18.0	3.5	+39.6	-27.6
5.9	7.5	35.5	-16.5	5.3	+44.5	-25.5
5.5	10	41.5	-14.5	7.1	+49.9	-24.0
4.9	12.5	49.0	-13.0	8.8	+53.7	-21.9
4.5	15	59.0	-11.0	10.6	+61.5	-20.5
4.2	17.5	71.0	-10.5	12.4	+69.3	-18.4
	20	87.0	-9.5	14.1	+77.8	-16.3
	22.5	111.0	-9.0	15.9	+89.1	-15.6
	25	132.5	-8.0	17.7	+102.5	-14.8
	27.5	183.0	-7.0	19.4	+117.4	-13.4

2


ENGINEERING DEPARTMENT
COMPUTATION SHEET
MCD 5015

J. RAY McDERMOTT & Co., INC.

COMPANY	SHEET NO. 26
---------	--------------

SUBJECT

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE 11-29-65
----------------	----------	------------	---------------




ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY MCDERMOTT & CO., INC.

COMPANY	SHEET NO. 27
---------	--------------

SUBJECT

DRAWING NUMBER	COMPUTER	CHECKED BY	DATE 11-29-65
----------------	----------	------------	---------------



COMPANY			SHEET NO. 28
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE 11-29-68

22,500 DWT 60' WD

LOADED

$$T_{SURGE} = \frac{6.28}{\sqrt{\frac{32.2 \times 47.2}{4.766}}} = \frac{6.28}{\sqrt{0.3189}} = \frac{6.28}{0.565} = 11.1 \text{ SEC}$$

BALLAST

$$T_{SURGE} = \frac{6.28}{\sqrt{\frac{32.2 \times 47.2}{2.618}}} = \frac{6.28}{\sqrt{0.5805}} = \frac{6.28}{0.762} = 8.2 \text{ SEC}$$

LIGHT

$$T_{SURGE} = \frac{6.28}{\sqrt{\frac{32.2 \times 47.2}{1.662}}} = \frac{6.28}{\sqrt{0.9144}} = \frac{6.28}{0.956} = 6.6 \text{ SEC}$$

46,000 DWT 60' WD

LOADED

$$T_{SURGE} = \frac{6.28}{\sqrt{\frac{32.2 \times 47.2}{8.082}}} = \frac{6.28}{\sqrt{0.1880}} = \frac{6.28}{0.433} = 14.5 \text{ SEC}$$

BALLAST

$$T_{SURGE} = \frac{6.28}{\sqrt{\frac{32.2 \times 47.2}{4.447}}} = \frac{6.28}{\sqrt{0.3418}} = \frac{6.28}{0.584} = 10.8 \text{ SEC}$$

LIGHT

$$T_{SURGE} = \frac{6.28}{\sqrt{\frac{32.2 \times 47.2}{2.822}}} = \frac{6.28}{\sqrt{0.5386}} = \frac{6.28}{0.733} = 8.6 \text{ SEC}$$

70,000 DWT 60' WD

LOADED

$$T_{SURGE} = \frac{6.28}{\sqrt{\frac{32.2 \times 47.2}{14.441}}} = \frac{6.28}{\sqrt{0.1052}} = \frac{6.28}{0.324} = 19.4 \text{ SEC}$$

BALLAST

$$T_{SURGE} = \frac{6.28}{\sqrt{\frac{32.2 \times 47.2}{7.942}}} = \frac{6.28}{\sqrt{0.1914}} = \frac{6.28}{0.438} = 14.3 \text{ SEC}$$

LIGHT

$$T_{SURGE} = \frac{6.28}{\sqrt{\frac{32.2 \times 47.2}{5.054}}} = \frac{6.28}{\sqrt{0.3007}} = \frac{6.28}{0.548} = 11.5 \text{ SEC}$$

COMPANY _____ SHEET NO. 29

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE 11-29-61

22,500 DWT 150' WD
 LOADED T_{SURGE} = $\frac{6.28}{\sqrt{\frac{32.2 \times 20.2}{4,766}}} = \frac{6.28}{\sqrt{0.1365}} = \frac{6.28}{0.370} = 17.0 \text{ SEC}$

BALLAST T_{SURGE} = $\frac{6.28}{\sqrt{\frac{32.2 \times 20.2}{2,618}}} = \frac{6.28}{\sqrt{0.2484}} = \frac{6.28}{0.498} = 12.6 \text{ SEC}$

LIGHT T_{SURGE} = $\frac{6.28}{\sqrt{\frac{32.2 \times 20.2}{1,662}}} = \frac{6.28}{\sqrt{0.3913}} = \frac{6.28}{0.625} = 10.0 \text{ SEC}$

46,000 DWT 150' WD
 LOADED T_{SURGE} = $\frac{6.28}{\sqrt{\frac{32.2 \times 20.2}{8,082}}} = \frac{6.28}{\sqrt{0.0805}} = \frac{6.28}{0.284} = 22.1 \text{ SEC}$

BALLAST T_{SURGE} = $\frac{6.28}{\sqrt{\frac{32.2 \times 20.2}{4,497}}} = \frac{6.28}{\sqrt{0.1463}} = \frac{6.28}{0.383} = 16.4 \text{ SEC}$

LIGHT T_{SURGE} = $\frac{6.28}{\sqrt{\frac{32.2 \times 20.2}{2,822}}} = \frac{6.28}{\sqrt{0.2305}} = \frac{6.28}{0.479} = 13.1 \text{ SEC}$

70,000 DWT 150' WD
 LOADED T_{SURGE} = $\frac{6.28}{\sqrt{\frac{32.2 \times 20.2}{14,491}}} = \frac{6.28}{\sqrt{0.0450}} = \frac{6.28}{0.212} = 29.6 \text{ SEC}$

BALLAST T_{SURGE} = $\frac{6.28}{\sqrt{\frac{32.2 \times 20.2}{7,942}}} = \frac{6.28}{\sqrt{0.0819}} = \frac{6.28}{0.286} = 22.0 \text{ SEC}$

LIGHT T_{SURGE} = $\frac{6.28}{\sqrt{\frac{32.2 \times 20.2}{5,054}}} = \frac{6.28}{\sqrt{0.1287}} = \frac{6.28}{0.359} = 17.5 \text{ SEC}$

ENGINEERING DEPARTMENT
COMPUTATION SHEET

J. RAY MCDERMOTT & CO., INC.

COMPANY _____ SHEET NO 30

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE 11-29-65

22,500 DWT 60' W.D. 1/2 L + 100'

$$\text{LOADED } T_{\text{SWAY}} = T_{\text{YAW}} = \frac{1.108 \times 192.8}{\sqrt{\frac{10.5 \times 579.2 \times 100}{131,545}} \times 4.2} = \frac{1.108 \times 192.8}{\sqrt{\frac{637,510}{131,545}}} = \frac{213.6}{\sqrt{4.85}} = \frac{213.6}{2.20} = 97.1 \text{ SEC}$$

$$\text{BALLAST } T_{\text{SWAY}} = T_{\text{YAW}} = \frac{1.108 \times 205.9}{\sqrt{\frac{637,510}{92,846}}} = \frac{1.108 \times 205.9}{\sqrt{6.87}} = \frac{228.14}{2.62} = 87.1 \text{ SEC}$$

$$\text{LIGHT } T_{\text{SWAY}} = T_{\text{YAW}} = \frac{1.108 \times 219.3}{\sqrt{\frac{637,510}{79,513}}} = \frac{1.108 \times 219.3}{\sqrt{8.56}} = \frac{237.44}{2.93} = 81.0 \text{ SEC}$$

46,000 DWT 60' W.D. 1/2 L + 100'

$$\text{LOADED } T_{\text{SWAY}} = T_{\text{YAW}} = \frac{1.108 \times 240.5}{\sqrt{\frac{884,860}{251,986}}} = \frac{1.108 \times 240.5}{\sqrt{3.38}} = \frac{266.47}{1.84} = 144.8 \text{ SEC}$$

$$\text{BALLAST } T_{\text{SWAY}} = T_{\text{YAW}} = \frac{1.108 \times 256.0}{\sqrt{\frac{884,860}{190,103}}} = \frac{1.108 \times 256.0}{\sqrt{4.65}} = \frac{283.65}{2.16} = 131.3 \text{ SEC}$$

$$\text{LIGHT } T_{\text{SWAY}} = T_{\text{YAW}} = \frac{1.108 \times 265.6}{\sqrt{\frac{884,860}{159,218}}} = \frac{1.108 \times 265.6}{\sqrt{5.74}} = \frac{294.28}{2.40} = 122.6 \text{ SEC}$$

70,000 DWT 60' W.D. 1/2 L + 100'

$$\text{LOADED } T_{\text{SWAY}} = T_{\text{YAW}} = \frac{1.108 \times 280.6}{\sqrt{\frac{1,133,934}{400,116}}} = \frac{1.108 \times 280.6}{\sqrt{2.83}} = \frac{310.90}{1.69} = 184.0 \text{ SEC}$$

$$\text{BALLAST } T_{\text{SWAY}} = T_{\text{YAW}} = \frac{1.108 \times 298.9}{\sqrt{\frac{1,133,934}{286,474}}} = \frac{1.108 \times 298.9}{\sqrt{3.96}} = \frac{331.18}{1.99} = 166.4 \text{ SEC}$$

$$\text{LIGHT } T_{\text{SWAY}} = T_{\text{YAW}} = \frac{1.108 \times 310.4}{\sqrt{\frac{1,133,934}{231,538}}} = \frac{1.108 \times 310.4}{\sqrt{4.90}} = \frac{343.92}{2.21} = 155.6 \text{ SEC}$$

COMPANY _____ SHEET NO. 31

SUBJECT _____

DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE 11-29-65

22,500 DWT 150' WD 1/2 L + 100'

$$\text{LOADED TSWAY-TYAW} = \frac{1.108 \times 192.8}{\sqrt{\frac{880,372}{131,545}}} = \frac{1.108 \times 192.8}{\sqrt{6.69}} = \frac{213.62}{2.59} = 82.5 \text{ SEC}$$

$$\text{BALLAST TSWAY-TYAW} = \frac{1.108 \times 205.9}{\sqrt{\frac{880,372}{92,846}}} = \frac{1.108 \times 205.9}{\sqrt{9.48}} = \frac{228.19}{3.08} = 74.1 \text{ SEC}$$

$$\text{LIGHT TSWAY-TYAW} = \frac{1.108 \times 219.3}{\sqrt{\frac{880,372}{79,513}}} = \frac{1.108 \times 219.3}{\sqrt{11.82}} = \frac{237.49}{3.44} = 69.0 \text{ SEC}$$

46,000 DWT 150' WD 1/2 L + 100'

$$\text{LOADED TSWAY-TYAW} = \frac{1.108 \times 240.5}{\sqrt{\frac{1,221,950}{261,986}}} = \frac{1.108 \times 240.5}{\sqrt{4.66}} = \frac{266.47}{2.16} = 123.4 \text{ SEC}$$

$$\text{BALLAST TSWAY-TYAW} = \frac{1.108 \times 256.0}{\sqrt{\frac{1,221,950}{190,103}}} = \frac{1.108 \times 256.0}{\sqrt{6.43}} = \frac{283.65}{2.54} = 111.7 \text{ SEC}$$

$$\text{LIGHT TSWAY-TYAW} = \frac{1.108 \times 265.6}{\sqrt{\frac{1,221,950}{159,218}}} = \frac{1.108 \times 265.6}{\sqrt{7.92}} = \frac{294.28}{2.82} = 104.4 \text{ SEC}$$

70,000 DWT 150' WD 1/2 L + 100'

$$\text{LOADED TSWAY-TYAW} = \frac{1.108 \times 280.6}{\sqrt{\frac{1,565,908}{400,116}}} = \frac{1.108 \times 280.6}{\sqrt{3.91}} = \frac{310.90}{1.98} = 157.0 \text{ SEC}$$

$$\text{BALLAST TSWAY-TYAW} = \frac{1.108 \times 298.9}{\sqrt{\frac{1,565,908}{286,474}}} = \frac{1.108 \times 298.9}{\sqrt{5.47}} = \frac{321.18}{2.34} = 141.5 \text{ SEC}$$

$$\text{LIGHT TSWAY-TYAW} = \frac{1.108 \times 310.4}{\sqrt{\frac{1,565,908}{231,538}}} = \frac{1.108 \times 310.4}{\sqrt{6.76}} = \frac{343.92}{2.60} = 132.3 \text{ SEC}$$

ENGINEERING DEPARTMENT
COMPUTATION SHEET
MCD 9015

J. RAY McDERMOTT & Co., INC.

COMPANY		SHEET NO.	
SUBJECT			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

HARMONIC MOTION
Z = SINGLE AMPLITUDE.
VELOCITY = $\frac{2\pi Z}{T}$

$$Z = \frac{\text{FORCE}}{\text{MASS}} \times \left(\frac{T}{2\pi}\right)^2$$

$$Z = \frac{\text{MOMENT}}{\text{POLAR MASS MOM. OF INERTIA}} \times \left(\frac{T}{2\pi}\right)^2$$

$$\text{ACCELERATION} = Z \times \left(\frac{2\pi}{T}\right)^2 = \frac{\text{FORCE}}{\text{MASS}} = \frac{\text{MOM}}{\text{POLAR MASS MOM. OF INERTIA}}$$

TANKERS T = LOADED DRAFT \approx 0.72 DEPTH
BALLAST CONDITION T_{AFT} = 0.8 T T_{FWD} = 0.3 T
LIGHT CONDITION T_L = 0.26 T

COMPANY		SHEET NO. 2	
SUBJECT <i>VOID</i>			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

BALLAST
KM = 1.1 KM_{LOADED}

KM_L = 1.05 KM_{LOADED}

$$T_R = \frac{1.108k}{VGM} = 10.3, 10.7, 11.1$$

$$T_p = \frac{1.108K_L}{VGM_L} = 10.5, 10.0, 11.5$$

22,500
KG = 21.7
KM = 25.7
KM_L = 601.0

46,000
KG = 25.4
KM = 29.4
KM_L = 743.0

70,000
KG = 31.1
KM = 35.1
KM_L = 870.0

BALLAST

$$31,294 \times 21.7$$

$$- 25,647 \times 22.0$$

$$15,647 \times 21.4$$

$$59,156 \times 25.4$$

$$- 29,578 \times 26.0$$

$$29,578 \times 24.8$$

$$91,511 \times 31.1$$

$$- 45,755 \times 32.0$$

$$45,756 \times 30.2$$

KM = 28.3 KM_L = 631
KG = 21.4 KG = 21.4
GM = 6.9 GM_L = 609.6

KM = 32.3 KM_L = 780
KG = 24.8 KG = 24.8
GM = 7.5 GM_L = 755.2

KM = 38.6 KM_L = 919
KG = 30.2 KG = 30.2
GM = 8.4 GM_L = 883.8

LIGHT

$$31,294 \times 21.7$$

$$- 21,906 \times 22.0$$

$$9,388 \times 24.0$$

$$59,156 \times 25.4$$

$$- 41,409 \times 26.0$$

$$17,747 \times 24.0$$

$$91,511 \times 31.1$$

$$- 64,058 \times 32.0$$

$$27,453 \times 29.0$$

KM = 33.4 KM_L = 721.2
KG = 21.0 KG = 21.0
GM = 12.4 GM_L = 700.2

KM = 38.2 KM_L = 891.6
KG = 24.0 KG = 24.0
GM = 14.2 GM_L = 867.6

KM = 45.6 KM_L = 1091.0
KG = 29.0 KG = 29.0
GM = 16.6 GM_L = 1,044.4

COMPANY VOLD SHEET NO 3

SUBJECT

DRAWING NUMBER COMPUTER CHECKED BY DATE

BALLAST

LIGHT

$$J_L = 228.4^2 \times 31,299 = 1,632,500,329$$

$$\frac{1}{2} \times 1.8 \times 15,647 \times (579^2 + 42.7^2) = 791,106,061$$

$$K_L = \sqrt{\frac{841,394,268}{15,647}} = 231.9$$

$$T_p = \frac{1.108 \times 231.9}{\sqrt{\frac{609.6}{29.7}}} = 10.4 \text{ SEC}$$

$$J_L = 266.1^2 \times 59,156 = 4,188,289,627$$

$$\frac{1}{2} \times 1.8 \times 29,578 \times (718.0^2 + 50.0^2) = 2,298,317,081$$

$$K_L = \sqrt{\frac{1,890,472,546}{29,578}} = 252.8$$

$$T_p = \frac{1.108 \times 252.8}{\sqrt{\frac{755.2}{27.5}}} = 10.2 \text{ SEC}$$

$$J_L = 301.0^2 \times 91,511 = 8,290,988,111$$

$$\frac{1}{2} \times 1.8 \times 45,755 \times (839.1^2 + 60.0^2) = 4,857,049,292$$

$$K_L = \sqrt{\frac{3,433,943,869}{45,755}} = 274.0$$

$$T_p = \frac{1.108 \times 274.0}{\sqrt{\frac{883.8}{29.7}}} = 10.2 \text{ SEC}$$

$$\frac{1}{2} \times 1.8 \times 21,906 \times (579^2 + 42.7^2) = 1,107,558,578$$

$$K_L = \sqrt{\frac{524,941,731}{7,388}} = 236.5$$

$$T_p = \frac{1.108 \times 236.5}{\sqrt{\frac{708.2}{26.5}}} = 9.9 \text{ SEC}$$

$$\frac{1}{2} \times 1.8 \times 41,403 \times (718.0^2 + 50.0^2) = 3,217,628,372$$

$$K_L = \sqrt{\frac{970,161,252}{17,797}} = 233.9$$

$$T_p = \frac{1.108 \times 233.9}{\sqrt{\frac{883.8}{29.7}}} = 8.7 \text{ SEC}$$

$$\frac{1}{2} \times 1.8 \times 64,058 \times (839.1^2 + 60.0^2) = 6,799,968,091$$

$$K_L = \sqrt{\frac{1,491,620,820}{27,453}} = 253.0$$

$$T_p = \frac{1.108 \times 253.0}{\sqrt{\frac{1,044.4}{32.3}}} = 8.7 \text{ SEC}$$

COMPANY		SHEET NO. 4	
SUBJECT VOID			
DRAWING NUMBER	COMPUTER	CHECKED BY	DATE

BALLAST

LIGHT

$$J_T = 18.6^2 \times 31,294 = 10,827,724$$

$$\frac{1}{2} \times 1.8 \times 15,647 \times (77^2 + 42^2) = 18,194,332$$

$$\frac{1}{2} \times 1.8 \times 21,906 \times (77^2 + 42^2) = 25,472,207$$

$$K_T = \sqrt{\frac{15,647}{2.63}}$$

$$K_T = \sqrt{\frac{9,388}{3.52}}$$

$$T_R = \frac{1.108 \times 2.63}{\sqrt{6.9}}$$

$$T_R = \frac{1.108 \times 3.52}{\sqrt{12.4}}$$

$$J_T = 19.3^2 \times 59,156 = 22,035,610$$

$$\frac{1}{2} \times 1.8 \times 29,578 \times (102^2 + 50^2) =$$

$$\frac{1}{2} \times 1.8 \times 41,409 \times (102^2 + 50^2) =$$

$$K_T = \sqrt{\frac{29,578}{2.77}}$$

$$K_T = \sqrt{\frac{17,747}{3.77}}$$

$$T_R = \frac{1.108 \times 2.77}{\sqrt{7.5}}$$

$$T_R = \frac{1.108 \times 3.77}{\sqrt{14.2}}$$

$$J_T = 20.0^2 \times 91,511 = 36,609,400$$

$$\frac{1}{2} \times 1.8 \times 45,756 \times (165^2 + 60^2) =$$

$$\frac{1}{2} \times 1.8 \times 64,058 \times (115^2 + 60^2) =$$

$$K_T = \sqrt{\frac{45,756}{2.90}}$$

$$K_T = \sqrt{\frac{27,453}{4.07}}$$

$$T_R = \frac{1.108 \times 2.90}{\sqrt{8.4}}$$

$$T_R = \frac{1.108 \times 4.07}{\sqrt{16.6}}$$

**ENGINEERING DEPARTMENT
COMPUTATION SHEET**

MCD 14003

J. RAY McDERMOTT & Co., INC.

COMPANY _____ SHEET NO _____
 SUBJECT _____
 DRAWING NUMBER _____ COMPUTER _____ CHECKED BY _____ DATE _____

DWT	L.O.A.	L _{NL}	B	D	LOADED			BALLAST			LIGHT			LOADED			
					T	T _A	T _F	T	T _A	T _F	T	T _A	T _F	T _H	T _R	T _S	T _S
22,500	595	579.2	77.0	42.7	32.4	25.9	9.7	11.3	34,294	15,647	9,388	8.0	10.3	10.5			
46,000	736	718.0	102.0	50.0	37.8	30.2	11.9	13.2	59,156	29,578	12,747	8.5	10.7	11.0			
70,000	859	839.1	115.0	60.0	44.0	35.2	13.2	15.4	91,511	45,756	27,453	9.2	11.1	11.5			

	LOADED			BALLAST			LIGHT			LOADED			
	K/FT	GM	GML	K/FT	GM	GML	K/FT	GM	GML	α	M _{4H}	M ₂₅	M _{15W}
	2,409.0	4	580	2,340.5	6.9	610	2,246.3	12.4	700	0.844	71.044	70.14	
	3,904.9	4	720	3,805.9	7.5	760	3,666.3	14.2	870	0.833	134.042	132.02	
	5,163.0	4	840	5,027.1	8.4	880	4,841.8	16.6	1,090	0.836	207.011	205.79	

VVV

LOADED					BALLAST						LIGHT					
TR	T	TS	Tsw	Ty	TH	TR	TP	TS	Tsw	Ty	TH	TR	TP	TS	Tsw	Ty
10.3	10.5					10.1	10.4					9.6	9.9			
10.7	10.2					9.7	10.2					8.9	8.7			
11.1	10.5					9.6	10.2					8.3	8.7			

LOADED					BALLAST						LIGHT					
M _{1H}	M _{1S}	M _{1SW}	K _P ·K _Y	K _R	α	M _{1H}	M _{1S}	M _{1SW}	K _P ·K _Y	K _R	α	M _{1H}	M _{1S}	M _{1SW}	K _P ·K _Y	K _R
71.044	70.14		228.9	18.6	0.870	35.953	35.953	35.953	231.9	29.0	0.787	21.910	21.050		236.5	30.5
39.42	132.0		266.1	19.3	0.802	67.720	66.309		252.8	29.0	0.788	41.18	39.787		232.9	28.6
22.011	205.70		321.0	20.0	0.814	104.430	102.563		274.0	25.1	0.784	63.783	61.540		253.0	30.5

2