CORPS OF ENGINEERS NEW YORK NORTH ATLANTIC DIV F/G 8/6
NORTH ATLANTIC REGIONAL WATER RESOURCES STUDY. APPENDIX F. UPST--ETC(U)
MAY 72 AD-A036 627 UNCLASSIFIED NL 1 OF 2 AD A036627

North Atlantic Regional
Water Resources Study

GER AVID THE THE ME THOUSE HOL



Denner 1977 Bl



Jpstream Flood Prevention and Water Management

406 959

NORTH ATLANTIC REGIONAL WATER RESOURCES STUDY COORDINATING COMMITTEE

4P

The North Atlantic Regional Water Resources (NAR) Study examined a wide variety of water and related land resources, needs and devices in formulating a broad, coordinated program to guide future resource development and management in the North Atlantic Region. The Study was authorized by the 1965 Water Resources Planning Act (PL 89-80) and the 1965 Flood Control Act (PL 89-298), and carried out under guidelines set by the Water Resources Council.

The recommended program and alternatives developed for the North Atlantic Region were prepared under the direction of the NAR Study Coordinating Committee, a partnership of resource planners representing some 25 Federal, regional and State agencies. The NAR Study Report presents this program and the alternatives as a framework for future action based on a planning period running through 2020, with bench mark planning years of 1980 and 2000.

The planning partners focused on three major objectives -- National Income, Regional Development and Environmental Quality -- in developing and documenting the information which decision-makers will need for managing water and related land resources in the interest of the people of the North Atlantic Region.

In addition to the NAR Study Main Report and Annexes, there are the following 22 Appendices:

- A. History of Study
- B. Economic Base
- C. Climate, Meteorology and Hydrology
- D. Geology and Ground Water
- E. Flood Damage Reduction and Water
 Management for Major Rivers and
 Coastal Areas
- F. Upstream Flood Prevention and Water Management
- G. Land Use and Management
- H. Minerals

ACCESSION for

DISTRIBUTION

HTIS

000

White Section

VALLABILITY CODES

AVAIL and/or SPECIAL

- I. Irrigation
- J. Land Drainage
- K. Navigation
- L. Water Quality and Pollution
- M. Outdoor Recreation
- No Visual and Cultural Environment
- O. Fish and Wildlife
- P. Power
- Q. Erosion and Sedimentation
- R. Water Supply
- S. Legal and Institutional Environment
- T. Plan Formulation
- U. Coastal and Estuarine Areas
- V. Health Aspects






Approved for public release; Distribution Unlimited

WATER RESOURCES NEEDS AND POTENTIALS FOR AN EXPANDING SOCIETY

Appendix F Upstream Flood Prevention and Water Management




North Atlantic Regional Water Resources Study Group

North Atlantic Division

Corps of Engineers, U.S. Army

for the



NORTH ATLANTIC REGIONAL WATER RESOURCES STUDY COORDINATING COMMITTEE

TARLE	OF	CONTENTS

	Page
List of Tables	iii
List of Figures	iv
I - SYLLABUS	F-1
II - INTRODUCTION	
PURPOSE AND SCOPE	
Purpose	F-3
Scope	F-3
HISTORY	F-3 F-4
Floods	F-5
Water Management METHODOLOGIES AND ASSUMPTIONS	1-)
Establish Study Areas	F-6
Existing Data	F-6
Upstream Watershed Inventory	F-6
Delineating Flood Damage Area	F-6
Floodwater Damage Evaluation	F-7
Present Average Annual Flood Damage	F-8
Engineering Analysis of Structure Sites	F-10 F-12
Structure Site Costs	F-15
Present Flood Damage Reduction Benefits Project Classification	F-15
Damage Projections	F-17
Agricultural Damage	F-17
Nonagricultural Damage	F-17
Projections with Structural Flood Prevention Measures	F-18
Objectives	F-19
National Efficiency	F-19
Regional Development	F-19 F-19
Environmental Quality Extent and Timing of Structural Flood Prevention Measures	F-20
Economic Justification	F-20
Community Action	F-22
Flood Plain Management	F-24
Watershed Protection	F-24
RELATION TO OTHER PARTS OF THE REPORT	F-24
Flood Prevention	F-24
Water Management	F-25
Price Base and Interest	F-25
III - REGIONAL SUMMARY	
PRESENT STATUS	F-27
Flooding Area Inundated	F-27
Types and Amounts of Damage	F-27
Water Management	F-28

	Page
PROBLEMS AND NEEDS	
Flooding	F-28
Present Damages	F-28
Future Damages	F-29
Water Management	F-29
MEANS TO SATISFY DEMANDS	
Flooding	F-31
Structural Measures	F-31
Watershed Protection	F-31
Flood Plain Management	F-32
Water Management	F-32
Storage	F-32
Ground Water	F-35
Diversion	F-35
Programs and Agency Activities in Upstream Water	
Resource Development	F-35
Agencies	F-35
Programs	F-37
Needed Research	F-39
CONCLUSIONS	T 20
Flooding	F-39
Water Management	F-40
IV - SUBREGIONAL SUMMARY	
IA - PODICIONAL POLENICI	
SUBREGION A (Areas 1, 2, 3, 4 and 5)	
Flooding	F-43
Extent and Timing of Flood Prevention Measures	F-43
Water Management	F-44
Programs and Activities	F-44
Area 1 Summary	F-46
Area 2 Summary	F-47
Area 3 Summary	F-48
Area 4 Summary	F-49
Area 5 Summary	F-50
SUBREGION B (Areas 6, 7, 8, 9 and 10)	
Flooding	F-51
Extent and Timing of Flood Prevention Measures	F-51
Water Management	F-52
Programs and Activities	F-52
Area 6 Summary	F-54
Area 7 Summary	F-55
Area 8 Summary	F-56
Area 9 Summary	F-57
Area 10 Summary	F-58
SUBREGION C (Areas 11, 12 and 13)	
Flooding	F-59
Extent and Timing of Flood Prevention Measures	F-59
Water Management	F-60
Programs and Activities	F-60
Area 11 Summary	F-62
Area 12 Summary	F-63
Area 13 Summary	F-64

		Page
SUBREGION	D (Areas 14, 15 and 16)	
Flooding		F-65
Extent and	Timing of Flood Prevention Measures	F-65
Water Mana	gement	F-66
	and Activities	F-66
Area 14 Su		F-68
Area 15 Su		F-69
Area 16 Su		F-70
	E (Areas 17 and 18)	1-10
Flooding	- (cas 1) and 10)	F-71
_	Timing of Flood Prevention Measures	
Water Mana		F-71
	and Activities	F-72
Area 17 Su		F-72
		F-74
Area 18 Su		F-75
	F (Areas 19, 20 and 21)	
Flooding		F-77
	Timing of Flood Prevention Measures	F-77
Water Mana		F-78
	and Activities	F-78
Area 19 Su		F-80
Area 20 Su		F-81
Area 21 Su	ımma ry	F-82
BIBLIOGRAF	HY	F-83
	Tram on manage	1
	LIST OF TABLES	
Table No.		Page
F-1	Weighted Damage Projection Factors	F-18
F-2	Probability of Community Action to Implement	
	Potential Flood Prevention Projects	F-21
F-3	North Atlantic Region, Upstream Flood Damages	
	and Structural Measures Summary	F-30
F-4	Upstream Flood Damages, Water Management and	- 50
	Structural Measures, Subregion A follows	F-50
F-5	Upstream Flood Damages, Water Management and	, 1-,0
1-)	Structural Measures, Subregion B follows	F-58
F-6		s r-)0
r-0	Upstream Flood Damages, Water Management and Structural Measures. Subregion C follows	- F 61.
D 7		5 r -04
F-7	Upstream Flood Damages, Water Management and	T 70
- 0	Structural Measures, Subregion D follows	F-70
F-8	Upstream Flood Damages, Water Management and	n ac
	Structural Measures, Subregion E follows	F-75
F-9	Upstream Flood Damages, Water Management and	- 0-
	Structural Measures, Subregion F follows	F-82

LIST OF FIGURES

Figure	No.	Page
F-1	North Atlantic Region, Subregions and Areas follows	F-6
F-2	Average Annual Direct Damages vs. Flood Plain Crop and Pasture	F-7
F-3	Dollar Damage per \$1000 Market Value vs.	
	Water Depth	F-7
F-4	Ratio-Average Annual to Key Flood vs.	
	Key Flood Frequency	F-8
F-5	Discharge Frequency Curves for Selected	
	U.S.G.S. Stream Gages	F-9
F-6	Flood Frequency Curves	F-9
F-7	Annual Runoff	F-11
F-8	Reservoir Storage Requirement in Percent	
	of Average Annual Runoff	F-11
F-9	Freeboard vs. Drainage Area for Class "C"	
	Structures	F-12
F-10	Height of Fill vs. Length of Fill for a	
	Notched Valley	F-13
F-11	Height of Fill vs. Length of Fill for a	
E 10	Parabolic Valley	F-13
F-12	Height of Fill vs. Length of Fill for a	
T 10	Rectangular Valley	F-13
F-13	Construction Cost vs. Volume of Earth Fill	F-14 F-14
F-14	Installation Services vs. Construction Cost	r -14
F-15	Percent Reduction of Damages vs. Percent of	F-15
F-16	Drainage Area Controlled	F-20
F-17	Damage Curves - Illustrative Schematic of Multipurpose Reservoir	F-33
F-18	Percent Cost vs. Percent Storage Utilized	1-33
r -10	in Upstream Reservoirs	F-33
E 10		1-22
F-19	Subregion A Upstream Flood Prevention Projects, Flood Damage Distribution and Projections, and	
	Potential Water Supply from Upstream Reservoirs	
	precedes	F_51
F-20	Subregion B Upstream Flood Prevention Projects,	エーノエ
1-20	Flood Damage Distribution and Projections, and	
	Potential Water Supply from Upstream Reservoirs	
	precedes	F-59
F-21	Subregion C Upstream Flood Prevention Projects,	. ,,
1 - 2 -	Flood Damage Distribution and Projections, and	
	Potential Water Supply from Upstream Reservoirs	
	precedes	F-65
F-22	Subregion D Upstream Flood Prevention Projects,	,
	Flood Damage Distribution and Projections, and	
	Potential Water Supply from Upstream Reservoirs	
	precedes	F-71

Figure No		Page
F-23	Subregion E Upstream Flood Prevention Projects, Flood Damage Distribution and Projections, and Potential Water Supply from Upstream Reservoirs	
	precedes	F-77
F-24	Subregion F Upstream Flood Prevention Projects, Flood Damage Distribution and Projections, and Potential Water Supply from Upstream Reservoirs	
	precedes	F-83

and the second s

I - SYLLABUS

Average annual flood damage in upstream areas in the North Atlantic Region (NAR) has increased over the years and is presently about \$55 million. If no measures are undertaken to prevent flood damages, the annual damage will increase to \$82 million in 1980, \$145 million in 2000, and \$277 million in 2020.

There have been 109 watershed projects authorized for construction, primarily for flood prevention, as of 1967. These projects include 492 floodwater retarding structures which store 527,000 acre feet of floodwater and sediment and 171,000 acre feet of water for other uses. They also include 1,474 miles of channel improvement. In addition to land already adequately treated, land treatment has been planned on 2.4 million acres. The structural and land treatment measures provide protection to damageable property on approximately 426,000 flood plain acres. The damage reduction benefits attributed to these projects amount to \$9 million annually.

Although some flood plains are managed for particular purposes, there are few complete and comprehensive flood plain management plains in the 1,314 upstream watersheds. Plans for managing the 6.1 million acres of flood plain are needed to protect or provide amenities in the form of habitat, recreational, cultural, and scenic areas, maintain or improve quantity and quality water supplies and prevent losses from flood damage. Flood plain management plans need to consider a multiplicity of non-structural and structural measures in combination.

Flood warning systems and proofing and regulation of improvements are some of the non-structural measures to reduce damages on .2 million acres of built-up flood plain. Eliminating new construction would prevent \$125 million annual damage by 2020. Establishment of green and blue belts should be considered on 1.3 million acres of flood plain subject to high damages and/or on 4.3 million acres expected to flood within each 10-year period.

There are 353 potentially feasible flood prevention projects in upstream areas. These projects include needed land treatment and management on 11.6 million acres, 1,279 floodwater retarding structures, and 4,237 miles of channel improvements. They would reduce the average annual floodwater damage by about 37 percent. A suggested extent and timing of development of these potential watersheds is that 27 percent, or 96 projects, be implemented by 1980; another 47 percent or 166 projects by 2000; and the remaining 26 percent, or 91, by 2020. The 2.2 million acre feet of floodwater retention and sediment-storage would cost \$403 million in multipurpose structures. An additional 4.1 million acre feet storage for other uses could be developed in these projects.

There are 852 upstream watersheds classed as "Potential Developments" in which 2,200 reservoir sites exist. There are projects where there appears to be little justification for flood prevention under an early action program. These sites contain total floodwater detention storage of 4 million acre feet and offer an additional storage potential of 10 million acre feet for other uses.

The physical potential 4.1 and 10.4 million acre feet storage for uses other than floodwater retention and sediment, could be developed for an estimated \$2,356 million. The 14.5 million acre feet beneficial use storages have possibilities for satisfying water needs of the region. These needs include recreation, fish and wildlife, irrigation, rural domestic and livestock, municipal and industrial water supply, and water quality control. Water needs appear in functional appendices. Amounts of beneficial storage required in upstream reservoirs to meet these needs will be determined during plan formulation and appear in the Main Report.

Most of the subregions have high potential for watershed development. Preliminary studies indicate that structural measures in potentially feasible flood prevention projects could alleviate upstream flood damages by 61 percent in Subregion A, 31 percent in Subregion B, 13 percent in Subregion C, 49 percent in Subregion D, 50 percent in Subregion E, and 35 percent in Subregion F.

Even with potential flood prevention structural measures installed there will be considerable remaining damages. Flood plain management needs to be evaluated as an alternative and/or complementary consideration to structural measures. In some instances, it appears to be the only recourse for reducing these remaining damages.

More detailed studies are needed to develop flood prevention aspects of water resource plans. Flood prevention plans incorporating structural measures, watershed protection, and flood plain management are needed in Areas 7, 9, 10, 12, 15 and 18 to prevent huge flood damages. Comprehensive plans initiated in Areas 6, 14 and 20 to solve water supply problems should include flood prevention measures. Upstream watershed investigations are needed to ascertain practicability and local interest of potentially feasible projects in areas not selected for detailed river basin studies. These investigations need to include multipurpose uses in both structural and nonstructural flood prevention measures.

II - INTRODUCTION

This is one of 22 subject appendices to the Main Report of the North Atlantic Regional Water Resources Study (Type I). The coordinated comprehensive Study provides a framework into which can be fitted projects and programs designed to best serve water and related land resource needs of people in the region.

PURPOSE AND SCOPE

Purpose

The purpose of this appendix is to develop and document the investigation and analysis of (1) flood prevention aspects in upstream watersheds, and (2) upstream storage potentials and cost of the storage. The findings serve as input to plan formulation and the main report.

Scope

The study was limited to the application of existing data, ongoing studies, and a broad inventory analysis in upstream watersheds. "Upstream" refers to those streams above a point where the total area drained is less than 250,000 acres (390 square miles). Main stems and major tributaries of more than 250,000 acres drainage area are covered in Appendix E, Flood Control and Water Management on Main Stems and Major Tributaries.

Flood damages were compiled, updated, and projected for the target years 1980, 2000 and 2020. Feasibility, benefits and costs associated with flood prevention were developed. The extent and timing of structural flood prevention measures were estimated for the time frame years 1980, 2000 and 2020. The significance of flood plain management measures was discussed. Water supply storages and costs were determined.

All studies were broad in nature and avoided local detail. The information is presented with the degree of refinement in accord with developed guidelines for comprehensive framework Type I studies.

HISTORY

The NAR has a long history of too much water when it is not wanted or too little when it is wanted. The experience of the last decade proved no exception. Floods have claimed several hundred lives and millions of dollars damage. During the same decade, there were periods in many areas where the demand for water greatly exceeded the supply.

Floods

A flood may be defined as the occurrence of a flow of such magnitude that it overtops the natural or artificial banks in a reach of river channel. This water then flows over the flood plain resulting in damages and possible loss of life.

Hoyt and Langbein⁽¹⁾ in a study of frequency of overbank flow at 140 locations in the United States found that it is remarkably consistent among rivers. They found that on the everage overbank flow of natural channels could be expected to occur every two years.

The question naturally arises as to why the channel built by the river is not generally large enough to carry the unusually high flows. This is due mainly to a series of complicated actions and reactions of water and sediment leading to a type of equilibrium between river water and river channel which requires the existence of a flood plain. A flood plain can then be defined as a relatively flat area bordering a stream and built of sediments deposited by the stream.

Types and Causes. The usual cause of floods is excessive runoff. Floods have been due to intensive rainfall, rapid snowmelt, high tide, and overtopping or failure of reservoir dams with sudden release of large volumes of water.

Storms in the region are of two general types, namely storms of tropical origin (hurricane) and storms of extra tropical origin such as thunderstorms and northeasters. Tropical storms, a result of interactions between differing air masses in the temperate zone, produce intense rainfall. Extratropical storms, a result of convection instability often occurring within an air mass, pose the greatest threat to small watersheds.

Magnitudes and Losses. Word descriptions of outstanding floods in the NAR date back to 1635.(2) There is only one reference found concerning floods prior to the coming of the English to New England in 1620 and this was considered to be legendary. Systematic records of river discharge for the most part date back only 65 years. From the descriptions, "It is fairly certain that the recent floods exceeded all historical floods back to the date of white settlement some 200 to 300 years ago".(2) This is significant in that it indicates that the highest recorded flood in the NAR covering only 65 years or so is also the highest in 200 to 300 years.

From 1902 to 1967 losses in individual severe floods in the NAR occurred in 1924, 1927, 1935, 1936, 1938, 1942, 1945, 1947, 1948, 1949, 1953 and 1955. The property damage ranged from \$2 million to in excess of \$760 million. There was a loss of life of more than 200 persons in the 1955 flood event. For the period 1925 to 1967 total NAR property damage average in excess of \$26 million annually

⁽¹⁾ Numerals in parentheses refer to the bibliography at the end of the Appendix.

with a loss of life of about 11 persons annually. For this same period of time the United States average property damage was \$203 million annually with a loss of life of 78(3) persons annually. The region compared with the country as a whole contains only 5 percent of the nation's land area bu has incurred about 13 percent of the flood losses.

Localized floods in small watersheds have occurred throughout the region every year. These floodwaters have caused an estimated damage of \$9 million annually for the period 1925 to 1967. Damage to crop and pasture accounts for about one-third of the total damage. Damage to other agricultural property such as farmsteads, fences, livestock, and farm lanes has amounted to nearly \$1 million. Much of the \$5 million annual damage to nonagricultural property occurred in rural communities and small towns; about 32 percent was to residences, 34 percent to commercial and industrial, 22 percent to transportation facilities, and 12 percent to other properties.

Over the years there has been increased movement into the flood plains by agriculture, private dwellings, industry, and other developments. This movement with its increased damageable values has been largely responsible for the increase in flood damages, rather than an increase in peak discharges or frequencies. Most of the average annual damage occurs from 10 year frequency floods and less. Floods up to a 10 year frequency cause about 75 percent of average annual damage to agricultural lands.

Water Management

"The habits of men and the forms of their social organizations have been influenced more by their close association with water than with the land by which they earned their bread." (4) Farmers have had to haul water for livestock in trucks from cities. City Councils have been warned that the growth of their cities would be limited by the availability of water. Water in the reservoirs that serve New Yorkers has been so low they were asked to cut down on the use of water. Homeowners in many areas were asked to give up watering their lawns in order to conserve municipal supplies. The proper development and utilization of the water resources is imperative to the future growth of the region.

Private groups and municipal, county, state, and federal governments have participated in water management practices. The Department of Agriculture (USDA) under its Public Law 566 (PL 566), Public Law 534 (PL 534), and Conservation Operations (CO) programs has installed structures for flood prevention, drainage and water management. In authorized PL 566 projects within the region, multiple purpose reservoirs provide about 171,000 acre feet of storage for uses other than flood prevention (1967 base year). These other uses include municipal and industrial, irrigation, recreation, fish and wildlife, and low flow augmentation. Under the CO program, the USDA has installed channels for drainage and flood prevention, tidal dikes, diversions, waterways, and farm ponds for flood prevention, irrigation, recreation, fish and wildlife, fire protection, livestock, and rural domestic use.

METHODOLOGIES AND ASSUMPTIONS

Establish Study Area

The Coordinating Committee delineated the NAR into six Subregions which are divided into 21 Areas (or Basins). Each of the 21 Areas coincide with large hydrologic units (Figure F-1). The ad hoc Work Group on Plan Formulation divided the 21 Areas into 50 Subareas.

Existing Data

Wherever possible use was made of existing data, records and reports. Data from ongoing studies of the Susquehanna River, Connecticut River, and James River were used. The Potomac River Report material was updated so as to be comparable to the other 20 Areas. Information was taken directly from PL 566, and PL 534 work plans, and preliminary investigations (PI) for PL 566 feasibility. United States Geological Survey (USGS) topographic maps were used to delineate flood damage areas and for the determination of storage capacity in potential upstream reservoir sites.

Upstream Watershed Inventory

Wherever existing data, records and reports were not available Soil Conservation Service (SCS) field personnel made a reconnaissance inventory. They used already developed methods or those described below.


Inventory forms were developed to record information including area inundated, floodwater damage, floodwater damage reduction, storage in potential reservoirs, and costs for structural measures.


.The Conservation Needs Inventory (CNI) watershed was the unit used in gathering the inventory data. The CNI delineation was developed as part of the National Inventory of Soil and Water Conservation Needs. (5) Each CNI watershed is a hydrologic unit or a combination of two or more hydrologic units with a drainage area not exceeding 250,000 acres.


The material in this appendix is presented by 21 Areas and 6 Subregions. The data for the Areas and Subregions were aggregated from the CNI units.

Delineating Flood Damage Area

Flood damage areas were delineated on USGS topographic maps. USGS stream gage records, aerial photos, soil survey maps, field reconnaissance, newspaper accounts, and knowledge of recent key floods were used as a basis for delineation of the damage area. The land use distribution within the damage area was determined by measuring from the USGS topographic maps.







Floodwater Damage Evaluation

Floodwater evaluation guides were used in determining damage values for crop and pasture, residences, farm buildings, and structures and contents for industrial, commercial, and institutional establishments. Transportation, utilities, and other damage values were based on judgment of personnel in the areas.

Crop and Pasture. The average annual damage was calculated from

a family of curves showing acres of flood plain in crop and pasture and percent being cultivated versus Average Annual Damage. This family of curves was derived from monthly damages weighted by the percent distribution of damaging storms.


Residences. Damage values per market value of residences for various water depths were obtained from several Corps of Engineers damage schedules, Little Schuylkill Watershed schedules, and from Stanford Research Institute Studies. (6)


These values were plotted and a curve was drawn (Figure F-3). Using this curve and the market value of the residences, the total damage

for a specific flood frequency was calculated.

Farm Buildings. Figure F-3 was used to determine the dollar damage per \$1000 market value of farm buildings. Using this curve and the market value of the farm buildings the total damage for a specific frequency storm was calculated.

Structure and Contents for
All Establishments. Establishments include retail, wholesale,
personal service, manufacturing
and contracting. Figure F-3 was
replotted and extrapolated from
a curve developed by the Stanford
Research Institute.(6) The
dollar damage is based upon






^{1/} Includes damages to structures and contents.

value of structure and contents. Because the damage to property value ratio varies so greatly, this curve was used only when it was impossible to get more accurate data.

Present Average Annual Flood Damage


The average annual damage for crop and pasture was determined directly from Figure F-2. The average annual damage for other than crop and pasture can be determined using Figure F-4. Figure F-4, which was developed from studied projects, is a plotting of the ratio of average annual damage to key flood damage versus key flood frequency.



The total dollar damage associated with the key flood, the frequency of the key flood, and the frequency at which flooding begins are used to determine the average annual damage. The total dollar damage from the key flood was estimated using the methods described under Floodwater Damage Evaluation.

The frequency of the key flood was determined using one or a combination of both of the following two methods:

(1) Discharge-frequency curves were developed for selected USGS stream gages. The curves were plotted using a gamma distribution. Figure F-5 is an example of the plotted curves for Area 10.




.5

DISCHARGE THOUSAND CFS

FIGURE F-5

(2) Curves were adapted from USGS Water Supply Papers.(7) They show the relationship between the drainage area and the flood discharge for a family of curves of any recurrence interval from 5 to

100 years. Figure F-6 shows an example of a family of curves for a part of Area 8. Each family of curves is for an area which is homogeneous with respect to flood-frequency characteristics. They were used to estimate the magnitude of a flood of any selected frequency between 5 and 100 years (or the frequency of a flood of known magnitude) for any site in the NAR for which the drainage area is 5 square miles or larger, on any upstream tributary.not materially affected by regulation, diversion or usable storage.



DRAINAGE AREA - Sq. Mi.

1/ Adapted from Magnitude and Frequency of floods in the U.S., Part lA, USGS Water-Supply Paper 1671.

The frequency at which flooding begins was determined by one of the above two methods and experience of field personnel.

Engineering Analysis of Structure Sites


Actual field surveys of sites were beyond the scope of the study. In lieu of field surveys, USGS topographic maps were used to obtain the needed physical facts concerning a given site. The information obtained from the USGS topographic maps for each site included the bottom elevation, length of top of dam, shape of the valley, area of contours, improvements within the impoundment area, and drainage area above the dam. The smaller limit of drainage area investigated was usually 5 square miles.

To approximate the storage capacity of a site, a stage-storage curve was developed by measuring three or four contours and using average end areas to obtain volumes. The three or four computed points were plotted on log-log paper and a straight line was drawn through the points. On the same sheet of graph paper a stage versus surface area curve was plotted to make it possible to determine the relationship of volume of storage to surface area for a particular stage.

Sediment Storage. The volume of sediment to be stored was based on the amount of sediment expected to accumulate over a period of 50 years. In the region it varied from 0.15 to 1.25 watershed inches. This was based on experience of field personnel and on previously studied projects. Sediment volume in acre feet was determined by multiplying watershed inches by the drainage area in square miles times a constant conversion factor of 53.3. The acre feet of sediment determined the elevation of the permanent pool in single purpose flood water retention structures.

Flood Prevention Storage. Flood prevention storage provides for temporary impoundment of excess runoff. The volume of storage needed for effective flood prevention varies from 3 to 5 watershed inches of runoff in the region. This was based on experience and the results of completed projects. The storage for effective flood prevention usually involved a level of protection against the 100 year frequency flood.

Beneficial Use Storage. Use of water in beneficial storage could include irrigation, municipal and industrial, fish and wildlife, recreation, rural domestic and livestock, low flow augmentation, power, and visual quality. A Water Resources Development computer program (8) using selected stream gage data was used to develop yield-storage relationships for determining a practical upper limit of beneficial storage.



Isopleths of average annual runoff are shown in Figure F-7. Figure in the Region ranges from 10 to 30 watershed inches.


The maximum practical continuous draft rate is approximately 80 percent of the average annual runoff. Practical upper limits of water storage requirement for beneficial use are shown in Figure F-8. Beneficial storage in the Region ranged from 8 to 19 watershed inches.

For further detail see Appendix C, "Climate, Meteorology, and Hydrology".


Structure Site Costs

Structure cost data are based on prices prevailing in 1970. The total installation cost was arrived at by summing the cost of construction, installation services, and lands, easements, and rights-of-way. Several working curves were used to help evaluate these items.

Height of Dam. The summation of the acre feet of flood detention storage, sediment storage, and beneficial storage determined the elevation of crest of the emergency spillway as read from the stage versus surface area and storage curves. The freeboard height as read from Figure F-9 is added to the elevation of the crest of the emergency spillway to give the elevation of the top of the dam. Figure F-9 was developed from authorized projects. The height of the dam is equal to the elevation of the top of the dam minus the elevation of the lowest point in the flood plain as read from the USGS topographic map.



Volume of Earth Fill. Figures F-10, F-11, and F-12 were used to compute the volume of earth fill in the dam. The figure or figures that were used depended upon the shape of the valley, i.e., notched, rectangular, parabolic, or an average of two of the figures. The length and height of the earth fill were needed. The length of the top of the dam was read from a USGS topographic map using the calculated elevation of the top of the dam. The determination of the height of the dam was discussed in the previous section.











FIGURE F-12 RECTANGULAR VALLEY



Construction Costs. Unless local situations dictated the use of other costs, construction costs were calculated using Figure F-13. The construction cost includes the cost for earth fill, concrete, pipe, gates, toe drains, clearing, etc. These costs are based on PL 566 as-built construction costs. They were adjusted to 1964 and were updated to 1970 for this study.



Installation Services Costs. Installation services include costs for geologic investigations, engineering surveys, final designs, supervision and inspection, and administrative overhead. Figure F-14 was used to calculate the installation services cost, as a percent of construction cost. The data to construct this curve were compiled from PL 566 work plans within the NAR.




Land, Easement and Rights-of-Way Costs. These costs include cost of land in the flood pool and dam site area, cost of relocating roads, bridges, buildings, railroads, costs of rights-of-way, easements, etc. The cost values were based on local experience and/or prepared tabular estimates obtained through consultation with the Corps of Engineers. The easement area for the flood pool is read from the stage-area curve using a stage equal to 2 feet above the crest of the emergency spillway.

Average Annual Cost. The total average annual cost is equal to the operation and maintenance costs plus the amortized total cost. The total cost is equal to the sum of the construction cost, installation services costs, and the land, easement and rights-of-way costs. The total cost was amortized over 100 years at 5-1/8 percent interest. The average annual cost by purpose was determined using the "Use of Facilities Method" of allocation.

Present Flood Damage Reduction Benefits

Information from PL 566 watershed work plans developed in the NAR was summarized to determine the relationship between damage reduction (benefits) and percent of drainage area controlled by structures. Figure F-15 is a summary of this analysis.

The percent of control determined from USGS topographic maps by measuring the drainage area of the structure sites above the damage reach and the drainage area to the damage center. The damages in the reach were determined as described earlier in the Methodologies and Assumptions.



Project Classification

The inventory data for each CNI watershed were tabulated and summarized in Tables F-4 through F-9. These tables contain general watershed data, pertinent flood plain information, benefit and costs and upstream structural measures for each of the 21 Areas and 6 Subregions. Each CNI watershed was classified as to whether it was Not Evaluated, an Authorized Project, a Potential Flood Prevention Project, or a Potential Development. These categories are summarized by Region in Table F-3.

- (1) Not Evaluated. These are watersheds which are urban, subject to tidal inundation or are in downstream areas on main stems. They are the responsibility of the Corps of Engineers. Structural measures on upstream tributaries in these watersheds were shown but the damages and benefits were not calculated. Forest preserves and remote upstream areas were not evaluated.
- (2) <u>Authorized Projects</u>. These are watersheds where projects have been authorized by Congressional action under the following authorities:
 - (a) The Flood Control Act of 1944, PL 534, as amended, gives to the USDA responsibility in 11 selected watersheds in the United States for watershed investigations and for planning and installing measures to reduce runoff and erosion and to retard stream flow. The upper portion of the Potomac River Watershed (Area 19) was one of 11 authorized selected watersheds. Within Area 19, 10 subwatersheds have been planned and works of improvement are being installed.
 - (b) "Pilot" demonstration small watershed projects were authorized under an appropriation item in the Department of Agriculture Appropriation Act, 1954 (PL 156 83d Congress). This Act authorized the USDA to conduct surveys, investigations and research and to carry out preventive measures, including but not limited to operations, method of cultivation, the growing of vegetation and changes in use of land on 54 watershed projects in the United States. Seven of these projects are in the NAR.
 - (c) USDA was given the responsibility for administering the Watershed Protection and Flood Prevention Act of 1954, PL 566, as amended. These projects are for the purpose of flood prevention and water management, including such purposes as drainage, irrigation, recreation, municipal and industrial water supply, fish and wildlife development, water quality, and other purposes. The USDA in cooperation with federal, state and local agencies makes preliminary investigations and assists local organizations in preparing a work plan. As of 1967, 92 PL 566 projects have been authorized in the NAR.
- (3) Potential Flood Prevention Projects. These watersheds are projects which exhibit flood prevention benefit-cost (B:C) ratios of 0.3:1 or greater under present conditions. These projects deserve further study for possible flood prevention justification under an early action program. Following are some of the reasons for choosing a B:C ratio of 0.3:1 rather than unity.
 - (a) General evaluation procedures were used. A detailed study may show a higher B:C ratio.

- (b) The "Use of Facilities" method was used to allocate the cost to flood prevention. The choice of another method may favor flood prevention.
- (c) The benefits were based on present damages and did not account for potential growth in the flood plain.
- (d) Downstream damage reduction benefits were not included in the evaluation.
- (4) Potential Developments. If a watershed did not fall into the above three categories it was classified as a potential development. These watersheds exhibited a flood prevention B:C ratio of less than 0.3:1 under present conditions. Thus it was assumed that there is no flood prevention justification under an early action program. However, there is potential storage available for beneficial uses. Beneficial use storage is that storage over and above the sediment and flood prevention storage in the potential developments and the potential flood prevention projects.

Damage Projections

Damages by type were estimated at the time of the inventory (1965-1967). Damages and damage projections are based upon 1970 dollars. Future potential damages were determined by weighting agricultural and nonagricultural projections in proportion to present damages. The weighted damage projection factors appear in Table F-1. The projections assume people will continue to use the flood plain similar to past patterns.

Agricultural Damage. The projection of agricultural damage is based upon expected crop yield increases (9) and cropland distribution for each area (Tables G-21 through G-28 in Appendix G). The distribution of cropland in the flood plain is assumed to be similar to the distribution of cropland for the entire area. Using the expected increased yields and the cropland distribution, an average agricultural damage projection factor was obtained for the target years 1980, 2000 and 2020.

Nonagricultural Damage. Nonagricultural damageable property values were assumed to increase in direct proportion to the increased wealth of an area. Personal income was used as a growth indicator of reproducible wealth. The nonagricultural damage projection factors were based on Office of Business Economics (OBE) projections of personal income. A more detailed explanation of assumptions can be found in Appendix E.

Personal income is comprised of per capita income and population. Per capita income indicates improvements to and content value in existing structures. Population indicates rate of building. Thus, damageable property values with no new construction in the flood plain were assumed to increase in direct proportion to per capita income.

Projections with Structural Flood Prevention Measures. Present average annual damage is the total average annual damage less damage reduction of authorized projects. The present average annual damage multiplied by the projection factor in Table F-1 yielded the potential damages without further flood prevention measures for the target years 1980, 2000 and 2020. The projected damages are shown by Area in the Subregional Summaries.

TABLE F-1
WEIGHTED DAMAGE PROJECTION FACTORS

Subregion and Area	: 1980	2000	2020
Subregion A 1 2 3 4 5 Subtotal A	1.53 1.45 1.42 1.50 1.25	2.65 2.27 2.72	5.17 7 4.17 2 5.55 9 4.98
Subregion B 6 7 8 9 10 Subtotal B	1.56 1.54 1.54 1.53 1.58	2.93 2.97 2.85 3.04	5.93 6.06 5.63 6.28
Subregion C 11 12 13 Subtotal C	1.37 1.46 - 1.44	2.12 2.66 - 2.56	4.89
Subregion D 14 15 16 Subtotal D	1.50 1.42 1.43 1.44	2.74 2.37 2.32 2.44	4.27
Subregion E 17 18 Subtotal E	1.54 1.35 1.41	3.03 1.81 2.18	2.50
Subregion F 19 20 21 Subtotal F	1.63 1.51 1.57 1.60	3.05 2.63 2.91 2.98	4.87
REGION	1.50	2.65	5.04

Present average annual damage minus damage reduction with Potential Flood Prevention Projects gave what the 1966 damages would have been if these projects had been installed. By applying the projection factors to this damage, damages with Potential Flood Prevention Projects in place were determined for the target years 1980, 2000 and 2020.

Present average annual damage, minus damage reduction, with Potential Flood Prevention Projects and Potential Developments gave what the 1966 damages would have been if all potential upstream structural flood prevention measures were installed. The projection factors were applied to this damage to yield the remaining damages with all potential upstream structural flood prevention measures in place for 1980, 2000 and 2020. These projected damages are shown by Area in Subregional Summaries.

Objectives

Alternative objectives were considered in developing needs and solutions in plan formulation. The rationale for national efficiency, regional development, and environmental quality objectives appears in Appendix T, "General Program and Alternatives".

National Efficiency (NE)

Reduction of direct and indirect floodwater damages wherever and whenever justified are considered essential to the nation's economic growth and development.

Regional Development (RD)

Monetary benefits from a regional, state, or local viewpoint are used in economic justification. These benefits include increased spending by project beneficiaries; value of income provided to unemployed and underemployed labor and use of other resources required for project construction, operation and maintenance; and added area employment.

Environmental Quality (EQ)

Protection of the entire flood plain provides benefits not measurable in monetary terms. Prevention of loss of life, increased economic opportunities for low-income families, improvement of health aspects, preservation of unique areas, and maintenance of delicate ecological systems are examples. It was assumed in this study that optimum protection would result from management of the entire flood plain and watershed protection. Upstream multipurpose reservoirs would provide water surfaces where these surfaces are required to enhance the visual quality of the environment.

Extent and Timing of Structural Flood Prevention Measures


Within the scope of this study planning a program of watershed development for the time frame years 1980, 2000 and 2020 was a major concern. The determination of the extent and timing of groups of flood prevention projects must be made differently than justification for individual watershed projects which are related to specific needs. A program relates itself to needs which may be satisfied over time and space.

The rate at which projects would be constructed depends upon:
(a) economic justification, and (b) community action. The most practical (economic) time was established by determining the point in time at which benefits exceeded costs for groups of projects. The timing of individual projects within the group was determined by using a community action factor.

The following is a brief outline of the procedures that were used to indicate potential structural flood prevention measures by time frame years.

Economic Justification

Three curves of average annual damage versus time were developed for each Area. They showed damages: (1) without additional structural measures (with Authorized Projects), (2) with "potential flood prevention projects", and (3) with "potential flood prevention projects" and "potential developments" for the target years 1980, 2000 and 2020. The damage curves are illustrated in Figure F-16. The curves for (2) and (3) assume all projects and/or developments were in place in 1966.



Damage reduction benefits attributable to "potential flood prevention projects" are found by measuring the vertical distance between the first and second curve. Similarly, the distance between the second and third curves represents damage reduction benefits attributable to "potential developments".

Assuming that price relationships affecting both benefits and costs remain the same over time, average annual costs expressed in 1970 in dollars would not change.

Damage reduction benefits are easily analyzed in relation to the average annual costs by using the curves developed earlier. The point in time when costs-to-benefits equals unity is found by moving the vertical line representing the appropriate average annual cost from right to left until it closes the span between applicable damage curves (see illustration). Thus, economic justification of a group of projects and timing is readily coordinated.

Community Action. Obviously, all of a group of projects will not be installed at the same time. Distribution over time around the unity point of the individual projects within a group is accomplished by a community action co-efficient. (10) Over 20 socioeconomic variables were statistically determined to best describe rates of community action. These variables were used in a discriminant analysis program which rated the projects according to community action or ease of adoption. Projects were categorized into high, medium or low groups (Table F-2) by the computer program.

TABLE F-2

PROBABILITY OF COMMUNITY ACTION


TO IMPLIFIENT

POTENTIAL FLOOD PREVENTION PROJECTS


Subregion	•	:NUMBER OF PROJECTS		
and Area	: High	: Medium	: Low	: Total
Subregion A				
1	1	0	2	3
2 3 4	1	0	4	3 5 8 2 8 26
3	0	0	8	8
	1 0 3	0	1 8	2
5 Subtotal A	0	0	8	8
Subtotal A	3	0	23	26
Subregion B				
6	5	0	9	14
7 8	5	6	9 5 6	16
9	5 5 6 12	1	6	13
10	12	ıi i	19 11	32
Subtotal B	5 33	19	50	32 27 102
	. 33	-,	,,,	
Subrection C				
11	3 7	0	5 1	8
12	7	1	1	9
13 Subtotal C	0	0	0	0
JUDICOUNT C	10		ь	17
Subregion D				
14	1	0	7	8
15 16	4	6	16	26
Subtotal D	0 5	0	0	0
Subtotal D	2	6	23	34
Subregion E				
17	5	3	5	13
18	5 53 58	37	5 0 5	90
Subtotal E	58	40	5	103
Subregion F				
19	16	13	6	35
20	1	7		9 27
21	5	9	13	27
Subtotal F	22	29	20	71

Potential projects were allotted to time spans. Total time span varied around the unity point with the high, medium, and low group projects spread in time according to the objective. These spans, or portions thereof, were related to the time frame years for project formulation.


Toward the national efficiency objective, the total time span was assumed to be twice the present to unity. Those projects in the high group were placed in the first half; the medium and low group in the last half. To illustrate:



Regional benefits as increased spending by project beneficiaries and utilization of unused local resources are in addition to damage reduction benefits used to determine the unity point. The earlier economic justification and incentives to encourage community action are assumed to shorten the time span. Toward the regional development objective, the total time span was assumed to be half again the present (1966) to the unity point. Those projects in the high group were placed in the first third of the time span; in the medium group, the middle third and the low group, the last third. To illustrate:



Toward the environmental quality objective, landscape quality constraints rather than the economic unity point was used to determine time spans. Where additional water surfaces are needed, all potential flood prevention projects were placed in the earliest time frame. Developments were placed into the later time frames. To illustrate:



Because of physical and budgetary constraints it was deemed practical to determine the timing of projects differently if the costs-to-benefits equaled unity before 1980. The projects in the high group were placed in the time frame 1966-1980; and medium and low groups in the time frame 1980-2000. Area 18 is another exception; the projects in the high group were placed in the time frame 1966-2000, and the medium group in the time frame 2000-2020. Project timing described is for the national efficiency objective.

Flood Plain Management

Other measures for preventing flood losses are: flood plain zoning, acquisition, land use management, flood warning systems, evacuation, flood proofing, and flood insurance of specific properties. The extents and combinations of these measures vary widely from one watershed to another. These measures were not evaluated in this analysis because of the scope of the study, and the present state of the art does not allow for a readily usable evaluation of the benefits and costs. It is significant to note that even if all the potential upstream structural measures were to be installed there would be considerable remaining damages. Flood plain management appears to be the solution to controlling these remaining damages.

Flood plain management demands vary according to objectives. Urban and urban amenity lands not protected by structural measures are the demands of the national efficiency and regional development objectives. Management of all the flood plain is the demand of environmental quality objective. The plain subject to high damages would be managed by 1980, low to medium damages by 2000, and the remainder of the flood plain would be managed by 2020.

Watershed Protection

In terms of hydrologic processes, land treatment reduces overland flow and runoff and increases interception, infiltration, and soil-moisture storage. Peak flows are reduced. Although land requiring treatment may not be justified solely on flood damage reduction, other benefits make land treatment practical. Acreages requiring treatment and feasible to treat are listed in Appendix G "Land Use and Management". Acreage requiring treatment in project watersheds are the demand of the national efficiency and regional development objective. All land requiring treatment and feasible to treat is the demand for the environmental quality objective.

RELATION TO OTHER PARTS OF THE REPORT

Flood Prevention

Upstream flood damages and measures for flood prevention have been compiled in this Appendix. Damages on main stems and major tributaries and the methods for alleviating these damages are covered in Appendix E, Flood Control and Water Management on Main Stems and Major Tributaries. In regard to the total flood damage picture, there would show in some instances a need for upstream structural measures; in other instances main stem structural measures; and still in other instances a combination of both. There would show in other instances a need for flood plain management and in many instances a combination of structural measures and flood plain management, depending upon physiographic, climatological, hydrologic, economic, and social conditions. This will be resolved in plan formulation.

Water Management

The needs for water covered in other appendices include irrigation, navigation, pollution abatement, recreation, aesthetic and cultural, fish and wildlife, power, municipal and industrial, and rural domestic and livestock. In addition to flood prevention storage, potential upstream reservoirs could provide considerable storage to satisfy water needs.

Any number of uses compatible with the physical limitations of a reservoir site and the available water supply may be combined in a multiple purpose reservoir. The combination of uses may be a number of separate uses added together or there may be joint use of the available water storage.

If feasible sites are available but the storage capacity is inadequate to satisfy all needs completely, then an allocation of the storage to the various purposes must be made as equitable as possible, the adopted allocation being a compromise between the various uses. This will be reconciled during plan formulation. It will be reported in Appendix T and in the Main Report.

Watershed protection consists of proper land use and land treatment. Protected watersheds yield higher qualities and often higher quantities of water. They reduce surface runoff, improve moisture infiltration into the soil, increase ground water recharge, and decrease sediment from polluting the streams and reservoirs. Land use and treatment are discussed in Appendix G, Land Use and Management.

Price Base and Interest

Values of land and property, construction and service costs were adjusted to a common price base to make them comparable to data presented in other appendices. Projected monetary values are also expressed in terms of 1970 dollars.

An interest rate of 5-1/8% was used to amortize costs. If the interest rate was increased from 5-1/8% to 6-1/8%, the suggested number of projects for national efficiency objective by 1980 would decrease from 94 to about 70. Higher interest rates would cause use of poorer quality, shorter life construction materials and higher maintenance costs.

REGIONAL SUMMARY

PRESENT STATUS

Flooding

Total property damage in the NAR for the period 1925-1967 averaged in excess of \$26 million annually. (3) For this same period loss of life averaged about 11 persons annually. The average annual property damage has increased to \$192 million (as of 1966 expressed in 1970 dollars). The increase is because of the deflated dollar and of changed and more intensive use of the flood plain.

About 29 percent of the damages occurs in the upstream flood plains. Floodwater and sediment damage to agricultural crops, farmlands, and buildings amounts to \$18 million; damage to nonagricultural properties amounts to \$37 million.

Area Inundated. Total area inundated by the 100 year frequency flood in upstream watersheds of the Region, excluding Area 13, is approximately 6.1 million acres (Table F-3). Area inundated by the 50 year and the 10 year frequency flood is approximately 5.6 million acres and 4.3 million acres respectively. Of the flood plain, 34 percent is in crop and pasture, 36 percent is in forest, and 30 percent is in urban and miscellaneous.

The range of percent area inundated in crop and pasture is less than 1 percent in Area 5 to 50 percent in Area 17. The range of percent area inundated in urban and miscellaneous is 7 percent in Area 21 to 80 percent in Area 9. The range of percent area inundated in forest is 4 percent in Area 9 to 78 percent in Area 1. Area inundated as a percent of total Area ranged from less than 1 percent in Area 1 to 48 percent in Area 18.

Types and Amounts of Damage. The average annual flood damage by Area for cropland, other agriculture, residential, commercial and industrial, transportation and other is indicated in Tables F-4 to F-9. The present average annual damage (total damage minus reduction of authorized projects), excluding Area 13, is equal to \$55 million. Of this 32 percent is agricultural, and 68 percent is nonagricultural. Area 5 with 1 percent and Area 18 with 87 percent, indicate the range in agricultural damage in the NAR. The range of present average annual damage of all types is \$ 0.06 million in Area 1 to \$10.91 million in Area 18. The present average annual damage in dollars per acre of area inundated ranges from less than \$1 in Area 16 to \$80 in Area 10. The average for the Region is \$9.

In upstream areas there are a total of 109 authorized PL 566, PL 534 and Pilot watershed projects which include 492 dams with about 527,000 acre feet of flood storage, and 1,474 miles of channel improvement. These projects will reduce present average annual

damage by \$8.9 million leaving a damage of \$4.0 million. Present average annual damage in upstream areas outside of watershed projects is \$50.8 million.

Water Management

In the Authorized Projects there is included about 171,000 acre feet of storage for uses other than flood prevention in 160 multiple purpose reservoirs. A 4,000 acre feet is stored for irrigation use. An estimated 400,000 people living in 54 communities are served by 55,000 acre feet water supply. Another 90,000 acre feet of water for recreational and fish and wildlife uses creates 8,700 acres water surface. An estimated 4 million annual user days are provided on these surfaces. Additional recreational benefits incidental to multipurpose projects are enjoyed on 72,000 water surface acres created in 255 reservoirs. Another 22,000 acre feet is stored for other uses including low flow augmentation.

As of 1967 under the Conservation Operations program of the USDA technical assistance was provided for the installation of about 6,800 miles of diversions, 8,000 miles of tile, and 14,000 miles of open main ditches for drainage and flood prevention. Also installed were about 70,000 ponds for flood prevention, irrigation, recreation, fish and wildlife, livestock, rural domestic, and fire protection.

PROBLEMS AND NEEDS

Flooding

Floods damage property, disrupt households, hamper business, pose health hazards, tangle transportation, mar the environment, and cause loss of life. Changed and more intensive use of over 6 million upstream flood plain acres subject to inundation, will cause flooding to be an even greater problem in the future.

Present Damages. Presently the average annual flood damage in the Region is about \$55 million. Flood damages in their entirety cannot be economically eliminated. Even if all Potential Flood Prevention Projects structural measures had been installed in 1966, the damages remaining would be about \$30 million or 54 percent of the present average annual damages. This is due to (1) the location of structural measures in relation to the damage center, (2) the absence of structural measures, and/or (3) the level of protection (economics) afforded the damage areas.

PL 566 measures are usually designed to protect urban and residential areas against the 100 year frequency flood, and agricultural areas against a flood of 2 to 10 year frequency depending upon the crop being flooded. From experience it has been found that these levels of protection coincide with economic and social desires. Thus it can be seen that even if structural measures can be found to control 100 percent of the drainage area above

the damage point there still would be damages occurring from the storms exceeding the designed level of protection.

Future Damages. If no additional flood prevention measures were installed, the present average annual flood damages of \$55 million would increase to \$82 million in 1980, \$145 million in 2000, and \$277 million in 2020. (Table on page F-30.) If new construction were restricted from the flood plains, the average annual damage may increase to \$70 million, \$98 million, and \$150 million in 1980, 2000 and 2020 respectively. If all the suggested flood prevention structural measures were installed based on the methodologies for the extent and timing toward the national efficiency objective, the average annual damages remaining would be \$73 million, \$103 million, and \$185 million in 1980, 2000 and 2020 respectively. Reduction and remaining damages for other objectives are shown in Table F-3.

Water Management

Water withdrawals are expected to be four times greater in 2020 than they are now. Instream needs will continue to increase. An additional million water surface acres are necessary to satisfy water oriented recreational, fish and wildlife, and visual quality needs. Upstream reservoirs can help satisfy these water storage and surface needs. Demand for beneficial use storage in upstream reservoirs will be determined in the NAR Supply Model.

Minimum irrigation water requirements for agriculture, institutional and industrial lawns, and golf courses in the Region for 1980, 2000 and 2020 are 762,000 acre feet; 1,013,000 acre feet; and 1,238,000 acre feet respectively. About 42 percent of these requirements is for agricultural irrigation. More than 60 percent of the water for irrigated cropland comes from constructed reservoirs. Consideration of irrigation storage use in multipurpose reservoirs is especially important in Areas 1, 9, 13, 15, 16 and 18.

Rural domestic and livestock water requirements in the Region will increase from 178,533 mgd in 1964 to 490,755 mgd in 2020.(11) An estimated 688 rural communities and small towns need water supply systems. In addition, 743 upstream reservoirs are needed (12) to help meet municipal and industrial water supply needs.

Recreation and fish and wildlife needs within the next 50 years range from .4 to 2.2 additional million surface acres of fresh water.1/ These water surfaces provide those desiring outdoor water oriented activities the opportunity of 940 million visitor days.1/ The same water surfaces enhance the visual quality of the landscape in areas 12 through 21.

Instream flows can be augmented by water released from upstream reservoirs. Increased stream flows could dilute waste discharges

^{1/} Compiled from NAR Phase III Plan Formulation data.

UPSTREAM FLOOD DAMAGES AND STRUCTURAL MEASURES NORTH ATLANTIC REGION SUMMARY TABLE F-3

Time: Project Classification: Frame:or Year: Objective	Matersheds Area No. :1000 Sq	Sheds Area 00 Sq.Mi	Matersheds Flood Area Plain No. :1000 Sq. Mi.:1000 Ac	Flood	Damage:Reduc-:il	emain-:/ ng : amage : Millic	:Damage:Remain-:Average Annual ::Reduc-:ing :Flood :Other :Triion :Damage :Prev. :Uses : Million Dollars	Annual	Cost*:	* Total : Est. : Cost	No. of Dams	D. A. above Dams	D. A. above Dams Sq.Mi.	Storage Floud - : Oth water : Use 1000 ac. ft.	Other: Uses:	: Channel : Improve- ment : 1000 Mi.
			ш	PROJECT CLASSIFICATION	ECT	CLA	SSIFI	CAT	NO.							
1966 Not Evaluated PL 566-534 Authorized PL 566-534	154 109	တ္က ဆ	83 426	13	0,	4	25	mm	10	235	144 1492	~	891	197	447 171	1.15
Potential Flood Prev. Projects Potential Developments	353 852	37,6	3717	35	24	177	333	42 86 1	65	1166	1279	11 23	23037	2175	4113	£.9
TOTAL	1314	142	6809	49	35	53	63	131 3	194	3640	3965	37	37642	4479	14245	4.9
Present Damage 1980 2000 2020				55 82 145 277												

1366	2089	2042
1645	1414	2192
1124	1169	1759
681	1057	1207
880	797	838
615	535	732
1,07	673	759
561	456	626
306	283	479
366	590	666
473	408	738
327	347	620
20	33	37
47	56	77
65	75	110
13 13	36 4	288
74 104 185		
92 98	18 46 94	13 24 51
National Efficiency 1980	Regional Development 1980	Environmental Quality 1980
2000	2000	2000
2020	2020	2020
	1980 2000 42 104 7 13 20 366 407 681 2000 2020 92 185 23 42 65 327 306 615	1980 2020 2020 : 1980 2000 2020

F-30

444

7

Excludes Not Evaluated Danages and average annual costs shown in the table are cumulative; other values are incremental. Price Base 1970. Amortized at 5-1/8% interest over 100 years and operation and maintenance.

and treatment plant effluent. Improved water quality and uniform flows encourage game fish populations; stream angler days would be increased. Low flow augmentation would help restore the aesthetic landscape enhanced by streambanks with clean flowing water. Increased flows could enable recreational boatsmen to enjoy white-water canoeing and pleasure boating and shippers to use navigation.

The problems and needs connected with water management will be covered in other appendices. The average runoff in the Region is 163.0 bgd or 19.95 inches per year. The fresh surface water withdrawals for all purposes is only 12 percent(13) of the average annual runoff. The average availability of water is abundant, but its usefulness is limited by uneven geographic distribution, large fluctuations in supply, and poor quality in some locations.

MEANS TO SATISFY DEMANDS

Flooding

Flooding can be prevented or controlled with structural measures and/or nonstructural measures. Structural measures include dams with flood prevention storage, channel improvement, and dikes, levees, and tide gates. Nonstructural measures are comprised of watershed protection and flood plain management.

Structural Measures. The table on page F-3 indicates the extent and timing of structural measures in Potential Flood Prevention Projects. The installation of 1,279 dams with 2,175,000 acre feet of flood prevention storage and 4,253 miles of channel will reduce the annual flood damage in 2020 by \$120 million. The extent and timing of potential flood prevention structural measures by Area and by objective is indicated on plan formulation tables in the Subregional Summary.

Watershed Protection. In addition to structural measures, land treatment and management will provide flood damage reduction benefits. Forty percent of the Region's 105 million acres needs treatment. Land treatment measures include diversions, terraces, waterways, stripcropping, cover cropping, contour farming, and afforestation. Management includes application of lime and fertilizers, and conservation cropping systems. Land treatment and management can account for 2 to 5 percent reduction in flood damages. In the NAR if all the land were treated and managed properly, damage reduction could amount to about \$8 million in 2020. Land use, changes, treatment and management are covered in Appendix G.

Land treatment and management contribute significantly to controlling erosion and the resulting sediment. This is covered in detail in Appendix Q.

Flood Plain Management. Flood plain management is used to curtail additional damageable properties, preserve and improve ground water recharge areas, provide aesthetic and scenic amenities, protect fish and wildlife resource, enlarge recreational areas, and improve visual quality of the environment. Flood plain management practices include flood plain zoning, flood proofing, flood warning systems, and evacuation.

Restricting new construction from the flood plain may reduce damageable property growth by 57 percent. The estimate is based upon rates of building indicated by population growth; refer to Damage Projections on page F-17. Controlling land use changes, limiting intensity of flood plain use, and restricting improvements may result in reduction of present damages as well as to eliminating additional damageable property. Diverse flood plain management practices under varying conditions need to be compared with structural measures.

The amount of reduction in damage from total flood plain management was not analyzed in this study because of the engineering, economic and social problems in evaluation. Some questions to be answered are: How can the benefits and costs from nonstructural measures for flood prevention be evaluated? How is the cost of restricting flood plain development determined? What is the cost in each part of the flood plain? How will the cost vary throughout the project life? From which portions of the flood plain should development be excluded? Which kinds of development should be excluded? How can individual owners more effectively protect their property by flood proofing?


Nonstructural measures need to be evaluated as alternative or complementary considerations to structural measures. Even if all Potential Flood Prevention Projects structural measures were installed, nearly two-thirds of floodwater damage would remain. Nonstructural measures appear to be the only recourse for preventing this remaining damage.


Flood plain management plans need to be developed and implemented. A first step toward such a plan is delineation of the flood plain and of areas expected to be inundated by several frequency floods. Until detailed hydrologic studies can be completed, soil surveys may be used on an interim basis. Planners should consider: acquisition of the 10-year flood plain, eliminating new construction or substantial improvement in the 10 to 50-year flood plain, restricting construction in 50 to 100-year flood plain subject to builders' flood proofing plan and to the management plan, and broadening flood insurance (mandatory when any federal funds are involved) to include commercial and industrial properties.

Water Management

Storage. In addition to flood prevention storage in the Potential Flood Prevention Projects there is storage of 4.1 million acre feet for other uses. There are about 10.4 million acre feet of

Figure F-17 SCHEMATIC OF MULTIPURPOSE RESERVOIR





storage for other uses in Potential Developments and Not Evaluated watersheds. The total available for water management in potential upstream impoundment is 14.5 million acre feet. This storage is the maximum practical development based on yield, topography and rights of way. The specific needs for water will be identified in other appendices.

Storage reservoirs in upstream areas have several advantages. Listed below are a few of these:

- 1. Landrights costs range from 2 percent to 50 percent of the total cost of a dam. This percentage will vary up and down in special situations. For the most part, these dams are located in predominantly rural areas, thus lower landrights costs. If these sites were located in more populated areas, the landrights costs could increase tenfold.
- 2. Water for rural domestic, municipal and agricultural use could be stored closer to the source of demand, thus reducing water distribution costs. Water not consumed will be available for re-use downstream. Pollution is often less of a problem in upstream areas resulting in lower water treatment costs.
- 3. The environment is enhanced by the distribution of water surfaces impounded behind upstream dams. These bodies of water would also provide fish and wildlife, and recreational opportunities in close proximity to the people.
- 4. The social aspects of upstream reservoir sites is another consideration. Little disruption of community life and transportation and service facilities is usually involved.

The cost of storage in reservoir sites in upstream areas varies greatly in the NAR depending upon location and site conditions. For the smaller sites (1,000 AF) the cost ranges from \$150 per AF to \$1,000 per AF. For the larger sites (25,000 AF) the cost ranges from \$30 per AF to \$150 per AF. In special situations the costs will vary from the aforementioned ranges. In general these costs were more in the central portion of the NAR.

The economy of scale is quite evident in analyzing the cost of an upstream site. When decreasing the storage from the maximum practical development to 20 percent of maximum practical development, the cost per AF increases on the average by 105 percent.

Ground Water. The extent of ground water development is discussed in Appendix D. Large land use shifts could affect the ground water supplies. Precipitation infoltrates pervious areas and percolates to the ground water. With these pervious areas being covered by residential and urban developments, shopping centers, parking lots and transportation systems, the precipitation will run off and not become available to recharge the ground water supplies.

<u>Diversion</u>. In general there should be little need to divert water to satisfy the needs in upstream areas. The flexibility in location of smaller impoundments and the availability of ground water supplies should satisfy most upstream needs.

Programs and Agency Activities in Upstream Water Resource Development

There are several ongoing programs and agency activities which would help satisfy the demands for flood prevention and water management in upstream areas.

Federal Agencies

Soil Conservation Service (SCS). Under the Conservation Operations (CO) program the SCS through Soil Conservation Districts (SCD) provides technical help to farmers, ranchers, suburbanites, urbanites, and other land users in a national soil and water conservation program. Approximately 97 percent of the NAR is in SCD. Conservation measures such as diversion terraces, grassed waterways, ponds, windbreaks, stripcropping, mulches and debris basins, help hold down the soil, conserve water, protect crops and livestock, and promote agricultural economy.

As part of the National Inventory of Soil and Water Conservation Needs, watershed project needs are inventoried. These needs are periodically updated and include drainage, irrigation, protection against floodwater, and sediment control.

The SCS administers PL 566, PL 534 and Resource Conservation and Development (RC&D) projects, and participates in comprehensive river basin planning.

Agricultural Stabilization and Conservation Service (ASCS). Under the Agricultural Conservation Programs (ACP) federal cost sharing assistance is provided landowners and operators to apply and install land treatment and structural measures. These practices reduce soil erosion and sedimentation, reduce runoff, and provide water storage for agricultural and rural use.

Farmers Home Administration (FHA). Grants and loans for the construction, improvement and extension of water and sewer systems are available to small rural communities. This assistance is given to promote the efficient and orderly growth of communities and to help control the pollution of water.

Agricultural Research Service (ARS). Hydrologic research is being conducted at several locations in the NAR. The studies vary by location and concern precipitation, snow melt, rainfall-runoff relations, flood peaks, water yield, channel stability, and sedimentation.

Economic Research Service (ERS). Research functions range from program-oriented applied research to research activity that is problem-oriented but not directly linked to the development of a specific program. The river basin studies contribution by ERS is an example of program-oriented applied research. In these studies an effort is made to provide reliable economic information to those responsible for programs to develop the water and related land resources. Two Type II and three Type IV studies are underway in the NAR.

Problem-oriented research includes but is not limited to studies of irrigation efficiency, laws and administrative rules as they affect resource allocation, land use through remote sensing and recreation evaluation. All of the above research functions are directed to develop useful and reliable information about natural resources, their use, control, development and conservation.

Forest Service (FS). About 2.3 million acres of land in the NAR are in federally owned National Forests. These areas are managed under the principles of multiple use and sustained yield of the forest resources: wood, water, wildlife, and recreation.

The Forest Service also conducts cooperative programs in fire and insect and disease control, flood prevention and river basin planning and forest management on state and privately owned forest lands within the NAR.

Research is conducted by the FS in the fields of water, timber, recreation, and wildlife habitat. Of particular interest to the NAR Study is the research being done in water yield improvement at the Hubbard Brook and Fernow Experimental Forests in New Hampshire and West Virginia and the cooperative federal, state and municipal water yield studies.

The Forest Service also cooperates with governmental agencies in the PL 566, PL 534 and other water resource development and governmental programs.

Corps of Engineers. Under existing authority the Corps of Engineers can, upon request from local interests, plan and design small reservoir projects. The field investigations, plans and design of these projects are carried out by the District Engineer, and he determines the justification for each invididual project in accordance with established criteria and procedures. If findings are favorable he can recommend construction of a project to the Chief of Engineers. If upon review by the Chief of Engineers the project is deemed advisable, allocation of funds within the limitations established by

by the 1948 Flood Control Act is then made for its construction. The Corps of Engineers participates in comprehensive framework and detailed river basin studies.

Federal Programs

Watershed Protection and Flood Prevention Act. The Congress of the United States enacted the Watershed Protection and Flood Prevention Act (Public Law 566, 83d Congress, as amended). This Act authorizes the Secretary of Agriculture to cooperate with states and local agencies in the planning and carrying out of works of improvement for the prevention of damages from erosion, flood water, and sediment and for furthering the conservation, development, utilization, and disposal of water. Responsibility for initiating projects under the Act rests wholly with local people through local organizations having authority under state laws to carry out, maintain, and operate works of improvement. The local organizations must acquire without cost to the federal government all necessary land rights except in cases where recreation, fish and wildlife, and water resource improvements are involved: defray the costs of operating and maintaining the works of improvement; obtain water rights; assume part of the costs of irrigation, drainage, recreation and fish and wildlife measures; bear all of the costs for measures serving other purposes; and obtain agreements from owners of at least 50 percent of the lands in the watershed above each retention reservoir to carry out recommended soil conservation measures. The Secretary of Agriculture may provide local organizations with technical, financial, and credit assistance in planning and installing needed water management and flood prevention measures. The planning is limited to watersheds or subwatershed areas of 250,000 acres or less, and to individual reservoirs with a maximum total capacity of 25,000 acre feet and maximum flood water detention capacity of 12,500 acre feet. In the event that the estimated federal contribution to construction costs exceeds \$250,000 or the plan provides for structures with a capacity greater than 2,500 acre feet but less than 4,000 acre feet in a single structure, it must be approved by resolutions of the Committee on Agriculture and Forestry of the U. S. Senate and the Committee on Agriculture of the U. S. House of Representatives. Any plan involving a single structure of more than 4,000 acre feet of total capacity must be approved by resolutions of the Committees on Public Works of the Senate and House of Representatives. Section 6 of the Act authorizes the Department of Agriculture to cooperate with other federal and with state and local agencies to make investigations and surveys of watersheds of rivers and other waterways as a basis for the development of coordinated programs.

As of 1967 there are 91 Authorized PL 566 projects in the NAR.

The Flood Control Act of 1944, Public Law 534. PL 534, as amended, gives to the USDA responsibility in 11 selected watersheds for watershed investigations and for planning and installing measures to reduce runoff and erosion and to retard stream flow. The upper portion of the Potomac River Watershed (Area 19) was one of 11

authorized selected watersheds. The Potomac River Watershed is divided into 25 subwatersheds. Of these 10 have been planned and works of improvement are being installed.

Comprehensive River Basin Planning. As a means of strengthening coordination among all affected water and related land resource interests, the Congress enacted the Water Resources Planning Act (Public Law 89-80). This Act established the Water Resources Council, authorized establishment of river basin commissions, and provided for financial assistance to the states to increase state participation in coordinated planning of the nation's water and related land resources. Section 6 of PL 566 authorizes the Secretary of Agriculture to cooperate with other federal, state and local agencies in their investigations of watersheds, rivers, and other waterways to develop coordinated programs. The USDA is currently involved in two Type II and three Type IV studies.

Type II studies are in greater detail than Type I studies. They define and evaluate projects in sufficient detail to comprise a basis for authorization or implementation of those federal or federally assisted projects to be initiated in the next 10 to 15 years. These studies are coordinated by a river basin commission or other federal interagency - state coordinating organization. Studies recently completed within the Region are the Connecticut and Susquehanna River Basins.

Type IV studies are in the same detail as Type II studies. Type IV studies usually are state sponsored surveys of water and related land resources for all or part of a state or a river basin in which one or more federal agencies cooperate with the state or each other. Studies in progress within the Region are the James River and the Massachusetts Water Resources Study.

River basin surveys were completed for the Delaware River Basin, the Potomac River Basin, the New England-New York Inter-Agency Committee, and the Appalachian Water Resources Survey.

Resource Conservation and Development (RC&D). Under the Food and Agriculture Act of 1962, Congress authorized the Department of Agriculture to help rural communities improve their economy. RC&D projects were devised to meet this need. In these projects, local people and groups work together with USDA help to speed development of natural resources as a base for economic growth. RC&D projects are administered by the SCS.

This program provides technical, financial, and loan assistance on a limited basis to local legal sponsors in approved areas where acceleration of going programs of resource conservation, development, and utilization will increase economic opportunities for local people. The program provides local leadership with the opportunity to coordinate and utilize local, state and federal facilities and techniques more fully in planning and carrying out a balanced program of land conservation utilization and in determining alternate uses of land and water resources in open spaces. Included are technical

help on the conservation measures needed to reduce erosion, flooding, and sedimentation. As of 1967 there were six RC&D projects in the NAR which have been approved for planning or operations. They are East Central Vermont, St. John-Aroostook in Maine, South Central New York, North Country in New Hampshire, Endless Mountains in Pennsylvania, and Eastern Connecticut.

Needed Research

Following is a list of research needs for flood prevention and water management to better utilize and protect our water resources.

- 1. Further study in the field of small watershed hydrology.

 Locate many more stream gages in small watersheds (less than 5 square miles) to better evaluate the flood and water yield potential in upstream areas. Evaluate effects of urban development on runoff.
- 2. Develop evaluation procedures for determination of benefits and costs associated with flood plain management.
- 3. Development of procedures toward determination of the more equitable allocation of costs in multiple purpose reservoirs.
- 4. Further study into the salt water intrusion of ground water supplies.
- 5. Further study into evapotranspiration rates under maximum potential and under limited water supply conditions.
- 6. Continued work into the use of sewage effluent to satisfy specific water supply needs.
- 7. Development of procedures for evaluating projects toward alternative objectives.

CONCLUSIONS

Flooding

Damages in the Region have increased substantially over the past 20 years due mainly to more intensive use and increasing wealth in the flood plain. The trend toward increasing potential damages in the flood plain is expected to continue, assuming use of the flood plain will continue similar to past patterns.

If no additional potential flood prevention measures are implemented, average annual damages in the Region in upstream areas are projected to reach \$277 million by the year 2020. Installation of potential structural flood prevention measures could result in average annual damage reduction of \$129 million in 2020.

Alternatives in addition to dam and channel construction must be considered in reducing flood damages in upstream areas. Even if all potential structural flood prevention measures were installed in the Region by 2020 there would still remain an annual damage of \$148 million. Flood plain management could help alleviate this problem, but further study is needed in the evaluation of benefits and costs.

Hydrologic studies are needed to delineate areas prone to flooding. Regional (basin) policies and criteria for use of these flood plains are needed until detailed plans can be developed. Needed reservoir sites in danger of being eliminated by urban construction need to be preserved until timely project development can take place.

Detailed flood prevention studies should be considered in Areas 7, 9, 10, 12, 15 and 18. This recommendation is based upon projected average annual flood damages in 2020 exceeding \$10 million. Flood prevention plans incorporating structural measures, watershed protection, and flood plain management are needed to prevent these huge flood damages.

If detailed comprehensive river basin studies are initiated in Areas 6, 14 and 20 it is recommended that detailed flood prevention studies be considered. This recommendation is based upon projected average annual flood damage in 2020 exceeding \$3 million but less than \$10 million. Detailed comprehensive plans needed to solve water supply problems should include flood prevention measures.

There are 353 watersheds classified as "Potential Flood Prevention Projects". In areas not selected for comprehensive river basin studies, preliminary investigation of the "Potential Flood Prevention Projects" are needed to ascertain feasibility and local interest. These individual watershed investigations should consider multiple use of both structural and nonstructural flood prevention measures.

Areas 8 and 17 have recently been evaluated under Type II and 21 is now being evaluated under Type IV river basin studies. A study for Area 19 has been completed under a special Congressional authorization.

Water Management

There could be 14.5 million acre feet of water made available for uses other than flood prevention in potential upstream impoundments. Water surface of these potential impoundments would cover 922 thousand acres. This water will be considered for allocation to meet the needs developed in other appendices.

Federal cost sharing policies for particular purpose should be uniform. For example, land costs for flood prevention are borne by local people if a federally assisted project and by the federal government if a federal project.

Full site utilization needs to be encouraged. Justification procedures should include evaluating each purpose as the last increment. Full use of economies of scale will prevent underdevelopment of needed storage. Project purposes yielding long range and widespread benefits do not generally receive concerted local support. Units of governments, willing to exercise their authority to enter into financial arrangements and bear a large portion of the cost, are needed to satisfy widespread public demands.

Water quality, quantity, and surface demands vary with alternative objectives. Objectives change with time. The most desirable objective "mix" may be different a decade from now. To have a dynamic program, viable working tools and procedures are needed for periodically updated studies. The Demand-Supply Computer Models, resource interactions, and related land balances are such tools.

IV - SUBREGIONAL SUMMARY

SUBREGION A (Areas 1, 2, 3, 4 and 5)

Flooding

Area Inundated. Total area inundated by the 100 year frequency flood in the Subregion is approximately 377,000 acres (Table F-4). Of this, 3 percent is in crop and pasture, 66 percent is in forest land, and 31 percent is in urban and miscellaneous.

Area 5 has the greatest and Area 4 has the least total area inundated. The greatest and the least acreage inundated in crop and pasture is in Areas 3 and 1 respectively. The greatest and least acreage inundated in forest land is in Areas 5 and 4 respectively. The greatest and least acreage inundated in urban and miscellaneous is in Areas 5 and 4 respectively.

Area inundated as a percent of total area for the Subregion is 2. It ranged from less than 1 percent in Area 1 to 5 percent in Area 5.

Present Damages. The present average annual damage in the Subregion is approximately \$0.9 million. It ranged from \$0.1 million in Area 1 to \$0.3 million in Area 3. Of the total, 14 percent is agricultural and 86 percent is nonagricultural. The percent agricultural damage ranged from 1 percent in Area 5 to 36 percent in Area 3.

The present average annual damage in dollars per acre of area inundated ranged from \$1 in Area 5 to \$10 in Area 4. The average for the Subregion is \$2.

There are seven authorized PL 566 projects in upstream areas which will reduce present average annual damage by \$0.17 million, leaving a damage of \$0.01 million. Present average annual damage in the remaining upstream areas is \$0.84 million.

Future Damages. If no additional flood prevention measures were installed, the present average annual flood damages of \$0.9 million would increase to \$1.2 million in 1980, \$2.1 million in 2000, and \$4.2 million in 2020 (Figure F-19). The range in annual damage in 2020 would be \$0.3 million in Area 1 to \$1.3 million in Area 4.

Extent and Timing of Flood Prevention Measures

Structural Measures. Suggested flood prevention structural measures involving installation of 77 multiple purpose dams with 302,800 acre feet of flood prevention storage at an average annual cost of \$1.14 million will reduce annual flood damage by \$2.80 million in 2020. The tables on pages F-46 through F-50 indicate the extent and timing of potential flood prevention structural

measures for each objective by Area. The installation of structures involving National Forest land will depend upon further analysis to determine compatability with National Forest purposes.

Flood Plain Management. Flood prevention plans for the 377,000 acre flood plain should include nonstructural measures or devices as an alternative, in combination or in addition to structural measures. With all potential flood prevention structural measures installed, the annual damages remaining would be \$0.37 million, \$0.66 million, and \$1.29 million in 1980, 2000, 2020 respectively (Figure F-19). Flood plain management on 14,000 acres subject to high damages would reduce this remaining damage.

Water Management

In the seven authorized PL 566 projects there are included 58,300 acre feet of storage for uses other than flood prevention in multiple purpose reservoirs. As of 1967 under the CO program of the USDA technical assistance was provided for the installation of about 500 miles of diversions and 300 miles of tile for drainage and flood prevention. Also installed were about 2,200 ponds for flood prevention, irrigation, recreation, fish and wildlife, livestock, rural domestic, and fire protection.

In addition to flood prevention storage in the Potential Flood Prevention Projects, there is storage of 0.62 million acre feet for other uses. There are about 2.42 million acre feet of storage for other uses in the Potential Developments. The total available for water management in potential upstream impoundments is 3.04 million acre feet. The specific needs for water will be identified in other appendices.

Programs and Activities

PL 566. As of 1967 there were seven authorized PL 566 projects in the Subregion; four are in Area 1, one in Area 2, and two are in Area 4. Flood prevention storage of 48,400 acre feet and 58,300 acre feet of storage for other uses are included in 23 dams. The total estimated cost is \$8.8 million.

RC&D. There are two RC&D's in the Subregion. The St. John-Aroostook RC&D project is located in Area 1. Forty-nine project measures have been proposed by the local people under the categories of Land Use and Treatment, Structural Measures, Associated Measures, and Supporting Measures.

A portion of the North Country RC&D project is located in Area 4. The objective of this project is to provide technical and financial assistance for the conservation and development of the water, land and related natural resources for the economic betterment of the area citizens.

New England-New York Inter-Agency Committee Report. All of Subregion A is included in this report. The principal authorization for the survey was Section 205 of the Rivers and Harbors and Flood Control Act approved May 17, 1950. The principal subjects are discussions of the river basins, economic development, storage and stream flow regulation, water supply, pollution control, flood control and drainage, power development, navigation and beach erosion, fish and wildlife, recreation, management of agricultural and forest lands, minerals and insect control.

Floods of 100 year frequency magnitude inundate about 29,505 acres. Land use in this flood plain consists of 400 acres of cropland and pasture, 23,095 acres of forest, 670 acres of built-up, and 5,340 acres of miscellaneous lands.

Floods presently cause an estimated \$62,000 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$95,000 in 1980, \$168,000 in 2000; and \$337,000 in 2020.


Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 4,751,000 acres of land in Area 1, 2,108,000 acres require treatment and are feasible to treat. A net 183,000 acres will change use by 2020. Land use (1966) in the 18 watersheds consists of 240,000 acres of cropland, 25,000 acres of pasture, 4,240,000 acres of forest, 35,000 acres of urban, and 31,000 acres of other land.

Fully utilized, 33 potential upstream reservoir sites would have 114,300 acre feet of storage at an average cost of \$66/acre foot. Allotment of the storage capacity is 27% for sediment and floodwater and 73% for other beneficial uses.

The release of 444 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 287 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide:
13,070 acres in 17 pools over 500 acres in size 2,310 acres in 8 pools 200-500 acres in size 600 acres in ½ pools 100-200 acres in size 80 acres in 2 pools less than 100 acres in size. Average depths are 17 feet, 24 feet, 33 feet and 4 feet respectively.

UPSTREAM FLOOD DAMAGE PROJECTIONS



Of the 18 small watersheds in Area 1, 3 appear to warrant structural measures with flood prevention as a primary use. The 10 reservoirs with 22,400 acre feet of temporary storage could reduce flood damage by 49%. These 3 upstream watersheds deserve further study for early action projects. Another 80,400 acre feet of temporary storage in 23 reservoirs could possibly be developed in 11 projects with flood prevention as a secondary or incidental purpose.

About 6% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 14,000 acres in the 10 year and 23,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:	:		F1	ood Pr	evention	Der	nands			:	Co	st		: Ben	efits
		:Water	shed:	Flood	1:	Struc	ture	al Mea	sures		: Str	ructura	1 Mea:	sures	:Str.M	leasures
	:	: Prote	ec- :	Plair	:Proje	cts:Mult	i-:	Sto	rage	:Chan-	: One	Time	: Avg	.Ann.*	: %	:Area
Objective	: Time	: tion	by :	Mgt.	:	:pur-	:	Total	:Floor	i:nel	:Total	L:Flood	:Tota	l:Floo	d:Damag	e:Perm.
	: Frame	: Land			:	:pose	:		:Prev	.: Impr.	:	:Prev.	:	:Prev	.: Reduc	-: Pool
	: Year	:Treat	ment:		:	:Dams	:		:	:	:	:	:	:	:tion	:1000
	:	:	1000	Ac.	: No.	: No.	:	1000	Ac.Ft.	: Mi.	:	\$ mi	llion		;	: Ac.
	1966	2	0		14	15		60	33	1						
NATIONAL	EFFICIENC	Y														
	1980	14	3	1	1	1,		12	8	_	1.5	.7	.1	.1	23	.4
	2000			1	-											
	2020	3	10	_	2	6		63	16	_	4.5	1.4	.3	.1	27	2.2
REGIONAL :	DEVELOPME	NT														
	1980	14	3	1	1	4		12	8	_	1.5	.7	.1	.1	23	.4
	2000		_	1	_			-								
	2020	3	0	_	2	6		63	16	_	4.5	1.4	.3	.1	27	2.2
ENVIRONME	NTAL QUAL	ITY						-								
	1980	42	0	2	-											
	2000	84	4	23	_											
	2020	814	14	5	_											

NOTE: The values shown in the table are incremental.
Price Base 1970

* Amortized at 5-1/8% interest over 100 years.

Floods of 100 year frequency magnitude inundate about 110,711 acres. Land use in this flood plain consists of 953 acres of cropland and pasture, 81,814 acres of forest, 546 acres of built-up, and 27,398 acres of miscellaneous lands.


Floods presently cause an estimated \$114,000 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$165,000 in 1980; \$301,000 in 2000; and \$587,000 in 2020.

Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 5,056,000 acres of land in Area 2, 2,068,000 acres require treatment and are feasible to treat. A net 222,000 acres will change use by 2020. Land use (1966) in the 41 watersheds consists of 196,000 acres of cropland, 41,000 acres of pasture, 4,659,000 acres of forest, 94,000 acres of urban, and 66,000 acres of other land.

Fully utilized, 51 potential upstream reservoir sites would have 862,000 acre feet of storage at an average cost of \$63/acre foot. Allotment of the storage capacity is 27% for sediment and floodwater and 73% for other beneficial uses.

The release of 930 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 601 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide: 36,570 acres in 31 pools over 500 acres in size 6,860 acres in 18 pools 200-500 acres in size 320 acres in 2 pools 100-200 acres in size. Average depths are 12 feet, 27 feet, 23 feet respectively.



Of the 36 small watersheds in Area 2, 5 appear to warrant structural measures with flood prevention as a primary use. The 10 reservoirs with 42,300 acre feet of temporary storage could reduce flood damage by 52%. These 5 upstream watersheds deserve further study for early action projects. Another 169,500 acre feet of temporary storage in 41 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 2.2% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 54,000 acres in the 10 year and 91,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:		:		Flo	od Pre	ven	tion	De	mands			:	Co	ost		: Ben	efits
	:		: Wate	rshed	:Flood:		3	truct	ur	al Mee	sures				al Mea:			easures
			: Pro	tec-	:Plain:	Project	ts:	Multi	-:	Sto	rage	:Chan-	: One	Time	: Avg	.Ann.*	: %	:Area
Objective			: tio	on by	: Mgt.:		:	pur- pose	:	Total	:Floo	d:nel .:Impr.	:Total	:Flood :Prev	d:Tota	l:Floo	d:Damag .:Reduc	e:Perm. -:Pool
	:	Year	:Trea	tment 100	: : O Ac. :	No.		No.	:	1000	: Ac.Ft.	: : Mi.		-	: illion	:	:tion	:1000 : Ac.
	÷	1966	· - ;			1		3		2	1							
NATIONAL I	erere.					1		2		-	-							
MALIONAL A	CAP I	1980	18	3	1	1		2		37	8	-	4.5	1.1	3	.1	20	1.2
		2000			_	-												
		2020	16		-	14		14		118	38	-	10.6	3.3	.6	.1	32	3.7
REGIONAL 1	DEV		NT															
		1980	18	3	1	1		2		37	8	-	4.5	1.1	3	.1	20	1.2
		2000		-	-	-												
		2020	16:	1	-	8		4		118	38	-	10.6	3.3	3 .6	.1	37	3.7
ENVIRONME	TA		TTY															
		1980	41		2	-												
		2000	82		82	-												
		2020	82	7	27	-												

NOTE: The values shown in the table are incremental.

Price Base 1970

Amortized at 5-1/8% interest over 100 years.

Floods of 100 year frequency magnitude inundate about 43,706 acres. Land use in this flood plain consists of 5,372 acres of cropland and pasture, 26,927 acres of forest, 3,203 acres of built-up, and 8,204 acres of miscellaneous lands.

Floods presently cause an estimated \$294,000 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$417,000 in 1980; \$666,000 in 2000; and \$1,224,000 in 2020.


Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 3,575,000 acres of land in Area 3,659,000 acres require treatment and are feasible to treat. A net 321,000 acres will change use by 2020. Land use (1966) in the 31 watersheds consists of 287,000 acres of cropland, 70,000 acres of pasture, 3,099,000 acres of forest, 96,000 acres of urban, and 23,000 acres of other land.

Fully utilized, 62 potential upstream reservoir sites would have 862,500 acre feet of storage at an average cost of \$60/acre foot. Allotment of the storage capacity is 30% for sediment and floodwater and 70% for other beneficial uses.

The release of 892 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 577 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide:
31,800 acres in 29 pools over 500 acres in size 7,030 acres in 21 pools 200-500 acres in size 760 acres in 5 pools 100-200 acres in size 120 acres in 2 pools less than 100 acres in size. Average depths are 14 feet, 20 feet, 27 feet and 16 feet respectively.

UPSTREAM FLOOD DAMAGE PROJECTIONS



Of the 29 small watersheds in Area 3, 8 appear to warrant structural measures with flood prevention as a primary use. The 31 reservoirs with 118,500 acre feet of temporary storage could reduce flood damage by 67%. These 8 upstream watersheds deserve further study for early action projects. Another 121,200 acre feet of temporary storage in 31 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 1.2% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 24,000 acres in the 10 year and 38,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:	:		Fl	ood Pre	vention De	emands			:	Co	st		: Ben	efits
	:	:Waters	shed:	Flood	:	Structu	ral Mea	sures			uctura				leasures
	:	: Prote	ec- :	Plain	: Project	ts:Multi-	Sto	rage	:Chan-	: One	Time	: Avg	.Ann.*	: %	inres
Objective	: Time	: tion				:pur-				:Total	:Flood	:Tota	1:Floo	d:Damag	e:Perm.
	: Frame		:	0		:pose		:Prev	.: Impr.	:	:Prev.	:	:Prev	.: Reduc	-: Pool
	: Year	:Treat	nent:		:	:Dams	:		:		:	:	:	:tion	:1000
	:	:	1000	Ac.	: No.	: No.	: 1000	Ac.Ft.	: Mi.	:	\$ mi	llion		:	: Ac.
	1966				-										
NATIONAL	EFFICIENC	Y													
	1980	_		14	-										
	2000	_		3	_										
	2020	167		-	8	31	356	126	_	22.5	8.2	1.1	.4	67	16
REGIONAL	DEVELOPME	IVI													
	1980	-		14	-										
	2000	-		3	_										
	2020	167		-	8	31	356	126	-	22.5	8.2	1.1	.4	67	IE
ENVIRONME	NTAL QUAL	LITY													
	1980	132		6	-										
	2000	264		30	-										
	2020	263		8	_										

NOTE: The values shown in the table are incremental. Price Base 1970

* Amortized at 5-1/8% interest over 100 years.

Floods of 100 year frequency magnitude inundate about 25,731 acres. Land use in this flood plain consists of 4,281 acres of cropland and pasture, 15,556 acres of forest, 605 acres of built-up, and 5,289 acres of miscellaneous lands.

Floods presently cause an estimated \$233,000 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$349,000 in 1980; \$633,000 in 2000; and \$1.292,000 in 2020.


Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 2,113,000 acres of land in Area 4, 1,316,000 acres require treatment and are feasible to treat. A net 131,000 acres will change use by 2020. Land use (1966) in the 30 watersheds consists of 132,000 acres of cropland, 26,000 acres of pasture, 1,833,000 acres of forest, 86,000 acres of urban, and 36,000 acres of other land.

Fully utilized, 63 potential upstream reservoir sites would have 850,300 acre feet of storage at an average cost of \$70/acre foot. Allotment of the storage capacity is 27% for sediment and floodwater and 73% for other beneficial uses.

The release of 916 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 593 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide:
19,020 acres in 20 pools over 500 acres in size 8,100 acres in 23 pools 200-500 acres in size 1,380 acres in 10 pools 100-200 acres in size 240 acres in 5 pools less than 100 acres in size. Average depths are 19 feet, 30 feet, 30 feet and 54 feet respectively.

UPSTREAM FLOOD DAMAGE PROJECTIONS



Of the 29 small watersheds in Area 4, 2 appear to warrant structural measures with flood prevention as a primary use. The 10 reservoirs with 34,200 acre feet of temporary storage could reduce flood damage by 73%. These 2 upstream watersheds deserve further study for early action projects. Another 174,500 acre feet of temporary storage in 53 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 1.2% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 14,000 acres in the 10 year and 22,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:	:		Fl	ood Pre	vention De	mands				Cos	t		: Ben	efits
	:	:Waters	shed:	Flood	:	Structur	al Me	sures		St	ructural	Meas	sures	:Str.M	easures
	:	: Prote	ec-	Plain	:Project	ts:Multi-	Sto	orage	:Chan-	One	Time :	Avg.	.Ann.*	: %	:Area
Objective	: Time : Frame	: tion : Land	by :	_	:	:pur- :pose :	Tota.		d:nel .:Impr.		l:Flood: :Prev.:			:Damag	
		:Treatn		Ac.	: No.	:Dams	1000	:	: Mi.	:	: :		:	:tion	
	1966				2	5	1,1,	15	.5						-
NATIONAL .		Y			-			17	.,						
	1980	34		_	1	14	22	12	_	4.1	3.3	.1	.1	55	. 4
	2000	132		_	1	6	76	26	_	3.8	2.1		.1	18	3.3
	2020	_		1	_					-					3.3
REGIONAL 1	DEVELOPME	NT													
	1980	34		-	1	14	22	12	-	4.1	3.3	.1	.1	55	. 4
	2000	132		-	1	6	76	26	-	3.8	2.1	.1	.1	18	3.3
	2020	-		1	-										5.0
ENVIRONME	WTAL QUAL	ITY													
	1980	263		3	_										
	2000	526		18	-										
	2020	526		5	-										

NOTE: The values shown in the table are incremental.

Price Base 1970

^{*} Amortized at 5-1/8% interest over 100 years.

Floods of 100 year frequency magnitude inundate about 167,290 acres. Land use in this flood plain consists of 445 acres of cropland and pasture, 103,735 acres of forest, 442 acres of built-up, and 62,668 acres of miscellaneous lands.

Floods presently cause an estimated \$147,000 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$184,000 in 1980; \$366,000 in 2000; and \$733,000 in 2020.


Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 346,500 acres of land in Area 5, 1,695,000 acres require treatment and are feasible to treat. A net 192,000 acres will change use by 2020. Land use (1966) in the 43 watersheds consists of 215,000 acres of cropland, 15,000 acres of pasture, 2,974,000 acres of forest, 126,000 acres of urban, and 135,000 acres of other land.

Fully utilized, 81 potential upstream reservoir sites would have 1,202,500 acre feet of storage at an average cost of \$42/acre foot. Allotment of the storage capacity is 27% for sediment and floodwater and 73% for other beneficial uses.

The release of 1,769 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 1,144 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide: 70,690 acres in 44 pools over 500 acres in size 8,620 acres in 26 pools 200-500 acres in size 540 acres in 4 pools 100-200 acres in size Average depths are 10 feet, 23 feet, 14 feet respectively.

UPSTREAM FLOOD DAMAGE PROJECTIONS



Of the 43 small watersheds in Area 5, 8 appear to warrant structural measures with flood prevention as a primary use. The 16 reservoirs with 64,500 acre feet of temporary storage could reduce flood damage by 43%. These 8 upstream watersheds deserve further study for early action projects. Another 232,300 acre feet of temporary storage in 65 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 4.8% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 95,000 acres in the 10 year and 142,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:	:		Flood Pr	revention D	emands			:	Cos	t		: Ben	efits
-	:	:Waters	ned:Flo	od:	Structu	ral Mea	sures		: St	ructural	Meas	sures	:Str.M	easures
	:	: Prote	- :Pla	in: Proje	ects:Multi-	: Sto	rage	:Chan-	: One	Time :	Avg	.Ann.*	: %	:Area
Objective		: tion 1			:pur-			d:nel .:Impr.		1:Flood: :Prev.:			d:Damag .:Reduc	
	: Year	:Treatme	ent: 1000 Ac	: .: No	:Dams	: 1000	:	: : Mi.	;	: :	lion	:	:tion	:1000 : Ac.
	1966			-										
NATIONAL H		Y												
	1980	_	1	_										
	2000	147		. 4	10	194	58	-	6.9	2.1	.3	.1	34	16.1
	2020	44		. 4	6	46	12	-	2.5	.7	.1	.1	8	2.7
REGIONAL I	DEVELOPME	NT												
	1980	-	1	_										
	2000	191		. 8	16	240	70	-	9.4	2.8	.4	.1	42	18.8
	2020	26		. 1	2	28	7	_	1.2	.3	.1	.1	1	1.7
ENVIRONME	WIAL QUAL	ITY												
	1980	339	1	-										
	2000	678		-										
	2020	678												

NOTE: The values shown in the table are incremental.

Price Base 1970

* Amortized at 5-1/8% interest over 100 years.

UPSTREAM FLOOD DAMAGES, WATER MANAGEMENT AT SUBREGION A

Subarea	Number	: Total :	Area In	undated b	by 100 Ye	ar Freq.	rent Flo		Aver	age Ann	ual Fl	ood Dam	age	10-4-5	. 171000	Draw	Benef
roject Classification	of	: Water- :		: Wood-			Total :		Other:	Resid.:	Comm.	Trans.:	Other		: Flood : Damage	:MIII2	Agr.: F
	Projects	: shed :		: lands :					Agr.:	- 1	& : Indus:	:			: Redcti	:CLU :	Mgt.:
		: sq.mi. :	ac.	: ac. :	ac. :	ac. :	ac, :			tho	unand o	dollars			1	t)	nousand d
											A	REA	1	ST.	MOL	1 R	IVER
3/	L.	187	115	2515	75	580	3285	.5	7.5	2.4	9.6	3.6	6.7	30.3	3 28.8		
1a <u>3</u> /	4	101															
1b	14	1995	285	20580	595	4760	26220	4.6	3.5	31.5	48.8	31.6	13.1	133.	1 114.5		
ot Evaluated	4	5177															
uthorized P.L. 566	4	346	100	990	355	390	1835	.6	10.3	21.5			14.2			49.4	- 1
otential Flood Prev. Projects	3	258	140	2830	195	895 4055	4060 23610	3.5	.6	6.4		12.8	5.0	36.			
otential Developments 3/	11	1578	160	19275	120	4055	53010	1.0	.1	6.0	5.7						
TOTAL	18	2182	1,00	23095	670	5340	29505	5.1	11.0	33.9	58.4	35.2	19.8	163.1	143.3		
											ARF	EA 2	2	PEN	OBSC	TO	RIVE
6.t Dualizated	5	4664									, ,,,,,						
ot Evaluated authorized P.L. 566	1	8		95	50	55	200	-	4.6	4.2	12.4	7.4	.6				-
otential Flood Prev. Projects	5	682	626	7725	294	4435	13080	.7	6.3	23.8	40.4	15.2		88.			
otential Developments 3/	30	3171	327	73994		22908	97431	.3	.1	8.5		5.0		23.			
TOTAL	36	3861	953	81814	546	27398	110711	1.0	11.0	36.5	62.3	27.6	2.3	140.	7 99.0		
											ΔP	EA	3	KEN	INEB	FC	RIVE
ot Evaluated	2	2894									AIN		5	KLI	IIILD		1117
uthorized P.L. 566	0		1 4 2									-		-/-			
otential Flood Prev. Projects otential Developments	8	1415 1562	5173 199	13081 13846	3068 135	4931 3273	26253 17453	92.3	13.9	12.0	61.5	31.1	2.5				
TOTAL 3/	29	2977	5372	26927	3203	8204	43706	92.3	14.9	78.6	61.5	43.4	2.8	293.	5 200.1		
										Δ	REA	4	ΔΝ	DRC	sco	GG	IN RI
3/																00	111
4a	7	1404	790	4766	50	1912	7518	4.5	-	4.5	14.1	4.2	2.4	29.	6 23.7		
46	22	1557	3491	10790	555	3377	18213	3.3	2.1	101.0	46.9	63.6	23.0	239.	9 199.6		
ot Evaluated	1	485															
uthorized P.L. 566	2	195	1200	2000	30	110	3340	.14	-	50.5		2.5	7.4			22.0	- 1
stential Flood Prev. Projects	2	415	1950	1026	477 98	734	4187 18204	2.5	2.1	80.7	8.3	52.2	17.6	197.			
otential Developments	25	2351	1131	12530									25.4				
TOTAL	29	2961	4281	15556	605	5289	25731	7.8	2.1								
								Al	REA	5	ST.	CR	OIX	RIV	ER A	ND	COA
3/ 5a	5	584	9	8439	35	1259	9742	-	-	5.4		2.9	-	8.	3 5.0		
3/ 5b	38	2972	436	95296	407	61409	157557	1.1	-	33.4	46.9	47.8	9.6	138.	8 82.6		
ot Evaluated	3	2673															
thorized P.L. 566 stential Flood Prev. Projects	8	608	24	21023	178	13437	34662	-	-	28.2	36.4	10.0	8.9				
etential Developments	35	2948	421	82712	264	49231	132628	1.1	-	10.6		40.7					
TOTAL	43	3556	445	103735	442	62668	167290	1.1	-	38.8	46.9	50.7	9.6	147.	1 87.6		
													SU	BRF	GION	А	
	1.5	15893											-			, ,	
Not Evaluated Authorized P.L. 506	15	15893 549	1300	3085	435	555	5375	1	15	1.5	65	28	22	177	165	73	- 1
otential Flood Prev. Projects otential Developments	26 122	3378 11610	7913 2238	45685 202357	4212 819	24432 83912	82242 289326	99 7	21	206 42	191 34	121 75	36	67h 163	520 68		
TOTAL 3/	155	15537	11451	251127			376943	107	39	294	290	224	60	1014	753		
2.00																	

^{1/} To creat of emergency spillway.
2/ Storage for beneficial uses other than flood prevention.
3/ Excludes Not Evaluated.
4/ Additional storage is available. The limit of the study is 25,000 acre feet per dam.
5/ Channel improvement in miles.
6/ Includes redevelopment and/or secondary benefits.
6/ste: Inventory base 1966; Price base 1970; Ammortization rate, 5-1/8% over 100 years.




WATER MANAGEMENT AND STRUCTURAL MEASURES SUBREGION A

						Be	nefits a	and Cost	S										m Struct			
	ther:		Flood F	rev.: Agr	enefits .: Rec.	Other:	Total	:Flood:	Agr.	Costs:Rec. :		Total: 7			:D.A. :		Flood-:	Other U	ses 2/:	Total:	Perm.:	Water-
:	:		Redetn:	MIU&:Wate CLU : Mgt	er:	:Uses :		:Prev.:	Water Mgt.	: :	Uses :	Avrg.: E	Est. :	Dams	:Doms :	ment :	water :	and acre	Avail.:	:1		Imp. 5
ollars	_			thousa	uid dorra	rs				housand	dolla	rs		-	;sq.mi.;		thouse	nd acre	reec	-	ac.	
REA	1	ST. J	OHN	RIVE	-R															14	/	
3.6	6.7	30.3	28.8					121.8				281.7	8080	10	153.3	2.4	25.2	.9		109.1	1	
31.6	13.1	133.1	114.5					428.3				1378.2	24468	38	602.4	9.4	108.6	12.2	235.3	365.5	14838	
						-0 0	387.5					m ()	5000				22.0	10.1	14.6	60.3	1527	
18.4	5.0	109.5 36.5 17.4	101.4 30.7	49.4	- 138.9	30.9	307.7	115.9 147.6 286.6		79.9	20.6	216.4 317.9 1125.6	5027 6026 21495	15	201.7 131.4 422.6		31.0 22.4 80.4	13.1	50.5	74.4	2670 13393	
35.2	.6	163.4	143.3					550.1				1659.9	32548	48			133.8	13.1		474.6		
A 2	F	PENC	BSC	OT R	IVER																	
7.4 15.2	.6 1.7	29.2 88.1	27.1 58.7	1.8 .	- 2.0	2.6	33.5	16.8 228.4	-	1.9	-	18.7 766.8	457 15040	3	6.2	1.8	.9 42.3	1.0	107.4	2.0	10 4925	
5.0	-	23.4	13.2					523.7				2043.5	39190	41		15.5		2.9	518.5	706.4	38830	
27.6	2.3	140.7	99.0					768.9				2829.0	54687	54	1187.9	19.4	212.7	6.0	625.9	864.0	43765	
EA 3	3	KFNI	VERE	EC RI	VFR																	
			,																			
31.1	2.5	267.9 25.6	196.5					465.6 432.4				1192.6 1572.8	22474 29621	31	639.1 614.7	7.3	118.5	8.9	221.3 375.4	356.0 506.5	16388 23329	
43.4	2.8	293.5	200.1					898.0				2765.4	52095	62	1253.8	17.2	239.7	8.9	596.7	862.5	39717	1.
4	ΔΝ	DRO	scoo	GGIN	RIVE	R																
4.2	2.4	29.6	23.7	30				356.7				1586.7	30212	31	503.5	9.0	88.8	1.3	371.2	470.3	17822	
63.6		239.9	199.6					606.3				1686.8	32614	37	610.1	11.1	134.3	28.3	250.7	424.4	13057	
2.5		38.6	36.8	22.0	- 135.7	-	222.7	55.4 191.1	~	68.7	-	124.1 415.3	3285 7862	5	56.4	.4	14.4 34.2	29.6	59.8	44.4	2140	
52.2 13.1	17.6	197.6 33.3	170.3 16.2					716.5				2734.1	51679	53	871.2	16.7	174.5	-	562.1	753.3	25052	
67.8	25.4	269.5	223.3					963.0				3273.5	62826	68	1113.6	20.1	223.1	29.6	621.9	894.7	30879	
CRO	XIC	RIVE	R A	ND C	OAST	AL	ARE	Α														
2.9	-	8.3	5.0					40.5				202.8	3803	7	58.7	1.5	11.2	-	49.8	62.5	5195	
47.8	9.6	138.8	82.6					660.9				2511.6	46709	74	1494.7	23.9	285.6	2.0	828.5	1140.0	74655	
10.0	8.9	83.5	63.3					110.4				424.5	9434 41078	16			64.5		167.8	239.6		
50.7	.7	63.6	24.3					591.0 701.4				2289.9	50512	65 81	1215.2		232.3		878.3			
20.1	2.0							POLI-4				2,24,4	7-72	17.2	*223.0	-2.9	.,				,,0,0	
	SU	BREC	SION	A																		
28		177	165	73	- 277	42	644	188	-	151	21	360 3117	8769 60836	23 77	264	2	46 282	144 13	15 607	107	3677 46470	
121 75	36	674 163	520 68					1143 2550				9766	183063	213	4082	71	778	3	2417	3269	161654	
224	60	1014	753					3881				13243	252668	313	5864	94	1106	60	3039	4299	E11801	2.

SUBREGION A


FLOOD DAMAGE DISTRIBUTION AND PROJECTIONS




POTENTIAL WATER SUPPLY FROM UPSTREAM RESERVOIRS

LEGEND

QUALITY



Mary State of the State of



UPSTREAM FLOOD PREVENTION PROJECTS

7

10 0 10 20 30 40 Mies SCALE

FIGURE F-19

SUBREGION B (Areas 6, 7, 8, 9 and 10)

Flooding

Area Inundated. Total area inundated by the 100 year frequency flood in the Subregion is approximately 472,000 acres (Table F-5). Of this 24 percent is in crop and pasture, 14 percent is in forest land, and 62 percent is in urban and miscellaneous. This contrasts with Subregion A where woodland was the predominant area inundated.

Area 9 has the greatest and Area 10 has the least total area inundated. The greatest and the least acreage inundated in crop and pasture is in Areas 8 and 6 respectively. The greatest and least acreage inundated in forest land is in Areas 6 and 9 respectively. The greatest and least acreage inundated in urban and miscellaneous is in Areas 9 and 10 respectively.

Area inundated as a percent of total area for the Subregion is 3. It ranged from 1 percent in Area 8 to 7 percent in Area 9.

Present Damages. The present average annual damage in the Subregion is approximately \$18.0 million. It ranged from \$1.3 million in Area 6 to \$6.0 million in Area 9. Of the total, 6 percent is agricultural, and 94 percent is nonagricultural. The percent agricultural damage ranged from 1 percent in Area 10 to 16 percent in Area 6.

The present average annual damage in dollars per acre of area inundated ranged from \$20 in Area 6 to \$94 in Area 10. Area 10 has the highest damageable value per acre inundated in the Region. The average for the Subregion is \$43 which is also the highest in the Region.

There are 23 authorized PL 566 projects and one Pilot Watershed in upstream areas which will reduce present average annual damage by \$2.49 million, leaving a damage of \$1.99 million. Present average annual damage in the remaining upstream areas is \$16.03 million.

Future Damage. If no additional flood prevention measures were installed, the present average annual flood damages of \$18.0 million would increase to \$27.9 million in 1980, \$52.8 million in 2000, and \$106.8 million in 2020 (Figure F-20). The range in annual damage in 2020 would be \$7.6 million in Area 6 to \$34.0 million in Area 9.

Extent and Timing of Flood Prevention Measures

Structural Measures. Suggested flood prevention structural measures involving installation of 380 multiple purpose dams with 603,900 acre feet of flood prevention storage at an average annual cost of \$7.05 million will reduce annual flood damage by \$35.53

million in 2020. The tables on pages F-54 through F-58 indicate the extent and timing of potential flood prevention.structural measures for each objective by Area. The installation of structures involving National Forest land will depend upon further analysis to determine compatibility with National Forest purposes.

Flood Plain Management. Flood prevention plans for the 472,000 acre flood plain should include nonstructural measures or devices as alternatives, in combination, and/or in addition to structural measures. With all potential flood prevention structural measures installed the annual damages remaining would be \$18.8 million, \$35.5 million, \$71.1 million in 1980, 2000 and 2020 respectively (Figure F-20). Flood plain management of the 100,000 acres subject to high damages, would reduce this remaining damage.

Water Management

In the 24 authorized PL 566 projects there are included 21,700 acre feet of storage for uses other than flood prevention in multiple purpose reservoirs. As of 1967 under the CO program of the USDA technical assistance was provided for the installation of about 300 miles of diversions, 500 miles of tile, and 1300 miles of open main ditches for drainage and flood prevention. Also installed were about 12,600 ponds for flood prevention, irrigation, recreation, fish and wildlife, livestock, rural domestic, and fire protection.

In addition to flood prevention storage in the Potential Flood Prevention Projects, there is storage of 1.31 million acre feet for other uses. There are about 1.65 million acre feet of storage for other uses in the Potential Developments. The total available for water management in potential upstream impoundments is 2.96 million acre feet. The specific needs for water will be identified in other appendices.

Programs and Activities

PL 566. As of 1967 there were 24 authorized PL 566 projects in the Subregion; two are in Area 6, five in Area 7, and 11 in Area 8, one in Area 9, and five in Area 10. Flood prevention storage of 112,000 acre feet and 21,700 acre feet of storage for other uses are included in 103 dams. The total estimated cost is \$50.2 million.

RC&D. There are four RC&D's in the Subregion. A portion of the East Central Vermont RC&D project is located in Area 8. It was the desire of the sponsors that the land, water, plant and wildlife resources be fully developed, conserved and used for the benefit of people.

A portion of the North Country RC&D project is located in Area 6, 7, and 8. The objective of this project is to provide technical

and financial assistance for the conservation and development of the water, land and related natural resources for the economic betterment of the area citizens.

Most of the Berkshire-Franklin RC&D project is in Areas 8 and 10. The project aim is to improve environmental quality; help to expand industry, commerce, and community services; and, publicize the attractiveness of the area.

A portion of the Eastern Connecticut RC&D project is in Area 8. The primary objective of the project is to speed up conservation and development of the area's natural resources.

Type II Coordinated Comprehensive Detailed Study. A Type II Study was recently completed for the Connecticut River Basin (Area 8).

Type IV Cooperative Survey. A statewide Massachusetts Water Resource Type IV Study was begun in 1969.

New England-New York Inter-Agency Committee Report. All of Subregion 8 is included in this report. The principal authorization for the survey was Section 205 of the Rivers and Harbors and Flood Control Act approved May 17, 1950. The principal subjects are discussions of the river basins, economic development, storage and stream flow regulation, water supply, pollution control, flood control and drainage, power development, navigation and beach erosion, fish and wildlife, recreation, management of agricultural and forest lands, minerals, and insect control.

Floods of 100 year frequency magnitude inundate about 67,845 acres. Land use in this flood plain consists of 10,384 acres of cropland and pasture, 22,565 acres of forest, 6,466 acres of built-up, and 28,430 acres of miscellaneous lands.

Floods presently cause an estimated \$1,320,000 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$2,059,000 in 1980; \$3,748,000 in 2000; and \$7,603,000 in 2020.


Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 2,471,000 acres of land in Area 6,1,550,000 acres require treatment and are feasible to treat. A net 228,000 acres will change use by 2020. Land use (1966) in the 38 watersheds consists of 170,000 acres of cropland, 34,000 acres of pasture, 197,000 acres of forest, 142,000 acres of urban, and 155,000 acres of other land.

Fully utilized, 121 potential upstream reservoir sites would have 994,200 acre feet of storage at an average cost of \$94/acre foot. Allotment of the storage capacity is 29% for sediment and floodwater and 71% for other beneficial uses.

The release of 1,411 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 911 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide:
22,910 acres in 25 pools over 500 acres in size
13,760 acres in 43 pools 200-500 acres in size
3,260 acres in 20 pools 100-200 acres in size
1,080 acres in 17 pools less than 100 acres in size.
Average depths are 14 feet, 21 feet, 21 feet and
17 feet respectively.

UPSTREAM FLOOD DAMAGE PROJECTIONS



Of the 38 small watersheds in Area 6, 14 appear to warrant structural measures with flood prevention as a primary use. The 92 reservoirs with 183,300 acre feet of temporary storage could reduce flood damage by 74%. These upstream watersheds deserve further study for early action projects. Another 84,400 acre feet of temporary storage in 29 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 2.7% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 45,000 acres in the 10 year and 60,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:	:		F1	ood Pre	vention 1	Demands			:	Cos	t		: Ber	nefits
	:	:Waters	shed:	Flood	:	Structi	iral Me	asures		: St	ructural	Meas	ures	:Str.N	leasures
	:	: Prote	ec- :	Plain	: Projec	ts:Multi	-: St	orage	:Chan-	: One	Time :	Avg.	Ann.*	: %	:Area
Objective	: Time	: tion	by :	Mgt.	:	:pur-	: Tota	1 :Floo	d:nel	:Tota	1:Flood:	Total	:Floor	:Damag	e: Perm.
	: Frame	: Land	:		:	:pose	:	:Prev	.: Impr.	:	:Prev.:		:Prev	:Reduc	-: Pool
	: Year	:Treatr	nent:		:	:Dams	:	:	:	:	: :		:	:tion	:1000
	:	:	1000	Ac.	: No.	: No.	: 1000	Ac.Ft.	: Mi.	:	\$ mil	lion		:	: Ac.
	1966				2	7	10	9	-						
NATIONAL		Y													
	1980	355		5	5	39	314	91	-	47.4	13.3	2.5	.7	50	9.5
	2000	543		-	9	53	391	110	-	30.0	7.5	1.6	. 4	214	18.1
	2020	_		5	_		-,-								
REGIONAL I	DEVELOPME	INT													
	1980	355		5	5	39	314	91	_	47.4	13.3	2.5	.7	50	9.5
	2000	543		_	9	53	391	110	-	30.0	7.5	1.6	. 4	24	18.1
	2020	-		5	-		~								
ENVIRONME	NTAL QUAL	ITY													
	1980	310		12	_										
	2000	620		28	_										
	2020	620		28	_										

NOTE: The values shown in the table are incremental. Price Base 1970

* Amortized at 5-1/8% interest over 100 years.

Floods of 100 year frequency magnitude inundate about 91,755 acres. Land use in this flood plain consists of 19,755 acres of cropland and pasture, 9,892 acres of forest, 7,288 acres of built-up, and 54,820 acres of miscellaneous lands.

Floods presently cause an estimated \$2,386,000 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$3,675,000 in 1980; \$6,992,000 in 2020; and \$14,152,000 in 2020.


Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 3,076,000 acres of land in Area 7, 1,853,000 acres require treatment and are feasible to treat. A net 537,000 acres will change use by 2020. Land use (1966) in the 46 watersheds consists of 168,000 acres of cropland, 57,000 acres of pasture, 2,390,000 acres of forest, 273,000 acres of urban, and 188,000 acres of other land.

Fully utilized, 174 potential upstream reservoir sites would have 857,100 acre feet of storage at an average cost of \$145/acre foot. Allotment of the storage capacity is 26% for sediment and floodwater and 74% for other beneficial uses.

The release of 1,543 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 997 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide:
15,390 acres in 14 pools over 500 acres in size
22,090 acres in 67 pools 200-500 acres in size
11,520 acres in 77 pools 100-200 acres in size
3,810 acres in 63 pools less than 100 acres in size. Average depths are 8 feet, 15 feet, 20 feet and
19 feet respectively.

UPSTREAM FLOOD DAMAGE PROJECTIONS



Of the 40 small watersheds in Area 7, 16 appear to warrant structural measures with flood prevention as a primary use. The 99 reservoirs with 112,600 acre feet of temporary storage could reduce flood damage by 32. These 16 upstream watersheds deserve further study for early action projects. Another 86,900 acre feet of temporary storage in 75 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 30% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 61,000 acres in the 10 year and 82,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:	:		Flo	od Prev	ention	Den	ands			:	Cos	st		: Ben	efits
	:	:Waters	hed:Fl	.ood:		Struct	ura	1 Mes	sures		: St	ructura	1 Meas	ures	:Str.M	easures
Objective		: Prote				:pur-	:		:Floo	d:nel	:Tota	Time 1:Flood	:Tota	L:Flood	:Damag	
		: Treatm	ent.	:			:			.: Impr.		:Prev.		:Prev.	:Reduc	
	: lear		1000 A	c. :	No.	: Dams	:	1000	: Ac.Ft.	: : Mi.	:	: \$ mi:	llion	•	:tion	:1000 : Ac.
	1966				5	53		179	46	1						
NATIONAL :	EFFICIENC	Y														
	1980	187	1	.0	5	. 31		165	40	-	22.6	5.5	1.2	.3	11	6.4
	2000	495		5	11	- 68		358	85	-	53.1	12.9	2.9	.7	21	16.6
	2020	-	1	5	-											
REGIONAL I	DEVELOPME	NT														
	1980	556		9	11	83		446	104	-	54.3	13.1	2.9	.7	22	18.1
	2000	116		6	5	16		77	21	-	21.7	5.4	1.2	.3	10	4.9
	2020	-	1	.5	-											
ENVIRONME	WIAL QUAL	ITY														
	1980	370	1	17	-											
	2000	741	2	20	-											
	2020	741		55	-											

NOTE: The values shown in the table are incremental.
Price Base 1970

Amortized at 5-1/8% interest over 100 years.

Floods of 100 year frequency magnitude inundate about 79,929 acres. Land use in this flood plain consists of 36,193 acres of cropland and pasture, 13,010 acres of forest, 4,617 acres of built-up, and 26,109 acres of miscellaneous lands.

Floods presently cause an estimated \$4,050,000 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$6,237,000 in 1980; \$12,028,000 in 2000; and \$24,812,000 in 2020.


Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 6,958,000 acres of land in Area 8,3,013,000 acres require treatment and are feasible to treat. A net 1,078,000 acres will change use by 2020. Land use (1966) in the 137 watersheds consists of 598,000 acres of cropland, 341,000 acres of pasture, 5,489,000 acres of forest, 258,000 acres of urban, and 272,000 acres of other land.

Fully utilized, 338 potential upstream reservoir sites would have 1,752,100 acre feet of storage at an average cost of \$180/acre foot. Allotment of the storage capacity is 32% for sediment and floodwater and 68% for other beneficial uses.

The release of 2,449 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 1,582 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide: 11,130 acres in 17 pools over 500 acres in size 25,930 acres in 84 pools 200-500 acres in size 19,297 acres in 133 pools 100-200 acres in size 5,218 acres in 87 pools less than 100 acres in size. Average depths are 23 feet, 21 feet, 20 feet and 19 feet respectively.

UPSTREAM FLOOD DAMAGE PROJECTIONS



Of the 128 small watersheds in Area 8, 13 appear to warrant structural measures with flood prevention as a primary use. The 63 reservoirs with 99,000 acre feet of temporary storage could reduce flood damage by 19%. These 13 upstream watersheds deserve further study for early action projects. Another 412,300 acre feet of temporary storage in 275 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 1.1% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 50,000 acres in the 10 year and 69,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:	:		F	1000	Prev	ention	De	mands			:	Cos	t		: Ben	efits
	:	:Water	shed:	Floo	d:		Struct	ur	al Mea	asures		: Sti	ructural	Meas	ures	:Str.M	easures
	:	: Prot	ec-:	Plai	n:Pr	oject	s:Multi	-:	Sto	orage	:Chan-	: One	Time :	Avg.	Ann.*	: %	:Area
Objective	: Time	: tion	by :	Met	. :		:pur-			l :Floo			L:Flood:				
	: Frame				:		:pose				.:Impr.		:Prev.:			:Reduc	
	: Year	:Treat	ment:		:		:Dams				:		: :				:1000
	:	:		Ac.	:	No.	: No.	:	1000	Ac.Ft.	-		\$ mil	lion		:	: Ac.
	1966					11	34		36	34	24						
NATIONAL I	EFFICIENC	Y															
	1980	272		. 6		5	22		140	52	-	22.1	14.2	1.4	.9	9	2.9
	2000	155		6		5	29		89	38	.5	20.4	6.8	1.2	. 4	7	3.2
	2020	31		10		3	12		23	13	-	6.8	5.1	. 14	.3	5	.5
REGIONAL I	DEVELOPME																
	1980	297		6		6	24		149	59	-	24.6	13.8	1.6	.9	10	2.9
	2000	162		5		7	39		102	45	-	24.7	10.6	1.4	.6	11	3.6
	2020	252		11		11	29		159	47	-	28.2	8.1	1.4	. 14	1	5.7
ENVIRONME																	
	1980	603		23		_											
	2000	1205		31		_											
	2020	1205		26		-											

NOTE: The values shown in the table are incremental.

Price Base 1970

* Amortized at 5-1/8% interest over 100 years.

Floods of 100 year frequency magnitude inundate about 179,120 acres. Land use in this flood plain consists of 28,635 acres of cropland and pasture, 7,000 acres of forest, 19,780 acres of built-up, and 123,705 acres of miscellaneous lands.


Floods presently cause an estimated \$6,040,000 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$9,242,000 in 1980; \$17,215,000 in 2000; and \$34,006,000 in 2020.

Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 2,618,000 acres of land in Area 9,966,000 acres require treatment and are feasible to treat. A net 956,000 acres will change use by 2020. Land use (1966) in the 80 watersheds consists of 145,000 acres of cropland, 59,000 acres of pasture, 1,616,000 acres of forest, 518,000 acres of urban, and 280,000 acres of other land.

Fully utilized, 85 potential upstream reservoir sites would have 327,300 acre feet of storage at an average cost of \$227/acre foot. Allotment of the storage capacity is 35% for sediment and floodwater and 65% for other beneficial uses.

The release of 442 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 285 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide: 11,130 acres in 13 pools over 500 acres in size 11,440 acres in 35 pools 200-500 acres in size 2,740 acres in 19 pools 100-200 acres in size 630 acres in 11 pools less than 100 acres in size. Average depths are 7 feet, 8 feet, 11 feet and 19 feet respectively.



of the 73 small watersheds in Area 9, 32 appear to warrant structural measures with flood prevention as a primary use. The 63 reservoirs with 63,800 acre feet of temporary storage could reduce flood damage by 19%. These 32 upstream watersheds deserve further study for early action projects. Another \$1,700 acre feet of temporary storage in 22 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 6.8% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 134,000 acres in the 10 year and 163,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

Objective	:	:	1	Flood Pre	vention De		Cost	: Benefits						
	:	:Waters	ned:Flo	od:	Structur	al Mes	sures		Str	uctural Mea	:Str.Measures			
	:	: Protec - : Plain: Pr		in: Project	rojects:Multi-:		Storage : Chan-			Time : Avg	Avg.Ann.*		:Area	
	: Time	: tion !	by : Mg	t.:	:pur- :		:Floor	d:nel	Total	:Flood:Tota	1:Flood	:Damag	Damage: Perm	
	: Frame	: Land	:	:	:pose :		:Prev	.: Impr.	:	:Prev.:	:Prev.	:Reduc	-: Pool	
	: Year	:Treatme	ent:	:	:Dams :		:	:	:	: :	:	:tion	:1000	
	:	:	1000 Ac	. : No.	: No. :	1000	Ac.Ft.	: Mi.	:	\$ million		:	: Ac.	
	1966			1	I	1	1	-						
NATIONAL I	EFFICIENC	Y												
	1980	163	28	12	25	84	30	-	16.7	7.2 .9	. 4	7	6.4	
	2000	230	15	20	38	117	41	-	38.1	13.3 2.0	.7	11	10.0	
	2020	_	43	_										
REGIONAL I	DEVELOPME	NT												
	1980	170	27	13	27	91	33	-	19.3	7.4 1.0	. 4	.7	6.7	
	2000	224	16	19	36	110	38	_	35.5		.7	11	9.7	
	2020	_	43	_			50							
ENVIRONME	NTAL QUAL	ITY												
	1980	194	34	_										
	2000	386	21	-										
	2020	386	124	_										

NOTE: The values shown in the table are incremental. Price Base 1970

* Amortized at 5-1/8% interest over 100 years.

B -00-

Floods of 100 year frequency magnitude inundate about 53,597 acres. Land use in this flood plain consists of 17,854 acres of cropland and pasture, 15,475 acres of forest, 4,495 acres of built-up, and 15,773 acres of miscellaneous lands.

Floods presently cause an estimated \$4,221,000 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$6,668,000 in 1980; \$12,830,000 in 2000; and \$26,505,000 in 2020.


Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 2,812,000 acres of land in Area 10,1,216,000 acres require treatment and are feasible to treat. A net 730,000 acres will change use by 2020. Land use (1966) in the 90 watersheds consists of 237,000 acres of cropland, 159,000 acres of pasture, 1,922,000 acres of forest, 249,000 acres of urban, and 245,000 acres of other land.

Fully utilized, 96 potential upstream reservoir sites would have 376,900 acre feet of storage at an average cost of \$269/acre foot. Allotment of the storage capacity is 44% for sediment and floodwater and 56% for other beneficial uses.

The release of 426 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 276 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide:

3,110 acres in 4 pools over 500 acres in size 6,600 acres in 22 pools 200-500 acres in size 3,880 acres in 25 pools 100-200 acres in size 1,070 acres in 17 pools less than 100 acres in size. Average depths are 12 feet, 15 feet, 17 feet and 14 feet respectively.



Of the 88 small watersheds in Area 10, 27 appear to warrant structural measures with flood prevention as a primary use. The 63 reservoirs with 97,400 acre feet of temporary storage could reduce flood damage by 47%. These 27 upstream watersheds deserve further study for early action projects. Another 61,300 acre feet of temporary storage in 33 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 1.9% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 36,000 acres in the 10 year and 48,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:	:		F1	ood Pre	vention	Der	mands				:	Cos	st		: Ber	efits
	:	:Water		Structural Measures					: Structural Measures				:Str.Measures				
Objective	:	: Prot	: Protec - : tion by :		: Projec	ts:Multi	-:	Sto	orage	:Chan-	: One	Time :	Avg	.Ann.*	90	:Area	
	: Time	: tion			:	:pur-	:	Tota.	Total :Floor :Prev		el	:Tota	l:Flood:	Tota	l:Floo	i:Damag	e:Perm.
	: Frame	: Land	:		:	:pose							:Prev.:		:Prev.:Redu		
	: Year	:Treat	ment:	:	:	:Dams	:	:	:	:			: :		:	:tion	:1000
	:	:	1000	Ac.	: No.	: No.	:	1000	Ac.Ft.	:	Mi.	:	\$ mil	llion		:	: Ac.
	1966				5	20		21	19		3.5	-					
NATIONAL	EFFICIENC	Y															
	1980	160)	7	5	19		89	40		-	21.9	11.0	1.1	.6	9	2.4
	2000	251		-	22	44		143	63			49.2	28.0	2.7	1.6	39	6.0
	2020			8	_												
REGIONAL	DEVELOPME	TVE															
	1980	300)	1,	16	38		147	69		-	53.9	31.2	2.9	1.7	38	4.7
	2000	11		3	11	25		86	34		-	17.1	8.5	.9	. 4	9	3.9
	2020		-	7	6	14		16	7		-	3.2	1.5	.2	.1	1	.7
ENVIRONME	NTAL QUAL	TTY															
	1980	24	3	14													
	2000	486		24	-												
	2020	486		16	_												

NOTE: The values shown in the table are incremental.
Price Base 1970

^{*} Amortized at 5-1/8% interest over 100 years.

UPSTREAM FLOOD DAMAGES, WATER MANAGMEN SUBREGION B

Subarea Project Classification	Number	: Total : Water-	: Area I: Crop &	nundated : Wood-	by 100	Year Free	inent Fig. Flood	1	Ave	erage Ar	innal F	lood Day	mage Other	Total	: Flore	Prev	Ben:
	Projects	: shed	: Pas-	: lands	: Urban	: Misc.		1	: Agr.		: &	1			: Dama,	ge:MIU8	:Water:
		: Area : sq.mi.		: ac.				:	:		:Indus	dollar			: Redct	n:CLU t	: Mgt.: housand
							ARE	4 6	PF	RESI	JMP	SCO	TS	ACO	PIS	CAI	AOI
6a		- Conc		7750													,,,,,
6b		695		7360	222				1.4			22.6					
6c	11	1552	8167	9633	4185		36232		70.3			185.4	239.2				
Oc.		1351	1517	5572	2059	9854	19002	9.4	1.4	59.4	254.0	17.3	18.3	3 359.8	3 260.8		
Not Evaluated Authorized P.L. 566	4 2	595 116	1304	1192	70							- ^					
Potential Flood Prev. Projects Potential Developments	14 22	2223 1259	8910	13847	6253	19339	48349	96.9		259.6	375.2	209.7	233.4	1242.6	978.1		-
TOTAL 3/	38	3598	170	7526 22565	143	8741	16580	.3	.3				8.6				
IVIAL		3390	10304	22707	6466	28430	67845	142.1	73-1	274.4	393.4			5 1365.E			
												ARI	EΑ	7 N	1ERF	SIMA	CK
7a		2778	7655	6257	3878	7855	25645	39.9	21.3	292.1	338.1	143.4	53.3	1188.1	607.2		
76	50	1410	12100	3635	3410	46965	66110	72.7	10.6	203.4	1111.6	132.0	45.3	1575.6	583.0		
Not Evaluated	6	868															
Authorized P.L. 566 Potential Flood Prev. Projects	5 16	808 1765	7490 6520	1415 6284	885 5073	27000 16085	36790 33962	14.2 46.4	17.0 14.9	49.3 336.8		19.2 506.6	38.9				- 3
Potential Developments 3/	19	1615	5745	2193	1330	11735	21003	52.0	-	109.4	368.1	49.6	14.1				
TOTAL	40	4188	19755	9892	7288	54820	91755	112.6	31.9	495.5	1449.7	575.4	98.6	2763.7	1190.2		
											1	AREA	8 4	CC	ONNE	СТ	CUT
8a		1483	5113	1644	89	2241	9087		66.7	191.	5	33.9	38.1				
8b	41	4691	14240	6294	617	7148	28299		11.0	633.		347.8	212.1				
8e	48	3101	13986	2909	1925	8281	27101		34.6	798.		163.4	115.7				
84	27	1407	2854	2163	1986	8439	15442		8.3	2148.		80.7	286.8				
														-957.2	900.8		
Not Evaluated Authorized P.L. 566	9	454 347	10326	615	2374	7110	20425		3.3	2367.	7	110.0	316.2	2827.0			11.0.1
Potential Flood Prev. Projects Potential Developments	13 104	1653 8682	6766 19101	1748 10647	946 1297	2817 16182	12277 47227		9.6	573. 831.	1	220.9	154.1	993.7	835.3	8/	11,01
TOTAL 3/	128	10682	36193	13010	4617	26109	79929		30.6	3772.				5281.1			
												_					
											ARE.			ARRA		1112	
9n	1424	2280	16780	3915	16390	92795	129880	419.6	~					3908.4			
		1617	11855	3085	3390	30910	49240	76.8	-	339.1	1148.3	437.6	148.1	2149.9	577.8		
Not Evaluated		687			1250	7160	8410										
Authorized P.L. 566 Potential Flood Prev. Projects		8 1663	13050	380 3335	1550 6350	62860	2250 85595		-			6.4		99.7 3375.5		-	-
Potential Developments TOTAL		2226	15565	3285	11880	60545	91275	318.9				452.1	182.0		26.1		
AVING.		3897	28635	7000	19780	123705	179120	496.4	-	915.2	3243.9			6058.3			
									1	ARE	A 10) TI	MAH	1ES	AND	HC	USA
10e	25	1643	3505	2975	886	5610	12976	8.9	-	257.7	672.3	121.2	75.0	1135.1	725.8		
10b		2757	14349	12500	3609	10163	40621	30.3	11.7	1497.1	1946.6	341.0	73.2	3899.9	2171.5		
Not Evaluated		180															
Authorized P.L. 566 Potential Flood Prev. Projects	5 27	136 1493	480	115 6488		60	975	.6		294.1		23.7	66.8	1050.7	814.5	-	- 1
Potential Developments	56	2771	9601 7773	8872	3324 851	12851 2862	32264 20358	34.6	5.4	250.4	742.2	339.8 98.7	76.1	2878.3 1106.0	1966.9		
TOTAL 3/		4400	17854	15475	4495	15773	53597	39.2	11.7	1754.8	2618.9	462.2	148.2	5035.0	2897.3		
														SUR	REGIO	INC	В
lot Evaluated							Olive							5001	LOIC		D
outhorized P.L. 566	24	2784 1415	19620	3717	1250 5199	7160 34820	8410 63356		16			169	437	4479	2487		11 5
Potential Flood Prev. Projects Potential Developments		8797 16553	144847 1483514		21946 15501	113952			83 39	72 39		1905 899	649 393	10239 5787	5666 206		
TOTAL 3/	367	26765			42646	248837	117,2216			149	19	2969	1479	20505	8359		

[/] To crest of emergency spillway.

5/ Diversion ditch

Storage for beneficial uses other than flood prevention.

^{3/} Excludes Not Evaluated.

^{1/} Includes redevelopment and/or secondary benefits.

^{7/} Estimated, not : 8/ Cost includes a

MAGES, WATER MANAGMENT AND STRUCTURAL MEASURES SUBREGION B

in .						Year	efits	Ве	nefits	and Cost	S												Measure		
:Comm.: : & : :Indus:		Other:	Potal	Damage Redcti	Prev.: e:MIU&:W n:CLU : the	Agr.: Water: Mgt.:	Rec. :(Uses :		:Flood:		:Rec.			Total ; Est. : Cost :	of Dams		Sedi-: ment :	Flood-: water : 1/ :	Other (Avail.	Total	Perm.: Pool :	Imp.	: Other : Water- : shed : Imp.
ousand							dorrar	-				nousan	1 00118	ars	1		:sq.mi.;		thousa	nd acre	feet		ac. :	miles	-
MPS	CO	1,5	ACO,	PISC	CAIA	4QL	JA	₹IVE	=RS	ANL) (COA	SIA	L											
24.0	22.6	-	66.4	55.1						187.6				619.8	11745	21	396.0	6.1	72.3	.9	156.8	236.1	8710		
	185.4			715.4						890.4		5.6		2876.5	54809	59	843.8	12.3	137.5	, lş	334.3	484.5	16045		
254.0	17.3	18.3	359.8	260.8						395.7				1541.4	28855	48	418.1	6.5	67.1	-	209.8	283.4	16346		
7.2	5.8	15.3	80.0	45.9			7.2		86.4	60.3	-	2.6		62.9	1698	7	44.9	.2	9.2	.4	_	9.8	86		
375.2	9.8	233.4	1242,6	978.4						1138.6 274.8				4087.9 886.9	77335 16374	92	1155.3 457.7	17.2 7.5	183.3			704.3 289.9			
393.4	225.3	257.5	1365.8	1031.3						1473.7				5037.7	95407	128	1657.9	24.9	276.9	1.3	700.9	1004.0	41101		
	ARE	ΞA	7 N	1ERR	IMA	CK	RIVE	ER																	
338.1	443.4	53.3	1188.1	607.2						1361.5				4577.2	86651	148	1138.8	17.4	171.3	3.1	490.9	682.7	26212		
1111.6	132.0	45.3	1575.6	583.0						808.8				2603.3	51663	62	420.3	7.7	74.6	8.3	150.5	241.1	16723	.2	.25/
									74	/ 408.4 377.4				641.4	31061	53	295.9		41.0				12129		5/
283.1 798.5 368.1	19.2		1748.8	756.1					946.3	1062-0	-	145.9	42 0	4056.6	14018 76042	99		12.9	112.6	.4	398.2		23004	.2	.2
1449.7	49.6 575.4	98.6		56.9 1190.2						730.9				2558.6	138314		543.1	9.6	86.9	11 4	236.5		17675 42935	.2	.2
	REA			NNE	CTI	CLIT	RI	VFF	2								2,002				012.11		46937		**
.5						201	131		`													-00.0	-1		
.9	33.9		1304.8							3123.4				1702.4 8430.6	31239 150851	157	1296.4		66.8			286.8		.8	
.2										1462.4					70041	101	538.8		117.2			345.6		14.1	.6
.4	80.7	286.8	2534.2	833.2						1802.7				4508.3	87136	92	428.8	19.4	112.1	1.1	268.7	401.3	16436	9.2	
										/ 323.1				994.6	18253 ₈ /	11	31.0	.6	5.5		19.0	25.1	1076		5/
.7	226.9	316.1	993.7	1231.3 835.3 175.3	223.2		102.1	4.5	1599.1	1566.7	5.6	144.6	1.0	3009.9	49355	63	107.6 529.9	4.8	32.7 99.0	18.5		35.6 251.5	420 6614	23.6	.6
·3				2066.6						4589.0 7033.9					266467 339267 ⁸ /		2684.2					1500.6		24.1	5/
AREA	_			AGAN	INISE	тт	RΛ	Υ Λ	RE A					10431.0		3.4	2004.2	41.0	,44.0	20.4	1101.)	1101.1		2712	
			3908.4		11136		D/	1 ^		832.4				2370,4	44664	146	273.0	5.6	50.2		3.07.0	184.2	15872	9.1	6/
1148.3										647.0				1604.6	30049	40	279.9	3.7	56.2	-0		144.2		9.1	
16.6	6.4	130.0	99.7	18.1 1129.3	-	-		-	21.1	21.3 13.1 1139.3	-	y.2	-	75.4 16.3 2918.2	1407 410 54822	1 63	12.9 4.3 344.6	6.9	2.5	.2	7.2	1.1	870 126 16399	9.1	.1
1224.9	452.1		2583.1	26.1						327.0				1040.5	19481	22	204.0	2.4	63.8	-	82.7	200.5	8668		67
3243.9	1080.9	321,9	6058.3	1173.5						1479.4				3975.0	74713	86	552.9	9.3	106.4	.6	212.1	328.4	25193	9.1	.1
A 10	TH	HAN	1ES	AND	HO	USA	MOTA	ИIC	RIV	ERS															
672.3	121.2	75.0	1135.1	725.8						1045.0				1919.1	34589	37	289.6	1.5	56.8	.2	66.7	125.2	4294	.5	
1946.6	341.0	73.2	3899.9	2171.5						2293.8				3992.4	77337	79	563.9	5.0	120.7	1.3	145.2	272.2	10793	3.2	
									4	/ 396.5		1.50		111		-									
1212.4 7bo 2	339.8	76.1	2878.3 1106.0	814.5 1966.9 115.9	-	- 1	135.8	-	998.5	2139.7	-	49.0	.3	3857.2	10619 71128	63		6.0	18.8 97.4 61.3	-	128.6	232.0	8361 6303	3.5	
				2897.3						3338.8				1608.5	30179	33			177.5			397.4		3.7	
				REGIO	NC	В																			
			3001			0			2/	752				2711	50721	66	340	6	49		150	or t	There		e/ e/
761 202	165 1905		14479 10239	2487 5666	318	11 5		4	3651	753 1726 7046	6	245	43	2020	50721 ₈ / 501938/ 328682	103	472 3303	48	108 556	15 19	159 7 1280	214 134 1912	14075 3311 82067	36 1	5/ 6/ 1 1
956	899		5787	206						6724				20593	380755		3532	56	687	1	1652	2396	99796		5/ 6/
919	2969	1479	20505	8359						19496				40543	759627	917	7307	108	1351	35	2948	14142	185174	37	1 .1 6/


5/ Diversion ditch in miles.
5/ Disc in miles.
7/ Estimated, not included in totals.
8/ Cost includes a diversion channel, a flood water diversion, and a training disc.
Note: Inventory base 1966; Price base 1970; Ammortization rate, 5-1/8% over 100 years.

SUBREGION B TABLE F-5


FLOOD DAMAGE DISTRIBUTION AND PROJECTIONS

DISTRIBUTION

PRESENT AND PROJECTED AVERAGE ANNUAL DAMAGES



POTENTIAL WATER SUPPLY FROM UPSTREAM RESERVOIRS





UPSTREAM FLOOD PREVENTION PROJECTS



SUBREGION C (Areas 11, 12 and 13)

Area 13 was not included in the upstream analysis because of its urban character.

Flooding

Area inundated. Total area inundated by the 100 year frequency flood in the Subregion is approximately 518,000 acres (Table F-6). Of this, 15 percent is in crop and pasture, 35 percent is in forest land, and 50 percent is in urban and miscellaneous.

Area 12 has the larger area inundated (382,000 acres). The larger acreage inundated in crop and pasture is in Area 11 (45,000). The larger acreage inundated in forest land is in Area 12 (143,000). The larger acreage inundated in urban and miscellaneous is in Area 12 (205,000).

Area inundated as a percent of total area for the Subregion is 4. The values for Areas 11 and 12 were 2 percent and 5 percent respectively.

Present Damages. The present average annual damage in the Subregion is approximately \$5.1 million. The values for Areas 11 and 12 were \$0.8 million and \$4.4 million respectively. For the Subregion 21 percent is agricultural, and 79 percent is nonagricultural. The percent agricultural damage for Areas 11 and 12 were 48 percent and 16 percent respectively.

The present average annual damage in dollars per acre of area inundated for Areas 11 and 12 were \$6. and \$12. respectively. The average for the Subregion is \$10.

There are two authorized PL 566 projects in upstream areas which will reduce present average annual damage by \$0.22 million, leaving a damage of \$0.03 million. Present average annual damage in the remaining upstream areas is \$5.10 million.

Future Damages. If no additional flood prevention measures were installed, the present average annual flood damages of \$5.1 million would increase to \$7.4 million in 1980, \$13.1 million in 2000, and \$24.0 million in 2020 (Figure F-21). The annual damages in 2020 for Areas 11 and 12 were \$2.9 million and \$21.3 million respectively.

Extent and Timing of Flood Prevention Measures

Structural Measures. Suggested flood prevention structural measures involving installation of 78 multiple purpose dams with 93,800 acre feet of flood prevention storage and 25 miles of channel improvement at an average annual cost of \$1.24 million will reduce annual flood damage by \$3.40 million in 2020. The tables on

pages F-62, 63 and 64 indicate the extent and timing of potential flood prevention structural measures for each objective by Area.

The installation of structures involving National Forest land will depend upon further analysis to determine compatability with National Forest purposes.

Flood Plain Management. Flood prevention plans for the 519,000 acre flood plain should include nonstructural measures or devices as alternatives, in combination, and/or in addition to structural measures. With all potential flood prevention structural measures installed, the annual damages remaining would be \$5.9 million, \$10.5 million, and \$19.1 million in 1980, 2000, and 2020 respectively (Figure F-21). Flood plain management of the 43,000 acres subject to high damages, would reduce this remaining damage.

Water Management

In the two authorized PL 566 projects there are included 200 acre feet of storage for uses other than flood prevention in multiple purpose reservoirs. As of 1967 under the CO program of the USDA, technical assistance was provided for the installation of about 500 miles of diversions, and 900 miles of tile, and 1500 miles of open main ditches for drainage and flood prevention. Also installed were about 11,100 ponds for flood prevention, irrigation, recreation, fish and wildlife, livestock, rural domestic, and fire protection.

In addition to flood prevention storage in the Potential Flood Prevention Projects, there is storage of 0.20 million acre feet for other uses. There are about 1.84 million acre feet of storage for other uses in the Potential Developments. The total available for water management in potential upstream impoundments is 2.04 million acre feet. The specific needs for water will be identified in other appendices.

Programs and Activities

PL 566. As of 1967 there were two authorized PL 566 projects in the Subregion; one is in Area 11, and one is in Area 12. Flood prevention storage of 8,400 acre feet and 200 acre feet of storage for other uses are included in 8 dams. The total estimated cost is \$4.5 million.

RC&D. There is one RC&D project in the Subregion. A portion of the East Central Vermont RC&D project is located in Area 11. It was a desire of the sponsors that the land, water, plant, and wildlife resources be fully developed, conserved, and used for the benefit of people.

New England-New York Inter-Agency Committee Report. All of Areas 11 and 12 are included in this report. The principal authorization for the survey was Section 205 of the Rivers and

Harbors and Flood Control Act approved May 17, 1950. The principal subjects are discussions of the river basins, economic development, storage and stream flow regulation, water supply, pollution control, flood control and drainage, power development, navigation and beach erosion, fish and wildlife, recreation, management of agricultural and forest lands, minerals and insect control.

Floods of 100 year frequency magnitude inundate about 137,136 acres. Land use in this flood plain consists of 45,171 acres of cropland and pasture, 39,210 acres of forest, 511 acres of built-up, and 52,244 acres of miscellaneous lands.

Floods presently cause an estimated \$767,800 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$1,051,900 in 1980; \$1,627,700 in 2000; and \$2,863,900 in 2020.


Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 7,140,000 acres of land in Area 11, 2,142,000 acres require treatment and are feasible to treat. A net 1,393,000 acres will change use by 2020. Land use (1966) in the 111 watersheds consists of 1,222,000 acres of cropland, 920,000 acres of pasture, 4,427,000 acres of forest, 132,000 acres of urban, and 439,000 acres of other land.

Fully utilized, 255 potential upstream reservoir sites would have 778,700 acre feet of storage at an average cost of \$141/acre foot. Allotment of the storage capacity is 38% for sediment and floodwater and 62% for other beneficial uses.

The release of 964 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 623 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide:
11,050 acres in 15 pools over 500 acres in size
10,420 acres in 40 pools 200-500 acres in size
8,530 acres in 68 pools 100-200 acres in size
6,930 acres in 136 pools less than 100 acres in size.
Average depths are 12 feet, 14 feet, 12 feet and
12 feet respectively.

UPSTREAM FLOOD DAMAGE PROJECTIONS



Of the 62 small watersheds in Area 11, 8 appear to warrant structural measures with flood prevention as a primary use. The 49 reservoirs with 32,700 acre feet of temporary storage could reduce flood damage by 24%. These 8 upstream watersheds deserve further study for early action projects. Another 240,600 acre feet of temporary storage in 206 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 1.9% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 70,000 acres in the 10 year and 110,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:	.:		F1	ood Prev	ention D	emands				Cos				efits
	:	:Water	shed:	Flood	:	Structu	ral Mea	sures			uctural				easures
		: Prot	ec-:	Plain	: Project	s:Multi-	: Sto	rage	:Chan-						:Area
Objective	: Time : Frame : Year	: tion	by :	Mgt.		:pur- :pose :Dams	Tota:	:	.:Impr.	:	:Flood: :Prev.:			:Damag :Reduc :tion	-: Pool :1000
	:	:	1000	Ac.	: No.	: No.	: 1000	Ac.Ft.	: Mi.	:	\$ mil	lion		<u>: </u>	: Ac.
	1966				1	14	1	1	_						
NATIONAL	EFFICIEN														
	1980		42	1	2	12	36	14	1	4.7	1.6	.3	.1	6	1.7
	2000		33	-	1	12	20	4	3	3.6	1.8	.2	.1	5	1.4
	2020		107	1	5	25	52	17	18	8.6	3.4	.5	.2	14	2.7
REGIONAL I	DEVELOPM	ENT													
	1980		75	1	3	24	56	18	14	8.4	3.4	.5	.2	11	3.2
	2000		93	-	3	7	8	6	18-	3.7	3.7	.2	.2	10	.9
	2020)	129	1	7	37	107	53	4	13.8	5.7	1.2	.5	6	2.9
ENVIRONME															
	1980		428	23	-										
	2000		857	62	-										
	2020)	857	52	-										

NOTE: The values shown in the table are incremental.

Price Base 1970

* Amortized at 5-1/8% interest over 100 years.

Floods of 100 year frequency magnitude inundate about 384,314 acres. Land use in this flood plain consists of 34,247 acres of cropland and pasture, 144,259 acres of forest, 2,903 acres of built-up, and 202,905 acres of miscellaneous lands.


Floods presently cause an estimated \$4,360,300 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$6,366,000 in 1980; \$11,598,400 in 2000; and \$21,321,900 in 2020.

Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 8,293,000 acres of land in Area 12,2,034,000 acres require treatment and are feasible to treat. A net 1,337,000 acres will change use by 2020. Land use (1966) in the 132 watersheds consists of 1,296,000 acres of cropland, 704,000 acres of pasture, 5,202,000 acres of forest, 309,000 acres of urban, and 701,000 acres of other land.

Fully utilized, 265 potential upstream reservoir sites would have 2,212,600 acre feet of storage at an average cost of \$140/acre foot. Allotment of the storage capacity is 29% for sediment and floodwater and 71% for other beneficial uses.

The release of 3,223 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 2,083 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide: 39,450 acres in 46 pools over 500 acres in size 26,950 acres in 87 pools 200-500 acres in size 8,900 acres in 62 pools 100-200 acres in size 2,800 acres in 41 pools less than 100 acres in size. Average depths are 18 feet, 21 feet, 23 feet and 22 feet respectively.



Of the 132 small watersheds in Area 12, 9 appear to warrant structural measures with flood prevention as a primary use. The 29 reservoirs with 51,200 acre feet of temporary storage could reduce flood damage by 13%. These 9 upstream watersheds deserve further study for early action projects. Another 509,400 acre feet of temporary storage in 236 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 4.6% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 231,000 acres in the 10 year and 327,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

		:	Flo	ood Prev	vention	Demands			:	Cos	st		: Ben	efits
	:	: Watershed:				ural Mea			: Stru	ctural	Meas	ures	:Str.M	easures
Objective	:	: Protec- : tion by	:Plain:	Project		-: St	orage l:Floo	-			Total	:Flood	:Damag :Reduc	
	: Year	:Treatment: 1000	: D Ac.	No.	:Dams : No.	: 1000	: Ac.Ft.	: : Mi.	: : :	\$ mil	: Llion	:	:tion	:1000 : Ac.
	1966			1	14	8	7	-						
MATIONAL	EFFICIENC											,	10	60.0
	1980	156	4	7	25	176	52	-	23.5		1.3	•4	10	60.2
	2000	31	3	2	,+	15	7	-	20.2	7.3	1.1	• 4	3	.6
	2020	-	5	-										
EGIONAL	DEVELOPME	NT												col
	1980	17	14	8	28	183	57	-	24.5		1.3		10	60.4
	2000	15	3	1	1	7	3	-	19.2	7.7	1.0	.4	3	.4
	2020	-	5	-										
INVIRONME	NTAL QUAL	YTI									0		-	at h
	1980	407	20	6	15	94	32	-	14.7	5.5	.8	•3	5	26.4
	2000	814	161	-										
	2020	814	203	_										

NOTE: The values shown in the table are incremental.

Price Base 1970

* Amortized at 5-1/8% interest over 100 years.

No inundation or damage estimates for upstream areas were made. Flooding problems and remedial measures are discussed in Appendix E.

Flooding characteristics are unique to this highly urbanized area. There are no major river basins in the area. Evaluation procedures used in the rest of the Region are not applicable to limited number of upstream drainage areas. Flood damages are predominantly from tidal flooding, man-made obstructions, and overflowing storm sewers.

Land treatment, use changes, protection and management affect volume and distribution of water yield. Of the 1,053,000 acres of land in Area 13, 112,000 acres require treatment and are feasible to treat. A net 396,000 acres will change land use by the year 2020.

UPSTREAM FLOOD DAMAGES, WATER MANAGEMENT AND SUBREGION C

General 1	Watershed Dat	ta				Pert	inent Fl	ood Pla	in Info	rmatic	of P	Tood De	morre			Rene	efits
Subarea	Number	: Total : : Water- :	Area Ir	undated b	y 100 Ye	ear Free	: Total	: Crop	:Other:	Resid.	:Comm.	:Trans.	:Other	: Total :	Flood P	rev.: Agr.:	Rec. :Ot
Project Classification	of Projects	: shed :	Pas-	: landa :	Urban	: Misc.		4	: Agr.:		: 00				Domining	1200.	
	***********	: Area :	ture		9.0				: :		:Indus	dollar		: :	RedCtn:	thousand	dollars
		, oquar							57	T. L	AWF	RENC	CE	RIVER	AND	LAKE	CHA
11a	52	6384	43339	19775	510	37711	101335	544.0	133.9		57.3	156.9	20.9				
116	10	958	1832	19435	1	14533	35801	11.7	-	-		-		11.7	2.6		
Not Evaluated	49	4558	250	50	50		350	.8	. 3	27.9	10.4	9.8	9,1	58.6	49.4	5.3 -	
Authorized P.L. 566 Potential Flood Prev. Projects	1 8	949	14413	1874	65	5642	21,994	95.8	50.2	72.4	10.6	40.3	7.	9 277.2	185.9		
Potential Developments	53	6373	30508	37286	396	46602	114792	159.1	83.4	92.7	36.3	106.8	3.1		172.6		
TOTAL 3/	62	7342	45171		511	58244	137136	255.7	133.9	193.0	57.3	156.9	20.1	4 817.2	407.9		
											,	ARE	A 1	2 HU	DSO	N RIVE	R
12a	16	1274	2668	9654		19481	31860	11.3	_	16.6	8.5	1.5	1.	7 39.6	18.7		
		7089	17122	74625	1584	88821	182152	91.1	135.1	588.5	1519.8	450.1	124.	2 2908.8	475.2		
12b	77											243.9		n 1580.B	380.7		
12c	39	4912	14010	58643	1262	93001	167466	2017-1	10.5	344.2	500.1	240.9					
Not Evaluated	0		285	7	48	14	354				51.0				168.9		46.8
P sential Flood Prev. Projects Potential Developments	9	1191	12558 20957	9009 133906	793 2062	14905					455.9 1590.1				555.4 150.3		
3/		13275	33800	142922		201853	381478	470.1	145.4	olig.	2097.0	695.5		9 4529.2	874.6		
TOTAL	132	132(7															
Not Evaluated	21	1902															
Not Everydood								/	ARE	A 1	3	LON	GI	SLANL) AN	D COA	ASIA
													SU	BREG	ION	C	
Not Evaluated	70	6460				11		6			61	71	40	244		- 5 -	47
Authorized P.L. 566	2 17	94 2140	535 26971	10883					101	417	466	141	86	1663	741		
Potential Flood Prev. Projects Potential Developments	175		51465	171192					178	660	1626	640	66	3438			
TOTAL	194	20617	78971	1.82132	3414	25409	7 51861	726			2153	852	192	5345	1282		

^{1/} To creat of emergency spillway.
2/ Storage for beneficial uses other than flood prevention.
2/ Excludes Not Syaluated.
4/ Includes redevelopment and/or secondary benefits.
Note: Inventory base 1966; Price base 1970; Ammortization rate, 5-1/8% over 100 years.

R MANAGEMENT AND STRUCTURAL MEASURES UBREGION C


				I	Benefits a	and Costs										m Struc			
· ·	Total :	Flood Pr	ev.: Agr.:	efits Rec.:Other	: Total	: :Flood:Ag	r. :Rec.	. :Other:	Total: 1	otal :	of	:D.A. :above :	Sedi -: 1	Flood-:0	ther U	ses 🛂:	Total:	Area : Perm.:	Imp.
		Damage: N	MIU&:Water:	:Uses	1	:Prev.:Wa	ter: t.:	:Uses :	Avrg.: F	lst. :	Dams	:Dams	ment :	water :A	1100.1	AVAII.:	:	1 1001	
_	- 1	-	thousand	dollars			thouse	and dolla	rs			; sq.mi.		thousan	1 acre	Teet		ac.:	milion
R	IVER	AND	LAKE	CHAN	1PLA	IN AF	REA												
.4		405.3							5295.2	99450	254	2686.4	21.9	251.2	.5	411.4	685.0	34161	31.5
-		2.6				182.2			650.5	12198	5	144.5	3.9	23.0		67.8	94.7	2775	
.4		49.4 185.9 172.6	5.3 -		54.7	36.7 433.4 1963.3			36.7 918.4 4990.6	899 17134 93614	49 206	6.6 347.2 2477.1	1.8	.9 32.7 240.6	5	72.5 406.7	1.0 107.0 671.7	8 5881 31047	25.3
14	817.2	407.9				2433.4			5945.7	111647	259	2830.9	25.8	274.2	.5	479.2	779.7	36936	31.5
12	HU	DSON	RIVE	R															
.7									2142.0	40164		332.9	8.9	53.2	+	170.9	233.0	6354	
.2		475.2				2278.9			7636.6	143791	147	2101.9	54.6	337.8	.2	959.7	1352.3	48143	
0,0		380.7				2538.2			6922.5	130009	97	1209.2	29.6	176.4	-	428.9	634.9	23597	
3.6	184.7 1386.9 2957.6	168.9 555.4 150.3		46.0 -	235.5	/ 136.4 806.2 4579.5	- 8.	.8 -	145.2 2340.8 14215.1	3554 43814 266596	4 29 236	34.2 329.9 3279.9		6.8 51.2 509.4	-	130.9 1428.6		7553	
.9	4529.2	874.6				5522.1			16701.1	313964	269	3644.0	93.1	567.4	.8	1559.5	2220.2	78094	
15	LAND	ANI	COA	STAL	ARE	Д													
UE	BREG	ION	C																
6			5 -	47	290 4/	173 1240 6543	- 9		182 3259 19206	60948 360210	8 78 442	41 677 5757	1 10 108	8 84 750	1	203 1835	9 297 2694	67 13434 101529	
	5315								22648	425611			119	842	1	12038	3000	115030	31

SUBREGION C TABLE F-6

FLOOD DAMAGE DISTRIBUTION AND PROJECTIONS


DISTRIBUTION

PRESENT AND PROJECTED AVERAGE ANNUAL DAMAGES



POTENTIAL WATER SUPPLY FROM UPSTREAM RESERVOIRS BENEFICIAL USE

		DEITE ICIAL OO	
	in multipurpose flood prevention projects	STORAGE	in potential developments
Subarea		50,000 AF	
lla			
		$\triangle a$	
12a			
12e			777



SUBREGION D (Areas 14, 15 and 16)

Flooding

Area Inundated. Total area inundated by the 100 year frequency flood in the Subregion is approximately 1.27 million acres (Table F-7). Of this, 31 percent is in crop and pasture, 26 percent is in forest land, and 43 percent is in urban and miscellaneous.

Area 15 has the greatest and Area 14 has the least total area inundated. Area inundated in crop and pasture for Areas 14, 15 and 16 are 12,700 acres, 378,300 acres and 5,500 acres respectively. Area 15 is second to Area 18 in area inundated in crop and pasture. Area inundated in forest land for Areas 14, 15 and 16 are 17,100 acres, 195,100 acres, and 119,500 acres respectively. Area inundated in urban and miscellaneous for Areas 14, 15 and 16 are 30,600 acres, 309,300 acres, and 203,700 acres respectively.

Area inundated as a percent of total area for the Subregion is 11. The values for Areas 14, 15 and 16 are 4, 11, and 23 respectively. Area 16 is second to Area 18 in area inundated as a percent of total area.

Present Damages. The present average annual damage in the Subregion is approximately \$5.5 million. It ranged from \$0.1 million in Area 16 to \$4.3 million in Area 15. For the Subregion, 28 percent is agricultural, and 72 percent is nonagricultural. The percent agricultural damage ranged from 8 percent in Area 14 to 41 percent in Area 16.

The present average annual damage in dollars per acre of area inundated ranged from less than one dollar in Area 16 to \$18. in Area 14. The average for the Subregion is \$6. Area 16 has the lowest damageable value per acre inundated in the Region.

There are 21 authorized PL 566 projects and one Pilot Watershed in upstream areas which will reduce present average annual damage by \$1.7 million, leaving a damage of \$0.4 million. Present average annual damage in the remaining upstream areas is \$5.1 million.

Future Damages. If no additional flood prevention measures were installed, the present average annual flood damages of \$5.5 million would increase to \$7.8 million in 1980, \$13.3 million in 2000, and \$24.3 million in 2020 (Figure F-22). The range in annual damage in 2020 would be \$0.3 million in Area 16 to \$18.5 million in Area 15.

Extent and Timing of Flood Prevention Measures

Structural Measures. Suggested flood prevention structural measures involving installation of 89 multiple purpose dams

with 132,800 acre feet of flood prevention storage and 380 miles of channel improvement at an average annual cost of \$1.68 million will reduce annual flood damage by \$11.70 million in 2020. The tables on pages F-68, 69 and 70 indicate the extent and timing of potential flood prevention structural measures by Area.

Flood Plain Management. Flood prevention plans for the 1.3 million acre flood plain should include nonstructural measures or devices as alternatives, in combination, and/or in addition to structural measures. With all potential flood prevention structural measures installed, the annual damages remaining would be \$3.3 million, \$5.6 million, and \$10.2 million in 1980, 2000 and 2020 respectively (Figure F-22). Flood plain management of the 261,000 acres subject to high damages, would reduce this remaining damage.

Water Management

In the 21 authorized PL 566 projects and one Pilot Watershed there are included 47,700 acre feet of storage for uses other than flood prevention in multiple purpose reservoirs. As of 1967 under the CO program of the USDA technical assistance was provided for the installation of about 1,000 miles of diversions, 1,500 miles of tile, and 2,400 miles of open main ditches for drainage and flood prevention. Also installed were about 5,000 ponds for flood prevention, irrigation, recreation, fish and wildlife, livestock, rural domestic, and fire protection.

In addition to flood prevention storage in the Potential Flood Prevention Projects, there is storage of 0.29 million acre feet for other uses. There are about 1.06 million acre feet of storage for other uses in the Potential Developments. The total available for water management in potential upstream impoundments is 1.35 million acre feet. The specific needs for water will be identified in other appendices.

Programs and Activities

PL 566. As of 1967 there were 21 authorized PL 566 projects and one Pilot Watershed in the Subregion; one is in Area 14, and 21 are in Area 15. Flood prevention storage of 73,200 acre feet and 47,700 acre feet of storage for other uses are included in 86 dams. The total estimated cost is \$70.1 million.

Delaware River Basin (Area 15). The history of planning for the development and utilization of the water resources of this basin dates from the early 1800's. In 1933 the Corps of Engineers completed preliminary studies of the Delaware River that were submitted to Congress and became part of the nationwide study known as the "308" report. The Committee on Public Works, U. S. Senate, on April 13, 1950, adopted the first of several resolutions that authorized a Comprehensive Survey of the Water Resources of the Delaware River Basin. The report was published in December, 1960.

The Chief of Engineers recommended that Congress adopt the comprehensive plan present in the report. In 1961, the Delaware River Basin Compact became law creating the Delaware River Basin Commission. The Commission is an agency and instrumentality of the principals; The United States of America, the State of Delaware, the State of New Jersey, the State of New York, and the Commonwealth of Pennsylvania. Eight major multiple purpose reservoir projects contained in the Corps of Engineers' comprehensive plan were included in the Delaware River Basin Commission's Comprehensive Plan, Phase 1 (adopted March 28, 1962) and authorized by Congress in the Flood Control Act of 1962 (P.L. 87-874 of October 23, 1962).

Type IV Cooperative Survey. The Appalachian Region Water Resources Study was recently completed. The upper western portion of Area 15 is included in this study.

Floods of 100 year frequency magnitude inundate about 60,365 acres. Land use in this flood plain consists of 12,685 acres of cropland and pasture, 17,100 acres of forest, 2,125 acres of built-up, and 28,455 acres of miscellaneous lands.


Floods presently cause an estimated \$1,050,400 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$1,575,600 in 1980; \$2,878,100 in 2000; and \$5,420,100 in 2020.

Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 1,472,000 acres of land in Area 14,461,000 acres require treatment and are feasible to treat. A net 668,000 acres will change use by 2020. Land use (1966) in the 22 watersheds consists of 229,000 acres of cropland, 45,000 acres of pasture, 588,000 acres of forest, 448,000 acres of urban, and 162,000 acres of other land.

Fully utilized, 62 potential upstream reservoir sites would have 352,700 acre feet of storage at an average cost of \$164/acre foot. Allotment of the storage capacity is 23% for sediment and floodwater and 77% for other beneficial uses.

The release of 509 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 329 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide:
5,280 acres in 6 pools over 500 acres in size
5,570 acres in 17 pools 200-500 acres in size
3,410 acres in 23 pools 100-200 acres in size
1,020 acres in 16 pools less than 100 acres in size.
Average depths are 12 feet, 18 feet, 20 feet and
39 feet respectively.



1980

1966

Of the 16 small watersheds in Area 14, 8 appear to warrant structural measures with flood prevention as a primary use. The 20 reservoirs with 19,100 acre feet of temporary storage could reduce flood damage by 13%. These 8 upstream watersheds deserve further study for early action projects. Another 51,400 acre feet of temporary storage in 42 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

Years

2000

2020

About 4.1% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 44,000 acres in the 10 year and 51,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

:	Watershed					sures		Str	ctural	Meas	ures	:Str.M	efits leasures
: Time : Frame	Protection by Land Treatment	:Plair : Mgt. :	Project		: Sto	rage L:Flood :Prev.	i:nel ::Impr. :	Total:	Flood: Prev.:	Total	:Prev	d:Damag	:Area ge:Perm. -:Pool :1000 : Ac.
1966			1	8	1	1	-						
			4		0	0		7 1,	7 1	1	1	1	.3
			1				-					10	4.0
	132		7	1.0	92	20	-	17.0	7.1	• 2			
	-	2	-										
		2	1	0	Q	2	_	1.4	1.4	.1	.1	14	.3
		2	7				_			.9	.3	10	4.0
		1				17	-	11.2	1.6	.7	.1	2	3.1
		-	-		1-	-							
1980		9	8	20	101	22	_	16.7	6.5	1.0	.3	13	4.3
2000	184 184	23	7	42	251	60	-	40.7	10.6	2.3	.6	8	10.7
	: Time : Frame : Frame : Year : : : 1966 EFFICIENC 1980 2000 2020 DEVELOPME 1980 2000 2020 NTAL QUAL 1980 2000	: : Protec- : Time : tion by : Frame : Land : Year : Treatment : : 100 1966 EFFICIENCY 1980 10 2000 132 2020 - DEVELOPMENT 1980 10 2000 132 2020 48 NTAL QUALITY 1980 92 2000 184	: Watershed:Flood : Protec - :Plair : Time : tion by : Mgt. : Frame : Land : : Year :Treatment: : 1000 Ac. 1966 EFFICIENCY 1980 10 3 2000 132 2 2020 - 5 DEVELOPMENT 1980 10 3 2000 132 2 2020 48 4 NTAL QUALITY 1980 92 9 2000 184 23	: : : : : : : : : : : : : : : : : : :	: : : : : : : : : : : : : : : : : : :	: Protec : Plain: Projects: Multi -: Storm : tion by : Mgt.: : pur - : Total : Frame : Land : : : : : : : : : : : : : : : : : : :	: Watershed:Flood: Structural Measures : Protec-:Plain:Projects:Multi-: Storage : Time : tion by : Mgt. : :pur- : Total :Flood : Frame : Land : : :pose : :Prev. : Year :Treatment: : :Dams : : : : 1000 Ac. : No. : No. : 1000 Ac.Ft. 1966	: Watershed:Flood: Structural Measures : Protec-:Plain:Projects:Multi-: Storage :Chan- : Time : tion by : Mgt.: :pur- : Total :Flood:nel : Frame : Land : :pose : :Prev.:Impr. : Year :Treatment: : :Dams : : : : 1000 Ac. : No. : No. : 1000 Ac.Ft. : Mi. 1966	: Watershed:Flood: Structural Measures : One I	Watershed:Flood: Structural Measures Structural S	Watershed:Flood: Structural Measures Structural Measures Protec Plain: Projects: Multi Storage Chan One Time Avg. Avg. Protec Plain: Projects: Multi Storage Chan One Time Avg. Avg. Prev. Total Flood: nel Total: Flood: Total: F	Watershed:Flood: Structural Measures Structural Measures Protec Plain:Projects:Multi Storage Chan- Cha	Flood Prevention Demands Structural Measures Structural Meas

NOTE: The values shown in the table are incremental.
Price Base 1970

B-08-

^{*} Amortized at 5-1/8% interest over 100 years.

Floods of 100 year frequency magnitude inundate about 882,657 acres. Lend use in this flood plain consists of 378,265 acres of cropland and pasture, 195,108 acres of forest, 59,030 acres of built-up, and 250,254 acres of miscellaneous lends.

Floods presently cause an estimated \$4,338,900 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$6,161,2000 in 1980; \$10,283,200 in 2000; and \$18,527,100 in 2020.

Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 7,965,000 acres of land in Area 15, 2,681,000 acres require treatment and are feasible to treat. A net 2,344,000 acres will change use by 2020. Land use (1966) in the 137 watersheds consists of 1,811,000 acres of cropland, 459,000 acres of pasture, 4,048,000 acres of forest, 799,000 acres of urban, and 848,000 acres of other land.

Fully utilized, 350 potential upstream reservoir sites would have 1,469,000 acre feet of storage at an average cost of \$217/acre foot. Allotment of the storage capacity is 32% for sediment and floodwater and 68% for other beneficial uses.


The release of 1,841 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 1,190 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide:
23,600 acres in 28 pools over 500 acres in size 20,050 acres in 66 pools 200-500 acres in size 11,580 acres in 82 pools 100-200 acres in size

1,850 acres in 155 pools less than 100 acres in size.

Average depths are 13 feet, 19 feet, 17 feet and 16 feet respectively.

UPSTREAM FLOOD DAMAGE PROJECTIONS



Of the 137 small watersheds in Area 15, 26 appear to warrant structural measures with flood prevention as a primary use. The 69 reservoirs with 95,300 acre feet of temporary storage could reduce flood damage by 59%. These 26 upstream watersheds deserve further study for early action projects. Another 313,800 acre feet of temporary storage in 281 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 11.1% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 600,000 acres in the 10 year and 803,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:	:	F1	ood Prev	ention 1	Demands			:	Cos	t		: Ben	efits
	:	: Watershed:	Flood	:	Struct	ural Me	sures		: Str	uctural	Meas	ures	:Str.M	leasures
Objective		: Protec- : tion by : Land	Mgt.	:	s:Multi :pur- :pose		l :Floc	:Chan- d:nel ::Impr.	:Total	Time: :Flood: :Prev.:	Total	:F1000	d:Damag	
	: Year	:Treatment:	Ac.	: No.	:Dams : No.	: 1000	: Ac.Ft.	: : Mi.	:	: : \$ mil	lion	:	:tion	:1000 : Ac.
	1966			21	78	120	72	74						
NATIONAL E	EFFICIENC	Y												
	1980	29	81	14	6	15		1	3.2	1.6	.2	.1	3	.8
	2000	542	-	22	63	307	106	379	56.5	23.7	3.1	1.3	57	14.7
	2020	-	22	-										
REGIONAL I		NI												
	1980	155	74	10	16	61	19	91	9.3	3.1	.6	.2	21	6.3
	2000	416	-	16	53	262	92	289	50.4	22.2	2.7	1.2	38	9.2
	2020	126	27	6	19	76	24	1	16.7	5.6	.9	.3	1	3.1
ENVIRONME		ITY												
	1980	536	248	26	69	322	110	380	59.7	25.3	3.3	1.4	59	15.2
	2000	1072	384	45	141	573	180	-	129.6	48.8.	6.9	2.6	14	22.9
	2020	1072	250	45	140	572	179	-	129.6	48.8	6.0	2.6	14	22.9

NOTE: The values shown in the table are incremental.
Price Base 1970

* Amortized at 5-1/8% interest over 100 years.

Floods of 100 year frequency magnitude inundate about 328,715 acres. Land use in this flood plain consists of 5,505 acres of cropland and pasture, 119,495 acres of forest, 52 acres of built-up, and 203,663 acres of miscellaneous lands.

Floods presently cause an estimated \$72,500 average annual damage. Wi hout meeting any flood prevention demands, projected damages are expected to be: \$103,700 in 1980; \$168,200 in 2000; and \$306,700 in 2020.

Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 1,409,000 acres of land in Area 16,616,000 acres require treatment and are feasible to treat. A net 218,000 acres will change use by 2020. Land use (1966) in the 14 watersheds consists of 212,000 acres of cropland, 21,000 acres of pasture, 760,000 acres of forest, 204,000 acres of urban, and 212,000 acres of other land.


Fully utilized, 20 potential upstream reservoir sites would have 125,600 acre feet of storage at an average cost of \$81/acre foot. Allotment of the storage capacity is 30% for sediment and floodwater and 70% for other beneficial uses.

The release of 241 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 156 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide: 6,530 acres in 7 pools over 500 acres in size 2,880 acres in 8 pools 200-500 acres in size

2,800 acres in 8 pools 200-500 acres in size 760 acres in 5 pools 100-200 acres in size. Average depths are 9 feet, 8 feet, and 8 feet respectively.

UPSTREAM FLOOD DAMAGE PROJECTIONS



Of the 14 small watersheds in Area 16, 0 appear to warrant structural measures with flood prevention as a primary use.

Temporary storage in 20 reservoirs, of 32,700 acre feet could possibly be developed in project with flood prevention as a secondary or incidental purpose.

About 23.3% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 247,000 acres in the 10 year and 312,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:	:		Flo	ood Prev	ention D	emands			:	Co	ost		: Ben	efits
		:Water	shed:	Flood:		Structu	ral Mea	sures			ructure				leasures
	:	: Prot	ec- :	Plain:	Project	s:Multi-	: Sto	rage	:Chan-	: One	Time	: Avg	.Ann.*	_: %	:Area
Objective	: Time : Frame	: tion : Land		Mgt.		:pur- :pose			d:nel .:Impr.		1:Flood :Prev		1:Floo: :Prev	d:Damag .:Reduc	e:Perm. -:Pool
	: Year	:Treat				:Dams		:	:	:	:	:	:	:tion	:1000
	:	:	1000	Ac.	No.	: No.	: 1000	Ac.Ft.	: Mi.	:	\$ m:	illion	1	:	: Ac.
	1966				-										
NATIONAL .	EFFICIENC	Y													
	1980		-	1	-										
	2000		-	-	-						/				
	2020		-	-	-										
REGIONAL I	DEVELOPME	INT													
	1980		-	1	-										
	2000		-	-	-										
	2020		38	-	1	1	9	3	-	.7	.1	.1	1	1	.7
ENVIRONME	NTAL QUAI	LITY													
	1980		.23	4	_										
	2000	- 2	246	122	-										
	2020	2	246	203	-										

NOTE: The values shown in the table are incremental.

Price Base 1970

* Amortized at 5-1/8% interest over 100 years.

UPSTREAM FLOOD DAMAGES, WATER MANAGEMENT SUBREGION D

Project Classification	Number	: Total		nundated		ear Fred		:	Ave	rage Ar	mual Fl			- :	F12 2 7		Benefit
AND THE PROPERTY OF THE PROPER	of Projects		: Pas-	: lands	: Urban	: Misc.	:	:	: Agr	1	: & :: :Indus:				Flood P Damage: Redctn:	MIU&: Wa	er:
										AF	REA	14	RA	RITA	N AN	D P	ASS.
Not Evaluated	- 6	767															
Authorized P.L. 566	1	59		600	50		1800		- 1	120.0	268.2	1000	44.8	862.8	25.9 137.6	-	.6 41
Potential Flood Prev. Projects Potential Developments 4/	8 7	708 841	3080 9305	8295 8205	645 1430	18560	30580 27985	41.8	20.1	65.8	12.8	26.4		168.7	81.7		
TOTAL	16	1608	12685	17100	2125	28455	60365	53.8	27.5	533.6	281.0			1076.3	245.2		
												ARE	A	15	DELA	WAR	ER
1.5a	39	3563	9092	13364	962		60638	95.7		215.6	109.2	160.4			349.6		
15b	1+14		8164	12129		18590	140743	91.2	12.6	381.3	637.8		04,3	1544.2	1110.8		
15c		1039	4145	1784	*	6229	12158	17.4	7.7	106.4					195.5		
15d	1444	4789	356864	167831	56208		769118	1650.5	12.3	872.8	579.0	219.6	166.5		2987.4		
Not Evaluated			11.790		1488			107 8							1700.8 4		o obor
Authorized P.L. 566 Potestial Flood Prev. Projects		1336 2652	343103			119237								2884.3		45.0	
Potestial Developments		8776		40083	5361	117795	186611							1120.4	367.9		
TOTAL 4/	137	12764	378265		59030	250254	882657	1824.8	70.8	1574,1	1428.5	802.8			4643.3		
											AF	REA	16	NE	W JE	RSE	Y C
16a	14	247								8.6				18.4	.4		
16a		347	310									7.1					
16a 16b	10	347 2047	310 5195	845 118650		8550 195113				8.6 5.0		7.1	1,0	18.4 54.1	.4 8.9		
16b Not Svilusted Author zed P.L. 566	10																
Not Eviluated Ruthor zed P.L. 566 Potent al Flood Prev. Projects Potent al Developments	10						318960										
16b Not Bylluated Author zed P.L. 566 Potent al Flood Prey. Projects	0 0	2047	5195	118650		195113 203663	318960	19.1						54.1			
16b Not Eviluated Nuthor Zed P.L. 566 Potent al Ploos Prev. Projects Potent al Developments	10 0 0 0 14	2047 2394	5195 5505	118650		195113 203663	118960 328715	19.1				20.8	1.0	54.1 72.5 72.5	9.3 9.3	ON	D
16b Not Eviluated Nuthor Red P.L. 966 Potent al Ploon Prev. Projects Potent al Developments	10 0 0 0 14	2394 2394	5195 5505	118650		195113 203663	118960 328715	19.1				20.8	1.0	54.1 72.5 72.5	9.3	NC	D
ict Brilumted Muthor zed P.L. 566 Potent al Flood Prev. Projects Potent al Developments L TOTAL	10	2394 2394 2394	5195 5505 5505	118650 119495 119495		195113 203663 203663	118960 328715	19.1 // 21.2 // 21.2				20.8	1.0	54.1 72.5 72.5 SUB	9.3 9.3 PEGIO		
16b lot Evaluated uther zed P.L. 566 otent al Flood Prev. Projects beent al Developments 4/ TOTAL	10	2394 2394 2394 767 1395	5195 5505 5505	118650 119495 119495	52 52 52	195113 203663 203663	328715 328715 328715	19.1 / 21.2 / 21.2	8.8		941	27.9	1.0	54.1 72.5 72.5 SUB	9.3 9.3 REGIO	DN 43 73	D 2443
16b fot Eviluated withor zed P.L. 566 fotential Floor Prev. Projects fotent al Developments TOTAL	10	2394 2394 2394	5195 5505 5505	118650 119495 119495		195113 203663 203663	318960 328715 328715 31323 697103	19.1 / 21.2 / 21.2				20.8	1.0	54.1 72.5 72.5 SUB	9.3 9.3 PEGIO		

^{1/} To cris of emergency spillway.
2/ Storage for beneficial uses other than flood prevention.
3/ Indiades redevelopment and/or redevelopment.
4/ Excludes Not Evaluated.
5/ Dises in miles.
5/ Arsa inundated exclusive of Barrier Islands.
8/ Note: Inventory base 1966; Price base 1970; Ammortization rate, 5-1/8% over 100 years.

2

NATER MANAGEMENT AND STRUCTURAL MEASURES SUBREGION D

			Benefits	-	ts									am Stru				
her:		Flood Prev.: Agr.	enefits .: Rec. :Other: Total r: :Uses :	:Prev.	:Water	Costs:Rec.:Other::Uses:::	: Avrg.:	Total Est.	of Dam	:above : s:Dams	Sedi-:	Flood-:	Other	Jses 2/ :Avail.	Total	Perm.:		:Other :Water- :shed :Imp. 5
			nd dollars		t t	housand doll	ars		<u>. </u>	:sq.mi.							miles	
RA	RITA	N AND PA	SSAIC RIVE	RS														
44.8 3.5 1.8	44.8 862.8 168.7	25.96 137.6 61.7	6 41.8 ~ 68.3	17.1 26.4 247.7 565.9	.6	39.2 -	96.5 66.2 987.8 2347.2	1637 1378 17067 40669	1 8 20 42	7.2 14.1 116.6 324.3	.5	1.1 .6 19.1 51.4	.2	78.2		142 139 4367 10703	3.0	
50.1	1076.3	245.2		840.0			3401.2	59114	70	455.0	12.4	71.1	.8	269.7	354.0	15209	3.0	
A	15	DELAWARE	RIVER															
74.2	661.3	349.6		1987.9			5443.6	103707	100	796.9	18.8	141.9	.1	384.2	545.0	15395	-	
64.3	1544.2			3161.9			8163.9	155138	177	993.0	22.5	166.3	8.5	347.4	544.7	22586	30.1	
33.7				478.2			1026.1	21071	37	123.4	2.8	22.4	.4	27.1	52.7	1866	-	
6.5		2987.4		2305.9			5515.3	108127	114	860.5	21.6	145.2	50.6	228.8	446.2	26642	426.5	10.3
32.1	2039.0 2884.3 1120.4	2574.6	2 2400.9 778.0 5619.3	1421.8 1430.2 5081.9		836.1 590.1	2906.8 3345.1 13897.0	59721	78 69 281	358.8 585.5 1829.5	15.1		47.5 12.1	200.7	119.6 323.2 1145.8		74.0 380.4 2.2	9.8
38.7		4643.3		7933.9			20148.9	388043	428	2773.8	65.7	475.8	59.6	987.5	1588.6	66489	456.6	10.3
6	NE	W JERSEY	COASTAL															
-	18,4	.4		35.1			72.0	1228		17.0	.5	2.7	-	3.0	6.2			
1.0	54.2	8.9		158.0			527.2	8936	18	187.0	5.0	30.0	-	84.4	119.4	10227		
1.0				193.1			599.2	10164		204.0	5.5	32.7		87.4	125.6	10479		
1.0				193.1			599.2	10164		204.0	5.5	32.7			125.6			
	SUBI	REGION D																
				17 1448			97	1637 70103	1 86	7 373	6	1 67	48	6	7	142	7777	9.8
09 36 45		1727 H43 73 2712 459	2443 778 5688	16 7 8 5841				76788 310430	89 343		18 59	114	13	279 1066	1523	19832	380	.5

SUBREGION D TABLE F-7


FLOOD DAMAGE DISTRIBUTION AND PROJECTIONS

DISTRIBUTION

B

The second second second

PRESENT AND PROJECTED AVERAGE ANNUAL DAMAGES



POTENTIAL WATER SUPPLY FROM UPSTREAM RESERVOIRS

BENEFICIAL USE
in multipurpose
flood prevention
projects

Subarea


50,000 AF

14

15a

15c

15d



SUB-REGION D AREAS (4) - (6)

UPSTREAM FLOOD PREVENTION PROJECTS



FIGURE F-22

Flooding

Area Inundated. Total area inundated by the 100 year frequency flood in the Subregion is approximately 2.72 million acres (Table F-8). Of this 44 percent is in crop and pasture, 39 percent is in forest land, and 17.0 percent is in urban and miscellaneous.

Area 18 has the largest area inundated (2.52 million acres) in the Region. Area 18 also has the largest acreage inundated in crop and pasture (1.10 million), forest land (0.99 million), and urban and miscellaneous (0.42) in the Region.

Area inundated as a percent of total area for the Subregion is 12. Area 18 has the largest percent of its land area inundated (54) in the Region. In contrast, Area 17 only has 1 percent of its area inundated.

Present Damages. The present average annual damage in the Subregion is approximately \$15.4 million. The values for Areas 17 and 18 were \$4.49 million and \$10.9 million. For the Subregion, 64 percent is agricultural, and 36 percent is nonagricultural. The percent agricultural damage for Areas 17 and 18 were 8 and 87 respectively.


The present average annual damage in dollars per acre of area inundated for Areas 17 and 18 were \$26 and \$5 respectively. The average for the Subregion was \$7.

There are 26 authorized PL 566 projects and one Pilot watershed in upstream areas which will reduce present average annual damage by \$2.2 million, leaving a damage of \$0.5 million. Present average annual damage in the remaining upstream areas is \$14.9 million.

Future Damages. If no additional flood prevention measures were installed, the present average annual flood damages of \$15.4 million would increase to \$21.7 million in 1980, \$33.4 million in 2000, and \$55.8 million in 2020 (Figure F-23). The annual damages in 2020 for Areas 17 and 18 were \$28.5 million and \$27.3 million respectively.

Extent and Timing of Flood Prevention Measures

Structural Measures. Suggested flood prevention structural measures involving installation of 140 multiple purpose dams with 221,600 acre feet of flood prevention storage and 3,684 miles of channel improvement at an average annual cost of \$4.80 million will reduce annual flood damage by \$18.07 million in 2020. The tables on pages F-74 and F-75 indicate the extent and timing of potential flood prevention structural measures by Area.



Flood Plain Management. Flood prevention plans for the 2.7 million acre flood plain should include nonstructural measures or devices as alternatives, in combination, and/or in addition to structural measures. With all potential flood prevention structural measures installed, the annual damages remaining would be \$6.6 million, \$10.2 million, \$17.0 million in 1980, 2000, and 2020 respectively (Figure F-23). Flood plain management of the 673,000 acres subject to high damages, would reduce this remaining damage.

Water Management

In the 23 authorized PL 566 projects there are included 15,200 acre feet of storage for uses other than flood prevention in multipurpose reservoirs. As of 1967 under the CO program of the USDA, technical assistance was provided for the installation of about 3,800 miles of diversions, 2,800 miles of tile, and 5,200 miles of open main ditches for drainage and flood prevention. Also installed were about 11,000 ponds for flood prevention, irrigation, recreation, fish and wildlife, livestock, rural domestic, and fire protection.

In addition to flood prevention storage in the Potential Flood Prevention Projects, there is storage of 0.47 million acre feet for other uses. There are about 1.52 million acre feet of storage for other uses in the Potential Developments. The total available for water management in potential upstream impoundments is 1.99 million acre feet. The specific needs for water will be identified in other appendices.

Programs and Activities

<u>PL 566</u>. As of 1967 there were 23 authorized PL 566 projects in the Subregion; seven are in Area 17, and 16 are in Area 18. Flood prevention storage of 33,100 acre feet and 15,200 acre feet of storage for other uses are included in 28 dams. The total estimated cost is \$43.0 million.

RC&D. There are two RC&D's in Area 17. The primary objective of the Endless Mountains RC&D project is for a guide to the economic improvement of the family farm unit by increasing farm income and eliminating underemployment through the maximum development, improvement, conservation and utilization of the natural resources of the area.

The objectives of the South Central New York RC&D are to find uses for underdeveloped resources, to create a favorable climate for all types of industry, to maintain profitable family-type farms, to develop full-time employment and train or retrain citizens for careers within the Region, and to help landowners adjust to changing conditions and find economic uses for lands not used by agriculture.

Type II Coordinated Comprehensive Detailed Study. A Type II Study is near completion for the Susquehanna River Basin.

Type IV Cooperative Survey. The Appalachian Region Water Resources Survey was recently completed. The upper half of Area 17 is included in this study.

Floods of 100 year frequency magnitude inundate about 199,003 acres. Land use in this flood plain consists of 100,834 acres of cropland and pasture, 03,018 acres of forest, 650 acres of built-up, and 34,501 acres of miscellaneous lands.

Floods presently cause an estimated \$4,489,700 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$6,914,100 in 1980; \$13,603,800 in 2000; and \$28,509,600 in 2020.


Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 17,407,000 acres of land in Area 17,6,330,000 acres require treatment and are feasible to treat. A net 2,863,000 acres will change use by 2020. Land use (1966) in the 145 watersheds consists of 4,019,000 acres of cropland, 1,474,000 acres of pasture, 9,779,000 acres of forest, 883,000 acres of urban, and 1,252,000 acres of other land.

Fully utilized, 521 potential upstream reservoir sites would have 2,230,000 acre feet of storage at an average cost of \$386/acre foot. Allotment of the storage capacity is 23% for sediment and floodwater and 77% for other beneficial uses.

The release of 3,463 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 2,237 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy

recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide: 21,250 acres in 27 pools over 500 acres in size 30,150 acres in 100 pools 200-500 acres in size 24,460 acres in 179 pools 100-200 acres in size 13,700 acres in 206 pools less than 100 acres in size. Average depths are 19 feet, 20 feet, 19 feet and 16 feet respectively.



Of the 138 small watersheds in Area 17, 13 appear to warrant structural measures with flood prevention as a primary use. The 66 reservoirs with 66,200 acre feet of temporary storage could reduce flood damage by 15%. These 13 upstream watersheds deserve further study for early action projects. Another 397,100 acre feet of temporary storage in 475 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 1.1% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 113,000 acres in the 10. year and 169,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

and the second section of the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section is the second section of the second section is the second section in the second section is the second section of the second section of the second section is the second section of the section o

	:	:	Floo	d Prev	rention I	ema	nds			:	Co	st		: Ben	efits
	:	:Watershed	:Flood:		Structu	iral	Mea	sures				1 Meas			easures
	:	: Protec-	:Plain:F	roject	s:Multi-	-:	Sto	rage	:Chan-	One I	ime	Avg.	Ann.*	%	:Area
bjective	: Time	: tion by : Land					otal	:Flood :Prev	i:nel :Impr.	ermone energy	Flood Prev.		:Prev.	Reduc	
	: Year	:Treatment: 1000	: : D Ac. :	No.	:Dams : No.	: 1	.000	: Ac.Ft.	: : Mi.	: :	\$ mi	: llion		tion	:1000 : Ac.
	1966			13	44		58	36	8						
ATIONAL I	EFFICIENC	Y													
	1980	84	-	3	9		35	17	-	12.6	6.3	.6	.3	3	1.0
	2000	69	1	3	9		42	6	-	6.9	1.7	.4	.1	3	1.1
	2020	332	1	7	48	. 2	224	51		108.7	27.2	5.6	1.4	10	7.6
EGIONAL I	DEVELOPME	INT													
	1980	148	-	5	21		77	25	- 1	25.1	7.7	1.3	.4	4	2.7
	2000	112	1	4	15		61	8	-	18.1	1.8	1.0	.1	2	1.5
	2020	471	-	9	67	2	297	88	-	172.9	50.5	8.9	2.6	12	24.1
INVIRONME	NTAL QUAL	ITY													
	1980	1266	51	13	66	2	280	74	-	128.3	36.9	6.6	1.9	16	9.7
	2000	2532	113	56	228	9	975	222	-	366.3	70.6	19.1	3.7	3	39.9
	2020	2532	35	56	227	(975	222	-	366.2	70.5	19.1	3.7	3	39.9

NOTE: The values shown in the table are incremental. Price Base 1970

* Amortized at 5-1/8% interest over 100 years.

Floods of 100 year frequency magnitude inundate about 2,518,800 acres. Land use in this flood plain consists of 1,102,923 acres of cropland and pasture, 990,030 acres of forest, 70,905 acres of built-up, and 354,942 acres of miscellaneous lands.

Floods presently cause an estimated \$10,913,700 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$14,733,500 in 1980; \$19,753,800 in 2000; and \$27,384,300 in 2020.


Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 4,650,000 acres of land in Area 18,2,467,000 acres require treatment and are feasible to treat. A net 1,372,000 acres will change use by 2020. Land use (1966) in the 116 watersheds consists of 1,766,000 acres of cropland, 209,000 acres of pasture, 1,740,000 acres of forest, 228,000 acres of urban, and 707,000 acres of other land.

Fully utilized, 76 potential upstream reservoir sites would have 420,200 acre feet of storage at an average cost of \$251/acre foot. Allotment of the storage capacity is 36% for sediment and floodwater and 64% for other beneficial uses.

The release of 454 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 294 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide:
2,550 acres in 4 pools over 500 acres in size
5,160 acres in 18 pools 200-500 acres in size
4,310 acres in 29 pools 100-200 acres in size
1,050 acres in 14 pools less than 100 acres in size.
Average depths are 21 feet, 20 feet, 21 feet and
20 feet respectively.

UPSTREAM FLOOD DAMAGE PROJECTIONS



Of the 114 small watersheds in Area 18, 90 appear to warrant structural measures with flood prevention as a primary use. The 74 reservoirs with 116,600 acre feet of temporary storage could reduce flood damage by 89%. 3,684 miles of channel improvement are included in the 90 watersheds. These 90 upstream watersheds deserve further study for early action projects. Another 4,700 acre feet of temporary storage in 2 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 54.2% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 1,965,000 acres in the 10 year and 2,393,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:	:	Floo	od Preve	ention De	mands			:	Cos	t		: Ben	efits
	:	:Watershed:	Flood:		Structur	al Mes	sures			ructural				easures
	:	: Protec - :	Plain:	Projects	s:Multi-:	. Sto	rage	:Chan-	: One	Time :	Avg.	Ann.*	: %	:Area
Objective	: Time : Frame	: tion by :	Mgt.:		:pur- :	Total		i:nel .:Impr.		:Flood: :Prev.:			:Damag :Reduc	
	: Year	:Treatment:			:Dams :		:	:	:	::		:	:tion	:1000
	:	: 1000) Ac. :	No.	: No. :	1000	Ac.Ft.	: Mi.	:	\$ mil	lion		:	: Ac.
	1966			16	4	17	9	1082						
NATIONAL 1	EFFICÍENC	CY												
	1980	985	80	22	21	119	44	810	25.1	12.6	1.4	.7	22	3.9
	2000	1389	-	31	31	167	61	1141	36.3	16.5	2.2	1.0	30	5.4
	2020	1102	19	37	22	129	43	1714	43.2	20.8	2.7	1.3	37	3.7
REGIONAL 1		INT												
	1980	1273	58	53	52	286	105	1951	61.3		3.6	1.7	52	9.3
	2000	1102	13	37	22	129	43	1714	43.2	20.8	2.7	1.3	37	3.7
	2020	-	28	-										
ENVIRONME		LITY												
	1980	493	622	17	74	415	148	40	41.8	13.3	2.2	.7	8	13.0
	2000	987	1541	8	2	6	6	-	.8	.8	.1	.1	1	.1
	2020	987	355	-										

NOTE: The values shown in the table are incremental.

Price Base 1970

* Amortized at 5-1/8% interest over 100 years.

AND THE RESERVE AND THE TANK OF THE PARTY OF

UPSTREAM FLOOD DAMAGES, WATER MANAGEMEN SUBREGION E

Subarea	Number						tinent F										
Project Classification	Number	: Total : Water-		nundated						erage A					:		Benef
Project Classification	Projects	: water-	: Crop &	: Wood-			: Total						:Other:	Total			Agr.: I
	rrojeccs	: Area	: ture	: tands	: Orban	: MISC.	:	:	: Agr	• •	: & :Indus				: Damage : Redctr		
		: sq.mi.		: ac.		ac.			•		housand				. Redcti		ousand d
											^	RE	4 17	5	USQU	FH	ANNA
											_	11/11/	٠,	3		_ ' ''	71414
17a	31	7579	38239	8396	410	8122	55167	59.6	70.0	245.4	317 4	115.7	108 6	916.7	444.0		
			34237	05,0		-	,,,,,,,	,,	10.0		24.00		100.0	,2011	444.0		
17b	29	5832	9308	12687	-	7716	29711	7.9	10.1	313.9	304.6	596.0	42.4	1274.9	557.9		
17c	14	3252	11124	10015		5915	27054	0.0	22.0	261.9	110 0	99 0	15.9	542.6	al. a		
1/6	1.4	3676	11124	10015	-	5915	21054	9.2	23.0	201.9	143.0	00.0	15.9	542.0	94.1		
17d	45	7471	25316	20938	237	9288	55779	54.1	93.2	517.5	366.2	669.6	165.0	1865.6	391.0		
			- (0) -			-1.6.											
17e	19	3309	16847	10982	3	3460	31292	29.7	47.2	207.9	145.2	108.4	43.4	581.8	192.1		
Not Evaluated	1	68															
Authorized P.L. 566	13	875	4474	2106	450	1458	8488	78.8		178.6		110.0		791.8	691.9	218.1	37.1 45
Potential Flood Prev. Projects	13	2084	9130	6427	57	4011	19625							1416.1	703.8		
Potential Developments	112	24484	87230	54485	143	29032	170890	70.0	201.4	1050.9	560.3	928.9	162.2	2973.7	283.4		
3/																	
TOTAL	138	27443	100834	63018	650	34501	199003	160.5	243.5	1546.6	1277.2	1578.5	375.3	5181.6	1679.1		
									,	ARE	4 18	3 F	ΡΑΤι	JXEN	1T AN	ID I	INAN
18a	17	2073	3310	4780	65	13880	22035	27.8	3 .3	31.6	42.0	88.0	438.7	628.4	545.0		
. 0.	0.00	5824	10000000	005000	ma(1) a	-10-	-1-5-6-				0- 0						
18b	97	5024	1099763	985275	70840	341087	2496965	10868.	5 .4	114.1	82.8	519.9	241.0	11826.5	10768.8		
Not Eval d	2	248															
Authorized P.L. 566	16	636	106830	140070	110	4944	251954	1845.2	2 -	.6	16.4	36.7	33.9	1932.8	1541.2	108.5	1480.3 3
Potential Flood Prev. Projects	90	6993	995738	849340	70795	345873	2261746	9047.3	1 .7	137.3	108.4			10502.7	9768.4	,,	1.00.5
Potential Developments	8	268	505	645		4150		3.8		7.8		4.2		19.4	4.2		
3/																	
TOTAL	114	7897	1103073	990055	70905	354967	2519000	10896.1	1 .7	145.7	124.8	607.9	679.7	12454.9	11313.8		
														SLIB	REGI	ON	E
														300	ILOI	OIN	_
Not Evaluated	3	316	200000000000000000000000000000000000000														
Authorized P.L. 566	29	1511	111304	142176	560		260442	1924	4	179	289	147	182	2725	2233	327	1517 €
Potential Flood Prev. Projects	103	9077	1004868	855767	70852	349884	2281371	9059	39	454	553	1107	708	11920	10472	-	
Potential Developments	120	24752	87735	55130	143	33182	176190	74	201	1059	560	933	166	2993	288		
3/															200		
TOTAL	252	35340	1203907	1053073	71555	389468	2718003	11057	544	1692	1402	2187	1056	17638	12993		


^{1/} To crest of emergency spillway.
2/ Storage for beneficial uses other than flood prevention.
3/ Excludes Not Evaluated.
4/ Includes redevelopment and/or secondary benefits.
5/ Dikes in miles.
Note: Inventory base 1966; Price base 1970; Ammortization rate, 5-1/8% over 100 years.

WATER MANAGEMENT AND STRUCTURAL MEASURES SUBREGION E


					enefits a											m Struc				
oge :Other:	Total	: Flood Pr : Damage:M : Redctn:C	ev.: Agr.: IU&:Water: LU : Mgt.:	:Uses		:Prev.:W	ater: gt.:	:Other :Uses :	Avrg.: Annl.:	Total Est. Cost	: of : Dama		:Sedi- :ment :	Flood- water	Alloc.	Avail.:	Total:	Perm.: Pool :	Imp.	: Other : Water- : shed : Imp. 5/
			thousand				thousan	d dolla	ırs		<u> </u>	;sq.mi.	-	thouse	and acre	feet		ac. :	miles	
17	SI	JSQUE	HANN	A RIVE	ER															
108.6	916.7	444.0	•			2540.0			10313.6	197220	162	1301.1	13.1	127.2	2.4	398.0	540.7	23318	8.2	5.2
42.4	1274.9	557.9				2789.0			11839.7	229869	106	1133.6	9.0	104.9	15.5	275.1	404.5	12618		
15.9	542.6	94.1				829.2			6691.2	128599	67	687.9	9.9	43.1	-	281.6	334.6	13240		
165.0	1865.6	391.0				2538.3			11489.5	222416	173	1435.3	25.4	150.3	3.6	518.4	697.7	27721		
43.4	581.8	192.1				1090.5			5366.8	104299	57	567.4	12.8	59.1	-	238.2	310.1	13972		
					1,	,														
	791.8 1416.1 2973.7	691.9 21 703.8 283.4	18.1 37.1 4	•58.1 21.8	3 1668.6	578.7 1894.8 7313.5	2.9 272.9	16.6	6673.8	21152 128747 732504	44 66 455	207.6 722.9 4194.8	8.1			205.7 1505.6		1322 9702 79845	8.2	5.2
375.3	5181.6	1679.1				9787.0			45700.9	882403	565	5125.3	70.2	484.6	21.5	1711.3	2287.6	90869	8.2	5.2
PATU	JXEN	T AND	NAN C	TICOK	E RIV	/ERS														
438.7	628.4	545.0				552.0			1439.4	27908	46	431.8	21.2	81.3	5.7	174.4	282.6	7724	.3	
241.0	11826.5	10768.8				2988.4			6244.8	106568	34	339.6	11.6	48.9	1.8	92.7	155.0	6024	4765.3	
					h	,														
	1932.8 10502.7 19.4	1541.2 10 9768.4 4.2	08.5 1480.3	366.8 250.	6 4401.6	593.3 5 2908.5 38.6	575.4 8.9	90.7	1268.3 6374.6 41.3	104628	74 2	121.8 624.2 25.4	30.7	116.6	7.5	266.9	17.2 414.2 6.2	672 13008 68	1081.7 3683.9	
679.7	12454.9	11313.8				3540.4			7684.2	134476	80	771.4	32.8	130.2	7.5	267.1	437.6	13748	4765.6	
	SUB	REGIC	N E																	
182 708 166	2725 11920 2993	2233 32 10472 288	27 1517	825 272	6070		578 282	107	2139 13048 38197	50205 233375 733299	48 140 457	329 1347 4220	6 39 58	40 183 392	29	473 1506	75 695 1956	1994 22710 79913	1090 3684	5
1056	17638	12993				13327			53384	1016879	645	5896	103	615	29	1979	2726	104617	4774	5

SUBREGION E TABLE F-8

FLOOD DAMAGE DISTRIBUTION AND PROJECTIONS




PRESENT AND PROJECTED AVERAGE ANNUAL DAMAGES



POTENTIAL WATER SUPPLY FROM UPSTREAM RESERVOIRS

BENEFICIAL USE in multipurpose flood prevention projects Subarea 17a 17b 17c 17d 17e 18a

CAREEL AND THE TRANSPORT OF THE AREA OF THE CARE AND A CAREER AND A SECOND OF THE PARTY OF THE P



SUBREGION F (Areas 19, 20 and 21)

Flooding

Area Inundated. Total area inundated by the 100 year frequency flood in the Subregion is approximately 731,000 acres (Table F-9) Of this, 44 percent is in crop and pasture, 46 percent is in forest land, and 10 percent is in urban and miscellaneous. Area 19 has the greatest and Area 20 has the least total area inundated.

Area inundated as a percent of total area for the Subregion is 4. It ranged from 3 percent in Area 21 to 4 percent in Area 19.

Present Damages. The present average annual damage in the Subregion is approximately \$10.1 million. It ranged from \$1.0 million in Area 20 to \$6.6 million in Area 19. Of the total, 36 percent is agricultural, and 64 percent is nonagricultural. The percent agricultural damage ranged from 30 percent in Area 21 to 49 percent in Area 20.

The present average annual damage in dollars per acre of area inundated ranged from \$9. in Area 20 to \$20. in Area 19. The average for the Subregion is \$17.

Flash flooding in the mountainous portion of the Subregion occurs frequently. These storms create floods with very high velocities causing extreme property damage and loss of life. The same amount of rainfall in the flatter regions would not create as serious a problem.

There are 15 authorized PL 566 projects and 10 PL 534 projects in upstream areas which will reduce present average annual damage by \$2.0 million, leaving a damage of \$1.3 million. The 10 PL 534 projects are located in the upper reaches of the Potomac River Basin. Present average annual damage in the remaining upstream areas is \$8.8 million.

Future Damages. If no additional flood prevention measures were installed, the present average annual flood damages of \$10.1 million would increase to \$16.2 million in 1980, \$30.1 million in 2000, and \$59.4 million in 2020 (Figure F-24). The range in annual damage in 2020 would be \$4.6 million in Area 20 to \$40.4 million in Area 19.

Extent and Timing of Flood Prevention Measures

Structural Measures. Suggested flood prevention structural measures involving installation of 515 multiple purpose dams with 820,500 acre feet of flood prevention storage and 162 miles of channel improvement at an average annual cost of \$7.23 million will reduce annual flood damage by \$20.66 million in 2020. The tables on pages F-81, 82 and 83 indicate the extent and timing of potential flood prevention structural measures for each objective by Area. The installation of measures involving National Forest land will depend upon their effects and compatibility with the multiple-use management of National Forest resources.

Flood Plain Management. Flood prevention plans for the 731,000 acre flood plain should include nonstructural measures or devices as alternatives, in combination, and/or in addition to structural measures. With all potential flood prevention structural measures installed, the annual damages remaining would be \$9.5 million, \$17.7 million, and \$34.9 million in 1980, 2000 and 2020 respectively (Figure F-24). Flood plain management of the 172,000 acres subject to high damages, would reduce this remaining damage.

Water Management

In the 15 authorized PL 566 projects and 10 PL 534 projects there are included 13,000 acre feet of storage for uses other than flood prevention in multiple purpose reservoirs. As of 1967 under the CO program of the USDA, technical assistance was provided for the installation of about 700 miles of diversions, 2000 miles of tile and 3500 miles of open main ditches for drainage and flood prevention. Also installed were about 25,000 ponds for flood prevention, irrigation, recreation, fish and wildlife, livestock, rural domestic, and fire protection.

In addition to flood prevention storage in the Potential Flood Prevention Projects, there is storage of 1.22 million acre feet for other uses. There are about 1.46 million acre feet of storage for other uses in the Potential Developments. The total available for water management in potential upstream impoundments is 2.68 million acre feet. The specific needs for water will be identified in other appendices.

Programs and Activities

PL 566 and PL 534. As of 1967 there were 15 authorized PL 566 projects, and 10 PL 534 projects in the Subregion; 14 are in Area 19, five are in Area 20, and six are in Area 21. Flood prevention storage of 238,700 acre feet and 13,400 acre feet of storage for other uses are included in 224 dams. The total estimated cost is \$50.9 million.

Type IV Cooperative Survey. The James River Basin Survey (Area 21) is nearing completion.

The Appalachian Region Water Resources Survey is near completion. The upper portions of Areas 19 and 21 are included in this survey.

Comprehensive Survey of the Potomac River Basin. The Corps of Engineers, in response to a Senate Public Works Committee resolution of January 26, 1956, initiated a comprehensive survey of the Potomac River Basin for the control of floods and the development and conservation of the basin's water and related land resources. The USDA began its activities in this survey in fiscal 1957 and completed them in fiscal year 1963. The USDA report was revised in 1965. The principal features of the revised plan were:

- A. Installation of a system of upstream reservoirs with the modification and expansion of the original plan to provide additional developments for recreational use.
- B. Acceleration and expansion of the current programs for land use and treatment to reduce erosion and sediment pollution.
- C. Additional forestry programs which would contribute to making the Potomac a model of conservation.

Floods of 100 year frequency magnitude inundate about 412,414 acres. Land use in this flood plain consists of 206,200 acres of cropland and pasture, 165,000 acres of forest, 82,000 acres of built-up, and 33,014 acres of miscellaneous lands.


Floods presently cause an estimated \$6,615,600 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$10,783,400 in 1980; \$20,177,600 in 2000; and \$40,355,200 in 2020.

Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 9,257,000 acres of land in Area 19, 4,521,000 acres require treatment and are feasible to treat. A net 1,267,000 acres will change use by 2020. Land use (1966) in the 79 watersheds consists of 1,823,000 acres of cropland, 1,148,000 acres of pasture, 5,289,000 acres of forest, 373,000 acres of urban, and 624,000 acres of other land.

Fully utilized, 407 potential upstream reservoir sites would have 1,213,400 acre feet of storage at an average cost of \$255/acre foot. Allotment of the storage capacity is 36% for sediment and floodwater and 64% for other beneficial uses.

The release of 953 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 616 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide: 5,900 acres in 9 pools over 500 acres in size 11,480 acres in 35 pools 200-500 acres in size 13,740 acres in 95 pools 100-200 acres in size 10,400 acres in 174 pools less than 100 acres in size. Average depths are 11 feet, 20 feet, 16 feet and 18 feet respectively.



Of the 79 small watersheds in Area 19, 35 appear to warrant structural measures with flood prevention as a primary use. The 315 reservoirs with 350,900 acre feet of temporary storage could reduce flood damage by 34%. These 35 upstream watersheds deserve further study for early action projects. Another 10,500 acre feet of temporary storage in 92 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 4.5% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 252,000 acres in the 10 year and 363,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:		:			Fl	ood Prev	rention	Dei	mands			:	Co	st		: Ben	efits
	:		:W	laters	hed:	Flood	:	Struct	ur	al Mea	sures		: Str	uctura	1 Mea	sures	:Str.M	easures
	:		:	Prote	c- :	Plair	:Project	s:Multi	-:	Sto	rage	:Chan-	: One	Time	: Avg	.Ann.*	: %	:Area
Objective	:	Time	:	tion	by:	Mgt.	:	:pur-	:	Total	:F100	d:nel	:Total	:Flood	:Tota	1:Floo	d:Damag	e:Perm.
	:	Frame	:	Land	:		:	:pose	:		:Prev	.: Impr.	:	:Prev.	:	:Prev	.: Reduc	-: Pool
		Year	:T	reatm	ent:		:	:Dams	:		:	:	:	:	:	:	:tion	:1000
	:		:		1000	Ac.	: No.	: No.	:	1000	Ac.Ft.	: Mi.	;	\$ mi	llion		:	: Ac.
		1966					14	142		152	146	49						
NATIONAL	EFF	ICIENC	Y															
		1980		1491		11	16	158		500	211	-	121.3	28.6	7.2	1.7	17	15.2
		2000		243		5	19	157		478	203	_	114.3	34.9	7.2	2.2	18	16.0
		2020		_		32	_											
REGIONAL :	DEV	ELOPME	IVI															
		1980		2491		9	29	263		835	352	-	200.8	57.6	11.5	3.3	30	26.2
		2000		183		7	6	52		143	62	-	34.8	7.2	2.9	.6	14	5.0
		2020		_		16	_											
ENVIRONME	NTA	L QUAL	TI	Y														
		1980		904		97	35	315		978	414	_	235.7	63.8	14.4	3.9	34	31.2
		2000		1808		253	30	92		235	23	_	73.9	-		_	1	10.4
		2020		1808		62	-											

NOTE: The values shown in the table are incremental.

Price Base 1970

* Amortized at 5-1/8% interest over 100 years.

and the second s

Floods of 100 year frequency magnitude inundate about 131,470 acres. Land use in this flood plain consists of 45,013 acres of cropland and pasture, 68,541 acres of forest, 703 acres of built-up, and 17,213 acres of miscellaneous lands.


Floods presently cause an estimated \$950,400 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$1,435,100 in 1980; \$2,499,500 in 2000; and \$4,628,400 in 2020.

Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 3,736,000 acres of land in Area 20, 1,638,000 acres require treatment and are feasible to treat. A net 552,000 acres will change use by 2020. Land use (1966) in the 32 watersheds consists of 582,000 acres of cropland, 359,000 acres of pasture, 2,441,000 acres of forest, 116,000 acres of urban, and 238,000 acres of other land.

Fully utilized, 217 potential upstream reservoir sites would have 1,068,600 acre feet of storage at an average cost of \$132/acre foot. Allotment of the storage capacity is 33% for sediment and floodwater and 67% for other beneficial uses.

The release of 901 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 583 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide:
11,640 acres in 18 pools over 500 acres in size
27,960 acres in 87 pools 200-500 acres in size
11,140 acres in 79 pools 100-200 acres in size
2,820 acres in 42 pools less than 100 acres in size. Average depths are 13 feet, 15 feet, 16 feet and
19 feet respectively.



Of the 27 small watersheds in Area 20, 9 appear to warrant structural measures with flood prevention as a primary use. The 109 reservoirs with 143,700 acre feet of temporary storage could reduce flood damage by 44%. These 9 upstream watersheds deserve further study for early action projects. Another 163,800 acre feet of temporary storage in 108 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 3.5% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 99,000 acres in the 10 year and 125,000 acres in the 50 year flood plains in upstream watersheds.

Suggested flood prevention demands shown below are those used in plan formulation.

	:	:		Fl	ood Prev	ention De	mands				Cos	t		: Bene	efits
	:	:Wate	rshed:	Flood	:	Structur	al Mes	sures		Str	uctural	Meas	sures	:Str.Me	asures
	:	: Pro	tec-	Plain	: Project	s:Multi-:	Sto	rage	:Chan-	One	Time :	Avg	.Ann.*	: %	:Area
Objective	: Time : Frame		n by	-	:	:pur- :	Total		d:nel .:Impr.		:Flood:		:Prev.	:Reduc-	-: Pool
	: Year	:Trea	tment:	Ac.	: No.	:Dams :		: Ac.Ft.	: : Mi.		: \$ mil			:tion :	:1000 : Ac.
	1966				5	48	50	45	148						
NATIONAL	EFFICIENC	Y													
	1980	. 1	2	1	1	18	108	37	-	27.9	8.0	1.4	.4	8	3.3
	2000		-	1	-										
	2020	45	3	-	8	91	358	130	90	55.8	13.5	2.9	.7	36	18.4
REGIONAL	DEVELOPME	INT													
	1980	1	.2	1	1	18	108	37	-	27.9	8.0	1.4	. 4	8	3.3
	2000	27	1	-	6	49	218	71	74	36.2	11.4	1.9	.6	16	8.7
	2020	18	32	1	2	42	140	59	16	19.5	2.0	1.0	.1	20	9.7
ENVIRONME	NTAL QUAL	TTY													
	1980	32	8	24	9	109	466	167	90	83.7	21.4	4.3	1.1	44	21.7
	2000	65	5	90	7	58	324	102	. 171	59.9	12.7	3.3	.7	9	15.6
	2020	65	5	17	6	50	278	87	146	51.6		2.7	.7	8	13.4

NOTE: The values shown in the table are incremental.
Price Base 1970

* Amortized at 5-1/8% interest over 100 years.

Floods of 100 year frequency magnitude inundate about 187,690 acres. Land use in this flood plain consists of 95,065 acres of cropland and pasture, 79,540 acres of forest, 2,900 acres of built-up, and 10,185 acres of miscellaneous lands.


Floods presently cause an estimated \$2,540,500 average annual damage. Without meeting any flood prevention demands, projected damages are expected to be: \$3,988,600 in 1980; \$7,393,900 in 2000; and \$14,379,200 in 2020.


Land treatment, use changes, protection and management affect volume and distribution of water yields. Of the 6,639,000 acres of land in Area 21, 3,444,000 acres require treatment and are feasible to treat. A net 606,000 acres will change use by 2020. Land use (1966) in the 100 watersheds consists of 636,000 acres of cropland, 532,000 acres of pasture, 4,916,000 acres of forest, 346,000 acres of urban, and 209,000 acres of other land.

Fully utilized, 196 potential upstream reservoir sites would have 1,896,800 acre feet of storage at an average cost of \$120/acre foot. Allotment of the storage capacity is 38% for sediment and floodwater and 62% for other beneficial uses.

The release of 1,775 cfs (based on continual draft) could augment flows for water quality control, recreation, navigation or downstream withdrawals. Or the potential upstream reservoirs could supply 1,147 mgd for power, rural communities and towns, industry and irrigation.

Water surfaces of various sizes may satisfy recreation, fish and wildlife, and/or visual quality environment needs. Potential upstream reservoirs could provide: 10,200 acres in 14 pools over 500 acres in size 24,000 acres in 76 pools 200-500 acres in size 10,100 acres in 69 pools 100-200 acres in size 3,700 acres in 64 pools less than 100 acres in size. Average depths are 18 feet, 19 feet, 23 feet and 27 feet respectively.





Of the 73 small watersheds in Area 21, 27 appear to warrant structural measures with flood prevention as a primary use. The 91 reservoirs with 204,500 acre feet of temporary storage could reduce flood damage by 36%. 74 miles of channel improvement are included in the 27 watersheds. These 27 upstream watersheds deserve further study for early action projects. Another 392,500 acre feet of temporary storage in 105 reservoirs could possibly be developed in projects with flood prevention as a secondary or incidental purpose.

About 2.8% of the land area is in the 100 year flood plain. Early action flood plain management is needed on the 143,000 acres in the 10 year and 178,000 acres in the 50 year flood plains in upstream watersheds.

flood plains in upstream watersheds. Suggested flood prevention demands shown below are those used in plan formulation.

		:		Flood Pre	vention De	mands			:	Cos	st		: Ben	efits
		:Waters	hed:Flo		Structur		sures		: Str	uctural	Mea	sures	:Str.M	leasures
		: Prote	ec- :Pla	in: Projec	ts:Multi-:		orage l:Floo	:Chan-				.Ann.*		:Area e:Perm.
bjective			by : Mg	· ·		10ta.		.:Impr.		:Prev.:			:Reduc	
	: Frame : Year	: Land :Treatr	nent: 1000 Ac	: : No.	:pose : :Dams : :No. :	1000	:	: Mi.	:	: \$ mil		:	:tion	:1000 : Ac.
	1966	•		6	34	50	48	74						
VATTONAL.	EFFICIENC	.Y				-								
	1980	69	4	3	10	51	19	23	5.6	1.9	.3	.1	1	1.7
	2000	195	4	8	20	138	52	17	18.1		.9	.4	9	3.4
	2020	495	3	16	61	404	169	32	62.7	25.8	3.4	1.4	24	10.8
REGIONAL	DEVELOPM	ENT												
	1980	199	4	6	28	153	58	23	20.9	7.0	1.2	.4	6	4.4
	2000	469	3	17	50	352	144	49	44.6	23.3	2.3	1.2	22	8.8
	2020	102	3	10	29	284	50	57	41.8	16.4	2.3	.9	11	9.6
ENVIRONME	NTAL QUAL	LITY												
	1980	689	51	27	91	593	240	72	86.4	37.6	4.6	2.0	34	15.9
	2000	1378	127	20	53	654	238	157	71.1	30.7	3.7	1.6	8	23.0
	2020	1378	10	20	52	653	238	156	69.7	26.4	3.7	1.4	8	22.9

NOTE: The values shown in the table are incremental. Price Base 1970

^{*} Amortized at 5-1/8% interest over 100 years.

UPSTREAM FLOOD DAMAGES, WATER MANAGE SUBREGION

Subarea	Number	: Total	: Area I	nundated 1	by 100 Ye	ar Freq	. Flood	:	Aver	age Annual	Flood D	MAGE	:	
roject Classification	of	: Water-		: Wood-						Resid.:Comm			Total :	Flood
	Projects		: Pas-	: lands	Urban	Misc.	:	:	: Agr .:	: &	:	: :	:	Damage
			: ture	:	:		:	:	: :	:Indu	s:	: :	:	Redctn
		: sq.mi.	ac.	: ac.	ac.	ac.	: ac.	1		thousan	d dolla	rs		-
													40	DOT
19a	24	4202									A	REA	19	POTO
	14													
19b		3028												
19e	41	7440												
t Evaluated	0													1
thorized P.L. 566 & 534	14	2256					39994	476.4	410.4	546.1 263.8	612.9	562.8	2872.4	1650.5
tential Flood Prev. Projects tential Developments	35 30	8559 3855					256770 115650						4494.8 898.9	2265.4
TOTAL 5/	79	14670	206200	165000	8200	33014	412414	1405.0	1157.01	571.0 759.0	1736.0	1638.1	8266.1	3942.8
•						.,,								
									Δ	REA 2	20	YORI	K AN	D RA
20a	13	2581	26451	13965	663	5448	46527	237.3	73.8	107.2 11.8	158.4	21.3	609.8	403.7
20b	14	2827	18562	54576	40	11765	84943	213.0	34.5	11.9 8.3	193.7	60.1	521.5	355.0
t Evaluated	5	595												,
thorized P.L. 566	5	498	1397	3277	138	68	4880	126.2	8.2	17.2 -	25.9	37.5	215.0	180.9
tential Flood Prev. Projects	9	1961	25474	22986	565	6573	55598	208.1	71.1	97.6 13.1	197.9	35.8	623.6	415.2
ential Developments 5/	13	2949	18142	42278	•	10572	70992	116.0	29.0	4.3 7.0	128.3	8.1	292.7	162.6
TOTAL	27	5408	45013	68541	703	17213	131470	450.3	108.3	119.1 20.1	352.1	81.4	1131.3	758.7
												ARE	A 21	JAN
21a	34	3760	64160	13975	1770	6345	86250	271.0	106.8	1134.4	399.0	91.5	2002.7	1072.8
21 b	37	3229	30565	64405	1130	3825	99925	346.5	52.4	50.1	219.7	68.3	737.0	424.8
21c	2	214	340	1160		15		4.0	2.1	1.4	.7		9.8	
210		214	340	1100		17	1515	4.0	2.1	1.4	.1	1.0	9.0	3.4
Evaluated	27	3397					74615						332.7	42.0
horized P.L. 566	6	672	7370	10495	280	1315	19460		2.2	•	20.6	73.4	263.3	209.0
cential Flood Prev. Projects cential Developments	27 40	2317 4214	51650 36045	14550 54495	1155 1465	5060 3 81 0	72415 95 8 15		69.0 90.1	835.6 350.3	336.2 262.6		1540.9 945.3	872.4 419.6
TOTAL 5/	73	7203	95065	79540	2900	10185	187690	621.5	161.3	1185.9	619.4	161.4	2749.5	1501.0
									10				SUP	REGIO
	20	2000					ml.Ca-							
t Evaluated	32 25	3992 3426					74615	770	1.01	827	659	674	333 3351	2040
							64334 3 8 4783		421	021	059	014	6659	3553
tential Flood Prev. Projects	71 83	12837					282457						2137	609
thorized P.L. 566 & 534 tential Flood Prev. Projects tential Developments 5/			346278	313081	11803	60412				3655	2708	1881		

^{1/} To crest of emergency spillway.
2/ Storage for beneficial uses other than flood prevention.
3/ Floodwater diversion in miles
4/ Number of grade stabilization structures.
5/ Excludes Not Evaluated.
6/ Includes redevelopment and/or secondary benefits.

Note: Inventory base 1966; Price base 1970; Ammortization rate, 5-1/8% over 100 years.

SUBREGION F


						В	enefits	and Cos	ts				- 11								Mensares		
.:Other:	Total :	Damage	e:MIU&:	Agr.: Water:	:	:Other	: Total	:Flood :Prev.		r:	:Other	Avrg.:	Total Est.	: of	s:Dams	:Sedi- :ment :	Flood-	: Alloc.	Jses 2/:	Toțal	: Pool :		i detx
: : rs	;	Redctr	n:CW:			:		<u>:</u>	:Mgt .		: nd dolla	Annl.:	Cost	<u>: </u>	: :sq.mi.		thouse	: and acr	e feet	:	: ac. :	miles	: Imp.
REA	19	POTO	AMC	C	RIV	ER																	
						- '		2164.4	- ;	2541.6	194.4	4900.4	93874	172	1002.2	24.9	182.2	102.1		309.2	5812	1.4	. 3/
								1121.3	-	2364.8	363.2	3849.3	71802	138	1330.3	21.1	107.3	118.0		246.4	6685	26.1	.5
								2030.8	-	5228.1	3271.0	10529.9	183061	239	1723.1	44.2	203.1	562.4	-	809.7	31265	21.4	
562.8	2872.4 4494.8 898.9	1650.5 2265.4 26.9	205.0		293.3	173.6	2414.8	3875.3	- '	7306.7	2967.8	1611.6 13879.8 3788.2	235808	142 315 92	1100.2 . 2423.9 531.5		350.9			977.9	2242 31162 10353	48.¢	1.24
1638.1	8266.1	3942.8						5316.5	- 10	0134.5	3828.6	19279.6	348737	549	4055.6	90.2	492.6	782.5	-	1365.3	43757	48.9	.2
YORK	ANI	RA	PPA	HA	NNO	OCK	RIV	ERS															
21.3	609.8	403.7						1565.6				4589.8	88287	124	776.2	25.6	162.7	2.0	396.5	586.8	23002	83.9	
60.1	521.5	355.0						1344.3				3187.2	59429	141			179.5				29871		
37.5 35.8 8.1	215.0 623.6 292.7	180.9 415.2 162.6	439.7	20.4	41.3	13.8	386.8	57.9 202.6 1269.5 1437.8	23.5	7.6	19.0	129.7 252.7 4427.1 30972	2270 6358 84392 56966	8 48 109 108	209.0 679.2			5.3 3.0	296.9		1241	148.0 89.2 303.3	
81.4	1131.3	758.7	918.8					2909.9				7777.0	147716	265	1687.2	57.8	342.2	8.3	710.3	1118.6	52873	540.5	
REA	21	JAI	MES	R	IVE	R																	
91.5	2002.7	1072.8						3331.0				7029.9	133813	117	1450.0	50.4	325.6	36.2	504.5	916.7	21563	112.5	
68.3	737.0	424.8						1918.8				5029.9	98130	112	1469.8						41650		
1.6	9.8	3.4						7.2				8.4	145	1	3.5	.2	.9		-	1.1	27	1.4	
73.4 58.0 30.0	332.7 263.3 1540.9 945.3	42.0 209.0 872.4 419.6	49.8	-		7.8	301.4	676.1 207.9 20 8 4.0 2965.1			4.9	1999.6 212.8 4559.3 7296.1	42306 5238 85817 141033	69 34 91 105	241.7	35.2	41.8	1.8	336.7	50.2 593.0	15939 891 16609 45740	73.5 72.7 320.7	
161.4	2749.5	1501.0						5257.0				12068.2	232088	230	2923.3	122.4	638.8	43.7	1142.1	1947.0	-63240	466.9	
	SUB	REGIO	ON	F																			
674	333 3351 6659	42 2040 3553	341	20	335	195	31036/	73 ⁴ 1852 7229	24	146	56	2129 2077 22866	44576 50865 406017	77 224 515	544 1551 4028	22 31 121	119 208 699	13 583	282 634	423 252 2037	18062 4374 69295		1.2
	2137	609						4403				14182	271659	305	3088	118	567	238		2142	86201		

SUBREGION F


FLOOD DAMAGE DISTRIBUTION AND PROJECTIONS


DISTRIBUTION

PRESENT AND PROJECTED AVERAGE ANNUAL DAMAGES



POTENTIAL WATER SUPPLY FROM UPSTREAM RESERVOIRS





SUB-REGION F AREAS (9-2)

UPSTREAM FLOOD PREVENTION PROJECTS



FIGURE F-24

BIBLIOGRAPHY

- (1) Hoyt, W. G. and Langbein, W. B., Floods, Princeton, 1955.
- (2) Thomson, M. T., Gannon, W. B., Thomas, M. P., Hayes, G. S., and others, <u>Historical Floods in New England</u>, Geological Survey Water-Supply Paper 1779-M.
- (3) Nelson, Elmer R., Haley, Raymond J., General Summary of Flood Losses, U. S. Department of Commerce, Climatological Data, National Summary, Annual 1968, Volume 19, No. 13.
- (4) U. S. Department of Agriculture, <u>Water</u>, The Yearbook of Agriculture, 1955.
- (5) U. S. Department of Agriculture, National Inventory of Soil and Water Conservation Needs, Memorandum No. 1396, April 10, 1956.
- (6) Homan, G. A., Waybur, B., A Study of Procedure in Estimating
 Flood Damage to Residential, Commercial, and Industrial
 Properties in California, Stanford Research Institute,
 January 1960.
- (7) U. S. Geological Survey, Magnitude and Frequency of Floods in the United States, Geological Survey Water-Supply Papers 1671, 1672, 1673 and 1677.
- (8) Andrews, R. G., Water Resources Development, Soil Conservation Service, Unpublished Paper, April 1967.
- (9) The Pennsylvania State University, <u>Projections of Crop Yields</u>
 and Rates of Fertilizer Application for Major River Basins
 in Eastern and Northeastern United States, Agricultural
 Experiment Station, University Park, Pa. 1964.
- (10) Cox, P. T., Methodology for the PL 566 Feasibility Study, Economic Research Service, Unpublished Paper, August 1968.
- (11) North Atlantic Regional Water Resources Study, <u>Rural</u>
 <u>Domestic and Livestock Water Requirements</u>, <u>Preliminary</u>
 <u>Issue</u>, <u>December 1968</u>.
- (12) U. S. Department of Agriculture, Conservation Needs Inventory, 1967 Base.
- (13) The Water Resources Council, The Nation's Water Resources, Water Resources Council, 1968.

War Calminist were