





Approved for public release; distribution unlimited.

US ARMY

ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GROUND, MD 21010

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
REPORT NUMBER 2. GOVT ACCES	SSION NO. 2 RECIPIENT'S CATALOG NUMBER
51-0814-77	(9) (rept.)
TITLE (and Subtitle)	TYPE OF REPORT & PERIOD COVERED
Topical Hazard Evaluation of Candidate Insec	
Repellent AI3-36537-a, 1-(Cyclohexylcarbonyl	
3-Methylpiperidine (14) nich	EHA - 51-0814-77
AUTHORA	FITH T SI-DOL4-11
MAURICE H. WEEKS BRENDA DESENA	
PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Commander	(1) = 10 7
US Army Environmental Hygiene Agency	(I) 8 Mar 7
Aberdeen Proving Ground, MD 21010	12 859087 04
Commander	12. REPORT DOCT 76
US Army Health Services Command	13. NUMBER OF PAGES
Fort Sam Houston, TX 78234	7
4. MONITORING AGENCY NAME & ADDRESS(II different from Controlling	Office) 15. SECURITY CLASS. (of this report)
(12/100.)	Unclassified
(224P)	
	15. DECLASSIFICATION/DOWNGRADING SCHEDULE
5. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution un	limited.
Approved for public release; distribution un	
Approved for public release; distribution un 7. DISTRIBUTION STATEMENT (of the ebetrect entered in Block 20, If di	
Approved for public release; distribution un 7. DISTRIBUTION STATEMENT (of the obstract entered in Block 20, If di 8. SUPPLEMENTARY NOTES	itterent from Report)
Approved for public release; distribution un 7. DISTRIBUTION STATEMENT (of the ebetrect entered in Block 20, If di 8. SUPPLEMENTARY NOTES	itterent from Report)
Approved for public release; distribution un D. DISTRIBUTION STATEMENT (of the obstract entered in Block 20, If di B. SUPPLEMENTARY NOTES D. KEY WORDS (Continue on reverse eide if necessary and identify by bloc 1- (cyclohexylcarbonyl)-3-methylpiperidine AI3-36537-a	(Herent from Report) ck number)
Approved for public release; distribution un D. DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if di B. SUPPLEMENTARY NOTES D. KEY WORDS (Continue on reverse elde if necessary and identify by block 1- (cyclohexylcarbonyl)-3-methylpiperidine AI3-36537-a Topical Hazard Evaluation	<pre>ck number) eye irritation sensitization oral toxicity</pre>
Approved for public release; distribution un D. DISTRIBUTION STATEMENT (of the obstreet entered in Block 20, If dis B. SUPPLEMENTARY NOTES D. KEY WORDS (Continue on reverse side if necessary and identify by block 1- (cyclohexylcarbonyl)-3-methylpiperidine AI3-36537-a Topical Hazard Evaluation Candidate repellent Skin irritation	<pre>//// Iterent from Report) ck number) eye irritation sensitization oral toxicity Photochemical Skin Irritation</pre>
 DISTRIBUTION STATEMENT (of the ebstrect entered in Block 20, If display the entered in Block 20, If display the estimate of the ebstrect entered in Block 20, If display and identify by block is a supplementation in the estimate of the estima	<pre>####################################</pre>

.



DEPARTMENT OF THE ARMY U.S. ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GROUND, MARYLAND 21010

8 MAR 1977

TOPICAL HAZARD EVALUATION OF CANDIDATE INSECT REPELLENT AI3-36537-a 1-(CYCLOHEXYLCARBONYL)-3-METHYLPIPERIDINE STUDY NUMBER 51-0814-77 OCTOBER 1975 - OCTOBER 1976

ABSTRACT

A hazard evaluation of AI3-36537-a was conducted using New Zealand White rabbits for skin and eye studies; Hartley guinea pigs for a skin sensitization study; and Sprague-Dawley, Wistar-derived rats for acute oral toxicity. Moderate corneal opacity and conjunctivitis were observed after a single application of the technical grade compound to the eyes of rabbits. Based on these findings, it is recommended that AI3-36537-a not be approved for further testing as a candidate topical insect repellent.

NTIS		With Saring	V
Dac		501 900 100	
INANGO			n
USTIFIC	TION		-
Dist.	and the second second	ALLADILITY CODE	
A			
PI			

Approved for public release; distribution unlimited.



DEPARTMENT OF THE ARMY U.S. ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GROUND, MARYLAND 21010

TOPICAL HAZARD EVALUATION OF CANDIDATE INSECT REPELLENT AI3-36537-a 1-(CYCLOHEXYLCARBONYL)-3-METHYLPIPERIDINE STUDY NUMBER 51-0814-77 OCTOBER 1975 - OCTOBER 1976

1. AUTHORITY.

a. Letter, US Department of Agriculture - Agricultural Research Service, Southern Region, Insects Affecting Man Research Laboratory, Gainesville, Florida, 17 October 1975.

b. Memorandum of Understanding between the US Army Environmental Hygiene Agency; the US Army Health Services Command; the US Department of the Army, Office of The Surgeon General; the Armed Forces Pest Control Board; and the US Department of Agriculture, effective December 1970 with Amendment No. 1, effective August 1974.

2. REFERENCE. Toxicology Division Procedural Guide, USAEHA, 1972.

3. PURPOSE. The purpose of this program is to provide guidance for further entomological testing of the candidate insect repellent AI3-36537-a.

4. SUMMARY OF FINDINGS. A hazard evaluation of the candidate repellent AI3-36537-a [1-(cyclohexylcarbonyl)-3-methylpiperidine] was conducted by this Agency using New Zealand White rabbits for skin and eye studies, Hartley guinea pigs for a skin sensitization study and Sprague-Dawley, Wistar-derived rats for determination of oral toxicity. A tabular presentation of animal toxicity data developed in this Agency follows:*[†]

* In conducting the studies described in this report, the investigators adhered to the "Guide for the Care and Use of Laboratory Animals," US Department of Health, Education and Welfare Publication No. (NIH) 74-23, revised 1972 - second printing 1974.

[†] The experiments reported herein were performed in animal facilities, fully accredited by the American Association for Accreditation of Laboratory Animal Care.

Approved for public release; distribution unlimited.

Test

Results

Interpretation

SKIN IRRITATION STUDIES

Rabbits

Single 24-hour application to intact and abraded skin of New Zealand White rabbits.

0.5 ml technical grade compound applied to each of six rabbits. Compound AI3-36537-a produced no primary irritation of the intact skin or the skin surrounding an abrasion. USAEHA Category I (ref Appendix).

EYE IRRITATION STUDIES

Rabbits

Single 24-hour application of 0.1 ml technical grade compound to one eye of each of six New Zealand White rabbits. Compound AI3-36537-a produced moderate injury to the cornea and in addition, some injury to the conjunctiva in 6 of 6 rabbits at 24-hours after application and for 7 days thereafter.

USAEHA Category E (ref Appendix).

APPROXIMATE LETHAL DOSE (ALD)

Oral

Rats (male) - corn oil diluent.

ALD >3300 mg/kg

Presents little lethal hazard from acute accidental ingestion.

2

Test

Results

Interpretation

PHOTOCHEMICAL SKIN IRRITATION STUDIES

Rabbits

A single application (0.05 ml) of a 25 percent (w/v) solution of the compound (AI3-36537-a) and of a 10 percent (w/v) oil of Bergamot solution (positive control) in 95 percent ethyl alcohol, were applied to the intact skin of six rabbits. Five minutes after application, the rabbits were exposed to UV light (365 nm) for 30 minutes at a distance of 10-15 cm.

Control

Following UV exposure of the rabbits 0.05 ml of test compound, positive control and diluent were applied to additional skin areas to serve as unirradiated control sites. Application areas were checked for skin irritation reactions at 24, 48 and 72 hours. A 25 percent solution of AI3-36537-a in ethanol did not cause a photochemical irritation reaction under test conditions.

Compound AI3-36537-a did not cause a photochemical irritation reaction under test conditions and is not expected to cause a photochemical irritation in humans.

Positive control application and irradiation caused greater irritant effects than in unirradiated skin areas.

3

Test

Results

Interpretation

SENSITIZATION STUDIES

Guinea Pigs (Male)

Intradermal injections of 0.1 ml of a 0.1 percent suspension (w/v) of AI3-36537-a or of dinitrochlorobenzene (DNCB) * in a mixture containing 1 volume of propylene glycol and 29 volumes of saline.

Ten test guinea pigs received and challenged with a 0.1 percent solution of AI3-36537-a.

Ten positive control guinea pigs received and challenged with 0.1 percent suspension of DNCB.

Ten cage control guinea pigs

Five receiving challenge dose of test compound without prior sensitizing doses.

Five receiving challenge dose of DNCB without prior sensitizing doses.

* A known skin sensitizer

Challenge dose of test compound (last intradermal injection) did not produce a sensitization reaction.

Positive control (DNCB) produced a marked sensitization reaction in ten out of ten guinea pigs.

Cage control guinea pigs showed no greater reaction to test compound and DNCB than were seen in original test groups.

Compound AI3-36537-a did not produce a sensitization reaction under these tests conditions and is not expected to produce a sensitization reaction in man.

5. CONCLUSION. No primary skin irritation was caused by AI3-36537-a either as the technical grade compound or as a 25 percent solution in ethyl alcohol. However, the technical grade compound caused moderate damage to the cornea and conjunctiva of the rabbit and may cause similar damage if it should accidentally enter the eye of man.

RECOMMENDATION. Under the provisions of the Memorandum of Understanding 6. (reference para lb), it is recommended that AI3-36537-a, 1-(cyclohexylcarbonyl)-3-methylpiperidine, not be approved for further testing as a candidate insect repellent. However, should the insect repellent qualities indicate that it presents a substantial improvement over standard repellents, it should be resubmitted in the form and concentration intended for usage, Maurice H Walls

MAURICE H. WEEKS Chief, Toxicity Evaluation Branch Toxicology Division

Brenda J

BRENDA J. DeSENA PFC Veterinary Specialist Toxicology Division

APPROVED:

hVCal

ARTHUR H. McCREESH, Ph.D Chief, Toxicology Division

BRENDAN E. JOYCE LTC, MSC Director, Laboratory Services

APPENDIX

TOPICAL HAZARD EVALUATION PROGRAM DEFINITIONS OF CATEGORIES OF COMPOUNDS BEING CONSIDERED FOR ACUTE SKIN APPLICATION

<u>CATEGORY I</u> - Compounds producing no primary irritation of the intact skin or no greater than mild primary irritation of the skin surrounding an abrasion. (INTERPRETATION: No restriction for acute application to the human skin.)

<u>CATEGORY II</u> - Compounds producing mild primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should be used only on human skin found by examination to have no abrasions or may be used as a clothing impregnant.)

CATEGORY III - Compounds producing moderate primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should not be used directly on the skin without a prophetic patch test having been conducted on humans to determine irritation potential to human skin. May be used without patch testing, with extreme caution, as clothing impregnants. Compound should be resubmitted in the form and at the intended use concentration so that its irritation potential can be reexamined using other test techniques on animals.

<u>CATEGORY IV</u> - Compounds producing moderate to severe primary irritation of the intact skin and of the skin surrounding an abrasion and, in addition, producing necrosis, vesiculation and/or eschars. (INTERPRETATION: Should be resubmitted for testing in the form and at the intended use concentration. Upon resubmission, its irritation potential will be reexamined using other test techniques on animals. prior to possible prophetic patch testing in humans, at concentrations which have been shown not to produce primary irritation in animals.)

<u>CATEGORY V</u> - Compounds impossible to classify because of staining of the skin or other masking effects owing to physical properties of the compound. (INTERPRETATION: Not suitable for use on humans.)

EYE CATEGORIES:

A. <u>Compounds noninjurious to the eye</u>. INTERPRETATION: Irritation of human eyes is not expected if the compound should accidentally get into the eyes, provided it is washed out as soon as possible.

B. <u>Compounds producing mild injury to the cornea</u>. INTERPRETATION: Should be used with caution around the eyes.

C. <u>Compounds producing mild injury to the cornea</u>, and in addition some injury to the conjunctiva. INTERPRETATION: Should be used with caution around the eyes and mucosa.

D. <u>Compounds producing moderate injury to the cornea</u>. INTERPRETATION: Should be used with extreme caution around the eyes.

E. <u>Compounds producing moderate injury to the cornea, and in addition</u> producing some injury to the conjunctiva. INTERPRETATION: Should be used with extreme caution around the eyes and mucosa.

F. Compounds producing severe injury to the cornea and to the conjunctiva. INTERPRETATION: Should be used with extreme caution. It is recommended that use be restricted to areas other than the face.

