


AD-A037 051 OPERATIONS RESEARCH INC SILVER SPRING MD F/G 15/7
THE INTEGRATED FACILITIES REQUIREMENTS STUDY (IFRS) PHASE III. --ETC(U)
MAR 71 T N KYLE, R J CRAIG, M C FISK N00025-67-C-0031
UNCLASSIFIED ORI-TR-645-VOL-2 NL

1 OF 2
ADA037051



ADA037051

ORI

Operations Research, Inc. A LEASCO Company

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION Unclassified
Operations Research, Inc.		2b. GROUP $\frac{1}{2}$ - Excluded from General Declassification
REPORT TITLE		Schedule
The Integrated Facilities Requirements Study (IFRS) Phase III, Volume II. Phase III Changes to User's and Programmer's Manuals.		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Final Report, 31 March 1971		
5. AUTHOR(S) (First name, middle initial, last name) Thomas N. Kyle W./Liggett R. J. Craig F./McCoy M. C. Fisk R. Messalle R. Yockman 12 173p.		
6. REPORT DATE 31 Mar 1971		7a. TOTAL NO. OF PAGES 180
		7b. NO. OF REFS N. A.
8a. CONTRACT OR GRANT NO. N00025-67-0031 (NBy-70672) 141		
8b. PROJECT NO. N. A.		
8c. 15 N00025-67-C-0031		
8d. N. A.		
9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) N. A.		
10. DISTRIBUTION STATEMENT Statement No. 1 - Distribution of this document is unlimited.		
11. SUPPLEMENTARY NOTES N. A.		12. SPONSORING MILITARY ACTIVITY Naval Facilities Engineering Command Department of the Navy Washington, DC
13. ABSTRACT This report summarizes the third phase of the Integrated Facilities Requirements Study (IFRS).		
In Phase I, two analytic submodels were developed. The first, a Logistics Support Requirements Generator, estimates personnel, aircraft, and fuel requirements for each phase of undergraduate pilot training at the Naval Air Training Command (NATRACOM). The second, a Pacing Facilities Requirements submodel, calculates facility requirements for each phase of training.		
The purpose of the Phase II study was to develop a preliminary total systems IFRS management planning tool (including the two submodels developed in Phase I, as well as Base Loading, Facilities Excess/Deficiency, and Total Cost submodels), and automate the model so that it provides quick, accurate, and relevant information for use in the decision-making process. This Static IFRS model has been in continuous operation since March 1970.		
The purpose of the Phase III study was to refine the Static IFRS model and to expand the IFRS concept by developing three additional planning tools for use by Navy decision-makers as follows:		
<ul style="list-style-type: none"> • Dynamic planning tool • Optimization model 		

DD FORM 1 NOV 65 1473 (PAGE 1)

S/N 0101-807-6801

270 900

Security Classification

AB

Security Classification

14 KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Facilities Requirements Dynamic Optimization Fleet Training Aircraft Pilot Simulation Programming Management Planning Static Air Readiness Model						

Item #13 (Abstract) continued

- . Fleet Readiness Training Squadron planning tool.

The Dynamic planning tool simulates the undergraduate pilot training program on a weekly basis whereas the Static IFRS assumes an even annual flow of students. The Optimization model has two segments - a PTR Maximizer that calculates the maximum annual pilot training rate (PTR) possible for a given facilities inventory and a MCON Minimizer that calculates the minimum facility cost phase-to-base assignment for a desired PTR. The Fleet Readiness Training (FRT) model provides planning information for the readiness training squadrons and is designed similarly to the Static IFRS model. The Phase III documentation consists of the following four reports:

- . The Integrated Facilities Requirements Study (IFRS) Phase III, ORI TR 645
- . Development of the Automated Dynamic Model for the Integrated Facilities Requirements Study (IFRS) Phase III, ORI TR 646
- . Development of the Optimization Model for the Integrated Facilities Requirements Study (IFRS) Phase III, ORI TR 647
- . Development of the Fleet Air Readiness Training Model for the Integrated Facilities Requirements Study (IFRS) Phase III, ORI TR 648.

Changes made in the Static Phase II model during the Phase III study are documented in this volume.




OPERATIONS RESEARCH, Inc.

SILVER SPRING, MARYLAND

The Integrated Facilities Requirements Study (IFRS) Phase III

Volume II - Phase III Changes to User's and
Programmer's Manuals

31 March 1971



Prepared under Contract N00025-67-C-0031 (Navy 78672)
for the Navy Facilities Engineering Command
Department of the Navy
Washington, D.C.

COPY AVAILABLE TO DDC DOES NOT
PERMIT FULLY LEGIBLE PRODUCTION

ASSIGNED BY	
STTS	WHITE Section <input checked="" type="checkbox"/>
DOC	BUFF Section <input type="checkbox"/>
UNANNOUNCED <input type="checkbox"/>	
JUSTIFICATION per 1473	
<i>attached</i>	
BY.....	DISTRIBUTION/AVAILABILITY CODES
BPL AVAIL. and/or SPECIAL	
A	

FOREWORD

This report summarizes the third phase of the Integrated Facilities Requirements Study (IFRS). It has been prepared for the Systems Analysis Division of the Office of the Assistant Commander for Facilities Planning (Code 20), Naval Facilities Engineering Command (NAVFAC), Department of the Navy, as part of Contract N00025-67-C-0031 (NBy-78672) awarded to Operations Research, Inc., in June 1970.

In Phase I, two analytic submodels were developed. The first, a Logistics Support Requirements Generator, estimates personnel, aircraft, and fuel requirements for each phase of undergraduate pilot training at the Naval Air Training Command (NATRACOM). The second, a Pacing Facilities Requirements submodel, calculates facility requirements for each phase of training.

The purpose of the Phase II study was to develop a preliminary total systems IFRS management planning tool (including the two submodels developed in Phase I, as well as Base Loading, Facilities Excess/Deficiency, and Total Cost submodels), and automate the model so that it provides quick, accurate, and relevant information for use in the decision-making process. This Static IFRS model has been in continuous operation since March 1970.

8 The purpose of the Phase III study was to refine the Static IFRS model and to expand the IFRS concept by developing three additional planning tools for use by Navy decision-makers as follows:

- Dynamic planning tool,
 - Optimization model; AND
 - Fleet Readiness Training Squadron planning tool.

The Dynamic planning tool simulates the undergraduate pilot training program on a weekly basis whereas the Static IFRS assumes an even annual flow of students. The Optimization model has two segments—a PTR Maximizer that calculates the maximum annual pilot training rate (PTR) possible for a given facilities inventory and a MCON Minimizer that calculates the minimum facility cost phase-to-base assignment for a desired PTR. The Fleet Readiness Training (FRT) model provides planning information for the readiness training squadrons and is designed similarly to the Static IFRS model. The Phase III documentation consists of the following four reports:

- The Integrated Facilities Requirements Study (IFRS) Phase III, ORI TR 645,
- Development of the Automated Dynamic Model for the Integrated Facilities Requirements Study (IFRS) Phase III, ORI TR 646.
- Development of the Optimization Model for the Integrated Facilities Requirements Study (IFRS) Phase III, ORI TR 647, And
- Development of the Fleet Air Readiness Training Model for the Integrated Facilities Requirements Study (IFRS) Phase III, ORI TR 648.

Volume I of this report, TR 645, contains a summary of the three IFRS phases. Changes made in the Static Phase II model during the Phase III study are documented in Volume II.

These IFRS models were developed and programmed by the staff members of the Economic Analysis Division of Operations Research, Inc., under the direction of Dr. William J. Leininger, vice president and division director, and Thomas N. Kyle, program director. The project team members included R. J. Craig, M. C. Fisk, W. Liggett, F. McCoy, R. Messalle, and R. Yockman.

Mr. Dennis Whang of the Systems Analysis Division of Facilities Planning was contract monitor for NAVFAC. In addition, valuable assistance was provided by many other Navy personnel including, in particular, those in the Office of the Staff Civil Engineer and the Training/Plans Division of the Naval Air Training Command, the Aviation Training Division of the Chief of Naval Operations, and in the Systems Analysis Division of NAVFAC. The authors gratefully acknowledge the contributions made by all of these people to the development of the IFRS models.

TABLE OF CONTENTS

	Page
FOREWORD	i
LIST OF ILLUSTRATIONS	v
I. INTRODUCTION	1
PURPOSE	1
ORGANIZATION OF MANUAL	1
II. STATIC IFRS SAMPLE RUN ILLUSTRATING NEW PRINT CHANGES OF PHASE III	3
INTRODUCTION	3
LSR Level of Complexity; Select Pilot or NFO Option; Simple Constraint Feature; Pipeline Instructions; LSR Summary Printouts; Phase II LSR Constraint Option; Runway and Air- space Printout; Standard Phase-to-Base Assignment; Detailed Base Loading Print- out; Print Level 1 for New Total Systems Cost Printout; Cost Subtotals	
III. CURRENT PILOT TRAINING DATA FILES	21
INTRODUCTION	21
DATA FILE—PHABA*	21
OTHER DATA FILES	21

IV.	THE NFO TRAINING SYSTEM MODEL	47
	INTRODUCTION	47
	GENERAL PROCEDURE	47
	Differences in Pilot and NFO Usage	
V.	NFO DATA FILES	53
	INTRODUCTION	53
	DATA FILES	53
VI.	PROGRAMMING CHANGES	73
VII.	PROGRAM LSRM	75
VIII.	PROGRAM LSR1	77
IX.	PROGRAM LSR2	97
X.	PROGRAM LSR3	121
XI.	PROGRAM LSR4	139
XII.	PROGRAM PART2	145
XIII.	PROGRAMS PART3 AND PRT3N	149
	CHANGES TO PART3	150
	PROGRAM PRT3N	150
XIV.	PROGRAM PART4	167
XV.	PROGRAM PARTY	169
XVI.	PROGRAM PART5	171
XVII.	PROGRAM PART7	173
XVIII.	PROGRAM PART9	175

LIST OF ILLUSTRATIONS

Figure		Page
13.1	PART3 Flow Chart	164
13.2	PRT3N Flow Chart	165
Table		
2.1	Sample Run	7
3.1	Data File PHABA*	23
3.2	Data File BASCAS	24
3.3	Data File PIPE	30
3.4	Data File RUNDAT	31
3.5	Data File INVOCO*	36
3.6	Data File RPIFI*	37
4.1	NFO Instructor Summary	49
5.1	Data File NFOPIPE	55
5.2	Data File NFOBASCA	56
5.3	Data File NFORUNDA	64
5.4	Data File NACDA*	68
7.1	Program LSRM Listing	76
8.1	Program LSR1 Listing	78
9.1	Program LSR2 Listing	99

10.1	Program LSR3 Listing	123
11.1	Program LSR4 Listing	140
12.1	Program PART2 Listing	146
13.1	New Variable Dictionary for Programs PART3 and PRT3N . .	151
13.2	Program PART3 Listing	152
13.3	Program PRT3N Listing	157

I. INTRODUCTION

PURPOSE

1.1 The purpose of this manual is to document the programming and data file changes made to the Static IFRS model under the Phase III contract. Several print changes and new features were suggested by users as well as by ORI. Primarily the requests were to shorten the running time by consolidating printouts and reducing data input requirements. Most of the desired changes were completed. Those changes requiring extensive programming changes were not completed at this time.

ORGANIZATION OF MANUAL

1.2 This manual is divided into several sections:

- A sample run of the new Static IFRS model showing the new features
- Current pilot training planning factor data files for 1970-1971
- The NFO training pipeline and related data files
- Programming changes and listings.

1.3 Even though the sample run in the next section of this manual provides a quick introduction to the Static IFRS model, it is assumed that the user is familiar with the previous version of IFRS (i.e., Phase II model) and its user's and programmer's manuals.^{1/}

^{1/} The Phase II Static IFRS is documented in ORI Technical Report 583, Development of a Preliminary Automated Total Systems Model for the Integrated Facilities Requirements Study (IFRS) Phase II, 9 February 1970. Volume III is the User's Manual and Volume IV is the Programmer's Manual.

1.4 This manual is a supplement to the previous user's and programmer's manual.^{2/} It is not intended to replace them. To get the most utility from this manual the reader should familiarize himself with and refer to the other manuals as necessary.

^{2/} Ibid.

II. STATIC IFRS SAMPLE RUN ILLUSTRATING NEW PRINT CHANGES OF PHASE III

INTRODUCTION

2.1 The purpose of this section is to discuss the present Static IFRS sample run shown in Table 2.1 (at the end of this section) and point out the features added to the Phase II IFRS model under the Phase III study. The parenthetical numbers on the right-hand side of this table correspond with the paragraph numbers in this section.

LSR Level of Complexity

2.2 The level of complexity question and the results of the options are new. The results of the various options are listed as follows:

- Level 1. This option asks the user a limited set of questions in the LSR module section of the model and therefore provides a limited set of printouts. Its primary purpose is to let the experienced user rapidly calculate the resource requirements for a given PTR. The main reduction in printouts occurs because the student statistics are not printed for each pipeline. Also the user cannot constrain the LSR results.
- Level 2. This option is designed for the user who needs more detail and flexibility. The printouts and set of questions and options are similar to the level of Phase II. Level 2 differs from level 1 in that more questions are asked and printouts offered. The sample run in Table 2.1 is for level 2.
- Levels 3 and 4. These are the same as in IFRS II.

Select Pilot or NFO Option

2.3 The user has the option to indicate to the model whether or not the pilot or NFO training system (i.e., data files) is to be considered in his analysis. A discussion of the NFO options is contained in Section IV of this manual. Essentially all the features of the LSR module are the same for the pilot and the NFO system.^{1/}

Simple Constraint Feature

2.4 The simple constraint calculation feature allows the user rapid access to student output and resource requirements within a given phase. By entering any one of student output, number of aircraft, annual flight hours, aircraft operating cost, number of flight instructors, or number of enlisted men, the related five values are calculated and printed. These calculations are based on only the first aircraft type. This provides management with planning information for each training phase. In Table 2.1, the sample response is yes (a no response takes the user to the pipeline section of the LSR module).

2.5 To illustrate the use of this feature, assume the user initially wants to consider phase 7 which has an assumed cost per flight hour of \$200. The user first enters this data as 7,200. The model then prints the phase name. Next, the user enters the constraint option, that is the item number (reference number) of the planning factor. In this case the user wants to determine the student output based on the availability of 100 aircraft. Since the item number is 2 for the number of aircraft and he has 100 aircraft, he enters 2,100 to indicate this. The model then prints out the maximum student output and the other related resources. For instructors the value also includes those under training.

2.6 Assume there are only 100 flight instructors available for the same phase, therefore the user enters 5, 100 (5 is the item number for flight instructors). The model prints out the other five values. Next the user enters 0,0 to indicate no further calculations for this phase.

2.7 The user next enters 8,175 indicating phase 8 is to be considered and its assumed cost per flight hour is \$175. Then the user wants to see the resource requirements for 200 graduating students and thus enters 1,200. The related resource requirements are printed as shown. The user then wants to see how many students can be supported by 90 aircraft and he enters 2,90 and the 6 values are again printed.

2.8 The user enters 0,0 to indicate no further calculations for this phase. Then, when the program requests a new phase and cost, the user again enters a 0,0 to indicate he is finished with the simple constraints. At this point the user can hit the BREAK key to stop the program and sign off or can continue into the normal LSR module setup.

^{1/} A new feature necessitated by the NFOs is that a pipeline now can have a maximum of six following phases.

Pipeline Instructions

2.9 This instruction tells the user how to

- Print or skip the student statistics for a (pipeline) student source.
- Completely skip a (pipeline) student source.

Instead of using 0,0 to indicate no further data, now the user can also indicate his print option. Note that this instruction only partially applies to level of complexity 1, since the student statistics for each student type are never printed in level 1. This instruction is not printed for level of complexity number 1. The results of a 0,0 entry are shown in the sample printout.

2.10 This printout shows the use of the 0,1 indicator option which suppresses the student summary by student types. For the 0,2 option the 0,2 is typed as the first response. This is not illustrated in this sample.

LSR Summary Printouts

2.11 Student Summary. This is the student summary printout for all student types. Note that the student load now appears with the other student data.

2.12 Manpower Summary. This printout contains the required instructor, officer and enlisted men for all students sources. Academic instructors are no longer printed even though the equations are still in the model.^{2/}

2.13 Aircraft Summary. This is the aircraft information provided for each phase. Note that gallons and flight hours are in thousands. Also the MO factor is the factor contained in the data file. The number of aircraft required is printed to one decimal place as requested by the user.

Phase II LSR Constraint Option

2.14 The option to constrain the LSR output has been corrected and modified. Now the user can run a sequence of constraints and find which is most constraining, then print a new summary. Note that these constrained values are not used in the runway and airspace calculations unless the new constrained PTR is entered into the LSR. The sample illustrates the following example for phase 7.

	<u>Required</u>	<u>Constraint</u>
Aircraft	153	140
Instructors	150	130
Enlisted	1,128	1,000

^{2/} By making a minor change in program LSR3, the academic instructor information can be printed in the aircraft section.

The model then indicates that the instructors are the constraint and the final summary shows the related requirements.

Runway and Airspace Printout

2.15 The user now has the option to skip the runway and airspace printout.

Standard Phase-to-Base Assignment

2.16 The user can now use a standard phase-to-base assignment. This is a very flexible feature. The standard phase-to-base allocation is stored in the file PHABA*. The user can type out the new file on paper tape and store it in the machine before he runs the Static IFRS model. Note that if the model finds an error in any line of data in the file, that line will not be printed or used. The error will be indicated later, since the phase will not be completely assigned.

2.17 If the user wants to change a few phase-to-base assignments, he has an option to correct or modify the standard phase-to-base assignment. However, when a new phase-to-base assignment is made, the old assignment must be deleted. The model will detect the error later if it is not deleted. The sample shows changing phase 2 from NAS Pensacola to NAS Corpus Christi. (Note: This on-line change does not permanently affect the standard assignment in file PHABA*.)

Detailed Base Loading Printout

2.18 The question to skip the detailed base loading data printout has been changed to require a yes answer.

Print Level 1 for New Total Systems Cost Printout

2.19 For level of print detail number 1, the user now gets the operations and maintenance (O&M) cost summary with the total system costs.

Cost Subtotals

2.20 The O&M cost as well as aircraft investment cost subtotals are now printed as shown.

TABLE 2.1
SAMPLE RUN

ENTER LEVEL OF COMPLEXITY

- 1 LIMITED DATA INPUT/OUTPUT - NO ADJUSTMENTS OR MODIFICATIONS
2 DETAILED INPUT/OUTPUT - OPTION TO CONSTRAIN LSR OUTPUT
3 MODIFY PHASE DATA
4 COMBINE OPTIONS 2 AND 3?2

{ (2.2)

ENTER TRAINING WEEKS PER YEAR
AND ANNUAL FLY-DAYS (XX.,XXX.)?50,245

ENTER TRAINING FLOW NO.

- 1 FOR PILOT, 2 FOR NFO. (X)?1

{ (2.3)

PRINT LIST OF TRAINING PHASES (Y,N)?N

TRY SIMPLE CONSTRAINTS (Y,N)?Y

SIMPLE CONSTRAINT CALCULATIONS

THE CONSTRAINT OPTIONS ARE:

- 1 STUDENT OUTPUT
2 NO. OF AIRCRAFT
3 FLIGHT HRS (IN THOUSANDS)
4 COST (IN THOUSANDS) FOR FLYING
5 FLIGHT INSTRUCTORS
6 ENLIST. MAINT. (M.O. X NUMB. AIRCRAFT)

{ (2.4)

ENTER 0,0 FOR NO FURTHER CONSTRAINTS OR CALCULATIONS

ENTER PHASE NO. TO BE CONSTRAINED AND
COST PER FLIGHT HOUR ?7,200

PHASE: ADV JET-TF

ENTER CONSTRAINT OPTION AND VALUE(X,XXX.)?2,100

STUDS OUT	293.21
A/C REOED	100.00
FLT. HRS.	60.11 X1000
FLT. COST	12021.66 X1000
FLT. INSTR	110.11
ENL. MAINT	735.00

{ (2.5)

TABLE 2.1 (Cont)

ANOTHER CONSTRAINT OPTION AND VALUE?5,100

STUDS OUT	266.28
A/C RECD	90.81
FLT. HRS.	54.59 X1000
FLT. COST	10917.46 X1000
FLT.INSTR	100.00
ENL.MAINT	667.49

} (2.6)

ANOTHER CONSTRAINT OPTION AND VALUE?0,0

ENTER PHASE NO. TO BE CONSTRAINED AND
COST PER FLIGHT HOUR ?8,175

PHASE: ADV JET-TA

ENTER CONSTRAINT OPTION AND VALUE(X,XXX.)?1,200

STUDS OUT	200.00
A/C RECD	60.02
FLT. HRS.	39.00 X1000
FLT. COST	6825.00 X1000
FLT.INSTR	71.51
ENL.MAINT	450.18

} (2.7)

ANOTHER CONSTRAINT OPTION AND VALUE?2,90

STUDS OUT	299.88
A/C RECD	90.00
FLT. HRS.	58.48 X1000
FLT. COST	10233.41 X1000
FLT.INSTR	107.23
ENL.MAINT	675.00

} (2.8)

ANOTHER CONSTRAINT OPTION AND VALUE?0,0

ENTER PHASE NO. TO BE CONSTRAINED AND
COST PER FLIGHT HOUR ?0,0

TABLE 2.1 (Cont)

PRINT ALL PIPELINES (Y,N)?N

FOR THE TRAINING PIPELINES
AFTER ENTERING THE DATA - ENTER
0,0 FOR PIPELINE COMPUTATION AND PRINT OUT
0,1 FOR PIPELINE COMPUTATION - NO PRINT OUT
0,2 FOR NO COMPUTATION - SKIP TO NEXT PIPELINE

{ (2.9)

FOR PIPELINE: NAVY OFFICER
ENTER PHASE NUMBER AND STUDENT OUTPUT (XX,XXXX.D??,180
NEXT?8,220
NEXT?11,225
NEXT?15,200
NEXT?0,0

STUDENT TYPE: NAVY OFFICER

TRAINING PHASE	INPUT	OUTPUT	ATTRITES
ENVIRO INDOC	1033.	1002.	31.
PRIMARY	1002.	962.	40.
BASIC JET-A	457.	429.	27.
BASIC JET-B	429.	417.	13.
B-JET G/CO	417.	412.	4.
ADV JET-TF	186.	180.	6.
ADV JET-TA	227.	220.	7.
BASIC PROP	269.	228.	40.
B-PROP CO	228.	227.	1.
ADV PROP	227.	225.	2.
BASIC HELO	236.	203.	33.
PRE HELO	203.	202.	1.
HELO PRIM	202.	201.	1.
HELO ADV	201.	200.	1.

TABLE 2.1 (Cont)

FOR PIPELINE: NAVY - AOC
ENTER PHASE NUMBER AND STUDENT OUTPUT (XX,XXXX.)?7,180
NEXT?8,220
NEXT?11,225
NEXT?15,200
NEXT?0,1

FOR PIPELINE: MARINE
ENTER PHASE NUMBER AND STUDENT OUTPUT (XX,XXXX.)?7,90
NEXT?8,110
NEXT?15,300
NEXT?0,1

FOR PIPELINE: C-GRD & FOR.
ENTER PHASE NUMBER AND STUDENT OUTPUT (XX,XXXX.)?11,100
NEXT?15,50
NEXT?0,1

} (2.10)

TABLE 2.1 (Cont)

TOTAL FOR ALL STUDENT TYPES

TRAINING PHASE	STUDENT INPUT	STATISTICS OUTPUT	ATTRITES	STUDENT LOAD
AOC SCHOOL	1285.	1183.	103.	246.8
ENVIRO INDOC	1807.	1763.	43.	178.5
PRIMARY	2946.	2708.	238.	339.3
BASIC JET-A	1152.	1078.	74.	267.6
BASIC JET-B	1078.	1050.	28.	170.2
B-JET G/CQ	1050.	1035.	15.	125.1
ADV JET-TF	466.	450.	16.	183.2
ADV JET-TA	569.	550.	19.	223.9
BASIC PROP	675.	560.	115.	234.7
B-PROP CO	460.	457.	3.	36.7
ADV PROP	557.	550.	7.	188.2
BASIC HELO	881.	761.	120.	295.5
PRE HELO	761.	757.	4.	75.9
HELO PRIM	757.	754.	4.	60.4
HELO ADV	754.	750.	4.	120.3

{(2.11)}

TABLE 2.1 (Cont)

TRAINING PHASE	*FLIGHT INSTRUCTORS*	LSO	ADMIN	TOTAL	TOTAL
	EFFECT	IUT	OFF	OFF	ENL
		TOTAL	REQMT		
AOC SCHOOL	0.	0.	0.	7.	0.
ENVIRO INDOC	0.	0.	0.	5.	0.
PRIMARY	137.	11.	149.	0.	322.
BASIC JET-A	129.	11.	139.	0.	604.
BASIC JET-B	102.	8.	110.	0.	816.
R-JET G/CQ	45.	4.	49.	8.	507.
ADV JET-TF	150.	19.	169.	0.	201.
ADV JET-TA	175.	22.	197.	0.	230.
BASIC PROP	94.	8.	102.	0.	123.
R-PROP CQ	6.	1.	7.	4.	74.
ADV PROP	103.	13.	116.	0.	143.
BASIC HELO	123.	10.	133.	0.	159.
PRE HELO	27.	2.	29.	0.	36.
HELO PRIM	30.	3.	33.	0.	39.
HELO ADV	76.	6.	83.	0.	97.
			19.	101.	449.

(2.12)

(2.13)

TRAINING PHASE	* AIRCRAFT*	FUEL	GALLONS	ANN/HRS	MO
	TYPE	NO.	TYPE	- - (000) - - -	FACT.
AOC SCHOOL		0.		0.	0.
ENVIRO INDOC		0.		0.	0.
PRIMARY	T34B	109.7	AGAS	1112.4	88.3
BASIC JET-A	T-2A	100.5	JP-4	21827.5	70.2
BASIC JET-B	T2BC	103.6	JP-4	24680.7	67.6
R-JET G/CQ	T2RC	59.4	JP-4	11600.2	31.8
ADV JET-TF	TF9J	153.5	JP-4	53043.7	92.2
ADV JET-TA	TA4J	165.1	JP-4	50407.5	107.2
BASIC PROP	T28C	101.3	AGAS	3607.8	71.4
R-PROP CQ	T28C	11.3	AGAS	346.1	6.9
ADV PROP	TS2A	86.4	AGAS	6577.5	68.1
BASIC HELO	T28C	132.1	AGAS	4705.3	93.2
PRE HELO	T28C	22.4	AGAS	898.4	17.8
HELO PRIM	TH57	26.9	AGAS	229.8	18.2
HELO ADV	TH1L	67.8	JP-4	4275.0	42.7

TABLE 2.1 (Cont)

DETAILED LSR OUTPUT DESIRED FOR ALL PHASES(Y,N)?N

ANY LSR OUTPUT CONSTRAINTS (Y,N)?Y

WHICH PHASE (XX)?7

NAME OF PHASE: ADV JET-TF
STUDENT INPUT 466.
STUDENT OUTPUT 450.
AVERAGE STUDENT LOAD 183.2
ADMINISTRATIVE OFFICERS 32.
TOTAL OFFICERS 201.
TOTAL ENLISTED 1241.
AIRCRAFT TYPES TF9J
NUMBER REQUIRED 153.
FUEL TYPES JP-4
GALLONS CONSUMED 0.530E+08
FLIGHT INSTRUCTORS 150.
UNDER TRAINING 19.
LSO REQUIREMENTS 0.
ENLISTED SUPPORT 1128.

} (2.14)

SELECT APPROPRIATE FIELD AND ELEMENT (X,X)

- 1 AIRCRAFT
- 2 FLIGHT INSTRUCTORS
- 3 ENLISTED SUPPORT
- 4 ACADEMIC INSTRUCTORS?1,1

ENTER CONSTRAINING VALUE (XXXX.XXX)?140

OLD STUDENT OUTPUT 450.
CONSTRAINED OUTPUT 410.
ADDITIONAL CONSTRAINTS (Y,N)?Y

SELECT APPROPRIATE FIELD AND ELEMENT (X,X)?2,1

ENTER CONSTRAINING VALUE (XXXX.XXX)?130

OLD STUDENT OUTPUT 410.
CONSTRAINED OUTPUT 346.

TABLE 2.1 (Cont)

ADDITIONAL CONSTRAINTS (Y,N)?Y

SELECT APPROPRIATE FIELD AND ELEMENT (X,X)?3,1

ENTER CONSTRAINING VALUE (XXXX.XXX)?1000

VALUE IS NOT CONSTRAINING

ADDITIONAL CONSTRAINTS (Y,N)?N

NEW LSR SUMMARY FOR ADV JET-TF (Y,N)?Y

NAME OF PHASE: ADV JET-TF
STUDENT INPUT 358.
STUDENT OUTPUT 346.
AVERAGE STUDENT LOAD 140.9
ADMINISTRATIVE OFFICERS 28.
TOTAL OFFICERS 158.
TOTAL ENLISTED 955.
AIRCRAFT TYPES TF9J
NUMBER REQUIRED 118.
FUEL TYPES JP-4
GALLONS CONSUMED 0.408E+08
FLIGHT INSTRUCTORS 116.
UNDER TRAINING 14.
LSO REQUIREMENTS 0.
ENLISTED SUPPORT 868.

} (2.14)
(Cont)

ANOTHER PHASE CONSTRAINED (Y,N)?N

REVISE LSR TO INCLUDE CONSTRAINTS (Y,N)?N

GENERATE ANOTHER LSR (Y,N)?N

PRINT RUNWAY AND AIRSPACE FACTORS (Y,N)?N

} (2.15)

TABLE 2.1 (Cont)

USE THE STANDARD PHASE TO BASE ALLOCATION(Y,N)?Y

STANDARD ALLOCATION

PHASE	BASE	PERCENT
1	PENS	1.00
2	PENS	1.00
3	SAUF	1.00
4	MERI	1.00
5	MERI	1.00
6	PENS	1.00
7	CHAS	1.00
8	KING	1.00
9	WHIT	1.00
10	SAUF	1.00
11	CORP	1.00
12	WHIT	1.00
13	PENS	1.00
14	FLLY	1.00
15	ELLY	1.00

} (2.16)

ANY CHANGES OR CORRECTIONS(Y,N)?Y

*CAUTION: IF YOU REASSIGN A PHASE, YOU MUST
*DELETE OR CHANGE THE OLD ASSIGNMENT.
*(TO DELETE ENTER 0.0%)

PHASE ALLOCATION: ASSIGN EACH PHASE AS--
II,AAAA,.XX

WHERE: II = PHASE (2 DIGITS); AAAA = BASE CODE;
.XX = PERCENT AT BASE (1.0 = 100%)

BASE CODES: CHAS CORP ELLY

KING MERI PENS

SAUF WHIT PHAN

II = 0 TO TERMINATE: ?02,PENS,0.0

NEXT?02,CORP,1.

NEXT?0

} (2.17)

TABLE 2.1 (Cont)

SKIP DETAILED BASE LOADING DATA(Y,N)?Y

{ (2.18)}

BASE LOADING SUMMARY

*PERSONNEL

NAS	LOAD	PHASE	BASE TOTALS					TYPE	NO.	TYPE	*FUEL MILLION GAL.
			NAS	OFF	ENL	CIV	TOTAL				
CHAS	183.	1625.	939.	256.	1801.	324.	2564.	TF9J	153.	JP-4	53.04
CORP	367.	1360.	2352.	475.	2807.	5784.	9433.	TS2A	86.	AGAS	6.58
ELLY	181.	866.	743.	184.	1035.	210.	1609.	TH57	27.	AGAS	0.23
								TH1L	68.	JP-4	4.27
KING	224.	1816.	989.	290.	1940.	350.	2805.	TA4J	165.	JP-4	50.41
MERI	438.	2158.	1081.	379.	2041.	396.	3254.	T-2A	101.	JP-4	46.51
								T2BC	104.		
PENS	448.	1204.	2825.	783.	2835.	7667.	11733.	T2BC	59.	JP-4	11.60
								T2BC	22.	AGAS	0.90
SAUF	376.	956.	766.	236.	894.	217.	1722.	T34B	110.	AGAS	1.46
								T2BC	11.		
WHIT	530.	1921.	1027.	353.	1727.	382.	2993.	T2BC	233.	AGAS	8.31

REALLOCATE PHASES(Y,N)?N

AIRSPACE FACTORS & OLF REQUIREMENTS:
SKIP PRINTOUT (Y,N)?Y

DO YOU WANT TO SKIP RUNWAY REQUIREMENTS OUTPUT (Y,N)?Y

TOTAL RUNWAY INVESTMENT FOR CURRENT YEAR (THOUS.):
0.

TABLE 2.1 (Cont)

WHICH LEVEL OF PRINT DETAIL

- TYPE 1 FOR O&M COST SUM. & TOTAL SYSTEM COST(TSC) ONLY
- 2 FOR TSC & DETAILED FACILITIES EXCESS-DEFICIENCY
- 3 FOR TSC & NAS COST SUMMARIES ONLY
- 4 FOR TSC & FACILITIES DEFICITS & NAS COST SUM.
- 5 FOR CHOICE OF DETAILS (IF DESIRED)?1

} (2.19)

ACCEPT SUBSTANDARD FACILITIES (Y,N)?Y

SAME OPTION FOR ALL BASES (Y,N)?Y

SUMMARY O & M COST

NAS	MILITARY P&A	A/C FUEL TOTAL	A/C O&M TOTAL	BASE SUPPORT	TOTAL
CHAS	16006.3	6804.1	2388.4	3563.5	28762.3
CORP	21632.3	1626.4	1013.9	11344.4	35616.9
ELLY	10393.2	643.2	469.7	2481.7	13987.7
KING	17695.8	6469.3	4041.2	3835.9	32042.2
MERI	21415.5	5974.1	2029.5	4345.1	33764.2
PENS	26863.8	2555.1	627.5	13948.9	43995.4
SAUF	12011.1	309.1	266.5	2609.6	15196.4
WHIT	19854.6	1443.8	1903.0	4048.8	27250.2
TOTAL	145872.6	25825.2	12739.6	46177.8	230615.2

} (2.20)

TOTAL SYSTEMS COST =

FACILITY INVESTMENT COSTS
 + A/C INVESTMENT
 + O & M COSTS (LESS NON ADD ITEMS)
 + CNATRA, CNABATRA, CNAVANTRA --- FIXED COSTS

 420237.2

DO YOU WISH TO RETURN TO EXCESS-DEFICIENCY PROGRAM (Y,N)?Y

TYPE LEVEL OF PRINTING DETAIL (1-5)?5

EXCESS DEFICIENCY PROGRAM

ACCEPT SUBSTANDARD FACILITIES (Y,N)?Y

SAME OPTION FOR ALL BASES (Y,N)?Y

NAS--CHAS

DETAILED EXCESS-DEFICIENCY (Y,N)?N

NAS--CORP

DETAILED EXCESS-DEFICIENCY (Y,N)?N

TABLE 2.1 (Cont)

NAS--ELLY
DETAILED EXCESS-DEFICIENCY (Y,N)?N

NAS--KING
DETAILED EXCESS-DEFICIENCY (Y,N)?N

NAS--MERI
DETAILED EXCESS-DEFICIENCY (Y,N)?N

NAS--PENS
DETAILED EXCESS-DEFICIENCY (Y,N)?N

NAS--SAUF
DETAILED EXCESS-DEFICIENCY (Y,N)?N

NAS--WHIT
DETAILED EXCESS-DEFICIENCY (Y,N)?N

DO YOU WISH TO MODIFY THE SUBSTANDARD OPTION (Y,N) ?N

INVESTMENT COST (THOUSANDS
OF DOLLARS)

NAS--CHAS
FACILITIES
DETAILED BREAKDOWN (Y,N)?N

BASE TOTAL 2742.1

NAS--CORP
FACILITIES
DETAILED BREAKDOWN (Y,N)?N

BASE TOTAL 125.1

TABLE 2.1 (Cont)

NAS--ELLY
FACILITIES
DETAILED BREAKDOWN (Y,N)?N

BASE TOTAL 3202.4
NAS--KING
FACILITIES
DETAILED BREAKDOWN (Y,N)?N

BASE TOTAL 1870.0
NAS--MERI
FACILITIES
DETAILED BREAKDOWN (Y,N)?N

BASE TOTAL 13636.1
NAS--PENS
FACILITIES
DETAILED BREAKDOWN (Y,N)?N

BASE TOTAL 175.0
NAS--SAUF
FACILITIES
DETAILED BREAKDOWN (Y,N)?N

BASE TOTAL 2572.5
NAS--WHIT
FACILITIES
DETAILED BREAKDOWN (Y,N)?N

BASE TOTAL 1946.5

TABLE 2.1 (Cont)

NAS TOTAL
YEAR 1970 26269.8
DETAILED A/C ASSET POSITION & INVESTMENT (Y,N)?Y

A/C INVESTMENT & ASSET POSITION---CNATRA

	ASSET POSITION	-----	COSTS (THOUS.)	-----		
A/C AVAILABLE	REQ'D	DEFICIT	FLYAWAY	SUPPORT	TOTAL	
T34B	150.	126.	0.	0.	0.	
T28C	469.	307.	0.	0.	0.	
T-2A	114.	116.	2.	963.	144.	1107.
T2BC	178.	188.	10.	5708.	856.	6565.
TF9J	399.	176.	0.	0.	0.	0.
TA4J	100.	190.	90.	98808.	14821.	113630.
TS2A	179.	99.	0.	0.	0.	0.
TH1L	0.	78.	78.	31174.	4676.	35851.
TH57	34.	31.	0.	0.	0.	0.
TOTAL	1709.	1311.	179.	136654.	20498.	157152.

} (2.20)

DO YOU WISH TO CONSTRAIN LSR OUTPUT (Y,N)?N

DO YOU WANT DETAILED O & M COSTS (Y,N)?N

SUMMARY O & M COST

NAS	MILITARY	A/C FUEL	A/C O&M	BASE	
	P&A	TOTAL	TOTAL	SUPPORT	TOTAL
CHAS	16006.3	6804.1	2388.4	3563.5	28762.3
COOP	21632.3	1626.4	1013.9	11344.4	35616.9
ELLY	10393.2	643.2	469.7	2481.7	13987.7
KING	17695.8	6469.3	4041.2	3835.9	32042.2
MERI	21415.5	5974.1	2029.5	4345.1	33764.2
PENS	26863.8	2555.1	627.5	13948.9	43995.4
SAUF	12011.1	309.1	266.5	2609.6	15196.4
WHIT	19854.6	1443.8	1903.0	4048.8	27250.2
TOTAL	145872.6	25825.2	12739.6	46177.8	230615.2

} (2.20)

TOTAL SYSTEMS COST =

FACILITY INVESTMENT COSTS

+ A/C INVESTMENT

+ O & M COSTS (LESS NON ADD ITEMS)

+ CNATRA, CNABATRA, CNAVANTRA --- FIXED COSTS

----- 420237.2

DO YOU WISH TO RETURN TO EXCESS-DEFICIENCY PROGRAM (Y,N)?N

DO YOU WISH TO RUN FOR ANOTHER YEAR (Y,N)?N

PROGRAM STOP AT 3549

III. CURRENT PILOT TRAINING DATA FILES

INTRODUCTION

3.1 This section merely lists the data files which contain the current planning factors for the pilot training system for 1970-1971. The only completely new data file in this section is PHABA* which includes the standard phase-to-base allocation data. The reader is referred to the IFRS II manual^{1/} for the other data files.

DATA FILE—PHABA*

3.2 This data file contains the standard phase-to-base assignment used by the model. It can contain any assignment schedule, i.e., it can be a proposed assignment. With this idea in mind, the first two lines of the data file are not read, so the user can insert a title on these lines for his own reference purposes.

3.3 Table 3.1 gives a listing of this present data file. The only requirement for this data file is that all line numbers must contain four digits followed by two blanks. The phase-to-base assignment has the same format that the user follows when entering data while the Static IFRS model is run. That is, two digits for each phase number, a comma, a valid base abbreviation of four characters, a comma and a percentage (100% = 1.0), i.e., a decimal point and two or three places. No end-of-file indicator is required. If there is an error in any line of data, the model does not print that line.

OTHER DATA FILES

3.4 Tables 3.2-3.7 contain listings of the other related data files for the pilot training system, i.e.,

^{1/} Ibid.

- BASCAS - training phase planning factor data
- PIPE - pipeline data
- RUNDAT - additional phase runway data
- ACDAT* - aircraft data
- RPIFI* - facilities inventory
- INVOC - facility investment cost factors.

3.5 The only major change in format is in the PIPE file. This was modified when the NFO training system was included. Previously each phase could have only a maximum of three following phases. Now it has a maximum of six and so more zeroes are required.

TABLE 3.1
DATA FILE PHABA*

1000 STANDARD PHASE-BASE ALLOCATION
1005 PHASE NO.,BASE CODE,PERCENT
1010 01,PENS,1.0
1015 02,PENS,1.0
1020 03,SAUF,1.0
1025 04,MERI,1.0
1030 05,MERI,1.0
1035 06,PENS,1.0
1040 07,CHAS,1.0
1045 08,KING,1.0
1050 09,WHIT,1.0
1055 10,SAUF,1.0
1060 11,CORP,1.0
1065 12,WHIT,1.0
1070 13,PENS,1.0
1075 14,ELLY,1.0
1080 15,ELLY,1.0

TABLE 3.2
DATA FILE BASCAS

1000 NY,
1005 0.100000E+01 0.156000E+03 0.480000E+02 0.100000E+01
1010 0.101000E+04 0.100000E+04 0.100000E+04 0.100000E+04
1015 0.100000E+04 0.101500E+04 0.100000E+04 0.480000E+02
1020 0.500000E+02 0.500000E+02 0.102000E+04
1025 15
1030 AOC SCHOOL
1035 0 0
1040 .5,10,0
1045 1.0,0,0
1050 0,0,0
1055 5,0,0
1060 0,0,0
1065 0,0,0
1070 50,0,0
1075 0,0,0
1080 0,0,0
1085 0,0,0
1090 489,0,0
1095 700,0,0
1100 3,0,0
1105 ENVIRO INDOC
1110 0 0
1115 .5,5,0
1120 1.0,0,0
1125 0,0,0
1130 5,0,0
1135 0,0,0
1140 0,0,0
1145 50,0,0
1150 0,0,0
1155 0,0,0
1160 0,0,0
1165 200,0,0
1170 700,0,0
1175 3,0,0

TABLE 3.2 (Cont)

		T34B	AGAS	ACAD
1180	PRIMARY			
1185	1 0			
1190	.5,6,24			
1195	.782,0,0			
1200	12.6,0,0			
1205	4.2,0,0			
1210	3.01,0,0			
1215	32.6,0,0			
1220	29.2,0,0			
1225	2,0,0			
1230	0,0,0			
1235	2.55,0,0			
1240	50,0,0			
1245	700,0,0			
1250	3,0,0			
1255	BASIC JET-A T-2A			JP-4
1260	1 0			
1265	.5,12,24			
1270	.805,0,0			
1275	311,0,0			
1280	3.54,0,0			
1285	2.85,0,0			
1290	65.1,0,0			
1295	67,0,0			
1300	2,0,0			
1305	0,0,0			
1310	5.46,0,0			
1315	71.25,0,0			
1320	0,0,0			
1325	0,0,0			
1330	BASIC JET-B T2BC			JP-4
1335	1 0			
1340	.5,8,24			
1345	.795,0,0			
1350	365,0,0			
1355	3.35,0,0			
1360	2.85,0,0			
1365	64.4,0,0			
1370	53.7,0,0			
1375	2,0,0			
1380	0,0,0			
1385	7.16,0,0			
1390	71.25,0,0			
1395	0,0,0			
1400	0,0,0			

TABLE 3.2 (Cont)

1405	B-JET G/CQ	T2BC	JP-4
1410	1	0	
1415	.5	,6,24	
1420	.83	,0,0	
1425	365	,0,0	
1430	2	.63,0,0	
1435	2	.36,0,0	
1440	30	.7,0,0	
1445	20	.9,0,0	
1450	2	,0,0	
1455	15	,0,0	
1460	7	.76,0,0	
1465	0	,0,0	
1470	0	,0,0	
1475	0	,0,0	
1480	ADV JET-TF	TF9J	JP-4
1485	1	0	
1490	.5	,20,24	
1495	.846	,0,0	
1500	575	,0,0	
1505	2	.9,0,0	
1510	2	.1,0,0	
1515	205	,0,0	
1520	145	.3,0,0	
1525	3	,0,0	
1530	0	,0,0	
1535	7	.35,0,0	
1540	93	,0,0	
1545	0	,0,0	
1550	0	,0,0	
1555	ADV JET-TA	TA4J	JP-4
1560	1	0	
1565	.5	,20,24	
1570	.85	,0,0	
1575	470	,0,0	
1580	3	.12,0,0	
1585	2	.1,0,0	
1590	195	,0,0	
1595	139	,0,0	
1600	3	,0,0	
1605	0	,0,0	
1610	7	.5,0,0	
1615	93	,0,0	
1620	0	,0,0	
1625	0	,0,0	

TABLE 3.2 (Cont)

1630	BASIC PROP	T28C	AGAS	
1635	1	0		
1640	.5	,19,24		
1645	.776	,0,0		
1650	50	.5,0,0		
1655	3	.71,0,0		
1660	3	.1,0,0		
1665	127	.5,0,0		
1670	98	.7,0,0		
1675	2	,0,0		
1680	0	,0,0		
1685	4	.32,0,0		
1690	164	.25,0,0		
1695	0	,0,0		
1700	0	,0,0		
1705	B-PROP	CQ	T28C	AGAS
1710	1	0		
1715	.5	,4,24		
1720	.879	,0,0		
1725	50	.5,0,0		
1730	2	.81,0,0		
1735	2	.22,0,0		
1740	15	,0,0		
1745	6	.6,0,0		
1750	2	,0,0		
1755	10	,0,0		
1760	5	.47,0,0		
1765	0	,0,0		
1770	0	,0,0		
1775	0	,0,0		
1780	ADV PROP	TS2A	AGAS	
1785	1	0		
1790	.5	,17,24		
1795	.865	,0,0		
1800	96	.6,0,0		
1805	3	.72,0,0		
1810	2	.75,0,0		
1815	123	.8,0,0		
1820	109	.4,0,0		
1825	3	,0,0		
1830	0	,0,0		
1835	8	.89,0,0		
1840	143	,0,0		
1845	0	,0,0		
1850	0	,0,0		

TABLE 3.2 (Cont)

1855	BASIC HELO	T28C	AGAS
1860	1 0		
1865	.5,18,24		
1870	.776,0,0		
1875	50.5,0,0		
1880	3.71,0,0		
1885	3.1,0,0		
1890	122.5,0,0		
1895	95.4,0,0		
1900	2,0,0		
1905	0,0,0		
1910	4.32,0,0		
1915	0,0,0		
1920	0,0,0		
1925	0,0,0		
1930	PRE HELO	T28C	AGAS
1935	1 0		
1940	.5,5,24		
1945	.85,0,0		
1950	50.5,0,0		
1955	3.81,0,0		
1960	3.2,0,0		
1965	23.5,0,0		
1970	23.6,0,0		
1975	2,0,0		
1980	0,0,0		
1985	4.8,0,0		
1990	37,0,0		
1995	0,0,0		
2000	0,0,0		
2005	HELO PRIM	TH57	AGAS
2010	1 0		
2015	.5,4,24		
2020	.836,0,0		
2025	12.6,0,0		
2030	3.31,0,0		
2035	2.96,0,0		
2040	24.2,0,0		
2045	24.4,0,0		
2050	2,0,0		
2055	0,0,0		
2060	3,0,0		
2065	35,0,0		
2070	0,0,0		
2075	0,0,0		

TABLE 3.2 (Cont)

	TH1L	JP-4
2080 HELO ADV		
2085 1 0		
2090 .5,8,24		
2095 .864,0,0		
2100 100,0,0		
2105 2.98,0,0		
2110 2.77,0,0		
2115 57,0,0		
2120 59.8,0,0		
2125 2,0,0		
2130 0,0,0		
2135 6.02,0,0		
2140 35,0,		
2145 0,0,0		
2150 0,0,0		

TABLE 3.3
DATA FILE PIPE

1000	14NAVY OFFICER
1005	3 0 0 0 0 0 2 0.0300
1010	4 9 12 0 0 0 3 0.0400
1015	5 0 0 0 0 0 4 0.0600
1020	6 0 0 0 0 0 5 0.0300
1025	7 8 0 0 0 0 6 0.0100
1030	0 0 0 0 0 0 7 0.0300
1035	0 0 0 0 0 0 8 0.0300
1040	10 0 0 0 0 0 9 0.1500
1045	11 0 0 0 0 0 10 0.0050
1050	0 0 0 0 0 0 11 0.0100
1055	13 0 0 0 0 0 12 0.1400
1060	14 0 0 0 0 0 13 0.0050
1065	15 0 0 0 0 0 14 0.0050
1070	0 0 0 0 0 0 15 0.0050
1075	14NAVY - AOC
1080	3 0 0 0 0 0 1 0.0800
1090	4 9 12 0 0 0 3 0.1300
1095	5 0 0 0 0 0 4 0.0750
1100	6 0 0 0 0 0 5 0.0300
1105	7 8 0 0 0 0 6 0.0200
1110	0 0 0 0 0 0 7 0.0400
1115	0 0 0 0 0 0 8 0.0400
1120	10 0 0 0 0 0 9 0.2300
1125	11 0 0 0 0 0 10 0.0100
1130	0 0 0 0 0 0 11 0.0200
1135	13 0 0 0 0 0 12 0.2000
1140	14 0 0 0 0 0 13 0.0050
1145	15 0 0 0 0 0 14 0.0050
1150	0 0 0 0 0 0 15 0.0050
1155	11MARINE
1160	3 0 0 0 0 0 2 0.0150
1165	4 12 0 0 0 0 3 0.0600
1170	5 0 0 0 0 0 4 0.0500
1175	6 0 0 0 0 0 5 0.0100
1180	7 8 0 0 0 0 6 0.0100
1185	0 0 0 0 0 0 7 0.0300
1190	0 0 0 0 0 0 8 0.0300
1195	13 0 0 0 0 0 12 0.1000
1200	14 0 0 0 0 0 13 0.0050
1205	15 0 0 0 0 0 14 0.0050
1210	0 0 0 0 0 0 15 0.0050
1215	8C-GRD & FOR.
1220	3 0 0 0 0 0 2 0.0200
1225	9 12 0 0 0 0 3 0.0500
1230	11 0 0 0 0 0 9 0.0500
1235	0 0 0 0 0 0 11 0.
1240	13 0 0 0 0 0 12 0.0500
1245	14 0 0 0 0 0 13 0.
1250	15 0 0 0 0 0 14 0.
1255	0 0 0 0 0 0 15 0.
1260	-99END OF FILE

TABLE 3.4
DATA FILE RUNDAT

1000	1PRIMARY	T34B				
1005	9.380	10.080	10.970	11.850	12.680	13.120
1010	12.920	12.250	11.380	10.500	9.620	9.230
1015	0.1500	0.5000				
1020	0.6300	0.6500	0.6900	0.7500	0.8400	0.8300
1025	0.8700	0.8300	0.8600	0.8800	0.7500	0.6800
1030	0.270000E+02	0.		0.		
1035	0.130000E+01	0.		0.		
1040	0.763889E-02	0.		0.		
1045	0.121528E-01	0.		0.		
1050	0.109000E+03	0.		0.		
1055	0.900000E+01	0.		0.		
1060	0.145833E-01	0.		0.		
1065	0.500000E-01	0.		0.		
1070	0.	0.		0.		
1075	0.833333E-01	0.		0.		
1080	1BASIC	JET-A	T-2A			
1085	9.250	10.020	10.930	11.920	12.820	13.280
1090	13.050	12.350	11.450	10.430	9.480	9.100
1095	0.1500	0.5000				
1100	0.5900	0.6300	0.7800	0.8200	0.8800	0.8500
1105	0.9000	0.9100	0.8100	0.8600	0.7500	0.7700
1110	0.480000E+02	0.		0.		
1115	0.143000E+01	0.		0.		
1120	0.829861E-02	0.		0.		
1125	0.158334E-01	0.		0.		
1130	0.560000E+02	0.		0.		
1135	0.160000E+02	0.		0.		
1140	0.190000E-01	0.		0.		
1145	0.500000E-01	0.		0.		
1150	0.	0.		0.		
1155	0.833333E-01	0.		0.		
1160	1BASIC	JET-B	T2BC			
1165	9.250	10.020	10.930	11.920	12.280	13.280
1170	13.050	12.350	11.350	10.430	9.480	9.100
1175	0.1500	0.5000				
1180	0.6000	0.6500	0.8000	0.8400	0.9000	0.8700
1185	0.9200	0.9400	0.8300	0.8900	0.7600	0.7900
1190	0.380000E+02	0.		0.		
1195	0.147000E+01	0.		0.		
1200	0.829861E-02	0.		0.		
1205	0.158334E-01	0.		0.		
1210	0.560000E+02	0.		0.		
1215	0.130000E+02	0.		0.		
1220	0.190000E-01	0.		0.		
1225	0.500000E-01	0.		0.		
1230	0.	0.		0.		
1235	0.833333E-01	0.		0.		

TABLE 3.4 (Cont)

1240	1B-JET G/CQ	T2BC
1245	9.380	10.080
1250	12.920	12.250
1255	0.1500	0.5000
1260	0.6800	0.6700
1265	0.8900	0.8500
1270	0.290000E+02	0.
1275	0.111000E+01	0.
1280	0.756945E-02	0.
1285	0.143750E-01	0.
1290	0.380000E+02	0.
1295	0.100000E+02	0.
1300	0.172500E-01	0.
1305	0.500000E-01	0.
1310	0.	0.
1315	0.833333E-01	0.
1320	1ADV JET-TF	TF9J
1325	9.500	10.200
1330	12.770	12.150
1335	0.1500	0.5000
1340	0.6800	0.7900
1345	0.9500	0.9500
1350	0.105000E+03	0.
1355	0.136000E+01	0.
1360	0.297570E-01	0.
1365	0.250000E-01	0.
1370	0.413000E+03	0.
1375	0.330000E+02	0.
1380	0.300000E-01	0.
1385	0.500000E-01	0.
1390	0.	0.
1395	0.833333E-01	0.
1400	1ADV JET-TA	TA4J
1405	9.500	10.200
1410	12.770	12.150
1415	0.1500	0.5000
1420	0.6800	0.7900
1425	0.9500	0.9500
1430	0.105000E+03	0.
1435	0.136000E+01	0.
1440	0.297570E-01	0.
1445	0.250000E-01	0.
1450	0.413000E+03	0.
1455	0.330000E+02	0.
1460	0.300000E-01	0.
1465	0.500000E-01	0.
1470	0.	0.
1475	0.833333E-01	0.

TABLE 3.4 (Cont)

1480	1BASIC PROP	T28C				
1485	9.380	10.080	10.970	11.850	12.680	13.120
1490	12.920	12.250	11.380	10.500	9.620	9.230
1495	0.1500	0.5000				
1500	0.6300	0.6500	0.7100	0.7600	0.8200	0.7700
1505	0.8100	0.8000	0.7600	0.8600	0.7300	0.6600
1510	0.750000E+02	0.		0.		
1515	0.154000E+01	0.		0.		
1520	0.458334E-02	0.		0.		
1525	0.120486E-01	0.		0.		
1530	0.278000E+03	0.		0.		
1535	0.240000E+02	0.		0.		
1540	0.144583E-01	0.		0.		
1545	0.500000E-01	0.		0.		
1550	0.	0.		0.		
1555	0.833333E-01	0.		0.		
1560	1B-PROP CQ	T28C				
1565	9.380	10.080	10.970	11.850	12.680	13.120
1570	12.920	12.250	11.380	10.500	9.620	9.230
1575	0.1500	0.5000				
1580	0.7600	0.7800	0.8200	0.8800	0.8800	0.8900
1585	0.8900	0.9000	0.8800	0.9500	0.8800	0.8100
1590	0.160000E+02	0.		0.		
1595	0.103000E+01	0.		0.		
1600	0.420139E-02	0.		0.		
1605	0.255555E-01	0.		0.		
1610	0.100000E+04	0.		0.		
1615	0.600000E+01	0.		0.		
1620	0.306667E-01	0.		0.		
1625	0.500000E-01	0.		0.		
1630	0.	0.		0.		
1635	0.833333E-01	0.		0.		
1640	1ADV PROP	TS2A				
1645	9.500	10.200	10.980	11.850	12.530	12.850
1650	12.770	12.150	11.380	10.600	9.780	9.420
1655	0.1500	0.5000				
1660	0.6700	0.7600	0.8500	0.8300	0.8900	0.9400
1665	0.9700	0.9700	0.9500	0.9400	0.8700	0.6700
1670	0.390000E+02	0.		0.		
1675	0.278000E+01	0.		0.		
1680	0.319445E-01	0.		0.		
1685	0.232639E-01	0.		0.		
1690	0.204000E+03	0.		0.		
1695	0.130000E+02	0.		0.		
1700	0.279167E-01	0.		0.		
1705	0.500000E-01	0.		0.		
1710	0.	0.		0.		
1715	0.833333E-01	0.		0.		

TABLE 3.4 (Cont)

1720	1BASIC HELO	T28C				
1725	9.38	10.08	10.97	11.85	12.68	13.12
1730	12.92	12.25	11.38	10.5	9.62	9.23
1735	0.15	0.5				
1740	.71	.77	.8	.87	.91	.86
1745	.92	.89	.89	.91	.85	.8
1750	14	0	0			
1755	1.78	0	0			
1760	.012777	0	0			
1765	.015555	0	0			
1770	1000.	0	0			
1775	5.	0	0			
1780	.01867	0	0			
1785	.05	0	0			
1790	0	0	0			
1795	.08333	0	0			
1800	1PRE HELO	T28C				
1805	9.380	10.080	10.970	11.850	12.680	13.120
1810	12.920	12.250	11.380	10.500	9.620	9.230
1815	0.1500	0.5000				
1820	0.7100	0.7700	0.8000	0.8700	0.9100	0.8600
1825	0.9200	0.8900	0.8900	0.9100	0.8500	0.8000
1830	0.140000E+02	0.		0.		
1835	0.178000E+01	0.		0.		
1840	0.127777E-01	0.		0.		
1845	0.155555E-01	0.		0.		
1850	0.100000E+04	0.		0.		
1855	0.500000E+01	0.		0.		
1860	0.186667E-01	0.		0.		
1865	0.500000E-01	0.		0.		
1870	0.	0.		0.		
1875	0.833333E-01	0.		0.		
1880	1HELO PRIM	TH57				
1885	9.380	10.080	10.970	11.850	12.680	13.120
1890	12.920	12.250	11.380	10.500	9.620	9.230
1895	0.1500	0.5000				
1900	0.7000	0.7100	0.7300	0.7900	0.8700	0.8700
1905	0.8900	0.9000	0.9000	0.9100	0.8100	0.7200
1910	0.220000E+02	0.		0.		
1915	0.119000E+01	0.		0.		
1920	0.270139E-01	0.		0.		
1925	0.179861E-01	0.		0.		
1930	0.200000E+02	0.		0.		
1935	0.800000E+01	0.		0.		
1940	0.215833E-01	0.		0.		
1945	0.500000E-01	0.		0.		
1950	0.	0.		0.		
1955	0.833333E-01	0.		0.		

TABLE 3.4 (Cont)

	1HELO	ADV	TH1L				
1960							
1965	9.380	10.080	10.970	11.850	12.680	13.120	
1970	12.920	12.250	11.380	10.500	9.620	9.230	
1975	0.1500	0.5000					
1980	0.7500	0.7500	0.7700	0.8300	0.9100	0.9100	
1985	0.9300	0.9400	0.9200	0.9500	0.8600	0.7600	
1990	0.300000E+02	0.		0.			
1995	0.179000E+01	0.		0.			
2000	0.210070E-01	0.		0.			
2005	0.139930E-01	0.		0.			
2010	0.400000E+02	0.		0.			
2015	0.100000E+02	0.		0.			
2020	0.167917E-01	0.		0.			
2025	0.500000E-01	0.		0.			
2030	0.	0.		0.			
2035	0.833333E-01	0.		0.			
2120	-99END OF FILE.						

TABLE 3.5
DATA FILE INVCO*

101 11.83,0,0,0,0,.02
102 63360.,1,0,1,0,422.40
103 47.2,1.17,13000,1,0,.19
104 24.8,1.12,25000,1,0,.19
105 25.7,1.15,50000,1,0,.19
106 22.00,1.23,5260,1,0,.19
107 11,1.15,0,0,0,.06
108 39.9,1.14,8000,1,0,.26
109 23.8,1.12,15000,1,0,.22
110 21500,1,0,0,0,0
111 3200,1.1,0,0,0,26.25
112 41.8,1.18,15000,1,0,.21
113 11000,1.17,0,0,0,105
114 0,0,0,0,0,0
115 28.3,1.15,21000,1,0,.16
116 30.4,1.13,16000,1,0,.16
117 330,1,0,1,0,0
118 5.75,1,0,1,0,.08
119 0,0,0,0,0,0
120 0,0,0,0,0,.08
121 71595.,0,0,1,0,986.
122 4.30,0,0,1,0,.04
123 0,0,0,0,0,0
124 0,0,0,0,0,0
125 5.15,1,0,1,0,0
126 0,0,0,0,0,0
127 11.83,0,0,0,0,.02
128 11.83,0,0,0,0,.02
129 9,1.15,0,0,0,.06
130 9,1.15,0,0,0,.06
131 0,0,0,0,0,0
132 0,0,0,0,0,0
133 0,0,0,0,0,0
134 0,0,0,0,0,0
135 0,0,0,0,0,0
136 0,0,0,0,0,0
137 0,0,0,0,0,0
138 0,0,0,0,0,0
139 0,0,0,0,0,0
140 0,0,0,0,0,0
141 0,0,0,0,0,0
142 0,0,0,0,0,0
143 0,0,0,0,0,0
144 0,0,0,0,0,0
145 0,0,0,0,0,0
146 0,0,0,0,0,0
147 0,0,0,0,0,0
148 0,0,0,0,0,0
149 0,0,0,0,0,0
150 0,0,0,0,0,0

TABLE 3.6
DATA FILE RPIFI*

101 01320,A/C PKNG APN,SY
102 12540,DIST PIPELIN,MI
103 14140,A/C ØP BLDG ,SF
104 17110,ACADEMC BLDG,SF
105 21110,MAINT HANGAR,SF
106 21910,PW MAINT SHP,SF
107 04210,GEN WAREHØUS,SF
108 55010,DISPENSARY ,SF
109 61010,ADMIN OFFICE,SF
110 71110,FAM HØUSING ,UN
111 72210,EM BARRACKS ,MN
112 72310,EM MESS HALL,SF
113 72415,BØQ ,MN
114 72416,BØQ MESS ,SF
115 74014,EXCHANGE ,SF
116 74063,SERVICE CLUB,SF
117 81160,STAND BY GEN,UN
118 81230,ELEC DIST LN,LF
119 83210,SANITR SEWER,LF
120 84210,WATER DIS LN,LF
121 85110,RØADS ,MI
122 85210,PARKING AREA,SY
123 87110,STØRM SEWER ,LF
124 87120,DRAIN DITCH ,LF
125 87210,SECURT FENCE,LF
126 00000,INELIG HØUSE,UN
127 01320,PER TAXIWAY ,SY
128 11320,TØT PKNG APN,SY
129 04210,SHED SPACE ,SF
130 44210,TØT WAREHSE ,SF
1010 0,0
1020 0,0
1030 18702,0
1040 0,0
1050 319268,40849
1060 15359,21027
1070 0,0
1080 0,15136
1090 24689,24914
1100 530,256
1110 972,451
1120 18500,16151

TABLE 3.6 (Cont)

1130	168,0
1140	0,0
1150	0,17780
1160	12730,0
1170	0,0
1180	0,94925
1190	71683,0
1200	68420,0
1210	14.72,0
1220	90381,0
1230	57875,0
1240	36269,0
1250	79806,0
1260	110,168
1270	0,0
1280	348068,0
1290	0,0
1300	44783,33578
1510	.839,8000,9,1
1520	.839,8000,9,1
1530	.086,8000,9,1
1540	0,0,0,0
1550	0,0,0,0
1560	0,0,0,0
1570	0,0,0,0
1580	0,0,0,0
1590	0,0,0,0
1600	0,0,0,0
1610	2835000,100000,0
2010	0,0
2020	8.55,0
2030	57891,7692
2040	0,37661
2050	0,463301
2060	53273,20701
2070	0,0
2080	0,21100
2090	42527,235466
2100	1988,428
2110	869,1420
2120	33209,0
2130	412,204

TABLE 3.6 (Cont)

2140	0,0
2150	0,32499
2160	0,23334
2170	0,0
2180	405958,0
2190	174834,0
2200	252218,0
2210	45.26,0
2220	323433,0
2230	233152,0
2240	26812,0
2250	28652,0
2260	371,212
2270	0,0
2280	641380,0
2290	0,0
2300	491107,604445
2510	.839,8000,9,1
2520	.839,5000,2,2
2530	.82,5000,2,2
2540	.622,5000,2,2
2550	0,0,0,0
2560	0,0,0,0
2570	0,0,0,0
2580	0,0,0,0
2590	0,0,0,0
2600	0,0,0,0
2610	200000,1100000,0
3010	0,0
3020	2.4,0
3030	375,1409
3040	9475,4099
3050	99843,0
3060	4551,1071
3070	0,0
3080	0,8345
3090	7639,7118
3100	725,127
3110	674,0
3120	0,12816
3130	192,0
3140	0,0

TABLE 3.6 (Cont)

3150	6054,0
3160	2816,0
3170	0,0
3180	50170,0
3190	10015,0
3200	31645,0
3210	6.93,0
3220	37269,0
3230	174520,0
3240	8328,0
3250	20662,0
3260	648,60
3270	0,0
3280	358146,0
3290	0,0
3300	25126,12374
3510	.9,3350,1,2
3520	.9,3025,1,2
3530	0,0,0,0
3540	0,0,0,0
3550	0,0,0,0
3560	0,0,0,0
3570	0,0,0,0
3580	0,0,0,0
3590	0,0,0,0
3600	0,0,0,0
3610	165000,114960,0
4010	0,0
4020	4.31,0
4030	19114,0
4040	15165,0
4050	153944,130186
4060	0,25502
4070	0,0
4080	0,17601
4090	8277,27880
4100	790,195
4110	933,356
4120	28068,0
4130	153,100
4140	0,0
4150	14054,8608

TABLE 3.6 (Cont)

4160	0,7590
4170	0,0
4180	96211,6875
4190	63192,0
4200	69399,6960
4210	19.66,13.4
4220	140379,12400
4230	151177,0
4240	0,0
4250	58976,19000
4260	247,92
4270	0,0
4280	241954,0
4290	0,0
4300	32813,106738
4510	.925,8000,9,1
4520	.925,8000,9,1
4530	.075,8000,9,1
4540	.075,8000,9,1
4550	0,0,0,0
4560	0,0,0,0
4570	0,0,0,0
4580	0,0,0,0
4590	0,0,0,0
4600	0,0,0,0
4610	2835000,50000,0
5010	0,0
5020	1.86,0
5030	12217,0
5040	30023,0
5050	206538,0
5060	9080,0
5070	0,0
5080	19562,0
5090	47747,0
5100	720,115
5110	1236,0
5120	19241,0
5130	468,0
5140	0,0
5150	18610,0
5160	7507,0

TABLE 3.6 (Cont)

5170	0,0
5180	111360,0
5190	69119,0
5200	72089,0
5210	14.16,0
5220	77020,0
5230	12209,0
5240	0,0
5250	155289,0
5260	158,45
5270	0,0
5280	288263,0
5290	0,0
5300	85309,14880
5510	.9,8000,9,1
5520	.9,8000,9,1
5530	.743,6400,9,1
5540	0,0,0,0
5550	0,0,0,0
5560	0,0,0,0
5570	0,0,0,0
5580	0,0,0,0
5590	0,0,0,0
5600	0,0,0,0
5610	3465000,49980,0
6010	0,0
6020	17.03,0
6030	20274,0
6040	36700,93291
6050	321681,0
6060	32767,21998
6070	0,0
6080	0,16605
6090	71858,243163
6100	1732,303
6110	456,1503
6120	15264,2529
6130	1667,46
6140	0,0
6150	77188,1025
6160	15383,0
6170	0,0

TABLE 3.6 (Cont)

6180	659038,0
6190	138190,0
6200	693604,0
6210	55.56,0
6220	279451,0
6230	151792,0
6240	29417,0
6250	75682,0
6260	535,377
6270	0,0
6280	356000,0
6290	0,0
6300	177070,604949
6510	.9,8000,9,1
6520	.1,6137,9,1
6530	0,0,0,0
6540	0,0,0,0
6550	0,0,0,0
6560	0,0,0,0
6570	0,0,0,0
6580	0,0,0,0
6590	0,0,0,0
6600	0,0,0,0
6610	2268000,803800,0
7010	0,0
7020	0,0
7030	2371,0
7040	34949,0
7050	122240,0
7060	11713,0
7070	0,0
7080	7471,0
7090	15443,0
7100	600,127
7110	252,507
7120	0,12055
7130	574,0
7140	0,0
7150	5065,0
7160	0,4870
7170	0,0
7180	33986,0

TABLE 3.6 (Cont.)

7190	9635,0
7200	21632,0
7210	6,78,0
7220	41805,0
7230	50020,0
7240	0,0
7250	32150,0
7260	183,128
7270	0,0
7280	177994,0
7290	0,0
7300	28451,1860
7510	.1,5200,1,2
7520	.9,6035,1,2
7530	.1,5296,1,2
7540	.9,5356,1,2
7550	0,0,0,0
7560	0,0,0,0
7570	0,0,0,0
7580	0,0,0,0
7590	0,0,0,0
7600	0,0,0,0
7610	15000,150000,0
8010	0,0
8020	3.86,0
8030	5231,0
8040	19311,29458
8050	231817,0
8060	22546,0
8070	0,0
8080	0,11204
8090	16244,18389
8100	921,381
8110	1151,24
8120	20167,13721
8130	484,0
8140	0,0
8150	2740,16834
8160	0,5251
8170	0,0
8180	133287,0
8190	51805,0

TABLE 3.6 (Cont)

8200	66314,0
8210	14.32,11.19
8220	125863,5648
8230	18186,0
8240	183694,1000
8250	56938,8000
8260	114,154
8270	0,0
8280	389800,0
8290	0,0
8300	38349,31796
8510	.9,6000,1,2
8520	.9,6000,1,2
8530	.1,6000,1,2
8540	.1,6000,1,2
8550	0,0,0,0
8560	0,0,0,0
8570	0,0,0,0
8580	0,0,0,0
8590	0,0,0,0
8600	0,0,0,0
8610	402040,784131,0
9010	0,0
9020	0,0
9030	0,0
9040	0,0
9050	0,0
9060	0,0
9070	0,0
9080	0,0
9090	0,0
9100	0,0
9110	0,0
9120	0,0
9130	0,0
9140	0,0
9150	0,0
9160	0,0
9170	0,0
9180	0,0
9190	0,0
9200	0,0

TABLE 3.6 (Cont)

9210 0,0
9220 0,0
9230 0,0
9240 0,0
9250 0,0
9260 0,0
9270 0,0
9280 0,0
9290 0,0
9300 0,0
9510 0,0,0,0
9520 0,0,0,0
9530 0,0,0,0
9540 0,0,0,0
9550 0,0,0,0
9560 0,0,0,0
9570 0,0,0,0
9580 0,0,0,0
9590 0,0,0,0
9600 0,0,0,0
9610 0,0,0

IV. THE NFO TRAINING SYSTEM MODEL

INTRODUCTION

4.1 This section discusses the Naval flight officer (NFO) training system option of the LSR module of the Static IFRS model. The user has nearly all the capabilities of the IFRS model for the NFO system that he has for the pilot system. Because the questions and print options are the same for both models only the new features and restrictions are discussed.

GENERAL PROCEDURE

4.2 To run the NFO training system model, the user runs the regular Static IFRS program. However, he must respond with a 2 to the third question in the model.

ENTER TRAINING FLOW NO.
1 FOR PILOT, 2 FOR NFO. (X)?2

This tells the model to access the appropriate NFO data files. (See Section V for a discussion of the data file.)

4.3 Because additional planning factors and differences in the training system had to be considered, the following programming changes were required in order for IFRS model to simulate the NFO training system:

- Allow six following training phases from a given phase, i.e., one phase can be a prerequisite for six other phases (previously there were three).

- Add three new planning factors
 - NFO flight instructor utilization
 - NFO flight instruction hours required to graduate a student
 - NFO flight instructor training time.

4.4 When the user now modifies or adds a pipeline, he must enter data or zeros for six following training phases. Because of the second change, additional instructor information must be printed. This is printed in the manpower summary section. A sample of this printout is shown in Table 4.1. The line with NFOs on it refers to NFO flight instructors. The support and administrative officers are calculated as a function of the total number of instructors.

4.5 When the user runs the simple constraint calculations for NFOs, the model includes the NFO flight instructors and those under training in its computations. The planning factors for the runway and airspace calculations were not available and thus hypothetical values are presently in the data files (i.e., data file NFORUNDA and NACDA*).

Differences in Pilot and NFO Usage

4.6 Since the IFRS model was initially designed for the planning factors associated with the pilot training system and the Navy desired to use either pilot or NFO, the inclusion of the additional NFO planning factors had to be carefully handled. Consequently, user flexibility is reduced. The main restrictions are listed as follows:

- Features under level 3 or 4 are not as extensive as they are in the pilot model.
 - The option to modify or list the planning factors in a phase does not include the three additional NFO planning factors.
 - The option to delete or add a training phase does not include the three new planning factors.
 - The three new planning factors are not validated when they are read from the data file.
 - The three new planning factors are not included if the data file SAVBCS is generated.
- Only the data files associated with the LSR module will be accessed automatically. If the user wants to run the complete Static IFRS model to obtain total system cost, the pilot aircraft data file (ACDAT*) must be replaced by

TABLE 4.1
NFO INSTRUCTOR SUMMARY

TRAINING PHASE	*FLIGHT INSTRUCTORS*			LSO REQMT	ADMIN OFF	TOTAL OFF	TOTAL ENL
	EFFECT	IUT	TOTAL				
AOC SCHOOL	0.	0.	0.	0.	3.	3.	0.
NFO'S	0.	0.	0.				
ENVIRO INDOC	0.	0.	0.	0.	2.	2.	0.
NFO'S	0.	0.	0.				
VT-10(TC-45)	9.	1.	11.	0.	10.	21.	42.
NFO'S	0.	0.	0.				
JET FAM	0.	0.	0.	0.	1.	1.	0.
NFO'S	0.	0.	0.				
RIO	21.	3.	24.	0.	8.	43.	165.
NFO'S	10.	1.	12.				
BJN	7.	1.	8.	0.	3.	19.	56.
NFO'S	7.	1.	8.				
VT-29	21.	3.	24.	0.	7.	43.	124.
NFO'S	11.	1.	12.				
AELW	1.	0.	1.	0.	1.	4.	25.
NFO'S	1.	0.	1.				
AIC	1.	0.	1.	0.	0.	2.	4.
NFO'S	0.	0.	0.				
ATDS	1.	0.	1.	0.	1.	2.	14.
NFO'S	1.	0.	1.				
AEW	1.	0.	1.	0.	1.	2.	14.
NFO'S	1.	0.	1.				
AIC	1.	0.	1.	0.	0.	1.	3.
NFO'S	0.	0.	0.				
ASAC	1.	0.	1.	0.	0.	1.	3.
NFO'S	0.	0.	0.				
VT-10(T-1A)	0.	0.	0.	0.	0.	0.	0.
NFO'S	0.	0.	0.				
AIC-OTHER	0.	0.	0.	0.	0.	0.	0.
NFO'S	0.	0.	0.				

the NFO aircraft data file (NACDA*) prior to the start of the run. Also no additional base specific information is included in the NFO training system (i.e., only the nine existing bases are available).

- Per the Navy's request, the pilot and NFO training systems cannot be run simultaneously. The reasons are:
 - The model is restricted to a maximum of 25 training phases in a system (currently NFO and pilot have 15 each).
 - The NFO model contains additional planning factors.
 - The model permits only 21 aircraft types, including tenant aircraft.
 - Longer run time is required for every run through the LSR module if both are combined.

The last restriction can be partially overcome in several ways.

4.7 How to Run Total Static IFRS Model for NFO. To include all or part of the NFO training system in the total system cost, the following suggestions are made:

- To get the cost of just adding the NFO system in with the pilot system, run the NFO model and set all the tenant data to zero in data file BASED*. These results are pure NFO requirements. The user can then treat the NFO personnel as additional tenants in the pilot system to determine incremental facilities requirements. However, the user is still limited by the number of types of aircraft. Since the NFOs require little flying, the error should be minimal.
- If the user only wants to see the effect of combining a few NFO phases with the pilot systems, the best way is to assume those NFO phases are additional pilot phases and add a new pipeline to include those phases. Some error may be introduced because this will not consider the NFO flight instructors; however, this can be overcome by adjusting the regular flight instructor factor. Also the attrition rates in the pipeline will have to be adjusted to reflect the combined NFO system attrition rate.
- A much more complicated way requires that the user becomes familiar with the data files LSROUT and RUNWAY generated by the Static IFRS model. These

files could be saved after a pilot and NFO run and only those phases of interest could be extracted and set up into new composite files. Then, when the user enters PART2*, the new LSROUT and RUNWAY files will be accessed. This method requires that the aircraft data file be modified. However, the total system cost of only those phases considered will be calculated.

4.8 The user does not have the flexibility he has with the pilot training system. However, the LSR section is completely automatic and identical to the pilot system for levels 1 and 2. Because little flying time is required and also since many of the bases where NFO training is conducted are not included, an accurate system cost is not easily calculated.

V. NFO DATA FILES

INTRODUCTION

5.1 The purpose of this section is to discuss and list the data files for the NFO training system. Because the data files are read by the same Static IFRS program, their format and data content are the same as the pilot data files. To determine the proper planning factor on each line, the user must refer to the IFRS II User's Manual.^{1/}

DATA FILES

5.2 Because the NFO data files are similar in content to the pilot data files, they were given similar names. The relationship is shown in the following chart:

Data Files	
Pilot	NFO
BASCAS	NFOBASCA
PIPE	NFOPIPE
RUNDAT	NFORUNDA
ACDAT*	NACDA*

1/ The Phase II Static IFRS is documented in ORI Technical Report 583, Development of a Preliminary Automated Total Systems Model for the Integrated Facilities Requirements Study (IFRS) Phase II, 9 February 1970. Volume III is the User's Manual and Volume IV is the Programmer's Manual.

5.3 The data files are listed in Tables 5.1 to 5.4 in this section. Only two files contain changed format, NFOPIPE and NFOBASCA. Data file NFOPIPE now requires data or zeros for six following phases. (This same change now applies to pilot PIPE file also.) Data file NFOBASCA has three additional lines of data added to the end of each training phase block. These data are for the following planning factors (variable names are in parentheses):

- NFO flight instructor utilization (FUN)
- NFO flight instructor hours per student (FIHN)
- Time to train (months) an NFO flight instructor (FTRN).

The user can use free formatting for all lines in NFOBASCA.

5.4 All other NFO data files have the same description as the pilot data files. Thus the user who is familiar with them will have no trouble with the additional NFO data files.

TABLE 5.1
DATA FILE NFOPIPE

1000	12NAVY OFFICER
1005	3 0 0 0 0 0 2 .04
1010	4 7 8 9 11 0 3 .12
1015	5 6 0 0 0 0 4 .0
1020	0 0 0 0 0 0 5 .20
1025	0 0 0 0 0 0 6 .03
1030	0 0 0 0 0 0 7 .02
1035	0 0 0 0 0 0 8 .02
1040	10 0 0 0 0 0 9 .03
1045	0 0 0 0 0 0 10 .05
1050	12 0 0 0 0 0 11 .03
1055	13 0 0 0 0 0 12 .03
1060	0 0 0 0 0 0 13 .03
1065	12NAVY - AOC
1070	3 0 0 0 0 0 1 .10
1075	4 7 8 9 11 0 3 .12
1080	5 6 0 0 0 0 4 .0
1085	0 0 0 0 0 0 5 .20
1090	0 0 0 0 0 0 6 .03
1095	0 0 0 0 0 0 7 .02
1100	0 0 0 0 0 0 8 .02
1105	10 0 0 0 0 0 9 .03
1110	0 0 0 0 0 0 10 .05
1115	12 0 0 0 0 0 11 .03
1120	13 0 0 0 0 0 12 .03
1125	0 0 0 0 0 0 13 .03
1130	5MARINE
1135	3 0 0 0 0 0 2 .02
1140	4 0 0 0 0 0 3 .05
1145	5 6 0 0 0 0 4 .0
1150	0 0 0 0 0 0 5 .12
1155	0 0 0 0 0 0 6 .01
1160	9NAVY REFRESH
1165	0 0 0 0 0 0 5 .0
1170	0 0 0 0 0 0 6 .0
1175	0 0 0 0 0 0 7 .0
1180	0 0 0 0 0 0 8 .0
1185	10 0 0 0 0 0 9 .0
1190	0 0 0 0 0 0 10 .0
1195	12 0 0 0 0 0 11 .0
1200	13 0 0 0 0 0 12 .0
1205	0 0 0 0 0 0 13 .0
1210	7OTHER
1215	0 0 0 0 0 0 8 .0
1220	10 0 0 0 0 0 9 .0
1225	0 0 0 0 0 0 10 .0
1230	12 0 0 0 0 0 11 .0
1235	13 0 0 0 0 0 12 .0
1240	0 0 0 0 0 0 13 .0
1245	0 0 0 0 0 0 15 .0
1250	-99END OF FILE

TABLE 5.2
DATA FILE NFOBASCA

1000	NY,	
1005	1,156,48,1	
1010	1000,1000,1000,1000	
1015	1000,1015,1000,48	
1020	50 50 1020	
1025	15	*
1030	AOC SCHOOL	*
1035	0 0	
1040	.5,10,0	
1045	1.0,0,0	
1050	0,0,0	
1055	5,0,0	
1060	0,0,0	
1065	0,0,0	
1070	50,0,0	
1075	0,0,0	
1080	0,0,0	
1085	0,0,0	
1090	489,0,0	
1095	700,0,0	
1100	3,0,0	
1105	0,0,0	
1110	0,0,0	
1115	3,0,0	
1120	ENVIRO INDOC	*
1125	0 0	
1130	.5,5,0	
1135	1.0,0,0	
1140	0,0,0	
1145	5,0,0	
1150	0,0,0	
1155	0,0,0	
1160	50,0,0	
1165	0,0,0	
1170	0,0,0	
1175	0,0,0	
1180	200,0,0	
1185	700,0,0	
1190	3,0,0	
1195	0,0,0	
1200	0,0,0	
1205	3,0,0	

TABLE 5.2 (Cont)

1210	VT-10(TC-45)TC45	AGAS	*
1215	1 0		
1220	.5,16,24		
1225	.90,0,0		
1230	0,0,0		
1235	3.75,0,0		
1240	3,0,0		
1245	6.7,0,0		
1250	7.2,0,0		
1255	3,0,0		
1260	0,0,0		
1265	5.04,0,0		
1270	0,0,0		
1275	0,0,0		
1280	0,0,0		
1285	3,0,0		
1290	0,0,0		
1295	3,0,0		
1300	JET FAM		*
1305	0 0		
1310	.5,3,0		
1315	1.0,0 0		
1320	0,0,0		
1325	5,0,0		
1330	0,0,0		
1335	0,0,0		
1340	50,0,0		
1345	0,0,0		
1350	0,0,0		
1355	0,0,0		
1360	200,0,0		
1365	700,0,0		
1370	3,0,0		
1375	0,0,0		
1380	0,0,0		
1385	3,0,0		

TABLE 5.2 (Cont)

1390 R10	T-39	AGAS	*
1395 1 0			
1400 .5,9,8,24			
1405 .93,0,0			
1410 0,0,0			
1415 3.5,0,0			
1420 2.5,0,0			
1425 53.3,0,0			
1430 53.3 0,0			
1435 3,0,0			
1440 0,0,0			
1445 9.16,0,0			
1450 0,0,0			
1455 0,0,0			
1460 0,0,0			
1465 2.5,0,0			
1470 26.6,0,0			
1475 3,0,0			
1480 BJN	T-39	AGAS	*
1485 1 0			
1490 .5,4,24			
1495 .95,0,0			
1500 0,0,0			
1505 3.5,0,0			
1510 2.5,0,0			
1515 18.6,0,0			
1520 18.6,0,0			
1525 3,0,0			
1530 0,0,0			
1535 9.16,0,0			
1540 0,0,0			
1545 0,0,0			
1550 0,0,0			
1555 2.5,0,0			
1560 18.6,0,0			
1565 3,0,0			

TABLE 5.2 (Cont)

	VT-29	T-29	JP-4	*
1570				
1575	1 0			
1580	.5,12,24			
1585	.90,0,0			
1590	0,0,0			
1595	3.25,0,0			
1600	3.3,0,0			
1605	18.8,0,0			
1610	60,0,0			
1615	3,0,0			
1620	0,0,0			
1625	15.19,0,0			
1630	0,0,0			
1635	0,0,0			
1640	0,0,0			
1645	3.3,0,0			
1650	30,0,0			
1655	3,0,0			
1660	AELW	C121	AGAS	*
1665	1 0			
1670	.5,7.6,24			
1675	.99,0,0			
1680	0,0,0			
1685	3.12,0,0			
1690	3,0,0			
1695	5.2,0,0			
1700	10.4,0,0			
1705	3,0,0			
1710	0,0,0			
1715	37.5,0,0			
1720	0,0,0			
1725	0,0,0			
1730	0,0,0			
1735	3,0,0			
1740	11.5,0,0			
1745	3,0,0			

TABLE 5.2 (Cont)

1750	AIC	T-33	JP-4	*
1755	1,0			
1760	.5,6,6,24			
1765	.90,0,0			
1770	0,0,0			
1775	3.15,0,0			
1780	2.1,0,0			
1785	12.7,0,0			
1790	12.7,0,0			
1795	3,0,0			
1800	0,0,0			
1805	3.99,0,0			
1810	0,0,0			
1815	0,0,0			
1820	0,0,0			
1825	2.1,0,0			
1830	0,0,0			
1835	3,0,0			
1840	ATDS	C121	AGAS	*
1845	1,0			
1850	.5,12,24			
1855	.99,0,0			
1860	0,0,0			
1865	3.12,0,0			
1870	3,0,0			
1875	5.7,0,0			
1880	11.4,0,0			
1885	3,0,0			
1890	0,0,0			
1895	37.5,0,0			
1900	0,0,0			
1905	0,0,0			
1910	0,0,0			
1915	3,0,0			
1920	12,0,0			
1925	3,0,0			

TABLE 5.2 (Cont)

1930	AEW	C121	AGAS	*
1935	1 0			
1940	.5,5,24			
1945	.99,0,0			
1950	0,0,0			
1955	3.12,0,0			
1960	3,0,0			
1965	7.9,0,0			
1970	15.8,0,0			
1975	3,0,0			
1980	0,0,0			
1985	37.5 0,0			
1990	0,0,0			
1995	0,0,0			
2000	0,0,0			
2005	3,0,0			
2010	20.3,0,0			
2015	3,0,0			
2020	AIC	T-33	JP-4	*
2025	1 0			
2030	.5,6.6,24			
2035	.90,0,0			
2040	0,0,0			
2045	3.15,0,0			
2050	2.1,0,0			
2055	12.7,0,0			
2060	12.7,0,0			
2065	3,0,0			
2070	0,0,0			
2075	3.99,0,0			
2080	0,0,0			
2085	0,0,0			
2090	0,0,0			
2095	2.1,0,0			
2100	0,0,0			
2105	3,0,0			

TABLE 5.2 (Cont)

2110 ASAC	TS2A	AGAS	*
2115 1 0			
2120 .5,4,2,24			
2125 .86,0,0			
2130 0,0,0			
2135 4.62,0,0			
2140 2.2,0,0			
2145 10.8,0,0			
2150 10.8,0,0			
2155 3,0,0			
2160 0,0,0			
2165 8.89,0,0			
2170 0,0,0			
2175 0,0,0			
2180 0,0,0			
2185 2.2,0,0			
2190 0,0,0			
2195 3,0,0			
2200 VT-10(T-1A) T-1A		JP-4	*
2205 1 0			
2210 .5,16,24			
2215 .90,0,0			
2220 0,0,0			
2225 1.63,0,0			
2230 3,0,0			
2235 3,0,0			
2240 3.2,0,0			
2245 3,0,0			
2250 0,0,0			
2255 5.51,0,0			
2260 0,0,0			
2265 0,0,0			
2270 0,0,0			
2275 3,0,0			
2280 0,0,0			
2285 3,0,0			

TABLE 5.2 (Cont)

2290	AIC-OTHER	T-33	JP-4	*
2295	1 0			
2300	.5,6.6,24			
2305	.90,0,0			
2310	0,0,0			
2315	3.15,0,0			
2320	2.1,0,0			
2325	12.7,0,0			
2330	12.7,0,0			
2335	3,0,0			
2340	0,0,0			
2345	3.99,0,0			
2350	0,0,0			
2355	0,0,0			
2360	0,0,0			
2365	2.1,0,0			
2370	0,0,0			
2375	3,0,0			

TABLE 5.3
DATA FILE NFORUNDA

1000 1VT-10(TC-45)TC45
1005 9.25 10.0 10.9 11.9 12.5 13.0
1010 13.0 12.2 11.4 10.5 9.5 9.2
1015 .15 .5
1020 .65 .65 .8 .8 .85 .9
1025 .9 .85 .8 .8 .75 .7
1030 10 0 0
1035 1 0 0
1040 .01 0 0
1045 .01 0 0
1050 100 0 0
1055 10 0 0
1060 .01 0 0
1065 .10 0 0
1070 0 0 0
1075 .08 0 0
1080 1RIO T-39
1085 9.25 10.0 10.9 11.9 12.5 13.0
1090 13.0 12.2 11.4 10.5 9.5 9.2
1095 .15 .5
1100 .65 .65 .8 .8 .85 .9
1105 .9 .85 .8 .8 .75 .7
1110 10 0 0
1115 1 0 0
1120 .01 0 0
1125 .01 0 0
1130 100 0 0
1135 10 0 0
1140 .01 0 0
1145 .10 0 0
1150 0 0 0
1155 .08 0 0
1160 1BJN T-39
1165 9.25 10.0 10.9 11.9 12.5 13.0
1170 13.0 12.2 11.4 10.5 9.5 9.2
1175 .15 .5
1180 .65 .65 .8 .8 .85 .9
1185 .9 .85 .8 .8 .75 .7
1190 10 0 0
1195 1 0 0
1200 .01 0 0
1205 .01 0 0
1210 100 0 0
1215 10 0 0
1220 .01 0 0
1225 .10 0 0
1230 0 0 0
1235 .08 0 0

TABLE 5.3 (Cont)

1240	1VT-29	T-29				
1245	9.25	10.0	10.9	11.9	12.5	13.0
1250	13.0	12.2	11.4	10.5	9.5	9.2
1255	.15	.5				
1260	.65	.65	.8	.8	.85	.9
1265	.9	.85	.8	.8	.75	.7
1270	10	0	0			
1275	1	0	0			
1280	.01	0	0			
1285	.01	0	0			
1290	100	0	0			
1295	10	0	0			
1300	.01	0	0			
1305	.10	0	0			
1310	0	0	0			
1315	.08	0	0			
1320	1AELW	C121				
1325	9.25	10.0	10.9	11.9	12.5	13.0
1330	13.0	12.2	11.4	10.5	9.5	9.2
1335	.15	.5				
1340	.65	.65	.8	.8	.85	.9
1345	.9	.85	.8	.8	.75	.7
1350	10	0	0			
1355	1	0	0			
1360	.01	0	0			
1365	.01	0	0			
1370	100	0	0			
1375	10	0	0			
1380	.01	0	0			
1385	.10	0	0			
1390	0	0	0			
1395	.08	0	0			
1400	1AIC	T-33				
1405	9.25	10.0	10.9	11.9	12.5	13.0
1410	13.0	12.2	11.4	10.5	9.5	9.2
1415	.15	.5				
1420	.65	.65	.8	.8	.85	.9
1425	.9	.85	.8	.8	.75	.7
1430	10	0	0			
1435	1	0	0			
1440	.01	0	0			
1445	.01	0	0			
1450	100	0	0			
1455	10	0	0			
1460	.01	0	0			
1465	.10	0	0			
1470	0	0	0			
1475	.08	0	0			

TABLE 5.3 (Cont)

1480	1ATDS	C121				
1485	9.25	10.0	10.9	11.9	12.5	13.0
1490	13.0	12.2	11.4	10.5	9.5	9.2
1495	.15	.5				
1500	.65	.65	.8	.8	.85	.9
1505	.9	.85	.8	.8	.75	.7
1510	10	0	0			
1515	1	0	0			
1520	.01	0	0			
1525	.01	0	0			
1530	100	0	0			
1535	10	0	0			
1540	.01	0	0			
1545	.10	0	0			
1550	0	0	0			
1555	.08	0	0			
1560	1AEW	C121				
1565	9.25	10.0	10.9	11.9	12.5	13.0
1570	13.0	12.2	11.4	10.5	9.5	9.2
1575	.15	.5				
1580	.65	.65	.8	.8	.85	.9
1585	.9	.85	.8	.8	.75	.7
1590	10	0	0			
1595	1	0	0			
1600	.01	0	0			
1605	.01	0	0			
1610	100	0	0			
1615	10	0	0			
1620	.01	0	0			
1625	.10	0	0			
1630	0	0	0			
1635	.08	0	0			
1640	1AIC	T-33				
1645	9.25	10.0	10.9	11.9	12.5	13.0
1650	13.0	12.2	11.4	10.5	9.5	9.2
1655	.15	.5				
1660	.65	.65	.8	.8	.85	.9
1665	.9	.85	.8	.8	.75	.7
1670	10	0	0			
1675	1	0	0			
1680	.01	0	0			
1685	.01	0	0			
1690	100	0	0			
1695	10	0	0			
1700	.01	0	0			
1705	.10	0	0			
1710	0	0	0			
1715	.08	0	0			

TABLE 5.3 (Cont)

1720	1ASAC	TS2A
1725	9.25	10.0 10.9 11.9 12.5 13.0
1730	13.0	12.2 11.4 10.5 9.5 9.2
1735	.15	.5
1740	.65	.65 .8 .8 .85 .9
1745	.9	.85 .8 .8 .75 .7
1750	10	0 0
1755	1	0 0
1760	.01	0 0
1765	.01	0 0
1770	100	0 0
1775	10	0 0
1780	.01	0 0
1785	.10	0 0
1790	0	0 0
1795	.08	0 0
1800	1VT-10(T-1A)	T-1A
1805	9.25	10.0 10.9 11.9 12.5 13.0
1810	13.0	12.2 11.4 10.5 9.5 9.2
1815	.15	.5
1820	.65	.65 .8 .8 .85 .9
1825	.9	.85 .8 .8 .75 .7
1830	10	0 0
1835	1	0 0
1840	.01	0 0
1845	.01	0 0
1850	100	0 0
1855	10	0 0
1860	.01	0 0
1865	.10	0 0
1870	0	0 0
1875	.08	0 0
1880	1AIC-OTHER	T-33
1885	9.25	10.0 10.9 11.9 12.5 13.0
1890	13.0	12.2 11.4 10.5 9.5 9.2
1895	.15	.5
1900	.65	.65 .8 .8 .85 .9
1905	.9	.85 .8 .8 .75 .7
1910	10	0 0
1915	1	0 0
1920	.01	0 0
1925	.01	0 0
1930	100	0 0
1935	10	0 0
1940	.01	0 0
1945	.10	0 0
1950	0	0 0
1955	.08	0 0

TABLE 5.4
DATA FILE NACDA*

1011 TC45
1012 34.2,47.7,62.7,87.7
1013 24,48,144,96
1014 175,5,50
1015 5000,1,2
1016 1,1
1017 1000
1021 T-39
1022 25.8,32.8,47.8,72.8
1023 24,48,144,96
1024 175,5,50
1025 3000,1,2
1026 40,2.57
1027 150
1031 T-29
1032 31,31,69.2,90
1033 24,48,144,96
1034 175,5,50
1035 5000,1,2
1036 1,1
1037 1000
1041 C121
1042 116.2,123,143,163
1043 24,48,144,96
1044 525,30,200
1045 8000,2,1
1046 1,1
1047 1000
1051 T-33
1052 31,31,69.2,90
1053 24,48,144,96
1054 175,5,50
1055 5000,1,2
1056 1,1
1057 1000
1061 TS2A
1062 34,35,46,50
1063 15,24,144,60
1064 400,8,115
1065 8000,2,1
1066 2000,14.89
1067 179

TABLE 5.4 (Cont)

1071 T-1A
1072 38.8,38.8,74.7,90
1073 24,48,144,96
1074 375,8,110
1075 5000,1,2
1076 1,1
1077 1000
1081 ZERO
1082 0,0,0,0
1083 0,0,0,0
1084 0,0,0
1085 0,0,0
1086 0,0
1087 0
1091 ZERO
1092 0,0,0,0
1093 0,0,0,0
1094 0,0,0
1095 0,0,0
1096 0,0
1097 0
1101 ZERO
1102 0,0,0,0
1103 0,0,0,0
1104 0,0,0
1105 0,0,0
1106 0,0
1107 0
1111 ZERO
1112 0,0,0,0
1113 0,0,0,0
1114 0,0,0
1115 0,0,0
1116 0,0
1117 0
1121 ZERO
1122 0,0,0,0
1123 0,0,0,0
1124 0,0,0
1125 0,0,0
1126 0,0
1127 0

TABLE 5.4 (Cont)

1131 ZERO
1132 0,0,0,0
1133 0,0,0,0
1134 0,0,0
1135 0,0,0
1136 0,0
1137 0
1141 ZERO
1142 0,0,0,0
1143 0,0,0,0
1144 0,0,0
1145 0,0,0
1146 0,0
1147 0
1151 ZERO
1152 0,0,0,0
1153 0,0,0,0
1154 0,0,0
1155 0,0,0
1156 0,0
1157 0
1161 VF
1162 34.5,34.5,67.9,90
1163 15,24,144,60
1164 375,8,110
1165 0,2,1
1166 50300,1
1167 0
1171 VT
1172 35.5,35.5,68,90
1173 24,48,144,96
1174 375,8,110
1175 0,1,2
1176 180000,2
1177 0
1181 VR
1182 93.9,117.5,137.5,157.5
1183 6,12,144,24
1184 350,15,125
1185 0,2,2
1186 189000,2
1187 0

TABLE 5.4 (Cont)

1191 V0
1192 27.7,37.2,57.2,77.2
1193 24,48,144,96
1194 175,5,50
1195 0,1,2
1196 5000,2
1197 0
1201 VW
1202 40,50,65,90
1203 6,12,144,12
1204 900,50,275
1205 0,2,2
1206 360000,2
1207 0
1211 H
1212 52.2,44,66,110
1213 12,20,144,24
1214 250,8,75
1215 0,1,2
1216 18700,2
1217 0

VI. PROGRAMMING CHANGES

6.1 Changes were made in the Static IFRS programs for the following reasons:

- To include the NFO training system
- To make requested print changes
- To correct previously undetected errors
- To allow the Dynamic IFRS model to use some of the Static IFRS programs (LSR1 and LSR2).

6.2 In the following sections of this manual, those programs that have been changed are discussed. Either a listing of the program or a listing of the lines changed is given. In most cases the discussion of the change is all that is given, since little, if any, of the program logic and flow is affected. The original Phase II line numbers were preserved (i.e., programs were not resequenced) and thus the new lines can be readily identified.

VII. PROGRAM LSRM

7.1 The new version of program LSRM is given in Table 7.1. The changes are:

- Three NFO planning factor variables have been added to common (line number 190)
 - NFO flight instructor utilization (FUN)
 - NFO flight instructor hours per student (FIHN)
 - NFO flight instructor training period (FTRN)
- Question 1 (level of complexity) changed (in format number 700).

TABLE 7.1
PROGRAM LSRM LISTING

```

99C -- LSRM 8/19/70
100  COMMON IY,ISW,SW(2),IS(7)
120  COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
140  &WK(25),TOD(25),NAC(25),NAD(25),WX(25,3),GAS(25,3),AU(25,3),
160  &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AMO(25,3),
180  &ASH(25,3),AIH(25,3),AITR(25,3)
190  COMMON FUN(25,3),FIHN(25,3),FTRN(25,3)
200  COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
220  &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
240  COMMON IBC,IL,IP,N,ITEM,IDEI(51),BMAX(15)
260  KILL=0
280  IBC=0
300  IF(IS(7).NE.0)GO TO 200
320  5 PRINT 700
340  10 INPUT 701,LEVLSR
360  IF(LEVLSR)30,30,20
380  20 IF(LEVLSR-4)40,40,30
400  30 PRINT 702
420  GO TO 10
440  40 PRINT 703
460  50 INPUT,WPY,AFD
480  IF(WPY)90,90,60
500  60 IF(WPY-52.)70,70,90
520  70 IF(AFD)90,90,80
540  80 IF(AFD-365.)100,100,90
560  90 PRINT 702
580  GO TO 50
600  100 ISW=LEVLSR
620  SW(1)=AFD
640  SW(2)=WPY
660  200 LEVLSR=ISW
680  IF(LEVLSR.EQ.0)GO TO 5
700  AFD=SW(1)
720  WPY=SW(2)
740  IF(IS(7).EQ.2)LEVLSR=-LEVLSR
760  CHAIN"XLSR1**"
780  700 FORMAT(26H ENTER LEVEL OF COMPLEXITY/ " 1 LIMITED
800  & DATA INPUT/OUTPUT - NO ADJUSTMENTS OR MODIFICATIONS"/
820  &" 2 DETAILED INPUT/OUTPUT - OPTION TO CONSTRAIN LSR
822  & OUTPUT"/" 3 MODIFY PHASE DATA"/" 4 COMBINE
824  & OPTIONS 2 AND 3")
840  701 FORMAT(I1)
860  703 FORMAT(" ENTER TRAINING WEEKS PER YEAR"/" AND ANNUAL FLY-
880  &DAYS (XX.,XXX."))
900  702 FORMAT(23H INVALID REPLY - REPEAT)
920  END

```

VIII. PROGRAM LSRI

8.1 Program LSRI is listed in Table 8.1. The main changes in this program resulted from the addition of the NFO option and the entry from the Dynamic IFRS model to read the data files. The changes are confined to the main program (line 101 to 1441). Most of the changes are easily found since they have different line numbers. The original Phase II line numbers were preserved for the program and thus the new line numbers are easily identified.

8.2 The changes made were:

- Addition of NFO planning factors to the common area of storage. This had to be done in each subroutine (e.g., lines 191, 4971, 6031) and required 225 additional words of storage.
- Option to use pilot or NFO data files. This option is stored in ISWTCH(5) (lines 251 to 261). Then based on ISWTCH(5)
 - The proper data file must be opened and read (lines 263 to 321)
 - The proper planning factors must be read or skipped (lines 785 to 793)
- Option to use the simple constraints is asked at line 1042. If they are to be used, the program sets the indicator ISWTCH(4) equal to -1 and then transfers control to XLSR3.
- Lines 7365 to 7370 were added to ensure that blanks will be written on SAVBCS.
- Line 4521 was deleted.

TABLE 8.1
PROGRAM LSR1 LISTING

```

99C-- - - LSR1D FOR NFO 11/30/70
101    COMMON IYEAR,ISWTCH(10)
121    COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
141    &WK(25),TOD(25),NAC(25),NAD(25),WX(25,3),GAS(25,3),AU(25,3),
161    &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AMO(25,3),
181    &ASH(25,3),AIH(25,3),AITR(25,3)
191    COMMON FUN(25,3),FIHN(25,3),FTRN(25,3)
201    COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
221    &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
241    COMMON IBC,IL,IP,N,ITEM,IDEI(51),BMAX(15)
245    FILENAME INP
247    IF(IBC)1,1,100
249    1 IF(ISWTCH(5).NE.0)GO TO 3
251    PRINT 750
253    2 INPUT,ISWTCH(5)
255    3 IF(ISWTCH(5).EQ.1)GO TO 5
257    IF(ISWTCH(5).EQ.2)GO TO 6
259    IER=6 ; CALL ERROR
261    GO TO 2
263    5 INP="BASCAS"
265    GO TO 10
267    6 INP="NFOBASCA"
321    10 OPENFILE INP
341    REWIND INP
361    READ(INP,700)NO,NYES,ICOMMA,IBLANK
381    READ(INP,701)IL,BMAX
401    READ(INP,701)IL,NPH
421    IF(NPH)90,90,20
441    20 IF(NPH-25)30,30,90
461    30 DO 40 I=1,NPH
481    READ(INP,703)(NAME(I,J),J=1,3),(NPLA(I,J),J=1,3),
501    &(NFUEL(I,J),J=1,3),(NACD(I,J),J=1,3)
521    READ(INP,701)IL,NAC(I),NAD(I)
541    READ(INP,701)IL,ATP(I),WK(I),TOD(I)
561    READ(INP,701)IL,(WX(I,J),J=1,3)
581    READ(INP,701)IL,(GAS(I,J),J=1,3)
601    READ(INP,701)IL,(AU(I,J),J=1,3)
621    READ(INP,701)IL,(FU(I,J),J=1,3)
641    READ(INP,701)IL,(SFH(I,J),J=1,3)
661    READ(INP,701)IL,(FIH(I,J),J=1,3)
681    READ(INP,701)IL,(FTR(I,J),J=1,3)
701    READ(INP,701)IL,(FSO(I,J),J=1,3)
721    READ(INP,701)IL,(AMO(I,J),J=1,3)
741    READ(INP,701)IL,(ASH(I,J),J=1,3)
761    READ(INP,701)IL,(AIH(I,J),J=1,3)
781    READ(INP,701)IL,(AITR(I,J),J=1,3)
785    IF(ISWTCH(5).EQ.1)GO TO 38

```

TABLE 8.1 (Cont)

```

787C - - -READ NFO VALUES
789      READ(INP,701)IL,(FUN(I,J),J=1,3)
791      READ(INP,701)IL,(FIHN(I,J),J=1,3)
793      READ(INP,701)IL,(FTRN(I,J),J=1,3)
801      38 IPH=I
821      CALL CHECKP
841      40 CONTINUE
861      IF(NPH)90,90,49
862      49 IF(LEVLSR.EQ.1)GO TO 80
881      50 PRINT 705
901      CALL NOYES
921      IF(NY)80,80,60
941      60 CALL PHASES
961      KILL=0
981      80 CLOSEFILE INP
1001      IF(LEVLSR-2)87,87,83
1021      83 CALL MODIFY
1041      87 IF(ISWTCH(4).EQ.(-1))GO TO 89
1042      PRINT 760
1043      CALL NOYES
1045      IF(NY)89,89,88
1047      88 ISWTCH(4)=-1
1049      CHAIN"XLSR3**"
1051      89 CHAIN"XLSR2**"
1061      90 NPH=0
1081      IER=3
1101      CALL ERROR
1121      LEVLSR=4
1141      PRINT 706
1161      GO TO 80
1181      100 PRINT 707
1201      CALL NOYES
1221      IF(NY)110,110,105
1241      105 IBC=0
1261      GO TO 3
1281      110 INP="SAVBCS"
1301      GO TO 10
1321      700 FORMAT(5X,3A1,A4)
1341      701 FORMAT(V)
1361      703 FORMAT(5X,12A4)
1381      705 FORMAT(" PRINT LIST OF TRAINING PHASES (Y,N)") 
1401      706 FORMAT(31H LSR COMPLEXITY OPTION SET TO 4)
1421      707 FORMAT(24H RESTORE BASE CASE (Y,N))
1425      750 FORMAT(" ENTER TRAINING FLOW NO."/"
1426      &" 1 FOR PILOT, 2 FOR NFO. (X)") 
1432      760 FORMAT(" TRY SIMPLE CONSTRAINTS (Y,N)") 
1441      END

```

TABLE 8.1 (Cont)

a. Subroutine MODIFY

```

1461      SUBROUTINE MODIFY
1481      COMMON IYEAR,ISWTCH(10)
1501      COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
1521      &WX(25),TOD(25),NAC(25),NAD(25),WX(25,3),GAS(25,3),AU(25,3),
1541      &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AMO(25,3),
1561      &ASH(25,3),AIH(25,3),AITR(25,3)
1571      COMMON FUN(25,3),FIHN(25,3),FTRN(25,3)
1581      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
1601      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
1621      COMMON IBC,IL,IP,N,ITEM,IDEI(51),BMAX(15)
1641      FILENAME OUT
1661      OUT="SAVBCS"
1681      IS=0
1701      IF(NPH)90,90,10
1721      10 PRINT 700
1741      CALL NOYES
1761      IF(NY)120,120,20
1781      20 PRINT 701
1801      CALL NOYES
1821      IF(NY)40,40,30
1841      30 CALL DELETE
1861      40 PRINT 702
1881      CALL NOYES
1901      IF(NY)50,50,70
1921      50 IF(NPH)60,60,100
1941      60 IER=3
1961      NPH=0
1981      CALL ERROR
2001      70 IF(NPH-25)90,80,80
2021      80 IER=4
2041      CALL ERROR
2061      GO TO 20
2081      90 NPH=NPH+1
2101      IPH=NPH
2121      IS=1
2141      CALL NEWPHA
2161      GO TO 40
2181      100 IF(IS)120,120,110
2201      110 CALL PHASES
2221      120 PRINT 715
2241      CALL NOYES
2261      IF(NY)500,500,125
2281      125 PRINT 703
2301      CALL NOYES

```

TABLE 8.1 (Cont)

a. Subroutine MODIFY (Cont)

```

2321      IF(NY)180,180,130
2341      130 CALL EDIT1
2361      IF(N)150,150,160
2381      150 IER=2
2401      CALL ERROR
2421      GO TO 180
2441      160 DO 170 I=1,N,2
2461      IPH=IDEL(I)
2481      DO 170 J=1,22
2501      IL=J-1
2521      CALL LIST
2541      170 CONTINUE
2561      180 PRINT 704
2581      CALL NOYES
2601      IF(NY)120,120,190
2621      190 PRINT 705
2641      200 INPUT 706,IPH,IC1,IL,IC2,IP
2661      IF(IPH)210,120,220
2681      210 IER=6
2701      215 CALL ERROR
2721      GO TO 200
2741      220 IF(IPH-NPH)230,230,210
2761      230 IF(IC1-ICOMMA)240,250,240
2781      240 IER=1
2801      GO TO 215
2821      250 IF(IL)210,210,260
2841      260 IF(IL-5)270,290,330
2861      270 CALL UPDATE
2881      CALL LIST
2901      280 PRINT 707
2921      GO TO 200
2941      290 K=NAC(IPH)
2961      ILB=7
2981      IUB=17
3001      CALL UPDATE
3021      CALL LIST
3041      N=NAC(IPH)
3061      300 IF(K-N)310,280,280
3081      310 K=K+1
3101      DO 325 I=ILB,IUB
3121      IL=I
3141      DO 320 J=K,N
3161      IP=J

```

TABLE 8.1 (Cont)

a. Subroutine MODIFY (Cont)

```

3181 320 CALL UPDATE
3201 325 CALL LIST
3221 GO TO 280
3241 330 IF(IL-6)340,340,350
3261 340 K=NAD(IPH)
3281 ILB=18
3301 IUB=21
3321 CALL UPDATE
3341 CALL LIST
3361 N=NAD(IPH)
3381 GO TO 300
3401 350 N=NAC(IPH)
3421 IF(IL-17)360,360,390
3441 360 IF(IP)210,210,380
3461 380 IF(IP-N)270,270,210
3481 390 N=NAD(IPH)
3501 IF(IL-21)360,360,210
3521 500 DO 510 I=1,NPH
3541 IPH=I
3561 510 CALL CHECKP
3581 IF(NPH)90,90,530
3601 530 PRINT 708
3621 CALL NOYES
3641 IF(NY)560,560,540
3661 540 IBC=1
3681 OPENFILE OUT
3701 REWIND OUT
3721 WRITE(OUT,709)NO,NYES,ICOMMA,IBLANK
3741 WRITE(OUT,710)BMAX
3761 WRITE(OUT,711)NPH
3781 IC=1025
3801 DO 550 I=1,NPH
3821 IC=IC+5
3841 WRITE(OUT,712)IC,(NAME(I,J),J=1,3),(NPLA(I,J),J=1,3),
&(NFUEL(I,J),J=1,3),(NACD(I,J),J=1,3)
3861 IC=IC+5
3881 WRITE(OUT,713)IC,NAC(I),NAD(I)
3901 IC=IC+5
3921 WRITE(OUT,714)IC,ATP(I),WK(I),TOD(I)
3941 IC=IC+5
3961 WRITE(OUT,714)IC,(WX(I,J),J=1,3)
3981 IC=IC+5
4001 WRITE(OUT,714)IC,(GAS(I,J),J=1,3)
4021

```

TABLE 8.1 (Cont)

a. Subroutine MODIFY (Cont)

```

4041    IC=IC+5
4061    WRITE(OUT,714)IC,(AU(I,J),J=1,3)
4081    IC=IC+5
4101    WRITE(OUT,714)IC,(FU(I,J),J=1,3)
4121    IC=IC+5
4141    WRITE(OUT,714)IC,(SFH(I,J),J=1,3)
4161    IC=IC+5
4181    WRITE(OUT,714)IC,(FIH(I,J),J=1,3)
4201    IC=IC+5
4221    WRITE(OUT,714)IC,(FTR(I,J),J=1,3)
4241    IC=IC+5
4261    WRITE(OUT,714)IC,(FSO(I,J),J=1,3)
4281    IC=IC+5
4301    WRITE(OUT,714)IC,(AM0(I,J),J=1,3)
4321    IC=IC+5
4341    WRITE(OUT,714)IC,(ASH(I,J),J=1,3)
4361    IC=IC+5
4381    WRITE(OUT,714)IC,(AIH(I,J),J=1,3)
4401    IC=IC+5
4421    WRITE(OUT,714)IC,(AITR(I,J),J=1,3)
4441    550 CONTINUE
4461    CLOSEFILE OUT
4481    560 RETURN
4501    700 FORMAT(//33H ANY DELETIONS OR ADDITIONS (Y,N))
4541    701 FORMAT(20H ANY DELETIONS (Y,N))
4561    702 FORMAT(22H ADD A NEW PHASE (Y,N))
4581    703 FORMAT(21H ANY DATA LISTS (Y,N))
4601    704 FORMAT(24H ANY MODIFICATIONS (Y,N))
4621    705 FORMAT(41H ENTER PHASE, FIELD AND ELEMENT (XX,XX,X)/44H PHASE
4641      & = 00 IMPLIES NO FURTHER MODIFICATIONS/" NOTE TWO DIGIT
4661      &FIELDS MUST CONTAIN TWO DIGITS")
4681    706 FORMAT(2(I2,A1),I1)
4701    707 FORMAT(5H NEXT)
4721    708 FORMAT(30H SAVE MODIFIED DATA BASE (Y,N))
4741    709 FORMAT(5H1000 ,3A1,A4)
4761    710 FORMAT(5H1005 ,4E13.6/5H1010 ,4E13.6/5H1015 ,4E13.6/
4781      &5H1020 ,4E13.6)
4801    711 FORMAT(5H1025 ,I3)
4821    712 FORMAT(I4,1X,12A4)
4841    713 FORMAT(I4,1X,2I3)
4861    714 FORMAT(I4,1X,3E13.6)
4881    715 FORMAT(" ANY LISTS OR MODIFICATIONS (Y,N)"')
4901    END

```

TABLE 8.1 (Cont)

b. Subroutine CHECKP

```

4921      SUBROUTINE CHECKP
4941      COMMON IYEAR,ISWTCH(10)
4961      COMMON IAD(25,3,4),DF1(25,3),NAC(25),NAD(25),DF2(25,3,12)
4971      COMMON DF3(25,3,3)
4981      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
5001      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
5021      COMMON IBC,IL,IP,N,ITEM,IDEI(51),BMAX(15)
5041      DO 20 I=1,3
5061      IL=I-1
5081      ITEM=I
5101      FID=DF1(IPH,I)
5121      CALL DTEST
5141      20 DF1(IPH,I)=FID
5161      N=NAC(IPH)
5181      IF(N)40,80,30
5201      30 IF(N-3)50,50,40
5221      40 IL=0
5241      CALL LIST
5261      IL=5
5281      CALL LIST
5301      NAC(IPH)=0
5321      IER=5
5341      CALL ERROR
5361      GO TO 80
5381      50 DO 70 I=1,9
5401      IL=8+I
5421      ITEM=3+I
5441      DO 70 J=1,N
5461      FID=DF2(IPH,J,I)
5481      CALL DTEST
5501      70 DF2(IPH,J,I)=FID
5521      80 N=NAD(IPH)
5541      IF(N)100,140,90
5561      90 IF(N-3)110,110,100
5581      100 IL=0
5601      CALL LIST
5621      IL=6
5641      CALL LIST
5661      NAD(IPH)=0
5681      IER=5
5701      CALL ERROR
5721      GO TO 140
5741      110 DO 130 I=10,12
5761      IL=9+I
5781      ITEM=3+I
5801      DO 130 J=1,N
5821      FID=DF2(IPH,J,I)
5841      CALL DTEST
5861      130 DF2(IPH,J,I)=FID
5881      140 RETURN
5901      END

```

TABLE 8.1 (Cont)
c. Subroutine NOYES

```
5921      SUBROUTINE NOYES
5941      COMMON IYEAR,ISWITCH(10)
5961      COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
5981      &WK(25),TOD(25),NAC(25),NAD(25),WX(25,3),GAS(25,3),AU(25,3),
6001      &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AMO(25,3),
6021      &ASH(25,3),AIH(25,3),AITR(25,3)
6031      COMMON DF3(25,3,3)
6041      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
6061      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
6081      COMMON IBC,IL,IP,N,ITEM,IDEI(51),BMAX(15)
6101      10 I=1
6121      INPUT 700,NY
6141      IF(NO-NY)30,20,30
6161      20 NY=-1*I
6181      RETURN
6201      30 I=-1
6221      IF(NYES-NY)40,20,40
6241      40 IER=6
6261      CALL ERROR
6281      GO TO 10
6301      700 FORMAT(A1)
6321      END
```

TABLE 8.1 (Cont)

d. Subroutine DELETE

```

6341      SUBROUTINE DELETE
6361      COMMON IYEAR,ISWTCH(10)
6381      COMMON NAME(25,3),IAD(25,3,3),DF1(25,3),IDF1(25,2),
6401      &DF2(25,3,12),DF3(25,3,3)
6421      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
6441      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
6461      COMMON IBC,IL,IP,N,ITEM,IDELEM(51),BMAX(15)
6481      CALL EDIT1
6501      IF(N)10,10,20
6521      10 IER=2
6541      CALL ERROR
6561      GO TO 150
6581      20 M=NPH
6601      DO 140 I=1,M
6621      IPH=M+1-I
6641      DO 30 J=1,N,2
6661      IF(IPH-IDELEM(J))30,40,30
6681      30 CONTINUE
6701      GO TO 140
6721      40 PRINT 700,IPH,(NAME(IPH,J),J=1,3)
6741      KILL=KILL+1
6761      KILLS(KILL)=IPH
6781      IF(IPH-NPH)50,100,100
6801      50 NPH1=NPH-1
6821      DO 90 K=IPH,NPH1
6841      KK=K+1
6861      DO 60 J=1,3
6881      NAME(K,J)=NAME(KK,J)
6901      DO 60 L=1,3
6921      60 IAD(K,J,L)=IAD(KK,J,L)
6941      DO 70 L=1,3
6961      70 DF1(K,L)=DF1(KK,L)
6981      DO 80 L=1,2
7001      80 IDF1(K,L)=IDF1(KK,L)
7021      DO 90 L=1,12
7041      DO 90 J=1,3
7061      90 DF2(K,J,L)=DF2(KK,J,L)
7081      100 NPH=NPH-1
7101      140 CONTINUE
7121      CALL PHASES
7141      150 RETURN
7161      700 FORMAT(13H DELETE PHASE,I3,1X,3A4)
7181      END

```

TABLE 8.1 (Cont)

e. Subroutine NEWPHA

```

7201      SUBROUTINE NEWPHA
7221      COMMON IYEAR,ISWTCH(10)
7241      COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
7261      &WK(25),TOD(25),NAC(25),NAD(25),WX(25,3),GAS(25,3),AU(25,3),
7281      &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AM0(25,3),
7301      &ASH(25,3),AIH(25,3),AITR(25,3)
7311      COMMON DF3(25,3,3)
7321      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
7341      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
7361      COMMON IBC,IL,IP,N,ITEM,IDEI(51),BMAX(15)
7365      ALPHA NPLA,NFUEL,NACD
7367      DO 5 I=1,3
7368      NPLA(IPH,I)="      "
7369      NFUEL(IPH,I)="      "
7370      5 NACD(IPH,I)="      "
7381      DO 10 I=1,6
7401      IL=I
7421      CALL UPDATE
7441      10 CONTINUE
7461      N=NAC(IPH)
7481      IF(N)40,40,20
7501      20 DO 30 I=7,17
7521      IL=I
7541      DO 30 J=1,N
7561      IP=J
7581      CALL UPDATE
7601      30 CONTINUE
7621      40 N=NAD(IPH)
7641      IF(N)70,70,50
7661      50 DO 60 I=18,21
7681      IL=I
7701      DO 60 J=1,N
7721      IP=J
7741      CALL UPDATE
7761      60 CONTINUE
7781      70 DO 80 I=1,22
7801      IL=I-1
7821      CALL LIST
7841      80 CONTINUE
7861      RETURN
7881      END

```

TABLE 8.1 (Cont)

f. Subroutine EDIT1

```

7901      SUBROUTINE EDIT1
7921      COMMON IYEAR,ISWTCH(10)
7941      COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
7961      &WK(25),TOD(25),NAC(25),NAD(25),WX(25,3),GAS(25,3),AU(25,3),
7981      &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AM0(25,3),
8001      &ASH(25,3),AIH(25,3),AITR(25,3)
8011      COMMON DF3(25,3,3)
8021      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
8041      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
8061      COMMON IBC,IL,IP,N,ITEM,IDELEM(51),BMAX(15)
8081      PRINT 700
8101      10 INPUT 701,IDELEM
8121      IDELEM(51)=0
8141      DO 80 I=1,25
8161      N=2*I-1
8181      IF(IDELEM(N)>30,90,20
8201      20 IF(IDELEM(N)-NPH>50,50,30
8221      30 IER=6
8241      40 CALL ERROR
8261      GO TO 10
8281      50 IF(I-1>80,80,60
8301      60 IF(IDELEM(N-1)-ICOMMA)>70,80,70
8321      70 IER=1
8341      GO TO 40
8361      80 CONTINUE
8381      90 N=N-2
8401      RETURN
8421      700 FORMAT(" ENTER PHASE NUMBERS (XX,XX, . .)"/" TWO
8441      &DIGITS ARE REQUIRED FOR EACH PHASE"/)
8461      701 FORMAT(25(I2,A1),I2)
8481      END

```

AD-A037 051 OPERATIONS RESEARCH INC SILVER SPRING MD F/G 15/7
THE INTEGRATED FACILITIES REQUIREMENTS STUDY (IFRS) PHASE III. --ETC(U)
MAR 71 T N KYLE, R J CRAIG, M C FISK N00025-67-C-0031
UNCLASSIFIED ORI-TR-645-VOL-2 NL

2 of 2
ADA037051




TABLE 8.1 (Cont)

g. Subroutine LIST

```

8501      SUBROUTINE LIST
8521      COMMON IYEAR,ISWTCH(10)
8541      COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
8561      &WK(25),TOD(25),NAC(25),NAD(25),WX(25,3),GAS(25,3),AU(25,3),
8581      &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AM0(25,3),
8601      &ASH(25,3),AIH(25,3),AITR(25,3)
8611      COMMON FUN(25,3),FIHN(25,3),FTRN(25,3)
8621      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
8641      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
8661      COMMON IBC,IL,IP,N,ITEM,IDEI(51),BMAX(15)
8681      NACC=NAC(IPH)
8701      NADD=NAD(IPH)
8721      IF(IL>100,100,110
8741      100 PRINT 700,IPH
8761      GO TO 200
8781      110 IF(IL-7)120,140,130
8801      120 GO TO (1,2,3,4,5,6),IL
8821      1 PRINT 701,(NAME(IPH,J),J=1,3)
8841      GO TO 200
8861      2 PRINT 702,ATP(IPH)
8881      GO TO 200
8901      3 PRINT 703,WK(IPH)
8921      GO TO 200
8941      4 PRINT 704, TOD(IPH)
8961      GO TO 200
8981      5 PRINT 705,NACC
9001      GO TO 200
9021      6 PRINT 706,NADD
9041      GO TO 200
9061      130 IF(IL-17)140,140,160
9081      140 K=IL-6
9101      IF(NACC)200,200,150
9121      150 GO TO (7,8,9,10,11,12,13,14,15,16,17),K
9141      7 PRINT 707,(NPLA(IPH,J),J=1,NACC)
9161      GO TO 200
9181      8 PRINT 708,(NFUEL(IPH,J),J=1,NACC)
9201      GO TO 200
9221      9 PRINT 709,(WX(IPH,J),J=1,NACC)
9241      GO TO 200
9261      10 PRINT 710,(GAS(IPH,J),J=1,NACC)
9281      GO TO 200
9301      11 PRINT 711,(AU(IPH,J),J=1,NACC)
9321      GO TO 200
9341      12 PRINT 712,(FU(IPH,J),J=1,NACC)
9361      GO TO 200

```

TABLE 8.1 (Cont)

g. Subroutine LIST (Cont)

```

9381 13 PRINT 713,(SFH(IPH,J),J=1,NACC)
9401 GO TO 200
9421 14 PRINT 714,(FIH(IPH,J),J=1,NACC)
9441 GO TO 200
9461 15 PRINT 715,(FTR(IPH,J),J=1,NACC)
9481 GO TO 200
9501 16 PRINT 716,(FSO(IPH,J),J=1,NACC)
9521 GO TO 200
9541 17 PRINT 717,(AMO(IPH,J),J=1,NACC)
9561 GO TO 200
9581 160 K=IL-17
9601 IF(NADD)200,200,170
9621 170 GO TO (18,19,20,21),K
9641 18 PRINT 718,(NACD(IPH,J),J=1,NADD)
9661 GO TO 200
9681 19 PRINT 719,(ASH(IPH,J),J=1,NADD)
9701 GO TO 200
9721 20 PRINT 720,(AIH(IPH,J),J=1,NADD)
9741 GO TO 200
9761 21 PRINT 721,(AITR(IPH,J),J=1,NADD)
9781 200 RETURN
9801 700 FORMAT(1/29H DATA LIST FOR TRAINING PHASE,I3)
9821 701 FORMAT(15H 01 PHASE NAME ,3A4)
9841 702 FORMAT(19H 02 ATTRITION POINT,F7.4)
9861 703 FORMAT(18H 03 PHASE DURATION,F6.2,6H WEEKS)
9881 704 FORMAT(16H 04 TOUR OF DUTY,F6.2,7H MONTHS)
9901 705 FORMAT(21H 05 AIRCRAFT TYPES ,I2)
9921 706 FORMAT(21H 06 INSTRUCTION TYPES,I2)
9941 707 FORMAT(24H 07 AIRCRAFT TYPES ,3(1X,A4,2X))
9961 708 FORMAT(13H 08 FUEL TYPE,11X,3(1X,A4,2X))
9981 709 FORMAT(23H 09 FLYABLE WEATHER ,3F7.3)
10001 710 FORMAT(22H 10 FUEL CONSUMPTION ,3F7.2)
10021 711 FORMAT(22H 11 A/C UTILIZATION ,3F7.2)
10041 712 FORMAT(22H 12 INSTRUCTOR UTIL. ,3F7.2)
10061 713 FORMAT(17H 13 FLIGHT HOURS ,5X,3F7.2)
10081 714 FORMAT(22H 14 FLIGHT INST. HOURS,3F7.2)
10101 715 FORMAT(22H 15 INST. TR. PERIOD ,3F7.2)
10121 716 FORMAT(22H 16 LSO RATIO ,3F7.2)
10141 717 FORMAT(22H 17 MAINTENANCE MEN ,3F7.2)
10161 718 FORMAT(23H 18 ACADEMIC INSTRUCT. ,3(2X,A4,1X))
10181 719 FORMAT(17H 19 STUDENT HOURS,5X,3F7.2)
10201 720 FORMAT(22H 20 INSTRUCTOR HOURS ,3F7.2)
10221 721 FORMAT(22H 21 INST. TR. PERIOD ,3F7.2)
10241 END

```

TABLE 8.1 (Cont)

h. Subroutine UPDATE

```

10261      SUBROUTINE UPDATE
10281      COMMON SWITCH(11)
10301      COMMON NAME(25,3),IAD(25,3,3),DF1(25,3),IDF1(25,2),
10321      &DF2(25,3,12),DF3(25,3,3)
10341      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
10361      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
10381      COMMON IBC,IL,IP,N,ITEM,IDEI(51),BMAX(15)
10401      IER=0
10421      IF(IL-1)20,20,130
10441      20 PRINT 700,IPH
10461      INPUT 701,(NAME(IPH,J),J=1,3)
10481      GO TO 500
10501      130 IF(IL-4)140,140,170
10521      140 K=IL-1
10541      PRINT 704,IL
10561      INPUT,FID
10581      ITEM=K
10601      DF1(IPH,K)=FID
10621      CALL DTEST
10641      DF1(IPH,K)=FID
10661      GO TO 500
10681      170 IF(IL-6)180,180,200
10701      180 K=IL-4
10721      PRINT 706,IL
10741      INPUT,IID
10761      IDF1(IPH,K)=IID
10781      ITEM=16
10801      CALL DTEST
10821      IDF1(IPH,K)=IID
10841      GO TO 500
10861      200 IF(IL-17)210,210,310
10881      210 N=IDF1(IPH,1)
10901      IF(IL-8)220,220,260
10921      220 K=IL-6
10941      230 IF(IP-N)250,250,500
10961      250 PRINT 707,IL,IP
10981      INPUT 701,IAD(IPH,IP,K)
11001      GO TO 500
11021      260 K=IL-8
11041      ITEM=IL-5
11061      270 IF(IP-N)280,280,500
11081      280 PRINT 709,IL,IP
11101      INPUT,FID

```

TABLE 8.1 (Cont)

h. Subroutine UPDATE (Cont)

```
11121      DF2(IPH,IP,K)=FID
11141      CALL DTEST
11161      DF2(IPH,IP,K)=FID
11181      GO TO 500
11201      310 IF(IL-21)320,320,500
11221      320 N=IDF1(IPH,2)
11241      IF(IL-18)340,330,340
11261      330 K=3
11281      GO TO 230
11301      340 K=IL-9
11321      ITEM=IL-6
11341      GO TO 270
11361      500 RETURN
11381      700 FORMAT(20H ENTER NAME OF PHASE,I3,15H (AAAAAAAAAAAA))
11401      701 FORMAT(3A4)
11421      702 FORMAT(41H ENTER FOLLOWING PHASE NUMBERS (XX,XX,XX))
11441      704 FORMAT(17H ENTER DATA FIELD,I3,10H (XXXX.XX))
11461      706 FORMAT(17H ENTER DATA FIELD,I3,4H (X))
11481      707 FORMAT(17H ENTER DATA FIELD,I3,1H-,I1,7H (AAAA))
11501      709 FORMAT(17H ENTER DATA FIELD,I3,1H-,I1,11H (XXX.XXXX))
11521      END
```

TABLE 8.1 (Cont)

i. Subroutine DTEST

```
11541      SUBROUTINE DTEST
11561      COMMON IYEAR,ISWTCH(10)
11581      COMMON IAD(25,3,4),DF1(25,3),IDF1(25,2),DF2(25,3,12)
11591      COMMON DF3(25,3,3)
11601      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
11621      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
11641      COMMON IBC,IL,IP,N,ITEM,IDEI(51),BMAX(15)
11661      IF(ITEM-16)50,90,500
11681      50 IF(FID)70,500,60
11701      60 IF(FID-BMAX(ITEM))500,500,70
11721      70 K=IL
11741      IL=0
11761      CALL LIST
11781      IL=K
11801      CALL LIST
11821      PRINT 700,FID,BMAX(ITEM)
11841      CALL NOYES
11861      IF(NY)80,80,500
11881      80 PRINT 701
11901      INPUT,FID
11921      GO TO 50
11941      90 IF(IID)110,500,100
11961      100 IF(IID-3)500,500,110
11981      110 K=IL
12001      IL=0
12021      CALL LIST
12041      IL=K
12061      CALL LIST
12081      PRINT 703
12101      INPUT,IID
12121      GO TO 90
12141      500 RETURN
12161      700 FORMAT(11H DATA POINT,F9.4,23H EXCEEDS RANGE OF 0.0 -,F9.4/13
12181      &H ACCEPT (Y,N))
12201      701 FORMAT(31H ENTER CORRECT VALUE (XXX.XXXX))
12221      703 FORMAT(40H INVALID VALUE - ENTER CORRECT VALUE (X))
12241      END
```

TABLE 8.1 (Cont)

j. Subroutine PHASES

```

12261      SUBROUTINE PHASES
12281      COMMON IYEAR,ISWTCH(10)
12301      COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
12321      &WK(25),TOD(25),NAC(25),NAD(25),WX(25,3),GAS(25,3),AU(25,3),
12341      &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AMO(25,3),
12361      &ASH(25,3),AIH(25,3),AITR(25,3)
12371      COMMON DF3(25,3,3)
12381      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
12401      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
12421      COMMON IBC,IL,IP,N,ITEM,IDEI(51),BMAX(15)
12441      PRINT 700
12461      IF(NPH)40,40,10
12481      10 DO 20 I=1,NPH
12501      20 PRINT 701,I,(NAME(I,J),J=1,3)
12521      30 PRINT 703
12541      RETURN
12561      40 PRINT 702
12581      GO TO 30
12601      700 FORMAT(//16H TRAINING PHASES/15H NO. PHASE NAME)
12621      701 FORMAT(13,2X,3A4)
12641      702 FORMAT(10H NO PHASES/)
12661      703 FORMAT(//" ")
12681      END

```

TABLE 8.1 (Cont)

k. Subroutine ERROR

```

12701      SUBROUTINE ERROR
12721      COMMON IYEAR,ISWTC(10)
12741      COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
12761      &WK(25),TOD(25),NAC(25),NAD(25),WK(25,3),GAS(25,3),AU(25,3),
12781      &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AMO(25,3),
12801      &ASH(25,3),AIH(25,3),AITR(25,3)
12811      COMMON DF3(25,3,3)
12821      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSE,IPH,WPY,
12841      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
12861      COMMON IBC,IL,IP,N,ITEM,IDEI(51),BMAX(15)
12881      GO TO (2,3,4,5,6,7),IER
12901      2 PRINT 702
12921      GO TO 100
12941      3 PRINT 703
12961      GO TO 100
12981      4 PRINT 704
13001      GO TO 100
13021      5 PRINT 705
13041      GO TO 100
13061      6 PRINT 706
13081      GO TO 100
13101      7 PRINT 707
13121      100 RETURN
13141      702 FORMAT(21H COMMA MISSING REPEAT)
13161      703 FORMAT(30H PREVIOUS OPTION NOT PROCESSED)
13181      704 FORMAT(22H NO PHASES IN PIPELINE)
13201      705 FORMAT(22H 25 PHASES IN PIPELINE)
13221      706 FORMAT(37H MAX. FOR FIELD IS 3 - FIELD SET TO 0)
13241      707 FORMAT(22H INVALID DATA - REPEAT)
13261      END

```

IX. PROGRAM LSR2

9.1 Program LSR2 is listed in Table 9.1. Additional changes in this section were made because of the new print options. Other changes were made to accommodate the NFO training system and the Dynamic IFRS entry.

9.2 The major changes are:

- NFO planning factors were added to common (225 words). This is seen in line 102 where the dimension on SPACE was changed from 25 x 50 to 25 x 59.
- To accommodate six following training phases from a given phase, all loops and statements that include the variables IPHASE and IDATA had to be modified.
- A new subroutine NFODYN was added (lines 13122 to 13302). Its main purpose is to open the proper (NFO or pilot) pipeline data file. It also sets the variable IDYN to indicate if the program is to transfer control to DYNAM* or XLSR3*.
- If this is a Dynamic IFRS run, the program merely reads the pipeline data file and checks it for validity. If it is a level of complexity 3 Dynamic run, the user can modify the pipelines and this modification will be saved in PIPES for later access by the Dynamic IFRS model in PTRS1.

- The user can now skip the printout of student information for each pipeline. (The instruction is printed in format 800.) This is handled in subroutine PIPENT with the new argument IDLET (line number 662).
- Program LSR2 now calculates the student load and prints it (see lines 1343, 1344, 1362, 1562, and 1563). This was previously done in LSR3.
- Line 723 now sets the student output to zero if it is less than 0.8 for a given phase. This now lets the user enter 0.1 as a required PTR and no requirements will be calculated on this small student output.
- Lines 3462, 3582, 3583, and 5882 were changed to indicate that six following training phases are permitted.
- Changes to subroutine PIPENT (starts at line number 7202) allow options to control output.
- Line 11102 was deleted since it was not used.

TABLE 9.1
PROGRAM LSR2 LISTING

```
99C-- LSE2M 8/19/70 -- DLSR2 12/03/70 --
102 COMMON IYEAR,ISWTCH(10),NAME(25,3),SPACE(25,59)
122 COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
142 &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
162 COMMON NPHP,IPHASE(25,7),ATR(25),PNAME(3),IPRT,NPSW,LSOSW
182 &,IDATA(11),IC
202 FILENAME PIPE
205 CALL NFODYN(PIPE,ISWTCH,IDYN)
207 ISWTCH(4)=KILL
222 DO 3 I=2,10,2
242 3 IDATA(I)=ICOMMA
262 LSOSW=0
302 DO 10 I=1,NPH
322 TSOUT(I)=0.0
342 10 SI(I)=0.0
344 ISAVE=0
345 IF(LEVLSR.NE.1)GO TO 18
346 IPRT=-1
347 GO TO 40
362 18 PRINT 700
382 CALL NOYES
402 IPRT=NY
442 IF(LEVLSR-3)40,20,20
462 20 IF(IDYN.EQ.0)GO TO 25
464 IF( (IDYN.EQ.1).AND.(LEVLSR.EQ.3) )GO TO 30
466 GO TO 40
468 25 PRINT 708
482 CALL NOYES
```

TABLE 9.1 (Cont)

```

502      IF(NY)40,40,30
522      30  ISAVE=1
542      OPENFILE "PIPES"
562      REWIND "PIPES"
582      LI=1000
592      40  NPSW=1
602      IF(IDYN.EQ.1)GO TO 100
603      IF(LEVLSR.NE.1)PRINT 800
604      LEVT=LEVLSR
622      100 CALL PIPINP(PIPE)
642      IF(NPSW)200,100,110
645      110 IF(IDYN.EQ.1)GO TO 128
662      CALL PIPENT(IDLET)
663      IF(IDLET.EQ.2)GO TO 100
664      IF(IDLET.EQ.1)LEVLSR=1
682      IF(LEVLSR.NE.1)PRINT 701,PNAME
702      DO 120 I=1,NPHP
722      K=IPHASE(I,7)
723      IF(SO(K).LT.0.8)SO(K)=0.0
742      SIN=SO(K)/(1.0-ATR(K))
762      ATL=SIN-SO(K)
782      TSOUT(K)=TSOUT(K)+SO(K)
802      SI(K)=SI(K)+SIN
803      IF(LEVLSR.EQ.1)GO TO 120
804      PRINT 702,(NAME(K,J),J=1,3),SIN,SO(K),ATL
822      120 CONTINUE
823      LEVLSR=LEVT
842      IF(LEVLSR.NE.1)PRINT 707
862      128 IF(ISAVE)100,100,130
882      130 WRITE("PIPES",709)LI,NPHP,PNAME
902      LI=LI+5
922      DO 140 I=1,NPHP
942      K=IPHASE(I,7)
962      WRITE("PIPES",710)LI,(IPHASE(I,J),J=1,7),ATR(K)
982      KILL=0
1002     140 LI=LI+5
1022     GO TO 100

```

TABLE 9.1 (Cont)

```

1042 200 IF(LEVLSR-2)300,300,210
1062 210 PRINT 703
1082      CALL NOYES
1102      IF(NY)300,300,220
1122 220 PRINT 704
1142      INPUT 705,PNAME
1162      NPHP=0
1182      CALL MPIPE
1202      IF(NPHP)210,210,110
1222 300 CLOSEFILE PIPE
1242      IF(ISAVE)320,320,310
1262 310 WRITE("PIPES",709)LI,NPSW,PNAME
1282      CLOSEFILE "PIPES"
1302 320 IF(IDYN.EQ.1)CHAIN"DYNAM*"
1312      PRINT 706
1322      DO 400 I=1,NPH
1342      ATL=SI(I)-TSOUT(I)
1343      A=SPACE(I,10)
1344      SL=(SI(I)*A+TSOUT(I)*(1.-A))*SPACE(I,11)/WPY
1362 400 PRINT 702,(NAME(I,J),J=1,3),SI(I),TSOUT(I),ATL,SL
1382      CHAIN"XLSR3*"
1402 700 FORMAT(26H PRINT ALL PIPELINES (Y,N))
1422 701 FORMAT(//5X,"STUDENT TYPE: ",3A4//18X,22H-STUDENT ST
1442      &ISTICS./40H TRAINING PHASE INPUT OUTPUT ATTRITES/)
1462 702 FORMAT(1X,3A4,F10.0,2F8.0,F10.1)
1482 703 FORMAT(25H ADD A NEW PIPELINE (Y,N))
1502 704 FORMAT(38H ENTER NAME OF PIPELINE (AAAAAAAAAAAA))
1522 705 FORMAT(3A4)
1542 706 FORMAT(//5X,"TOTAL FOR ALL STUDENT TYPES"/18X,22H-STU
1562      &DENT STATISTICS.,4X,"STUDENT"/
1563      &" TRAINING PHASE INPUT OUTPUT ATTRITES LOAD")
1602 707 FORMAT(/)
1622 708 FORMAT(" SAVE MODIFIED PIPELINES (Y,N)") )
1642 709 FORMAT(2I4,3A4)
1662 710 FORMAT(I4,1X,7I3,F8.4)
1663 800 FORMAT(" FOR THE TRAINING PIPELINES"/
1664      &" AFTER ENTERING THE DATA - ENTER"/
1665      &" 0,0 FOR PIPELINE COMPUTATION AND PRINT OUT"/
1666      &" 0,1 FOR PIPELINE COMPUTATION - NO PRINT OUT"/
1667      &" 0,2 FOR NO COMPUTATION - SKIP TO NEXT PIPELINE") )
1682      END

```

TABLE 9.1 (Cont)

a. Subroutine MPIPE

```

1702      SUBROUTINE MPIPE
1722      COMMON SWITCH(11),NAME(25,3),SPACE(25,59)
1742      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
1762      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
1782      COMMON NPHP,IPHASE(25,7),ATR(25),PNAME(3),IPRT,NPSW,LSOSW
1802      &,IDATA(11),IC
1822      10 IF(NPHP)100,100,20
1842      20 PRINT 700,PNAME
1862      CALL NOYES
1882      IF(NY)500,500,30
1902      30 PRINT 701
1922      CALL NOYES
1942      IF(NY)50,50,40
1962      40 PRINT 711
1982      IID=1
2002      45 INPUT,IPH
2022      IF(IPH)50,50,46
2042      46 CALL DPIPE
2062      PRINT 710
2082      GO TO 45
2102      50 PRINT 702
2122      CALL NOYES
2142      IF(NY)60,60,70
2162      60 IF(NPHP)90,90,200
2182      70 IF(NPHP-NPH)110,80,80
2202      80 IER=5
2222      CALL ERROR
2242      GO TO 30
2262      90 IER=4
2282      CALL ERROR
2302      100 NPHP=0
2322      110 N=NPHP
2342      NPHP=NPHP+1
2362      PRINT 703
2382      120 INPUT,IPH
2402      IF(IPH)130,130,140
2422      130 IER=7
2442      CALL ERROR
2462      GO TO 120

```

TABLE 9.1 (Cont)

a. Subroutine MPIPE (Cont)

```

2482 140 IF(IPH-NPH)150,150,130
2502 150 IF(N)190,190,170
2522 160 IER=1
2542     CALL ERROR
2562     GO TO 50
2582 170 DO 180 I=1,N
2602     IF(IPHASE(I,7)-IPH)180,160,180
2622 180 CONTINUE
2642 190 PRINT 704
2662     INPUT,(IPHASE(NPHP,J),J=1,6),ATR(IPH)
2682     IPHASE(NPHP,7)=IPH
2702     GO TO 50
2722 200 PRINT 705
2742     CALL NOYES
2762     IF(NY)220,220,210
2782 210 CALL PIPRT
2802 220 PRINT 706
2822     CALL NOYES
2842     IF(NY)10,10,230
2862 230 PRINT 707
2882 240 INPUT,IPH,ISW
2902     IF(IPH)270,10,245
2922 245 N=0
2942     DO 260 I=1,NPHP
2962     IF(IPHASE(I,7)-IPH)260,250,260
2982 250 N=I
3002     GO TO 280
3022 260 CONTINUE
3042 270 IER=2
3062     CALL ERROR
3082     CALL PIPRT
3102     GO TO 240
3122 280 IF(ISW)270,290,310
3142 290 PRINT 708
3162     INPUT,(IPHASE(N,J),J=1,6)
3182 300 PRINT 710
3202     GO TO 240
3222 310 PRINT 709
3242     INPUT,ATR(IPH)
3262     GO TO 300
3282 500 CALL PIPER
3302     IF(NPHP)90,90,510
3322 510 RETURN

```

TABLE 9.1 (Cont)

a. Subroutine MPIPE (Cont)

```
3342 700 FORMAT(//" PIPELINE ",3A4,/" ANY DELETIONS, ADDITIONS, LI
3362 &STS OR MODIFICATIONS (Y,N)"")
3382 701 FORMAT(24H DELETE ANY PHASES (Y,N))
3402 702 FORMAT(" ADD A NEW PHASE (Y,N)")
3422 703 FORMAT(31H ENTER NUMBER OF NEW PHASE (XX))
3442 704 FORMAT(42H ENTER FOLLOWING PHASES AND ATTRITION RATE/
3462 &" (XX,XX,XX,XX,XX,XX, .XXX) ALL DATA FIELDS MUST BE
3463 & ENTERED"//)
3482 705 FORMAT(25H LIST PIPELINE DATA (Y,N))
3502 706 FORMAT(" MODIFY A PIPLINE(Y,N)"')
3522 707 FORMAT(" ENTER PHASE NUMBER AND SWITCH (XX,X)"/" SWITCH =
3542 & 0 - MODIFY FOLLOWING PHASES"// = 1 - MODIFY ATTRIT
3562 &ION RATE"/" PHASE = 0,0 IMPLIES NO FURTHER MODIFICATIONS")
3582 708 FORMAT(" ENTER FOLLOWING PHASES (6 VALUES)"/
3583 &" (XX,XX,XX,...)"')
3602 709 FORMAT(28H ENTER ATTRITION RATE (.XXX))
3622 710 FORMAT(5H NEXT)
3642 711 FORMAT(" ENTER PHASE NUMBERS (XX)"/" ENTER 0, FOR NO FU
3662 &RTHER DELETIONS")
3682 END
```

TABLE 9.1 (Cont)

b. Subroutine PIPRT

```

3702      SUBROUTINE PIPRT
3722      COMMON SWITCH(11),NAME(25,3),SPACE(25,59)
3742      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
3762      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
3782      COMMON NPHP,IPHASE(25,7),ATR(25),PNAME(3),IPRT,NPSW,LSOSW
3802      &,IDATA(11),IC
3822      PRINT 700,PNAME
3842      IF(NPHP)80,80,10
3862      10 DO 60 K=1,NPHP
3882      I=IPHASE(K,7)
3902      IC=1
3922      DO 30 J=1,6
3942      IF(IPHASE(K,J))30,30,20
3962      20 IDATA(IC)=IPHASE(K,J)
3982      IC=IC+2
4002      30 CONTINUE
4022      IC=IC-2
4042      IF(IC)50,50,40
4062      40 PRINT 701,I,(NAME(I,J),J=1,3),ATR(I),(IDATA(J),J=1,IC)
4082      GO TO 60
4102      50 PRINT 701,I,(NAME(I,J),J=1,3),ATR(I)
4122      60 CONTINUE
4142      70 PRINT 703
4162      RETURN
4182      80 PRINT 702
4202      GO TO 70
4222      700 FORMAT(//27H TRAINING PIPELINE FOR ,3A4//6H PHASE,
4242      &13X,20HATTRITION FOLLOWING/37H NO.      PHASE NAME      RATE
4262      &      PHASES/)
4282      701 FORMAT(14,4X,3A4,F7.4,I7,5(A1,I2))
4302      702 FORMAT(20H      NO CURRENT PHASES)
4322      703 FORMAT(1X)
4342      END

```

TABLE 9.1 (Cont)

c. Subroutine LOADSO

```

4362      SUBROUTINE LOADSO
4382      COMMON SWITCH(11),NAME(25,3),SPACE(25,59)
4402      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
4422      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
4442      COMMON NPHP,IPHASE(25,7),ATR(25),PNAME(3),IPRT,NPSW,LSOSW
4462      &,IDATA(11),IC
4482      IF(NPHP)40,40,10
4502      10 DO 30 K=1,NPHP
4522      I=IPHASE(K,7)
4542      SO(I)=0.0
4562      DO 20 J=1,6
4582      IF(IPHASE(K,J))30,20,30
4602      20 CONTINUE
4622      SO(I)=-1000.
4642      30 CONTINUE
4662      LSOSW=1
4682      CALL OUTPUT
4702      LSOSW=0
4722      IF(IER)40,40,50
4742      40 RETURN
4762      50 IER=3
4782      CALL ERROR
4802      NPHP=0
4822      GO TO 40
4842      END

```

TABLE 9.1 (Cont)

d. Subroutine PIPER

```

4862      SUBROUTINE PIPER
4882      COMMON SWITCH(11),NAME(25,3),SPACE(25,59)
4902      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
4922      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
4942      COMMON NPHP,IPHASE(25,7),ATR(25),PNAME(3),IPRT,NPSW,LSOSW
4962      &,IDATA(11),IC
4982      10 IF(NPHP)170,170,20
5002      20 DO 140 I=1,NPHP
5022      IPH=IPHASE(I,7)
5042      IF(IPH)40,40,30
5062      30 IF(IPH-NPH)50,50,40
5082      40 PRINT 700,IPH
5102      CALL DPIPE
5122      GO TO 10
5142      50 DO 90 J=1,6
5162      IF(IPHASE(I,J))80,90,60
5182      60 IF(IPHASE(I,J)-IPH)70,80,70
5202      70 IF(IPHASE(I,J)-NPH)90,90,80
5222      80 PRINT 701,IPH,(IPHASE(I,K),K=1,6)
5242      INPUT,(IPHASE(I,K),K=1,6)
5262      GO TO 20
5282      90 CONTINUE
5302      IC=0
5322      DO 130 K=1,NPHP
5342      IF(I-K)100,110,100
5362      100 IF(IPHASE(K,7)-IPH)110,40,110
5382      110 DO 130 J=1,6
5402      IF(IPHASE(K,J)-IPH)130,120,130
5422      120 IC=IC+1
5442      130 CONTINUE

```

TABLE 9.1 (Cont)

d. Subroutine PIPER (Cont)

```
5462      IF(IC-1)135,135,160
5482  135  IF(ATR(IPH))137,140,136
5502  136  IF(ATR(IPH)-1.0)140,137,137
5522  137  PRINT 702,IPH,ATR(IPH)
5542          INPUT, ATR(IPH)
5562          GO TO 135
5582  140  CONTINUE
5602          DO 143 I=1,NPHP
5622          DO 143 J=1,6
5642          IF(IPHASE(I,J))143,143,141
5662  141  DO 142 K=1,NPHP
5682          IF(IPHASE(K,7)-IPHASE(I,J))142,143,142
5702  142  CONTINUE
5722          GO TO 160
5742  143  CONTINUE
5762  150  RETURN
5782  160  PRINT 703
5802  170  NPHP=0
5822          GO TO 150
5842  700  FORMAT(I3," IS AN INVALID PHASE")
5862  701  FORMAT(" FOLLOWING PHASES FOR",I3,",",ARE",,3I3//"
5882          & CORRECT (XX,XX,XX,XX,XX,XX)")
5902  702  FORMAT(" PHASE",I3," ATTRITION RATE OF",F8.4/
5922          &" IS INVALID RE-ENTER THE CORRECT VALUE (.XXX)")
5942  703  FORMAT(" ALL PHASES DELETED")
5962          END
```

TABLE 9.1 (Cont)

e. Subroutine NOYES

```
5982      SUBROUTINE NOYES
6002      COMMON SWITCH(11),DUMMY(25,62),
6022      &ICOMMA,IBLANK,NO,NYES,NY,NPH,IER
6102      10 I=1
6122      INPUT 700,NY
6142      IF(NO-NY)30,20,30
6162      20 NY=-1*I
6182      RETURN
6202      30 I=-1
6222      IF(NYES-NY)40,20,40
6242      40 IER=7
6262      CALL ERROR
6282      GO TO 10
6302      700 FORMAT(A1)
6322      END
```

TABLE 9.1 (Cont)

f. Subroutine ERROR

```

6342      SUBROUTINE ERROR
6362      COMMON SWITCH(11),NAME(25,3),SPACE(25,59)
6382      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
6402      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
6422      COMMON NPHP,IPHASE(25,7),ATR(25),PNAME(3),IPRT,NPSW,LSOSW
6442      &,IDATA(11),IC
6462      GOTO (1,2,3,4,5,6,7,8,9,10),IER
6482      1 PRINT 701
6502      GO TO 100
6522      2 PRINT 702
6542      GO TO 100
6562      3 PRINT 703
6582      GO TO 100
6602      4 PRINT 704
6622      GO TO 100
6642      5 PRINT 705
6662      GO TO 100
6682      6 PRINT 706
6702      GO TO 100
6722      7 PRINT 707
6742      GO TO 100
6762      8 PRINT 708
6782      GO TO 100
6802      9 PRINT 709,IID,FID,(IDATA(J),J=1,IPH)
6822      PRINT 729
6842      GO TO 100
6862      10 PRINT 710
6882      100 IER=0
6902      RETURN
6922      701 FORMAT(" PHASE IN PIPELINE")
6942      702 FORMAT(" PHASE NOT IN PIPELINE")
6962      703 FORMAT(" PIPELINE LOGIC ERROR - ALL PHASES DELETED")
6982      704 FORMAT(" NO PHASES IN PIPELINE")
7002      705 FORMAT(" MAXIMUM PHASES IN PIPELINE")
7022      706 FORMAT(37H MAX. FOR FIELD IS 3 - FIELD SET TO 0)
7042      707 FORMAT(" INVALID REPLY - REPEAT")
7062      708 FORMAT(23H COMPUTER ERROR, RE-RUN)
7082      709 FORMAT(27H RESIDUAL OUTPUT FROM PHASE,I3,3H IS,F6.0,9H STUDEN
7102      &TS/" DIVIDED AMONG THE FOLLOWING PHASES",I3,5(A1,I2))
7122      710 FORMAT(" INSUFFICIENT DATA TO COMPUTE STUDENT STATISTICS"/
7142      &" RE-ENTER STUDENT ASSIGNMENTS OR RERUN")
7162      729 FORMAT(" ENTER APPROPRIATE MIX(XXX,XXX,XXX,...)""//)
7182      END

```

TABLE 9.1 (Cont)
g. Subroutine PIPENT

```

7202      SUBROUTINE PIPENT(IDLET)
7222      COMMON SVITCH(11),NAME(25,3),SPACE(25,59)
7242      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
7262      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
7282      COMMON NPHP,IPHASE(25,7),ATR(25),PNAME(3),IPRT,NPSW,LSOSW
7302      &,IDATA(11),IC
7303      IDLET=1
7322      5 DO 10 I=1,NPH
7342      10 SO(I)=0.0
7362      PRINT 702,PNAME
7382      20 INPUT,IPH,SOUT
7402      IFC(IPH)60,90,30
7422      30 IFC(IPH-NPH)40,40,60
7442      40 DO 50 I=1,NPHP
7462      IFC(IPHASE(I,7)-IPH)50,70,50
7482      50 CONTINUE
7502      60 IER=2
7522      65 CALL ERROR
7542      GO TO 20
7562      70 IFC(SOUT)72,75,80
7563      72 IER=7 ; GO TO 65
7564      75 PRINT," ZERO OUTPUT INVALID-RETYPE AS 0.01"
7565      GO TO 20
7582      80 SO(IPH)=-SOUT
7602      PRINT 703
7622      GO TO 20
7642      90 IFC(SOUT.EQ.1)GO TO 92
7643      IFC(SOUT.EQ.2)GO TO 125
7644      IDLET=0
7645      92 CALL OUTPUT
7662      IFC(IER)120,120,100
7682      100 CALL ERROR
7702      GO TO 5
7722      120 CALL SMOOTH
7742      RETURN
7743      125 IDLET=2;RETURN
7782      702 FORMAT(//," FOR PIPELINE: ",3A4/" ENTER PHASE NUMBER AND ST
7802      &UDENT OUTPUT (XX,XXXX.)" )
7842      703 FORMAT("NEXT")
7862      END

```

TABLE 9.1 (Cont)

h. Subroutine PIPINP

```

7882      SUBROUTINE PIPINP(PIPE)
7902      COMMON SWITCH(11),NAME(25,3),SPACE(25,59)
7922      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
7942      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
7962      COMMON NPHP,IPHASE(25,7),ATR(25),PNAME(3),IPRT,NPSW,LSOSW
7982      &,IDATA(11),IC
8002      FILENAME PIPE
8042      IF(NPSW)65,10,10
8062      10 READ(PIPE,700)NPHP,PNAME
8082      IF(NPHP)60,50,30
8102      30 DO 40 I=1,NPHP
8122      READ(PIPE,701)IL,(IPHASE(I,J),J=1,7),AT
8142      IPH=IPHASE(I,7)
8162      40 ATR(IPH)=AT
8182      GO TO 70
8202      50 PRINT 702,PNAME
8222      NPHP=0
8242      CALL NOYES
8262      IF(NY)60,60,120
8282      60 NPSW=NPHP
8302      65 RETURN
8322      70 IF(KILL)90,90,80
8342      80 DO 85 I=1,KILL
8362      IID=-1
8382      IPH=KILLS(I)
8402      85 CALL DPIPE
8422      IID=0
8442      IF(NPHP)50,50,90
8462      90 IF(IPRT)110,110,100
8482      100 CALL PIPRT
8502      110 IF(LEVLSR-2)130,130,120
8522      120 CALL MPIPE
8542      130 CALL PIPER
8562      IF(NPHP)50,50,140
8582      140 IF(NPHP-NPH)150,150,50
8602      150 CALL LOADSO
8622      IF(NPHP)50,50,60
8642      700 FORMAT(5X,I3,3A4)
8662      701 FORMAT(V)
8682      702 FORMAT(31H NO PHASES EXIST FOR PIPELINE -,3A4/21H ENTER NEW
8702      & DATA (Y,N))
8722      END

```

TABLE 9.1 (Cont)

i. Subroutine DPIPE

```

8742      SUBROUTINE DPIPE
8762      COMMON SWITCH(11),NAME(25,3),SPACE(25,59)
8782      COMMON ICOMMA,IELANK,NO,NYES,NY,NPH,IER,LEVELSD,IPH,NPY,
8802      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
8822      COMMON NPHP,IPHASE(25,7),ATR(25),PNAME(3),IPRT,NPSW,LSOSW
8842      &,IDATA(11),IC
8862      IF(IPH)70,70,5
8882      5 DO 30 I=1,NPHP
8902      DO 30 J=1,7
8922      IF(IPHASE(I,J)-IPH)30,20,10
8942      10 IF(IID)15,30,30
8962      15 IPHASE(I,J)=IPHASE(I,J)-1
8982      GO TO 30
9002      20 IPHASE(I,J)=0
9022      30 CONTINUE
9042      IF(IID)40,70,70
9062      40 IF(IPH-25)50,70,70
9082      50 DO 60 I=IPH,24
9102      K=I+1
9122      60 ATR(I)=ATR(K)
9142      70 L=0
9162      DO 90 I=1,NPHP
9182      IF(IPHASE(I,7))80,80,90
9202      80 L=I
9222      GO TO 110
9242      90 CONTINUE
9262      100 RETURN
9282      110 IF(L-NPHP)120,140,140
9302      120 M=NPHP-1
9322      DO 130 I=L,M
9342      K=I+1
9362      DO 130 J=1,7
9382      130 IPHASE(I,J)=IPHASE(K,J)
9402      140 NPHP=NPHP-1
9422      IF(NPHP)100,100,70
9442      END

```

TABLE 9.1 (Cont)

j. Subroutine OUTPUT

```

9462      SUBROUTINE OUTPUT
9482      COMMON SWITCH(11),NAME(25,3),SPACE(25,59)
9502      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVELSR,IPH,WPY,
9522      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
9542      COMMON NPHP,IPHASE(25,7),ATE(25),PNAME(3),IPET,NPSW,LSOSW
9562      &,IDATA(11),IC
9582      IER=0
9602      10 ICK=0
9622      IALL=0
9642      DO 60 L=1,NPHP
9662      M=NPHP+1-L
9682      I=IPHASE(M,7)
9702      IF(SO(I))50,20,20
9722      20 TA=0.0
9742      DO 40 J=1,6
9762      K=IPHASE(M,J)
9782      IF(K)40,40,30
9802      30 IF(SO(K))35,60,60
9822      35 TA=TA+SO(K)/(1.0-ATR(K))
9842      40 CONTINUE
9862      IF(TA)45,60,60
9882      45 ICK=1
9902      SO(I)=TA
9922      50 IALL=IALL+1
9942      IF(IALL-NPHP)60,80,80
9962      60 CONTINUE
9982      IF(ICK)70,70,10
10002      70 IF(LSOSW)75,75,90
10022      75 CALL OUTFOR
10042      IF(NY)90,90,10
10062      80 DO 85 L=1,NPHP
10082      I=IPHASE(L,7)
10102      85 SO(I)=-SO(I)
10122      GO TO 100
10142      90 IER=10
10162      100 CONTINUE
10182      RETURN
10202      END

```

TABLE 9.1 (Cont)

k. Subroutine OUTFOR

```

10222      SUBROUTINE OUTFOR
10242      COMMON SWITCH(11),NAME(25,3),SPACE(25,59)
10262      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSH,IPH,NPY,
10282      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
10302      COMMON NPHP,IPHASE(25,7),ATR(25),PNAME(3),IPET,NPSW,LSOSW
10322      &,IDATA(11),IC
10342      DIMENSION T(6)
10362      NY=0
10382      10 ICK=0
10402      DO 170 II=1,NPHP
10422      I=IPHASE(II,7)
10442      IF(SO(I)>20,170,170
10462      20 TA=0.0
10482      IL=1
10502      DO 60 J=1,6
10522      K=IPHASE(II,J)
10542      IF(K>60,60,30
10562      30 IF(SO(K)>40,50,50
10582      40 TA=TA+SO(K)/(1.0-ATR(K))
10602      GO TO 60
10622      50 IDATA(IL)=K
10642      IL=IL+2
10662      L=K
10682      60 CONTINUE
10702      A=SO(I)-TA
10722      IL=IL-2
10742      IF(IL-1>170,80,110

```

TABLE 9.1 (Cont)

k. Subroutine OUTFOR (Cont)

```

10762   80 IF(A>90,180,180
10782   90 SO(L)=A*(1.0-ATR(L))
10802   NY=1
10822   ICK=1
10842   GO TO 170
10862   110 A=-A
10882   IF(A>180,180,120
10902   120 IID=I
10922   IER=9
10942   IPH=IL
10962   FID=A
10982   CALL ERROR
11002   N=IL/2 + 1
11022   125 INPUT,(T(J),J=1,N)
11042   TOT=0.0
11062   DO 130 J=1,N
11082   IF(T(J)>140,130,130
11122   130 TOT=TOT + T(J)
11142   R=ABS(TOT-A)
11162   IF(R>1.5)150,150,140
11182   140 IER=7
11202   CALL ERROR
11222   GO TO 125
11242   150 J=0
11262   DO 160 L=1,IL,2
11282   J=J+1
11302   K=IDATA(L)
11322   160 SO(K)=-T(J)*(1.0-ATR(K))*A/TOT
11342   ICK=1
11362   NY=1
11382   170 CONTINUE
11402   IF(ICK>180,180,10
11422   180 RETURN
11442   END

```

TABLE 9.1 (Cont)

1. Subroutine SMOOTH

```

11462      SUBROUTINE SMOOTH
11482      COMMON SWITCH(11),NAME(25,3),SPACE(25,59)
11502      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
11522      &AFD,KILL,IID,FID,KILLS(25),SI(25),TSOUT(25),SO(25)
11542      COMMON NPHP,IPHASE(25,7),ATR(25),PNAME(3),IPRT,NPSW,LSOSW
11562      ,IDATA(11),IC
11582      DIMENSION T(3)
11602      5 DO 20 L=1,NPHP
11622      I=IPHASE(L,7)
11642      DO 10 J=1,6
11662      IF(IPHASE(L,J))10,10,20
11682      10 CONTINUE
11702      SO(I)=-SO(I)
11722      20 CONTINUE
11742      30 ICK=0
11762      IALL=0
11782      DO 110 L=1,NPHP
11802      M=NPHP+1-L
11822      I=IPHASE(M,7)
11842      IF(SO(I))100,100,40
11862      40 TA=.01
11882      DO 70 J=1,6
11902      K=IPHASE(M,J)
11922      IF(K)70,70,50
11942      50 IF(SO(K))60,70,110
11962      60 TA=TA+SO(K)/(1.0-ATR(K))
11982      70 CONTINUE
12002      IF(SO(I)+TA)90,80,80
12022      80 SO(I)=TA-.01
12042      GO TO 100
12062      90 SO(I)=-SO(I)
12082      ICK=1
12102      100 IALL=IALL+1
12122      110 CONTINUE
12142      IF(IALL-NPHP)30,120,120
12162      120 DO 130 L=1,NPHP
12182      I=IPHASE(L,7)
12202      130 SO(I)=-SO(I)
12222      IF(ICK)140,140,150
12242      140 CONTINUE
12262      RETURN

```

TABLE 9.1 (Cont)

1. Subroutine SMOOTH (Cont)

```

12282 150 DO 300 II=1,NPHP
12302      I=IPHASE(II,7)
12322      TA= -.01
12342      IL=-1
12362      DO 170 J=1,6
12382      K=IPHASE(II,J)
12402      IF(K)170,170,160
12422 160 IL=IL+2
12442      IDATA(IL)=K
12462      TA=TA + SO(K)/(1.0-ATR(K))
12482 170 CONTINUE
12502      T(1)=1.0
12522      R=1.0
12542      IF(IL)300,300,180
12562 180 IF(SO(L)-TA)190,300,300
12582 190 IF(IL-1)300,250,195
12602 195 IID=L
12622      FID=SO(L)
12642      IER=9
12662     IPH=IL
12682      CALL ERROR
12702      N=IL/2 + 1
12722 200 INPUT,(T(I),I=1,N)
12742      R=0.0
12762      DO 240 I=1,N
12782      R=R+T(I)
12802      IF(T(I))280,240,240
12822 240 CONTINUE
12842      TA=ABS(R-SO(L))
12862      IF(TA-1.5)250,250,280
12882 250 I=0
12902      DO 260 J=1,IC,2
12922      I=I+1
12942      K=IDATA(J)
12962 260 SO(K)=T(I)*SO(L)*(1.0-ATR(K))/R
12982      GO TO 5
13002 280 IER=7
13022 290 CALL ERROR
13042      GO TO 200
13062 300 CONTINUE
13082      GO TO 5
13102      END

```

TABLE 9.1 (Cont)

m. Subroutine NFODYN

```
13122      SUBROUTINE NFODYN(PIPE,ISWTCH,IDYN)
13142      DIMENSION ISWTCH(10)
13162      FILENAME PIPE
13182      IDYN=0
13202      IF(ISWTCH(4).EQ.(-1))IDYN=1
13222C - - IDYN=1 IMPLIES AN ENTRY FROM DYNAMIC IFRS
13232      K=ISWTCH(5)
13242      IF(K.EQ.1)PIPE="PIPE"
13262      IF(K.EQ.2)PIPE="NFPIPE"
13282      OPENFILE PIPE; REWIND PIPE
13302      RETURN;END
```

X. PROGRAM LSR3

10.1 Program LSR3 is listed in Table 10.1. The changes are:

- NFO planning factors were added to the common area of storage (e.g., line 185). Also line 264 contains a few extra words of temporary storage (variable FITN and FIN).
- Line 265 is a test for the simple constraint calculations. If they are to be performed, control goes to subroutine PRECONST.
- Line 863 now prints a partial title on the LSROUT file. The training system type (pilot or NFO) number and the date are printed.
- Lines 870 to 966 are new. There are now two loops calling GENLSR. The first loop prints out instructor data. The second loop prints out aircraft data.
- Note that lines 1276 and 1278 are comment lines that are part of the format. This is to let the academic instructor information be printed. Only a few changes are required to get this printed. It was printed in IFRS II but it is not printed now.
- Line 2003 now tests to see if there are any aircraft or academic instructor types in the phase. If there are not, the program then prints "Values not constraining." Previously the program would go to statement number 5.

- The argument SOUT was added to subroutine GENLSR. This was necessary to avoid modifying the SO array in common which was then used by LSR4. Previously the values of SO were modified by the LSR constraint option at line 2423.
- GENLSR has been modified to handle
 - The NFO calculations (lines 3744, 4285, 4302, 4362, 5365, 5366)
 - The new print changes (lines 4923, 5284 to 5924).
- If the academic instructor information is to be printed, the comment lines in GENLSR can be modified to get it printed (lines 5604, 5684, 5844-5884).
- PRECONST is the new subroutine to set up and print out the simple constraint calculation results. Once the options and values are entered, it calls subroutine CONST to compute the related values.
- Subroutine CONST calculates the related requirements by evaluating the appropriate algebraic relationships.

TABLE 10.1
PROGRAM LSR3 LISTING

```
103 COMMON IYR,ISWTCH(10)
123 COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
143 &WK(25),TOD(25),NAC(25),NAD(25),WX(25,3),GAS(25,3),AU(25,3),
163 &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AM0(25,3),
183 &ASH(25,3),AIH(25,3),AITR(25,3)
185 COMMON FUN(25,3),FIHN(25,3),FTRN(25,3)
203 COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
223 &AFD,KILL,IID,FID,KILLS(25),SINP(25),SO(25)
243 COMMON IACT(3),IAFT(3),IAIN(3),BF(3),FIT(3),FI(3),
263 &FLSO(3),EM(3),AIT(3),ACNO(3),AI(3)
264 COMMON FITN(3),FIN(3)
265 IF(ISWTCH(4).EQ.-1)CALL PRECONST
283 IID=1000
303 CALL LSTLSR
323 IF(LEVLSR-2)30,20,10
343 10 IF(LEVLSR-4)30,20,30
363 20 CALL MODLSR
383 30 IF(LEVLSR)50,50,40
403 40 PRINT 700
423 CALL NOYES
443 IF(NY)60,60,70
463 50 LEVLSR=-LEVLSR
483 60 CHAIN"XLSR4*"
503 70 CHAIN"XLSR1*"
523 700 FORMAT(27H GENERATE ANOTHER LSR (Y,N))
543 END
```

TABLE 10.1 (Cont)

a. Subroutine LSTLSR

```

563      SUBROUTINE LSTLSR
583      COMMON IYR,ISWTCH(10)
603      COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
623      &WK(25),TOD(25),NAC(25),NAD(25),WX(25,3),GAS(25,3),AU(25,3),
643      &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AMO(25,3),
663      &ASH(25,3),AIH(25,3),AITR(25,3)
665      COMMON FUN(25,3),FIHN(25,3),FTRN(25,3)
683      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
703      &AFD,KILL,IID,FID,KILLS(25),SINP(25),SO(25)
723      COMMON IACT(3),IAFT(3),IAIN(3),BF(3),FIT(3),FI(3),
743      &FLSO(3),EM(3),AIT(3),ACNO(3),AI(3)
744      COMMON FITN(3),FIN(3)
823      OPENFILE "LSROUT"
843      REWIND "LSROUT"
863      WRITE("LSROUT",703)NPH,ISWTCH(5),DAT(X)
870      NY=-10
871      PRINT 710
883      DO 10 I=1,NPH
903      IPH=I
923      10 CALL GENLSR(SO(I))
943      CLOSEFILE"LSROUT"
953      NY=-12
954      PRINT 712
964      DO 12 I=1,NPH
965      IPH=I
966      12 CALL GENLSR(SO(I))
974      IF(LEVLSR.NE.1)GO TO 18
975      GO TO 100
983      18 PRINT 702
1003      CALL NOYES
1023      IF(NY)40,40,20
1043      20 DO 30 I=1,NPH
1063      IPH=I
1083      CALL GENLSR(SO(I))
1103      30 CONTINUE
1123      40 RETURN

```

TABLE 10.1 (Cont)

a. Subroutine LSTLSR (Cont)

```

1130 100 PRINT 800
1132 105 INPUT,IPH
1134 IF(IPH)110,40,120
1136 110 PRINT,"PHASE DOES NOT EXIST - RETYPE"
1138 GO TO 105
1140 120 IF(IPH.GT.NPH)GO TO 110
1142 NY=1
1144 CALL GENLSR(SO(IPH))
1146 GO TO 100
1150 800 FORMAT("// ENTER PHASE NUMBER FOR DETAILED LSR
1152 &OF THAT PHASE// ENTER 0 (ZERO) FOR NO DETAIL")
1243 702 FORMAT("// DETAILED LSR OUTPUT DESIRED FOR ALL PHASES(Y,N)")
1263 703 FORMAT(5H1000 ,2I3," STATIC IFRS ",A8)
1265 710 FORMAT(//17X,"*FLIGHT INSTRUCTORS*      LSO
1266 &ADMIN TOTAL TOTAL// TRAINING PHASE   EFFECT
1267 & IUT TOTAL REQMT OFF OFF ENL")
1273 712 FORMAT(//16X,"* AIRCRAFT* FUEL GALLONS ANN/HRS
1275 & MO
1276C & * ACAD. INSTRS *
1277 &/" TRAINING PHASE TYPE NO.    TYPE -- (000)-----"
1278C & EFFECT IUT"
1279 & FACT.")
1283 END

```

TABLE 10.1 (Cont)
b. Subroutine MODLSR

```

1303      SUBROUTINE MODLSR
1323      COMMON SWITCH(11)
1343      COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
1363      &WK(25),TOD(25),NAC(25),NAD(25),W(25,3),GAS(25,3),AU(25,3),
1383      &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AMO(25,3),
1403      &ASH(25,3),AIH(25,3),AITR(25,3)
1405      COMMON FUN(25,3),FIHN(25,3),FTRN(25,3)
1423      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVELSE,IPH,WPY,
1443      &AFD,KILL,IID,FID,KILLS(25),SIMP(25),SO(25)
1463      COMMON IACT(3),IAFT(3),IAIN(3),BF(3),FIT(3),FI(3),
1483      &FLSO(3),EM(3),AIT(3),ACNO(3),AI(3)
1484      COMMON FITN(3),FIN(3)
1503      5 PRINT 700
1523      CALL NOYES
1543      IF(NY)10,10,20
1563      10 RETURN
1583      20 PRINT 701
1603      40 INPUT,IPH
1623      IF(IPH)50,260,60
1643      50 PRINT, " INVALID REPLY - REPEAT"
1663      GO TO 40
1683      60 IF(IPH-NPH)65,65,50
1703      65 SOUT=SO(IPH)
1723      IF(SOUT)66,66,67
1743      66 PRINT 714
1763      GO TO 5
1783      67 CALL GENLSR(SO(IPH))
1803      PRINT 703
1823      70 INPUT,IF,IE
1843      IF(IF)110,250,80
1863      80 IF(IF-3)90,90,100
1883      90 N=NAC(IPH)
1903      GO TO 130
1923      100 IF(IF-4)110,120,110
1943      110 PRINT, " INVALID REPLY - REPEAT"
1963      GO TO 70
1983      120 N=NAD(IPH)
2003      130 IF(ND)220,220,140
2023      140 IF(IE)110,110,145
2043      145 IF(IE-N)150,150,110
2063      150 PRINT 705
2083      155 INPUT,D
2103      IF(D-0.1)157,157,160
2123      157 PRINT, " INVALID REPLY - REPEAT"
2143      GO TO 155

```

TABLE 10.1 (Cont)
b. Subroutine MODLSR (Cont)

```

2163 160 GO TO (170,180,190,200),IF
2183 170 V=ACNO(IE)
2203   GO TO 210
2223 180 V=FIT(IE)+FI(IE)
2243   GO TO 210
2263 190 V=EM(IE)
2283   GO TO 210
2303 200 V=AIT(IE)+AI(IE)
2323 210 IF(D-V)230,220,220
2343 220 PRINT 707
2345   GO TO 250
2363 230 S=D/V*SOUT
2383   PRINT 708,SOUT,S
2443   SINP(IPH)=SINP(IPH)*S/SOUT
2445   SOUT=S
2446   NY=0
2447   CALL GENLSR(SOUT)
2463 250 PRINT 709
2483   CALL NOYES
2503   IF(NY)255,255,252
2523 252 PRINT 713
2543   GO TO 70
2563 255 PRINT 710,(NAME(IPH,J),J=1,3)
2583   CALL NOYES
2603   IF(NY)260,260,258
2623 258 CALL GENLSR(SOUT)
2643 260 PRINT 711
2663   CALL NOYES
2683   IF(NY)270,270,20
2703 270 PRINT 712
2723   CALL NOYES
2743   IF(NY)10,10,280
2763 280 CHAIN"MLSRE"

```

TABLE 10.1 (Cont)

b. Subroutine MODLSR (Cont)

```
2783 700 FORMAT(33H ANY LSP OUTPUT CONSTRAINTS (Y,N))
2803 701 FORMAT(17H WHICH PHASE (XX))
2823 703 FORMAT(" SELECT APPROPRIATE FIELD AND ELEMENT (X,X)"/
2843    &" 1 AIRCRAFT"/" 2 FLIGHT INSTRUCTORS"/
2863    &" 3 ENLISTED SUPPORT"/" 4 ACADEMIC INSTRUCTORS")
2903 705 FORMAT(" ENTER CONSTRAINING VALUE (XXXX.XXX)")
2923 707 FORMAT(26H VALUE IS NOT CONSTRAINING)
2943 708 FORMAT(19H OLD STUDENT OUTPUT,F6.0/19H CONSTRAINED OUTPUT,F6.
2963    &0)
2983 709 FORMAT(29H ADDITIONAL CONSTRAINTS (Y,N))
3003 710 FORMAT(21H NEW LSR SUMMARY FOR ,3A4,6H (Y,N))
3023 711 FORMAT(32H ANOTHER PHASE CONSTRAINED (Y,N))
3043 712 FORMAT(" REVISE LSR TO INCLUDE CONSTRAINTS (Y,N)")
3063 713 FORMAT(" SELECT APPROPRIATE FIELD AND ELEMENT (X,X)")
3083 714 FORMAT(" PHASE CONTAINS NO ACTIVITY")
3103      END
```

TABLE 10.1 (Cont)

c. Subroutine NOYES

```
3123      SUBROUTINE NOYES
3143      COMMON SWITCH(11)
3163      COMMON DUMMY(25,62)
3243      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER
3323      10 I=1
3343      INPUT 700,NY
3363      IF(NO-NY)30,20,30
3383      20 NY=-1*I
3403      RETURN
3423      30 I=-1
3443      IF(NYES-NY)40,20,40
3463      40 PRINT, " INVALID REPLY - REPEAT"
3483      GO TO 10
3503      700 FORMAT(A1)
3523      END
```

TABLE 10.1 (Cont)
d. Subroutine GENLSR

```

3543      SUBROUTINE GENLSR(SOUT)
3563      COMMON IYR,ISWTCH(10)
3583      COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
3603      &VK(25),TOD(25),NAC(25),NAD(25),WX(25,3),GAS(25,3),AU(25,3),
3623      &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AM0(25,3),
3643      &ASH(25,3),AIH(25,3),AITR(25,3)
3645      COMMON FUN(25,3),FIHN(25,3),FTRN(25,3)
3663      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IED,LEVLSR,IPH,WPY,
3683      &AFD,KILL,IID,FID,KILLS(25),SIMP(25),SO(25)
3703      COMMON IACT(3),IAFT(3),IAIN(3),BF(3),FIT(3),FI(3),
3723      &FLSO(3),EM(3),AIT(3),ACNO(3),AI(3)
3725      COMMON FITN(3),FIN(3)
3743      DIMENSION U(3),T1(3),T2(3),T1N(3)
3744      NFO=ISWTCH(5)
3763      EMT=0.0
3783      IC=IID
3803      DO 10 I=1,3
3804      T1(I)=0.0 ; T2(I)=0.0
3805      T1N(I)=0.
3806      FIN(I)=0. ; FITN(I)=0.
3823      IACT(I)=IBLANK
3843      IAFT(I)=IBLANK
3863      IAIN(I)=IBLANK
3883      BF(I)=0.0
3903      FIT(I)=0.0
3923      FI(I)=0.0
3943      FLSO(I)=0.0
3963      EM(I)=0.0
3983      AIT(I)=0.0
4003      ACNO(I)=0.0
4023      U(I)=AU(IPH,I)*VK(IPH,I)*AFD
4043      10 AI(I)=0.0
4083      SI=SIMP(IPH)
4103      SL=(SI*ATP(IPH)+SOUT*(1.0-ATP(IPH)))*VK(IPH)/WPY
4123      N=NAC(IPH)
4143      IF(N>95,95,20
4163      20 DO 30 I=1,N
4183      IACT(I)=NPLA(IPH,I)
4203      ACNO(I)=(SOUT*SFH(IPH,I))/(AU(IPH,I)*WX(IPH,I)*AFD)
4223      IF(FSO(IPH,I)>28,28,24
4243      24 FLSO(I)=SL/FSO(IPH,I)
4263      28 IAFT(I)=NFUEL(IPH,I)
4283      BF(I)=SOUT*GAS(IPH,I)*SFH(IPH,I)
4285      IF(NFO.NE.2)GO TO 29
4302      FIN(I)=SOUT*FIHN(IPH,I)/(FUN(IPH,I)*WX(IPH,I)*AFD)
4303      29 FI(I)=(SOUT*FIH(IPH,I))/(FU(IPH,I)*WX(IPH,I)*AFD)

```

TABLE 10.1 (Cont)
d. Subroutine GENLSR (Cont)

```

4323      EM(I)=ACNO(I)*AMO(IPH,I)
4343      EMT=EMT+EM(I)
4362      FITN(I)=FIN(I)*FTRN(IPH,I)/TOD(IPH)
4363      30 FIT(I)=FI(I)*FTR(IPH,I)/TOD(IPH)
4383      FACT=1.2
4403      IF(EMT-200.,)70,50,40
4423      40 IF(EMT-400.,)50,60,60
4443      50 FACT=1.15
4463      GO TO 70
4483      60 FACT=1.10
4543      70 EMT=FACT*EMT
4563      95 M=NAD(IPH)
4583      IF(M)120,120,100
4603      100 DO 110 I=1,M
4623      IAINC(I)=NACD(IPH,I)
4643      AI(I)=SOUT*ASH(IPH,I)/AIH(IPH,I)
4663      110 AIT(I)=AI(I)*AITR(IPH,I)/TOD(IPH)
4683      120 TOFF=0.0
4703      DO 140 I=1,3
4704      TOFF=TOFF+FIN(I)+FITN(I)
4723      140 TOFF=TOFF+AI(I)+AIT(I)+FI(I)+FIT(I)+FLSOC(I)
4743      TSP=TOFF+EMT+SL
4763      IF(TSP-560.0)142,142,144
4783      142 AM=0.0303571*TSP
4803      GO TO 148
4823      144 IF(TSP-1260.0)146,146,147
4843      146 AM=7.4 + 0.0171428*TSP
4863      GO TO 148
4883      147 AM=17.8833 + 0.0088235*TSP
4903      148 TOFF=TOFF+AM
4923      IF(-10.NE.NY)GO TO 155
4933      IC=IC+5
5003      WRITE("LSROUT",719)IC,(NAME(IPH,J),J=1,3),N
5023      IC=IC+5
5043      WRITE("LSROUT",720)IC,SI,SOUT,SL,TOFF,EMT
5063      IC=IC+5
5083      WRITE("LSROUT",722)IC,IACT,IAFT
5103      IC=IC+5
5123      WRITE("LSROUT",723)IC,ACNO
5143      IC=IC+5
5163      WRITE("LSROUT",723)IC,BF
5183      IC=IC+5
5203      WRITE("LSROUT",723)IC,(ASH(IPH,J),J=1,3)
5223      IC=IC+5
5243      WRITE("LSROUT",723)IC,U
5263      IID=IC

```

TABLE 10.1 (Cont)

d. Subroutine GENLSR (Cont)

```

5264C - - - LSR SUMMARY
5284      IF(N.LE.0)GO TO 152
5304      DO 151 I=1,N
5324      T1(1)=T1(1)+FI(I)
5344      T1(2)=T1(2)+FIT(I)
5364      T1(3)=T1(3)+FLSO(I)
5365      T1N(1)=T1N(1)+FINC(I)
5366 151   T1N(2)=T1N(2)+FITN(I)
5384 152   TOTFI=T1(1)+T1(2)
5385      TOTFIN=T1N(1)+T1N(2)
5404      PRINT 810,(NAME(IPH,J),J=1,3),T1(1),T1(2),TOTFI,
5424      & T1(3),AM,TOFF,EMT
5444 810   FORMAT(1X,3A4,F10.0,F6.0,F8.0,1X,4F8.0)
5445      IF(NFO.NE.2)GO TO 220
5446      PRINT 811,T1N(1),T1N(2),TOTFIN
5448 811   FORMAT(4X,"NFO'S",4X,F10.0,F6.0,F8.0)
5464      GO TO 220
5484 155   IF(-12.NE.NY)GO TO 180
5504      IF(N.LE.0) GO TO 158; DO 157 I=1,N
5524      T1(I)=BF(I)/1000.
5544 157   T2(I)=SFH(IPH,I)*SOUT/1000.
5564 158   PRINT 812,(NAME(IPH,J),J=1,3),IACT(I),ACNO(I),
5584      &IAFT(I),T1(I),T2(I),AMO(IPH,1)
5604C      &,AI(I),AIT(I)
5624      IF(N-1)175,175,160
5644 160   DO 170 I=2,N
5664 170   PRINT 813,IACT(I),ACNO(I),IAFT(I),T1(I),T2(I),AMO(IPH,I)
5684C      &AI(I),AIT(I);REPLACE 3 BY N IN IF TEST IN NEXT LINE
5704 175   IF(M.LE.3)GO TO 220
5724      N=N+1
5744      DO 177 I=N,M
5764 177   PRINT 814,AI(I),AIT(I)
5784 812   FORMAT(1X,3A4,4X,A4,F6.1,2X,A4,2X,2F7.1,2X,2F7.1)
5804 813   FORMAT(17X,A4,F6.1,2X,2F7.1,2X,2F7.1)
5824 814   FORMAT(51X,2F7.1)
5844C      RETYPE THE COMMENT LINES WITHOUT THE C TO GET
5864C      ACADEMIC INSTRUCTOR DATA PRINTED. ALSO SEE
5884C      LINES 1275-1279 OF LSR3.
5904      GO TO 220
5924 180   IF(NY.EQ.0)GO TO 220

```

TABLE 10.1 (Cont)

d. Subroutine GENLSR (Cont)

```

5944 PRINT 702
5964 PRINT 703,(NAME(IPH,J),J=1,3)
5984 PRINT 704,SI
6004 PRINT 705,SOUT
6024 PRINT 706,SL
6044 PRINT 707,AM
6064 PRINT 708,TOFF
6084 PRINT 709,ENT
6104 IF(N)200,200,190
6124 190 PRINT 710,(IACT(I),I=1,N)
6144 PRINT 711,(ACNO(I),I=1,N)
6164 PRINT 712,(IAFT(I),I=1,N)
6184 PRINT 713,(BF(I),I=1,N)
6204 PRINT 714,(FI(I),I=1,N)
6224 PRINT 715,(FIT(I),I=1,N)
6244 PRINT 721,(FLSO(I),I=1,N)
6264 PRINT 716,(EM(I),I=1,N)
6284 200 IF(M)218,218,210
6304 210 PRINT 717,(IAIN(I),I=1,M)
6324 PRINT 718,(AI(I),I=1,M)
6344 PRINT 715,(AIT(I),I=1,M)
6364 218 PRINT 702
6384 220 RETURN
6404 700 FORMAT(1X,3A4,F12.0,4X,A4,F6.0,3X,A4,E10.3,F6.0,F7.0)
6424 701 FORMAT(29X,A4,F6.0,3X,A4,E10.3)
6444 702 FORMAT(//)
6464 703 FORMAT(16H NAME OF PHASE: ,3A4)
6484 704 FORMAT(14H STUDENT INPUT,F6.0)
6504 705 FORMAT(15H STUDENT OUTPUT,F6.0)
6524 706 FORMAT(21H AVERAGE STUDENT LOAD,F7.1)
6544 707 FORMAT(24H ADMINISTRATIVE OFFICERS,F6.0)
6564 708 FORMAT(15H TOTAL OFFICERS,F6.0)
6584 709 FORMAT(15H TOTAL ENLISTED,F6.0)
6604 710 FORMAT(15H AIRCRAFT TYPES,7X,3(1X,A4,4X))
6624 711 FORMAT(16H NUMBER REQUIRED,F11.0,2F9.0)
6644 712 FORMAT(11H FUEL TYPES,12X,A4,4X,A4,5X,A4)
6664 713 FORMAT(17H GALLONS CONSUMED,3X,3E9.3)
6684 714 FORMAT(19H FLIGHT INSTRUCTORS,F8.0,2F9.0)
6704 715 FORMAT(15H UNDER TRAINING,F12.0,2F9.0)
6724 716 FORMAT(17H ENLISTED SUPPORT,F10.0,2F9.0)
6744 717 FORMAT(23H ACADEMIC INSTRUCTION ,A4,2(5X,A4))
6764 718 FORMAT(21H ACADEMIC INSTRUCTORS,F6.0,2F9.0)
6784 719 FORMAT(14,1X,3A4,I3)
6804 720 FORMAT(14,1X,5E13.6)
6824 721 FORMAT(17H LSO REQUIREMENTS,F10.0,2F9.0)
6844 722 FORMAT(14,1X,6A4)
6864 723 FORMAT(14,1X,3E13.6)
6884 END

```

TABLE 10.1 (Cont)

e. Subroutine PRECONST

```

6903      SUBROUTINE PRECONST
6913      COMMON IYR,ISWTCH(10)
6923      COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
6933      &WK(25),TOD(25),NAC(25),NAD(25),WX(25,3),GAS(25,3),AU(25,3),
6943      &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AMO(25,3),
6953      &ASH(25,3),AIH(25,3),AITR(25,3)
6963      COMMON FUN(25,3),FIHN(25,3),FTRN(25,3)
6973      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IEE,LEVLSR,IPH,WPY,
6983      &AFD,KILL,IID,FID,KILLS(25),SINP(25),SO(25)
6993      COMMON IACT(3),IAFT(3),IAIN(3),BF(3),FIT(3),FI(3),
7003      &FLSO(3),EM(3),AIT(3),ACNO(3),AI(3)
7013      COMMON FITN(3),FIN(3)
7023C - - SIMPLE VERSION NO ATTRITON RATE USED
7033      PRINT 710
7043      5 PRINT 720
7053      10 INPUT,IPH,F
7063      IF(IPH.EQ.0)GO TO 200
7065      IF(F.LE.0.)GO TO 30
7073      IF( (IPH.GE.1).AND.(IPH.LE.NPH) )GO TO 20
7083      PRINT 700;GO TO 10
7093      20 PRINT 725,(NAME(IPH,J),J=1,3)
7103      PRINT 730
7113      22 INPUT,IOP,V
7123      IF(IOP.EQ.0)GO TO 5
7133      IF( (IOP.GE.1).AND.(IOP.LE.6) )GO TO 25
7143      GO TO 30
7153      25 IF(V>30,30,40
7163      30 PRINT 700; GO TO 22
7183C
7193      40 CALL CONST(IOP,V,HR,F,C)
7203      PRINT 750,SO(IPH),ACNO(1),HR,C,FI(1),EM(1)
7213      PRINT 760
7223      GO TO 22
7233      200 ISWTCH(4)=1
7243      CHAIN"XLSR2*"

```

TABLE 10.1 (Cont)

e. Subroutine PRECONST (Cont)

```
7253C
7263 700 FORMAT(" INVALID INPUT - RETYPE")
7273 710 FORMAT(//5X,"SIMPLE CONSTRAINT CALCULATIONS"//
7283    &" THE CONSTRAINT OPTIONS ARE:"/
7293    &" 1 STUDENT OUTPUT"/" 2 NO. OF AIRCRAFT"/
7303    &" 3 FLIGHT HRS (IN THOUSANDS)"/
7313    &" 4 COST (IN THOUSANDS) FOR FLYING"/
7315    &" 5 FLIGHT INSTRUCTORS"/
7318    &" 6 ENLIST. MAINT.(M.O. X NUMB. AIRCRAFT)"/
7323    &" ENTER 0,0 FOR NO FURTHER CONSTRAINTS OR CALCULATIONS"//)
7333 720 FORMAT(" ENTER PHASE NO. TO BE CONSTRAINED AND"//
7335    &" COST PER FLIGHT HOUR ")
7343 725 FORMAT(" PHASE: ",3A4//)
7353 730 FORMAT(" ENTER CONSTRAINT OPTION AND VALUE(X,XXX.)")
7363 750 FORMAT(" STUDS OUT ",F10.2// A/C RECD ",F10.2/
7373    &" FLT. HRS.",F10.2," X1000"/
7383    &" FLT. COST ",F10.2," X1000"/
7385    &" FLT.INSTE ",F10.2/
7387    &" ENL.MAINT ",F10.2//)
7393 760 FORMAT(" ANOTHER CONSTRAINT OPTION AND VALUE")
7403 300 RETURN;END
```

TABLE 10.1 (Cont)

f. Subroutine CONST

```

7413      SUBROUTINE CONST(IOP,V,HR,F,C)
7423      COMMON IYR,ISWTC(10)
7433      COMMON NAME(25,3),NPLA(25,3),NFUEL(25,3),NACD(25,3),ATP(25),
7443      &WK(25),TOD(25),NAC(25),NAD(25),WX(25,3),GAS(25,3),AU(25,3),
7453      &FU(25,3),SFH(25,3),FIH(25,3),FTR(25,3),FSO(25,3),AMO(25,3),
7463      &ASH(25,3),AIH(25,3),AITR(25,3)
7473      COMMON FUN(25,3),FIHN(25,3),FTRN(25,3)
7483      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IEE,LEVLSR,IPH,WPY,
7493      &AFD,KILL,IID,FID,KILLS(25),SINP(25),SO(25)
7503      COMMON IACT(3),IAFT(3),IAIN(3),BF(3),FIT(3),FI(3),
7513      &FLSO(3),EM(3),AIT(3),ACNO(3),AI(3)
7523      COMMON FITN(3),FIN(3)
7533C
7540C-- ONE AIRCRAFT TYPE ONLY
7543      I=1
7553      IF(NAC(IPH).EQ.0)GO TO 500
7563      GO TO(100,200,300,350,400,440),IOP
7573C-- STUDENTS OUTPUT GIVEN
7583      100 SOUT=V
7593      105 SO(IPH)=SOUT
7603      ACNO(I)=SOUT*SFH(IPH,I)/(AU(IPH,I)*WX(IPH,I)*AFD)
7613      110 FI(I)=SOUT*FIH(IPH,I)/(FU(IPH,I)*WX(IPH,I)*AFD)
7623      FIT(I)=FI(I)*FTR(IPH,I)/TOD(IPH)
7633      FIN(I)=0. ; FITN(I)=0.
7643      IF(FUN(IPH,I).EQ.0.)GO TO 115
7653      FIN(I)=SOUT*FIHN(IPH,I)/(FUN(IPH,I)*WX(IPH,I)*AFD)
7663      FITN(I)=FIN(I)*FTHN(IPH,I)/TOD(IPH)
7673      115 FI(I)=FI(I)+FIT(I)+FIN(I)+FITN(I)
7683      HR=SFH(IPH,I)*SOUT/1000.
7685      C=F*HR
7687      EM(I)=AMO(IPH,I)*ACNO(I)
7693      RETURN
7703C-- AIRCRAFT GIVEN
7713      200 ACNO(I)=V
7723      SOUT=ACNO(I)*AU(IPH,I)*WX(IPH,I)*AFD/SFH(IPH,I)
7733      GO TO 105
7743C-- FLT HOURS IN THOUSANDS GIVEN
7753      300 HR=V
7763      SOUT=HR*1000./SFH(IPH,I)
7773      GO TO 105
7775C-- COST FOR FLYING GIVEN
7776      350 C=V ; V=C/F
7777      GO TO 300

```

TABLE 10.1 (Cont)

f. Subroutine CONST (Cont)

```
7783C -- TOTAL INSTRUCTORS GIVEN
7793 400 FI(I)=V
7803      X=FIH(IPH,I)/(FUN(IPH,I)*WX(IPH,I)*AFD)
7813      X=X*(1.+FTR(IPH,I)/TOD(IPH))
7815      Y=0.
7823      IF(FUN(IPH,I).EQ.0)GO TO 410
7833      Y=FIHN(IPH,I)/(FUN(IPH,I)*WX(IPH,I)*AFD)
7843      Y=Y*(1.+FTRN(IPH,I)/TOD(IPH))
7853 410 SOUT=V/(X+Y)
7863      GO TO 105
7865C -- ENLISTED MAINT.
7866 440 ACNO(I)=V/AMO(IPH,I)
7867      V=ACNO(I)
7868      GO TO 200
7873C -- NO AIRCRAFT
7883 500 SO(IPH)=0. ; ACNO(I)=0.
7893      FI(I)=0. ; HR=0.
7903      PRINT,"NO FLYING IN THIS PHASE"
7913      RETURN;END
```

XI. PROGRAM LSR4

11.1 The listing of LSR4 appears in Table 11.1. All changes that have been made in this program are found on line numbers that end in 5. The changes are:

- Include space in the common area of storage for NFO planning factors (e.g., line 165 array SP3 (25,9)).
- Access the proper data file depending on ISWTCH(5). Note that line 105 is modified to reduce the dimension of ISWTCH for consistency with the other LSR programs.
- At line 355, additional information is written on the RUNWAY file.
- Line 435 now assures that blanks will be printed on the RUNWAY file (at line 905) for the undefined aircraft types in a phase.
- Line 905 now writes all aircraft types or blanks on the RUNWAY data file.
- Lines 1446 to 1052 permit the user to skip the runway and airspace printout.
- Spelling errors have been corrected in the format statements (lines 1344 to 1484).
- The error message in line 2325 has been changed to include the name of the data file.

TABLE 11.1
PROGRAM LSR4 LISTING

```

105      COMMON IYR,ISWTCH(10)
124      COMMON NAME(25,3),NPLA(25,3),IOPR(25,3),SAS(25,3),OLF(25,3),
144      &NAC(25),RUNP(25,3),TARG(25,3),WX(3,12),DH(12),
165      &SP1(52),SP2(25,27),SP3(25,9)
184      COMMON ICOMMA,IPLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
204      &AFD,KILL,IID,FID,KILLS(25),SI(25),SO(25)
224      COMMON NAMEP(3),IAFT(3),SPS(3),SL(3),TT(3),TL(3),
244      &AS(3),ATAG(3),TAGT(3),PMR(3),TAR(3),TOT(3),DT,NACC
264      &,DTO
265      ALPHA NPLA,IAFT
275C
285      FILENAME RUN
295      IF(ISWTCH(5).EQ.1) RUN="RUNDAT"
305      IF(ISWTCH(5).EQ.2) RUN="NFORUNDA"
315      OPENFILE RUN
325      REWIND RUN
335      OPENFILE "RUNWAY"
345      REWIND "RUNWAY"
355      WRITE("RUNWAY",707)NPH,ISWTCH(5),DAT(X)
364      IL=1005
404      DO 10 I=1,NPH
424      DO 10 J=1,3
435      IF(NAC(I).LT.J)NPLA(I,J)="      "
444      IOPR(I,J)=0
464      SAS(I,J)=0.0
484      OLF(I,J)=0.0
504      RUNP(I,J)=0.0
524      10 TARG(I,J)=0.0
544      DO 115 I=1,NPH
564      IPH=I
584      IF(NAC(I)>100,100,20
605      20 CALL INPRWY(RUN)
624      DO 40 J=1,3
644      IF(NAMEP(J)-NAME(I,J)>30,40,30
664      30 PRINT 700,NAMEP,(NAME(I,K),K=1,3)
684      STOP
704      40 CONTINUE
724      IF(NAC(I)-NACC>50,60,50
744      50 PRINT 701,NACC,NAC(I),NAMEP
764      STOP
784      60 CONTINUE
804      DO 80 J=1,NACC
825      IF(IAFT(J).EQ.NPLA(I,J))GO TO 80
844      70 PRINT 702,NAMEP,IAFT(J),NPLA(I,J)
845      STOP

```

TABLE 11.1 (Cont)

```

884   80 CALL GENPWF
905   100 WRITE("RUNWAY",708)IL,(NPLA(I,J),J=1,3)
924     IL=IL+5
944     WRITE("RUNWAY",709)IL,(RUNP(I,J),J=1,3)
964     IL=IL+5
984     WRITE("RUNWAY",709)IL,(SAS(I,J),J=1,3)
1004    IL=IL+5
1024    WRITE("RUNWAY",709)IL,(OLF(I,J),J=1,3)
1044  115 IL=IL+5
1046C
1047    PRINT 800
1048  117 INPUT 810,NY
1049    IF(NY.EQ.NO).OR.(NY.EQ.NYES) GO TO 118
1050    PRINT,"INVALID REPLY - RETYPE"
1051    GO TO 117
1052  118 IF(NY.EQ.NO)GO TO 200
1064    PRINT 703
1084    DO 200 I=1,NPH
1104    IF(NACC(I).LE.0)GO TO 200
1124    PRINT 704,(NAME(I,J),J=1,3),NPLA(I,1),RUNP(I,1),SAS(I,1),
1144    & OLF(I,1),TARG(I,1)
1164    IF(NACC(I)-1)200,200,110
1184  110 K=NACC(I)
1204    DO 120 J=2,K
1224  120 PRINT 705,NPLA(I,J),RUNP(I,J),SAS(I,J),OLF(I,J),TARG(I,J)
1244    PRINT 706
1264  200 CONTINUE
1284    CLOSEFILE "RUNWAY"
1304C
1305    CLOSEFILE RUN
1306    PRINT 805
1324    CHAIN "PART2*"
1344  700 FORMAT(" RUNWAY PHASE NAME ",3A4," DOES NOT MATCH PHAS
1364    & NAME "3A4/" REVISE AND RERUN")
1384  701 FORMAT(" RUNWAY AIRCRAFT TYPES OF",I3," DOES NOT MATCH"/
1404    &" PHASE TYPES OF",I3," FOR PHASE: "3A4/" REVISE AND RERUN")
1424  702 FORMAT(" FOR PHASE ",3A4," AIRCRAFT NAMES DO NOT MATCH
1444    & PHASE AIRCRAFT NAMES ",A4,1H,,A4//) REVISE AND RERUN")
1464  703 FORMAT(1X,3A4,4X,A4,F8.3,F11.3,F8.3,F8.3)
1484    &" TRAINING PHASE TYPE RUNWAYS SATURATION OLF AREAS")
1504  704 FORMAT(1X,3A4,4X,A4,F8.3,F11.3,F8.3,F8.3)
1524  705 FORMAT(17X,F8.3,F11.3,2F8.3)
1544  706 FORMAT(1X)
1565  707 FORMAT(5H1000 ,2I3,5X,A8)
1585  708 FORMAT(14,1X,3A4,)
1604  709 FORMAT(14,1X,3E13.6)
1605  800 FORMAT(" PRINT RUNWAY AND AIRSPACE FACTORS (Y,N)")
1606  805 FORMAT(//)
1607  810 FORMAT(A1)
1624    END

```

TABLE 11.1 (Cont)

a. Subroutine INPRWY

```

1645      SUBROUTINE INPRWY(RUN)
1664      COMMON SVITCH(11)
1684      COMMON NAME(25,3),NPLA(25,3),IOPR(25,3),SAS(25,3),OLF(25,3),
1704      &NAC(25),RUNP(25,3),TARG(25,3),WX(3,12),DH(12),
1725      &SP1(52),SP2(25,27),SP3(25,9)
1744      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSR,IPH,WPY,
1764      &AFD,KILL,IID,FID,KILLS(25),SI(25),SO(25)
1784      COMMON NAMEP(3),IAFT(3),SPS(3),SL(3),TT(3),TL(3),
1804      &AS(3),ATAG(3),TAGT(3),PMR(3),TAR(3),TOT(3),DT,NACC
1824      &,DTO
1844      FILENAME RUN
1865C
1884      READ(RUN,700)L,NACC,NAMEP,IAFT
1904      IF(NACC)10,10,20
1924      10 PRINT 701,RUN
1944      STOP
1964      20 READ(RUN,702)L,(DH(J),J=1,6)
1984      READ(RUN,702)L,(DH(J),J=7,12)
2004      READ(RUN,702)L,DT,DTO
2024      DO 30 I=1,NACC
2044      READ(RUN,702)L,(WX(I,J),J=1,6)
2064      30 READ(RUN,702)L,(WX(I,J),J=7,12)
2084      READ(RUN,702)L,SPS
2104      READ(RUN,702)L,SL
2124      READ(RUN,702)L,TT
2144      READ(RUN,702)L,TL
2164      READ(RUN,702)L,AS
2184      READ(RUN,702)L,ATAG
2204      READ(RUN,702)L,TAGT
2224      READ(RUN,702)L,PMR
2244      READ(RUN,702)L,TAR
2264      READ(RUN,702)L,TOT
2284      40 RETURN
2304      700 FORMAT(2I4,6A4)
2325      701 FORMAT(" DATA FILE: ",A8," IS INCOMPLETE- UPDATE AND RERUN")
2344      702 FORMAT(V)
2364      END

```

TABLE 11.1 (Cont)

b. Subroutine GENRWY

```

2384      SUBROUTINE GENRWY
2404      COMMON SWITCH(11)
2424      COMMON NAME(25,3),NPLA(25,3),IOPR(25,3),SAS(25,3),OLF(25,3),
2444      &NAC(25),RUNP(25,3),TARG(25,3),WM(3,12),DH(12),
2465      &SP1(52),SP2(25,27),SP3(25,9)
2484      COMMON ICOMMA,IBLANK,NO,NYES,NY,NPH,IER,LEVLSH,IPH,WPY,
2504      &AFD,KILL,IID,FID,KILLS(25),SI(25),SO(25)
2524      COMMON NAMEP(3),IAFT(3),SPS(3),SL(3),TT(3),TL(3),
2544      &AS(3),ATAC(3),TAGT(3),PMR(3),TAR(3),TOT(3),DT,NACC
2564      &,DTO
2584      DO 300 I=1,NACC
2604      TIME=0.0
2624      DO 10 J=1,12
2644      10 TIME=TIME+(DH(J)-SL(I))*WM(I,J)
2664      TIME=TIME*(1.0-DT)/12.0
2684      TLC=TT(I)+TL(I)
2704      SMLC=TIME/TLC
2724      CYC=TT(I)
2744      IF(CYC-TL(I))20,20,30
2764      20 CYC=TL(I)
2784      30 C=TIME/(2.0*SL(I))
2804      J=C
2824      C=J
2844      SMTL=C*SL(I)/CYC
2864      R=TIME-2.0*C*SL(I)
2884      E=SL(I)/CYC
2904      IF(R-SL(I))40,50,50
2924      40 E=R/CYC
2944      50 SMTL=SMTL+E
2964      IF(SMLC-SMTL)60,60,70
2984      60 SMAX=SMTL
3004      IOPR(IPH,I)=2
3024      AIR=SL(I)/CYC
3044      GO TO 80
3064      70 SMAX=SMLC
3084      IOPR(IPH,I)=1
3104      AIR=SL(I)/TLC

```

TABLE 11.1 (Cont)

b. Subroutine GENRWY (Cont)

```

3124   80 ET=0.
3144   IF(AIR.GT.AS(I))GO TO 200
3164   85 SAS(IPH,I)=AIR/AS(I)
3184   IF(ATAG(I)>100,100,90
3204   90 TGC=TIME*(1.-DTO)/TAGT(I)
3224   TGR=SO(IPH)*ATAG(I)/AFD
3244   OFR=(1.0-PMR(I))*TGR
3264   OLF(IPH,I)=OFR/TGC
3284   ET=(TGR-OFR)*(1.0-DTO)/TGC
3304   100 RS=SO(IPH)*SPS(I)/AFD
3324   RUNP(IPH,I)=ET + RS/SMAX
3344   IF(TAR(I)>290,290,110
3364   110 GUN=SO(IPH)*TAR(I)/AFD
3384   TART=(TIME-SL(I))/TOT(I)
3404   TARG(IPH,I)=GUN/TART
3424   GO TO 300
3444   200 IF(IOPR(IPH,I).EQ.2)GO TO 70
3464   C=TIME/SL(I)
3484   J=C
3504   D=J
3524   C=C-D
3544   T=C/TLC
3564   IF(T-AS(I)>220,220,210
3584   210 T=AS(I)
3604   220 SMAX=D*AS(I)+T
3624   AIP=AS(I)
3644   IOPR(IPH,I)=3
3664   GO TO 85
3684   290 SAS(IPH,I)=SAS(IPH,I)*RUNP(IPH,I)
3704   300 CONTINUE
3724   RETURN
3744   END

```

XII. PROGRAM PART2

12.1 The listing of program PART2 appears in Table 12.1. The only change is that line 1522 is new. It was inserted and in this case the entire program was resequenced. No other changes were made.

TABLE 12.1
PROGRAM PART2 LISTING

```

999C---PART2---MODIFIED FOR IFRS III 1-18-71
1002      COMMON IYEAR,ISWTCH(10)
1022      COMMON ACREQ(9,21),TBAS(9),TNAS(9),BPH(9,25),ASH(25,3),
1042      &ACFH(9,15),T0FF(9),TENL(9),TSTU(9),PNASE(9),SI(25),TCIV(9),
1062      &S0(25),FUREQ(9,3),PHPER(9,5),NBUSE(9),RW(25,3,3),
1082      &IACT(25,3),ACN01(25,3),T0FF1(25),EMT1(25)
1102      COMMON IATYPE(21),ACA(21),ACB(21),ACC(21),ACD(21),
1122      &AHM(21),ACM(21),ASM1(21),ASM2(21),A(21,3),RNWYL(21),
1142      &RL0AD(21),COMP(21),FLCST(21),A0M(21),CNAAC(21)
1162      COMMON NASNAM(9),AD(9),PF(9,3),EL(9,3),CU(9),IBED(9),PEE(9),
1182      &PRE(9),P0(9),PS(9),PIE(9),TS(9),TH(9),TN0FF(9),TNENL(9),
1202      &TNCIV(9),ATCF(9),WR(9,2),TENAC(9,6),PERFAC(9),EMES(9)
1222      COMMON FAC0ST(50,6)
1242      COMMON FAPW(6),AP(4,3),GWTAB(3),FAMESS(7,2),EXCH(10,2),
1262      &FAEM(8,2),TANKS(15),TAXIT0(3)
1282      COMMON IC0DESC(50),IDES(50,3),RPI(50,9,2),IUNITS(50),
1302      &XRPI1(9,10,4),XRPI2(3,9)
1322      COMMON BR(50,9),XBR1(9,10,4),XBR2(3,9),DEF(50,9),
1342      &XDEF2(9),XDEF3(2,9),XDEF4(3,15,9),TEX(50,9),
1362      &NCAT,IYES,N0,IC0M,GT0TAL,NPH
1382      ALPHA IC0M,IYES,N0,IATYPE
1402      D0 1 I=1,21
1422      D0 1 J=1,9
1442      1 ACREQ(J,I)=0.
1462      IC0M=","
1482      N0="N"
1502      IYES="Y"
1522      ISWTCH(8)=0
1542      IF(ISWTCH(10).EQ.0)G0 T0 20
1562      15 OPENFILE "BASED*"
1582      REWIND "BASED*"
1602      D0 18 I=1,9
1622      READ("BASED*",600)NASNAM(I)
1642      READ("BASED*",602)LINE,AD(I)
1662      READ("BASED*",602)LINE,(PF(I,J),J=1,3),(EL(I,K),K=1,3)
1682      READ("BASED*",602)LINE,CU(I),TH(I),TS(I)
1702      READ("BASED*",602)LINE,TN0FF(I),TNENL(I),TNCIV(I)
1722      READ("BASED*",602)LINE,PEE(I),PRE(I),P0(I),PS(I),PIE(I)
1742      READ("BASED*",602)LINE,EMES(I),IBED(I),PERFAC(I)
1762      READ("BASED*",602)LINE,ATCF(I),(WR(I,J),J=1,2)
1782      READ("BASED*",602)LINE,(TENAC(I,J),J=1,6)
1802      18 CONTINUE
1822      CLOSEFILE "BASED*"

```

TABLE 12.1 (Cont)

```

1842      OPENFILE "ACDAT*"
1862      REWIND "ACDAT*"
1882      D0 19 I=1,21
1902      READ("ACDAT*", 600)IATYPE(I)
1922      READ("ACDAT*", 606)LINE, ACA(I), ACB(I), ACC(I), ACD(I)
1942      READ("ACDAT*", 606)LINE, AHM(I), ACM(I), ASM1(I), ASM2(I)
1962      READ("ACDAT*", 606)LINE, (A(I,J), J=1,3)
1982      READ("ACDAT*", 606)LINE, RNWYL(I), RL0AD(I), C0MP(I)
2002      READ("ACDAT*", 606)LINE, FLCST(I), A0M(I)
2022      19 READ("ACDAT*", 606)LINE, CNAAC(I)
2042      CLOSEFILE "ACDAT*"
2062      IF(IISWTCH(10).EQ.0)G0 T0 30
2082      IF(IISWTCH(6).EQ.1)G0 T0 195
2102      OPENFILE "RETURN"
2122      REWIND "RETURN"
2142      READ("RETURN", 601)IC0DES,NBUSE
2162      READ("RETURN", 603)IDES,IUNITS
2182      READ("RETURN", 604)RPI,XRPI1,XRPI2,FAC0ST,BPH,CNAAC
2202      CLOSEFILE "RETURN"
2222      IF(IISWTCH(10).EQ.2)G0 T0 195
2242      G0 T0 30
2262      195 OPENFILE "RETURN1"
2282      REWIND "RETURN1"
2302      READ("RETURN1", 604)BPH
2322      READ("RETURN1", 601)NBUSE
2342      G0 T0 30
2362      20 IYEAR=1970
2382      ISWTCH(6)=1
2402      G0 T0 15
2422      30 CHAIN "PART3*"
2442      600 F0RMAT(5XA4)
2462      601 F0RMAT(8I8)
2482      602 F0RMAT(V)
2502      603 F0RMAT(15A4)
2522      604 F0RMAT(5E13.6)
2542      606 F0RMAT(V)
2562      END

```

XIII. PROGRAMS PART3 AND PRT3N

13.1 Program PART3 was one of the largest programs in the IFRS model. When the new option to read a standard phase-to-base assignment file was added to the program, the compiled version exceeded the allowable core capacity. The problem was overcome by dividing the program into two parts—PART3 and PRT3N.

13.2 The purpose of program PART3 is to:

- Read the LSROUT file.
- Accept the phase-to-base assignments.
- Check the allocation of a phase to ensure it has been completely (100%) assigned.
- Transfer control to program PRT3N.

13.3 The purpose of program PRT3N is to:

- Compute the base loading data.
- Transfer control to PART3 if the user wants to reallocate phases.
- Transfer control to PART4 if the user wants additional cost information.

13.4 The dictionary of new variables is given in Table 13.1. The programs are listed in Tables 13.2 and 13.3. Because the logic has been changed, new flow charts are given in Figures 13.1 and 13.2.

CHANGES TO PART3

13.5 The changes and additions to PART3 are as follows:

- The user has the option to accept and change the phase-to-base assignment stored on the data file PHABA* (changes do not affect the data file).
- The data file is validated the same as it is for terminal input. However, if there is an error, the data are not used. No error message is printed.
- If the user wants to correct or modify a phase assignment, data entry instructions are printed once, i.e., if the user has not seen the instructions on this run (if ISWTCH(8) ≠ 1).
- If the user returns to PART3 from PRT3N to reallocate phase, then the LSROUT file is not read again.

PROGRAM PRT3N

13.6 Program PRT3N is basically the last half of the old version of program PART3. The changes and additions are as follows:

- Subroutine MASK3 has been added (lines 5983 to 6083). The program is called at lines 1623 and 3923. This subroutine eliminates the need for the scratch file SCRI in this program. Essentially, the subroutine masks out the last 3 characters (27 bits) of the 4-character word by integer division. Thus the fuel types are still validated and accumulated on the basis of the first character in their name.
- In the old program PART3 there was an error in the logic of totaling fuel requirements (old lines 5623 to 5883). This has been corrected (see lines 3903 to 4403).

13.7 The scratch file SCRI was used only by the old PART3 program. Since it is no longer needed, it should be deleted from the user's library.

TABLE 13.1
NEW VARIABLE DICTIONARY FOR PROGRAMS
PART3 AND PRT3N

Location	Variable Name	Dimension	Type	Description
PART3	NI	1	I	Phase-to-base allocation input mode: NI=0 for terminal input of initial assignments NI=1 for reading file PHABA* NI=2 for terminal input of changes or corrections
PART3	IER	1	I	Error flag for terminal input IER=1 for correct input IER=2 for percent less than 0.0 or greater than 1.0 IER=3 for bad format IER=4 for incorrect base code IER=5 for incorrect phase number
PRT3N	GASNAM	3	A	Fuel type I (one character) I=1,3 denotes "J," "A," "H"
PRT3N	IOP	1	A	Argument for subroutine, returns to main program with first character of fuel name
PRT3N	IALPHA	1	A	Argument for subroutine holds fuel name for phase I, type J instruction
PRT3N	MASKX	1	F	Used in subroutine for integer division
PRT3N	BF1C	1	F	Product of BF1(I,IA) and C
Common	ISWTCH	10	I	ISWTCH(8) was modified to the following: ISWTCH(8)=0 for reading LSR output file ISWTCH(8)=1 for reallocation of phases: skip description of how to allocate phases ISWTCH(8)=2 for reallocation of phases: skip reading of LSR output file

TABLE 13.2
PROGRAM PART3 LISTING

```

999C---PART3--MODIFIED FOR IFRS III 1-18-71
1003      COMMON IYEAR,ISWTCH(10)
1023      COMMON ACREQ(9,21),TBAS(9),TNAS(9),BPH(9,25),ASH(25,3),
1043      &ACFH(9,15),TOFF(9),TENL(9),TSTU(9),PNASE(9),SI(25),TCIV(9),
1063      &SO(25),FUREQ(9,3),PHPER(9,5),NBUSE(9),RW(25,3,3),
1083      &IACT(25,3),ACNO1(25,3),TOFF1(25),EMT1(25)
1103      COMMON IATYPE(21),ACA(21),ACB(21),ACC(21),ACD(21),
1123      &AHM(21),ACM(21),ASM1(21),ASM2(21),A(21,3),RNWYL(21),
1143      &RLOAD(21),COMP(21),FLCST(21),AOM(21),CNAAC(21)
1163      COMMON NASNAM(9),AD(9),PF(9,3),EL(9,3),CU(9),IBED(9),PEE(9),
1183      &PRE(9),PO(9),PS(9),PIE(9),TS(9),TH(9),TNOFF(9),TNENL(9),
1203      &TNCLIV(9),ATCF(9),WR(9,2),TENAC(9,6),PERFAC(9),EMES(9)
1223      COMMON FACOST(50,6)
1243      COMMON FAPW(6),AP(4,3),GWTAB(3),FAMESS(7,2),EXCH(10,2),
1263      &FAEM(8,2),TANKS(15),TAXITO(3)
1283      COMMON ICODES(50),IDES(50,3),RPI(50,9,2),IUNITS(50),
1303      &XRPI1(9,10,4),XRPI2(3,9)
1323      COMMON BR(50,9),XBR1(9,10,4),XBR2(3,9),DEF(50,9),
1343      &XDEF2(9),XDEF3(2,9),XDEF4(3,15,9),TEX(50,9),
1363      &NCAT,IYES,NO,ICOM,GTOTAL,NPH
1383      COMMON OOUT(25),TPCT(25),PNAS(4),OUT1(25,3),
1403      &TDATA(9,4),ATYPE(20),FTYPE(20),PLREQ(20),
1423      &SL(25),GAREQ(20),BCFH(25,3),
1443      &BF1(25,3),FUEL(25,3),NAME(25,3),NAC(25)
1463      &,IAFT(25,3),XBAS(4),HRSREQ(20)
1483      ALPHA AA,ICOM,ICOM1,ICOM2,IYES,NO,ATYPE,FTYPE,
1503      &NASNAM,NAME,IACT,IAFT,IOP,IATYPE
1523      FILENAME T1
1543      IF(ISWTCH(8).NE.0) GO TO 3
1563      ISWTCH(8)=2
1583      OPENFILE "LSROUT"
1603      REWIND "LSROUT"
1623      READ("LSROUT",651)NPH
1643      DO 2 I=1,NPH
1663      READ("LSROUT",652)(NAME(I,J),J=1,3),NC(I)
1683      READ("LSROUT",653)SI(I),SO(I),SL(I),TOFF1(I),EMT1(I)
1703      READ("LSROUT",629)(IACT(I,J),J=1,3),(IAFT(I,J1),J1=1,3)
1723      READ("LSROUT",630)(ACNO1(I,J),J=1,3)
1743      READ("LSROUT",630)(BF1(I,J),J=1,3)
1763      READ("LSROUT",630)(ASH(I,J),J=1,3)
1783      READ("LSROUT",630)(BCFH(I,J),J=1,3)
1803      2 CONTINUE
1823      CLOSEFILE "LSROUT"

```

TABLE 13.2 (Cont)

```

1843    3 IF(ISWTCH(10).GT.0) GO TO 500
1863    4 DO 5 I=1,25
1883      DO 5 J=1,9
1903      5 BPH(J,I)=0.
1923      PRINT 725
1943      CALL NOYES($7,$8)
1963    7 IF(ISWTCH(8).NE.1) GO TO 11
1983      NI=0
2003      GO TO 10
2023    8 T1="PHABA*"
2043      OPENFILE T1
2063      REWIND T1
2083      NI=1
2103      READ(T1,735)
2123      READ(T1,735)
2143      PRINT 730
2163    9 READ(T1,735,END=100)IPH,ICOM1,AA,ICOM2,PCT
2183      GO TO 14
2203   10 PRINT,"TYPE FIRST BASE ASSIGNMENT"
2223      GO TO 13
2243   11 NI=0
2263   12 PRINT 600
2283     ISWTCH(8)=1
2303   13 INPUT 601,IPH,ICOM1,AA,ICOM2,PCT
2323   14 IER=1
2343     IF(IPH.EQ.0) GO TO 100
2363     IF((PCT.LT.0.0).OR.(PCT.GT.1.)) IER=2
2383     IF(ICOM2.NE.ICOM) IER=3
2403     IF(ICOM1.NE.ICOM) IER=3
2423     DO 20 I=1,9
2443     IF(AA.NE.NASNAM(I)) GO TO 20
2463       K=I
2483       GO TO 30
2503   20 CONTINUE
2523     IER=4
2543   30 IF((IPH.LT.0).OR.(IPH.GT.NPH)) IER=5
2563     IF(NI.EQ.1) GO TO 35
2583     GO TO (80,40,50,60,70),IER
2603   35 IF(IER.GT.1) GO TO 9
2623     GO TO 80
2643   40 PRINT 605,PCT
2663     GO TO 13
2683   50 PRINT 602

```

TABLE 13.2 (Cont)

```

2703      GO TO 13
2723      60 PRINT 604
2743      GO TO 13
2763      70 PRINT 608
2783      GO TO 13
2803      80 BPH(K,IPH)=PCT
2823      IF(NI.EQ.1) GO TO 85
2843      PRINT 606
2863      GO TO 13
2883      85 PRINT 740,IPH,AA,PCT
2903      GO TO 9
2923      100 IF(NI.EQ.2) GO TO 138
2943      PRINT 628
2963      CALL NOYES($138,$135)
2983      135 PRINT 627
3003      NI=2
3023      IF(ISWTC(8).EQ.0) GO TO 12
3043      PRINT 624
3063      GO TO 13
3083      138 DO 140 I=1,25
3103      TPCT(I)=0.
3123      DO 140 J=1,9
3143      140 TPCT(I)=TPCT(I)+BPH(J,I)
3163      DO 160 I=1,NPH
3183      IF (TPCT(I)-.995)150,145,145
3203      145 IF(TPCT(I)-1.005)160,160,147
3223      147 K=I
3243      GO TO 165
3263      150 K=I
3283      GO TO 170
3303      160 CONTINUE
3323      GO TO 190
3343      165 PRINT 625,K
3363      DO 167 I=1,9
3383      167 BPH(I,K)=0.
3403      IF(ISWTC(8).EQ.0) GO TO 12
3423      GO TO 13
3443      170 PRINT 607,K
3463      IF(ISWTC(8).EQ.0) GO TO 12
3483      GO TO 13
3503      190 DO 198 I=1,9
3523      TEMP=0.
3543      DO 195 J=1,25
3563      195 TEMP=TEMP+BPH(I,J)

```

TABLE 13.2 (Cont)

```

3583      IF(TEMP-.01)196,196,197
3603      196 NBUSE(I)=0
3623      GO TO 198
3643      197 NBUSE(I)=1
3663      198 CONTINUE
3683      GO TO 520
3703      500 PRINT 626
3723          IF(ISWTCH(6).EQ.1)ISWTCH(10)=0
3743          CALL NOYES($4,$520)
3763      520 CHAIN "PRT3N**"
3783C-----
3803      600 FORMAT(" PHASE ALLOCATION: ASSIGN EACH PHASE AS--"/1X
3823          &"II,AAAA,.XX"/1X"WHERE: II = PHASE (2 DIGITS); AAAA = BASE"
3843          &" CODE;"/7X".XX = PERCENT AT BASE (1.0 = 100%)/1X
3863          &"BASE CODES: CHAS CORP ELLY"/13X"KING MERI PENS"/13X
3883          &"SAUF WHIT PHAN"/" II = 0 TO TERMINATE:")
3903      601 FORMAT(I2,A1,A4,A1,F3.2)
3923      602 FORMAT(22H BAD FORMAT--TRY AGAIN)
3943      604 FORMAT(30H INCORRECT BASE CODE---CORRECT)
3963      605 FORMAT(10H THE VALUE1XF6.2,1X45H GIVEN FOR PERCENT CANNOT EXCE
3983          &ED 1.0---CORRECT)
4003      606 FORMAT("+NEXT")
4023      607 FORMAT( 7H PHASE I2," HAS NOT BEEN ASSIGNED OR IS"" ONLY"
4043          &" PARTLY ASSIGNED---CORRECT")
4063      608 FORMAT(" NO SUCH PHASE---CORRECT")
4083      624 FORMAT(" ENTER FIRST CORRECTION")
4103      625 FORMAT(" PHSAC" I2," HAS BEEN OVER-ASSIGNED. ALL ALLOCATIONS"
4123          &" OF THIS PHASE"/" ARE ELIMINATED. RE-ENTER THE COMPLETE"
4143          &" ALLOCATION")
4163      626 FORMAT(" KEEP SAME PHASE TO BASE ASSIGNMENT(Y,N)")
4183      627 FORMAT(" *CAUTION: IF YOU REASSIGN A PHASE, YOU MUST"/
4203          &" *DELETE OR CHANGE THE OLD ASSIGNMENT."/"
4223          &" *(TO DELETE ENTER 0.0%)"//)
4243      628 FORMAT(/" ANY CHANGES OR CORRECTIONS(Y,N)" )
4263      629 FORMAT(5X6A4)
4283      630 FORMAT(5X3E13.6)
4303      725 FORMAT(" USE THE STANDARD PHASE TO BASE ALLOCATION(Y,N)" )
4323      730 FORMAT(" STANDARD ALLOCATION"/1X"PHASE"1X"BASE"1X"PERCENT")
4343      735 FORMAT(6X,I2,A1,A4,A1,F4.2)
4363      740 FORMAT(3X,I2,2X,A4,4X,F4.2)
4383      651 FORMAT(5XI3)
4403      652 FORMAT(5X3A4,I3)
4423      653 FORMAT(5X5E13.6)
4443          END

```

TABLE 13.2 (Cont)

```
4463      SUBROUTINE NOYES(*,*)  
4483      ALPHA N  
4503      10 INPUT, N  
4523      IF(N.EQ."N") RETURN 1  
4543      IF(N.EQ."Y") RETURN 2  
4563      PRINT 20  
4583      20 FORMAT(1X24HINVALID REPLY---CORRECT)  
4603      GO TO 10  
4623      END
```

TABLE 13.3
PROGRAM PRT3N LISTING

```

999C---PRT3N--CONTINUATION OF PART3--MODIFIED FOR IFRS III 1-18-71
1003    COMMON IYEAR,ISWTCH(10)
1023    COMMON ACREQ(9,21),TBAS(9),TNAS(9),BPH(9,25),ASH(25,3),
1043    &ACFH(9,15),TOFF(9),TENL(9),TSTU(9),PNASE(9),SI(25),TCIV(9),
1063    &SO(25),FUREQ(9,3),PHPER(9,5),NBUSE(9),RW(25,3,3),
1083    &IACT(25,3),ACN01(25,3),TOFF1(25),EMT1(25)
1103    COMMON IATYPE(21),ACA(21),ACB(21),ACC(21),ACD(21),
1123    &AHM(21),ACM(21),ASM1(21),ASM2(21),A(21,3),RNWYL(21),
1143    &RLOAD(21),COMP(21),FLCST(21),AOM(21),CNAAC(21)
1163    COMMON NASNAM(9),AD(9),PF(9,3),EL(9,3),CU(9),IBED(9),PEE(9),
1183    &PRE(9),PO(9),PS(9),PIE(9),TS(9),TH(9),TNOFF(9),TNENL(9),
1203    &TNCIV(9),ATCF(9),WR(9,2),TENAC(9,6),PERFAC(9),EMES(9)
1223    COMMON FACOST(50,6)
1243    COMMON FAPW(6),AP(4,3),GWTAB(3),FAMESS(7,2),EXCH(10,2),
1263    &FAEM(8,2),TANKS(15),TAXITO(3)
1283    COMMON ICODES(50),IDES(50,3),RPI(50,9,2),IUNITS(50),
1303    &XRPI1(9,10,4),XRPI2(3,9)
1323    COMMON BR(50,9),XBR1(9,10,4),XBR2(3,9),DEF(50,9),
1343    &XDEF2(9),XDEF3(2,9),XDEF4(3,15,9),TEX(50,9),
1363    &NCAT,IYES,NO,ICOM,GTOTAL,NPH
1383    COMMON OOUT(25),TPCT(25),PNAS(4),OUT1(25,3),
1403    &TDATA(9,4),ATYPE(20),FTYPE(20),PLREQ(20),
1423    &SL(25),GAREQ(20),BCFH(25,3),
1443    &BF1(25,3),FUEL(25,3),NAME(25,3),NAC(25)
1463    &,IAFT(25,3),XBAS(4),HRSREQ(20)
1483    ALPHA AA,ICOM,ICOM1,ICOM2,IYES,NO,ATYPE,FTYPE,
1503    &NASNAM,NAME,IACT,IAFT,IATYPE,IOP,GASNAM
1523C
1543    DIMENSION GASNAM(3)
1563    DATA GASNAM/"J","A","H"/
1583    MASKX=2**27
1603    DO 20 I=1,3
1623    CALL MASK3(GASNAM(I),IOP,MASKX)
1643    20 GASNAM(I)=IOP
1663C
1683    DO 1000 I=1,9
1703    TDATA(I,1)=TNOFF(I)
1723    TDATA(I,2)=TNENL(I)
1743    TDATA(I,3)=TNCIV(I)
1763 1000 TDATA(I,4)=TDATA(I,1)+TDATA(I,2)+TDATA(I,3)
1783 520 PRINT,"SKIP DETAILED BASE LOADING DATA(Y,N)"
1803    NODETL=0
1823 200 INPUT,IOP

```

TABLE 13.3 (Cont)

```

1843      IF(IOP.EQ.IYES) GO TO 205
1863      IF(IOP.EQ.NO) GO TO 210
1883      PRINT,"INVALID REPLY--TRY AGAIN"
1903      GO TO 200
1923 205 NODETL=1
1943      PRINT 665
1963 210 DO 400 IB=1,9
1983      IF(NBUSE(IB))400,400,265
2003 265 K=0
2023      IF(NODETL.EQ.1)GO TO 267
2043      PRINT 715,NASNAM(IB)
2063 267 DO 280 I=1,NPH
2083      C=BPH(IB,I)
2103      IF(C-.01)280,280,270
2123 270 K=K+1
2143      OOUT(K)=C*SL(I)
2163      OUT1(K,1)=C*TOFF1(I)
2183      OUT1(K,2)=C*EMT1(I)
2203      OUT1(K,3)=OUT1(K,1)+OUT1(K,2)+OOUT(K)
2223      IF(NODETL.EQ.1)GO TO 280
2243      PRINT 716,(NAME(I,J),J=1,3),OOUT(K),(OUT1(K,J),J=1,3)
2263 280 CONTINUE
2283      SUM1=0.
2303      SUM2=0.
2323      SUM3=0.
2343      SUM4=0.0
2363      DO 284 I=1,K
2383      SUM1=SUM1+OUT1(I,1)
2403      SUM2=SUM2+OUT1(I,2)
2423      SUM4=SUM4+OOUT(I)
2443 284 SUM3=SUM3+OUT1(I,3)
2463      TSTU(IB)=SUM4
2483      PPER(IB,1)=SUM1+SUM4
2503      PPER(IB,2)=SUM2
2523      IF(NODETL.EQ.1)GO TO 2084
2543      PRINT 718,SUM4,SUM1,SUM2,SUM3
2563      PRINT 719,(TDATA(IB,J),J=1,4)
2583 2084 PNAS(4)=518.4+.259*(TDATA(IB,4)+SUM3)
2603      PNAS(2)=407.9+.0939*(TDATA(IB,4)+SUM3)
2623      PNAS(1)=19.23+.1765*(TDATA(IB,1)+SUM1)
2643      PNASE(IB)=PNAS(2)
2663      TNAS(IB)=PNAS(4)
2683      PNAS(3)=PNAS(4)-PNAS(1)-PNAS(2)

```

TABLE 13.3 (Cont)

```

2703      PHPER(IB,3)=PNAS(1)
2723      PHPER(IB,4)=PNAS(2)
2743      PHPER(IB,5)=PNAS(3)
2763      XBAS(1)=PNAS(1)+TDATA(IB,1)+SUM1
2783      XBAS(2)=PNAS(2)+TDATA(IB,2)+SUM2
2803      XBAS(3)=PNAS(3)+TDATA(IB,3)
2823      TCIV(IB)=XBAS(3)
2843      TOFF(IB)=XBAS(1)
2863      TENL(IB)=XBAS(2)
2883      XBAS(4)=PNAS(4)+TDATA(IB,4)+SUM3
2903      TBAS(IB)=XBAS(4)
2923      IF(NODETL.EQ.1)GO TO 2085
2943      PRINT 720,(PNAS(I),I=1,4),(XBAS(J),J=1,4)
2963 2085 K=0
2983      NF=1
3003      DO 300 I=1,NPH
3023      IF(NAC(I).EQ.0)GO TO 300
3043      C=BPH(IB,I)
3063      JLOW=1
3083      IF(C-.01)300,300,285
3103 285 IF(NF-1)286,286,288
3123 286 K=K+1
3143      ATYPE(K)=IACT(I,1)
3163      PLREQ(K)=ACN01(I,1)*C
3183      HRSREQ(K)=BCFH(I,1)*C
3203      NF=2
3223      IF(NAC(I)-1)300,300,287
3243 287 JLOW=2
3263 288 JHI=NAC(I)
3283      DO 293 J=JLOW,JHI
3303      L=1
3323 289 IF(IACT(I,J).NE.ATYPE(L))GO TO 291
3343      PLREQ(L)=PLREQ(L)+ACN01(I,J)*C
3363      HRSREQ(L)=HRSREQ(L)+BCFH(I,J)*C
3383      GO TO 293
3403 291 L=L+1
3423      IF(L-K)289,289,292
3443 292 K=K+1
3463      ATYPE(K)=IACT(I,J)
3483      PLREQ(K)=ACN01(I,J)*C
3503      HRSREQ(K)=BCFH(I,J)*C
3523 293 CONTINUE
3543 300 CONTINUE

```

TABLE 13.3 (Cont)

```

3563      L1=K
3583      IF(K.EQ.0)NOAC=1
3603      DO 301 I=16,21
3623      IX=I-15
3643      IF(TENAC(IB,IX).LT..01)GO TO 301
3663      K=K+1
3683      ATYPE(K)=IATYPE(I)
3703      PLREQ(K)=TENAC(IB,IX)
3723 301 CONTINUE
3743      KF=0
3763      DO 310 I=1,3
3783 310 FUREQ(IB,I)=0.
3803      DO 350 I=1,NPH
3823      C=BPH(IB,I)
3843      IF(C-.01)350,350,315
3863 315 IF(NAC(I).EQ.0)GO TO 350
3883      JHI=NAC(I)
3903      DO 345 IA=1,JHI
3923      CALL MASK3(IAFT(I,IA),IOP,MASKX)
3943C-- -VALIDATE FUEL TYPE
3963      DO 320 IT=1,3
3983      IF(GASNAM(IT).EQ.IOP)GO TO 325
4003 320 CONTINUE
4023      PRINT 322,IAFT(I,IA),I
4043 322 FORMAT(/" ** FUEL NAME: ",A4," IN PHASE ",I2," IS OF
4063      & UNKNOWN TYPE"//)
4083      GO TO 345
4103C-- -FOUND VALID FUEL TYPE. TYPE NUMBER IT
4123 325 BF1C=BF1(I,IA)*C
4143      IF(KF.EQ.0)GO TO 340
4163C-- -COMPARE WITH FTYP LIST
4183      DO 335 J=1,KF
4203      IF(IAFT(I,IA).NE.FTYP(J))GO TO 335
4223      GAREQ(J)=GAREQ(J)+BF1C
4243      FUREQ(IB,IT)=FUREQ(IB,IT)+BF1C
4263      GO TO 345
4283 335 CONTINUE
4303C-- -ADD NEW FUEL TYPE TO LIST IN FTYP
4323 340 KF=KF+1
4343      FTYP(KF)=IAFT(I,IA)
4363      GAREQ(KF)=BF1C
4383      FUREQ(IB,IT)=BF1C
4403 345 CONTINUE
4423 350 CONTINUE

```

TABLE 13.3 (Cont)

```

4443      DO 372 I=16,21
4463      IK=I-15
4483      J=IFIX(AOM(I)+.005)
4503 372 FUREQ(IB,J)=FUREQ(IB,J)+TENAC(IB,IK)*FLCST(I)
4523      IF(NODETL.EQ.1)GO TO 375
4543      PRINT 619
4563      PRINT 620,(ATYPE(I),PLREQ(I),I=1,K)
4583 375 DO 380 I=1,K
4603      DO 380 J=1,15
4623      IF(ATYPE(I).NE.IATYPE(J))GO TO 380
4643      ACREQ(IB,J)=PLREQ(I)
4663      ACFH(IB,J)=HRSREQ(I)
4683 380 CONTINUE
4703      DO 385 I=16,21
4723      J=I-15
4743 385 ACREQ(IB,I)=TENAC(IB,J)
4763      IF(NODETL.EQ.1)GO TO 390
4783      PRINT 621
4803      PRINT 622,(FUREQ(IB,I),I=1,3)
4823      GO TO 400
4843 390 WAG=GAREQ(1)*1.E-6
4863      IF(NOAC.EQ.1)GO TO 398
4883      PRINT 660,NASNAM(IB),TSTU(IB),SUM3,TNAS(IB),
4903      &TOFF(IB),TENL(IB),TCIV(IB),TBAS(IB),ATYPE(1),PLREQ(1),
4923      &FTYPE(1),WAG
4943      IF(L1.EQ.1)GO TO 400
4963      DO 395 J1=2,L1
4983      WAG=GAREQ(J1)*1.E-6
5003      IF((K.GE.J1).AND.(KF.GE.J1))PRINT 661,ATYPE(J1),PLREQ(J1),
5023      &FTYPE(J1),WAG
5043      IF((K.LT.J1).AND.(KF.GE.J1))PRINT 662,FTYPE(J1),WAG
5063      IF((K.GE.J1).AND.(KF.LT.J1))PRINT 663,ATYPE(J1),PLREQ(J1)
5083 395 CONTINUE
5103      GO TO 400
5123 398 PRINT 660,NASNAM(IB),TSTU(IB),SUM3,TNAS(IB),TOFF(IB),
5143      &TENL(IB),TCIV(IB),TBAS(IB)
5163      NOAC=0
5183 400 CONTINUE
5203      PRINT 609
5223 410 INPUT,IOP
5243      IF(IOP.EQ.1YES)GO TO 502
5263      IF(IOP.EQ.0)CHAIN "PART4*"
5283      PRINT 628

```

TABLE 13.3 (Cont)

```

5303      GO TO 410
5323      502 CHAIN "PART3*"
5343      609 FORMAT(//" REALLOCATE PHASES(Y,N)"")
5363      619 FORMAT( //14H AIRCRAFT DATA/1X4HTYPE 4X3HNO.)
5383      620 FORMAT(1XA4,2XF5.0)
5403      621 FORMAT( //10H FUEL DATA/1X4HTYPE2X7HGALLONS)
5423      622 FORMAT(1X"JET "1XE9.3/1X"AGAS"1XE9.3/1X"HELO"1XE9.3)
5443      628 FORMAT(1X24HINVALID REPLY---TRY AGAIN)
5463      650 FORMAT(A4,5E12.6/4E12.6,I1/6E12.6/6E12.6/E12.6)
5483      654 FORMAT(75A1)
5503      655 FORMAT(A4,6E12.6/6E12.6)
5523      660 FORMAT(1XA4,F6.0,F7.0,F7.0,3F6.0,F7.0,1XA4,F5.0,1XA4,F7.2)
5543      &F4.0,A4,1X1PE8.3)
5563      661 FORMAT(51XA4,F5.0,1XA4,F7.2)
5583      662 FORMAT(61XA4,F7.2)
5603      663 FORMAT(51XA4,F5.0)
5623      665 FORMAT(1X"BASE LOADING SUMMARY"/1X"*PERSONNEL"38X
5643      &3X"*AIRCRAFT *FUEL"/6X"STD. "12(1H-)"BASE TOTALS "
5663      &12(1H-)10X"MILLION GAL."/1X"NAS LOAD PHASE
5683      &NAS OFF ENL CIV TOTAL TYPE NO. TYPE AMOUNT")
5703      715 FORMAT(///1X"NAS--"A4/1X55HPERSONNEL STD.LOAD
5723      & OFFI
5743      &CERS ENLISTED CIVILIAN TOTAL)
5763      716 FORMAT(1X,3A4,F6.0,F10.0,F9.0,9X,F9.0)
5783      718 FORMAT(13H ALL PHASES ,F6.0,F10.0,F9.0,9X,F9.0/)
5803      719 FORMAT(13H TENANTS ,6X,F10.0,3F9.0)
5823      720 FORMAT(13H NAS PERS. ,6X,F10.0,3F9.0/
5843      & 13H TOTAL BASE ,6X,F10.0,3F9.0)
5863      725 FORMAT(" DO YOU WANT TO USE THE STANDARD PHASE TO BASE"
5883      &," ALLOCATION")
5903      730 FORMAT(" STANDARD ALLOCATION"//1X"PHASE"1X"BASE"1X"PERCENT")
5923      735 FORMAT(5X,I2,A1,A4,A1,F3.2)
5943      740 FORMAT(3X,I2,2X,A4,4X,F3.2)
5963      END

```

TABLE 13.3 (Cont)

```
5983      SUBROUTINE MASK3(IALPHA,IFIRST,MASKX)
6003C-- -RETURNS WITH FIRST CHARACTER OF IALPHA IN IFIRST
6023C    TREAT ALPHA VARIABLE AS INTEGER. MASKX KNOCKS OFF
6043C    LAST 27 BITS BY INTEGER DIVISION.
6063      IFIRST=(IALPHA/MASKX)*MASKX
6083      RETURN;END
```




FIGURE 13.1. PART3 FLOW CHART




FIGURE 13.2. PRT3N FLOW CHART

XIV. PROGRAM PART4

14.1 The following addition was made to PART4 to ensure that zeros are initially in the array XBR1.

```
3714      DO 16 I=1,9
3716      DO 16 J=1,10
3718      DO 16 K=1,4
3720      16 XBR1(I,J,K)=0
```

XV. PROGRAM PARTY

15.1 The following changes were made to program PARTY to eliminate the possibility of a zero subscript occurring at line 12671. This has happened on an NFO run where the runway requirements are very small at the PHANTOM base.

10835 M=0

12515 IF(MT.EQ.0)GO TO 450

XVI. PROGRAM PARTS

16.1 The following changes and corrections were made to program PART5.

```
1265 PRINT,"TYPE 1 FOR O&M COST SUM. & TOTAL SYSTEM COST(TSC) ONLY"  
1855 DO 80 J=1,21  
2015 82 BR(6,NB)=(PWP/100)*FAPW(1)  
2125 DO 120 J=1,21
```

The first line is the new print option. The next three lines correct previous errors.

XVII. PROGRAM PART7

17.1 The following additions were made to program PART7 to print a new cost total.

```
3177      X=0.  
6697      IF(IISWTCH(9).EQ.1)JUMP=1  
6700      IF(IISWTCH(9).EQ.2)JUMP=1  
6909      ADD1=0  
6911      ADD2=0  
6913      ADD3=0  
6915      ADD4=0  
6930      ADD1=ADD1+CNAAC(I)  
6950      ADD2=ADD2+TOTAC(I)  
7030      ADD3=ADD3+COST1  
7050      ADD4=ADD4+COST2  
7190      IF(JUMP.EQ.0)PRINT 603,ADD1,ADD2,DEFAC,ADD3,ADD4,TCOST  
7670 603 FORMAT(" TOTAL",F7.0,F9.0,F8.0,3F9.0)
```

Line 3127 was deleted and line 3177 is a correction.

XVIII. PROGRAM PART9

18.1 The following changes and additions were made to PART9 to print out a new cost total.

```
1479      IF(IISWTCH(9).EQ.1)ISA=1
1831      TOTAL1=0
1833      TOTAL2=0
1835      TOTAL3=0
1837      TOTAL4=0
2929      TOTAL1=TOTAL1+COST2
2931      TOTAL2=TOTAL2+COST3
2933      TOTAL3=TOTAL3+ACOST
2935      TOTAL4=TOTAL4+BSUPP
2937    80 SUB3=SUB3+SUB1
2969      PRINT 616,TOTAL1,TOTAL2,TOTAL3,TOTAL4,SUB3
3769  600 FORMAT(1X"SUMMARY O & M COST"//1X"NAS      "
3789      &"MILITARY      A/C FUEL      A/C O&M      BASE"/1X
3809      &"P&A",10X"TOTAL",6X"TOTAL",5X"SUPPORT",5X"TOTAL")
4109  614 FORMAT(1XA4,2XF10.1,1X4(1XF10.1))
4149  616 FORMAT(1X"TOTAL",1XF10.1,1X4(1XF10.1))
```