

AD-A043 656

OGDEN AIR LOGISTICS CENTER HILL AFB UTAH PROPELLANT L--ETC F/G 21/9.2
PROPELLANT SURVEILLANCE REPORT MINUTEMAN III STAGE III, (U)
JUL 77 E M DALABA
MANCP-374(77)

UNCLASSIFIED

NL

1 OF 3
AD
A043656

ADA 043656

HEADQUARTERS
OGDEN AIR LOGISTICS CENTER
UNITED STATES AIR FORCE
HILL AIR FORCE BASE, UTAH

2
B.S.

PROPELLANT
SURVEILLANCE REPORT
MINUTEMAN III STAGE III

DDC
RECEIVED
SEP 1 1977
K C

PROPELLANT LABORATORY SECTION

**COPY AVAILABLE TO DDC DOES NOT
PERMIT FULLY LEGIBLE PRODUCTION**

MANCP REPORT NR 374(77)

JULY 1977

AD NO.
DDC FILE COPY

APPROVED FOR PUBLIC RELEASE, DISTRIBUTION UNLIMITED

14

MANCP ~~REPORT~~ 374(77)
MMWRM PROJECT M83257C

6

PROPELLANT SURVEILLANCE REPORT
MINUTEMAN III STAGE III

Author

Elizabeth M Dalaba

10

ELIZABETH M. DALABA, Chemist
Component & Combustion Test Unit

D D C
SEP 1 1977
C

Engineering & Statistical Review By

Glenn S. Porter
GLENN S. PORTER, Project Engineer
Service Engineering

Gary W. Redmond
GARY W. REDMOND, Statistician
Data Analysis Unit

Recommended Approval By

Leonidas A. Brown
LEONIDAS A. BROWN, Chief
Component & Combustion Test Unit

Ronald F. Larsen
RONALD F. LARSEN, Chief
Physical & Mechanical Test Unit

Approved By

Don F. Woods
DON F. WOODS, Chief
Propellant Laboratory Section

11

Jul 1977

12 240 p.

Industrial Products & Ldg Gear Division
Directorate of Maintenance
Ogden Air Logistics Center
United States Air Force
Hill Air Force Base, Utah 84406

ACCESSION	
NIS	<input checked="" type="checkbox"/>
...	<input type="checkbox"/>
...	<input type="checkbox"/>
DISTRIBUTION/AVAILABILITY CODES	
A 23	

407 387

ABSTRACT

This report contains test results from testing of Minuteman III, Stage III propellant manufactured by Aerojet Solid Propulsion Company and Thiokol Corporation, Wasatch Division. These results are compared statistically with propellant of similar ages from Minuteman II Stage II.

Regressions are given for only statistically significant parameters from very low rate tensile, high rate biaxial tensile under pressure, stress relaxation and thermal coefficient of linear expansion tests. There are some significant regressions in each of these tests.

Case liner bonds also show significant changes which are potentially life limiting.

Significant changes in other parameters may be the result of limited testing, both in numbers and ages.

Analysis of covariance for test data from lined and unlined cartons of Stage II and Stage III propellant and for the four tests listed above are given in the statistical appendix.

TABLE OF CONTENTS

<u>Section</u>		<u>Page</u>
	Abstract	ii
	List of Tables	iv
	List of Figures	viii
	List of References	xi
	Glossary of Abbreviations & Terms	xiii
I	Introduction	1-1
II	Test Program	2-1
III	Statistical Summary & Conclusions	3-1
IV	Very Low Rate Tensile	4-1
V	High Rate Triaxial Tensile	5-1
VI	Stress Relaxation	6-1
VII	Thermal Coefficient of Linear Expansion	7-1
VIII	Case Liner Bonds	8-1
A	Appendix - Analysis of Covariance	A-1

LIST OF TABLES

<u>Table Nr</u>		<u>Page</u>
1-1	Alert Limits for Possible Failure Modes	1-2
2-1	Plot Symbol Legend	2-2
3-1	Regression Analysis Summary of Significance	3-6
8-1	Summary of Regression Analysis, Stress Stress vs Time to Failure	8-2
Appendix	Analysis of Covariance Tables	
	Very Low Rate Tensile	
A-A	Summary of Significance	A-2
A-1	ANT Lined vs Unlined Cartons Max Stress	A-3
A-2	ANT Lined vs Unlined Cartons Strain at Rupture	A-4
A-3	ANT Lined vs Unlined Cartons, Modulus	A-5
A-4	ANB vs ANT Lined Cartons, Max Stress	A-6
A-5	ANB vs ANT Lined Cartons, Strain at Rupture	A-7
A-6	ANB vs ANT Lined Cartons, Modulus	A-8
A-7	ANA vs ANB Unlined Cartons, Max Stress	A-9
A-8	ANA vs ANB Unlined Cartons, Strain at Rupture	A-10
A-9	ANA vs ANB Unlined Cartons, Modulus	A-11
A-10	ANA vs ANB & ANT Unlined Cartons, Max Stress	A-12
A-11	ANA vs ANB & ANT Unlined Cartons, Strain at Rupture	A-13
A-12	ANA vs ANB & ANT Unlined Cartons, Modulus	A-14
A-13	ANB Lined Cartons, Lot-to-Lot, Max Stress	A-15
A-14	ANB Lined Cartons, Lot-to-Lot, Strain at Rupture	A-16
A-15	ANB Lined Cartons, Lot-to-Lot, Modulus	A-17
A-16	ANT Lined Cartons, Lot-to-Lot, Max Stress	A-18

LIST OF TABLES (cont)

<u>Table Nr.</u>		<u>Page</u>
A-17	ANT Lined Cartons, Lot-to-Lot, Strain at Rupture	A-19
A-18	ANT Lined Cartons, Lot-to-Lot, Modulus	A-20
A-19	ANA Unlined Cartons, Lot-to-Lot, Max Stress	A-21
A-20	ANA Unlined Cartons, Lot-to-Lot, Strain at Rupture	A-22
A-21	ANA Unlined Cartons, Lot-to-Lot, Modulus	A-23
A-22	ANB Unlined Cartons, Lot-to-Lot, Max Stress	A-24
A-23	ANB Unlined Cartons, Lot-to-Lot, Strain at Rupture	A-25
A-24	ANB Unlined Cartons, Lot-to-Lot, Modulus	A-26
A-25	ANT Unlined Cartons, Lot-to-Lot, Max Stress	A-27
A-26	ANT Unlined Cartons, Lot-to-Lot, Strain at Rupture	A-28
A-27	ANT Unlined Cartons, Lot-to-Lot, Modulus	A-29
	High Rate Triaxial Tensile	
A-28	ANT Lined vs Unlined Cartons, Max Stress	A-30
A-29	ANT Lined vs Unlined Cartons, Strain at Rupture	A-31
A-30	ANT Lined vs Unlined Cartons, Modulus	A-32
A-31	ANB vs ANT Lined Cartons, Max Stress	A-33
A-32	ANB vs ANT Lined Cartons, Strain at Rupture	A-34
A-33	ANB vs ANT Lined Cartons, Modulus	A-35
A-34	ANA vs ANB Unlined Cartons, Max Stress	A-36
A-35	ANA vs ANB Unlined Cartons, Strain at Rupture	A-37
A-36	ANA vs ANB Unlined Cartons, Modulus	A-38
A-37	ANA vs ANB & ANT Unlined Cartons, Max Stress	A-39
A-38	ANA vs ANB & ANT Unlined Cartons, Strain at Rupture	A-40
A-39	ANA vs ANB & ANT Unlined Cartons, Modulus	A-41
A-40	ANB Lined Cartons, Lot-to-Lot, Max Stress	A-42
A-41	ANB Lined Cartons, Lot-to-Lot, Strain at Rupture	A-43

LIST OF TABLES (cont)

<u>Table Nr.</u>		<u>Page</u>
A-42	ANB Lined Cartons, Lot-to-Lot, Modulus	A-44
A-43	ANT Lined Cartons, Lot-to-Lot, Max Stress	A-45
A-44	ANT Lined Cartons, Lot-to-Lot, Strain At Rupture	A-46
A-45	ANT Lined Cartons, Lot-to-Lot, Modulus	A-47
A-46	ANA Unlined Cartons, Lot-to-Lot, Max Stress	A-48
A-47	ANA Unlined Cartons, Lot-to-Lot, Strain at Rupture	A-49
A-48	ANA Unlined Cartons, Lot-to-Lot, Modulus	A-50
A-49	ANB Unlined Cartons, Lot-to-Lot, Max Stress	A-51
A-50	ANB Unlined Cartons, Lot-to-Lot, Strain at Rupture	A-52
A-51	ANB Unlined Cartons, Lot-to-Lot, Modulus	A-53
A-52	ANT Unlined Cartons, Lot-to-Lot, Max Stress	A-54
A-53	ANT Unlined Cartons, Lot-to-Lot, Strain at Rupture	A-55
A-54	ANT Unlined Cartons, Lot-to-Lot, Modulus	A-56
	Stress Relaxation Modulus, 1% Strain	
A-55	ANT Lined vs Unlined Cartons - 10 sec	A-57
A-56	ANT Lined vs Unlined Cartons - 100 sec	A-58
A-57	ANB vs ANT Lined Cartons - 10 sec	A-59
A-58	ANB vs ANT Lined Cartons - 1000 sec	A-60
A-59	ANA vs ANB Unlined Cartons - 10 sec	A-61
A-60	ANA vs ANB Unlined Cartons - 1000 sec	A-62
A-61	ANA vs ANB & ANT Unlined Cartons - 10 sec	A-63
A-62	ANA vs ANB & ANT Unlined Cartons - 1000 sec	A-64

LIST OF TABLES (cont)

<u>Table Nr.</u>		<u>Page</u>
A-63	ANT Lined Cartons, Lot-to-Lot, 10 sec	A-65
A-64	ANT Lined Cartons, Lot-to-Lot, 1000 sec	A-66
A-65	ANA Unlined Cartons, Lot-to-Lot, 10 sec	A-67
A-66	ANA Unlined Cartons, Lot-to-Lot, 1000 sec	A-68
A-67	ANT Unlined Cartons, Lot-to-Lot, 10 sec	A-69
A-68	ANT Unlined Cartons, Lot-to-Lot, 1000 sec	A-70
	TCLE	
A-69	ANT Lined vs Unlined Cartons, Above Tg	A-71
A-70	ANT Lined vs Unlined Cartons, Tg	A-72
A-71	ANA Unlined vs ANB Unlined Cartons, Above Tg	A-73
A-72	ANA Unlined vs ANB Unlined Cartons, Tg	A-74
A-73	ANA vs ANB vs ANT Unlined Cartons, Above Tg	A-75
A-74	ANA vs ANB vs ANT Unlined Cartons, Tg	A-76

LIST OF FIGURES

<u>Figure Nr.</u>		<u>Page</u>
	Data Plots, Very Low Rate Tensile	
	Strain at Rupture	
4-1	ANB vs ANT Lined Cartons	4-3
4-2	ANB Lined Cartons	4-5
4-3	ANT Lined Cartons	4-7
4-4	ANB Unlined Cartons	4-9
4-5	ANT Unlined Cartons	4-12
4-6	All ANB Cartons	4-15
	Maximum Stress	
4-7	ANA Unlined Cartons	4-20
4-8	ANB Unlined Cartons	4-23
4-9	ANT Unlined Cartons	4-26
4-10	ANB Lined Cartons	4-29
4-11	ANT Lined Cartons	4-31
4-12	All ANB Cartons	4-33
	Modulus	
4-13	ANA vs ANB Unlined Cartons	4-38
4-14	ANB vs ANT Lined Cartons	4-41
4-15	ANT Lined vs Unlined Cartons	4-43
4-16	ANB Lined Cartons	4-46
4-17	ANT Unlined Cartons	4-48
4-18	ANT Lined Cartons	4-51
4-19	All ANB Cartons	4-53

LIST OF FIGURES (cont)

<u>Figure Nr.</u>		<u>Page</u>
	Data Plots, High Rate Triaxial Tensile	
	Strain at Rupture	
5-1	ANT Lined Cartons	5-2
5-2	ANB Lined Cartons	5-4
	Maximum Stress	
5-3	ANT Lined Cartons	5-6
5-4	ANB Unlined Cartons	5-8
5-5	ANT Unlined Cartons	5-11
	Modulus	
5-6	ANA Unlined Cartons	5-14
5-7	ANB Unlined Cartons	5-16
	Data Plots, Stress Relaxation	
	Modulus, 1% Strain, 77°F	
6-1	ANA Unlined Cartons - 10 sec	6-3
6-2	ANA Unlined Cartons - 1000 sec	6-5
6-3	ANB Unlined Cartons - 10 sec	6-7
6-4	ANB Unlined Cartons - 1000 sec	6-9
6-5	ANA vs ANB Unlined Cartons - 10 sec	6-11
6-6	ANA vs ANB Unlined Cartons - 1000 sec	6-13
6-7	ANT Lined Cartons - 10 sec	6-15
6-8	ANT Lined Cartons - 1000 sec	6-17
6-9	All ANB Cartons - 10 sec	6-19
6-10	All ANB Cartons - 1000 sec	6-22
6-11	ANB Stress Relaxation Master Plot	6-25
6-12	ANT Stress Relaxation Master Plot	6-26

LIST OF FIGURES (cont)

<u>Figure Nr.</u>		<u>Page</u>
6-13	ANA Stress Relaxation Master Plot	6-27
6-14	Modulus vs Distance from Bond Line 10 sec	6-28
6-15	Modulus vs Distance from Bond Line 1000 sec	6-29
	Data Plots, TCLE	
7-1	ANA Unlined Cartons, Above Tg	7-2
7-2	ANB Unlined Cartons, Tg	7-4
7-3	ANT Unlined Cartons, Above Tg	7-7
7-4	ANT Unlined Cartons, Tg	7-10
7-5	ANB Lined Cartons, Above Tg	7-13
7-6	ANT Lined Cartons, Tg	7-15
7-7	ANT Lined Cartons, Below Tg	7-17
7-8	All ANB Tg Temperature	7-19
7-9	All ANB, Below Tg	7-24
	Data Plots Case Liner Bonds	
8-1	ANB Constant Load Tensile Log Time to Failure vs Log Stress at Rupture	8-3
8-2	ANB, Constant Load Shear Log Time to Failure vs Log Stress at Rupture	8-4
8-3	ANT Constant Load Tensile Log Time to Failure vs Log Stress at Rupture	8-5
8-4	ANT Constant Load Shear Log Time to Failure vs Log Stress at Rupture	8-6

REFERENCES

<u>Report Nr</u>	<u>Title</u>	<u>Date</u>
MAGCP 75 (67)	Zero Time Test Results LGM-30 Second Stage Wing VI Propellant	13 Jan 67
MAGCP 111 (67)	ATP Test Results LGM-30 Stage II Propellant Wing VI, Phase I	1 Dec 67
MAGCP 142 (68)	ATP Test Results LGM-30, Stage II Propellant, Wing VI, Phase I Series II	Nov 68
MAGCP 188 (70)	ATP Test Results LGM-30, Stage II Propellant, Wing VI, Phase I Series II	Jul 70
MAGCP 212 (71)	Propellant Surveillance Report LGM-30 Stage II (Wing 6 ANB-3066)	Jun 71
MAGCP 240 (72)	Propellant Surveillance Report LGM-30F Stage II ANB-3066	May 72
MAGCP 256 (72)	Propellant Surveillance Report Minuteman III, Stage III	Oct 72
MANCP 331 (75)	Propellant Surveillance Report Minuteman III, Stage III	Oct 75
Aerojet 0162-AS-6-1A	Ten Year Aging Program for Wing VI Minuteman Second Stage Motors and Components	Sep 67
Aerojet 0162-06-SAAS-7		Oct 71
0162-06-SAAS-8		Apr 71
0162-06-SAAS-9	Ten Year Aging and Storage Program Wing VI Minuteman Second Stage	Oct 71
0162-06-SAAS-10	Motors and Components Program Progress	Apr 72
0162-06-SAAS-11		Oct 72
0162-06-SAAS-12		Apr 73
0162-06-SAAS-13		Oct 74
0162-06-SAAS-14		Jul 75
0162-06-SAAS-15		Dec 75
0162-06-SAAS-16		Jul 76
0162-06-SAAS-17		Mar 77

REFERENCES (cont)

<u>Report Nr</u>	<u>Title</u>	<u>Date</u>
Aerojet 0162-06-AS-F Appendix E	Final Report, Wing VI Minuteman Second Stage Motor Propellant Aging	Jan 74

GLOSSARY OF ABBREVIATIONS AND TERMS

Aging Trend	A change in properties of performance resulting from aging of material or component
ANA	Aerojet Propellant, Stage III (ANB 3066 Formulation)
ANT	Thiokol Propellant, Stage III (ANB 3066 Formulation)
ANB	Aerojet Propellant, Stage II (ANB 3066 Formulation)
ASPC	Aerojet Solid Propulsion Company
CSA	Cross Sectional Area
DB	Dogbone
Degradation	Gradual deterioration of properties or performance
E	Modulus (psi), defined as the slope of the line drawn tangent to the initial linear portion of the curve
EB	End Bonded
EGL	Effective Gage Length
e_m	Strain at Maximum Stress (in/in)
e_r	Strain at Rupture (in/in)
"F" ratio	The ratio of the variance accounted for by the regression function to the random unexplained variance. The regression function having the most significant "F" ratio is used for plotting data. The ratio is also used in detecting significant changes in random variation between succeeding time points.
JANNAF	Joint Army, Navy, NASA, Air Force Committee
MAGCP	Propellant Laboratory at OOAMA
OOALC	Ogden Air Logistics Command
Post Curing	Period up to 12-16 months after manufacture

GLOSSARY OF ABBREVIATIONS AND TERMS (CONT.)

Regression	The general form of the regression equation is $Y = a + bx$
Regression Line	Line representing mean test values with respect to time
S_b	Standard error of estimate of the regression coefficient
S_e or $S_{Y.X}$	Standard deviation of the data about the regression line
S_m	Maximum Stress (psi)
S_r	Stress at Rupture (psi)
Standard Deviation (S_y)	Square root of variance
Strain Rate	Crosshead speed divided by the EGL
TCC	Thiokol Chemical Corp.
"t" test	A statistical test used to detect significant differences between a measured parameter and an expected value of the parameter (determines if regression slope differs from zero at the 95% confidence level)
Variance	The sum of squares of deviations of the test results from the mean of the series after division by one less than the total number of test results
3 Sigma Band	The area between the upper and lower 3 sigma limit. It can be expected that 99.73% of the inventory represented by the test samples would fall within this range assuming that the population is normally distributed.
90-90 Band	It can be stated with 90% confidence that 90% of the inventory represented by the test samples would fall within this range assuming that the population is normally distributed

SECTION I
INTRODUCTION

A. PURPOSE:

The purpose of testing ANB-3066 propellant, used in Minuteman II Stage II and Minuteman III Stage II and Stage III, is to monitor and evaluate aging effects on this propellant which will contribute to the operational motor serviceability prediction. Testing was performed according to General Test Directive GTD-2C, Amendment 1, and MMWR Project M83257C.

B. BACKGROUND:

Service life testing of ANB-3066 carton propellant from Aerojet production began at Ogden ALC in 1966. When production for Minuteman III Stage II was transferred to Thiokol, the propellant samples from both Aerojet and Thiokol were tested. As lined cartons were produced these also were tested, adding propellant liner bond specimens to the program. The current report contains data from all these sources for propellant aged 13 to 72 months.

Failure criteria for ANB 3066 propellant which were developed from structural stress analysis are reiterated in Aerojet Report 0162-06SAAS-17. Inner bore hoop strain failure is the predicted failure mode. These criteria are shown in Table 1-1.

SECTION II
TEST PROGRAM

Cartons representing raw material combinations were subjected to a random selection process designed to test all material lots within a two year-four test periods interval. When propellant cartons have been aged one year, they are added to the test program.

Propellant cartons are identified by source of manufacture. Stage II and III propellant manufactured by Aerojet Solid Propulsion Company is identified as ANB and ANA respectively. Thiokol Company Stage III propellant is identified as ANT. All regressions used this nomenclature and the additional information as to the type of carton, lined or unlined. Symbols identifying the carton types are given in Table 2-1.

Stage II ANB-3066 propellant has been tested for more than 10 years, but in this report only propellant up to 72 months has been used in covariance analysis to coincide with the age span of Stage III propellant. Lined and unlined cartons of ANB have been combined in regression analysis for comparison purposes and cover the time span from 13 through 137 months.

The physical-mechanical tests which relate directly to stress analysis are limited. Very low rate tensile test is related to storage conditions, and high rate rails tested under pressure relate to ignition. Stress relaxation modulus also relates to storage conditions. Thermal coefficient of linear expansion reflects some of the thermal stresses to which the motor is exposed.

Low rate uniaxial tensile tests and hardness are routine tests for all propellant. The data from these tests do not relate to structural

analyses. Poisson's ratio and cohesive tear energy tests have been applied to only a portion of the cartons. The data from these tests have not been subjected to statistical analyses. Test data for all these tests appear similar to previous test data. All these data will appear in subsequent reports.

TABLE 2 - 1
PLOT SYMBOL LEGEND

<u>Symbol</u>	<u>Carton Type</u>
□	ANA Unlined
△	ANB Lined
×	ANB Unlined
◇	ANT Lined
*	ANT Unlined

SECTION III
STATISTICAL SUMMARY AND CONCLUSIONS

Data analyses of all propellant tested by MANCP having the ANB 3066 formulation are contained in this report. ANB 3066 propellant is divided into three groups, each group pertaining to a specific rocket motor application. The three propellant groups are designated in this report by a three letter code as follows:

<u>Code</u>	<u>Manufacturer and System Application</u>
ANA	Aerojet: MINUTEMAN III, Stage III
ANB	Aerojet: MINUTEMAN II, Stage II
ANT	Thiokol: MINUTEMAN III, Stage III

Propellant specimens for the ANA group were taken from unlined cartons. Specimens for the ANB and ANT groups were taken from unlined cartons and also from cartons having a simulated case liner along one surface of the carton. Each propellant group is further sub-divided into propellant lots.

Laboratory test data were studied to determine if lined cartons differ from unlined cartons. The data were also examined to determine if the propellant groups (ANA, ANB and ANT) differ among themselves. The following comparisons, as directed by the project engineer, were performed to satisfy periodic service life estimate requirements:

1. Compare lined and unlined cartons of MINUTEMAN III Stage III propellant manufactured by Thiokol (ANT propellant group).
2. Compare Aerojet Stage II lined cartons (ANB propellant group) with Thiokol Stage III lined cartons (ANT propellant group).
3. Perform joint comparisons for unlined cartons from ANA, ANB and ANT propellant groups.

4. Perform lot-to-lot comparisons for unlined cartons from ANA, ANB and ANT propellant groups.
5. Perform lot-to-lot comparisons for lined cartons from ANB and ANT propellant groups. (Lined cartons are not available for ANA propellant).

Propellant age is considered a possible source of bias in laboratory test data. That is, part of the observed differences in a given test response might be ascribed to propellant age. Because of the possible age effect it was necessary to provide a means of analysis where the bias, or age effect, could be removed allowing an unbiased evaluation of the true parameter response.

Analysis of covariance was chosen as the method to determine the effect or "significance" of propellant age on the test response. The general linear regression model, $Y = a + b(X_{ij})$, is modified for the analysis of covariance by introducing a "correction term" into the model to adjust the data for the average effect of the variable X_{ij} . Propellant age was assigned to the variable X_{ij} in this report. The F ratio for determining the significance of the propellant age is shown in Tables A-1 thru A-74.

Similarity among carton types and among propellant groups was determined by comparing regression lines for each of the data sets. The purpose was to examine whether the linear regressions of the test response on propellant age could be regarded as the same. It is possible for the regressions to differ in slope, intercept or residual variance. Differences due to slope could indicate dissimilar aging characteristics among groups while differences due to intercept could indicate bias among the data sets.

When the regression lines were statistically similar (slopes and intercepts were not significantly different) the data sets were accepted as being equal and were combined to provide an expanded data base. A "total" or composite regression line was then used to estimate the aging trend for the combined data.

The results of the analysis of covariance used in making propellant group comparisons (previously discussed on p. 3-1) are summarized in Table A-A of the appendix and as follows:

- a. ANT lined and unlined cartons are significantly different for all observed test parameters.
- b. ANB and ANT lined cartons are significantly different for all test parameters except modulus on very low rate tensile (2×10^{-4} in/min cross-head speed).
- c. Joint comparisons of ANA, ANB, and ANT unlined cartons indicate that the three groups are significantly different for all observed test parameters.
- d. The individual propellant lots are significantly different (with respect to the observed test data) for unlined cartons from ANA, ANB, and ANT propellant groups.
- e. Individual propellant lots are significantly different for lined cartons from ANB and ANT propellant groups.

Analysis of covariance tables included in the appendix may be consulted for information relating to specific F tests used in the above comparisons.

ANB 3066 propellant exhibits incomplete curing and inconsistent test results if aged less than 13 months. All data aged less than 13 months was excluded from analysis in this report.

In those cases where test data from various carton types or propellant groups could be combined, plots of the combined data and regression lines are provided. Carton types or propellant groups are differentiated on these plots with different plotting symbols. These are shown in the applicable test sections. In addition to the combined regression plots, plots of individual group regression lines have been provided for each test parameter where the regression slope is statistically significant.

The results of the linear regression analysis are summarized in Table 3-1. From this table, several conclusions can be drawn.

1. Very low rate tensile:
 - a. There is a significant increase in maximum stress for all types of ANB 3066.
 - b. There is a significant decrease in strain at rupture for lined cartons but a significant increase in unlined cartons except for ANA which showed no change.
 - c. There is a significant increase in modulus for ANB lined and ANT lined and unlined cartons.
2. High rate triaxial (rails under 600 psi N_2):
 - a. There is a significant increase in maximum stress for all types of cartons except ANA.
 - b. There is a significant decrease in strain at rupture for ANT lined cartons.
 - c. There is a significant decrease in modulus for ANA and ANB unlined cartons.
3. Stress Relaxation Modulus:

There is a significant increase in stress relaxation modulus

for ANA and ANB unlined cartons and ANT lined cartons, indicating increased hardness in the propellant.

4. TCLE:

a. There is a significant increase in TCLE above glass point except for lined cartons of ANB.

b. There is a significant decrease in glass point for all ANT cartons and an increase for ANB unlined cartons.

5. Case Liner Bond Specimens:

Interface tensile and shear specimens show signs of early failure in some lots. These lots still must be more fully characterized.

6. Testing Conclusions:

The testing shows changes which are potentially life-limiting in the case of liner bonds. Other significant parameters may not present this problem since there is the possibility that the changes are significant because of limited testing in numbers and ages.

TABLE 3-1

REGRESSION ANALYSIS
SUMMARY OF SIGNIFICANCE

Propellant Group	<u>VLR Tensile</u>		<u>HR Triax Tensile</u>			<u>Stress Relax</u> <u>1% Strain</u>		<u>TCLE</u>		
	Sm	er	E	Sm	er	E	E ₁₀	E ₁₀₀₀	TCLE Above Point	Glass Point
ANA(Unlined)	Sig	N.S.	N.S.	N.S.	N.S.	Sig	Sig	Sig	Sig	N.S.
ANB(Lined)	Sig	Sig	Sig	Sig	N.S.	N.S.	N.S.	N.S.	Sig	N.S.
ANB(Unlined)	Sig	Sig	N.S.	Sig	N.S.	Sig	Sig	Sig	N.S.	Sig
ANT(Lined)	Sig	Sig	Sig	Sig	Sig	N.S.	Sig	Sig	Sig	Sig
ANT(Unlined)	Sig	Sig	Sig	Sig	N.S.	N.S.	N.S.	N.S.	Sig	Sig

SECTION IV

VERY LOW RATE TENSILE

This test uses a 1/2 inch thick (1.27 cm) JANNAF dogbone. The specimens are tested at a crosshead speed of 2×10^{-4} in/min (8.5×10^{-2} cm/sec).

Very low rate tensile testing is related to strain capability for storage at 60°F.

Lined cartons show a statistically significant decrease in strain at rupture as shown in Figures 4-1, 4-2, and 4-3. The slope for the combined lined samples is less than for ANB lined cartons alone. Unlined cartons of ANB and ANT show a significant increase in strain at rupture with the slope greater for ANT than for ANB while ANA does not show a significant change (Figures 4-4 and 4-5). Strain at rupture for combined lined and unlined cartons of ANB up to 137 months shows a significant increase based upon the preponderance of unlined over lined cartons (Figure 4-6).

Maximum stress shows a significant increase (Figures 4-7 through 4-12). Slopes for ANB and ANT unlined cartons are steeper than for ANA with ANT steepest. Slopes for ANB and ANT lined cartons are similar. When ANB lined and unlined cartons are combined the slope is less than for ANB unlined and greater than for ANB lined.

There are three combinable groups for modulus, two of which have a significant increase. ANB unlined cartons and ANA unlined cartons when combined do not show a significant trend (Figure 4-13). Lined cartons of ANB and ANT show a significant increase (Figure 4-14) as do unlined and lined cartons of ANT (Figure 4-15). In this combined regression the slope and the standard deviation are larger than for dissimilar sources of lined


propellant cartons. There is a significant increase in modulus for ANB lined cartons and ANT unlined and lined cartons (Figures 4-16 thru 4-18). When ANB lined cartons are combined with unlined cartons, there is no significant change (Figure 4-19).

From the data cited, the similarity between lined cartons from different sources is greater than between unlined cartons from the same manufacturer.

At least for very low rate tensile testing, the conclusion that carton preparation has a greater influence on data than the source of the propellant is inescapable.

$\gamma = ((+1.8353779E-01) + (-6.5971902E-04) \times X)$
 F = +3.1365624E+01 SIGNIFICANCE OF F = SIGNIFICANT $\sigma_f = +1.8991157E-02$
 R = -3.6505260E-01 SIGNIFICANCE OF R = SIGNIFICANT $S_e = +1.1779640E-04$
 t = +5.6005021E+00 SIGNIFICANCE OF t = SIGNIFICANT $S_t = +1.7723800E-02$
 N = 206 DEGREES OF FREEDOM = 204
 STORAGE CONDITIONS = AMB TEMP/AH TEST CONDITIONS = 77 DEG F AMB AH

△ ANB Lined
 ◇ ANT Lined
 ALERT LIMITS:
 ANB 4.9%
 ANT 4.0%



ANB 3066 PROPELLANT TENSILE CHS 0.0002, 77 DEG F, ANB VS ANT LINED CARTONS
 Strain at Rupture
 Figure 4-1


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	9	+1.6826635E-01	+2.3028661E-02	+1.9889998E-01	+1.3595997E-01	+1.7364197E-01
16.0	15	+1.6143959E-01	+1.5265309E-02	+1.8949997E-01	+1.3299995E-01	+1.7298227E-01
17.0	6	+1.7389994E-01	+3.1955430E-02	+2.0879995E-01	+1.4099997E-01	+1.7232251E-01
18.0	22	+1.7459964E-01	+1.9351452E-02	+2.1869999E-01	+1.4639997E-01	+1.7166280E-01
19.0	10	+1.8173956E-01	+1.2854719E-02	+2.0339995E-01	+1.6085999E-01	+1.7100310E-01
20.0	9	+1.8283319E-01	+1.6847592E-02	+2.0599997E-01	+1.5555995E-01	+1.7034339E-01
21.0	12	+1.6573309E-01	+1.7372682E-02	+1.9569998E-01	+1.3795995E-01	+1.6968363E-01
22.0	12	+1.7296648E-01	+2.1349542E-02	+2.1099996E-01	+1.4799994E-01	+1.6902393E-01
23.0	12	+1.8316632E-01	+1.4225626E-02	+2.0529997E-01	+1.6645997E-01	+1.6836422E-01
24.0	3	+1.6009998E-01	+2.4955283E-03	+1.6209995E-01	+1.5725999E-01	+1.6770452E-01
26.0	3	+1.7569994E-01	+1.3908482E-03	+1.7649996E-01	+1.7409998E-01	+1.6638505E-01
28.0	9	+1.5496653E-01	+1.0318834E-02	+1.7289996E-01	+1.4155995E-01	+1.6506564E-01
29.0	3	+1.4283329E-01	+4.9059905E-03	+1.4759999E-01	+1.3775997E-01	+1.6440588E-01
30.0	12	+1.5391635E-01	+1.6652499E-02	+1.7909997E-01	+1.3435995E-01	+1.6374617E-01
31.0	3	+1.6769993E-01	+2.0656898E-02	+1.9089996E-01	+1.5129995E-01	+1.6308647E-01
32.0	9	+1.5139979E-01	+1.5757940E-02	+1.7009997E-01	+1.3079994E-01	+1.6242676E-01
33.0	9	+1.6717749E-01	+1.4342507E-02	+1.8899995E-01	+1.4935999E-01	+1.6176700E-01
34.0	3	+1.6669994E-01	+1.0420559E-02	+1.7419999E-01	+1.5475999E-01	+1.6110730E-01
35.0	6	+1.5481662E-01	+1.5489440E-02	+1.6889995E-01	+1.2615996E-01	+1.6044753E-01
36.0	3	+1.5359997E-01	+1.2928842E-02	+1.6359996E-01	+1.3895999E-01	+1.5978789E-01
37.0	3	+1.6929996E-01	+9.3604663E-03	+1.7889994E-01	+1.6019999E-01	+1.5912812E-01
38.0	7	+1.6294270E-01	+5.7787097E-03	+1.7189997E-01	+1.5695994E-01	+1.5846842E-01
39.0	3	+1.7426663E-01	+2.3238322E-03	+1.7689996E-01	+1.7249995E-01	+1.5780872E-01
40.0	3	+1.6123330E-01	+5.5228477E-03	+1.6719996E-01	+1.5625994E-01	+1.5714901E-01
43.0	3	+1.3739997E-01	+3.2200491E-03	+1.3999998E-01	+1.3375997E-01	+1.5516984E-01
44.0	3	+1.4493328E-01	+1.1631360E-03	+1.4619994E-01	+1.4389997E-01	+1.5451014E-01
50.0	3	+1.4369994E-01	+8.6483720E-03	+1.5299999E-01	+1.3589996E-01	+1.5055179E-01
52.0	1	+1.3299995E-01	+0.0000000E+19	+1.3299995E-01	+1.3299995E-01	+1.4923238E-01
53.0	3	+1.6529995E-01	+1.6627560E-02	+1.8449997E-01	+1.5569996E-01	+1.4857262E-01
55.0	4	+1.5437495E-01	+7.4682704E-03	+1.6199994E-01	+1.4499998E-01	+1.4725321E-01
56.0	3	+1.4909994E-01	+1.3692575E-03	+1.5029996E-01	+1.4755999E-01	+1.4659351E-01

$Y = ((+1.8507143E-01) + (-6.7310891E-04) * X)$
 SIGNIFICANCE OF F = SIGNIFICANT
 $G_1 = +2.0959427E-02$
 SIGNIFICANCE OF R = SIGNIFICANT
 $G_2 = +1.5145637E-04$
 SIGNIFICANCE OF t = SIGNIFICANT
 $G_3 = +1.9564784E-02$
 DEGREES OF FREEDOM = 126
 TEST CONDITIONS = 77 DEG F, AMB RH
 STORAGE CONDITIONS = AMB TEMP/RH

F = +1.9751294E+01
 R = -3.6812185E-01
 t = +4.4442428E+00
 N = 128



AMB 3066 PROPELLANT (AMB), TENSILE STN AT RUPT, .0002 IN/MIN, 77 DEG, LINED CTW

Figure 4-2

**** LINEAR REGRESSION ANALYSIS ****

*** ANALYSIS OF TIME SERIES ***

AGE (MCNTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	6	+1.7684984E-01	+2.2687529E-02	+1.5889998E-01	+1.4125556E-01	+1.7457479E-01
16.0	15	+1.6143959E-01	+1.5265309E-02	+1.8949997E-01	+1.3299995E-01	+1.7430166E-01
17.0	6	+1.7389994E-01	+3.1555430E-02	+2.0675955E-01	+1.4095557E-01	+1.7362856E-01
18.0	16	+1.7813098E-01	+2.0551301E-02	+2.1869999E-01	+1.4639997E-01	+1.7295545E-01
19.0	7	+1.6775689E-01	+9.7106640E-03	+2.0335955E-01	+1.7725997E-01	+1.7228233E-01
20.0	6	+1.9319993E-01	+7.3034406E-03	+2.0599997E-01	+1.8665558E-01	+1.7160922E-01
21.0	6	+1.566658E-01	+1.1286418E-02	+1.6795998E-01	+1.3795995E-01	+1.7093610E-01
22.0	12	+1.7256648E-01	+2.1349542E-02	+2.1095996E-01	+1.4755554E-01	+1.7026299E-01
23.0	9	+1.7925524E-01	+1.3539914E-02	+2.0195996E-01	+1.6645557E-01	+1.6958587E-01
26.0	6	+1.4539993E-01	+6.4276420E-03	+1.5835999E-01	+1.4159555E-01	+1.6622436E-01
30.0	6	+1.5654993E-01	+2.1011330E-02	+1.7909997E-01	+1.3439995E-01	+1.6487812E-01
32.0	6	+1.5104997E-01	+1.9623435E-02	+1.7009997E-01	+1.3079994E-01	+1.6353189E-01
33.0	6	+1.7384988E-01	+1.2732701E-02	+1.8895995E-01	+1.6109997E-01	+1.6285884E-01
35.0	3	+1.5406662E-01	+2.4145953E-02	+1.6889995E-01	+1.2615556E-01	+1.6151261E-01
36.0	3	+1.5359997E-01	+1.2528842E-02	+1.6359996E-01	+1.3899999E-01	+1.6063949E-01
38.0	1	+1.5659994E-01	+0.000000E+71	+1.5659994E-01	+1.5659994E-01	+1.5949326E-01
50.0	3	+1.4369994E-01	+8.6483720E-03	+1.5299999E-01	+1.3585556E-01	+1.5141594E-01
52.0	1	+1.3299995E-01	+0.000000E+79	+1.3299995E-01	+1.3299995E-01	+1.5006977E-01
53.0	3	+1.6529995E-01	+1.6627560E-02	+1.8449997E-01	+1.5569996E-01	+1.4939665E-01
55.0	4	+1.5437495E-01	+7.4682704E-03	+1.6199994E-01	+1.4499558E-01	+1.4805042E-01
56.0	3	+1.4909994E-01	+1.3692575E-03	+1.5029996E-01	+1.4759999E-01	+1.4737731E-01

ANB 3066 PREPELLANT(ANB), TENSILE STN AT RUPT, .0002 IN/MIN, 77 DEG, LINED CTN

$Y = (C + 1.773086E-01) + (-5.1427393E-04) X$
 F = +7.0037686E+00 SIGNIFICANCE OF F = SIGNIFICANT
 R = -2.9048050E-01 SIGNIFICANCE OF R = SIGNIFICANT
 t = +2.6464634E+00 SIGNIFICANCE OF t = SIGNIFICANT
 N = 78 DEGREES OF FREEDOM = 76
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH




Figure 4-3


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	3	+1.510997E-01	+1.3084754E-02	+1.5509999E-01	+1.3599999E-01	+1.6958969E-01
16.0	6	+1.6518330E-01	+1.0459464E-02	+1.7649996E-01	+1.4849996E-01	+1.6804689E-01
19.0	3	+1.6769993E-01	+6.1568143E-03	+1.7289996E-01	+1.6089999E-01	+1.6753262E-01
20.0	3	+1.6209995E-01	+5.8940502E-03	+1.6709995E-01	+1.5559995E-01	+1.6701835E-01
21.0	6	+1.7579984E-01	+1.7125674E-02	+1.9569999E-01	+1.5469999E-01	+1.6650406E-01
23.0	3	+1.9489997E-01	+1.0204350E-02	+2.0529997E-01	+1.8489999E-01	+1.6547554E-01
24.0	3	+1.6009998E-01	+2.455283E-03	+1.6209995E-01	+1.5729999E-01	+1.6496127E-01
26.0	3	+1.7569994E-01	+1.3508482E-03	+1.7649996E-01	+1.7409998E-01	+1.6393274E-01
28.0	3	+1.6609996E-01	+6.6102383E-03	+1.7289996E-01	+1.5969997E-01	+1.6290414E-01
29.0	3	+1.4283329E-01	+4.5059905E-03	+1.4759999E-01	+1.3779997E-01	+1.6238587E-01
30.0	6	+1.5128326E-01	+1.2315588E-02	+1.6529996E-01	+1.3599999E-01	+1.6187560E-01
31.0	3	+1.6769993E-01	+2.0656898E-02	+1.9089996E-01	+1.5129995E-01	+1.6136133E-01
32.0	3	+1.5209996E-01	+5.4104013E-03	+1.5729999E-01	+1.4649999E-01	+1.6084706E-01
33.0	3	+1.5383327E-01	+4.0680505E-03	+1.5739995E-01	+1.4939999E-01	+1.6033279E-01
34.0	3	+1.6669994E-01	+1.0420599E-02	+1.7419999E-01	+1.5479999E-01	+1.5981853E-01
35.0	3	+1.5556663E-01	+3.8638024E-03	+1.5999996E-01	+1.5289998E-01	+1.5930426E-01
37.0	3	+1.6929996E-01	+9.3604663E-03	+1.7889994E-01	+1.6019999E-01	+1.5827572E-01
38.0	6	+1.6393327E-01	+5.6388109E-03	+1.7189997E-01	+1.5869999E-01	+1.5776145E-01
39.0	3	+1.7426663E-01	+2.3238322E-03	+1.7689996E-01	+1.7249995E-01	+1.5724712E-01
40.0	3	+1.6123330E-01	+5.5228477E-03	+1.6719996E-01	+1.5629994E-01	+1.5673285E-01
43.0	3	+1.2799997E-01	+3.2200491E-03	+1.3999998E-01	+1.3379997E-01	+1.5519005E-01
44.0	3	+1.4493328E-01	+1.1631360E-03	+1.4619994E-01	+1.4389999E-01	+1.5467578E-01

ANB 3066 PROPELLANT(ANT). TENSILE STN AT RUPT. .0002 IN/MIN. 77 DEG. LINED CTN

F = +3.4878912E+01
 R = +1.4485653E-01
 L = +5.9142973E+00
 N = 1634
 STORAGE CONDITIONS = AMB TEMP/RH
 Y = ((+1.6370765E-01) + (+2.0899598E-04) * X)
 SIGNIFICANCE OF F = SIGNIFICANT
 SIGNIFICANCE OF R = SIGNIFICANT
 SIGNIFICANCE OF L = SIGNIFICANT
 DEGREES OF FREEDOM = 1632
 TEST CONDITIONS = 77 DEG F, AMB RH
 $\sigma_f = +2.3798226E-02$
 $S_e = +3.5337415E-05$
 $S_t = +2.3554431E-02$



AMB 3066 PROPELLANT (AMB) TENSILE STN AT RUPT, .0002 IN/MIN, 77 DEG F, UNLND CTNS

Figure 4-4

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES **

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	7	+1.8035697E-01	+1.0419620E-02	+1.9399994E-01	+1.6829957E-01	+1.6642457E-01
15.0	15	+1.7226524E-01	+1.8327693E-02	+2.0599997E-01	+1.5199955E-01	+1.6584257E-01
16.0	30	+1.9279289E-01	+1.5015996E-02	+2.2399997E-01	+1.5399957E-01	+1.6705155E-01
17.0	15	+1.7625302E-01	+1.1743220E-02	+1.9399994E-01	+1.4999957E-01	+1.6726052E-01
18.0	12	+1.6291642E-01	+2.2563594E-02	+1.5399994E-01	+1.2689955E-01	+1.6746956E-01
19.0	11	+1.5526336E-01	+1.5414152E-02	+1.9599997E-01	+1.3329994E-01	+1.6767853E-01
20.0	21	+1.4870917E-01	+1.1783641E-02	+1.7839998E-01	+1.2559999E-01	+1.6788756E-01
21.0	31	+1.6169959E-01	+2.4511490E-02	+2.0799994E-01	+1.239995E-01	+1.6809654E-01
22.0	23	+1.6202569E-01	+1.5725423E-02	+2.0599997E-01	+1.2473996E-01	+1.6830551E-01
23.0	10	+1.7485976E-01	+2.0877204E-02	+2.0849996E-01	+1.525999E-01	+1.6851454E-01
24.0	15	+1.6870629E-01	+1.7220843E-02	+2.0285999E-01	+1.419995E-01	+1.6872352E-01
25.0	33	+1.6670566E-01	+1.7064729E-02	+2.0195996E-01	+1.4359999E-01	+1.6893249E-01
26.0	27	+1.7354774E-01	+1.9385037E-02	+2.1599996E-01	+1.4239996E-01	+1.6914153E-01
27.0	22	+1.5395407E-01	+1.5593140E-02	+1.5885558E-01	+1.239995E-01	+1.6935050E-01
28.0	30	+1.6731959E-01	+2.2181709E-02	+2.0599997E-01	+1.2799996E-01	+1.6955953E-01
29.0	12	+1.7676039E-01	+1.5299611E-02	+1.5799995E-01	+1.519995E-01	+1.6976851E-01
30.0	10	+1.5939974E-01	+1.7129615E-02	+1.8399995E-01	+1.319995E-01	+1.6997748E-01
31.0	13	+1.6116124E-01	+1.4255979E-02	+1.9399994E-01	+1.3999998E-01	+1.7018651E-01
32.0	21	+1.6835200E-01	+1.5067091E-02	+1.9599997E-01	+1.4359999E-01	+1.7039549E-01
33.0	33	+1.7249047E-01	+1.4692510E-02	+2.0865994E-01	+1.4799954E-01	+1.7060446E-01
34.0	17	+1.7789971E-01	+1.6221263E-02	+2.1199995E-01	+1.5599995E-01	+1.7081350E-01
35.0	20	+1.7790460E-01	+1.9436782E-02	+2.0799994E-01	+1.3759994E-01	+1.7102247E-01
36.0	44	+1.7046546E-01	+1.9420044E-02	+2.1409994E-01	+1.2799956E-01	+1.7123150E-01
37.0	26	+1.6708803E-01	+1.9481163E-02	+2.1199995E-01	+1.2999999E-01	+1.7144048E-01
38.0	33	+1.8968129E-01	+1.6402884E-02	+2.1799999E-01	+1.6299999E-01	+1.7164945E-01
39.0	12	+1.7808306E-01	+2.4213908E-02	+2.0499998E-01	+1.279995E-01	+1.7185848E-01
40.0	27	+1.7613297E-01	+3.8244556E-02	+3.6599999E-01	+1.1799997E-01	+1.7206746E-01
41.0	22	+1.7872679E-01	+1.1686993E-02	+1.5799995E-01	+1.4799994E-01	+1.7227643E-01
42.0	20	+1.7748463E-01	+1.5714440E-02	+2.1069997E-01	+1.5199995E-01	+1.7248547E-01
43.0	9	+1.7231088E-01	+1.2659257E-02	+1.9299995E-01	+1.5119999E-01	+1.7269444E-01
44.0	25	+1.5532362E-01	+1.9235538E-02	+1.8679999E-01	+1.1399996E-01	+1.7290341E-01

*** LINEAR REGRESSION ANALYSIS ***


*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
45.0	20	+1.5686964E-01	+2.2092980E-02	+1.5399954E-01	+1.1995994E-01	+1.7311245E-01
45.0	44	+1.8271321E-01	+2.1218051E-02	+2.3570994E-01	+1.4199955E-01	+1.7332142E-01
47.0	12	+1.7349970E-01	+1.7237205E-02	+1.5769956E-01	+1.4599956E-01	+1.7353045E-01
48.0	20	+1.7594958E-01	+2.0194668E-02	+1.6699956E-01	+1.1279994E-01	+1.7373943E-01
49.0	22	+1.7188996E-01	+2.455513E-02	+2.3999994E-01	+1.1399956E-01	+1.7394840E-01
50.0	29	+1.5849274E-01	+3.0E20163E-02	+2.2399997E-01	+1.0399997E-01	+1.7415744E-01
51.0	57	+1.6100651E-01	+3.9070103E-02	+2.1999956E-01	+9.9999964E-02	+1.7436641E-01
52.0	50	+1.6742753E-01	+1.7781341E-02	+2.1959956E-01	+1.2199957E-01	+1.7457538E-01
53.0	37	+1.7157793E-01	+1.7770688E-02	+2.0039999E-01	+1.3269956E-01	+1.7478442E-01
54.0	19	+1.8073648E-01	+2.3754936E-02	+2.1599956E-01	+1.3669994E-01	+1.7499339E-01
55.0	44	+1.8339729E-01	+2.3733086E-02	+2.2199994E-01	+1.2399955E-01	+1.7520242E-01
56.0	59	+1.7787408E-01	+2.3440058E-02	+2.3299998E-01	+1.0999955E-01	+1.7541140E-01
57.0	46	+1.7475999E-01	+2.0009052E-02	+2.0799994E-01	+1.2719994E-01	+1.7562037E-01
58.0	14	+1.7132306E-01	+1.7440113E-02	+2.0999997E-01	+1.2799956E-01	+1.7582941E-01
59.0	20	+1.7899960E-01	+1.5830866E-02	+2.0799994E-01	+1.5799999E-01	+1.7603838E-01
60.0	20	+1.8389958E-01	+1.6396725E-02	+2.1399958E-01	+1.2559959E-01	+1.7624735E-01
61.0	40	+1.7277705E-01	+2.3499183E-02	+2.1999956E-01	+1.0999955E-01	+1.7645639E-01
62.0	35	+1.8795377E-01	+2.5520363E-02	+2.3179996E-01	+1.0999955E-01	+1.7666536E-01
63.0	45	+1.8076401E-01	+2.7297793E-02	+2.3879998E-01	+1.3119955E-01	+1.7687439E-01
64.0	36	+1.8054950E-01	+1.7006843E-02	+2.1099996E-01	+1.4319998E-01	+1.7708337E-01
65.0	28	+1.9098168E-01	+2.5278450E-02	+2.5000000E-01	+1.5399958E-01	+1.7729234E-01
66.0	28	+1.7329245E-01	+2.8845798E-02	+2.3999994E-01	+1.2999999E-01	+1.7750138E-01
67.0	46	+1.6215610E-01	+3.0529775E-02	+2.1999996E-01	+1.0799998E-01	+1.7771035E-01
68.0	44	+1.7907917E-01	+3.1261405E-02	+2.5999999E-01	+1.1099954E-01	+1.7791932E-01
69.0	32	+1.8545799E-01	+1.5565560E-02	+2.2399997E-01	+1.5799999E-01	+1.7812836E-01
70.0	40	+1.8121451E-01	+2.1288523E-02	+2.6199996E-01	+1.2199997E-01	+1.7833733E-01
71.0	47	+1.8089922E-01	+2.6908443E-02	+2.5399994E-01	+1.0599994E-01	+1.7854630E-01
72.0	34	+1.7831426E-01	+1.7676768E-02	+2.0719999E-01	+1.4329999E-01	+1.7875534E-01

ANS 3066. PROPELLANT(AND) TENSILE STN. AT RUPT. +0002 IN/MIN, 77 DEG F, UNLND CINS

Y = ((+1.4937462E-01) + (+4.5271540E-04) * X)
 F = +2.9249486E+01 SIGNIFICANCE OF F = SIGNIFICANT $\sigma_1 = +1.8732635E-02$
 R = +2.8857006E-01 SIGNIFICANCE OF R = SIGNIFICANT $S_e = +8.3707841E-05$
 t = +5.4082794E+00 SIGNIFICANCE OF t = SIGNIFICANT $S_t = +1.7963555E-02$
 N = 324 DEGREES OF FREEDOM = 322
 STORAGE CONDITIONS = AMB TEMP/AH TEST CONDITIONS = 77 DEG F, AMB RH

PARAMETER = STRAIN AT RUPTURE



AMB 3066 PROPELLANT (ANT) TENSILE STN AT RUPT, 0.0002 IN/MIN, 77 DEG F, UNLND CTN

Figure 4-5

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	1	+1.7639994E-01	+0.000000E+71	+1.7639994E-01	+1.7639994E-01	+1.5616530E-01
16.0	3	+1.7419993E-01	+8.8454358E-03	+1.8419998E-01	+1.6739994E-01	+1.5616530E-01
17.0	2	+1.7069995E-01	+2.1281275E-03	+1.7219996E-01	+1.6919995E-01	+1.5707075E-01
18.0	3	+1.4596661E-01	+1.9038460E-02	+1.6639995E-01	+1.2959998E-01	+1.5752345E-01
21.0	3	+1.3546663E-01	+2.8113705E-03	+1.3839995E-01	+1.3279998E-01	+1.5888160E-01
23.0	3	+1.3786661E-01	+3.2349407E-03	+1.4079999E-01	+1.3439995E-01	+1.5578705E-01
25.0	3	+1.5999996E-01	+5.4272241E-03	+1.6799998E-01	+1.5119999E-01	+1.6069245E-01
26.0	17	+1.6892913E-01	+1.1218348E-02	+1.8319994E-01	+1.3799995E-01	+1.6114521E-01
27.0	33	+1.5507841E-01	+1.1200248E-02	+1.7439997E-01	+1.3199996E-01	+1.6159790E-01
28.0	22	+1.5709996E-01	+7.6840243E-03	+1.7799997E-01	+1.4639999E-01	+1.6205060E-01
29.0	8	+1.5924990E-01	+7.3804571E-03	+1.7399996E-01	+1.5039998E-01	+1.6250336E-01
30.0	15	+1.6165298E-01	+1.4151503E-02	+1.8799996E-01	+1.4559996E-01	+1.6295605E-01
31.0	30	+1.7796283E-01	+2.2530510E-02	+2.3449999E-01	+1.4479994E-01	+1.6340875E-01
32.0	22	+1.5429961E-01	+1.1200986E-02	+1.7279994E-01	+1.3079994E-01	+1.6386151E-01
33.0	5	+1.5893907E-01	+8.6661213E-03	+2.0959997E-01	+1.8569999E-01	+1.6431421E-01
34.0	15	+1.6763287E-01	+2.3727652E-02	+1.5769996E-01	+1.1679995E-01	+1.6476690E-01
35.0	11	+1.7419064E-01	+1.4494093E-02	+1.5559997E-01	+1.4639997E-01	+1.6521966E-01
37.0	4	+1.5734994E-01	+8.1139909E-03	+1.6679996E-01	+1.4699995E-01	+1.6612505E-01
38.0	3	+1.6239994E-01	+7.7140833E-03	+1.6799998E-01	+1.5359997E-01	+1.6657775E-01
39.0	3	+1.5879994E-01	+4.5468249E-03	+1.6319996E-01	+1.5359997E-01	+1.6703051E-01
40.0	1	+1.6919994E-01	+0.000000E+51	+1.6919994E-01	+1.6919994E-01	+1.6748321E-01
41.0	6	+1.6814994E-01	+1.2580298E-02	+1.8719995E-01	+1.5119999E-01	+1.6753590E-01
43.0	3	+1.6479992E-01	+4.5552952E-03	+1.6879999E-01	+1.5919995E-01	+1.6884136E-01
44.0	4	+1.5269994E-01	+1.0420758E-02	+1.6259998E-01	+1.4339995E-01	+1.6929405E-01
46.0	6	+1.5693300E-01	+6.3065560E-03	+1.6799998E-01	+1.5119999E-01	+1.7019951E-01
47.0	10	+1.7209999E-01	+1.3812203E-02	+1.9079995E-01	+1.5479999E-01	+1.7065221E-01
48.0	6	+1.7991650E-01	+6.7492020E-03	+1.9099998E-01	+1.7299997E-01	+1.7110490E-01
49.0	5	+1.6563993E-01	+9.5680939E-03	+1.7839998E-01	+1.5359997E-01	+1.7155766E-01
50.0	9	+1.8478870E-01	+6.1775400E-03	+1.5839996E-01	+1.7679998E-01	+1.7201036E-01
51.0	3	+1.3816660E-01	+1.5619874E-03	+1.3999998E-01	+1.3609999E-01	+1.7246305E-01
52.0	3	+1.6643327E-01	+6.7678624E-03	+1.7419999E-01	+1.6179996E-01	+1.7291581E-01


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
53.0	17	+1.6729372E-01	+1.5295611E-02	+2.0059996E-01	+1.3219954E-01	+1.7336851E-01
54.0	7	+1.5915703E-01	+1.4255771E-02	+1.5239998E-01	+1.4169956E-01	+1.7382121E-01
56.0	9	+1.8178962E-01	+1.5530404E-02	+2.0089955E-01	+1.5229954E-01	+1.7472666E-01
57.0	9	+1.6276645E-01	+6.5242667E-03	+1.7069995E-01	+1.5319997E-01	+1.7517936E-01
59.0	3	+1.7586660E-01	+1.1597678E-02	+1.8909996E-01	+1.6569995E-01	+1.7608481E-01
60.0	3	+2.1369993E-01	+6.2859281E-03	+2.1929997E-01	+2.0689954E-01	+1.7653751E-01
61.0	3	+1.8866664E-01	+4.3153917E-03	+1.9349958E-01	+1.8519997E-01	+1.7699021E-01
62.0	3	+1.4403331E-01	+5.2173601E-03	+1.4789998E-01	+1.3809996E-01	+1.7744296E-01
64.0	6	+2.0605311E-01	+1.4557927E-02	+2.1839954E-01	+1.7719955E-01	+1.7834936E-01

ANR 3066 PROPELLANT(ANT) TENSILE STN AT RUPT, 0.0002 IN/MIN, 77 DEG F, UNLND CTN

$Y = ((+1.6371824E-01) + (+2.1049035E-04) * X)$
 F = +1.2557904E+02 SIGNIFICANCE OF F = SIGNIFICANT $\sigma_r = +2.4868294E-02$
 R = +2.2008608E-01 SIGNIFICANCE OF R = SIGNIFICANT $S_e = +1.8783374E-05$
 t = +1.1206205E+01 SIGNIFICANCE OF t = SIGNIFICANT $S_t = +2.4263451E-02$
 N = 2469 DEGREES OF FREEDOM = 2467
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH



AMB 3066 PROPELLANT (ALL AMB) TENS STN AT RUPTURE, .0002 IN/MIN, 77 DEG F

Figure 4-6

**** LINEAR REGRESSION ANALYSIS ****

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	7	+1.8035697E-01	+1.0419620E-02	+1.9399994E-01	+1.6829957E-01	+1.6645461E-01
15.0	21	+1.7357575E-01	+1.9192339E-02	+2.0599997E-01	+1.4129996E-01	+1.6687560E-01
16.0	45	+1.8187510E-01	+2.2932069E-02	+2.2399997E-01	+1.3299955E-01	+1.6708606E-01
17.0	21	+1.7558062E-01	+1.8789349E-02	+2.0879995E-01	+1.4099957E-01	+1.6729652E-01
18.0	28	+1.7161029E-01	+2.2749496E-02	+2.1869999E-01	+1.2689955E-01	+1.6750705E-01
19.0	18	+1.6789960E-01	+2.2326174E-02	+2.0339995E-01	+1.3329954E-01	+1.6771751E-01
20.0	27	+1.5859591E-01	+2.1734157E-02	+2.0599997E-01	+1.2559998E-01	+1.6792804E-01
21.0	37	+1.6072118E-01	+2.2879600E-02	+2.0799994E-01	+1.2399955E-01	+1.6813850E-01
22.0	35	+1.6577678E-01	+2.0664273E-02	+2.1099996E-01	+1.2479956E-01	+1.6834902E-01
23.0	19	+1.7694163E-01	+1.7451774E-02	+2.0849996E-01	+1.5299999E-01	+1.6855949E-01
24.0	15	+1.6870629E-01	+1.7220843E-02	+2.0289999E-01	+1.4199955E-01	+1.6877001E-01
25.0	33	+1.6670566E-01	+1.7064729E-02	+2.0199996E-01	+1.4399999E-01	+1.6898047E-01
26.0	27	+1.7354774E-01	+1.5385037E-02	+2.1999996E-01	+1.4239996E-01	+1.6919094E-01
27.0	22	+1.5385407E-01	+1.8593140E-02	+1.9889998E-01	+1.2399955E-01	+1.6940146E-01
28.0	36	+1.6433292E-01	+2.1435593E-02	+2.0999997E-01	+1.2799956E-01	+1.6961193E-01
29.0	12	+1.7676639E-01	+1.6399011E-02	+1.9799995E-01	+1.5199955E-01	+1.6982245E-01
30.0	16	+1.5833097E-01	+1.8035537E-02	+1.8399995E-01	+1.3199956E-01	+1.7003291E-01
31.0	13	+1.6116124E-01	+1.4255979E-02	+1.9399994E-01	+1.3999998E-01	+1.7024344E-01
32.0	27	+1.6450697E-01	+1.8066485E-02	+1.9599997E-01	+1.3079994E-01	+1.7045390E-01
33.0	39	+1.7269957E-01	+1.4258270E-02	+2.0669994E-01	+1.4799994E-01	+1.7066442E-01
34.0	17	+1.7789971E-01	+1.8221263E-02	+2.1199995E-01	+1.5599995E-01	+1.7087489E-01
35.0	23	+1.7479526E-01	+2.1130133E-02	+2.0799994E-01	+1.2619956E-01	+1.7108535E-01
36.0	47	+1.6938894E-01	+1.6420894E-02	+2.1409994E-01	+1.2799956E-01	+1.7129588E-01
37.0	26	+1.6708803E-01	+1.9481163E-02	+2.1199995E-01	+1.2999999E-01	+1.7150634E-01
38.0	34	+1.8872010E-01	+1.7097072E-02	+2.1799999E-01	+1.5699994E-01	+1.7171686E-01
39.0	12	+1.7808306E-01	+2.4213908E-02	+2.0499998E-01	+1.2799996E-01	+1.7192733E-01
40.0	27	+1.7613297E-01	+3.8344596E-02	+3.0599999E-01	+1.1799957E-01	+1.7213785E-01
41.0	22	+1.7872679E-01	+1.1688693E-02	+1.9799995E-01	+1.4799994E-01	+1.7234832E-01
42.0	20	+1.7748463E-01	+1.5714440E-02	+2.1069997E-01	+1.5199995E-01	+1.7255878E-01
43.0	9	+1.7231088E-01	+1.2659257E-02	+1.9299995E-01	+1.5119999E-01	+1.7276930E-01
44.0	25	+1.5532362E-01	+1.9235538E-02	+1.9679999E-01	+1.1399956E-01	+1.7297977E-01

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
45.0	20	+1.5686964E-01	+2.2092980E-02	+1.9399994E-01	+1.1999994E-01	+1.7319029E-01
46.0	44	+1.8271321E-01	+2.1218051E-02	+2.3599994E-01	+1.4199995E-01	+1.7340075E-01
47.0	12	+1.7349970E-01	+1.7237205E-02	+1.9769996E-01	+1.4599996E-01	+1.7361128E-01
48.0	20	+1.7503958E-01	+2.0194668E-02	+1.9699996E-01	+1.1279994E-01	+1.7382174E-01
49.0	22	+1.7188596E-01	+2.455513E-02	+2.3999994E-01	+1.1399996E-01	+1.7403227E-01
50.0	32	+1.5710586E-01	+2.9698195E-02	+2.3999997E-01	+1.0399997E-01	+1.7424273E-01
51.0	57	+1.6100651E-01	+3.0070103E-02	+2.1999996E-01	+9.9999964E-02	+1.7445319E-01
52.0	51	+1.6675245E-01	+1.6250804E-02	+2.1959996E-01	+1.2199997E-01	+1.7466372E-01
53.0	40	+1.7110705E-01	+1.7563350E-02	+2.0039999E-01	+1.3269996E-01	+1.7487418E-01
54.0	19	+1.6073648E-01	+2.3754936E-02	+2.1599996E-01	+1.3689994E-01	+1.7508471E-01
55.0	48	+1.8097877E-01	+2.417954E-02	+2.2199994E-01	+1.2399995E-01	+1.7529517E-01
56.0	62	+1.7648178E-01	+2.3690128E-02	+2.3299998E-01	+1.0999995E-01	+1.7550569E-01
57.0	46	+1.7475599E-01	+2.0609052E-02	+2.0799994E-01	+1.2719994E-01	+1.7571616E-01
58.0	34	+1.7132306E-01	+1.7440113E-02	+2.0999997E-01	+1.2799996E-01	+1.7592668E-01
59.0	20	+1.7899960E-01	+1.6830866E-02	+2.0799994E-01	+1.5799999E-01	+1.7613714E-01
60.0	20	+1.8389958E-01	+1.6396725E-02	+2.1399998E-01	+1.2999999E-01	+1.7634761E-01
61.0	40	+1.7277705E-01	+2.3499183E-02	+2.1999996E-01	+1.0999995E-01	+1.7655813E-01
62.0	35	+1.8795377E-01	+2.6520363E-02	+2.3179996E-01	+1.0999995E-01	+1.7676860E-01
63.0	45	+1.8076401E-01	+2.7297793E-02	+2.3879998E-01	+1.3119995E-01	+1.7697912E-01
64.0	36	+1.8054950E-01	+1.7006843E-02	+2.1099996E-01	+1.4319995E-01	+1.7718958E-01
65.0	28	+1.9098169E-01	+2.5278450E-02	+2.5000000E-01	+1.5399996E-01	+1.7740011E-01
66.0	28	+1.7329245E-01	+2.8645798E-02	+2.3599994E-01	+1.2999999E-01	+1.7761057E-01
67.0	46	+1.6215610E-01	+3.0929775E-02	+2.1999996E-01	+1.0799998E-01	+1.7782109E-01
68.0	44	+1.7907917E-01	+3.1261405E-02	+2.5999999E-01	+1.1999994E-01	+1.7803156E-01
69.0	32	+1.8545579E-01	+1.5589560E-02	+2.2399997E-01	+1.5799999E-01	+1.7824202E-01
70.0	40	+1.8121451E-01	+2.1388523E-02	+2.6199996E-01	+1.2199997E-01	+1.7845255E-01
71.0	47	+1.8080592E-01	+2.6508443E-02	+2.5399994E-01	+1.0599994E-01	+1.7866301E-01
72.0	34	+1.7831426E-01	+1.7676768E-02	+2.0719999E-01	+1.4329999E-01	+1.7887353E-01
73.0	27	+1.6233658E-01	+1.5547724E-02	+1.9199997E-01	+1.1399996E-01	+1.7908400E-01
74.0	15	+1.9179958E-01	+1.2638456E-02	+2.0699995E-01	+1.6799998E-01	+1.7929452E-01
75.0	30	+1.9006609E-01	+1.7608359E-02	+2.2199994E-01	+1.3999998E-01	+1.7950499E-01

ANB 3066 PROPELLANT (ALL ANB) TENS SIN AT RUPTURE, .0002 IN/MIN, 77 DEG F

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
76.0	17	+1.6052309E-01	+9.9617969E-03	+2.0299994E-01	+1.5999996E-01	+1.7971551E-01
77.0	19	+1.9249957E-01	+2.1582643E-02	+2.4599999E-01	+1.6599994E-01	+1.7992597E-01
78.0	25	+1.8172764E-01	+2.3672027E-02	+2.3299998E-01	+1.3679999E-01	+1.8013644E-01
79.0	17	+1.7781144E-01	+2.3929570E-02	+2.2299998E-01	+1.2999999E-01	+1.8034696E-01
80.0	33	+1.7295718E-01	+2.1078770E-02	+2.1599996E-01	+1.2189996E-01	+1.8055742E-01
81.0	26	+1.6733801E-01	+2.3071100E-02	+2.1599996E-01	+1.1099994E-01	+1.8076795E-01
82.0	15	+1.6572634E-01	+1.9294208E-02	+2.2799998E-01	+1.6199994E-01	+1.8097841E-01
83.0	33	+1.9016617E-01	+2.0164813E-02	+2.3999994E-01	+1.6159999E-01	+1.8116894E-01
84.0	42	+1.9268763E-01	+2.2424166E-02	+2.5089997E-01	+1.4959996E-01	+1.8139940E-01
85.0	15	+1.9227951E-01	+1.6881057E-02	+2.0999997E-01	+1.4599996E-01	+1.8160986E-01
86.0	22	+1.8153142E-01	+1.4031415E-02	+2.0519995E-01	+1.4799994E-01	+1.8182039E-01
87.0	23	+1.8033862E-01	+3.5571556E-02	+2.6999998E-01	+1.1279994E-01	+1.8203085E-01
88.0	32	+1.8260890E-01	+3.2464416E-02	+2.6699995E-01	+8.5199952E-02	+1.8224138E-01
89.0	31	+1.7433512E-01	+1.8532494E-02	+2.3039996E-01	+1.2699997E-01	+1.8245184E-01
90.0	11	+1.8250876E-01	+2.3136175E-02	+2.1299999E-01	+1.4999997E-01	+1.8266236E-01
91.0	9	+1.8409979E-01	+1.4428929E-02	+2.1119999E-01	+1.6559994E-01	+1.8267283E-01
92.0	17	+1.8181139E-01	+1.1530091E-02	+1.9799995E-01	+1.4959996E-01	+1.8308335E-01
93.0	15	+2.0067954E-01	+2.9362383E-02	+2.8319996E-01	+1.6799998E-01	+1.8329381E-01
94.0	13	+1.9653040E-01	+2.0113837E-02	+2.2799998E-01	+1.5299999E-01	+1.8350428E-01
95.0	24	+1.7888295E-01	+2.1097116E-02	+2.1519994E-01	+1.4039999E-01	+1.8371480E-01
96.0	11	+1.6947239E-01	+2.2666155E-02	+2.1299999E-01	+1.3439995E-01	+1.8392527E-01
97.0	6	+1.9493323E-01	+1.3699310E-02	+2.1399998E-01	+1.7999994E-01	+1.8413579E-01
98.0	9	+1.8269969E-01	+2.1618974E-02	+2.1119999E-01	+1.6159999E-01	+1.8434625E-01
99.0	5	+2.0611989E-01	+2.8845961E-02	+2.4159997E-01	+1.6899996E-01	+1.8455678E-01
100.0	2	+1.9599997E-01	+5.2326007E-02	+2.3299998E-01	+1.5899997E-01	+1.8476724E-01
101.0	11	+1.7219066E-01	+1.9016205E-02	+2.0239996E-01	+1.3999998E-01	+1.8497776E-01
102.0	3	+1.8393325E-01	+8.7557784E-03	+1.9359999E-01	+1.7639994E-01	+1.8518823E-01
103.0	2	+2.0249992E-01	+1.9091691E-02	+2.1599996E-01	+1.8099995E-01	+1.8539869E-01
104.0	7	+1.7202836E-01	+4.1338857E-03	+1.7669999E-01	+1.6559994E-01	+1.8560922E-01
105.0	9	+1.8013304E-01	+2.7896107E-02	+2.2199994E-01	+1.3679999E-01	+1.8581968E-01
106.0	11	+1.6949063E-01	+5.1342709E-02	+2.5269997E-01	+9.3299984E-02	+1.8603020E-01


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
107.0	2	+1.7059993E-01	+4.8100599E-03	+1.7399996E-01	+1.6719996E-01	+1.8624067E-01
108.0	3	+1.6469997E-01	+9.9225311E-03	+1.7609995E-01	+1.5799999E-01	+1.8645119E-01
109.0	14	+1.7429971E-01	+1.0564565E-02	+1.9599997E-01	+1.5999996E-01	+1.8666166E-01
110.0	11	+1.9871789E-01	+3.2342236E-02	+2.5779998E-01	+1.6239994E-01	+1.8687218E-01
111.0	5	+1.5747994E-01	+4.1513829E-02	+2.2299998E-01	+1.1069995E-01	+1.8708264E-01
112.0	6	+1.9066649E-01	+5.4617228E-02	+2.5219994E-01	+1.1819994E-01	+1.8729311E-01
113.0	18	+1.6313850E-01	+4.2041126E-02	+2.5099998E-01	+9.1999957E-02	+1.8750363E-01
115.0	6	+2.1636658E-01	+2.9278187E-02	+2.5999999E-01	+1.9029998E-01	+1.8792462E-01
116.0	6	+2.2569972E-01	+1.5551211E-02	+2.4799996E-01	+2.0439994E-01	+1.8813508E-01
117.0	3	+1.8179994E-01	+3.9222634E-03	+1.8449997E-01	+1.7729997E-01	+1.8834561E-01
118.0	4	+1.9807493E-01	+1.2276390E-03	+2.0889997E-01	+1.6089997E-01	+1.8855607E-01
119.0	9	+1.8741083E-01	+5.7280928E-03	+1.9849997E-01	+1.6799998E-01	+1.8876659E-01
120.0	2	+1.9394999E-01	+4.4369543E-04	+1.9429999E-01	+1.9359999E-01	+1.8897706E-01
121.0	3	+1.9119999E-01	+5.1882549E-03	+1.9699996E-01	+1.8699997E-01	+1.8918752E-01
122.0	3	+2.0399993E-01	+2.9430655E-02	+2.3629999E-01	+1.7869997E-01	+1.8939805E-01
123.0	9	+2.0031088E-01	+3.1568413E-02	+2.5359994E-01	+1.6199994E-01	+1.8960851E-01
124.0	6	+2.0064973E-01	+2.7534156E-02	+2.3499995E-01	+1.5599995E-01	+1.8981903E-01
126.0	6	+2.231649E-01	+5.0069649E-02	+2.8899997E-01	+1.5469995E-01	+1.9024002E-01
127.0	3	+1.6163331E-01	+3.0679355E-02	+1.8419998E-01	+1.2669998E-01	+1.9045048E-01
137.0	1	+1.8299996E-01	+0.000000E+27	+1.8299996E-01	+1.8299996E-01	+1.9255536E-01

ANB 3066 PROPELLANT (ALL ANB) TENS SIN AT RUPTURE, .0002 IN/MIN, 77 DEG F

Y = ((+7.7963761E+01) + (+8.7645405E-02) * X)
 F = +2.1491278E+01 SIGNIFICANCE OF F = SIGNIFICANT σ_1 = +6.1082845E+00
 R = +2.7153032E-01 SIGNIFICANCE OF R = SIGNIFICANT S_e = +1.8905929E-02
 t = +4.6358686E+00 SIGNIFICANCE OF t = SIGNIFICANT S_e = +5.8896721E+00
 N = 272 DEGREES OF FREEDOM = 270
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH



AMB 3066 PROPELLANT (ANA), TENSILE MAX STRESS, .0002 IN/MIN, 77 DEG F, UNLND CTN

Figure 4-7

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	5	47.8139938E+01	43.0442391E+00	48.2695556E+01	47.4355553E+01	47.5103149E+01
14.0	16	47.7899948E+01	43.1051766E+00	48.2595990E+01	47.2695556E+01	47.5150759E+01
15.0	14	47.4665607E+01	43.4370305E+00	48.1195996E+01	46.529597E+01	47.5278442E+01
16.0	5	47.5159957E+01	43.2682476E+00	47.9195996E+01	47.0199596E+01	47.9366073E+01
17.0	10	48.0269943E+01	45.1423995E+00	48.8195996E+01	47.4755587E+01	47.5453720E+01
18.0	15	48.4119918E+01	43.8621899E+00	49.2895993E+01	47.7195996E+01	47.5541366E+01
19.0	13	47.8546096E+01	46.3249474E+00	49.1595990E+01	47.1195996E+01	47.5629013E+01
20.0	12	48.3733245E+01	45.1463979E+00	49.2395993E+01	47.5000000E+01	47.5716659E+01
21.0	15	48.3039901E+01	45.6716507E+00	49.2595990E+01	47.3695996E+01	47.5804306E+01
22.0	14	48.0528503E+01	45.0795171E+00	49.1195996E+01	47.2195996E+01	47.5891952E+01
23.0	10	47.9239904E+01	43.655262E+00	48.7895993E+01	47.5195996E+01	47.5979559E+01
24.0	10	48.3189941E+01	46.060061E+00	48.9295987E+01	46.8895993E+01	48.0067245E+01
25.0	15	48.1226593E+01	43.9112141E+00	49.0000000E+01	47.6399993E+01	48.01548E+01
26.0	15	48.3493240E+01	43.8780009E+00	49.1000000E+01	47.6599990E+01	48.02475E+01
32.0	5	47.6779922E+01	43.5791757E+00	48.1000000E+01	47.0295987E+01	48.0768993E+01
33.0	5	47.7419967E+01	42.4452230E+00	48.0395993E+01	47.3895993E+01	48.085604E+01
40.0	5	47.9505950E+01	41.5405702E+00	48.0765985E+01	47.7250000E+01	48.14698E+01
42.0	5	47.1579925E+01	43.8764027E+00	47.6645993E+01	46.6615955E+01	48.164426E+01
43.0	5	47.6759948E+01	41.2004833E+00	48.0155988E+01	47.7375989E+01	48.1732513E+01
46.0	5	48.6717864E+01	45.7864520E+01	48.7555997E+01	48.6235990E+01	48.1995437E+01
48.0	3	48.0226654E+01	44.2191657E+00	48.3075986E+01	47.5375985E+01	48.2170730E+01
49.0	7	47.5714202E+01	41.3715568E+00	48.0875989E+01	47.7459991E+01	48.2250370E+01
52.0	8	47.3221191E+01	42.6777899E+00	47.6725995E+01	46.5939996E+01	48.2521316E+01
53.0	11	47.4310606E+01	42.8511881E+00	47.9119995E+01	47.0629989E+01	48.2608963E+01
57.0	3	48.4429987E+01	48.4581377E+01	48.5295997E+01	48.3599990E+01	48.2959543E+01
59.0	5	47.7349945E+01	41.1144771E+00	47.8500000E+01	47.5865995E+01	48.3134826E+01
66.0	3	49.0196609E+01	41.0900035E+00	49.0929992E+01	48.8949996E+01	48.3748352E+01
68.0	3	49.4566578E+01	41.0548824E+00	49.5539993E+01	49.3465985E+01	48.3923645E+01
69.0	9	48.7852127E+01	44.4864500E+00	49.4549587E+01	48.0155996E+01	48.4011251E+01
70.0	8	49.2536157E+01	42.0646839E+00	49.6375989E+01	49.0099990E+01	48.4098537E+01
71.0	10	48.6428888E+01	47.0187119E+00	49.5325996E+01	47.4575986E+01	48.4186584E+01

ANB 3066 PREPELLANT(ANA), TENSILE MAX STRESS, .0002 IN./MIN., 77 DEC F, UNLAD CTN


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
72.0	3	+8.250988E+01	+1.4826656E+00	+8.4175952E+01	+8.1279958E+01	+8.4274215E+01

ANB 3066 PROPELLANT(ANA). TENSILE MAX STRESS. .0002 IN/MIN. 77 DEG F. UNLND CTN

F = +1.0465704E+02
 R = +2.4562774E-01
 I = +1.0230202E+01
 N = 1632
 STORAGE CONDITIONS = AMB TEMP/RH
 Y = ((+7.4953221E+01) + (+1.1879981F-01) * X)
 SIGNIFICANCE OF F = SIGNIFICANT
 SIGNIFICANCE OF R = SIGNIFICANT
 SIGNIFICANCE OF I = SIGNIFICANT
 DEGREES OF FREEDOM = 1630
 TEST CONDITIONS = 77 DEG F, AMB RH
 $\sigma_f = +7.9819559E+00$
 $S_b = +1.1612168F-02$
 $S_e = +7.7392168E+00$



ANB 3066 PROPELLANT (ANB) TENSILE MAX STRESS, .0002 IN/MIN, 77 DEG F, UNLND CTNS

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	7	+7.0747070E+01	+4.1623244E+00	+7.7299987E+01	+6.6439987E+01	+7.6497543E+01
15.0	15	+7.9473236E+01	+7.2095352E+00	+9.0399993E+01	+6.6299987E+01	+7.6735137E+01
16.0	30	+7.5225570E+01	+8.3120671E+00	+8.9899993E+01	+5.4250000E+01	+7.6853927E+01
17.0	15	+7.5951232E+01	+8.8055137E+00	+8.8299987E+01	+5.9500000E+01	+7.6972732E+01
18.0	12	+7.2300735E+01	+7.0548569E+00	+8.6399993E+01	+5.0099900E+01	+7.7091522E+01
19.0	11	+7.5997177E+01	+2.8574313E+00	+7.9500000E+01	+7.2599990E+01	+7.7210311E+01
20.0	01	+7.4375625E+01	+6.1556707E+00	+8.5349990E+01	+6.2049987E+01	+7.7329116E+01
21.0	31	+7.7272781E+01	+4.2121273E+00	+8.4519989E+01	+7.0769989E+01	+7.7447906E+01
22.0	23	+7.9059875E+01	+6.4563950E+00	+9.0799987E+01	+6.7099990E+01	+7.7566696E+01
23.0	10	+8.4555923E+01	+5.9137795E+00	+9.1099990E+01	+7.4319992E+01	+7.7695501E+01
24.0	15	+7.7172607E+01	+7.1584867E+00	+8.7699996E+01	+6.6000000E+01	+7.7804290E+01
25.0	33	+8.0718688E+01	+5.8762098E+00	+9.1000000E+01	+6.8919998E+01	+7.7923080E+01
26.0	27	+7.7725845E+01	+7.0738828E+00	+9.0369999E+01	+6.7820085E+01	+7.8041885E+01
27.0	22	+8.2398529E+01	+6.2563343E+00	+9.5399993E+01	+7.4599990E+01	+7.8160675E+01
28.0	30	+8.1772247E+01	+1.0793779E+01	+1.0629998E+02	+4.4699995E+01	+7.8279464E+01
29.0	12	+8.1480743E+01	+5.8047124E+00	+8.9000000E+01	+6.7899993E+01	+7.8398269E+01
30.0	10	+8.2972946E+01	+3.3451370E+00	+8.7799987E+01	+7.8489990E+01	+7.8517059E+01
31.0	13	+8.1445266E+01	+4.5739158E+00	+9.0399993E+01	+7.6259994E+01	+7.8635948E+01
32.0	21	+7.8154663E+01	+4.6407963E+00	+8.6799987E+01	+6.9299987E+01	+7.8754653E+01
33.0	33	+7.7770507E+01	+9.9269201E+00	+9.3500000E+01	+5.8799987E+01	+7.8873443E+01
34.0	17	+8.0557341E+01	+6.3257201E+00	+9.0899993E+01	+7.1500000E+01	+7.8992233E+01
35.0	20	+8.3836914E+01	+3.7613813E+00	+9.1500000E+01	+7.5599990E+01	+7.9111039E+01
36.0	44	+8.0243774E+01	+6.3484296E+00	+9.6799987E+01	+6.6329986E+01	+7.9229827E+01
37.0	26	+7.9354522E+01	+6.5715818E+00	+8.9199996E+01	+6.6299987E+01	+7.9348617E+01
38.0	33	+7.6569595E+01	+6.5018167E+00	+8.7399993E+01	+6.4000000E+01	+7.9467422E+01
39.0	12	+7.7916625E+01	+1.0132610E+01	+9.5000000E+01	+6.7000000E+01	+7.9586212E+01
40.0	27	+8.0336944E+01	+6.5774463E+00	+9.2000000E+01	+7.1000000E+01	+7.9705001E+01
41.0	22	+7.5490829E+01	+6.0693368E+00	+8.5799987E+01	+6.6500000E+01	+7.9823806E+01
42.0	20	+7.6303405E+01	+5.6731970E+00	+8.8549987E+01	+6.8000000E+01	+7.9942596E+01
43.0	9	+6.4928817E+01	+1.4048470E+01	+9.2239990E+01	+5.0599990E+01	+8.0061386E+01
44.0	25	+7.9696304E+01	+6.4566581E+00	+8.9389999E+01	+6.1500000E+01	+8.0180191E+01

ANB 3066 PROPELLANT(ANB) TENSILE MAX STRESS, +0002 IN/MIN, 77 DEG F, UNIND CINS


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
45.0	20	+7.6027404E+01	+5.7585151E+00	+8.3759987E+01	+6.5759054E+01	+8.0298980E+01
46.0	44	+8.1155593E+01	+5.6097673E+00	+9.3299993E+01	+7.0199996E+01	+8.0417770E+01
47.0	12	+8.1101577E+01	+6.8296346E+00	+9.3259994E+01	+7.3199996E+01	+8.0536575E+01
48.0	20	+8.1214904E+01	+6.1397259E+00	+9.5419998E+01	+7.3299987E+01	+8.0655364E+01
49.0	22	+7.6723999E+01	+9.0693504E+00	+9.7269989E+01	+5.3199996E+01	+8.0774154E+01
50.0	29	+7.8313527E+01	+7.7125550E+00	+9.2399993E+01	+6.2899993E+01	+8.0892959E+01
51.0	57	+8.0777130E+01	+7.0749497E+00	+9.6039993E+01	+5.5019999E+01	+8.1011749E+01
52.0	50	+8.0506484E+01	+5.1203490E+00	+9.5799987E+01	+6.5799987E+01	+8.1130538E+01
53.0	37	+7.5544769E+01	+6.5216908E+00	+9.5039993E+01	+7.0159989E+01	+8.1249343E+01
54.0	19	+8.1768310E+01	+7.6525664E+00	+9.1799987E+01	+5.8799987E+01	+8.1368133E+01
55.0	42	+8.3036346E+01	+5.8206339E+00	+9.7699996E+01	+7.2299987E+01	+8.1486923E+01
56.0	59	+7.9427169E+01	+4.5597379E+00	+9.1399993E+01	+6.6669998E+01	+8.1605728E+01
57.0	46	+7.8460556E+01	+6.5721580E+00	+8.9699996E+01	+6.9399993E+01	+8.1724517E+01
58.0	34	+8.2624023E+01	+6.8119551E+00	+9.5000000E+01	+7.0909988E+01	+8.1843307E+01
59.0	20	+9.2346420E+01	+6.7405369E+00	+1.0300000E+02	+7.6729995E+01	+8.1952112E+01
60.0	20	+8.6679870E+01	+7.3399614E+00	+9.3299987E+01	+6.0899993E+01	+8.2080902E+01
61.0	40	+7.8849624E+01	+8.6878910E+00	+9.4000000E+01	+6.1199996E+01	+8.2199691E+01
62.0	35	+8.5151611E+01	+7.8220164E+00	+9.5599990E+01	+6.4899993E+01	+8.2318496E+01
63.0	45	+8.7134567E+01	+7.9507533E+00	+9.8599990E+01	+6.5599990E+01	+8.2437286E+01
64.0	36	+8.3136581E+01	+9.4803437E+00	+1.0050000E+02	+6.1500000E+01	+8.2556076E+01
65.0	28	+8.1550979E+01	+6.7543374E+00	+9.0109985E+01	+6.6500000E+01	+8.2674880E+01
66.0	28	+9.0215826E+01	+9.5156443E+00	+1.0559999E+02	+7.5799987E+01	+8.2793670E+01
67.0	46	+8.6434692E+01	+6.8096820E+00	+9.7500000E+01	+7.4299987E+01	+8.2912460E+01
68.0	44	+8.1919204E+01	+6.6299910E+00	+1.0029998E+02	+6.1399993E+01	+8.3031265E+01
69.0	32	+8.3825225E+01	+6.9233374E+00	+1.0319999E+02	+7.0599990E+01	+8.3150054E+01
70.0	40	+7.9231643E+01	+8.1702557E+00	+9.3599990E+01	+5.6099990E+01	+8.3268844E+01
71.0	47	+8.1680114E+01	+1.1568504E+01	+1.0539999E+02	+5.7599990E+01	+8.3387649E+01
72.0	34	+8.1316360E+01	+6.4662732E+00	+9.4279998E+01	+7.0399993E+01	+8.3506439E+01

ANB 3066 PROPELLANT(AND) TENSILE MAX STRESS, .0002 IN/IN, 77 DEG F, UNLND CTNS

$Y = ((+6.2641558E+01) + (+4.0511332E-01) * X)$
 F = +1.4131132E+02 SIGNIFICANCE OF F = SIGNIFICANT $\sigma_f = +8.7588965E+00$
 R = +5.5227072E-01 SIGNIFICANCE OF R = SIGNIFICANT $S_a = +3.4079094E-02$
 t = +1.1887443E+01 SIGNIFICANCE OF t = SIGNIFICANT $S_t = +7.3133156E+00$
 N = 324 DEGREES OF FREEDOM = 322
 STORAGE CONDITIONS = AMB TEMP/AM TEST CONDITIONS = 77 DEG F, AMB RH



AMB 3056 PROPELLANT (ANT) TENSILE MAX STRESS, .0002 IN/MIN, 77 DEG F, UNLND CTNS

Figure 4-9

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	1	+5.776989E+01	+0.000000E+00	+6.776989E+01	+5.776989E+01	+6.8718246E+01
16.0	3	+7.252332E+01	+3.011771E+00	+7.472995E+01	+6.913679E+01	+6.5123367E+01
17.0	3	+7.727497E+01	+4.334471E+00	+7.257926E+01	+7.195995E+01	+6.9528472E+01
18.0	3	+6.190332E+01	+1.221021E+00	+6.314993E+01	+6.070991E+01	+6.9933593E+01
21.0	3	+6.768331E+01	+6.682090E+00	+6.828999E+01	+6.705997E+01	+7.1143925E+01
23.0	3	+6.452665E+01	+4.385736E+00	+6.481952E+01	+6.401998E+01	+7.1959152E+01
25.0	3	+7.430331E+01	+7.955181E+00	+7.826999E+01	+7.027999E+01	+7.2769378E+01
26.0	17	+7.257543E+01	+5.741876E+00	+8.106992E+01	+6.500000E+01	+7.3174499E+01
27.0	33	+7.454437E+01	+5.787139E+00	+8.154596E+01	+6.326995E+01	+7.3579605E+01
28.0	72	+7.397761E+01	+6.130866E+00	+8.585988E+01	+6.550000E+01	+7.3984725E+01
29.0	8	+7.469619E+01	+5.364925E+00	+8.126598E+01	+6.759990E+01	+7.4389831E+01
30.0	15	+7.449391E+01	+7.519222E+00	+8.050994E+01	+5.519999E+01	+7.4794952E+01
31.0	30	+7.315156E+01	+6.852917E+00	+8.248999E+01	+5.743998E+01	+7.5200057E+01
32.0	22	+8.098531E+01	+5.789480E+00	+9.633999E+01	+5.817999E+01	+7.5605178E+01
33.0	5	+6.961991E+01	+2.318451E+00	+7.294995E+01	+6.752999E+01	+7.6010284E+01
34.0	15	+7.091387E+01	+7.808402E+00	+7.909990E+01	+5.226990E+01	+7.6415405E+01
35.0	11	+7.727359E+01	+7.243949E+00	+9.742992E+01	+7.050994E+01	+7.6820510E+01
37.0	4	+7.706744E+01	+9.866986E+00	+9.175000E+01	+7.145991E+01	+7.7630737E+01
38.0	3	+7.187321E+01	+2.958286E+00	+7.381992E+01	+6.841995E+01	+7.8035858E+01
39.0	3	+7.090332E+01	+1.950158E+00	+8.186995E+01	+7.796995E+01	+7.8440963E+01
40.0	1	+6.767992E+01	+0.000000E+00	+6.767992E+01	+6.767992E+01	+7.8846054E+01
41.0	8	+7.418890E+01	+1.800039E+00	+7.611995E+01	+7.139999E+01	+7.9251130E+01
43.0	3	+5.370991E+01	+9.626520E+00	+6.447995E+01	+8.262998E+01	+8.0061416E+01
44.0	4	+9.483489E+01	+5.755108E+00	+11.003998E+02	+8.957998E+01	+8.5466537E+01
46.0	5	+8.067324E+01	+1.329588E+00	+9.301999E+01	+6.747995E+01	+8.1276763E+01
47.0	10	+8.019890E+01	+8.487485E+00	+9.843998E+01	+7.610995E+01	+8.1681869E+01
48.0	6	+8.749661E+01	+1.286587E+00	+8.920991E+01	+8.610995E+01	+8.2026990E+01
49.0	5	+9.517129E+01	+3.002079E+00	+9.838999E+01	+9.111999E+01	+8.2492095E+01
50.0	9	+8.640876E+01	+3.761514E+00	+9.179991E+01	+8.145991E+01	+8.2897216E+01
51.0	3	+8.596629E+01	+1.2268520E+00	+8.689993E+01	+8.457996E+01	+8.3302322E+01
52.0	3	+7.733324E+01	+6.019395E+00	+7.825999E+01	+7.696995E+01	+8.3707443E+01

AND 300G PELPELLANT; TENSILE MAX STRESS: 4002 IN/MIN; 77 DEG F; UNLND CTNS


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
51.0	17	+8.640400E+01	+5.1156223E+00	+9.367989E+01	+7.7435527E+01	+8.4112564E+01
54.0	7	+8.5541290E+01	+6.2430284E+00	+9.325994E+01	+7.7030953E+01	+8.4517669E+01
55.0	9	+8.3362139E+01	+8.1244555E+00	+9.325994E+01	+6.9465955E+01	+8.5327896E+01
57.0	9	+8.5069931E+01	+6.7172048E+00	+9.3500000E+01	+7.6199956E+01	+8.5733016E+01
59.0	3	+8.8853271E+01	+1.7234824E+00	+9.020991E+01	+8.6919958E+01	+8.6543243E+01
60.0	3	+7.5003325E+01	+1.0650442E+00	+7.6185987E+01	+7.4059957E+01	+8.6943348E+01
61.0	3	+7.6446555E+01	+6.364595E-01	+7.7149993E+01	+7.5029992E+01	+8.7353469E+01
62.0	3	+8.6390378E+01	+2.1235556E+00	+8.8819992E+01	+8.4849990E+01	+8.7758575E+01
64.0	6	+7.7084930E+01	+1.4670700E+00	+7.5089996E+01	+7.6000000E+01	+8.8568801E+01

AND 3066 FREPELLANT(ANT) TENSILE MAX STRESS, .0002 IN/MIN, 77 DEG F, UNLND CTNS

$Y = (1 + 6.2961507E+01) + (2.1447310E-01) * X$
 F = +2.2597409E+01 SIGNIFICANCE OF F = SIGNIFICANT
 R = +3.8996327E-01 SIGNIFICANCE OF R = SIGNIFICANT
 t = +4.7536733E+00 SIGNIFICANCE OF t = SIGNIFICANT
 N = 128 DEGREES OF FREEDOM = 126
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH



AMB 3066 PROPELLANT (AMB), TENSILE MAX STRESS, .0002 IN/MIN, 77 DEG F, LINED CTN

Figure 4-10


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	6	+6.2604213E+01	+6.3671556E+00	+7.0469985E+01	+5.3185987E+01	+6.5998602E+01
16.0	15	+6.5204372E+01	+8.5842537E+00	+7.7729955E+01	+4.4149593E+01	+6.5813064E+01
17.0	6	+6.2159042E+01	+5.7249412E+00	+6.8105935E+01	+5.2399593E+01	+6.6027542E+01
18.0	16	+6.5460510E+01	+6.3159264E+00	+7.625994E+01	+5.257998E+01	+6.6242019E+01
19.0	7	+6.592773E+01	+2.5668732E+00	+7.0520998E+01	+6.190999E+01	+6.6456481E+01
20.0	6	+6.6458251E+01	+6.0986645E+00	+7.4719985E+01	+5.553993E+01	+6.6670959E+01
21.0	6	+6.2564760E+01	+8.1871379E+00	+7.7739990E+01	+5.4709991E+01	+6.685437E+01
22.0	12	+6.6953240E+01	+2.3417458E+00	+6.9765998E+01	+6.1730990E+01	+6.709914E+01
23.0	3	+6.9102127E+01	+7.2574803E+00	+7.5665995E+01	+6.1979995E+01	+6.7314376E+01
24.0	6	+6.9511827E+01	+3.233580E+00	+7.2119995E+01	+5.6459991E+01	+6.8366749E+01
30.0	6	+7.1044952E+01	+5.1315921E+00	+7.6279998E+01	+6.5329986E+01	+6.8815689E+01
32.0	6	+7.0534942E+01	+2.6507938E+00	+7.4229995E+01	+6.7699996E+01	+6.5244644E+01
33.0	6	+7.1943267E+01	+6.606662E+00	+7.9019989E+01	+6.4409988E+01	+6.5459106E+01
35.0	3	+7.4373321E+01	+3.7863293E+00	+7.8099990E+01	+7.0529998E+01	+6.5888061E+01
36.0	3	+7.1596549E+01	+4.8447194E+00	+7.7189987E+01	+6.8699996E+01	+7.0122539E+01
38.0	1	+7.4192996E+01	+6.000000E+00	+7.4199996E+01	+7.4199996E+01	+7.0531478E+01
50.0	3	+7.1833312E+01	+3.2078970E+00	+7.4959991E+01	+6.8549987E+01	+7.3105146E+01
52.0	1	+7.7699996E+01	+6.000000E+00	+7.7699996E+01	+7.7699996E+01	+7.3534103E+01
53.0	3	+6.8819992E+01	+2.615337E+00	+7.1839996E+01	+6.7289993E+01	+7.3748580E+01
55.0	4	+6.9927470E+01	+1.6610187E+00	+7.2299987E+01	+6.8459991E+01	+7.4177520E+01
56.0	3	+7.4319993E+01	+2.405684E+00	+7.6250000E+01	+7.1619995E+01	+7.4391598E+01

ANB 3066 PROPELLANT(ANB); TENSILE MAX STRESS, .0002 IN./MIN; 77 DEG F; LINED CTN

Y = ((+6.4735807E+01) + (+2.0870193E-01) * X) * XJ
 F = +4.6322572E+00 SIGNIFICANCE OF F = . SIGNIFICANT $\sigma_1 = +7.2358278E+00$
 R = +2.3968559E-01 SIGNIFICANCE OF R = . SIGNIFICANT $S_1 = +9.6968380E-02$
 t = +2.1522679E+00 SIGNIFICANCE OF t = . SIGNIFICANT $S_t = +7.0709729E+00$
 N = 78 DEGREES OF FREEDOM = 76
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH



AMB 3066 PROPELLANT (ANT), TENSILE MAX STRESS, .0002 IN./MIN, 77 DEG F, LINED CTN

Figure 4-11

*** LINEAR REGRESSION ANALYSIS ***


*** ANALYSIS OF TIME CELLS ***

AGE (MONTHS)	SPECIMENS DEP GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	3	+6.096659E+01	+2.6402997E+00	+6.2610655E+01	+5.5220045E+01	+6.7826333E+01
18.0	3	+6.7396605E+01	+2.3622025E+00	+7.0139909E+01	+6.2659951E+01	+6.8432431E+01
18.0	3	+6.5766505E+01	+1.3812032E+00	+7.0119052E+01	+6.8130990E+01	+6.8701141E+01
20.0	3	+7.1366853E+01	+1.8586830E+00	+7.3719925E+01	+7.0209953E+01	+6.8909835E+01
21.0	5	+6.7855509E+01	+6.5774821E+00	+7.4929552E+01	+5.5709991E+01	+6.5118545E+01
23.0	3	+7.0863327E+01	+7.6119503E+01	+7.1855968E+01	+7.0139999E+01	+6.5535949E+01
24.0	3	+7.7259943E+01	+1.2396162E+00	+7.8359985E+01	+7.5959955E+01	+6.5744644E+01
26.0	3	+7.4073325E+01	+1.5071576E+00	+7.5299977E+01	+7.1839956E+01	+7.0162048E+01
28.0	3	+7.0126647E+01	+1.5040501E+00	+7.1639973E+01	+6.8670952E+01	+7.0579452E+01
29.0	3	+9.0103317E+01	+1.8412695E+00	+8.2216985E+01	+7.8862965E+01	+7.0788162E+01
30.0	6	+7.1496602E+01	+9.1663089E+00	+8.3819925E+01	+6.2239990E+01	+7.0956856E+01
31.0	3	+5.7723322E+01	+2.0791314E+01	+7.0449996E+01	+3.3739950E+01	+7.1205566E+01
32.0	3	+6.6363327E+01	+1.7331658E+00	+6.8289003E+01	+6.4929952E+01	+7.1414260E+01
33.0	3	+7.7373321E+01	+1.712952E+00	+7.8759994E+01	+7.5889956E+01	+7.1522570E+01
34.0	3	+7.1786651E+01	+9.5652111E-01	+7.2554667E+01	+7.0859988E+01	+7.1831665E+01
35.0	5	+7.1966659E+01	+1.3129942E+00	+7.3059997E+01	+7.0505956E+01	+7.2040374E+01
37.0	3	+7.5466644E+01	+6.1546285E-01	+7.8565985E+01	+7.7519090E+01	+7.2657763E+01
38.0	5	+7.0829910E+01	+7.737572E+00	+7.9076986E+01	+6.3839953E+01	+7.2866473E+01
39.0	3	+8.0859985E+01	+2.7236949E-01	+8.1259994E+01	+9.0519989E+01	+7.2875167E+01
40.0	3	+6.7523315E+01	+1.7558146E+00	+6.8009985E+01	+5.5419955E+01	+7.3083777E+01
43.0	3	+6.9993310E+01	+5.5336810E-01	+7.0549957E+01	+6.9419958E+01	+7.3709576E+01
46.0	3	+7.2226654E+01	+9.4874195E-01	+7.2979965E+01	+7.1155588E+01	+7.3818685E+01

ANR-3065 PROPELLANT(ANT), TENSILE MAX STRESS, *0002 IN/MIN, 77 DEG F, LINED CTN

$Y = ((+7.6679785E+01) + (+5.4120781E-02) * X)$
 SIGNIFICANCE OF F = SIGNIFICANT $\sigma = +8.6818091E+00$
 SIGNIFICANCE OF R = SIGNIFICANT $S_e = +6.6384120E-03$
 SIGNIFICANCE OF t = SIGNIFICANT $S_e = +8.5686444E+00$
 DEGREES OF FREEDOM = 2465
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH

F = +6.6566261E+01
 R = +1.6215577E-01
 t = +8.1588145E+00
 N = 2467



AMB 3066 PROPELLANT (ALL AMB) TENS MAXIMUM STRESS, .0002 IN/MIN, 77 DEG F

Figure 4-12

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	7	+7.0747070E+01	+4.1623044E+00	+7.7299987E+01	+6.6439986E+01	+7.7383346E+01
15.0	21	+7.4625137E+01	+1.0756648E+01	+9.0399993E+01	+5.3189987E+01	+7.7491592E+01
16.0	45	+7.1886566E+01	+9.6561599E+00	+8.5899993E+01	+4.4149993E+01	+7.7545715E+01
17.0	21	+7.2296554E+01	+9.8754172E+00	+8.8299987E+01	+5.2399993E+01	+7.7599838E+01
18.0	26	+6.8392013E+01	+7.2290808E+00	+8.6399993E+01	+5.2579986E+01	+7.7653945E+01
19.0	18	+7.2339889E+01	+5.4844288E+00	+7.9500000E+01	+6.1909988E+01	+7.7708068E+01
20.0	27	+7.2616195E+01	+6.8553858E+00	+8.5349990E+01	+5.9539993E+01	+7.7762191E+01
21.0	37	+7.5863937E+01	+5.8849156E+00	+8.4519989E+01	+5.4709991E+01	+7.7816314E+01
22.0	35	+7.4922744E+01	+7.5276271E+00	+9.0799987E+01	+6.1739990E+01	+7.7870437E+01
23.0	19	+7.7235687E+01	+1.0122201E+01	+9.1099990E+01	+6.1979995E+01	+7.7924560E+01
24.0	15	+7.7172607E+01	+7.1584867E+00	+8.7699991E+01	+6.6000000E+01	+7.7978683E+01
25.0	33	+8.0718688E+01	+5.8762098E+00	+9.1000000E+01	+5.8919995E+01	+7.8032791E+01
26.0	27	+7.7725845E+01	+7.0736628E+00	+9.0389999E+01	+6.7829986E+01	+7.8086914E+01
27.0	22	+8.2398529E+01	+6.2563343E+00	+9.5399993E+01	+7.4599990E+01	+7.8141036E+01
28.0	36	+7.9728805E+01	+1.0523251E+01	+1.0629998E+02	+4.4699995E+01	+7.8155159E+01
29.0	12	+8.1460743E+01	+5.8067124E+00	+8.9600000E+01	+6.7899995E+01	+7.8249282E+01
30.0	16	+7.8499923E+01	+7.1452392E+00	+8.7799987E+01	+6.5329986E+01	+7.8303405E+01
31.0	13	+8.1445266E+01	+4.5739158E+00	+9.0399993E+01	+7.6259994E+01	+7.8357528E+01
32.0	27	+7.6461380E+01	+5.3232861E+00	+8.6799987E+01	+6.7699995E+01	+7.8411636E+01
33.0	39	+7.6874008E+01	+9.6566160E+00	+9.3500000E+01	+5.8799987E+01	+7.8465799E+01
34.0	17	+8.0559341E+01	+6.3267201E+00	+9.0899993E+01	+7.1500000E+01	+7.8519882E+01
35.0	23	+8.2602508E+01	+4.9132385E+00	+9.1500000E+01	+7.0529999E+01	+7.8574005E+01
36.0	47	+7.9691833E+01	+6.5771665E+00	+9.6799987E+01	+6.6329986E+01	+7.8628128E+01
37.0	26	+7.9354522E+01	+6.9715818E+00	+8.9199996E+01	+6.6299987E+01	+7.8682250E+01
38.0	34	+7.6499908E+01	+6.4154128E+00	+8.7399993E+01	+6.4000000E+01	+7.8736375E+01
39.0	12	+7.7916625E+01	+1.0132610E+01	+9.5000000E+01	+6.7000000E+01	+7.8790481E+01
40.0	27	+8.0336944E+01	+6.5774463E+00	+9.2000000E+01	+7.1000000E+01	+7.8844604E+01
41.0	22	+7.5499829E+01	+6.0693368E+00	+8.5799997E+01	+6.6500000E+01	+7.8898727E+01
42.0	20	+7.6303405E+01	+5.6731970E+00	+8.8549987E+01	+6.8000000E+01	+7.8952850E+01
43.0	9	+6.4928817E+01	+1.4048470E+01	+9.2239990E+01	+5.0599990E+01	+7.9006973E+01
44.0	25	+7.9696304E+01	+6.4566581E+00	+8.9389999E+01	+6.1500000E+01	+7.9061096E+01

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
45.0	20	+7.6027+04E+01	+5.7585151E+00	+6.3799987E+01	+6.5759994E+01	+7.9115219E+01
46.0	44	+8.1155593E+01	+5.6697673E+00	+9.3399993E+01	+7.0199996E+01	+7.9169326E+01
47.0	12	+8.1101577E+01	+6.8396346E+00	+9.3259994E+01	+7.3199996E+01	+7.9223449E+01
48.0	20	+8.1214904E+01	+6.1387259E+00	+9.5419998E+01	+7.3299987E+01	+7.9277572E+01
49.0	22	+7.6723999E+01	+9.0693504E+00	+9.7269989E+01	+6.3199996E+01	+7.9331695E+01
50.0	32	+7.7710525E+01	+7.6208536E+00	+9.2399993E+01	+6.2899993E+01	+7.9385818E+01
51.0	57	+8.0777130E+01	+7.0749497E+00	+9.6039993E+01	+6.5019989E+01	+7.9439941E+01
52.0	51	+8.0451431E+01	+5.0644985E+00	+9.5799987E+01	+6.5799987E+01	+7.9494064E+01
53.0	40	+7.6740386E+01	+6.9134652E+00	+9.5039993E+01	+6.7289993E+01	+7.9549171E+01
54.0	19	+8.1768310E+01	+7.6525664E+00	+9.1799987E+01	+5.8799987E+01	+7.9602294E+01
55.0	46	+8.1894699E+01	+6.7115737E+00	+9.7699996E+01	+6.8459991E+01	+7.9656417E+01
56.0	62	+7.9179992E+01	+4.6405623E+00	+9.1399993E+01	+6.6669998E+01	+7.9710540E+01
57.0	46	+7.8460556E+01	+6.5721580E+00	+8.9699996E+01	+6.9399993E+01	+7.9764663E+01
58.0	34	+8.2624023E+01	+6.8119551E+00	+9.5000000E+01	+7.0909988E+01	+7.9818786E+01
59.0	20	+9.2346420E+01	+6.7405369E+00	+1.0300000E+02	+7.6729995E+01	+7.9872909E+01
60.0	20	+8.6679870E+01	+7.3399614E+00	+9.3299987E+01	+6.0899993E+01	+7.9927032E+01
61.0	40	+7.6849624E+01	+8.6878910E+00	+9.4000000E+01	+6.1199996E+01	+7.9981140E+01
62.0	35	+8.5151611E+01	+7.8220164E+00	+9.5599990E+01	+6.4899993E+01	+8.0035263E+01
63.0	45	+8.7134567E+01	+7.9507533E+00	+9.8599990E+01	+6.5599990E+01	+8.0089385E+01
64.0	36	+8.3136581E+01	+9.4803437E+00	+1.0050000E+02	+6.1500000E+01	+8.0143508E+01
65.0	28	+8.1550979E+01	+6.7543374E+00	+9.0109985E+01	+6.6500000E+01	+8.0197631E+01
66.0	28	+9.0218826E+01	+9.5156443E+00	+1.0559999E+02	+7.5799987E+01	+8.0261754E+01
67.0	46	+8.6434692E+01	+6.8096820E+00	+9.7500000E+01	+7.4299987E+01	+8.0305877E+01
68.0	44	+8.1919204E+01	+6.6299910E+00	+1.0029998E+02	+6.1399993E+01	+8.0359985E+01
69.0	32	+8.3825225E+01	+6.825374E+00	+1.0319999E+02	+7.0599990E+01	+8.0414108E+01
70.0	40	+7.9231643E+01	+8.1702557E+00	+9.3599990E+01	+6.6099990E+01	+8.0468231E+01
71.0	47	+8.1680114E+01	+1.1568504E+01	+1.0539999E+02	+5.7599990E+01	+8.0522354E+01
72.0	34	+8.1316360E+01	+6.4662739E+00	+9.4279998E+01	+7.0399993E+01	+8.0576477E+01
73.0	27	+7.8836578E+01	+1.1196590E+01	+9.6500000E+01	+5.9799987E+01	+8.0630599E+01
74.0	15	+8.3333206E+01	+9.1079563E+00	+9.9799987E+01	+7.2000000E+01	+8.0684722E+01
75.0	30	+8.0409927E+01	+8.5612448E+00	+1.0250000E+02	+6.7899993E+01	+8.0738830E+01

ANB 3066 PROPELLANT (ALL AND) TENS MAXIMUM STRESS, +0002 IN./MIN., 77 DEG F

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
76.0	17	+7.9348144E+01	+8.2102625E+00	+9.0479995E+01	+6.5899993E+01	+8.0792953E+01
77.0	19	+8.4942520E+01	+6.5832009E+00	+9.6299987E+01	+6.9459991E+01	+8.0847076E+01
78.0	25	+8.3640701E+01	+5.0011610E+00	+9.1449956E+01	+7.4599990E+01	+8.0901199E+01
79.0	17	+9.0724609E+01	+1.1623707E+01	+11.0729998E+02	+7.5119995E+01	+8.0955322E+01
80.0	33	+7.4674728E+01	+6.5664380E+00	+8.9399993E+01	+6.1099990E+01	+8.1009045E+01
81.0	26	+7.5976806E+01	+7.6763172E+00	+8.7099990E+01	+5.5299987E+01	+8.1063568E+01
82.0	15	+6.8485244E+01	+6.1514958E+00	+5.8599990E+01	+7.8699995E+01	+8.1117675E+01
83.0	33	+8.1082916E+01	+7.2365410E+00	+9.4659988E+01	+6.4500000E+01	+8.1171798E+01
84.0	42	+8.6194885E+01	+8.1795939E+00	+11.0600000E+02	+6.7239990E+01	+8.1225921E+01
85.0	15	+8.5252532E+01	+9.2033330E+00	+9.4759994E+01	+6.4239990E+01	+8.1280044E+01
86.0	22	+7.7230361E+01	+9.7167447E+00	+9.4719985E+01	+5.3000000E+01	+8.1334167E+01
87.0	23	+8.3348648E+01	+6.3046897E+00	+9.7539993E+01	+7.3199996E+01	+8.1388290E+01
88.0	32	+8.2632720E+01	+7.6341121E+00	+9.7519989E+01	+6.6829986E+01	+8.1442413E+01
89.0	31	+8.0009111E+01	+7.6228379E+00	+9.5329986E+01	+6.2079986E+01	+8.1496520E+01
90.0	11	+8.0209084E+01	+1.1467175E+01	+9.4000000E+01	+6.5369995E+01	+8.1550643E+01
91.0	9	+7.6204360E+01	+5.6337466E+00	+8.6209991E+01	+7.0219985E+01	+8.1604766E+01
92.0	17	+7.1992843E+01	+5.0883257E+00	+8.0799987E+01	+6.2699996E+01	+8.1658889E+01
93.0	15	+8.0060577E+01	+9.1607346E+00	+9.3049987E+01	+6.8199995E+01	+8.1713012E+01
94.0	13	+8.3571411E+01	+7.6648805E+00	+9.2899993E+01	+6.9799987E+01	+8.1767135E+01
95.0	24	+8.0096130E+01	+6.8216720E+00	+9.3129989E+01	+6.6299987E+01	+8.1821258E+01
96.0	11	+8.8782638E+01	+3.7830879E+00	+9.6500000E+01	+8.5429992E+01	+8.1875366E+01
97.0	6	+7.9348297E+01	+5.9631456E+00	+8.6129989E+01	+7.1250000E+01	+8.1929489E+01
98.0	9	+7.3146606E+01	+2.0215930E+00	+7.6039993E+01	+6.9199996E+01	+8.1983612E+01
99.0	5	+8.2201950E+01	+8.1736401E+00	+9.3000000E+01	+7.2500000E+01	+8.2037734E+01
100.0	2	+8.6500000E+01	+1.2020815E+01	+9.5000000E+01	+7.8000000E+01	+8.2091857E+01
101.0	11	+7.0931716E+01	+9.7539990E+01	+9.3909988E+01	+5.9539993E+01	+8.2145960E+01
102.0	3	+6.5896652E+01	+2.1684838E+00	+7.2159986E+01	+6.7789993E+01	+8.2200103E+01
103.0	2	+6.0000000E+01	+2.6284271E+00	+9.0000000E+01	+8.6000000E+01	+8.2254211E+01
104.0	7	+6.0849914E+01	+6.5404646E+00	+6.9939987E+01	+7.2999993E+01	+8.2308334E+01
105.0	9	+8.6852157E+01	+6.4330381E+00	+9.7579986E+01	+7.8539993E+01	+8.2362457E+01
106.0	11	+7.6024444E+01	+9.9640234E+00	+9.4000000E+01	+6.2679992E+01	+8.2416580E+01

AND 3066 PROPELLANT (ALL ANG) TENS MAXIMUM STRESS: *0002 IN/MIN: 77 DEG F

*** LINEAR REGRESSION ANALYSIS ***


*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
107.0	2	+7.7999984E+01	+8.4689085E-01	+7.8599990E+01	+7.7399993E+01	+8.2470703E+01
108.0	3	+7.3999984E+01	+2.0884523E+00	+7.5969985E+01	+7.1809997E+01	+8.2524826E+01
109.0	14	+6.9454879E+01	+6.0300546E+00	+7.9459991E+01	+6.1989990E+01	+8.2578948E+01
110.0	11	+7.6852645E+01	+8.0280570E+00	+9.2299987E+01	+6.5479995E+01	+8.2633056E+01
111.0	5	+7.4815963E+01	+6.3561829E+00	+8.3419998E+01	+6.7479995E+01	+8.2687179E+01
112.0	6	+8.4594924E+01	+1.1615481E+01	+1.0252999E+02	+7.2969985E+01	+8.2741302E+01
113.0	18	+7.4566543E+01	+8.3504482E+00	+8.3000000E+01	+4.8799987E+01	+8.2795425E+01
115.0	6	+8.3001617E+01	+3.4692844E+00	+8.9639999E+01	+8.0399993E+01	+8.2903671E+01
116.0	6	+8.2041534E+01	+6.1798626E+00	+9.2209991E+01	+7.5779998E+01	+8.2957794E+01
117.0	3	+7.5399996E+01	+4.9971951E+00	+7.8279998E+01	+6.9569992E+01	+8.3011917E+01
118.0	4	+7.4887451E+01	+1.6706445E+00	+7.7379989E+01	+7.3919998E+01	+8.3066024E+01
119.0	9	+7.2792144E+01	+1.1557399E+00	+7.4459991E+01	+7.1059997E+01	+8.3120147E+01
120.0	2	+7.7324996E+01	+7.6103512E-02	+7.7389999E+01	+7.7259994E+01	+8.3174270E+01
121.0	3	+7.3553314E+01	+1.7352654E+00	+7.5389999E+01	+7.1939987E+01	+8.3228393E+01
122.0	3	+8.4193313E+01	+6.6214665E+00	+8.8709991E+01	+7.6579986E+01	+8.3282516E+01
123.0	9	+8.6126571E+01	+7.4528330E+00	+9.4019989E+01	+7.4099990E+01	+8.3336639E+01
124.0	6	+8.3243240E+01	+7.2501275E+00	+9.1979995E+01	+7.3059997E+01	+8.3390762E+01
126.0	6	+7.3171585E+01	+1.2381426E+01	+9.1099990E+01	+5.9250000E+01	+8.3498992E+01
127.0	3	+9.0096588E+01	+3.3526286E+00	+9.3639993E+01	+8.6389999E+01	+8.3553115E+01
137.0	1	+6.8000000E+01	+0.0000000E+27	+6.8000000E+01	+6.8000000E+01	+8.4094329E+01

ANB 3066 PROPELLANT (ALL ANB) TENS MAXIMUM STRESS, .0002 IN/MIN, 77 DEG F

$F = +2.7509076E+00$ SIGNIFICANCE OF F = $(+2.3061761E-01) * X$
 $R = +3.7825195E-02$ SIGNIFICANCE OF R = NOT SIGNIFICANT
 $t = +1.6525458E+00$ SIGNIFICANCE OF t = NOT SIGNIFICANT
 $N = 1908$ DEGREES OF FREEDOM = 1906
 STORAGE CONDITIONS = AMB TEMP/AH TEST CONDITIONS = 77 DEG F, AMB RH

X ANB Unlined
 □ ANA Unlined



AMB 3056 PROPELLANT TENSILE MODULUS CHS .0002, 77 DEG F, ANA UNLND VS ANB UNLND

Figure 4-13

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	12	+5.0125000E+02	+4.4393130E+01	+5.8200000E+02	+4.3200000E+02	+5.5988232E+02
14.0	16	+5.5587500E+02	+3.4711909E+01	+5.9600000E+02	+4.6200000E+02	+5.6011303E+02
15.0	29	+5.3151708E+02	+7.1975005E+01	+6.7300000E+02	+4.1200000E+02	+5.6034375E+02
16.0	35	+4.8408569E+02	+6.3731685E+01	+6.2900000E+02	+3.4400000E+02	+5.6057421E+02
17.0	25	+5.2303979E+02	+6.9719366E+01	+7.1300000E+02	+4.0900000E+02	+5.6080493E+02
18.0	27	+5.7833325E+02	+8.5133631E+01	+7.1900000E+02	+4.2000000E+02	+5.6103540E+02
19.0	24	+5.5470825E+02	+8.3641823E+01	+6.7300000E+02	+3.8300000E+02	+5.6126611E+02
20.0	33	+5.9372705E+02	+7.6981439E+01	+8.1400000E+02	+4.4800000E+02	+5.6149682E+02
21.0	46	+5.8621728E+02	+7.9019804E+01	+7.8500000E+02	+4.4000000E+02	+5.6172729E+02
22.0	37	+5.5910791E+02	+8.9983573E+01	+7.6800000E+02	+3.7700000E+02	+5.6195800E+02
23.0	20	+5.8104980E+02	+8.3289902E+01	+7.0700000E+02	+4.5300000E+02	+5.6218847E+02
24.0	25	+5.7167993E+02	+7.1687237E+01	+7.1500000E+02	+4.6200000E+02	+5.6241918E+02
25.0	48	+5.7887500E+02	+7.3412743E+01	+7.0400000E+02	+4.3700000E+02	+5.6264990E+02
26.0	42	+5.4611889E+02	+6.4943954E+01	+6.7500000E+02	+4.1800000E+02	+5.6288037E+02
27.0	22	+6.3545434E+02	+6.6871395E+01	+7.6000000E+02	+5.2200000E+02	+5.6311108E+02
28.0	30	+5.9863330E+02	+6.4444300E+01	+6.9300000E+02	+3.8700000E+02	+5.6324155E+02
29.0	12	+5.3591650E+02	+7.6623588E+01	+6.2700000E+02	+4.0000000E+02	+5.6357226E+02
30.0	10	+6.1739990E+02	+7.4326905E+01	+7.3600000E+02	+5.1800000E+02	+5.6380297E+02
31.0	13	+6.0500000E+02	+6.8944422E+01	+7.3100000E+02	+5.1600000E+02	+5.6403344E+02
32.0	26	+5.5288452E+02	+4.9533283E+01	+6.3900000E+02	+4.5900000E+02	+5.6426416E+02
33.0	38	+5.4389453E+02	+8.2854411E+01	+7.3600000E+02	+4.0400000E+02	+5.6449487E+02
34.0	17	+5.4994116E+02	+1.0127960E+02	+6.9300000E+02	+4.0000000E+02	+5.6472534E+02
35.0	20	+6.6479980E+02	+2.0543729E+02	+1.3240000E+03	+5.1200000E+02	+5.6495605E+02
36.0	44	+5.8729541E+02	+8.1696141E+01	+7.4600000E+02	+4.1300000E+02	+5.6518652E+02
37.0	26	+5.8319213E+02	+1.0678427E+02	+7.7300000E+02	+4.2100000E+02	+5.6541723E+02
38.0	33	+5.0348461E+02	+6.7692374E+01	+6.6700000E+02	+3.9500000E+02	+5.6564794E+02
39.0	13	+5.2200000E+02	+1.5598931E+02	+8.7200000E+02	+3.8700000E+02	+5.6587841E+02
40.0	32	+6.2428125E+02	+1.9911695E+02	+1.2130000E+03	+4.6000000E+02	+5.6610913E+02
41.0	22	+4.9831611E+02	+4.6054198E+01	+5.6500000E+02	+4.0500000E+02	+5.6623959E+02
42.0	25	+5.4055981E+02	+4.9085877E+01	+6.4600000E+02	+4.5800000E+02	+5.6657031E+02
43.0	14	+4.8207128E+02	+1.1259762E+02	+7.1600000E+02	+3.3600000E+02	+5.6680102E+02

AMB 3066 PROPELLANT TENSILE MODULUS CMS .0002, 77 DEG F, ANA UNLND VS ANB UNLND

*** LINEAR REGRESSION ANALYSIS ***


*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
44.0	25	+6.5679980E+02	+1.1186226E+02	+9.6600000E+02	+4.5800000E+02	+5.6703149E+02
45.0	20	+5.8050000E+02	+8.4686729E+01	+7.5200000E+02	+4.5500000E+02	+5.6726220E+02
46.0	49	+5.4675488E+02	+5.4226197E+01	+6.5800000E+02	+4.4900000E+02	+5.6749267E+02
47.0	12	+5.3925000E+02	+3.9055031E+01	+5.7600000E+02	+4.7700000E+02	+5.6772338E+02
48.0	23	+5.7047802E+02	+1.1380800E+02	+9.7400000E+02	+4.7900000E+02	+5.6795410E+02
49.0	29	+5.3327563E+02	+9.8313600E+01	+8.0500000E+02	+4.1700000E+02	+5.6818457E+02
50.0	29	+6.0448266E+02	+1.4666960E+02	+9.4200000E+02	+4.0000000E+02	+5.6841528E+02
51.0	57	+6.3729809E+02	+1.9012627E+02	+1.3460000E+03	+4.3100000E+02	+5.6864599E+02
52.0	58	+5.5905151E+02	+6.5922315E+01	+6.9000000E+02	+4.4900000E+02	+5.6887646E+02
53.0	48	+5.4906250E+02	+5.6993992E+01	+7.1000000E+02	+4.1500000E+02	+5.6910717E+02
54.0	19	+5.4605249E+02	+6.1264883E+01	+6.7800000E+02	+4.5300000E+02	+5.6933764E+02
55.0	44	+5.5220434E+02	+9.5665497E+01	+8.5900000E+02	+4.1300000E+02	+5.6956835E+02
56.0	59	+5.3847436E+02	+8.7366296E+01	+8.4800000E+02	+3.9500000E+02	+5.6979907E+02
57.0	49	+5.4712231E+02	+8.7329031E+01	+7.3600000E+02	+4.1600000E+02	+5.7002954E+02
58.0	35	+5.8848559E+02	+1.0062375E+02	+8.7000000E+02	+4.5300000E+02	+5.7026025E+02
59.0	25	+6.1115991E+02	+8.5582163E+01	+7.6000000E+02	+5.1900000E+02	+5.7049072E+02
60.0	20	+5.7264990E+02	+4.4530622E+01	+6.4000000E+02	+4.7000000E+02	+5.7072143E+02
61.0	40	+5.1144995E+02	+1.1212674E+02	+6.7800000E+02	+1.9700000E+02	+5.7095214E+02
62.0	35	+5.6379980E+02	+9.7291194E+01	+9.4700000E+02	+4.0500000E+02	+5.7118261E+02
63.0	45	+6.1444433E+02	+1.9297969E+02	+1.5150000E+03	+4.4000000E+02	+5.7141333E+02
64.0	36	+5.6050000E+02	+9.1732063E+01	+7.8800000E+02	+3.6700000E+02	+5.7164379E+02
65.0	28	+5.3767846E+02	+7.6896781E+01	+6.7500000E+02	+3.9200000E+02	+5.7187451E+02
66.0	31	+6.1954833E+02	+1.2651556E+02	+8.9500000E+02	+4.3000000E+02	+5.7210522E+02
67.0	46	+6.4671728E+02	+1.4961196E+02	+9.4700000E+02	+4.2400000E+02	+5.7233569E+02
68.0	47	+5.7419140E+02	+1.2135998E+02	+9.6000000E+02	+3.6300000E+02	+5.7256640E+02
69.0	41	+5.5848779E+02	+6.2393958E+01	+6.9300000E+02	+4.5300000E+02	+5.7279687E+02
70.0	48	+5.4520825E+02	+8.6118166E+01	+8.0000000E+02	+4.2200000E+02	+5.7302758E+02
71.0	57	+5.5869408E+02	+1.2957935E+02	+1.0740000E+03	+3.8500000E+02	+5.7325830E+02
72.0	37	+5.5829711E+02	+7.6297977E+01	+7.6600000E+02	+4.1600000E+02	+5.7348876E+02

ANB 3066 PROPELLANT TENSILE MODULUS CHS .0002, 77 DEG F, ANA UNLND VS ANB UNLND

$Y = ((+4.0078459E+02) + (+3.6646906E+00) * X)$
 F = +5.2793739E+01 SIGNIFICANCE OF F = SIGNIFICANT $G_1 = +8.1849052E+01$
 R = +4.5789800E-01 SIGNIFICANCE OF R = SIGNIFICANT $S_1 = +5.0436636E-01$
 t = +7.2659300E+00 SIGNIFICANCE OF t = SIGNIFICANT $S_2 = +7.2946791E+01$
 N = 201 DEGREES OF FREEDOM = 198
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH

△ ANB Lined
 ◇ ANI Lined




AMB 3066 PROPELLANT TENSILE MODULUS CHS 0.0002 IN/MIN, 77 DEG, AMB VS ANT LINED

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	9	+4.4711108E+02	+2.3829836E+01	+4.9000000E+02	+4.2300000E+02	+4.5575488E+02
16.0	15	+4.8139990E+02	+6.0310861E+01	+5.7600000E+02	+3.6600000E+02	+4.5941967E+02
17.0	4	+4.0725000E+02	+6.4649697E+01	+5.0200000E+02	+3.6400000E+02	+4.6308422E+02
18.0	22	+4.4022705E+02	+6.8050353E+01	+5.5600000E+02	+3.3100000E+02	+4.6674902E+02
19.0	10	+4.3019995E+02	+4.3307171E+01	+4.8100000E+02	+3.5800000E+02	+4.7041357E+02
20.0	9	+4.7333325E+02	+9.6961332E+01	+6.5500000E+02	+3.5600000E+02	+4.7407836E+02
21.0	12	+5.0791650E+02	+9.7675865E+01	+6.2900000E+02	+3.5600000E+02	+4.7774316E+02
22.0	12	+4.7900000E+02	+7.1018563E+01	+5.7000000E+02	+3.7200000E+02	+4.8140771E+02
23.0	12	+4.3783325E+02	+5.2990279E+01	+5.2900000E+02	+3.6200000E+02	+4.8507250E+02
24.0	3	+5.6000000E+02	+7.9372539E+00	+5.6900000E+02	+5.5400000E+02	+4.8873706E+02
26.0	3	+4.6566650E+02	+2.0816659E+00	+4.6800000E+02	+4.6400000E+02	+4.9606665E+02
28.0	9	+5.1877758E+02	+4.2713515E+01	+5.8000000E+02	+4.7500000E+02	+5.0339599E+02
29.0	3	+6.6966650E+02	+2.4785748E+01	+6.9200000E+02	+6.4300000E+02	+5.0706054E+02
30.0	12	+5.5650000E+02	+1.2169148E+02	+6.7600000E+02	+4.2300000E+02	+5.1072534E+02
31.0	3	+4.9700000E+02	+1.7058722E+01	+5.1600000E+02	+4.8300000E+02	+5.1438989E+02
32.0	9	+5.3600000E+02	+4.7924419E+01	+6.1100000E+02	+4.8200000E+02	+5.1805468E+02
33.0	9	+5.278867E+02	+9.6610615E+01	+6.2500000E+02	+3.8300000E+02	+5.2171948E+02
34.0	3	+5.1333325E+02	+4.0216083E+01	+5.5800000E+02	+4.8000000E+02	+5.2538403E+02
35.0	6	+5.4916650E+02	+4.9300777E+01	+6.4100000E+02	+5.0100000E+02	+5.2904882E+02
36.0	3	+5.7733325E+02	+1.3576941E+01	+5.9300000E+02	+5.6900000E+02	+5.3271337E+02
37.0	3	+5.8533325E+02	+3.4268547E+01	+6.2300000E+02	+5.5600000E+02	+5.3637817E+02
38.0	6	+5.1950000E+02	+6.3597955E+01	+5.8600000E+02	+4.5700000E+02	+5.4004272E+02
39.0	3	+5.3333325E+02	+8.0208062E+00	+5.4100000E+02	+5.2500000E+02	+5.4370751E+02
40.0	3	+5.0533325E+02	+2.4906491E+01	+5.3400000E+02	+4.8900000E+02	+5.4737231E+02
43.0	3	+5.9200000E+02	+1.3453624E+01	+6.0300000E+02	+5.7700000E+02	+5.5836621E+02
44.0	3	+5.8633325E+02	+6.6583281E+00	+5.9400000E+02	+5.6200000E+02	+5.6203100E+02
50.0	3	+5.9333325E+02	+1.2662279E+01	+6.0700000E+02	+5.8200000E+02	+5.8401904E+02
53.0	3	+5.0566650E+02	+2.7300793E+01	+5.3700000E+02	+4.8700000E+02	+5.9501318E+02
55.0	3	+5.1766650E+02	+1.3051181E+01	+5.2800000E+02	+5.0300000E+02	+6.0234252E+02
56.0	3	+5.9600000E+02	+2.7784887E+01	+6.1400000E+02	+5.6400000E+02	+6.0600732E+02

F = +9.6717498E+01
 R = +4.4126329E-01
 t = +9.8345055E+00
 N = 402
 STORAGE CONDITIONS = AMB TEMP/RH
 Y = ((+4.2979267E+02) + (+3.5720344E+00) * X)
 SIGNIFICANCE OF F = SIGNIFICANT
 SIGNIFICANCE OF R = SIGNIFICANT
 SIGNIFICANCE OF t = SIGNIFICANT
 DEGREES OF FREEDOM = 400
 TEST CONDITIONS = 77 DEG F, AMB RH
 $G_r = +9.5253704E+01$
 $S_d = +3.6321444E-01$
 $S_r = +8.5585330E+01$



AMB 3066 PROPELLANT TENSILE MODULUS CHS 0.0002 77 DEG F, ANT LINED VS UNLINED

Figure 4-15

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	4	+4.660000E+02	+1.9442222E+01	+4.9000000E+02	+4.4400000E+02	+4.8327304E+02
16.0	3	+4.9600000E+02	+2.6057628E+01	+5.2600000E+02	+4.7900000E+02	+4.8694506E+02
17.0	2	+4.8550000E+02	+1.3435028E+01	+4.9500000E+02	+4.7600000E+02	+4.9051708E+02
18.0	9	+4.775541E+02	+4.3508939E+01	+5.3900000E+02	+4.2900000E+02	+4.9408911E+02
19.0	3	+4.626650E+02	+1.6258331E+01	+4.8100000E+02	+4.5000000E+02	+4.9766113E+02
20.0	3	+5.2200000E+02	+2.4515301E+01	+5.4600000E+02	+4.9700000E+02	+5.0123315E+02
21.0	9	+4.9733325E+02	+9.6437803E+01	+5.9700000E+02	+3.5600000E+02	+5.0480517E+02
23.0	6	+4.7700000E+02	+7.0447143E+01	+5.6700000E+02	+3.9800000E+02	+5.1194946E+02
24.0	3	+5.6000000E+02	+7.9372539E+00	+5.6900000E+02	+5.5400000E+02	+5.1552148E+02
25.0	3	+5.3400000E+02	+5.2373657E+01	+5.9300000E+02	+4.9300000E+02	+5.1909350E+02
26.0	20	+4.8644995E+02	+6.7014118E+01	+6.5200000E+02	+4.0800000E+02	+5.2266552E+02
27.0	33	+5.4575756E+02	+7.9142683E+01	+6.6000000E+02	+4.0300000E+02	+5.2623754E+02
28.0	25	+5.2547998E+02	+7.2329754E+01	+6.8600000E+02	+3.9200000E+02	+5.2980957E+02
29.0	11	+5.7427270E+02	+7.7966776E+01	+6.9200000E+02	+4.4500000E+02	+5.3338159E+02
30.0	21	+5.4171411E+02	+9.8284862E+01	+6.7600000E+02	+3.8100000E+02	+5.3655361E+02
31.0	33	+5.0500000E+02	+4.9822811E+01	+6.2200000E+02	+3.8200000E+02	+5.4052563E+02
32.0	25	+6.1047998E+02	+7.5596582E+01	+8.2200000E+02	+4.8200000E+02	+5.4409765E+02
33.0	8	+5.2037500E+02	+6.3237933E+01	+6.2500000E+02	+4.3300000E+02	+5.4766967E+02
34.0	18	+5.276650E+02	+7.2352060E+01	+6.8000000E+02	+4.4400000E+02	+5.5124169E+02
35.0	14	+5.4407128E+02	+8.3354169E+01	+7.8200000E+02	+4.4000000E+02	+5.5481372E+02
37.0	7	+5.7042846E+02	+9.5874670E+01	+7.5500000E+02	+4.7700000E+02	+5.6195776E+02
38.0	9	+5.1077758E+02	+5.2377900E+01	+5.8600000E+02	+4.5700000E+02	+5.6552978E+02
39.0	6	+5.4750000E+02	+2.5351528E+01	+5.9700000E+02	+5.2500000E+02	+5.6910180E+02
40.0	4	+4.9625000E+02	+2.7268724E+01	+5.3400000E+02	+4.6900000E+02	+5.7267382E+02
41.0	8	+5.1500000E+02	+3.2000000E+01	+5.6200000E+02	+4.7900000E+02	+5.7624584E+02
43.0	6	+5.9683325E+02	+1.7394443E+01	+6.2100000E+02	+5.7700000E+02	+5.8339013E+02
44.0	7	+6.8542846E+02	+1.3505413E+02	+9.2800000E+02	+5.8200000E+02	+5.8696215E+02
46.0	6	+6.0433325E+02	+1.3954019E+02	+7.4700000E+02	+4.4200000E+02	+5.9410620E+02
47.0	10	+6.275985E+02	+1.0916368E+02	+7.5300000E+02	+4.6500000E+02	+5.9767822E+02
48.0	6	+6.2616650E+02	+4.2976350E+01	+6.9600000E+02	+5.8100000E+02	+6.0125024E+02
49.0	5	+6.9700000E+02	+5.7480431E+01	+7.7000000E+02	+6.3900000E+02	+6.0482226E+02


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
50.0	9	+6.2577758E+02	+5.0751299E+01	+6.9700000E+02	+5.4300000E+02	+6.0839428E+02
51.0	3	+7.6366650E+02	+5.5075705E+00	+7.6900000E+02	+7.5800000E+02	+6.1156630E+02
52.0	3	+6.0066650E+02	+9.7125348E+00	+6.0900000E+02	+5.9000000E+02	+6.1553833E+02
53.0	17	+6.4911743E+02	+9.6211929E+01	+7.9300000E+02	+5.0900000E+02	+6.1911035E+02
54.0	7	+6.6842846E+02	+8.7089718E+01	+7.7000000E+02	+5.5200000E+02	+6.2268237E+02
56.0	9	+6.2766650E+02	+8.5290679E+01	+7.6600000E+02	+5.2700000E+02	+6.2982641E+02
57.0	9	+6.7500000E+02	+6.1777827E+01	+7.6000000E+02	+5.9500000E+02	+6.339843E+02
59.0	3	+6.2633325E+02	+2.1962088E+01	+6.4000000E+02	+6.0100000E+02	+6.4054248E+02
60.0	3	+4.4900000E+02	+8.1853527E+00	+4.5600000E+02	+4.4000000E+02	+6.4411474E+02
61.0	3	+5.3833325E+02	+1.2342339E+01	+5.5200000E+02	+5.2800000E+02	+6.4768676E+02
62.0	3	+7.2900000E+02	+1.1269427E+01	+7.3600000E+02	+7.1600000E+02	+6.5125878E+02
64.0	6	+4.7100000E+02	+3.5899860E+01	+4.9900000E+02	+4.2400000E+02	+6.5840283E+02

ANB 3066 PROPELLANT TENSILE MODULUS CHS 0.0002 77 DEG F, ANT LINED VS UNLINED

$Y = ((+4.0179540E+02) + (+3.3576748E+00) * X)$
 $F = +2.8617883E+01$ SIGNIFICANCE OF F = SIGNIFICANT
 $R = +4.3858039E-01$ SIGNIFICANCE OF R = SIGNIFICANT
 $t = +5.3682290E+00$ SIGNIFICANCE OF t = SIGNIFICANT
 $N = 128$ DEGREES OF FREEDOM = 121
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH



AMB 3066 PROPELLANT (AMB), TENSILE MODULUS, 0.0002 IN/IN, 77 DEG F, LINED CTNS

Figure 4-16


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	6	+4.340000E+02	+1.3856406E+01	+4.5900000E+02	+4.2300000E+02	+4.5210040E+02
16.0	15	+4.8139990E+02	+6.0310861E+01	+5.7600000E+02	+3.6600000E+02	+4.5551806E+02
17.0	4	+4.0725000E+02	+6.4649637E+01	+5.0200000E+02	+3.6400000E+02	+4.5887573E+02
18.0	16	+4.3067500E+02	+7.5185880E+01	+5.5600000E+02	+3.3100000E+02	+4.6223339E+02
19.0	7	+4.1628554E+02	+4.4409887E+01	+4.7200000E+02	+3.5800000E+02	+4.6559106E+02
20.0	6	+4.4900000E+02	+1.1256267E+02	+6.5500000E+02	+3.5600000E+02	+4.6894873E+02
21.0	6	+5.6050000E+02	+7.6988202E+01	+6.2900000E+02	+4.4400000E+02	+4.7230639E+02
22.0	12	+4.7900000E+02	+7.1018563E+01	+5.7000000E+02	+3.7200000E+02	+4.7566406E+02
23.0	9	+4.4466650E+02	+5.8819639E+01	+5.2900000E+02	+3.6200000E+02	+4.7902172E+02
28.0	6	+5.3600000E+02	+4.2703629E+01	+5.9000000E+02	+4.8500000E+02	+4.9581030E+02
30.0	6	+5.5083325E+02	+1.3210059E+02	+6.7500000E+02	+4.2300000E+02	+5.0252563E+02
32.0	6	+5.5666650E+02	+4.5266617E+01	+6.1100000E+02	+5.0900000E+02	+5.0924096E+02
33.0	6	+4.8316650E+02	+8.7793887E+01	+5.7300000E+02	+3.8300000E+02	+5.1259863E+02
35.0	3	+5.7600000E+02	+5.8949130E+01	+6.4100000E+02	+5.2600000E+02	+5.1931396E+02
36.0	3	+5.7733325E+02	+1.3576941E+01	+5.9300000E+02	+5.6900000E+02	+5.2267163E+02
50.0	3	+5.9333325E+02	+1.2662279E+01	+6.0700000E+02	+5.8200000E+02	+5.6967895E+02
53.0	3	+5.0566650E+02	+2.7300793E+01	+5.3700000E+02	+4.8700000E+02	+5.7975195E+02
55.0	3	+5.1766650E+02	+1.3051181E+01	+5.2800000E+02	+5.0300000E+02	+5.8646728E+02
56.0	3	+5.9600000E+02	+2.7784887E+01	+6.1400000E+02	+5.6400000E+02	+5.8982519E+02

ANB 3066 PROPELLANT(ANB), TENSILE MODULUS, 0.0002 IN/MIN, 77 DEG F, LINED CINS

$Y = ((+4.4295959E+02) + (+3.3213803E+00) * X)$
 F = +6.3840474E+01 SIGNIFICANCE OF F = SIGNIFICANT
 R = +4.0676554E-01 SIGNIFICANCE OF R = SIGNIFICANT
 t = +7.9900234E+00 SIGNIFICANCE OF t = SIGNIFICANT
 N = 324 DEGREES OF FREEDOM = 322
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH



AMB 3066 PROPELLANT (ANT) TENSILE MODULUS, 0.0002 IN/MIN, 77 DEG F, UNLINED CTMS

Figure 4-17

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	1	44.4400000E+02	40.0000000E+01	44.4400000E+02	44.4400000E+02	44.9278027E+02
16.0	3	44.5600000E+02	42.6057628E+01	45.2600000E+02	44.7900000E+02	44.5610156E+02
17.0	2	44.8550000E+02	41.3435028E+01	44.5500000E+02	44.7600000E+02	44.5942285E+02
18.0	3	45.0233325E+02	45.0292477E+01	45.3500000E+02	44.4500000E+02	45.0274438E+02
21.0	3	45.8133325E+02	41.3650356E+01	45.9700000E+02	45.7200000E+02	45.1270849E+02
23.0	3	45.3666650E+02	43.1021497E+01	45.6700000E+02	45.0500000E+02	45.1935131E+02
25.0	3	45.7400000E+02	45.2273657E+01	45.9300000E+02	44.9700000E+02	45.2599389E+02
26.0	17	44.9011743E+02	47.2267831E+01	46.5200000E+02	44.0800000E+02	45.2931542E+02
27.0	33	45.4575750E+02	47.5142683E+01	46.6000000E+02	44.0300000E+02	45.3263671E+02
28.0	22	45.3109082E+02	47.5481886E+01	46.8600000E+02	43.9200000E+02	45.3595900E+02
29.0	8	45.3850000E+02	45.6089214E+01	45.5700000E+02	44.4500000E+02	45.3927954E+02
30.0	15	45.2353320E+02	49.0406120E+01	46.4100000E+02	43.8100000E+02	45.4260083E+02
31.0	39	45.0579980E+02	45.2074482E+01	46.2200000E+02	43.8200000E+02	45.4592236E+02
32.0	22	46.2627270E+02	46.5824573E+01	48.2200000E+02	45.3800000E+02	45.4924365E+02
33.0	5	44.6219955E+02	42.5490349E+01	44.9800000E+02	44.3300000E+02	45.5256494E+02
34.0	15	45.3053320E+02	47.7927499E+01	46.8000000E+02	44.4400000E+02	45.5598647E+02
35.0	11	45.5000000E+02	49.3614101E+01	47.8200000E+02	44.4000000E+02	45.5920776E+02
37.0	4	45.5925000E+02	41.2119546E+02	47.5500000E+02	44.7700000E+02	45.6585038E+02
38.0	3	44.9233325E+02	41.2216656E+01	45.9800000E+02	44.8200000E+02	45.6917187E+02
39.0	3	45.6166650E+02	43.0664955E+01	45.9700000E+02	45.4200000E+02	45.7249340E+02
40.0	1	44.6900000E+02	40.0000000E+01	44.6900000E+02	44.6900000E+02	45.7581469E+02
41.0	8	45.1500000E+02	43.2000000E+01	45.6200000E+02	44.7900000E+02	45.7913594E+02
43.0	3	46.0166650E+02	42.2479620E+01	46.2100000E+02	45.7700000E+02	45.8577580E+02
44.0	4	47.5975000E+02	41.3879811E+02	49.2800000E+02	46.3900000E+02	45.8910009E+02
46.0	6	46.9433325E+02	41.3554019E+02	47.4700000E+02	44.4200000E+02	45.9574291E+02
47.0	10	46.2759985E+02	41.0516368E+02	47.5700000E+02	44.6500000E+02	45.9906445E+02
48.0	6	44.2616650E+02	44.2576350E+01	46.9600000E+02	45.8100000E+02	46.0238574E+02
49.0	5	46.9700000E+02	45.7480431E+01	47.7000000E+02	46.3960000E+02	46.0576703E+02
50.0	9	46.2577758E+02	45.0751299E+01	46.9700000E+02	45.4300000E+02	46.0902856E+02
51.0	3	47.6366650E+02	45.5075705E+00	47.6900000E+02	47.5800000E+02	46.1234985E+02
52.0	3	46.6066650E+02	49.7125348E+00	46.0900000E+02	45.9000000E+02	46.1567114E+02


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
53.0	17	+6.4911743E+02	+9.611920E+01	+7.9300000E+02	+5.9900000E+02	+6.1899267E+02
54.0	7	+6.6842846E+02	+8.7089718E+01	+7.7000000E+02	+5.5200000E+02	+6.2231396E+02
56.0	9	+6.2766650E+02	+8.5290679E+01	+7.6000000E+02	+5.2700000E+02	+6.2895678E+02
57.0	9	+6.7500000E+02	+6.177827E+01	+7.8000000E+02	+5.9500000E+02	+6.3227807E+02
59.0	3	+6.2633325E+02	+2.1562088E+01	+6.4000000E+02	+6.0100000E+02	+6.3892089E+02
60.0	3	+4.4900000E+02	+8.1853527E+00	+4.5600000E+02	+4.4000000E+02	+6.4224218E+02
61.0	3	+5.3823325E+02	+1.2342339E+01	+6.5200000E+02	+5.2800000E+02	+6.4556372E+02
62.0	3	+7.2900000E+02	+1.1269427E+01	+7.3600000E+02	+7.1600000E+02	+6.4888500E+02
64.0	6	+4.7100000E+02	+3.5899860E+01	+4.9900000E+02	+4.2400000E+02	+6.5552783E+02

ANB 3066 PROPELLANT(ANT) TENSILE MODULUS; 0.0002 IN/MIN; 77 DEG F; UNLINED CTNS

$Y = ((+4.0492279E+02) + (+3.8881752E+00) * X)$
 F = +1.7933063E+01 SIGNIFICANCE OF F = SIGNIFICANT $\sigma = +7.3946863E+01$
 R = +4.3693617E-01 SIGNIFICANCE OF R = SIGNIFICANT $S_e = +9.1816045E-01$
 t = +4.2347447E+00 SIGNIFICANCE OF t = SIGNIFICANT $-S_e = +6.6952627E+01$
 N = 78
 DEGREES OF FREEDOM = 76
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH



AMB 3066 PROPELLANT (ANT), TENSILE MODULUS, 0.0002 IN/MIN, 77 DEG F, LINED CIN

Figure 4-18

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	3	+4.7333325E+02	+1.5631165E+01	+4.9000000E+02	+4.5500000E+02	+4.6324536E+02
18.0	6	+4.6516650E+02	+3.8269657E+01	+5.0500000E+02	+4.2900000E+02	+4.7490966E+02
19.0	3	+4.6266650E+02	+1.6258331E+01	+4.8100000E+02	+4.5000000E+02	+4.7879785E+02
20.0	3	+5.2200000E+02	+2.4515301E+01	+5.4600000E+02	+4.9700000E+02	+4.8268603E+02
21.0	6	+4.5533325E+02	+9.1553611E+01	+5.6600000E+02	+3.5600000E+02	+4.8657421E+02
23.0	3	+4.1733325E+02	+2.7646579E+01	+4.4900000E+02	+3.9800000E+02	+4.9435058E+02
24.0	3	+5.6000000E+02	+7.9372539E+00	+5.6900000E+02	+5.5400000E+02	+4.9823876E+02
26.0	3	+4.6566650E+02	+2.0816659E+00	+4.6800000E+02	+4.6400000E+02	+5.0601513E+02
28.0	3	+4.8433325E+02	+8.3266639E+00	+4.9100000E+02	+4.7500000E+02	+5.1379150E+02
29.0	3	+6.6566650E+02	+2.4785748E+01	+6.9200000E+02	+6.4300000E+02	+5.1767968E+02
30.0	6	+5.6216650E+02	+1.2268564E+02	+6.7600000E+02	+4.3900000E+02	+5.2156787E+02
31.0	3	+4.9700000E+02	+1.7058722E+01	+5.1600000E+02	+4.8300000E+02	+5.2545605E+02
32.0	3	+4.9466650E+02	+1.4843629E+01	+5.1100000E+02	+4.8200000E+02	+5.2934423E+02
33.0	3	+6.1733325E+02	+8.0208062E+00	+6.2500000E+02	+6.0900000E+02	+5.3323242E+02
34.0	3	+5.1333325E+02	+4.0216083E+01	+5.5800000E+02	+4.8000000E+02	+5.3712060E+02
35.0	3	+5.2233325E+02	+2.1007935E+01	+5.4300000E+02	+5.0100000E+02	+5.4100878E+02
37.0	3	+5.8533325E+02	+3.4268547E+01	+6.2300000E+02	+5.5600000E+02	+5.4878515E+02
38.0	6	+5.1550000E+02	+6.3597955E+01	+5.8600000E+02	+4.5700000E+02	+5.5267333E+02
39.0	3	+5.3333325E+02	+8.0208062E+00	+5.4100000E+02	+5.2500000E+02	+5.5656152E+02
40.0	3	+5.0533325E+02	+2.4506491E+01	+5.3400000E+02	+4.8500000E+02	+5.604970E+02
43.0	3	+5.9200000E+02	+1.3453624E+01	+6.0300000E+02	+5.7700000E+02	+5.7211425E+02
44.0	3	+5.8633325E+02	+6.6583281E+00	+5.9400000E+02	+5.8200000E+02	+5.7600244E+02

ANB 3066 PROPELLANT(ANT), TENSILE MODULUS, 0.0002 IN/MIN, 77 DEG F, LINED CTN

Y = ((+5.6343885E+02) + (-6.0978842E-02) * X)
 F = +4.4899411E-01 SIGNIFICANCE OF F = NOT SIGNIFICANT $G_1 = +1.1717890E+02$
 R = -1.3519661E-02 SIGNIFICANCE OF R = NOT SIGNIFICANT $S_1 = +9.1003659E-02$
 U = +6.7007022E-01 SIGNIFICANCE OF U = NOT SIGNIFICANT $S_2 = +1.1719144E+02$
 N = 2458 DEGREES OF FREEDOM = 2456
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH




Figure 4-19

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	7	+4.7028564E+02	+3.2273385E+01	+5.1200000E+02	+4.3200000E+02	+5.6264599E+02
15.0	21	+5.3714282E+02	+8.5028398E+01	+6.7300000E+02	+4.2300000E+02	+5.6252416E+02
16.0	45	+4.787758E+02	+6.2330092E+01	+6.2900000E+02	+3.4000000E+02	+5.6246313E+02
17.0	19	+4.557885E+02	+8.5877377E+01	+7.1300000E+02	+3.6400000E+02	+5.6240209E+02
18.0	28	+4.7246411E+02	+9.5430208E+01	+7.1900000E+02	+3.3100000E+02	+5.6234106E+02
19.0	18	+5.2455541E+02	+1.0355971E+02	+6.7300000E+02	+3.5800000E+02	+5.6228002E+02
20.0	27	+5.6459252E+02	+1.0602911E+02	+8.1400000E+02	+3.5600000E+02	+5.6221923E+02
21.0	37	+5.7627026E+02	+8.0604882E+01	+7.8500000E+02	+4.4000000E+02	+5.6215820E+02
22.0	35	+5.5048559E+02	+9.6325847E+01	+7.6800000E+02	+3.7200000E+02	+5.6209716E+02
23.0	19	+5.3915771E+02	+1.1548317E+02	+7.0700000E+02	+3.6200000E+02	+5.6203613E+02
24.0	15	+5.5046655E+02	+6.1855669E+01	+6.6000000E+02	+4.6600000E+02	+5.6197534E+02
25.0	33	+5.8778784E+02	+7.2206629E+01	+7.0400000E+02	+4.3700000E+02	+5.6191430E+02
26.0	27	+5.4644433E+02	+6.9516066E+01	+6.7500000E+02	+4.1800000E+02	+5.6185327E+02
27.0	22	+6.3645434E+02	+6.6871395E+01	+7.6000000E+02	+5.2200000E+02	+5.6179223E+02
28.0	36	+5.8819433E+02	+6.5284353E+01	+6.9300000E+02	+3.8700000E+02	+5.6173144E+02
29.0	12	+5.3591650E+02	+7.6623588E+01	+6.2700000E+02	+4.0000000E+02	+5.6167041E+02
30.0	16	+5.9243750E+02	+1.0118957E+02	+7.3600000E+02	+4.2300000E+02	+5.6160937E+02
31.0	13	+6.0500000E+02	+6.894422E+01	+7.3100000E+02	+5.1600000E+02	+5.6154833E+02
32.0	27	+5.5637036E+02	+4.7654063E+01	+6.3900000E+02	+4.8000000E+02	+5.6148730E+02
33.0	39	+5.3638452E+02	+8.9986436E+01	+7.3600000E+02	+3.8300000E+02	+5.6142651E+02
34.0	17	+5.4994116E+02	+1.0127960E+02	+6.9300000E+02	+4.0000000E+02	+5.6136547E+02
35.0	23	+6.5321728E+02	+1.5416557E+02	+1.3240000E+03	+5.1200000E+02	+5.6130444E+02
36.0	47	+5.8665942E+02	+7.9076263E+01	+7.4600000E+02	+4.1300000E+02	+5.6124340E+02
37.0	26	+5.8319213E+02	+1.0678427E+02	+7.7300000E+02	+4.2100000E+02	+5.6118261E+02
38.0	33	+5.0348461E+02	+6.7692374E+01	+6.6700000E+02	+3.9500000E+02	+5.6112158E+02
39.0	13	+5.2200000E+02	+1.5598931E+02	+8.7200000E+02	+3.8700000E+02	+5.6106054E+02
40.0	27	+6.3492578E+02	+2.1501054E+02	+1.2130000E+03	+4.6000000E+02	+5.6099951E+02
41.0	22	+4.9831811E+02	+4.6054198E+01	+5.6500000E+02	+4.0500000E+02	+5.6093872E+02
42.0	20	+5.5050000E+02	+4.4221333E+01	+6.4600000E+02	+4.6400000E+02	+5.608768E+02
43.0	9	+4.588867E+02	+1.3714722E+02	+7.1600000E+02	+3.3600000E+02	+5.6081665E+02
44.0	25	+6.5679980E+02	+1.186226E+02	+9.6600000E+02	+4.5800000E+02	+5.6075561E+02

ANB 3066 PROPELLANT (ALL ANB) TENSILE MODULUS, *0002 IN/IN, 77 DEG F

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
45.0	20	+5.8050000E+02	+8.4686729E+01	+7.5200000E+02	+4.5500000E+02	+5.6069458E+02
46.0	44	+5.3988623E+02	+5.1504301E+01	+6.4300000E+02	+4.4900000E+02	+5.6063378E+02
47.0	12	+5.3925000E+02	+3.9055031E+01	+5.7600000E+02	+4.7700000E+02	+5.6057275E+02
48.0	20	+5.6109985E+02	+1.1707617E+02	+9.7400000E+02	+4.7900000E+02	+5.6051171E+02
49.0	22	+5.4022705E+02	+1.0644657E+02	+6.0500000E+02	+4.1700000E+02	+5.6045068E+02
50.0	32	+6.0343750E+02	+1.3546833E+02	+9.4200000E+02	+4.0000000E+02	+5.6038989E+02
51.0	57	+6.3729809E+02	+1.9012627E+02	+1.3460000E+03	+4.3100000E+02	+5.6032885E+02
52.0	50	+5.7073999E+02	+6.2869742E+01	+6.9000000E+02	+4.5300000E+02	+5.6026782E+02
53.0	40	+5.3917480E+02	+6.0028577E+01	+7.1000000E+02	+4.1500000E+02	+5.6020678E+02
54.0	19	+5.4605249E+02	+6.1264883E+01	+6.7800000E+02	+4.5300000E+02	+5.6014599E+02
55.0	47	+5.5000000E+02	+9.2526104E+01	+8.5900000E+02	+4.1300000E+02	+5.6008496E+02
56.0	62	+5.4125805E+02	+8.6243067E+01	+8.4800000E+02	+3.9500000E+02	+5.6002392E+02
57.0	46	+5.4539111E+02	+8.9556308E+01	+7.3600000E+02	+4.1600000E+02	+5.5996289E+02
58.0	35	+5.8848559E+02	+1.0062375E+02	+8.7000000E+02	+4.5300000E+02	+5.5990185E+02
59.0	20	+6.3239990E+02	+8.2873016E+01	+7.6000000E+02	+5.2800000E+02	+5.5984106E+02
60.0	20	+5.7264990E+02	+4.4530622E+01	+6.4000000E+02	+4.7000000E+02	+5.5978002E+02
61.0	40	+5.1144995E+02	+1.1212674E+02	+6.7800000E+02	+1.9700000E+02	+5.5971899E+02
62.0	35	+5.6379980E+02	+9.7291194E+01	+9.4700000E+02	+4.0500000E+02	+5.5965795E+02
63.0	45	+6.1444433E+02	+1.5297969E+02	+1.5150000E+03	+4.4000000E+02	+5.5959716E+02
64.0	36	+5.6050000E+02	+9.1732063E+01	+7.8800000E+02	+3.6700000E+02	+5.5953613E+02
65.0	28	+5.3767846E+02	+7.6896781E+01	+6.7500000E+02	+3.9200000E+02	+5.5947509E+02
66.0	28	+6.3385693E+02	+1.2416169E+02	+8.9500000E+02	+4.5300000E+02	+5.5941406E+02
67.0	46	+6.4671728E+02	+1.4561196E+02	+9.4700000E+02	+4.2400000E+02	+5.5935327E+02
68.0	44	+5.6829541E+02	+1.2326065E+02	+9.6000000E+02	+3.6300000E+02	+5.5929223E+02
69.0	32	+5.4312500E+02	+5.3109594E+01	+6.7100000E+02	+4.5300000E+02	+5.5923120E+02
70.0	40	+5.3644995E+02	+8.4065587E+01	+8.0000000E+02	+4.2200000E+02	+5.5917016E+02
71.0	47	+5.6348925E+02	+1.3605032E+02	+1.0740000E+03	+3.8500000E+02	+5.5910913E+02
72.0	34	+5.5288232E+02	+7.7209203E+01	+7.6600000E+02	+4.1600000E+02	+5.5904833E+02
73.0	24	+6.1633325E+02	+1.1446384E+02	+9.7300000E+02	+4.8700000E+02	+5.5898730E+02
74.0	15	+5.0626660E+02	+9.7847889E+01	+6.7900000E+02	+3.7500000E+02	+5.5892626E+02
75.0	30	+4.9683325E+02	+8.8224276E+01	+7.2000000E+02	+3.7300000E+02	+5.5886523E+02

ANB 3066 PROPELLANT (ALL ANG) TENSILE MODULUS, *0002 1#/MIN, 77 DEG F

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
76.0	17	+5.4347045E+02	+7.1110932E+01	+6.9200000E+02	+4.5300000E+02	+5.5880444E+02
77.0	19	+5.2726293E+02	+8.0067917E+01	+6.4000000E+02	+4.1300000E+02	+5.5874340E+02
78.0	24	+5.4291650E+02	+7.3757485E+01	+6.5700000E+02	+4.3500000E+02	+5.5868237E+02
79.0	17	+6.8005859E+02	+1.3534099E+02	+9.3300000E+02	+4.0900000E+02	+5.5862133E+02
80.0	33	+5.1906054E+02	+8.8404588E+01	+7.6100000E+02	+3.8200000E+02	+5.5856054E+02
81.0	26	+5.5326904E+02	+9.0564853E+01	+8.2900000E+02	+4.3200000E+02	+5.5849951E+02
82.0	15	+5.534655E+02	+6.8312168E+01	+6.8000000E+02	+4.6600000E+02	+5.5843847E+02
83.0	33	+6.1181811E+02	+2.5071017E+02	+1.4150000E+03	+4.1600000E+02	+5.5837744E+02
84.0	42	+5.9507128E+02	+1.5119130E+02	+1.4100000E+03	+4.3700000E+02	+5.5831640E+02
85.0	15	+5.4393310E+02	+7.9652339E+01	+6.4000000E+02	+4.2000000E+02	+5.5825561E+02
86.0	22	+4.9886352E+02	+6.9374961E+01	+5.9500000E+02	+3.7800000E+02	+5.5819458E+02
87.0	23	+5.6952172E+02	+1.3228889E+02	+9.5200000E+02	+3.4400000E+02	+5.5813354E+02
88.0	32	+5.5665625E+02	+1.1172189E+02	+8.7100000E+02	+3.0200000E+02	+5.5807250E+02
89.0	30	+5.5523315E+02	+8.7574867E+01	+8.0000000E+02	+4.2200000E+02	+5.5801171E+02
90.0	11	+5.4127270E+02	+8.4657062E+01	+6.6200000E+02	+4.3500000E+02	+5.5795068E+02
91.0	9	+5.0911108E+02	+4.4798003E+01	+6.0600000E+02	+4.7100000E+02	+5.5788964E+02
92.0	17	+4.8129394E+02	+3.6726633E+01	+5.6700000E+02	+4.1300000E+02	+5.5782861E+02
93.0	15	+5.3326660E+02	+6.6359913E+01	+6.3200000E+02	+4.2000000E+02	+5.5776782E+02
94.0	12	+5.1500000E+02	+6.6160960E+01	+6.5900000E+02	+4.0100000E+02	+5.5770678E+02
95.0	24	+5.7100000E+02	+8.9004152E+01	+7.1200000E+02	+4.1700000E+02	+5.5764575E+02
96.0	11	+7.4645434E+02	+2.6197685E+02	+1.3200000E+03	+5.1400000E+02	+5.5758471E+02
97.0	6	+4.8000000E+02	+3.9278492E+01	+5.4200000E+02	+4.3900000E+02	+5.5752368E+02
98.0	9	+4.5488867E+02	+3.1150619E+01	+5.5200000E+02	+4.6200000E+02	+5.5746289E+02
99.0	5	+5.2379980E+02	+1.0263381E+02	+6.6800000E+02	+4.0900000E+02	+5.5740185E+02
100.0	2	+5.9800000E+02	+1.0182337E+02	+6.7000000E+02	+5.2600000E+02	+5.5734082E+02
101.0	9	+4.8244433E+02	+8.9005773E+01	+7.0800000E+02	+3.9600000E+02	+5.5727978E+02
102.0	3	+4.5833325E+02	+1.6165807E+01	+4.7300000E+02	+4.4100000E+02	+5.5721899E+02
103.0	2	+6.0400000E+02	+6.2225396E+01	+6.4800000E+02	+5.6000000E+02	+5.5715795E+02
104.0	7	+5.5557128E+02	+6.1272226E+01	+6.5100000E+02	+4.8300000E+02	+5.5709692E+02
105.0	9	+5.7944433E+02	+9.2818520E+01	+7.2900000E+02	+4.3700000E+02	+5.5703588E+02
106.0	11	+5.9772705E+02	+2.1147439E+02	+1.0280000E+03	+3.4200000E+02	+5.5697509E+02

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
107.0	2	+6.0550000E+02	+6.5760930E+01	+6.5200000E+02	+5.5900000E+02	+5.5691406E+02
108.0	3	+5.2066650E+02	+9.4516312E+00	+5.2800000E+02	+5.1000000E+02	+5.5685302E+02
109.0	14	+5.4771411E+02	+2.0508888E+02	+1.0540000E+03	+4.1700000E+02	+5.5679199E+02
110.0	11	+4.0254541E+02	+6.5477268E+01	+6.3200000E+02	+3.9400000E+02	+5.5673095E+02
111.0	5	+5.8319995E+02	+1.4635812E+02	+7.7600000E+02	+3.9200000E+02	+5.5667016E+02
112.0	6	+5.8150000E+02	+1.7807947E+02	+8.6900000E+02	+3.7900000E+02	+5.5660913E+02
113.0	18	+5.4961108E+02	+1.0597226E+02	+8.0900000E+02	+4.1900000E+02	+5.5654809E+02
115.0	6	+4.9883325E+02	+4.1004471E+01	+5.5600000E+02	+4.4300000E+02	+5.5642626E+02
116.0	6	+4.6700000E+02	+6.255575E+01	+5.7500000E+02	+3.8800000E+02	+5.5636523E+02
117.0	3	+5.0066650E+02	+3.3080709E+01	+5.2500000E+02	+4.6300000E+02	+5.5630419E+02
118.0	4	+4.6525000E+02	+3.5415392E+01	+5.1800000E+02	+4.4200000E+02	+5.5624316E+02
119.0	9	+4.6666650E+02	+2.2901964E+01	+5.1000000E+02	+4.3800000E+02	+5.5618237E+02
120.0	2	+4.8100000E+02	+0.0000000E+99	+4.8100000E+02	+4.8100000E+02	+5.5612133E+02
121.0	3	+4.3966650E+02	+1.1239810E+01	+4.5200000E+02	+4.3000000E+02	+5.5606030E+02
122.0	3	+4.9500000E+02	+8.5854528E+01	+5.7600000E+02	+4.0500000E+02	+5.5599926E+02
123.0	9	+5.5244433E+02	+8.1083461E+01	+6.6900000E+02	+4.1700000E+02	+5.5593823E+02
124.0	6	+5.6416650E+02	+6.8927256E+01	+6.8500000E+02	+4.9400000E+02	+5.5587744E+02
126.0	6	+4.8300000E+02	+1.2959012E+02	+6.9200000E+02	+3.3800000E+02	+5.557537E+02
127.0	3	+6.9866650E+02	+1.4910510E+02	+8.6500000E+02	+5.7700000E+02	+5.5569433E+02
137.0	1	+4.3200000E+02	+0.0000000E+27	+4.3200000E+02	+4.3200000E+02	+5.5508471E+02

ANB 3066 PROPELLANT (ALL ANB) TENSILE MODULUS, .0002 IN./MIN, 77 DEG F

SECTION V
HIGH RATE TRIAXIAL

This test uses a 3/4 inch (1.9cm) GL rail, 5 inches (12.7cm) long. The specimens are tested on the MTS at a crosshead speed of 1750 in/min (74.08cm/sec) with 600 psi (421 860 kg/sq m) nitrogen pressure. Strain rate is 1000 in/in/min. This test simulates the condition of the motor at stage ignition.

Only lined cartons of ANT show a significant decrease in strain at rupture (Figure 5-1). No other types of cartons show a significant change, although ANB lined and ANT unlined cartons have negative slopes and ANA and ANB unlined cartons have positive slopes.

Lined cartons of ANB and ANT show a significant increase in maximum stress (Figures 5-2 and 5-3). Unlined cartons of ANB and ANT also show a significant increase (Figures 5-4 and 5-5). ANA does not show a significant change. Composite lined and unlined cartons of ANB do not show a significant change.

Only ANA and ANB unlined cartons show significant decreases in modulus (Figures 5-6 and 5-7).

F = +2.1039668E+01
 R = -5.4808435E-01
 I = +4.5869017E+00
 N = 61
 STORAGE CONDITIONS = AMB TEMP/RH
 Y = ((+3.3503899E-01) + (-1.6148079E-03) * X)
 SIGNIFICANCE OF F = SIGNIFICANT
 SIGNIFICANCE OF R = SIGNIFICANT
 SIGNIFICANCE OF I = SIGNIFICANT
 DEGREES OF FREEDOM = 49
 TEST CONDITIONS = 77 DEG F, AMB RH
 S₁ = +2.5335548E-02
 S₂ = +3.5204750E-04
 S₃ = +2.1406381E-02




Figure 5-1


*** LINEAR REGRESSION ANALYSIS ***

** ANALYSIS OF TIME SERIES **

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	3	+2.7516557E-01	+1.6851999E-03	+2.8059995E-01	+2.7729994E-01	+3.1081688E-01
16.0	3	+3.1836562E-01	+2.3002295E-02	+3.4029996E-01	+2.9479992E-01	+3.0920207E-01
19.0	3	+2.9888625E-01	+1.3737838E-02	+3.1469994E-01	+2.90099957E-01	+3.0435764E-01
20.0	3	+3.2386560E-01	+4.2981955E-03	+3.2639998E-01	+3.19899958E-01	+3.0274283E-01
22.0	3	+3.1699975E-01	+2.6190794E-02	+3.4229995E-01	+2.89999956E-01	+2.5951322E-01
24.0	3	+3.0546659E-01	+2.3479935E-02	+3.2959997E-01	+2.8269994E-01	+2.5628360E-01
27.0	6	+2.8403294E-01	+2.0393668E-02	+3.1209999E-01	+2.5999999E-01	+2.9143917E-01
31.0	3	+2.9779994E-01	+1.3194786E-02	+3.1299996E-01	+2.8929996E-01	+2.8497993E-01
32.0	3	+2.9823327E-01	+2.285772E-02	+3.1469994E-01	+2.7209997E-01	+2.8336513E-01
33.0	3	+2.8453332E-01	+1.8744433E-02	+3.0599999E-01	+2.7139997E-01	+2.8175032E-01
34.0	5	+2.6813983E-01	+1.6586370E-02	+2.5699999E-01	+2.4899995E-01	+2.8013551E-01
36.0	2	+2.6599997E-01	+7.0678377E-03	+2.7099996E-01	+2.6099997E-01	+2.7650589E-01
39.0	2	+2.8249996E-01	+1.3434932E-02	+2.9199999E-01	+2.7299994E-01	+2.7367627E-01
39.0	5	+2.6223963E-01	+1.6065810E-02	+2.8199994E-01	+2.4059995E-01	+2.7206146E-01
43.0	2	+2.4749994E-01	+2.8590955E-02	+2.6799994E-01	+2.2699999E-01	+2.6560223E-01
44.0	2	+2.8999996E-01	+1.4027190E-03	+2.9099994E-01	+2.8899997E-01	+2.6398742E-01

ANB 3065 PROPELLANT(ANT) TENSILE STN AT RUP, 1750 IN/MIN, 600 PSI, 77 DEG LINED

$Y = ((+5.4682293E+02) + (+1.5241589E+00) * X)$
 F = +4.777553E+00 SIGNIFICANCE OF F = SIGNIFICANT $S_1 = +3.8201554E+01$
 R = +3.1296880E-01 SIGNIFICANCE OF R = SIGNIFICANT $S_2 = +6.9729783E-01$
 t = +2.1858077E+00 SIGNIFICANCE OF t = SIGNIFICANT $S_3 = +3.6692422E+01$
 N = 46
 DEGREES OF FREEDOM = 44
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH



ANB 3066 PROPELLANT (ANB) TENSILE MAX STRESS, 1750 IN/MIN, 600 PSI, 77 DEG LINED

Figure 5-2


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	3	+5.5631733E+02	+1.2012212E+01	+6.0511987E+02	+5.8222588E+02	+5.662656E+02
15.0	2	+5.6743481E+02	+6.7034040E+00	+5.7216992E+02	+5.6269995E+02	+5.6968530E+02
16.0	4	+5.4217480E+02	+3.6145055E+01	+5.7873995E+02	+4.9300000E+02	+5.7120947E+02
17.0	6	+6.0485131E+02	+2.1414104E+01	+6.3251977E+02	+5.6883564E+02	+5.7273339E+02
19.0	4	+5.5024487E+02	+2.2439493E+01	+5.7764950E+02	+5.3085550E+02	+5.7578173E+02
20.0	4	+5.8921225E+02	+2.7280547E+01	+6.2956982E+02	+5.6921957E+02	+5.7730590E+02
22.0	4	+5.5612231E+02	+3.7370281E+01	+5.5302978E+02	+5.0891952E+02	+5.8035424E+02
23.0	4	+5.8406225E+02	+5.1151913E+01	+6.4091992E+02	+5.2203979E+02	+5.8187841E+02
29.0	2	+5.5824487E+02	+1.5965147E+01	+5.6952978E+02	+5.469556E+02	+5.9102343E+02
31.0	2	+5.8602978E+02	+2.7155030E+01	+6.0522998E+02	+5.6682983E+02	+5.5407177E+02
32.0	2	+5.7845487E+02	+1.1417653E+01	+5.865581E+02	+5.7042993E+02	+5.559594E+02
33.0	2	+5.7015991E+02	+1.3087656E+01	+5.7940991E+02	+5.6090991E+02	+5.5712011E+02
35.0	1	+5.6868994E+02	+0.000000E+27	+5.6868994E+02	+5.6868994E+02	+6.0016845E+02
36.0	4	+6.2093725E+02	+4.0345978E+01	+6.6350976E+02	+5.7050976E+02	+6.0169262E+02
38.0	2	+6.5747973E+02	+2.9492102E+01	+6.7832983E+02	+6.3662589E+02	+6.0474096E+02

ANB 3066 PREPELLANT(ANB) TENSILE MAX STRESS, 1750 IN/MIN, 600 PSI, 77 DEG LINED

Y = ((+5.3034254E+02) + (+1.3378653E+00) * X)
 F = +1.0477526E+01 SIGNIFICANCE OF F = SIGNIFICANT
 R = +4.1971349E-01 SIGNIFICANCE OF R = SIGNIFICANT
 t = +3.2369007E+00 SIGNIFICANCE OF t = SIGNIFICANT
 N = S1 DEGREES OF FREEDOM = 49
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH



ANB 3066 PROPELLANT (ANT) TENSILE MAX STRESS, 1750 IN/MIN, 600 PSI, 77 DEG LINED

Figure 5-3


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	3	+5.4463989E+02	+6.1073618E+00	+5.5085586E+02	+5.3866552E+02	+5.5041040E+02
16.0	3	+5.4878320E+02	+7.4891723E+00	+5.5734985E+02	+5.4355581E+02	+5.5174829E+02
19.0	3	+5.6592651E+02	+2.5032954E+01	+5.8417953E+02	+5.3244555E+02	+5.5576156E+02
20.0	3	+5.3783300E+02	+2.2058211E+01	+5.5227978E+02	+5.1244955E+02	+5.5709585E+02
22.0	3	+5.5314306E+02	+5.4148675E+00	+5.5690951E+02	+5.4694555E+02	+5.5977539E+02
24.0	3	+5.9634985E+02	+2.9398610E+01	+6.2001977E+02	+5.6343554E+02	+5.6245117E+02
27.0	6	+5.8172973E+02	+2.5837751E+01	+6.2500976E+02	+5.6240991E+02	+5.6646484E+02
31.0	3	+5.2870654E+02	+1.2377888E+01	+5.3587588E+02	+5.1540951E+02	+5.7181616E+02
32.0	3	+5.7121313E+02	+9.3305954E+00	+5.8114950E+02	+5.6265551E+02	+5.7315405E+02
33.0	3	+5.6060302E+02	+7.2003380E+00	+5.6516552E+02	+5.5231982E+02	+5.7449154E+02
34.0	5	+5.7734375E+02	+8.1456716E+00	+5.8877978E+02	+5.7026977E+02	+5.7582583E+02
36.0	2	+6.1184472E+02	+6.0425493E+00	+6.160585E+02	+6.0758984E+02	+5.7850561E+02
38.0	2	+5.3790478E+02	+1.2247308E+01	+5.465581E+02	+5.2925000E+02	+5.8118139E+02
39.0	5	+5.9664770E+02	+1.6580908E+01	+6.1726577E+02	+5.8262588E+02	+5.8251528E+02
43.0	2	+5.8244970E+02	+3.208095E+01	+6.0507983E+02	+5.55981982E+02	+5.8757066E+02
44.0	2	+5.5392968E+02	+6.5516655E+00	+5.5856582E+02	+5.8928579E+02	+5.8920849E+02

ANS 3066 PROPELLANT(ANT) TENSILE MAX STRESS, 1750 IN/MIN, 600 PSI, 77 DEG LINED

Y = ((+5.5589697E+02) + (+5.5336914E-01)) * X
 F = +9.5101557E+00 SIGNIFICANCE OF F = SIGNIFICANT
 R = +2.0673732E-01 SIGNIFICANCE OF R = SIGNIFICANT
 t = +3.0838540E+00 SIGNIFICANCE OF t = SIGNIFICANT
 N = 215 DEGREES OF FREEDOM = 213
 STORAGE CONDITIONS = AMB TEMP/AM TEST CONDITIONS = 77 DEG F, AMB RH



AMB 3066 PROPELLANT (ANB) TENSILE MAX STRESS, 1750 IN/MIN, 600 PSI, 77 DEG UNLND

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
16.0	8	+5.8472949E+02	+2.5755353E+01	+6.2000000E+02	+5.3979930E+02	+5.6475073E+02
21.0	2	+5.6086987E+02	+2.6774965E+01	+6.0979900E+02	+5.7193994E+02	+5.6751757E+02
22.0	2	+5.5638476E+02	+1.0820743E+01	+5.6402978E+02	+5.4873999E+02	+5.6807134E+02
23.0	2	+5.3182983E+02	+1.5388167E+01	+5.4270996E+02	+5.2004995E+02	+5.6862426E+02
24.0	2	+5.5563989E+02	+2.6738421E+01	+5.7457983E+02	+5.3669955E+02	+5.6917773E+02
25.0	2	+5.5723486E+02	+1.5529364E+01	+6.0820996E+02	+5.8625976E+02	+5.6973120E+02
28.0	6	+6.0484085E+02	+1.5596230E+01	+6.2038989E+02	+5.8370096E+02	+5.7139111E+02
29.0	2	+5.9525488E+02	+2.7530646E+01	+6.1471997E+02	+5.7578979E+02	+5.7194458E+02
30.0	4	+5.8786987E+02	+1.7224492E+01	+6.0767993E+02	+5.6721997E+02	+5.7249804E+02
33.0	2	+5.0750000E+02	+3.5355339E+00	+5.1000000E+02	+5.0500000E+02	+5.7415795E+02
34.0	6	+5.4916650E+02	+6.0861365E+01	+6.4500000E+02	+5.0500000E+02	+5.7471142E+02
36.0	2	+4.5500000E+02	+1.4142135E+01	+5.0500000E+02	+4.8570000E+02	+5.7581811E+02
38.0	1	+5.0500000E+02	+0.0000000E+00	+5.0500000E+02	+5.0500000E+02	+5.7692430E+02
39.0	4	+6.2250000E+02	+2.5000000E+01	+6.5000000E+02	+5.9000000E+02	+5.7747927E+02
40.0	2	+6.2294482E+02	+9.8293488E+00	+6.2989990E+02	+6.1598999E+02	+5.7803173E+02
41.0	6	+5.9792551E+02	+2.8804269E+01	+6.3590991E+02	+5.7000000E+02	+5.7858496E+02
43.0	2	+6.0702490E+02	+6.4302697E+00	+6.1155981E+02	+6.0248999E+02	+5.7969165E+02
45.0	7	+5.5229687E+02	+1.3038065E+01	+5.6931982E+02	+5.4097998E+02	+5.8079856E+02
46.0	7	+5.6742845E+02	+1.6733157E+01	+5.7643994E+02	+5.3000000E+02	+5.8135180E+02
47.0	2	+6.0458471E+02	+4.2464954E+00	+6.0755981E+02	+6.0160986E+02	+5.8190527E+02
48.0	4	+5.4339232E+02	+4.2273191E+01	+5.8395956E+02	+4.9000000E+02	+5.8245840E+02
49.0	2	+6.2750000E+02	+2.478737E+01	+6.4500000E+02	+6.1000000E+02	+5.8301196E+02
50.0	4	+5.7875000E+02	+3.2755436E+01	+6.2000000E+02	+5.5000000E+02	+5.8355542E+02
52.0	5	+5.6987573E+02	+3.7071333E+01	+6.1541952E+02	+5.4039999E+02	+5.8467211E+02
53.0	9	+5.7757934E+02	+3.1751080E+01	+6.3804980E+02	+5.5025976E+02	+5.8522534E+02
54.0	16	+5.6214965E+02	+4.1428000E+01	+6.3451977E+02	+5.0500000E+02	+5.8577880E+02
55.0	12	+5.8590072E+02	+3.3847500E+01	+6.2000000E+02	+5.1276977E+02	+5.8633227E+02
56.0	8	+5.6229101E+02	+3.7268351E+01	+6.0815991E+02	+5.009985E+02	+5.8688549E+02
57.0	6	+6.0331494E+02	+4.7557310E+01	+6.4500000E+02	+5.3694955E+02	+5.8743896E+02
58.0	5	+5.8289575E+02	+3.6655740E+01	+6.2000000E+02	+5.3619955E+02	+5.8799213E+02
60.0	4	+5.7567993E+02	+3.6157913E+01	+6.1500000E+02	+5.2971997E+02	+5.8900910E+02

ANR 3066 PROPELLANT(ANR) TENSILE MAX STRESS, 1760 IN/MIN, 600 PSI, 77 DEG UNLND


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
61.0	2	+5.800000E+02	+1.4142135E+01	+5.9000000E+02	+5.7000000E+02	+5.2965234E+02
62.0	4	+6.2376730E+02	+8.5954070E+00	+6.3662986E+02	+6.1843994E+02	+5.9020581E+02
63.0	6	+6.2679467E+02	+4.1245974E+00	+6.305981E+02	+6.2000000E+02	+5.5075903E+02
64.0	4	+5.8003222E+02	+7.6235632E+01	+6.7000000E+02	+5.0501977E+02	+5.5131250E+02
65.0	4	+6.3375000E+02	+1.1086778E+01	+6.4500000E+02	+6.2000000E+02	+5.9166596E+02
66.0	2	+6.6000000E+02	+7.0710678E+00	+6.6500000E+02	+6.5500000E+02	+5.5241918E+02
67.0	4	+5.5250000E+02	+1.8484227E+01	+5.8000000E+02	+5.4000000E+02	+5.9297265E+02
68.0	4	+6.4750000E+02	+1.1902380E+01	+6.6500000E+02	+6.4000000E+02	+5.9352587E+02
69.0	10	+6.2435571E+02	+2.1778190E+01	+6.5000000E+02	+5.8655081E+02	+5.5407934E+02
70.0	7	+5.7642846E+02	+3.5203490E+01	+6.2500000E+02	+5.4000000E+02	+5.5463281E+02
71.0	3	+5.6663305E+02	+2.6665253E+01	+5.5736987E+02	+5.4973999E+02	+5.9518603E+02
72.0	19	+5.9281860E+02	+3.7021402E+01	+6.6000000E+02	+5.3000000E+02	+5.5573950E+02

ANE 3066 PROPELLANT(ANB) TENSILE MAX STRESS, 1750 IN/MIN, 600 PSI, 77 DEG UNLND

Y = ((+5.8116822E+02) + (+6.9764555E-01) * X)
 F = +1.4134526E+01 SIGNIFICANCE OF F = SIGNIFICANT $\sigma^2 = +3.3086524E+01$
 R = +2.8166685E-01 SIGNIFICANCE OF R = SIGNIFICANT $S_e = +1.8556419E-01$
 C = +3.7595915E+00 SIGNIFICANCE OF t = SIGNIFICANT $S_c = +3.1843373E+01$
 N = 166 DEGREES OF FREEDOM = 164 TEST CONDITIONS = 77 DEG F, AMB RH
 STORAGE CONDITIONS = AMB TEMP/RH



AMB 3066 PROPELLANT (ANT) TENSILE MAX STRESS, 1750 IN/MIN, 600 PSI, 77 DEG UNLND

Figure 5-5

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
14.0	2	+5.645968E+02	+1.4203308E+01	+5.745984E+02	+5.5451977E+02	+5.5092505E+02
15.0	3	+5.6131943E+02	+1.2145975E+01	+5.7622970E+02	+5.5192954E+02	+5.5233032E+02
17.0	5	+5.6894772E+02	+1.7164894E+01	+6.181192E+02	+5.731692F+02	+5.5302807E+02
19.0	2	+5.8459976E+02	+2.1727169E+01	+5.986987E+02	+5.6914990E+02	+5.5442333E+02
20.0	2	+5.6053491E+02	+4.0124323E+00	+5.635986E+02	+5.5770956E+02	+5.5512109E+02
26.0	1	+5.1584985E+02	+0.000000E+00	+6.1984985E+02	+6.1984985E+02	+5.5930688E+02
27.0	2	+6.3314477E+02	+5.2326571E+00	+6.3668954E+02	+6.2956955E+02	+6.0000463E+02
28.0	1	+6.3310985E+02	+0.000000E+00	+6.3310985E+02	+6.3310985E+02	+6.0070214E+02
29.0	2	+5.2063989E+02	+1.7537262E+01	+6.3207923E+02	+6.0219955E+02	+6.0139990E+02
30.0	3	+6.0311645E+02	+4.2450181E+01	+6.3619955E+02	+5.5525000E+02	+6.0209741E+02
31.0	2	+6.5223486E+02	+5.5078841E+01	+6.9117993E+02	+6.1328979E+02	+6.0279516E+02
32.0	1	+6.119986E+02	+0.000000E+00	+6.1185986E+02	+6.1185986E+02	+6.0349267E+02
33.0	2	+5.8746484E+02	+4.5202099E+00	+5.8291992E+02	+5.8503976E+02	+6.0419042E+02
34.0	1	+5.5699005E+02	+0.000000E+00	+5.5699005E+02	+5.5699005E+02	+6.048793E+02
35.0	3	+5.8566967E+02	+1.2110063E+01	+5.9537988E+02	+5.7528979E+02	+6.055859E+02
38.0	2	+5.9382983E+02	+7.4540201E+00	+6.0347998E+02	+5.8751977E+02	+6.0767871E+02
39.0	5	+6.0228784E+02	+1.7345633E+01	+6.1854980E+02	+5.8061987E+02	+6.0837622E+02
40.0	2	+6.3529971E+02	+7.2531863E+00	+6.4031982E+02	+6.300585E+02	+6.0907397E+02
41.0	7	+5.0259537E+02	+1.1517630E+01	+6.1876977E+02	+5.8755981E+02	+6.0977148E+02
42.0	3	+6.4236640E+02	+4.5276195E+00	+6.4632683E+02	+6.3665991E+02	+6.1046923E+02
44.0	2	+5.6904814E+02	+2.5414654E+01	+5.9151977E+02	+5.3657983E+02	+6.1186450E+02
45.0	6	+5.5678908E+02	+1.3376974E+01	+6.1312988E+02	+5.7908924E+02	+6.1256225E+02
46.0	4	+5.7691479E+02	+1.7432863E+01	+6.0170996E+02	+5.6072953E+02	+6.1325976E+02
47.0	11	+6.1200803E+02	+3.1016174E+01	+6.4367993E+02	+5.7220956E+02	+6.1395751E+02
48.0	10	+6.1945068E+02	+2.2561757E+01	+6.5388989E+02	+5.8820980E+02	+6.1465502E+02
49.0	6	+6.2640823E+02	+1.4834233E+01	+6.4202878E+02	+6.0970956E+02	+6.1535278E+02
50.0	9	+6.3721777E+02	+1.5667499E+01	+6.5129988E+02	+6.1645956E+02	+6.1635029E+02
51.0	3	+6.1764321E+02	+1.2247862E+01	+6.2445956E+02	+6.028990E+02	+6.1674804E+02
52.0	2	+6.0040483E+02	+8.5222648E+00	+6.0647958E+02	+5.9442953E+02	+6.1744555E+02
53.0	12	+6.1996118E+02	+2.2686816E+01	+6.5133984E+02	+5.9517993E+02	+6.1814331E+02
54.0	7	+6.6252302E+02	+1.1055964E+01	+6.5684685E+02	+6.2233984E+02	+6.1884106E+02


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
55.0	6	+1.328813E+02	+3.614294E+01	+6.8621957E+02	+5.0117993E+02	+6.2023632E+02
57.0	6	+6.6364457E+01	+3.4565907E+01	+6.8677976E+02	+6.0585956E+02	+6.2093383E+02
59.0	2	+1.6567383E+02	+1.6307922E+00	+6.6621657E+02	+6.6373054E+02	+6.2232910E+02
60.0	2	+6.6055981E+02	+5.8803078E+00	+6.6470950E+02	+6.5640991E+02	+6.2302685E+02
61.0	2	+6.1912988E+02	+5.6735277E+00	+6.2512588E+02	+6.1512588E+02	+6.2372436E+02
62.0	2	+6.5580493E+02	+4.661125E+00	+6.5860992E+02	+6.5293994E+02	+6.2442211E+02
64.0	4	+6.6671972E+02	+2.2815007E+01	+6.5655985E+02	+5.4331992E+02	+6.2581738E+02
66.0	2	+5.9879980E+02	+5.5207915E+00	+6.0269955E+02	+5.5485990E+02	+6.2721264E+02
68.0	4	+6.5120483E+02	+7.5597975E+00	+5.618994E+02	+5.7997958E+02	+6.2930566E+02
71.0	4	+5.7076435E+02	+2.4595734E+00	+5.7278979E+02	+5.6730981E+02	+6.3070092E+02
72.0	2	+5.5171997E+02	+9.9290157E+00	+5.5673999E+02	+5.4465955E+02	+6.3139868E+02

AND 3.66 PERCENTIL(ANT) TENSILE MAX STRESS, 1750 IN/MIN, 600 PSI, 77 DEG UNLND

$Y = ((+5.8611089E+03) + (-2.7538323E+01) * X)$
 F = +6.3461311E+01 SIGNIFICANCE OF F = SIGNIFICANT $G_1 = +8.1259465E+02$
 R = -7.0561097E-01 SIGNIFICANCE OF R = SIGNIFICANT $S_1 = +3.4568694E+00$
 L = +7.9662608E+00 SIGNIFICANCE OF L = SIGNIFICANT $S_2 = +5.8028513E+02$
 N = 66 DEGREES OF FREEDOM = 64
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH



AMB 3066 PROPELLANT (ANA) TENSILE MODULUS, 1750 IN/MIN, 600 PSI, 77 DEG UNLND

Figure 5-6

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
14.0	2	+4.6500000E+03	+7.0710078E+01	+4.7000000E+03	+4.6000000E+03	+5.4755703E+03
15.0	2	+4.6500000E+03	+3.535339E+02	+4.9000000E+03	+4.4000000E+03	+5.4480312E+03
16.0	2	+5.4500000E+03	+7.7781745E+02	+6.0000000E+03	+4.9000000E+03	+5.4204921E+03
18.0	2	+5.7000000E+03	+1.4142135E+02	+5.8000000E+03	+5.6000000E+03	+5.3654179E+03
19.0	2	+5.7000000E+03	+1.4142135E+02	+5.8000000E+03	+5.6000000E+03	+5.3378789E+03
20.0	2	+7.2500000E+03	+4.3497474E+02	+5.6000000E+03	+4.9000000E+03	+5.3103398E+03
22.0	4	+5.9250000E+03	+6.2442887E+02	+6.6000000E+03	+5.1000000E+03	+5.2592666E+03
24.0	2	+5.5000000E+03	+1.4142135E+02	+5.6000000E+03	+5.4000000E+03	+5.2001879E+03
25.0	2	+4.9500000E+03	+3.535339E+02	+5.2000000E+03	+4.7000000E+03	+5.1726484E+03
26.0	2	+5.1500000E+03	+3.535339E+02	+5.4000000E+03	+4.9000000E+03	+5.1451093E+03
30.0	2	+5.2500000E+03	+2.1213203E+02	+5.2000000E+03	+4.9000000E+03	+4.9523437E+03
33.0	2	+5.0000000E+03	+0.000000E+03	+6.0000000E+03	+5.0000000E+03	+4.6769609E+03
40.0	2	+4.6750000E+03	+1.4493964E+02	+4.7900000E+03	+4.5850000E+03	+4.5943437E+03
45.0	1	+5.0000000E+03	+0.000000E+11	+5.0000000E+03	+5.0000000E+03	+4.5117304E+03
53.0	3	+3.7273332E+03	+3.2608792E+01	+3.7620000E+03	+3.6970000E+03	+4.4015742E+03
56.0	3	+3.853332E+03	+1.4579056E+02	+4.0120000E+03	+3.7200000E+03	+4.3740390E+03
58.0	3	+3.3820000E+03	+1.1980819E+02	+3.5120000E+03	+3.2760000E+03	+4.3465000E+03
59.0	0	+4.2245000E+03	+4.0282145E+02	+4.7360000E+03	+3.7290000E+03	+4.2638828E+03
59.0	1	+5.3000000E+03	+0.000000E+31	+5.3000000E+03	+5.3000000E+03	+4.2363476E+03
60.0	3	+4.1573320E+03	+3.0193537E+02	+4.4170000E+03	+3.8260000E+03	+4.2088085E+03
60.0	0	+3.7276665E+03	+1.6251974E+02	+3.9130000E+03	+3.4450000E+03	+3.5609645E+03
70.0	3	+3.6150000E+03	+2.5894014E+01	+3.6300000E+03	+3.5850000E+03	+3.9234262E+03
70.0	1	+4.3553320E+03	+3.1688720E+02	+4.8790000E+03	+3.9190000E+03	+3.9058879E+03

*** 3066 REPELLANT(ANA) TENSILE MODULUS, 1750 IN/MIN, 600 PSI, 77 DEG UNLND


AD-A043 656

OGDEN AIR LOGISTICS CENTER HILL AFB UTAH PROPELLANT L--ETC F/G 21/9.2
PROPELLANT SURVEILLANCE REPORT MINUTEMAN III STAGE III, (U)
JUL 77 E M DALABA
MANCP-374(77)


UNCLASSIFIED

NL

2 OF 3
AD
A043656



$Y = ((+6.4929722E+03) + (-1.6095957E+01) * X)$
 F = +5.6253682E+00 SIGNIFICANCE OF F = SIGNIFICANT $\sigma = +1.5461026E+03$
 R = -1.6040769E-01 SIGNIFICANCE OF R = SIGNIFICANT $S_b = +6.7864294E+00$
 t = +2.3717858E+00 SIGNIFICANCE OF t = SIGNIFICANT $S_t = +1.5296601E+03$
 N = 215 DEGREES OF FREEDOM = 213
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH



AMB 3066 PROPELLANT (AMB) TENSILE MODULUS, 1750 IN/MIN, 600 PSI, 77 DEG F, UNLND

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
16.0	8	+4.6901250E+03	+1.8282999E+03	+7.5000000E+03	+3.1470000E+03	+6.2354335E+03
21.0	2	+6.7000000E+03	+2.8284271E+02	+6.9000000E+03	+6.5000000E+03	+6.1540570E+03
22.0	2	+6.1000000E+03	+2.8284271E+02	+6.3000000E+03	+5.9000000E+03	+6.1388593E+03
23.0	2	+5.7500000E+03	+2.1213203E+02	+5.9000000E+03	+5.6000000E+03	+6.1227617E+03
24.0	2	+5.8500000E+03	+4.9497474E+02	+6.2000000E+03	+5.5000000E+03	+6.1066675E+03
25.0	2	+7.2000000E+03	+8.4852813E+02	+7.8000000E+03	+6.6000000E+03	+6.0905703E+03
28.0	6	+6.8833320E+03	+7.5078490E+02	+7.6000000E+03	+5.7000000E+03	+6.0422851E+03
29.0	2	+7.2500000E+03	+7.7781745E+02	+7.8000000E+03	+6.7000000E+03	+6.0261875E+03
30.0	4	+8.0750000E+03	+1.1176612E+03	+9.2000000E+03	+6.8000000E+03	+6.0100895E+03
33.0	2	+5.0500000E+03	+3.5355339E+02	+5.3000000E+03	+4.8000000E+03	+5.5618046E+03
34.0	6	+5.7166640E+03	+6.8239773E+02	+6.6000000E+03	+5.0000000E+03	+5.5457070E+03
36.0	2	+8.1000000E+03	+2.8284271E+02	+8.3000000E+03	+7.9000000E+03	+5.5135156E+03
38.0	1	+5.3000000E+03	+0.0000000E+03	+5.3000000E+03	+5.3000000E+03	+5.8813242E+03
39.0	4	+6.6750000E+03	+1.5261607E+03	+8.4000000E+03	+5.2000000E+03	+5.8052265E+03
40.0	2	+6.4000000E+03	+8.6267027E+02	+7.0200000E+03	+5.8000000E+03	+5.9491328E+03
41.0	6	+6.2076640E+03	+8.2744901E+02	+7.1000000E+03	+4.9000000E+03	+5.8330351E+03
42.0	2	+7.9195000E+03	+4.3075515E+01	+7.9500000E+03	+7.8890000E+03	+5.8008437E+03
45.0	7	+4.5314257E+03	+1.6618149E+03	+7.1000000E+03	+3.4360000E+03	+5.7686523E+03
46.0	7	+6.1602851E+03	+1.7611238E+03	+8.9000000E+03	+3.8780000E+03	+5.7525546E+03
47.0	2	+4.5210000E+03	+2.4039550E+02	+4.6510000E+03	+4.3510000E+03	+5.7364609E+03
48.0	4	+5.9500000E+03	+5.4467115E+02	+6.7000000E+03	+5.5000000E+03	+5.7203632E+03
49.0	2	+7.8000000E+03	+1.4142135E+02	+7.9000000E+03	+7.7000000E+03	+5.7042695E+03
50.0	4	+6.3500000E+03	+1.5545631E+03	+8.0000000E+03	+4.7000000E+03	+5.6881718E+03
52.0	5	+4.3470000E+03	+1.7056596E+02	+4.5790000E+03	+4.1120000E+03	+5.6559804E+03
53.0	9	+4.2291093E+03	+2.3252658E+02	+4.5240000E+03	+3.7970000E+03	+5.6398626E+03
54.0	16	+5.0713125E+03	+1.5062636E+03	+8.3000000E+03	+2.6400000E+03	+5.6237890E+03
55.0	12	+5.5765000E+03	+1.8506542E+03	+8.6000000E+03	+3.1090000E+03	+5.6076914E+03
56.0	8	+4.6466250E+03	+1.1056623E+03	+6.6000000E+03	+3.6090000E+03	+5.5915976E+03
57.0	6	+4.5623320E+03	+1.3823006E+03	+6.3000000E+03	+3.3380000E+03	+5.5755000E+03
58.0	5	+5.5923984E+03	+1.9349542E+03	+7.9000000E+03	+3.9640000E+03	+5.5594062E+03
60.0	4	+5.4225000E+03	+9.2269008E+02	+6.8000000E+03	+4.9000000E+03	+5.5272109E+03

ANS 3005 PROPELLANT(AN3) TENSILE MODULUS, 1750 IN./MIN, 600 PSI, 77 DEG F, UNLND

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
61.0	2	+5.1000000E+03	+1.4142135E+02	+5.2000000E+03	+5.0000000E+03	+5.5111171E+03
62.0	4	+5.5790000E+03	+1.6672700E+03	+6.6000000E+03	+4.6120000E+03	+5.4950195E+03
63.0	6	+5.4961640E+03	+1.6465099E+03	+7.9000000E+03	+4.2710000E+03	+5.4789257E+03
64.0	4	+5.8250000E+03	+4.9244289E+02	+6.4000000E+03	+5.2000000E+03	+5.4628281E+03
65.0	4	+6.6750000E+03	+1.3022416E+03	+7.9000000E+03	+5.5000000E+03	+5.4467343E+03
66.0	2	+8.2500000E+03	+7.7781745E+02	+8.8000000E+03	+7.7000000E+03	+5.4306367E+03
67.0	4	+7.6750000E+03	+3.5939764E+02	+8.2000000E+03	+7.4000000E+03	+5.4145429E+03
68.0	4	+7.0500000E+03	+1.6296331E+03	+8.8000000E+03	+5.3000000E+03	+5.3984453E+03
69.0	10	+5.3167968E+03	+1.0727970E+03	+6.4000000E+03	+3.0550000E+03	+5.3823476E+03
70.0	7	+6.2142851E+03	+9.2452036E+02	+7.5000000E+03	+5.2000000E+03	+5.3662539E+03
71.0	3	+4.4210000E+03	+4.9076521E+02	+4.9650000E+03	+4.0220000E+03	+5.3501562E+03
72.0	19	+4.7586289E+03	+1.2444507E+03	+7.7000000E+03	+3.3100000E+03	+5.3340625E+03

ANS 3066 PROPELLANT (ANB) TENSILE MODULUS, 1750 IN/MIN, 600 PSI, 77 DEG F, UNLND

SECTION VI
STRESS RELAXATION

An end-bonded 1/2" x 1/2" x 4" (1.27 x 1.27 x 10.16cm) is used on the Stress Relaxometer. The specimens are tested at seven different temperatures to derive a master stress relaxation curve.

A strain of 1% at 77°F (25.0°C) was not introduced into the program until Phase 3 of Minuteman III testing and Phase B Series 2 for Minuteman II which has resulted in a relatively short time frame for analysis. Prior to that time strains of 3% and/or 5% were used to form the data base.

ANA unlined cartons show a significant increase in relaxation modulus (Figures 6-1 and 6-2). ANB unlined cartons do not show a significant change at 10 sec. but do at 1000 sec. (Figures 6-3 and 6-4). ANT unlined cartons do not show a significant change.


When ANA and ANB unlined cartons are combined, there is no significant change (Figures 6-5 and 6-6).

There is no significant change for ANB lined cartons. There is a significant increase in relaxation modulus for ANT lined cartons (Figures 6-7 and 6-8). When all ANB is combined there is a significant increase in relaxation modulus (Figures 6-9 and 6-10). The increase in relaxation modulus is consistent with the increase in uniaxial tensile modulus and 10 sec hardness exhibited by this propellant.

Master stress relaxation curves include lined and unlined cartons. The curves are shown in Figures 6-11, 6-12 and 6-13. There is better agreement between ANB and ANT than between ANB and ANA. At lower test temperatures differences are accentuated.

Gradient stress relaxation was run on mini-stress relaxation specimens (0.1 x 0.5 x 2" specimens) at 1% strain and 77°F. Minimum stress relaxation modulus is reached at 2.2 inches from the bond line (Figures 6-14 and 6-15). It is apparent from the graphs that there is a sharp drop in modulus between the first and second specimens. Several cartons had liner which penetrated several samples which caused much disparity in the data.

$Y = ((-6.3177270E+01) + (+1.2525010E+01) * X)$
 SIGNIFICANCE OF F = SIGNIFICANT
 SIGNIFICANCE OF R = SIGNIFICANT
 SIGNIFICANCE OF 1 = SIGNIFICANT
 DEGREES OF FREEDOM = 28
 STORAGE CONDITIONS = AMB TEMP/AM
 TEST CONDITIONS = 77 DEG F, AMB RH
 F = +1.2202670E+01
 R = +5.5093453E-01
 1 = +3.4932321E+00
 N = 30
 $G_1 = +1.8875880E+02$
 $S_1 = +3.5855075E+00$
 $S_2 = +1.6031669E+02$



ANS 3066 PROPELLANT (ANA) RELAXATION MODULUS AT 10 SEC, 77 DEG F, UNLND CTNS 1X

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***


AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
51.0	6	+5.6333325E+02	+9.2448183E+01	+6.8000000E+02	+4.5000000E+02	+5.7559814E+02
52.0	3	+5.3000000E+02	+4.9999999E+01	+5.8000000E+02	+4.8000000E+02	+5.8812304E+02
56.0	6	+7.3166650E+02	+2.3945076E+02	+1.0400000E+03	+4.7000000E+02	+6.3822314E+02
58.0	3	+5.5666650E+02	+5.7735026E+00	+5.6000000E+02	+5.5000000E+02	+6.6327319E+02
69.0	6	+8.1666650E+02	+2.2677448E+02	+1.0400000E+03	+6.1000000E+02	+8.0104833E+02
70.0	3	+8.5666650E+02	+5.5075705E+01	+9.2000000E+02	+8.2000000E+02	+8.1357324E+02
72.0	3	+7.6666650E+02	+3.0550504E+01	+8.0000000E+02	+7.4000000E+02	+8.3862329E+02

ANB 3066 PROPELLANT(ANA) RELAXATION MODULUS AT 10 SEC, 77 DEG F, UNLND CTNS 18

Y = ((+8.361144E+01) + (+5.6962785E+00) * X)
 SIGNIFICANCE OF F = SIGNIFICANT
 SIGNIFICANCE OF R = SIGNIFICANT
 SIGNIFICANCE OF t = SIGNIFICANT
 DEGREES OF FREEDOM = 28
 STORAGE CONDITIONS = AMB TEMP/AH TEST CONDITIONS = 77 DEG F, AMB RH

F = +8.3753379E+00
 R = +4.7984132E-01
 t = +2.8940176E+00
 N = 30

G = +9.8564991E+01
 S₁ = +1.9682943E+00
 S₂ = +8.8007192E+01



ANB 3066 PROPELLANT (ANA) RELAXATION MODULUS AT 1000 SEC 77 DEG F UNLND CTNS 1X

Figure 6-2


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
51.0	6	+3.700000E+02	+5.6568542E+01	+4.4000000E+02	+3.1000000E+02	+3.7412158E+02
52.0	3	+3.600000E+02	+1.9599999E+01	+3.8000000E+02	+3.4000000E+02	+3.7981787E+02
56.0	6	+4.4666650E+02	+1.2242004E+02	+6.1000000E+02	+3.1000000E+02	+4.0260302E+02
58.0	3	+3.4666650E+02	+1.1547005E+01	+3.6000000E+02	+3.4000000E+02	+4.1399536E+02
69.0	6	+4.800000E+02	+1.3175735E+02	+6.1000000E+02	+3.5000000E+02	+4.7665454E+02
70.0	3	+5.2333325E+02	+2.3094010E+01	+5.5000000E+02	+5.1000000E+02	+4.8235083E+02
72.0	3	+4.5333325E+02	+1.5275252E+01	+4.7000000E+02	+4.4000000E+02	+4.5374340E+02

AND 3066 PROPELLANT(ANA) RELAXATION MODULUS AT 1000 SEC 77 DEG F UNLND CTNS 1X

$Y = ((+6.1544231E+02) + (+3.1055993E+00) * X)$
 F = +3.3712370E+00 SIGNIFICANCE OF F = NOT SIGNIFICANT $\sigma_e = +1.5589152E+02$
 R = +2.4674737E-01 SIGNIFICANCE OF R = NOT SIGNIFICANT $S_e = +1.6914173E+00$
 t = +1.6960928E+00 SIGNIFICANCE OF t = NOT SIGNIFICANT $S_e = +1.5251702E+02$
 N = 54 DEGREES OF FREEDOM = 52
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH



ANB 3066 PROPELLANT (ANB) RELAXATION MODULUS AT 10 SEC, 77 DEG F, UNLND CTNS 1X

Figure 6-3


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	3	+6.600000E+02	+6.0827625E+01	+7.3600000E+02	+5.2000000E+02	+6.6202612E+02
45.0	3	+7.6000000E+02	+5.5677643E+01	+8.1000000E+02	+7.0000000E+02	+7.5519409E+02
52.0	9	+8.1666650E+02	+1.5570385E+02	+1.1700000E+03	+4.9000000E+02	+7.7693334E+02
53.0	9	+8.411108E+02	+1.5855877E+02	+1.0400000E+03	+6.4000000E+02	+7.6003906E+02
54.0	6	+6.5333325E+02	+1.1552777E+02	+8.0000000E+02	+5.4000000E+02	+7.8314453E+02
57.0	3	+7.6333325E+02	+6.8068592E+01	+8.4000000E+02	+7.1000000E+02	+7.5246142E+02
61.0	3	+7.8333325E+02	+1.1547005E+01	+7.9000000E+02	+7.7000000E+02	+8.0488378E+02
62.0	6	+8.3333325E+02	+2.5271855E+02	+1.0900000E+03	+6.0000000E+02	+8.0798925E+02
63.0	3	+7.0000000E+02	+3.4641016E+01	+7.4000000E+02	+6.8000000E+02	+8.1109497E+02
69.0	3	+8.1666650E+02	+8.6216781E+01	+9.1000000E+02	+7.4000000E+02	+8.2972851E+02
72.0	6	+8.7833325E+02	+1.1540128E+02	+1.0100000E+03	+7.1000000E+02	+8.3904541E+02

ANB 3065 PROPELLANT(AN3) RELAXATION MODULUS AT 10 SEC, 77 DEG F, UNLND CINS 1%

F = +4.1675817E+00
 R = +2.7239504E-01
 t = +2.0414655E+00
 N = 54
 STORAGE CONDITIONS = AMB TEMP/RH
 Y = ((+3.6913866E+02) + (+2.1200505E+00) * X)
 SIGNIFICANCE OF F = SIGNIFICANT
 SIGNIFICANCE OF R = SIGNIFICANT
 SIGNIFICANCE OF t = SIGNIFICANT
 DEGREES OF FREEDOM = 52
 TEST CONDITIONS = 77 DEG F, AMB RH
 $\sigma_y = +9.6399906E+01$
 $S_e = +1.0384943E+00$
 $S_t = +9.3642216E+01$



AMB 8066 PROPELLANT (AMB) RELAXATION MODULUS AT 1000 SEC 77 DEG F UNLNO CYSN 1X

Figure 6-4

*** LINEAR REGRESSION ANALYSIS ***


*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	3	+4.300000E+02	+3.4641016E+01	+4.700000E+02	+4.100000E+02	+4.0093920E+02
45.0	3	+4.400000E+02	+2.5357513E+01	+4.600000E+02	+4.100000E+02	+4.6454077E+02
52.0	9	+4.5882367E+02	+1.1638075E+02	+6.500000E+02	+2.800000E+02	+4.7938110E+02
53.0	0	+5.1323325E+02	+9.1651913E+01	+6.500000E+02	+3.700000E+02	+4.8159122E+02
54.0	6	+4.050000E+02	+4.7644516E+01	+4.700000E+02	+3.600000E+02	+4.8362133E+02
57.0	3	+4.3666650E+02	+4.7258150E+01	+4.900000E+02	+4.000000E+02	+4.8958144E+02
61.0	4	+4.9766650E+02	+1.5278752E+01	+5.100000E+02	+4.800000E+02	+4.8846166E+02
62.0	0	+5.4166650E+02	+1.7803557E+02	+7.200000E+02	+3.800000E+02	+5.0056178E+02
63.0	3	+4.500000E+02	+1.7320508E+01	+4.600000E+02	+4.300000E+02	+5.0270166E+02
69.0	3	+4.500000E+02	+6.0827625E+01	+5.600000E+02	+4.500000E+02	+5.1342211E+02
72.0	6	+5.6166650E+02	+2.4832774E+01	+5.900000E+02	+5.400000E+02	+5.2178222E+02

AGE 3060 PREPILANT(AMB) RELAXATION MODULUS AT 1000 SEC 77 DEG F UNLNE CYS 1%

$F = +3.2683769E+00$ SIGNIFICANCE OF F = $(+2.9612427E+00) * X)$
 $R = +1.9242588E-01$ SIGNIFICANCE OF R = NOT SIGNIFICANT
 $t = +1.8078653E+00$ SIGNIFICANCE OF t = NOT SIGNIFICANT
 $N = 87$ DEGREES OF FREEDOM = 85
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, 1% STN

X ANB Unlined
 □ ANA Unlined



ANB 3066 PROPELLANT STRESS RELAX MODULUS, 77 DEG, 1% STN, ANA UNLND VS ANB UNLND
 10 Sec

Figure 6-5


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	3	+6.600000E+02	+6.0827625E+01	+7.300000E+02	+6.200000E+02	+6.2006079E+02
45.0	3	+7.600000E+02	+5.5677643E+01	+8.100000E+02	+7.000000E+02	+7.0889794E+02
51.0	6	+5.6333325E+02	+9.2448183E+01	+6.800000E+02	+4.500000E+02	+7.2666552E+02
52.0	12	+7.450000E+02	+2.1241040E+02	+1.170000E+03	+4.800000E+02	+7.2962670E+02
53.0	9	+8.4111108E+02	+1.5885877E+02	+1.040000E+03	+6.400000E+02	+7.3258789E+02
54.0	6	+6.5333325E+02	+1.1552777E+02	+8.000000E+02	+5.400000E+02	+7.3554907E+02
56.0	6	+7.3166650E+02	+2.3945076E+02	+1.040000E+03	+4.700000E+02	+7.4147167E+02
57.0	3	+7.6333325E+02	+6.8068592E+01	+8.400000E+02	+7.100000E+02	+7.4443286E+02
58.0	3	+5.5666650E+02	+5.7735026E+00	+5.600000E+02	+5.500000E+02	+7.4739404E+02
61.0	3	+7.8333325E+02	+1.1547005E+01	+7.900000E+02	+7.700000E+02	+7.5627783E+02
62.0	6	+8.3333325E+02	+2.5271855E+02	+1.090000E+03	+6.000000E+02	+7.5923901E+02
63.0	3	+7.000000E+02	+3.4641016E+01	+7.400000E+02	+6.800000E+02	+7.6220043E+02
69.0	9	+8.1666650E+02	+1.8439088E+02	+1.040000E+03	+6.100000E+02	+7.7996777E+02
70.0	3	+8.5666650E+02	+5.5075705E+01	+9.200000E+02	+8.200000E+02	+7.8292895E+02
71.0	3	+5.3666650E+02	+1.1547005E+01	+5.500000E+02	+5.300000E+02	+7.8589038E+02
72.0	9	+8.4111108E+02	+1.1072990E+02	+1.010000E+03	+7.100000E+02	+7.8885156E+02

ANB 3066 PROPELLANT STRESS RELAX MODULUS, 77 DEG, 1% STN, ANA UNLND VS ANB UNLND

$Y = ((+3.6708023E+02) + (+1.6336553E+00) * X)$
 F = +2.9363514E+00 SIGNIFICANCE OF F = NOT SIGNIFICANT $G_1 = +1.0163235E+02$
 R = +1.8273418E-01 SIGNIFICANCE OF R = NOT SIGNIFICANT $S_1 = +9.5335890E-01$
 L = +1.7135785E+00 SIGNIFICANCE OF L = NOT SIGNIFICANT $S_2 = +1.0050716E+02$
 N = 87 DEGREES OF FREEDOM = 85 TEST CONDITIONS = 77 DEG F, 1% STN
 STORAGE CONDITIONS = AMB TEMP/RH



ANB 3066 STRESS RELAX MODULUS @ 1000 SEC, 77 DEG; 1% STN, ANB UNLND VS ANB UNLND

Figure 6-6


**** LINEAR REGRESSION ANALYSIS ****

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	3	+4.3000000E+02	+3.4641016E+01	+4.7000000E+02	+4.1000000E+02	+3.9158496E+02
45.0	3	+4.4000000E+02	+2.6457513E+01	+4.6000000E+02	+4.1000000E+02	+4.4059472E+02
51.0	6	+3.7000000E+02	+5.6568542E+01	+4.4000000E+02	+3.1000000E+02	+4.5039648E+02
52.0	12	+4.5666650E+02	+1.1578454E+02	+6.9000000E+02	+2.8000000E+02	+4.5203027E+02
53.0	9	+5.1333325E+02	+9.1651513E+01	+6.3000000E+02	+3.7000000E+02	+4.5366381E+02
54.0	6	+4.0500000E+02	+4.7644516E+01	+4.7000000E+02	+3.6000000E+02	+4.5529760E+02
56.0	6	+4.4666650E+02	+1.2242004E+02	+6.1000000E+02	+3.1000000E+02	+4.5856469E+02
57.0	3	+4.3666650E+02	+4.7258156E+01	+4.9000000E+02	+4.0000000E+02	+4.6019848E+02
58.0	3	+3.4666650E+02	+1.1547005E+01	+3.6000000E+02	+3.4000000E+02	+4.6183203E+02
61.0	3	+4.9666650E+02	+1.5275252E+01	+5.1000000E+02	+4.8000000E+02	+4.6673315E+02
62.0	6	+5.4166650E+02	+1.7803557E+02	+7.2000000E+02	+3.8000000E+02	+4.6836669E+02
63.0	3	+4.5000000E+02	+1.7320508E+01	+4.6000000E+02	+4.3000000E+02	+4.7000048E+02
69.0	9	+4.8333325E+02	+1.0862780E+02	+6.1000000E+02	+3.5000000E+02	+4.7980224E+02
70.0	3	+5.2333325E+02	+2.3094010E+01	+5.5000000E+02	+5.1000000E+02	+4.8143603E+02
71.0	3	+3.4000000E+02	+9.9999999E+00	+3.5000000E+02	+3.3000000E+02	+4.8306958E+02
72.0	9	+5.2555541E+02	+5.8118652E+01	+5.9000000E+02	+4.4000000E+02	+4.8470336E+02

ANB 3066 STRESS RELAX MODULUS @ 1000 SEC, 77 DEG; 1X STN, ANA UNLND VS ANB UNLND

$Y = (1 + 4.6438564E+02) + (+ 7.5895256E+00) * X1$
 $F = +1.9043898E+01$ SIGNIFICANCE OF F = SIGNIFICANT $\sigma_1 = +1.2304944E+02$
 $R = +5.0714632E-01$ SIGNIFICANCE OF R = SIGNIFICANT $S_0 = +1.7391486E+00$
 $t = +4.9639314E+00$ SIGNIFICANCE OF t = SIGNIFICANT $S_1 = +1.0701114E+02$
 $N = 57$ DEGREES OF FREEDOM = 55
 STORAGE CONDITIONS = AMB TEMP/AM TEST CONDITIONS = 77 DEG F, AMB RH



ANS 3066 PROPELLANT (ANT) RELAXATION MODULUS AT 10 SEC, 77 DEG F, LINED CTNS 1X

Figure 6-7


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
14.0	3	+5.1333325E+02	+4.0414518E+01	+6.5000000E+02	+5.7000000E+02	+5.7063851E+02
15.0	1	+5.9000000E+02	+0.0000000E+02	+5.9000000E+02	+5.9000000E+02	+5.7822851E+02
17.0	3	+5.4000000E+02	+4.3588589E+01	+5.9000000E+02	+5.1000000E+02	+5.5340747E+02
18.0	3	+5.7333325E+02	+1.1547005E+01	+5.8000000E+02	+5.6000000E+02	+6.0099707E+02
20.0	6	+6.3666650E+02	+1.2027745E+02	+7.5000000E+02	+5.1000000E+02	+6.1617602E+02
22.0	3	+5.9333325E+02	+3.0550504E+01	+6.2000000E+02	+5.6000000E+02	+6.3135458E+02
24.0	3	+7.0000000E+02	+3.4641016E+01	+7.4000000E+02	+5.8000000E+02	+6.4653417E+02
25.0	3	+5.2000000E+02	+4.3588589E+01	+6.5000000E+02	+5.7000000E+02	+6.5412377E+02
27.0	3	+5.4333325E+02	+5.7735026E+00	+5.5000000E+02	+5.4000000E+02	+6.6930273E+02
29.0	8	+6.6525000E+02	+1.0568653E+02	+8.2000000E+02	+5.3000000E+02	+6.8448168E+02
30.0	3	+6.8666650E+02	+6.0277137E+01	+9.5000000E+02	+8.3000000E+02	+6.9207128E+02
31.0	3	+8.3000000E+02	+6.5574385E+01	+9.0000000E+02	+7.7000000E+02	+6.9966038E+02
33.0	3	+5.2333325E+02	+1.5207950E+02	+7.0000000E+02	+4.3000000E+02	+7.1493984E+02
36.0	3	+7.6333325E+02	+3.5118845E+01	+8.2000000E+02	+7.5000000E+02	+7.3760935E+02
38.0	3	+7.1666650E+02	+3.5118845E+01	+7.5000000E+02	+6.8000000E+02	+7.5278759E+02
40.0	3	+7.2000000E+02	+4.5999999E+01	+7.7000000E+02	+6.7000000E+02	+7.6796655E+02
44.0	3	+6.3666650E+02	+7.7674534E+01	+9.0000000E+02	+7.5000000E+02	+7.9832470E+02

ANB 3006 PROPELLANT(ANT) RELAXATION MODULUS AT 10 SEC, 77 DEG F, LINED CINS 1%

F = +2.6207986E+01 Y = ((+2.8090470E+02) + (+5.1268743E+00) * X) S_e = +7.4205060E+01
 R = +5.6808041E-01 SIGNIFICANCE OF F = SIGNIFICANT S_e = +1.0014651E+00
 t = +5.1193736E+00 SIGNIFICANCE OF R = SIGNIFICANT S_t = +6.1620918E+01
 N = 57 SIGNIFICANCE OF t = SIGNIFICANT DEGREES OF FREEDOM = 55
 STORAGE CONDITIONS = AMB TEMP/AM TEST CONDITIONS = 77 DEG F, AMB RH



AMS 3066 PROPELLANT (ANT) RELAXATION MODULUS AT 1000 SEC, 77 DEG F, LND CTNS 1X

Figure 6-8

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF THE RESULTS ***


(NO. OF)	SPECIMENS	MEAN Y	STANDARD	MAXIMUM Y	MINIMUM Y	REGRESSION Y
(NO. OF)	DEVIATIONS		DEVIATION			
14.0	3	+3.73333333E+02	+3.0550504E+01	+4.0000000E+02	+3.4000000E+02	+3.5263000E+02
15.0	1	+3.0000000E+02	+0.0000000E+00	+3.0000000E+02	+3.0000000E+02	+3.5780761E+02
17.0	3	+3.5000000E+02	+2.0000000E+01	+3.5000000E+02	+3.2000000E+02	+3.5906152E+02
18.0	3	+3.5566666E+02	+5.7235026E+00	+3.7000000E+02	+3.5000000E+02	+3.7318823E+02
20.0	6	+3.8833325E+02	+4.4007575E+01	+4.4000000E+02	+3.4000000E+02	+3.8344217E+02
22.0	3	+3.5666666E+02	+1.5275252E+01	+3.7000000E+02	+3.4000000E+02	+3.5369580E+02
24.0	7	+4.0000000E+02	+1.6000000E+01	+4.0000000E+02	+3.8000000E+02	+4.0304246E+02
25.0	3	+3.6000000E+02	+2.6457513E+01	+4.1000000E+02	+3.6000000E+02	+4.007661E+02
27.0	3	+3.5000000E+02	+0.0000000E+00	+3.5000000E+02	+3.5000000E+02	+4.103007E+02
29.0	3	+4.6375000E+02	+6.9680392E+01	+5.3000000E+02	+3.5000000E+02	+4.2058398E+02
30.0	3	+5.5000000E+02	+2.0999999E+01	+5.8000000E+02	+5.2000000E+02	+4.3471093E+02
31.0	3	+5.133325E+02	+4.5092407E+01	+5.6000000E+02	+4.7000000E+02	+4.7983764E+02
33.0	3	+2.433325E+02	+1.0115993E+02	+4.6000000E+02	+2.8000000E+02	+4.5099195E+02
36.0	3	+4.5666666E+02	+2.5156114E+01	+5.1000000E+02	+4.6000000E+02	+4.6547216E+02
38.0	3	+4.7000000E+02	+1.0900000E+01	+4.9000000E+02	+4.5000000E+02	+4.7572587E+02
40.0	3	+4.633325E+02	+3.0550504E+01	+4.7000000E+02	+4.1000000E+02	+4.8597949E+02
44.0	3	+5.2666666E+02	+5.1316014E+01	+5.7000000E+02	+4.7000000E+02	+5.0648706E+02

ALL 3060 DEPENDENT RELAXATION MODULUS AT 1000 SEC. 77 DEG F. 1ND CTNS 1%

$F = +2.0907284E+01$
 $R = +2.8253680E-01$
 $t = +4.5724484E+00$
 $N = 243$

$Y = ((+6.0808140E+02) + (+1.7436554E+00) * X)$
 SIGNIFICANCE OF F = SIGNIFICANT
 SIGNIFICANCE OF R = SIGNIFICANT
 SIGNIFICANCE OF t = SIGNIFICANT
 DEGREES OF FREEDOM = 241

STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH



AMB 3066 PROPELLANT (ALL AMB) STRESS RELAXATION MODULUS • 10 SEC. 1% STRAIN

Figure 6-9

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	3	+5.5333325E+02	+4.1633319E+01	+6.1000000E+02	+5.3000000E+02	+6.2574877E+02
15.0	6	+6.2000000E+02	+5.9329587E+01	+7.3000000E+02	+5.7000000E+02	+6.2923608E+02
16.0	6	+5.9833325E+02	+7.9351533E+01	+7.0000000E+02	+5.1000000E+02	+6.3097973E+02
19.0	3	+7.2000000E+02	+4.5825756E+01	+7.7000000E+02	+6.8000000E+02	+6.3621069E+02
20.0	3	+7.3666650E+02	+3.7859388E+01	+7.8000000E+02	+7.1000000E+02	+6.3795434E+02
21.0	3	+5.7666650E+02	+2.0816659E+01	+6.0000000E+02	+5.6000000E+02	+6.3969799E+02
22.0	3	+6.8333325E+02	+2.0816659E+01	+7.0000000E+02	+6.6000000E+02	+6.4144165E+02
28.0	6	+5.0333325E+02	+7.7373552E+01	+6.2000000E+02	+4.1000000E+02	+6.5190356E+02
30.0	6	+6.3166650E+02	+4.7081489E+01	+6.9000000E+02	+5.7000000E+02	+6.5539086E+02
32.0	6	+6.1666650E+02	+7.3120904E+01	+7.2000000E+02	+5.1000000E+02	+6.5887817E+02
34.0	3	+5.7333325E+02	+1.5275252E+01	+5.9000000E+02	+5.6000000E+02	+6.6236547E+02
36.0	3	+6.0333325E+02	+8.0208062E+01	+6.8000000E+02	+5.2000000E+02	+6.6585278E+02
45.0	3	+7.6000000E+02	+5.5677643E+01	+8.1000000E+02	+7.0000000E+02	+6.8154589E+02
52.0	9	+8.1666650E+02	+1.9570395E+02	+1.7000000E+03	+4.9000000E+02	+6.9375146E+02
53.0	9	+8.4111108E+02	+1.5885877E+02	+1.0400000E+03	+6.4000000E+02	+6.9549511E+02
54.0	6	+6.5333325E+02	+1.1552777E+02	+8.0000000E+02	+5.4000000E+02	+6.9723876E+02
57.0	3	+7.6333325E+02	+6.8068592E+01	+8.4000000E+02	+7.1000000E+02	+7.0246972E+02
61.0	3	+7.8333325E+02	+1.1547005E+01	+7.9000000E+02	+7.7000000E+02	+7.0944433E+02
62.0	6	+8.3333325E+02	+2.5271855E+02	+1.0900000E+03	+6.0000000E+02	+7.1118798E+02
63.0	3	+7.0000000E+02	+3.4641016E+01	+7.4000000E+02	+6.8000000E+02	+7.1293164E+02
69.0	3	+8.1666650E+02	+8.6216781E+01	+9.1000000E+02	+7.4000000E+02	+7.2339355E+02
72.0	6	+8.7833325E+02	+1.1940128E+02	+1.0100000E+03	+7.1000000E+02	+7.2862451E+02
76.0	3	+5.6000000E+02	+1.9999999E+01	+5.8000000E+02	+5.4000000E+02	+7.3559912E+02
77.0	3	+5.4333325E+02	+5.7735026E+00	+5.5000000E+02	+5.4000000E+02	+7.3734277E+02
78.0	6	+6.7666650E+02	+2.0655911E+01	+7.1090000E+02	+6.5000000E+02	+7.3908642E+02
80.0	3	+9.7666650E+02	+1.1590225E+02	+1.1100000E+03	+9.0000000E+02	+7.4257373E+02
81.0	3	+6.7333325E+02	+8.1445278E+01	+7.3000000E+02	+5.9000000E+02	+7.4431738E+02
84.0	3	+6.3666650E+02	+3.0550504E+01	+6.7000000E+02	+6.1000000E+02	+7.4954833E+02
85.0	3	+5.0333325E+02	+2.3094010E+01	+5.3000000E+02	+4.9000000E+02	+7.5129199E+02
86.0	3	+5.9666650E+02	+5.5075705E+01	+6.5000000E+02	+5.4000000E+02	+7.5303564E+02
87.0	3	+1.0966665E+03	+1.6072751E+02	+1.2800000E+03	+9.8000000E+02	+7.5477929E+02


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
88.0	9	+6.277758E+02	+2.3215177E+02	+1.1300000E+03	+4.6000000E+02	+7.5652294E+02
89.0	6	+8.6833325E+02	+1.0796604E+02	+9.9000000E+02	+7.0000000E+02	+7.5826660E+02
90.0	3	+7.6666650E+02	+5.5075705E+01	+8.3000000E+02	+7.3000000E+02	+7.6001025E+02
91.0	3	+6.0666650E+02	+2.3094010E+01	+6.2000000E+02	+5.8000000E+02	+7.6175390E+02
93.0	3	+8.8000000E+02	+2.9999999E+01	+9.1000000E+02	+8.5000000E+02	+7.6524121E+02
94.0	9	+6.7444433E+02	+1.0794803E+02	+8.1000000E+02	+5.2000000E+02	+7.6698486E+02
95.0	3	+8.9666650E+02	+5.0332229E+01	+9.5000000E+02	+8.5000000E+02	+7.6872851E+02
96.0	6	+8.2333325E+02	+3.5023801E+01	+8.7000000E+02	+7.7000000E+02	+7.7047216E+02
97.0	3	+6.4666650E+02	+4.1633319E+01	+6.8000000E+02	+6.0000000E+02	+7.7221582E+02
100.0	3	+4.1000000E+02	+9.9999999E+00	+4.2000000E+02	+4.0000000E+02	+7.7744677E+02
105.0	6	+9.6666650E+02	+1.9469634E+02	+1.2000000E+03	+7.1000000E+02	+7.8616503E+02
106.0	3	+9.1333325E+02	+2.1221058E+02	+1.1500000E+03	+7.4000000E+02	+7.8790869E+02
109.0	3	+5.5000000E+02	+0.0000000E+00	+5.5000000E+02	+5.5000000E+02	+7.9313964E+02
110.0	3	+1.1233332E+03	+1.7387735E+02	+1.3200000E+03	+9.9000000E+02	+7.9488330E+02
111.0	6	+1.1316665E+03	+1.7904375E+02	+1.4300000E+03	+9.3000000E+02	+7.9662695E+02
113.0	12	+5.7833325E+02	+2.3482424E+02	+1.0000000E+03	+3.7000000E+02	+8.0011425E+02
116.0	6	+6.7166650E+02	+1.8411047E+02	+9.9000000E+02	+4.9000000E+02	+8.0534521E+02
118.0	3	+5.8333325E+02	+3.7859388E+01	+6.1000000E+02	+5.4000000E+02	+8.0883251E+02
119.0	3	+4.9000000E+02	+9.9999999E+00	+5.0000000E+02	+4.8000000E+02	+8.1057617E+02
120.0	3	+7.2333325E+02	+5.8594652E+01	+7.9000000E+02	+6.8000000E+02	+8.1231982E+02
122.0	3	+1.0333332E+03	+7.5718777E+01	+1.1200000E+03	+9.8000000E+02	+8.1580737E+02
123.0	3	+1.4233332E+03	+1.0969655E+02	+1.5500000E+03	+1.3600000E+03	+8.1755102E+02
126.0	3	+9.8333325E+02	+4.0414518E+01	+1.0200000E+03	+9.4000000E+02	+8.2278198E+02
137.0	3	+4.4333325E+02	+1.1547005E+01	+4.5000000E+02	+4.3000000E+02	+8.4196215E+02
182.0	3	+1.1366665E+03	+2.2810816E+02	+1.4000000E+03	+1.0000000E+03	+9.2042651E+02

ANR 3046 PROPELLANT (ALL ANB) STRESS RELAXATION MODULUS @ 10 SEC, 1% STRAIN

$Y = ((+3.9373020E+02) + (+7.3487501E-01) * X)$
 F = +1.0232575E+01 SIGNIFICANCE OF F = SIGNIFICANT $\sigma_1 = +1.2936247E+02$
 R = +2.0181548E-01 SIGNIFICANCE OF R = SIGNIFICANT $S_1 = +2.2973174E-01$
 t = +3.1988396E+00 SIGNIFICANCE OF t = SIGNIFICANT $S_t = +1.2696324E+02$
 N = 243 DEGREES OF FREEDOM = 241
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F. AMB RH



*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	STANDARD DEVIATION				MAXIMUM Y	MINIMUM Y	REGRESSION Y
		MEAN Y	MEAN Y	MEAN Y	MEAN Y			
13.0	3	+3.600000E+02	+1.7320508E+01	+3.8000000E+02	+3.5000000E+02	+4.0328344E+02		
15.0	6	+4.0000000E+02	+4.2895221E+01	+4.7000000E+02	+3.5000000E+02	+4.0475317E+02		
16.0	6	+3.9000000E+02	+4.1472882E+01	+4.4000000E+02	+3.5000000E+02	+4.0548803E+02		
19.0	3	+4.3000000E+02	+1.7320508E+01	+4.5000000E+02	+4.2000000E+02	+4.0769262E+02		
20.0	3	+4.6666650E+02	+2.8867513E+01	+5.0000000E+02	+4.5000000E+02	+4.0842749E+02		
21.0	3	+3.6333325E+02	+2.3094010E+01	+3.9000000E+02	+3.5000000E+02	+4.0916235E+02		
22.0	3	+4.0666650E+02	+1.5275252E+01	+4.2000000E+02	+3.9000000E+02	+4.0989721E+02		
28.0	6	+3.4500000E+02	+4.3243496E+01	+4.1000000E+02	+2.9000000E+02	+4.1430664E+02		
30.0	6	+4.1333325E+02	+2.7325202E+01	+4.4000000E+02	+3.8000000E+02	+4.1577636E+02		
32.0	6	+3.9833325E+02	+4.8751068E+01	+4.7000000E+02	+3.3000000E+02	+4.1724609E+02		
34.0	3	+3.6666650E+02	+2.5166114E+01	+3.9000000E+02	+3.4000000E+02	+4.1871582E+02		
36.0	3	+3.6000000E+02	+6.2449979E+01	+4.3000000E+02	+3.1000000E+02	+4.2018554E+02		
45.0	3	+4.4000000E+02	+2.6457513E+01	+4.6000000E+02	+4.1000000E+02	+4.2679956E+02		
52.0	9	+4.8888867E+02	+1.1689075E+02	+6.9000000E+02	+2.8000000E+02	+4.2194360E+02		
53.0	3	+5.1333325E+02	+9.1651513E+01	+6.3000000E+02	+3.7000000E+02	+4.3267846E+02		
54.0	6	+4.0500000E+02	+4.7644516E+01	+4.7000000E+02	+3.6000000E+02	+4.3341333E+02		
57.0	3	+4.3666650E+02	+4.7258156E+01	+4.9000000E+02	+4.0000000E+02	+4.3561791E+02		
61.0	3	+4.9666650E+02	+1.5275252E+01	+5.1000000E+02	+4.8000000E+02	+4.3855737E+02		
62.0	6	+5.4166650E+02	+1.7803557E+02	+7.2000000E+02	+3.8000000E+02	+4.3929223E+02		
63.0	3	+4.5000000E+02	+1.7320508E+01	+4.6000000E+02	+4.3000000E+02	+4.4002709E+02		
69.0	3	+4.9000000E+02	+6.0827625E+01	+5.6000000E+02	+4.5000000E+02	+4.4442652E+02		
72.0	6	+5.6166650E+02	+2.4832774E+01	+5.9000000E+02	+5.4000000E+02	+4.4664111E+02		
76.0	3	+3.5666650E+02	+1.5275252E+01	+3.7000000E+02	+3.4000000E+02	+4.4958056E+02		
77.0	3	+3.3000000E+02	+0.0000000E+95	+3.3000000E+02	+3.3000000E+02	+4.5031542E+02		
78.0	6	+4.1333325E+02	+8.1649658E+00	+4.2000000E+02	+4.0000000E+02	+4.5105029E+02		
80.0	3	+5.8000000E+02	+7.8102496E+01	+6.7000000E+02	+5.3000000E+02	+4.5252001E+02		
81.0	3	+4.3666650E+02	+6.0277137E+01	+5.0000000E+02	+3.8000000E+02	+4.5325488E+02		
84.0	3	+3.9000000E+02	+9.9999999E+00	+4.0000000E+02	+3.8000000E+02	+4.5545947E+02		
85.0	3	+3.1000000E+02	+9.9999999E+00	+3.2000000E+02	+3.0000000E+02	+4.5619458E+02		
86.0	3	+3.5666650E+02	+3.2145502E+01	+3.8000000E+02	+3.2000000E+02	+4.5692944E+02		
87.0	3	+6.5666650E+02	+8.9628864E+01	+7.6000000E+02	+6.0000000E+02	+4.5766430E+02		


ANB 3066 PROPELLANT (ALL ANB) STRESS RELAXATION MODULUS @ 1000 SEC, 1% STRAIN

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***


AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
88.0	9	+4.0666650E+02	+2.1071307E+02	+8.8000000E+02	+2.7000000E+02	+4.5839916E+02
89.0	6	+5.9000000E+02	+5.7965506E+01	+6.5000000E+02	+5.2000000E+02	+4.5913403E+02
90.0	3	+4.5666650E+02	+2.0816659E+01	+4.8000000E+02	+4.4000000E+02	+4.5986889E+02
91.0	3	+3.5333325E+02	+1.1547005E+01	+3.6000000E+02	+3.4000000E+02	+4.6060375E+02
93.0	3	+5.4000000E+02	+1.9999999E+01	+5.6000000E+02	+5.2000000E+02	+4.6207348E+02
94.0	9	+4.0777758E+02	+6.0781941E+01	+4.8000000E+02	+3.2000000E+02	+4.6280834E+02
95.0	3	+5.3333325E+02	+2.3094010E+01	+5.6000000E+02	+5.2000000E+02	+4.6354321E+02
96.0	6	+5.0500000E+02	+2.8809720E+01	+5.5000000E+02	+4.7000000E+02	+4.6427807E+02
97.0	3	+4.1333325E+02	+5.7735026E+00	+4.2000000E+02	+4.1000000E+02	+4.6501293E+02
100.0	3	+2.4333332E+02	+1.1547005E+01	+2.5000000E+02	+2.3000000E+02	+4.6721752E+02
105.0	6	+5.4333325E+02	+1.1724617E+02	+6.9000000E+02	+3.8000000E+02	+4.7089184E+02
106.0	3	+5.0666650E+02	+1.1590225E+02	+6.4000000E+02	+4.3000000E+02	+4.7162695E+02
109.0	3	+3.1666650E+02	+5.7735026E+00	+3.2000000E+02	+3.1000000E+02	+4.7383154E+02
110.0	3	+6.3000000E+02	+1.1269427E+02	+7.6000000E+02	+5.6000000E+02	+4.7456640E+02
111.0	6	+6.9666650E+02	+1.3952299E+02	+9.3000000E+02	+5.3000000E+02	+4.7530126E+02
113.0	12	+3.6250000E+02	+1.2700214E+02	+5.9000000E+02	+2.5000000E+02	+4.7677099E+02
116.0	6	+3.6333325E+02	+9.8268340E+01	+5.5000000E+02	+2.8000000E+02	+4.7897558E+02
118.0	3	+3.5000000E+02	+1.7320508E+01	+3.6000000E+02	+3.3000000E+02	+4.8044531E+02
119.0	3	+2.7666650E+02	+5.7735026E+00	+2.8000000E+02	+2.7000000E+02	+4.8118017E+02
120.0	3	+4.0666650E+02	+2.8867513E+01	+4.4000000E+02	+3.9000000E+02	+4.8191503E+02
122.0	3	+5.8333325E+02	+4.9328828E+01	+6.4000000E+02	+5.5000000E+02	+4.8338476E+02
123.0	3	+7.7333325E+02	+4.9328828E+01	+8.3000000E+02	+7.4000000E+02	+4.8411962E+02
126.0	3	+5.5666650E+02	+4.0414518E+01	+6.0000000E+02	+5.2000000E+02	+4.8632421E+02
137.0	3	+2.6666650E+02	+5.7735026E+00	+2.7000000E+02	+2.6000000E+02	+4.9440795E+02
182.0	3	+6.9666650E+02	+1.5885003E+02	+8.8000000E+02	+6.0000000E+02	+5.2747729E+02

ANB 3066 PROPELLANT (ALL ANB) STRESS RELAXATION MODULUS @ 1000 SEC; 18 STRAIN




ANB 3066 PROPELLANT (ANB CARTONS) STRESS RELAXATION MASTER PLOT

Figure 6-11




ANB 3066 PROPELLANT (ANT CARTIONS) STRESS RELAXATION MASTER PLOT

Figure 6-12




ANB 3066 PROPELLANT (ANA CARTONS) STRESS RELAXATION MASTER PLOT

Figure 6-13



DISTANCE FROM LINER BOND LINE (INCHES)

Figure 6-14



DISTANCE FROM LINER BOND LINE (INCHES)

Figure 6-15

SECTION VII

Thermal Coefficient of Linear Expansion

Thermal coefficient of linear expansion (TCLE) is run using an expansion probe on the DuPont 990 TMA. The specimen is a 0.200" wafer (.508cm) which is cooled to -110°C with liquid nitrogen then heated at $5^{\circ}\text{C}/\text{min}$. The glass point (T_g) and TCLE above glass point, (over the range -110°C to $+40^{\circ}\text{C}$) is determined. TCLE below glass point is not considered to be of value in stress analysis.

ANA does not show a significant change in glass point, but has a significant increase in TCLE above glass point (Figure 7-1).


Data on ANB lined cartons was limited but TCLE above T_g showed a significant increase (Figure 7-5).

ANT lined cartons show a significant decrease in glass point (Figure 7-6) and a significant increase in TCLE below T_g (Figure 7-7).

All ANB shows a significant decrease in glass point (Figure 7-8) and a significant decrease in TCLE below T_g (Figure 7-9).

It is apparent that there is much variation in the data but as the data base expands there should be greater consistency.

$Y = ((+6.1658614E-05) + (+6.0259811E-07) * X)$
 $F = +1.4669861E+02$ SIGNIFICANCE OF F = SIGNIFICANT $\sigma_f = +1.5246758E-05$
 $R = +7.7427859E-01$ SIGNIFICANCE OF R = SIGNIFICANT $S_e = +4.9752482E-08$
 $t = +1.2111920E+01$ SIGNIFICANCE OF t = SIGNIFICANT $S_t = +9.6979368E-06$
 $N = 100$ DEGREES OF FREEDOM = 98
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = AMB TEMP/RH



ANB 3066 PROPELLANT (ANA) TCLE ABOVE GLASS POINT, UNLND CARTONS

Figure 7-1

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MCNTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	6	-7.9166656E+01	+1.3291601E+00	-7.8000000E+01	-8.1000000E+01	-7.6201766E+01
16.0	3	-7.8666656E+01	+3.2145502E+00	-7.5000000E+01	-8.1000000E+01	-7.6105834E+01
17.0	6	-7.6833328E+01	+1.4715601E+00	-7.5000000E+01	-7.9000000E+01	-7.6073852E+01
21.0	3	-7.5333328E+01	+5.7735026E-01	-7.5000000E+01	-7.6000000E+01	-7.5945938E+01
22.0	3	-7.7000000E+01	+0.0000000E+03	-7.7000000E+01	-7.7000000E+01	-7.5913955E+01
23.0	3	-7.6666656E+01	+1.5275252E+00	-7.5000000E+01	-7.8000000E+01	-7.5881988E+01
24.0	3	-7.2000000E+01	+0.0000000E+51	-7.2000000E+01	-7.2000000E+01	-7.5850006E+01
27.0	3	-7.7000000E+01	+1.0000000E+00	-7.6000000E+01	-7.8000000E+01	-7.5754074E+01
28.0	6	-7.1833328E+01	+2.2286019E+00	-7.0000000E+01	-7.5000000E+01	-7.5722051E+01
29.0	3	-7.5666656E+01	+2.0816659E+00	-7.8000000E+01	-8.2000000E+01	-7.5690109E+01
30.0	3	-7.3000000E+01	+2.6457513E+00	-7.1000000E+01	-7.6000000E+01	-7.5658126E+01
31.0	6	-7.5333328E+01	+1.8618986E+00	-7.2000000E+01	-7.7000000E+01	-7.5626159E+01
33.0	5	-7.4759987E+01	+3.5637059E+00	-7.0000000E+01	-7.8000000E+01	-7.5562194E+01
34.0	4	-7.6500000E+01	+3.4156502E+00	-7.2000000E+01	-8.0000000E+01	-7.5530212E+01
35.0	4	-7.6500000E+01	+2.6457513E+00	-7.4000000E+01	-8.0000000E+01	-7.5458245E+01
36.0	6	-7.7500000E+01	+2.0736441E+00	-7.4000000E+01	-7.9000000E+01	-7.5466262E+01
37.0	4	-7.6250000E+01	+5.0000000E-01	-7.6000000E+01	-7.7000000E+01	-7.5434280E+01
38.0	6	-7.2833328E+01	+5.6452259E+00	-6.2000000E+01	-7.8000000E+01	-7.5402297E+01
39.0	3	-7.9333328E+01	+1.1547005E+00	-7.8000000E+01	-8.0000000E+01	-7.5370330E+01
41.0	3	-7.8000000E+01	+1.0000000E+00	-7.7000000E+01	-7.9000000E+01	-7.5306365E+01
42.0	1	-7.4000000E+01	+0.0000000E+07	-7.4000000E+01	-7.4000000E+01	-7.5274383E+01
43.0	3	-7.6333328E+01	+1.1547005E+00	-7.5000000E+01	-7.7000000E+01	-7.5242416E+01
45.0	1	-7.6000000E+01	+0.0000000E+15	-7.6000000E+01	-7.6000000E+01	-7.5178451E+01
47.0	4	-6.9750000E+01	+5.6789083E+00	-6.2000000E+01	-7.4000000E+01	-7.5114501E+01
48.0	3	-7.6000000E+01	+1.9599999E+00	-7.4000000E+01	-7.8000000E+01	-7.5082519E+01
49.0	6	-7.1500000E+01	+5.6480084E+00	-6.6000000E+01	-8.1000000E+01	-7.5050537E+01
50.0	3	-7.8000000E+01	+2.6457513E+00	-7.5000000E+01	-8.0000000E+01	-7.5018554E+01
51.0	3	-7.4333328E+01	+2.0816659E+00	-7.2000000E+01	-7.6000000E+01	-7.4986587E+01
52.0	6	-7.7500000E+01	+5.3544415E+00	-7.1000000E+01	-8.3000000E+01	-7.4954605E+01
53.0	13	-7.2384613E+01	+4.3691811E+00	-6.5000000E+01	-7.9000000E+01	-7.4922622E+01
54.0	16	-7.1875000E+01	+4.2720018E+00	-6.5000000E+01	-7.8000000E+01	-7.4890640E+01

ANG 3066 PROPELLANT(ANG) GLASS POINT, UNLND CARTONS


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
19.0	3	+7.633332E-05	+1.3316666E-05	+9.0999994E-05	+6.4999955E-05	+7.2505368E-05
20.0	6	+7.3666507E-05	+8.5014706E-06	+8.5999985E-05	+6.3999952E-05	+7.3710572E-05
22.0	3	+7.5666655E-05	+1.1060424E-05	+8.5999985E-05	+6.3999952E-05	+7.4915762E-05
23.0	3	+7.3666655E-05	+5.0333250E-06	+7.8999990E-05	+6.8999986E-05	+7.5518357E-05
25.0	3	+6.5333311E-05	+6.6583222E-06	+7.099997E-05	+5.7999990E-05	+7.6723561E-05
26.0	3	+7.4999989E-05	+9.5999258E-06	+8.4999952E-05	+5.499995E-05	+7.7326156E-05
27.0	3	+8.6333282E-05	+9.8662062E-06	+9.299995E-05	+7.499989E-05	+7.7928751E-05
28.0	3	+7.6666643E-05	+7.7674876E-06	+8.299991E-05	+6.799993E-05	+7.8531360E-05
29.0	3	+8.5666615E-05	+5.0341705E-06	+9.099994E-05	+8.099991E-05	+7.5133955E-05
30.0	3	+7.8333323E-05	+7.7674328E-06	+8.6999993E-05	+7.1999955E-05	+7.5736550E-05
31.0	3	+8.8666638E-05	+6.8071157E-06	+9.3999988E-05	+8.099991E-05	+8.0339144E-05
38.0	3	+7.8333323E-05	+8.6215917E-06	+8.5999985E-05	+6.8999986E-05	+8.4557337E-05
42.0	3	+8.1733247E-05	+3.0887480E-06	+8.389998E-05	+7.8199958E-05	+8.6967731E-05
49.0	3	+7.6766649E-05	+2.2675458E-06	+7.8499984E-05	+7.4199957E-05	+9.1185909E-05
51.0	3	+9.6965581E-05	+7.2077137E-07	+8.7599957E-05	+8.6199986E-05	+9.2391113E-05
52.0	3	+1.0429997E-04	+5.8500866E-06	+1.1109998E-04	+1.0079999E-04	+9.2993708E-05
53.0	3	+1.0539994E-04	+3.6364810E-05	+1.0939558E-04	+1.0229999E-04	+9.3596303E-05
55.0	6	+9.2849906E-05	+4.2835984E-06	+5.7999989E-05	+8.8799992E-05	+9.5404102E-05
58.0	3	+1.0343329E-04	+3.1271457E-06	+1.0629999E-04	+1.0009999E-04	+9.6609292E-05
59.0	1	+7.1299989E-05	+0.000000E+47	+7.1299989E-05	+7.1299989E-05	+9.7211901E-05
56.0	3	+1.0773329E-04	+1.9878465E-06	+1.0989999E-04	+1.0599959E-04	+1.0143007E-04
68.0	3	+1.0829992E-04	+2.4289512E-06	+1.1109998E-04	+1.0689999E-04	+1.0263528E-04
69.0	9	+1.0845540E-04	+9.1640605E-06	+1.2219999E-04	+9.7199957E-05	+1.0323787E-04
70.0	9	+1.0721097E-04	+8.6214201E-06	+1.1809999E-04	+9.1599998E-05	+1.0384047E-04
71.0	12	+9.6558258E-05	+8.3611732E-06	+1.0599999E-04	+8.2999991E-05	+1.0444306E-04

ANB 3066 PROPELLANT(ANA) TGLE ABOVE GLASS POINT, UNLND CARTONS

F = +4.2254093E+00 SIGNIFICANCE OF F = (-7.6617498E+01) + (+3.1978639E-02) * X)
 R = +1.2192785E-01 SIGNIFICANCE OF R = SIGNIFICANT
 t = +2.0555800E+00 SIGNIFICANCE OF t = SIGNIFICANT
 N = 282 DEGREES OF FREEDOM = 280
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = AMB TEMP/RH



AMB 3066 PROPELLANT (AMB) GLASS POINT, UNLND CARTONS

Figure 7-2

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	6	-7.9166656E+01	+1.3291601E+00	-7.8000000E+01	-8.1000000E+01	-7.6201766E+01
16.0	3	-7.8666656E+01	+3.2145502E+00	-7.5000000E+01	-8.1000000E+01	-7.6105834E+01
17.0	6	-7.6833328E+01	+1.4715601E+00	-7.5000000E+01	-7.9000000E+01	-7.6073852E+01
21.0	3	-7.5333328E+01	+5.7735026E-01	-7.5000000E+01	-7.6000000E+01	-7.5945938E+01
22.0	3	-7.7000000E+01	+0.0000000E+03	-7.7000000E+01	-7.7000000E+01	-7.5913955E+01
23.0	3	-7.6666656E+01	+1.5275252E+00	-7.5000000E+01	-7.8000000E+01	-7.5881988E+01
24.0	3	-7.2000000E+01	+0.0000000E+51	-7.2000000E+01	-7.2000000E+01	-7.5850006E+01
27.0	3	-7.7000000E+01	+1.0000000E+00	-7.6000000E+01	-7.9000000E+01	-7.5754074E+01
28.0	6	-7.1833328E+01	+2.2286019E+00	-7.0000000E+01	-7.5000000E+01	-7.5722091E+01
29.0	3	-7.5666656E+01	+2.0816659E+00	-7.8000000E+01	-8.2000000E+01	-7.5690109E+01
30.0	3	-7.3000000E+01	+2.4457513E+00	-7.1000000E+01	-7.6000000E+01	-7.5658126E+01
31.0	6	-7.5333328E+01	+1.8618986E+00	-7.2000000E+01	-7.7000000E+01	-7.5626159E+01
33.0	5	-7.4759987E+01	+3.5637059E+00	-7.0000000E+01	-7.8000000E+01	-7.5562194E+01
34.0	4	-7.6500000E+01	+3.4156502E+00	-7.2000000E+01	-8.0000000E+01	-7.5530212E+01
35.0	4	-7.6500000E+01	+2.4457513E+00	-7.4000000E+01	-8.0000000E+01	-7.5458245E+01
36.0	6	-7.7500000E+01	+2.0736441E+00	-7.4000000E+01	-7.9000000E+01	-7.5466262E+01
37.0	4	-7.6250000E+01	+5.0000000E-01	-7.6000000E+01	-7.7000000E+01	-7.5434280E+01
38.0	6	-7.2833328E+01	+5.8452259E+00	-6.2000000E+01	-7.8000000E+01	-7.5402257E+01
39.0	3	-7.9333328E+01	+1.1547005E+00	-7.8000000E+01	-8.0000000E+01	-7.5370330E+01
41.0	3	-7.8000000E+01	+1.0000000E+00	-7.7000000E+01	-7.9000000E+01	-7.5306365E+01
42.0	1	-7.4000000E+01	+0.0000000E+07	-7.4000000E+01	-7.4000000E+01	-7.5274383E+01
43.0	3	-7.6333328E+01	+1.1547005E+00	-7.5000000E+01	-7.7000000E+01	-7.5242416E+01
45.0	1	-7.6000000E+01	+0.0000000E+15	-7.6000000E+01	-7.6000000E+01	-7.5178451E+01
47.0	4	-6.9750000E+01	+5.6789083E+00	-6.2000000E+01	-7.4000000E+01	-7.5114501E+01
48.0	3	-7.6000000E+01	+1.9599999E+00	-7.4000000E+01	-7.8000000E+01	-7.5082519E+01
49.0	6	-7.1500000E+01	+5.6480084E+00	-6.6000000E+01	-8.1000000E+01	-7.5050537E+01
50.0	3	-7.8000000E+01	+2.6457513E+00	-7.5000000E+01	-8.0000000E+01	-7.5018554E+01
51.0	3	-7.4333328E+01	+2.0816659E+00	-7.2000000E+01	-7.6000000E+01	-7.4986587E+01
52.0	6	-7.7500000E+01	+5.2544415E+00	-7.1000000E+01	-8.3000000E+01	-7.4954605E+01
53.0	13	-7.2384613E+01	+4.3691811E+00	-6.5000000E+01	-7.9000000E+01	-7.4922622E+01
54.0	16	-7.1875000E+01	+4.2720018E+00	-6.5000000E+01	-7.8000000E+01	-7.4890640E+01

ANB 3066 PROPELLANT(ANB) GLASS POINT, UNLND CARTONS


**** LINEAR REGRESSION ANALYSIS ****

*** ANALYSIS OF TIME SERIES ***

AGE (MCNTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
55.0	13	-7.3230758E+01	+4.4376015E+00	-6.7000000E+01	-8.1000000E+01	-7.4858673E+01
56.0	6	-7.8333328E+01	+1.7511900E+00	-7.7000000E+01	-8.1000000E+01	-7.4326690E+01
57.0	6	-7.5000000E+01	+1.6732200E+00	-7.3000000E+01	-7.7000000E+01	-7.4794708E+01
58.0	12	-7.3333328E+01	+4.1633319E+00	-6.2000000E+01	-7.8000000E+01	-7.4762725E+01
59.0	3	-6.6666656E+01	+5.032229E+00	-6.2000000E+01	-7.2000000E+01	-7.4730758E+01
60.0	9	-7.8666656E+01	+1.9599999E+00	-7.5000000E+01	-8.1000000E+01	-7.4698776E+01
61.0	11	-7.5181808E+01	+4.8552667E+00	-6.9000000E+01	-8.4000000E+01	-7.4666793E+01
62.0	9	-7.4333328E+01	+2.8722813E+00	-6.8000000E+01	-7.9000000E+01	-7.4634811E+01
63.0	9	-7.5000000E+01	+2.1794454E+00	-7.6000000E+01	-8.2000000E+01	-7.4602844E+01
64.0	3	-7.4333328E+01	+1.5275252E+00	-7.3000000E+01	-7.6000000E+01	-7.4570861E+01
65.0	3	-7.3666656E+01	+2.0816659E+00	-7.2000000E+01	-7.6000000E+01	-7.4538879E+01
66.0	4	-7.3500000E+01	+3.4156502E+00	-6.9000000E+01	-7.7000000E+01	-7.4506896E+01
67.0	1	-7.4000000E+01	+0.0000000E+99	-7.4000000E+01	-7.4000000E+01	-7.4474529E+01
68.0	3	-7.7333328E+01	+1.1547005E+00	-7.6000000E+01	-7.8000000E+01	-7.4442947E+01
69.0	18	-7.4111099E+01	+3.3235149E+00	-6.8000000E+01	-8.0000000E+01	-7.4410964E+01
70.0	12	-7.4916656E+01	+5.5670839E+00	-5.8000000E+01	-7.8000000E+01	-7.4378582E+01
72.0	18	-7.5111099E+01	+6.1058206E+00	-5.6000000E+01	-8.1000000E+01	-7.4315032E+01

ANB 3066 PROPELLANT(ANE) CLASS POINT, UNLND CARTONS

$Y = ((+8.3728688E-05) + (+4.2582805E-07) * X)$
 F = +8.6131029E+01 SIGNIFICANCE OF F = SIGNIFICANT $\sigma_1 = +1.0609479E-05$
 R = +5.2784755E-01 SIGNIFICANCE OF R = SIGNIFICANT $S_1 = +4.5888277E-08$
 t = +9.2806804E+00 SIGNIFICANCE OF t = SIGNIFICANT $S_t = +9.0312278E-06$
 N = 225 DEGREES OF FREEDOM = 223
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = AMB TEMP/RH



AMB 3066 PROPELLANT (ANT) TCLE ABOVE GLASS POINT, UNLND CARTONS

Figure 7-3

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
15.0	9	+9.1988826E-05	+8.6174133E-06	+1.0566998E-04	+8.0999991E-05	+9.0116096E-05
16.0	3	+9.6299918E-05	+4.0660779E-06	+9.9399985E-05	+9.1659999E-05	+9.0541929E-05
17.0	3	+1.1409996E-04	+1.7790578E-06	+1.1549999E-04	+1.1209999E-04	+9.0967761E-05
18.0	3	+9.7633252E-05	+1.4219385E-06	+9.8499993E-05	+9.5999988E-05	+9.1393580E-05
20.0	6	+9.3766604E-05	+1.8830867E-06	+9.6299991E-05	+9.1399997E-05	+9.2245245E-05
26.0	6	+7.8599929E-05	+4.2594216E-06	+8.6899992E-05	+7.4799989E-05	+9.4800212E-05
27.0	9	+8.7533262E-05	+2.6093874E-06	+9.1399997E-05	+8.4199986E-05	+9.5226045E-05
28.0	3	+8.2259957E-05	+4.7154872E-06	+8.7699998E-05	+7.8999990E-05	+9.5551863E-05
29.0	3	+9.2569919E-05	+1.4787416E-06	+9.3499998E-05	+9.0899993E-05	+9.6077696E-05
30.0	6	+8.9449924E-05	+1.0527747E-05	+1.0009999E-04	+7.5899995E-05	+9.6503528E-05
31.0	6	+8.6033251E-05	+2.7629441E-06	+8.9899986E-05	+8.2299986E-05	+9.6929346E-05
32.0	6	+9.316629E-05	+1.2791331E-05	+1.0549998E-04	+7.7299991E-05	+9.7355179E-05
33.0	3	+1.0516664E-04	+1.2505075E-06	+1.0639999E-04	+1.0389999E-04	+9.7781012E-05
35.0	6	+9.6359919E-05	+1.5786459E-05	+1.1359999E-04	+7.9099991E-05	+9.8632663E-05
37.0	6	+1.062324E-04	+1.2294309E-06	+1.0809999E-04	+1.0459999E-04	+9.9484313E-05
38.0	6	+1.0099995E-04	+3.4346154E-06	+1.0539998E-04	+9.7099997E-05	+9.9910146E-05
39.0	6	+1.0529994E-04	+2.5826376E-06	+1.0819999E-04	+1.0209999E-04	+1.0033597E-04
41.0	9	+1.1162211E-04	+6.4895022E-06	+1.1859998E-04	+9.6699994E-05	+1.0118763E-04
43.0	6	+9.8449949E-05	+2.7158588E-06	+1.0229999E-04	+9.5599995E-05	+1.0203928E-04
44.0	12	+1.0537491E-04	+7.2526654E-06	+1.1869998E-04	+9.8799997E-05	+1.0246511E-04
46.0	6	+1.0208322E-04	+7.6238781E-06	+1.1049999E-04	+9.2999995E-05	+1.0331676E-04
47.0	12	+1.0419986E-04	+5.4777777E-06	+1.1029999E-04	+9.2899994E-05	+1.0374259E-04
48.0	6	+1.1249995E-04	+5.3865976E-06	+1.1799999E-04	+1.0619999E-04	+1.0416842E-04
49.0	9	+1.0879991E-04	+4.7381994E-06	+1.1739999E-04	+1.0309999E-04	+1.0459424E-04
50.0	9	+1.1168877E-04	+2.2042982E-06	+1.1549999E-04	+1.0819999E-04	+1.0502008E-04
51.0	3	+1.1679995E-04	+5.3854444E-06	+1.2259998E-04	+1.1289998E-04	+1.0544591E-04
52.0	3	+1.1289995E-04	+2.1395029E-06	+1.1459999E-04	+1.1049999E-04	+1.0587173E-04
53.0	15	+1.0152655E-04	+1.0195688E-05	+1.1379999E-04	+8.6899992E-05	+1.0629756E-04
54.0	9	+1.0257767E-04	+8.6287359E-06	+1.1609999E-04	+9.3899987E-05	+1.0672339E-04
56.0	12	+1.0829158E-04	+3.0766848E-06	+1.1289998E-04	+1.0249999E-04	+1.0757504E-04
57.0	6	+1.0868724E-04	+7.7215675E-06	+1.1799999E-04	+9.7279998E-05	+1.0800086E-04

ANN 3066 PROPELLANT(IANT) TGLF ABOVE GLASS POINT, UNLND CAPTIONS


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
59.0	6	+1.0331557E-04	+4.1770335E-06	+1.0745998E-04	+9.6399991E-05	+1.0885253E-04
61.0	3	+1.0226658E-04	+6.5538058E-07	+1.0279999E-04	+1.0149958E-04	+1.0970419E-04
62.0	3	+1.1726659E-04	+3.0174066E-06	+1.1609599E-04	+1.1009959E-04	+1.1013001E-04
64.0	6	+1.0563324E-04	+2.0919991E-06	+1.0749998E-04	+1.0249999E-04	+1.1098168E-04

AMB 3066 PROPELLANT(ANT) TCLE ABOVE GLASS POINT, UNLND CARTONS

Y = ((-7.9155154E+01) + (-4.9883139E-02) * X)
 F = +8.8273719E+00 SIGNIFICANCE OF F = SIGNIFICANT
 R = -2.0038943E-01 SIGNIFICANCE OF R = SIGNIFICANT
 t = +2.9710893E+00 SIGNIFICANCE OF t = SIGNIFICANT
 N = 213 DEGREES OF FREEDOM = 211
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = AMB TEMP/RH



AMB 3066 PROPELLANT (ANT) GLASS POINT, UNLND CARTONS

Figure 7-4

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MCNTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	3	-7.4000000E+01	+1.0000000E+00	-7.3000000E+01	-7.5000000E+01	-7.2725631E+01
15.0	9	-7.6000000E+01	+4.5244289E+00	-6.7000000E+01	-8.2000000E+01	-7.3813400E+01
16.0	3	-7.7000000E+01	+1.0000000E+00	-7.6000000E+01	-7.8000000E+01	-7.3857284E+01
17.0	3	-7.7000000E+01	+1.0000000E+00	-7.6000000E+01	-7.8000000E+01	-7.3901153E+01
18.0	3	-7.3666656E+01	+1.5275252E+00	-7.2000000E+01	-7.5000000E+01	-7.3945037E+01
19.0	3	-7.1333328E+01	+5.7735026E-01	-7.1000000E+01	-7.2000000E+01	-7.3968922E+01
21.0	3	-7.3000000E+01	+1.7320508E+00	-7.1000000E+01	-7.4000000E+01	-7.4076650E+01
23.0	3	-7.3333328E+01	+5.7735026E-01	-7.3000000E+01	-7.4000000E+01	-7.4164459E+01
25.0	3	-7.2000000E+01	+1.0000000E+00	-7.1000000E+01	-7.3000000E+01	-7.4252227E+01
26.0	9	-7.3777770E+01	+2.1081851E+00	-7.1000000E+01	-7.7000000E+01	-7.4295112E+01
27.0	9	-7.3444442E+01	+1.3333333E+00	-7.2000000E+01	-7.6000000E+01	-7.4339996E+01
28.0	6	-7.3666656E+01	+2.2509257E+00	-7.0000000E+01	-7.6000000E+01	-7.4383880E+01
30.0	6	-7.5000000E+01	+1.2649110E+00	-7.4000000E+01	-7.7000000E+01	-7.4471633E+01
31.0	9	-7.3444442E+01	+1.4240006E+00	-7.0000000E+01	-7.5000000E+01	-7.4515518E+01
32.0	9	-7.3555541E+01	+2.1278575E+00	-7.0000000E+01	-7.6000000E+01	-7.4559402E+01
35.0	6	-7.4000000E+01	+1.0554451E+00	-7.2000000E+01	-7.5000000E+01	-7.4691055E+01
37.0	9	-7.2888885E+01	+2.2607766E+00	-6.9000000E+01	-7.5000000E+01	-7.4778823E+01
38.0	3	-7.3000000E+01	+1.0000000E+00	-7.2000000E+01	-7.4000000E+01	-7.4822708E+01
39.0	6	-7.4166656E+01	+3.1251666E+00	-7.1000000E+01	-7.7000000E+01	-7.4866592E+01
40.0	3	-7.7333328E+01	+1.5275252E+00	-7.6000000E+01	-7.9000000E+01	-7.4910476E+01
41.0	9	-7.5888885E+01	+2.5712081E+00	-7.1000000E+01	-7.9000000E+01	-7.4954360E+01
43.0	9	-7.5777770E+01	+1.9660625E+00	-7.3000000E+01	-7.9000000E+01	-7.5042114E+01
44.0	15	-7.5533325E+01	+2.6149751E+00	-7.1000000E+01	-7.9000000E+01	-7.5085958E+01
46.0	6	-7.1000000E+01	+2.0576176E+00	-6.9000000E+01	-7.5000000E+01	-7.5173767E+01
47.0	12	-7.6750000E+01	+2.843577E+00	-6.9000000E+01	-7.9000000E+01	-7.5217651E+01
48.0	6	-7.6333329E+01	+1.0327955E+00	-7.5000000E+01	-7.8000000E+01	-7.5261535E+01
49.0	9	-7.7666656E+01	+2.5495057E+00	-7.3000000E+01	-8.0000000E+01	-7.5305419E+01
50.0	9	-7.6666656E+01	+1.2247448E+00	-7.5000000E+01	-7.9000000E+01	-7.5349304E+01
51.0	3	-7.7333328E+01	+5.7735026E-01	-7.7000000E+01	-7.6000000E+01	-7.5393188E+01
52.0	3	-7.5000000E+01	+1.0000000E+00	-7.4000000E+01	-7.6000000E+01	-7.5437072E+01
53.0	9	-7.5333328E+01	+2.260679E+00	-7.3000000E+01	-7.9000000E+01	-7.5480957E+01

ANS 3066 PROPELLANT(ANT) GLASS POINT, UNLAD CARTONS


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
54.0	6	-7.4166656E+01	+2.766739E+00	-7.2000000E+01	-7.9000000E+01	-7.5524841E+01
56.0	9	-7.4333328E+01	+1.4142135E+00	-7.2000000E+01	-7.6000000E+01	-7.5612609E+01

ANB 3066 PROPELLANT(ANT) CLASS POINT, UNLND CARTONS

$F = +2.5868187E+01$ SIGNIFICANCE OF F = $(+1.6140233E-06) \times X1$
 $R = +5.1251170E-01$ SIGNIFICANT
 $t = +4.8855079E+00$ SIGNIFICANCE OF t = SIGNIFICANT
 $N = 69$ DEGREES OF FREEDOM = 67
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = AMB TEMP/RH



3066 PROPELLANT (AMB) 70LE ABOVE GLASS POINT, LINED CARTONS


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
17.0	5	+9.1699912E-05	+2.3152340E-05	+1.1439999E-04	+6.6399996E-05	+9.6173127E-05
18.0	12	+1.0143325E-04	+1.6756297E-05	+1.2139999E-04	+7.8999990E-05	+9.7787153E-05
19.0	3	+5.7333293E-05	+3.1589535E-07	+9.7595586E-05	+9.6999996E-05	+9.5401178E-05
20.0	6	+9.5599942E-05	+2.2333148E-05	+1.1959999E-04	+7.4899998E-05	+1.0101520E-04
21.0	9	+1.0852213E-04	+1.1510048E-05	+1.1979999E-04	+8.6399998E-05	+1.0262923E-04
22.0	6	+9.5816548E-05	+1.3013790E-05	+1.1239999E-04	+8.5199993E-05	+1.0424325E-04
23.0	6	+9.2266549E-05	+4.0345313E-06	+9.6999996E-05	+8.5299994E-05	+1.0585726E-04
24.0	3	+1.1393325E-04	+2.5868962E-06	+1.1589999E-04	+1.1049999E-04	+1.0747129E-04
25.0	6	+1.2119994E-04	+3.1863258E-06	+1.2549999E-04	+1.1699995E-04	+1.0908531E-04
31.0	3	+1.1796658E-04	+4.0798634E-06	+1.2249998E-04	+1.1459995E-04	+1.1876945E-04
33.0	6	+1.2024995E-04	+1.3155534E-06	+1.2149999E-04	+1.1819999E-04	+1.2199750E-04
34.0	3	+1.2283329E-04	+3.5656881E-06	+1.2619998E-04	+1.1909999E-04	+1.2361153E-04

ANB 3066 PROPELLANT(ANB) ICLE ABOVE GLASS FOINT, LINED CARTONS

F = +1.5198681E+01
 R = -4.4993095E-01
 C = +3.6329989E+00
 N = 54
 Y = ((-7.1106455E+01) + (-1.0035381E-01) * X)
 SIGNIFICANCE OF F = SIGNIFICANT
 SIGNIFICANCE OF R = SIGNIFICANT
 SIGNIFICANCE OF C = SIGNIFICANT
 DEGREES OF FREEDOM = 52
 STORAGE CONDITIONS = AMB TEMP/RH
 TEST CONDITIONS = AMB TEMP/RH



AMB 3066 PROPELLANT (ANT) GLASS POINT, LINED CARTONS

Figure 7-6


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	3	-7.400000E+01	+1.000000E+00	-7.3000000E+01	-7.5000000E+01	-7.2411056E+01
15.0	3	-7.566666E+01	+1.527525E+00	-7.4000000E+01	-7.7000000E+01	-7.2611770E+01
18.0	3	-7.366666E+01	+1.527525E+00	-7.2000000E+01	-7.5000000E+01	-7.2912826E+01
19.0	3	-7.133332E+01	+5.773502E-01	-7.1000000E+01	-7.2000000E+01	-7.3013183E+01
21.0	3	-7.300000E+01	+1.732050E+00	-7.1000000E+01	-7.4000000E+01	-7.2213882E+01
23.0	3	-7.233332E+01	+5.773502E-01	-7.3000000E+01	-7.4000000E+01	-7.3414596E+01
25.0	3	-7.200000E+01	+1.000000E+00	-7.1000000E+01	-7.3000000E+01	-7.3615295E+01
26.0	3	-7.233332E+01	+5.773502E-01	-7.2000000E+01	-7.3000000E+01	-7.3715652E+01
28.0	3	-7.233332E+01	+2.516611E+00	-7.0000000E+01	-7.5000000E+01	-7.3916366E+01
30.0	3	-7.433332E+01	+5.773502E-01	-7.4000000E+01	-7.5000000E+01	-7.4117065E+01
31.0	3	-7.233332E+01	+2.081665E+00	-7.0000000E+01	-7.4000000E+01	-7.4217422E+01
32.0	3	-7.233332E+01	+1.527525E+00	-7.1000000E+01	-7.4000000E+01	-7.4317779E+01
35.0	3	-7.466666E+01	+5.773502E-01	-7.4000000E+01	-7.5000000E+01	-7.4618835E+01
37.0	3	-7.466666E+01	+5.773502E-01	-7.4000000E+01	-7.5000000E+01	-7.4819549E+01
39.0	3	-7.700000E+01	+0.000000E+01	-7.7000000E+01	-7.7000000E+01	-7.5020263E+01
40.0	3	-7.733332E+01	+1.527525E+00	-7.6000000E+01	-7.9000000E+01	-7.5120605E+01
43.0	3	-7.466666E+01	+1.527525E+00	-7.3000000E+01	-7.6000000E+01	-7.5421676E+01
44.0	3	-7.700000E+01	+1.000000E+00	-7.6000000E+01	-7.8000000E+01	-7.5522018E+01

ANE 3066 PROPELLANT(ANT) GLASS POINT, LINED CARTONS

$\gamma = ((+5.2878712E-05) + (+1.6868946E-07) \times X)$
 $F = +4.4695576E+00$ SIGNIFICANCE OF F = SIGNIFICANT $S_0 = +5.6244614E-06$
 $R = +2.8133585E-01$ SIGNIFICANCE OF R = SIGNIFICANT $S_1 = +7.9791328E-08$
 $l = +2.1141328E+00$ SIGNIFICANCE OF l = SIGNIFICANT $S_2 = +5.4489357E-06$
 $N = 54$ DEGREES OF FREEDOM = 52
 STORAGE CONDITIONS = AMB TEMP/4H TEST CONDITIONS = AMB TEMP/4H



AMB 3066 PROPELLANT (ANT) TCLE BELOW GLASS POINT, LINED CARTONS

Figure 7-7


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	3	+5.219990E-05	+4.2460989E-06	+5.4799995E-05	+4.7299996E-05	+5.5071664E-05
15.0	3	+6.239994E-05	+4.9150378E-06	+6.799993E-05	+5.8799906E-05	+5.5409051E-05
18.0	3	+5.5699987E-05	+2.8581690E-06	+5.899998E-05	+5.3999999E-05	+5.5915123E-05
19.0	3	+6.1599988E-05	+8.9369307E-06	+7.1299989E-05	+5.3699986E-05	+5.6083808E-05
21.0	3	+5.1966650E-05	+4.1789182E-06	+5.6399992E-05	+4.8099997E-05	+5.6421180E-05
23.0	3	+5.3066658E-05	+2.4581592E-06	+5.5399999E-05	+5.0499991E-05	+5.6758566E-05
25.0	3	+6.0699996E-05	+6.6774687E-06	+6.999996E-05	+5.6499993E-05	+5.7095938E-05
26.0	3	+5.7966652E-05	+4.0065358E-06	+6.2099992E-05	+5.4099999E-05	+5.7264638E-05
28.0	3	+5.7699988E-05	+4.2296618E-06	+6.2399994E-05	+5.4179990E-05	+5.7602010E-05
30.0	3	+5.1233320E-05	+4.1101562E-06	+5.5499986E-05	+4.7299996E-05	+5.7939396E-05
31.0	3	+5.9399986E-05	+2.0988355E-06	+6.0899998E-05	+5.6999997E-05	+5.8108082E-05
32.0	3	+4.8266650E-05	+2.8536005E-06	+5.1499999E-05	+4.56099987E-05	+5.8276767E-05
35.0	3	+6.3666651E-05	+2.1126171E-06	+6.5899992E-05	+6.1699989E-05	+5.8782839E-05
37.0	3	+6.0066653E-05	+1.0682770E-06	+6.0999998E-05	+5.8899997E-05	+5.9120211E-05
39.0	3	+5.7833327E-05	+1.2694547E-06	+5.9299985E-05	+5.7099998E-05	+5.9457597E-05
40.0	3	+6.0866659E-05	+1.7784401E-06	+6.2899998E-05	+5.9599988E-05	+5.9626283E-05
43.0	3	+6.1199985E-05	+3.298739E-06	+6.499999E-05	+5.7899989E-05	+6.0132355E-05
44.0	3	+6.3533327E-05	+2.4703820E-06	+6.5799991E-05	+6.0899998E-05	+6.0301041E-05

AND 3066 PROPELLANT(ANT) TOLF BELOW GLASS POINT, LINED CARTONS

$Y = ((-7.4560748E+01) + (-1.3094158E-02) * X)$
 F = +7.5938059E+00 SIGNIFICANCE OF F = SIGNIFICANT $\sigma_f = +4.0627921E+00$
 R = -1.0287039E-01 SIGNIFICANCE OF R = SIGNIFICANT $S_e = +4.7516871E-03$
 t = +2.7556861E+00 SIGNIFICANCE OF t = SIGNIFICANT $S_r = +4.0440829E+00$
 N = 712 DEGREES OF FREEDOM = 710
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F, AMB RH



ANB 3066 PROPELLANT (ALL ANB) GLASS TRANSITION TEMPERATURE

Figure 7-8

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	6	-7.9166656E+01	+1.3291601E+00	-7.8000000E+01	-8.1000000E+01	-7.4730972E+01
16.0	3	-7.8666656E+01	+3.2145502E+00	-7.5000000E+01	-8.1000000E+01	-7.4770248E+01
17.0	12	-7.4583332E+01	+4.7950416E+00	-6.1000000E+01	-7.9000000E+01	-7.4783340E+01
18.0	12	-7.5500000E+01	+1.8829377E+00	-7.2000000E+01	-7.8000000E+01	-7.4796432E+01
19.0	3	-7.7000000E+01	+0.0000000E+00	-7.7000000E+01	-7.7000000E+01	-7.4809524E+01
20.0	6	-7.7166656E+01	+2.3166067E+00	-7.5000000E+01	-8.0000000E+01	-7.4822631E+01
21.0	12	-7.6333328E+01	+1.3026778E+00	-7.5000000E+01	-7.9000000E+01	-7.4835723E+01
22.0	9	-7.8000000E+01	+4.4158804E+00	-7.4000000E+01	-8.8000000E+01	-7.4848815E+01
23.0	9	-7.6666656E+01	+1.1180339E+00	-7.5000000E+01	-7.8000000E+01	-7.4861907E+01
24.0	6	-7.4500000E+01	+2.7386127E+00	-7.2000000E+01	-7.7000000E+01	-7.4875000E+01
25.0	6	-7.4333328E+01	+1.6329931E+00	-7.2000000E+01	-7.6000000E+01	-7.4888092E+01
27.0	3	-7.7000000E+01	+1.0000000E+00	-7.6000000E+01	-7.8000000E+01	-7.4914276E+01
28.0	6	-7.1833328E+01	+2.2286919E+00	-7.0000000E+01	-7.5000000E+01	-7.4927383E+01
29.0	3	-7.9666656E+01	+2.0816659E+00	-7.8000000E+01	-8.2000000E+01	-7.4940475E+01
30.0	3	-7.3000000E+01	+2.6457513E+00	-7.1000000E+01	-7.6000000E+01	-7.4953567E+01
31.0	9	-7.5333328E+01	+1.5811388E+00	-7.2000000E+01	-7.7000000E+01	-7.4966659E+01
33.0	11	-7.6181808E+01	+2.9263691E+00	-7.0000000E+01	-8.0000000E+01	-7.4992843E+01
34.0	7	-7.5857131E+01	+2.6095064E+00	-7.2000000E+01	-8.0000000E+01	-7.5005935E+01
35.0	4	-7.6500000E+01	+2.6457513E+00	-7.4000000E+01	-8.0000000E+01	-7.5019042E+01
36.0	5	-7.7500000E+01	+2.0736441E+00	-7.4000000E+01	-7.9000000E+01	-7.5032135E+01
37.0	4	-7.6250000E+01	+5.0000000E-01	-7.6000000E+01	-7.7000000E+01	-7.5045277E+01
38.0	6	-7.2833328E+01	+5.8452259E+00	-6.2000000E+01	-7.8000000E+01	-7.5058319E+01
39.0	3	-7.9333328E+01	+1.1547005E+00	-7.8000000E+01	-8.0000000E+01	-7.5071411E+01
41.0	3	-7.8000000E+01	+1.0000000E+00	-7.7000000E+01	-7.9000000E+01	-7.5097595E+01
42.0	1	-7.4000000E+01	+0.0000000E+00	-7.4000000E+01	-7.4000000E+01	-7.5110702E+01
43.0	3	-7.6333328E+01	+1.1547005E+00	-7.5000000E+01	-7.7000000E+01	-7.5123794E+01
45.0	1	-7.6000000E+01	+0.0000000E+00	-7.6000000E+01	-7.6000000E+01	-7.5149978E+01
47.0	4	-6.9750000E+01	+5.6789083E+00	-6.2000000E+01	-7.4000000E+01	-7.5176162E+01
48.0	3	-7.6000000E+01	+1.9999999E+00	-7.4000000E+01	-7.8000000E+01	-7.5189254E+01
49.0	6	-7.1500000E+01	+5.6480084E+00	-6.6000000E+01	-8.1000000E+01	-7.5202362E+01
50.0	3	-7.8000000E+01	+2.6457513E+00	-7.5000000E+01	-8.0000000E+01	-7.5215454E+01

ANB-3066 PROPELLANT (ALL ANB) GLASS TRANSITION TEMPERATURE

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
51.0	3	-7.4333328E+01	+2.0816659E+00	-7.2000000E+01	-7.6000000E+01	-7.5228546E+01
52.0	6	-7.7500000E+01	+5.3944415E+00	-7.1000000E+01	-8.3000000E+01	-7.5241638E+01
53.0	13	-7.3384613E+01	+4.3691811E+00	-6.5000000E+01	-7.9000000E+01	-7.5254730E+01
54.0	16	-7.1875000E+01	+4.2720018E+00	-6.5000000E+01	-7.8000000E+01	-7.5267822E+01
55.0	13	-7.3230758E+01	+4.4376015E+00	-6.7000000E+01	-8.1000000E+01	-7.5280914E+01
56.0	6	-7.8333328E+01	+1.7511900E+00	-7.7000000E+01	-8.1000000E+01	-7.5294021E+01
57.0	6	-7.5000000E+01	+1.6733200E+00	-7.3000000E+01	-7.7000000E+01	-7.5307113E+01
58.0	12	-7.3333328E+01	+4.1633319E+00	-6.2000000E+01	-7.8000000E+01	-7.5320205E+01
59.0	3	-6.6666656E+01	+5.0332229E+00	-6.2000000E+01	-7.2000000E+01	-7.5333297E+01
60.0	9	-7.8666656E+01	+1.9999999E+00	-7.5000000E+01	-8.1000000E+01	-7.5346389E+01
61.0	11	-7.5181808E+01	+4.8952667E+00	-6.9000000E+01	-8.4000000E+01	-7.5359481E+01
62.0	9	-7.4333328E+01	+2.8722813E+00	-6.8000000E+01	-7.9000000E+01	-7.5372573E+01
63.0	9	-7.9000000E+01	+2.1794494E+00	-7.6000000E+01	-8.2000000E+01	-7.5385665E+01
64.0	3	-7.4333328E+01	+1.5275252E+00	-7.3000000E+01	-7.6000000E+01	-7.5398773E+01
65.0	3	-7.3666656E+01	+2.0816659E+00	-7.2000000E+01	-7.6000000E+01	-7.5411865E+01
66.0	4	-7.2500000E+01	+3.4156502E+00	-6.9000000E+01	-7.7000000E+01	-7.5424957E+01
67.0	1	-7.4000000E+01	+0.0000000E+01	-7.4000000E+01	-7.4000000E+01	-7.5438049E+01
68.0	3	-7.7333328E+01	+1.1547005E+00	-7.6000000E+01	-7.8000000E+01	-7.5451141E+01
69.0	18	-7.4111099E+01	+3.3235149E+00	-6.8000000E+01	-8.0000000E+01	-7.5464233E+01
70.0	12	-7.4916656E+01	+5.5670839E+00	-5.8000000E+01	-7.8000000E+01	-7.5477325E+01
72.0	18	-7.5111099E+01	+6.1056206E+00	-5.6000000E+01	-8.1000000E+01	-7.5503524E+01
73.0	9	-7.4444442E+01	+5.7469798E+00	-6.3000000E+01	-7.9000000E+01	-7.5516616E+01
74.0	1	-7.9000000E+01	+0.0000000E+01	-7.9000000E+01	-7.9000000E+01	-7.5529708E+01
75.0	7	-7.4714279E+01	+3.4982989E+00	-7.0000000E+01	-7.8000000E+01	-7.5542800E+01
76.0	5	-7.6599900E+01	+3.2863353E+00	-7.3000000E+01	-7.9000000E+01	-7.5555892E+01
77.0	9	-7.622213E+01	+3.8980051E+00	-7.0000000E+01	-8.0000000E+01	-7.5568984E+01
78.0	12	-7.6250000E+01	+2.7675062E+00	-7.2000000E+01	-8.2000000E+01	-7.5582092E+01
79.0	6	-7.2666656E+01	+1.0327955E+00	-7.2000000E+01	-7.4000000E+01	-7.5595184E+01
80.0	9	-6.8555541E+01	+5.2941267E+00	-5.7000000E+01	-7.4000000E+01	-7.5608276E+01
81.0	18	-7.2888885E+01	+6.0865221E+00	-5.6000000E+01	-7.9000000E+01	-7.5621368E+01
82.0	3	-7.8000000E+01	+1.0000000E+00	-7.7000000E+01	-7.9000000E+01	-7.5634460E+01

ANB 3066 PROPELLANT (ALL ANB) GLASS TRANSITION TEMPERATURE

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
83.0	4	-7.7000000E+01	+7.0237691E+00	-7.0000000E+01	-8.4000000E+01	-7.5647552E+01
84.0	6	-7.5666666E+01	+2.8751811E+00	-7.4000000E+01	-8.2000000E+01	-7.5660644E+01
85.0	3	-7.4000000E+01	+1.0000000E+00	-7.3000000E+01	-7.5000000E+01	-7.5673751E+01
86.0	3	-7.5666666E+01	+2.0816659E+00	-7.4000000E+01	-7.8000000E+01	-7.5686843E+01
87.0	13	-7.5307678E+01	+2.8978329E+00	-6.8000000E+01	-7.8000000E+01	-7.5699935E+01
88.0	9	-7.4666666E+01	+4.0311288E+00	-7.0000000E+01	-8.1000000E+01	-7.5713027E+01
89.0	21	-7.4857131E+01	+3.4682230E+00	-6.4000000E+01	-7.9000000E+01	-7.5726119E+01
90.0	9	-7.7444442E+01	+4.0034707E+00	-7.0000000E+01	-8.2000000E+01	-7.5739212E+01
91.0	6	-7.3166656E+01	+9.8319208E-01	-7.2000000E+01	-7.4000000E+01	-7.5752304E+01
92.0	3	-7.8333328E+01	+1.1547005E+00	-7.7000000E+01	-7.9000000E+01	-7.5778503E+01
94.0	9	-7.5000000E+01	+2.3452078E+00	-7.2000000E+01	-7.9000000E+01	-7.5791595E+01
95.0	12	-7.7083328E+01	+1.7816403E+00	-7.3000000E+01	-7.9000000E+01	-7.5804687E+01
96.0	18	-7.5611099E+01	+3.1648601E+00	-7.1000000E+01	-8.1000000E+01	-7.5817779E+01
97.0	3	-7.6000000E+01	+0.0000000E+00	-7.6000000E+01	-7.6000000E+01	-7.5830871E+01
98.0	6	-7.7833328E+01	+1.3291501E+00	-7.6000000E+01	-8.0000000E+01	-7.5843963E+01
100.0	3	-7.8333328E+01	+1.5275252E+00	-7.7000000E+01	-8.0000000E+01	-7.5870162E+01
101.0	3	-7.5666656E+01	+1.1547005E+00	-7.5000000E+01	-7.7000000E+01	-7.5883255E+01
102.0	3	-7.9333328E+01	+1.1547005E+00	-7.8000000E+01	-8.0000000E+01	-7.5896347E+01
104.0	3	-6.9333328E+01	+1.1547005E+00	-6.9000000E+01	-7.0000000E+01	-7.5922531E+01
105.0	12	-7.5833328E+01	+1.9462473E+00	-7.2000000E+01	-7.9000000E+01	-7.5935623E+01
106.0	6	-7.5833328E+01	+1.7224014E+00	-7.3000000E+01	-7.8000000E+01	-7.5948715E+01
107.0	3	-7.5333328E+01	+1.1547005E+00	-7.4000000E+01	-7.6000000E+01	-7.5961822E+01
109.0	9	-7.2000000E+01	+6.7268120E+00	-6.0000000E+01	-7.8000000E+01	-7.5988006E+01
110.0	6	-7.2666656E+01	+8.1649658E-01	-7.2000000E+01	-7.4000000E+01	-7.6001098E+01
111.0	12	-7.4416656E+01	+3.8247598E+00	-6.6000000E+01	-8.0000000E+01	-7.6014190E+01
112.0	3	-7.3333328E+01	+2.0816659E+00	-7.1000000E+01	-7.5000000E+01	-7.6027282E+01
113.0	15	-7.8000000E+01	+2.2970681E+00	-7.4000000E+01	-8.1000000E+01	-7.6040374E+01
114.0	3	-7.2333328E+01	+2.3094010E+00	-7.1000000E+01	-7.5000000E+01	-7.6053482E+01
115.0	6	-7.7333328E+01	+1.8618986E+00	-7.5000000E+01	-7.9000000E+01	-7.6066574E+01
116.0	6	-7.4500000E+01	+3.8349579E+00	-7.1000000E+01	-7.8000000E+01	-7.6079666E+01
117.0	9	-7.7777770E+01	+2.3863035E+00	-7.5000000E+01	-8.1000000E+01	-7.6092758E+01

ANB 3066 PROPELLANT (ALL ANB) GLASS TRANSITION TEMPERATURE


*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
118.0	15	-7.7066665E+01	+2.5485756E+00	-7.2000000E+01	-8.1000000E+01	-7.6105850E+01
119.0	3	-7.4000000E+01	+1.9999999E+00	-7.2000000E+01	-7.6000000E+01	-7.6118942E+01
121.0	1	-7.8000000E+01	+0.0000000E+83	-7.8000000E+01	-7.8000000E+01	-7.6145141E+01
122.0	3	-8.2333328E+01	+1.1547005E+00	-8.1000000E+01	-8.3000000E+01	-7.6158233E+01
123.0	9	-8.0111099E+01	+1.7649710E+00	-7.7000000E+01	-8.3000000E+01	-7.6171325E+01
124.0	6	-7.9333328E+01	+1.5055453E+00	-7.8000000E+01	-8.2000000E+01	-7.6184417E+01
126.0	6	-7.8833328E+01	+4.0824829E-01	-7.8000000E+01	-7.9000000E+01	-7.6210601E+01
127.0	3	-7.9666656E+01	+5.7735026E-01	-7.9000000E+01	-8.0000000E+01	-7.6223693E+01
137.0	9	-8.1888385E+01	+2.2607765E+00	-7.8000000E+01	-8.5000000E+01	-7.6354644E+01

ANB 3066 PROPELLANT (ALL ANB) GLASS TRANSITION TEMPERATURE

$Y = ((+5.8768219E-05) + (-3.9246493E-08) * X)$
 F = +2.3605916E+01 SIGNIFICANCE OF F = SIGNIFICANT $\sigma_1 = +6.8301646E-06$
 R = -1.9121707E-01 SIGNIFICANCE OF R = SIGNIFICANT $S_e = +8.0777504E-09$
 t = +4.8585919E+00 SIGNIFICANCE OF t = SIGNIFICANT $S_e = +6.7095199E-06$
 N = 624 DEGREES OF FREEDOM = 622
 STORAGE CONDITIONS = AMB TEMP/RH TEST CONDITIONS = 77 DEG F. AMB RH



AMB 3066 PROPELLANT (ALL AMB) THERMAL COEFFICIENT OF LINEAR EXPANSION (BELOW GP)

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
13.0	6	+5.3916621E-05	+6.2753943E-06	+6.0799997E-05	+4.7499997E-05	+5.8258010E-05
16.0	3	+5.1966650E-05	+2.6632660E-06	+5.3699985E-05	+4.8659993E-05	+5.8140270E-05
17.0	12	+5.6624936E-05	+4.0034709E-06	+6.2699977E-05	+4.9999987E-05	+5.8101024E-05
18.0	12	+6.2508232E-05	+3.5568773E-06	+6.7759992E-05	+5.7099998E-05	+5.8061777E-05
19.0	3	+7.1266651E-05	+9.0687181E-07	+7.2099996E-05	+7.0259996E-05	+5.8022531E-05
20.0	6	+6.4733321E-05	+3.7419723E-06	+7.1699992E-05	+6.0599995E-05	+5.7983284E-05
21.0	12	+6.2741572E-05	+3.9486626E-06	+6.9899933E-05	+5.7699988E-05	+5.7944038E-05
22.0	9	+6.622128E-05	+5.5745868E-06	+7.6699987E-05	+5.5499993E-05	+5.7904791E-05
23.0	9	+6.6888795E-05	+3.9360438E-06	+7.1299989E-05	+5.9699988E-05	+5.7865545E-05
24.0	6	+5.1583279E-05	+1.2947237E-05	+6.4699997E-05	+3.4699987E-05	+5.7826298E-05
25.0	6	+5.9716636E-05	+4.1448114E-06	+6.5499989E-05	+5.4099989E-05	+5.7787052E-05
27.0	3	+4.2033323E-05	+4.7647920E-06	+4.5499997E-05	+3.6599987E-05	+5.7708559E-05
28.0	6	+5.6533288E-05	+4.2836247E-06	+6.1099999E-05	+4.9299997E-05	+5.7669312E-05
30.0	3	+6.0499995E-05	+3.1430244E-06	+6.3299987E-05	+5.7099988E-05	+5.7590819E-05
31.0	9	+5.6677701E-05	+1.2959945E-05	+7.4999989E-05	+3.9199992E-05	+5.7551573E-05
33.0	9	+6.3733212E-05	+3.7361734E-06	+7.0599999E-05	+5.8899997E-05	+5.7473080E-05
34.0	3	+6.0033315E-05	+2.0852762E-07	+6.0199992E-05	+5.9799989E-05	+5.7433833E-05
35.0	3	+6.2166654E-05	+1.9292866E-06	+6.3699990E-05	+5.9599991E-05	+5.7394507E-05
36.0	6	+5.6949939E-05	+7.2962472E-06	+6.7499990E-05	+4.8799993E-05	+5.7355340E-05
37.0	3	+5.6633316E-05	+1.2344127E-06	+5.7999990E-05	+5.5599986E-05	+5.7316094E-05
38.0	6	+5.6049975E-05	+6.6662801E-06	+6.5999993E-05	+5.0399990E-05	+5.7276847E-05
43.0	3	+4.2399988E-05	+5.2847069E-06	+4.7299996E-05	+3.6799989E-05	+5.7080615E-05
47.0	3	+5.6666656E-05	+2.9397870E-06	+5.9099998E-05	+5.3399999E-05	+5.6923629E-05
48.0	3	+5.9899990E-05	+8.5766375E-06	+6.7299988E-05	+5.0499991E-05	+5.6884382E-05
49.0	6	+5.0883303E-05	+4.0678773E-06	+5.6299992E-05	+4.6199987E-05	+5.6845135E-05
51.0	3	+5.4333319E-05	+1.0944074E-05	+6.2599996E-05	+4.2399988E-05	+5.6766642E-05
52.0	6	+5.6399963E-05	+4.9425966E-06	+6.3499988E-05	+4.9999987E-05	+5.6727396E-05
53.0	12	+5.5824901E-05	+6.7602796E-06	+6.6999986E-05	+4.4399988E-05	+5.6688149E-05
54.0	15	+5.6439908E-05	+6.1620465E-06	+6.5299987E-05	+4.5999986E-05	+5.6648903E-05
55.0	12	+5.0916583E-05	+3.6674069E-06	+5.7499986E-05	+4.6599991E-05	+5.6609656E-05
56.0	6	+5.9199941E-05	+3.4376909E-06	+6.2999999E-05	+5.4099989E-05	+5.6570410E-05

ANR 3066 PROPELLANT (ALL AND) THERMAL COEFFICIENT OF LINEAR EXPANSION (HELD GP)

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
57.0	6	+5.9916594E-05	+2.6611937E-06	+6.3399987E-05	+5.7199998E-05	+5.6531163E-05
58.0	9	+5.1777693E-05	+3.9071397E-06	+5.6599974E-05	+4.3599985E-05	+5.6491917E-05
59.0	3	+5.836655E-05	+3.9206669E-06	+6.2499995E-05	+5.4699994E-05	+5.6452670E-05
60.0	6	+5.6566583E-05	+2.2623002E-06	+5.9399986E-05	+5.3699986E-05	+5.6413424E-05
61.0	8	+5.2862422E-05	+7.6518538E-06	+6.3799991E-05	+4.2599992E-05	+5.6374177E-05
62.0	9	+4.9733236E-05	+6.3610258E-06	+6.0999998E-05	+4.5099994E-05	+5.6334931E-05
63.0	9	+5.5655444E-05	+3.1493921E-06	+6.1899991E-05	+5.1899987E-05	+5.6295684E-05
65.0	3	+5.9699988E-05	+7.9189182E-06	+6.8699999E-05	+5.3799987E-05	+5.6217191E-05
69.0	6	+4.6633300E-05	+2.7080220E-06	+5.0999995E-05	+4.3099993E-05	+5.6060205E-05
70.0	6	+4.9033318E-05	+4.3084001E-06	+5.2799994E-05	+4.7499985E-05	+5.6020959E-05
72.0	15	+5.5853233E-05	+5.2494332E-06	+6.8599998E-05	+4.7499997E-05	+5.5942466E-05
73.0	9	+5.4099931E-05	+6.2053731E-06	+5.9899990E-05	+4.1259994E-05	+5.5903219E-05
75.0	3	+4.5533321E-05	+7.5233595E-06	+5.4099989E-05	+3.9999998E-05	+5.5824726E-05
76.0	3	+4.9666661E-05	+1.2213629E-06	+5.0999995E-05	+4.8599991E-05	+5.5785480E-05
77.0	9	+5.1488837E-05	+5.1402858E-06	+5.9499987E-05	+4.3459996E-05	+5.5746233E-05
78.0	9	+5.4455478E-05	+5.6651894E-06	+6.0999998E-05	+4.6799992E-05	+5.5706987E-05
79.0	6	+6.2366598E-05	+3.7807496E-06	+6.6399996E-05	+5.6599994E-05	+5.5667740E-05
80.0	9	+5.3611060E-05	+7.0627172E-06	+6.6399996E-05	+4.4299988E-05	+5.5628494E-05
81.0	18	+5.5988784E-05	+6.8188093E-06	+6.8199995E-05	+4.4599993E-05	+5.5589247E-05
82.0	3	+5.4633317E-05	+2.7061202E-06	+5.7599987E-05	+5.2299990E-05	+5.5550000E-05
84.0	3	+5.8099991E-05	+1.8187427E-06	+6.0199992E-05	+5.6559997E-05	+5.5471507E-05
85.0	3	+6.1366648E-05	+2.8358293E-06	+6.3199986E-05	+5.8059991E-05	+5.5432261E-05
86.0	3	+5.1266644E-05	+6.1239834E-06	+5.5799988E-05	+4.4299988E-05	+5.5393014E-05
87.0	12	+5.4899923E-05	+5.4743172E-06	+6.2199993E-05	+4.4599993E-05	+5.5353768E-05
88.0	9	+5.0444386E-05	+6.8172401E-06	+6.0199992E-05	+4.2759991E-05	+5.5314521E-05
89.0	21	+5.4757067E-05	+7.7618801E-06	+6.9799993E-05	+4.2999992E-05	+5.5275275E-05
90.0	9	+5.0166559E-05	+5.2093016E-06	+6.9599991E-05	+5.3399999E-05	+5.5236028E-05
91.0	6	+5.1133247E-05	+6.5578822E-06	+6.0099991E-05	+4.0559992E-05	+5.5196782E-05
93.0	3	+4.8799993E-05	+4.8661364E-06	+5.1999988E-05	+4.3199994E-05	+5.5118289E-05
94.0	9	+5.6777716E-05	+6.4687665E-06	+6.9099987E-05	+4.8999994E-05	+5.5079042E-05
95.0	12	+5.2424918E-05	+5.0811790E-06	+5.9999991E-05	+4.3899999E-05	+5.5039796E-05

ANB 3066 PROPELLANT (ALL ANB) THERMAL COEFFICIENT OF LINEAR EXPANSION (BELOW GP)

*** LINEAR REGRESSION ANALYSIS ***

*** ANALYSIS OF TIME SERIES ***

AGE (MONTHS)	SPECIMENS PER GROUP	MEAN Y	STANDARD DEVIATION	MAXIMUM Y	MINIMUM Y	REGRESSION Y
96.0	15	+5.5233263E-05	+4.8590212E-06	+6.6399996E-05	+4.4399988E-05	+5.5000549E-05
97.0	3	+5.1799986E-05	+4.2884217E-06	+5.5499986E-05	+4.7099994E-05	+5.4961303E-05
98.0	6	+5.8299978E-05	+7.5985227E-06	+6.7499990E-05	+4.9599987E-05	+5.4922056E-05
100.0	3	+5.5899989E-05	+2.8928541E-06	+5.9199999E-05	+5.3799987E-05	+5.4843563E-05
101.0	3	+5.1399983E-05	+3.7400820E-06	+5.3899988E-05	+4.7099994E-05	+5.4804317E-05
102.0	3	+5.5233322E-05	+5.4269820E-06	+6.1499988E-05	+5.2099989E-05	+5.4765070E-05
104.0	3	+6.6033331E-05	+3.9256168E-06	+6.8299996E-05	+6.1499988E-05	+5.4686577E-05
105.0	12	+5.7349883E-05	+6.3187546E-06	+6.6199994E-05	+4.8499990E-05	+5.4647331E-05
106.0	6	+5.2766641E-05	+3.6474095E-06	+5.7399985E-05	+4.6799992E-05	+5.4608084E-05
107.0	3	+5.4966658E-05	+5.6959798E-07	+5.5599986E-05	+5.4499992E-05	+5.4568838E-05
109.0	9	+5.5844371E-05	+9.0857988E-06	+6.7799992E-05	+4.2199986E-05	+5.4490345E-05
110.0	6	+5.7883284E-05	+4.2391026E-06	+6.4099993E-05	+5.2299990E-05	+5.4451098E-05
111.0	12	+5.5249925E-05	+4.0103590E-06	+6.0699996E-05	+4.6599994E-05	+5.4411852E-05
112.0	3	+5.5899989E-05	+6.4466916E-06	+6.0299993E-05	+4.8499990E-05	+5.4372605E-05
113.0	15	+5.2386589E-05	+6.0595534E-06	+5.9999991E-05	+4.0299986E-05	+5.4333359E-05
114.0	3	+5.6066652E-05	+2.0029906E-06	+5.7999990E-05	+5.3599989E-05	+5.4294112E-05
115.0	6	+5.4899952E-05	+5.9822675E-06	+6.1599988E-05	+4.3999985E-05	+5.4254865E-05
116.0	6	+5.3866606E-05	+2.8020926E-06	+5.8899997E-05	+5.0299990E-05	+5.4215619E-05
117.0	9	+5.5766577E-05	+4.2585946E-06	+6.4299994E-05	+4.8099987E-05	+5.4176372E-05
118.0	15	+5.2439892E-05	+5.3291840E-06	+6.1899991E-05	+4.2099985E-05	+5.4137126E-05
119.0	3	+5.0966656E-05	+4.0266854E-07	+5.1199996E-05	+5.0499991E-05	+5.4097879E-05
121.0	1	+6.0099991E-05	+0.0000000E+00	+6.0099991E-05	+6.0099991E-05	+5.4019386E-05
122.0	3	+5.7699988E-05	+3.4043063E-06	+6.0999998E-05	+5.4199990E-05	+5.3980140E-05
123.0	9	+5.9555488E-05	+3.6383637E-06	+6.4299994E-05	+5.3499999E-05	+5.3940893E-05
124.0	6	+6.0683261E-05	+1.5181951E-06	+6.2799997E-05	+5.8399992E-05	+5.3901647E-05
126.0	6	+5.9733283E-05	+2.4770897E-06	+6.3299987E-05	+5.6399992E-05	+5.3823154E-05
127.0	3	+5.8699981E-05	+3.1605510E-06	+6.1999991E-05	+5.5699987E-05	+5.3783907E-05
137.0	9	+5.3522147E-05	+5.4206517E-06	+6.1999991E-05	+4.4099986E-05	+5.3391442E-05

ANB 3066 PROPELLANT (ALL ANB) THERMAL COEFFICIENT OF LINEAR EXPANSION (BELOW GP)

SECTION VIII
CASE LINER BONDS

Cartons of propellant were lined with SD-851-2 liner/V-45 rubber. In the preparation of these cartons there are marked irregularities in the liner with the liner frequently penetrating up to 0.3" into the propellant. Moreover, some of these liners are pink with varying degrees of tackiness while others are buff colored and usually with little tackiness.

Two reports (MANCP Report Nr. 357(76) and ASPC Report 0162-06SAAS-15, Addendum 1, April 1976) detail a cooperative study on several cartons which had this problem. In this report ANB and ANT cartons of several ages have been combined to obtain time to failure (Table 8-1). The stress to cause failure at 100 minutes is well above the alert limit for storage for both constant load tensile and constant load shear. Plots are shown in Figures 8-1 thru 8-4. All show a significant decrease. It may be possible in the next report to do lot analyses to pinpoint those lots in which early failure may occur.

TABLE 8-1


SUMMARY OF REGRESSION ANALYSIS, STRESS VS TIME TO FAILURE

Test	Propint Type	Intercept		Slope		Std(1) error	Correl Coeff.	Nr of Spec	Mean σ_1	Predicted Stress To Cause Failure		95% Confidence Limits		95% Confidence Limits	
		Mean a	Std Dev a	Mean b	Std Dev b					UL	LL	UL	LL		
Constant Load	ANB	18.308	0.868	-10.177	0.522	0.874	-0.828	176	69.951	130.230	58.942	40.038	52.369	23.760	
	ANT	17.649	0.936	-9.356	0.529	0.930	-0.828	145	76.980	163.010	65.130	47.057	60.495	24.198	
Constant Load Shear	ANB	12.282	0.375	-7.496	0.229	0.498	-0.906	234	43.504	60.857	33.120	23.535	17.807	9.651	
	ANT	12.583	0.548	-7.469	0.332	0.438	-0.888	137	48.395	69.262	40.391	26.122	20.162	11.666	

Regression Model: $\log(\text{time to failure}) = a + b(\log \text{ stress}, \text{psi})$

(1) Std error stated in terms of log time since time is dependent variable


$LOG(Y) = ((+1.8307735E+01) + (-1.0176585E+01) * LOG(X))$
 $F = +3.7945674E+02$ SIGNIFICANCE OF F = SIGNIFICANT $\sigma_1 = +1.5552457E+00$
 $R = -8.2801708E-01$ SIGNIFICANCE OF R = SIGNIFICANT $S_1 = +5.2242137E-01$
 $t = +1.9479649E+01$ SIGNIFICANCE OF t = SIGNIFICANT $S_2 = +8.7453300E-01$
 $N = 176$ DEGREES OF FREEDOM = 174



ANB CONSTANT LOAD TENSILE LOG TIME TO FAILURE VS LOG STRESS AT RUPTURE

Figure 8-1

$\text{LOG}(Y) = ((+1.2281972E+01) + (-7.4957068E+00) * \text{LOG}(X))$
 $F = +1.0655816E+03$ SIGNIFICANCE OF F = SIGNIFICANT
 $R = -9.0620409E-01$ SIGNIFICANCE OF R = SIGNIFICANT
 $t = +3.2643248E+01$ SIGNIFICANCE OF t = SIGNIFICANT
 $N = 234$ DEGREES OF FREEDOM = 232




ALERT LIMIT: 15.4 psi

ANB CONSTANT LOAD SHEAR LOG TIME TO FAILURE VS LOG STRESS AT RUPTURE

Figure 8-2


$LOG(Y) = ((+1.7649601E+01) + (-9.3563413E+00) * LOG(X))$
 $F = +3.1228631E+02$ SIGNIFICANCE OF F = SIGNIFICANT
 $R = -8.2819800E-01$ SIGNIFICANCE OF R = SIGNIFICANT
 $t = +1.7671624E+01$ SIGNIFICANCE OF t = SIGNIFICANT
 $N = 145$ DEGREES OF FREEDOM = 143



ANT CONSTANT LOAD TENSILE LOG TIME TO FAILURE VS LOG STRESS AT RUPTURE

Figure 8-3

$\text{LOG (Y)} = ((+1.2583084E+01) + (-7.4685835E+00) * \text{LOG (X)})$
 $F = +5.0525531E+02$ SIGNIFICANCE OF F = SIGNIFICANT
 $R = -8.8833924E-01$ SIGNIFICANCE OF R = SIGNIFICANT
 $t = +2.2477885E+01$ SIGNIFICANCE OF t = SIGNIFICANT
 $N = 137$ DEGREES OF FREEDOM = 135



ANT CONSTANT LOAD SHEAR LOG TIME TO FAILURE VS LOG STRESS AT RUPTURE

Figure 8-4

APPENDIX
ANALYSIS OF COVARIANCE

The results of the analysis of covariance as described in Section III are summarized in Table A-A. The number in each block refer to the table number of each analysis. The tables show the specific F ratio and an associated degrees of freedom for each statistical test conducted.

TABLE A-A

ANALYSIS OF COVARIANCE
SUMMARY OF SIGNIFICANCE

Propellant Group	VLR Tensile		HR Triax Tensile				Stress Relax 1% Strain		TCLE	
	Sm	er	Sm	er	E	E10	E1000	Above	Glass Point	
ANT(Lined) vs ANT(Unlined)	1 Sig	2 Sig	28 Sig	29 Sig	30 Sig	55 Sig	56 Sig	69 Sig	70 Sig	
ANB(Lined) vs ANT(Lined)	4 Sig	5 Sig	31 Sig	32 Sig	33 Sig	57 Sig	58 Sig			
ANA(Unlined) vs ANB(Unlined)	7 Sig	8 Sig	34 Sig	35 Sig	36 Sig	59 Sig	60 Sig	71 Sig	72 Sig	
ANA(Unlined) vs ANB(Unlined) vs ANT(Unlined)	10 Sig	11 Sig	37 Sig	38 Sig	39 Sig	61 Sig	62 Sig	73 Sig	74 Sig	
ANB(Lined) Lot to Lot	13 Sig	14 Sig	40 Sig	41 Sig	42 Sig					
ANT(Lined) Lot to Lot	16 Sig	17 Sig	42 Sig	44 Sig	45 Sig	63 Sig	64 Sig			
ANA(Unlined) Lot to Lot	19 Sig	20 Sig	46 Sig	47 Sig	48 Sig	65 Sig	66 Sig			
ANB(Unlined) Lot to Lot	22 Sig	23 Sig	49 Sig	50 Sig	51 Sig					
ANT(Unlined) Lot to Lot	25 Sig	26 Sig	52 Sig	53 Sig	54 Sig	67 Sig	68 Sig			

Blanks - Data not available for covariance analysis.

TABLE A-1

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			REGRESSION
		X	XY	Y	SS	AS	COEFFICIENT	
		SUMS OF SQUARES AND PRODUCTS			ABOUT REGRESSION			
UNLINED	323	46052.4375	18665.4375	24775.0000	17209.7422	53.4464	0.4053062E+01	
LINED	77	5317.4375	1109.8125	4067.1250	3865.4932	50.0723	0.2087115E+01	
WITHIN	400	51369.8750	19775.2500	28812.1250	21199.4844	52.1315	0.3849580E+01	
AMONG	1	4153.1250	3569.7500	3065.8750	2.4424	0.0000	0.0000000E+00	
TOTAL	401	55523.0000	23345.0000	31878.0000	22062.4453	55.1561	0.0000000E+00	

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 3.4294 DF = 1, 398
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 16.2420 DF = 1, 399
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 143.2791 DF = 1, 399

ANT LINED VS UNLINED CARTONS VLR TENSILE 77 DEG F, 0.0002 IN/MIN, MAXIMUM STRESS

TABLE A-2

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		Y	UF	DEVIATIONS		MS	REGRESSION
		SS	XY			SS	AS		
UNLML	320	0.467524E+00	0.200801E+02	0.118772E+00	320	0.104305E+00	0.723930E-03	0.453356E-07	
LINCO	77	0.531744E+04	-0.270677E+01	0.100000E-01	77	0.152504E-01	0.200664E-03	-0.514641E-04	
WTFIN	400	0.513698E+05	0.161436E+02	0.130431E+00	399	0.124023E+00	0.310034E-03	0.552154E-03	
ARCOS	1	0.410312E+04	0.216808E+01	0.118097E-02	0	0.534707E-05	0.000000E+00	0.521068E-03	
TOTAL	401	0.555230E+05	0.203076E+02	0.131664E+00	400	0.124137E+00	0.210341E-03	0.365751E-03	

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 14.8712 DF = 1, 390
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 0.3456 DF = 1, 399
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 20.6181 DF = 1, 399

AMT LINEL VS COLLIMED CANYONS VLN VEHSILE 77 DEG F .0002 IN/MIN. STRAIN AT RUPTRE

TABLE A-3

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	X	XY	Y	DF	SS	MS	REGRESSION
MODEL	323	0.467524E+04	0.152955E+06	0.316557E+07	322	0.757152E+07	0.795580E+04	0.3321387E+01
LINE	77	0.531794E+04	0.205750E+06	0.421081E+06	76	0.140620E+06	0.648155E+04	0.366150E+01
WITHIN	400	0.517595E+04	0.175633E+06	3.69750E+07	399	0.290665E+07	0.727741E+04	0.336105E+01
TOTAL	401	0.515307E+04	0.246980E+06	0.342790E+07	400	0.352300E+07	0.800000E+04	0.300700E+01
TOTAL	401	0.555256E+04	0.196231E+06	0.363747E+07	400	0.292902E+07	0.732251E+04	0.300000E+01

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 0.2101 DF = 1, 399
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 3.5406 DF = 1, 399
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 61.6453 DF = 1, 399

ANY LINEE VS UNLINED CARBONS VUR TENSILE 77 DEG F, 0.0002 IN/IN, MODULUS

TABLE A-4

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			REGRESSION
		SUMS OF SQUARES	XY	Y	ABOUT REGRESSION	SS	XS	
A/B	127	0.166869E+05	0.357937E+04	0.506194E+04	126	0.429415E+04	0.240606E+02	0.2145024E+00
A/T	77	0.531744E+04	0.110969E+04	0.403567E+04	76	0.260430E+04	0.500565E+02	0.2086854E+00
A/T/H	204	0.220044E+05	0.466906E+04	0.905791E+04	203	0.409859E+04	0.398945E+02	0.2130974E+00
A/M/C	1	0.634312E+01	0.519062E+03	0.124667E+03	0	-0.650635E-01	0.000000E+00	0.8183072E+00
TOTAL	205	0.226389E+05	0.520812E+04	0.952050E+04	204	0.832434E+04	0.408056E+02	0.230054E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 0.0036 DF = 1, 202
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 5.6588 DF = 1, 203
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 25.0466 DF = 1, 203

A/B VS A/T LINED CARTONS V/LK TENSILE 77 DEG F, .0002 IN/MIN, MAXIMUM STRESS

TABLE A-5

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		SUMS OF SQUARES AND PRODUCTS		DEVIATIONS ABOUT REGRESSION		MS	REGRESSION COEFFICIENT
		X	XY	Y	Y	SS	SS		
AMB	127	0.168689E+05	-.112332E+02	0.558455E-01	126	0.482834E-01	0.383202E-03	-.5731730E-07	
ANT	77	0.531744E+03	-.273779E+01	0.46657E-01	76	0.256364E-02	0.337521E-14	-.5148705E-04	
ATTM	204	0.220043E+05	-.135709E+02	0.725050E-01	203	0.636348E-01	0.312471E-05	-.6349165E-07	
AVGTC	1	0.634125E+03	-.506262E+00	0.147720E-02	0	.27222E-06	0.700000E+00	-.1526474E-02	
TOTAL	205	0.225366E+05	-.149392E+02	0.739732E-01	204	0.641248E-01	0.314337E-03	-.6592951E-02	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 50.6010 DF = 1, 204
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 1.5639 DF = 1, 204
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 28.2974 DF = 1, 204

AMB VS ANT LINED CARTONS VLR TENSILE 77 DEG F, .0002 IN/IN, STRAIN AT RUPTURE

TABLE A-6

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			MS	REGRESSION
		SUMS OF SQUARES	MEANS	PRODUCTS	ABOUT MEAN	ABOUT REGRESSION	COEFFICIENT		
ANE	122	0.140283E+05	0.445789E+05	0.865560E+06	121	0.701783E+06	0.579966E+04	0.3357657E+01	
ANT	77	0.523744E+04	0.206750E+05	0.42092E+06	76	0.340604E+06	0.445164E+04	0.3888150E+01	
WITHIN	199	0.203457E+05	0.704640E+05	0.128595E+07	198	0.104249E+07	0.527015E+04	0.3497710E+01	
AMONG	1	0.772312E+05	0.619500E+04	0.456102E+06	0	0.123261E+02	0.000000E+00	0.3023262E+01	
TOTAL	200	0.209181E+05	0.766590E+05	0.133563E+07	199	0.105670E+07	0.532009E+04	0.3664727E+01	

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 0.2081 DF = 1, 197
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 2.6857 DF = 1, 198
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 46.7658 DF = 1, 199

AMB VS ANT LINED CARBONS VLR TENSILE 77 DEG F, .0002 IN./MIN. MODULUS

TABLE A-7

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS ABOUT REGRESSION			REGRESSION COEFFICIENT
		SUMS OF SQUARES	AND PRODUCTS	Y	EF	SS	MS	
ANA	271	97048.0000	6510.8125	10114.0000	270	5367.6250	34.6949	0.07694512+01
AFB	1631	444191.0000	53146.0000	106951.0000	1630	100592.2500	61.7130	0.11964676+00
WITHIN	1902	541235.0000	61656.8125	117065.0000	1901	110041.1675	57.8859	0.11351795+00
AMONG	1	48682.0000	-927.8125	20.0000	0	2.3172	0.0000	0.0000000E+00
TOTAL	1903	589921.0000	60725.0000	117085.0000	1902	110633.2812	58.2720	0.0000000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.4050 DF = 1, 1900
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 13.6837 DF = 1, 1501
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 121.3386 DF = 1, 1501

ANA VS ANB UNIMBED CARTRONS VLR TENSILE 77 DEG F, 0.0002 IN/MIN, MAXIMUM STRESS

TABLE A-8

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			REGRESSION
		SUMS OF SQUARES	AND PRODUCTS	XY	ABOUT MEAN	ABOUT REGRESSION	COEFFICIENT	
		X	Y	XY	SS	SS	MS	
AMA	271	97048.0000	0.0762	3.0476	0.0781	0.0003	0.0003	0.51400001E-04
AMB	1633	444301.0000	0.9269	91.7576	0.9379	0.0006	0.0006	0.20652002E-03
WITHIN	1904	541349.0000	1.0052	94.8054	0.9886	0.0005	0.0005	0.17518002E-03
AMONG	1	48754.0000	0.0021	-9.9265	0.0001	0.0000	0.0000	0.00000000E+00
TOTAL	1905	590102.0000	1.0072	84.8789	0.9950	0.0005	0.0005	0.00000000E+00

* RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 4.9042 DF = 1, 1902
 † RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 12.3084 DF = 1, 1905
 ‡ RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 31.9601 DF = 1, 1905

ANA VS ANB UNLINED CARTONS VLR TENSILE 77 DEG F 0.0002 IN/MIN, STRAIN AT RUPTURE

TABLE A-9

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			REGRESSION
		SUMS OF SQUARES	MEAN SQUARES	DF	SUMS OF SQUARES	MEAN SQUARES	DF	
ANA	271	5704.8000	3347.5996	130926.0000	270	137761.2500	510.2009	0.3449427E+00
ANB	1625	44448.2031	4329.5996	2040976.0000	1624	2040154.0000	1248.5640	0.9740776E+01
WITHIN	1906	54153.0000	7677.1992	2179812.0000	1905	2176423.0000	1143.5208	0.1417686E+00
AMONG	1	4877.0996	5209.1992	5876.0000	0	12.0898	0.0000	0.0000000E+00
TOTAL	1907	59030.0937	12886.3984	2185088.0000	1906	2182274.0000	1144.5492	0.0000000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 0.4266 DF = 1, 1904
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 3.3676 DF = 1, 1905
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 0.9518 DF = 1, 1905

ANA VS ANB UNLIMITED CARTONS VLR TENSILE 77 DEG F 0.0002 IN/MIN. OCCULUS

TABLE A-10

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			REGRESSION
		SUMS OF SQUARES	MEANS	DF	SUMS OF SQUARES	MEANS	DF	
ANA	271	97046.0000	8510.6250	10115.0000	270	5366.6602	34.6913	0.8769500E+01
AMP	1631	444191.0000	55146.0000	106951.0000	1630	100592.2500	61.7130	0.1196467E+00
ANT	323	46052.4375	18665.4375	24776.0000	322	17210.7422	53.4495	0.4053082E+00
WITHIN	2225	587291.5000	80322.0625	141840.0000	2224	130854.5937	58.8375	0.1367269E+00
AMONG	2	65975.5625	5111.9375	2131.0000	1	1734.9150	1734.9150	0.0000000E+00
TOTAL	2227	653267.0000	85434.0000	143971.0000	2226	132797.9375	59.6577	0.0000000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 32.1932 DF = 2, 2224
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 16.5145 DF = 2, 2224
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 186.7074 DF = 1, 2224

ANA VS AMP & ANT UNLINED CARTONS V/L TENSILE 77 DEG F 0.0002 IN/MIN, MAX STRESS

TABLE A-11

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		DEVIATIONS		MS	REGRESSION
		SUMS OF SQUARES	AND PRODUCTS	ABOUT REGRESSION	COEFFICIENT		
AVA	271	0.370480E+05	0.304907E+01	0.702509E-01	0.701551E-01	0.289463E-03	0.314161E-06
AVB	1633	0.444301E+06	0.923516E+02	0.925735E+00	0.906239E+00	0.555478E-03	0.2077581E-02
AVT	323	0.450524E+05	0.260795E+02	0.113773E+00	0.104307E+00	0.323933E-03	0.4533934E-02
TOTAL	2275	0.875004E+05	0.116201E+03	0.111775E+01	0.913058E+00	0.423502E-03	0.1979575E-02
AVC	2	0.650936E+05	0.487904E+01	0.163545E-01	0.176704E-01	0.176704E-01	0.1040694E-03
TOTAL	2229	0.653495E+05	0.123160E+03	0.113415E+01	0.111294E+01	0.699525E-03	0.1884630E-03

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 5.1441 DF = 50, 2224

F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 7.6937 DF = 46, 2274

F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 365.2860 DF = 1, 2274

AVA VS AVERAGE UNLINED CARTONS VLR TENSILE 77 DEG F .0002 IN/MIN, 5IN AT RUPTURE

TABLE A-12

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		DEVIATIONS		SS	MS	REGRESSION
		SUMS OF SQUARES	ADJUSTED PRODUCTS	ADJUSTED SQUARES	ADJUSTED PRODUCTS			
ANA	271	0.59704E+05	0.35470E+05	0.135534E+07	270	0.157780E+07	0.510295E+04	0.3449427E+00
ANF	1635	0.449482E+06	0.457920E+05	0.209147E+08	1634	0.204900E+08	0.124647E+05	0.1030233E+00
ANT	323	0.460524E+05	0.152958E+06	0.304950E+07	322	0.254155E+07	0.795513E+04	0.3521387E+01
WIT-YL	2229	0.587582E+06	0.232226E+06	0.248137E+08	2228	0.247719E+08	0.111104E+05	0.3952228E+00
AMONG	2	0.681276E+05	0.511340E+05	0.558680E+05	1	0.163480E+05	0.163480E+05	0.7732630E+00
TOTAL	2231	0.653710E+06	0.263360E+06	0.249196E+08	2230	0.247967E+08	0.111156E+05	0.4334647E+00

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 19.7788 DF = 2, 2228
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 1.1171 DF = 2, 2228
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 8.2548 DF = 1, 2228
 ANA VS ANB&AFT UNLINED CARTONS VLF TENSILE 77 086 F .0002 IN/MIN, MODULUS

TABLE A-13

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	X	XY	Y	DF	SS	MS	REGRESSION COEFFICIENT
1	11	0.39566E+04	0.67050E+03	0.02924E+03	11	0.21241E+03	0.21241E+02	0.1731059E+01
2	14	0.35564E+04	0.25265E+03	0.33900E+03	13	0.31515E+03	0.24210E+02	0.14260E+01
3	11	0.31481E+03	0.07090E+03	0.02940E+03	10	0.15924E+03	0.15924E+02	0.7599032E+01
4	11	0.25121E+03	0.22725E+03	0.65717E+03	10	0.16029E+03	0.16029E+02	0.0227454E+00
5	11	0.93246E+03	0.38483E+03	0.37510E+03	10	0.21747E+03	0.21747E+02	0.4097684E+00
6	5	0.13500E+02	0.51371E+02	0.21321E+03	4	0.81365E+01	0.20341E+01	0.26082E+01
7	5	0.16200E+03	0.11145E+03	0.11105E+03	7	0.43509E+02	0.62143E+01	0.8126158E+01
8	5	0.13500E+02	0.27460E+02	0.65128E+02	4	0.92733E+01	0.23163E+01	-0.2034142E+01
9	5	0.37000E+01	0.11507E+03	0.44312E+03	4	0.26110E+02	0.65775E+01	0.3323192E+01
10	41	0.92267E+09	0.20099E+04	0.25664E+04	80	0.20941E+04	0.26176E+02	0.2256424E+01
11	8	0.45560E+01	0.67000E+03	0.04010E+03	7	0.21697E+03	0.30958E+02	0.0000000E+00
TOTAL	49	0.13795E+05	0.29000E+04	0.25435E+04	60	0.23142E+04	0.262979E+02	0.0000000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 7.3583 DF = 8, 72
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 1.0511 DF = 8, 80
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 17.9873 DF = 1, 80

AVE LOG CYCLES LOG-TO-LOG MAX HEMISPHERIC MAX STRESS, 0.0002 IN/MIN, 77 DEG F

TABLE A-14

ANALYSIS OF COVARIANCE TABLE

SOURCE OF VARIATION
 DEGREES OF FREEDOM
 MEAN SQUARE
 REGRESSION

SOURCE	DF	SS	MS	F	DF	SS	MS	F	REGRESSION
1	11	0.091220E+04	8.292927E+02	10	0.721051E+03	0.721051E+03	0.782085E+04	84	-.9340030E+00
2	14	0.354945E+04	2.535321E+02	13	0.401995E+02	0.401995E+02	0.737288E+03	72	-.0717926E+00
3	11	0.312560E+03	2.841454E+01	11	0.219224E+02	0.219224E+02	0.219425E+03	80	-.4407640E+00
4	11	0.249918E+03	2.271981E+01	10	0.531761E+03	0.531761E+03	0.530761E+03	80	-.2677597E+00
5	11	0.937662E+03	8.524200E+01	10	0.351135E+02	0.351135E+02	0.351135E+03	80	-.0846569E+00
6	5	0.135000E+02	2.700000E+01	4	0.322634E+04	0.322634E+04	0.806585E+05	80	-.5201252E+00
7	6	0.157000E+03	2.616667E+02	7	0.142109E+02	0.142109E+02	0.203127E+03	80	-.0204557E+00
8	5	0.125000E+03	2.500000E+02	4	0.121262E+03	0.121262E+03	0.482404E+04	80	0.5499544E+00
9	5	0.375000E+03	7.500000E+02	4	0.441437E+03	0.441437E+03	0.115359E+03	80	0.219224E+02
10	81	0.928674E+04	1.145522E+02	80	0.262695E+01	0.262695E+01	0.290869E+03	80	-.6910280E+00
11	8	0.450000E+00	5.625000E+00	7	0.995044E+02	0.995044E+02	0.142109E+02	80	0.000000E+00
12	89	0.107550E+03	1.209674E+01	88	0.328390E+01	0.328390E+01	0.361125E+03	80	0.000000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 6.5011 DF = 84 72
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 4.4133 DF = 84 80
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 15.2461 DF = 14 80

ADJ. MS. C.V.S. LCI-TC-LCY VLS TULSILE STN. AT RUPTURE, 0.0002 10/MIN, 77 085 F

TABLE A-15

ANALYSIS OF COVARIANCE TABLE

DEVIATIONS
ABOUT REGRESSION

SOURCE	DF	A	XY	Y	IF	SS	MS	REGRESSION COEFFICIENT
065	10	0.301451+04	0.554107E+04	0.000100E+05	9	0.177721E+05	0.208578E+04	0.1424722E+01
066	10	0.325450E+04	0.609700E+04	0.019101E+05	12	0.145412E+05	0.537249E+04	0.269100E+01
072	14	0.612000E+05	0.575000E+04	0.42740E+05	10	0.417755E+05	0.467755E+04	0.184250E+01
084	14	0.291510E+05	0.374007E+04	0.55800E+05	10	0.176137E+05	0.176137E+04	0.126726E+01
088	14	0.92880E+02	0.750137E+04	0.941750E+05	10	0.415529E+05	0.615529E+04	0.7455630E+01
089	5	0.10500E+02	0.552500E+03	0.664230E+05	9	0.424856E+03	0.106209E+03	0.438088E+01
057	5	0.10500E+03	0.152695E+04	0.261750E+05	7	0.444259E+04	0.635513E+03	0.109158E+01
083	5	0.37500E+02	-0.297000E+03	0.757537E+04	4	0.100537E+04	0.251344E+03	-0.220000E+01
085	5	0.07500E+02	0.747500E+03	0.097150E+05	4	0.246100E+05	0.620471E+04	0.199232E+01
ADJUST	79	1.674700E+04	0.328242E+05	0.527829E+06	70	0.396554E+06	0.508916E+04	0.386510E+01
AMOUNT	6	0.374750E+04	0.322657E+05	0.118439E+06	7	0.784096E+05	0.112019E+05	0.000000E+01
TOTAL	87	0.124607E+05	0.464600E+05	0.646366E+06	86	0.476207E+06	0.556021E+04	0.000000E+01

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 7.9123 DF = 8, 79
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 1.9486 DF = 6, 76
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 25.7164 DF = 1, 76

AMP OF CURS 101-10-101 ALL FEASIBLE REGULUS, 0.0002 16/6/10, 77 110 F

TABLE A-16

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			REGRESSION
		SUMS OF SQUARES	XY	Y	ABOUT REGRESSION	MS	COEFFICIENT	
711	11	435.0000	342.5391	1238.6523	10	968.9214	96.8921	0.7874460E+00
712	11	212.0000	-43.7930	106.7383	10	100.5914	10.0591	-0.1403620E+00
713	11	350.2500	2.1992	98.3125	10	98.2987	9.8299	0.6276990E+00
819	11	824.2500	676.7109	661.1836	10	105.6028	10.5603	0.8210020E+00
820	11	726.2500	273.0742	177.7422	10	75.3467	7.5347	0.3749732E+00
821	5	1.5000	-0.9220	39.4375	4	38.8708	9.7177	-0.6145837E+00
823	5	1.5000	3.2656	15.8047	4	8.6953	2.1738	0.2177087E+01
824	5	13.5000	30.8750	126.9375	4	56.3253	14.0813	0.2287637E+01
WITHIN	70	2666.2500	1283.9492	2464.8086	69	1846.5151	26.7611	0.0000000E+00
AMONG	7	2651.1875	-174.0117	1566.3769	6	1556.9575	259.4929	0.0000000E+00
TOTAL	77	5317.4375	1109.9375	4033.1875	76	2601.5039	50.0198	0.0000000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 2.4015 DF = 7, 62
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 10.4362 DF = 7, 69
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 23.1042 DF = 1, 69

ANT LINED CARTONS VLR TENSILE 77 DEG F, 0.0002 IN/MIN, LOT-10-LOT MAXIMUM STRESS

TABLE A-17

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	SS	MS	F	Y	CF	SS	MS	REGRESSION COEFFICIENT
711	11	0.43500E+03	0.39545E+02	10	0.135573E-03	0.135573E-03	0.135573E-03	0.135573E-03	-.1576074E-03
712	11	0.31200E+03	0.28364E+02	10	0.467777E-03	0.467777E-03	0.467777E-03	0.467777E-03	-.4725244E-03
713	11	0.350250E+03	0.31841E+02	10	0.774051E-03	0.774051E-03	0.774051E-03	0.774051E-03	0.1762257E-03
715	11	0.00000E+03	0.00000E+02	10	0.752173E-03	0.752173E-03	0.752173E-03	0.752173E-03	-.1454455E-03
620	11	0.728250E+03	0.661133E+02	10	0.233715E-03	0.233715E-03	0.233715E-03	0.233715E-03	-.1013209E-03
624	5	0.135000E+02	0.270000E+01	4	0.452825E-03	0.452825E-03	0.452825E-03	0.452825E-03	0.1988796E-03
WITHIN	60	0.265325E+04	0.442208E+02	59	0.527475E-02	0.527475E-02	0.527475E-02	0.527475E-02	-.9572397E-03
AMONG	5	0.212584E+04	0.425168E+03	4	0.602350E-02	0.602350E-02	0.602350E-02	0.602350E-02	-.1389367E-03
TOTAL	65	0.472909E+04	0.727694E+03	64	0.120899E-01	0.120899E-01	0.120899E-01	0.120899E-01	-.5940000E-03

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 3.1781 DF = 5, 54
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 15.2459 DF = 5, 59
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 27.2963 DF = 1, 59

ANT LINED CAPTIONS LOI-TO-LOI VLR TESTSILE 77 DEG F .0002 IN/MIN; SIPAIN AT EPIURE

TABLE A-18

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CONNECTED		DEVIATIONS		SS	MS	REGRESSION
		SUMS OF SQUARES	AND PRODUCTS	ABOUT MEAN	REGRESSION			
		X	XY	Y	UF	SS	MS	COEFFICIENT
711	11	0.40500E+03	0.334800E+04	0.276040E+05	10	0.169595E+04	0.185594E+03	0.769655E+01
712	11	0.31200E+03	0.51400E+03	0.59700E+04	11	0.61400E+04	0.61400E+03	0.164743E+01
713	11	0.35025E+03	0.113075E+04	0.30600E+05	10	0.267918E+05	0.267918E+04	0.339971E+01
819	11	0.32525E+03	0.75660E+04	0.65075E+05	10	0.770415E+04	0.770415E+03	0.368106E+01
820	11	0.72825E+03	0.54985E+04	0.62214E+05	10	0.207667E+05	0.207667E+04	0.755029E+01
824	5	0.12500E+02	0.12000E+03	0.159400E+04	4	0.527333E+03	0.131833E+03	0.68868E+01
WITHIN	60	0.265325E+04	0.166572E+05	0.214448E+06	59	0.837457E+05	0.141942E+04	0.700544E+01
AMONG	5	0.212584E+04	0.329231E+04	0.482400E+05	4	0.431412E+05	0.107853E+05	0.154870E+01
TOTAL	65	0.478909E+04	0.219496E+05	0.262688E+06	64	0.162088E+06	0.253262E+04	0.458323E+01

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 3.3701 DF = 5, 54
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 11.0386 DF = 5, 59
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 92.0815 DF = 1, 59

ALT LINEC CTMS LOT-10-LOT VLR TENSILE .0002 IN/IN 77 DFG F, MODULUS

TABLE A-19

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		Y	DF	DEVIATIONS		MS	REGRESSION
		SUMS OF SQUARES	AND PRODUCTS			ABOUT REGRESSION	COEFFICIENT		
041	143	0.19398E+04	0.603562E+03	0.402507E+04	142	0.369701E+04	0.260053E+02	0.414230E+00	
042	14	0.51000E+03	0.222199E+03	0.347312E+03	13	0.168046E+03	0.140651E+02	0.716771E+00	
040	14	0.14336E+03	0.154367E+03	0.042537E+03	13	0.170690E+03	0.135915E+02	-0.1074561E+01	
044	12	0.980359E+03	0.941250E+03	0.100562E+04	12	0.315924E+03	0.882713E+01	0.3601071E+00	
037	13	0.934930E+03	0.929812E+03	0.100156E+04	12	0.768394E+02	0.640328E+01	0.3945266E+00	
038	13	0.161521E+04	0.881250E+02	0.105125E+03	12	0.100504E+03	0.637534E+01	0.5365326E-01	
040	21	0.206300E+04	0.349312E+03	0.382675E+03	20	0.324296E+03	0.162148E+02	0.167696E+00	
044	18	0.656738E+03	0.232375E+03	0.309250E+03	17	0.227628E+03	0.133546E+02	-0.3536319E+00	
WITHIN	249	0.865347E+04	0.294552E+04	0.752856E+04	248	0.652595E+04	0.263143E+02	0.3403859E+00	
AMONG	7	0.842202E+03	0.620017E+04	0.236644E+04	6	0.190999E+04	0.318332E+03	0.73661657E-01	
TOTAL	256	0.925737E+03	0.514569E+04	0.980903E+04	255	0.799438E+04	0.352721E+02	0.9547444E-01	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 11.4586 DF = 7, 241
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 13.4006 DF = 7, 248
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 38.1014 DF = 1, 249

AMA UNLND CARTONS LOT-10-LOT VLR PERSTLE 77 DEG F .0002 IN/MIN, MAXIMUM STRESS

TABLE A-20

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		SUMS OF SQUARES AND PRODUCTS		DEVIATIONS ABOUT REGRESSION		MS	REGRESSION COEFFICIENT
		A	XY	Y	LF	SS	RS		
M41	145	0.192989E+04	0.498779E+00	0.365180E-01	142	0.269606E-01	0.257469E-03	0.257117E-07	
M42	14	0.310000E+03	0.180511E-01	0.155240E-02	13	0.159135E-02	0.119335E-03	0.582295E-06	
M50	14	0.143336E+03	0.100372E+00	0.187477E-02	13	0.180448E-02	0.123422E-03	0.700259E-07	
E36	13	0.311350E+03	0.111507E+01	0.391133E-02	12	0.264122E-02	0.220685E-03	0.113740E-02	
E37	13	0.924930E+03	0.662369E+00	0.180423E-02	12	0.136496E-02	0.111247E-03	0.706469E-07	
E38	13	0.160521E+04	-0.253769E+00	0.597829E-02	12	0.391813E-02	0.282176E-03	0.158090E-03	
E40	21	0.208200E+04	0.347783E+01	0.952215E-02	20	0.371649E-02	0.189824E-03	0.166962E-02	
E44	18	0.686738E+03	-0.130763E+01	0.368887E-02	17	0.108524E-02	0.632379E-04	-0.199110E-02	
WITHIN	249	0.865347E+04	0.431107E+01	0.628270E-01	243	0.606793E-01	0.244674E-03	0.498119E-07	
BETWEEN	7	0.842202E+05	-0.923126E+00	0.131799E-01	6	0.131691E-01	0.219496E-02	-0.109608E-04	
TOTAL	256	0.928737E+05	0.336794E+01	0.760069E-01	250	0.758833E-01	0.297582E-03	0.364759E-06	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 5.4098 DF = 7, 241
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 8.8771 DF = 7, 248
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 8.7779 DF = 1, 248

ANA UNLND CAPTORS 101-10-101 VLR TENSILE 77 DEG F .0002 IN/IN, STRAIN AT RPTURE

TABLE A-21

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			REGRESSION
		SUMS OF SQUARES	MEAN SQUARES	F	SUMS OF SQUARES	MEAN SQUARES	F	
41	143	0.193909E+04	0.519000E+04	0.609128E+06	142	1.794242E+06	0.595326E+04	0.267540E+01
42	14	0.310000E+03	0.104500E+04	0.322400E+05	13	0.200013E+05	0.221549E+04	0.3370967E+01
43	14	0.143336E+03	-0.856625E+03	0.296750E+05	13	0.245555E+05	0.188889E+04	-0.597634E+01
44	13	0.980350E+03	0.295615E+04	0.480090E+05	12	0.350945E+05	0.332457E+04	0.301541E+01
45	13	0.934930E+03	0.546769E+04	0.785160E+05	12	0.465397E+05	0.387051E+04	0.584923E+01
46	13	0.160521E+04	0.522394E+04	0.611770E+05	12	0.547020E+05	0.455050E+04	0.200341E+01
47	21	0.209200E+04	0.376069E+04	0.967450E+05	20	0.599554E+05	0.449777E+04	-0.180541E+01
48	18	0.556736E+03	-0.159375E+02	0.530930E+05	17	0.520926E+05	0.312309E+04	-0.242676E+01
WITHIN	249	0.865347E+04	0.132496E+05	0.120847E+07	248	0.116818E+07	0.479105E+04	0.153112E+01
AMONG	7	0.842202E+05	0.250634E+05	0.150093E+06	6	0.142634E+06	0.237724E+05	0.297594E+00
TOTAL	256	0.928737E+05	0.383130E+05	0.125156E+07	255	0.134275E+07	0.526570E+04	0.412527E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.7156 DF = 7, 241
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 4.6090 DF = 7, 248
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 4.2343 DF = 1, 245

ATA UNLINE CAPTIONS L01-T0-L01 VLF TENSILE 77 DEG F .0002 IN/IN, MODULUS

TABLE A-22

ANALYSIS OF COVARIANCE TABLE

DEVIATIONS ABOUT REGRESSION

CORRECTED SUMS OF SQUARES AND PRODUCTS

SOURCE	DF	X	XY	Y	DF	SS	MS	REGRESSION COEFFICIENT
005	7	0.187509E+01	-6.03437E+01	0.193215E+03	6	0.172408E+03	0.287476E+02	-0.532500E+01
006	14	0.216253E+04	-1.45875E+02	0.114876E+03	13	0.101462E+03	0.780476E+01	-0.791500E+00
010	31	0.785500E+03	0.214937E+03	0.749182E+03	30	0.520147E+03	0.230162E+02	0.272205E+00
012	19	0.342250E+03	0.55312E+03	0.299155E+04	18	0.226345E+04	0.125025E+03	0.144850E+01
013	7	0.151675E+03	-1.19992E+03	0.404790E+03	6	0.389268E+03	0.648760E+02	-0.790072E+00
014	16	0.717167E+03	0.231937E+03	0.313437E+03	17	0.277425E+03	0.162782E+02	0.323358E+01
015	19	0.265562E+03	0.392875E+03	0.184850E+04	18	0.897027E+03	0.539144E+02	0.166076E+01
014	49	0.125819E+04	0.341037E+03	0.255139E+04	48	0.246299E+04	0.512123E+02	0.269426E+00
017	40	0.189662E+04	-5.97125E+03	0.139706E+04	39	0.118621E+04	0.304157E+02	-0.551374E+01
018	21	0.105500E+04	-7.10752E+03	0.449491E+04	20	0.107143E+04	0.535161E+02	-0.894553E+01
019	52	0.121561E+04	0.275125E+03	0.210106E+04	51	0.204274E+04	0.400538E+02	0.226259E+00
020	50	0.264169E+04	0.527250E+03	0.447637E+04	49	0.214450E+04	0.437735E+02	0.551006E+00
021	43	0.289775E+04	0.525912E+03	0.136937E+04	42	0.109358E+04	0.260377E+02	0.319493E+00
022	37	0.203100E+04	0.124794E+04	0.184566E+04	36	0.106377E+04	0.291048E+02	0.614444E+00
023	36	0.269437E+04	0.101462E+04	0.267506E+04	35	0.229296E+04	0.655138E+02	0.376571E+00
024	41	0.198719E+04	0.101062E+04	0.152137E+04	40	0.100118E+04	0.250254E+02	0.513741E+00
025	70	0.545675E+04	0.315681E+04	0.894389E+04	69	0.307428E+04	0.445547E+02	0.584773E+01
026	61	0.521712E+04	0.256681E+04	0.568125E+04	60	0.481102E+04	0.801936E+02	0.451929E+01
027	75	0.763437E+04	0.280719E+04	0.599769E+04	74	0.494547E+04	0.671010E+02	0.367763E+01
028	45	0.659037E+04	0.133106E+04	0.193037E+04	44	0.124531E+04	0.378925E+02	0.209303E+01
029	72	0.836606E+04	0.152237E+04	0.304061E+04	71	0.263465E+04	0.371077E+02	0.220877E+01
030	25	0.202250E+04	0.410687E+03	0.572125E+03	24	0.488731E+03	0.203536E+02	0.203059E+01
031	39	0.192681E+04	-1.75000E+03	0.117461E+04	38	0.115893E+04	0.304493E+02	-0.507293E+01
032	48	0.575169E+04	-1.10461E+04	0.153582E+04	47	0.125973E+04	0.276538E+02	-0.202516E+01
033	50	0.445619E+04	0.256812E+03	0.120125E+04	49	0.117242E+04	0.235270E+02	0.003357E+01
034	24	0.149856E+04	0.579187E+03	0.157875E+04	23	0.175290E+04	0.762129E+02	0.366495E+01
035	42	0.108229E+05	-4.74250E+03	6.222075E+04	41	0.222608E+04	0.538069E+02	-0.435738E+01
036	44	0.605462E+04	0.162325E+04	0.140700E+04	43	0.123407E+04	0.286952E+02	0.269003E+01
037	46	0.190867E+04	0.130125E+03	0.353406E+04	45	0.352619E+04	0.783597E+02	0.681828E+01
WITHIN	1125	0.675769E+05	0.179407E+05	0.597703E+05	1124	0.560951E+05	0.499066E+02	0.204856E+01
AMONG	28	0.971161E+05	0.243229E+04	0.167750E+05	27	0.167102E+05	0.618956E+03	0.000000E+00
TOTAL	1153	0.184659E+06	0.204230E+05	0.765440E+05	1152	0.742957E+05	0.644941E+02	0.000000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 5.1724 DF = 28, 1096
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 13.0176 DF = 28, 1124
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 73.6430 DF = 1, 1124

THE UNREPLICATED 11-10-101 VEP TENSILE FATIGUE STRESS, 0.0002 IN/IN, 77 DEG F

TABLE A-23
ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	X	XY	Y	CF	SS	MS	REGRESSION COEFFICIENT
TOTAL	1155	0.164700E+06	0.395820E+02	0.416551E+09	1154	0.678468E+00	0.587927E-03	0.000000E+00
WITHIN	1127	0.876429E+05	-0.203521E+00	0.922345E+00	1126	0.462264E+00	0.410523E-03	-0.266534E-04
BETWEEN	28	0.970571E+05	0.419355E+02	0.224205E+00	27	0.764766E+02	0.764766E+02	0.000000E+00
ERROR	1155	0.164700E+06	0.395820E+02	0.416551E+09	1154	0.678468E+00	0.587927E-03	0.000000E+00
ADJUSTED TOTAL	1127	0.876429E+05	-0.203521E+00	0.922345E+00	1126	0.462264E+00	0.410523E-03	-0.266534E-04
ADJUSTED WITHIN	1127	0.876429E+05	-0.203521E+00	0.922345E+00	1126	0.462264E+00	0.410523E-03	-0.266534E-04
ADJUSTED BETWEEN	28	0.970571E+05	0.419355E+02	0.224205E+00	27	0.764766E+02	0.764766E+02	0.000000E+00
ADJUSTED ERROR	1155	0.164700E+06	0.395820E+02	0.416551E+09	1154	0.678468E+00	0.587927E-03	0.000000E+00
ADJUSTED TOTAL	1127	0.876429E+05	-0.203521E+00	0.922345E+00	1126	0.462264E+00	0.410523E-03	-0.266534E-04
ADJUSTED WITHIN	1127	0.876429E+05	-0.203521E+00	0.922345E+00	1126	0.462264E+00	0.410523E-03	-0.266534E-04
ADJUSTED BETWEEN	28	0.970571E+05	0.419355E+02	0.224205E+00	27	0.764766E+02	0.764766E+02	0.000000E+00
ADJUSTED ERROR	1155	0.164700E+06	0.395820E+02	0.416551E+09	1154	0.678468E+00	0.587927E-03	0.000000E+00

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 2.5992 DF = 28, 1050
 F RATIO FOR TESTING DIFFERENCES BETWEEN DEVIATIONS = 16.6063 DF = 28, 1126
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 0.1539 DF = 1, 1126
 AND UNBIASED ESTIMATES OF THE VARIANCE-COVARIANCE MATRIX AT FUUTURE, .0002 IF F(1,1126) > 77 DEG F

TABLE A-24

ANALYSIS OF COVARIANCE TEST

CORRECTED
SUNS OF SQUARES AND PRODUCTS
DEVIATIONS
ABOUT REGRESSION

SOURCE	DF	X	XY	Y	DF	SS	MS	REGRESSION COEFFICIENT
005	7	0.167500E+01	-0.233750E+02	0.661700E+04	6	0.002559E+04	0.207598E+03	-0.1246667E+02
006	14	0.214250E+02	-0.185000E+03	0.504700E+05	13	0.0427950E+05	0.329591E+04	-0.3693649E+01
010	31	0.729500E+03	0.269700E+04	0.410740E+05	30	0.504437E+05	0.168146E+04	0.5679411E+01
012	19	0.349250E+03	0.469262E+04	0.426471E+06	18	0.365419E+06	0.203011E+05	0.1343629E+02
013	7	0.151675E+03	-0.157275E+04	0.537566E+05	6	0.374513E+05	0.624168E+04	-0.1035556E+02
014	18	0.717167E+03	-0.545662E+04	0.539556E+05	17	0.527017E+05	0.545364E+04	-0.1321917E+01
015	19	0.23582E+03	0.636362E+04	0.93512E+06	18	0.146536E+06	0.216322E+04	0.2650059E+02
016	49	0.12619E+04	-0.142600E+04	0.23365E+06	48	0.261761E+06	0.462626E+04	-0.1124439E+01
017	40	0.16596E+04	-0.895000E+04	0.175322E+06	39	0.128716E+06	0.330045E+04	-0.5236444E+01
018	23	0.11260E+04	-0.62213E+04	0.112175E+06	22	0.77676E+05	0.353155E+04	-0.5544842E+01
019	52	0.121581E+04	0.752600E+04	0.210323E+06	51	0.162736E+06	0.321521E+04	0.6190058E+01
020	50	0.264169E+04	0.418600E+04	0.154356E+06	49	0.188200E+06	0.384081E+04	0.1584553E+01
021	43	0.269775E+04	0.573400E+04	0.416132E+06	42	0.59765E+06	0.142258E+05	0.1976776E+01
022	37	0.203100E+04	0.631300E+04	0.119536E+06	36	0.659124E+05	0.236646E+04	0.4093056E+01
023	36	0.265427E+04	0.545900E+04	0.222112E+07	35	0.121066E+07	0.345752E+05	0.2026073E+01
024	41	0.196719E+04	0.417800E+04	0.123443E+06	40	0.112567E+06	0.281416E+04	0.2123644E+01
025	70	0.542675E+04	0.222040E+05	0.319193E+07	69	0.310090E+07	0.445118E+05	0.4061649E+01
026	61	0.523712E+04	0.225920E+05	0.648365E+06	60	0.55910E+06	0.918184E+04	0.4312816E+01
027	75	0.763437E+04	0.294250E+05	0.44752E+06	74	0.334117E+06	0.451509E+04	0.3854670E+01
028	45	0.659837E+04	0.258590E+05	0.242217E+06	44	0.140915E+06	0.320261E+04	0.3916237E+01
029	73	0.947969E+04	0.113700E+05	0.367186E+06	72	0.372642E+06	0.517559E+04	0.1340651E+01
030	25	0.202250E+04	0.679256E+04	0.244449E+06	24	0.222237E+06	0.925986E+04	0.331399E+01
031	39	0.192681E+04	0.430462E+04	0.636903E+05	38	0.490332E+05	0.142624E+04	0.2231746E+01
032	48	0.575169E+04	0.595100E+04	0.170166E+07	47	0.169552E+07	0.360749E+05	0.1034653E+01
033	51	0.475652E+04	0.379600E+04	0.10117E+06	50	0.967748E+05	0.19750E+04	0.6014039E+00
034	24	0.149855E+04	0.449637E+04	0.252106E+06	23	0.236517E+06	0.103703E+05	0.3000459E+01
035	42	0.102839E+05	0.227200E+04	0.566198E+06	41	0.365624E+06	0.891765E+04	0.2087492E+00
036	44	0.605462E+04	0.251700E+04	0.107451E+07	43	0.107347E+07	0.249643E+05	0.4157152E+00
037	46	0.150847E+04	-0.244469E+04	0.347292E+06	45	0.144260E+06	0.320579E+04	-0.1200968E+01
WITHIN	1129	0.860079E+05	0.169113E+06	0.107745E+08	1128	0.304496E+08	0.926379E+04	0.1921581E+01
AMONG	28	0.967223E+05	-0.162961E+06	0.425198E+07	27	0.395644E+07	0.146535E+06	0.000000E+00
TOTAL	1157	0.184929E+06	-0.646000E+06	0.150290E+08	1156	0.150290E+08	0.130009E+05	0.000000E+00

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 2.9669 DF = 28, 1100
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 17.6549 DF = 28, 1126
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 35.0789 DF = 1, 1128

TABLE A-25

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			Y	DF	DEVIATIONS ABOUT REGRESSION			MS	REGRESSION COEFFICIENT
		SUMS OF SQUARES	XY	X			SS	SS	MS		
684	60	7577.0625	2061.5000	3377.8125	59	2442.9404	41.4058	0.3512570E+00			
625	95	10535.9375	4270.5625	7110.5625	94	5395.6379	57.4025	0.4015219E+00			
686	97	11237.0625	6898.0625	7940.0625	96	3705.5703	38.5997	0.6134670E+00			
724	56	6216.0625	3515.2500	4767.3125	55	2779.4014	50.5346	0.5655107E+00			
WITHIN	308	35666.1250	17545.3750	23195.7500	307	14760.2422	48.0790	0.4863262E+00			
AMONG	3	5472.8750	-1021.6875	216.2500	2	25.5193	12.7597	0.0000000E+00			
TOTAL	311	41139.0000	16523.6875	23412.0000	310	16934.6672	54.6286	0.0000000E+00			

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 3.0880 DF = 3. 304
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 15.0769 DF = 3. 307
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 175.4511 DF = 1. 307

ANT UNLINED CARTONS LOT-10-LO1 VLR TENSILE 77 DEG F 0.0002 IN/IN. MAX STRESS

TABLE A-26

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			REGRESSION
		SUMS OF SQUARES	XY	Y	ABOUT REGRESSION	MS	COEFFICIENT	
684	60	7577.0625	3.7729	0.0258	0.0239	0.0004	0.4979400E+00	
685	95	10535.9375	2.8096	0.0443	0.0436	0.0005	0.2641800E+00	
686	97	11237.0625	2.4412	0.0127	0.0122	0.0001	0.2172400E+00	
724	56	6216.0625	2.8384	0.0121	0.0108	0.0002	0.4566200E+00	
WITHIN	308	35566.1250	11.8623	0.0949	0.0910	0.0003	0.3325900E+00	
AMONG	3	5472.8750	7.0051	0.0129	0.0039	0.0020	0.0000000E+00	
TOTAL	311	41139.0000	18.8684	0.1078	0.0991	0.0013	0.0000000E+00	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 6.5625 DF = 3, 304
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 5.2161 DF = 3, 307
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 13.3167 DF = 1, 307

ANT UNLINED CARBONS LOT-TO-LOT VLR TENSILE 77 DEG F 0.0002 IN/MIN. SIN AT RUPT

TABLE A-27

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED				DEVIATIONS ABOUT REGRESSION				REGRESSION COEFFICIENT
		SUMS OF SQUARES	AND PRODUCTS	Y	DF	SS	MS	MS	COEFFICIENT	
684	60	7577.0625	16910.0000	476624.0000	59	440885.3750	7472.6328	0.2231735E+01		
695	95	10625.9275	36207.0000	875578.0000	94	756311.5000	8045.2652	0.3404213E+01		
686	97	11237.0625	69105.0000	984240.0000	96	559262.5000	5825.6504	0.6149738E+01		
724	56	6216.0625	29915.0000	610576.0000	55	466609.1250	8483.8008	0.4912531E+01		
WITHIN	308	35666.1250	152137.0000	2953006.0000	307	2304054.0000	7505.0605	0.4265587E+01		
AMONG	3	5472.8750	-13692.0000	51024.0000	2	16769.4687	8384.7344	0.0000000E+00		
TOTAL	311	41139.0000	136445.0000	3004032.0000	310	2531123.0000	8167.4922	0.0000000E+00		

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 3.6916 DF = 3, 304
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 10.3960 DF = 3, 307
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 66.4688 DF = 1, 307

ANT UNLINED CARTONS LOT-10-LCT VLR TENSILE 77 DEG F 0.0002 IN/IN, MODULUS

TABLE A-28

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			REGRESSION	COEFFICIENT
		Y	XY	Y	SS	RS			
UNLTD	165	0.255476E+05	0.265740E+05	0.111520E+05	164	0.321765E+04	0.232766E+02	0.698664E+01	
UNLTD	50	0.358730E+04	0.454775E+04	0.576270E+05	49	0.310159E+05	0.622977E+03	0.133820E+01	
ATTN	215	0.531449E+05	0.255217E+05	0.219557E+06	214	0.159905E+06	0.939136E+03	0.770004E+01	
ATTN	4	0.112700E+05	0.254124E+05	0.757170E+05	3	0.450502E+02	0.00000E+00	0.259712E+01	
TOTAL	216	1.444227E+05	0.547390E+05	0.255304E+06	215	0.227827E+06	0.105966E+04	0.128209E+01	

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 409.3782 DF = 1, 213
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 29.8903 DF = 1, 214
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 21.0375 DF = 1, 214

AFT LINED VS UNLINED CARTONS HR TRJAX TENSILE 1750 IN/MIN 600 PSI 77 DEG MAX STRES

AD-A043 656

OGDEN AIR LOGISTICS CENTER HILL AFB UTAH PROPELLANT L--ETC F/G 21/9.2
PROPELLANT SURVEILLANCE REPORT MINUTEMAN III STAGE III, (U)
JUL 77 E M DALABA
MANCP-374(77)

UNCLASSIFIED

NL

3 OF 3

AD
A043656



END
DATE
FILMED
9 -77
DDC

TABLE A-29

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		Y	DF	DEVIATIONS		MS	REGRESSION
		SS	XY			SS	REGRESSION		
UNIT	155	0.090475+05	-0.22656E+01	0.112450E+00	160	0.111135E+00	0.821997E-03	0.211445E-03	0.000000E+00
174FO	50	0.362730E+04	-0.597160E+01	0.020164E-01	49	0.224412E-01	0.457934E-03	0.1619147E-02	0.000000E+00
WITMIN	216	0.531449E+05	-0.12158E+02	0.184530E+00	214	0.3101449E+00	0.043220E-03	0.368027E-04	0.000000E+00
ANGL6	1	0.112780E+05	-0.697123E+00	0.428690E-04	0	0.793487E-06	0.000000E+00	0.000000E+00	0.000000E+00
TOTAL	216	0.444237E+05	-0.124953E+02	0.164564E+00	215	0.161235E+00	0.842972E-03	0.000000E+00	0.000000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 7.9243 DF = 1, 215
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 0.9269 DF = 1, 214
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 5.5240 DF = 1, 214

ANT LINEAR VS. UNLINED CARTONS FOR TETRA TESTILE, 1750 JPM/IN, 600 PST, STR AT RUPT

TABLE A-30

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		T	DF	DEVIATIONS		MS	REGRESSION
		SS	XY			SS	ABOUT REGRESSION		
UNLINED	165	0.298476E+05	-0.259120E+06	0.105409E+09	164	0.143609E+09	0.175665E+06	-0.875975E+01	
LINED	50	0.385975E+04	-0.408550E+05	0.166135E+08	49	0.179275E+08	0.367100E+06	-0.162137E+02	
WITHIN	215	0.331445E+05	-0.307975E+06	0.164325E+09	214	0.16361E+09	0.755426E+06	-0.529177E+01	
AMONG	1	0.112783E+05	0.405561E+06	0.172145E+08	1	0.56000E+08	0.100000E+00	0.390618E+02	
TOTAL	215	0.444237E+05	0.332576E+06	0.331731E+09	215	0.381366E+09	0.142421E+06	0.296435E+01	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 0.0244 DF = 1, 215
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 26.0442 DF = 1, 214
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 3.7281 DF = 1, 214

AMT LINED VS UNLINED CAPTIONS RE INJAX TENSILE 1750 IN/IN 600 PSI 77 DEG MODULUS

TABLE A-31

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		Y	DF	DEVIATIONS		MS	REGRESSION
		SUMS OF SQUARES	AND PRODUCTS			ABOUT REGRESSION	COEFFICIENT		
AND	45	0.275896E+04	0.422087E+04	0.557210E+05	44	0.552989E+05	0.130766E+04	0.152435E+01	
ANY	50	0.369730E+04	0.494775E+04	0.376770E+05	49	0.710159E+05	0.432977E+03	0.132020E+01	
WITHIN	95	0.648625E+04	0.916862E+04	0.103368E+06	94	0.903676E+05	0.961358E+03	0.141791E+01	
AMONG	1	0.793121E+03	0.162562E+04	0.470030E+04	1	-0.228563E+01	0.00000E+00	-0.230192E+01	
TOTAL	96	0.725937E+04	0.734300E+04	0.107568E+06	95	0.100140E+06	0.105411E+04	0.101151E+01	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 0.0565 DF = 1, 95
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 10.1656 DF = 1, 94
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 13.5229 DF = 1, 94

AME VS ALT LINED CARTONS HR TRIAX TENSILE 1750 IN/MIN 600 PSI 77 DFG MAX STRESS

TABLE A-32

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		Y	CF	DEVIATIONS		MS	REGRESSION
		SUMS OF SQUARES	AND PRODUCTS			ABOUT MEAN	ABOUT REGRESSION		
AMB	45	0.276896E+04	0.242358E+01	0.109929E-01	44	0.108210E-01	0.232257E-03	-0.5141227E-04	
AMT	50	0.362730E+04	-0.597168E+01	0.320864E-01	49	0.224412E-01	0.457984E-03	-0.1615147E-04	
WITHIN	95	0.645625E+04	-0.739526E+01	0.436393E-01	94	0.345216E-01	0.367869E-03	-0.1142679E-04	
BETWEEN	1	0.792181E+03	0.220037E+00	0.772076E-04	0	0.568824E-05	0.00000E+00	0.0001268E-03	
TOTAL	96	0.725537E+04	-0.715725E+01	0.431166E-01	95	0.320601E-01	0.279575E-03	-0.5659287E-04	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 5.4649 DF = 1, 90
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 4.0168 DF = 1, 94
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 22.9899 DF = 1, 94

AMB VS ALT LINED CARTRONS PER TRIAL TENSILE 1750 IN/IN 600 PSI 77 DEG SIN AT RUPT

TABLE A-33

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			REGRESSION
		SUMS OF SQUARES	ADJ PRODUCTS	ADJUST REGRESSION	SS	MS	COEFFICIENT	
AME	45	0.27689E+04	0.51020E+04	0.90575E+07	44	0.95470E+07	0.216997E+06	0.1866424E+01
AMT	50	0.38973E+04	0.40855E+05	0.186335E+08	49	0.179175E+08	0.36710E+06	-0.1321371E+02
WITHIN	95	0.646665E+04	-0.43093E+05	0.001510E+03	94	0.270557E+08	0.296763E+06	-0.675708E+01
AMONG	1	0.79710E+05	0.41950E+05	0.20125E+07	0	0.32700E+03	0.00000E+00	0.526935E+02
TOTAL	96	0.725937E+04	-0.17420E+04	0.00010E+08	95	0.300098E+08	0.320103E+06	-0.239965E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.2157 DF = 1, 93

F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 8.4717 DF = 1, 94

F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 0.9949 DF = 1, 94

AFB VS AIT LINED CARTONS HR TRIAX TENSILE 1750 IN/MIU 600 PST 77 OFG MODULUS

TABLE A-34

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		Y	IF	DEVIATIONS		MS	REGRESSION
		SUMS OF SQUARES	AND PRODUCTS			ABOUT REGRESSION	COEFFICIENT		
TOTAL	280	0.261765E+05	0.204900E+04	0.772960E+05	64	0.771670E+05	0.120542E+04		-.771470E-01
WITHIN	279	0.508051E+05	0.281620E+05	0.265120E+06	213	0.249509E+06	0.164065E+04		0.554314E+07
BETWEEN	1	0.769636E+05	0.261130E+05	0.442410E+06	278	0.423783E+06	0.156027E+04		0.330612E+06
ADJUSTED	1	0.143714E+04	0.100400E+04	0.736700E+03	0	0.345868E+02	0.000000E+00		0.598617E+07
TOTAL	280	0.304207E+05	0.271170E+05	0.442152E+06	279	0.424000E+06	0.155595E+04		0.337119E+07

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 4.6265 DF = 1, 277
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 0.1447 DF = 1, 278
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 5.5325 DF = 1, 278

ANALYSIS OF COVARIANCE TABLE FOR TRIAX TENSILE 1750 IN/MIN 77 DEG F 600 PST MAX STRESS

TABLE A-35

ANALYSIS OF COVARIANCE TABLE

SOURCE OF VARIATION	SS	DF	MS	CORRECTED SUMS OF SQUARES AND PRODUCTS		DEVIATIONS ABOUT REGRESSION		REGRESSION COEFFICIENT
				XY	Y	SS	AS	
AREA	65	64	0.018408E+01	0.267782E+05	0.267781E+03	0.418408E+01	0.1646134E-03	
ANR	214	213	0.101423E-02	0.216032E+00	0.216032E+00	0.101423E-02	0.1426559E-02	
WIT-MIN	279	278	0.870071E-03	0.241836E+00	0.241836E+00	0.870071E-03	0.1575581E-03	
ANGAC	1	0	0.000000E+00	0.151927E-04	0.151927E-04	0.000000E+00	-0.679932E-02	
TOTAL	280	279	0.111187E-02	0.310213E+00	0.310213E+00	0.111187E-02	0.3537549E-04	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 76.7500 DF = 1, 277
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 78.5376 DF = 1, 276
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 2.2575 DF = 1, 278

ANA VS ANR UNLTD CTES HR TRIAX TESTILE 1750 IN/MIN 77 DEG F 600 PSI SIN AT RUPT

TABLE A-36

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		Y	DF	DEVIATIONS		MS	REGRESSION	COEFFICIENT
		SUMS OF SQUARES	ADJ PRODUCTS			RECOL	REGRESSION			
ANA	65	0.261785E+05	-0.775985E+06	0.429156E+08	64	0.215466E+08	0.336066E+06	-0.2753219E+02		
AMB	214	0.506051E+05	-0.810400E+06	0.511755E+09	213	0.493162E+09	0.233088E+07	-0.161086E+02		
ATTN	279	0.759836E+05	-0.199436E+07	0.354251E+09	278	0.522096E+09	0.187804E+07	-0.201672E+02		
FACTOR	1	0.143712E+01	0.290513E+06	0.527134E+08	0	-0.91800E+03	0.00000E+00	0.2921467E+02		
TOTAL	250	0.804207E+05	-0.130367E+07	0.613007E+09	279	0.591867E+09	0.212139E+07	-0.1621312E+02		

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.2620 DF = 1, 277
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 37.1510 DF = 1, 276
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 17.1373 DF = 1, 275

ANA VS AMB UNLAD CUES HR TRIAX TELSILE 1750 IN/MIN 77 DEG F 600 PSI MODULUS

TABLE A-37

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS ABOUT REGRESSION			REGRESSION COEFFICIENT
		SUMS OF SQUARES	XY	Y	SS	MS	COEFFICIENT	
ANA	65	0.281765E+05	-0.204900E+04	0.773120E+05	0.771630E+05	0.120567E+04	-0.727149E-01	
AMP	214	0.508051E+05	0.262150E+05	0.366356E+06	0.250666E+06	0.144832E+04	0.555357E+00	
AMT	165	0.294476E+05	0.205690E+05	0.181872E+06	0.147505E+06	0.102137E+04	0.698494E+00	
*ATHIP	444	0.109431E+06	0.487350E+05	0.625520E+06	0.605376E+06	0.136654E+04	0.431010E+00	
AMONG	2	0.354275E+04	-0.128790E+05	0.522860E+05	0.454686E+05	0.454686E+05	-0.363531E+01	
TOTAL	446	0.111974E+05	0.338560E+05	0.717608E+06	0.615442E+06	0.136302E+04	0.302355E+00	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 3.7195 DF = 2, 441
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 3.6629 DF = 2, 443
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 14.7404 DF = 1, 443

ANA VS AMBIENT UNLND CARTONS HR TRIP TENSILE 1750 LBS/IN 600 PSI MAXIMUM STRESS

TABLE A-38

ANALYSIS OF COVARIANCE TABLE

SOURCE	CORRECTED		SUMS OF SQUARES AND PRODUCTS		REVIATIONS ABOUT REGRESSION		MS	REGRESSION COEFFICIENT
	DF	XY	SS	SS	SS	SS		
ANA	65	0.261765E+05	0.520776E+01	0.267792E+01	64	0.258167E-01	0.403366E-03	0.1848133E-02
ANS	214	0.508051E+05	0.724707E+01	0.217068E+00	213	0.216034E+00	0.101424E-02	0.142644E-02
ANT	165	0.294447E+05	-0.622949E+01	0.152029E+00	164	0.151511E+00	0.923249E-03	-0.211544E-03
WITFE	443	0.108431E+05	0.622534E+01	0.496172E+00	443	0.396319E+00	0.094624E-03	0.574127E-04
AMORG	2	0.354275E+04	-0.198191E+02	0.114602E+00	1	0.352654E-02	0.352654E-02	-0.559426E-02
TOTAL	446	0.111974E+05	-0.135537E+02	0.509426E+00	445	0.507777E+00	0.114107E-02	-0.121400E-03

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.6573 DF = 2, 441
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 42.2935 DF = 2, 443
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 0.3995 DF = 1, 445

ANA VS ANBAANT UNLND CTNS HR TRIAX TENSILE 1750 IN/MIN 600 PSI 77 DEG STN AT RUP

TABLE A-39

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		DEVIATIONS		SS	MS	REGRESSION
		SUMS OF SQUARES	AND PRODUCTS	ABOUT REGRESSION	COEFFICIENT			
		X	XY	Y	DF	SS	MS	
ANA	65	0.261765E+05	-.775985E+06	0.429158E+08	64	0.215466E+08	0.336666E+06	-.2753819E+02
AMB	214	0.508051E+05	-.818460E+06	0.511304E+09	213	0.498118E+09	0.233858E+07	-.1611018E+02
AMT	165	0.294476E+05	-.259200E+06	0.145889E+09	164	0.143607E+09	0.875652E+06	-.8802067E+01
WITHIN	444	0.105431E+05	-.185366E+07	0.700160E+09	443	0.303219E+09	0.685053E+06	-.1709520E+02
AMONG	2	0.354275E+04	0.650017E+06	0.113480E+09	1	0.144282E+07	0.144282E+07	0.1770320E+03
TOTAL	446	0.111974E+06	-.122365E+07	0.813588E+09	445	0.800216E+09	0.179824E+07	-.1092795E+02

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 90.1016 DF = 2, 442
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 241.0244 DF = 2, 443
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 366.3237 DF = 1, 443

ANA VS ANGBANT UNLND CARTONS HR TRIAX TENSILE 1750 IN/MIN 600 PSI MODULUS

TABLE A-40

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		SUMS OF SQUARES AND PRODUCTS		DEVIATIONS ABOUT REGRESSION		MS	REGRESSION COEFFICIENT
		X	Y	XY	SS	LF	SS		
051	3	0.10000E+01	0.27100E+03	0.23125E+01	0.30150E+03	2	0.15075E+03	0.49610E+03	0.13850E+02
054	3	0.40000E+01	0.17640E+04	0.555625E+02	0.59220E+03	2	0.29610E+03	0.49610E+03	0.13850E+02
056	3	0.40000E+01	0.11600E+04	0.11600E+04	0.11807E+04	2	0.59220E+03	0.49610E+03	0.13850E+02
057	3	0.10000E+01	0.27000E+04	0.40300E+02	0.118430E+04	2	0.59220E+03	0.49610E+03	0.13850E+02
058	3	0.90000E+01	0.21220E+04	0.54765E+02	0.178851E+04	2	0.59220E+03	0.49610E+03	0.13850E+02
060	3	0.10000E+01	0.13980E+04	0.20597E+02	0.974737E+03	2	0.59220E+03	0.49610E+03	0.13850E+02
061	3	0.10000E+01	0.37350E+04	0.49360E+02	0.124291E+04	2	0.59220E+03	0.49610E+03	0.13850E+02
WITHIN	21	0.21000E+02	0.13340E+05	0.426836E+02	0.132672E+05	20	0.59220E+03	0.49610E+03	0.13850E+02
AMONG	6	0.16242E+04	0.231290E+05	0.44418E+04	0.219862E+05	5	0.419725E+04	0.419725E+04	0.00000E+00
TOTAL	27	0.164586E+04	0.464830E+05	0.44845E+04	0.342637E+05	26	0.131783E+04	0.131783E+04	0.00000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.7566 DF = 6, 14
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 5.2753 DF = 6, 20
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 0.1308 DF = 1, 20

AND LINEAR CINS LOT-10-LOT HR TRIAX TENS MAXIMUM STRESS: 1750 IN/IN: 600 PSI

TABLE A-41

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		DEVIATIONS		MS	REGRESSION
		SUMS OF SQUARES AND PRODUCTS	Y	SS	ABOUT REGRESSION		
		X	XI	DF	SS		
051	3	0.107000E+01	-0.216504E-01	2	0.904944E-05	0.204472E-05	-0.2066040E-01
053	3	0.467000E+01	-0.559988E-01	2	0.262128E-04	0.131064E-04	-0.1599990E-01
056	3	0.400000E+01	0.279235E-02	2	0.323445E-04	0.160723E-04	0.6981294E-01
057	3	0.107000E+01	0.605126E-02	2	0.447012E-03	0.224456E-03	0.6851194E-02
058	3	0.900000E+01	-0.124359E-01	2	0.579624E-03	0.284812E-03	-0.1381789E-01
059	3	0.100000E+01	-0.924683E-02	2	0.394871E-04	0.197436E-04	-0.9246824E-02
061	3	0.160000E+01	0.261536E-01	2	0.559344E-03	0.279572E-03	0.2615354E-01
WIT-TM	21	0.210000E+02	-0.625458E-01	20	0.353996E-02	0.176998E-03	-0.2976371E-02
AM016	6	0.162486E+04	-0.621872E+00	5	0.104349E-02	0.208599E-03	0.0000000E+00
TOTAL	27	0.164586E+04	-0.684416E+00	26	0.472313E-02	0.181659E-03	0.0000000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 2.5838 DF = 6, 14
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 1.1141 DF = 6, 20
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 1.0525 DF = 1, 20

ANR LINED CAPTIONS LOT TO LOT HP YPIAX TENS STR AT FLIP, 1750 IN/MIN, 600 PSI

TABLE A-42

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			REGRESSION
		SUMS OF SQUARES	XY	Y	ABOUT REGRESSION	SS	MS	
051	3	0.10000E+01	0.30900E+03	0.182432E+06	2	0.462710E+05	0.251355E+05	0.369000E+03
052	3	0.40000E+01	0.132800E+04	0.572704E+06	2	0.151608E+06	0.659040E+05	0.532000E+03
053	3	0.40000E+01	0.10200E+04	0.280188E+06	2	0.463172E+06	0.331368E+05	0.450000E+03
057	3	0.10000E+01	-0.250500E+03	0.240142E+06	2	0.154952E+06	0.794759E+05	-0.296500E+03
058	3	0.90000E+01	0.173250E+04	0.449040E+06	2	0.115504E+06	0.577869E+05	0.192500E+03
060	3	0.10000E+01	0.232500E+03	0.140368E+06	2	0.863117E+05	0.431559E+05	0.232500E+03
061	3	0.10000E+01	-0.690000E+03	0.123052E+06	2	0.144748E+06	0.733740E+05	-0.690000E+03
4 WITHIN	21	0.210000E+02	0.363950E+04	0.315549E+07	20	0.250376E+07	0.125188E+06	0.176166E+03
AMONG	6	0.162488E+04	0.014150E+04	0.231139E+07	5	0.227080E+07	0.454190E+06	0.000000E+00
TOTAL	27	0.164568E+04	0.110410E+05	0.566188E+07	26	0.552169E+07	0.206988E+06	0.000000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.9958 DF = 6, 14

F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 3.8215 DF = 6, 20

F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 5.2060 DF = 1, 20

AMB LYED CARTOLS LOT-TO-LOT LR MAX TENS MODULUS, 1750 IN/IN, +00 PSI

TABLE A-43

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			REGRESSION COEFFICIENT
		Y	X1	Y	LF	SE	MS	
711	9	0.292500E+03	0.520187E+03	0.272700E+04	0	0.157256E+04	0.196570E+03	0.217915E+01
712	9	0.120102E+03	0.419625E+03	0.304000E+04	0	0.836097E+04	0.122483E+03	0.349381E+01
713	9	0.157602E+03	0.248675E+03	0.452000E+04	0	0.419717E+04	0.519969E+03	0.212852E+01
819	5	0.609000E+01	0.129562E+03	0.469700E+04	4	0.179268E+04	0.447315E+03	0.215937E+01
820	5	0.150000E+01	-0.421406E+02	0.384700E+04	4	0.205911E+04	0.446028E+03	0.260937E+01
821	5	0.150000E+01	0.621875E+01	0.210000E+03	4	0.184216E+03	0.460745E+02	0.316583E+01
WITHIN	42	0.529203E+03	0.139033E+04	0.243700E+05	42	0.204853E+05	0.504520E+03	0.262721E+01
AMONG	5	0.285560E+04	0.270861E+04	0.102640E+05	4	0.769589E+04	0.192397E+04	
TOTAL	47	0.335600E+04	0.409894E+04	0.346720E+05	46	0.294400E+05	0.448348E+03	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.5910 FF = 5. 30
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 3.5498 PF = 5. 41
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 7.2399 PF = 1. 41

ANT LINEO CARTONS LGT-10-LOT HR TRIAX TENSILE 1750 IN/MIN 600 FSI. MAX STRESS

TABLE A-44

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	A	XY	Y	DF	SS	MS	REGRESSION COEFFICIENT
711	9	0.242500E+03	-0.150127E+00	0.416720E-02	6	0.409767E-02	0.682945E-03	-0.556605E-07
712	9	0.120102E+03	-0.457307E+00	0.049011E-02	6	0.274727E-02	0.457877E-03	-0.580310E-07
713	9	0.157602E+03	-0.292999E+00	0.063776E-02	6	7.329304E-02	0.411031E-03	-0.105971E-07
819	5	0.600000E+01	-0.349171E-01	0.267576E-02	4	0.247633E-02	0.615082E-03	-0.576524E-07
820	5	0.150000E+01	0.374908E-01	0.135279E-02	4	0.415745E-03	0.103936E-03	0.249936E-07
821	5	0.150000E+01	0.542900E-01	0.503549E-02	4	0.107049E-02	0.267025E-03	0.561938E-07
WITHIN	42	0.529203E+03	-0.223303E+00	0.195523E-01	41	0.102714E-01	0.445645E-03	-0.155574E-07
AMONG	5	0.265600E+04	-0.435077E+01	0.103157E-01	4	0.369266E-02	0.928170E-03	
TOTAL	47	0.338600E+04	-0.517407E+01	0.298710E-01	46	0.219246E-01	0.477491E-03	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 2.1332 DF = 5, 50
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 1.5574 DF = 5, 41
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 2.8741 CF = 1, 41

ANY LINED CARTONS LOT-10-LOT HR TRY/X TENSILE 1750 IN/MIN 600 PSI STRAIN AT RUPT

TABLE A-45

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		SUMS OF SQUARES AND PRODUCTS		DEVIATIONS ABOUT REGRESSION		MS	REGRESSION COEFFICIENT
		X	Y	XY	Y	SS	SS		
711	9	0.242500E+03	0.305530E+07	-0.233340E+05	0.6910037E+06	0.101205E+06	-0.9621266E+02		
712	9	0.120102E+03	0.563031E+07	-0.206600E+05	0.211508E+07	0.244900E+06	-0.171100E+02		
713	9	0.157602E+03	0.49500E+04	0.28210E+07	0.27009E+07	0.33670E+06	-0.04750E+02		
819	5	0.60000E+01	0.171794E+07	-0.91000E+03	0.157592E+07	0.394900E+06	-0.1510E+02		
820	5	0.15000E+01	0.805028E+06	-0.62150E+03	0.335420E+06	0.26850E+05	-0.04750E+02		
821	5	0.15000E+01	0.640160E+06	-0.23000E+03	0.402397E+06	0.150592E+05	-0.1585E+02		
WITHIN	42	0.529203E+03	0.146782E+08	-0.500285E+05	0.994872E+07	0.242852E+06	-0.345355E+02		
AMONG	5	0.28560E+04	0.224597E+07	-0.214635E+05	0.204403E+07	0.521159E+06			
TOTAL	47	0.33860E+04	0.169142E+08	-0.714970E+05	0.154145E+08	0.334097E+06			

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.5595 DF = 5, 56
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 4.5050 DF = 5, 41
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 19.4908 DF = 1, 41

ANT LINED CARTONS LOT-TO-LOT HR TRIAX TENSILE 1750 IN/IN 600 PSI MODULUS

TABLE A-46

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		DEVIATIONS		DF	SS	MS	REGRESSION
		Y	XY	Y	ABOUT REGRESSION				
041	19	0.257000E+03	0.171250E+04	0.326150E+05	0.268945E+05	18	0.149414E+04	0.4717897E+01	
015	2	0.240000E+02	0.273125E+02	0.311250E+02	0.428085E-01	1	0.428085E-01	0.1138021E+01	
037	8	0.200000E+01	0.427500E+02	0.122400E+04	0.310219E+03	7	0.443170E+02	0.2137500E+02	
040	8	0.600000E+01	0.254375E+03	0.146450E+05	0.381292E+04	7	0.544703E+03	0.3679687E+02	
044	6	0.600000E+01	-0.346875E+02	0.358000E+03	0.197463E+03	7	0.282090E+02	-0.5781250E+01	
WITHIN	45	0.297000E+03	0.154225E+04	0.489131E+05	0.409046E+05	44	0.929849E+03	0.5192760E+01	
AMONG	4	0.205926E+05	-0.999925E+04	0.196219E+05	0.147665E+05	3	0.492216E+04	-0.4855742E+00	
TOTAL	49	0.208896E+05	-0.645700E+04	0.685350E+05	0.651112E+05	48	0.135648E+04	-0.4048420E+00	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 3.1041 DF = 4.
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 6.5096 DF = 4.
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 8.6146 DF = 1.

ANA UNLND CARTONS LOT-10-LOT HF TRIAX TENSILE 1750 IN/MIN 600 PSI. MAX STRESS

TABLE A-47

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			Y	df	DEVIATIONS ABOUT REGRESSION			MS	REGRESSION COEFFICIENT
		SUMS OF SQUARES	XY	SS			SS	SS			
M41	19	0.257000E+03	-0.275443E+00	0.914655E-02	18	0.930107E-02	0.416726E-03	-0.1460266E-02			
M15	2	0.240000E+02	0.299885E-01	0.374913E-04	1	0.275090E-07	0.325090E-07	0.1249317E-02			
M37	8	0.260000E+01	0.434570E-01	0.16616E-02	7	0.719905E-03	0.102844E-03	0.2172852E-01			
M40	6	0.300000E+01	-0.60758E-01	0.117141E-02	5	0.130230E-03	0.116157E-03	-0.7560732E-02			
M49	8	0.600000E+01	0.278794E-01	0.432509E-03	7	0.355217E-03	0.436024E-04	0.4613224E-02			
M44	45	0.297000E+03	-0.364800E+00	0.132545E-01	44	0.125771E-01	0.292661E-03	-0.1127391E-02			
M66	4	0.205926E+05	0.486240E+01	0.652468E-02	3	0.537656E-02	0.179219E-02	0.2361232E-02			
TOTAL	49	0.204896E+05	0.452759E+01	0.157792E-01	48	0.117979E-01	0.391623E-03	0.2167366E-02			

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.5600 DF = 4, 46
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 5.0577 DF = 4, 44
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 1.2896 DF = 1, 44

ALFA UNLND CARTONS LOT-TO-LOT OR TENSILE 1750 IN/IN 600 PSI. STD. CAPTURE

TABLE A-48

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			ELEVATIONS			REGRESSION
		SUMS OF SQUARES	XY	Y	DEPT REGRESSION	SS	MS	
M41	19	0.257000E+03	0.135000E+05	0.612966E+07	16	0.542102E+07	0.301140E+06	0.5257917E+02
015	2	0.240000E+02	-0.400000E+04	0.66688E+05	1	0.215000E+02	0.215000E+02	-0.166666E+03
037	6	0.200000E+01	-0.217000E+03	0.157156E+06	7	0.133511E+06	0.190731E+05	-0.108500E+03
040	8	0.200000E+01	-0.266000E+03	0.101390E+07	7	0.100592E+07	0.14274E+06	-0.335000E+02
044	6	0.600000E+01	-0.103600E+04	0.473060E+06	7	0.294397E+06	0.420568E+05	-0.172066E+02
WITHIN	45	0.297000E+03	0.797900E+04	0.844556E+07	44	0.823122E+07	0.167073E+06	0.2686531E+01
AMONG	4	0.205926E+05	-0.710530E+06	0.313714E+08	3	0.685516E+07	0.228506E+07	-0.345040E+02
TOTAL	49	0.206896E+05	-0.702551E+06	0.398170E+08	48	0.161891E+08	0.337272E+06	-0.3363156E+02

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 2.0017 DF = 4, 40
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 10.6347 DF = 4, 44
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 1.1459 DF = 1, 44

ANA UNLND CARTONS LC1-10-LOT HR TRIAX TESTILE 1750 IN/MIN 600 PSI. MODULUS

TABLE A-49

ANALYSIS OF COVARIANCE TABLE

CORRECTED SUMS OF SQUARES AND PRODUCTS
ELEVATIONS ABOUT REGRESSION

SOURCE	DF	X	XY	Y	DF	SS	MS	REGRESSION COEFFICIENT
016	5	0.52000E+02	-0.60000E+03	0.91800E+04	4	0.811078E+03	0.202770E+03	-0.1269231E+09
019	6	0.768554E+02	-0.525000E+03	0.650000E+04	5	0.291391E+04	0.582761E+03	-0.883065E+01
021	5	0.217350E+03	0.350000E+03	0.215000E+04	4	0.152355E+04	0.380887E+03	0.174844E+01
023	7	0.342000E+03	0.672500E+03	0.257000E+04	6	0.168590E+04	0.277550E+03	0.194374E+01
025	7	0.527500E+03	0.100000E+03	0.325000E+04	6	0.323135E+04	0.538528E+03	0.166045E+01
026	7	0.390000E+03	-0.637500E+02	0.471000E+04	6	0.470058E+04	0.783430E+03	-0.163491E+07
028	5	0.625336E+03	-0.936875E+03	0.532000E+04	4	0.351838E+04	0.879551E+03	-0.150139E+01
031	5	0.228000E+03	-0.106825E+04	0.522700E+04	4	0.122192E+04	0.305460E+03	-0.468530E+01
035	13	0.489521E+04	-0.117627E+04	0.261310E+05	12	0.250463E+05	0.215402E+04	-0.2402170E+00
036	4	0.245205E+03	0.117300E+04	0.565000E+04	3	0.132686E+03	0.445618E+02	0.470703E+01
041	9	0.135760E+04	0.102294E+04	0.313000E+04	8	0.234223E+04	0.292778E+03	0.753426E+00
042	6	0.538223E+03	0.113944E+04	0.349400E+04	7	0.102177E+04	0.154536E+03	0.211705E+01
045	9	0.255240E+04	0.311844E+04	0.468700E+04	8	0.109167E+04	0.136484E+03	0.121699E+01
047	9	0.182000E+04	0.582250E+03	0.302500E+04	8	0.264273E+04	0.335341E+03	0.319917E+00
048	12	0.952309E+03	-0.155269E+04	0.900500E+04	11	0.647343E+04	0.588493E+03	-0.163044E+01
049	11	0.306000E+04	0.314262E+04	0.546700E+04	10	0.225246E+04	0.225342E+03	0.102135E+01
050	7	0.154000E+04	0.162266E+04	0.311000E+04	6	0.139108E+04	0.231966E+03	0.1056250E+01
WTFE	131	0.194720E+05	0.057257E+04	0.105793E+06	130	0.103402E+06	0.795403E+03	0.3580720E+09
AMCFC	14	0.158925E+05	0.865462E+04	0.122169E+06	17	0.117932E+06	0.693720E+04	0.000000E+06
TOTAL	149	0.353544E+05	0.150270E+05	0.226758E+06	148	0.221683E+06	0.149786E+04	0.000000E+00

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 3.3550 DF = 18
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 0.2614 DF = 18
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 3.1386 DF = 1

ALL UNLAD CYMS LOT-TO-LOT HR INJAX TENSILE 77 DEG 1750 LB/MIN 600 PSI MAX STRESS

TABLE A-50

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	SOMS OF SQUARES AND PRODUCTS		Y	LF	DEVIATIONS ABOUT REGRESSION		MS	REGRESSION COEFFICIENT
		X	XY			SS	XS		
016	5	0.520000E+02	0.101074E+00	0.284749E-02	4	0.265103E-02	0.662758E-03	0.194373E-02	
019	6	0.764594E+02	-0.685098E+00	9.824173E-02	5	0.277772E-02	0.545547E-03	-0.924160E-02	
021	5	0.217336E+03	0.399002E+00	0.157231E-02	4	0.839792E-03	0.209948E-03	0.1835877E-02	
027	7	0.347000E+03	0.251107E+00	0.182456E-02	6	0.133354E-02	0.220529E-03	0.1413501E-01	
025	7	0.537500E+03	0.176634E+01	0.869199E-02	5	0.288641E-02	0.481068E-03	0.3286217E-02	
026	7	0.390000E+03	0.728500E+00	0.21767E-02	6	0.761567E-02	0.130284E-02	0.1667945E-02	
028	5	0.625336E+03	0.765980E-01	0.264063E-02	4	0.263675E-02	0.659166E-03	0.1256693E-02	
029	1	0.000000E+00	0.000000E+00	0.140452E-02	0	0.140452E-02	0.000000E+00	0.000000E+00	
030	1	0.000000E+00	0.000000E+00	0.391963E-03	0	0.391963E-03	0.000000E+00	0.000000E+00	
031	5	0.225000E+03	-0.544861E+00	0.195509E-02	4	0.653016E-03	0.163254E-03	-0.2385740E-02	
035	13	0.489210E+04	0.610681E+01	0.222362E-01	12	0.146241E-01	0.121668E-02	0.1246448E-02	
036	4	0.249203E+03	0.776489E+00	0.283202E-02	3	0.212568E-03	0.708560E-04	0.3115886E-02	
041	9	0.135760E+04	-0.121471E+01	0.364408E-02	8	0.275723E-02	0.344654E-03	-0.8947444E-02	
042	8	0.568225E+03	0.210390E+01	0.697902E-02	7	0.754952E-03	0.107409E-03	0.3900960E-02	
045	9	0.2568240E+04	0.334776E+01	0.930012E-02	8	0.493125E-02	0.516406E-03	0.1306800E-02	
047	5	0.182000E+04	0.239757E+01	0.466367E-02	8	0.150524E-02	0.186155E-03	0.1317346E-02	
048	12	0.952309E+03	-0.352417E+00	0.113759E-01	11	0.102155E-01	0.931409E-03	-0.3700659E-02	
049	11	0.306000E+04	0.370435E+01	0.612094E-02	10	0.256558E-02	0.251558E-03	0.1202720E-02	
050	7	0.154000E+04	0.137057E+01	0.171682E-02	6	0.499030E-03	0.631717E-04	0.8999237E-03	
WITHIN	131	0.194720E+03	0.203743E+02	0.116936E+00	130	0.896201E-01	0.669586E-03	0.1046337E-02	
AMONG	18	0.158825E+05	-0.111421E+02	0.320516E-01	17	0.242351E-01	0.142559E-02	0.000000E+00	
TOTAL	149	0.353544E+05	0.923218E+01	0.142590E+00	149	0.140579E+00	0.949680E-03	0.000000E+00	

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 2.7020 DF = 18,
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 4.1065 DF = 18,
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 30.9237 DF = 1.

AME UNLNO CTNS LOT-TO-LOT HR TRIAX TENSILE 77 DEG 1750 IN/IN 600 PSI STA AT RUP

TABLE A-51

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	SUNS OF SQUARES AND PRODUCTS			CORRECTED			DEVIATIONS			REGRESSION
		Y	XY	Y	Y	Y	SS	MS	COEFFICIENT		
018	5	0.52000E+02	-0.10000E+05	0.347315E+07	4	0.155008E+07	0.387519E+06	-0.1925077E+02			
019	6	0.745594E+02	0.134300E+04	0.511855E+07	5	0.509546E+07	0.101565E+07	0.1747346E+02			
021	5	0.217235E+03	-0.349330E+05	0.557334E+07	4	0.115847E+07	0.284517E+06	-0.1607227E+02			
022	7	0.357100E+03	-0.426000E+05	0.517559E+07	6	0.375562E+07	0.648270E+06	-0.1231215E+02			
025	7	0.527500E+03	-0.570000E+05	0.712000E+07	6	0.147555E+07	0.245652E+06	-0.1060465E+02			
026	7	0.590000E+03	-0.112500E+05	0.933688E+07	6	0.901436E+07	0.150239E+07	-0.2884615E+02			
028	5	0.625336E+03	-0.291000E+05	0.298000E+07	4	0.162563E+07	0.406458E+06	-0.4653497E+02			
029	1	0.00000E+00	0.00000E+00	0.72000E+06	0	0.72000E+06	0.00000E+00	0.000000E+00			
030	1	0.00000E+00	0.00000E+00	0.40500E+06	0	0.40500E+06	0.00000E+00	0.000000E+00			
031	5	0.228000E+03	0.158600E+04	0.33722E+07	4	0.336618E+07	0.841546E+06	0.6956139E+01			
035	13	0.48921E+04	-0.339638E+06	0.395268E+08	12	0.696642E+07	0.562262E+06	-0.6933517E+02			
036	4	0.249203E+05	0.444400E+04	0.268211E+07	3	0.265132E+07	0.893773E+06	0.1785280E+02			
041	9	0.135769E+04	0.379350E+05	0.754049E+07	8	0.648047E+07	0.610059E+06	0.2794266E+02			
042	8	0.538223E+03	-0.412710E+05	0.350517E+07	7	0.340502E+06	0.486431E+05	-0.7668015E+02			
045	9	0.258240E+04	-0.279349E+06	0.343168E+08	8	0.386263E+07	0.482229E+06	-0.1090184E+02			
047	9	0.182000E+04	-0.225996E+06	0.292052E+08	8	0.114251E+07	0.142014E+06	-0.1241736E+02			
048	12	0.952309E+03	-0.116721E+06	0.206250E+08	11	0.631894E+07	0.574449E+06	-0.1225663E+02			
049	11	0.308000E+04	-0.244686E+06	0.308565E+08	10	0.145760E+07	0.145760E+06	-0.7944346E+02			
050	7	0.154000E+04	-0.124126E+06	0.118573E+08	6	0.185261E+07	0.308765E+06	-0.5060129E+02			
WITHIN	131	0.194723E+05	-0.151141E+07	0.209506E+09	130	0.925508E+08	0.712237E+06	-0.7761901E+02			
AMONG	19	0.154625E+05	0.572372E+06	0.121280E+09	17	0.100632E+09	0.592075E+07	0.000000E+00			
TOTAL	149	0.353544E+05	-0.939040E+06	0.331166E+09	148	0.208244E+09	0.206922E+07	0.000000E+00			

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 3.4896 DF = 18, 112
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 16.6653 DF = 18, 130
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 164.7141 DF = 1, 130

ALL UNLND CTIS LOT-TO-LOT MK TRIAX TENSILE 77 DEG 1750 LB/MIN 600 PSI MODULUS

TABLE A-52

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	Sums of Squares and Products		Covariates		Adjustments		MS	REGRESSION COEFFICIENT
		Y	XY	Y	Y	SS	SS		
BETW	31	0.15227E+04	0.410600E+04	0.861355E+05	20	0.195234E+05	0.517451E+03	0.295152E+01	
BETW	31	0.226775E+04	0.263181E+04	0.288770E+05	31	0.252240E+05	0.854173E+03	0.120859E+01	
BETW	31	0.203825E+04	0.257355E+04	0.145766E+05	21	0.798532E+04	0.263511E+03	0.100228E+01	
BETW	28	0.163594E+04	0.170631E+04	0.215170E+05	27	0.176166E+05	0.652488E+03	0.167841E+01	
WITHIN	121	0.693720E+04	0.122678E+05	0.507405E+05	120	0.688801E+05	0.569234E+03	0.176838E+01	
AMONG	3	0.116974E+04	0.586375E+03	0.352156E+05	2	0.349160E+05	0.174550E+03	0.000000E+00	
TOTAL	124	0.511654E+04	0.126920E+05	0.125280E+06	123	0.104953E+06	0.153273E+03	0.000000E+00	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.0006 DF = 3, 117
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 21.9936 DF = 3, 120
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 38.0704 DF = 1, 120

ADJ UNAD CIMS LOT-TO-LOT BR UNIAK TENSILE MAX STRESS, 1750 IN/MIN, 600 PSI 77 0

TABEL A-53

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	Y	X1	Y	DF	SS	MS	REGRESSION COEFFICIENT
684	21	0.1632750+04	0.1079779E+01	0.142507E-01	30	0.127259E+01	0.424164E-03	0.769450E-02
685	31	0.2228750+04	0.591142E+01	0.49175E-01	30	0.264732E+01	0.882440E-03	0.765482E-02
726	21	0.203825E+04	0.327746E+01	0.120799E-01	30	0.49550E+02	1.65162E-03	0.160552E-02
724	28	0.102940E+04	0.161743E+01	0.229142E-01	27	0.104274E+01	3.86E-03	0.155E-047E-02
WITHIN	121	0.693720E+04	0.123762E+02	1.835743E-01	120	0.614947E+01	0.512455E-03	0.1774037E-02
AMONG	3	0.118974E+04	0.123999E+01	6.12300E-01	2	0.110003E+01	0.550914E-02	0.000100E+01
TOTAL	124	0.510694E+04	0.15e162E+02	0.505044E-01	123	0.719517E+01	0.577164E-03	0.000000E+00

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.9331 DF = 3, 117
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 6.1771 DF = 3, 120
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 43.0660 DF = 1, 120

ANY UPRD CYS LOT-70-LUT BK 7M17 TENSILE STR & RUPTURE. 1750 IN/MI. 600 PSI

TABLE A-54

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		Y	TF	SS	FS	REGRESSION	COEFFICIENT
		X	X						
ERR	31	0.142275E+04	-0.616330E+05	0.167707E+05	30	0.119742E+08	0.559135E+08	-0.5774797E+09	
ERR	31	0.222475E+04	-0.478430E+05	0.30078E+05	30	0.250595E+08	0.110198E+07	-0.2140557E+09	
ERR	31	0.203625E+04	-0.591720E+05	0.33151E+05	30	0.245247E+08	0.115116E+07	-0.1867102E+09	
ERR	29	0.183940E+04	-0.65600E+05	0.300300E+05	27	0.202002E+08	0.746376E+08	-0.2564015E+09	
WITHIN	121	0.680720E+04	-0.211254E+06	0.307555E+09	120	0.101522E+09	0.246017E+06	-0.5045235E+09	
AMONG	3	0.118974E+04	0.406730E+05	0.459726E+07	2	0.351645E+07	0.175623E+07	0.000000E+00	
TOTAL	124	0.810694E+04	-0.170576E+06	0.112762E+09	123	0.269202E+09	0.882473E+06	0.000000E+00	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 0.6931 (F = 5, 117)
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 3.0576 (F = 3, 120)
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 7.6041 (F = 1, 120)

ALL UNLAC CTMS 101-10-10F HR TRAX TENSILE MODULUS, 1750 IN/MIN, 600 PSI, 77 DEG

TABLE A-55

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	SUNS OF SQUARES AND PRODUCTS		CORRECTED		DEVIATIONS		SS	VS	REGRESSION COEFFICIENT
		X	Y	XI	YI	CF	SS			
UNLIFE	107	0.147220E+05	0.246943E+07	0.216940E+05	0.246943E+07	106	0.244149E+07	0.230229E+05	0.1297333E+01	
LIFE	56	0.378604E+04	0.47172E+06	0.227350E+05	0.47172E+06	55	0.629701E+06	0.114100E+05	0.756975E+01	
WTR	163	0.205000E+03	0.504290E+05	0.321750E+07	0.321750E+07	162	0.319350E+07	0.197120E+05	0.2452587E+01	
WTR	1	0.119472E+05	0.773765E+05	0.501024E+06	0.501024E+06	0	0.226751E+02	0.000000E+00	0.000000E+00	
TOTAL	164	0.324552E+05	0.127799E+05	0.381253E+07	0.381253E+07	163	0.331529E+07	0.203392E+05	0.000000E+00	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 6.4075 DF = 1, 161

F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 6.1784 DF = 1, 162

F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 6.2405 DF = 1, 162

ANT LIFE VS UNLIFE CIMS STRESS RELAXATION 77 DEG F 1% STRAIN ANGLE AT 10 SEC

TABLE A-56

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	X	XY	Y	DF	SS	MS	REGRESSION COEFFICIENT
UNLINED	107	0.167220E+05	0.111540E+05	0.547043E+06	104	0.505000E+06	0.486254E+04	0.667025E+00
LINEAR	50	0.370604E+04	0.164107E+05	0.305261E+06	55	0.20844E+06	0.379716E+04	0.512691E+01
QUADRATIC	165	0.205000E+05	0.205047E+05	0.125140E+07	162	0.121505E+07	0.744551E+04	0.149737E+01
ADJUSTED	1	0.119472E+05	0.341213E+05	0.970070E+05	0	.365025E+01	0.000000E+00	0.000000E+00
TOTAL	164	0.324552E+05	0.640860E+05	1.134165E+07	163	0.121992E+07	0.748419E+04	0.000000E+00

DEVIATIONS
ABOUT REGRESSION

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 8.6783 DF = 1, 161
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 1.8909 DF = 1, 162
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 6.1198 DF = 1, 162

ADJUSTED VS UNLINED CENS STRESS RELAXATION 77 DEG F IN STRAIN MODULUS AT 1000 S

TABLE A-57

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		Y	DF	DEVIATIONS		MS	REGRESSION	COEFFICIENT
		X	XY			SS	SS			
REP	47	0.252800E+04	-0.516500E+04	0.214200E+06	49	0.210699E+06	0.475066E+04	-0.125247E+01		
REP	56	0.276604E+04	0.227350E+05	0.247288E+06	58	0.624797E+06	0.119615E+05	0.758973E+01		
REPEAT	109	0.635404E+04	0.299700E+05	0.114290E+07	102	0.104979E+07	0.103501E+05	0.402421E+01		
AMONG	1	0.225227E+04	0.490700E+04	0.377141E+06	1	0.218125E+06	0.000000E+00	0.000000E+00		
TOTAL	104	0.657905E+04	0.304770E+05	0.126571E+07	103	0.119853E+07	0.109566E+05	0.000000E+00		

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 12.7466 DF = 1, 101
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 6.6160 DF = 1, 102
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 9.9036 DF = 1, 102

REP VS REP LIME CATIONS STRESS RELAXATION 77 DEG F 1% STRAIN MODULUS AT 10 SEC

TABLE A-58

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	SUMS OF SQUARES AND PRODUCTS		CORRECTED		ELEVATIONS		SS	MS	REGRESSION COEFFICIENT
		X	XY	Y	EF	SS	MS			
TOTAL	104	0.265800E+04	-0.140500E+04	0.978020E+05	42	0.971001E+05	0.710870E+04	-0.558800E+00		
BET	56	0.27404E+04	0.154107E+05	0.808261E+06	53	0.204844E+06	0.279716E+04	0.512691E+01		
WITHIN	103	0.655404E+04	0.179757E+05	0.408163E+06	102	0.255335E+06	0.241342E+04	0.282311E+01		
AMONG	1	0.225027E+03	0.205315E+04	0.284535E+05	1	0.284535E+05	0.001810E+00	0.000000E+00		
TOTAL	104	0.657905E+04	0.205060E+05	0.474119E+06	103	0.271705E+06	0.255907E+04	0.000000E+00		

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 16.3351 DF = 1, 101

F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 4.4196 DF = 1, 102

F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 14.5987 DF = 1, 102

ONE VS ALL LINED CARTONS STRESS RELAY, 77 DEG F, 1X STRAIN, AGULLUS AT 1000 SEC

TABLE A-59

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		TOTAL		ADJUSTED		REVISIONS		MS	REGRESSING COEFFICIENT
		X	Y	X	Y	SS	SS	SS	SS		
ANA	24	0.230509E+04	0.205120E+05	0.110140E+07	31	0.917996E+06	0.298128E+05	0.2696259E+01			
ANB	53	0.812087E+04	0.252520E+05	0.128795E+07	52	0.120953E+07	0.232601E+05	0.310569E+01			
WITHIN	85	0.104266E+03	0.407640E+05	0.238143E+07	84	0.216775E+07	0.260447E+05	0.5564260E+01			
AMPLIC	1	0.677750E+03	-0.120500E+05	0.247040E+06	1	0.293125E+02	0.000000E+00	0.000000E+00			
TOTAL	86	0.111143E+05	0.329140E+05	0.263203E+07	85	0.253406E+07	0.298164E+05	0.000000E+00			

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 2.5498 DF = 1, 85
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 13.3158 DF = 1, 84
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 7.7050 DF = 1, 84

ANA VS ANB UNLINED CRUIS STRESS RELAXATION 77 DEG F 1% STRAIN MODULUS AT 10 SEC

TABLE A-60

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	X	XY	Y	DF	SS	MS	REGRESSION COEFFICIENT
ANA	32	0.227569E+04	0.110400E+04	0.302750E+05	53	0.266898E+06	0.867413E+04	0.384006E+01
ANB	53	0.812007E+09	0.172330E+05	0.492827E+05	52	0.435581E+06	0.876871E+04	0.212004E+01
WTHTA	85	0.104366E+05	0.260920E+05	0.795425E+05	84	0.780153E+06	0.869276E+04	0.250054E+01
ANCLG	1	0.677750E+03	-0.793500E+04	0.210500E+05	0	0.612500E+01	0.000000E+00	0.000000E+00
TOTAL	86	0.111143E+05	0.161570E+05	0.666320E+05	85	0.858657E+06	0.101019E+05	0.000000E+00

DEVIATIONS ABOUT REGRESSION

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.6085 DF = 1. 83

F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 14.7782 DF = 1. 84

F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 7.5841 DF = 1. 84

ANA VS ANB UNLINED CRTDS STRESS RELAXATION 77 DEG F 1% STRAIN MODULUS AT 1000 S

TABLE A-61

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		Y	UF	DEVIATIONS		MS	REGRESSION COEFFICIENT
		SUMS OF SQUARES	DF			ABOUT MEAN	ABOUT REGRESSION		
ATA	22	0.220565E+04	0.205120E+05	0.110048E+07	31	0.517998E+06	0.296128E+05	0.8896E+59E+01	
AME	53	0.612087E+04	0.252520E+05	0.174795E+07	52	0.121953E+07	0.232700E+05	0.6105E+52E+01	
AIT	107	0.187200E+05	0.215940E+05	0.245722E+07	106	0.244147E+07	0.230327E+05	0.1297333E+01	
ATTMIL	192	0.271500E+05	0.674530E+05	0.405504E+07	191	0.466045E+07	0.245575E+05	0.2482857E+01	
AMONG	2	0.515819E+04	-0.379090E+05	0.527524E+06	1	0.151371E+06	0.151371E+06	0.000000E+00	
TOTAL	194	0.353167E+05	0.295490E+05	0.516557E+07	193	0.516064E+07	0.267401E+05	0.000000E+00	

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 2.5129 DF = 2, 189
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 9.5766 DF = 2, 191
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 6.8230 DF = 1, 191

ATA VS AMBIANT UNILD CTMS STRESS RELAXATION 77 DEG F 1X STRAIN MODULUS AT 10 SEC

TABLE A-62

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	SUNS OF SQUARES AND PRODUCTS			CONSTRUCTED			DEVIATIONS ABOUT REGRESSION			REGRESSION COEFFICIENT
		X	XY	Y	DF	SS	MS	SS	MS		
ANA	32	0.230569E+04	0.605460E+04	0.912090E+06	31	0.200897E+06	0.648412E+04	0.3640069E+04			
APR	53	0.812087E+04	0.172380E+05	0.492527E+06	52	0.495981E+06	0.876067E+04	0.2120067E+04			
APY	107	0.167020E+05	0.111540E+05	0.243740E+06	106	0.925700E+06	0.882041E+04	0.5670253E+04			
WITHI	192	0.271586E+05	0.372400E+05	0.172745E+07	191	0.169730E+07	0.883447E+04	0.1371427E+04			
AMONG	2	0.815819E+04	0.148540E+05	0.989110E+05	1	0.725890E+05	0.725890E+05	0.000000E+00			
TOTAL	194	0.353167E+05	0.225920E+05	0.182735E+07	193	0.182292E+07	0.944520E+04	0.000000E+00			

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.5312 DF = 2, 189
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 7.6710 DF = 4, 194
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 5.7819 DF = 1, 191

ANA VS. AFRASANT UNLND CINS STRESS RELAXATION 77 DEG F 1% STRAIN NODULUS AT 1000 S

TABLE A-63

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		DEVIATIONS		SS	MS	REGRESSION	COEFFICIENT
		SUMS OF SQUARES	ADJUSTED PRODUCTS	ABOUT REGRESSION	ABOUT REGRESSION				
		X	XY	Y	UF	SS	MS		
711	8	0.36600E+03	-0.67000E+03	0.32690E+05	7	0.324625E+05	0.463750E+04		-0.1620401E+01
712	8	0.29400E+03	0.36500E+04	0.008010E+05	7	0.103443E+05	0.148348E+04		0.1309520E+02
713	8	0.26000E+03	0.271685E+04	0.486500E+05	7	0.206442E+05	0.299203E+04		0.102131E+02
815	8	0.58000E+03	0.119337E+04	0.860230E+05	7	0.425844E+05	0.622634E+04		-0.2043449E+01
820	8	0.341559E+03	0.315112E+04	0.342260E+05	7	0.515160E+04	0.735543E+03		-0.9225728E+01
921	5	0.33750E+03	0.427500E+04	0.582640E+05	4	0.413402E+04	0.103360E+04		-0.1266666E+02
MYT-IN	45	0.218908E+04	0.145162E+05	0.281710E+06	44	0.165450E+06	0.421476E+04		0.6651247E+01
AMONG	5	0.120345E+04	0.121937E+05	0.365890E+06	4	0.241939E+06	0.604848E+05		0.000000E+00
TOTAL	50	0.339251E+04	0.267099E+05	0.647200E+06	49	0.436907E+06	0.891647E+04		0.000000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 4.5932 DF = 5, 39
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 11.9322 DF = 5, 44
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 22.6389 DF = 1, 44

ANT LINED CTAS LOT-10-LOT STRESS RELAXATION 77 DEG 1% STRAIN MODULUS AT 10 SECS

TABLE A-64

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		Y	DF	DEVIATIONS		MS	REGRESSION COEFFICIENT
		SQSS	XY			SS	SS		
711	8	0.36600E+03	-0.19000E+03	0.182710E+05	7	0.131024E+05	0.187177E+04	0.5151257E+06	
712	8	0.29400E+03	0.20300E+04	0.146790E+05	7	0.267234E+04	0.410334E+03	0.5964760E+01	
713	8	0.26800E+03	0.209337E+04	0.214230E+05	7	0.354850E+04	0.564071E+03	0.7869429E+01	
819	8	0.58400E+03	0.245337E+04	0.21480E+05	7	0.106494E+05	0.154992E+04	0.4200987E+01	
820	8	0.341559E+03	0.227337E+04	0.172100E+05	7	0.206868E+04	0.295826E+03	0.5655864E+01	
821	5	0.337500E+03	0.33000E+04	0.347340E+05	4	0.246734E+04	0.416834E+03	0.9777779E+01	
WITHIN	45	0.218506E+04	0.119601E+05	0.123403E+06	44	0.582578E+05	0.132404E+04	0.5463593E+01	
AMONG	5	0.120345E+04	0.673894E+04	0.125139E+06	4	0.874032E+05	0.216508E+05	0.0000000E+00	
TOTAL	50	0.339251E+04	0.186991E+05	0.248742E+06	49	0.145675E+06	0.297296E+04	0.0000000E+00	

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 5.0697 DF = 5, 39
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 13.2047 DF = 5, 44
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 49.3529 DF = 1, 44

ANT LINED CTNS LOT-10-LGT STRESS RELAXATION 77 DEG 1% STRAIN MODULUS AT 1000 SEC

TABLE A-65

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			Y	CF	DEVIATIONS ABOUT REGRESSION			REGRESSION COEFFICIENT
		SUMS OF SQUARES	XY	SS			SS	MS		
040	11	0.350250E+03	0.901250E+04	0.324092E+06	10	0.392500E+06	0.392500E+06	0.392500E+06	0.2573161E+02	
044	11	0.872250E+03	-0.755000E+03	0.507670E+05	10	0.501135E+05	0.501135E+05	0.501135E+05	-0.0055775E+00	
ATMIA	22	0.122250E+04	0.822750E+04	0.275259E+06	21	0.219482E+06	0.294952E+05	0.294952E+05	0.5754601E+01	
AMONG	1	0.735000E+02	0.466250E+04	0.270937E+02	0	-0.375000E+00	0.000000E+00	0.000000E+00	0.000000E+00	
TOTAL	23	0.129600E+04	0.127200E+05	0.246196E+06	22	0.021251E+06	0.373342E+05	0.373342E+05	0.0000000E+00	

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 7.9866 DF = 1, 20
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 6.8432 DF = 1, 21
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 1.8908 DF = 1, 21

ANA UNLND CAPTENS LOT-10-LOT STRESS RELAXATION MODULUS AT 10 SEC. 1X STRAIN

TABLE A-66

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		DEVIATIONS		NS	REGRESSION
		SS	XY	SS	ABOUT REGRESSION		
040	11	0.350250E+03	0.470000E+04	0.173000E+06	1	0.108565E+06	0.1364730E+02
044	11	0.572250E+03	-0.120000E+04	0.169000E+05	1	0.171491E+05	-0.1575751E+01
WITHIN	22	0.122250E+04	0.350000E+06	0.192000E+06	21	0.182116E+06	0.167280E+04
AMONG	1	0.735000E+02	0.210000E+04	0.600000E+05	1	0.000000E+00	0.000000E+00
TOTAL	23	0.129600E+04	0.568000E+04	0.252000E+06	22	0.227706E+06	0.103503E+05

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 8.9730 DF = 1, 20
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 5.2570 DF = 1, 21
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 1.2089 DF = 1, 21

ANA UNLND CARTONS LOT-TO-LOT STRESS RELAXATION MODULUS AT 1000 SEC. 1X STRAIN

TABLE A-67

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			REGRESSION	COEFFICIENT
		SS	Y	DF	SS	AS	COEFFICIENT		
504	20	0.249257E+04	0.002741E+06	19	0.540006E+06	0.336045E+05	-0.1004977E+02		
505	20	0.125000E+04	0.566767E+02	19	0.450151E+06	0.241479E+05	-0.1210739E+01		
696	20	0.148900E+04	0.241479E+05	19	0.222343E+06	0.117022E+05	-0.562231E+01		
724	23	0.114562E+04	0.197799E+06	22	0.357497E+06	0.897711E+04	-0.5158025E+00		
822	5	0.150000E+01	0.000000E+02	4	0.253333E+04	0.633333E+03	-0.466666E+02		
WITHIN	80	0.629770E+04	0.178879E+07	87	0.182899E+07	0.187241E+05	-0.503727E+01		
AMONG	4	0.705299E+04	0.423792E+05	3	0.154322E+06	0.514407E+05	0.000000E+00		
TOTAL	92	0.133507E+05	0.219776E+07	91	0.214925E+07	0.240577E+05	0.000000E+00		

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 1.4705 DF = 4, 83

F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 7.4805 DF = 4, 87

F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 8.5344 DF = 1, 87

ANT UNLMD CAPTIONS LOT-TO-LOT STRESS RELAXATION MODULUS AT 10 SEC, 1X STRAIN

TABLE A-68

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	XY	Y	DF	SS	MS	REGRESSION COEFFICIENT
ABF	20	0.145600E+04	0.92110E+05	19	0.619592E+05	0.431364E+04	-0.2620567E+01
704	23	0.117562E+04	0.69450E+05	22	0.687420E+05	0.894222E+04	-0.550455E+01
684	20	0.240257E+04	0.29213E+06	19	0.227718E+06	0.119852E+05	-0.519323E+01
809	20	0.126009E+04	0.197524E+06	19	0.196023E+06	0.103591E+05	-0.746031E+00
F22	5	0.150008E+01	0.188337E+04	4	0.106671E+04	0.268677E+03	-0.233333E+02
WITHIN	88	0.623770E+04	0.673599E+06	87	0.615699E+06	0.707471E+04	-0.303735E+01
AMONG	4	0.705299E+04	0.167793E+06	3	0.110400E+06	0.368001E+05	0.000000E+00
TOTAL	92	0.133507E+05	0.861392E+06	91	0.820048E+06	0.945108E+04	0.000000E+00

DEVIATIONS ABOUT REGRESSION

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 0.7399 DF = 4, 83
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 8.6417 DF = 4, 87
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIATE = 8.2125 DF = 1, 87

AMT UNLND CARTONS LOT-TO-LOT STRESS RELAXATION MODULUS AT 1000 SEC. 1% STRAIN

TABLE A-69

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		Y	DF	DEVIATIONS		MS	REGRESSOR	REGRESSOR
		SUMS OF SQUARES	AND PRODUCTS			ABOUT REGRESSION	COEFFICIENT			
UNLINE	236	0.431144E+05	0.181469E+06	0.264266E+07	236	0.187868E+07	0.799440E+04	0.4209471E+01		
LINE	53	0.466350E+04	-0.253100E+04	0.811940E+05	53	0.797303E+05	0.152328E+04	-0.342725E+01		
WITHIN	289	0.477779E+05	0.173956E+06	0.272376E+07	289	0.205345E+07	0.713004E+04	0.374582E+01		
AMONG	1	0.600000E+04	-0.300000E+05	0.200000E+05	0	0.133719E+03	0.000000E+00	0.000000E+00		
TOTAL	290	0.544389E+05	0.160360E+06	0.277581E+07	289	0.230343E+07	0.79734E+04	0.000000E+00		

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 13.9276 DF = 1, 287
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 35.0598 DF = 1, 288
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 94.0119 DF = 1, 289

AMT LINED VS UNLINED CARTONS TOLR (TOLR ABOVE GLASS POINT)

TABLE A-70

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		DEVIATIONS		MS	REGRESSION
		SS	XY	SS	ABOUT REGRESSION		
UNLINED	267	0.564940E+05	0.163000E+03	0.613353E+04	0.214459E+02	0.268730E+02	0.000000E+00
LINED	53	0.466250E+04	-0.468000E+03	7.165034E+03	0.355635E+01	-0.1002528E+00	0.000000E+00
WITHIN	340	0.611175E+05	-0.305000E+03	0.636440E+04	0.187743E+02	-0.4990354E-02	0.000000E+00
AMONG	1	0.104600E+05	-0.129400E+04	0.167100E+03	0.000000E+00	0.000000E+00	0.000000E+00
TOTAL	341	0.715777E+05	-0.159900E+04	0.652000E+04	0.190851E+02	0.000000E+00	0.000000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 2.4561 DF = 1: 330
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 6.7006 DF = 1: 339
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 0.0511 DF = 1: 339

ANT LINED VS UNLINED CARTONS TOLF (GLASS POINT)

TABLE A-71

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED			DEVIATIONS			REGRESSION
		X	XY	Y	SS	MS	COEFFICIENT	
		SUMS OF SQUARES AND PRODUCTS			RECT REGRESSION			
ATA	105	0.405283E+05	0.572437E+05	0.299106E+04	104	0.292700E+04	0.267217E+02	0.199663E-01
AME	261	0.741842E+05	0.237100E+04	0.510400E+04	260	0.502222E+04	0.179579E+02	0.319699E-01
ATPHE	386	0.115112E+05	0.294344E+04	0.209506E+04	385	0.202300E+04	0.206410E+02	0.256700E-01
ARLME	1	0.101022E+03	0.107137E+03	0.279775E+03	0	0.157106E+01	0.000000E+00	0.000000E+00
TOTAL	387	0.115214E+05	0.277600E+04	0.837106E+04	386	0.831111E+04	0.215314E+02	0.000000E+00

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 0.4083 DF = 1, 384
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 13.7361 DF = 1, 385
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 3.5113 DF = 1, 385

ATA UNLND VS ANB UNLND CAUTIONS TOLE ABOVE GLASS POINT)

TABLE A-72

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	X	XY	Y	DF	SS	MS	REGRESSION COEFFICIENT
ANA	99	0.370953E+05	0.220961E+06	0.250116E+07	99	0.921456E+06	0.940463E+04	0.602602E+01
AMB	281	0.741842E+05	-0.140340E+05	0.814733E+07	281	0.214018E+07	0.290721E+05	-0.199177E+00
WTF-10	379	0.112179E+06	0.211527E+06	0.100440E+06	379	0.100222E+06	0.264703E+05	0.191592E+01
A*CA	1	0.427125E+03	0.684900E+04	0.11710E+06	1	-0.154569E+03	0.000101E+00	0.000000E+00
TOTAL	381	0.112610E+06	0.221776E+06	0.105513E+06	380	0.101145E+08	0.266172E+05	0.000000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 40.4879 DF = 1, 379
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 3.1090 DF = 1, 379
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 15.5564 DF = 1, 379

ANA UNLID VS AMB UNLID CARTONS TULE (GLASS POINT)

TABLE A-73

ANALYSIS OF COVARIANCE TABLE

SOURCE	DF	CORRECTED		Y	DF	DEVIATIONS		REGRESSION
		SS	MS			SS	MS	
ANA	99	0.378953E+05	0.226986E-01	0.230280E-07	98	0.922778E-08	0.541610E-10	0.0026669E-04
AMB	281	0.741842E+05	-0.141235E-02	0.144158E-07	280	0.610141E-07	0.290765E-19	-0.1903500E-07
ANT	239	0.423114E+05	0.181574E-01	0.684705E-07	238	0.165002E-07	0.800012E-10	0.4211290E-04
ATP	616	0.152594E+06	0.396433E-01	0.120175E-06	615	0.120797E-06	0.196418E-09	0.2552790E-04
AMONG	2	0.120631E+05	-0.908095E-02	0.927200E-08	1	0.242596E-08	0.243596E-08	0.0000000E+00
TOTAL	616	0.167357E+06	0.305624E-01	0.140190E-06	617	0.134609E-06	0.216166E-09	0.0000000E+00

 F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 31.7996 DF = 2: 613
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 35.1496 DF = 2: 615
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANCE = 51.5235 DF = 1: 615

ANA VS AGE VS ANT UNLIMITED CAPRIONS TOLE (CIRCLE ABOVE GLASS POINT)

TABLE A-74

ANALYSIS OF COVARIANCE TABLE
 CORRECTED DEVIATIONS
 SUMS OF SQUARES AND PRODUCTS ABOUT REGRESSION

SOURCE	DF	X	XY	Y	DF	SS	AS	REGRESSION COEFFICIENT
AMB	105	0.405263E+05	0.572437E+03	0.259506E+04	104	0.258706E+04	0.287217E+02	0.1390634E-01
AMB	261	0.741642E+05	0.237100E+04	0.510500E+04	260	0.502822E+04	0.175579E+02	0.3196758E-01
AMT	287	0.564540E+05	0.165000E+03	0.513500E+04	286	0.613233E+04	0.214459E+02	0.2807304E-01
WYFTE	673	0.171566E+06	0.310544E+04	0.142321E+05	672	0.141768E+05	0.210924E+02	0.1810631E-01
AMONG	2	0.682750E+04	0.130756E+04	0.600937E+03	1	0.256521E+03	0.350521E+03	0.0000000E+00
TOTAL	675	0.178394E+06	0.441400E+04	0.148340E+05	674	0.147248E+05	0.218469E+02	0.0000000E+00

F RATIO FOR TESTING DIFFERENCES BETWEEN SLOPES = 0.6632 DF = 2, 670
 F RATIO FOR TESTING DIFFERENCES BETWEEN ELEVATIONS = 12.9872 DF = 2, 672
 F RATIO FOR TESTING SIGNIFICANCE OF COVARIANT = 2.6661 DF = 1, 672

AMB VS AMB VS AMT UNFILLED CARTONS 10LE (GLASS POINT)

DISTRIBUTION

	<u>NR</u> <u>COPIES</u>
OOAMA	
MMCT	1
MMNT	1
DDC (TISIR) Cameron Station, Alexandria, VA 22314	2
SAMSO, Norton AFB, CA 92409	1
MNNP	
TRW Systems, Norton AFB, CA 92409	1
Attn: Mr. J. C. Metcalf, Bldg 523/315	
AFPRO, Aerojet, Sacramento, CA 95813	1
Aerojet Solid Propulsion Company	1
P. O. Box 15847, Sacramento, CA 95813	
Attn: Mr. G. Hoover for Mr. J. Drislane	
AFRPL (MKPB) Edwards AFB, CA 93523	1
SAC (LGBM) Offutt AFB, NB 68113	1
U. S. Naval Ordnance Station, Indian Head, MD 20460	1
Dr. James H. Wiegand	
Fleet Support Dept, Propulsion	
System Development Division, Code FS7	
CPIA, Johns Hopkins University	1
Attn: Dr. P. L. Nichols	
8621 Georgia Avenue	
Silver Springs, MD 20910	

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER MANCP Report Nr 374(77)	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Propellant Surveillance Report Minuteman III Stage III	5. TYPE OF REPORT & PERIOD COVERED Test Results - Semi Annual	
	6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) Elizabeth M. Dalaba	8. CONTRACT OR GRANT NUMBER(s)	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Propellant Lab Section Directorate of Maintenance OO-ALC, Hill AFB, Utah 84406	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS MMWRM Project M83257C	
11. CONTROLLING OFFICE NAME AND ADDRESS Service Engineering Division Directorate of Material Management OO-ALC, Hill AFB, Utah 84406	12. REPORT DATE July 1977	
	13. NUMBER OF PAGES 238	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS. (of this report) Unclassified	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release, distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Solid Propellant Minuteman		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report contains test results from testing of Minuteman III, Stage III propellant manufactured by Aerojet Solid Propulsion Company and Thiokol Corporation, Wasatch Division. These results are compared statistically with propellant of similar ages from Minuteman II Stage II. Regressions are given for only statistically significant parameters from very low rate tensile, high rate biaxial tensile under pressure, stress relaxation and thermal coefficient of linear expansion tests. There are some significant regressions in each of these tests. (OVER)		

↓
Case liner bonds also show significant changes which are potentially life limiting.

Significant changes in other parameters may be the result of limited testing, both in numbers and ages.

Analysis of covariance for test data from lined and unlined cartons of Stage II and Stage III propellant and for the four tests listed above are given in the statistical appendix.

