

 $\infty$ 

# Per Technology A 045468 A 045468




title: MECHANIZATION OF HOUSING SOLID WASTE COLLECTION

author: C. J. Ward and D. L. Cannon

date: August 1977

SDONSOF: Naval Facilities Engineering Command

program nos: 441.21.006.01.001





# CIVIL ENGINEERING LABORATORY

NAVAL CONSTRUCTION BATTALION CENTER Port Hueneme, California 93043

Approved for public release; distribution unlimited.

Unclassified SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered) READ INSTRUCTIONS
BEFORE COMPLETING FO REPORT DOCUMENTATION PAGE GOVT ACCESSION NO -TN-1497 DN587084 MECHANIZATION OF HOUSING SOLID WASTE COLLECTION B. CONTRACT OR GRANT NUMBER(S) AUTHOR(s) C. J. Ward D. L. PERFORMING ORGANIZATION NAME AND ADDRESS PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS CIVIL ENGINEERING LABORATORY 63721N; Y0817.SL; Naval Construction Battalion Center Y41.21.006.01.001 Port Hueneme, California 93043 1. CONTROLLING OFFICE NAME AND ADDRESS August 1977 Naval Facilities Engineering Command Alexandria, Virginia 22332 26 SECURITY CLASS. (of this report) 4. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office) Unclassified 15a. DECLASSIFICATION DOWNGRADING Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT Y4121 006 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Automation, handling, collection, equipment, solid waste.

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

continued

Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

44440

Increased cost of solid waste handling and disposal at Navy Shore Facilities has set a high priority on development of new methods and equipment that can reduce expenditures. One technique often used to cut costs is to automate labor-intensive tasks. Development of a mechanized, residential housing collection attachment would eliminate the need for manual loaders. Retrofitting the attachment to existing Navy industrial collection vehicles

would eliminate the need for specialized residential collection vehicles. A refuse

10

SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)

### 20. Continued

attachment was conceived, and a small working model was constructed for study. A full-scale attachment was designed, fabricated, and assembled, and engineering drawings were prepared. A used industrial refuse tank was modified as necessary for installing the attachment, and the complete system was laboratory-tested.

### Library Card

Civil Engineering Laboratory
MECHANIZATION OF HOUSING SOLID WASTE COLLECTION
(Final), by C. J. Ward and D. L. Cannon
TN-1497 26 pp illus August 1977 Unclassified

1. Solid waste handling 2. Automated collection I. Y41.21.006.01.001

Increased cost of solid waste handling and disposal at Navy Shore Facilities has set a high priority on development of new methods and equipment that can reduce expenditures. One technique often used to cut costs is to automate labor-intensive tasks. Development of a mechanized, residential housing collection attachment would eliminate the need for manual loaders. Retrofitting the attachment to existing Navy industrial collection vehicles would eliminate the need for specialized residential collection vehicles. A refuse attachment was conceived, and a small working model was constructed for study. A full-scale attachment was designed, fabricated, and assembled, and engineering drawings were prepared. A used industrial refuse tank was modified as necessary for installing the attachment, and the complete system was laboratory-tested.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

## CONTENTS

	Page
INTRODUCTION	1
Background	1
Accomplishments to Date	2
DESCRIPTION OF ATTACHMENT	2
Pickup Mechanism Concept	3
Attachment Controls	4
ELECTRICAL AND HYDRAULIC SYSTEMS	5
CONCLUSIONS AND RECOMMENDATIONS	5

NTIS			Section	
	OUNCED CATION			
	BUTTON/			
Dist.	AVAIL.	and,	/or St	ECIAL
U				

### INTRODUCTION

Increased costs of solid waste handling and disposal at Navy shore facilities have resulted from new environmental requirements, higher labor and equipment costs, and increases in the quantity of solid waste being generated. This has set a high priority on development of new methods and equipment that can reduce expenditures for solid waste handling and disposal. Additionally, new requirements are being imposed on Navy public works activities by a demand for cost-effective and environmentally acceptable methods and equipment for collection, separation, recycling/recovery, and disposal of material.

To meet these requirements, the Naval Facilities Engineering Command (NAVFAC) tasked the Civil Engineering Laboratory (CEL) to perform advanced development on mechanization of collection of solid waste from Navy residential housing areas. The effort on mechanization of housing collection has as its primary goal the development of an attachment for Navy front-loading, packer-type refuse collection trucks that will permit one-man operation for residential collection.

Successful development of this attachment will reduce and standardize the equipment requirements by permitting existing Navy industrial collection vehicles, which are presently restricted to emptying large storage containers used for base facility waste, to also collect curbside or alley set-outs of wastes generated in family housing areas. Since manpower will also be reduced by permitting one-man operation of residential collection equipment, considerable labor savings will also result.

This report covers the results of the FY-76 and FY-TQ effort, which include the fabrication, assembly, functional testing, and laboratory testing (truck stationary) of the attachment.

### Background

The Civil Engineering Laboratory has been tasked to review requirements and to develop systems, procedures, methods, and equipment for solid waste handling and disposal at Naval shore facilities. At present, the majority of solid wastes from Naval facilities are generated at industrial, institutional, and commercial-type facilities. Collection of these solid wastes generally utilizes front-hoisting refuse collection trucks conforming to specification MIL-T-46748C, and employs containers conforming to specification MIL-R-239541. Most facilities have family housing from which solid waste must also be collected. The majority of the facilities have fewer than 1,000 housing units, and, in most cases, the generation from these units amounts to no more than one quarter of

the total solid waste load of the facility. Collection from family housing areas, when performed by Navy civilian employees, is generally by rear-loading, packer-type trucks conforming to specification MIL-T-2452E, which are manned by a driver and one or two loaders. Metal garbage cans, conforming to specification RR-C-82E, are made available at each family unit by the Navy for the collection of solid wastes.

Analysis of Navy needs indicates\* a high priority on improving the method for collection of family housing waste by the development of an attachment for use with existing front-loading collection trucks. Successful development and implementation of this proposed attachment will: (1) reduce and standardize equipment requirements by permitting existing Navy front-loading collection vehicles, presently used to empty large industrial-type storage containers, to collect curbside or alley set-outs of wastes generated in family housing areas; and (2) reduce operating costs in manpower and incidents of personnel injury.

Mechanized residential collection technology is currently under development by a number of commercial organizations. Most of these developments are at the stage where prototypes are being evaluated operationally. However, with a few exceptions, these are oriented toward a single type of standard container and special purpose collection vehicles with capacities in excess of the requirement for housing collection at most military facilities. By contrast, the work reported herein is oriented toward development of an attachment for existing Navy vehicles that can service most any size or shaped container including bags or boxes.

The previous study\* of the need for an automated residential refuse collection system for Navy use indicates the design criteria for development should be as summarized in Table 1. Also summarized in Table 1 are the laboratory test results.

### Accomplishments to Date

A refuse attachment was conceived, and a small working model was constructed for study. A full-scale attachment was designed, fabricated and assembled, and engineering drawings were prepared. A used industrial refuse truck was modified as necessary for installing the attachment and the complete system was laboratory-tested. Modifications were made to the attachment in preparation for field tests.

### DESCRIPTION OF ATTACHMENT

Figure 1 illustrates the attachment being developed for Navy front-loading, packer-type refuse collection trucks (MIL-T-46748C). As shown,

\*Civil Engineering Laboratory. Contract Report CR76.001: Evaluation of Mechanized Collection Systems and Development of Criteria for Prototype Refuse Collection Truck Attachment for Navy Housing Collection, SCS Engineers, Long Beach, Calif., Jul 1975. (Contract N68305-74-C-0014)

the pickup mechanism (called the "hand") consists of a rigid thumb with two fingers. As presently designed, a single rotary actuator controls both fingers of the hand such that one finger grabs a filled container while the other releases an empty one.

The complete system, excluding hydraulic power and electrical controls, is configured as a single unit (Figure 2). It can easily be installed on or removed from the existing forks on the front of the truck in 5 to 10 minutes, making the unit portable and the truck compatible with heavy industrial as well as residential collection. The truck requires only the installation of the additional cab controls and provision of electric and hydraulic connections for conversion (Figures 3 and 4). No significant modification to the truck was required.

### Pickup Mechanism Concept

The key component conceived for the attachment is the refuse container pickup mechanism which is configured so that it can pick up all normal sizes and shapes of trash containers (including bags and boxes) and hold each firmly enough for impact dumping without damaging the container. The configuration of the human hand with its thumb and fingers prompted the design. Just as the human hand is capable of picking up and holding objects of different sizes and shapes, this mechanical hand (Figure 5) can grasp and firmly hold rectangular blocks, tapered containers, and even bundles, such as filled plastic bags. It is important to note the large number of pressure pads used to grasp a container. This distributes over a large area the force required to firmly hold a container, thereby minimizing the probability of damaging it. The pressure forces are controlled by limiting the maximum tendon pull with a pressure control valve on the actuator.

The arm shoulder joint (Figure 6) that connects the arm to the bin has been designed using common hydraulic actuators for control. It has the needed two angular degrees of freedom normal to a shoulder, but does not include a complex ball or universal joint. The telescoping arm (Figure 7) uses a standard hydraulic ram and is capable for extending as well as moving laterally and vertically when reaching for a container. Once the container is grasped, actuation of the arm dumps into the bin the contents of the refuse container held in the hand. When full, the bin is emptied into the truck using the existing truck controls, (Figure 8). Figure 9 illustrates the chain position modification made for the field tests. Original chain positions (side-mounted) did not distribute the tension loads equally.

When installed, the unit does not extend outside the normal height and width of the truck. Also, the attachment is in full view of the operator and can be elevated, if necessary, when climbing steep hills, driveways, making sharp turns in confined spaces, etc. Consequently, the installation of the attachment does not restrict the maneuverability of the truck or its ability to traverse base roads. Since it can be installed and removed easily and quickly without special tools, it can

be stored in any convenient location and readily transported to the shop when repair or maintenance is required.

Continuous operation is possible with the dual-finger design of the hand. For normal operation, it is expected that the operator will be able to steer the hand to the container and grab it while the truck is in motion. As the hand grabs the full can, the empty one is released simultaneously. The retraction of the arm and the dumping of the container into the bin are rapid and automatic. As a result, it is expected that the truck with the attachment will not have to make a full stop unless obstacles (such as parked cars) dictate or if multiple cans are encountered. The technique might first appear complicated, but actual operator skill required is expected to be minimized due to the hand operation and the controls being identical to those of the human hand and arm.

### Attachment Controls

Figures 3 and 10 illustrate the attachment controls to be installed in the truck cab. The functions of these controls are as discussed below.

The normal position of the attachment during transit from one container pickup location to the next is Position A in Figure 11. As the driver approaches the container to be picked up, he presses the cycle control switch located on the end of the joy-stick to initiate the cycle. The arm automatically rotates through Position B to Position C and then begins to extend. During the arm extension, the driver steers the arm and hand toward the container at Position D, using the joy-stick arm control for left/right and up/down motions. When the hand contacts the container at Position D, the driver again depresses the cycle control switch; this stops the extension of the arm and causes one finger of the hand to close and grasp the container, while the other finger opens and releases an empty container to replace the full one being picked up. Then, automatically, the arm lifts the container, retracts into Position C, centers itself in the slot in the bin, and rotates through Position B to dump the container and stop the cycle at Position A. After the container is dumped at Position A, it remains there until the cycle control switch is again depressed to initiate the next cycle. Figures 12 and 13 are pictures of the cycle taken during the functional test. The total time for a complete cycle was tested to be between 17 and 21 seconds.

For safety reasons, the operations of the attachment can be stopped quickly at any time by simply depressing the large on-off switch (to replace the small toggle switch). This freezes the attachment in the position it is in at the time the switch is activated. When the switch is turned on again, the cycle continues from the frozen position.

### ELECTRICAL AND HYDRAULIC SYSTEMS

The electrical system is designed to be simple, reliable, and low in cost. All electrical needs are met by 12-volt direct current drawn from the truck battery. No additional regulators, electrical power supplies, or transistors are required. All the electrical parts and components are common devices that are commercially available and designed for long life (Figure 3). The packaged electrical relay unit prepared for field tests is shown in Figure 14. All position sensors are on/off devices that are mechanically actuated (Figure 6). All the electrically controlled hydraulic valves use inexpensive, reliable, solenoid actuators (Figure 15). A quick-release multiple-lead connector (cannon plug) is used to join the cab controls with the attachment. The electrical circuit incorporates inexpensive plug-in relays to facilitate maintenance by replacement rather than repair.

Like the electrical circuit, the hydraulic system is designed around simplicity, reliability, and low cost. Unlike the electrical system, however, the time responses required of the hydraulic actuators for optimum trol are difficult to determine in advance. Therefore, all the a sprocured and designed into the prototype attachment have a slighter response and higher torque (or force) capability than is used to be required. Flow restrictors were used in combination with an adjustable relief valve to determine the proper response times to be used in specifying design points in future design work on the hydraulic system.

### CONCLUSIONS AND RECOMMENDATIONS

Development work on the attachment completed to date has progressed through the laboratory test (truck stationary) without need for reconsideration or significant alteration of any of the original design objectives listed in Table 1. Therefore, it is recommended that development be continued as follows:

- Complete Memorandum of Procedure for field test and evaluation of refuse collection attachment installed on truck.
- Perform field test and evaluation of refuse collection attachment installed on truck.
- Revise developmental drawings and specifications of refuse collection attachment and truck modifications to incorporate improvements resulting from field tests.




Figure 1. Mechanized refuse collection attachment.




Figure 2. Mechanized refuse collection attachment mounted on existing forks of refuse truck (arm swing of 47 degrees gives 70 degree sector angle of grasp area).




Figure 3. Electrical relays (above) and joy-stick arm control (below) to be installed in truck cab.




Figure 4. Hydraulic modifications to truck (located below compactor and in front of rear wheels).




Figure 5. Views of mechanical hand in position: (upper left) hand approaches plastic bag; (upper right) plastic bag grabbed and elevated; (lower left) bag returned and hand positioned for box pick up; (lower right) box grabbed and elevated and plastic bag dropped. (Note: nonreturnable containers would normally be dropped into bin by attachments.)





Figure 6. Arm shoulder mechanism.







Figure 7. Views of telescopic arm fully extended: (upper left) maximum angle of swing in aft direction; (upper right) arm centered; (bottom) maximum angle of swing in forward direction.










Figure 9. Modified telescoping arm with improved chain positions designed to more evenly distribute the tension loads.




Figure 10. Cab control.






Figure 11. Schematic illustrating operating cycle.









Extension portion of cycle: (upper left) downward aligned rotation, automatic; begins extension, and operator is in control of left-right and up-down arm position; (lower right) hand approaches container. (upper right) downward rotation just prior to automatic extension; (lower left) arm Figure 12.



extension stopped, container grabbed, and elevation about to begin; (upper right) arm fully retracted and being aligned; (lower left) arm in aligned dump cycle; (lower right) Figure 13. Automatic return positions of cycle: (Upper left) grasp button depressed, container dumped, and system automatically turned off.




Figure 14. (Above) packaged electrical relay unit and joy-stick arm control; (below) built-in toggle switches used for simulating pickup mechanism position.




Figure 15. Hydraulic valves located in compartment on floor of bin.

continued

Table 1. Comparison of FY-76 Laboratory Test Results With Principal Design Criteria for a Mechanical Collection Attachment

- Charles and a second		
Criteria	Desired Characteristics	Test Results With First Prototype
Container Present:	Container of opportunity	See "Container Grasping" criterion.
Future:	Sized for storage of household refuse in standardized, single container of capacity equal to maximum quantity generated weekly.	See "Arm" and "Container Grasping" criteria.
Cycle time	Minimal (12 to 18 sec)	17 to 21 sec
Arm Capacity	150 1b (68 kg)	150 1b (68 kg)
Reach	7 ft (2.1 m)	6.6 ft (2.0 m)
Swing	45 deg (0.79 rad)	47 deg (0.82 rad)
Container grasping	Capable of picking up existing containers of a vareity of shapes and sizes.	Adaptive hand grasped and did not damage a filled $40-gal~(0.15-m^3)$ plastic bag, an empty cardboard box, and a $45-gal~(0.17-m^3)$ refuse can.
Bin size	6 cu yd (4.6 m³)	5 cu yd (3.8 m³)
Crew size	One man	One man
Human energy	Minimize human energy requirements (available 2,400 k-cal per 8 hr man-day). Should not require more than 1,200 k-cal.	Not evaluated.
Climate	Unaffected by climate extremes.	Not evaluated.

Table 1. Continued

Criteria	Desired Characteristics	Test Results With First Prototype
Maneuverability	Unconstrained by conditions of collection area [outside turning radius - 36 ft (11 m) or less].	Truck turning radius not altered.
Truck modifications	No major modifications.	Only cab controls and several hydraulic components required on truck for functioning of attachment.
Flexibility	Quick on/off attachment or permanently mounted so as not to hinder primary truck functions.	On/off each requires no more than 10 min.

### **DISTRIBUTION LIST**

AF ENVIRON. HEALTH LAB McClellan AFB CA

AFB (AFIT/LD), Wright-Patterson OH; AFCEC/XR, Tyndall FL; AUL/LSE 63-465, Maxwell AL; CESCH, Wright-Patterson; HQ Tactical Air Cmd (R. E. Fisher), Langley AFB VA; Stinfo Library, Offutt NE

AFB/DET I, HQ ADTC/ECW 4, CAPT R. F. Olfenbuttel

ARMY AMSEL-GG-TD, Fort Monmouth NJ; BMDSC-RE (H. McClellan) Huntsville AL; DAEN-CWE-M (LT C D Binning), Washington DC; DAEN-FEU, Washington DC; DAEN-MCE-D Washington DC; Engr District (Memphis) Library, Memphis TN; Tech. Ref. Div., Fort Huachuca, AZ

ARMY BALLISTIC RSCH LABS AMXBR-XA-LB, Aberdeen Proving Ground MD

ARMY CONSTR ENGR RSCH LAB Library, Champaign IL

ARMY CORPS OF ENGINEERS MRD-Eng. Div., Omaha NE; Seattle Dist. Library, Seattle WA

ARMY ENG DIV HNDED-CS, Huntsville AL

ARMY ENGR DIST. Library, Portland OR

ARMY ENVIRON. HYGIENE AGCY Dir. Environ. Qual, Edgewood Arsenal MD; Water Qual Div (Doner), Aberdeen Prov Ground, MD

ARMY MATERIALS & MECHANICS RESEARCH CENTER Dr. Lenoe, Watertown MA

ASO PWD (ENS J.A. Jenkins), Philadelphia, PA

ASST SECRETARY OF THE NAVY Spec. Assist Energy (P. Waterman), Washington DC

BUMED Code 41-1 (CDR Nichols) Wash, DC

CINCLANT Civil Engr. Supp. Plans. Ofr Norfolk, VA

CINCPAC Chief 4006/01, Pearl Harbor HI

CNAVRES Code 13 (Dir. Facilities) New Orleans, LA

CNO Code NOP-964, Washington DC; OP987P4 (B. Petrie), Pentagon

COMFLEACT, OKINAWA PWO, Kadena, Okinawa

COMNAVMARIANAS Code N4, Guam; FCE, Guam

COMTWELFTHNAVDIST San Francisco CA

DEFENSE DOCUMENTATION CTR Alexandria, VA

DOD Staff Spec. Chem. Tech. Washington DC

DTNSRDC Code 42, Bethesda MD

DTNSRDC Code 522 (Library), Annapolis MD

ENVIRONMENTAL PROTECTION AGENCY Reg. VIII, 8M-ASL, Denver CO; Reg. X Lib. (M/S 541), Seattle WA

FLTCOMBATTRACENLANT PWO, Virginia Bch VA

GSA Office of Const. Mgmt (M. Whitley), Washington DC

KWAJALEIN MISRAN BMDSC-RKL-C

LANTNAVFACENGCOMCONTRACTS Roice, Keflavik

MARINE CORPS AIR STA Facil. Engr. Div. Cherry Point NC

MARINE CORPS BASE Code 43-260, Camp Lejeune NC; M & R Division, Camp Lejeune NC; Maint. Office, Camp Pendleton CA; PWO, Camp S. D. Butler, Kawasaki Japan

MARINE CORPS BASE, D. Johnson, BLDG. 2654, Camp Pendelton, CA

MARINE CORPS HQS Code LFF-2, Washington DC

MCAS Code PWE, Kaneohe Bay HI; Code S4, Quantico VA; PWO Kaneohe Bay HI; PWO, Yuma AZ

MCDC NSAP REP, Quantico VA

MCDEC AROICC Ches Div. NAVFAC Contracts, Quantico VA; P&S Div Quantico VA

MCRD PWO, San Diego Ca

MCSC B520, Barstow CA

MILITARY SEALIFT COMMAND Washington DC

NAD Code 011B-1, Hawthorne NV; Dir. PW Eng. Div. McAlester, OK; Engr. Dir. Hawthorne, NV; PWD Nat./Resr. Mgr Forester, McAlester OK

NAF PWO Sigonella Sicily

NAS Asst C/S CE Corpus Christi, TX; CO, Guantanamo Bay Cuba; Code 114, Alameda CA; Code 183 (Fac. Plan BR MGR); Code 187, Jacksonville FL; Code 18700, Brunswick ME; Code 70, Atlanta, Marietta GA; Code 8E, Patuxent Riv., MD; Dir. Util. Div., Bermuda; ENS Buchholz, Pensacola, FL; PW (J. Maguire), Corpus Christi TX; PW C Code 40 (C. Kolton) Pensacola, FL; PWD Maint. Div., New Orleans, Belle Chasse LA; PWD, Willow Grove PA; PWO Belle Chasse, LA; PWO Chase Field Beeville, TX; PWO Key West FL; PWO Witting Fld, Milton FL; PWO, Dallas TX; PWO, Glenview IL; PWO, Kingsville TX; PWO, Millington TN; PWO, Miramar, San Diego CA; PWO, Moffett Field CA; R. Kline Lakehurst, NJ; ROICC Off (J. Sheppard), Point Mugu CA; SCE Lant Fleet Norfolk, VA; SCE Norfolk, VA; SCE, Barbers Point HI

NATL OCEAN AND ATMDS. ADMIN. Libraries Div.-D823, Silver Spring MD

NATL RESEARCH COUNCIL Naval Studies Board, Washington DC

NATNAVMEDCEN PWO Bethesda, MD

NATPARACHUTETESTRAN PW Engr, El Centro CA

NAVACTDET PWO, Holy Lock UK

NAVAEROSPREGMEDCEN SCE, Pensacola FL

NAVAIRPAC CE, NI, San Diego CA

NAVAL FACILITY PWO, Barbados; PWO, Cape Hatteras, Buxton NC: PWO, Centerville Bch, Ferndale CA

NAVAVIONICFAC PWD Deputy Dir. D/701, Indianapolis, IN

NAVFACENGCOM - NORTH DIV. Code 111 (Castranovo)

NAVCOASTSYSLAB Code 423 (D. Good), Panama City FL; Library Panama City, FL

NAVCOMMAREAMSTRSTA General Foreman, W-60, Honolulu; PWO, Wahiawa HI; SCE Unit 1 Naples Italy

NAVCOMMSTA Code 401 Nea Makri, Greece; PWO, Adak AK; PWO, Norfolk VA

NAVCOMMUNIT Cutler/E. Machias ME (PW Gen. For.)

NAVCONSTRACEN CO (CDR C.L. Neugent), Port Hueneme, CA

NAVENVIRHLTHCEN CO, Cincinnati, OH

NAVEODFAC Code 605, Indian Head MD

NAVFACENGCOM Code 043 Alexandria, VA; Code 044 Alexandria, VA; Code 0451 Alexandria, VA; Code 0454B Alexandria, Va; Code 0454C (T P Kruzic), Alexandria VA; Code 04B5 Alexandria, VA; Code 081B Alexandria, VA; Code 1023 (T. Stevens); LANTDIV (J.L. Dettbarn) Alexandria, VA; P W Brewer

NAVFACENGCOM - CHES DIV. Code 101 Wash, DC; Code 402 (R. Morony) Wash, DC; Code 405 Wash, DC; Code FPO-ISP (Dr. Lewis) Wash, DC; Code FPO-IP12 (Mr. Scola), Washington DC

NAVFACENGCOM - LANT DIV. RDT&ELO 09P2, Norfolk VA

NAVFACENGCOM - NORTH DIV. (Boretsky); (Boretsky) Philadelphia, PA; Code 1028, RDT&ELO, Philadelphia PA; Code 114 (A. Rhoads); Design Div. (R. Masino), Philadelphia PA; ROICC, Contracts, Crane IN

NAVFACENGCOM - PAC DIV. Code 402, RDT&E, Pearl Harbor HI; Commander, Pearl Harbor, HI

NAVFACENGCOM - SOUTH DIV. Code 90, RDT&ELO, Charleston SC; Dir., New Orleans LA

NAVFACENGCOM - WEST DIV. AROICC, Point Mugu CA; Code 04B; Code 114C, San Diego CA; RDT&ELO Code 2011 San Bruno, CA

NAVFACENGCOM CONTRACT Code 09E, TRIDENT, Bremerton WA: Eng Div dir, Southwest Pac, Manila, PI; OICC/ROICC, Balboa Canal Zone; ROICC LANT DIV., Norfolk VA; TRIDENT (CDR J.R. Jacobsen), Bremerton WA 98310

NAVFORCARIB Commander (N42), Puerto Rico

NAVHOSP LT R. Elsbernd, Puerto Rico

NAVOCEANO Code 1600 Bay St. Louis, MS; Code 3408 (J. Kravitz) Bay St. Louis

NAVOCEANSYSCEN Code 7511 (PWO) San Diego, CA

NAVORDSTA PWO, Louisville KY

NAVPETOFF Code 30, Alexandria VA

NAVPETRES Director, Washington DC

NAVPGSCOL Code 2124 (Library), Monterey CA; E. Thornton, Monterey CA

NAVPHIBASE CO, ACB 2 Norfolk, VA; Code S3T, Norfolk VA

NAVRADRECFAC PWO, Kami Seya Japan

NAVREGMEDCEN Code 3041, Memphis, Millington TN; SCE (LCDR B. E. Thurston), San Diego CA

NAVSCOLCECOFF C35 Port Hueneme, CA; C44A (R. Chittenden), Port Hueneme CA; CO, Code C44A Port Hueneme, CA

NAVSEC Code 6034 (Library), Washington DC

NAVSECGRUACT PWO, Edzell Scotland; PWO, Puerto Rico

NAVSHIPYD Code 202.5 (Library) Puget Sound, Bremerton WA; Code 400, Puget Sound; Code 400.03 Long Beach, CA; Code 404 (LT J. Riccio), Norfolk, Portsmouth VA; Code 410, Mare Is., Vallejo CA; Code 440 Portsmouth NH; Code 440, Norfolk; Code 440.4, Charleston SC; Code 450, Charleston SC; Commander, Vallejo, CA; L,D. Vivian; PWD (Code 400), Philadelphia PA; PWD (LT N.B. Hall), Long Beach CA; PWO, Mare Is.; PWO, Puget Sound; SCE, Pearl Harbor HI

NAVSTA CO Naval Station, Mayport FL; CO Roosevelt Roads P.R.; Engr. Dir., Rota Spain; Maint. Div. Dir/Code 531, Rodman Canal Zone; PWD (LTJG P.M. Motodlenich), Puerto Rico; PWO Midway Island; PWO, Keflavik Iceland; PWO, Mayport FL; PWO, Puerto Rico; ROICC, Rota Spain

NAVSUPPACT CO, Brooklyn NY; CO, Seattle WA

NAVSURFWPNCEN PWO, White Oak, Silver Spring, MD

NAVTECHTRACEN SCE, Pensacola FL

NAVWPNCEN Code 7002, E. A. Walker, China Lake, CA

NAVWPNCEN PWO (Code 26), China Lake CA

NAVWPNSTA ENS G.A. Lowry, Fallbrook CA; Maint. Control Dir., Yorktown VA; PW Office (Code 09C1) Yorktown, VA; PWO Yorktown, VA

NAVWPNSUPPCEN Code 09 (Boennighausen) Crane IN

NAVEDTRAPRODEVCEN Tech. Library

NAVFACENGCOM - LANT DIV. Eur. BR Deputy Dir, Naples Italy

NAVSUBASE ENS S. Dove, Groton, CT; LTJG D.W. Peck, Groton, CT

WPNSTA EARLE Code 092, Colts Neck NJ

NCBC CEL (CAPT N. W. Petersen), Port Hueneme, CA; CEL AOIC Port Hueneme CA; Code 10 Davisville, RI; PW Engrg, Gulfport MS; PWO (Code 80) Port Hueneme, CA

NCR 20 Code R31; 20, Commander

NMCB 133 (ENS T.W. Nielsen); 5, Operations Dept.

NROTCU Univ Colorado (LT D R Burns), Boulder CO

NSC CO, Biomedical Rsch Lab, Oakland CA; Code 54.1 (Wynne), Norfolk VA; Code 703 (M. Miller), Pearl Harbor HI

NTC OICC, CBU-401, Great Lakes IL; SCE Great Lakes, IL

NUSC Code EA123 (R.S. Munn), New London CT; Code 131 New London, CT

OCEANAV Mangmt Info Div., Arlington VA

OCEANSYSLANT LT A.R. Giancola, Norfolk VA

OFFICE SECRETARY OF DEFENSE OASD (I&L) Pentagon (T. Casberg), Washington DC

ONR Code 700F Arlington VA

PACMISRANFAC CO, Kekaha HI

PMTC Pat. Counsel, Point Mugu CA

PWC ENS J.E. Surash, Pearl Harbor HI; ACE Office (LTJG St. Germain) Norfolk VA; CO, Great Lakes IL; Code 116 (LTJG. A. Eckhart) Great Lakes, IL; Code 120C (Library) San Diego, CA; Code 200, Great Lakes IL; Code 220 Oakland, CA; Code 220.1, Norfolk VA; Code 30C (Boettcher) San Diego, CA; Library, Subic Bay, R.P.; XO Oakland, CA

SPCC PWO (Code 120) Mechanicsburg PA

US NAVAL FORCES Japan (LTCDL Tarnow/J42) Yokota AB

USCG (G-ECV/61) (Burkhart) Washington, DC

USCG ACADEMY LT N. Stramandi, New London CT

USCG R&D CENTER LTJG R. Dair, Groton CT

USNA Energy-Environ Study Grp, Annapolis, MD; Environ. Prot. R&D Prog. (J. Williams), Annapolis MD; PWD Engr. Div. (C. Bradford) Annapolis MD; PWO Annapolis MD; Sys. Engr Dept (Dr. Monney), Annapolis MD AVALON MUNICIPAL HOSPITAL Avalon, CA

CALIF. DEPT OF NAVIGATION & OCEAN DEV. Sacramento, CA (G. Armstrong)

CORNELL UNIVERSITY Ithaca NY (Serials Dept, Engr Lib.)

DAMES & MOORE LIBRARY LOS ANGELES, CA

FLORIDA ATLANTIC UNIVERSITY BOCA RATON, FL (MC ALLISTER)

FLORIDA TECHNOLOGICAL UNIVERSITY ORLANDO, FL (HARTMAN)

FOREST INST. FOR OCEAN & MOUNTAIN Carson City NV (Studies - Library)

ILLINOIS STATE GEO. SURVEY Urbana IL

VIRGINIA INST. OF MARINE SCI. Gloucester Point VA (Library)

KEENE STATE COLLEGE Keene NH (Cunningham)

LEHIGH UNIVERSITY Bethlehem PA (Fritz Engr. Lab No. 13, Beedle)

LIBRARY OF CONGRESS WASHINGTON, DC (SCIENCES & TECH DIV)

LOW COUNTRY REG. PLAN. COUNCIL YEMASSEE, SC (BAGGS)

MAINE OFFICE OF ENERGY RESOURCES Augusta, ME

MASSACHUSETTS INST. OF TECHNOLOGY Cambridge MA (Rm 10-500, Tech. Reports, Engr. Lib.); Cambridge MA (Rm 14 E210, Tech. Report Lib.)

MISSOURI ENERGY AGENCY Jefferson City MO

NY CITY COMMUNITY COLLEGE BROOKLYN, NY (LIBRARY)

PURDUE UNIVERSITY Lafayette, IN (CE Engr. Lib)

STATE HOUSE AUGUSTA, ME (MAINE STATE FUEL ALLOC & CONSERV. OFF.)

STATE UNIV. OF NEW YORK Buffalo, NY; Fort Schuyler, NY (Longobardi)

TEXAS A&M UNIVERSITY COLLEGE STATION, TX (CE DEPT)

U.S. MERCHANT MARINE ACADEMY KINGS POINT, NY (REPRINT CUSTODIAN)

UNIVERSITY OF CALIFORNIA BERKELEY, CA (CE DEPT, MITCHELL); BERKELEY, CA (OFF. BUS. AND FINANCE, SAUNDERS); Berkeley CA (E. Pearson); LIVERMORE, CA (LAWRENCE LIVERMORE LAB, TOKARZ); La Jolla CA (Acq. Dept, Lib. C-075A)

UNIVERSITY OF DELAWARE Newark, DE (Dept of Civil Engineering, Chesson)

UNIVERSITY OF HAWAII HONOLULU, HI (SCIENCE AND TECH. DIV.) UNIVERSITY OF ILLINOIS Metz Ref Rm, Urbana IL; URBANA, IL (LIBRARY); URBANA, IL (NEWARK) UNIVERSITY OF KANSAS Kansas Geological Survey. Lawrence KS UNIVERSITY OF NEBRASKA-LINCOLN Lincoln, NE (Ross Ice Shelf Proj.) UNIVERSITY OF RHODE ISLAND KINGSTON, RI (SUSSMAN) UNIVERSITY OF TEXAS Inst. Marine Sci (Library), Port Aransas TX UNIVERSITY OF TEXAS AT AUSTIN AUSTIN, TX (THOMPSON) UNIVERSITY OF WASHINGTON Seattle WA (CE Dept, D. Carlson); Seattle WA (E. Linger) UNIVERSITY OF WISCONSIN Milwaukee WI (Ctr of Great Lakes Studies) URS RESEARCH CO. LIBRARY SAN MATEO, CA US DEPT OF COMMERCE NOAA, Pacific Marine Center, Seattle WA US GEOLOGICAL SURVEY Off. Marine Geology, Mailstop 915, Reston VA US NATIONAL MARINE FISHERIES SERVICE Highlands NY (Sandy Hook Lab-Library) VENTURA COUNTY ENVIRONMENTAL RESOURCE AGENCY Ventura, CA (Melvin) VERMONT STATE ENERGY OFFICE MONTEPELIER, VT (DIRECTOR) VIRGINIA STATE ENERGY OFF Richmond, VA. BECHTEL CORP. SAN FRANCISCO, CA (PHELPS) BRITISH EMBASSY Sci. & Tech. Dept. (J. McAuley). Washington DC BROWN & ROOT Houston TX (D. Ward) CANADA Surveyor, Nenninger & Chenevert Inc., Montreal; Warnock Hersey Prof. Srv Ltd, La Sale, Quebec FORD, BACON & DAVIS, INC. New York (Library) US DEPT OF AGRICULTURE Library, Forest Products Madison WI GEOTECHNICAL ENGINEERS INC. Winchester, MA (Paulding) GRUMMAN AEROSPACE CORP. Bethpage NY (Tech. Info. Ctr) MEDALL & ASSOC. INC. J.T. GAFFEY II SANTA ANA, CA MIDLAND-ROSS CORP. TOLEDO, OH (RINKER) NEWPORT NEWS SHIPBLDG & DRYDOCK CO. Newport News VA (Tech. Lib.) OCEAN ENGINEERS SAUSALITO, CA (RYNECKI) OCEAN RESOURCE ENG. INC. HOUSTON, TX (ANDERSON) PACIFIC MARINE TECHNOLOGY LONG BEACH, CA (WAGNER) PORTLAND CEMENT ASSOC. SKOKIE, IL (CORELY); SKOKIE, IL (KLIEGER) RAYMOND INTERNATIONAL INC. CHERRY HILL, NJ (SOILTECH DEPT) SANDIA LABORATORIES Library Div., Livermore CA SEAFOOD LABORATORY MOREHEAD CITY, NC (LIBRARY) SWEDEN GeoTech Inst THE AM. WATERWAYS OPERATIONS, INC. Arlington, VA (Schuster) UNITED KINGDOM D. New, G. Maunsell & Partners, London UNITED TECHNOLOGIES Windsor Locks CT (Hamilton Std Div., Library) WEYERHAEUSER CO. LONGVIEW, WA (TECH CTR LIB) WM CLAPP LABS - BATTELLE DUXBURY, MA (LIBRARY) **BULLOCK La Canada** HAMEED ELNAGGAR Wexford PA CAPT MURPHY SAN BRUNO, CA R.Q. PALMER Kaneohe HI