


AD-A046 093 AIR FORCE OCCUPATIONAL MEASUREMENT CENTER LACKLAND A--ETC F/G 5/9
RADIO RELAY EQUIPMENT REPAIR CAREER LADDER AFSC 304X0. (U)
SEP 77

UNCLASSIFIED

AFPT-90-304-222

NL

| OF 2
AD
A046093



END CONI,
DATE FILMED
12-77
DDC

(9) OCCUPATIONAL SURVEY REPORT
(2) B.S.
ELECTRONIC PRINCIPLES

AD A 046093



(6) RADIO RELAY EQUIPMENT REPAIR
CAREER LADDER

AFSC 304X0.

(14) AFPT-90-304-222

(11) 15 SEP 1977


(12) 52p.

OCCUPATIONAL SURVEY BRANCH
✓ USAF OCCUPATIONAL MEASUREMENT CENTER
LACKLAND AFB TEXAS 78236

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

AD No. 1
DDC FILE COPY:

408889



Dave B

TABLE OF CONTENTS

	<u>PAGE NUMBER</u>
PREFACE -----	3
INTRODUCTION -----	4
DEVELOPMENT OF THE ELECTRONIC PRINCIPLES INVENTORY (EPI) -----	4
ADMINISTRATION -----	4
PRESENTATION OF RESULTS -----	7
APPENDIX -----	8

ACCESSION for	
NTIS	White Section <input checked="" type="checkbox"/>
DDC	Buff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION _____	
DISTRIBUTION/AVAILABILITY CODES	
Dist. AVAIL and/or SPECIAL	
A	23 E.S.

PREFACE

This report presents a summary of the results of a detailed Air Force Electronic Principles Survey of the Radio Relay Equipment Repair Specialty, AFSC 304X0.

The Electronic Principles Inventory (EPI) was developed by Major Thomas J. O'Connor and Mr. Hendrick W. Ruck and the survey data were analyzed by Captain Thomas E. Ulrich. All are members of the Occupational Survey Branch, USAF Occupational Measurement Center, Lackland AFB, Texas.

Computer programs for analyzing the data were designed by Dr. Raymond E. Christal, Occupational and Manpower Research Division, Air Force Human Resources Laboratory (AFHRL), and were written by the Project Analysis and Programming Branch, Computational Sciences Division, AFHRL.

Distribution of this report is made upon request to the USAF Occupational Measurement Center, attention of the Chief, Occupational Survey Branch (OMY), Lackland AFB, Texas 78236.

This report has been reviewed and is approved.

JAMES A. TURNER, JR., Colonel, USAF
Commander
USAF Occupational Measurement Center

WALTER E. DRISKILL, Ph.D.
Chief, Occupational Survey Branch
USAF Occupational Measurement Center

ELECTRONIC PRINCIPLES OCCUPATIONAL SURVEY REPORT
RADIO RELAY EQUIPMENT REPAIR CAREER LADDER
AFSC 304X0

INTRODUCTION

This report summarizes the results of the administration of the Electronic Principles Inventory to airmen assigned to Radio Relay Equipment Repair Specialty (AFSC 304X0). The data for this report were collected during the period February through May 1977.

This report describes: (1) development and administration of the survey instrument; and (2) electronic principles used by DAFSC 5-skill level personnel both CONUS and overseas and assigned to selected major commands.

DEVELOPMENT OF THE ELECTRONIC PRINCIPLES INVENTORY (EPI)

The EPI was developed by personnel from the Occupational Survey Branch who were well qualified in theoretical physics and electronics, as well as in task analysis and survey development. Over 300 maintenance personnel from SAC, TAC, ADC, MAC, and AFCS participated in the development of the inventory. Representing the five ATC training centers, electronics experts who averaged 12 years of maintenance experience and four years of electronic principles instruction experience spent several weeks refining the EPI. In addition, personnel at the Electrical Engineering Department of the USAF Academy and the Air Force Human Resources Laboratory were consulted during the development of the inventory.

The final version of the EPI used in this survey contained 1,257 items in 62 subject matter areas covering all electronic principles training given at the five ATC technical training centers. Table 1 lists the 62 subject areas.

ADMINISTRATION

The Electronic Principles Inventory was administered by mail to AFSC 30450 airmen worldwide. Responses from 1163 individuals represented 61 percent of the total of all AFSC 30450 personnel. Table 2 shows the percentage distribution by major command of the survey incumbents.

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

TABLE 1
EPI SUBJECT AREAS

SEQUENCE OF SUBJECT AREAS	SUBJECT AREA TITLE	BEGINNING ITEM NUMBER	GPSUM PAGE NUMBER
1	MATHEMATICS	A1	2
2	DIRECT CURRENT AND VOLTAGE	A15	2
3	RESISTANCE	A24	2
4	MULTIMETER USES	B52	3
5	ALTERNATING CURRENT	B61	4
6	INDUCTORS AND INDUCTIVE REACTANCE	B67	4
7	CAPACITORS AND CAPACITIVE REACTANCE	C92	5
8	TRANSFORMERS	C128	6
9	MAGNETISM	C171	7
10	RCL CIRCUITS	D185	8
11	SERIES AND PARALLEL RESONANCE (TIME CONSTANTS)	D229	10
12	FILTERS	D239	10
13	COUPLING	E261	11
14	SOLDERING	E273	11
15	RELAYS	E294	12
16	MICROPHONES	F314	12
17	SPEAKERS	F327	13
18	OSCILLOSCOPES	F342	13
19	SEMICONDUCTOR DIODES	G354	13
20	TRANSISTORS	G404	15
21	TRANSISTOR AMPLIFIERS	G428	16
22	SOLID-STATE SPECIAL PURPOSE DEVICES	H477	19
23	POWER SUPPLIES	H483	19
24	OSCILLATORS	H512	19
25	MULTIVIBRATORS	I539	20
26	LIMITERS AND CLAMPERS	I555	21
27	ELECTRON TUBES	I565	21
28	ELECTRON TUBE AMPLIFIERS AND CIRCUITS	J609	22
29	SPECIAL PURPOSE ELECTRON TUBES	J616	23
30	HETERODYNING, MODULATION, AND DEMODULATION	J632	23
31	AM SYSTEMS	K638	23
32	FM SYSTEMS	K666	24

TABLE 1 (CONTINUED)

EPI SUBJECT AREAS

SEQUENCE OF SUBJECT AREAS	SUBJECT AREA TITLE	BEGINNING ITEM NUMBER	GPSUM PAGE NUMBER
33	NUMBERING SYSTEMS	K685	25
34	LOGIC FUNCTIONS	L695	25
35	BOOLEAN EQUATIONS	L708	26
36	COUNTERS	L733	27
37	TIMING CIRCUITS	M757	27
38	USE OF SIGNAL GENERATORS	M769	28
39	MOTORS AND GENERATORS	M779	28
40	METER MOVEMENTS	N808	29
41	SATURABLE REACTORS AND MAGNETIC AMPLIFIERS	N818	29
42	WAVESHAPING CIRCUITS	N834	30
43	SINGLE SIDEBAND SYSTEMS	0845	30
44	PULSE MODULATION SYSTEMS	0875	31
45	ANTENNAS	0914	32
46	TRANSMISSION LINES	P953	34
47	WAVEGUIDES AND CAVITY RESONATORS	P984	35
48	MICROWAVE AMPLIFIERS AND OSCILLATORS	P1034	37
49	REGISTERS	Q1110	39
50	STORAGE DEVICES	Q1117	40
51	DIGITAL TO ANALOG CONVERTERS	Q1126	40
52	PHANTASTRONS	Q1140	41
53	SCHMITT TRIGGERS	R1141	41
54	CABLE FABRICATION	R1144	41
55	INPUT/OUTPUT DEVICES	S1146	41
56	PHOTO SENSITIVE DEVICES	S1149	41
57	SYNCHRONOUS VIBRATIONS (CHOPPER CIRCUITS)	S1150	41
58	INFRARED	T1159	41
59	LASERS	T1186	42
60	DISPLAY TUBES	T1220	43
61	PROGRAMMING	U1234	43
62	DB AND POWER RATIOS	U1255	44

TABLE 2
COMMAND REPRESENTATION OF SURVEY SAMPLE

<u>COMMAND</u>		30450	<u>PERCENT OF SAMPLE</u>
	<u>PERCENT ASSIGNED</u>		
AFCS	74		68
TAC	12		11
USAFE	6		7
OTHERS	8		14
<hr/>	<hr/>	<hr/>	<hr/>
TOTAL	100		100

Total Assigned - 1906
 Total Sampled - 1163
 Percent Sampled - 61%

PRESENTATON OF RESULTS

Personnel responded "yes" or "no" to the 1,257 electronic principles questions as related to their present job. A Group Summary (GPSUM) computer printout is provided in the Appendix portion of this report. Page 1 of the GPSUM lists the six selected groups identified for this report. Pages 2-44 show the percentage of the incumbents responding to the EPI items. The computer program results display the percent members answering "yes" to the subject area questions. The reader can locate a specific subject area by referring to the Appendix page number as listed in Table 1. For example, the Transformers area results are given on page 6 of the GPSUM. The percentage of survey respondents indicating use of specific electronic principles ranged from high in areas such as Soldering (pp. 11-12), FM Systems (pp. 24-25), Relays (p. 12), Power Supplies (p. 19) and Filters (pp. 10-11) to low in areas such as Counters (p. 27), Infrared (pp. 41-42), and Lasers (pp. 42-43). Additional AFSC 304X0 data can be obtained upon request to the Chief, Occupational Survey Branch (OMY).

APPENDIX

PCT MRS RESPONDING 14% BY SELECTED GROUPS

TABULATION OF ELECTRONIC PRINCIPLES UTILIZATION DATA FOR SELECTED GROUPS
IN THE 30450 CAREER FIELD.

REPORTS ON THE FOLLOWING GROUPS WERE REQUESTED

GROUP IDENTITY	SPC001	ALL AIRMEN DAFSC 30450 STATIONED IN COMUS	CONTAINING 1163 MEMBERS.
GROUP IDENTITY	SPC002	ALL AIRMEN DAFSC 30450 STATIONED OVERSEAS	CONTAINING 535 MEMBERS.
GROUP IDENTITY	SPC003	ALL AIRMEN DAFSC 30450 ASSIGNED TO AFCS	CONTAINING 404 MEMBERS.
GROUP IDENTITY	SPC004	ALL AIRMEN DAFSC 30450 ASSIGNED TO TAC	CONTAINING 787 MEMBERS.
GROUP IDENTITY	SPC005	ALL AIRMEN DAFSC 30450 ASSIGNED TO USAFE	CONTAINING 132 MEMBERS.
GROUP IDENTITY	SPC006	ALL AIRMEN DAFSC 30450 ASSIGNED TO USAFE	CONTAINING 86 MEMBERS.

PRECEDING PAGE BLANK-NOT FILMED

PCT HRS RESPONDING YES. BY SELECTED GRPS
TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

6PSUMI PAGE 3

D-Y-TSK	SPC			SPC			SPC			SPC		
	001	002	003	004	005	006	001	002	003	004	005	006
A 34 A3-11 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE TOLERANCE.	71	63	78	72	72	69						
A 35 A3-12 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE FAILURE RATE.	17	18	16	17	18	12						
A 36 A3-13 DO YOU MAKE DECISIONS IN WHICH YOU MUST DETERMINE HOW TWO OR MORE BATTERIES MUST BE CONNECTED TOGETHER TO ACHIEVE A SPECIFIC VOLTAGE.	29	24	34	29	21	26						
A 37 A3-14 DO YOU USE OR REFER TO THE SCHEMATIC SYMBOLS WHICH REPRESENT BATTERIES, FUSES, CONDUCTORS, LAMPS, OR SWITCHES.	85	79	90	85	69	83						
A 38 A3-15 DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES RESISTIVE CIRCUITS.	47	41	52	48	41	41						
A 39 A3-16 DO YOU CALCULATE TOTAL CURRENT FOR SERIES RESISTIVE CIRCUITS.	42	36	46	42	37	31						
A 40 A3-17 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES RESISTIVE CIRCUITS.	44	41	47	45	41	37						
A 41 A3-18 DO YOU CALCULATE POWER DISSIPATION FOR SERIES RESISTIVE CIRCUITS.	35	33	35	35	35	36						
A 42 A3-19 DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES PARALLEL RESISTIVE CIRCUITS.	43	39	47	44	41	37						
A 43 A3-20 DO YOU CALCULATE TOTAL CURRENT FOR SERIES PARALLEL RESISTIVE CIRCUITS.	39	35	42	39	37	29						
A 44 A3-21 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES PARALLEL RESISTIVE CIRCUITS.	41	39	43	42	39	35						
A 45 A3-22 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR SERIES PARALLEL RESISTIVE CIRCUITS.	36	34	36	36	34	23						
A 46 A3-23 DO YOU CALCULATE POWER DISSIPATION FOR SERIES PARALLEL RESISTIVE CIRCUITS.	31	31	32	32	32	24						
A 47 A3-24 DO YOU CALCULATE TOTAL RESISTANCE FOR PARALLEL RESISTIVE CIRCUITS.	42	38	46	43	40	34						
A 48 A3-25 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RESISTIVE CIRCUITS.	36	35	41	39	37	28						
A 49 A3-26 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR PARALLEL RESISTIVE CIRCUITS.	40	38	41	41	37	28						
A 50 A3-27 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR PARALLEL RESISTIVE CIRCUITS.	34	32	35	34	32	22						
A 51 A3-28 DO YOU CALCULATE POWER DISSIPATION FOR PARALLEL RESISTIVE CIRCUITS.	30	30	31	31	30	21						
B 52 H1-01 DO YOU MEASURE RESISTANCE.	65	79	92	86	92	88						
B 53 B1-02 DO YOU REPAIR OHMMETERS.	7	4	9	6	9	6						
B 54 B1-03 DO YOU MEASURE VOLTAGE.	68	81	95	87	92	95						
B 55 B1-04 DO YOU REPAIR VOLTMETERS.	6	3	9	6	4	7						
B 56 B1-05 DO YOU REPAIR AMMETERS.	6	3	6	6	5	6						
B 57 B1-06 DO YOU MEASURE CURRENT.	77	71	82	77	83	70						
B 58 B1-07 DO YOU USE MULTIMETERS.	68	81	94	87	93	95						
B 59 B1-08 DO YOU DIRECTLY USE A QUANTITY OF CHARGE CALLED A COULOMB.	4	5	3	3	8	2						
B 60 H1-09 DO YOU READ SCHEMATICS.	69	62	94	86	92	91						

MULTIMETER USES

PCT MARS RESPONDING YES BY SELECTED GRPS
TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPSUMI PAGE 4

DVT-TSK	SPC						SPC					
	001	002	003	004	005	006	001	002	003	004	005	006
B 61 B2=01 DO YOU USE OR REFER TO THE TERM EFFECTIVE VOLTAGE.	73	67	78	72	82	74						
B 62 B2=02 DO YOU USE OR REFER TO THE TERM PEAK TO PEAK VOLTAGE.	78	72	82	78	82	76						
B 63 B2=03 DO YOU USE OR REFER TO THE TERM AVERAGE VOLTAGE (DC).	68	62	73	68	73	73						
B 64 B2=04 DO YOU USE OR REFER TO THE TERM AVE LENGTH.	53	54	52	51	58	49						
B 65 B2=05 DO YOU USE OR REFER TO THE TERM FREQUENCY.	88	82	93	86	92	93						
B 66 B2=06 DO YOU USE OR REFER TO THE TERM INSTANTANEOUS VALUE.	20	27	32	30	28	26						
B 67 B2=07 DO YOU WORK WITH INDUCTORS OR CIRCUITS CONTAINING	71	65	76	71	74	67						
INDUCTORS, CHOKE, OR CHOKE COILS IN YOUR PRESENT JOB.												
B 68 B3=02 DO YOU INSPECT INDUCTORS.	69	61	76	71	81	69						
B 69 B3=03 DO YOU CLEAN INDUCTORS.	61	51	68	63	70	64						
B 70 B3=04 DO YOU ADJUST INDUCTORS.	63	57	67	63	80	64						
B 71 B3=05 DO YOU REMOVE OR REPLACE INDUCTORS.	66	60	70	67	81	63						
B 72 B3=06 DO YOU USE OR REFER TO INDUCTANCE.	59	54	63	57	70	55						
B 73 B3=07 DO YOU USE OR REFER TO HEMERIES.	42	41	43	42	50	51						
B 74 B3=08 DO YOU USE OR REFER TO INDUCTIVE REACTANCE.	42	41	43	41	41	35						
B 75 B3=09 DO YOU USE OR REFER TO COPPER LOSS IN INDUCTORS.	8	9	7	7	7	6						
B 76 B3=10 DO YOU USE OR REFER TO HYSTERESIS LOSS IN INDUCTORS.	9	11	7	9	7	6						
B 77 B3=11 DO YOU USE OR REFER TO EDDY CURRENT LOSS IN INDUCTORS.	9	11	7	8	6	7						
B 78 B3=12 DO YOU USE OR REFER TO THE GENERAL RULE THAT	9	9	9	9	6	6						
INDUCTANCE IS PROPORTIONAL TO THE SQUARE OF THE NUMBER OF												
TURNS OF THE COIL.												
B 79 B2=13 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE IN-	6	9	6	6	6	6						
DUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE CROSS												
SECTIONAL AREA OF THE CORE.												
B 80 B2=14 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE	6	8	7	7	7	3						
INDUCTANCE OF A COIL IS INVERSELY PROPORTIONAL TO ITS												
LENGTH.												
B 81 B2=15 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE	9	9	9	9	7	3						
INDUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE												
PERMEABILITY OF THE CORE MATERIAL.												
B 82 B2=16 DO YOU CALCULATE INDUCTANCE FOR PARTICULAR INDUCTORS	9	10	9	9	2	7						
USING FORMULAS.												
B 83 B3=17 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTANCE	14	14	13	14	6	7						
IN SERIES.												
B 84 B3=18 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTORS	13	14	13	14	6	6						
IN PARALLEL.												
B 85 B3=19 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTORS	13	14	12	13	6	7						
IN SERIES/PARALLEL CIRCUITS.												
B 86 B3=20 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT	26	24	29	26	20	17						
LAGS VOLTAGE IN AC INDUCTOR CIRCUITS.												
B 87 B3=21 DO YOU CALCULATE INDUCTIVE REACTANCE.	16	18	15	16	11	9						
B 88 B3=22 DO YOU USE OR REFER TO THE GENERAL RULE THAT	26	26	25	18	20							
INDUCTIVE REACTANCE IS DIRECTLY PROPORTIONAL TO FREQUENCY.												
B 89 B3=23 DO YOU WORK WITH POWER INDUCTORS.	29	24	32	20	26							
B 90 B3=24 DO YOU WORK WITH AUDIO FREQUENCY INDUCTORS.	55	49	60	56	55							
B 91 B3=25 DO YOU WORK WITH RADIO FREQUENCY INDUCTORS.	56	53	62	58	64							

PCT HRS RESPONDING 'YES' BY SELECTED GRPS
TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPSUMI PAGE 5

	DT-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
C 92 C1-01 DO YOU WORK WITH CAPACITORS OR CIRCUITS CONTAINING CAPACITORS IN YOUR PRESENT JOB.	79	75	83	78	86	80	
C 93 C1-02 DO YOU INSPECT CAPACITORS.	80	72	87	81	69	81	
C 94 C1-03 DO YOU CLEAN CAPACITORS.	69	59	78	73	73	65	
C 95 C1-04 DO YOU ADJUST CAPACITORS.	74	67	80	74	67	74	
C 96 C1-05 DO YOU TEST CAPACITORS.	70	64	75	72	77	62	
C 97 C1-06 DO YOU DISCHARGE CAPACITORS.	71	63	77	74	74	65	
C 98 C1-07 DO YOU REMOVE OR REPLACE CAPACITORS.	78	70	84	80	89	73	
C 99 C1-08 DO YOU USE OR REFER TO DISTRIBUTED CAPACITANCE.	18	17	19	18	17	10	
C 100 C1-09 DO YOU USE OR REFER TO ORBITAL STRESS OF ELECTRONS IN A DIELECTRIC.	3	4	2	2	3	1	
C 101 C1-10 DO YOU USE OR REFER TO FARADS, MICROFARADS, OR PICOFARADS.	71	65	74	71	73	66	
C 102 C1-11 DO YOU USE OR REFER TO CAPACITANCE.	73	66	79	74	77	64	
C 103 C1-12 DO YOU USE OR REFER TO DIELECTRIC CONSTANT.	22	21	22	22	20	12	
C 104 C1-13 DO YOU USE OR REFER TO WORKING VOLTAGE RATING OF CAPACITORS	58	52	65	61	55	52	
C 105 C1-14 DO YOU USE OR REFER TO CAPACITIVE REACTANCE	35	34	35	34	29	28	
C 106 C1-15 DO YOU USE OR REFER TO CAPACITOR COLOR CODES	31	26	36	33	27	22	
C 107 C1-16 DO YOU WORK WITH CAPACITORS IN DC CIRCUITS	77	71	83	77	79	78	
C 108 C1-17 DO YOU WORK WITH CAPACITORS IN AC CIRCUITS	78	72	83	77	86	77	
C 109 C1-18 DO YOU WORK WITH CAPACITORS IN CIRCUITS WITH BOTH DC AND AC	71	66	76	71	76	71	
C 110 C1-19 DO YOU WORK WITH CAPACITORS IN DONT' REMEMBER WHICH CIRCUITS	14	13	15	15	15	13	
C 111 C1-20 DO YOU CALCULATE CAPACITANCE FOR PARTICULAR CAPACITORS USING FORMULAS	12	12	12	12	8	5	
C 112 C1-21 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITANCE OF A CAPACITOR IS DIRECTLY PROPORTIONAL TO THE DIELECTRIC CONSTANT	10	10	10	9	11	5	
C 113 C1-22 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITANCE OF A CAPACITOR IS INVERSELY PROPORTIONAL TO THE DIELECTRIC THICKNESS	11	13	10	10	11	5	
C 114 C1-23 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN SERIES	21	19	22	21	13	15	
C 115 C1-24 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN PARALLEL	21	19	22	21	13	15	
C 116 C1-25 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN SERIES-PARALLEL CIRCUITS	18	16	20	18	13	10	
C 117 C1-26 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT DOES NOT FLOW THROUGH CAPACITORS, IT ONLY APPEARS TO DO SO	31	31	32	30	33	24	
C 118 C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT LEADS VOLTAGE IN AC CAPACITOR CIRCUITS	26	22	30	27	20	15	
C 119 C1-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITIVE REACTANCE IS INVERSELY PROPORTIONAL TO FREQUENCY	26	28	28	28	20	23	
C 120 C1-29 DO YOU CALCULATE CAPACITIVE REACTANCE	17	19	15	16	14	7	

PCT HRS RESPONDING YES BY SELECTED GRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

EPSUMI PAGE 7

	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
DY-TSK						
C 152 C2-25 DO YOU REFER TO MULTIPLE SECONDARY-WINDINGS SCHEMATIC SYMBOLS FOR TRANSFORMERS	60	56	62	59	70	56
C 153 C2-26 DO YOU REFER TO MULTIPLE TAP SCHEMATIC SYMBOLS FOR TRANSFORMERS	63	56	69	63	72	59
C 154 C2-27 DO YOU REFER TO CENTER TAP SCHEMATIC SYMBOLS FOR TRANSFORMERS	67	62	72	67	73	65
C 155 C2-28 DO YOU REFER TO AIR CORE SCHEMATIC SYMBOLS FOR TRANSFORMERS	95	92	97	95	95	92
C 156 C2-29 DO YOU REFER TO IRON CORE SCHEMATIC SYMBOLS FOR TRANSFORMERS	98	94	91	99	98	98
C 157 C2-J0 DO YOU REFER TO COMBINATIONS OF THE ABOVE SCHEMATIC SYMBOLS FOR TRANSFORMERS	57	51	62	57	62	51
C 158 C2-J1 DO YOU DETERMINE PHASE RELATIONSHIPS BETWEEN SECONDARY AND PRIMARY VOLTAGES OF TRANSFORMERS USING SCHEMATIC SYMBOLS	25	24	25	23	30	23
C 159 C2-J2 DO YOU DETERMINE OR REFER TO THE TYPE OF CORE IN TRANSFORMERS YOU WORK WITH	24	21	24	24	20	29
C 160 C2-J3 DO YOU REFER TO OR USE THE GENERAL RULE THAT THE TURNS RATIO OF A TRANSFORMER IS EQUAL TO THE VOLTAGE RATIO	20	19	20	19	15	17
C 161 C2-J4 DO YOU USE OR REFER TO STEP-UP OR STEP-DOWN RATIOS FOR TRANSFORMERS	34	33	35	34	33	28
C 162 C2-J5 DO YOU CALCULATE VOLTAGE RATIOS FOR TRANSFORMERS USING TURNS RATIOS	14	14	13	13	12	12
C 163 C2-J6 DO YOU CALCULATE CURRENT RATIOS FOR TRANSFORMERS USING TURNS RATIOS	10	10	11	10	10	6
C 164 C2-J7 DOES YOUR JOB INVOLVE ANY TASKS DEALING WITH THREE PHASE TRANSFORMERS	31	33	28	26	52	44
C 165 C2-J8 DO YOU INSPECT THREE PHASE TRANSFORMERS	28	29	26	25	49	41
C 166 C2-J9 DO YOU CLEAN OR LUBRICATE THREE PHASE TRANSFORMERS	21	20	21	20	30	26
C 167 C2-J10 DO YOU ADJUST THREE PHASE TRANSFORMERS	14	14	14	13	20	15
C 168 C2-J11 DO YOU TROUBLESHOOT THREE PHASE TRANSFORMERS	23	25	22	20	41	38
C 169 C2-J12 DO YOU REMOVE OR REPLACE COMPLETE THREE PHASE TRANSFORMERS	25	27	23	21	45	41
C 170 C2-J13 DO YOU REMOVE OR REPLACE THREE PHASE TRANSFORMER PARTS SUCH AS WINDINGS	6	7	5	4	7	3
C 171 C3-01 DO YOU USE OR REFER TO PERMANENT MAGNETS	33	34	31	28	52	44
C 172 C3-02 DO YOU USE OR REFER TO TEMPORARY MAGNETS	21	22	20	20	22	20
C 173 C3-03 DO YOU USE OR REFER TO RETENTIVITY OF MAGNETIC MATERIALS	7	8	7	7	8	5
C 174 C3-04 DO YOU USE OR REFER TO RELUCTANCE OF MAGNETIC MATERIALS	6	7	6	5	6	5
C 175 C3-05 DO YOU USE OR REFER TO PERMEABILITY OF MAGNETIC MATERIALS	7	9	6	6	11	6
C 176 C3-06 DO YOU USE OR REFER TO RESIDUAL MAGNETISM	9	10	8	8	10	7
C 177 C3-07 DO YOU USE OR REFER TO MAGNETIC LINES OF FORCE OR FLUX	17	20	15	14	22	14
C 178 C3-08 DO YOU USE OR REFER TO WEBER'S THEORY OF MAGNETISM	4	4	4	4	4	2

PCT MEMBERS RESPONDING YES, BY SELECTED GRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

EPSUMI PAGE 8

OVERALL	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
C 179 C-00 DO YOU USE OR REFER TO DOMAIN THEORY OF MAGNETISM	9	9	9	9	9	2
C 180 C-10 DO YOU USE OR REFER TO MAGNETIC INDUCTION	12	13	11	10	14	10
C 181 C-11 DO YOU USE OR REFER TO FLUX DENSITY	10	12	8	9	16	3
C 182 C-12 DO YOU USE OR REFER TO THE GENERAL RULE THAT FOR MAGNETIC POLES, LIKE POLES REPEL AND UNLIKE POLES ATTRACT	31	33	30	30	34	29
C 183 C-13 DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE DIRECTION OF MAGNETIC FIELDS ABOUT STRAIGHT WIRES	15	16	15	14	13	12
C 184 C-14 DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE NORTH POLE OF A CURRENT CARRYING COIL	12	12	11	11	9	9
D 185 D-01 DO YOU WORK WITH RCL, LH, RCL CIRCUITS IN YOUR PRESENT JOB	52	48	55	52	58	46
D 186 D-02 DO YOU USE OR REFER TO VECTORS WHEN WORKING WITH RCL CIRCUITS	9	11	8	9	10	5
D 187 D-03 DO YOU USE OR REFER TO PYTHAGOREAN THEOREM WHEN WORKING WITH RCL CIRCUITS	8	10	7	7	9	5
D 188 D-04 DO YOU USE OR REFER TO SINE WHEN WORKING WITH RCL CIRCUITS	9	9	8	9	9	7
D 189 D-05 DO YOU USE OR REFER TO COSINE WHEN WORKING WITH RCL CIRCUITS	6	6	7	8	7	6
D 190 D-06 DO YOU USE OR REFER TO TANGENT WHEN WORKING WITH RCL CIRCUITS	6	8	7	7	6	6
D 191 D-07 DO YOU USE OR REFER TO WATTS WHEN WORKING WITH RCL CIRCUITS	38	36	40	37	34	38
D 192 D-08 DO YOU USE OR REFER TO TRUE POWER (PT) WHEN WORKING WITH RCL CIRCUITS	19	19	19	19	20	15
D 193 D-09 DO YOU USE OR REFER TO MAXIMUM POWER (PM) WHEN WORKING WITH RCL CIRCUITS	23	23	24	23	24	21
D 194 D-10 DO YOU USE OR REFER TO AVERAGE POWER (PAVE) WHEN WORKING WITH RCL CIRCUITS	22	21	23	23	23	22
D 195 D-11 DO YOU USE OR REFER TO APPARENT POWER (PA) WHEN WORKING WITH RCL CIRCUITS	15	14	15	14	14	10
D 196 D-12 DO YOU USE OR REFER TO POWER FACTOR (PF) WHEN WORKING WITH RCL CIRCUITS	15	14	15	14	15	8
D 197 D-13 DO YOU USE OR REFER TO RESONANT CIRCUITS WHEN WORKING WITH RCL CIRCUITS	43	42	45	42	47	42
D 198 D-14 DO YOU USE OR REFER TO BANDWIDTH WHEN WORKING WITH RCL CIRCUITS	50	48	52	50	58	43
D 199 D-15 DO YOU USE OR REFER TO SELECTIVITY WHEN WORKING WITH RCL CIRCUITS	45	44	47	46	49	38
D 200 D-16 DO YOU USE OR REFER TO RESONANT FREQUENCY WHEN WORKING WITH RCL CIRCUITS	47	45	50	48	48	38
D 201 D-17 DO YOU USE OR REFER TO HALF POWER POINTS WHEN WORKING WITH RCL CIRCUITS	31	31	30	30	33	23
D 202 D-18 DO YOU USE OR REFER TO BANDPASS REGION WHEN WORKING WITH RCL CIRCUITS	92	91	93	91	90	37
D 203 D-19 DO YOU USE OR REFER TO CIRCUIT Q WHEN WORKING WITH RCL CIRCUITS	25	24	25	24	28	16

PCT MARS RESPONDING *YES* BY SELECTED GRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

EPSUN PAGE 9

DYN-15K	DYN-15K						SPC					
	001	002	003	004	005	006	001	002	003	004	005	006
D 204 D1=20 DO YOU USE OR REFER TO TANK CIRCUITS WHEN WORKING WITH RCL CIRCUITS	41	40	42	40	45	41	41	40	42	40	45	41
D 205 D1=21 DO YOU DETERMINE VALUES OF TRIGONOMETRIC FUNCTIONS USING FORMULAS	4	7	6	4	7	2	4	7	6	4	7	2
D 206 D1=22 DO YOU DRAW VOLTAGE, CURRENT, OR IMPEDANCE VECTOR DIAGRAMS FOR CIRCUITS	7	8	6	4	6	7	7	8	6	4	6	7
D 207 D1=23 DO YOU CALCULATE TOTAL IMPEDANCE FOR CAPACITIVE CIRCUITS	12	12	11	11	9	7	12	11	11	9	7	7
D 208 D1=24 DO YOU CALCULATE PHASE ANGLES BETWEEN IMPEDANCE AND RESISTANCE IN CAPACITIVE CIRCUITS	5	6	3	4	5	6	5	6	3	4	5	6
D 209 D1=25 DO YOU CALCULATE TOTAL IMPEDANCE FOR SERIES RCL CIRCUITS	12	13	11	11	9	9	12	13	11	11	9	9
D 210 D1=26 DO YOU CALCULATE IMPEDANCE ANGLES FOR SERIES RCL CIRCUITS	5	5	4	4	7	5	5	5	4	4	7	5
D 211 D1=27 DO YOU CALCULATE APPARENT POWER (PA) FOR SERIES RCL CIRCUITS	8	9	6	6	7	4	8	9	6	6	7	4
D 212 D1=28 DO YOU CALCULATE TRUE POWER (PT) FOR SERIES RCL CIRCUITS	9	10	8	9	7	8	9	10	8	9	7	8
D 213 D1=29 DO YOU CALCULATE POWER FACTORS (PF) FOR SERIES RCL CIRCUITS	7	8	7	7	7	7	7	8	7	7	5	7
D 214 D1=30 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RCL CIRCUITS	11	11	10	10	8	6	11	11	10	10	8	6
D 215 D1=31 DO YOU CALCULATE IMPEDANCE ANGLES FOR PARALLEL RCL CIRCUITS	4	5	3	4	5	5	4	5	3	4	5	5
D 216 D1=32 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL CIRCUITS USING THE ASSUMED VOLTAGE METHOD	4	7	5	4	5	5	4	7	5	4	5	5
D 217 D1=33 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL CIRCUITS USING OHM'S LAW	12	13	12	12	8	10	12	13	12	12	8	10
D 218 D1=34 DO YOU CHECK CAPACITORS USING OMMETERS	49	43	53	50	54	47	49	43	53	50	54	47
D 219 D1=35 DO YOU CHECK CAPACITORS USING SUBSTITUTION	36	33	38	37	40	33	36	33	38	37	40	33
D 220 D1=36 DO YOU CHECK INDUCTORS USING OMMETERS	46	41	50	49	49	43	46	41	50	49	49	43
D 221 D1=37 DO YOU CHECK INDUCTORS USING SUBSTITUTION	31	27	35	32	32	28	31	27	35	32	32	28
D 222 D1=38 DO YOU USE OR REFER TO THE GENERAL RULE THAT THETA = 0, PF = 1, AND PA = PT FOR RESONANT CIRCUITS	3	3	3	3	2	3	3	3	3	2	3	3
D 223 D1=39 DO YOU CALCULATE RESONANT FREQUENCIES FOR RCL CIRCUITS	13	13	13	13	9	7	13	13	13	13	9	7
D 224 D1=40 DO YOU USE OR REFER TO THE GENERAL RULE THAT IMPEDANCE IS MINIMUM AND CURRENT MAXIMUM AT THE RESONANT FREQUENCY FOR SERIES RCL CIRCUITS	22	22	22	22	22	19	22	22	22	22	22	19
D 225 D1=41 DO YOU USE OR REFER TO THE GENERAL RULE THAT LINE CURRENT IS MINIMUM AND IMPEDANCE MAXIMUM AT RESONANT FREQUENCY FOR PARALLEL RCL CIRCUITS	20	20	20	19	20	12	20	20	20	19	20	12
D 226 D1=42 DO YOU USE OR REFER TO THE GENERAL RULE THAT HALF POWER POINTS ARE AT 70.7 PERCENT OF THE PEAK CURRENT VALUE	26	26	26	26	26	19	26	26	26	26	26	19
D 227 D1=43 DO YOU USE OR REFER TO THE GENERAL RULE THAT BANDWIDTH IS INVERSELY PROPORTIONAL TO Q	20	19	22	21	17	13	20	19	22	21	17	13
D 228 D1=44 DO YOU DETERMINE HOW CHANGES IN FREQUENCY, RESISTANCE CAPACITANCE, OR INDUCTANCE WILL AFFECT CURRENT OR PHASE ANGLES FOR RCL CIRCUITS	13	14	11	12	12	6	13	14	11	12	12	6

PCT HRS RESPONDING *YES* BY SELECTED GRPS
TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPSUM1 PAGE 10

D-Y-TSK	SPC						SPC					
	001	002	003	004	005	006	001	002	003	004	005	006
D 229 D2-01 IN YOUR PRESENT JOB, DO YOU WORK WITH USE, OR REFER TO SERIES OR PARALLEL RESONANT CIRCUITS OR TIME CONSTANTS	24	24	25	22	28	21						
D 230 D2-02 DO YOU WORK WITH USE, OR REFER TO TIME CONSTANTS	16	17	16	14	17	14						
D 231 D2-03 DO YOU WORK WITH USE, OR REFER TO AVAILABLE VOLTAGE	12	12	12	11	15	10						
D 232 D2-04 DO YOU WORK WITH USE, OR REFER TO TRANSIENT INTERVALS	9	9	8	8	9	7						
D 233 D2-05 DO YOU USE OR REFER TO THE GENERAL RULE THAT A CAPACITOR IS FULLY CHARGED (OR DISCHARGED) AFTER FIVE (5) TIME CONSTANTS-(1/C)	13	13	12	11	13	10						
D 234 D2-06 DO YOU USE OR REFER TO UNIVERSAL TIME CONSTANT CHARTS	6	7	5	5	5	2						
D 235 D2-07 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE CIRCUIT CURRENT OR COMPONENT VOLTAGES AFTER A SPECIFIC TIME FOR NC OR LR CIRCUITS	5	4	4	4	5	2						
D 236 D2-08 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE THE TIME REQUIRED FOR CIRCUIT CURRENT OR COMPONENT VOLTAGES TO REACH SPECIFIC VALUES FOR RC OR LR CIRCUITS	6	7	5	4	5	3						
D 237 D2-09 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE COMPONENT VALUES REQUIRED FOR CIRCUIT CURRENT AND COMPONENT VOLTAGES TO REACH SPECIFIC VALUES IN SPECIFIC TIMES	6	6	5	5	6	3						
D 238 D2-10 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT IN LR CIRCUITS REACHES ITS MINIMUM VALUE (OR ZERO) AFTER FIVE (5) TIME CONSTANTS	7	6	6	6	7	7						
D 239 D2-11 DO YOU WORK WITH CIRCUITS USED AS FILTERS IN YOUR PRESENT JOB	72	64	79	72	76	71						
D 240 D3-02 DO YOU INSPECT FILTER CIRCUITS	63	55	70	65	71	62						
D 241 D3-03 DO YOU CLEAN FILTER CIRCUITS	56	47	64	59	63	45						
D 242 D3-04 DO YOU ALIGN OR ADJUST FILTER CIRCUITS	54	48	60	55	60	51						
D 243 D3-05 DO YOU TROUBLESHOOT TO THE FILTER CIRCUIT LEVEL	42	53	66	63	67	64						
D 244 D3-06 DO YOU TROUBLESHOOT TO COMPONENT PARTS	47	53	50	48	41	41						
D 245 D3-07 DO YOU REMOVE OR REPLACE THE COMPLETE FILTER CIRCUIT PARTS	64	55	72	67	72	63						
D 246 D3-08 DO YOU REMOVE OR REPLACE FILTER CIRCUIT COMPONENT PARTS	44	40	46	45	50	43						
D 247 D3-09 DO YOU WORK WITH LOW PASS FILTERS	49	42	74	68	70	67						
D 248 D3-10 DO YOU WORK WITH HIGH PASS FILTERS	48	42	73	67	77	67						
D 249 D3-11 DO YOU WORK WITH BANDPASS FILTERS	72	65	78	71	82	69						
D 250 D3-12 DO YOU WORK WITH BAND-REJECT FILTERS	41	55	65	61	67	47						
D 251 D3-13 DON'T REMEMBER WHICH TYPE OF FILTER YOU WORK WITH	11	11	10	14	10	9						
D 252 D3-14 DO YOU WORK WITH L-SECTION FILTER CONFIGURATION	43	41	45	42	51	43						
D 253 D3-15 DO YOU WORK WITH T-SECTION FILTER CONFIGURATION	64	61	63	52	54	52						
D 254 D3-16 DO YOU WORK WITH PI-SECTION FILTER CONFIGURATION	44	46	42	52	45	45						
D 255 D3-17 DON'T REMEMBER WHICH TYPE FILTER CONFIGURATION	26	25	31	29	32	17						
D 256 D3-18 DO THE FILTERS YOU WORK WITH USE PARALLEL RESONANT CIRCUITS	37	38	40	38	45	36						
D 257 D3-19 DO THE FILTERS YOU WORK WITH USE SERIES-PARALLEL CIRCUITS	34	38	41	38	45	41						
D 258 D3-20 DO THE FILTERS YOU WORK WITH USE SERIES RESONANT CIRCUITS	39	38	39	38	45	39						

PCT MEMBERS RESPONDING YES TO SELECTED QPFS
TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

QPFSUMI PAGE 11

DY-TSK

		SPC									
E 261	E1=01 DO YOU WORK WITH COUPLING DEVICES IN YOUR PRESENT JOB?	35	50	59	55	53	55	53	55	53	55
E 262	E1=02 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH RC COUPLING	32	29	34	32	30	34	32	30	34	32
E 263	E1=03 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH IMPEDANCE COUPLING	41	39	47	42	45	46	45	46	45	46
E 264	E1=04 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH TRANSFORMER COUPLING	50	46	54	50	46	50	46	50	46	51
E 265	E1=05 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM RC COUPLING	41	36	46	41	45	45	45	45	45	45
E 266	E1=06 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM IMPEDANCE COUPLING	42	37	47	43	45	45	44	45	45	44
E 267	E1=07 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM TRANSFORMER COUPLING	40	40	52	48	46	46	45	46	46	45
E 268	E1=08 DO YOU WORK WITH DIRECTLY COUPLED CIRCUITS	45	40	49	45	45	45	44	45	45	44
E 269	E1=09 DO YOU WORK WITH CAPACITIVE-RESISTIVE COUPLED CIRCUITS	40	35	43	39	42	37	37	42	37	37
E 270	E1=10 DO YOU WORK WITH CAPACITIVE-INDUCTIVE COUPLED CIRCUITS	37	33	40	38	38	31	31	38	31	31
E 271	E1=11 DO YOU WORK WITH TRANSFORMER COUPLED CIRCUITS	46	41	50	47	44	41	41	47	44	41
E 272	E1=12 DON'T REMEMBER WHICH TYPE OF COUPLING CIRCUITS	16	15	16	15	15	17	17	17	17	17
E 273	E2=01 IN YOUR PRESENT JOB, DO YOU PERFORM SOLDERING TECHNIQUES OR INSPECT OR EVALUATE SOLDERED CONNECTIONS	82	74	70	84	86	86	86	86	86	86
E 274	E2=02 DO YOU SELECT TYPE OF SOLDER TO USE	46	59	72	67	71	63	77	64	66	64
E 275	E2=03 DO YOU ADD FLUX TO CONNECTIONS	71	63	78	71	63	77	73	64	74	73
E 276	E2=04 DO YOU CLEAN CONNECTIONS USING SOLVENTS	72	67	77	73	64	74	74	65	74	74
E 277	E2=05 DO YOU STRIP INSULATION FROM WIRES	63	75	91	85	87	84	84	85	87	84
E 278	E2=06 DO YOU CONNECT OR DISCONNECT HEAT SINKS	79	72	85	81	84	79	81	84	81	84
E 279	E2=07 DO YOU BEND OR SHAPE WIRES OR LEADS	63	72	74	91	85	89	84	85	89	84
E 280	E2=08 DO YOU CUT WIRES	64	75	91	85	87	84	84	85	87	84
E 281	E2=09 DO YOU FILE OR SHAPE SOLDERING IRON TIPS	74	67	80	75	81	74	74	75	81	74
E 282	E2=10 DO YOU TIN SOLDERING IRON TIPS	62	73	90	84	87	84	84	85	87	84
E 283	E2=11 DO YOU CLEAN SOLDERING IRON TIPS	63	74	91	85	87	84	84	85	87	84
E 284	E2=12 DO YOU CLEAN ELECTRICAL SURFACES USING ERASERS	73	65	80	76	79	65	65	76	79	65
E 285	E2=13 DO YOU TIN OR PEL-TIN CONDUCTORS	79	70	86	80	82	81	81	85	89	81
E 286	E2=14 DO YOU INSPECT SOLDERED CONNECTIONS	63	74	91	85	89	88	88	85	89	88
E 287	E2=15 DO YOU DESOLDER CONNECTIONS BY WICING	63	58	67	63	74	64	64	67	74	64
E 288	E2=16 DO YOU DESOLDER CONNECTIONS USING VACUUM DESOLDERING TOOLS	71	64	74	73	81	81	81	81	81	81
E 289	E2=17 DO YOU CUT COMPONENT LEADS TO REMOVE COMPONENTS	63	56	69	65	71	66	66	65	71	66
E 290	E2=18 DO YOU CRUSH COMPONENTS FOR REMOVAL	22	19	24	22	23	23	23	24	22	23

PCT HOURS RESPONDING YES, BY SELECTED CRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

GPSUM PAGE 12

	01-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
E 291 E2-19 DO YOU MAKE HARDWIRED CONNECTIONS	80	71	66	63	63	61	
E 292 E2-20 DO YOU MAKE PRINTED CIRCUIT BOARD CONNECTIONS	74	66	60	74	69	72	
E 293 E2-21 DO YOU SOLDER PASSIVE COMPONENTS SUCH AS RESISTORS OR CAPACITORS ON PRINTED CIRCUIT BOARDS	74	64	60	74	64	73	
E 294 E2-22 DO YOU SOLDER ACTIVE COMPONENTS SUCH AS SOLID-STATE DIODES OR TRANSISTORS ON PRINTED CIRCUIT BOARDS	73	67	77	73	67	73	
E 295 E3-01 DO YOU WORK WITH RELAYS ON YOUR PRESENT JOB	75	64	64	77	74	77	
E 296 E3-02 DO YOU ADJUST RELAYS	49	37	59	53	41	41	RELAYS
E 297 E3-03 DO YOU CLEAN RELAYS	66	53	70	71	61	64	
E 298 E3-04 DO YOU INSPECT RELAYS	71	69	61	79	70	74	
E 299 E3-05 DO YOU REMOVE OR REPLACE COMPLETE RELAYS	72	49	62	75	70	78	
E 300 E3-06 DO YOU REMOVE OR REPLACE PARTS OR RELAYS	22	19	26	23	23	10	
E 301 E3-07 DO YOU TROUBLESHOOT RELAYS	43	53	73	64	67	46	
E 302 E3-08 DO YOU STRAIGHTEN RELAY CONTACTS	52	40	62	56	42	43	
E 303 E3-09 DO YOU PERFORM TASKS ON RELAY CONTACTS	63	40	43	59	45	44	
E 304 E3-10 DO YOU PERFORM TASKS ON RELAY CORES	6	7	9	9	5	5	
E 305 E3-11 DO YOU PERFORM TASKS ON RELAY COILS	12	10	14	14	7	7	
E 306 E3-12 DO YOU PERFORM TASKS ON RELAY ARMATURES	20	19	24	24	11	9	
E 307 E3-13 DO YOU PERFORM TASKS ON RELAY SPRINGS	24	16	20	27	15	14	
E 308 E3-14 DO YOU USE OR REFER TO SINGLE POLE, SINGLE THROW (SPST) - NORMALLY OPEN (NO) SCHEMATIC SYMBOLS FOR RELAYS	53	46	60	54	53	45	
E 309 E3-15 DO YOU USE OR REFER TO SINGLE POLE, SINGLE THROW (SPST) - NORMALLY CLOSED (NC) SCHEMATIC SYMBOLS FOR RELAYS	52	44	59	55	50	45	
E 310 E3-16 DO YOU USE OR REFER TO SINGLE POLE, DOUBLE THROW (SPDT) SCHEMATIC SYMBOLS FOR RELAYS	51	44	57	53	52	42	
E 311 E3-17 DO YOU USE OR REFER TO DOUBLE POLE, DOUBLE THROW (DPDT) SCHEMATIC SYMBOLS FOR RELAYS	50	43	57	53	50	44	
E 312 E3-18 DO YOU USE OR REFER TO OTHER RELAY SYMBOLS SCHEMATIC SYMBOLS FOR RELAYS	51	42	59	54	48	44	
E 313 E3-19 DO YOU CHECK ELECTRICAL CONTINUITY OF COILS BY MEASURING RESISTANCE	53	42	43	57	52	56	
F 314 F1-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING WITH MICROPHONES	27	21	36	30	22	35	MICROPHONES
F 315 F1-02 DO YOU INSPECT MICROPHONES	23	14	29	25	16	24	
F 316 F1-03 DO YOU CLEAN MICROPHONES	21	14	27	22	14	20	
F 317 F1-04 DO YOU OPERATE MICROPHONES	26	20	34	30	20	36	
F 318 F1-05 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS BUT DO NOT TROUBLESHOOT DOWN TO COMPONENT PARTS ON MICROPHONES	22	14	29	23	16	26	
F 319 F1-06 DO YOU TROUBLESHOOT DOWN TO MICROPHONE PARTS	10	7	12	11	6	6	
F 320 F1-07 DO YOU REMOVE OR REPLACE COMPLETE MICROPHONES	26	14	33	26	17	34	
F 321 F1-08 DO YOU REMOVE OR REPLACE MICROPHONE PARTS	10	7	13	11	8	10	
F 322 F1-09 DO YOU PERFORM TASKS ON CARBON MICROPHONES	16	12	23	18	13	21	
F 323 F1-10 DO YOU PERFORM TASKS ON CAPACITOR MICROPHONES	5	4	4	5	3	5	
F 324 F1-11 DO YOU PERFORM TASKS ON CRYSTAL MICROPHONES	4	4	4	7	2	5	
F 325 F1-12 DO YOU PERFORM TASKS ON DYNAMIC MICROPHONES	13	9	17	15	8	15	
F 326 F1-13 DO YOU PERFORM TASKS ON VELOCITY RIBBON MICROPHONES	1	1	2	2	1	0	

PCT HRS RESPONDING *YES* BY SELECTED GRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

EPSUMI PAGE 13

DVT-TSK	F 327 F2-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING						SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	
	WITH SPEAKERS	F 328 F2-02 DO YOU INSPECT SPEAKERS	F 329 F2-03 DO YOU CLEAN SPEAKERS	F 330 F2-04 DO YOU OPERATE SPEAKERS	F 331 F2-05 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS, BUT DO NOT TROUBLESHOOT DOWN TO COMPONENT PARTS OF SPEAKERS	F 332 F2-06 DO YOU TROUBLESHOOT DOWN TO SPEAKER PARTS							
F 327 F2-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING	35	24	44	39	24	26	35	20	17	39	33	19	24
F 328 F2-02 DO YOU INSPECT SPEAKERS	32	20	20	17	39	35	25	23	22	33	33	19	24
F 329 F2-03 DO YOU CLEAN SPEAKERS	29	17	21	12	36	34	23	23	23	34	34	23	24
F 330 F2-04 DO YOU OPERATE SPEAKERS	32	21	12	36	34	34	23	23	23	34	34	23	24
F 331 F2-05 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS, BUT DO NOT TROUBLESHOOT DOWN TO COMPONENT PARTS OF SPEAKERS	30	20	39	34	23	23	23	23	23	34	34	23	24
F 332 F2-06 DO YOU TROUBLESHOOT DOWN TO SPEAKER PARTS	7	4	10	9	3	4	10	9	3	3	3	4	4
F 333 F2-07 DO YOU REMOVE OR REPLACE COMPLETE SPEAKERS	20	20	38	33	22	22	20	17	5	5	5	2	2
F 334 F2-08 DO YOU REMOVE OR REPLACE SPEAKER PARTS	9	2	7	5	2	2	5	5	1	2	2	0	0
F 335 F2-09 DO YOU PERFORM ANY TASKS ON SPEAKER CONES	9	2	4	5	1	2	2	2	2	3	3	0	0
F 336 F2-10 DO YOU PERFORM ANY TASKS ON SPEAKER SPIDERS	1	1	2	2	0	0	1	1	2	2	3	1	1
F 337 F2-11 DO YOU PERFORM ANY TASKS ON SPEAKER FIELD COILS	2	2	3	3	0	0	2	2	3	3	3	1	1
F 338 F2-12 DO YOU PERFORM ANY TASKS ON SPEAKER VOICE COILS	2	2	3	3	0	0	2	2	3	3	3	1	1
F 339 F2-13 DO YOU PERFORM ANY TASKS ON SPEAKER PERMANENT MAGNETS	3	3	4	4	2	2	3	3	3	3	3	1	1
F 340 F2-14 DO YOU PERFORM ANY TASKS ON SPEAKER ELECTROMAGNETS	3	2	3	3	1	1	2	2	2	2	2	1	1
F 341 F2-15 DO YOU PERFORM ANY TASKS ON SPEAKER SOFT IRON CORES	2	1	2	2	0	0	2	2	2	2	2	0	0
F 342 F3-01 DO YOU USE OSCILLOSCOPES IN YOUR PRESENT JOB	78	72	83	79	83	64	78	74	78	78	78	58	58
F 343 F3-02 DO YOU USE OSCILLOSCOPES TO PERFORM OPERATIONAL CHECKS	72	66	76	76	74	74	72	74	78	78	78	58	58
F 344 F3-03 DO YOU USE OSCILLOSCOPES TO PERFORM ALIGNMENTS OR ADJUSTMENTS	72	64	78	74	74	74	72	74	79	79	79	65	65
F 345 F3-04 DO YOU USE OSCILLOSCOPES TO TROUBLESHOOT ELECTRONIC CIRCUITS	72	66	78	73	83	63	72	66	78	73	83	63	63
F 346 F3-05 DO YOU USE OSCILLOSCOPES TO MEASURE FREQUENCY	55	50	59	55	59	59	55	59	59	59	59	44	44
F 347 F3-06 DO YOU USE OSCILLOSCOPES TO MEASURE TIME	41	41	42	40	42	40	40	42	40	42	40	35	35
F 348 F3-07 DO YOU USE OSCILLOSCOPES TO OBSERVE LISAJOUS PATTERNS	34	31	36	35	38	38	31	36	35	38	38	21	21
F 349 F3-08 DO YOU USE OSCILLOSCOPES TO OBSERVE SIGNALS WHILE UTILIZING ATTENUATOR PROBES	59	54	64	60	60	60	54	64	64	64	64	51	51
F 350 F3-09 DO YOU USE OSCILLOSCOPES TO MAKE FREQUENCY OR TIME MEASUREMENTS USING DELAY TIME MULTIPLIERS	25	23	27	25	27	27	23	27	25	27	27	20	20
F 351 F3-10 DO YOU USE OSCILLOSCOPES TO MEASURE AC VOLTAGE SIGNALS AFTER FIRST ADJUSTING THE GAIN AND DC BAL CONTROLS	63	58	67	64	69	67	63	58	58	58	58	57	57
F 352 F3-11 DO YOU USE OSCILLOSCOPES TO MEASURE DC VOLTAGE	52	47	56	53	59	59	52	47	56	53	59	43	43
G 353 F3-12 DO YOU USE OSCILLOSCOPES TO MEASURE DC VOLTAGE	62	56	67	63	69	69	62	56	67	63	69	56	56
G 354 G1-01 DO YOU WORK WITH SEMICONDUCTOR DIODES	75	67	81	74	81	79	75	67	81	74	81	79	79
G 355 G1-02 DO YOU INSPECT DIODES	71	63	78	72	82	70	71	63	78	72	82	70	70
G 356 G1-03 DO YOU REMOVE OR REPLACE DIODES	72	62	81	73	83	61	72	62	81	73	83	61	61
G 357 G1-04 DO YOU CHECK DIODES USING AN INSTRUMENT	68	60	75	69	76	74	68	60	75	69	76	74	74
G 358 G1-05 DO YOU USE ENERGY LEVEL DIAGRAMS IN YOUR WORK WITH DIODES	6	6	5	5	5	5	6	6	5	5	5	7	2
G 359 G1-06 DO YOU USE PN JUNCTION DIODE CHARACTERISTIC CURVES, TOGETHER WITH VALUES OF FORWARD AND REVERSE BIAS VOLTS, TO COMPUTE FORWARD OR REVERSE LIAS RESISTANCE	6	6	8	4	5	6	6	6	8	4	5	6	1
G 360 G1-07 DO YOU COMPUTE FORWARD OR REVERSE LIAS RESISTANCE FOR DIODES	14	13	15	14	14	10	14	13	15	14	14	10	10

PCT HOURS RESPONDING .0720 BY SELECTED GRPS

TASK GROUP SUMMARY
PERCENT HOURS PERFORMING

EPSUM PAGE 19

Dy-Tsk

- 6 361 61-08 DO YOU USE OR REFER TO THE GENERAL RULE THAT TEMPERATURE CAN AFFECT THE OPERATION OF DIODES
- 6 362 61-09 DO YOU IDENTIFY SEMICONDUCTOR DIODES AS OPPOSED TO OTHER ELECTRONIC COMPONENTS, SUCH AS RESISTORS, BASED ON THEIR PHYSICAL APPEARANCE
- 6 363 61-10 DO YOU REFERENCE TO DETERMINE THE GENERAL EFFECTS OF DOPING ON CURRENT FLOW
- 6 364 61-11 DO YOU USE OR REFER TO MEASUREMENTS OF FORWARD BIAS RESISTANCE
- 6 365 61-12 DO YOU USE OR REFER TO DIODE COLOR CODING
- 6 366 61-13 DO YOU USE OR REFER TO CENTRIFUGAL FORCE OF AN ELECTRON IN ORBIT AROUND A NUCLEUS
- 6 367 61-14 DO YOU USE OR REFER TO CENTRIPETAL FORCE OF AN ELECTRON IN ORBIT AROUND A NUCLEUS
- 6 368 61-15 DO YOU USE OR REFER TO DIODE NUMBERING SYSTEM, SUCH AS IN S38
- 6 369 61-16 DO YOU USE OR REFER TO KINETIC ENERGY OF AN ELECTRON MOVING IN ORBIT
- 6 370 61-17 DO YOU USE OR REFER TO POTENTIAL ENERGY OF AN ELECTRON MOVING IN ORBIT
- 6 371 61-18 DO YOU USE OR REFER TO MEASUREMENTS OF REVERSE BIAS RESISTANCE
- 6 372 61-19 DO YOU USE OR REFER TO NUMBER OF ELECTRONS IN A PARTICULAR SHELL OR ORBIT
- 6 373 61-20 DO YOU USE OR REFER TO PERMISSIBLE ENERGY LEVELS OF AN ORBITING ELECTRON
- 6 374 61-21 DO YOU USE OR REFER TO PROHIBITED ENERGY LEVELS OF AN ORBITING ELECTRON
- 6 375 61-22 DO YOU USE OR REFER TO VALENCE ELECTRONS (THOSE IN THE OUTERMOST SHELL)
- 6 376 61-23 DO YOU USE OR REFER TO ATOMIC NUMBER (TOTAL NUMBER OF ELECTRONS IN ATOM)
- 6 377 61-24 DO YOU USE OR REFER TO SYMBOLS ON THE DIODE WHICH INDICATE THE CATHODE END
- 6 378 61-25 DO YOU NEED TO KNOW WHICH MATERIALS ARE USED IN THE CONSTRUCTION OF DIODES SUCH AS GERMANIUM OR SILICON
- 6 379 61-26 DO YOU NEED TO KNOW THAT SEMICONDUCTORS HAVE NEGATIVE TEMPERATURE COEFFICIENTS OF RESISTANCE (AS TEMPERATURE INCREASES RESISTANCE DECREASES)
- 6 380 61-27 DO YOU USE OR REFER TO PN JUNCTION DIODE CHARACTERISTIC CURVES, SUCH AS VOLTAGE - CURRENT CHARACTERISTIC CURVES (PERHAPS YOU DO THIS TO IDENTIFY POINTS OF STRUCTURAL BREAKDOWN OR OPERATING REGIONS)
- 6 381 61-28 DO YOU DETERMINE WHETHER PN JUNCTION DIODES ARE FORWARD BIASED OR REVERSE BIASED WHEN YOU READ OR INTERPRET CIRCUIT DIAGRAMS
- 6 382 61-29 DO YOU USE OR REFER TO VALENCE BAND IN SEMICONDUCTOR MATERIALS

PCT MEMBERS RESPONDING, YES, BY SELECTED GRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

6P5U11 PAGE 19

	01-TSK	SPC 001 002	SPC 003 004	SPC 005 006									
6 J83 G1-J0 DO YOU USE OR REFER TO FORBIDDEN BAND IN SEMICONDUCTOR MATERIALS	9	6	2	3	9	2	3	4	5	5	1	5	1
6 J84 G1-J1 DO YOU USE OR REFER TO CONDUCTION BAND IN SEMICONDUCTOR MATERIALS	5	4	3	4	5	2	3	3	3	3	1	5	1
6 J85 G1-J2 DO YOU USE OR REFER TO COVALENT BONDING IN SEMICONDUCTOR MATERIALS	3	4	2	3	3	2	3	3	3	3	1	5	1
6 J86 G1-J3 DO YOU USE OR REFER TO ELECTRON-HOLE PAIR CREATED IN SEMICONDUCTORS	5	7	3	4	5	2	3	3	3	3	1	5	2
6 J87 G1-J4 DO YOU USE OR REFER TO ELECTRON FLOW OR HOLE FLOW IN SEMICONDUCTORS	12	14	9	11	14	9	11	14	9	14	9	14	9
6 J88 G1-J5 DO YOU USE OR REFER TO DONOR IMPURITY IN SEMICONDUCTORS	4	6	3	3	3	3	3	3	3	3	1	3	1
6 J89 G1-J6 DO YOU USE OR REFER TO ACCEPATOR IMPURITY IN SEMICONDUCTORS	4	6	3	4	2	1	2	1	2	1	1	2	1
6 J90 G1-J7 DO YOU USE OR REFER TO P-TYPE SEMICONDUCTOR MATERIAL	21	23	19	20	22	17	20	22	17	22	17	20	17
6 J91 G1-J8 DO YOU USE OR REFER TO N-TYPE SEMICONDUCTOR MATERIAL	21	23	19	20	24	17	20	24	17	24	17	20	17
6 J92 G1-J9 DO YOU USE OR REFER TO MAJORITY CARRIERS IN SEMICONDUCTORS	6	7	5	5	6	3	5	5	6	3	3	5	3
6 J93 G1-J0 DO YOU USE OR REFER TO MINORITY CARRIERS IN SEMICONDUCTORS	4	7	5	5	6	3	5	5	6	3	3	5	3
6 J94 G1-Q1 DO YOU USE OR REFER TO JUNCTION RECOMBINATION IN SEMICONDUCTORS	6	3	3	3	3	1	3	3	3	3	1	3	1
6 J95 G1-Q2 DO YOU USE OR REFER TO DEPLETION REGION IN SEMICONDUCTORS	7	9	6	6	6	4	6	6	6	6	4	6	4
6 J96 G1-Q3 DO YOU USE OR REFER TO RELATIONSHIP BETWEEN BARRIER WIDTH AND DIFFERENCE OF POTENTIAL	7	9	5	6	6	3	6	6	6	6	3	6	3
6 J97 G1-Q4 DO YOU USE OR REFER TO THE 10:1 BACK TO FRONT RESISTANCE RATIO FOR DIODES	45	36	52	45	58	58	56	58	58	58	58	58	58
6 J98 G1-Q5 DO YOU USE OR REFER TO BARRIER HEIGHT IN SEMICONDUCTORS	4	4	2	3	4	1	2	3	4	1	1	2	1
6 J99 G1-Q6 DO YOU USE OR REFER TO DIODE SUBSTITUTION INFORMATION	36	29	42	39	32	30	36	29	32	30	30	32	30
6 Q00 G1-Q7 DO YOU USE OR REFER TO MAXIMUM AVERAGE FORWARD CURRENT DIODE RATINGS	18	16	19	19	14	8	18	16	19	14	8	18	8
6 Q01 G1-Q8 DO YOU USE OR REFER TO PEAK RECURRENT FORWARD CURRENT DIODE RATINGS	14	13	14	14	16	6	14	13	14	16	6	14	6
6 Q02 G1-Q9 DO YOU USE OR REFER TO MAXIMUM SURGE CURRENT DIODE RATINGS	17	16	16	16	13	9	17	16	16	13	9	17	9
6 Q03 G1-Q0 DO YOU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE DIODE RATINGS	20	19	22	22	14	15	20	19	22	14	15	20	15
6 Q04 G2-Q1 DO YOU WORK WITH TRANSISTORS IN YOUR PRESENT JOB.	71	68	74	70	86	72	71	68	74	70	86	72	72
6 Q05 G2-Q2 DO YOU INSPECT TRANSISTORS	68	63	73	68	87	69	68	63	73	68	87	69	69
6 Q06 G2-Q3 DO YOU REMOVE OR REPLACE TRANSISTORS	69	64	73	70	89	66	69	64	73	70	89	66	66
6 Q07 G2-Q4 DO YOU CHECK TRANSISTORS USING AN INSTRUMENT	63	60	66	64	83	59	63	60	66	64	83	59	59
6 Q08 G2-Q5 DO YOU USE OR REFER TO Emitter - Base (EB) FORWARD AND REVERSE RESISTANCE MEASUREMENTS	57	56	58	56	73	51	57	56	58	56	73	51	51
6 Q09 G2-Q6 DO YOU USE OR REFER TO COLLECTOR - BASE (CB) FORWARD AND REVERSE RESISTANCE MEASUREMENTS	54	55	57	55	73	52	54	55	57	55	73	52	52

PCT MARS RESPONDING YES TO SELECTED QSPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

GSPSUMI PAGE 16

	QV-15K	SPC UD1	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
6 410 62-07 DO YOU USE OR REFER TO Emitter - COLLECTOR (IEC) RESISTANCE MEASUREMENTS	56	85	87	85	73	82	
6 411 62-08 DO YOU USE OR REFER TO HOW BIASING AFFECTS THE PNTRICAL BARRIER WIDTH OF THE Emitter - BASE JUNCTION	14	19	14	14	19	12	
6 412 62-09 DO YOU USE OR REFER TO HOW BIASING AFFECTS THE PNTRICAL BARRIER WIDTH OF THE COLLECTOR - BASE JUNCTION	14	19	14	14	20	12	
6 413 62-10 DO YOU USE OR REFER TO THE PHYSICAL SIZE OF THE TRANSISTOR STRUCTURE (COLLECTOR, BASE AND Emitter)	33	34	33	34	34	26	
6 414 62-11 DO YOU USE OR REFER TO LEAKAGE CURRENT (ICBO) IN A TRANSISTOR	16	16	16	17	21	20	
6 415 62-12 DO YOU USE OR REFER TO TRANSISTOR SCHEMATIC SYMBOLS	69	65	72	68	83	67	
6 416 62-13 DO YOU USE OR REFER TO TRANSISTOR NOTATION SUCH AS Q1, Q2, Q3, ETC	70	67	73	69	83	70	
6 417 62-14 DO YOU USE OR REFER TO TRANSISTOR SUBSTITUTION INFORMATION	43	37	46	45	43	92	
6 418 62-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE TRANSISTOR BASE CURRENT IS NORMALLY SIGNIFICANTLY SMALLER THAN THE Emitter CURRENT IC IS BEING 2 TO 6 PERCENT OF IE	25	26	23	22	33	26	
6 419 62-16 DO YOU USE THE INFORMATION THAT THE EFFECT OF Emitter BASE VOLTAGE ON BASE CURRENT IS THE CONTROLLING FACTOR FOR TRANSISTORS	31	33	29	28	42	35	
6 420 62-17 DO YOU USE THE GENERAL RULE THAT LEAKAGE CURRENT (ICBO) IN A TRANSISTOR INCREASES AS TEMPERATURE INCREASES	18	18	18	16	21	21	
6 421 62-18 DO YOU USE OR REFER TO TRANSISTOR CHARACTERISTIC CURVES	11	12	10	9	14	12	
6 422 62-19 DO YOU USE OR REFER TO BETA TRANSISTOR GAINS	11	11	10	9	13	15	
6 423 62-20 DO YOU USE OR REFER TO ALPHA TRANSISTOR GAINS	9	10	7	8	11	8	
6 424 62-21 DO YOU USE OR REFER TO GAMMA TRANSISTOR GAINS	9	9	7	7	11	6	
6 425 62-22 DO YOU CALCULATE BETA TRANSISTOR GAINS	4	5	3	4	5	3	
6 426 62-23 DO YOU CALCULATE ALPHA TRANSISTOR GAINS	3	4	3	4	4	2	
6 427 62-24 DO YOU CALCULATE GAMMA TRANSISTOR GAINS	3	4	2	3	4	1	
6 428 63-01 DO YOU WORK WITH TRANSISTOR AMPLIFIERS IN YOUR PRESENT JOB	61	57	64	60	73	65	
6 429 63-02 DO YOU INSPECT TRANSISTOR AMPLIFIERS	56	53	63	59	73	64	
6 430 63-03 DO YOU ALIGN OR ADJUST TRANSISTOR AMPLIFIERS	56	51	60	56	71	59	
6 431 63-04 DO YOU TROUBLESHOOT TO THE AMPLIFIER CIRCUIT LEVEL	57	53	61	57	72	62	
6 432 63-05 DO YOU TROUBLESHOOT TO AMPLIFIER COMPONENTS	52	50	53	52	69	56	
6 433 63-06 DO YOU REMOVE OR REPLACE THE COMPLETE AMPLIFIER	56	49	60	56	70	60	
6 434 63-07 DO YOU REMOVE OR REPLACE AMPLIFIER COMPONENTS	52	49	54	52	70	53	
6 435 63-08 DO YOU USE OR REFER TO (COMMON Emitter) THE CHANGE IN COLLECTOR CURRENT WHICH RESULTS FROM A CHANGE IN BASE CURRENT	21	18	18	18	31	14	
6 436 63-09 DO YOU USE OR REFER TO (COMMON Emitter) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN COLLECTOR CURRENT WHICH RESULTS FROM A SPECIFIC CHANGE IN BASE CURRENT	10	10	9	9	13	6	

PCT MEMBERS RESPONDING *YES* BY SELECTED GRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

DR-TSK	SPC U01	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
6 437 63-10 DO YOU USE OR REFER TO (COMMON Emitter) THE CHANGE IN COLLECTOR VOLTAGE WHICH RESULTS FROM A CHANGE IN BASE CURRENT	20	22	10	17	10	15
6 438 63-11 DO YOU USE OR REFER TO (COMMON Emitter) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN COLLECTOR VOLTAGE WHICH RESULTS FROM A SPECIFIC CHANGE IN BASE CURRENT	0	0	0	7	11	5
6 439 63-12 DO YOU USE OR REFER TO (COMMON Emitter) THE CHANGE IN BASE CURRENT WHICH RESULTS FROM AN INPUT SIGNAL	19	21	10	17	29	15
6 440 63-13 DO YOU USE OR REFER TO (COMMON Emitter) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN BASE CURRENT WHICH RESULTS FROM A SPECIFIC INPUT SIGNAL	0	10	9	0	13	5
6 441 63-14 DO YOU USE THE LOAD-LINE METHOD OF ANALYSIS IN YOUR CIRCUIT ANALYSIS (THIS METHOD REQUIRES YOU TO PLOT A LOAD-LINE ON A TRANSISTOR CHARACTERISTIC CURVE)	0	4	4	3	3	4
6 442 63-15 DO YOU USE OR REFER TO THE OPERATING POINT Q (QUIESCENT POINT) FOR A TRANSISTOR	0	0	0	10	8	11
6 443 63-16 DO YOU CALCULATE THE SPECIFIC QUIESCENT POINT FOR A PARTICULAR TRANSISTOR	3	4	3	3	2	5
6 444 63-17 DO YOU MEASURE VOLTAGE GAIN USED IN THE COMMON-Emitter CONFIGURATION	34	33	36	33	48	37
6 445 63-18 DO YOU MEASURE CURRENT GAIN USED IN THE COMMON-Emitter CONFIGURATION	25	25	25	24	38	28
6 446 63-19 DO YOU MEASURE POWER GAIN USED IN THE COMMON-Emitter CONFIGURATION	34	31	36	33	47	42
6 447 63-20 DO YOU CALCULATE THE VOLTAGE GAIN FOR SPECIFIC TRANSISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE CHANGE IN BASE-EMITTER VOLTAGE INTO THE CHANGE IN BASE COLLECTOR VOLTAGE TO DETERMINE THE VOLTAGE GAIN	4	7	5	5	7	6
6 448 63-21 DO YOU CALCULATE THE CURRENT GAIN FOR SPECIFIC TRANSISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE CHANGE IN BASE CURRENT INTO THE CHANGE IN COLLECTOR CURRENT TO DETERMINE THE CURRENT GAIN	4	4	5	5	6	5
6 449 63-22 DO YOU CALCULATE THE POWER GAIN FOR A SPECIFIC TRANSISTOR USING A FORMULA THAT IS, DO YOU MULTIPLY THE CURRENT GAIN TIMES THE VOLTAGE GAIN TO DETERMINE THE POWER GAIN	5	5	6	5	5	6
6 450 63-23 DO YOU NEED TO KNOW THAT MORE COLLECTOR CURRENT IS GENERATED WITH LESS COLLECTOR VOLTAGE AS TEMPERATURE INCREASES (THIS AFFECTS THE STATIC OPERATING POINT [Q] OF THE TRANSISTOR)	9	11	9	8	13	7
6 451 63-24 DO YOU COMPUTE THE STATIC OPERATING POINT [Q] OF A TRANSISTOR AT DIFFERENT TEMPERATURES	3	4	3	3	3	3
6 452 63-25 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITY THE COMPONENTS ASSOCIATED WITH Emitter (Swapping) Resistor Stabilization	24	23	24	24	30	14
6 453 63-26 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITY THE COMPONENTS ASSOCIATED WITH Self-Bias Stabilization	22	22	21	20	32	17

PCT MEMS RESPONDING +YES+ BY SELECTED CAPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

SPSUMI PAGE 18

	DO-Y-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
6 454 6-3-27 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH THERMISTOR STABILIZATION		22	23	22	21	36	15
6 455 6-3-28 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH FORWARD BIAS DIODE STABILIZATION		22	24	21	21	33	15
6 456 6-3-29 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH REVERSE BIAS DIODE STABILIZATION		22	22	21	21	33	15
6 457 6-3-30 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH DOUBLE DIODE STABILIZATION		18	18	17	17	27	10
6 458 6-3-31 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM Emitter (SWAMPING) RESISTOR STABILIZATION		24	24	27	26	35	20
6 459 6-3-32 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM SELF-BIAS STABILIZATION		24	25	24	23	39	21
6 460 6-3-33 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM THERMISTOR STABILIZATION		24	24	25	23	39	21
6 461 6-3-34 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM FORWARD BIAS DIODE STABILIZATION		24	24	24	23	39	23
6 462 6-3-35 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM REVERSE BIAS DIODE STABILIZATION		24	24	24	23	39	22
6 463 6-3-36 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM DOUBLE DIODE STABILIZATION		18	18	19	18	29	15
6 464 6-3-37 DO YOU IDENTIFY AMPLITUDE DISTORTION FOR TRANSISTOR CIRCUITS		33	32	33	32	36	37
6 465 6-3-38 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF AMPLITUDE DISTORTION		32	31	33	33	39	28
6 466 6-3-39 DO YOU IDENTIFY FREQUENCY DISTORTION FOR TRANSISTOR CIRCUITS		28	27	28	27	38	20
6 467 6-3-40 DO YOU IDENTIFY PHASE DISTORTION FOR TRANSISTOR CIRCUITS		20	21	19	19	29	12
6 468 6-3-41 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF PHASE DISTORTION		18	18	18	17	27	12
6 469 6-3-42 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF FREQUENCY DISTORTION		25	24	25	25	36	17
6 470 6-3-43 DO YOU NEED TO KNOW THE DEGENERATIVE EFFECTS ON THE CIRCUIT CAUSED BY CHANGING Emitter RESISTANCE FOR TRANSISTOR AMPLIFIERS IN THE COMMON COLLECTOR CONFIGURATION		15	17	14	14	23	10
6 471 6-3-44 DO YOU DETERMINE THE CLASS OF OPERATION FOR AMPLIFIERS IN ORDER TO TROUBLESHOOT AMPLIFIER CIRCUITS		18	16	21	18	20	19
6 472 6-3-45 DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS		17	16	15	15	27	21
6 473 6-3-46 DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL AMPLIFIERS		42	39	45	42	54	44
6 474 6-3-47 DO YOU TROUBLESHOOT OR REPAIR COMPLEMENTARY SYMMETRY CIRCUITS		22	21	21	21	31	22
6 475 6-3-48 DO YOU TROUBLESHOOT OR REPAIR COMPOUND-CONNECTED AMPLIFIERS		27	24	30	26	33	37

PCT HRS RESPONDING YES, BY SELECTED GRPS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPSUM PAGE 20

		DO-TSK	SPC										
H 513	HJ=02	DO YOU INSPECT OSCILLATORS	44	87	74	47	77	49	77	49	77	49	
H 519	HJ=03	DO YOU ALIGN OR ADJUST OSCILLATORS	47	89	76	68	70	69	72	63	72	63	
H 515	HJ=04	DO YOU REMOVE OR REPLACE COMPLETE OSCILLATORS	59	91	44	59	72	43	72	43	72	43	
H 516	HJ=05	DO YOU REMOVE OR REPLACE OSCILLATOR COMPONENTS	50	97	51	52	62	42	52	42	52	42	
H 517	HJ=06	DO YOU TROUBLESHOOT TO OSCILLATOR CIRCUIT LEVEL	59	92	65	59	70	59	70	59	70	59	
H 518	HJ=07	DO YOU TROUBLESHOOT TO OSCILLATOR COMPONENTS	50	97	51	51	65	41	65	41	65	41	
H 519	HJ=08	DO YOU USE OR REFER TO FEEDBACK	49	96	53	49	56	46	53	46	56	46	
H 520	HJ=09	DO YOU USE OR REFER TO FREQUENCY DETERMINING DEVICES	50	97	52	49	58	42	58	42	58	42	
H 521	HJ=10	DO YOU USE OR REFER TO AMPLITUDE STABILITY	42	38	45	42	40	28	40	28	40	28	
H 522	HJ=11	DO YOU USE OR REFER TO FREQUENCY STABILITY	57	51	63	58	64	57	64	57	64	57	
H 523	HJ=12	DO YOU USE OR REFER TO DAMPING	24	23	26	24	32	20	32	20	32	20	
H 524	HJ=13	DO YOU USE OR REFER TO REGenerative FEEDBACK	42	39	46	43	45	35	45	35	45	35	
H 525	HJ=14	DO YOU USE OR REFER TO PIEZOELECTRIC EFFECT	13	13	14	14	14	7	14	7	14	7	
H 526	HJ=15	DO YOU USE OR REFER TO CRITICAL DAMPING	12	12	12	12	12	7	12	7	12	7	
H 527	HJ=16	DO YOU USE OR REFER TO UNDER DAMPING	13	13	13	13	12	7	12	7	12	7	
H 528	HJ=17	DO YOU USE OR REFER TO OVER DAMPING	13	13	12	12	15	4	12	15	4	12	15
H 529	HJ=18	DO YOU WORK WITH OSCILLATORS WHICH USE LC TANK	45	82	45	44	51	42	44	51	42	44	
H 530	HJ=19	DO YOU WORK WITH OSCILLATORS WHICH USE RC NETWORKS AS	40	39	41	39	49	38	41	39	49	38	
H 531	HJ=20	DO YOU WORK WITH OSCILLATORS WHICH USE CRYSTALS AS	55	49	61	57	55	52	57	55	52	52	
H 532	HJ=21	DO YOU WORK WITH OSCILLATORS WHICH USE DON'T REMEMBER WHICH TYPE OF FDD	20	19	22	19	27	22	19	27	22	19	
H 533	HJ=22	DO YOU WORK WITH SERIES HARTLEY SINUSOIDAL OSCILLATORS	19	22	17	16	26	10	16	26	10	16	
H 534	HJ=23	DO YOU WORK WITH SHUNT HARTLEY SINUSOIDAL OSCILLATORS	16	20	16	17	26	7	16	26	7	16	
H 535	HJ=24	DO YOU WORK WITH COLPITTS SINUSOIDAL OSCILLATORS	21	22	20	20	32	14	20	32	14	20	
H 536	HJ=25	DO YOU WORK WITH CLAPP SINUSOIDAL OSCILLATORS	13	15	11	12	19	4	11	12	19	4	
H 537	HJ=26	DO YOU WORK WITH BUTLER SINUSOIDAL OSCILLATORS	24	26	23	22	34	20	23	34	20	22	
H 538	HJ=27	DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF	40	35	44	41	44	40	41	44	40	40	
I 539	IJ=01	DO YOU WORK WITH MULTIVIBRATORS IN YOUR PRESENT JOB	27	38	36	34	38	38	36	38	38	38	
I 540	IJ=02	DO YOU INSPECT WAVE GENERATING OR SHAPING CIRCUITS	30	28	30	28	37	33	30	37	33	30	
I 541	IJ=03	DO YOU ALIGN OR ADJUST WAVE GENERATING OR SHAPING CIRCUITS	25	24	25	23	36	27	23	36	27	27	
I 542	IJ=04	DO YOU CALIBRATE WAVE GENERATING OR SHAPING CIRCUITS	25	25	25	24	36	27	24	36	27	27	
I 543	IJ=05	DO YOU TROUBLESHOOT TO WAVE GENERATING OR SHAPING CIRCUITS	20	19	21	19	26	20	19	26	20	20	
I 544	IJ=06	DO YOU TROUBLESHOOT TO WAVE GENERATING OR SHAPING CIRCUITS	28	29	26	27	38	23	26	38	23	23	
I 545	IJ=07	DO YOU REMOVE OR REPLACE COMPLETE WAVE GENERATING OR SHAPING CIRCUITS	27	26	26	26	39	30	26	39	30	30	
I 546	IJ=08	DO YOU REMOVE OR REPLACE WAVE GENERATING OR SHAPING CIRCUITS	26	28	24	27	34	19	27	34	19	19	
I 547	IJ=09	DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN LC TANK	21	22	19	19	33	15	22	19	33	15	

PCT MEMBERS RESPONDING *YES* BY SELECTED CRPS
TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

EPSUMI PAGE 21

DY-TSK

1 548	1-10 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN RC	23	25	22	21	33	20
1 549	1-11 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN CRYSTALS	21	23	20	20	33	14
1 550	1-12 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN DON'T REMEMBER WHICH TYPE OF FDD	13	13	12	12	16	17
1 551	1-13 DO YOU WORK WITH ASTABLE MULTIVIBRATORS	21	23	20	19	32	16
1 552	1-14 DO YOU WORK WITH MONOSTABLE MULTIVIBRATORS	24	27	25	24	34	24
1 553	1-15 DO YOU WORK WITH BISTABLE MULTIVIBRATORS	26	29	26	25	39	23
1 554	1-16 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE MULTIVIBRATORS	11	11	10	10	15	14
1 555	12-01 DO YOU WORK WITH LIMITERS OR CLAMPERS IN YOUR PRESENT JOB	92	95	93	90	36	LIMITERS AND CLAMPERS
1 556	12-02 DO YOU WORK WITH SERIES DIODE LIMITERS	22	23	22	19	37	23
1 557	12-03 DO YOU WORK WITH SHUNT DIODE LIMITERS	19	19	19	16	27	14
1 558	12-04 DO YOU WORK WITH LIMITERS WITH BIAS	20	19	22	20	27	17
1 559	12-05 DO YOU WORK WITH ZENER DIODE LIMITERS	22	21	23	21	31	19
1 560	12-06 DO YOU WORK WITH TRANSISTOR LIMITERS	21	21	21	20	31	15
1 561	12-07 DO YOU WORK WITH DON'T KNOW WHICH TYPE OF LIMITERS	21	17	24	21	23	21
1 562	12-08 DO YOU WORK WITH BASIC DIODE CLAMPING CIRCUITS	14	15	17	15	24	10
1 563	12-09 DO YOU WORK WITH DIODE CLAMPING CIRCUITS WITH BIAS	15	14	14	13	24	10
1 564	12-10 DO YOU WORK WITH DON'T KNOW WHICH TYPE OF CLAMPING	19	16	22	20	20	23
1 565	13-01 IN YOUR PRESENT JOB, DO YOU WORK ON EQUIPMENT WHICH CONTAINS ELECTRON TUBES	50	56	60	60	9	ELECTRON TUBES
1 566	13-02 DO YOU CHECK ELECTRON TUBES TO SEE IF THEY ARE GOOD	47	25	44	56	6	23
1 567	13-03 DO YOU USE TUBE TESTERS TO CHECK ELECTRON TUBES	37	20	51	46	2	14
1 568	13-04 DO YOU USE MULTIMETERS TO CHECK ELECTRON TUBES	28	17	38	35	5	9
1 569	13-05 DO YOU USE SCOPES TO CHECK ELECTRON TUBES	20	12	26	24	5	4
1 570	13-06 DO YOU USE SUBSTITUTION TO CHECK ELECTRON TUBES	46	23	45	56	6	21
1 571	13-07 DO YOU USE OR REFER TO CUTOFF	14	10	20	19	2	4
1 572	13-08 DO YOU USE OR REFER TO PEAK INVERSE VOLTAGE RATING	8	5	10	9	1	5
1 573	13-09 DO YOU USE OR REFER TO PEAK CURRENT RATING	10	4	13	11	2	9
1 574	13-10 DO YOU USE OR REFER TO TRANSIT TIME	6	5	9	9	1	5
1 575	13-11 DO YOU USE OR REFER TO PLATE DISSIPATION RATING	6	4	11	10	2	5
1 576	13-12 DO YOU USE OR REFER TO SATURATION	17	10	22	20	2	4
1 577	13-13 DO YOU USE OR REFER TO DC PLATE RESISTANCE	12	8	16	14	2	5
1 578	13-14 DO YOU COMPUTE ACTUAL VALUES OF THE DC PLATE RESISTANCE FOR ELECTRON TUBES	3	3	3	3	1	1
1 579	13-15 DO YOU USE OR REFER TO PLATE VOLTAGE	40	24	54	48	6	14
1 580	13-16 DO YOU USE OR REFER TO PLATE CURRENT	33	21	44	40	7	16
1 581	13-17 DO YOU USE OR REFER TO GRID VOLTAGE	36	23	52	46	7	15
1 582	13-18 DO YOU USE OR REFER TO GRID CURRENT	32	20	43	39	6	13
1 583	13-19 DO YOU USE OR REFER TO CATHODE VOLTAGE	39	24	53	47	7	17
1 584	13-20 DO YOU USE OR REFER TO CATHODE CURRENT	34	21	45	41	1	15
1 585	13-21 DO YOU USE OR REFER TO THE TRIODE AMPLIFICATION FACTOR (THE AMPLIFICATION FACTOR FOR TRIODES IS DEFINED AS THE RATIO OF CHANGE IN PLATE VOLTAGE TO A CHANGE IN GRID VOLTAGE)	7	5	6	6	3	1

PCT MGRS RESPONDING *YES* BY SELECTED GRPS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GP5UMI PAGE 22

D/T-TSK	SPC					
	001	002	003	004	005	006
1 586 1-3-22 DO YOU CALCULATE ACTUAL VALUES OF TRIODE AMPLIFICATION FACTORS	2	2	3	2	0	1
1 587 1-3-23 DO YOU USE OR REFER TO MULTIGRID (TETRODE, PENTODE, ETC) AMPLIFICATION FACTORS	7	5	0	0	2	1
1 588 1-3-24 DO YOU USE OR REFER TO ELECTRON TUBE TRANSCONDUCTANCE (G, WHICH IS MEASURED IN MHOS)	4	4	7	7	1	2
1 589 1-3-25 DO YOU CALCULATE ACTUAL VALUES OF ELECTRON TUBE TRANSCONDUCTANCES	3	2	3	3	0	1
1 590 1-3-26 DO YOU USE OR REFER TO THE ELECTRON TUBE PARAMETERS CALLED AC PLATE RESISTANCE	6	3	6	4	1	1
1 591 1-3-27 DO YOU CALCULATE ACTUAL VALUES OF AC PLATE RESISTANCE	2	2	2	2	1	1
1 592 1-3-28 DO YOU USE OR REFER TO ELECTRON TUBE INTERELECTRODE CAPACITANCE	9	6	12	11	2	2
1 593 1-3-29 DO YOU USE OR REFER TO CHARACTERISTIC CURVES IN YOUR WORK WITH ELECTRON TUBES	5	4	6	5	2	2
1 594 1-3-30 DO YOU USE CHARACTERISTIC CURVES TO SELECT PLATE VOLTAGE FOR A SPECIFIED BIAS	4	3	5	5	2	2
1 595 1-3-31 DO YOU USE CHARACTERISTIC CURVES TO SELECT PLATE CURRENT FOR A SPECIFIED BIAS	9	3	5	5	2	2
1 596 1-3-32 DO YOU USE CHARACTERISTIC CURVES TO SELECT BIAS REQUIRED FOR CUTOFF	5	4	6	6	1	2
1 597 1-3-33 DO YOU USE CHARACTERISTIC CURVES TO SELECT BIAS REQUIRED FOR SATURATION	6	4	7	4	1	2
1 598 1-3-34 DO YOU USE OR REFER TO ELECTRON TUBE AMPLIFIER GAIN 1 599 1-3-35 DO YOU USE OR REFER TO ELECTRON TUBE AMPLIFIER EFFICIENCY	36	21	50	44	4	19
1 600 1-3-36 DO YOU USE TEST TUBE CHECKERS TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	25	13	35	32	4	5
1 601 1-3-37 DO YOU USE MULTIMETERS TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	22	12	30	28	4	5
1 602 1-3-38 DO YOU USE OSCILLOSCOPES TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	22	14	28	26	4	4
1 603 1-3-39 DO YOU USE CHARACTERISTIC CURVES TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	6	5	6	4	2	3
1 604 1-3-40 DO YOU CALCULATE ANY ELECTRON TUBE CAPACITANCES SUCH AS INPUT CAPACITANCE	2	2	3	3	1	1
1 605 1-3-41 DO YOU USE OR REFER TO TUBE SOCKET NOTATION 1 606 1-3-42 DO YOU USE OR REFER TO PIN NUMBERING SYSTEMS 1 607 1-3-43 DO YOU USE OR REFER TO THE TYPE OF MATERIAL OR THE OPERATING TEMPERATURE OF THE EMITTING SURFACE IN THE ELECTRON TUBES YOU WORK ON 1 608 1-3-44 DO YOU USE OR REFER TO TUBE SUBSTITUTION MATERIAL SUCH AS MANUALS OR CHARTS	91	21	58	52	5	15
1 609 J1-01 DO YOU WORK WITH ELECTRON TUBE AMPLIFIERS OR CIRCUITS IN YOUR PRESENT JOB J1-02 DO YOU DETERMINE THE CLASS OF OPERATION FOR ELECTRON TUBE AMPLIFIERS IN ORDER TO TROUBLESHOOT AMPLIFIER CIRCUITS	40	21	57	49	10	15
						ELECTRON TUBE AMPLIFIERS AND CIRCUITS

PCT MEMBERS RESPONDING 'YES' BY SELECTED GROUPS
TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPO:SUMI PAGE 23

DVT-TSK	SPC						SPC					
	001	002	003	004	005	006	001	002	003	004	005	006
J-01 JI-03 DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS	0	5	12	10	3	9						
J-02 JI-04 DO YOU TROUBLESHOOT OR REPAIR PUSHPULL AMPLIFIERS	21	11	30	26	3	9						
J-03 JI-05 DO YOU TROUBLESHOOT OR REPAIR COMPOUND-CONNECTED AMPLIFIERS	14	6	20	17	1	8						
J-04 JI-06 DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED AMPLIFIERS	19	10	27	23	2	7						
J-05 JI-07 DO YOU TROUBLESHOOT OR REPAIR DON'T KNOW WHICH TYPE OF AMPLIFIER	15	7	23	19	2	6						
J-06 JI-08 DO YOU WORK WITH GAS TUBES THAT CATHODE OR COLD CATHODE)	22	10	33	29	2	8						
J-07 JI-09 DO YOU WORK WITH CATHODE-RAY TUBES	10	11	25	21	7	10						
J-08 JI-10 DO YOU USE OR REFER TO THE CHARACTERISTICS OF BEAM POWER TUBES	11	9	14	12	7	7						
J-09 JI-11 DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH BEAM POWER TUBES ARE USED	13	9	16	15	6	6						
J-10 JI-12 DO YOU USE OR REFER TO THE CHARACTERISTICS OF THYRATRON	5	4	5	5	1	2						
J-11 JI-13 DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH THYRATRONS ARE USED	4	7	4	1	1	1						
J-12 JI-14 DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTRON GUNS OF CATHODE-RAY TUBES (CRT)	11	9	13	11	4	4						
J-13 JI-15 DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTROMAGNETIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES (CRT)	10	9	12	11	5	5						
J-14 JI-16 DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTROSTATIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES (CRT)	9	7	10	9	5	3						
J-15 JI-17 DO YOU USE OR REFER TO PHOSPHOR SCREENS	12	7	14	13	5	5						
J-16 JI-18 DO YOU USE OR REFER TO AVALAD COATINGS	7	4	6	7	5	2						
J-17 JI-19 DO YOU USE OR REFER TO ELECTRON OPTICS	5	4	5	4	1	1						
J-18 JI-20 DO YOU USE OR REFER TO PERSISTENCE	7	4	6	6	5	1						
J-19 JI-21 DO YOU USE OR REFER TO DECAY TIMES	4	5	7	6	3	2						
J-20 JI-22 DO YOU USE OR REFER TO FLUORESCENCE	7	5	6	7	3	2						
J-21 JI-23 DO YOU USE OR REFER TO PHOSPHORESCENCE	7	5	9	8	3	2						
J-22 JI-24 DO YOU WORK ON TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB	76	67	77	64	63							
J-23 JI-25 DO YOU PERFORM TASKS ON FREQUENCY CONVERTERS	66	56	75	66	73	66						
J-24 JI-26 DO YOU PERFORM TASKS ON FREQUENCY MIXERS	67	55	72	65	73	59						
J-25 JI-27 DO YOU USE OR REFER TO THE HETERODYNING OF SIGNALS IN YOUR WORK WITH TRANSMIT OR RECEIVE SYSTEMS	59	46	59	55	55	49						
J-26 JI-28 DO YOU PERFORM TASKS ON REACTANCE MODULATORS	23	28	36	32	22							
J-27 JI-29 DO YOU PERFORM TASKS ON MODULATED OSCILLATORS	48	43	52	50	50	46						
J-28 KI-01 DO YOU WORK ON AM TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB	15	11	16	17	9	3						
K-02 KI-03 DO YOU INSPECT AM TRANSMIT OR RECEIVE SYSTEMS	15	11	16	17	9	3						
K-03 KI-04 DO YOU CLEAN AM TRANSMIT OR RECEIVE SYSTEMS	14	10	14	17	9	2						
K-04 KI-05 DO YOU ALIGN OR ADJUST AM TRANSMIT OR RECEIVE SYSTEMS	14	11	17	16	9	2						

PCT MEMS RESPONDING *YES* BY SELECTED GRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

SPRSN1 PAGE 24

	DEF-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
K 642 K1-05 DO YOU TROUBLESHOOT TO AN FM TRANSMIT OR RECEIVE SYSTEMS	14	11	14	14	9	2	
K 643 K1-06 DO YOU TROUBLESHOOT TO AN FM TRANSMIT OR RECEIVE SYSTEMS	12	10	14	13	7	2	
K 644 K1-07 DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE SYSTEMS	13	10	14	15	9	2	
K 645 K1-08 DO YOU REMOVE OR REPLACE AM TRANSMIT OR RECEIVE SYSTEMS	12	10	14	14	9	2	
K 646 K1-09 DO YOU PERFORM TASKS ON RF OSCILLATORS	12	10	14	14	10	2	
K 647 K1-10 DO YOU PERFORM TASKS ON RF AMPLIFIERS	12	10	15	16	10	2	
K 648 K1-11 DO YOU PERFORM TASKS ON AUDIO AMPLIFIERS	12	10	15	16	10	2	
K 649 K1-12 DO YOU PERFORM TASKS ON POWER AMPLIFIERS	12	9	15	16	10	2	
K 650 K1-13 DO YOU PERFORM TASKS ON LOCAL OSCILLATORS	12	10	14	14	10	2	
K 651 K1-14 DO YOU PERFORM TASKS ON IF AMPLIFIERS	12	10	15	14	10	2	
K 652 K1-15 DO YOU PERFORM TASKS ON DETECTORS	12	9	14	13	11	2	
K 653 K1-16 DO YOU PERFORM TASKS ON DONT REMEMBER WHICH AM STAGE	12	9	14	13	11	2	
K 654 K1-17 DO YOU USE OR REFER TO AMPLITUDE STABILIZATION IN TRANSMITTERS	8	7	9	9	6	2	
K 655 K1-18 DO YOU USE OR REFER TO FREQUENCY STABILIZATION IN TRANSMITTERS	10	8	13	11	6	2	
K 656 K1-19 DO YOU USE OR REFER TO SENSITIVITY OF RECEIVERS	12	11	15	14	11	2	
K 657 K1-20 DO YOU USE OR REFER TO SELECTIVITY OF RECEIVERS	12	10	14	13	9	2	
K 658 K1-21 DO YOU USE OR REFER TO 2ND HARMONIC DISTORTION	6	4	4	4	4	2	
K 659 K1-22 DO YOU USE OR REFER TO BANDPASS DISTORTION	8	9	9	8	8	2	
K 660 K1-23 DO YOU USE OR REFER TO SQUARE LAW DISTORTION	3	3	2	2	2	2	
K 661 K1-24 DO YOU USE OR REFER TO COCHANNEL INTERFERENCE	7	9	9	8	8	2	
K 662 K1-25 DO YOU USE OR REFER TO IMAGE FREQUENCIES IN RECEIVERS	8	8	8	8	8	2	
K 663 K1-26 DO YOU USE OR REFER TO SIGNAL TO IMAGE RATIOS OR IMAGE REJECTION RATIOS	4	4	4	4	4	2	
K 664 K1-27 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH AN TRANSMITTER SCHEMATIC DIAGRAMS	12	11	15	15	10	2	
K 665 K1-28 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH AN RECEIVER SCHEMATIC DIAGRAMS	14	11	16	15	9	2	
K 666 K2-01 DO YOU WORK WITH FM TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB	72	61	82	71	77	81	
K 667 K2-02 DO YOU INSPECT FM TRANSMIT OR RECEIVE SYSTEMS	71	57	63	70	78	81	
K 668 K2-03 DO YOU CLEAN FM TRANSMIT OR RECEIVE SYSTEMS	68	57	61	69	76	78	
K 669 K2-04 DO YOU ALIGN FM TRANSMIT OR RECEIVE SYSTEMS	70	58	61	70	77	78	
K 670 K2-05 DO YOU TROUBLESHOOT TO FM TRANSMIT OR RECEIVE SYSTEMS	70	57	61	69	77	78	
K 671 K2-06 DO YOU TROUBLESHOOT TO FM TRANSMIT OR RECEIVE COMPONENTS	65	55	74	66	76	62	
K 672 K2-07 DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE SYSTEMS	52	43	61	49	67	73	
K 673 K2-08 DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE COMPONENTS	64	54	74	64	74	59	
K 674 K2-09 DO YOU PERFORM TASKS ON AUDIO AMPLIFIERS	60	51	68	60	73	59	
K 675 K2-10 DO YOU PERFORM TASKS ON FREQUENCY MULTIPLIERS	60	52	68	60	77	59	

PCT AGES RESPONDING 1789 BY SELECTED GROUPS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

OPSUMI PAGE 25

	DY-TSK	001 002 003 004 005 006						SPC SPC SPC SPC SPC SPC
		001	002	003	004	005	006	
K-676 K2-11 DO YOU PERFORM TASKS ON DRIVERS (INTERMEDIATE AMPLIFIERS)		59	51	67	60	72	59	
K-677 K2-12 DO YOU PERFORM TASKS ON POWER AMPLIFIERS		62	54	70	62	77	65	
K-678 K2-13 DO YOU PERFORM TASKS ON RF AMPLIFIERS		64	55	73	64	77	64	
K-679 K2-14 DO YOU PERFORM TASKS ON FREQUENCY CONVERTERS		62	52	71	61	76	62	
K-680 K2-15 DO YOU PERFORM TASKS ON IF AMPLIFIERS		67	56	74	67	77	67	
K-681 K2-16 DO YOU PERFORM TASKS ON LIMITERS		56	46	65	57	62	52	
K-682 K2-17 DO YOU PERFORM TASKS ON FREQUENCY DISCRIMINATORS		40	50	69	61	70	56	
K-683 K2-18 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SCHEMATIC DIAGRAMS OF FM TRANSMITTERS		64	57	78	67	78	73	
K-684 K2-19 DO YOU TRACE SIGNALS ON CURRENT PATHS THROUGH SCHEMATIC DIAGRAMS OF FM RECEIVERS		60	57	77	67	77	73	
K-685 K2-20 DO YOU CONVERT DECIMAL BASE TEN NUMBERS TO OCTAL (BASE 8) NUMBERS		7	6	8	7	5	2	NUMBERING SYSTEMS
K-686 K2-22 DO YOU CONVERT DECIMAL NUMBERS TO BINARY (BASE 2) NUMBERS		3	3	3	3	3	3	
K-687 K3-03 DO YOU CONVERT OCTAL NUMBERS TO DECIMAL NUMBERS		3	3	3	3	3	3	
K-688 K3-04 DO YOU CONVERT OCTAL NUMBERS TO BINARY NUMBERS		3	3	3	3	3	2	
K-689 K3-05 DO YOU CONVERT BINARY NUMBERS TO DECIMAL NUMBERS		5	7	8	6	8	6	
K-690 K3-06 DO YOU CONVERT BINARY NUMBERS TO OCTAL NUMBERS		1	4	6	2	2	2	
K-691 K3-07 DO YOU ADD BINARY NUMBERS TO GET A SUM		7	4	7	4	5	5	
K-692 K3-08 DO YOU SUBTRACT BINARY NUMBERS USING THE END-AROUND CARRY METHOD		5	4	6	5	3	3	
K-693 K3-09 DO YOU SUBTRACT BINARY NUMBERS USING THE DIRECT SUBTRACTION METHOD		4	5	6	5	4	3	
K-694 K3-10 DO YOU ADD OCTAL NUMBERS TO GET A SUM		4	3	4	3	3	3	
L-675 L1-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS RELATING TO LOGIC FUNCTIONS		12	7	16	11	9	10	LOGIC FUNCTIONS
L-696 L1-02 DO YOU CONSTRUCT TRUTH TABLES FOR AND LOGIC SYMBOLS ON GATES		5	4	7	5	5	2	
L-697 L1-03 DO YOU CONSTRUCT TRUTH TABLES FOR OR LOGIC SYMBOLS OR GATES		5	4	6	5	5	2	
L-698 L1-04 DO YOU CONSTRUCT TRUTH TABLES FOR AND OR LOGIC SYMBOLS WITH STATE INDICATORS		5	4	6	5	5	2	
L-699 L1-05 DO YOU CONSTRUCT TRUTH TABLES FOR EXCLUSIVE OR LOGIC SYMBOLS OR GATES		5	4	6	5	5	2	
L-700 L1-06 DO YOU USE OR REFER TO TRUTH TABLES FOR AND LOGIC SYMBOLS OR GATES		5	4	6	5	5	5	
L-701 K1-07 DO YOU USE OR REFER TO TRUTH TABLES FOR OR LOGIC SYMBOLS OR GATES		4	4	6	4	5	5	
L-702 K1-08 DO YOU USE OR REFER TO TRUTH TABLES FOR AND OR LOGIC SYMBOLS WITH STATE INDICATORS		4	4	7	5	5	5	
L-703 L1-09 DO YOU USE OR REFER TO TRUTH TABLES FOR EXCLUSIVE OR LOGIC SYMBOLS		5	4	7	5	5	5	
L-704 L1-10 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR AND GATES		10	7	13	10	7	8	
L-705 L1-11 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR OR GATES		9	4	12	9	5	6	
L-706 L1-12 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR NAND OR NOR GATES		10	6	13	10	6	8	

PCT MEMBERS RESPONDING YES. BY SELECTED CRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

EPSUM | PAGE 26

	OT-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
L 707 L1-13 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR EXCLUSIVE OR RELATING TO BOOLEAN EQUATIONS IN YOUR PRESENT JOB; DO YOU PERFORM ANY TASKS RELATED TO BOOLEAN EQUATIONS, LOGIC DIAGRAMS, OR LOGIC CIRCUITS	0	0	11	0	9	6	6
L 708 L2-01 DO YOU DRAW LOGIC SYMBOLS FOR DIRECT COUPLED TRANSISTOR LOGIC (DCTL) CIRCUITS	0	5	10	7	5	6	6
L 710 L2-03 DO YOU CONSTRUCT TRUTH TABLES FOR CURRENT MODE LOGIC (CML) CIRCUITS	-	-	-	-	-	-	-
L 711 L2-04 DO YOU DRAW LOGIC DIAGRAMS FROM GIVEN BOOLEAN EQUATIONS	2	1	2	2	1	1	1
L 712 L2-05 DO YOU MEASURE INPUTS OR OUTPUTS OF LOGIC GATES	0	3	9	7	2	2	2
L 713 L2-06 DO YOU DEVELOP OR ANALYZE BOOLEAN EQUATIONS IN THE PROCESS OF TROUBLESHOOTING DIGITAL CIRCUITS	2	2	3	2	2	2	2
L 714 L2-07 DO YOU ANALYZE LOGIC CIRCUITS BY USING BOOLEAN ALGEBRA	3	2	9	3	2	1	1
L 715 L2-08 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR DIRECT COUPLED TRANSISTOR LOGIC (DCTL) CIRCUIT GATES	4	3	5	4	3	3	3
L 716 L2-09 DO YOU USE OR REFER TO TRUTH TABLES FOR CURRENT MODE LOGIC (CML) CIRCUITS	2	2	1	1	2	1	1
L 717 L2-10 DO YOU USE OR REFER TO LOGIC DIAGRAMS CONSISTING OF MORE THAN ONE GATE	7	7	4	4	4	4	4
L 718 L2-11 DO YOU COMPUTE SUM AND CARRY EXPRESSIONS FOR SERIAL HALF OR FULL ADDER LOGIC DIAGRAMS	2	2	2	2	0	0	0
L 719 L2-12 DO YOU TRACE DATA FLOW THROUGH PARALLEL FULL ADDER LOGIC DIAGRAMS	3	3	3	2	0	1	0
L 720 L2-13 DO YOU WORK WITH ASTABLE (FREE RUNNING) MULTIVIBRATORS	0	4	6	6	6	6	6
L 721 L2-14 DO YOU WORK WITH DISTABLE (FLIP-FLOP) MULTIVIBRATORS	0	7	5	6	5	6	6
L 722 L2-15 DO YOU WORK WITH MONOSTABLE (ONE-SHOT) MULTIVIBRATORS	0	10	9	7	5	6	6
L 723 L2-16 DO YOU USE OR REFER TO FLIP-FLOP MULTIVIBRATOR SYMBOLS	0	5	10	8	5	6	6
L 724 L2-17 DO YOU USE OR REFER TO SINGLE-SHOT MULTIVIBRATOR SYMBOLS	7	5	8	4	5	5	5
L 725 L2-18 DO YOU USE OR REFER TO FLIP-FLOP CIRCUIT DIAGRAMS	7	5	9	7	5	6	6
L 726 L2-19 DO YOU USE OR REFER TO FLIP-FLOP TRUTH TABLES	5	3	9	5	4	5	5
L 727 L2-20 DO YOU USE OR REFER TO COMPLEMENTED FLIP-FLOP LOGIC SYMBOLS	5	4	7	5	4	5	5
L 728 L2-21 DO YOU USE OR REFER TO COMPLEMENTING FLIP-FLOP LOGICAL SYMBOLS	5	4	7	5	6	5	5
L 729 L2-22 DO YOU MEASURE OUTPUT WAVE SHAPES OF LOGIC CIRCUITS	4	7	9	7	6	3	3
L 730 L2-23 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTED FLIP-FLOP SCHEMATIC DIAGRAMS	5	5	7	5	6	2	2
L 731 L2-24 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTING FLIP-FLOP SCHEMATIC DIAGRAMS	5	5	7	5	6	2	2
L 732 L2-25 DO YOU CONSTRUCT TRUTH TABLES FOR JK FLIP-FLOP LOGIC SYMBOLS	2	2	3	2	2	2	2

PCT MEMBERS RESPONDING (%) TO SELECTED GRPS
TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GP3UMI PAGE 27

TYPE	NUMBER	QUESTION	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
DY-TSK		COUNTERS						
L	733 L-01	DO YOU WORK WITH DIGITAL COUNTERS IN YOUR PRESENT JOB	16	13	17	15	20	6
L	734 L-02	DO YOU USE OR REFER TO UP-COUNTERS	11	10	12	10	14	4
L	735 L-03	DO YOU USE OR REFER TO DOWN-COUNTERS	9	8	9	7	12	3
L	736 L-04	DO YOU USE OR REFER TO SERIAL COUNTERS	7	6	9	7	8	2
L	737 L-05	DO YOU USE OR REFER TO PARALLEL COUNTERS	6	5	6	6	5	1
L	738 L-06	DO YOU USE OR REFER TO RING COUNTERS	5	4	5	5	5	2
L	739 L-07	DO YOU USE OR REFER TO DECADE COUNTERS	7	7	4	7	7	5
L	740 L-08	DO YOU USE OR REFER TO COUNT DETECT CIRCUITS	4	4	7	7	7	2
L	741 L-09	DO YOU USE OR REFER TO DOWN CLOCKS	7	7	7	7	8	0
L	742 L-10	DO YOU USE OR REFER TO UP CLOCKS	6	7	9	6	6	0
L	743 L-11	DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF UP-COUNTERS HAVING COMPLEMENTED FLIP-FLOPS	6	7	8	4	4	2
L	744 L-12	DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SERIAL UP- OR DOWN-COUNTERS HAVING COMPLEMENTING FLIP-FLOPS	5	4	7	5	5	2
L	745 L-13	DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF DECADE COUNTERS	9	3	6	5	3	1
L	746 L-14	DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF RING COUNTERS	3	2	4	4	4	1
L	747 L-15	DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE REGISTER	6	3	7	5	2	2
L	748 L-16	DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SHIFT REGISTERS	6	4	6	4	4	1
L	749 L-17	DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF OTHER TYPE OF COUNTERS	6	3	9	6	6	3
L	750 L-18	DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR UP-COUNTERS HAVING COMPLEMENTED FLIP-FLOPS	3	5	7	2	0	0
L	751 L-19	DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP- OR DOWN-COUNTERS HAVING COMPLEMENTING FLIP-FLOPS	3	3	4	3	2	1
L	752 L-20	DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE REGISTERS	3	2	4	3	2	0
L	753 L-21	DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR OTHER TYPES OF COUNTERS	5	3	6	5	3	3
L	754 L-22	DO YOU CONSTRUCT TRUTH TABLES FROM LOGIC DIAGRAMS OF DECADE COUNTERS	1	1	2	1	1	0
L	755 L-23	DO YOU DETERMINE THE STATE OF EACH FLIP-FLOP IN RING COUNTERS FOR SPECIFIC INPUT PULSES	3	2	4	3	3	1
L	756 L-24	DO YOU DETERMINE THE APPROPRIATE AND GATE NECESSARY IN COUNT DETECT CIRCUITS TO INDICATE A REQUIRED COUNT	3	2	4	3	2	1
H	757 HI-01	DO YOU WORK WITH SAWTOOTH WAVE GENERATORS	23	23	22	21	28	22
H	758 HI-02	DO YOU WORK WITH TRAPEZOIDAL WAVE GENERATORS	11	12	10	9	17	8
H	759 HI-03	DO YOU WORK WITH PULSED OSCILLATORS WITH REGENERATIVE FEEDBACK	18	16	19	16	25	14
H	760 HI-04	DO YOU WORK WITH PULSED OSCILLATORS WITHOUT REGENERATIVE FEEDBACK	15	16	14	14	19	9

PCT WORKS RESPONDING +76% BY SELECTED GRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

GPMU1 PAGE 20

DVT-SK	SPC					
	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
N 761 M1-05 DO YOU WORK WITH BLOCKING OSCILLATORS	12	14	11	11	10	10
N 762 M1-06 89-YOU USE OR REFER TO RISE-TIME	17	16	16	14	14	15
N 763 M1-07 DO YOU USE OR REFER TO FALL OR FLYBACK TIME	16	15	17	16	16	13
N 764 M1-08 DO YOU USE OR REFER TO SLEEP TIME	24	21	23	22	21	24
N 765 M1-09 DO YOU USE OR REFER TO ELECTRICAL LENGTH OF SAWTOOTH	16	14	16	16	17	12
N 766 M1-10 DO YOU USE OR REFER TO PHYSICAL LENGTH OF SAWTOOTH	19	13	15	14	14	8
N 767 M1-11 DO YOU USE OR REFER TO LINEAR SLOPE OF SAWTOOTH	19	13	15	15	14	9
N 768 M1-12 DO YOU USE OR REFER TO GATE LENGTH OF SAWTOOTH	13	12	14	13	14	8
N 769 M2-01 DO YOU USE SIGNAL GENERATORS IN YOUR PRESENT JOB	77	69	83	76	85	72
N 770 M2-02 DO YOU PERFORM OPERATIONAL CHECKS WHILE USING SIGNAL	72	63	60	74	61	64
N 771 M2-03 DO YOU PERFORM PERIODIC MAINTENANCE SUCH AS ADJUSTING, ALIGNING, OR CALIBRATING WHILE USING SIGNAL	63	54	71	69	65	64
N 772 M2-04 DO YOU TROUBLESHOOT TO AN ASSEMBLY OR SUBASSEMBLY WHILE USING SIGNAL GENERATORS	55	50	40	54	50	62
N 773 M2-05 DO YOU TROUBLESHOOT TO THE SMALLEST REPLACEABLE COMPONENT WHILE USING SIGNAL GENERATORS	39	40	38	40	40	44
N 774 M2-06 DO YOU USE AUDIO SINE-WAVE GENERATORS	64	54	71	63	69	63
N 775 M2-07 DO YOU USE AUDIO HARMONIC-SINUSOIDAL WAVE GENERATORS SUCH AS SQUARE WAVE, TRIANGLE, PULSE, OR SPIKE	27	26	25	34	34	37
N 776 M2-08 DO YOU USE RF GENERATORS LESS THAN 1,000 MHZ	54	48	59	58	59	51
N 777 M2-09 DO YOU USE RF GENERATORS GREATER THAN 1,000 MHZ	50	51	65	60	70	67
N 778 M2-10 DO YOU USE OTHER SPECIAL PURPOSE OR MULTI-FUNCTION GENERATORS	46	41	50	46	50	52
N 779 M2-OUT IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALTING WITH ALTERNATING CURRENT OR DIRECT CURRENT MOTORS OR GENERATORS	26	18	36	29	21	37
						MOTORS AND GENERATORS
N 780 M3-02 DO YOU INSPECT MOTORS	25	16	33	26	20	28
N 781 M3-03 DO YOU CLEAN OR LUBRICATE MOTORS	23	14	24	20	20	20
N 782 M3-04 DO YOU OPERATE MOTORS	22	19	29	23	17	31
N 783 M3-05 DO YOU REMOVE OR REPLACE COMPLETE MOTORS	21	15	27	22	20	27
N 784 M3-06 DO YOU REMOVE OR REPLACE MOTOR PARTS	11	4	16	13	8	6
N 785 M3-07 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS OF MOTORS	22	15	26	23	21	24
N 786 M3-08 DO YOU TROUBLESHOOT DOWN TO COMPONENT PARTS OF MOTORS	9	5	13	10	7	2
N 787 M3-09 DO YOU PERFORM ANY TASKS ON FIELD COILS	4	2	5	5	2	1
N 788 M3-10 DO YOU PERFORM ANY TASKS ON HAMMATURES	5	3	7	6	3	3
N 789 M3-11 DO YOU PERFORM ANY TASKS ON MOTORS	4	4	7	4	3	3
N 790 M3-12 DO YOU PERFORM ANY TASKS ON BRUSHES	4	5	12	10	5	3
N 791 M3-13 DO YOU PERFORM ANY TASKS ON SLIP RINGS	5	3	7	6	2	2
N 792 M3-14 DO YOU PERFORM ANY TASKS ON COMMUTATORS	5	3	7	7	2	1
N 793 M3-15 DO YOU PERFORM ANY TASKS ON POLE PIECES	3	2	4	4	1	1

PCT HOURS RESPONDING YES BY SELECTED GRPS

TASK GROUP SUMMARY
PERCENT HOURS PERFORMING

4PSUMI PAGE 29

DR-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
N 794 HJ-16 DO YOU DETERMINE OR MEASURE THE MAGNITUDE OF THE FORCE OR TORQUE CREATED BY A MOTOR	1	0	1	1	0	0
N 795 HJ-17 DO YOU DETERMINE OR MEASURE THE DIRECTION OF THE MECHANICAL FORCE OR TORQUE CREATED BY A MOTOR	3	2	5	4	1	0
N 796 HJ-18 DO YOU DETERMINE OR MEASURE THE MAGNITUDE OR DIRECTION OF THE INDUCED VOLTAGE IN MOTORS	2	1	3	3	1	0
N 797 HJ-19 DO YOU WORK WITH SYNCHRONOUS MOTORS	7	5	9	6	5	7
N 798 HJ-20 DO YOU WORK WITH INDUCTION MOTORS	9	5	14	10	4	14
N 799 HJ-21 DO YOU WORK WITH SPLIT-PHASE MOTORS	6	5	7	4	8	9
N 800 HJ-22 DO YOU WORK WITH SOME COMBINATION OF THE ABOVE MOTORS	10	8	12	11	9	10
N 801 HJ-23 DO YOU INSPECT GENERATORS	12	5	17	12	5	10
N 802 HJ-24 DO YOU CLEAN OR LUBRICATE GENERATORS	8	3	12	8	2	9
N 803 HJ-25 DO YOU OPERATE GENERATORS	15	8	21	15	10	20
N 804 HJ-26 DO YOU REMOVE OR REPLACE COMPLETE GENERATORS	3	2	4	3	1	5
N 805 HJ-27 DO YOU REMOVE OR REPLACE GENERATOR PARTS	3	1	4	3	0	5
N 806 HJ-28 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS OF GENERATORS	4	3	9	6	2	7
N 807 HJ-29 DO YOU TROUBLESHOOT DOWN TO COMPONENT PARTS OF GENERATORS	2	1	2	2	0	2
N 808 NI-01 DO YOU WORK WITH METERS IN YOUR PRESENT JOB	79	70	87	79	84	
N 809 NI-02 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF PERMANENT MAGNETS	18	17	18	18	17	10
N 810 NI-03 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF MOVING COILS	20	20	22	20	21	13
N 811 NI-04 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF SPIRAL SPRINGS	18	16	19	18	14	14
N 812 NI-05 DO YOU READ METER SCALES	61	73	88	79	83	84
N 813 NI-06 DO YOU EXTEND THE RANGE OF AMMETERS	32	29	34	31	44	27
N 814 NI-07 DO YOU ZERO OHMMETERS	60	71	87	79	84	63
N 815 NI-08 DO YOU ZERO AMMETERS	40	34	45	39	47	47
N 816 NI-09 DO YOU EXTEND THE RANGE OF VOLTMETERS	49	41	55	47	58	58
N 817 NI-10 DO YOU USE OR REFER TO VOLTMETER SENSITIVITY (EXPRESSED IN UNITS OF OHMS PER VOLT)	45	39	50	44	42	40
N 818 NI-11 DO YOU WORK WITH SATURABLE REACTORS OR MAGNETIC AMPLIFIERS IN YOUR PRESENT JOB	8	7	7	7	11	7
N 819 N2-02 DO YOU INSPECT MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	7	5	8	6	10	8
N 820 N2-03 DO YOU CLEAN MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	6	4	6	7	8	6
N 821 N2-04 DO YOU ADJUST MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	5	4	4	4	4	4
N 822 N2-05 DO YOU TROUBLESHOOT MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	4	4	6	6	6	6
N 823 N2-06 DO YOU REMOVE OR REPLACE MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	6	5	7	6	7	6
N 824 N2-07 DO YOU REMOVE OR REPLACE MAGNETIC AMPLIFIER OR SATURABLE REACTOR COMPONENTS	6	4	5	4	6	6

SELECTED 60%
BY RESOURCING YES. 95% BY GROUP SUMMARY
PERCENT NEEDS PERFORMING

GROUP 1 PAGE 30

0Y-135

PCT MARS RESPONDING - YES- BY SELECTED GRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

GPSUNI PAGE 31

	DT-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
0 853 01-09 DO YOU PERFORM TASKS ON SSB AUDIO AMPLIFIERS	10	10	10	10	10	10	10
0 854 01-10 DO YOU PERFORM TASKS ON SSB BALANCED MODULATORS	10	10	10	10	10	10	10
0 855 01-11 DO YOU PERFORM TASKS ON SSB CARRIER OSCILLATORS	10	10	10	10	10	10	10
0 856 01-12 DO YOU PERFORM TASKS ON SSB LC FILTERS	10	10	10	10	10	10	10
0 857 01-13 DO YOU PERFORM TASKS ON SSB CRYSTAL FILTERS	10	10	10	10	10	10	10
0 858 01-14 DO YOU PERFORM TASKS ON SSB MECHANICAL FILTERS	10	10	10	10	10	10	10
0 859 01-15 DO YOU PERFORM TASKS ON SSB OSCILLATORS	10	10	10	10	10	10	10
0 860 01-16 DO YOU PERFORM TASKS ON SSB MIXERS	10	10	10	10	10	10	10
0 861 01-17 DO YOU PERFORM TASKS ON SSB DRIVERS	10	10	10	10	10	10	10
0 862 01-18 DO YOU PERFORM TASKS ON SSB POWER AMPLIFIERS	10	10	10	10	10	10	10
0 863 01-19 DO YOU PERFORM TASKS ON SSB RF AMPLIFIERS	10	10	10	10	10	10	10
0 864 01-20 DO YOU PERFORM TASKS ON SSB FREQUENCY CONVERTERS	10	10	10	10	10	10	10
0 865 01-21 DO YOU PERFORM TASKS ON SSB IF AMPLIFIERS	10	10	10	10	10	10	10
0 866 01-22 DO YOU PERFORM TASKS ON SSB DEMODULATORS	10	10	10	10	10	10	10
0 867 01-23 DO YOU PERFORM TASKS ON SSB DON'T REMEMBER WHICH SSB	10	10	10	10	10	10	10
SYSTEM STAGES	4	5	5	5	5	5	5
0 868 01-24 DO YOU USE OR REFER TO SELECTIVE FADING	8	7	6	6	6	6	6
0 869 01-25 DO YOU USE OR REFER TO PEAK POWER	10	10	10	10	10	10	10
0 870 01-26 DO YOU USE OR REFER TO FREQUENCY STABILITY	10	10	10	10	10	10	10
0 871 01-27 DO YOU USE OR REFER TO RESPONSE CURVES FOR BANDWIDTH FILTERS	10	10	10	10	10	10	10
0 872 01-28 DO YOU CALCULATE PEAK POWER OR EFFECTIVE POWER OF SSB TRANSMITTERS	8	5	10	9	8	7	7
0 873 01-29 DO YOU TRACE SIGNALS ON CURRENT PATHS THROUGH SSB TRANSMITTER SCHEMATIC DIAGRAMS	10	10	10	10	10	10	10
0 874 01-30 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SSB RECEIVER SCHEMATIC DIAGRAMS	10	10	10	10	10	10	10
0 875 02-01 DO YOU WORK ON PULSE MODULATION SYSTEMS IN YOUR PRESENT JOB	4	4	5	5	5	5	5
0 876 02-02 DO YOU INSPECT PULSE MODULATION SYSTEMS	3	3	3	3	3	3	3
0 877 02-03 DO YOU CLEAN PULSE MODULATION SYSTEMS	3	3	3	3	3	3	3
0 878 02-04 DO YOU ALIGN PULSE MODULATION SYSTEMS	3	3	3	3	3	3	3
0 879 02-05 DO YOU TROUBLESHOOT TO PULSE MODULATION SYSTEMS	3	3	3	3	3	3	3
0 880 02-06 DO YOU TROUBLESHOOT TO PULSE MODULATION SYSTEM COMPONENTS	3	3	3	3	3	3	3
0 881 02-07 DO YOU REMOVE OR REPLACE PULSE MODULATION SYSTEMS	4	4	3	3	3	3	3
0 882 02-08 DO YOU REMOVE OR REPLACE PULSE MODULATION SYSTEM COMPONENTS	3	3	3	3	3	3	3
0 883 02-09 DO YOU WORK ON PULSE-AMPLITUDE MODULATION (PAM) SYSTEMS	2	1	2	1	2	1	2
0 884 02-10 DO YOU WORK ON PULSE-DURATION MODULATION (PDM) SYSTEMS	2	1	2	1	2	1	2
0 885 02-11 DO YOU WORK ON PULSE-POSITION MODULATION (PPM) SYSTEMS	2	2	3	1	3	2	2
0 886 02-12 DO YOU WORK ON PULSE-CODE MODULATION (PCM) SYSTEMS	2	2	1	1	1	1	2
0 887 02-13 DO YOU WORK ON LINE PULSING MODULATION SYSTEMS	1	1	1	1	1	1	1
0 888 02-14 DO YOU WORK ON DON'T REMEMBER WHICH TYPE OF MODULATION SYSTEM	1	1	1	1	1	1	1

PCT HOURS RESPONDING 'YES' BY SELECTED GRPS
TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

6PSUH1 PAGE 32

	01-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
0 689 02-15 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	3	3	3	3	5	9	
0 690 POWER SUPPLIES	2	2	1	2	3	3	
0 691 02-16 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	3	3	3	3	5	9	
CHARGING CHOKE AND CHARGING DIODES							
0 691 02-17 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	3	3	3	2	5	9	
PULSE FORMING NETWORKS							
0 692 02-18 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	3	2	3	2	2	7	
TIMERS							
0 693 02-19 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	1	1	0	1	1	0	
SWITCHES SUCH AS GAS TETRATRONS							
0 694 02-20 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	2	2	1	2	3	1	
PULSE TRANSFORMERS							
0 695 02-21 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	2	1	2	1	2	5	
TRANSMITTER TUBES							
0 696 02-22 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM RF AMPLIFIERS	3	2	2	5	9		
0 697 02-23 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM FREQUENCY CONVERTERS	3	2	2	2	5		
0 698 02-24 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM IF AMPLIFIERS	3	2	2	5	9		
0 699 02-25 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM DIRECTORS	3	2	2	5	9		
0 700 02-26 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM VIDEO AMPLIFIERS	1	2	1	1	3	5	
0 701 02-27 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM POWER VIDEO AMPLIFIERS	1	2	0	1	2		
0 702 02-28 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM DON'T REMEMBER WHICH PULSE MODULATION SYSTEM STAGES	2	2	1	2	2		
0 703 02-29 DO YOU USE OR REFER TO PULSE RECURRENCE FREQUENCY (PRF)	1	1	1	1	2	5	
0 704 02-30 DO YOU USE OR REFER TO PULSE RECURRENCE TIME (PRT)	2	1	2	1	3	6	
0 705 02-31 DO YOU USE OR REFER TO PULSE WIDTH (PW)	3	3	3	3	9	9	
0 706 02-32 DO YOU USE OR REFER TO PULSE SHAPE	2	2	3	2	4	8	
0 707 02-33 DO YOU USE OR REFER TO PEAK POWER	2	2	2	2	3	5	
0 708 02-34 DO YOU USE OR REFER TO AVERAGE POWER	2	2	2	2	3	6	
0 709 02-35 DO YOU CALCULATE PULSE RECURRENCE TIME (PRT) OR PULSE RECURRENCE FREQUENCY (PRF)	1	0	1	2	1		
0 710 02-36 DO YOU MEASURE PULSE RECURRENCE TIME (PRT) OR PULSE RECURRENCE FREQUENCY (PRF)	1	1	1	1	2		
0 711 02-37 DO YOU USE FORMULAS TO CALCULATE AVERAGE POWER OR PEAK POWER OF PULSE MODULATION TRANSMIT SYSTEMS	1	1	0	1	2	1	
0 712 02-38 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH PULSE MODULATION TRANSMITTER SCHEMATIC DIAGRAMS	3	2	3	2	4	9	
0 713 02-39 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH PULSE MODULATION RECEIVER SCHEMATIC DIAGRAMS	3	3	3	2	5	7	
0 714 03-01 DO YOU WORK WITH ANTENNAS IN YOUR PRESENT JOB	42	52	33	32	86	69	
0 715 03-02 DO YOU INSPECT ANTENNAS	36	50	24	26	86	66	ANTENNAS

PCT MEMS RESPONDING *YES* BY SELECTED GRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

6P3UH1 PAGE 33

DO-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
0 916 03-03 DO YOU CLEAN ANTENNAS	21	97	17	20	66	53
0 917 03-04 DO YOU PHYSICALLY ALIGN ANTENNAS	30	97	15	18	66	62
0 918 03-05 DO YOU ELECTRICALLY ALIGN ANTENNAS	21	32	12	19	56	39
0 919 03-06 DO YOU TROUBLESHOOT TO ANTENNAS	30	39	22	22	70	47
0 920 03-07 DO YOU TROUBLESHOOT TO ANTENNA COMPONENTS	21	32	12	13	62	41
0 921 03-08 DO YOU REMOVE OR INSTALL ANTENNAS	21	48	14	20	87	56
0 922 03-09 DO YOU REMOVE OR REPLACE COMPONENTS OF ANTENNAS	28	92	15	17	77	54
0 923 03-10 DO YOU USE OR REFER TO TECHNICAL DATA CONTAINING REPRESENTATIONS OF E OR ELECTRIC FIELD LINES	14	22	7	9	36	14
0 924 03-11 DO YOU USE OR REFER TO TECHNICAL DATA CONTAINING REPRESENTATIONS OF H OR MAGNETIC FIELD LINES	14	22	7	9	37	14
0 925 03-12 DO YOU DETERMINE THE DIRECTION OF THE MAGNETIC LINES IN RELATION TO THE ELECTRIC LINES OF FORCE FOR ANTENNAS	10	16	4	7	25	13
0 926 03-13 DO YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS WHICH ARE OF CORRECT LENGTH (HALF-WAVE) ACT AS INDUCTIVE LOADS TO THE GENERATOR	6	8	4	5	0	7
0 927 03-14 DO YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS WHICH ARE LONGER THAN A HALF-WAVE ACT AS INDUCTIVE LOADS TO THE GENERATOR	6	7	3	4	0	0
0 928 03-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS WHICH ARE SHORTER THAN A HALF-WAVE ACT AS CAPACITIVE LOADS TO THE GENERATOR	5	6	3	4	5	5
0 929 03-16 DO YOU WORK WITH HERTZ ANTENNAS	8	5	4	4	7	2
0 930 03-17 DO YOU WORK WITH MARCONI ANTENNAS	3	4	3	3	5	1
0 931 03-18 DO YOU WORK WITH BROADSIDE ARRAYS	3	4	1	2	5	0
0 932 03-19 DO YOU WORK WITH END-FIRE ARRAYS	2	2	1	1	4	3
0 933 03-20 DO YOU WORK WITH CARDIOID ARRAYS	1	2	1	1	2	0
0 934 03-21 DO YOU WORK WITH COLLINAR ARRAYS	2	3	1	2	3	2
0 935 03-22 DO YOU USE OR REFER TO THE TERM ELECTROMAGNETIC INDUCTION FIELDS WHEN WORKING WITH ANTENNAS	4	6	4	5	11	5
0 936 03-23 DO YOU MEASURE ELECTROMAGNETIC INDUCTION FIELDS OF ANTENNAS	3	5	1	2	7	2
0 937 03-24 DO YOU USE OR REFER TO THE TERM ELECTROMAGNETIC RADIATION FIELDS WHEN WORKING WITH ANTENNAS	9	15	4	7	21	7
0 938 03-25 DO YOU MEASURE ELECTROMAGNETIC RADIATION FIELDS OF ANTENNAS	5	8	2	4	11	3
0 939 03-26 DO YOU USE OR REFER TO THE TIME PHASE OF ELECTRIC (E) AND MAGNETIC (H) COMPONENTS IN ANTENNA RADIATION	5	7	2	4	11	3
0 940 03-27 DO YOU USE OR REFER TO THE TIME PHASE OF ELECTRIC (E) AND MAGNETIC (H) COMPONENTS IN ANTENNA INDUCTION FIELD	3	6	1	3	6	1
0 941 03-28 ARE ANY OF THE ANTENNAS YOU WORK ON LINEARLY POLARIZED	13	17	9	9	32	22
0 942 03-29 ARE ANY OF THE ANTENNAS YOU WORK ON CIRCULARLY POLARIZED	9	6	2	3	9	5
0 943 03-30 DO YOU MEASURE OR DETERMINE THE POLARITY OF ANTENNAS	18	27	10	9	61	36
0 944 03-31 DO YOU WORK ON	6	8	3	4	6	2
0 945 03-32 DO YOU CONSTRUCT, OR MAKE THE CALCULATIONS NECESSARY TO CONSTRUCT, ANTENNAS OF CORRECT LENGTH FOR SPECIFIC WAVELENGTHS	5	8	3	4	6	2

PCT HRS RESPONDING YES • BY SELECTED GRPS
TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

(PCT) PAGE 39

Q/TASK	PCT						SPC	SPC	SPC	SPC	SPC
	0.01	0.02	0.03	0.04	0.05	0.06					
P 945 QJ-32 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS	4	0	5	5	13	7					
P 946 QJ-33 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS SERVING AS DIRECTORS	5	6	4	4	10	6					
P 947 QJ-34 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS SERVING AS REFLECTORS	9	11	7	6	18	14					
P 948 QJ-35 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN DON'T REMEMBER WHAT KIND OF ELEMENTS	13	19	9	11	29	16					
P 949 QJ-36 DO YOU WORK ON UNIDIRECTIONAL ANTENNAS	27	33	21	20	55	92					
P 950 QJ-37 DO YOU WORK ON BI-DIRECTIONAL ANTENNAS	9	10	9	9	10	13					
P 951 QJ-38 DO YOU WORK ON DON'T REMEMBER THE DIRECTIONALITY	7	9	4	17	6	6					
P 952 QJ-39 DO YOU WORK WITH ROTAR ANTENNA ARRAYS	2	3	2	3	5	0					
P 953 PT-01 IN YOUR PRESENT JOB DO YOU WORK WITH TRANSMISSION LINES IT/TRANSMISSION LINES ARE DEFINED TO INCLUDE LEADS BETWEEN RECEIVERS AND ANTENNAS, TELEPHONE LEADS, AS WELL AS HIGH VOLTAGE POWER LINES, ETC. - DO NOT CONSIDER WAVEGUIDES AS TRANSMISSION LINES	39	30	37	34	36	34					
P 954 PI-02 DO YOU REFER TO OR USE COPPER LOSS OR IZR LOSS IN TRANSMISSION LINES	5	4	5	5	3	5					
P 955 PI-03 DO YOU REFER TO OR USE SKIN EFFECTS OF HIGH FREQUENCY CURRENTS IN TRANSMISSION LINES	0	0	7	6	7	6					
P 956 PI-04 DO YOU REFER TO OR USE RADIATION LOSS IN TRANSMISSION LINES	12	13	10	12	15	8					
P 957 PI-05 DO YOU USE OR REFER TO DIELECTRIC LOSS IN TRANSMISSION LINES	9	8	9	9	9	3					
P 958 PI-06 DO YOU USE OR REFER TO LEAKAGE LOSSES IN TRANSMISSION LINES	6	7	9	9	8	6					
P 959 PI-07 DO YOU WORK WITH TWISTED PAIR TRANSMISSION LINES	19	15	22	16	23	24					
P 960 PI-08 DO YOU WORK WITH THIN LEAD TRANSMISSION LINES	14	13	15	14	15	14					
P 961 PI-09 DO YOU WORK WITH OPEN TWO-WIRE TRANSMISSION LINES	6	7	6	8	6	7					
P 962 PI-10 DO YOU WORK WITH FLEXIBLE COAXIAL CABLE TRANSMISSION LINES	32	26	34	32	33	36					
P 963 PI-11 DO YOU WORK WITH RIGID COAXIAL CABLE TRANSMISSION LINES	14	13	14	15	13	9					
P 964 PI-12 DO YOU TROUBLESHOOT TRANSMISSION LINES	25	19	30	26	25	30					
P 965 PI-13 DO YOU ANALYZE VOLTAGE OR CURRENT WAVEFORMS IN TRANSMISSION LINES TO DETERMINE THE TYPE OF TERMINATION (OPEN, SHORTED, CAPACITIVE, INDUCTIVE)	4	2	5	4	2	2					
P 966 PI-14 DO YOU SELECT APPROPRIATE TRANSMISSION LINES TERMINATIONS TO ACHIEVE DESIRED WAVEFORMS	7	5	6	7	5	6					
P 967 PI-15 DO YOU USE OR REFER TO SCHEMATIC SYMBOLS FOR LINE TERMINATIONS IN TERMS OF CIRCUIT TERMINATIONS	12	10	14	13	9	10					
P 968 PI-16 DO YOU MEASURE STANDING WAVE RATIOS (SWR) OF TRANSMISSION LINES	13	10	14	14	11	13					
P 969 PI-17 DO YOU CALCULATE STANDING WAVE RATIOS (SWR) OF TRANSMISSION LINES	7	5	7	6	5	6					
P 970 PI-18 DO YOU PERFORM THE CALCULATIONS NECESSARY TO DETERMINE THE IMPEDANCE AND LENGTH OF QUARTER WAVELENGTH MATCHING TRANSFORMERS TO MATCH TRANSMISSION LINES TO LOADS	3	2	4	3	2	2					

	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
P 971 PI-19 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING MATCHING TRANSFORMERS	12	8	14	13	9	6
P 972 PI-20 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING DELTA MATCHING	3	3	3	3	4	3
P 973 PI-21 DO YOU SELECT THE TYPE OF TRANSMISSION LINE NEEDED FOR PARTICULAR JOBS WITHOUT REFERRING TO TECHNICAL DATA	5	4	6	5	4	5
P 974 PI-22 DO YOU USE OR REFER TO THE TERM CHARACTERISTIC IMPEDANCE (Z ₀) OF TRANSMISSION LINES	15	12	10	14	11	17
P 975 PI-23 DO YOU CALCULATE THE CHARACTERISTIC IMPEDANCE (Z ₀) OF TRANSMISSION LINES	3	2	3	3	2	2
P 976 PI-24 DO YOU USE OR REFER TO THE TERM CUTOFF FREQUENCY OF TRANSMISSION LINES	4	5	4	6	5	2
P 977 PI-25 DO YOU USE OR REFER TO THE TERM VELOCITY FACTOR (k) OF TRANSMISSION LINES	2	1	2	2	1	1
P 978 PI-26 DO YOU COMPUTE THE ELECTRICAL LENGTH OF TRANSMISSION LINES FOR PARTICULAR FREQUENCIES	3	3	3	3	4	2
P 979 PI-27 DO YOU CONSTRUCT TRANSMISSION LINES OF PARTICULAR ELECTRICAL LENGTH FOR GIVEN FREQUENCIES	3	3	4	3	2	4
P 980 PI-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT AS THE FREQUENCY INCREASES AND THE PHYSICAL LENGTH OF TRANSMISSION LINES REMAIN CONSTANT, THE ELECTRICAL LENGTH INCREASES	5	4	6	5	2	6
P 981 PI-29 DO YOU WORK WITH NONRESONANT (FLAT) TRANSMISSION LINES	13	10	17	13	11	21
P 982 PI-30 DO YOU WORK WITH RESONANT TRANSMISSION LINES	11	10	12	12	10	8
P 983 PI-31 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING STUB MATCHING	7	5	8	6	7	8
P 984 P2-01 DO YOU WORK WITH WAVEGUIDES ON CAVITY RESONATORS IN YOUR PRESENT JOB	33	33	33	33	33	33
P 985 P2-02 DO YOU INSPECT WAVEGUIDES OR CAVITY RESONATORS	60	50	44	43	41	61
P 986 P2-03 DO YOU CLEAN WAVEGUIDES OR CAVITY RESONATORS	37	42	33	33	71	47
P 987 P2-04 DO YOU BEND WAVEGUIDES OR CAVITY RESONATORS	14	24	9	11	43	28
P 988 P2-05 DO YOU TWIST WAVEGUIDES OR CAVITY RESONATORS	12	17	8	9	31	20
P 989 P2-06 DO YOU PRESSURIZE WAVEGUIDES OR CAVITY RESONATORS	25	14	32	30	10	13
P 990 P2-07 DO YOU PURGE WAVEGUIDES OR CAVITY RESONATORS	10	8	12	12	9	9
P 991 P2-08 DO YOU TROUBLESHOOT WAVEGUIDES OR CAVITY RESONATORS	28	29	27	25	45	41
P 992 P2-09 DO YOU REMOVE OR INSTALL OTHER BENDS	30	43	19	21	61	55
P 993 P2-10 DO YOU REMOVE OR INSTALL WAVEGUIDE SECTION	37	44	31	30	61	47
P 994 P2-11 DO YOU REMOVE OR INSTALL DUMMY LOADS	34	41	31	28	81	50
P 995 P2-12 DO YOU REMOVE OR INSTALL E BENDS	10	14	6	24	10	12
P 996 P2-13 DO YOU REMOVE OR INSTALL H BENDS	10	14	8	9	23	9
P 997 P2-14 DO YOU REMOVE OR INSTALL OTHER BENDS	13	14	11	12	27	7
P 998 P2-15 DO YOU REMOVE OR INSTALL CHOKE JOINTS	8	9	8	7	14	7
P 999 P2-16 DO YOU REMOVE OR INSTALL ROTATING JOINTS	5	7	3	5	10	1
P1000 P2-17 DO YOU REMOVE OR INSTALL DIRECTIONAL COUPLERS	31	37	27	27	65	41
P1001 P2-18 DO YOU REMOVE OR INSTALL BIODIRECTIONAL COUPLERS	12	12	12	12	14	5
P1002 P2-19 DO YOU USE OR REFER TO A WALL OF WAVEGUIDES						

PCT AGES RESPONDING YES, BY SELECTED CRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

GPGUNI PAGE 34

	Dy-TSK					
	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
P1003 P2-20 DO YOU USE OR REFER TO "S" WALL OF WAVEGUIDES	7	9	5	6	10	9
P1004 P2-21 DO YOU USE OR REFER TO CUTOFF FREQUENCY OF WAVEGUIDES	10	10	9	15	15	7
P1005 P2-22 DO YOU USE OR REFER TO FREQUENCY-DETERMINING WALL OF WAVEGUIDES	7	8	6	6	6	8
P1006 P2-23 DO YOU USE OR REFER TO POWER-DETERMINING WALL OF WAVEGUIDES	5	4	4	5	5	3
P1007 P2-24 DO YOU USE OR REFER TO ELECTRIC FIELD BOUNDARY CONDITIONS	6	5	3	4	4	2
P1008 P2-25 DO YOU USE OR REFER TO MAGNETIC FIELD BOUNDARY CONDITIONS	6	4	3	4	4	1
P1009 P2-26 DO YOU USE OR REFER TO DUPLEXER FIELD BOUNDARY CONDITIONS	5	3	4	5	1	1
P1010 P2-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT MOST WAVEGUIDES ARE MADE WITH A ".B." WALL SIZE OF .7 WAVELENGTHS OF THE OPERATING FREQUENCY	5	4	4	5	1	1
P1011 P2-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT MOST ".A" WALLS RANGE FROM .2 TO .5 WAVELENGTHS IN SIZE, WITH .35 USED AS AN AVERAGE	3	3	3	3	3	3
P1012 P2-29 ARE YOU CONCERNED WITH THE MATERIAL (SUCH AS BRASS) WHICH WAVEGUIDES ARE MADE OF	6	7	6	6	6	6
P1013 P2-30 DO YOU COMPUTE THE LENGTH OF A WAVEGUIDE FOR SPECIFIC INSTALLATION	5	2	3	4	2	2
P1014 P2-31 DO YOU USE THE RIGHT HANDED RULE TO DETERMINE THE DIRECTION OF PROPAGATION, DIRECTION OF "E" FIELD, OR "H" FIELD IN WAVEGUIDES	5	5	4	4	5	5
P1015 P2-32 DO YOU USE OR REFER TO THE TIME PHASE OF PEAK "E" OR "H" LINES IN WAVEGUIDES	3	3	2	3	2	2
P1016 P2-33 DO YOU MEASURE THE TIME PHASE OF "E" OR "H" LINES IN WAVEGUIDES	2	2	1	2	2	0
P1017 P2-34 DO YOU USE ON REFER TO THE SPACE QUADRATURE OF "E" OR "H" LINES IN WAVEGUIDES	2	3	2	3	0	0
P1018 P2-35 ARE HIGH POWER PROBES USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	13	13	12	13	17	16
P1019 P2-36 ARE LOW POWER PROBES USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	15	13	14	15	14	12
P1020 P2-37 ARE LOOPS USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	14	15	14	14	17	13
P1021 P2-38 ARE APERTURES (WINDOOS OR IRISSES) USED ON WAVEGUIDES ON CAVITY RESONATORS YOU WORK WITH	22	20	24	20	29	29
P1022 P2-39 ARE DON'T REMEMBER THE KIND OF ENERGY COUPLING USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	17	16	16	16	26	17
P1023 P2-40 DO YOU DETERMINE WHERE PHONES SHOULD BE MOUNTED IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO TECHNICAL DATA	2	3	1	2	2	2
P1024 P2-41 DO YOU DETERMINE THE POSITIONING OF LOOPS IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO TECHNICAL DATA	1	2	1	2	2	1

PCT MEMBERS RESPONDING 'YES' BY SELECTED GROUPS

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
DY-TSK	1	2	1	1	2	0

GROUPS PAGE 37

P1025 P2-42 DO YOU DETERMINE THE POSITIONING OR SIZE OF APERATURES IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO TECHNICAL DATA	1	2	1	1	2	0
P1026 P2-43 ARE CHOKE JOINTS USED IN WAVEGUIDES ON CAVITY RESONATORS YOU WORK WITH	12	11	12	12	15	7
P1027 P2-44 ARE ROTATING JOINTS USED IN WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	4	5	2	3	5	2
P1028 P2-45 ARE DON'T REMEMBER THE KIND OF JOINTS USED IN WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	23	24	22	22	32	27
P1029 P2-46 DO YOU TUNE CAVITY RESONATORS USING CAPACITIVE TUNING	16	16	18	18	25	16
P1030 P2-47 DO YOU TUNE CAVITY RESONATORS USING INDUCTIVE TUNING	15	15	15	14	20	16
P1031 P2-48 DO YOU TUNE CAVITY RESONATORS USING VOLUME TUNING	11	12	10	11	17	9
P1032 P2-49 DO YOU TUNE CAVITY RESONATORS USING DON'T REMEMBER THE METHOD OF TUNING	15	17	13	15	22	14
P1033 P2-50 DO YOU MEASURE THE FREQUENCY OF SIGNALS IN CAVITY RESONATORS	15	12	16	17	17	13
P1034 P3-01 IN YOUR PRESENT JOB DO YOU WORK WITH KLYSTRONS, TRAVELING WAVE TUBES (TWT), PARAMETRIC AMPLIFIERS, OR MAGNETRON	65	55	73	63	63	78
P1035 P3-02 DO YOU USE OR REFER TO INTERELECTRODE CAPACITANCE	16	15	18	17	19	13
P1036 P3-03 DO YOU USE OR REFER TO ELECTRON TRANSIT TIME	14	13	15	14	12	15
P1037 P3-04 DO YOU USE OR REFER TO LEAD INDUCTANCE	14	12	15	14	16	13
P1038 P3-05 DO YOU USE OR REFER TO RF LOSSES IN EXTERNAL CIRCUITRY	24	23	25	24	33	21
P1039 P3-06 DO YOU USE OR REFER TO PRINCIPLE OF ELECTRON VELOCITY MODULATION	31	29	33	30	42	27
P1040 P3-07 DO YOU USE OR REFER TO ELECTRON BUNCHING	32	30	33	31	49	24
P1041 P3-08 DO YOU WORK WITH TWO-CAVITY KLYSTRONS	9	7	11	11	5	5
P1042 P3-09 DO YOU WORK WITH THREE-CAVITY KLYSTRONS	21	23	20	16	39	30
P1043 P3-10 DO YOU WORK WITH REFLUX KLYSTRONS	40	31	40	42	42	29
P1044 P3-11 DO YOU WORK WITH TRAVELING-WAVE TUBES (TWT)	48	48	49	41	63	73
P1045 P3-12 DO YOU WORK WITH HOMOGENERATIVE PARAMETRIC AMPLIFIERS	4	4	4	4	10	5
P1046 P3-13 DO YOU WORK WITH UP-CONVERTER PARAMETRIC AMPLIFIERS	11	12	10	11	17	9
P1047 P3-14 DO YOU WORK WITH MAGNETRONS	2	1	2	2	2	2
P1048 P3-15 DO YOU INSPECT KLYSTRONS OR TWT	59	50	67	57	60	73
P1049 P3-16 DO YOU CLEAN KLYSTRONS OR TWT	48	41	51	47	72	50
P1050 P3-17 DO YOU TUNE KLYSTRONS OR TWT ELECTRICALLY	51	41	59	50	64	60
P1051 P3-18 DO YOU TUNE KLYSTRONS OR TWT MECHANICALLY	68	61	65	57	75	72
P1052 P3-19 DO YOU PERFORM OPERATIONAL CHECKS OF KLYSTRONS OR TWT	62	53	67	59	64	74
P1053 P3-20 DO YOU TROUBLESHOOT KLYSTRONS OR TWT	49	44	54	46	77	45
P1054 P3-21 DO YOU REMOVE OR REPLACE COMPLETE KLYSTRON OR TWT	60	50	49	59	60	74
P1055 P3-22 DO YOU REMOVE OR REPLACE KLYSTRON OR TWT COMPONENTS	24	24	25	23	39	24
P1056 P3-23 DO YOU INSPECT PARAMETRIC AMPLIFIERS	12	13	13	17	12	12
P1057 P3-24 DO YOU CLEAN PARAMETRIC AMPLIFIERS	12	11	12	12	16	17
P1058 P3-25 DO YOU ADJUST PARAMETRIC AMPLIFIERS	11	12	11	12	12	12

PCT AGES RESPONDING YES, BY SELECTED GRPS
TASK GROUP SUMMARY
PERCENT AGES PERFORMING

SPSUNI PAGE 30

	D/T-TSK					
	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
P1059 P3-26 DO YOU TUNE PARAMETRIC AMPLIFIERS	11	12	10	11	17	0
P1060 P3-27 DO YOU PERFORM OPERATIONAL CHECKS OF PARAMETRIC AMPLIFIERS	12	13	11	12	17	0
P1061 P3-28 DO YOU TROUBLESHOOT PARAMETRIC AMPLIFIERS	11	12	11	11	17	0
P1062 P3-29 DO YOU REMOVE OR REPLACE COMPLETE PARAMETRIC AMPLIFIER	11	13	11	11	17	0
P1063 P3-30 DO YOU REMOVE OR REPLACE PARAMETRIC AMPLIFIER COMPONENTS	0	0	7	9	13	7
P1064 P3-31 DO YOU INSPECT KLYSTRONS	-	-	1	2	1	2
P1065 P3-32 DO YOU CLEAN KLYSTRONS	-	-	1	1	1	1
P1066 P3-33 DO YOU ADJUST KLYSTRONS	-	-	1	1	1	1
P1067 P3-34 DO YOU TUNE KLYSTRONS	-	-	2	1	1	1
P1068 P3-35 DO YOU PERFORM OPERATIONAL CHECKS OF MAGNETRONS	-	-	2	1	1	1
P1069 P3-36 DO YOU TROUBLESHOOT MAGNETRONS	-	-	2	1	1	1
P1070 P3-37 DO YOU REMOVE OR REPLACE COMPLETE MAGNETRON	-	-	2	1	1	1
P1071 P3-38 DO YOU REMOVE OR REPLACE MAGNETRON COMPONENTS	-	-	0	7	10	7
P1072 P3-39 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRON COLLECTOR PLATES	-	-	0	0	0	0
P1073 P3-40 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRON CATCHER CAVITIES	7	5	0	7	5	3
P1074 P3-41 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRON CATCHER GRIDS	7	5	0	7	5	3
P1075 P3-42 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRON BUNCHER GRIDS	0	0	0	0	0	0
P1076 P3-43 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRON FEEDBACK LOOPS	0	0	0	0	0	0
P1077 P3-44 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRON DRIFT SPACES	0	0	0	0	0	0
P1078 P3-45 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRON BUNCHER CAVITIES	0	0	0	0	0	0
P1079 P3-46 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRON CATCHER CAVITIES	0	0	0	0	0	0
P1080 P3-47 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRON CONTROL GRIDS	0	0	0	0	0	0
P1081 P3-48 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRON CATHODES	0	0	0	0	0	0
P1082 P3-49 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON REPELLEUR (REFLECTOR) PLATES	0	0	0	0	0	0
P1083 P3-50 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON GRIDS	0	0	0	0	0	0
P1084 P3-51 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON GRID CAVITY GAPS	0	0	0	0	0	0
P1085 P3-52 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON RESONANT CAVITIES	0	0	0	0	0	0
P1086 P3-53 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON MAGNETIC COUPLING LOOPS	0	0	0	0	0	0
P1087 P3-54 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON FILMENTS	0	0	0	0	0	0
P1088 P3-55 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON CATHODES	0	0	0	0	0	0

PCT MEAS RESPONDING YES TO SELECTED GRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

EPSU1 PAGE 39

QV-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
P1086 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON OUTPUT LEADS	23	19	20	20	20	10
P1087 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES FILAMENTS	29	35	34	29	62	41
P1089 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES CATHODES	33	33	39	29	58	90
P1091 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBE MODULATOR GRIDS	24	25	24	21	92	28
P1092 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES ANODES	39	33	35	29	57	42
P1093 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES HELIUM	36	35	37	31	63	77
P1094 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES COLLECTORS	30	28	32	26	48	37
P1095 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MAGNETS	23	23	24	19	91	27
P1096 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES ATTENUATORS	24	25	23	21	39	26
P1097 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE CIRCULATORS	5	5	5	5	9	2
P1098 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER SIGNAL CAVITIES	5	4	5	5	5	1
P1099 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER IDLER CAVITIES	4	3	4	4	4	-
P1100 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER VARACTOR DIODES	0	0	7	10	6	-
P1101 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE ISOLATORS	6	4	5	5	9	-
P1102 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER REVERSE- BIAS BATTERIES	2	2	2	2	2	-
P1103 P3-70 DO YOU PERFORM TASKS ON ANODES	1	1	1	1	1	-
P1104 P3-71 DO YOU PERFORM TASKS ON ANODE COOLING PINS	1	1	1	1	1	-
P1105 P3-72 DO YOU PERFORM TASKS ON COUPLING LOOPS	1	1	1	1	1	-
P1106 P3-73 DO YOU PERFORM TASKS ON HEATER LEADS	1	1	1	1	1	-
P1107 P3-74 DO YOU PERFORM TASKS ON RESONANT CAVITIES	1	1	1	1	1	-
P1108 P3-75 DO YOU PERFORM TASKS ON CATHODES	1	1	1	1	1	-
P1109 P3-76 DO YOU PERFORM TASKS ON MAGNETS	1	1	1	1	1	-
Q1100 Q1-01 DO YOU USE OR REFER TO STORAGE REGISTERS	8	8	8	8	8	8
Q1111 Q1-02 DO YOU USE OR REFER TO SHIFT REGISTERS	6	10	9	5	5	5
Q1112 Q1-03 DO YOU USE OR REFER TO LOGIC SYMBOLS OF SHIFT REGISTERS	5	10	9	4	4	4
Q1113 Q1-04 DO YOU USE OR REFER TO LOGIC SYMBOLS OF STORAGE REGISTERS	4	8	7	3	3	3
Q1114 Q1-05 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF SHIFT REGISTERS	7	5	10	6	3	3
Q1115 Q1-06 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF OTHER TYPE OF REGISTERS	6	3	7	6	2	0

PCT MARS RESPONDING 'YES' BY SELECTED GRPS
 TASK GROUP SUMMARY
 PERCENT MEMBERS PERFORMING

SP2931 PAGE 91

DY-TSK		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
R1110 R1-01 DO YOU WORK WITH PHANTASTRON CIRCUITRY IN YOUR PRESENT JOB		0	0	0	1	0	0
R1111 R2-01 DO YOU WORK WITH SCHMITT TRIGGERS IN YOUR PRESENT JOB		31	31	30	39	26	
R1112 R2-02 DO YOU TRACE DATA FLOW THROUGH SCHMITT TRIGGERS		23	23	24	22	30	17
R1113 R2-03 DO YOU USE OR REFER TO SCHMITT TRIGGER LOGIC SYMBOLS		17	15	19	16	21	17
R1114 R2-04 IN YOUR PRESENT JOB DO YOU FABRICATE MULTICONDUCTOR CABLES		40	37	42	37	37	44
R1115 R2-05 DO YOU FABRICATE COAXIAL CABLES		60	55	65	62	67	60
S1146 S1-01 IN YOUR PRESENT JOB DO YOU PERFORM ANY TASKS ON VISUAL READOUT SYSTEMS		11	4	12	12	5	5
S1147 S1-02 DO YOU PERFORM ANY TASKS ON NIXIE LIGHTS OR NIXIE LIGHT DECODER SYSTEMS		3	2	3	3	2	0
S1148 S1-03 DO YOU ANALYZE NIXIE LIGHT DECODER SYSTEMS USING BOOLEAN ALGEBRA		1	1	0	0	0	0
S1149 S2-01 DO YOU WORK WITH PHOTO TUBES IN YOUR PRESENT JOB		2	2	2	2	0	0
S1150 S2-02 IN YOUR PRESENT JOB DO YOU WORK WITH CHOPPER CIRCUITS		2	2	2	2	0	0
S1151 S2-03 DO YOU MEASURE EXCITATION FREQUENCIES		1	1	0	1	0	0
S1152 S2-04 DO YOU MEASURE VOLTAGE-CURRENT PHASE RELATIONSHIPS		1	1	0	1	0	0
S1153 S2-04 DO YOU USE OR REFER TO EXCITATION FREQUENCIES		1	1	0	1	0	0
S1154 S2-05 DO YOU USE OR REFER TO VOLTAGE-CURRENT PHASE RELATIONSHIPS		1	1	0	1	0	1
S1155 S2-06 DO YOU USE SERVOS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION		1	1	1	2	1	
S1156 S3-07 DO YOU USE DETECTORS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION		2	2	2	2	2	1
S1157 S3-08 DO YOU USE ERROR SIGNAL DEVICES IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION		2	2	2	2	2	0
S1158 S3-09 DO YOU USE COMPARISON CIRCUITS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION		2	2	2	2	2	0
Y1159 Y1-01 DOES YOUR PRESENT JOB INVOLVE ANY TASKS DEALING WITH INFRARED SYSTEMS		0	0	0	0	1	
T1160 T1-02 DO YOU INSPECT INFRARED SYSTEMS		0	0	0	0	0	0
T1161 T1-03 DO YOU CLEAN INFRARED SYSTEMS		0	0	0	0	0	0
T1162 T1-04 DO YOU ADJUST OR CALIBRATE INFRARED SYSTEMS		0	0	0	0	0	0
T1163 T1-05 DO YOU OPERATE INFRARED SYSTEMS		0	0	0	0	0	0
T1164 T1-06 DO YOU TROUBLESHOOT WIRE CONNECTIONS OF INFRARED SYSTEMS		0	0	0	0	0	0
T1165 T1-07 DO YOU TROUBLESHOOT MAJOR ASSEMBLIES OF INFRARED SYSTEMS		0	0	0	0	0	0
T1166 T1-08 DO YOU TROUBLESHOOT DOWN TO INFRARED SYSTEM COMPONENT PARTS		0	0	0	0	0	0
T1167 T1-09 DO YOU REMOVE OR REPLACE MAJOR ASSEMBLIES OF INFRARED SYSTEMS		0	0	0	0	0	0
T1168 T1-10 DO YOU REMOVE OR REPLACE INFRARED SYSTEM COMPONENT PARTS		0	0	0	0	0	0

PCT MEMS RESPONDING 'YES' TO SELECTED QPS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPMU1 PAGE 42

	Q1-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006
T1169	T1-1 DO YOU USE OR REFER TO FAN REGION	0	0	0	0	0	0
T1170	T1-2 DO YOU USE OR REFER TO INTERMEDIATE REGION	0	0	0	0	0	0
T1171	T1-3 DO YOU USE OR REFER TO NEAR REGION	0	0	0	0	0	0
T1172	T1-4 DO YOU USE OR REFER TO NICKON	0	0	0	0	0	0
T1173	T1-5 DO YOU USE OR REFER TO GRAY BODIES	0	0	0	0	0	0
T1174	T1-6 DO YOU USE OR REFER TO BLACK BODIES	0	0	0	0	0	0
T1175	T1-7 DO YOU USE OR REFER TO ABSORPTION	0	0	0	0	0	0
T1176	T1-8 DO YOU USE OR REFER TO SCATTERING	0	0	0	0	0	0
T1177	T1-9 DO YOU USE OR REFER TO ABSOLUTE ZERO	0	0	0	0	0	0
T1178	T1-10 DO YOU PERFORM TASKS ON BLITZ	0	0	0	0	0	0
T1179	T1-11 DO YOU PERFORM TASKS ON TARGET BUTTONS	0	0	0	0	0	0
T1180	T1-12 DO YOU PERFORM TASKS ON EJECTOR LENSES	0	0	0	0	0	0
T1181	T1-13 DO YOU PERFORM TASKS ON OCULAR LENSES	0	0	0	0	0	0
T1182	T1-14 DO YOU PERFORM TASKS ON CORRECTION LENSES	0	0	0	0	0	0
T1183	T1-15 DO YOU PERFORM TASKS ON FILTERS	0	0	0	0	0	0
T1184	T1-16 DO YOU PERFORM TASKS ON SPHERICAL MIRRORS	0	0	0	0	0	0
T1185	T1-17 DO YOU PERFORM TASKS ON PLANE MIRRORS	0	0	0	0	0	0
T1186	T2-0 DO YOU PRESENT JOB INVOLVING ANY TASKS DEALING WITH LASERS	0	0	0	0	0	0
T1187	T2-01 DO YOU INSPECT LASER SYSTEMS	0	0	0	0	0	0
T1188	T2-02 DO YOU CLEAN LASER SYSTEMS	0	0	0	0	0	0
T1189	T2-03 DO YOU OPERATE LASER SYSTEMS	0	0	0	0	0	0
T1190	T2-04 DO YOU OPERATE LASER SYSTEMS	0	0	0	0	0	0
T1191	T2-05 DO YOU TROUBLESHOOT WIRE CONNECTIONS OF LASER SYSTEMS	0	0	0	0	0	0
T1192	T2-07 DO YOU TROUBLESHOOT MAJOR ASSEMBLIES OF LASER SYSTEMS	0	0	0	0	0	0
T1193	T2-08 DO YOU TROUBLESHOOT TO COMPONENT PARTS OF LASER SYSTEMS	0	0	0	0	0	0
T1194	T2-09 DO YOU REMOVE OR REPLACE MAJOR ASSEMBLIES OF LASER SYSTEMS	0	0	0	0	0	0
T1195	T2-10 DO YOU REMOVE OR REPLACE COMPONENT PARTS OF LASER SYSTEMS	0	0	0	0	0	0
T1196	T2-11 DO YOU USE OR REFER TO ANGSTROMS (A)	0	0	0	0	0	0
T1197	T2-12 DO YOU USE OR REFER TO ELECTRON ENERGY LEVELS	0	0	0	0	0	0
T1198	T2-13 DO YOU USE OR REFER TO GROUND STATE	0	0	0	0	0	0
T1199	T2-14 DO YOU USE OR REFER TO EXCITED STATE	0	0	0	0	0	0
T1200	T2-15 DO YOU USE OR REFER TO PACKET OF RADIATION	0	0	0	0	0	0
T1201	T2-16 DO YOU USE OR REFER TO PHOTONS	0	0	0	0	0	0
T1202	T2-17 DO YOU USE OR REFER TO SPONTANEOUS EMISSION	0	0	0	0	0	0
T1203	T2-18 DO YOU USE OR REFER TO STIMULATED EMISSION	0	0	0	0	0	0
T1204	T2-19 DO YOU USE OR REFER TO CONVERGENCE OR INCOHERENCE	0	0	0	0	0	0
T1205	T2-20 DO YOU USE OR REFER TO INVERSION LEVEL	0	0	0	0	0	0
T1206	T2-21 DO YOU USE OR REFER TO MONOCHROMATIC	0	0	0	0	0	0
T1207	T2-22 DO YOU WORK WITH ACTIVE MATERIALS	0	0	0	0	0	0
T1208	T2-23 DO YOU WORK WITH PUMPING SOURCES	0	0	0	0	0	0
T1209	T2-24 DO YOU WORK WITH FULL SILVERED LIQUID REFLECTIVE MIRRORS	0	0	0	0	0	0

卷之三

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING SELECTED CAPS

645041 PAGE 1

AD-A046 093 AIR FORCE OCCUPATIONAL MEASUREMENT CENTER LACKLAND A--ETC F/G 5/9
RADIO RELAY EQUIPMENT REPAIR CAREER LADDER AFSC 304X0.(U)
SEP 77 T J O'CONNOR, T E ULRICH

UNCLASSIFIED

NL

2 OF 2
ADA
046093



END
DATE
FILED
DDC

1 - 79

SUPPLEMENTARY

INFORMATION

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Connected

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM										
1. REPORT NUMBER AFPT 90-304-222	2. GOVT ACCESSION NO. AD A046093	3. RECIPIENT'S CATALOG NUMBER <i>4046093</i>										
4. TITLE (and Subtitle) Radio Relay Equipment Repair Career Ladder AFSC 304X0		5. TYPE OF REPORT & PERIOD COVERED FINAL February 77 - May 77										
7. AUTHOR(s) Thomas J. O'Connor Thomas E. Ulrich		6. PERFORMING ORG. REPORT NUMBER										
9. PERFORMING ORGANIZATION NAME AND ADDRESS OCCUPATIONAL SURVEY BRANCH USAF OCCUPATIONAL MEASUREMENT CENTER LACKLAND AFB, TEXAS 78236		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS <i>N/A</i>										
11. CONTROLLING OFFICE NAME AND ADDRESS SAME AS ITEM 9		12. REPORT DATE 15 September 1977										
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES <i>44</i>										
		15. SECURITY CLASS. (of this report) UNCLASSIFIED										
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE										
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited												
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)												
18. SUPPLEMENTARY NOTES												
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Electronic principles</td> <td style="width: 50%;">Electronics</td> </tr> <tr> <td>Basic electronics</td> <td>Air Force training</td> </tr> <tr> <td>Avionics</td> <td>Teaching methods</td> </tr> <tr> <td>Electronic equipment</td> <td>Training</td> </tr> <tr> <td>Electronic technicians</td> <td></td> </tr> </table>			Electronic principles	Electronics	Basic electronics	Air Force training	Avionics	Teaching methods	Electronic equipment	Training	Electronic technicians	
Electronic principles	Electronics											
Basic electronics	Air Force training											
Avionics	Teaching methods											
Electronic equipment	Training											
Electronic technicians												
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) <p>This report summarizes the results of the administration of the Electronic Principles Inventory to airmen assigned to Radio Relay Equipment Repair Specialty (AFSC 304X0). February through May 1977. The report gives a detailed listing of the technical tasks and knowledge needed to perform the jobs within the specialty or career ladder.</p>												
CONTINUED												

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

This specialty has the following functions:

Installs, repairs, modifies, and maintains fixed, mobile, and transportable microwave, tropospheric scatter, and radio relay equipment; voice, digital, and telegraph multiplex equipment; signaling and termination equipment; and associated test equipment.

Installs fixed and transportable microwave, tropospheric scatter, and radio relay equipment; voice, digital and telegraph multiplex equipment; and signaling and termination equipment.

Inspects, tests, and adjusts fixed, mobile, and transportable microwave, tropospheric scatter and radio relay equipment; voice, digital, and telegraph multiplex equipment.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)