

AD-A046 096


AIR FORCE OCCUPATIONAL MEASUREMENT CENTER LACKLAND A--ETC F/G 5/9  
ELECTRONIC-MECHANICAL COMMUNICATIONS AND CRYPTOGRAPHIC EQUIPMEN--ETC(U)  
SEP 77

UNCLASSIFIED

AFPT-90-306-222

NL

1 OF  
ADA046096



END  
DATE  
FILED  
12-77  
DDC

CONT,

AD A 046096

⑨ OCCUPATIONAL SURVEY REPORT  
ELECTRONIC PRINCIPLES

② B. S.



⑥ ELECTRONIC-MECHANICAL COMMUNICATIONS AND  
CRYPTOGRAPHIC EQUIPMENT SYSTEMS SPECIALIST

AFSC 30651.

⑭ AFPT-90-306-222

⑮ 23 Sep 1977

⑯ 52p.

OCCUPATIONAL SURVEY BRANCH

USAF OCCUPATIONAL MEASUREMENT CENTER  
LACKLAND AFB TEXAS 78236

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

AD No. \_\_\_\_\_  
DDC FILE COPY

408889



## TABLE OF CONTENTS

|  | <u>PAGE<br/>NUMBER</u> |
|--|------------------------|
| PREFACE -----  | 2                      |
| INTRODUCTION -----   | 3                      |
| DEVELOPMENT OF THE ELECTRONIC PRINCIPLES INVENTORY (EPI) ----- | 3                      |
| ADMINISTRATION -----   | 3                      |
| PRESENTATION OF RESULTS -----                                  | 6                      |
| APPENDIX -----   | 7                      |

|                                 |                      |
|---------------------------------|----------------------|
| ACCESSION for                   |                      |
| NTIS                            | Ref. Section         |
| DDC                             | Distribution         |
| MANUFACTURER                    |                      |
| NOTIFICATION                    |                      |
| BY                              |                      |
| DISTRIBUTION/AVAILABILITY CODES |                      |
| Dist.                           | AVAIL and/or SPECIAL |
| A                               | 23<br>E.G.           |

## PREFACE

This report presents a summary of the results of a detailed Air Force Electronic Principles Survey of the Electronic-Mechanical Communications and Cryptographic Equipment Systems Specialist, AFSC 30651.

The Electronic Principles Inventory (EPI) was developed by Major Thomas J. O'Connor and Mr. Hendrick W. Ruck and the survey data were analyzed by Mr. Harry G. Lawrence. All are members of the Occupational Survey Branch, USAF Occupational Measurement Center, Lackland AFB, Texas.

Computer programs for analyzing the data were designed by Dr. Raymond E. Christal, Occupational and Manpower Research Division, Air Force Human Resources Laboratory (AFHRL), and were written by the Project Analysis and Programming Branch, Computational Sciences Division, AFHRL.

Distribution of this report is made upon request to the USAF Occupational Measurement Center, attention of the Chief, Occupational Survey Branch (OMY), Lackland AFB, Texas 78236.

This report has been reviewed and is approved.

JAMES A. TURNER, JR., Colonel, USAF  
Commander  
USAF Occupational Measurement Center

WALTER E. DRISKILL, Ph.D.  
Chief, Occupational Survey Branch  
USAF Occupational Measurement Center

ELECTRONIC PRINCIPLES OCCUPATIONAL SURVEY REPORT  
ELECTRONIC-MECHANICAL COMMUNICATIONS AND CRYPTOGRAPHIC  
EQUIPMENT SYSTEMS SPECIALIST  
AFSC 30651

INTRODUCTION

This report summarizes the results of the administration of the Electronic Principles Inventory to airmen assigned as Electronic-Mechanical Communications and Cryptographic Equipment Systems Specialist (AFSC 30651). The data for this report were collected during the period April through June 1977.

This report describes: (1) development and administration of the survey instrument; and (2) electronic principles used by DAFSC 5-skill level personnel both CONUS and overseas and assigned to selected major commands.

DEVELOPMENT OF THE ELECTRONIC PRINCIPLES INVENTORY (EPI)

The EPI was developed by personnel from the Occupational Survey Branch who were well qualified in theoretical physics and electronics, as well as in task analysis and survey development. Over 300 maintenance personnel from SAC, TAC, ADC, MAC, and AFCS participated in the development of the inventory. Representing the five ATC training centers, electronics experts who averaged 12 years of maintenance experience and four years of electronic principles instruction experience spent several weeks refining the EPI. In addition, personnel at the Electrical Engineering Department of the USAF Academy and the Air Force Human Resources Laboratory were consulted during the development of the inventory.

The final version of the EPI used in this survey contained 1,257 items in 62 subject matter areas covering all electronic principles training given at the five ATC technical training centers. Table 1 lists the 62 subject areas.

ADMINISTRATION

The Electronic Principles Inventory was administered by mail to AFSC 30651 airmen worldwide. Responses from 116 individuals represented 27 percent of the total of all AFSC 30651 personnel. Table 2 shows the percentage distribution by major command of the survey incumbents.

TABLE 1  
EPI SUBJECT AREAS

| <u>SEQUENCE OF<br/>SUBJECT AREAS</u> | <u>SUBJECT AREA TITLE</u>                         | <u>BEGINNING<br/>ITEM<br/>NUMBER</u> | <u>GPSUM<br/>PAGE NUMBER</u> |
|--------------------------------------|---|--------------------------------------|------------------------------|
| 1                                    | MATHEMATICS                                       | A1                                   | 2                            |
| 2                                    | DIRECT CURRENT AND VOLTAGE                        | A15                                  | 2                            |
| 3                                    | RESISTANCE  | A24                                  | 2                            |
| 4                                    | MULTIMETER USES                                   | B52                                  | 3                            |
| 5                                    | ALTERNATING CURRENT                               | B61                                  | 4                            |
| 6                                    | INDUCTORS AND INDUCTIVE<br>REACTANCE              | B67                                  | 4                            |
| 7                                    | CAPACITORS AND CAPACITIVE<br>REACTANCE            | C92                                  | 5                            |
| 8                                    | TRANSFORMERS                                      | C128                                 | 6                            |
| 9                                    | MAGNETISM   | C171                                 | 7                            |
| 10                                   | RCL CIRCUITS                                      | D185                                 | 8                            |
| 11                                   | SERIES AND PARALLEL RESONANCE<br>(TIME CONSTANTS) | D229                                 | 10                           |
| 12                                   | FILTERS   | D239                                 | 10                           |
| 13                                   | COUPLING  | E261                                 | 11                           |
| 14                                   | SOLDERING   | E273                                 | 11                           |
| 15                                   | RELAYS  | E295                                 | 12                           |
| 16                                   | MICROPHONES                                       | F314                                 | 12                           |
| 17                                   | SPEAKERS  | F327                                 | 13                           |
| 18                                   | OSCILLOSCOPES                                     | F342                                 | 13                           |
| 19                                   | SEMICONDUCTOR DIODES                              | G354                                 | 13                           |
| 20                                   | TRANSISTORS                                       | G404                                 | 15                           |
| 21                                   | TRANSISTOR AMPLIFIERS                             | G428                                 | 16                           |
| 22                                   | SOLID-STATE SPECIAL PURPOSE<br>DEVICES            | H477                                 | 19                           |
| 23                                   | POWER SUPPLIES                                    | H483                                 | 19                           |
| 24                                   | OSCILLATORS                                       | H512                                 | 19                           |
| 25                                   | MULTIVIBRATORS                                    | I539                                 | 20                           |
| 26                                   | LIMITERS AND CLAMPERS                             | I555                                 | 21                           |
| 27                                   | ELECTRON TUBES                                    | I565                                 | 21                           |
| 28                                   | ELECTRON TUBE AMPLIFIERS<br>AND CIRCUITS          | J609                                 | 22                           |
| 29                                   | SPECIAL PURPOSE ELECTRON<br>TUBES                 | J616                                 | 23                           |
| 30                                   | HETERODYNING, MODULATION, AND<br>DEMODULATION     | J632                                 | 23                           |
| 31                                   | AM SYSTEMS  | K638                                 | 23                           |
| 32                                   | FM SYSTEMS  | K666                                 | 24                           |

TABLE 1 (CONTINUED)

## EPI SUBJECT AREAS

| <u>SEQUENCE OF<br/>SUBJECT AREAS</u> | <u>SUBJECT AREA TITLE</u>                     | <u>BEGINNING<br/>ITEM<br/>NUMBER</u> | <u>GPSUM<br/>PAGE NUMBER</u> |
|--------------------------------------|---|--------------------------------------|------------------------------|
| 33                                   | NUMBERING SYSTEMS                             | K685                                 | 25                           |
| 34                                   | LOGIC FUNCTIONS                               | L695                                 | 25                           |
| 35                                   | BOOLEAN EQUATIONS                             | L708                                 | 26                           |
| 36                                   | COUNTERS                                      | L733                                 | 27                           |
| 37                                   | TIMING CIRCUITS                               | M757                                 | 27                           |
| 38                                   | USE OF SIGNAL GENERATORS                      | M769                                 | 28                           |
| 39                                   | MOTORS AND GENERATORS                         | M779                                 | 28                           |
| 40                                   | METER MOVEMENTS                               | N808                                 | 29                           |
| 41                                   | SATURABLE REACTORS AND<br>MAGNETIC AMPLIFIERS | N818                                 | 29                           |
| 42                                   | WAVESHAPING CIRCUITS                          | N834                                 | 30                           |
| 43                                   | SINGLE SIDEBAND SYSTEMS                       | 0845                                 | 30                           |
| 44                                   | PULSE MODULATION SYSTEMS                      | 0875                                 | 31                           |
| 45                                   | ANTENNAS                                      | 0914                                 | 32                           |
| 46                                   | TRANSMISSION LINES                            | P953                                 | 34                           |
| 47                                   | WAVEGUIDES AND CAVITY<br>RESONATORS           | P984                                 | 35                           |
| 48                                   | MICROWAVE AMPLIFIERS AND<br>OSCILLATORS       | P1034                                | 37                           |
| 49                                   | REGISTERS                                     | Q1110                                | 39                           |
| 50                                   | STORAGE DEVICES                               | Q1117                                | 40                           |
| 51                                   | DIGITAL TO ANALOG CONVERTERS                  | Q1126                                | 40                           |
| 52                                   | PHANTASTRONS                                  | Q1140                                | 41                           |
| 53                                   | SCHMITT TRIGGERS                              | R1141                                | 41                           |
| 54                                   | CABLE FABRICATION                             | R1144                                | 41                           |
| 55                                   | INPUT/OUTPUT DEVICES                          | S1146                                | 41                           |
| 56                                   | PHOTO SENSITIVE DEVICES                       | S1149                                | 41                           |
| 57                                   | SYNCHRONOUS VIBRATIONS<br>(CHOPPER CIRCUITS)  | S1150                                | 41                           |
| 58                                   | INFRARED                                      | T1159                                | 41                           |
| 59                                   | LASERS  | T1186                                | 42                           |
| 60                                   | DISPLAY TUBES                                 | T1220                                | 43                           |
| 61                                   | PROGRAMMING                                   | U1234                                | 43                           |
| 62                                   | DB AND POWER RATIOS                           | U1255                                | 44                           |

TABLE 2  
COMMAND REPRESENTATION OF SURVEY SAMPLE

| <u>COMMAND</u> | <u>PERCENT<br/>ASSIGNED</u> | <u>30651<br/>PERCENT OF<br/>SAMPLE</u> |
|----------------|-----------------------------|--|
| AFSC           | 85                          | 79                                     |
| USAFSS         | 8                           | 10                                     |
| OTHER          | <u>7</u>                    | <u>11</u>                              |
| TOTAL          | 100                         | 100                                    |

Total Assigned - 433

Total Sampled - 116

Percent Sampled - 27%

#### PRESENTATON OF RESULTS

Personnel responded "yes" or "no" to the 1,257 electronic principles questions as related to their present job. A Group Summary (GPSUM) computer printout is provided in the Appendix portion of this report. Page 1 of the GPSUM lists the four selected groups identified for this report. Pages 2-44 show the percentage of the incumbents responding to the EPI items. The computer program results display the percent members answering "yes" to the subject area questions. The reader can locate a specific subject area by referring to the Appendix page number as listed in Table 1. For example, the Transformers area results are given on page 6 of the GPSUM. The percentage of survey respondents indicating use of specific electronic principles ranged from high in areas such as Alternating Current (p. 4) and Soldering (pp. 11-12) to low in areas such as Antennas (pp. 32-33-34) and Lasers (pp. 42-43). Additional AFSC 306X1 data can be obtained upon request to the Chief, Occupational Survey Branch (OMY).

APPENDIX

PCT MHHS RESPONDING \*YES\* BY SELECTED GROUPS

TABULATION OF ELECTRONIC PRINCIPLES UTILIZATION DATA FOR SELECTED GROUPS  
IN THE JOBS1 CAREER FIELD.

REPORTS ON THE FOLLOWING GROUPS WERE REQUESTED

|                         |                        |                    |                         |
|-------------------------|------------------------|--------------------|-------------------------|
| GROUP IDENTITY = SPC226 | ALL AIRMEN DAFSC 30651 | STATIONED IN CONUS | CONTAINING 116 MEMBERS. |
| GROUP IDENTITY = SPC227 | ALL AIRMEN DAFSC 30651 | STATIONED IN CONUS | CONTAINING 69 MEMBERS.  |
| GROUP IDENTITY = SPC228 | ALL AIRMEN DAFSC 30651 | STATIONED OVERSEAS | CONTAINING 47 MEMBERS.  |
| GROUP IDENTITY = SPC229 | ALL AIRMEN DAFSC 30651 | ASSIGNED TO ATC    | CONTAINING 5 MEMBERS.   |

PCT WORKS RESPONDING \*YES\* TO SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PRACTICALLY

UFSMIC PAGE 2

DY-TSK

|      |   | SPC | SPC | SPC | SPC | SPC                        | SPC         |
|------|---|-----|-----|-----|-----|----------------------------|-------------|
| A 1  | ALONE IN YOUR PRESENT JOB, DO YOU USE INSTRUMENTS SUCH AS METERS OR OSCILLOSCOPES, IN WHICH IT IS NECESSARY TO AMPLIFY OR ATTENUATE VOLTAGE, RESISTANCE, ETC., BY POWERS OF 10.   | A2  | 80  | 65  | 80  | 80                         | MATHEMATICS |
| A 2  | A1-U2 DO YOU USE PUBLICATIONS, SUCH AS A TECHNICAL ORDERS OR MAINTENANCE MANUALS, IN WHICH IT IS NECESSARY FOR YOU TO MULTIPLY OR DIVIDE BY A POWER OF 10 BEFORE YOU CAN APPLY THE INFORMATION FROM THE PUBLICATION IN A USEFUL WAY ON THE JOB. | 10  | 38  | 38  | 80  |                            |             |
| A 3  | A1-U3 DO YOU MEASURE AND SOLVE FORMULAS OR EQUATIONS.   | 22  | 19  | 19  | 26  | 40                         |             |
| A 4  | A1-U4 DO YOU CALCULATE THE SQUARE ROOT OF A QUANTITY.   |     | 7   | 7   | 6   | 0                          |             |
| A 5  | A1-U5 DO YOU SOLVE FOR UNKNOWN QUANTITIES.  | 20  | 19  | 21  | 20  |                            |             |
| A 6  | A1-U6 DO YOU CONVERT NUMBERS TO LOGARITHMS.   |     | 2   | 3   | 0   | 0                          |             |
| A 7  | A1-U7 DO YOU USE LOGARITHM TABLES IN ANY TYPE OF CALCULATIONS.  |     | 3   | 3   | 4   | 0                          |             |
| A 8  | A1-U8 DO YOU SOLVE QUADRATIC EQUATIONS.   |     | 3   | 3   | 2   | 0                          |             |
| A 9  | A1-U9 DO YOU USE THE NATURAL SYSTEM OF LOGARITHMS.  |     | 3   | 4   | 2   | 0                          |             |
| A 10 | A1-U10 DO YOU PERFORM CALCULATIONS ON VECTOR QUANTITIES.  |     | 3   | 3   | 2   | 20                         |             |
| A 11 | A1-U11 DO YOU WORK WITH TRIGONOMETRIC FUNCTIONS SUCH AS SINE, COSINE, OR TANGENT.   |     | 4   | 6   | 2   | 20                         |             |
| A 12 | A1-U12 DO YOU DETERMINE AREAS OF PLANE FIGURES.   |     | 1   | 1   | 0   | 0                          |             |
| A 13 | A1-U13 DO YOU SOLVE OR USE SIMULTANEOUS EQUATIONS.  |     | 2   | 3   | 0   | 0                          |             |
| A 14 | A1-U14 DO YOU SOLVE OR USE PROPORTIONS.   |     | 2   | 4   | 11  | 40                         |             |
| A 15 | A2-Q1 DO YOU USE THE TERM VOLTAGE OR VOLTY (V).   | 94  | 93  | 98  | 100 |                            |             |
| A 16 | A2-Q2 DO YOU USE THE TERM ELECTROMOTIVE FORCE (EMF).  | 2H  | 28  | 30  | 20  | DIRECT CURRENT AND VOLTAGE |             |
| A 17 | A2-Q3 DO YOU USE THE TERM OHM.  | 94  | 93  | 96  | 100 |                            |             |
| A 18 | A2-Q4 DO YOU USE THE TERM TON.  | 6   | 6   | 6   | 0   |                            |             |
| A 19 | A2-Q5 DO YOU USE THE TERM UME.  | 6   | 4   | 6   | 0   |                            |             |
| A 20 | A2-Q6 DO YOU USE THE TERM AMPERE.   | 91  | 90  | 94  | 40  |                            |             |
| A 21 | A2-Q7 DO YOU USE THE TERM NEUTRON.  | 13  | 16  | 9   | 20  |                            |             |
| A 22 | A2-Q8 DO YOU USE THE TERM COULOMB.  | 13  | 14  | 11  | 20  |                            |             |
| A 23 | A2-Q9 DO YOU USE THE TERM PROTON.   | 12  | 14  | 20  |     |                            |             |
| A 24 | A3-U1 DO YOU WORK WITH RESISTORS IN YOUR PRESENT JOB.   | 86  | 81  | 84  | 80  |                            |             |
| A 25 | A3-U2 DO YOU INSPECT RESISTORS.   | 91  | 86  | 96  | 80  |                            |             |
| A 26 | A3-U3 DO YOU CLEAN RESISTORS.   | 77  | 65  | 94  | 60  |                            |             |
| A 27 | A3-U4 DO YOU ADJUST RESISTORS.  | 87  | 81  | 96  | 80  | RESISTANCE                 |             |
| A 28 | A3-U5 DO YOU CHECK OHMIC VALUE OR RESISTORS.  | 91  | 88  | 96  | 80  |                            |             |
| A 29 | A3-U6 DO YOU REMOVE OR REPLACE RESISTORS.   | 90  | 86  | 96  | 80  |                            |             |
| A 30 | A3-U7 DO YOU USE OR REFER TO TEMPERATURE COEFFICIENTS FOR RESISTORS ON ANY TASKS YOU PERFORM.   | 3H  | 32  | 28  | 20  |                            |             |
| A 31 | A3-U8 DO YOU USE OR REFER TO RESISTOR SYMBOLS SUCH AS FIXED RESISTOR SYMBOLS OR TAPE RESISTOR SYMBOLS.  | 84  | 80  | 91  | 80  |                            |             |
| A 32 | A3-U9 DO YOU IDENTIFY OR CLASSIFY THE RESISTORS YOU WORK WITH AS CARBON, FIXED WIRE, SLIDE TAP, NOSTAT, OR POTENTIOMETER.   | 85  | 81  | 91  | 60  |                            |             |
| A 33 | A3-U10 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE OHMIC VALUE OF RESISTANCE.  | 86  | 83  | 91  | 80  |                            |             |

PCT HRS RESPONDING \*YES\* BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GRSM10 PAGE 3

|  | DY-TSK | SPC | SPC | SPC | SPC             | SPC | SPC |
|--|--------|-----|-----|-----|-----------------|-----|-----|
| A 34 A3-11 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE TOLERANCE.   | 82     | 79  | 87  | 90  | 226             | 227 | 228 |
| A 35 A3-12 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE FAILURE RATE.  | 24     | 23  | 26  | 0   | 229             | 228 | 229 |
| A 36 A3-13 DO YOU MAKE DECISIONS IN WHICH YOU MUST DETERMINE HOW TWO OR MORE BATTERIES MUST BE CONNECTED TOGETHER TO ACHIEVE A SPECIFIC VOLTAGE. | 16     | 12  | 21  | 20  |                 |     |     |
| A 37 A3-14 DO YOU USE OR REFER TO THE SCHEMATIC SYMBOLS WHICH REPRESENT BATTERIES, FUSES, CONDUCTORS, LAMPS, OR SWITCHES                         | 92     | 90  | 96  | 80  |                 |     |     |
| A 38 A3-15 DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES RESISTIVE CIRCUITS.  | 36     | 32  | 43  | 60  |                 |     |     |
| A 39 A3-16 DO YOU CALCULATE TOTAL CURRENT FOR SERIES RESISTIVE CIRCUITS.   | 33     | 30  | 36  | 60  |                 |     |     |
| A 40 A3-17 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES RESISTIVE CIRCUITS.  | 38     | 30  | 49  | 60  |                 |     |     |
| A 41 A3-18 DO YOU CALCULATE POWER DISSIPATION FOR SERIES RESISTIVE CIRCUITS.   | 22     | 19  | 28  | 40  |                 |     |     |
| A 42 A3-19 DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES PARALLEL RESISTIVE CIRCUITS.   | 37     | 33  | 43  | 60  |                 |     |     |
| A 43 A3-20 DO YOU CALCULATE TOTAL CURRENT FOR SERIES PARALLEL RESISTIVE CIRCUITS.  | 34     | 32  | 36  | 60  |                 |     |     |
| A 44 A3-21 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES PARALLEL RESISTIVE CIRCUITS.   | 38     | 32  | 47  | 60  |                 |     |     |
| A 45 A3-22 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR SERIES PARALLEL RESISTIVE CIRCUITS.   | 33     | 30  | 36  | 60  |                 |     |     |
| A 46 A3-23 DO YOU CALCULATE POWER DISSIPATION FOR SERIES PARALLEL RESISTIVE CIRCUITS.  | 22     | 19  | 28  | 20  |                 |     |     |
| A 47 A3-24 DO YOU CALCULATE TOTAL RESISTANCE FOR PARALLEL RESISTIVE CIRCUITS.  | 37     | 32  | 45  | 60  |                 |     |     |
| A 48 A3-25 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RESISTIVE CIRCUITS.   | 34     | 33  | 38  | 60  |                 |     |     |
| A 49 A3-26 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR PARALLEL RESISTIVE CIRCUITS.  | 39     | 32  | 49  | 60  |                 |     |     |
| A 50 A3-27 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR PARALLEL RESISTIVE CIRCUITS.  | 34     | 32  | 38  | 60  |                 |     |     |
| A 51 A3-28 DO YOU CALCULATE POWER DISSIPATION FOR PARALLEL RESISTIVE CIRCUITS.   | 23     | 19  | 30  | 20  |                 |     |     |
| H 52 H1-U1 DO YOU MEASURE RESISTANCE.  | 92     | 91  | 94  | 80  |                 |     |     |
| H 53 H1-U2 DO YOU REPAIR OHMMETERS.  | 5      | 7   | 2   | 0   |                 |     |     |
| H 54 H1-U3 DO YOU MEASURE VOLTAGE.   | 93     | 91  | 96  | 80  |                 |     |     |
| H 55 H1-U4 DO YOU REPAIR VOLTMETERS.   | 5      | 7   | 2   | 0   | MULTIMETER USES |     |     |
| H 56 H1-U5 DO YOU REPAIR AMMETERS.   | 6      | 7   | 4   | 0   |                 |     |     |
| H 57 H1-U6 DO YOU MEASURE CURRENT.   | 82     | 83  | 81  | 60  |                 |     |     |
| H 58 H1-U7 DO YOU USE MULTIMETERS.   | 91     | 93  | 91  | 60  |                 |     |     |
| H 59 H1-U8 DO YOU DIRECTLY USE A QUANTITY OF CHARGE CALLED A COULOMB.  | 3      | 1   | 4   | 0   |                 |     |     |
| H 60 H1-U9 DO YOU READ SCHEMATICS.   | 91     | 93  | 94  | 80  |                 |     |     |

## PCT HAVING RESPONDING \*YES\* AT SELECTED GROUPS

TAGC GROUP SUMMARY  
PRESENT MEMBERS PERFORMING.

## DY-TSK

|       |   | SPC | SPC | SPC | SPC | SPC                 | SPC |
|-------|---|-----|-----|-----|-----|---------------------|-----|
| b 61  | H-2-U1 DO YOU USE OR REFER TO THE TERM EFFECTIVE VOLTAGE      | 54  | 52  | 66  | 40  | ALTERNATING CURRENT |     |
| b 62  | H-2-U2 DO YOU USE OR REFER TO THE TERM PEAK TO PEAK VOLTAGE   | 83  | 84  | 81  | 62  |                     |     |
| b 63  | H-2-U3 DO YOU USE OR REFER TO THE TERM AVERAGE VOLTAGE (DC)   | 66  | 59  | 74  | 46  |                     |     |
| b 64  | H-2-U4 DO YOU USE OR REFER TO THE TERM WAVE LENGTH            | 51  | 57  | 43  | 40  |                     |     |
| b 65  | H-2-U5 DO YOU USE OR REFER TO THE TERM FREQUENCY              | 80  | 71  | 94  | 80  |                     |     |
| b 66  | H-2-U6 DO YOU USE OR REFER TO THE TERM INSTANTANEOUS VALUE    | 19  | 25  | 11  | 20  |                     |     |
| b 67  | H-2-U7 DO YOU WORK WITH INDUCTORS OR CIRCUITS CONTAINING      | 54  | 39  | 77  | 40  |                     |     |
| b 68  | H-3-U2 DO YOU INFECT INDUCTORS                                | 59  | 43  | 83  | 44  |                     |     |
| b 69  | H-3-U3 DO YOU CLEAN INDUCTORS                                 | 53  | 33  | 61  | 20  | INDUCTORS AND       |     |
| b 70  | H-3-U4 DO YOU ADJUST INDUCTORS                                | 31  | 19  | 53  | 20  | INDUCTIVE REACTANCE |     |
| b 71  | H-3-U5 DO YOU REMOVE OR REPLACE INDUCTORS                     | 58  | 41  | 63  | 10  |                     |     |
| b 72  | H-3-U6 DO YOU USE OR REFER TO INDUCTANCE                      | 45  | 36  | 57  | 22  |                     |     |
| b 73  | H-3-U7 DO YOU USE OR REFER TO HENRIES                         | 29  | 23  | 38  | 0   |                     |     |
| b 74  | H-3-U8 DO YOU USE OR REFER TO INDUCTIVE REACTANCE             | 25  | 19  | 34  | 0   |                     |     |
| b 75  | H-3-U9 DO YOU USE OR REFER TO COPPER LOSS IN INDUCTORS        | 3   | 3   | 2   | 0   |                     |     |
| b 76  | H-3-U10 DO YOU USE OR REFER TO HYSTERESIS LOSS IN INDUCTORS   | 6   | 6   | 6   | 20  |                     |     |
| b 77  | H-3-U11 DO YOU USE OR REFER TO EDDY CURRENT LOSS IN INDUCTORS | 5   | 6   | 4   | 0   |                     |     |
| b 78  | H-3-U12 DO YOU USE OR REFER TO THE GENERAL RULE THAT          | 4   | 4   | 4   | 0   |                     |     |
| b 79  | INDUCTANCE IS PROPORTIONAL TO THE SQUARE OF THE NUMBER OF     |     |     |     |     |                     |     |
| b 80  | TURNS OF THE COIL   |     |     |     |     |                     |     |
| b 81  | H-2-U13 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE IN-  | 3   | 1   | 6   | 0   |                     |     |
| b 82  | DUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE CROSS      |     |     |     |     |                     |     |
| b 83  | SECTIONAL AREA OF THE CORE                                    |     |     |     |     |                     |     |
| b 84  | H-2-U14 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE      | 3   | 4   | 2   | 0   |                     |     |
| b 85  | INDUCTANCE OF A COIL IS INVERSELY PROPORTIONAL TO ITS         |     |     |     |     |                     |     |
| b 86  | LENGTH  |     |     |     |     |                     |     |
| b 87  | H-2-U15 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE      | 4   | 4   | 4   | 0   |                     |     |
| b 88  | INDUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE          |     |     |     |     |                     |     |
| b 89  | PERMEABILITY OF THE CORE MATERIAL                             |     |     |     |     |                     |     |
| b 90  | H-2-U16 DO YOU CALCULATE INDUCTANCE FOR PARTICULAR INDUCTORS  | 3   | 4   | 2   | 0   |                     |     |
| b 91  | USING FORMULAS  |     |     |     |     |                     |     |
| b 92  | H-3-U17 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTANCE  | 4   | 6   | 2   | 0   |                     |     |
| b 93  | IN SERIES   |     |     |     |     |                     |     |
| b 94  | H-3-U18 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTORS   | 4   | 6   | 2   | 0   |                     |     |
| b 95  | IN PARALLEL   |     |     |     |     |                     |     |
| b 96  | H-3-U19 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTORS   | 4   | 6   | 2   | 0   |                     |     |
| b 97  | IN SERIES PARALLEL CIRCUITS                                   |     |     |     |     |                     |     |
| b 98  | H-3-U20 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT  | 10  | 10  | 11  | 0   |                     |     |
| b 99  | LAGS VOLTAGE IN AC INDUCTOR CIRCUITS                          |     |     |     |     |                     |     |
| b 100 | H-3-U21 DO YOU CALCULATE INDUCTIVE REACTANCE                  | 6   | 6   | 6   | 0   |                     |     |
| b 101 | H-3-U22 DO YOU USE OR REFER TO THE GENERAL RULE THAT          | 9   | 9   | 11  | 0   |                     |     |
| b 102 | INDUCTIVE REACTANCE IS DIRECTLY PROPORTIONAL TO FREQUENCY     |     |     |     |     |                     |     |
| b 103 | H-3-U23 DO YOU WORK WITH POWER INDUCTORS                      | 35  | 26  | 49  | 40  |                     |     |
| b 104 | H-3-U24 DO YOU WORK WITH AUDIO FREQUENCY INDUCTORS            | 24  | 17  | 34  | 40  |                     |     |
| b 105 | H-3-U25 DO YOU WORK WITH RADIO FREQUENCY INDUCTORS            | 15  | 10  | 21  | 20  |                     |     |

PCT MEMBERS RESPONDING \*YES\* BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPM10 PAGE 5

DY-TSK

- C 92 CI-01 DO YOU WORK WITH CAPACITORS OR CIRCUITS CONTAINING CAPACITORS IN YOUR PRESENT JOB. 82 78 87 60 CAPACITORS AND CAPACITIVE REACTANCE
- C 93 CI-02 DO YOU INSPECT CAPACITORS. 91 88 96 80 CAPACITIVE REACTANCE
- C 94 CI-03 DO YOU CLEAN CAPACITORS. 81 74 91 40
- C 95 CI-04 DO YOU ADJUST CAPACITORS. 34 29 43 20
- C 96 CI-05 DO YOU TEST CAPACITORS. 81 78 85 60
- C 97 CI-06 DO YOU DISCHARGE CAPACITORS. 84 80 91 60
- C 98 CI-07 DO YOU REMOVE OR REPLACE CAPACITORS. 91 87 96 60
- C 99 CI-08 DO YOU USE OR REFER TO DISTRIBUTED CAPACITANCE. 4 6 6 0
- C 100 CI-09 DO YOU USE OR REFER TO ORBITAL STRESS OF ELECTRONS IN A DIELECTRIC. 2 1 2 20
- C 101 CI-10 DO YOU USE OR REFER TO FARADS, MICROFARADS, OR PICOFARADS. 81 78 85 60
- C 102 CI-11 DO YOU USE OR REFER TO CAPACITANCE. 78 77 81 80
- C 103 CI-12 DO YOU USE OR REFER TO DIELECTRIC CONSTANT. 6 6 6 0
- C 104 CI-13 DO YOU USE OR REFER TO WORKING VOLTAGE RATING OF CAPACITORS. 59 54 66 20
- C 105 CI-14 DO YOU USE OR REFER TO CAPACITIVE REACTANCE. 22 22 23 20
- C 106 CI-15 DO YOU USE OR REFER TO CAPACITOR COLOR CODES. 23 22 26 20
- C 107 CI-16 DO YOU WORK WITH CAPACITORS IN DC CIRCUITS. 91 90 94 80
- C 108 CI-17 DO YOU WORK WITH CAPACITORS IN AC CIRCUITS. 62 77 89 60
- C 109 CI-18 DO YOU WORK WITH CAPACITORS IN CIRCUITS WITH BOTH DC AND AC. 79 77 83 60
- C 110 CI-19 DO YOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIRCUITS. 8 7 9 0
- C 111 CI-20 DO YOU CALCULATE CAPACITANCE FOR PARTICULAR CAPACITORS USING FORMULAS. 4 3 6 0
- C 112 CI-21 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITANCE OF A CAPACITOR IS DIRECTLY PROPORTIONAL TO THE DIELECTRIC CONSTANT. 1 1 0 0
- C 113 CI-22 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITANCE OF A CAPACITOR IS INVERSELY PROPORTIONAL TO THE DIELECTRIC THICKNESS. 1 1 0 0
- C 114 CI-23 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN SERIES. 12 12 13 20
- C 115 CI-24 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN PARALLEL. 12 12 13 20
- C 116 CI-25 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN SERIES-PARALLEL CIRCUITS. 11 10 13 20
- C 117 CI-26 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT DOES NOT FLOW THROUGH CAPACITORS. IT ONLY APPEARS TO DO SO. 29 30 28 40
- C 118 CI-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT LEADS VOLTAGE IN AC CAPACITOR CIRCUITS. 14 13 15 0
- C 119 CI-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITIVE REACTANCE IS INVERSELY PROPORTIONAL TO FREQUENCY. 6 3 11 0
- C 120 CI-29 DO YOU CALCULATE CAPACITIVE REACTANCE. 4 3 6 0

PCT MARS RESPONDING \*YES\* OR SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

UPSKILL PAGE 6

|       |   | SPC | SPC | SPC | SPC | SPC          | SPC |
|-------|---|-----|-----|-----|-----|--------------|-----|
|       | DO-TSK  | 226 | 227 | 228 | 229 |              |     |
| C 121 | C1-30 DO YOU WORK WITH ROTOR-STATOR (VARIABLE) CAPACITORS   | 20  | 19  | 21  | 20  |              |     |
| C 122 | C1-31 DO YOU WORK WITH COMPRESSOR (THIMMER) CAPACITORS  | 18  | 12  | 28  | 20  |              |     |
| C 123 | C1-32 DO YOU WORK WITH ELECTROLYTIC (FIXED) CAPACITORS  | 86  | 81  | 94  | 60  |              |     |
| C 124 | C1-33 DO YOU WORK WITH PAPER (FLEX) CAPACITORS  | 74  | 67  | 85  | 40  |              |     |
| C 125 | C1-34 DO YOU WORK WITH MICA (FIXED) CAPACITORS  | 73  | 64  | 87  | 40  |              |     |
| C 126 | C1-35 DO YOU WORK WITH CERAMIC (FIXED) CAPACITORS   | 76  | 70  | 89  | 40  |              |     |
| C 127 | C1-36 DO YOU WORK WITH DONUT REMEMB WHICH TYPE OF CAPACITORS  | 14  | 16  | 11  | 40  |              |     |
| C 128 | C2-01 DO YOU WORK WITH TRANSFORMERS IN YOUR PRESENT JOB   | 72  | 61  | 87  | 60  |              |     |
| C 129 | C2-02 DO YOU INSPECT TRANSFORMERS   | 76  | 67  | 59  | 60  |              |     |
| C 130 | C2-03 DO YOU CLEAN TRANSFORMERS   | 70  | 58  | 87  | 40  |              |     |
| C 131 | C2-04 DO YOU ADJUST TRANSFORMERS  | 17  | 14  | 21  | 20  |              |     |
| C 132 | C2-05 DO YOU TROUBLESHOOT TRANSFORMERS  | 66  | 54  | 85  | 60  | TRANSFORMERS |     |
| C 133 | C2-06 DO YOU REMOVE OR REPLACE COMPLETE TRANSFORMERS  | 68  | 57  | 85  | 60  |              |     |
| C 134 | C2-07 DO YOU REMOVE OR REPLACE TRANSFORMER PARTS, SUCH AS THE PRIMARY WINDING   | 5   | 3   | 9   | 0   |              |     |
| C 135 | C2-08 DO YOU MAKE A DISTINCTION BETWEEN MUTUAL INDUCTION AND MUTUAL INDUCTANCE (IM)   | 2   | 3   | 0   | 0   |              |     |
| C 136 | C2-09 DO YOU USE THE SYMBOL FOR MUTUAL INDUCTANCE, M  | 3   | 4   | 2   | 0   |              |     |
| C 137 | C2-10 DO YOU REFER TO OR USE THE COEFFICIENT OF COUPLING WHEN WORKING WITH TRANSFORMERS   | 5   | 4   | 6   | 0   |              |     |
| C 138 | C2-11 DO YOU CALCULATE TURN RATIO FOR TRANSFORMERS USING CURRENT OR VOLTAGE RATIOS  | 9   | 10  | 9   | 0   |              |     |
| C 139 | C2-12 DO YOU REFER TO REFLECTED IMPEDANCE WHEN WORKING WITH TRANSFORMERS  | 3   | 4   | 2   | 0   |              |     |
| C 140 | C2-13 DO YOU CALCULATE IMPEDANCE INTERACTIONS FOR TRANSFORMERS  | 3   | 3   | 2   | 0   |              |     |
| C 141 | C2-14 DO YOU WORK WITH AUTOTRANSFORMERS   | 13  | 6   | 23  | 0   |              |     |
| C 142 | C2-15 DO YOU WORK WITH POWER TRANSFORMERS   | 77  | 62  | 87  | 40  |              |     |
| C 143 | C2-16 DO YOU WORK WITH AUDIO TRANSFORMERS   | 23  | 16  | 34  | 20  |              |     |
| C 144 | C2-17 DO YOU WORK WITH RADIO FREQUENCY TRANSFORMERS   | 17  | 6   | 21  | 0   |              |     |
| C 145 | C2-18 DO YOU WORK WITH DONUT REMEMBER WHAT TYPE OF TRANSFORMERS   | 13  | 12  | 15  | 40  |              |     |
| C 146 | C2-19 DO YOU CHECK TRANSFORMERS FOR OPEN WINDINGS BY MEASURING RESISTANCE   | 70  | 58  | 87  | 60  |              |     |
| C 147 | C2-20 DO YOU CHECK TRANSFORMERS FOR SHORTED WINDINGS BY MEASURING RESISTANCE  | 66  | 52  | 85  | 60  |              |     |
| C 148 | C2-21 DO YOU CHECK TRANSFORMERS FOR SHORTED WINDINGS BY MEASURING OUTPUT VOLTAGES   | 61  | 52  | 72  | 40  |              |     |
| C 149 | C2-22 DO YOU MEASURE RESISTANCE OF TRANSFORMER WINDINGS TO DETERMINE WHETHER A TRANSFORMER HAS A STEP-UP OR STEP-DOWN TURNS RATIO | 17  | 13  | 23  | 0   |              |     |
| C 150 | C2-23 DO YOU MEASURE OUTPUT VOLTAGE OF TRANSFORMERS TO DETERMINE WHETHER A TRANSFORMER HAS A STEP-UP OR STEP-DOWN TURNS RATIO     | 25  | 20  | 32  | 20  |              |     |
| C 151 | C2-24 DO YOU REFER TO BASIC TRANSFORMER SCHEMATIC SYMBOLS FOR TRANSFORMERS  | 70  | 67  | 89  | 60  |              |     |

PCT MARS RESPONDING + YES+ BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPSM10 PAGE 7

DY-TSK

|   | SPC | SPC | SPC | SPC | SPC       | SPC | SPC |
|---|-----|-----|-----|-----|-----------|-----|-----|
| C 152 C2-25 DO YOU REFER TO MULTIPLE SECONDARY-WINDINGS SCHEMATIC SYMBOLS FOR TRANSFORMERS                                      | 68  | 59  | 81  | 40  |           |     |     |
| C 153 C2-26 DO YOU REFER TO MULTIPLE TAP SCHEMATIC SYMBOLS FOR TRANSFORMERS   | 66  | 57  | 81  | 40  |           |     |     |
| C 154 C2-27 DO YOU REFER TO CENTER TAP SCHEMATIC SYMBOLS FOR TRANSFORMERS   | 71  | 64  | 81  | 60  |           |     |     |
| C 155 C2-28 DO YOU REFER TO AIR CORE SCHEMATIC SYMBOLS FOR TRANSFORMERS   | 29  | 26  | 34  | 20  |           |     |     |
| C 156 C2-29 DO YOU REFER TO IRON CORE SCHEMATIC SYMBOLS FOR TRANSFORMERS  | 38  | 35  | 43  | 20  |           |     |     |
| C 157 C2-30 DO YOU REFER TO COMBINATIONS OF THE ABOVE SCHEMATIC SYMBOLS FOR TRANSFORMERS  | 52  | 45  | 62  | 40  |           |     |     |
| C 158 C2-31 DO YOU DETERMINE PHASE RELATIONSHIPS BETWEEN SECONDARY AND PRIMARY VOLTAGES OF TRANSFORMERS USING SCHEMATIC SYMBOLS | 22  | 22  | 23  | 0   |           |     |     |
| C 159 C2-32 DO YOU DETERMINE OR REFER TO THE TYPE OF CORE IN TRANSFORMERS YOU WORK WITH   | 13  | 13  | 13  | 0   |           |     |     |
| C 160 C2-33 DO YOU REFER TO OR USE THE GENERAL RULE THAT THE TURNS RATIO OF A TRANSFORMER IS EQUAL TO THE VOLTAGE RATIO         | 15  | 9   | 23  | 0   |           |     |     |
| C 161 C2-34 DO YOU USE OR REFER TO STEP-UP OR STEP-DOWN RATIOS FOR TRANSFORMERS   | 26  | 20  | 34  | 0   |           |     |     |
| C 162 C2-35 DO YOU CALCULATE VOLTAGE RATIOS FOR TRANSFORMERS USING TURNS RATIOS   | 9   | 6   | 13  | 0   |           |     |     |
| C 163 C2-36 DO YOU CALCULATE CURRENT RATIOS FOR TRANSFORMERS USING TURNS RATIOS   | 7   | 6   | 9   | 0   |           |     |     |
| C 164 C2-37 DOES YOUR JOB INVOLVE ANY TASKS DEALING WITH THREE PHASE TRANSFORMERS   | 10  | 7   | 15  | 0   |           |     |     |
| C 165 C2-38 DO YOU INSPECT THREE PHASE TRANSFORMERS   | 7   | 6   | 9   | 0   |           |     |     |
| C 166 C2-39 DO YOU CLEAN OR LUBRICATE THREE PHASE TRANSFORMERS  | 4   | 4   | 4   | 0   |           |     |     |
| C 167 C2-40 DO YOU ADJUST THREE PHASE TRANSFORMERS  | 3   | 3   | 4   | 0   |           |     |     |
| C 168 C2-41 DO YOU TROUBLESHOOT THREE PHASE TRANSFORMERS  | 7   | 7   | 6   | 0   |           |     |     |
| C 169 C2-42 DO YOU REMOVE OR REPLACE COMPLETE THREE PHASE TRANSFORMERS  | 7   | 6   | 9   | 0   |           |     |     |
| C 170 C2-43 DO YOU REMOVE OR REPLACE THREE PHASE TRANSFORMER PARTS SUCH AS WINDINGS   | 7   | 3   | 0   | 0   |           |     |     |
| C 171 C3-01 DO YOU USE OR REFER TO PERMANENT MAGNETS  | 43  | 35  | 55  | 40  |           |     |     |
| C 172 C3-02 DO YOU USE OR REFER TO TEMPORARY MAGNETS  | 38  | 32  | 47  | 20  |           |     |     |
| C 173 C3-03 DO YOU USE OR REFER TO RETENTIVITY OF MAGNETIC MATERIALS  | 11  | 13  | 9   | 20  | MAGNETISM |     |     |
| C 174 C3-04 DO YOU USE OR REFER TO RELUCTANCE OF MAGNETIC MATERIALS   | 17  | 19  | 15  | 40  |           |     |     |
| C 175 C3-05 DO YOU USE OR REFER TO PERMEABILITY OF MAGNETIC MATERIALS   | 14  | 16  | 6   | 20  |           |     |     |
| C 176 C3-06 DO YOU USE OR REFER TO INDUCTION MAGNETISM  | 17  | 17  | 15  | 20  |           |     |     |
| C 177 C3-07 DO YOU USE OR REFER TO MAGNETIC LINES OF FORCE ON FLUX  | 29  | 30  | 23  | 20  |           |     |     |
| C 178 C3-08 DO YOU USE OR REFER TO MECHANICS THEORY OF MAGNETISM  | 4   | 4   | 4   | 0   |           |     |     |

PCT MEMBERS RESPONDING YES TO SELECTED QNS

1. TASK GROUP SUMMARY  
PLACEMENT MEMBERS PERFORMING

UPSMU PAGE 8

|   | DY-TSK | SPC | SPC | SPC | SPC |
|---|--------|-----|-----|-----|-----|
| C 179 C-19 DO YOU USE OR REFER TO OJMAIN THEORY OF MAGNETISM  | 3      | 1   | 4   | 0   | 0   |
| C 180 C-19 DO YOU USE OR REFER TO MAGNETIC INDUCTION  | 16     | 14  | 19  | 20  | 20  |
| C 181 C-11 DO YOU USE OR REFER TO FLUX DENSITY  | 11     | 12  | 11  | 0   | 0   |
| C 182 C-14 DO YOU USE OR REFER TO THE GENERAL RULE THAT FOR MAGNETIC POLES, LIKE POLES REPEL AND UNLIKE POLES ATTRACT | 31     | 32  | 30  | 20  | 20  |
| C 183 C-13 DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE DIRECTION OF MAGNETIC FIELDS ABOUT STRAIGHT WIRES          | 11     | 10  | 13  | 20  | 20  |
| C 184 C-14 DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE NORTH POLE OF A CURRENT CARRYING COIL                      | 9      | 7   | 13  | 0   | 0   |
| D 185 D-15 DO YOU WORK WITH RCL, LCR, RCL CIRCUITS IN YOUR PRESENT JOB  | 40     | 30  | 53  | 20  | 20  |
| D 186 D-12 DO YOU USE OR REFER TO VECTORS WHEN WORKING WITH RCL CIRCUITS  | 2      | 3   | 0   | 0   | 0   |
| D 187 D-03 DO YOU USE OR REFER TO PYTHAGOREAN THEOREM WHEN WORKING WITH RCL CIRCUITS                                  | 2      | 1   | 2   | 0   | 0   |
| D 188 D-14 DO YOU USE OR REFER TO SINE WHEN WORKING WITH RCL CIRCUITS   | 2      | 3   | 0   | 0   | 0   |
| D 189 D-05 DO YOU USE OR REFER TO COSINE WHEN WORKING WITH RCL CIRCUITS   | 7      | 3   | 0   | 0   | 0   |
| D 190 D-06 DO YOU USE OR REFER TO TANGENT WHEN WORKING WITH RCL CIRCUITS  | 2      | 3   | 0   | 0   | 0   |
| D 191 D-07 DO YOU USE OR REFER TO WATTS WHEN WORKING WITH RCL CIRCUITS  | 13     | 12  | 15  | 0   | 0   |
| D 192 D-08 DO YOU USE OR REFER TO TRUE POWER (PT) WHEN WORKING WITH RCL CIRCUITS                                      | 4      | 7   | 9   | 0   | 0   |
| D 193 D-19 DO YOU USE OR REFER TO MAXIMUM POWER (PM) WHEN WORKING WITH RCL CIRCUITS                                   | 6      | 6   | 11  | 0   | 0   |
| D 194 D-10 DO YOU USE OR REFER TO AVERAGE POWER (PAVE) WHEN WORKING WITH RCL CIRCUITS                                 | 6      | 6   | 11  | 0   | 0   |
| D 195 D-11 DO YOU USE OR REFER TO APPARENT POWER (PA) WHEN WORKING WITH RCL CIRCUITS                                  | 4      | 6   | 11  | 0   | 0   |
| D 196 D-12 DO YOU USE OR REFER TO POWER FACTOR (PF) WHEN WORKING WITH RCL CIRCUITS                                    | 4      | 6   | 11  | 0   | 0   |
| D 197 D-13 DO YOU USE OR REFER TO RESONANT CIRCUITS WHEN WORKING WITH RCL CIRCUITS                                    | 4      | 9   | 11  | 0   | 0   |
| D 198 D-14 DO YOU USE OR REFER TO BANDWIDTH WHEN WORKING WITH RCL CIRCUITS  | 8      | 4   | 13  | 0   | 0   |
| D 199 D-15 DO YOU USE OR REFER TO SELECTIVITY WHEN WORKING WITH RCL CIRCUITS  | 7      | 3   | 13  | 0   | 0   |
| D 200 D-16 DO YOU USE OR REFER TO RESONANT FREQUENCY WHEN WORKING WITH RCL CIRCUITS                                   | 11     | 6   | 19  | 0   | 0   |
| D 201 D-17 DO YOU USE OR REFER TO HALF POWER POINTS WHEN WORKING WITH RCL CIRCUITS                                    | 3      | 4   | 2   | 0   | 0   |
| D 202 D-18 DO YOU USE OR REFER TO BANDPASS REGION WHEN WORKING WITH RCL CIRCUITS                                      | 7      | 4   | 11  | 0   | 0   |
| D 203 D-19 DO YOU USE OR REFER TO CIRCUIT Q WHEN WORKING WITH RCL CIRCUITS  | 4      | 3   | 6   | 0   | 0   |

PCT HOURS RESPONDING \*YES\* BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPSM10 PAGE 9

| DO-TSK   | SPC | SPC | SPC | SPC |
|--|-----|-----|-----|-----|
| D 204 D1-20 DO YOU USE OR REFER TO TANK CIRCUITS WHEN WORKING WITH RCL CIRCUITS  | 20  | 17  | 23  | 20  |
| D 205 D1-21 DO YOU DETERMINE VALUES OF TRIGONOMETRIC FUNCTIONS USING FORMULAS  | 1   | 1   | 0   | 0   |
| D 206 D1-22 DO YOU DRAW VOLTAGE, CURRENT, OR IMPEDANCE VECTOR DIAGRAMS FOR CIRCUITS  | 2   | 1   | 2   | 0   |
| D 207 D1-23 DO YOU CALCULATE TOTAL IMPEDANCE FOR CAPACITIVE CIRCUITS   | 3   | 1   | 4   | 0   |
| D 208 D1-24 DO YOU CALCULATE PHASE ANGLES BETWEEN IMPEDANCE AND RESISTANCE IN CAPACITIVE CIRCUITS  | 2   | 1   | 2   | 0   |
| D 209 D1-25 DO YOU CALCULATE TOTAL IMPEDANCE FOR SERIES RCL CIRCUITS   | 5   | 3   | 9   | 0   |
| D 210 D1-26 DO YOU CALCULATE IMPEDANCE ANGLES FOR SERIES RCL CIRCUITS  | 3   | 3   | 2   | 0   |
| D 211 D1-27 DO YOU CALCULATE APPARENT POWER (PA) FOR SERIES RCL CIRCUITS   | 3   | 3   | 4   | 0   |
| D 212 D1-28 DO YOU CALCULATE TRUE POWER (PT) FOR SERIES RCL CIRCUITS   | 3   | 3   | 2   | 0   |
| D 213 D1-29 DO YOU CALCULATE POWER FACTORS (PF) FOR SERIES RCL CIRCUITS  | 3   | 3   | 4   | 0   |
| D 214 D1-30 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RCL CIRCUITS   | 4   | 4   | 4   | 0   |
| D 215 D1-31 DO YOU CALCULATE IMPEDANCE ANGLES FOR PARALLEL RCL CIRCUITS  | 2   | 1   | 2   | 0   |
| D 216 D1-32 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL CIRCUITS USING THE ASSUMED VOLTAGE METHOD  | 3   | 3   | 2   | 0   |
| D 217 D1-33 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL CIRCUITS USING OHM'S LAW   | 6   | 4   | 9   | 0   |
| D 218 D1-34 DO YOU CHECK CAPACITORS USING OMMETERS   | 41  | 30  | 55  | 20  |
| D 219 D1-35 DO YOU CHECK CAPACITORS USING SUBSTITUTION   | 33  | 20  | 51  | 0   |
| D 220 D1-36 DO YOU CHECK INDUCTORS USING OMMETERS  | 34  | 26  | 51  | 20  |
| D 221 D1-37 DO YOU CHECK INDUCTORS USING SUBSTITUTION  | 28  | 14  | 49  | 0   |
| D 222 D1-38 DO YOU USE OR REFER TO THE GENERAL RULE THAT $\theta = \tan^{-1} \frac{X}{R}$ AND $\phi = \tan^{-1} \frac{X}{R}$ FOR RESONANT CIRCUITS     | 2   | 1   | 2   | 0   |
| D 223 D1-39 DO YOU CALCULATE RESONANT FREQUENCIES FOR RCL CIRCUITS   | 4   | 1   | 9   | 0   |
| D 224 D1-40 DO YOU USE OR REFER TO THE GENERAL RULE THAT IMPEDANCE IS MINIMUM AND CURRENT MAXIMUM AT THE RESONANT FREQUENCY FOR SERIES RCL CIRCUITS    | 7   | 6   | 9   | 0   |
| D 225 D1-41 DO YOU USE OR REFER TO THE GENERAL RULE THAT LINE CURRENT IS MINIMUM AND IMPEDANCE MAXIMUM AT RESONANT FREQUENCY FOR PARALLEL RCL CIRCUITS | 7   | 6   | 9   | 0   |
| D 226 D1-42 DO YOU USE OR REFER TO THE GENERAL RULE THAT HALF POWER POINTS ARE AT 70.7 PERCENT OF THE PEAK CURRENT VALUE                               | 3   | 3   | 4   | 0   |
| D 227 D1-43 DO YOU USE OR REFER TO THE GENERAL RULE THAT HANDWIDTH IS INVERSELY PROPORTIONAL TO $\omega$   | 3   | 1   | 4   | 0   |
| D 228 D1-44 DO YOU DETERMINE HOW CHANGES IN FREQUENCY, RESISTANCE * CAPACITANCE, OR INDUCTANCE WILL AFFECT CURRENT OR PHASE ANGLES FOR RCL CIRCUITS    | 5   | 3   | 9   | 0   |

PCT MARS RESPONDING "YES" BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPMIC PAGE 10

| DATA  | SPC | SPC | SPC | SPC | SPC | SPC |
|---|-----|-----|-----|-----|-----|-----|
| U 229 D2-U1 IN YOUR PRESENT JOB DO YOU WORK WITH, USE, OR REFER TO SERIES OR PARALLEL RESONANT CIRCUITS ON TIME CONSTANTS   | 2.0 | 1.6 | 2.6 | 4.0 |     |     |
| U 230 D2-U2 DO YOU WORK WITH, USE, OR REFER TO TIME CONSTANTS   | 1.7 | 1.6 | 1.9 | 4.0 |     |     |
| U 231 D2-U3 DO YOU WORK WITH, USE, OR REFER TO AVAILABLE VOLTAGE  | 1.0 | 9   | 1.3 | 2.0 |     |     |
| U 232 D2-U4 DO YOU WORK WITH, USE, OR REFER TO TRANSIENT INTERVALS  | 8   | 9   | 6   | 0   |     |     |
| U 233 U2-US DO YOU USE OR REFER TO THE GENERAL RULE THAT A CAPACITOR IS FULLY CHARGED (OR DISCHARGED) AFTER FIVE (5) TIME CONSTANTS (Tc)                                  | 8   | 7   | 9   | 0   |     |     |
| U 234 D2-U5 DO YOU USE OR REFER TO UNIVERSAL TIME CONSTANT CHARTS   | 5   | 4   | 6   | 0   |     |     |
| U 235 D2-U6 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE CIRCUIT CURRENT OR COMPONENT VOLTAGES AFTER A SPECIFIC TIME FOR RC OR LR CIRCUITS                               | 4   | 6   | 2   | 2.0 |     |     |
| U 236 D2-U8 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE THE TIME REQUIRED FOR CIRCUIT CURRENT OR COMPONENT VOLTAGES TO REACH SPECIFIC VALUES FOR RC OR LR CIRCUITS      | 3   | 1   | 4   | 0   |     |     |
| U 237 D2-U9 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE COMPONENT VALUES REQUIRED FOR CIRCUIT CURRENT AND COMPONENT VOLTAGES TO REACH SPECIFIC VALUES IN SPECIFIC TIMES | 2   | 1   | 2   | 0   |     |     |
| U 238 D2-U10 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT IN LR CIRCUITS REACHES ITS MAXIMUM VALUE (OR ZERO) AFTER FIVE (5) TIME CONSTANTS                        | 3   | 3   | 2   | 0   |     |     |
| D 239 D3-U1 DO YOU WORK WITH FILTERS USED AS FILTERS IN YOUR PRESENT JOB  | 6.0 | 5.8 | 7.7 | 6.0 |     |     |
| U 240 D3-U2 DO YOU INSPECT FILTER CIRCUITS  | 6.6 | 5.7 | 7.9 | 6.0 |     |     |
| U 241 D3-U3 DO YOU CLEAN FILTER CIRCUITS  | 5.5 | 4.3 | 7.2 | 4.0 |     |     |
| U 242 D3-U4 DO YOU ALIGN OR ADJUST FILTER CIRCUITS  | 2.6 | 2.5 | 3.2 | 4.0 |     |     |
| U 243 D3-U5 DO YOU TROUBLESHOOT TO THE FILTER CIRCUIT LEVEL   | 6.1 | 5.4 | 7.2 | 6.0 |     |     |
| U 244 D3-U6 DO YOU TROUBLESHOOT TO COMPONENT PARTS  | 6.0 | 5.1 | 7.4 | 4.0 |     |     |
| U 245 D3-U7 DO YOU REMOVE OR REPLACE THE COMPLETE FILTER CIRCUIT  | 5.9 | 5.2 | 7.0 | 6.0 |     |     |
| U 246 D3-U8 DO YOU REMOVE OR REPLACE FILTER CIRCUIT COMPONENT PARTS   | 6.1 | 5.1 | 7.7 | 2.0 |     |     |
| U 247 D3-U9 DO YOU WORK WITH LOW PASS FILTERS   | 3.4 | 2.8 | 4.5 | 2.0 |     |     |
| U 248 D3-U10 DO YOU WORK WITH HIGH PASS FILTERS   | 3.3 | 2.6 | 4.3 | 2.0 |     |     |
| U 249 D3-U11 DO YOU WORK WITH RANGEPASS FILTERS   | 2.8 | 2.0 | 4.0 | 2.0 |     |     |
| U 250 D3-U12 DO YOU WORK WITH BAND-REJECT FILTERS   | 2.0 | 1.4 | 2.8 | 2.0 |     |     |
| U 251 D3-U13 DON'T REMEMBER WHICH TYPE OF FILTER YOU WORK WITH  | 3.1 | 2.8 | 3.6 | 4.0 |     |     |
| U 252 D3-U14 DO YOU WORK WITH L-SECTION FILTER CONFIGURATION  | 2.1 | 1.4 | 3.0 | 0   |     |     |
| U 253 D3-U15 DO YOU WORK WITH T-SECTION FILTER CONFIGURATION  | 1.7 | 1.2 | 2.6 | 0   |     |     |
| U 254 D3-U16 DO YOU WORK WITH PI-SECTION FILTER CONFIGURATION   | 1.4 | 1.0 | 1.9 | 0   |     |     |
| U 255 D3-U17 DON'T REMEMBER WHICH TYPE FILTER CONFIGURATION   | 3.8 | 3.6 | 3.6 | 6.0 |     |     |
| U 256 D3-U18 DO THE FILTERS YOU WORK WITH USE PARALLEL RESONANT CIRCUITS  | 1.4 | 1.0 | 1.9 | 0   |     |     |
| U 257 D3-U19 DO THE FILTERS YOU WORK WITH USE SERIES-PARALLEL CIRCUITS  | 2.2 | 1.6 | 3.0 | 0   |     |     |
| U 258 D3-U20 DO THE FILTERS YOU WORK WITH USE SERIES RESONANT CIRCUITS  | 1.3 | 0   | 1.9 | 0   |     |     |

PCT MARS RESPONDING • YES, AT SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPMIC PAGE 11

|  | DY-TSK | SPC | SPC | SPC | SPC       |
|--|--------|-----|-----|-----|-----------|
| E 259 D3-21 DON'T REMEMBER WHICH TYPE OF BASIC CIRCUIT   | 40     | 36  | 45  | 60  |           |
| D 260 D4-22 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE CAPACITANCE OR INDUCTANCE VALUES REQUIRED FOR SPECIFIC FILTERS                 | 3      | 3   | 2   | 0   |           |
| E 261 E1-01 DO YOU WORK WITH COUPLING DEVICES IN YOUR PRESENT JOB  | 35     | 33  | 38  | 40  |           |
| E 262 E1-02 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH RC COUPLING          | 31     | 28  | 36  | 20  |           |
| E 263 E1-03 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH IMPEDANCE COUPLING   | 26     | 22  | 32  | 20  | COUPLING  |
| E 264 E1-04 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH TRANSFORMER COUPLING | 24     | 20  | 30  | 20  |           |
| E 265 E1-05 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM AC COUPLING   | 30     | 30  | 30  | 40  |           |
| E 266 E1-06 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM IMPEDANCE COUPLING  | 24     | 25  | 23  | 40  |           |
| E 267 E1-07 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM TRANSFORMER COUPLING  | 22     | 22  | 21  | 40  |           |
| E 268 E1-08 DO YOU WORK WITH DIRECTLY COUPLED CIRCUITS   | 29     | 29  | 30  | 0   |           |
| E 269 E1-09 DO YOU WORK WITH CAPACITIVE-RESISTIVE COUPLED CIRCUITS   | 29     | 28  | 32  | 0   |           |
| E 270 E1-10 DO YOU WORK WITH CAPACITIVE-INDUCTIVE COUPLED CIRCUITS   | 22     | 20  | 24  | 0   |           |
| E 271 E1-11 DO YOU WORK WITH TRANSFORMER COUPLED CIRCUITS  | 20     | 17  | 23  | 0   |           |
| E 272 E1-12 DON'T MEMBER WHICH TYPE OF COUPLING CIRCUITS   | 9      | 9   | 9   | 40  |           |
| E 273 E2-01 IN YOUR PRESENT JOB, DO YOU PERFORM SOLDERING TECHNIQUES OR INSPECT OR EVALUATE SOLDERED CONNECTIONS                         | 8H     | 86  | 91  | 80  |           |
| E 274 E2-02 DO YOU SELECT TYPE OF SOLDER TO USE  | 75     | 70  | 63  | 50  | SOLDERING |
| E 275 E2-03 DO YOU ADD FLUX TO CONNECTIONS   | 81     | 75  | 89  | 60  |           |
| E 276 E2-04 DO YOU CLEAN CONNECTIONS USING SOLVENTS  | 83     | 77  | 91  | 60  |           |
| E 277 E2-05 DO YOU STRIP INSULATION FROM WIRES   | 88     | 84  | 94  | 60  |           |
| E 278 E2-06 DO YOU CONNECT OR DISCONNECT HEAT SINKS  | 87     | 84  | 91  | 60  |           |
| E 279 E2-07 DO YOU BEND OR SHAPE WIRES OR LEADS  | 89     | 86  | 94  | 80  |           |
| E 280 E2-08 DO YOU CUT WIRES   | 89     | 85  | 94  | 80  |           |
| E 281 E2-09 DO YOU FILE OR SHAPE SOLDERING IRON TIPS   | 78     | 74  | 63  | 60  |           |
| E 282 E2-10 DO YOU TIN SOLDERING IRON TIPS   | 89     | 84  | 94  | 80  |           |
| E 283 E2-11 DO YOU CLEAN SOLDERING IRON TIPS   | 91     | 87  | 94  | 80  |           |
| E 284 E2-12 DO YOU CLEAN ELECTRICAL SURFACES USING ERASERS   | 84     | 78  | 91  | 80  |           |
| E 285 E2-13 DO YOU TIN OR PRE-TIN CONDUCTORS   | 83     | 77  | 81  | 80  |           |
| E 286 E2-14 DO YOU INSPECT SOLDERED CONNECTIONS  | 91     | 87  | 94  | 80  |           |
| E 287 E2-15 DO YOU DESOLDER CONNECTIONS BY KICKING   | 58     | 59  | 55  | 60  |           |
| E 288 E2-16 DO YOU DESOLDER CONNECTIONS USING VACUUM DESOLDERING TOOLS   | 83     | 78  | 89  | 80  |           |
| E 289 E2-17 DO YOU CUT COMPONENT LEADS TO REMOVE COMPONENTS  | 72     | 67  | 79  | 60  |           |
| E 290 E2-18 DO YOU CRUSH COMPONENTS FOR REMOVAL  | 28     | 26  | 32  | 0   |           |

DRAFT

|              |  | SPC | SPC | SPC | SPC | SPC         |
|--------------|--|-----|-----|-----|-----|-------------|
| E 491 E-2-19 | DO YOU MAKE HARDWIRE CONNECTIONS   | 84  | 81  | 87  | 80  |             |
| E 492 E-2-20 | DO YOU MAKE PRINTED CIRCUIT BOARD CONNECTIONS  | 91  | 87  | 96  | 80  |             |
| E 493 E-2-21 | DO YOU SOLDER PASSIVE COMPONENTS SUCH AS RESISTORS OR CAPACITORS ON PRINTED CIRCUIT BOARDS                             | 93  | 86  | 96  | 60  |             |
| E 294 F-2-22 | DO YOU SOLDER ACTIVE COMPONENTS SUCH AS SOLID-STATE DIODES, OR TRANSISTORS ON PRINTED CIRCUIT BOARDS                   | 91  | 87  | 96  | 80  |             |
| E 295 E-3-01 | DO YOU WORK WITH RELAYS IN YOUR PRESENT JOB  | 77  | 68  | 69  | 40  |             |
| E 496 E-3-02 | DO YOU ADJUST RELAYS   | 38  | 29  | 51  | 20  |             |
| E 497 E-3-03 | DO YOU CLEAN RELAYS  | 76  | 70  | 85  | 20  |             |
| E 498 E-3-04 | DO YOU INSPECT RELAYS  | 78  | 74  | 85  | 40  | RELAYS      |
| E 499 E-3-05 | DO YOU REMOVE OR REPLACE COMPLETE RELAYS   | 74  | 71  | 89  | 40  |             |
| E 500 E-3-06 | DO YOU REMOVE OR REPLACE PARTS OR RELAYS   | 34  | 29  | 43  | 0   |             |
| E 501 E-3-07 | DO YOU TROUBLESHOOT RELAYS   | 77  | 65  | 81  | 40  |             |
| E 502 E-3-08 | DO YOU STRAIGHTEN RELAY CONTACTS   | 57  | 51  | 66  | 20  |             |
| E 503 E-3-09 | DO YOU PERFORM TASKS ON RELAY CONTACTS   | 58  | 58  | 83  | 0   |             |
| E 504 E-3-10 | DO YOU PERFORM TASKS ON RELAY CORES  | 21  | 13  | 32  | 0   |             |
| E 505 E-3-11 | DO YOU PERFORM TASKS ON RELAY COILS  | 28  | 19  | 43  | 0   |             |
| E 506 E-3-12 | DO YOU PERFORM TASKS ON RELAY ARMATURES  | 48  | 39  | 62  | 0   |             |
| E 507 E-3-13 | DO YOU PERFORM TASKS ON RELAY SPRINGS  | 49  | 42  | 60  | 0   |             |
| E 508 E-3-14 | DO YOU USE OR REFER TO SINGLE POLE, SINGLE THROW ISPISTI) NORMALLY OPEN (NO) SCHEMATIC SYMBOLS FOR RELAYS              | 58  | 46  | 74  | 20  |             |
| E 509 E-3-15 | DO YOU USE OR REFER TO SINGLE POLE, SINGLE THROW ISPISTI) NORMALLY CLOSED (NC) SCHEMATIC SYMBOLS FOR RELAYS            | 54  | 42  | 72  | 20  |             |
| E 510 E-3-16 | DO YOU USE OR REFER TO SINGLE POLE, DOUBLE THROW ISPISTI) SCHEMATIC SYMBOLS FOR RELAYS                                 | 52  | 41  | 68  | 20  |             |
| E 511 E-3-17 | DO YOU USE OR REFER TO DOUBLE POLE, DOUBLE THROW ISPISTI) SCHEMATIC SYMBOLS FOR RELAYS                                 | 43  | 41  | 72  | 20  |             |
| E 512 E-3-18 | DO YOU USE OR REFER TO OTHER RELAY SYMBOLS SCHEMATIC SYMBOLS FOR RELAYS  | 56  | 49  | 66  | 20  |             |
| E 513 E-3-19 | DO YOU CHECK ELECTRICAL CONTINUITY OF COILS AND MEASURING RESISTANCE   | 63  | 51  | 74  | 40  |             |
| F 314 FI-01  | IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING WITH MICROPHONES   | 3   | 1   | 4   | 0   |             |
| F 315 FI-02  | DO YOU INSPECT MICROPHONES   | 3   | 1   | 4   | 0   | MICROPHONES |
| F 316 FI-03  | DO YOU CLEAN MICROPHONES   | 1   | 0   | 2   | 0   |             |
| F 317 FI-04  | DO YOU OPERATE MICROPHONES   | 1   | 1   | 4   | 0   |             |
| F 318 FI-05  | DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS BUT DO NOT TROUBLESHOOT DOWN TO COMPONENT PARTS OR MICROPHONES | 2   | 1   | 2   | 0   |             |
| F 319 FI-06  | DO YOU TROUBLESHOOT DOWN TO MICROPHONE PARTS   | 1   | 0   | 2   | 0   |             |
| F 320 FI-07  | DO YOU REMOVE OR REPLACE COMPLETE MICROPHONES  | 2   | 0   | 4   | 0   |             |
| F 321 FI-08  | DO YOU REMOVE OR REPLACE MICROPHONE PARTS  | 1   | 0   | 2   | 0   |             |
| F 322 FI-09  | DO YOU PERFORM TASKS ON CARBON MICROPHONES   | 0   | 0   | 0   | 0   |             |
| F 323 FI-10  | DO YOU PERFORM TASKS ON CAPACITOR MICROPHONES  | 0   | 0   | 0   | 0   |             |
| F 324 FI-11  | DO YOU PERFORM TASKS ON CRYSTAL MICROPHONES  | 1   | 0   | 2   | 0   |             |
| F 325 FI-12  | DO YOU PERFORM TASKS ON ULTRAMICROPHONES   | 2   | 0   | 4   | 0   |             |
| F 326 FI-13  | DO YOU PERFORM TASKS ON VELOCITY RIBBON MICROPHONES  | 0   | 0   | 0   | 0   |             |

PCT HRS RESPONDING \*YES\* AT SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPMIU PAGE 13

|   | DY-TSK |     |     |     |                      |
|---|--------|-----|-----|-----|----------------------|
|   | SPC    | SPC | SPC | SPC |                      |
| F J27 F2-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING WITH SPEAKERS   | 42     | 41  | 45  | 40  | SPEAKERS             |
| F J28 F2-02 DO YOU INSPECT SPEAKERS   | 42     | 41  | 45  | 40  |                      |
| F J29 F2-03 DO YOU CLEAN SPEAKERS   | 33     | 30  | 36  | 20  |                      |
| F J30 F2-04 DO YOU OPERATE SPEAKERS   | 36     | 38  | 38  | 40  |                      |
| F J31 F2-05 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS BUT DO NOT TROUBLESHOOT DOWN TO COMPONENT PARTS OF SPEAKERS   | 39     | 35  | 45  | 40  |                      |
| F J32 F2-06 DO YOU TROUBLESHOOT DOWN TO SPEAKER PARTS   | 3      | 3   | 4   | 0   |                      |
| F J33 F2-07 DO YOU REMOVE OR REPLACE COMPLETE SPEAKERS  | 40     | 35  | 47  | 40  |                      |
| F J34 F2-08 DO YOU REMOVE OR REPLACE SPEAKER PARTS  | 3      | 3   | 2   | 0   |                      |
| F J35 F2-09 DO YOU PERFORM ANY TASKS ON SPEAKER CONES   | 3      | 1   | 4   | 0   |                      |
| F J36 F2-10 DO YOU PERFORM ANY TASKS ON SPEAKER SPIDERS   | 0      | 0   | 0   | 0   |                      |
| F J37 F2-11 DO YOU PERFORM ANY TASKS ON SPEAKER FIELD COILS   | 1      | 0   | 2   | 0   |                      |
| F J38 F2-12 DO YOU PERFORM ANY TASKS ON SPEAKER VOICE COILS   | 2      | 0   | 4   | 0   |                      |
| F J39 F2-13 DO YOU PERFORM ANY TASKS ON SPEAKER PERMANENT MAGNETS   | 2      | 3   | 0   | 0   |                      |
| F J40 F2-14 DO YOU PERFORM ANY TASKS ON SPEAKER ELECTROMAGNETS  | 3      | 3   | 4   | 0   |                      |
| F J41 F2-15 DO YOU PERFORM ANY TASKS ON SPEAKER SOFT IRON CONES   | 3      | 3   | 2   | 0   |                      |
| F J42 F3-01 DO YOU USE OSCILLOSCOPES IN YOUR PRESENT JOB  | 87     | 83  | 94  | 80  |                      |
| F J43 F3-02 DO YOU USE OSCILLOSCOPES TO PERFORM OPERATIONAL CHECKS  | 78     | 75  | 83  | 80  | OSCILLOSCOPES        |
| F J44 F3-03 DO YOU USE OSCILLOSCOPES TO PERFORM ALIGNMENTS OR ADJUSTMENTS   | 83     | 80  | 87  | 80  |                      |
| F J45 F3-04 DO YOU USE OSCILLOSCOPES TO TROUBLESHOOT ELECTRONIC CIRCUITS  | 86     | 84  | 89  | 80  |                      |
| F J46 F3-05 DO YOU USE OSCILLOSCOPES TO MEASURE FREQUENCY   | 67     | 59  | 79  | 80  |                      |
| F J47 F3-06 DO YOU USE OSCILLOSCOPES TO MEASURE TIME  | 62     | 59  | 66  | 60  |                      |
| F J48 F3-07 DO YOU USE OSCILLOSCOPES TO OBSERVE LISAJOUS PATTERNS   | 63     | 68  | 55  | 40  |                      |
| F J49 F3-08 DO YOU USE OSCILLOSCOPES TO OBSERVE SIGNALS WHILE UTILIZING ATTENUATOR PROBES   | 84     | 86  | 87  | 80  |                      |
| F J50 F3-09 DO YOU USE OSCILLOSCOPES TO MAKE FREQUENCY OR TIME MEASUREMENTS USING DELAY TIME MULTIPLIERS  | 34     | 41  | 36  | 40  |                      |
| F J51 F3-10 DO YOU USE OSCILLOSCOPES TO MEASURE AC VOLTAGE  | 78     | 74  | 85  | 60  |                      |
| F J52 F3-11 DO YOU USE OSCILLOSCOPES TO MEASURE OR OBSERVE SIGNALS AFTER FIRST ADJUSTING THE GAIN AND DC BAL CONTROLS   | 55     | 49  | 64  | 80  |                      |
| F J53 F3-12 DO YOU USE OSCILLOSCOPES TO MEASURE DC VOLTAGE IN YOUR PRESENT JOB  | 88     | 84  | 94  | 80  |                      |
| G J54 G1-U1 DO YOU WORK WITH SEMICONDUCTOR DIODES   | 84     | 78  | 91  | 60  |                      |
| G J55 G1-U2 DO YOU INSPECT DIODES   | 86     | 80  | 96  | 60  | SEMICONDUCTOR DIODES |
| G J56 G1-U3 DO YOU REMOVE OR REPLACE DIODES   | 85     | 78  | 96  | 60  |                      |
| G J57 G1-U4 DO YOU CHECK DIODES USING AN INSTRUMENT   | 82     | 77  | 89  | 60  |                      |
| G J58 G1-U5 DO YOU USE ENERGY LEVEL DIAGRAMS IN YOUR WORK WITH DIODES   | 4      | 6   | 2   | 0   |                      |
| G J59 G1-U6 DO YOU USE PN JUNCTION DIODE CHARACTERISTIC CURVES, TOGETHER WITH VALUES OF FORWARD AND REVERSE BIAS VOLTAGE, TO COMPUTE FORWARD OR REVERSE LIAS RESISTANCE | 6      | 7   | 9   | 0   |                      |
| G J60 G1-U7 DO YOU COMPUTE FORWARD OR REVERSE BIAS RESISTANCE FOR DIODES  | 12     | 14  | 9   | 0   |                      |

ICT HIRNS RESPONDING \*YES\* BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPMIC PAGE 14

|  | SPC | SPC | SPC | SPC | SPC | SPC |
|--|-----|-----|-----|-----|-----|-----|
| DY-TSK   | 226 | 227 | 228 | 229 |     |     |
| G 361 GI-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT TEMPERATURE CAN AFFECT THE OPERATION OF DIODES  | 51  | 48  | 55  | 60  |     |     |
| G 362 GI-16 DO YOU IDENTIFY SEMICONDUCTOR DIODES AS OPPOSED TO OTHER ELECTRONIC COMPONENTS, SUCH AS RESISTORS, BASED ON THEIR PHYSICAL APPEARANCE          | 72  | 65  | 81  | 60  |     |     |
| G 363 GI-16 DO YOU REFER TO OH DO YOU DETERMINE THE GENERAL EFFECTS OF DOPING ON CURRENT FLOW  | 7   | 10  | 2   | 0   |     |     |
| G 364 GI-11 DO YOU USE OR REFER TO MEASUREMENTS OF FORWARD BIAS RESISTANCE   | 47  | 38  | 60  | 60  |     |     |
| G 365 GI-12 DO YOU USE OR REFER TO DIODE COLOR CODING  | 17  | 30  | 47  | 20  |     |     |
| G 366 GI-13 DO YOU USE OR REFER TO CENTRIFUGAL FORCE OF AN ELECTRON IN ORBIT AROUND A NUCLEUS  | 0   | 0   | 0   | 0   |     |     |
| G 367 GI-14 DO YOU USE OR REFER TO CENTRIPETAL FORCE OF AN ELECTRON IN ORBIT AROUND A NUCLEUS  | 1   | 1   | 0   | 20  |     |     |
| G 368 GI-15 DO YOU USE OR REFER TO DIODE NUMBERING SYSTEM, SUCH AS IN 538  | 60  | 55  | 68  | 40  |     |     |
| G 369 GI-16 DO YOU USE OR REFER TO KINETIC ENERGY OF AN ELECTRON MOVING IN ORBIT   | 1   | 1   | 0   | 0   |     |     |
| G 370 GI-17 DO YOU USE OR REFER TO POTENTIAL ENERGY OF AN ELECTRON MOVING IN ORBIT   | 1   | 1   | 0   | 0   |     |     |
| G 371 GI-18 DO YOU USE OR REFER TO MEASUREMENTS OF REVERSE BIAS RESISTANCE   | 44  | 35  | 57  | 60  |     |     |
| G 372 GI-19 DO YOU USE OR REFER TO NUMBER OF ELECTRONS IN A PARTICULAR SHELL OR ORBIT  | 2   | 1   | 2   | 0   |     |     |
| G 373 GI-20 DO YOU USE OR REFER TO PERMISSIBLE ENERGY LEVELS OF AN ORBITING ELECTRON   | 1   | 1   | 0   | 0   |     |     |
| G 374 GI-21 DO YOU USE OR REFER TO FORBIDDEN ENERGY LEVELS OF AN ORBITING ELECTRON   | 1   | 1   | 0   | 0   |     |     |
| G 375 GI-22 DO YOU USE OR REFER TO VALENCE ELECTRONS (THOSE IN THE OUTER MOST SHELL)   | 3   | 3   | 4   | 0   |     |     |
| G 376 GI-23 DO YOU USE OR REFER TO ATOMIC NUMBER (TOTAL NUMBER OF ELECTRONS IN TUMI)   | 1   | 1   | 0   | 0   |     |     |
| G 377 GI-24 DO YOU USE OR REFER TO SYMBOLS ON THE DIODE WHICH INDICATE THE CATHODE END   | 74  | 67  | 65  | 60  |     |     |
| G 378 GI-25 DO YOU NEED TO KNOW WHICH MATERIALS ARE USED IN THE CONSTRUCTION OF DIODES SUCH AS GERMANIUM OR SILICON  | 21  | 19  | 23  | 0   |     |     |
| G 379 GI-26 DO YOU NEED TO KNOW THAT SEMICONDUCTORS HAVE NEGATIVE TEMPERATURE COEFFICIENTS OF RESISTANCE (AS TEMPERATURE INCREASES RESISTANCE DECREASES)   | 35  | 30  | 43  | 40  |     |     |
| G 380 GI-27 DO YOU USE OR REFER TO PN JUNCTION DIODE CHARACTERISTIC CURVES, SUCH AS VOLTAGE - CURRENT POINTS OF STRUCTURAL BREAKDOWN, OR OPERATING REGIONS | 4   | 7   | 9   | 0   |     |     |
| G 381 GI-28 DO YOU DETERMINE WHETHER PN JUNCTION DIODES ARE FORWARD BIASED OR REVERSE BIASED WHEN YOU READ OR INTERPRET CIRCUIT DIAGRAMS                   | 55  | 49  | 64  | 40  |     |     |
| G 382 GI-29 DO YOU USE OR REFER TO VALENCE BAND IN SEMICONDUCTOR MATERIALS   | 4   | 3   | 6   | 0   |     |     |

PCT MARS RESPONDING 'YES' AT SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

UPSMIO PAGE 15

|  | SPC | SPC | SPC | SPC | SPC | SPC |
|--|-----|-----|-----|-----|-----|-----|
| DY-TSA   | 226 | 227 | 228 | 229 |     |     |
| G J83 G1-10 DO YOU USE OR REFER TO FORBIDDEN HAND IN SEMICONDUCTOR MATERIALS                         | 0   | 0   | 0   | 0   |     |     |
| G J84 G1-11 DO YOU USE OR REFER TO CONDUCTION BAND IN SEMICONDUCTOR MATERIALS                        | 4   | 6   | 2   | 0   |     |     |
| G J85 G1-12 DO YOU USE OR REFER TO COVALENT BONDING IN SEMICONDUCTOR MATERIALS                       | 3   | 1   | 4   | 0   |     |     |
| G J86 G1-13 DO YOU USE OR REFER TO ELECTRON-HOLE PAIR CREATED IN SEMICONDUCTORS                      | 3   | 3   | 4   | 0   |     |     |
| G J87 G1-14 DO YOU USE OR REFER TO ELECTRON FLOW OR HOLE FLOW IN SEMICONDUCTORS                      | 13  | 14  | 11  | 20  |     |     |
| G J88 G1-15 DO YOU USE OR REFER TO DUNOR IMPURITY IN SEMICONDUCTORS                                  | 3   | 3   | 2   | 0   |     |     |
| G J89 G1-16 DO YOU USE OR REFER TO ACCEPATOR IMPURITY IN SEMICONDUCTORS                              | 3   | 3   | 2   | 0   |     |     |
| G J90 G1-17 DO YOU USE OR REFER TO P-TYPE SEMICONDUCTOR MATERIAL                                     | 27  | 26  | 28  | 20  |     |     |
| G J91 G1-18 DO YOU USE OR REFER TO N-TYPE SEMICONDUCTOR MATERIAL                                     | 27  | 26  | 28  | 20  |     |     |
| G J92 G1-19 DO YOU USE OR REFER TO MAJORITY CARRIERS IN SEMICONDUCTORS                               | 7   | 7   | 6   | 0   |     |     |
| G J93 G1-20 DO YOU USE OR REFER TO MINORITY CARRIERS IN SEMICONDUCTORS                               | 7   | 7   | 6   | 0   |     |     |
| G J94 G1-41 DO YOU USE OR REFER TO JUNCTION RECOMBINATION IN SEMICONDUCTORS                          | 5   | 4   | 6   | 20  |     |     |
| G J95 G1-42 DO YOU USE OR REFER TO DEPLETION REGION IN SEMICONDUCTORS                                | 4   | 4   | 4   | 0   |     |     |
| G J96 G1-43 DO YOU USE OR REFER TO RELATIONSHIP BETWEEN BARRIER WIDTH AND DIFFERENCE OF POTENTIAL    | 4   | 6   | 0   |     |     |     |
| G J97 G1-44 DO YOU USE OR REFER TO THE 10:1 BACK TO FRONT RESISTANCE RATIO FOR DIODES                | 37  | 30  | 47  | 40  |     |     |
| G J98 G1-45 DO YOU USE OR REFER TO BARRIER HEIGHT IN SEMICONDUCTORS                                  | 1   | 1   | 0   | 0   |     |     |
| G J99 G1-46 DO YOU USE OR REFER TO DIODE SUBSTITUTION INFORMATION                                    | 33  | 25  | 45  | 20  |     |     |
| G 400 G1-47 DO YOU USE OR REFER TO MAXIMUM AVERAGE FORWARD CURRENT DIODE RATINGS                     | 16  | 13  | 14  | 0   |     |     |
| G 401 G1-48 DO YOU USE OR REFER TO PEAK RECURRENT FORWARD CURRENT DIODE RATINGS                      | 12  | 9   | 17  | 0   |     |     |
| G 402 G1-49 DO YOU USE OR REFER TO MAXIMUM SURGE CURRENT DIODE RATINGS                               | 18  | 14  | 23  | 0   |     |     |
| G 403 G1-50 DO YOU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE DIODE RATINGS                      | 21  | 17  | 23  | 0   |     |     |
| G 404 G2-01 DO YOU WORK WITH TRANSISTORS IN YOUR PRESENT JOB.  | 87  | 86  | 96  | 80  |     |     |
| G 405 G2-02 DO YOU INSPECT TRANSISTORS   | 89  | 86  | 94  | 80  |     |     |
| G 406 G2-03 DO YOU REMOVE OR REPLACE TRANSISTORS   | 90  | 86  | 96  | 80  |     |     |
| G 407 G2-04 DO YOU CHECK TRANSISTORS USING AN INSTRUMENT   | 84  | 83  | 87  | 60  |     |     |
| G 408 G2-05 DO YOU USE OR REFER TO Emitter - Base Test FORWARD AND REVERSE RESISTANCE MEASUREMENTS   | 78  | 71  | 89  | 60  |     |     |
| G 409 G2-06 DO YOU USE OR REFER TO COLLECTOR - BASE ICBI FORWARD AND REVERSE RESISTANCE MEASUREMENTS | 78  | 72  | 67  | 60  |     |     |

PCT MARKS RESPONDING 'YES' BY SELECTED GRPS  
TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

GPMIL PAGE 16

| Q     | TASK   | SPC | SPC | SPC | SPC | SPC | SPC |
|-------|--|-----|-----|-----|-----|-----|-----|
| 6 410 | 62-07 DO YOU USE OR REFER TO Emitter - COLLECTOR (EC) RESISTANCE MEASUREMENTS  | 74  | 72  | 85  | 60  |     |     |
| 6 411 | 62-08 DO YOU USE OR REFER TO MIN BIASING AFFECTS THE PHYSICAL BARRIER WIDTH OF THE Emitter - BASE JUNCTION   | 27  | 29  | 23  | 40  |     |     |
| 6 412 | 62-09 DO YOU USE OR REFER TO HOW BIASING AFFECTS THE PHYSICAL BARRIER WIDTH OF THE COLLECTOR - BASE JUNCTION   | 25  | 29  | 21  | 20  |     |     |
| 6 413 | 62-10 DO YOU USE OR REFER TO THE PHYSICAL SIZE OF THE TRANSISTOR STRUCTURE (COLLECTOR, BASE AND Emitter)   | 52  | 51  | 53  | 40  |     |     |
| 6 414 | 62-11 DO YOU USE OR REFER TO LEAKAGE CURRENT (ICBO) IN A TRANSISTOR  | 12  | 14  | 9   | 20  |     |     |
| 6 415 | 62-12 DO YOU USE OR REFER TO TRANSISTOR SCHEMATIC SYMBOLS  | 88  | 87  | 89  | AU  |     |     |
| 6 416 | 62-13 DO YOU USE OR REFER TO TRANSISTOR NOTATION SUCH AS Q1, Q2, Q3, ETC   | 87  | 86  | 89  | AU  |     |     |
| 6 417 | 62-14 DO YOU USE OR REFER TO TRANSISTOR SUBSTITUTION INFORMATION   | 45  | 45  | 45  | 20  |     |     |
| 6 418 | 62-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE TRANSISTOR BASE CURRENT IS NORMALLY SIGNIFICANTLY SMALLER THAN THE Emitter CURRENT IE USUALLY IS BEING 2 TO 8 PERCENT OF IE | 32  | 32  | 32  | 20  |     |     |
| 6 419 | 62-16 DO YOU USE THE INFORMATION THAT THE EFFECT OF Emitter BASE VOLTAGE ON BASE CURRENT IS THE CONTROLLING FACTOR FOR TRANSISTORS   | 43  | 45  | 40  | 20  |     |     |
| 6 420 | 62-17 DO YOU USE THE GENERAL RULE THAT LEAKAGE CURRENT (ICBO) IN A TRANSISTOR INCREASES AS TEMPERATURE INCREASES   | 13  | 14  | 11  | 20  |     |     |
| 6 421 | 62-18 DO YOU USE OR REFER TO TRANSISTOR CHARACTERISTIC CURVES  | 9   | 12  | 4   | 0   |     |     |
| 6 422 | 62-19 DO YOU USE OR REFER TO BETA TRANSISTOR GAINS   | 4   | 4   | 4   | 0   |     |     |
| 6 423 | 62-20 DO YOU USE OR REFER TO ALPHA TRANSISTOR GAINS  | 4   | 4   | 4   | 0   |     |     |
| 6 424 | 62-21 DO YOU USE OR REFER TO GAMMA TRANSISTOR GAINS  | 3   | 3   | 4   | 0   |     |     |
| 6 425 | 62-22 DO YOU CALCULATE HE TRANSISTOR GAINS   | 0   | 0   | 0   | 0   |     |     |
| 6 426 | 62-23 DO YOU CALCULATE ALPHA TRANSISTOR GAINS  | 0   | 0   | 0   | 0   |     |     |
| 6 427 | 62-24 DO YOU CALCULATE GAMMA TRANSISTOR GAINS  | 0   | 0   | 0   | 0   |     |     |
| 6 428 | 63-01 DO YOU WORK WITH TRANSISTOR AMPLIFIERS IN YOUR PRESENT JOB   | 59  | 55  | 64  | 60  |     |     |
| 6 429 | 63-02 DO YOU INSPECT TRANSISTOR AMPLIFIERS   | 56  | 49  | 66  | 40  |     |     |
| 6 430 | 63-03 DO YOU ALIGN OR ADJUST TRANSISTOR AMPLIFIERS   | 32  | 30  | 34  | 40  |     |     |
| 6 431 | 63-04 DO YOU TROUBLESHOOT TO THE AMPLIFIER CIRCUIT LEVEL   | 51  | 45  | 60  | 40  |     |     |
| 6 432 | 63-05 DO YOU TROUBLESHOOT TO AMPLIFIER COMPONENTS  | 53  | 49  | 60  | 40  |     |     |
| 6 433 | 63-06 DO YOU REMOVE OR REPLACE THE COMPLETE AMPLIFIER  | 49  | 43  | 57  | 20  |     |     |
| 6 434 | 63-07 DO YOU REMOVE OR REPLACE AMPLIFIER COMPONENTS  | 53  | 48  | 60  | 40  |     |     |
| 6 435 | 63-08 DO YOU USE OR REFER TO (COMMON Emitter) THE COLLECTOR CURRENT WHICH RESULTS FROM A CHANGE IN BASE CURRENT  | 28  | 25  | 32  | 20  |     |     |
| 6 436 | 63-09 DO YOU USE OR REFER TO (COMMON Emitter) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN COLLECTOR CURRENT WHICH RESULTS FROM A SPECIFIC CHANGE IN BASE CURRENT  | 9   | 7   | 13  | 20  |     |     |

PCT MARS RESPONDING \*YES\* BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPM10 PAGE 17

|   | SPC |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| DY-TSK  |     |     |     |     |     |     |     |     |     |
| G 437 G-10 DO YOU USE OR REFER TO (COMMON Emitter) THE CHANGE IN COLLECTOR VOLTAGE WHICH RESULTS FROM A CHANGE IN BASE CURRENT  | 26  | 22  | 32  | 20  |     |     |     |     |     |
| G 438 G-11 DO YOU USE OR REFER TO (COMMON Emitter) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN COLLECTOR VOLTAGE WHICH RESULTS FROM A SPECIFIC CHANGE IN BASE CURRENT                                  | 9   | 7   | 13  | 20  |     |     |     |     |     |
| G 439 G-12 DO YOU USE OR REFER TO (COMMON Emitter) THE CHANGE IN BASE CURRENT WHICH RESULTS FROM AN INPUT SIGNAL  | 26  | 23  | 36  | 20  |     |     |     |     |     |
| G 440 G-13 DO YOU USE OR REFER TO (COMMON Emitter) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN BASE CURRENT WHICH RESULTS FROM A SPECIFIC INPUT SIGNAL   | 10  | 9   | 13  | 0   |     |     |     |     |     |
| G 441 G-14 DO YOU USE THE LOAD-LINE METHOD OF ANALYSIS IN YOUR CIRCUIT ANALYSIS (THIS METHOD REQUIRES YOU TO PLOT A LOAD-LINE ON A TRANSISTOR CHARACTERISTIC CURVE)   | 2   | 1   | 2   | 0   |     |     |     |     |     |
| G 442 G-15 DO YOU USE OR REFER TO THE OPERATING POINT Q   | 12  | 9   | 17  | 0   |     |     |     |     |     |
| G 443 G-16 DO YOU CALCULATE THE SPECIFIC QUIESCENT POINT FOR A PARTICULAR TRANSISTOR  | 3   | 4   | 0   | 0   |     |     |     |     |     |
| G 444 G-17 DO YOU MEASURE VOLTAGE GAIN USED IN THE COMMON Emitter CONFIGURATION   | 34  | 26  | 43  | 40  |     |     |     |     |     |
| G 445 G-18 DO YOU MEASURE CURRENT GAIN USED IN THE COMMON Emitter CONFIGURATION   | 22  | 17  | 30  | 20  |     |     |     |     |     |
| G 446 G-19 DO YOU MEASURE POWER GAIN USED IN THE COMMON Emitter CONFIGURATION   | 16  | 16  | 15  | 20  |     |     |     |     |     |
| G 447 G-20 DO YOU CALCULATE THE VOLTAGE GAIN FOR SPECIFIC TRANSISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE CHANGE IN BASE-EMITTER VOLTAGE INTO THE CHANGE IN BASE COLLECTOR VOLTAGE TO DETERMINE THE VOLTAGE GAIN | 3   | 0   | 9   | 0   |     |     |     |     |     |
| G 448 G-21 DO YOU CALCULATE THE CURRENT GAIN FOR SPECIFIC TRANSISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE CHANGE IN BASE CURRENT INTO THE CHANGE IN COLLECTOR CURRENT TO DETERMINE THE CURRENT GAIN              | 3   | 0   | 6   | 0   |     |     |     |     |     |
| G 449 G-22 DO YOU CALCULATE THE POWER GAIN FOR A SPECIFIC TRANSISTOR USING A FORMULA THAT IS, DO YOU MULTIPLY THE CURRENT GAIN TIMES THE VOLTAGE GAIN TO DETERMINE THE POWER GAIN                                       | 3   | 1   | 4   | 0   |     |     |     |     |     |
| G 450 G-23 DO YOU NEED TO KNOW THAT MORE COLLECTOR CURRENT IS GENERATED WITH LESS COLLECTOR VOLTAGE AS TEMPERATURE INCREASES (THIS AFFECTS THE STATIC OPERATING POINT [Q] OF THE TRANSISTOR)                            | 11  | 7   | 17  | 0   |     |     |     |     |     |
| G 451 G-24 DO YOU COMPUTE THE STATIC OPERATING POINT [Q] OF A TRANSISTOR AT DIFFERENT TEMPERATURES  | 0   | 0   | 0   | 0   |     |     |     |     |     |
| G 452 G-25 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH Emitter (Swamping) Resistor Stabilization  | 23  | 23  | 23  | 0   |     |     |     |     |     |
| G 453 G-26 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH Self-Bias Stabilization  | 20  | 16  | 26  | 0   |     |     |     |     |     |

PCT MARKS RESPONDING \*YES\* BY SELECTED GROUPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

QPSM10 PAGE 1A

|       |  | SPC | SPC | SPC | SPC | SPC | SPC |
|-------|--|-----|-----|-----|-----|-----|-----|
|       | DY-TSK   | 226 | 227 | 228 | 229 |     |     |
| G 454 | G-47 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH THERMISTOR STABILIZATION                                  | 27  | 25  | 30  | 20  |     |     |
| G 455 | G-26 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH FORWARD BIAS DIODE STABILIZATION                          | 26  | 25  | 28  | 20  |     |     |
| G 456 | G-24 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH REVERSE BIAS DIODE STABILIZATION                          | 26  | 25  | 28  | 20  |     |     |
| G 457 | G-30 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH DOUBLE DIODE STABILIZATION                                | 16  | 13  | 21  | 0   |     |     |
| G 458 | G-31 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM Emitter ISWAMPING RESISTOR STABILIZATION   | 25  | 23  | 28  | 0   |     |     |
| G 459 | G-32 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM SELF-BIAS STABILIZATION  | 24  | 19  | 32  | 0   |     |     |
| G 460 | G-33 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM THERMISTOR STABILIZATION   | 31  | 28  | 36  | 20  |     |     |
| G 461 | G-34 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM FORWARD BIAS DIODE STABILIZATION   | 30  | 26  | 36  | 20  |     |     |
| G 462 | G-35 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM REVERSE BIAS DIODE STABILIZATION   | 28  | 26  | 32  | 20  |     |     |
| G 463 | G-36 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM DOUBLE DIODE STABILIZATION   | 19  | 14  | 26  | 0   |     |     |
| G 464 | G-37 DO YOU IDENTIFY AMPLITUDE DISTORTION FOR TRANSISTOR CIRCUITS  | 29  | 28  | 32  | 40  |     |     |
| G 465 | G-38 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF AMPLITUDE DISTORTION  | 34  | 33  | 36  | 40  |     |     |
| G 466 | G-39 DO YOU IDENTIFY FREQUENCY DISTORTION FOR TRANSISTOR CIRCUITS  | 26  | 22  | 32  | 40  |     |     |
| G 467 | G-40 DO YOU IDENTIFY PHASE DISTORTION FOR TRANSISTOR CIRCUITS  | 15  | 13  | 17  | 0   |     |     |
| G 468 | G-41 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF PHASE DISTORTION  | 13  | 13  | 13  | 20  |     |     |
| G 469 | G-42 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF FREQUENCY DISTORTION  | 21  | 20  | 21  | 20  |     |     |
| G 470 | G-43 DO YOU NEED TO KNOW THE DEGENERATIVE EFFECTS ON THE CIRCUIT CAUSED BY CHANGING Emitter RESISTANCE FOR TRANSISTOR AMPLIFIERS IN THE COMMON COLLECTOR CONFIGURATION | 11  | 12  | 11  | 0   |     |     |
| G 471 | G-44 DO YOU DETERMINE THE CLASS OF OPERATION FOR AMPLIFIERS IN ORDER TO TROUBLESHOOT AMPLIFIER CIRCUITS  | 16  | 13  | 19  | 0   |     |     |
| G 472 | G-45 DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS  | 12  | 10  | 15  | 20  |     |     |
| G 473 | G-46 DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL AMPLIFIERS  | 37  | 32  | 45  | 20  |     |     |
| G 474 | G-47 DO YOU TROUBLESHOOT OR REPAIR COMPLEMENTARY SYMMETRY AMPLIFIERS   | 15  | 14  | 15  | 20  |     |     |
| G 475 | G-48 DO YOU TROUBLESHOOT OR REPAIR COMPOUND-CONNECTED AMPLIFIERS   | 19  | 16  | 23  | 20  |     |     |

PCT MEMBERS RESPONDING \*YES\* BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPM10 PAGE 19

| Dy-Tsk  |  | SPC | SPC | SPC | SPC |
|---|--|-----|-----|-----|-----|
| 6 476 63-49 DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED AMPLIFIERS                          |  | 22  | 20  | 23  | 20  |
| H 477 H1-01 DO YOU USE OR REFER TO VARACTORS  |  | 12  | 9   | 17  | 0   |
| H 478 H1-02 DO YOU USE OR REFER TO TUNNEL DIODES  |  | 35  | 36  | 34  | 20  |
| H 479 H1-03 DO YOU USE OR REFER TO FIELD-EFFECT TRANSISTORS (FET)                               |  | 43  | 39  | 49  | 40  |
| H 480 H1-04 DO YOU USE OR REFER TO UNIJUNCTION TRANSISTORS                                      |  | 51  | 46  | 57  | 40  |
| H 481 H1-05 DO YOU USE OR REFER TO ZENER DIODES   |  | 85  | 60  | 60  | 60  |
| H 482 H1-06 DO YOU USE OR REFER TO INTEGRATED CIRCUITS  |  | 89  | 86  | 94  | 60  |
| H 483 H2-01 IN YOUR PRESENT JOB, DO YOU WORK WITH POWER SUPPLIES                                |  | 84  | 81  | 89  | 80  |
| H 484 H2-02 DO YOU INSPECT POWER SUPPLIES   |  | 91  | 88  | 94  | 80  |
| H 485 H2-03 DO YOU CLEAN POWER SUPPLIES   |  | 91  | 88  | 94  | 80  |
| H 486 H2-04 DO YOU ALIGN OR ADJUST POWER SUPPLIES   |  | 89  | 86  | 91  | 80  |
| H 487 H2-05 DO YOU TROUBLESHOOT POWER SUPPLY CIRCUIT LEVEL                                      |  | 87  | 84  | 91  | 80  |
| H 488 H2-06 DO YOU TROUBLESHOOT POWER SUPPLY COMPONENTS   |  | 87  | 83  | 94  | 60  |
| H 489 H2-07 DO YOU REMOVE OR REPLACE COMPLETE POWER SUPPLIES                                    |  | 70  | 64  | 79  | 60  |
| H 490 H2-08 DO YOU REMOVE OR REPLACE POWER SUPPLY COMPONENTS                                    |  | 88  | 84  | 94  | 80  |
| H 491 H2-09 DO YOU WORK WITH HALF-WAVE RECTIFIERS   |  | 65  | 59  | 72  | 80  |
| H 492 H2-10 DO YOU WORK WITH FULL-WAVE RECTIFIERS OTHER THAN BRIDGE RECTIFIERS                  |  | 73  | 67  | 83  | 80  |
| H 493 H2-11 DO YOU WORK WITH BRIDGE RECTIFIERS  |  | 80  | 77  | 85  | 80  |
| H 494 H2-12 DO YOU WORK WITH THREE-PHASE RECTIFIERS   |  | 33  | 32  | 34  | 20  |
| H 495 H2-13 DO YOU USE OR REFER TO INPUT VOLTAGE  |  | 78  | 75  | 83  | 80  |
| H 496 H2-14 DO YOU USE OR REFER TO INPUT FREQUENCY  |  | 43  | 38  | 51  | 20  |
| H 497 H2-15 DO YOU USE OR REFER TO PEAK OUTPUT VOLTAGE  |  | 66  | 67  | 64  | 40  |
| H 498 H2-16 DO YOU USE OR REFER TO AVERAGE OUTPUT VOLTAGE                                       |  | 65  | 62  | 68  | 20  |
| H 499 H2-17 DO YOU USE OR REFER TO RIPPLE AMPLITUDE   |  | 72  | 71  | 72  | 60  |
| H 500 H2-18 DO YOU USE OR REFER TO RIPPLE FREQUENCY   |  | 48  | 45  | 53  | 20  |
| H 501 H2-19 DO YOU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE                               |  | 29  | 30  | 28  | 0   |
| H 502 H2-20 DO YOU USE OR REFER TO SHAPE OF OUTPUT WAVEFORMS                                    |  | 64  | 64  | 64  | 60  |
| H 503 H2-21 DO YOU USE OR REFER TO EFFECTIVE OUTPUT VOLTAGE                                     |  | 71  | 70  | 72  | 60  |
| H 504 H2-22 DO YOU WORK WITH CIRCUITS WHICH EMPLOY CAPACITIVE FILTERS                           |  | 68  | 59  | 61  | 40  |
| H 505 H2-23 DO YOU WORK WITH CIRCUITS WHICH EMPLOY INDUCTIVE FILTERS                            |  | 48  | 41  | 60  | 40  |
| H 506 H2-24 DO YOU WORK WITH CIRCUITS WHICH EMPLOY CAPACITIVE INPUT L-TYPE FILTERS              |  | 39  | 32  | 49  | 40  |
| H 507 H2-25 DO YOU WORK WITH CIRCUITS WHICH EMPLOY INDUCTIVE INPUT L-TYPE FILTERS               |  | 32  | 28  | 38  | 40  |
| H 508 H2-26 DO YOU WORK WITH CIRCUITS WHICH EMPLOY LC PI-TYPE FILTERS                           |  | 26  | 23  | 36  | 20  |
| H 509 H2-27 DO YOU WORK WITH CIRCUITS WHICH EMPLOY RC PI-TYPE FILTERS                           |  | 30  | 28  | 34  | 20  |
| H 510 H2-28 DO YOU WORK WITH CIRCUITS WHICH EMPLOY DONUT FILTERS                                |  | 43  | 39  | 49  | 40  |
| H 511 H2-29 DO YOU HAVE THE OPTION OF REPLACING ONE TYPE OF FILTER WITH A DIFFERENT TYPE FILTER |  | 2   | 0   | 4   | 0   |
| H 512 H3-01 DO YOU WORK WITH OSCILLATORS IN YOUR PRESENT JOB                                    |  | 59  | 48  | 77  | 60  |

OSCILLATORS

PCT MARKS RESPONDING \*YES\* BY SELECTED GROUPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPSMIC PAGE 20

|                |   | SPC | SPC | SPC | SPC | SPC            | SPC | SPC | SPC |
|----------------|---|-----|-----|-----|-----|----------------|-----|-----|-----|
| DY=15k         |   |     |     |     |     |                |     |     |     |
| H 513 H-2-U2   | DO YOU INSPECT OSCILLATORS  | 56  | 43  | 74  | 60  |                |     |     |     |
| H 514 H-3-U3   | DO YOU ALIGN OR ADJUST OSCILLATORS                                      | 51  | 39  | 68  | 60  |                |     |     |     |
| H 515 H-4-U4   | DO YOU REMOVE OR REPLACE COMPLETE OSCILLATORS                           | 56  | 43  | 74  | 60  |                |     |     |     |
| H 516 H-5-U5   | DO YOU REMOVE OR REPLACE OSCILLATOR COMPONENTS                          | 37  | 24  | 49  | 20  |                |     |     |     |
| H 517 H-6-U6   | DO YOU TROUBLESHOOT TO OSCILLATOR CIRCUIT LEVEL                         | 54  | 42  | 72  | 60  |                |     |     |     |
| H 518 H-7-U7   | DO YOU TROUBLESHOOT TO OSCILLATOR COMPONENTS                            | 40  | 30  | 53  | 20  |                |     |     |     |
| H 519 H-8-U8   | DO YOU USE OR REFER TO FEEDBACK   | 38  | 35  | 43  | 40  |                |     |     |     |
| H 520 H-9-U9   | DO YOU USE OR REFER TO FREQUENCY DETERMINING DEVICES                    | 42  | 36  | 51  | 0   |                |     |     |     |
| (FDD)          |   |     |     |     |     |                |     |     |     |
| H 521 H-10-U10 | DO YOU USE OR REFER TO AMPLITUDE STABILITY                              | 37  | 33  | 43  | 0   |                |     |     |     |
| H 522 H-11-U11 | DO YOU USE OR REFER TO FREQUENCY STABILITY                              | 42  | 36  | 53  | 20  |                |     |     |     |
| H 523 H-12-U12 | DO YOU USE OR REFER TO DAMPING  | 17  | 16  | 19  | 0   |                |     |     |     |
| H 524 H-13-U13 | DO YOU USE OR REFER TO REGENERATIVE FEEDBACK                            | 25  | 23  | 28  | 20  |                |     |     |     |
| H 525 H-14-U14 | DO YOU USE OR REFER TO PIEZOELECTRIC EFFECT                             | 12  | 13  | 11  | 0   |                |     |     |     |
| H 526 H-15-U15 | DO YOU USE OR REFER TO CRITICAL DAMPING                                 | 7   | 7   | 6   | 0   |                |     |     |     |
| H 527 H-16-U16 | DO YOU USE OR REFER TO UNDER DAMPING                                    | 7   | 7   | 6   | 0   |                |     |     |     |
| H 528 H-17-U17 | DO YOU USE OR REFER TO OVER DAMPING                                     | 7   | 7   | 6   | 0   |                |     |     |     |
| H 529 H-18-U18 | DO YOU WORK WITH OSCILLATORS WHICH USE LC TANK                          | 22  | 12  | 36  | 20  |                |     |     |     |
| H 530 H-19-U19 | CIRCUITS AS FDD   | 30  | 20  | 45  | 20  |                |     |     |     |
| H 531 H-20-U20 | DO YOU WORK WITH OSCILLATORS WHICH USE RC NETWORKS AS FDD               | 48  | 36  | 66  | 20  |                |     |     |     |
| H 532 H-21-U21 | DO YOU WORK WITH OSCILLATORS WHICH USE CRYSTALS AS WHICH TYPE OF FDD    | 21  | 20  | 21  | 40  |                |     |     |     |
| H 533 H-22-U22 | DO YOU WORK WITH SERIES HARTLEY SINUSOIDAL OSCILLATORS                  | 18  | 12  | 26  | 0   |                |     |     |     |
| H 534 H-23-U23 | DO YOU WORK WITH SHUNT HARTLEY SINUSOIDAL OSCILLATORS                   | 19  | 13  | 26  | 0   |                |     |     |     |
| H 535 H-24-U24 | DO YOU WORK WITH COLPITTS SINUSOIDAL OSCILLATORS                        | 17  | 9   | 30  | 0   |                |     |     |     |
| H 536 H-25-U25 | DO YOU WORK WITH CLAPP SINUSOIDAL OSCILLATORS                           | 13  | 6   | 23  | 0   |                |     |     |     |
| H 537 H-26-U26 | DO YOU WORK WITH RUTTER SINUSOIDAL OSCILLATORS                          | 9   | 3   | 19  | 0   |                |     |     |     |
| H 538 H-27-U27 | DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF OSCILLATORS               | 32  | 32  | 32  | 60  |                |     |     |     |
| I 539 I-1-U1   | DO YOU WORK WITH MULTIVIBRATORS IN YOUR PRESENT JOB                     | 61  | 55  | 68  | 40  |                |     |     |     |
| I 540 I-2-U2   | DO YOU INSPECT WAVE GENERATING OR SHAPING CIRCUITS                      | 43  | 41  | 60  | 40  |                |     |     |     |
| I 541 I-3-U3   | DO YOU ALIGN OR ADJUST WAVE GENERATING OR SHAPING CIRCUITS              | 34  | 26  | 47  | 20  | MULTIVIBRATORS |     |     |     |
| I 542 I-4-U4   | DO YOU CALIBRATE WAVE GENERATING OR SHAPING CIRCUITS                    | 28  | 23  | 36  | 20  |                |     |     |     |
| I 543 I-5-U5   | DO YOU TROUBLESHOOT TO WAVE GENERATING OR SHAPING CIRCUITS              | 51  | 42  | 64  | 40  |                |     |     |     |
| I 544 I-6-U6   | DO YOU TROUBLESHOOT TO WAVE GENERATING OR SHAPING CIRCUITS              | 49  | 42  | 60  | 40  |                |     |     |     |
| I 545 I-7-U7   | DO YOU REMOVE OR REPLACE COMPLETE WAVE GENERATING OR SHAPING CIRCUITS   | 47  | 38  | 62  | 20  |                |     |     |     |
| I 546 I-8-U8   | COMPONENTS DO YOU REMOVE OR REPLACE WAVE GENERATING OR SHAPING CIRCUITS | 48  | 43  | 55  | 40  |                |     |     |     |
| I 547 I-9-U9   | DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN LC TANK CIRCUITS          | 27  | 16  | 43  | 0   |                |     |     |     |

## PCT MEMBERS RESPONDING - YES, BY SELECTED GROUPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

GPSM10 PAGE 21

## D-Y-TSK

|   |   | SPC | SPC | SPC | SPC |
|---|---|-----|-----|-----|-----|
|   |   | 226 | 227 | 228 | 229 |
| 1 | 548 11-10 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN RC NETWORKS   | 35  | 26  | 49  | 0   |
| 1 | 549 11-11 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN CRYSTALS  | 26  | 17  | 38  | 0   |
| 1 | 550 11-12 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN DON'T REMEMBER WHICH TYPE OF FOD  | 24  | 24  | 21  | 40  |
| 1 | 551 11-13 DO YOU WORK WITH ASSTABLE MULTIVIBRATORS  | 49  | 42  | 60  | 20  |
| 1 | 552 11-14 DO YOU WORK WITH MONOSTABLE MULTIVIBRATORS  | 50  | 43  | 60  | 20  |
| 1 | 553 11-15 DO YOU WORK WITH BISTABLE MULTIVIBRATORS  | 53  | 45  | 66  | 20  |
| 1 | 554 11-16 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE MULTIVIBRATORS   | 10  | 9   | 13  | 20  |
| 1 | 555 12-01 DO YOU WORK WITH LIMITERS OR CLAMPERS IN YOUR PRESENT JOB   | 34  | 29  | 43  | 20  |
| 1 | 556 12-02 DO YOU WORK WITH SERIES DIODE LIMITERS  | 22  | 16  | 32  | 0   |
| 1 | 557 12-03 DO YOU WORK WITH SHUNT DIODE LIMITERS   | 20  | 14  | 26  | 0   |
| 1 | 558 12-04 DO YOU WORK WITH LIMITERS WITH BIAS   | 16  | 13  | 21  | 0   |
| 1 | 559 12-05 DO YOU WORK WITH ZENER DIODE LIMITERS   | 26  | 20  | 38  | 0   |
| 1 | 560 12-06 DO YOU WORK WITH TRANSISTOR LIMITERS  | 25  | 16  | 38  | 0   |
| 1 | 561 12-07 DO YOU WORK WITH DON'T KNOW WHICH TYPE OF LIMITERS  | 16  | 14  | 17  | 20  |
| 1 | 562 12-08 DO YOU WORK WITH BASIC DIODE CLAMPING CIRCUITS  | 20  | 14  | 48  | 0   |
| 1 | 563 12-09 DO YOU WORK WITH DIODE CLAMPING CIRCUITS WITH BIAS  | 16  | 10  | 23  | 0   |
| 1 | 564 12-10 DO YOU WORK WITH DON'T KNOW WHICH TYPE OF CLAMPING CIRCUIT  | 16  | 14  | 17  | 20  |
| 1 | 565 13-01 IN YOUR PRESENT JOB, DO YOU WORK ON EQUIPMENT WHICH CONTAINS ELECTRON TUBES   | 4   | 4   | 4   | 0   |
| 1 | 566 13-02 DO YOU CHECK ELECTRON TUBES TO SEE IF THEY ARE GOOD   | 3   | 3   | 4   | 0   |
| 1 | 567 13-03 DO YOU USE TUBE TESTERS TO CHECK ELECTRON TUBES   | 3   | 3   | 2   | 0   |
| 1 | 568 13-04 DO YOU USE MULTIMETERS TO CHECK ELECTRON TUBES  | 1   | 1   | 0   | 0   |
| 1 | 569 13-05 DO YOU USE SCOPES TO CHECK ELECTRON TUBES   | 3   | 3   | 4   | 0   |
| 1 | 570 13-06 DO YOU USE SUBSTITUTION TO CHECK ELECTRON TUBES   | 3   | 3   | 4   | 0   |
| 1 | 571 13-07 DO YOU USE ON HEFER TO CUTOFF   | 2   | 3   | 0   | 0   |
| 1 | 572 13-08 DO YOU USE ON HEFER TO PEAK INVERSE VOLTAGE RATING  | 1   | 1   | 0   | 0   |
| 1 | 573 13-09 DO YOU USE ON HEFER TO PEAK CURRENT RATING  | 1   | 1   | 0   | 0   |
| 1 | 574 13-10 DO YOU USE ON HEFER TO TRANSIT TIME   | 1   | 1   | 0   | 0   |
| 1 | 575 13-11 DO YOU USE ON HEFER TO PLATE DISSIPATION RATING   | 1   | 1   | 0   | 0   |
| 1 | 576 13-12 DO YOU USE ON HEFER TO SATURATION   | 1   | 1   | 0   | 0   |
| 1 | 577 13-13 DO YOU USE ON HEFER TO DC PLATE RESISTANCE  | 1   | 1   | 0   | 0   |
| 1 | 578 13-14 DO YOU COMPUTE ACTUAL VALUES OF THE DC PLATE RESISTANCE FOR ELECTRON TUBES  | 0   | 0   | 0   | 0   |
| 1 | 579 13-15 DO YOU USE ON HEFER TO PLATE VOLTAGE  | 2   | 3   | 0   | 0   |
| 1 | 580 13-16 DO YOU USE ON HEFER TO PLATE CURRENT  | 1   | 1   | 0   | 0   |
| 1 | 581 13-17 DO YOU USE ON HEFER TO GRID VOLTAGE   | 2   | 3   | 0   | 0   |
| 1 | 582 13-18 DO YOU USE ON HEFER TO GRID CURRENT   | 1   | 1   | 0   | 0   |
| 1 | 583 13-19 DO YOU USE ON HEFER TO CATHODE VOLTAGE  | 2   | 3   | 0   | 0   |
| 1 | 584 13-20 DO YOU USE ON HEFER TO CATHODE CURRENT  | 1   | 1   | 0   | 0   |
| 1 | 585 13-21 DO YOU USE OR REFER TO THE TRIODE AMPLIFICATION FACTOR IF THE AMPLIFICATION FACTOR FOR TRIODES IS DEFINED AS THE RATIO OF CHANGE IN PLATE VOLTAGE TO A CHANGE IN GRID VOLTAGE | 1   | 1   | 0   | 0   |

PCT HOURS RESPONDING \*YES\* BY SELECTED GROUPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PRACTICING

GPMIC PAGE 22

TYPE

|       |  | SPC<br>226 | SPC<br>227 | SPC<br>228 | SPC<br>229                            |
|-------|--|------------|------------|------------|---------------------------------------|
| 1 586 | 13-22 DO YOU CALCULATE ACTUAL VALUES OF TRIODE AMPLIFICATION FACTORS   | 0          | 0          | 0          | 0                                     |
| 1 587 | 13-23 DO YOU USE OR REFER TO MULTIGRID TETRODE, PENTODE, ETC? AMPLIFICATION FACTORS  | 1          | 1          | 0          | 0                                     |
| 1 588 | 13-24 DO YOU USE OR REFER TO ELECTRON TUBE TRANSDUCTANCE (G, WHICH IS MEASURED IN MHUS)  | 0          | 0          | 0          | 0                                     |
| 1 589 | 13-25 DO YOU CALCULATE ACTUAL VALUES OF ELECTRON TUBE TRANSDUCTANCES   | 0          | 0          | 0          | 0                                     |
| 1 590 | 13-26 DO YOU USE OR REFER TO THE ELECTRON TUBE PARAMETER CALLED AC PLATE RESISTANCE  | 0          | 0          | 0          | 0                                     |
| 1 591 | 13-27 DO YOU CALCULATE ACTUAL VALUES OF AC PLATE RESISTANCE  | 0          | 0          | 0          | 0                                     |
| 1 592 | 13-28 DO YOU USE OR REFER TO ELECTRON TUBE INTERELECTRODE CAPACITANCE  | 0          | 0          | 0          | 0                                     |
| 1 593 | 13-29 DO YOU USE OR REFER TO CHARACTERISTIC CURVES IN YOUR WORK WITH ELECTRON TUBES  | 1          | 1          | 0          | 0                                     |
| 1 594 | 13-30 DO YOU USE CHARACTERISTIC CURVES TO SELECT PLATE VOLTAGE FOR A SPECIFIED BIAS  | 1          | 1          | 0          | 0                                     |
| 1 595 | 13-31 DO YOU USE CHARACTERISTIC CURVES TO SELECT PLATE CURRENT FOR A SPECIFIED BIAS  | 1          | 1          | 0          | 0                                     |
| 1 596 | 13-32 DO YOU USE CHARACTERISTIC CURVES TO SELECT BIAS REQUIRED FOR CUTOFF  | 1          | 1          | 0          | 0                                     |
| 1 597 | 13-33 DO YOU USE CHARACTERISTIC CURVES TO SELECT BIAS REQUIRED FOR SATURATION  | 1          | 1          | 0          | 0                                     |
| 1 598 | 13-34 DO YOU USE OR REFER TO ELECTRON TUBE AMPLIFIER GAIN  | 2          | 3          | 0          | 0                                     |
| 1 599 | 13-35 DO YOU USE OR REFER TO ELECTRON TUBE AMPLIFIER EFFICIENCY  | 1          | 1          | 0          | 0                                     |
| 1 600 | 13-36 DO YOU USE TEST TUBE CHECKERS TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN  | 2          | 3          | 0          | 0                                     |
| 1 601 | 13-37 DO YOU USE MULTIMETERS TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN   | 1          | 1          | 0          | 0                                     |
| 1 602 | 13-38 DO YOU USE OSCILLOSCOPES TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN   | 2          | 3          | 0          | 0                                     |
| 1 603 | 13-39 DO YOU USE CHARACTERISTIC CURVES TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN   | 1          | 1          | 0          | 0                                     |
| 1 604 | 13-40 DO YOU CALCULATE ANY ELECTRON TUBE CAPACITANCES SUCH AS INPUT CAPACITANCE  | 0          | 0          | 0          | 0                                     |
| 1 605 | 13-41 DO YOU USE OR REFER TO TUBE SOCKET NOTATION  | 3          | 3          | 4          | 0                                     |
| 1 606 | 13-42 DO YOU USE OR REFER TO PIN NUMBERING SYSTEMS   | 3          | 3          | 2          | 0                                     |
| 1 607 | 13-43 DO YOU USE OR REFER TO THE TYPE OF MATERIAL OR THE OPERATING TEMPERATURE OF THE EMITTING SURFACE IN THE ELECTION TUBES YOU WORK ON | 1          | 1          | 0          | 0                                     |
| 1 608 | 13-44 DO YOU USE OR REFER TO TUBE SUBSTITUTION MATERIAL SUCH AS MANUALS OR CHARTS  | 2          | 1          | 2          | 0                                     |
| J 609 | JT-07 DO YOU WORK WITH ELECTRON TUBE AMPLIFIERS OR CIRCUITS IN YOUR PRESENT JOB  | 2          | 3          | 0          | 0                                     |
| J 610 | JT-02 DO YOU DETERMINE THE CLASS OF OPERATION FOR ELECTRON TUBE AMPLIFIERS IN ORDER TO TROUBLESHOOT AMPLIFIER CIRCUITS                   | 0          | 0          | 0          | ELECTRON TUBE AMPLIFIERS AND CIRCUITS |

PCT MHS RESPONDING YES BY SELECTED GROUPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

6PSM10 PAGE 23

|   | 0Y-TSK | SPC | SPC | SPC | SPC        |
|---|--------|-----|-----|-----|------------|
|   |        | 226 | 227 | 228 | 229        |
| J 611 J1-03 DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS  | 1      | 1   | 0   | 0   | 0          |
| J 612 J1-U4 DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL AMPLIFIERS  | 1      | 1   | 0   | 0   | 0          |
| J 613 J1-U5 DO YOU TROUBLESHOOT OR REPAIR COMPOUNDCONNECTED AMPLIFIERS  | 1      | 1   | 0   | 0   | 0          |
| J 614 J1-U6 DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED AMPLIFIERS  | 0      | 0   | 0   | 0   | 0          |
| J 615 J1-07 DO YOU TROUBLESHOOT OR REPAIR DON'T KNOW WHICH TYPE OF AMPLIFIER  | 1      | 1   | 0   | 0   | 0          |
| J 616 J2-01 DO YOU WORK WITH GAS TUBES (HOT CATHODE OR COLD CATHODE)  | 1      | 1   | 0   | 0   | 0          |
| J 617 J2-02 DO YOU WORK WITH CATHODE-RAY TUBES  | 2      | 3   | 0   | 0   | 0          |
| J 618 J2-03 DO YOU USE OR REFER TO THE CHARACTERISTICS OF BEAM POWER TUBES  | 0      | 0   | 0   | 0   | 0          |
| J 619 J2-04 DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH BEAM POWER TUBES ARE USED   | 1      | 1   | 0   | 0   | 0          |
| J 620 J2-05 DO YOU USE OR REFER TO THE CHARACTERISTICS OF THYRATRONS  | 0      | 0   | 0   | 0   | 0          |
| J 621 J2-06 DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH THYRATRONS ARE USED   | 0      | 0   | 0   | 0   | 0          |
| J 622 J2-07 DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTRON GUNS OF CATHODE-RAY TUBES (CRT)                      | 0      | 0   | 0   | 0   | 0          |
| J 623 J2-08 DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTROMAGNETIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES (CRT) | 0      | 0   | 0   | 0   | 0          |
| J 624 J2-09 DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTROSTATIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES (CRT)   | 0      | 0   | 0   | 0   | 0          |
| J 625 J2-10 DO YOU USE OR REFER TO PHOSPHOR SCREENS   | 0      | 0   | 0   | 0   | 0          |
| J 626 J2-11 DO YOU USE OR REFER TO A-UADAG COATINGS   | 0      | 0   | 0   | 0   | 0          |
| J 627 J2-12 DO YOU USE OR REFER TO ELECTRON OPTICS  | 0      | 0   | 0   | 0   | 0          |
| J 628 J2-13 DO YOU USE OR REFER TO PERSISTENCE  | 0      | 0   | 0   | 0   | 0          |
| J 629 J2-14 DO YOU USE OR REFER TO DECAY TIMES  | 0      | 0   | 0   | 0   | 0          |
| J 630 J2-15 DO YOU USE OR REFER TO FLUORESCENCE   | 0      | 0   | 0   | 0   | 0          |
| J 631 J2-16 DO YOU USE OR REFER TO PHOSPHORESCENCE  | 0      | 0   | 0   | 0   | 0          |
| J 632 J3-01 DO YOU WORK ON TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB  | 34     | 33  | 47  | 44  |            |
| J 633 J3-02 DO YOU PERFORM TASKS ON FREQUENCY CONVERTERS  | 26     | 20  | 34  | 40  |            |
| J 634 J3-03 DO YOU PERFORM TASKS ON FREQUENCY MIXERS  | 22     | 16  | 32  | 30  |            |
| J 635 J3-04 DO YOU USE OR REFER TO THE HETERODYNING OF SIGNALS IN YOUR WORK WITH TRANSMIT OR RECEIVE SYSTEMS                    | 6      | 3   | 11  | 0   |            |
| J 636 J3-05 DO YOU PERFORM TASKS ON HEACTANCE MODULATORS  | 2      | 3   | 0   | 0   |            |
| J 637 J3-06 DO YOU PERFORM TASKS ON MODULATED OSCILLATORS   | 22     | 14  | 32  | 0   |            |
| X 638 K1-01 DO YOU WORK ON AM TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB   | 4      | 1   | 9   | 0   |            |
| X 639 K1-02 DO YOU INSPECT AM TRANSMIT OR RECEIVE SYSTEMS   | 4      | 1   | 9   | 0   | AM SYSTEMS |
| X 640 K1-U3 DO YOU CLEAN AM TRANSMIT OR RECEIVE SYSTEMS   | 4      | 1   | 9   | 0   |            |
| X 641 K1-U4 DO YOU ALIGN OR ADJUST AM TRANSMIT OR RECEIVE SYSTEMS   | 4      | 1   | 9   | 0   |            |

PCI HAS RESPONDING \*YES\* BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPMIC PAGE 24

|  |        | SPC | SPC | SPC | SPC | SPC        | SPC |
|--|--------|-----|-----|-----|-----|------------|-----|
|  | DY-TSK | 226 | 227 | 228 | 229 |            |     |
| K 642 K1-U5 DO YOU TROUBLESHOOT TO AN TRANSMIT OR RECEIVE SYSTEMS                            | *      | 1   | 9   | 9   | 0   |            |     |
| K 643 K1-U6 DO YOU TROUBLESHOOT TO AN TRANSMIT OR RECEIVE SYSTEMS                            | *      | 1   | 9   | 0   | 0   |            |     |
| K 644 K1-J7 DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE SYSTEMS                          | *      | 1   | 6   | 0   | 0   |            |     |
| K 645 K1-U8 DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE SYSTEMS                          | *      | 1   | 9   | 0   | 0   |            |     |
| K 646 K1-U9 DO YOU PERFORM TASKS ON HF OSCILLATORS   | *      | 1   | 6   | 0   | 0   |            |     |
| K 647 K1-U10 YOU PERFORM TASKS ON HF AMPLIFIERS  | *      | 1   | 6   | 0   | 0   |            |     |
| K 648 K1-U11 DO YOU PERFORM TASKS ON AUDIO AMPLIFIERS  | *      | 1   | 6   | 0   | 0   |            |     |
| K 649 K1-U12 DO YOU PERFORM TASKS ON POWER AMPLIFIERS  | *      | 1   | 6   | 0   | 0   |            |     |
| K 650 K1-U13 DO YOU PERFORM TASKS ON LOCAL OSCILLATORS                                       | *      | 1   | 6   | 0   | 0   |            |     |
| K 651 K1-U14 DO YOU PERFORM TASKS ON IF AMPLIFIERS   | *      | 1   | 6   | 0   | 0   |            |     |
| K 652 K1-U15 DO YOU PERFORM TASKS ON DETECTORS   | *      | 1   | 6   | 0   | 0   |            |     |
| K 653 K1-U16 DO YOU USE OR REFER TO AMPLITUDE STABILIZATION IN TRANSMITTERS                  | *      | 1   | 6   | 0   | 0   |            |     |
| K 654 K1-U17 DO YOU USE OR REFER TO AMPLITUDE STABILIZATION IN TRANSMITTERS                  | *      | 2   | 0   | 4   | 0   |            |     |
| K 655 K1-U18 DO YOU USE OR REFER TO FREQUENCY STABILIZATION IN TRANSMITTERS                  | *      | 2   | 0   | 4   | 0   |            |     |
| K 656 K1-U19 DO YOU USE OR REFER TO SENSITIVITY OF RECEIVERS                                 | *      | 3   | 0   | 6   | 0   |            |     |
| K 657 K1-U20 DO YOU USE OR REFER TO SELECTIVITY OF RECEIVERS                                 | *      | 3   | 0   | 6   | 0   |            |     |
| K 658 K1-U21 DO YOU USE OR REFER TO 2ND HARMONIC DISTORTION                                  | *      | 1   | 0   | 2   | 0   |            |     |
| K 659 K1-U22 DO YOU USE OR REFER TO BANDPASS DISTORTION                                      | *      | 2   | 0   | 4   | 0   |            |     |
| K 660 K1-U23 DO YOU USE OR REFER TO SQUARE LAW DISTORTION                                    | *      | 0   | 0   | 0   | 0   |            |     |
| K 661 K1-U24 DO YOU USE OR REFER TO CO-CHANNEL INTERFERENCE                                  | *      | 2   | 0   | 4   | 0   |            |     |
| K 662 K1-U25 DO YOU USE OR REFER TO IMAGE FREQUENCIES IN RECEIVERS                           | *      | 2   | 0   | 4   | 0   |            |     |
| K 663 K1-U26 DO YOU USE OR REFER TO SIGNAL TO IMAGE RATIOS OR IMAGE REJECTION RATIOS         | *      | 2   | 0   | 4   | 0   |            |     |
| K 664 K1-U27 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH AM TRANSMITTER SCHEMATIC DIAGRAMS | *      | 3   | 1   | 6   | 0   |            |     |
| K 665 K1-U28 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH AM RECEIVER SCHEMATIC DIAGRAMS    | *      | 1   | 9   | 0   | 0   |            |     |
| K 666 K2-U1 DO YOU WORK WITH FM TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB              | *      | 11  | 0   | 28  | 0   |            |     |
| K 667 K2-U2 DO YOU INSPECT FM TRANSMIT OR RECEIVE SYSTEMS                                    | *      | 9   | 0   | 23  | 0   |            |     |
| K 668 K2-U3 DO YOU CLEAN FM TRANSMIT OR RECEIVE SYSTEMS                                      | *      | 9   | 0   | 21  | 0   | FM SYSTEMS |     |
| K 669 K2-U4 DO YOU ALIGN FM TRANSMIT OR RECEIVE SYSTEMS                                      | *      | 7   | 0   | 17  | 0   |            |     |
| K 670 K2-U5 DO YOU TROUBLESHOOT FM TRANSMIT OR RECEIVE SYSTEMS                               | *      | 9   | 0   | 21  | 0   |            |     |
| K 671 K2-U6 DO YOU TROUBLESHOOT TO FM TRANSMIT OR RECEIVE COMPONENTS                         | *      | 9   | 0   | 21  | 0   |            |     |
| K 672 K2-U7 DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE SYSTEMS                          | *      | 10  | 0   | 26  | 0   |            |     |
| K 673 K2-U8 DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE SYSTEMS                          | *      | 9   | 0   | 23  | 0   |            |     |
| K 674 K2-U9 DO YOU PERFORM TASKS ON AUDIO AMPLIFIERS   | *      | 9   | 0   | 21  | 0   |            |     |
| K 675 K2-U10 DO YOU PERFORM TASKS ON FREQUENCY MULTIPLIERS                                   | *      | 9   | 0   | 21  | 0   |            |     |

PCT MARKS RESPONDING \*YES\* BY SELECTED GRPS  
TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

GPMU PAGE 25

|   | DY-TSK | SPC | SPC | SPC | SPC |
|---|--------|-----|-----|-----|-----|
| K 676 K2-11 DO YOU PERFORM TASKS ON DRIVERS (INTERMEDIATE AMPLIFIERS)                           | 6      | 0   | 15  | 0   | 229 |
| K 677 K2-12 DO YOU PERFORM TASKS ON POWER AMPLIFIERS  | 6      | 0   | 15  | 0   | 226 |
| K 678 K2-13 DO YOU PERFORM TASKS ON HF AMPLIFIERS   | 6      | 0   | 15  | 0   | 227 |
| K 679 K2-14 DO YOU PERFORM TASKS ON FREQUENCY CONVERTERS  | 7      | 0   | 17  | 0   | 228 |
| K 680 K2-15 DO YOU PERFORM TASKS ON IF AMPLIFIERS   | 3      | 0   | 9   | 0   | 229 |
| K 681 K2-16 DO YOU PERFORM TASKS ON LIMITERS  | 6      | 0   | 15  | 0   | 229 |
| K 682 K2-17 DO YOU PERFORM TASKS ON FREQUENCY DISCRIMINATORS                                    | 7      | 0   | 17  | 0   | 229 |
| X 683 K2-18 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SCHEMATIC DIAGRAMS OF FM TRANSMITTERS | 9      | 0   | 21  | 0   | 229 |
| K 684 K2-19 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SCHEMATIC DIAGRAMS OF FM RECEIVERS    | 9      | 0   | 23  | 0   | 229 |
| K 685 K3-01 DO YOU CONVERT DECIMAL (BASE 10) NUMBERS TO OCTAL (BASE 8) NUMBERS                  | 34     | 33  | 36  | 60  | 229 |
| K 686 K3-02 DO YOU CONVERT DECIMAL NUMBERS TO BINARY (BASE 2) NUMBERS                           | 49     | 45  | 55  | 40  | 229 |
| K 687 K3-03 DO YOU CONVERT OCTAL NUMBERS TO DECIMAL NUMBERS                                     | 33     | 33  | 32  | 40  | 229 |
| K 688 K3-04 DO YOU CONVERT OCTAL NUMBERS TO BINARY NUMBERS                                      | 34     | 33  | 34  | 40  | 229 |
| K 689 K3-05 DO YOU CONVERT BINARY NUMBERS TO DECIMAL NUMBERS                                    | 45     | 42  | 49  | 40  | 229 |
| K 690 K3-06 DO YOU CONVERT BINARY NUMBERS TO OCTAL NUMBERS                                      | 34     | 35  | 34  | 40  | 229 |
| K 691 K3-07 DO YOU ADD BINARY NUMBERS TO GET A SUM  | 41     | 39  | 45  | 40  | 229 |
| K 692 K3-08 DO YOU SUBTRACT BINARY NUMBERS USING THE END-AROUND-CARRY METHOD                    | 34     | 35  | 32  | 20  | 229 |
| K 693 K3-09 DO YOU SUBTRACT BINARY NUMBERS USING THE DIRECT SUBTRACTION METHOD                  | 33     | 33  | 32  | 20  | 229 |
| K 694 K3-10 DO YOU ADD OCTAL NUMBERS TO GET A SUM   | 27     | 28  | 26  | 20  | 229 |
| L 695 L1-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS RELATING TO LOGIC FUNCTIONS           | 84     | 81  | 89  | 80  | 229 |
| L 696 L1-02 DO YOU CONSTRUCT TRUTH TABLES FOR AND LOGIC SYMBOLS                                 | 47     | 42  | 53  | 40  | 229 |
| L 697 L1-03 DO YOU CONSTRUCT TRUTH TABLES FOR OR LOGIC SYMBOLS                                  | 47     | 42  | 53  | 40  | 229 |
| L 698 L1-04 DO YOU CONSTRUCT TRUTH TABLES FOR AND OR LOGIC SYMBOLS WITH STATE INDICATORS        | 47     | 42  | 53  | 40  | 229 |
| L 699 L1-05 DO YOU CONSTRUCT TRUTH TABLES FOR EXCLUSIVE OR LOGIC SYMBOLS OR GATES               | 47     | 42  | 53  | 40  | 229 |
| L 700 L1-06 DO YOU USE OR REFER TO TRUTH TABLES FOR AND LOGIC SYMBOLS OR GATES                  | 70     | 62  | 81  | 40  | 229 |
| L 701 L1-07 DO YOU USE OR REFER TO TRUTH TABLES FOR OR LOGIC SYMBOLS OR GATES                   | 70     | 62  | 81  | 40  | 229 |
| L 702 L1-08 DO YOU USE OR REFER TO TRUTH TABLES FOR AND OR LOGIC SYMBOLS WITH STATE INDICATORS  | 70     | 62  | 81  | 40  | 229 |
| L 703 L1-09 DO YOU USE OR REFER TO TRUTH TABLES FOR EXCLUSIVE OR LOGIC SYMBOLS                  | 70     | 62  | 81  | 40  | 229 |
| L 704 L1-10 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR AND GATES                                  | 84     | 80  | 89  | 80  | 229 |
| L 705 L1-11 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR OR GATES                                   | 84     | 80  | 89  | 80  | 229 |
| L 706 L1-12 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR NAND OR NOR GATES                          | 84     | 80  | 89  | 80  | 229 |

PC1 MRS RESPONDING •YES• BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PLENTIFUL

GPM10 PAGE 26

|   | U/T-SK | 'PC | SPC | SPC | SPC | SPC |
|---|--------|-----|-----|-----|-----|-----|
| L 707 L-13 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR EXCLUSIVE OR GATES  | 83     | 78  | 89  | 60  | 59  | 70  |
| L 708 L-14 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS RELATING TO BOOLEAN EQUATIONS, LOGIC DIAGRAMS, OR LOGIC CIRCUITS | 226    | 227 | 228 | 229 | 14  | 13  |
| L 709 L-12 DO YOU DRAW LOGIC SYMBOL FOR DIRECT COUPLED TRANSISTOR LOGIC (DTL) CIRCUITS                                    | 14     | 13  | 19  | 0   | 57  | 49  |
| L 710 L-03 DO YOU CONSTRUCT TRUTH TABLES FOR CURRENT MODE LOGIC (CML) CIRCUITS  | 10     | 7   | 15  | 0   | 20  | 17  |
| L 711 L-04 DO YOU DRAW LOGIC DIAGRAMS FROM GIVEN BOOLEAN EVALUATIONS  | 25     | 22  | 30  | 0   | 57  | 49  |
| L 712 L-05 DO YOU MEASURE INPUTS OR OUTPUTS OF LOGIC GATES  | 27     | 26  | 28  | 0   | 57  | 48  |
| L 713 L-06 DO YOU DEVELOP OR ANALYZE BOOLEAN EQUATIONS IN THE PROCESS OF TROUBLESHOOTING DIGITAL CIRCUITS                 | 27     | 23  | 0   | 0   | 57  | 48  |
| L 714 L-07 DO YOU ANALYZE LOGIC CIRCUITS BY USING BOOLEAN ALGEBRA   | 27     | 23  | 32  | 0   | 27  | 26  |
| L 715 L-08 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR DIRECT COUPLED TRANSISTOR LOGIC (DTL) CIRCUIT GATES                   | 14     | 10  | 19  | 0   | 27  | 23  |
| L 716 L-09 DO YOU USE OR REFER TO TRUTH TABLES FOR CURRENT MODE LOGIC (CML) CIRCUITS                                      | 58     | 51  | 68  | 0   | 14  | 10  |
| L 717 L-10 DO YOU USE OR REFER TO LOGIC DIAGRAMS CONSISTING OF MORE THAN ONE GATE   | 25     | 20  | 32  | 0   | 58  | 51  |
| L 718 L-11 DO YOU COMPUTE SUM AND CARRY EXPRESSIONS FOR SERIAL HALF OR FULL ADDER LOGIC DIAGRAMS                          | 34     | 33  | 47  | 0   | 58  | 51  |
| L 719 L-12 DO YOU TRACE DATA FLOW THROUGH PARALLEL FULL ADDER LOGIC DIAGRAMS  | 44     | 41  | 62  | 0   | 58  | 51  |
| L 720 L-13 DO YOU WORK WITH ASTABLE (FREE RUNNING) MULTIVIBRATORS   | 56     | 49  | 66  | 0   | 58  | 51  |
| L 721 L-14 DO YOU WORK WITH HISTABLE (ONE-SHOT) MULTIVIBRATORS  | 53     | 48  | 62  | 0   | 58  | 51  |
| L 722 L-15 DO YOU WORK WITH MONOSTABLE (ONE-SHOT) MULTIVIBRATORS  | 58     | 52  | 66  | 0   | 58  | 51  |
| L 723 L-16 DO YOU USE OR REFER TO FLIP-FLOP MULTIVIBRATOR SYMBOLS   | 58     | 52  | 66  | 0   | 44  | 45  |
| L 724 L-17 DO YOU USE OR REFER TO SINGLE-SHOT MULTIVIBRATION SYMBOLS  | 58     | 52  | 66  | 0   | 58  | 51  |
| L 725 L-18 DO YOU USE OR REFER TO FLIP-FLOP CIRCUIT DIAGRAMS  | 59     | 52  | 68  | 0   | 58  | 51  |
| L 726 L-19 DO YOU USE OR REFER TO FLIP-FLOP TRUTH TABLES  | 47     | 42  | 55  | 0   | 58  | 51  |
| L 727 L-20 DO YOU USE OR REFER TO COMPLEMENTED FLIP-FLOP LOGIC SYMBOLS  | 44     | 45  | 53  | 0   | 58  | 51  |
| L 728 L-21 DO YOU USE OR REFER TO COMPLEMENTING FLIP-FLOP LOGIC SYMBOLS   | 48     | 45  | 53  | 0   | 58  | 51  |
| L 729 L-22 DO YOU MEASURE OUTPUT WAVE SHAPES OF LOGIC CIRCUITS  | 54     | 49  | 62  | 0   | 58  | 51  |
| L 730 L-23 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTED FLIP-FLOP SCHEMATIC DIAGRAMS                                       | 53     | 49  | 57  | 0   | 58  | 51  |
| L 731 L-24 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTING FLIP-FLOP SCHEMATIC DIAGRAMS                                      | 53     | 49  | 57  | 0   | 58  | 51  |
| L 732 L-25 DO YOU CONSTRUCT TRUTH TABLES FOR J-K FLIP-FLOP LOGIC SYMBOLS  | 37     | 28  | 51  | 0   | 58  | 51  |

PCT MARS RESPONDING 'YES' TO SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPM10 PAGE 27

|            |   | SPC | SPC | SPC | SPC | SPC             | SPC |
|------------|---|-----|-----|-----|-----|-----------------|-----|
|            | DY-TSK  | 226 | 227 | 228 | 229 |                 |     |
| L 733 L-01 | DO YOU WORK WITH DIGITAL COUNTERS IN YOUR PRESENT JOB   | 75  | 72  | 79  | 60  | COUNTERS        |     |
| L 734 L-02 | DO YOU USE OR REFER TO UP-COUNTERS  | 58  | 52  | 66  | 40  |                 |     |
| L 735 L-03 | DO YOU USE OR REFER TO DOWN-COUNTERS  | 56  | 51  | 64  | 40  |                 |     |
| L 736 L-04 | DO YOU USE OR REFER TO SERIAL COUNTERS  | 70  | 67  | 74  | 40  |                 |     |
| L 737 L-05 | DO YOU USE OR REFER TO PARALLEL COUNTERS  | 59  | 54  | 68  | 20  |                 |     |
| L 738 L-06 | DO YOU USE OR REFER TO RING COUNTERS  | 41  | 42  | 40  | 40  |                 |     |
| L 739 L-07 | DO YOU USE OR REFER TO DECADE COUNTERS  | 42  | 39  | 47  | 0   |                 |     |
| L 740 L-08 | DO YOU USE OR REFER TO COUNT DETECT CIRCUITS  | 62  | 58  | 68  | 40  |                 |     |
| L 741 L-09 | DO YOU USE OR REFER TO DOWN CLOCKS  | 50  | 48  | 53  | 20  |                 |     |
| L 742 L-10 | DO YOU USE OR REFER TO UP CLOCKS  | 52  | 49  | 55  | 20  |                 |     |
| L 743 L-11 | DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF UP-COUNTERS HAVING COMPLEMENTED FLIP-FLOPS                                 | 53  | 52  | 53  | 40  |                 |     |
| L 744 L-12 | DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SERIAL UP- OR DOWN-COUNTERS HAVING COMPLEMENTING FLIP-FLOPS                | 59  | 55  | 44  | 60  |                 |     |
| L 745 L-13 | DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF DECADE COUNTERS  | 41  | 36  | 49  | 20  |                 |     |
| L 746 L-14 | DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF KING COUNTERS  | 40  | 39  | 40  | 40  |                 |     |
| L 747 L-15 | DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE REGISTER                     | 53  | 49  | 60  | 20  |                 |     |
| L 748 L-16 | DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SHIFT REGISTERS  | 72  | 67  | 81  | 60  |                 |     |
| L 749 L-17 | DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF OTHER TYPE OF COUNTERS   | 58  | 48  | 72  | 40  |                 |     |
| L 750 L-18 | DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR UP-COUNTERS HAVING COMPLEMENTED FLIP-FLOPS                  | 4A  | 49  | 47  | 40  |                 |     |
| L 751 L-19 | DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP- OR DOWN-COUNTERS HAVING COMPLEMENTING FLIP-FLOPS | 51  | 48  | 55  | 40  |                 |     |
| L 752 L-20 | DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE REGISTER      | 47  | 45  | 51  | 20  |                 |     |
| L 753 L-21 | DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR OTHER TYPES OF COUNTERS                                     | 51  | 46  | 57  | 40  |                 |     |
| L 754 L-22 | DO YOU CONSTRUCT TRUTH TABLES FROM LOGIC DIAGRAMS OF DECADE COUNTERS  | 22  | 14  | 34  | 20  |                 |     |
| L 755 L-23 | DO YOU DETERMINE THE STATE OF EACH FLIP-FLOP IN KING COUNTERS FOR SPECIFIC INPUT PULSES                                     | 3A  | 39  | 36  | 40  |                 |     |
| L 756 L-24 | DO YOU DETERMINE THE APPROPRIATE AND GATE NECESSARY IN COUNT DETECT CIRCUITS TO INDICATE A REQUIRED COUNT                   | 57  | 57  | 57  | 80  |                 |     |
| M 757 M-01 | DO YOU WORK WITH SAWTOOTH WAVE GENERATORS   | 41  | 38  | 45  | 20  |                 |     |
| M 758 M-02 | DO YOU WORK WITH TRAPEZOIDAL WAVE GENERATORS  | 19  | 19  | 19  | 20  |                 |     |
| M 759 M-03 | DO YOU WORK WITH PULSED OSCILLATORS WITH REGENERATIVE FEEDBACK  | 34  | 29  | 43  | 40  | TIMING CIRCUITS |     |
| M 760 M-04 | DO YOU WORK WITH PULSED OSCILLATORS WITHOUT HEGENERATIVE FEEDBACK   | 37  | 32  | 45  | 40  |                 |     |

PER MENS RESPONDING \*YES\* BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

UPSMIC PAGE 28

|   | DY-TSK | SPC | SPC | SPC | SPC           | SPC | SPC |
|---|--------|-----|-----|-----|---------------|-----|-----|
| M 761 M1-05 DO YOU WORK WITH BLOCKING OSCILLATORS                 | 21     | 19  | 23  | 20  |               |     |     |
| M 762 M1-06 DO YOU USE ON REFER TO RISE TIME                      | 45     | 45  | 45  | 40  |               |     |     |
| M 763 M1-07 DO YOU USE ON REFER TO FALL OR FLYBACK TIME           | 34     | 33  | 36  | 20  |               |     |     |
| M 764 M1-08 DO YOU USE ON REFER TO SLEEP TIME                     | 44     | 42  | 51  | 60  |               |     |     |
| M 765 M1-09 DO YOU USE ON REFER TO ELECTRICAL LENGTH OF SAWTOOTH  | 22     | 19  | 26  | 0   |               |     |     |
| M 766 M1-10 DO YOU USE ON REFER TO PHYSICAL LENGTH OF SAWTOOTH    | 26     | 26  | 26  | 0   |               |     |     |
| M 767 M1-11 DO YOU USE ON REFER TO LINEAR SLOPE OF SAWTOOTH       | 16     | 14  | 19  | 0   |               |     |     |
| M 768 M1-12 DO YOU USE ON REFER TO GATE LENGTH OF SAWTOOTH        | 15     | 13  | 17  | 0   |               |     |     |
| M 769 M2-01 DO YOU USE SIGNAL GENERATORS IN YOUR PRESENT JOB      | 29     | 26  | 34  | 60  |               |     |     |
| M 770 M2-02 DO YOU PERFORM OPERATIONAL CHECKS WHILE USING SIGNAL  | 31     | 26  | 38  | 60  | USE OF SIGNAL |     |     |
| M 771 M2-03 DO YOU PERFORM PERIODIC MAINTENANCE SUCH AS           | 20     | 16  | 26  | 40  | GENERATORS    |     |     |
| M 772 M2-04 DO YOU TROUBLESHOOT TO AN ASSEMBLY OR SUBASSEMBLY     | 23     | 20  | 28  | 40  |               |     |     |
| M 773 M2-05 DO YOU TROUBLESHOOT TO THE SMALLEST REPLACEABLE       | 20     | 17  | 23  | 40  |               |     |     |
| M 774 M2-06 DO YOU USE AUDIO SINE-WAVE GENERATORS                 | 23     | 17  | 32  | 60  |               |     |     |
| M 775 M2-07 DO YOU USE AUDIO NON-SINUSOIDAL WAVE GENERATORS SUCH  | 16     | 16  | 17  | 40  |               |     |     |
| M 776 M2-08 DO YOU USE RF GENERATORS LESS THAN 1,000 MHZ          | 6      | 4   | 9   | 0   |               |     |     |
| M 777 M2-09 DO YOU USE RF GENERATORS GREATER THAN 1,000 MHZ       | 3      | 4   | 2   | 0   |               |     |     |
| M 778 M2-10 DO YOU USE OTHER SPECIAL PURPOSE OR MULTI-FUNCTION    | 6      | 4   | 9   | 0   |               |     |     |
| M 779 M3-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING | 83     | 75  | 94  | 60  |               |     |     |
| M 780 M3-02 WITH ALTERNATING CURRENT OR DIRECT CURRENT MOTORS OR  |        |     |     |     |               |     |     |
| M 781 M3-03 DO YOU INSPECT MOTORS                                 | 21     | 14  | 91  | 60  | MOTORS AND    |     |     |
| M 782 M3-04 DO YOU CLEAN OR LUBRICATE MOTORS                      | 82     | 75  | 91  | 60  | GENERATORS    |     |     |
| M 783 M3-05 DO YOU REPAIR COMPLETE MOTORS                         | 76     | 70  | 65  | 60  |               |     |     |
| M 784 M3-06 DO YOU REMOVE OR REPLACE MOTOR PARTS                  | 79     | 71  | 91  | 60  |               |     |     |
| M 785 M3-07 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE           | 62     | 54  | 74  | 20  |               |     |     |
| M 786 M3-08 CONNECTIONS OF MOTORS                                 | 75     | 65  | 89  | 60  |               |     |     |
| M 787 M3-09 DO YOU TROUBLESHOOT DOWN TO COMPONENT PARTS OF MOTORS | 48     | 42  | 57  | 20  |               |     |     |
| M 788 M3-10 DO YOU PERFORM ANY TASKS ON FIELD COILS               | 18     | 10  | 30  | 20  |               |     |     |
| M 789 M3-11 DO YOU PERFORM ANY TASKS ON ARMATURES                 | 32     | 22  | 47  | 20  |               |     |     |
| M 790 M3-12 DO YOU PERFORM ANY TASKS ON ROTORS                    | 24     | 19  | 40  | 20  |               |     |     |
| M 791 M3-13 DO YOU PERFORM ANY TASKS ON BRUSHES                   | 39     | 30  | 51  | 20  |               |     |     |
| M 792 M3-14 DO YOU PERFORM ANY TASKS ON SLIP RINGS                | 24     | 20  | 30  | 20  |               |     |     |
| M 793 M3-15 DO YOU PERFORM ANY TASKS ON COMMUTATORS               | 24     | 16  | 40  | 20  |               |     |     |
| M 794 M3-16 DO YOU PERFORM ANY TASKS ON POLE PIECES               | 19     | 14  | 26  | 20  |               |     |     |

PCT MARS RESPONDING 'YES' BY SELECTED GRPS  
TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

GPMIC PAGE 29

|  | SPC | SPC | SPC | SPC |
|--|-----|-----|-----|-----|
| DY-15K   |     |     |     |     |
| M 794 M3-16 DO YOU DETERMINE OR MEASURE THE MAGNITUDE OF THE FORCE OR TORQUE CREATED BY A MOTOR            | 3   | 3   | 4   | 0   |
| M 795 M3-17 DO YOU DETERMINE OR MEASURE THE DIRECTION OF THE MECHANICAL FORCE OR TORQUE CREATED BY A MOTOR | 14  | 12  | 17  | 0   |
| M 796 M3-18 DO YOU DETERMINE OR MEASURE THE MAGNITUDE OR DIRECTION OF THE INDUCED VOLTAGE IN MOTORS        | 6   | 7   | 9   | 0   |
| M 797 M3-19 DO YOU WORK WITH SYNCHRONOUS MOTORS  | 35  | 28  | 47  | 0   |
| M 798 M3-20 DO YOU WORK WITH INDUCTION MOTORS  | 37  | 30  | 47  | 20  |
| M 799 M3-21 DO YOU WORK WITH SPLIT-PHASE MOTORS  | 14  | 12  | 23  | 0   |
| M 800 M3-22 DO YOU WORK WITH SOME COMBINATION OF THE ABOVE MOTORS  | 39  | 36  | 43  | 20  |
| M 801 M3-23 DO YOU INSPECT GENERATORS  | 53  | 49  | 57  | 40  |
| M 802 M3-24 DO YOU CLEAN OR LUBRICATE GENERATORS   | 52  | 49  | 55  | 40  |
| M 803 M3-25 DO YOU OPERATE GENERATORS  | 48  | 46  | 51  | 40  |
| M 804 M3-26 DO YOU REMOVE OR REPLACE COMPLETE GENERATORS   | 47  | 43  | 53  | 40  |
| M 805 M3-27 DO YOU REMOVE OR REPLACE GENERATOR PARTS   | 28  | 22  | 36  | 20  |
| M 806 M3-28 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS OF GENERATORS                          | 96  | 95  | 47  | 40  |
| M 807 M3-29 DO YOU TROUBLESHOOT DOWN TO COMPONENT PARTS OF GENERATORS                                      | 25  | 20  | 32  | 20  |
| M 810 N1-01 DO YOU WORK WITH METERS IN YOUR PRESENT JOB  | 75  | 77  | 72  | 60  |
| N 809 N1-02 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF PERMANENT MAGNETS                            | 14  | 16  | 11  | 0   |
| N 810 N1-03 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF MOVING COILS                                 | 18  | 20  | 15  | 0   |
| N 811 N1-04 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF SPIRAL SPRINGS                               | 14  | 19  | 11  | 0   |
| N 812 N1-05 DO YOU READ METER SCALES   | 75  | 77  | 72  | 60  |
| N 813 N1-06 DO YOU EXTEND THE RANGE OF AMMETERS  | 34  | 35  | 32  | 0   |
| N 814 N1-07 DO YOU ZERO OHMMETERS  | 74  | 78  | 68  | 60  |
| N 815 N1-08 DO YOU ZERO AMMETERS   | 29  | 32  | 26  | 20  |
| N 816 N1-09 DO YOU EXTEND THE RANGE OF VOLTMETERS  | 39  | 38  | 40  | 0   |
| N 817 N1-10 DO YOU USE OR REFER TO VOLTMETER SENSITIVITY EXPRESSED IN UNITS OF OHMS PER VOLT               | 44  | 43  | 45  | 20  |
| N 818 N2-01 DO YOU WORK WITH SATURABLE REACTORS OR MAGNETIC AMPLIFIERS IN YOUR PRESENT JOB                 | 5   | 3   | 9   | 20  |
| N 819 N2-02 DO YOU INSPECT MAGNETIC AMPLIFIERS OR SATURABLE REACTORS                                       | 3   | 1   | 6   | 20  |
| N 820 N2-03 DO YOU CLEAN MAGNETIC AMPLIFIERS OR SATURABLE REACTORS   | 3   | 1   | 6   | 20  |
| N 821 N2-04 DO YOU ADJUST MAGNETIC AMPLIFIERS OR SATURABLE REACTORS  | 3   | 0   | 6   | 0   |
| N 822 N2-05 DO YOU TROUBLESHOOT MAGNETIC AMPLIFIERS OR SATURABLE REACTORS                                  | 4   | 3   | 6   | 20  |
| N 823 N2-06 DO YOU REMOVE OR REPLACE MAGNETIC AMPLIFIERS OR SATURABLE REACTORS                             | 4   | 3   | 6   | 20  |
| N 824 N2-07 DO YOU REMOVE OR REPLACE MAGNETIC AMPLIFIER OR SATURABLE REACTOR COMPONENTS                    | 2   | 0   | 4   | 0   |

PCT MARKS RESPONDING YES TO SELECTED QNPS  
 TASK GROUP SUMMARY  
 PRESENT MEMBERS PERFORMING

GPMU PAGE 30

|   |  | SPC | SPC | SPC | SPC | SPC              | SPC |
|---|--|-----|-----|-----|-----|------------------|-----|
|   | DY-TSA   | 22A | 227 | 228 | 229 |                  |     |
| N | 025 N2-QE DO YOU USE OR REFER TO HYSTERESIS CURVES OR LOOPS      | 3   | 1   | 4   | 0   |                  |     |
| N | 026 N2-U9 DO YOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP OUTPUT  | 0   | 0   | 0   | 0   |                  |     |
|   | WAVEFORMS ACROSS REACTOR WINDINGS ON LOAD RESISTORS OF           |     |     |     |     |                  |     |
| N | SINGLE WINDING SATURABLE REACTORS                                |     |     |     |     |                  |     |
| N | 027 N2-U0 DO YOU MEASURE OUTPUT WAVEFORMS ACROSS REACTOR         | 0   | 0   | 0   | 0   |                  |     |
|   | WINDINGS ON LOAD RESISTORS OF SINGLE WINDING SATURABLE           |     |     |     |     |                  |     |
| N | 028 N2-11 DO YOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP OUTPUT  | 2   | 1   | 2   | 20  |                  |     |
| N | WAVEFORMS FOR MAGNETIC AMPLIFIERS                                |     |     |     |     |                  |     |
| N | 029 N2-12 DO YOU USE OR REFER TO COERCIVE FORCE IN SATURABLE     | 0   | 0   | 0   | 0   |                  |     |
|   | REACTORS   |     |     |     |     |                  |     |
| I | 030 N2-13 DO YOU USE OR REFER TO RESIDUAL MAGNETISM IN           | 0   | 0   | 0   | 0   |                  |     |
| N | 031 N2-14 DO YOU USE OR REFER TO FLUX DENSITY IN SATURABLE       | 0   | 0   | 0   | 0   |                  |     |
|   | SATURABLE REACTORS   |     |     |     |     |                  |     |
| N | 032 N2-15 DO YOU USE OR REFER TO POINT OF SATURATION IN          | 0   | 0   | 0   | 0   |                  |     |
|   | SATURABLE REACTORS   |     |     |     |     |                  |     |
| N | 033 N2-16 DO YOU USE OR REFER TO SATURABLE REACTOR SCHEMATIC     | 1   | 1   | 0   | 20  |                  |     |
|   | SYMBOLS  |     |     |     |     |                  |     |
| N | 034 I3-C1 DO YOU WORK WITH WAVE-SHAPING CIRCUITS IN YOUR PRESENT | 49  | 49  | 49  | 40  |                  |     |
|   | JOB  |     |     |     |     |                  |     |
| N | 035 N3-02 DO YOU USE OR REFER TO TRANSIENT INTERVALS             | 20  | 22  | 17  | 0   |                  |     |
| N | N3-U3 DO YOU USE OR REFER TO PULSE WIDTH (PW)                    | 38  | 45  | 28  | 80  | WAVESHAPING      |     |
| N | 036 N3-04 DO YOU USE OR REFER TO PULSE RECURRENCE TIME (PRT)     | 27  | 29  | 23  | 20  | CIRCUITS         |     |
| N | 037 N3-05 DO YOU USE OR REFER TO PULSE RECURRENCE FREQUENCY      | 19  | 19  | 19  | 0   |                  |     |
| N | N3-06 DO YOU USE OR REFER TO DIFFERENTIATING CIRCUITS            | 31  | 30  | 32  | 60  |                  |     |
| N | N3-07 DO YOU USE OR REFER TO INTEGRATING CIRCUITS                | 35  | 33  | 38  | 60  |                  |     |
| N | N3-08 DO YOU USE OR REFER TO THE CLASSIFICATION OF TIME          | 22  | 19  | 28  | 20  |                  |     |
| N | CONSTANTS (TC), AS LONG, MEDIUM, OR SHORT                        |     |     |     |     |                  |     |
| N | 039 N3-09 DO YOU DETERMINE WHETHER AN LR OR RC CIRCUIT IS        | 9   | 6   | 13  | 0   |                  |     |
| N | DIFFERENTIATING OR INTEGRATING BASED ON THE TIME CONSTANT        |     |     |     |     |                  |     |
| N | AND OUTPUT CONFIGURATION   |     |     |     |     |                  |     |
| N | 040 N3-10 DO YOU WORK WITH SQUARE WAVE GENERATORS                | 44  | 41  | 49  | 60  |                  |     |
| N | N3-11 DO YOU WORK WITH RECTANGULAR WAVE GENERATORS               | 22  | 16  | 32  | 0   |                  |     |
| C | 045 DIRECT DO YOU WORK ON SINGLE SIDE-BAND SYSTEMS IN YOUR       | 0   | 0   | 0   | 0   |                  |     |
|   | PRESENT  |     |     |     |     |                  |     |
| O | 046 O1-02 DO YOU INSPECT SSB TRANSMIT OR RECEIVE SYSTEMS         | 0   | 0   | 0   | 0   |                  |     |
| O | O1-U3 DO YOU CLEAN SSB TRANSMIT OR RECEIVE SYSTEMS               | 0   | 0   | 0   | 0   | SINGLE SIDE-BAND |     |
| O | O1-04 DO YOU ALIGN SSB TRANSMIT OR RECEIVE SYSTEMS               | 0   | 0   | 0   | 0   | SYSTEMS          |     |
| O | O1-05 DO YOU TROUBLESHOOT TO SSB TRANSMIT OR RECEIVE             | 0   | 0   | 0   | 0   |                  |     |
|   | SYSTEMS  |     |     |     |     |                  |     |
| O | 047 O1-06 DO YOU TROUBLESHOOT TO SSB TRANSMIT OR RECEIVE         | 0   | 0   | 0   | 0   |                  |     |
| O | COMPONENTS   |     |     |     |     |                  |     |
| O | O1-07 DO YOU REMOVE OR REPLACE SSB TRANSMIT OR RECEIVE           | 0   | 0   | 0   | 0   |                  |     |
| O | SYSTEMS  |     |     |     |     |                  |     |
| O | O1-U8 DO YOU REMOVE OR REPLACE SSB TRANSMIT OR RECEIVE           | 0   | 0   | 0   | 0   |                  |     |
|   | COMPONENTS   |     |     |     |     |                  |     |

PCT MARS RESPONDING \* YES, BY SELECTED GROUPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

GPM10 PAGE 31

|   | DY-TASK  | SPC 224 | SPC 227 | SPC 228 | SPC 229 |
|---|--|---------|---------|---------|---------|
|   | 0 863 01~09 DO YOU PERFORM TASKS ON SSB AUDIO AMPLIFIERS                                     | 0       | 0       | 0       | 0       |
| ) | 0 859 01~10 DO YOU PERFORM BALANCED MODULATORS   | 0       | 0       | 0       | 0       |
| ) | 0 855 01~11 DO YOU PERFORM CARRIER OSCILLATORS   | 0       | 0       | 0       | 0       |
| ) | 0 854 01~12 DO YOU PERFORM LC FILTERS  | 0       | 0       | 0       | 0       |
| ) | 0 857 01~13 DO YOU PERFORM CRYSTAL FILTERS   | 0       | 0       | 0       | 0       |
| ) | 0 858 01~14 DO YOU PERFORM MECHANICAL FILTERS  | 0       | 0       | 0       | 0       |
| ) | 0 859 01~15 DO YOU PERFORM OSCILLATORS   | 0       | 0       | 0       | 0       |
| ) | 0 860 01~16 DO YOU PERFORM MIXERS  | 0       | 0       | 0       | 0       |
| ) | 0 861 01~17 DO YOU PERFORM DRIVERS   | 0       | 0       | 0       | 0       |
| ) | 0 862 01~18 DO YOU PERFORM POWER AMPLIFIERS  | 0       | 0       | 0       | 0       |
| ) | 0 863 01~19 DO YOU PERFORM RF AMPLIFIERS   | 0       | 0       | 0       | 0       |
| ) | 0 864 01~20 DO YOU PERFORM FREQUENCY CONVERTERS  | 0       | 0       | 0       | 0       |
| ) | 0 865 01~21 DO YOU PERFORM IF AMPLIFIERS   | 0       | 0       | 0       | 0       |
| ) | 0 866 01~22 DO YOU PERFORM DEMODULATORS  | 0       | 0       | 0       | 0       |
| ) | 0 867 01~23 DO YOU PERFORM DON'T REMEMBER WHICH SSB SYSTEM STAGES                            | 0       | 0       | 0       | 0       |
| ) | 0 868 01~24 DO YOU USE OR REFER TO SELECTIVE FADING  | 0       | 0       | 0       | 0       |
| ) | 0 869 01~25 DO YOU USE OR REFER TO PEAK POWER  | 0       | 0       | 0       | 0       |
| ) | 0 870 01~26 DO YOU USE OR REFER TO FREQUENCY STABILITY                                       | 0       | 0       | 0       | 0       |
| ) | 0 871 01~27 DO YOU USE OR REFER TO RESPONSE CURVES FOR BANDWIDTH FILTERS                     | 0       | 0       | 0       | 0       |
| ) | 0 872 01~28 DO YOU CALCULATE PEAK POWER OR EFFECTIVE POWER OF SSB TRANSMITTERS               | 0       | 0       | 0       | 0       |
| ) | 0 873 01~29 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SSB TRANSMITTER SCHEMATIC DIAGRAMS | 0       | 0       | 0       | 0       |
| ) | 0 874 01~30 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SSB RECEIVER SCHEMATIC DIAGRAMS    | 0       | 0       | 0       | 0       |
| ) | 0 875 02~01 DO YOU WORK ON PULSE MODULATION SYSTEMS IN YOUR PRESENT JOB                      | 3       | 3       | 4       | 20      |
| ) | 0 876 02~02 DO YOU INSPECT PULSE MODULATION SYSTEMS  | 3       | 3       | 4       | 20      |
| ) | 0 877 02~03 DO YOU CLEAN PULSE MODULATION SYSTEMS  | 3       | 3       | 4       | 20      |
| ) | 0 878 02~04 DO YOU ALIGN PULSE MODULATION SYSTEMS  | 3       | 1       | 4       | 20      |
| ) | 0 879 02~05 DO YOU TROUBLESHOOT TO PULSE MODULATION SYSTEMS                                  | 3       | 3       | 4       | 20      |
| ) | 0 880 02~06 DO YOU TROUBLESHOOT TO PULSE MODULATION SYSTEM COMPONENTS                        | 3       | 3       | 2       | 20      |
| ) | 0 881 02~07 DO YOU REMOVE OR REPLACE PULSE MODULATION SYSTEMS                                | 3       | 3       | 4       | 20      |
| ) | 0 882 02~08 DO YOU REMOVE OR REPLACE PULSE MODULATION SYSTEM COMPONENTS                      | 3       | 3       | 2       | 20      |
| ) | 0 883 02~09 DO YOU WORK ON PULSE AMPLITUDE MODULATION (PAM) SYSTEMS                          | 1       | 0       | 2       | 0       |
| ) | 0 884 02~10 DO YOU WORK ON PULSE-DURATION MODULATION (PDM)                                   | 0       | 0       | 0       | 0       |
| ) | 0 885 02~11 DO YOU WORK ON PULSE-POSITION MODULATION (PPM)                                   | 0       | 0       | 0       | 0       |
| ) | 0 886 02~12 DO YOU WORK ON PULSE-CODE MODULATION (PCM) SYSTEMS                               | 0       | 0       | 0       | 0       |
| ) | 0 887 02~13 DO YOU WORK ON LINE PULSING MODULATION SYSTEMS                                   | 0       | 0       | 0       | 0       |
| ) | 0 888 02~14 DO YOU WORK ON DON'T REMEMBER WHICH TYPE OF MODULATION SYSTEM                    | 3       | 3       | 2       | 20      |

PER MARKS RESPONDING \*YES\* BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

UPSM10 PAGE 32

|   | 0Y-TSK | SPC | SPC | SPC | SPC      | SPC | SPC | SPC |
|---|--------|-----|-----|-----|----------|-----|-----|-----|
| 0 098 02-16 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM   | 3      | 1   | 4   | 20  |          |     |     |     |
| 0 890 02-16 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM   | 1      | 0   | 2   | 0   |          |     |     |     |
| 0 891 02-16 DO YOU CHANGING CHOKE AND CHARGING DIODES   |        |     |     |     |          |     |     |     |
| 0 091 02-17 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM   | 3      | 3   | 2   | 20  |          |     |     |     |
| 0 092 02-18 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM   | 3      | 3   | 2   | 20  |          |     |     |     |
| 0 093 02-19 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM   | 0      | 0   | 0   | 0   |          |     |     |     |
| 0 094 02-20 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM   | 0      | 0   | 0   | 0   |          |     |     |     |
| 0 095 02-21 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM   | 0      | 0   | 0   | 0   |          |     |     |     |
| 0 096 02-22 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM   | 1      | 1   | 0   | 0   |          |     |     |     |
| 0 097 02-23 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM   | 1      | 0   | 2   | 0   |          |     |     |     |
| 0 098 02-24 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM   | 1      | 1   | 0   | 0   |          |     |     |     |
| 0 099 02-25 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM   | 2      | 1   | 2   | 0   |          |     |     |     |
| 0 090 02-26 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM   | 0      | 0   | 0   | 0   |          |     |     |     |
| 0 091 02-27 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM   | 0      | 0   | 0   | 0   |          |     |     |     |
| 0 092 02-28 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM   | 2      | 3   | 0   | 20  |          |     |     |     |
| 0 093 02-29 DO YOU USE OR REFER TO PULSE MODULATION SYSTEM STAGES   | 1      | 1   | 0   | 20  |          |     |     |     |
| 0 094 02-30 DO YOU USE OR REFER TO PULSE RECURRENCE TIME (PRT)  | 1      | 1   | 0   | 20  |          |     |     |     |
| 0 095 02-31 DO YOU USE OR REFER TO PULSE WIDTH (PW)   | 2      | 1   | 2   | 20  |          |     |     |     |
| 0 096 02-32 DO YOU USE OR REFER TO PULSE SHAPE  | 3      | 3   | 4   | 20  |          |     |     |     |
| 0 097 02-33 DO YOU USE OR REFER TO PEAK POWER   | 2      | 1   | 2   | 0   |          |     |     |     |
| 0 098 02-34 DO YOU USE OR REFER TO AVERAGE POWER  | 0      | 0   | 0   | 0   |          |     |     |     |
| 0 099 02-35 DO YOU CALCULATE PULSE RECURRENCE TIME (PRT) OR PULSE RECURRENCE FREQUENCY (PRF)                  | 0      | 0   | 0   | 0   |          |     |     |     |
| 0 010 02-36 DO YOU MEASURE PULSE RECURRENCE TIME (PRT) OR PULSE RECURRENCE FREQUENCY (PRF)                    | 0      | 0   | 0   | 0   |          |     |     |     |
| 0 911 02-37 DO YOU USE FORMULAS TO CALCULATE AVERAGE POWER OR PEAK POWER OF PULSE MODULATION TRANSMIT SYSTEMS | 0      | 0   | 0   | 0   |          |     |     |     |
| 0 912 02-38 DO YOU TRACE SIGNALS ON CURRENT PATHS THROUGH PULSE MODULATION TRANSMITTER SCHEMATIC DIAGRAMS     | 3      | 1   | 4   | 20  |          |     |     |     |
| 0 913 02-39 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH PULSE MODULATION RECEIVER SCHEMATIC DIAGRAMS        | 3      | 3   | 4   | 20  |          |     |     |     |
| 0 914 03-01 DO YOU WORK WITH ANTENNAS IN YOUR PRESENT JOB   | 0      | 0   | 0   | 0   |          |     |     |     |
| 0 915 03-02 DO YOU INSPECT ANTENNAS   | 0      | 0   | 0   | 0   | ANTENNAS |     |     |     |

PCT MARS RESPONDING \*YES\* BY SELECTED GROUPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPMIU PAGE 33

|       |       |   | SPC | SPC | SPC | SPC | SPC |
|-------|-------|---|-----|-----|-----|-----|-----|
|       |       | DY-TSK  | 226 | 227 | 228 | 229 |     |
| 0 916 | 03-03 | DO YOU CLEAN ANTENNAS   | 0   | 0   | 0   | 0   | 0   |
| 0 917 | 03-04 | DO YOU PHYSICALLY ALIGN ANTENNAS  | 0   | 0   | 0   | 0   | 0   |
| 0 918 | 03-05 | DO YOU ELECTRICALLY ALIGN ANTENNAS  | 0   | 0   | 0   | 0   | 0   |
| 0 919 | 03-06 | DO YOU TROUBLESHOOT TO ANTENNA COMPONENTS   | 0   | 0   | 0   | 0   | 0   |
| 0 920 | 03-07 | DO YOU TROUBLESHOOT TO ANTENNA COMPONENTS   | 1   | 0   | 2   | 0   | 0   |
| 0 921 | 03-08 | DO YOU REMOVE OR INSTALL ANTENNAS   | 0   | 0   | 0   | 0   | 0   |
| 0 922 | 03-09 | DO YOU REMOVE OR REPLACE COMPONENTS OF ANTENNAS   | 0   | 0   | 0   | 0   | 0   |
| 0 923 | 03-10 | DO YOU USE OR REFER TO TECHNICAL DATA CONTAINING REPRESENTATIONS OF E OR ELECTRIC FIELD LINES   | 0   | 0   | 0   | 0   | 0   |
| 0 924 | 03-11 | DO YOU USE OR REFER TO TECHNICAL DATA CONTAINING REPRESENTATIONS OF H OR MAGNETIC FIELD LINES   | 0   | 0   | 0   | 0   | 0   |
| 0 925 | 03-12 | DO YOU DETERMINE THE DIRECTION OF THE MAGNETIC LINES IN RELATION TO THE ELECTRIC LINES OF FORCE FOR ANTENNAS                          | 0   | 0   | 0   | 0   | 0   |
| 0 926 | 03-13 | DO YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS WHICH ARE OF CORRECT LENGTH (HALF-WAVE) ACT AS INDUCTIVE LOADS TO THE GENERATOR | 0   | 0   | 0   | 0   | 0   |
| 0 927 | 03-14 | DO YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS WHICH ARE LONGER THAN A HALF-WAVE ACT AS INDUCTIVE LOADS TO THE GENERATOR       | 0   | 0   | 0   | 0   | 0   |
| 0 928 | 03-15 | DO YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS WHICH ARE SHORTER THAN A HALF-WAVE ACT AS CAPACITIVE LOADS TO THE GENERATOR     | 0   | 0   | 0   | 0   | 0   |
| 0 929 | 03-16 | DO YOU WORK WITH HERTZ ANTENNAS   | 0   | 0   | 0   | 0   | 0   |
| 0 930 | 03-17 | DO YOU WORK WITH MARCONI ANTENNAS   | 0   | 0   | 0   | 0   | 0   |
| 0 931 | 03-18 | DO YOU WORK WITH BROADSIDE ARRAYS   | 0   | 0   | 0   | 0   | 0   |
| 0 932 | 03-19 | DO YOU WORK WITH END-FIRE ARRAYS  | 0   | 0   | 0   | 0   | 0   |
| 0 933 | 03-20 | DO YOU WORK WITH CARDIOID ARRAYS  | 0   | 0   | 0   | 0   | 0   |
| 0 934 | 03-21 | DO YOU WORK WITH COLLINEAR ARRAYS   | 0   | 0   | 0   | 0   | 0   |
| 0 935 | 03-22 | DO YOU USE OR REFER TO THE TERM ELECTROMAGNETIC INDUCTION FIELDS WHEN WORKING WITH ANTENNAS   | 0   | 0   | 0   | 0   | 0   |
| 0 936 | 03-23 | DO YOU MEASURE ELECTROMAGNETIC INDUCTION FIELDS OF ANTENNAS   | 0   | 0   | 0   | 0   | 0   |
| 0 937 | 03-24 | DO YOU USE OR REFER TO THE TERM ELECTROMAGNETIC RADIATION FIELDS WHEN WORKING WITH ANTENNAS   | 0   | 0   | 0   | 0   | 0   |
| 0 938 | 03-25 | DO YOU MEASURE ELECTROMAGNETIC RADIATION FIELDS OF ANTENNAS   | 0   | 0   | 0   | 0   | 0   |
| 0 939 | 03-26 | DO YOU USE OR REFER TO THE TIME PHASE OF ELECTRIC (E) AND MAGNETIC (H) COMPONENTS IN ANTENNA RADIATION                                | 0   | 0   | 0   | 0   | 0   |
| 0 940 | 03-27 | DO YOU USE OR REFER TO THE TIME PHASE OF ELECTRIC (E) AND MAGNETIC (H) COMPONENTS IN ANTENNA INDUCTION FIELD                          | 0   | 0   | 0   | 0   | 0   |
| 0 941 | 03-28 | ARE ANY OF THE ANTENNAS YOU WORK ON LINEARLY POLARIZED  | 0   | 0   | 0   | 0   | 0   |
| 0 942 | 03-29 | ARE ANY OF THE ANTENNAS YOU WORK ON CIRCULARLY POLARIZED  | 0   | 0   | 0   | 0   | 0   |
| 0 943 | 03-30 | DO YOU MEASURE OR DETERMINE THE POLARITY OF ANTENNAS  | 0   | 0   | 0   | 0   | 0   |
| 0 944 | 03-31 | DO YOU CONSTRUCT, OR MAKE THE CALCULATIONS NECESSARY TO CONSTRUCT, ANTENNAS OF CORRECT LENGTH FOR SPECIFIC WAVELENGTHS                | 0   | 0   | 0   | 0   | 0   |

PCT HRS RESPONDING \*YES\* BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPSM10 PAGE 34

|   |        | SPC | SPC | SPC | SPC |
|---|--------|-----|-----|-----|-----|
|   | DY-TSK | 224 | 227 | 228 | 229 |
| 0 945 03-32 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS  |        | 0   | 0   | 0   | 0   |
| 0 946 03-33 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS SERVING AS DIRECTORS   |        | 0   | 0   | 0   | 0   |
| 0 947 03-34 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS SERVING AS REFLECTORS  |        | 0   | 0   | 0   | 0   |
| 0 948 03-35 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN DON'T MEMBER WHAT KIND OF ELEMENTS  |        | 0   | 0   | 0   | 0   |
| 0 949 03-36 DO YOU WORK ON UNIDIRECTIONAL ANTENNAS  |        | 0   | 0   | 0   | 0   |
| 0 950 03-37 DO YOU WORK ON BIODIRECTIONAL ANTENNAS  |        | 0   | 0   | 0   | 0   |
| 0 951 03-38 DO YOU WORK ON DON'T REMEMBER THE DIRECTIONALITY  |        | 0   | 0   | 0   | 0   |
| 0 952 03-39 DO YOU WORK WITH ROTAT ANTENNA ARRAYS   |        | 0   | 0   | 0   | 0   |
| P 953 PI-01 IN YOUR PRESENT JOB DO YOU WORK WITH TRANSMISSION LINES (TRANSMISSION LINES ARE DEFINED TO INCLUDE LEADS BETWEEN RECEIVERS AND ANTENNAS, TELEPHONE LEADS, AS WELL AS HIGH VOLTAGE POWER LINES, ETC. DO NOT CONSIDER WAVEGUIDES AS TRANSMISSION LINES) | ▼      | 9   | 9   | 9   | 20  |
| P 954 PI-02 DO YOU REFER TO OR USE COPPER LOSS OR 12K LOSS IN TRANSMISSION LINES  |        | 0   | 0   | 0   | 0   |
| P 955 PI-03 DO YOU REFER TO OR USE SKIN EFFECTS OF HIGH FREQUENCY CURRENTS IN TRANSMISSION LINES  |        | 0   | 0   | 0   | 0   |
| P 956 PI-04 DO YOU REFER TO OR USE RADIATION LOSS IN TRANSMISSION LINES   |        | 2   | 3   | 0   | 0   |
| P 957 PI-05 DO YOU USE OR REFER TO DIELECTRIC LOSS IN TRANSMISSION LINES  |        | 0   | 0   | 0   | 0   |
| P 958 PI-06 DO YOU USE OR REFER TO LEAKAGE LOSSES IN TRANSMISSION LINES   |        | 2   | 1   | 2   | 0   |
| P 959 PI-07 DO YOU WORK WITH TWISTED PAIR TRANSMISSION LINES  |        | 5   | 6   | 4   | 0   |
| P 960 PI-08 DO YOU WORK WITH TWIN LEAD TRANSMISSION LINES   |        | 4   | 6   | 2   | 0   |
| P 961 PI-09 DO YOU WORK WITH OPEN TWO-WIRE TRANSMISSION LINES   |        | 1   | 0   | 2   | 0   |
| P 962 PI-10 DO YOU WORK WITH FLEXIBLE COAXIAL CABLE TRANSMISSION LINES  |        | 6   | 4   | 9   | 0   |
| P 963 PI-11 DO YOU WORK WITH RIGID COAXIAL CABLE TRANSMISSION LINES   |        | 3   | 4   | 2   | 0   |
| P 964 PI-12 DO YOU TROUBLESHOOT TRANSMISSION LINES  |        | 5   | 6   | 4   | 0   |
| P 965 PI-13 DO YOU ANALYZE VOLTAGE OR CURRENT WAVEFORMS IN TRANSMISSION LINES TO DETERMINE THE TYPE OF TERMINATION (OPEN, SHORTED, CAPACITIVE, INDUCTIVE)   |        | 1   | 1   | 0   | 0   |
| P 966 PI-14 DO YOU SELECT APPROPRIATE TRANSMISSION LINES TERMINATIONS TO ACHIEVE DESIRED WAVEFORMS  |        | 1   | 1   | 0   | 0   |
| P 967 PI-15 DO YOU USE OR REFER TO SCHEMATIC SYMBOLS FOR LINE TERMINATIONS IN TERMS OF CIRCUIT TERMINATIONS   |        | 3   | 4   | 2   | 0   |
| P 968 PI-16 DO YOU MEASURE STANDING WAVE RATIOS (SWR) OF TRANSMISSION LINES   |        | 1   | 1   | 0   | 0   |
| P 969 PI-17 DO YOU CALCULATE STANDING WAVE RATIOS (SWR) OF TRANSMISSION LINES   |        | 0   | 0   | 0   | 0   |
| P 970 PI-18 DO YOU PERFORM THE CALCULATIONS NECESSARY TO DETERMINE THE IMPEDANCE AND LENGTH OF QUARTER - WAVELENGTH MATCHING TRANSFORMERS TO MATCH TRANSMISSION LINES TO LOADS  |        | 0   | 0   | 0   | 0   |

PCT MARS RESPONDING • YES: BY SELECTED GROUPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

OPSMIO PAGE 35

|       | DY-TSK   | SPC | SPC | SPC | SPC | SPC | SPC |
|-------|--|-----|-----|-----|-----|-----|-----|
| P 971 | P1-19 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING MATCHING TRANSFORMERS   | 2   | 1   | 2   | 0   | 0   | 0   |
| P 972 | P1-20 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING DELTA MATCHING  | 0   | 0   | 0   | 0   | 0   | 0   |
| P 973 | P1-21 DO YOU SELECT THE TYPE OF TRANSMISSION LINE NEEDED FOR PARTICULAR JOBS WITHOUT REFERRING TO TECHNICAL DATA   | 0   | 0   | 0   | 0   | 0   | 0   |
| P 974 | P1-22 DO YOU USE OR REFER TO THE TERM CHARACTERISTIC IMPEDANCE (Z0) OF TRANSMISSION LINES  | 2   | 1   | 2   | 0   | 0   | 0   |
| P 975 | P1-23 DO YOU CALCULATE THE CHARACTERISTIC IMPEDANCE (Z0) OF TRANSMISSION LINES   | 1   | 1   | 0   | 0   | 0   | 0   |
| P 976 | P1-24 DO YOU USE OR REFER TO THE TERM CUTOFF FREQUENCY OF TRANSMISSION LINES   | 0   | 0   | 0   | 0   | 0   | 0   |
| P 977 | P1-25 DO YOU USE OR REFER TO THE TERM VELOCITY FACTOR (k) OF TRANSMISSION LINES  | 0   | 0   | 0   | 0   | 0   | 0   |
| P 978 | P1-26 DO YOU COMPUTE THE ELECTRICAL LENGTH OF TRANSMISSION LINES FOR PARTICULAR FREQUENCIES  | 0   | 0   | 0   | 0   | 0   | 0   |
| P 979 | P1-27 DO YOU CONSTRUCT TRANSMISSION LINES OF PARTICULAR ELECTRICAL LENGTH FOR GIVEN FREQUENCIES  | 0   | 0   | 0   | 0   | 0   | 0   |
| P 980 | P1-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT AS THE FREQUENCY INCREASES AND THE PHYSICAL LENGTH OF TRANSMISSION LINES REMAIN CONSTANT, THE ELECTRICAL LENGTH INCREASES | 0   | 0   | 0   | 0   | 0   | 0   |
| P 981 | P1-29 DO YOU WORK WITH NONRESONANT (FLAT) TRANSMISSION LINES   | 0   | 0   | 0   | 0   | 0   | 0   |
| P 982 | P1-30 DO YOU WORK WITH RESONANT TRANSMISSION LINES   | 1   | 0   | 2   | 0   | 0   | 0   |
| P 983 | P1-31 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING STUB MATCHING   | 0   | 0   | 0   | 0   | 0   | 0   |
| P 984 | P2-01 DO YOU WORK WITH WAVEGUIDES OR CAVITY RESONATORS IN YOUR PRESENT JOB   | 0   | 0   | 0   | 0   | 0   | 0   |
| P 985 | P2-02 DO YOU INSPECT WAVEGUIDES OR CAVITY RESONATORS   | 0   | 0   | 0   | 0   | 0   | 0   |
| P 986 | P2-03 DO YOU CLEAN WAVEGUIDES OR CAVITY RESONATORS   | 0   | 0   | 0   | 0   | 0   | 0   |
| P 987 | P2-04 DO YOU BEND WAVEGUIDES OR CAVITY RESONATORS  | 0   | 0   | 0   | 0   | 0   | 0   |
| P 988 | P2-05 DO YOU TWIST WAVEGUIDES OR CAVITY RESONATORS   | 1   | 0   | 2   | 0   | 0   | 0   |
| P 989 | P2-06 DO YOU PRESSURIZE WAVEGUIDES OR CAVITY RESONATORS  | 0   | 0   | 0   | 0   | 0   | 0   |
| P 990 | P2-07 DO YOU PURGE WAVEGUIDES OR CAVITY RESONATORS   | 0   | 0   | 0   | 0   | 0   | 0   |
| P 991 | P2-08 DO YOU TROUBLESHOOT WAVEGUIDES OR CAVITY RESONATORS  | 0   | 0   | 0   | 0   | 0   | 0   |
| P 992 | P2-09 DO YOU REMOVE OR INSTALL COMPLETE WAVEGUIDES   | 0   | 0   | 0   | 0   | 0   | 0   |
| P 993 | P2-10 DO YOU REMOVE OR INSTALL WAVEGUIDE SECTIONS  | 0   | 0   | 0   | 0   | 0   | 0   |
| P 994 | P2-11 DO YOU REMOVE OR INSTALL DUMMY LOADS   | 0   | 0   | 0   | 0   | 0   | 0   |
| P 995 | P2-12 DO YOU REMOVE OR INSTALL E BENDS   | 0   | 0   | 0   | 0   | 0   | 0   |
| P 996 | P2-13 DO YOU REMOVE OR INSTALL H BENDS   | 0   | 0   | 0   | 0   | 0   | 0   |
| P 997 | P2-14 DO YOU REMOVE OR INSTALL OTHER BENDS   | 0   | 0   | 0   | 0   | 0   | 0   |
| P 998 | P2-15 DO YOU REMOVE OR INSTALL CHOKE JOINTS  | 0   | 0   | 0   | 0   | 0   | 0   |
| P 999 | P2-16 DO YOU REMOVE OR INSTALL ROTATING JOINTS   | 0   | 0   | 0   | 0   | 0   | 0   |
| P1000 | P2-17 DO YOU REMOVE OR INSTALL DIRECTIONAL COUPLERS  | 0   | 0   | 0   | 0   | 0   | 0   |
| P1001 | P2-18 DO YOU REMOVE OR INSTALL HIDIREDIRECTIONAL COUPLERS  | 0   | 0   | 0   | 0   | 0   | 0   |
| P1002 | P2-19 DO YOU USE OR REFER TO "A" WALL OF WAVEGUIDES  | 0   | 0   | 0   | 0   | 0   | 0   |

PCT MHS RESPONDING \*YES\* BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PRECENT MEMBERS PERFORMING

UPSHIC PAGE 36

|   | OT-15K | SPC 226 | SPC 227 | SPC 228 | SPC 229 |
|---|--------|---------|---------|---------|---------|
| P1003 P2-20 DO YOU USE OR REFER TO "A" WALL OF WAVEGUIDES           | 0      | 0       | 0       | 0       | 0       |
| P1004 P2-21 DO YOU USE OR REFER TO CUT OFF FREQUENCY OF WAVEGUIDES  | 0      | 0       | 0       | 0       | 0       |
| P1005 P2-22 DO YOU USE OR REFER TO FREQUENCY-DETERMINING WALL OF    | 0      | 0       | 0       | 0       | 0       |
| WAVEGUIDES  |        |         |         |         |         |
| P1006 P2-23 DO YOU USE OR REFER TO POWER-DETERMINING WALL OF        | 0      | 0       | 0       | 0       | 0       |
| WAVEGUIDES  |        |         |         |         |         |
| P1007 P2-24 DO YOU USE OR REFER TO ELECTRIC FIELD BOUNDARY          | 0      | 0       | 0       | 0       | 0       |
| CONDITIONS  |        |         |         |         |         |
| P1008 P2-25 DO YOU USE OR REFER TO MAGNETIC FIELD BOUNDARY          | 0      | 0       | 0       | 0       | 0       |
| CONDITIONS  |        |         |         |         |         |
| P1009 P2-26 DO YOU USE OR REFER TO DUPLEXER FIELD BOUNDARY          | 0      | 0       | 0       | 0       | 0       |
| CONDITIONS  |        |         |         |         |         |
| P1010 P2-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT MOST       | 0      | 0       | 0       | 0       | 0       |
| WAVEGUIDES ARE MADE WITH A "B" WALL SIZE OF .7 WAVELENGTHS          |        |         |         |         |         |
| OF THE OPERATING FREQUENCY  |        |         |         |         |         |
| P1011 P2-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT MOST "A"   | 0      | 0       | 0       | 0       | 0       |
| WALLS RANGE FROM .2 TO .5 WAVELENGTHS IN SIZE, WITH .35             |        |         |         |         |         |
| USED AS AN AVERAGE  |        |         |         |         |         |
| P1012 P2-29 ARE YOU CONCERNED WITH THE MATERIAL (SUCH AS BRASS)     | 0      | 0       | 0       | 0       | 0       |
| WHICH WAVEGUIDES ARE MADE OF  |        |         |         |         |         |
| P1013 P2-30 DO YOU COMPUTE THE LENGTH OF A WAVEGUIDE FOR SPECIFIC   | 0      | 0       | 0       | 0       | 0       |
| INSTALLATION  |        |         |         |         |         |
| P1014 P2-31 DO YOU USE THE RIGHT HAND RULE TO DETERMINE THE         | 0      | 0       | 0       | 0       | 0       |
| DIRECTION OF PROPAGATION, DIRECTION OF "E" FIELD, OR                |        |         |         |         |         |
| DIRECTION OF "H" FIELD IN WAVEGUIDES                                |        |         |         |         |         |
| P1015 P2-32 DO YOU USE OR REFER TO THE TIME PHASE OF PEAK "E" OR    | 0      | 0       | 0       | 0       | 0       |
| "H" LINES IN WAVEGUIDES   |        |         |         |         |         |
| P1016 P2-33 DO YOU MEASURE THE TIME PHASE OF "L" OR "H" LINES IN    | 0      | 0       | 0       | 0       | 0       |
| WAVEGUIDES  |        |         |         |         |         |
| P1017 P2-34 DO YOU USE OR REFER TO THE SPACE QUADRATURE OF "E" OR   | 0      | 0       | 0       | 0       | 0       |
| "H" LINES IN WAVEGUIDES   |        |         |         |         |         |
| P1018 P2-35 ARE HIGH POWER PROBES USED ON WAVEGUIDES OR CAVITY      | 0      | 0       | 0       | 0       | 0       |
| RESONATORS YOU WORK WITH  |        |         |         |         |         |
| P1019 P2-36 ARE LOW POWER PROBES USED ON WAVEGUIDES OR CAVITY       | 0      | 0       | 0       | 0       | 0       |
| RESONATORS YOU WORK WITH  |        |         |         |         |         |
| P1020 P2-37 ARE LOOPS USED ON WAVEGUIDES OR CAVITY RESONATORS       | 0      | 0       | 0       | 0       | 0       |
| YOU WORK WITH   |        |         |         |         |         |
| P1021 P2-38 ARE APERTURES (WINDINGS OR IRISSES) USED ON WAVEGUIDES  | 0      | 0       | 0       | 0       | 0       |
| OR CAVITY RESONATORS YOU WORK WITH                                  |        |         |         |         |         |
| P1022 P2-39 ARE YOU DON'T REMEMBER THE KIND OF ENERGY COUPLING USED | 0      | 0       | 0       | 0       | 0       |
| ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH                    |        |         |         |         |         |
| P1023 P2-40 DO YOU DETERMINE WHERE PHONES SHOULD BE MOUNTED IN      | 0      | 0       | 0       | 0       | 0       |
| WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO                |        |         |         |         |         |
| TECHNICAL DATA  |        |         |         |         |         |
| P1024 P2-41 DO YOU DETERMINE THE POSITIONING OF LOOPS IN            | 0      | 0       | 0       | 0       | 0       |
| WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO                |        |         |         |         |         |
| TECHNICAL DATA  |        |         |         |         |         |

PERCENT MEMBERS RESPONDING \*YES\* BY SELECTED GRPS  
TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

GPSM10 PAGE 37

|  | DO-TASK    |            |            |            |  |  |  |  |
|--|------------|------------|------------|------------|--|--|--|--|
|  | SPC<br>226 | SPC<br>227 | SPC<br>228 | SPC<br>229 |  |  |  |  |
| P1U25 P2=42 DO YOU DETERMINE THE POSITIONING OR SIZE OF APERTURES IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO TECHNICAL DATA | 0          | 0          | 0          | 0          |  |  |  |  |
| P1G26 P2=43 ARE CHOKE JOINTS USED IN WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH   | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U27 P2=44 ARE ROTATING JOINTS USED IN WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U28 P2=45 ARE DON'T REMEMBER THE KIND OF JOINTS USED IN WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH                                  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U29 P2=46 DO YOU TUNE CAVITY RESONATORS USING CAPACITIVE TUNING  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U30 P2=47 DO YOU TUNE CAVITY RESONATORS USING INDUCTIVE TUNING   | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U31 P2=48 DO YOU TUNE CAVITY RESONATORS USING VOLUME TUNING  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1G32 P2=49 DO YOU TUNE CAVITY RESONATORS USING DON'T REMEMBER THE METHOD OF TUNING  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U33 P2=50 DO YOU MEASURE THE FREQUENCY OF SIGNALS IN CAVITY RESONATORS   | 0          | 0          | 0          | 0          |  |  |  |  |
| P1G34 P3=01 IN YOUR PRESENT JOB DO YOU WORK WITH KLYSTRONS, TRAVELING WAVE TUBES (TWI), PARAMETRIC AMPLIFIERS, OR MAGNETRONS             | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U35 P3=02 DO YOU USE OR REFER TO INTERELECTRODE CAPACITANCE  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U36 P3=03 DO YOU USE OR REFER TO ELECTRON TRANSIT TIME   | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U37 P3=04 DO YOU USE OR REFER TO LEAD INDUCTANCE   | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U38 P3=05 DO YOU USE OR REFER TO RF LOSSES IN EXTERNAL CIRCUITRY   | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U39 P3=06 DO YOU USE OR REFER TO PRINCIPLE OF ELECTRON VELOCITY MODULATION   | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U40 P3=07 DO YOU USE OR REFER TO ELECTRON BUNCHING   | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U41 P3=08 DO YOU WORK WITH TWO-CAVITY KLYSTRONS  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U42 P3=09 DO YOU WORK WITH THREE-CAVITY KLYSTRONS  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U43 P3=10 DO YOU WORK WITH HELFLEX KLYSTRONS   | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U44 P3=11 DO YOU WORK WITH TRAVELING-WAVE TUBES (TWI)  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U45 P3=12 DO YOU WORK WITH NONDEGENERATIVE PARAMETRIC AMPLIFIERS   | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U46 P3=13 DO YOU WORK WITH UP-CONVERTER PARAMETRIC AMPLIFIERS  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U47 P3=14 DO YOU WORK WITH MAGNETRONS  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U48 P3=15 DO YOU INSPECT KLYSTRONS OR TWI  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U49 P3=16 DO YOU CLEAN KLYSTRONS OR TWI  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U50 P3=17 DO YOU TUNE KLYSTRONS OR TWI ELECTRICALLY  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U51 P3=18 DO YOU TUNE KLYSTRONS OR TWI MECHANICALLY  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U52 P3=19 DO YOU PERFORM OPERATIONAL CHECKS OF KLYSTRONS OR TWI  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1G53 P3=20 DO YOU TROUBLESHOOT KLYSTRONS OR TWI   | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U54 P3=21 DO YOU REMOVE OR REPLACE COMPLETE KLYSTRON OR TWI  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U55 P3=22 DO YOU REMOVE OR REPLACE KLYSTRON OR TWI COMPONENTS  | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U56 P3=23 DO YOU INSPECT PARAMETRIC AMPLIFIERS   | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U57 P3=24 DO YOU CLEAN PARAMETRIC AMPLIFIERS   | 0          | 0          | 0          | 0          |  |  |  |  |
| P1U58 P3=25 DO YOU ADJUST PARAMETRIC AMPLIFIERS  | 0          | 0          | 0          | 0          |  |  |  |  |

PCT MANS RESPONDING \*YES\* AT SELECTED QNPS  
 TASK GROUP SUMMARY  
 PLURC MEMBERS PERFORMING

GPMIU PAGE 38

|  | UVT-SK | SPC<br>226 | SPC<br>227 | SPC<br>228 | SPC<br>229 |
|--|--------|------------|------------|------------|------------|
| PIU59 P3-26 DO YOU TUNE PARAMETRIC AMPLIFIERS  | 0      | 0          | 0          | 0          | 0          |
| PIU60 P3-27 DO YOU PERFORM OPERATIONAL CHECKS OF PARAMETRIC AMPLIFIERS                                     | 0      | 0          | 0          | 0          | 0          |
| PIU61 P3-28 DO YOU TROUBLESHOOT PARAMETRIC AMPLIFIERS  | 0      | 0          | 0          | 0          | 0          |
| PIU62 P3-29 DO YOU REMOVE OR REPLACE COMPLETE PARAMETRIC AMPLIFIER   | 0      | 0          | 0          | 0          | 0          |
| PIU63 P3-30 DO YOU REMOVE OR REPLACE PARAMETRIC AMPLIFIER COMPONENTS                                       | 0      | 0          | 0          | 0          | 0          |
| PIU64 P3-31 DO YOU INSPECT MAGNETRONS  | 0      | 0          | 0          | 0          | 0          |
| PIU65 P3-32 DO YOU CLEAN MAGNETRONS  | 0      | 0          | 0          | 0          | 0          |
| PIU66 P3-33 DO YOU ADJUST MAGNETRONS   | 0      | 0          | 0          | 0          | 0          |
| PIU67 P3-34 DO YOU TUNE MAGNETRONS   | 0      | 0          | 0          | 0          | 0          |
| PIU68 P3-35 DO YOU PERFORM OPERATIONAL CHECKS OF MAGNETRONS  | 0      | 0          | 0          | 0          | 0          |
| PIU69 P3-36 DO YOU TROUBLESHOOT MAGNETRONS   | 0      | 0          | 0          | 0          | 0          |
| PIU70 P3-37 DO YOU REMOVE OR REPLACE COMPLETE MAGNETRON  | 0      | 0          | 0          | 0          | 0          |
| PIU71 P3-38 DO YOU REMOVE OR REPLACE MAGNETRON COMPONENTS  | 0      | 0          | 0          | 0          | 0          |
| PIU72 P3-39 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTONS COLLECTOR PLATES        | 0      | 0          | 0          | 0          | 0          |
| PIU73 P3-40 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTONS CATCHER CAVITIES        | 0      | 0          | 0          | 0          | 0          |
| PIU74 P3-41 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTONS CATCHER GRIDS           | 0      | 0          | 0          | 0          | 0          |
| PIU75 P3-42 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTONS FEEDBACK LOOPS          | 0      | 0          | 0          | 0          | 0          |
| PIU76 P3-43 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTONS DRIFT SPACES            | 0      | 0          | 0          | 0          | 0          |
| PIU77 P3-44 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTONS BUNCHER GRIDS           | 0      | 0          | 0          | 0          | 0          |
| PIU78 P3-45 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTONS HUNCHER CAVITIES        | 0      | 0          | 0          | 0          | 0          |
| PIU79 P3-46 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTONS CONTROL GRIDS           | 0      | 0          | 0          | 0          | 0          |
| PIU80 P3-47 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTONS CATHODES                | 0      | 0          | 0          | 0          | 0          |
| PIU81 P3-48 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON REPELLER IHEFFLECTOR PLATES | 0      | 0          | 0          | 0          | 0          |
| PIU82 P3-49 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON GRIDS                       | 0      | 0          | 0          | 0          | 0          |
| PIU83 P3-50 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON GRID CAVITY GAPS            | 0      | 0          | 0          | 0          | 0          |
| PIU84 P3-51 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON RESONANT CAVITIES           | 0      | 0          | 0          | 0          | 0          |
| PIU85 P3-52 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON MAGNETIC COUPLING LOOPS     | 0      | 0          | 0          | 0          | 0          |
| PIU86 P3-53 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON FILAMENTS                   | 0      | 0          | 0          | 0          | 0          |
| PIU87 P3-54 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON CATHODES                    | 1      | 1          | 0          | 0          | 0          |

PCT WAS RESPONDING • YES. BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPSM10 PAGE 39

| Q     | TASK  | SPC | SPC | SPC | SPC | SPC | SPC |
|-------|---|-----|-----|-----|-----|-----|-----|
| PIU80 | PJ-55 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON OUTPUT LEADS         | 0   | 0   | 0   | 0   | 0   | 0   |
| PIU81 | PJ-56 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES FILMMENTS       | 0   | 0   | 0   | 0   | 0   | 0   |
| PIU82 | PJ-57 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES CATHODES        | 0   | 0   | 0   | 0   | 0   | 0   |
| PIU83 | PJ-58 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MODULATOR GRIDS | 0   | 0   | 0   | 0   | 0   | 0   |
| PIU84 | PJ-59 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES ANODES          | 0   | 0   | 0   | 0   | 0   | 0   |
| PIU85 | PJ-60 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES HELIXES         | 0   | 0   | 0   | 0   | 0   | 0   |
| PIU86 | PJ-61 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES COLLECTORS      | 0   | 0   | 0   | 0   | 0   | 0   |
| PIU87 | PJ-62 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MAGNETS         | 0   | 0   | 0   | 0   | 0   | 0   |
| PIU88 | PJ-63 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES ATTENATORS      | 0   | 0   | 0   | 0   | 0   | 0   |
| PIU89 | PJ-64 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE CIRCULATORS                        | 0   | 0   | 0   | 0   | 0   | 0   |
| PIU90 | PJ-65 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER SIGNAL CAVITIES                            | 0   | 0   | 0   | 0   | 0   | 0   |
| PIU91 | PJ-66 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER ISOLER CAVITIES                            | 0   | 0   | 0   | 0   | 0   | 0   |
| PIU92 | PJ-67 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER VARACTOR DIODES                            | 0   | 0   | 0   | 0   | 0   | 0   |
| PIU93 | PJ-68 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE ISOLATORS                          | 0   | 0   | 0   | 0   | 0   | 0   |
| PIU94 | PJ-69 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER REVERSE-BIAS BATTERIES                     | 0   | 0   | 0   | 0   | 0   | 0   |
| PII03 | PJ-70 DO YOU PERFORM TASKS ON ANODES  | 0   | 0   | 0   | 0   | 0   | 0   |
| PII04 | PJ-71 DO YOU PERFORM TASKS ON ANODE COOLING PINS  | 0   | 0   | 0   | 0   | 0   | 0   |
| PII05 | PJ-72 DO YOU PERFORM TASKS ON COUPLING LOOPS  | 0   | 0   | 0   | 0   | 0   | 0   |
| PII06 | PJ-73 DO YOU PERFORM TASKS ON HEATER LEADS  | 0   | 0   | 0   | 0   | 0   | 0   |
| PII07 | PJ-74 DO YOU PERFORM TASKS ON RESONANT CAVITIES   | 1   | 0   | 2   | 0   | 0   | 0   |
| PII08 | PJ-75 DO YOU PERFORM TASKS ON CATHODES  | 0   | 0   | 0   | 0   | 0   | 0   |
| PII09 | PJ-76 DO YOU PERFORM TASKS ON MAGNETS   | 0   | 0   | 0   | 0   | 0   | 0   |
| QII11 | QI-01 DO YOU USE OR REFER TO STORAGE REGISTERS  | 73  | 71  | 77  | 40  | 40  | 40  |
| QII12 | QI-02 DO YOU USE OR REFER TO LOGIC SYMBOLS OF SHIFT REGISTERS                                 | 62  | 75  | 91  | 40  | 40  | 40  |
| QII13 | QI-03 DO YOU USE OR REFER TO LOGIC SYMBOLS OF SHIFT REGISTERS                                 | 77  | 72  | 83  | 40  | 40  | 40  |
| QII14 | QI-04 DO YOU USE OR REFER TO LOGIC STEPS  | 68  | 67  | 70  | 40  | 40  | 40  |
| QII15 | QI-05 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF SHIFT REGISTERS                    | 79  | 75  | 85  | 40  | 40  | 40  |
| QII16 | QI-06 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF OTHER TYPE OF REGISTERS            | 70  | 70  | 70  | 40  | 40  | 40  |

PCT MEMBERS RESPONDING: YES BY SELECTED GROUPS

| TASK GROUP SUMMARY<br>PERCENT MEMBERS PERFORMING   |                     |
|--|---------------------|
| DY-TSK   |                     |
| Q111A Q1-07 DO YOU DETERMINE THE STATE OF EACH FLIP-FLOP OF A SHIFT REGISTER AFTER A SPECIFIED NUMBER OF SHIFT PULSES<br>HAVE PASSED   | SPC 226 227 228 229 |
| Q111B Q2-01 DO YOU WORK WITH DIGITAL COUNTERS, REGISTERS, OR STORAGE DEVICES IN YOUR PHASE-1 JOB   | SPC 70 68 72 20     |
| Q111B Q2-02 DO YOU USE OR REFER TO DELAY LINES   | SPC 70 68 72 20     |
| Q111B Q2-03 DO YOU USE OR REFER TO MAGNETIC CORES  | SPC 70 68 72 20     |
| Q111B Q2-04 DO YOU USE OR REFER TO MAGNETIC DRUMS  | SPC 70 68 72 20     |
| Q111B Q2-05 DO YOU USE OR REFER TO MAGNETIC TAPES  | SPC 70 68 72 20     |
| Q111B Q2-06 DO YOU USE OR REFER TO ACCESS TIME OR SPEED OR MEMORY SYSTEMS  | SPC 70 68 72 20     |
| Q111B Q2-07 DO YOU USE OR REFER TO WORD CAPACITY OF MEMORY SYSTEMS   | SPC 70 68 72 20     |
| Q112A Q2-08 DO YOU USE OR REFER TO VOLATILITY OF MEMORY SYSTEMS  | SPC 70 68 72 20     |
| Q112A Q2-09 DO YOU USE OR REFER TO LOGIC SYMBOL OF DELAY LINES   | SPC 70 68 72 20     |
| Q112A Q3-01 IN YOUR PRESENT JOB, DO YOU WORK WITH DIGITAL-TO-Analog (D/A) CONVERTERS, ANALOG-TO-Digital (A/D) CONVERTERS, OR BINARY-TO-DECIMAL READOUT CONVERTERS                    | SPC 70 68 72 20     |
| Q112A Q3-02 DO YOU COMPUTE OUTPUT VOLTAGES FOR ELECTROMECHANICAL DIGITAL-TO-Analog (D/A) CONVERTERS FOR GIVEN INPUT VOLTAGES   | SPC 70 68 72 20     |
| Q112A Q3-03 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE COUNT IN ELECTROMECHANICAL DIGITAL-TO-Analog (D/A) CONVERTERS IS DETERMINED BY AUDING THE DENOMINATORS OF THE RESISTORS | SPC 70 68 72 20     |
| Q112A Q3-04 DO YOU COMPUTE ANALOG VOLTAGES FOR GIVEN BINARY COUNTS IN ELECTRONIC DIGITAL-TO-Analog (D/A) CONVERTERS  | SPC 70 68 72 20     |
| Q113D Q3-05 DO YOU PERFORM SAMPLE FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS   | SPC 70 68 72 20     |
| Q113I Q3-06 DO YOU PERFORM HOLD FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS   | SPC 70 68 72 20     |
| Q113I Q3-07 DO YOU PERFORM COMPARE FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS  | SPC 70 68 72 20     |
| Q113I Q3-08 DO YOU PERFORM DIGITIZE FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS   | SPC 70 68 72 20     |
| Q113I Q3-09 DO YOU PERFORM DON'T REMEMBER WHICH FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS   | SPC 70 68 72 20     |
| Q113S Q3-10 DO YOU USE OR REFER TO SAMPLE FUNCTION OF A/D CONVERTERS   | SPC 70 68 72 20     |
| Q113A Q3-11 DO YOU USE OR REFER TO HOLD FUNCTION OF A/D CONVERTERS   | SPC 70 68 72 20     |
| Q113I Q3-12 DO YOU USE OR REFER TO COMPARE FUNCTION OF A/D CONVERTERS  | SPC 70 68 72 20     |
| Q113A Q3-13 DO YOU USE OR REFER TO DIGITAL FUNCTION OF A/D CONVERTERS  | SPC 70 68 72 20     |
| Q113I Q3-14 DO YOU PERFORM ANY TASKS ON MECHANICAL ANALOG-TO-DIGITAL (A/D) CONVERTERS  | SPC 70 68 72 20     |

PCT MEAS RESPONDING \*YES\* BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

GPMHU PAGE 41

|   | DY-TSK | SPC<br>226 | SPC<br>227 | SPC<br>228 | SPC<br>229 |
|---|--------|------------|------------|------------|------------|
| R1140 R1-O1 DO YOU WORK WITH PHANTASTRON CIRCUITRY IN YOUR PRESENT JOB                    |        | 1          | 1          | 0          | 0          |
| R1141 R2-O1 IN YOUR PRESENT JOB DO YOU WORK WITH SCHMITT TRIGGER CIRCUITS                 |        | 69         | 59         | 70         | 60         |
| R1142 R2-O2 DO YOU TRACE DATA FLOW THROUGH SCHMITT TRIGGER SCHEMATIC DIAGRAMS             |        | 57         | 52         | 64         | 40         |
| R1143 R2-O3 DO YOU USE OR REFER TO SCHMITT TRIGGER LOGIC SYMBOLS                          |        | 62         | 57         | 70         | 60         |
| R1144 R3-O1 IN YOUR PRESENT JOB DO YOU FABRICATE MULTICONDUCTOR CABLES                    |        | 9          | 6          | 15         | 0          |
| R1145 R3-O2 DO YOU FABRICATE COAXIAL CABLES   |        | 9          | 4          | 15         | 0          |
| S1146 S1-O1 IN YOUR PRESENT JOB DO YOU PERFORM ANY TASKS ON VISUAL READOUT SYSTEMS        |        | 30         | 28         | 34         | 40         |
| S1147 S1-O2 DO YOU PERFORM ANY TASKS ON NIXIE LIGHTS OR NIXIE LIGHT DECODEN SYSTEMS       |        | 10         | 12         | 9          | 20         |
| S1148 S1-O3 DO YOU ANALYZE NIXIE LIGHT DECODER SYSTEMS USING BOOLEAN ALGEBRA              |        | 3          | 3          | 4          | 0          |
| S1149 S2-O1 DO YOU WORK WITH PHOTO TUBES IN YOUR PRESENT JOB                              |        | 22         | 17         | 30         | 0          |
| S1150 S2-O1 IN YOUR PRESENT JOB DO YOU WORK WITH CHOPPER CIRCUITS                         |        | 3          | 3          | 0          | 0          |
| S1151 S3-O2 DO YOU MEASURE EXCITATION FREQUENCIES   |        | 1          | 0          | 2          | 0          |
| S1152 S3-O3 DO YOU MEASURE VOLTAGE-CURRENT PHASE RELATIONSHIPS                            |        | 7          | 1          | 2          | 0          |
| S1153 S3-O4 DO YOU USE OR REFER TO EXCITATION FREQUENCIES                                 |        | 1          | 0          | 2          | 0          |
| S1154 S3-O5 DO YOU USE OR REFER TO VOLTAGE-CURRENT PHASE RELATIONSHIPS                    |        | 1          | 0          | 2          | 0          |
| S1155 S3-O6 DO YOU USE SERVOS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION               |        | 1          | 1          | 0          | 0          |
| S1156 S3-O7 DO YOU USE DETECTORS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION            |        | 3          | 3          | 2          | 0          |
| S1157 S3-O8 DO YOU USE ERROR SIGNAL DEVICES IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION |        | 3          | 3          | 2          | 0          |
| S1158 S3-O9 DO YOU USE COMPARISON CIRCUITS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION  |        | 3          | 3          | 2          | 0          |
| T1159 T1-O1 DOES YOUR PRESENT JOB INVOLVE ANY TASKS DEALING WITH INFRARED SYSTEMS         |        | 10         | 7          | 15         | 0          |
| T1160 T1-O2 DO YOU INSPECT INFRARED SYSTEMS   |        | 10         | 7          | 15         | 0          |
| T1161 T1-O3 DO YOU CLEAN INFRARED SYSTEMS   |        | 10         | 7          | 15         | 0          |
| T1162 T1-O4 DO YOU ADJUST OR CALIBRATE INFRARED SYSTEMS                                   |        | 7          | 4          | 11         | 0          |
| T1163 T1-O5 DO YOU OPERATE INFRARED SYSTEMS   |        | 7          | 7          | 13         | 0          |
| T1164 T1-O6 DO YOU TROUBLESHOOT WIRE CONNECTIONS OF INFRARED SYSTEMS                      |        | 9          | 6          | 15         | 0          |
| T1165 T1-O7 DO YOU TROUBLESHOOT MAJOR ASSEMBLIES OF INFRARED SYSTEMS                      |        | 6          | 11         | 0          |            |
| T1166 T1-O8 DO YOU TROUBLESHOOT DOWN TO INFRARED SYSTEM COMPONENT PARTS                   |        | 7          | 4          | 11         | 0          |
| T1167 T1-O9 DO YOU REMOVE OR REPLACE MAJOR ASSEMBLIES OF INFRARED SYSTEMS                 |        | 7          | 7          | 11         | 0          |
| T1168 T1-O10 DO YOU REMOVE OR REPLACE INFRARED SYSTEM COMPONENT PARTS                     |        | 6          | 4          | 13         | 0          |



PCT MARS RESPONDING \*YES\* BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

4PSH10 PAGE 43

|  | DY-TSK | SPC | SPC | SPC | SPC |
|--|--------|-----|-----|-----|-----|
|  |        | 226 | 227 | 228 | 229 |
| T1210 T2-25 DO YOU WORK WITH HALF SILVERED (92% REFLECTIVE) MIRRORS                          |        | 0   | 0   | 0   | 0   |
| T1211 T2-26 DO YOU WORK WITH HELICAL FLASHTUBES  |        | 0   | 0   | 0   | 0   |
| T1212 T2-27 DO YOU WORK WITH RUBY  |        | 0   | 0   | 0   | 0   |
| T1213 T2-28 DO YOU WORK WITH HELIUM-NEON   |        | 0   | 0   | 0   | 0   |
| T1214 T2-29 DO YOU WORK WITH HELIUM-XENON  |        | 0   | 0   | 0   | 0   |
| T1215 T2-30 DO YOU WORK WITH XENON   |        | 0   | 0   | 0   | 0   |
| T1216 T2-31 DO YOU WORK WITH CESIUM-MERLUM   |        | 0   | 0   | 0   | 0   |
| T1217 T2-32 DO YOU WORK WITH ARGON   |        | 0   | 0   | 0   | 0   |
| T1218 T2-33 DO YOU WORK WITH NEONIUM IN GLASS  |        | 0   | 0   | 0   | 0   |
| T1219 T2-34 DO YOU WORK WITH GALLIUM ARSENIDE  |        | 0   | 0   | 0   | 0   |
| T1220 T3-01 IN YOUR PRESENT JOB DO YOU WORK WITH DISPLAY TUBES.                              |        | 1   | 0   | 0   | 0   |
| SUCH AS DIRECT VIEW STORAGE (DVST) OR MULTIPLE MODE STORAGE TUBES (MHST)                     |        | 0   | 2   | 0   | 0   |
| T1221 T3-02 DO YOU INSPECT DVST OR MHST  |        | 1   | 0   | 2   | 0   |
| T1222 T3-03 DO YOU CLEAN DVST OR MHST  |        | 1   | 0   | 2   | 0   |
| T1223 T3-04 DO YOU ADJUST OR CALIBRATE DVST OR MHST  |        | 1   | 0   | 2   | 0   |
| T1224 T3-05 DO YOU OPERATE SYSTEMS THAT CONTAIN DVST OR MHST                                 |        | 1   | 0   | 2   | 0   |
| T1225 T3-06 DO YOU TROUBLESHOOT DVST OR MHST   |        | 1   | 0   | 2   | 0   |
| CIRCUITS   |        | 0   | 0   | 0   | 0   |
| T1226 T3-07 DO YOU REMOVE OR REPLACE DVST OR MHST TUBES FROM MAJOR ASSEMBLIES OR UNITS       |        | 1   | 0   | 2   | 0   |
| T1227 T3-08 DO YOU PERFORM TASKS THAT MAKE IT NECESSARY TO NAME THE VARIOUS ELEMENTS OF DVST |        | 1   | 0   | 2   | 0   |
| T1228 T3-09 DO YOU PERFORM TASKS THAT MAKE IT NECESSARY TO NAME THE VARIOUS ELEMENTS OF MHST |        | 0   | 0   | 0   | 0   |
| T1229 T3-10 DO YOU PERFORM TASKS ON FLOOD GUNS   |        | 0   | 0   | 0   | 0   |
| T1230 T3-11 DO YOU PERFORM TASKS ON WRITE GUNS   |        | 1   | 0   | 2   | 0   |
| T1231 T3-12 DO YOU PERFORM TASKS ON ATTACK GUNS  |        | 0   | 0   | 0   | 0   |
| T1232 T3-13 DO YOU PERFORM TASKS ON ERASE GUNS   |        | 1   | 0   | 2   | 0   |
| T1233 T3-14 DO YOU PERFORM TASKS ON STORAGE GRIDS  |        | 1   | 0   | 2   | 0   |
| T1234 T3-01 IN YOUR PRESENT JOB DO YOU PERFORM ANY PROGRAMMING TASKS                         |        | 9   | 6   | 15  | 0   |
| U1235 U1-02 DO YOU USE OR REFER TO DECIMAL SYSTEMS   |        | 4   | 4   | 0   | 0   |
| U1236 U1-03 DO YOU USE OR REFER TO PROGRAMS  |        | 5   | 3   | 9   | 0   |
| U1237 U1-04 DO YOU USE OR REFER TO HEXIDECIMAL SYSTEMS                                       |        | 1   | 0   | 2   | 0   |
| U1238 U1-05 DO YOU USE OR REFER TO 8-4-2-1 SYSTEMS   |        | 1   | 1   | 0   | 0   |
| U1239 U1-06 DO YOU USE OR REFER TO FOUR SYSTEMS  |        | 0   | 0   | 0   | 0   |
| U1240 U1-07 DO YOU USE OR REFER TO BINARY SYSTEMS  |        | 5   | 3   | 9   | 0   |
| U1241 U1-08 DO YOU USE OR REFER TO TIME-SHARING  |        | 3   | 1   | 4   | 0   |
| U1242 U1-09 DO YOU USE OR REFER TO DATA WORDS  |        | 3   | 0   | 6   | 0   |
| U1243 U1-10 DO YOU USE OR REFER TO ADDRESS/SUBADDRESS  |        | 4   | 1   | 9   | 0   |
| U1244 U1-11 DO YOU USE OR REFER TO ADDRESSING/INFORMATION                                    |        | 4   | 4   | 4   | 0   |
| U1245 U1-12 DO YOU USE OR REFER TO STEERING/INFORMATION WORDS                                |        | 2   | 1   | 2   | 0   |
| U1246 U1-13 DO YOU USE OR REFER TO INFORMATION WORDS   |        | 1   | 0   | 4   | 0   |
| U1247 U1-14 DO YOU PERFORM TASKS ON SINGLE LEVEL PROGRAMMING                                 |        | 2   | 1   | 2   | 0   |
| U1248 U1-15 DO YOU PERFORM TASKS ON MULTI-LEVEL PROGRAMMING                                  |        | 2   | 0   | 4   | 0   |

## PCT MARS RESPONDING \*YES\* BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

GPMIC PAGE 44

| D-TASK   | SPC |     |     | SPC |  |  |
|--|-----|-----|-----|-----|--|--|
|  | 226 | 227 | 228 | 229 |  |  |
| U1249 U1-16 DO YOU PERFORM TASKS ON INPUT DEVICES                        | 9   | 6   | 15  | 0   |  |  |
| U1250 U1-17 DO YOU PERFORM TASKS ON STORAGE DEVICES                      | 9   | 6   | 15  | 0   |  |  |
| U1251 U1-18 DO YOU PERFORM TASKS ON ARITHMETIC SECTIONS                  | 3   | 0   | 6   | 0   |  |  |
| U1252 U1-19 DO YOU PERFORM TASKS ON CONTROL SECTIONS                     | 11  | 7   | 17  | 0   |  |  |
| U1253 U1-20 DO YOU PERFORM TASKS ON OUTPUT DEVICES                       | 12  | 9   | 17  | 0   |  |  |
| U1254 U1-21 DO YOU PERFORM TASKS ON POWER SUPPLIES                       | 12  | 9   | 17  | 0   |  |  |
| U1255 U2-01 DO YOU USE DECIBELS TO EXPRESS AMPLIFICATION AND ATTENUATION | 28  | 12  | 51  | 0   |  |  |
| U1256 U2-02 DO YOU USE LOGARITHMS TO COMPUTE OUTPUT POWER IN DECIBELS    | 1   | 0   | 2   | 0   |  |  |
| U1257 U2-03 DO YOU USE LOGARITHMS TO COMPUTE ATTENUATION IN DECIBELS     | 1   | 0   | 2   | 0   |  |  |
| U1258 U2-04 GUMMY TASK TO IDENTIFY INCUBENTS WHO PERFORMED NO TASKS      | 3   | 4   | 2   | 0   |  |  |

AD-A046 096

AIR FORCE OCCUPATIONAL MEASUREMENT CENTER LACKLAND A--ETC F/G 5/9  
ELECTRONIC-MECHANICAL COMMUNICATIONS AND CRYPTOGRAPHIC EQUIPMENT--ETC(U)  
SEP 77 T J O'CONNOR, M G LAWRENCE

NL

UNCLASSIFIED

2 OF 2  
ADA  
046096

SUPPLEMENTARY  
ADA  
046096

INFORMATION

INFORMATION

END  
DATE  
FILED  
1 - 79  
DDC

# **SUPPLEMENTARY**

## **INFORMATION**

## UNCLASSIFIED

Connected

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

| REPORT DOCUMENTATION PAGE  |                                    | READ INSTRUCTIONS BEFORE COMPLETING FORM                                  |                       |             |                   |                    |          |                  |                      |          |                        |  |
|--|------------------------------------|---|-----------------------|-------------|-------------------|--------------------|----------|------------------|----------------------|----------|------------------------|--|
| 1. REPORT NUMBER<br>AFPT 90-306-222  | 2. GOVT ACCESSION NO.<br>ADAO46096 | 3. RECIPIENT'S CATALOG NUMBER<br><i>481</i>                               |                       |             |                   |                    |          |                  |                      |          |                        |  |
| 4. TITLE (and Subtitle)<br>Electronic-Mechanical Communications and Cryptographic Equipment Systems Specialist AFSC 30651  |                                    | 5. TYPE OF REPORT & PERIOD COVERED<br>FINAL<br>April 77 - June 77         |                       |             |                   |                    |          |                  |                      |          |                        |  |
| 7. AUTHOR(s)<br>Thomas J. O'Connor<br>Marry G. Lawrence  |                                    | 6. PERFORMING ORG. REPORT NUMBER  |                       |             |                   |                    |          |                  |                      |          |                        |  |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS<br>Occupational Survey Branch<br>USAF Occupational Measurement Center<br>Lackland AFB TX 78236   |                                    | 8. CONTRACT OR GRANT NUMBER(s)  |                       |             |                   |                    |          |                  |                      |          |                        |  |
| 11. CONTROLLING OFFICE NAME AND ADDRESS<br>SAME AS ITEM 9  |                                    | 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS<br><i>N/A</i> |                       |             |                   |                    |          |                  |                      |          |                        |  |
| 14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office)   |                                    | 12. REPORT DATE<br>23 September 1977                                      |                       |             |                   |                    |          |                  |                      |          |                        |  |
|  |                                    | 13. NUMBER OF PAGES<br><i>6</i>   |                       |             |                   |                    |          |                  |                      |          |                        |  |
| 16. DISTRIBUTION STATEMENT (of this Report)  |                                    | 15. SECURITY CLASS. (of this report)<br>UNCLASSIFIED                      |                       |             |                   |                    |          |                  |                      |          |                        |  |
|  |                                    | 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE                                |                       |             |                   |                    |          |                  |                      |          |                        |  |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)   |                                    |   |                       |             |                   |                    |          |                  |                      |          |                        |  |
| 18. SUPPLEMENTARY NOTES  |                                    |   |                       |             |                   |                    |          |                  |                      |          |                        |  |
| 19. KEY WORDS (Continue on reverse side if necessary and identify by block number)<br><table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Electronic principles</td> <td style="width: 50%;">Electronics</td> </tr> <tr> <td>basic electronics</td> <td>Air Force Training</td> </tr> <tr> <td>Avionics</td> <td>Teaching Methods</td> </tr> <tr> <td>Electronic equipment</td> <td>Training</td> </tr> <tr> <td>Electronic technicians</td> <td></td> </tr> </table> |                                    |   | Electronic principles | Electronics | basic electronics | Air Force Training | Avionics | Teaching Methods | Electronic equipment | Training | Electronic technicians |  |
| Electronic principles  | Electronics                        |   |                       |             |                   |                    |          |                  |                      |          |                        |  |
| basic electronics  | Air Force Training                 |   |                       |             |                   |                    |          |                  |                      |          |                        |  |
| Avionics   | Teaching Methods                   |   |                       |             |                   |                    |          |                  |                      |          |                        |  |
| Electronic equipment   | Training                           |   |                       |             |                   |                    |          |                  |                      |          |                        |  |
| Electronic technicians   |                                    |   |                       |             |                   |                    |          |                  |                      |          |                        |  |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number)<br><p>This report summarizes the results of the administration of the Electronic Principles Inventory to airmen assigned as Electronic-Mechanical Communications and Cryptographic Equipment Systems Specialist (AFSC 30651).</p>  |                                    |   |                       |             |                   |                    |          |                  |                      |          |                        |  |
| CONTINUED  |                                    |   |                       |             |                   |                    |          |                  |                      |          |                        |  |

**UNCLASSIFIED**

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

~~This specialty has the following functions:~~

Installs, maintains, inspects, tests, repairs, modifies, and safeguards electronic-mechanical communications and cryptographic (TSEC/KG-13) equipment. Installs and checks the operation of electronic-mechanical communications and cryptographic equipment. Maintains, inspects, and tests electronic-mechanical communications and cryptographic equipment. Safeguards cryptographic equipment and classified information.

**UNCLASSIFIED**

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)