

**USAFA-TR-77-12** 

# A GENERAL TECHNIQUE FOR R & D COST FORECASTING

52

AD A 04610

СОРУ

FLE

## MAJOR WILLIAM J. WEIDA

DEPT OF ECONOMICS, GEOGRAPHY AND MANAGEMENT USAF ACADEMY, COLORADO 80840



**SEPTEMBER 1977** 

**FINAL REPORT** 

## APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED



DEAN OF THE FACULTY NITED STATES AIR FORCE ACADEMY COLORADO 80840 Editorial Review by Lt Col Elser Department of English USAF Academy, Colorado 80340

This research report is presented as a competent treatment of the subject, worthy of publication. The United States Air Force Academy vouches for the quality of the research, without necessarily endorsing the opinions and conclusions of the author.

This report has been cleared for open publication and/or public release by the appropriate Office of Information in accordance with AFR 190-17 and DODD 5230.9. There is no objection to unlimited distribution of this report to the public at large, or by DDC to the National Technical Information Service.

This research report has been reviewed and is approved for publication.

PHILIN J. ERDLE, Colonel, USAF Vice Deal of the Paculty

	REPORT DOCUMENTATION PAG	E	READ INSTRUCTIONS
( rd)	1. REPORT NUMBER 2. GC	NT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
17	USAFA-TR-77-12 V		
	4. TITLE (and Subtitio)	(	TYPE OF REPORT & PERIOD COVE
1	UT		FINAL REPORT
6)	A GENERAL TECHNIQUE FOR R D COST FO	RECASTING .	6. PERFORMING ORG. APPORT NUMB
	7. AUTHOR(+)		8. CONTRACT OR GRANT NUMBER(s)
1			
	Major William J. Weida		
	9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TA
	Department of Economics, Geography and United States Air Force Academy, Color	Management ado 80840	
	11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
	DFEGM .		Sep <b>tember (9</b> 77 /
	USAF Academy, CO 80840	-9	13. NUMBER OF PAGES
	14. MONITORING AGENCY NAME & ADDRESS(I dillerent from	Controlling Office)	18. SECURITY CLASS. (of this report)
			(2)65-
			154. DECLASSIF/CATION/DOWNGRADI
	Approved for Public Release; Distribut: '7. DISTRIBUTION STATEMENT (of the obstract entered in Blo	ck 20, 11 different fro	m Report)
	Approved for Public Release; Distribut: '7. DISTRIBUTION STATEMENT (of the obstract entered in Big	ck 20, il different fro	m Report)
	Approved for Public Release; Distribut: '7. DISTRIBUTION STATEMENT (of the obstract entered in Bio 18. SUPPLEMENTARY NOTES	ion Uniimitea	m Report)
	Approved for Public Release; Distribut: "7. DISTRIBUTION STATEMENT (of the obstrect entered in Bio 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and iden	ick 20, if different fro	m Report)
	Approved for Public Release; Distribut: "7. DISTRIBUTION STATEMENT (of the obstreet entered in Bio 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side II necessary and iden Cost Forecasting, R & D Cost, Research Expenditure Pattern Analysis	ick 20, if different fro tify by block number) and Developmo	ent Cost, Growth Curves,
	Approved for Public Release; Distribut: "7. DISTRIBUTION STATEMENT (of the obstree: entered in Bio 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side II necessary and iden Cost Forecasting, R & D Cost, Research Expenditure Pattern Analysis And	ick 20, if different fro iffy by block number) and Developme	ent Cost, Growth Curves,
	Approved for Public Release; Distribut: '7. DISTRIBUTION STATEMENT (of the obstract entered in Bio 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and iden Cost Forecasting, & & D Cost, Research Expenditure Pattern Analysis 20. ABSTRACT (Continue on reverse side if necessary and iden	ion uniimited ick 20, il different fro tify by block number) and Developm ify by block number)	ent Cost, Growth Curves,
, <b>-</b>	Approved for Public Release; Distribut: "7. DISTRIBUTION STATEMENT (of the obstreet entered in Bio 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and ident Cost Forecasting, R & D Cost, Research Expenditure Pattern Analysis 20. ABSTRACT (Continue on reverse side if necessary and ident A general model for R & D cost forecast pattern analysis of twenty-one current validated on an additional twelve weapo follow a certain, well-defined pattern, involved.	tify by block number) and Developme tify by block number) ting was developme weapon system ons systems, a regardless of	ent Cost, Growth Curves, loped based on an expendit as. This model which was shows that R (6) D expenditu of the type of system
4	Approved for Public Release; Distribut: '7. DISTRIBUTION STATEMENT (of the obstreet entered in Bio 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and iden Cost Forecasting, R & D Cost, Research Expenditure Pattern Analysis 20. ABSTRACT (Continue on reverse side if necessary and iden A general model for R & D cost forecast pattern analysis of twenty-one current validated on an additional twelve weapor follow a certain, well-defined pattern, involved. 20. ABSTRACT (Continue on reverse side of necessary and iden A general model for R & D cost forecast pattern analysis of twenty-one current validated on an additional twelve weapon follow a certain, well-defined pattern, involved. 20. ABSTRACT (Continue on coverse side of necessary and iden A general model for R & D cost forecast pattern analysis of twenty-one current validated on an additional twelve weapon follow a certain, well-defined pattern, involved.	tilly by block number) and Developme tilly by block number) ting was developme weapon system , regardless of INCLAS	ent Cost, Growth Curves, loped based on an expendit ms. This model which was shows that R(6) D expenditu of the type of system

## TABLE OF CONTENTS

INTRODUCTION.	
CHAPTER I.	Fitting the Curve 5
CHAPTER II.	The Rationale Behind the Use of the S-Shaped Curve
CHAPTER III.	Developing and Using the S-Shaped Curve 16
CHAPTER IV.	The S-Shaped Curve as a Forecasting Tool 20
CHAPTER V.	An Application
BIBLIOGRAPHY.	
APPENDIX I:	Logistics and Gompertz Curve Equations 47
APPENDIX II:	Removing Autocorrelation Through GLS 48
TABLES I thro	ugh IV: Weapon Systems R & D Curve Data 52-55
TABLE V:	The Relationship Between Milestones and Budget Data
TABLE VI:	Inflection Point Locations
TABLE VII:	Project B Budget Data
TABLE VIII:	Project B Actuals
EXHIBIT 1:	General Curve-Bottom Half
EXHIBIT II:	General Curve-Top Half 60
EXHIBIT III:	Budget Curve-Bottom Half & Top Half 61-62
EXHIBIT IV:	Actuals-Bottom Half 63

ACCESSION (2)		
NTIS	L mon M	
DDC	B ff Section	
UNANMOUNCED		
JUSTI 101 104		
BY <b>Distriction</b> /A	IAT ABIT ITY COMES	
2		

## A GENERAL TECHNIQUE FOR

#### R & D COST FORECASTING

and the second second

#### INTRODUCTION

During the 1920's, two statisticians, Raymond Pearl and L.J. Reed, were extensively involved in research dealing with forecasting rates of population and biological growth. They discovered that the S-shaped curve form of Figure 1 accurately represented growth of these types which are characterized by three distinct phases: (1) a slow period of development, (2) a rapid period of expansion, and (3) a tapering off at maturity.





The growth rates of a number of developing industries were also found to follow this general format, but most attempts to use this curve form for forecasting were non-productive. The failure of the two forms of the S-shaped curve (the Logistic and the Gompertz) (See Appendix 1) to provide accurate forecasts can be attributed to two principle causes:

(1) The equation for the Gompertz curve assumes symmetry around an inflection point which is the geometric mean of the Y values, while the equation for the Logistics curve makes the same assumption for the true mean of the Y values. Neither of these assumptions is usually justified in real-world situations.<sup>1</sup>

(2) Because of the order of the polynomials needed to express these curves, slight perturbations of the data early in the growth process can quickly force the equation for either of the curves to forecast an unrealistically high or low figure for total growth.

This failure to forecast accurately becomes important in the context of Research and Development within the Department of Defense because R & D programs also follow the S-shaped curve form in terms of both cumulative dollar expenditures and cumulative milestone completion over time. This fact should be no surprise since the R & D process is intuitively a biological growth process in which there is slow initial <u>development</u> of the specific project, followed by a fairly rapid <u>building</u> phase which, in turn, is followed by a <u>tapering-off</u> to completion.

<sup>&</sup>lt;sup>1</sup>Table VI shows the actual inflection point for 21 weapon systems. Note that in no case does this point consistently fall anywhere close to either the true or the geometric mean.

The existence of these three phases in Department of Defense R & D programs was verified by taking the Cost Performance Reports (CPRs) for 22 different weapon and component systems and tracing the actual costs as they were incurred throughout the life of each R & D program. Without exception the S-shaped curve was the dominating factor in the system development <u>as it actually</u> <u>occurred</u>. The milestones associated with these programs also exhibited the same characteristics in every case for which data were available.

The results based on the original 22 weapon systems were then checked against new and very complete data which were provided by another source on 15 weapon systems. Again the connection between R & D expenditures, the S-shaped curve, and milestone completion were firmly established.

Conventional wisdom would suggest that since the Logistics and Gompertz curve forms are generally non-productive forecasting tools, one should proceed instead to construct an econometric model of the R & D process. This model, which would embody each of the endogenous variables in any given R & D project, could then use the historical cost data for each of these inputs (labor, raw materials, etc.) to establish trends. The trends could then be combined to provide an overall forecast of the final cost of the R & D project.

Unfortunately, the existing data concerning the prices of many raw materials such as aluminum, stainless steel, titanium, steel alloys, etc., are either misleading, erroneous, or simply do not reflect the true prices. In addition, labor data are often not available for the narrow categories of labor employed in a given R & D project, nor do they properly reflect local or regional conditions which may significantly affect wage rates.

These deficiencies rule out the use of conventional econometric modeling techniques, and one is faced with the problem of finding some known element common to all R & D programs which could be adapted as a forecasting tool.

Since the S-shaped curve is a common element in all R & D projects, this paper will deal with an effort to modify the curve in such a way that accurate forecasting can be achieved.

#### CHAPTER I

#### FITTING THE CURVE

The major problem in handling an S-shaped growth curve is one of keeping under control the higher-order polynomials necessary to express this complicated curve form. If one realizes that any S-shaped curve is merely the cumulative form of a bell curve (which may or may not be skewed) as shown in Figure 2, a solution to this particular problem becomes apparent.



Figure 2. The Derivation of the S-shaped Curve

The S-shaped curve may be separated (or "broken") at the inflection point to yield two simpler curves of a form which may be expressed by either a logrithmic ( $y = ax^b$ ) or a quadratic ( $y = a + b_1 x_1 + b_2 x_1^2$ ) equation. Standard econometric fitting techniques may then be utilized to determine which of these two curve forms is the best fit.

However, selecting the best curve form is greatly complicated by the fact that the time dependent nature of these curves, and indeed the entire R & D process, tends to cause a great deal of autocorrelation in the resulting data. This autocorrelation, which is a violation of the necessary assumption that regression residuals are not related, must be dealt with and eliminated from the data before a valid selection of equations can be made to express the lower and upper halves of the S-shaped curve. For this particular research, autocorrelation was removed through the use of Generalized Least Squares following an autoregressive transformation which used a two-step procedure for the estimation of Rho. This process is explained in its entirety in Appendix 2.

It should be noted that the treatment of each additional order of autocorrelation by this method removes one additional data point from the lower end of whichever half of the S-shaped curve is being considered. This occurs because each succeeding transformation steps back in time one data point further in an attempt to remove any past influences on the current regression

residual. This process has an inherent benefit in that it tends to weight recent observations more heavily than past observations. The result is a rather sophisticated smoothing technique which the user may vary to assure that the fitted curves will converge rapidly on the proper values.

Tables I through IV show the results of this curve fitting technique when it was applied to both actual and budgeted cost figures for 22 major weapon systems or R & D projects. In almost every case, the quadratic equation provided the best fit of both the upper and lower segments of the S-shaped curve. The statistics accompanying each of the curve equations indicate that the upper and lower curve segments, when rejoined, do provide an excellent proxy for the original S-shaped curve for each R & D project, and the mean square error figures accompanying each equation assure that these reconstructed S-shaped curves are useful forecasting tools.

With the curves for each of the specific programs developed, the same technique of calculating the upper and lower halves of the S-shaped curve and then mating these segments at the inflection point can be used to derive a general curve based on all weapon systems for which data are available. This general curve can then serve as the forecasting vehicle for new weapon systems.

The actual calculations for the general curve are accomplished by pooling all of the data for 17 systems. Table VI shows that the

mean inflection point for these systems occurs at the 56.2% of expenditures and 46.2% of time points with the width of one standard deviation around this point being 5.4% for expenditures and 7.3% for time. Considering that these figures were derived from a collection of systems which were so diverse as to include an early 1950's era weapon system (the F-105), cargo and bomber aircraft (C-5, C-141, B-1, etc.), engines and guns (A-10), and future projects such as space tugs, these figures represent a surprisingly narrow confidence interval.

Exhibits I and II show the results of fitting the curve segments using a quadratic equation for both the lower and upper halves. A certain degree of heteroskedasticity was introduced into these data sets by a normalization of the data which forced the S-shaped curve to begin at the 0% time and expenditures point and end at the 100% time and expenditures point. Because of the obvious significance of the data provided in Exhibits I and II, the heteroskedasticity was not deemed to be a significant problem.

Figure 3 shows the general curve form and a lo confidence interval around this curve. The calculations for this confidence interval may be found in Table VI. This type of curve derivation has the obvious advantages of generating a result which should have wide application across the broad spectrum of weapon systems, and as such it will form the basis for the forecasting efforts which will be explored in the next chapters.



#### CHAPTER II

#### THE RATIONALE BEHIND THE USE

#### OF THE S-SHAPED CURVE

Chapter I showed that the S-shaped curve described every military R & D project which was investigated, and Chapter II will demonstrate a practical method of finding the curve for either a specific project or a general model. However, the rationale behind the use of both a two-part curve and the initial budget data in the forecasting process deserves further explanation.

Since no one can estimate the cost of developing a new weapon system without an effort which would virtually duplicate the original contract-letting process, it is obvious that the rational approach is to accept the R & D budget proposed by the contractor as the best initial estimate of the project cost.

However, once this approach is decided upon and it is realized that a two-part S-shaped growth curve can be chosen to express the program as a whole, three very interesting approaches may be adopted:

(1) The proposed project budget may be compared to all past R & D budgets to see if the expenditure pattern is <u>generally</u> rational in light of R & D experience with other weapon systems. Figure 3

shows the general curve with a lg confidence band based on the R & D projects which were studied for this paper. Considering the diversity of the weapon systems which were investigated, this band represents a fairly narrow range within which the expenditure pattern for any new R & D project should be expected to fall. If the proposed expenditure pattern falls outside of this range, the contractor should be expected to explain why his program is unique in this respect.

(2) The proposed budget expenditure pattern can be compared to the proposed project milestones to check the <u>specific</u> rationality of the budget proposal. Table V shows a reperesentative selection of projects for which milestone data are available. There is a very high order of correlation between the budget expenditure pattern and the pattern in which the milestones are accomplished. This suggests that the manner in which the milestones are completed over time provides an excellent cross-check on the way in which the budget should be expended. And it also means that slips or changes in the order of milestone completion will invariably be reflected in the expenditures for the entire project.

(3) When the contractor or procurement officer considers uncertainty in any R & D program, he can generally resolve this uncertainty into different types of unknowns. Drake states that

these unknowns are of two kinds:
 (1) The unknowns that he is aware of and
believes he can resolve when he accepts a
contract--for example, the configuration of

an aircraft's slats, flaps, thrust reversers, speed brakes, and other devices needed to meet the specified performance factors (take-off, landing distance, etc.).

(2) The unknowns which are bound to crop up unexpectedly and for which he is not prepared-the 'unanticipated unknowns.' Strictly speaking, they are the unknowns that *cannot* be foreseen.<sup>1</sup>

In other words, type 1 unknown: are known unknowns while type 2 unknowns are unknown unknowns.

If one then pictures himself standing at the beginning of an R & D project and looking down the time line toward the completion of the pr ject, he will see the two different types of uncertainty shown in Figures 4 and 5.





<sup>1</sup>Drake, Hudson B., "Major DoD Procurements at War with Reality," The Harvard Business Review, January-February 1970, p. 124.





These two figures can be combined to show that the total

program uncertainty is really a kinked curve as shown in Figure 6.





The critical point is the inflection point of the program since it is at this point that most of the uncertainty has been dispelled. Thus, accurate forecasting is most essential and also most difficult in the early part of the R & D program. The two-part curve development overcomes the problem of changing uncertainty by allowing the researcher to forecast a new lower curve and inflection point from the actual expenditures in the program being investigated. This forecast may then be constrained by using the top half of either the budget or the general curve in the area where uncertainty is lower and hence, these curves should be the most accurate estimators of program performance.

It should be assumed that since the contractor and the government have both attempted to plan the R & D project in the best possible manner given the financial and political constraints on the program, this planning effort should not be wholly disregarded as soon as the first actual expenditures begin to appear. Instead, it is more rational to let the general framework of the expenditure pattern, as expressed in the budget curve, continue to represent this planning as an inherent constraint during any forecasting activity. Used in this manner, the original budget expenditure curve can be viewed as a storehouse of subjective or judgmental information which may be used to constrain a forecast and thus allow for future imputs by the managers in control of the R & D program.

These three points indicate why the use of the two part S-shat furve is particularly appealing. Not only is the contractor subjector to intense scrutiny during the initial planning phase (points one and two), but once he passes these checks his planning may then be used as a forecasting constraint during the rest of the program.

#### CHAPTER III

DEVELOPING AND USING THE S-SHAPED CURVE

The general method for the development and use of the S-shaped curve for a specific R & D program follows these steps:

I. The budget figures for the R & D program are gathered and the monthly, quarterly, or other incremental expenditures are recorded as a cumulative percentage of the total expenditure. Similarly, the amount of time over which the program is to run is determined and each succeeding increment is recorded as a cumulative percent of the total program time. This step has the effect of normalizing the program so that it can be compared with all past  $R \leq D$  programs when plotted on the axis of Figure 7.



II. With the data arrayed in this normalized format and plotted on the axis of Figure 7, the budget expenditure pattern may be immediately checked for general rationality. This is accomplished by determining whether or not the proposed budget curve falls within the confidence band which has been constructed for all past R & D projects (Figure 3). If the proposed budget expenditure pattern falls within this band, the R & D project planning is in accordance with past R & D experience. However, if the expenditure pattern falls outside the confidence band it should be determined why this particular program is planned to proceed differently from all past programs have proceeded.

III. The total number of milestones connected with all phases of the R & D project is determined and the month in which the end or completion point of each milestone occurs is noted. The cumulative percentage of completed milestones is then calculated for each period for which budget data are available. This step has the effect of putting milestone accomplishment in the same normalized form as the financial data.<sup>1</sup> These normalized milestone accomplishment data

<sup>&</sup>lt;sup>1</sup>At first it may seem counterintuitive to sum up milestones in the same manner in which one sums up dollars. However, even though it is obvious that no two milestones represent identical amounts of accomplishment, deriving cumulative sums of milestone completions by financial period has invariably provided an excellent picture of the manner in which the program is expected to proceed. It should be noted that the best results have been obtained when the milestones were expressed on the lowest, or most specific level available. Every attempt should be made in this process to avoid double counting between specific and general program milestones, although no adverse affects have been noted when <u>different</u> specific and general milestones were summed together using this technique.

are then regressed with the normalized budget data. The results of this regression should show an extremely significant relationship between the budget expenditures and the milestone completion. Table V shows the results for five sample programs to give a general idea of the significance of the relationship. If this relationship does <u>not</u> appear, the proposed expenditure pattern for the specific program in question is highly dubious and indicates an unrealistic program plan which could easily lead to financial problems.

IV. Next locate the largest incremental change in budgeted expenditures which is followed by two periods of decreasing expenditures. This increment is designated as the inflection point. The S-shaped curve is broken at this point and the inflection point becomes the <u>last</u> data point in the first (or lower) curve and the <u>first</u> data point on the second (upper) curve. This common point allows the curves to be spliced again after curve fitting. Table VI shows the location of the inflection points for the R & D programs included in the initial part of this study. Note the high degree of variability in the point locations.

V. Equations for the lower and upper portion of the budget curve are developed by the regression scheme discussed in Appendix 2. Due to the shape of the curves, a quadratic  $(y = a + b_1 x_1 + b_2 x_1^2)$ or logrithmic  $(y = ax^b)$  curve equation is usually appropriate. Particular care must be taken in this step to assure that the curve equations which are developed have dealt with the problems inherent in the use of time series data. Failure to correct the problem of

autocorrelation will result in curve equations which are of little value and which will adversely affect the performance of the completed model. To avoid this situation, some techniques of the type explained in the appendix must be used at this juncture, and indeed, should be used in any R & D forecasting.

VI. Once the curve equations have been developed from the budget data, two specific types of knowledge have been gained:

A. The equation form which best fits the R & D budget data has now been determined. This is usually a quadratic form for both the upper and lower halves of the S-shaped curve and this specific curve form should be used with any actuals when later attempts are made to forecast the end price of the R & D project.

B. Equations expressing the subjective planning inherent in the R & D program are now available for the upper and lower parts of the S-shaped curve. These original equations can be used as constraints during forecasting, thus providing a method of incorporating this subjective information into the final price forecast. The specific methods by which the two part S-shaped curve may be used for price forecasting are the subjects of the next chapter.

#### CHAPTER IV

THE S-SHAPED CURVE AS A FORECASTING TOOL

The objective of the methodology advocated in the first three chapters of this paper is obviously the production of a forecast cost for the system being developed. In pursuing this objective it is well to remember Scrooge's question to the Spirit of Christmas Future: "Are these the shadows of things that will be, or are they the shadows of things that may be, only? Men's courses will foreshadow certain ends, to which, if persevered in, they must lead. . . . But if the courses be departed from the ends will change."

This quote conveys the proper manner in which one should employ a forecast to make it an effective management tool. The program manager should view the forecast as a non-threatening means of alerting managers to possible program difficulties and it should be presented not as a point estimate, but rather as a range of values within which the end cost of the program is likely to fall <u>if the</u> <u>present courses of action are continued</u>. For the purpose of this paper three points along this possible range of cost will be identified:

(a) the best possible program cost, (b) the most likely programcost, and (c) the worst possible program cost.

The best possible program cost is the cost of the R & D program if it is assumed that the second half of the program will follow exactly the proposed budget curve irrespective of the performance record established in the first half of the program.

The most likely program cost is that figure obtained if the second half of the program follws the course indicated by the general k & D curve. This general curve being either one developed for all weapon systems, such as that curve displayed in Figure 3, or a curve developed for weapon systems of the specific type of the R & D project being investigated. In other words, a curve based on general missile system data would be used when the R & D project is for a missile. Intuitively, the latter approach should provide a tighter confidence interval for the forecast.

The worst possible program cost would be the figure indicated by the upper limit of the confidence interval around the forecast. The second half of the general curve would again be used, and the confidence interval around this curve would provide the upper limit (within a certain probability) of the R & D cost.

These three types of forecasts are shown in Figure 8.







The specifics involved in forming each of these forecasts will now be covered.

THE BEST POSSIBLE COST

(1) First derive the two halves of the equation for the
 S-shaped curve in the manner previously outlined. This gives
 curve 1 of Figure 9, the <u>budget curve</u>.

(2) Assume now that the first data points concerning actual expenditure information have become available. These data points are first deflated by dividing the dollar figures by an appropriate index. Studies have shown that the GNP Deflator is usually a good choice for this index.<sup>1</sup> The deflated figures are then converted to percentage figures by dividing by the latest deflated total program cost, and these percentage figures are plotted on the axis of Figure 7. This leads to the beginning of an "actuals" curve, shown as curve 2 of Figure 9. These actuals may be used to forecast a new end cost for the program as follows:

(a) Derive a new lower half of the S-shaped curve by fitting the actuals to an equation of the form found to be appropriate for the budget data--in general, this will be a quadratic curve.

(b) Using this quadratic curve equation, insert the percent of total time figure for the budget curve inflection point (35% on Figure 9) to forecast a new inflection point, (Point 5 on Figure 9) and then use other points on the X (time) axis to derive a new lower half for the S-shaped curve.

(c) Now take the equation which was developed for the top half of the budget curve and substitute the percent time and percent budget figures for the forecast inflection point into this equation to calculate a new intercept for the upper curve. This new intercept, along with the original slope figures from the budget curve, has the effect of "splicing" the equation developed

<sup>&</sup>lt;sup>1</sup>Brush, John S., "Study of Possible Improvements in the Accuracy of Aeronautical Economic Escalation Indices," unpublished paper, USAF Academy, Colorado, February 1976.

from the first half actuals to the budget equation for the second half of the curve, all of which yields the new S-shaped curve 4 of Figure 9. In addition, this procedure allows the development of a forecast for the end cost of the project which is constrained by the planning and other subjective information inherent in the original budget curve.



Figure 9. The Forecasting Process

(d) At this point, one may take several different approaches. First, if he wants to learn the absolute figure for the final cost of the project, curve 4 may be modified by inclusion of inflation data. In this case, the forecast expenditure data of curve 4 would be multiplied by an inflation index to get a new curve which is labeled 5 on Figure 9. However, in doing this one should have in mind a concept of the errors inherent in any process such as the one just described.

Up to this point we have not mentioned, for the sake of simplicity, that there is an error involved in forecasting which should be expressed as a <u>confidence interval</u> around curve 4. The confidence band indicates that, with some given probability, one may expect the real value for any point on the line to fall somewhere within this particular interval. When the budget curve is compared with the forecast curve, only one error, the standard error of the forecast, must be considered. This leads to the situation shown in Figure 10.

ŝ



Here the confidence band indicates the possible range of values (from b to c) in which the true, deflated cost of the program is expected to fall, and similarly, the range of the size [from ab to ac] of the potencial program overrun.

However, if one desires to compare the full cost, with inflation, of the project (5, Figure 9) with the full inflated cost of the budget, both the error of the forecast <u>and</u> the error involved in developing the inflation figures must be considered. This has the effect of greatly increasing the size of the confidence bands as is shown in Figure 11. The end result is that the ability to compare the final cost of the project with the budget cost is greatly impaired. As Figure 11 shows, in this case one could anticipate a tremendous overrun [a - d] and an underrun [c - b]from the same data.





Figure 11. The Error of the Forecast and The Error of the Inflation Forecast The lesson here is to compare figures in a manner which will minimize the errors involved in the comparison. In other words, the best picture of the status of a project may be gained by comparing the two deflated curves shown in Figure 10. This comparison provides all of the information required for day-to-day management of the program. If a full end cost of the program is desired, this can be developed quickly by simple multiplication utilizing whatever inflation forecast is deemed appropriate at the time that the information is required.

This does not mean, however, that one should not use the actual inflation data when it is available. In this case, no errors of forecast are present because the actuals in both program cost and inflation rates are known. This makes it very easy to remove the effects of inflation to see how much of an overrun is actually attributable to other causes.

Figure 12 shows a case in which the deflated budget curve 1 is modified by the actual experienced inflation to derive curve 2. One may readily compare this curve with the contractor's inflated actuals (curve 3) to determine the actual extent of the overrun [a - b].



Figure 12. The Use of Actual Inflation Data

(e) Another situation which this method of program monitoring will easily handle is the case of the schedule slippage or program extension. Of the two, the slippage is the most severe because it often occurs early in the project where it has a profound effect on costs. Assume once again the basic deflated budget curve shown in Figure 13 with an actual deflated expenditure curve is shown.



Figure 13. The Program Slippage Situation

It would appear upon initial inspection that the program is running slightly below the planned expenditures at time t. However, it is revealed that the R & D program is actually behind schedule, having only accomplished the number of milestones associated with time t-1. To compensate for this slippage, move curve 2 back one unit from t to t-l so that the actual expenditures are now shown as curve 3 in their proper relationship with the budget curve. This is actually accomplished mathematically by calculating a new inflection point which will reflect the slippage in the schedule. This new point is derived from the equation for curve 2 by calculating the inflection point not at time T, the location of the original point, but rather at time T + 1, the location of the inflection point after slippage has occurred. This new inflection point becomes the intercept of the equation for the top half of the budget curve, and the time values which are used to forecast from the top half of the budget curve now start at the T + 1 increment (instead of T) and continue to the 100% + 1 increment (instead of the 100% increment).

#### THE MOST LIKELY COST

(FORECASTING USING THE GENERAL CURVE)

Forecasting the most likely cost proceeds in the same manner listed in the previous section up to the point at which a new inflection point is forecast. The actuals are deflated, converted to percentages and plotted in the same manner, and the curve form to plot these actuals is the same equation type selected to describe the bottom half of the general curve. At this point, however, the method of forecasting changes considerably.

Instead of merely splicing the top half of the general curve onto the new bottom curve, the bottom curve is actually mapped into the general curve framework. This is accomplished as follows:

(1) Using the deflated actuals from the program, fit whatever curve form is used in the bottom half of the general curve to these data and forecast a new value for cumulative expenditures at the inflection point. This new value is found by substituting the cumulative percent time figure which corresponds to the

general curve inflection point into the new equation which was derived from the actuals.

(2) Take the new value for cumulative expenditures and let this value be equal to the cumulative percent of budget figure which is associated with the inflection point on the general curve.

(3) Using the relationships established in 1 and 2, the top half of the general curve may now be converted from cumulative percentage figures to forecast cumulative expenditures for the program being investigated.

This forecasting method has several advantages:

(1) The time over which the program is planned to run is taken as a given unless evidence to the contrary is discovered.

(2) The lower curve forecast is mapped into the general curve format, thereby creating a smooth S-shaped curve for the entire program. Simply splicing the curves as is done with the budget curve in the previous section will often create discontinuities in the curve.

(3) The forecast which is created in this method is based strictly on the assumption that expenditures in this particular program are proceeding in the same manner that all past programs have proceeded.

#### THE WORST POSSIBLE COST

Developing the forecast for the worst possible cost is only a matter of slightly modifying the previous most likely cost forecast.

A confidence interval for the most likely cost is calculated by the methods covered in Chapter V. The upper limit of this confidence band, based on whatever level of confidence was selected by the analyst, will give the cost figure that one can be X% certain will not be exceeded. Coupled with the most likely cost, this is an excellent management tool.

In summary, one may develop three possible forecasts from the S-shaped curve. The "spliced" curve forecast using the program budget curve reflects an expenditure of the lowest possible magnitude. For this expenditure to be realized, the program must run exactly as planned from the inflection point onward. This is a highly unlikely situation if any increased expenditures have been incurred early in the program. The most likely cost and its confidence band which extends to the upper confidence limit (or the worst possible cost) for the program are clearly the most realistic forecasts. This is because the method of mapping the new forecast for the bottom of the curve into the general curve format places the entire program in a more legitimate, historical perspective.

#### FORECASTING IN THE AREA OF THE INFLECTION POINT

With the general methods for handling data early in program established, the next area of interest is the forecast which is made when the string of actual expenditures stretches all the way to the assumed inflection point in the program. When this takes place two courses of action are called for as the actuals approach and cross the inflection point: (1) Until the inflection point has been reached, the best method of forecasting is to continue to develop a new lower half of the curve from the actuals, and then to map this curve into the general curve as was done in the previous sections of this chapter.

(2) After the actuals appear to have crossed the inflection point (*i.e.*, a large expenditure in a given period has been followed by two periods of decreasing expenditures) one can proceed in two different ways:

(a) If the actual data points continue to fit the top half of the general curve within an appropriate confidence interval, continue to forecast by using the top half of the general curve.

(b) If the actual data points are diverging from the general curve, and if enough actual data points exist beyond the inflection point for regression analysis to be used, then calculate a new equation for the top half of the curve using whichever equation form was appropriate in deriving the general curve. This method presumes that at least 5 data points have occurred past the inflection point. It should be noted that good accuracy in generating a new curve will not occur until at least 10 points have been identified.

#### **CONCLUSION**

The general techniques concerning the use of inflation in the model and the method of handling time slippages are applied to the forecasts based on the general curve in exactly the same manner as

they were used with the budget curve. The forecasting method selected should be the one which best serves the decision maker's needs.

Since the general curve would be representative of either a mix of weapon systems or a specific type of weapon system, either of which have been completed at some time in the past, the data around which this curve is structured should be closely examined. It will be readily apparent in most cases that these completed programs all contained a certain number of changes during their R & D phases. Thus, it should be assumed that the final cost figures which are generated from forecasts using the general curve also include a like number of <u>anticipated</u> program changes, even if those changes are not visualized at the early stage of the program when the forecast is made.

#### CHAPTER V

#### AN APPLICATION

Project B is a weapon system whose R & D phase started in year 1. The level 6 budget which was provided by the contractor prior to the start of the R & D program contained both a total cost figure and individual figures for the categories of engineering, manufacturing and program management labor. These deflated dollar figures were extracted from the budget and normalized to a percent of total time-percent of total budget basis in Table VII. The inflection point for each of the four budget curves was also identified at this time.

The total expenditure curve was plotted on the axis of Figure 7 and compared for general rationality with the confidence band for all prior R & D programs shown in Figure 3. The proposed budget for project B was contained within the confidence band and the contractor's proposal was therefore judged to be sound.

As a second test, the total expenditure data was regressed against the project B milestones. The results of this test were as follows:

> adj.  $R^2 = .98$ F = 165 t = 41

Durbin Watson Statistic: 1.97

These statistics show a significant relationship between the milestones and the expenditure pattern, and, therefore, confirm the specific rationality of this particular expenditure pattern for this particular project.

Having passed these two important tests, the budget data can be assumed to be valid and equations for the top and bottom halves of both the total budget curve and each of the labor curves can be developed. Exhibit III shows the output of the computer regression runs for the total budget curve, and from this output the equations for the bottom and top halves of the curve can be found to be

bottom half:  $Y = -.193572 + 1.88402x_1 + .470083x_1^2$ top half:  $Y = .149350 + 1.75834x_1 - .91088x_1^2$ .

All of the above research would be accomplished prior to the start of the program itself, and the program manager, who has justified in his own mind the validity of the budget in both a general and a specific sense, may now sit back and await the arrival of the actuals.

By the second quarter of year three, the actuals shown in Table VIII have been accumulated. Obviously, the program manager would have been forecasting the future program costs each time a new set of actuals arrived, but let us assume that this task is now to be accomplished based on the latest figures which have just arrived. First, the program manager fits a quadratic curve form to each of the strings of actuals representing the total budget and the engineering, manufacturing and program managing labor. A

quadratic is chosen for the equation form because, in each case, it was this type of equation which provided the best fit for the budget curves. For simplicity, we will only deal with the total budget curve in this example, even though the program manager would be highly interested in forecasting each of the other three curves in an actual situation.

The equation for the total budget actuals is developed by a computer regression technique, the results of which are shown in Exhibit IV. The equation is

 $Y = .00275322 - .057272X_1 + 4.84246X_1^2$ .

Figure 14 shows the actual expenditures and the budget curve for comparison.





It appears from Figure 14 that the actual total expenditures are slightly underrunning the budgeted total expenditures. However, upon comparison of Tables VII and VIII, it becomes obvious that something is amiss. The engineering, program management, and budget expenditures are all on schedule or overrunning while the manufacturing labor is well below the budgeted expenditure level. The program is obviously not proceeding as planned, and more specifically, the engineering and program managing efforts are not producing the necessary results for manufacturing to take place.

A further comparison of the manufacturing figures in Tables VII and VIII indicates that the program is actually about 1 period behind schedule (2 quarters).<sup>1</sup> This means that a slippage has occurred, and the actuals curve is shifted to reflect this condition as shown in Figure 15.



Figure 15. Shifting the Actuals Curve

<sup>1</sup>Note that this condition could have been detected at a much earlier time. Manufacturing begins to lag significantly by the 3rd reporting period.

#### FORECAS'T USING THE BUDGET CURVE

To determine the effect which this slippage has had on the total budget, we now forecast the end cost as follows:

(1) Forecast a new inflection point from the lower curve by using the derived equation for the actuals and the time period for quarter 2, year 5 instead of the original inflection point (quarter 4, year 4). Moving to the next data point in this manner mathematically adjusts the forecast for the 1 period slippage noted previously by adding 1 time period to the lower curve.

 $\therefore$  new inflection point = Y<sub>n</sub> where

 $Y_n = .00275322 - .057272(.476) + 4.84246(.476)^2$  $Y_n = 1.0726779$ 

(2) Use the new inflection point to calculate a modified intercept for the equation for the top half of the budget data. From Exhibit I this curve equation is

 $Y_t = .149350 + 1.75834X_1 - .91088X_1^2$ Substituting  $Y_n$  for  $Y_t$  yields  $Y_n = 1.0726779 = New intercept + 1.75834(.476) - .91088(.476)^2$ and 1.0726779 - 1.75834(.476) + .91088(.476)^2 = New Intercept .4420916 = New Intercept

Note that this value is calculated at the same inflection point used in step (1).

(3) This new equation for the upper half of the actuals

 $Y_t = .4420916 + 1.75834X_1 - .91088(X_1)^2$ 

may now be used to calculate the forecast cost at any point from the inflection point on to the end of the program. To calculate the end cost of the R & D program we would proceed as follows:

(a) With no slippage the R & D program should end at the 100% of total time point. But with 1 period of slippage the program should now end at the:

(100 + 5.6)% point

where each time increment has been equal to

5.6% of the total time

: end cost =  $Y_t$  = .4420916 + 1.75834(1.056) - .91088(1.056)<sup>2</sup> = 1.283143

or, in other words, a 1 period slippage in the program has induced a 28% overrun in the final cost.

## FORECAST USING THE GENERAL CURVE

Assuming once again that 1 period of slippage had been experienced in the program, the general curve may be used to forecast a new end cost as follows:

(1) The new inflection point is forecast in the same manner as before using the equation generated from the actuals in Exhibit IV:

> $Y_n = .00275332 - .057272(.476) + 4.84246(.476)^2$ or  $Y_n = 1.0726779$

(2) This point is now mapped into the framework of the general curve. Figure 3 shows that the inflection point of the general curve is located at 46% cumulative time and 56% cumulative expenditures. Thus, if

 $Y_{n} = 1.0726779$ , then

1.0726779 = 56% (E)

where E = total program expenditures.

 $\therefore E = (1.0726779) \div .56 = 1.9153$ 

and the most likely total program cost is forecast to be 191% of the budgeted cost.

(3) One can use the method outlined in (2) to fill in the rest of the points along the new forecast cost curve, but it is interesting to note that this forecast calls for a much higher figure than that produced by the budget curve "splicing" method.

#### THE CONFIDENCE INTERVAL

To use this forecast in its point estimate format would be an error. Rather there is a confidence interval around this forecast which must be considered. The calculation of this interval is a two-part process dealing first with the standard error of the forecast for the new inflection point. Exhibit IV shows that  $S^2_{yx}$ , the variance, is .000132813 for this particular line. The standard error of the forecast is calculated from the formula

$$s_{f} = s_{yx} \sqrt{1 + \frac{1}{n} + (x - \overline{x})^{2}} \frac{1}{\Sigma (x - \overline{x})^{2}}$$

where  $X_{o}$  is, in this case, the inflection point.

.. for this example

$$s_f = .011497 \sqrt{1 + \frac{1}{5} + \frac{.476}{.0339}}$$
  
= .044

and thus one can be 95% confident that the inflection point is within

an interval of

 $1.0726 \pm t_{n-1} S_f$ or  $1.0726 \pm 2.776$  (.044)  $1.0726 \pm .1246$ 

Figure 16 shows this confidence band around the lower half of the curve.



Figure 16. The Confidence Band for the Lower Half

#### of the Actuals Curve

When the top half of the curve is spliced to the forecast inflection point an additional error, namely that of fitting the upper half of the curve to the budget data, is encountered. This fitting error can be read from Exhibit III as  $S^2_{yx} = .0000271942$ .

A conservative estimate for the total error involved in the forecast of the final cost can be gained by combining the forecast

error at the inflection point with the fitting error of the upper half of the curve as follows:

 $S_f + S_{yx}$  = Total standard error =  $S_t$  $.0440 + .0052 = .0492 = S_t$ 

Thus the confidence band around the forecast for the end cost of the program using the budget curve becomes

 $1.283143 \pm t_{n-1}(S_t)$ 1.283143 + (2.776)(.0492) 1.28 ± .1366

And, one can be 95% confident that the final cost of program B will be between 114.65 and 141.98 percent of the initially budgeted system cost. Figure 17 shows this completed forecast.





Similarly, this process can be completed for the forecast made with the budget curve to derive the most likely cost. Here the standard error of the forecast remains

$$S_{f} = .044$$

as has previously been calculated. However, as might be expected, considerably more error is involved in fitting the top half of the general curve than was present in the budget curve. For this curve, composed of numerous system types, Exhibit II shows that the fitting error ( $s^2$ ) is

$$S^{2}_{yx} = .00746826$$
  
therefore  $S_{yx} = .086$   
and the total standard error  $(S_{t})$  is

 $S_t = S_f + S_{yx}$  $S_{+} = .044 + .086 = .13$ 

Now the confidence interval for the most likely cost is

 $1.9153 \pm t_{n-1}(S_t)$ 1.9153 \pm (2.776)(.13) 1.9153 + .36

and there is 95% confidence that the most likely cost of program B is between 228 and 156 percent of the initially budgeted system cost.

Another output of this forecast is the worst possible cost. This cost is the upper limit of the confidence interval or, in this case, 228% of the amount initially budgeted for the project.

If these forecasts seem unreasonably high, it should be noted that program B was an actual program and that the final cost for the R & D portion of program B was quite close to the worst possible cost (228%) figure. Note also that this entire process has been accomplished with deflated data. Incorporation of the forecast inflation rates for this period would have greatly increased the size of the confidence band in Figure 17 and hence, greatly decreased the possible forecasting accuracy of the overrun.

#### BIBLIOGRAPHY

- Brush, John S. "Study of Possible Improvements in the Accuracy of Aeronautical Economic Escalation Indices," unpublished paper, U.S. Air Force Academy, Colorado, February, 1976.
- Drake, Hudson B. "Major DoD Procurements at War with Reality," <u>The Harvard Business Review</u>, January-February, 1970, pp. 119-140.
- Goldberger, Arthur S. <u>Econometric Theory</u>. New York: John Wiley and Sons, Inc., 1964, pp. 176-177.
- Johnston, J. <u>Econometric Methods</u>. New York: McGraw-Hill, 1963, pp. 134-135, 196.
- Johnston, J. <u>Econometric Methods</u>. 2nd ed. New York: McGraw-Hill, 1972, pp. 145-151.
- Theil, Henri. <u>Principles of Econometrics</u>. New York: John Wiley and Sons, 1971, pp. 173, 174, 254.

## APPENDIX I

#### LOGISTICS AND GOMPERTZ CURVE EQUATIONS

The equation for the Logistic Curve is

$$\frac{1}{Y_{c}} = k + ab^{X} \text{ where}$$

$$a = (\Sigma_{2}Y - \Sigma_{1}Y)\frac{b-1}{(b^{n} - 1)^{2}} = \begin{array}{c} \text{the difference between} \\ Y_{c} \text{ at } X_{o} \text{ and } Y_{c} \text{ at } K \end{array}$$

$$b = \sqrt[n]{\frac{\Sigma_{3}Y - \Sigma_{2}Y}{\Sigma_{2}Y - \Sigma_{1}Y}} = \begin{array}{c} \text{the ratio between successive} \\ \text{increments of growth.} \end{array}$$

$$k = \frac{1}{n} (\Sigma_{1}Y - \frac{b^{n}-1}{b-1} a) = \begin{array}{c} \text{the asymptote or limit} \end{array}$$

and  $\Sigma_1$ ,  $\Sigma_2$ ,  $\Sigma_3$  refer to the first, second and third parts of the Y values.

n is the number of observations in each of the three "parts" or sections of Y values.

The equation for the Gompertz curve is

 $Y_c = k_a^{bx}$  using the same formulas for k, a and b as shown above.

#### APPENDIX II

#### **REMOVING AUTOCORRELATION**

Given that autocorrelation exists, the observed residual term  $e_t$  is actually a combination of two errors

 $e_t = \rho e_{t-1} + v_t$ 

where  $v_t$  is the true error term

and  $e_{t-1}$  is the previous residual term.

Since the true relationship between  $e_t$  and  $e_{t-1}$ ,  $\rho$ , is unknown, it must be estimated. Several methods are available for doing this, and this study employs the following approach:

(a) compute all of the n LS residuals

e<sub>1</sub>,....e<sub>n</sub>

(b) compute the ratio of the mean product of successive residuals to the LS variance estimator

or  $\beta = \frac{1}{n-1} \sum_{\alpha=1}^{n-1} e_{\alpha}e_{\alpha+1}$   $\frac{1}{n-k} \sum_{\alpha=1}^{n} e_{\alpha}^{2}$   $\alpha = 1$   $\beta = \frac{\alpha = 1}{(n-1)} \frac{1}{S^{2}}$  = the estimated relationship = the estimated relationshi

Once this estimation has been made,  $\hat{\rho}$  may be used with the Generalized Least Squares method to remove the autocorrelation from

the data. This method proceeds as follows:

Given: 
$$Y = X\beta + e$$
 (2)

where e is the matrix of residuals

in which autocorrelation is present.

Thus for any et

 $e_t = \rho e_{t-1} + v_t$ 

substituting  $\hat{\rho}$  for  $\rho,$  we multiply by a "differencing" matrix



(2) may now be transformed by (3) to yield

the set of true error terms.

.....

where

Similarly  
DY = 
$$\begin{bmatrix} \sqrt{1-\hat{\rho}^{2}} & y_{1} \\ -\hat{\rho}y_{1}+y_{2} \\ \vdots \\ \vdots \\ -\hat{\rho}y_{n-1}+y_{n} \end{bmatrix}$$
 and DX = 
$$\begin{bmatrix} \sqrt{1-\hat{\rho}^{2}} & x_{1} \\ -\hat{\rho}x_{1}+x_{2} \\ \vdots \\ -\hat{\rho}x_{n-1}+x_{n} \end{bmatrix}$$
 (6)

Recalling that  $\beta = (X'X)^{-1}X'Y$ , the OLS solution of (4) is given by

substituting DY for Y and DX for X in (7) to yield

$$\hat{\beta} = [(DX)'(DX)]^{-1} (DX)'DY = [X'(D'D)X]^{-1} X'(D'D)Y$$
(8)

(7)

(9)

From (3),

k

and the GLS solution is

$$\hat{\beta} = (X^*\Omega X)^{-1} X^*\Omega Y$$
 which,  
by (5) eliminates the autocorrelation if  $\hat{\rho} \equiv \rho$ .

Since  $\hat{\rho}$  is an estimate, and not an exact value for  $\rho$ , it is unlikely that this process will remove all autocorrelation on the first iteration. For this reason, multiple iterations are generally used with this technique and a new  $\hat{\rho}$  is calculated by equation (1) after each iteration. For n iterations

 $\begin{array}{c}
n \\
\Sigma \\
i=1
\end{array} \quad \hat{\rho}_i = \rho.$ 

TABLE I

QUADRATIC CURVE FIT--LOWER HALF.

RAYE	A	B <sub>1</sub>	(t)	<sup>B</sup> 2	(t)	ы	D.W.	adjR <sup>2</sup>	MSE
A-10 System	0786	.699	( 2.96)	166.	( 3.09)	800.58	1.82	.992	.000059
Engine	0102	.0198	(110.)	1.77	(5.23)	419.36	1.88	.981	.000155
Gun	0125	.712	( 2.18)	1.17	( 2.84)	537.95	1.96	.989	.000065
Milestones	0384	1.111	(15.49)	.498	( 4.31)	3081.3	.82	966.	.00025
ACH 65 A	6600.	.5365	(1.21)	1.69	(2.31)	80.89	2.76	.975	.0029
AWACS	.0387	.9532	(8.69)	.733	(3.57)	1013.10	2.06	.998	.00015
B-1 Model 1 Cost	- i								
Estimates	.7528	4.829	(12.38)	-3.458	(-8.19)	392.19	2.33	.989	.00021
<b>B-1 Model 2 Cost</b>									
Estimates*	218.729	-4842	(-8.03)	31,901	(15.68)	1328.74	1.90	.998	147.123
F 105 Milestones	.0534	.3839	(1.05)	3.526	(3.5)	137.74	2.62	.986	.000668
F 100 Milestones	.0258	.5122	(2.41)	.5411	(.922)	79.2	2.16	.963	.00026
C 141 Milestones	.0496	.2018	(1.55)	.3189	(3.93)	734.57	2.08	766.	.00022
C-5 Cost Initial Report	<u> </u>								
Engineering	0252	1.514	(19.67)	5.594	(14.79)	13031.51	1.92	666.	110000.
C-5 Non-Recurring Cost	0342	.1035	( 9.12)	.2478	( 1.94)	3698.91	1.57	. 999	.00002
XB-70	0306	.3080	(2.05)	1.732	( 7.62)	1031.12	1.69	.996	.00021
Tug R	.1417	-1.523	(-3.71)	3.995	( 6.46)	108.1	2.03	.997	.00094
Tug C	.0200	.3031	( 5.81)	1.582	(17.62)	3763.39	2.64	666.	.000044
Tug E	.0232	.2418	(11.2)	1.964	(16.1)	2714.81	2.12	666.	.000057
Tug G	.0274	.2717	( 4.80)	1.963	(18.55)	3769.95	2.49	666.	.000044
C-5 Quality Assurance									
Hours	.1719	-1.755	(-9.19)	5.04	(16.3)	848.45	2.17	.986	.000024
C-5 Production Hours	.1443	-1.686	(-10.49)	5.215	(20.42)	1576.09	2.07	.993	.000023
<b>B-1 Engineering Labor</b>									
(Budget)	0635	1.39	( 5.66)	.6066	(1.22)	550.97	2.02	.995	.00024
B-1 P & M Labor (Budget)	0229	1.39	(15.63)	128	(632)	1631.24	2.13	.998	.000079
B-1 Total Labor (Budget)	194	1.88	( 4.17)	.47	(.587)	490.26	2.13	.995	.00022
B-1 Manufacturing Labor	270	077	(600)	67 6	1 3 2 5 1	01 210	1 70	700	00000
(BUGSEL)	· · · ·	<b>*</b>	(070.)	ro•r	(,,,,,)	27.612	0/•7	002.	

# Not Percentage Data

TABLE II

•

L

LOG FIT-LOWER HALF

NAME	V	B	(1)	ju ا	D.W.	adjR <sup>2</sup>	MSE
A-10 Engine	0073	1.80	(27.17)	737.99	1.93	679.	.00015
B-1 Model 4	.5301	2.057	(47.17)	2131.61	1.74	.996	.00029
B-1 Model 2*	11.439	3.22	(77.66)	6031.25	2.09	666.	.0001
XB-70	.8176	1.994	(16.84)	283.53	2.19	.976	.0077

53

\* Not percentage

TABLE III

QUADRATIC CURVE FIT--UPPER HALF

NAME	V	B L	(t)	B <sub>2</sub>	(t)	ы	D.W.	adjR <sup>2</sup>	MSE
A-10 System	88	3.64	(29.97)	-1.76	(-22.79)	4312.53	2.10	.998	.000016
Engine	-1.76	5.86	(4.57)	-3.10	(- 3.95)	32.19	1.66	. 795	.00028
Gun	66	3.60	(21.57)	-1.95	(-17.57)	1102.23	1.67	.994	.000066
Milestones	-,0881	1.94	(3.56)	87	(- 2.5)	78.55	1.92	.881	.00012
AGH 65 A	33	2.93	( 5.16)	-1.64	(- 4.08)	54.12	2.88	.964	.00086
AWACS	5008	3.306	(14.46)	-1.8	(-11.98)	423.37	2.14	.994	.000082
B-1 Model 1 Cost									
Estimates	.3804	1.19	(18.19)	-,5794	(-14.13)	1335.68	2.21	.997	.0000032
B-1 Model 3 Cost									
Estimates	-163.377	31.46	(5.84)	1836	(- 4.8)	45.34	1.93	.936	1159.55
<b>P-105 Milestones</b>	.2225	1.1736	(11.58)	4080	(- 5.69)	1729.57	2.09	.998	.000084
F-100 Milestones	7607	3.664	(12.23)	-1.939	(- 9.07)	403.02	1.94	.987	.00060
C-141 Milestones	-1.43	4.825	(7.97)	-2.397	(- 6.29)	257.4	2.51	.987	.00028
C-5 Cost Initial Report					_				
Engineering	.4708	1.133	(8.43)	6069	(++	128.76	2.04	.927	.000021
C-5 Non-Recurring Cost	.0587	1.612	(11.75)	6741	(67.49)	1011.28	1.77	.994	.000021
XB-70	-1.044	4.365	(11.21)	-2.325	(- 8.85)	450.06	1.63	.992	.00011
Tug R	-2.051	6.747	(18.39)	-3.711	(-14.86)	693.12	1.92	.996	.00034
Tug C	6194	3.146	(14.89)	-1.521	(-10.57)	908.54	2.36	.997	.00011
Tug E	3129	2.499	(22.59)	-1.185	(-16.69)	3104.38	2.42	. 999	.000014
Tug G	4153	2.912	(12.04)	-1.501	(- 9.38)	451.56	2.17	. 993	660000.
C-5 Quality Assurance							~		
Hours	3756	2.962	(2.86)	-1.595	(- 2.63)	7.92	1.80	.323	.000019
C-5 Production Hours	.9660	0948	(248)	.1208	( .492)	1.75	1.89	.057	.000024
<b>B-1 Engineering Labor</b>									
(Budget)	203	2.49	(184.4)	-1.29	(-136.09)	102,647	2.05	.999	.00000088
B-1 P & M Labor		1					0		, , , , , , , , , , , , , , , , , , , ,
(Budget)	613	3.15	(19.93)	-1.54	(-15.94)	1384.46	2.00	.997	1800000.
B-I Total Labor (Budget)	.149	1.76	(13.54)	91	(-10.63)	519.66	2.22	166.	.000027
B-1 Manufacturing Labor	. 663	7 <b>0</b> [	(00 6 7	001	177 6 1	12 72	1 00	730	91000
(Budget)	676.	90.1	( 40 . 2 )	89C	(0 + . 2 - 4 0)	C/.CI	T.77	£C/.	DT000.

TABLE IV

And a second second second

.

LOG FIT--UPPER HALF

NAKE	A	2	(t)	ţı,	D.W.	adjR <sup>2</sup>	MSE
AGN 65A	.02213	.342	( 6.45)	41.64	2.00	.931	.00062
B-1 Model 4	-,00086	.9432	(27.97)	782.11	2.11	.988	.000058

TABLE V

MILESTONES vs. EXPENDITURES RELATIONSHIP STATISTICS

						ſ	
NAVE	A	ß	(t)	ţ	D.W.	adjR <sup>2</sup>	MSE
F-102	-1.68	2.69	(11.64)	135.53	1.98	126.	1100.
<b>A-1</b> 0	.241	.760	(13.85)	191.76	2.13	.864	.00022
T-38	795	1.86	(12.0)	144.09	1.75	.973	.0028
F-104	0166	.865	(4.65)	21.64	2.39	.838	.0208
KC-135	799	1.85	(3.71)	13.79	2.00	.681	.0234

#### TABLE VI

## INFLECTION POINT LOCATIONS

	% Expenditures	
	% Milestones	% Time
B-1	.5573	• 3594 ·
F-105 Milestones	.5814	. 3400
C-141 Milestones	.5385	.5050
C-5 Non-Recurring	.5155	.3400
XB-70	.4659	.4431
Tug R	.5316	.5500
Tug C	.5026	.4600
Tug E	.6394	.5050
Tug G	.6626	.5050
B-1 Engineering Labor	.5169	.3590
B-1 P & M Labor	.4681	• 35 <b>9</b> 0
B-1 Total Labor	.4218	.3010
B-1 Manufacturing Labor	.5866	.3590
C-5 Quality Assurance Hours	.4363	.4616
C-5 Production Hours	.5246	.4769
A-10 System	.4934	.4741
A-10 Engine	.6899	.6245
A-10 Gun	.5582	.4500
A-10 Milestones	.5388	.4205
AGM-65 A	.6221	.4343
AWACS	.7011	.5050

Mean Inflection Point Locations: .562 [The four B-1 labor categories are not included in these calculations to avoid duplication of data.]

Standard Error:

► r

$$s_{time} = \sqrt{\frac{\Sigma(X-\bar{X})^2}{n-1}} \qquad S_{expenditures} = \sqrt{\frac{\Sigma(Y-\bar{Y})^2}{n-1}}$$

$$s_{t} = \sqrt{\frac{.0852043}{16}} = \sqrt{.0053252} \qquad S_{e} = \sqrt{\frac{.0466886}{16}} = \sqrt{.002918}$$

$$s_{t} = .0729744 = 1\sigma_{t} \qquad S_{e} = .0540189 = 1\sigma_{e}$$

.462

## TABLE VII

## PROGRAM B DATA

## PERCENTAGE OF LEVEL 6 PROPOSED BUDGET FIGURES

Q/YEAR	TOTAL TIME	TOTAL BUDGET	ENG, LABOR	MFG.LABOR	P.M.LABOR
2/1	.0100	.001206	.001905	.000015	.001322
4/1	.0680	.025086	.045683	.001122	.058681
2/2	.1260	.070831	.111638	.019189	.148909
4/2	.1850	.158547	.199698	.101142	.229059
2/3	.2430	.284803	.313899	.251838	.315084
4/3	.3010	.421767	.414406	.407334	.390737
2/4	.3590	.557690	.516945	.586607	.468142 Inflection Points
4/4	.4180	.668184	.611508	. 722934	.533521
2/5	.4760	.759586	.690111	.83054	. 597940
4/5	.5340	.833228	.759773	.925338	.661209
2/6	<b>. 59</b> 20	.874918	.818965	.955615	.722603
4/6	.6510	.908006	.872539	.965701	.786322
2/7	.7090	.937340	.914294	.974886	.849762
4/7	.7670	.960294	.947851	.983690	.902436
2/8	.8250	.978752	.974348	.992814	.940941
4/8	.8840	.991546	.990384	<b>.99</b> 8511	.970686
2/9	.9420	.993368	.998021	.999866	.991682
4/9	1.000	. 999999	.999999	.999866	.999999

KEY: Percentages in blocks are inflection points.

## TABLE VIII

## PROGRAM B

## PERCENTAGE OF ACTUAL FIGURES

ENG.	MFG.	<u>P.M.</u>	BUDGET
0	0	0	0
.019	.0006	.036	.024
.074	.0066	.101	.080
.174	.038	.196	.145
.282	.105	.300	.280

GENERAL CURVE--BOTTOM HALF

EXHIBIT I

	FUE TESPERATE (5) DF AND FUE TESPERATE (5) DF AND FUE TESPERATE TESPERATE	Lag Tag Autocoed 0.356245 0.556245 0.66045510 1.46 1.46 1.46 1.46 1.46 1.46 1.46 1.46 1.46 1.46 1.47	FLATION MAS REEV . A STATISTICS DERIV (PENDITJAF Lef Sojaafn	IPPLIED IG THE VAR FD FRO <sup>M</sup> 309 nBS. I	LABLÉS INCLUDED 44 MDEXED FNJM - 2 In	THE HR HILLE	k ter Ess IOn
3 L SHE Q	COFFICTENT OF ". COFFICTENT OF "ULTI FO COEFFICTENT OF "ULTI FO COEFFICTENTE	INTERCENTIATIE ILTERC SFTERNIVATIE ILC SFTERNIVATIONE ICCTERNIVATIONE	T TERM: ALPMA = Du: R-Siuared = 0 anu R-Sauared = 0 Syatistic: F = Syatistic: D = Elation; KMO = Sigma Squared =	•.120055E-01 .268687 DEG4EE .267130 DEG4EE 496.8108 DEG4EE 2.7429 -0.7134180	(RNJALPHA = S nf Falejowi - C .5 of Falejowi - C		99 (DENDMINATOR) 99 (DENDMINATOR)
fred to the	LE COFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF	5 STANDAR1 S 19.17 21.27 21.27 21.27	FRACIA 2903 5053	UQENT T 4ATEA 3.11964 3.00469 DEPEI	INCREGERFAL CFSI. INCREGERFAL CFSI. U.277995 UUENT VARAABLESAAR	26u11.2N 5465 #9846	A VER VAR YABUE 0.2279303 0.238368 = 01 0.285588
2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	IT I T I T I T I T I T I T I T I T I T	551 201111044, 466465510 148646 73 746 VA41AR	<pre>' Suw DF SouaRES ' SuaRES ' SuaRES ' SuaRES</pre>	F*\$747157161 24.04	DE 6 PE LE ( %U <sup>m</sup> Era A 10 P ) 1	6 OF F4670041 (OFM04148 240	, Tue, )
1 E 1 E 2 m M	1						
7 4 4 9 4 9 4 9 4 9 4 9 7 9 7 9 7 9 7 9 7 9 7 9 7 9 7 9 7 9 7	162-604424-46 417111 •••••••••••••••••••••••••••••••••			BEST A	VAILABLE	VUU	

No. and N

	<b>sce</b> signe signes titlet streat, a and 3 ex <sup>a</sup> rysture <sup>a</sup> litar cuave tap		
	<b>twe siggiaturations auguag</b> angenaeting eig a <sub>u</sub> tscopaflation mas reek applifo to twe variagles includen in the arfvidu <b>Begeberge te auts chare</b> latint: <b>Begebergte fstiw</b> affes be aut: 0,249005	r EGA ESS ION	
	FALANING AEGAESAIDY STATISITCS DEMINED FROM 376 ABS. INDEXED FNUM .2 IN 377 Resevotat Variable, Indfy Lag File Percent Expenditor		:
	ILMERERS VARIAULES. INAAF LAG TILFEYT TINF 3 0 PERCEYT TINF SULAYFD		
	INTERCEPTTERNI ALPMA = -0.514446 (RHUALPMA = -0.373511 Cuerticteut ne pultiple Jeterutuituu H <sup>-</sup> Suuared = 0.015732 <b>Jounsted Cnepticteut ne multiple Neterutuut</b> iun a-Suuared = 0.015732 Forested Coeres of Freedom < (Mumfantor), F-TEST stistict f = 025.0126 negres of Freedom < (Mumfantor),	) 373 (DFNOWENATOR) 373 (DENOMENATOR) -	: .
	пјартуста статусти статусти р = 2.0950 ратиматбо антосларбцатусти кил = -0.055050 ребтојал мбам Souraft стота Sourafo = -7.66926.00	·	
	Handling         Concepting         Concepting <thconcepting< th="">         Concepting         Concepting</thconcepting<>	AVERAGE TAPUE 0.333724 0.333124 8.388783	
4.0	<b>AMALTETS OF VARTATE</b> E ATATTATESI <b>AMALTETS OF VARTA</b> SEn AV THE ADDITJANAL REGRESSIJ <sup>N</sup> SUM JE SQUARES <b>FOSTATISTIC IS ROSE</b> N AV THE ADDITJANAL REGRESSIJ <sup>N</sup> SUM JE SQUARES ATTATISTIC IS ROSEN AV THE ADDIT 74 <sup>E</sup> VARTABLES INDEXEDI FOSTISTICI (NUMERATUR) (OEND <sup>4</sup> L ATTATATISTIC IS ADSEN AV THE ADDIT 74 <sup>E</sup> VARTABLES INDEXEDI FOSTISTICI (NUMERATUR) (OEND <sup>4</sup> L ATTATATISTIC IS ADSEN AV THE ADDIT 74 <sup>E</sup> VARTABLES INDEXEDI FOSTISTICI (NUMERATUR) (OEND <sup>4</sup> L ATTATATISTIC IS ADSEN AV THE ADDIT 74 <sup>E</sup> VARTABLES INDEXEDI FOSTISTICI (NUMERATUR) (OEND <sup>4</sup> L)	atur)	1
	51.8.7 (3885.41)Dh witejk: Vak eeseeseeseeseeseeseeseeseeseeseeseesees		I
		ı	:
	BEST AVAILABLE COP		•
	EXHIBIT 11	•	f
	GENERAL CURVETOP HALF		

1 #	35. NC25134034			134 AMALTAIS Abr	•••••••••••••••••••••••••••••••••••••••		
	the Summer of the Past of the	7504 M.0 TRANSFCRUATION F 4470 E08465471081 3.1059 74146753 544001 3.1059 14141 14051 3.1059 14141 14051 446	34 auf3034tLaf134 44a 956 95 0.305alf <sup></sup>	N APTLIED TO THE VAR TYED PROM - 6 055. 1	VDERED FROM . 3 TO . 6	Ju Sng LABu	OMESSION
	49-13115 605	C TICLENT JF MULTIPLE ) VICIENT OF MULTIPLE DETER	- 244 - 244 - 234 -	-0.9463572	(дм0дьелд = -0.1) 3 df faeijomi 2 (мом; 3 df faeijomi 2 (мом;		) (DENDATVATOR 5 TDEADATVATOR
, 1 , , , ,		5LO C <sup>3</sup> ) CMR C3TAPIT23 A2W JALCIS39	Matricov statistic) D = MautocoqqElation) 240 = N solaqEl signa solated =	2.1344 -0.124536 .2200077-03			
	La light	COEPETCITY VALUE	STAUDARD STATE	STUDENT T RATIO	COLFFICTENT	N	Bratt Abut
		N	12.5700B • C	0.567555 0.567555 DEFE	0.321045 UENT VARIABLESTAFE		\$77109E-01
61		AQLAVCE STATISTICS: .5 BASED DV THE ADDITIDMA. Atteleutable to	. 2598255134 SU4 35 3244E5	F-51ATISTIC	0569469 44	F4660041	ŝ
k	S149LE C3465	12124 44741214 12144 40124 12144 40124 10144 40144 10144 40144 40144 10144 40144 40144 10144 400144 4001400000000					
\$ • •	1 1.900 3 2.6984 Vartadotestiva 1	0.6544 1.0000 1.0000 1.11111					
	•••••••••••••••••••••••••••••••••••••			BESTA	WAILABLE C	- <del>λ</del> d0	
			EXHIBIT II	<b>I</b>			
			BUDGET CURVEBOT	TOM HALF			

ŀ.

ATTATENTALE TO TAE VATALES LUDELO I FORMATION COEDOLUTION COEDOLUTICO COEDOLUTICOEDOLUTICO COEDOLUTICO	JF VARTAUCE STATISTICS 10 VARTAUCE STATISTICS 11 15 BASED DW TAE ADDITTOWA. REGRESSION SUA OF SOLARES 11 15 15 BASED DW TAE ADDITTOWA. REGRESSION SUA OF SOLARES 11 15 0 11 10 10 10 10 10 10 10 10 10 10 10 1	COEFFECTENT VALUE STAVJARD ERRJA STUDENT FRATED INCREEENTAL CONTAGENT SOUTION AND STATAS COEFECTENT OF COEFECTENT	CJEFFICTENT JF PULTIPLE JETRY VATTOWI 4-5014ED = 0.090300       (AHJALPHA = U.119602 1         CJEFFICTENT DF PULTIPLE JETRY VATTOWI 4-5014ED = 0.090300       DEGREES OF FAEEDUAL         CDEPFICTENT DF PULTIPLE JETRY VATTOWI 4-5014ED = 0.090300       DEGREES OF FAEEDUAL         COEFFICTENT DF PULTIPLE JETRY VATTOWI 4-5014ED = 0.090300       DEGREES OF FAEEDUAL         COEFFICTENT DF PULTIPLE JETRY VATOR       A.0000000         FORET JETRY VATOR       D.000000         COEFFICTENT       D.000000         COEFFICTENT       D.0000000         COEFFICTENT       D.000000         COEFFICTENT       D.000000         COEFFICTENT       D.0000000         COEFFICTENT       D.0000000         COEFFICTENT       D.0000000         COEFFICTENT       D.00000000         COEFFICTENT       D.000000000         COEFFICTENT       D.000000000000         COEFFICTENT       D.000000000000000000000000000000000000	JENT VARIABLES - 140EE	<b>Re-watso</b> v mad trausogemention por auticolatica de Béen aprileo to tme variables included in the Parvidus Rebression <b>Besente: Essertson</b> e: 0.219205	MI 2 (NUMERATORS) 7 LOENDALVATO CIELESI SEUTES 1 COPY SECTOR 1 COENCILATE SECTOR 1 COENCILATE DEURIS UN PRECODIN ALTORS COENCILATIONS ALTORS COENCIL	PEST (VULLA			
Martingsingsingsingsingsingstructure     Antionation for authorizing all and a set of a set of all and a set of all all a set of all all and a set of all all and a set of all and a set of all all all and a set of all all and a set of all all all and a set of all all all all all all all all all al	AND TANASTORIANTION TO A AUTOCORPOLITION AND BEN APPLIED TO THE VARIABLES INCLUDED IN THE PARTATIONS REACESSION WALES TWOEF DATE TEATISTIC TO THE TATUE TO THE TATUE TO THE TATUTOR TO THE PARTATION TO THE TEATISTIC TO THE TATUTOR TO TATUTOR TO THE TATUTOR TO TATUTOR	<pre>x00 must tanusy found to a unit of a statistic of the variables included in the parvidus fightession y23.6795551400 0.213245 w014ble: 1006g beg 1666c4513153 USAIFED FAG* 10 085. [NUEFED FROM 73 73 1] ===================================</pre>	NON MAG TANASTONNATION FOR AUTOCONNELATION AND BEEN APPLIED TO THE VARIABLES INCLUDED IN THE PARVIDUS REGARESSION WID ESSTEPATION: 0.210200 MAREESSTEPATION: 0.210200 AND ESSTEPATION: 0.210200 AND ESSTEPATION: THE PARTITICS DENIRED FROM TO OBS. INDERED FROM 7 13 11 SALESSION AND AND ESSTEPATION TREASTON STATISTICS DENIRED FROM TO OBS. INDERED FROM 7 13 11 SALESSION AND AND ESSTEPATION TREASTON STATISTICS DENIRED FROM TO OBS. INDERED FROM 7 13 11 SALESSION AND AND ESSTEPATION TO SALESSION STATISTICS DENIRED FROM TO OBS. INDERED FROM 7 13 11 SALESSION AND AND ESSTEPATION TO SALESSION STATISTICS DENIRED FROM TO OBS. INDERED FROM 7 13 11 SALESSION AND AND ESSTEPATION TO SALESSION STATISTICS DENIRED FROM TO OBS. INDERED FROM 7 13 11 SALESSION AND AND AND AND AND AND AND AND AND AND	50° M40 TAA45F044AT134 704 AUT3C344FLAT134 446 BEE4 APTLIED TO THE VARIABLES INCLUDED IN THE PARVIJUS REGAESSION 413 Eggeseattation Therefs] 59 bage 0.219269		w 2 T3 '11 svist "Earlssid"	0 THE VARIABLES 1451 10 085. 1405450 FR3 (RHJAL DEGREEM OF FAEESU 6 DEGREEM OF FAEESU	BEEN APPLIED TO DERIFTD TROTO DENIFTD TROTO DENIFTD TROTO DENIFTD TO STUDENT T TAI STUDENT T TAI	414 NC1721972-NC122 2517217272-NC122 2417172 2417172 2417172 2417172 241727 24122 2412 24122 24122 24122 2412 24122 24122 2412	U.A. FOY YOT NG 6.51924 7 6.51924 7 6.654 6.654 6.654 6.654 1.141 1.142

່ມ

ŕ

10. Contraction (1997)

2 - 2 - 1 - 2 - 2 - 第一部一部一部一部

MEGREBSEUN SFREES TETER ACTUAL TUIAL VS TITE

---- FULL'ALIS SECESSIJA STATISTICS JEATVEJ FRUN, 5 JAS. INDEREU FAUN 1 TU

C (UENCHINATON) < [DENUMINATUR] AVELAGE YALUE UP VAN AULE U.129400 U.14560U (MENUMINA DK) 2 (NUPERATUR) 2 (HUFE4ATUR) 5 JEGHEES OF FRELUCH: JEPENDENT VANJAGLE AVERAGE VALUES Siandaru - Manus CCEFFICIENT UF INCREMENTAL CONTRINUTION (NUMÉRATUR) -0.157484 SÉGREES OF FREEDUMI 148.8645 DEGRES UP FREDUNI 29.34 f-STATISIL: ,13651 SL - v 5 STUDELE E HATIU .2755226-02 • U. 295671 -155542 C-**BOJJSTED ÇQEFFI**ÇİEMT JE MJLITƏLE <u>D</u>ETERAMATIJUNI ADJ H-500.AMED 8 0.984466 1110.4 **CJEFFICIEVI** JF 4JLTIFLE JEIE2F1.4TIJV1 ×+500446J = 0.994755 Estimatio PHO (сля Алгориясцатиль) на в Jurequear Teams ALPMA = F-TESI STATISTICE F # C 1311SITAN STATISTICE 3 \* 42510046 "EAN SAUANE: SIJAA SBUANE) # Festatistic is dasto ov the Auchtique, atchession surves ATTRIBUTANLE 13 145 +441A34E5 INDEXEJ; 111\_F 2640541 146 2640641 1146 SUUAHEU TETLE EAPENDITURE STANDARY E44UN 5.55570 5.909870 1900 4 1 JE#E+JE47 4441484.E1 1405% 646 - 57272u£ - 01 AMALTSIS OF WARLANCE STATISIZES CJEFFICIEVE VALJE 1005PLNJEHT VATIABLESI INJEH SIMPLE CORPLATION NATALYS 0.465.1 XARIALE XNDE F

EXHIBIT IV

BEST AVAILABLE COPY

63

t.Joav

1.90.4 12582.3 -9

AAHLAKCE BULATAA DUTUUN AAAAA

- 209245+01 -0.248.7 ----

3 -0.20017

L. 428/14

ACTUALS--BOTTOM HALF

Contraction of the second